IDAHO CENTER FOR REPRODUCTIVE MEDICINE
BOISE, IDAHO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	60%
Unstimulated	0%	Used PGD	4%
Used gestational carrier	8%		

Patient Diagnosis[b]

Tubal factor	16%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	16%	Male factor	37%	Female factors only	15%
Diminished ovarian reserve	38%	Other factor	18%	Female & male factors	21%
Endometriosis	8%	Unknown factor	2%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 390

Data verified by Cristin C. Slater, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	118	37	29	15	2	0
Percentage of cancellations	3.4	5.4	3.4	0 / 15	0 / 2	
Average number of embryos transferred	2.1	2.4	2.3	3.1	4.0	
Percentage of embryos transferred resulting in implantation	30.1	20.8	10.7	6.5	0 / 4	
Percentage of elective single embryo transfer (eSET)	1.0	0.0	0.0	0 / 13	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	22.9	18.9	17.2	2 / 15	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.8	0.0	0.0	0 / 15	0 / 2	
Percentage of cycles resulting in live births	39.0	29.7	17.2	2 / 15	0 / 2	
Percentage of cycles resulting in pregnancy	44.1	29.7	20.7	2 / 15	0 / 2	
Outcomes per Transfer						
Number of transfers	110	32	24	15	1	0
Percentage of transfers resulting in singleton live births	24.5	21.9	20.8	2 / 15	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.9	0.0	0.0	0 / 15	0 / 1	
Percentage of transfers resulting in live births	41.8	34.4	20.8	2 / 15	0 / 1	
Percentage of transfers resulting in pregnancy	47.3	34.4	25.0	2 / 15	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	52	11	6	2	0	0
Percentage of pregnancies resulting in singleton live births	51.9	7 / 11	5 / 6	2 / 2		
Percentage of pregnancies resulting in triplets or more live births	1.9	0 / 11	0 / 6	0 / 2		
Percentage of pregnancies resulting in live births	88.5	11 / 11	5 / 6	2 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	50	20	10	3	5	4
Number of transfers	49	20	8	3	5	4
Average number of embryos transferred	2.1	2.3	2.5	2.3	2.0	2.3
Percentage of embryos transferred resulting in implantation	26.7	23.9	15.0	0 / 7	1 / 10	1 / 9
Percentage of transfers resulting in singleton live births	34.7	15.0	3 / 8	0 / 3	1 / 5	0 / 4
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 8	0 / 3	0 / 5	0 / 4
Percentage of transfers resulting in live births	40.8	30.0	3 / 8	0 / 3	1 / 5	0 / 4
Percentage of transfers resulting in pregnancy	53.1	40.0	3 / 8	1 / 3	1 / 5	2 / 4

	All Ages Combined[f]	
Donor Eggs	**Fresh Embryos**	**Frozen Embryos**
Number of cycles	48	49
Number of transfers	46	49
Average number of embryos transferred	2.1	2.3
Percentage of embryos transferred resulting in implantation	49.5	39.1
Percentage of transfers resulting in singleton live births	43.5	22.4
Percentage of transfers resulting in live births	58.7	44.9
Percentage of transfers resulting in pregnancy	67.4	59.2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Idaho Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

RUSH-COPLEY CENTER FOR REPRODUCTIVE HEALTH
AURORA, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	90%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	1%		

Patient Diagnosis[b]

Tubal factor	10%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	5%	Male factor	23%	Female factors only	6%
Diminished ovarian reserve	11%	Other factor	57%	Female & male factors	15%
Endometriosis	13%	Unknown factor	0%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 116

Data verified by Zvi Binor, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	46	13	24	2	10	2
Percentage of cancellations	4.3	1 / 13	12.5	0 / 2	2 / 10	1 / 2
Average number of embryos transferred	2.1	2.2	2.2	2.0	1.9	3.0
Percentage of embryos transferred resulting in implantation	29.2	33.3	16.2	0 / 2	1 / 15	0 / 3
Percentage of elective single embryo transfer (eSET)	0.0	0 / 11	0 / 14	0 / 1	0 / 6	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.4	2 / 13	8.3	0 / 2	1 / 10	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0 / 13	0.0	0 / 2	0 / 10	0 / 2
Percentage of cycles resulting in live births	34.8	5 / 13	12.5	0 / 2	1 / 10	0 / 2
Percentage of cycles resulting in pregnancy	43.5	5 / 13	25.0	0 / 2	1 / 10	0 / 2
Outcomes per Transfer						
Number of transfers	43	11	17	1	8	1
Percentage of transfers resulting in singleton live births	32.6	2 / 11	2 / 17	0 / 1	1 / 8	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 11	0 / 17	0 / 1	0 / 8	0 / 1
Percentage of transfers resulting in live births	37.2	5 / 11	3 / 17	0 / 1	1 / 8	0 / 1
Percentage of transfers resulting in pregnancy	46.5	5 / 11	6 / 17	0 / 1	1 / 8	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	20	5	6	0	1	0
Percentage of pregnancies resulting in singleton live births	70.0	2 / 5	2 / 6		1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 5	0 / 6		0 / 1	
Percentage of pregnancies resulting in live births	80.0	5 / 5	3 / 6		1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	3	3	0	0	0
Number of transfers	6	3	3	0	0	0
Average number of embryos transferred	2.3	2.0	1.0			
Percentage of embryos transferred resulting in implantation	3 / 14	2 / 6	0 / 3			
Percentage of transfers resulting in singleton live births	1 / 6	0 / 3	0 / 3			
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 3	0 / 3			
Percentage of transfers resulting in live births	1 / 6	1 / 3	0 / 3			
Percentage of transfers resulting in pregnancy	3 / 6	1 / 3	0 / 3			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	4	2
Number of transfers	4	2
Average number of embryos transferred	2.3	3.0
Percentage of embryos transferred resulting in implantation	1 / 9	0 / 6
Percentage of transfers resulting in singleton live births	1 / 4	0 / 2
Percentage of transfers resulting in live births	1 / 4	0 / 2
Percentage of transfers resulting in pregnancy	2 / 4	0 / 2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Rush-Copley Center for Reproductive Health

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MARTIN S. BALIN, MD, PhD
CHICAGO, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	82%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	0%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	19%	Male factor	0%	Female factors only	0%
Diminished ovarian reserve	38%	Other factor	0%	Female & male factors	0%
Endometriosis	0%	Unknown factor	44%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 16 Data verified by Martin S. Balin, MD, PhD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	6	1	3	1	0	0
Percentage of cancellations	0 / 6	0 / 1	0 / 3	0 / 1		
Average number of embryos transferred	1.8	1.0	2.7			
Percentage of embryos transferred resulting in implantation	2 / 11	0 / 1	0 / 8			
Percentage of elective single embryo transfer (eSET)	0 / 5		0 / 3			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	1 / 6	0 / 1	0 / 3	0 / 1		
Percentage of cycles resulting in triplets or more live births	0 / 6	0 / 1	0 / 3	0 / 1		
Percentage of cycles resulting in live births	1 / 6	0 / 1	0 / 3	0 / 1		
Percentage of cycles resulting in pregnancy	2 / 6	0 / 1	0 / 3	0 / 1		
Outcomes per Transfer						
Number of transfers	6	1	3	0	0	0
Percentage of transfers resulting in singleton live births	1 / 6	0 / 1	0 / 3			
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 1	0 / 3			
Percentage of transfers resulting in live births	1 / 6	0 / 1	0 / 3			
Percentage of transfers resulting in pregnancy	2 / 6	0 / 1	0 / 3			
Outcomes per Pregnancy						
Number of pregnancies	2	0	0	0	0	0
Percentage of pregnancies resulting in singleton live births	1 / 2					
Percentage of pregnancies resulting in triplets or more live births	0 / 2					
Percentage of pregnancies resulting in live births	1 / 2					
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	0	2	0	0	0
Number of transfers	2	0	2	0	0	0
Average number of embryos transferred	1.5		2.0			
Percentage of embryos transferred resulting in implantation	1 / 3		0 / 4			
Percentage of transfers resulting in singleton live births	0 / 2		0 / 2			
Percentage of transfers resulting in triplets or more live births	0 / 2		0 / 2			
Percentage of transfers resulting in live births	0 / 2		0 / 2			
Percentage of transfers resulting in pregnancy	1 / 2		0 / 2			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	1	0
Number of transfers	1	0
Average number of embryos transferred	2.0	
Percentage of embryos transferred resulting in implantation	0 / 2	
Percentage of transfers resulting in singleton live births	0 / 1	
Percentage of transfers resulting in live births	0 / 1	
Percentage of transfers resulting in pregnancy	0 / 1	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Martin S. Balin, MD, PhD

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE & FERTILITY
THE UNIVERSITY OF CHICAGO
CHICAGO, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	42%
Unstimulated	0%	Used PGD	6%
Used gestational carrier	1%		

Patient Diagnosis[b]

Tubal factor	20%	Uterine factor	6%	*Multiple Factors:*	
Ovulatory dysfunction	18%	Male factor	27%	Female factors only	17%
Diminished ovarian reserve	18%	Other factor	22%	Female & male factors	14%
Endometriosis	6%	Unknown factor	18%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 282

Data verified by Helen Kim, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	61	42	41	9	11	0
Percentage of cancellations	27.9	14.3	34.1	5 / 9	4 / 11	
Average number of embryos transferred	1.8	2.3	2.6	5.0	3.7	
Percentage of embryos transferred resulting in implantation	22.6	28.9	20.0	0 / 10	4.5	
Percentage of elective single embryo transfer (eSET)	19.4	3.0	0.0	0 / 2	0 / 6	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	14.8	16.7	19.5	0 / 9	0 / 11	
Percentage of cycles resulting in triplets or more live births	0.0	4.8	0.0	0 / 9	0 / 11	
Percentage of cycles resulting in live births	18.0	31.0	19.5	0 / 9	0 / 11	
Percentage of cycles resulting in pregnancy	19.7	33.3	22.0	0 / 9	1 / 11	
Outcomes per Transfer						
Number of transfers	35	33	21	2	6	0
Percentage of transfers resulting in singleton live births	25.7	21.2	38.1	0 / 2	0 / 6	
Percentage of transfers resulting in triplets or more live births	0.0	6.1	0.0	0 / 2	0 / 6	
Percentage of transfers resulting in live births	31.4	39.4	38.1	0 / 2	0 / 6	
Percentage of transfers resulting in pregnancy	34.3	42.4	42.9	0 / 2	1 / 6	
Outcomes per Pregnancy						
Number of pregnancies	12	14	9	0	1	0
Percentage of pregnancies resulting in singleton live births	9 / 12	7 / 14	8 / 9		0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 12	2 / 14	0 / 9		0 / 1	
Percentage of pregnancies resulting in live births	11 / 12	13 / 14	8 / 9		0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	44	25	14	6	4	0
Number of transfers	41	23	12	4	2	0
Average number of embryos transferred	1.9	1.9	2.3	2.5	4.0	
Percentage of embryos transferred resulting in implantation	28.9	20.5	7.1	5 / 10	0 / 8	
Percentage of transfers resulting in singleton live births	22.0	30.4	2 / 12	0 / 4	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 12	0 / 4	0 / 2	
Percentage of transfers resulting in live births	34.1	30.4	2 / 12	1 / 4	0 / 2	
Percentage of transfers resulting in pregnancy	36.6	43.5	3 / 12	4 / 4	1 / 2	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	14	11
Number of transfers	10	9
Average number of embryos transferred	1.7	1.7
Percentage of embryos transferred resulting in implantation	4 / 17	3 / 15
Percentage of transfers resulting in singleton live births	4 / 10	3 / 9
Percentage of transfers resulting in live births	4 / 10	3 / 9
Percentage of transfers resulting in pregnancy	5 / 10	5 / 9

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Reproductive Medicine & Fertility, The University of Chicago

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 3 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INSTITUTE FOR HUMAN REPRODUCTION (IHR)
CHICAGO, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	81%
Unstimulated	1%	Used PGD	20%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	25%	Uterine factor	6%	*Multiple Factors:*	
Ovulatory dysfunction	21%	Male factor	39%	Female factors only	20%
Diminished ovarian reserve	42%	Other factor	19%	Female & male factors	31%
Endometriosis	7%	Unknown factor	4%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 222 Data verified by Ilan Tur-Kaspa, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	55	29	26	17	4	12
Percentage of cancellations	0.0	0.0	11.5	2 / 17	0 / 4	1 / 12
Average number of embryos transferred	1.9	1.9	2.4	2.7	4.0	2.1
Percentage of embryos transferred resulting in implantation	31.0	32.0	18.9	8.6	0 / 8	0 / 17
Percentage of elective single embryo transfer (eSET)	16.0	19.0	0.0	0 / 9	0 / 2	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.6	31.0	15.4	2 / 17	0 / 4	0 / 12
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 17	0 / 4	0 / 12
Percentage of cycles resulting in live births	38.2	37.9	19.2	2 / 17	0 / 4	0 / 12
Percentage of cycles resulting in pregnancy	41.8	41.4	34.6	3 / 17	0 / 4	0 / 12
Outcomes per Transfer						
Number of transfers	52	27	22	13	2	8
Percentage of transfers resulting in singleton live births	25.0	33.3	18.2	2 / 13	0 / 2	0 / 8
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 13	0 / 2	0 / 8
Percentage of transfers resulting in live births	40.4	40.7	22.7	2 / 13	0 / 2	0 / 8
Percentage of transfers resulting in pregnancy	44.2	44.4	40.9	3 / 13	0 / 2	0 / 8
Outcomes per Pregnancy						
Number of pregnancies	23	12	9	3	0	0
Percentage of pregnancies resulting in singleton live births	56.5	9 / 12	4 / 9	2 / 3		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 12	0 / 9	0 / 3		
Percentage of pregnancies resulting in live births	91.3	11 / 12	5 / 9	2 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	28	8	10	4	3	3
Number of transfers	28	6	10	4	3	3
Average number of embryos transferred	1.6	1.5	1.4	1.3	1.7	1.3
Percentage of embryos transferred resulting in implantation	32.6	4 / 9	3 / 14	2 / 5	4 / 5	1 / 4
Percentage of transfers resulting in singleton live births	14.3	3 / 6	3 / 10	2 / 4	2 / 3	1 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0 / 6	0 / 10	0 / 4	0 / 3	0 / 3
Percentage of transfers resulting in live births	32.1	3 / 6	3 / 10	2 / 4	3 / 3	1 / 3
Percentage of transfers resulting in pregnancy	39.3	4 / 6	3 / 10	2 / 4	3 / 3	1 / 3

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	20	3
Number of transfers	20	3
Average number of embryos transferred	1.9	2.0
Percentage of embryos transferred resulting in implantation	59.5	1 / 6
Percentage of transfers resulting in singleton live births	40.0	1 / 3
Percentage of transfers resulting in live births	65.0	1 / 3
Percentage of transfers resulting in pregnancy	70.0	2 / 3

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Institute for Human Reproduction (IHR)

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTHWESTERN UNIVERSITY
CHICAGO, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	84%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	1%		

Patient Diagnosis[b]

Tubal factor	9%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	11%	Male factor	30%	Female factors only	5%
Diminished ovarian reserve	38%	Other factor	3%	Female & male factors	12%
Endometriosis	4%	Unknown factor	21%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 706

Data verified by Edmond Confino, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	168	106	121	75	20	5
Percentage of cancellations	8.3	5.7	9.9	12.0	15.0	0 / 5
Average number of embryos transferred	1.9	2.0	2.4	2.7	3.0	3.4
Percentage of embryos transferred resulting in implantation	40.1	29.5	15.1	7.3	6.3	0 / 17
Percentage of elective single embryo transfer (eSET)	12.5	9.9	2.1	0.0	0 / 13	0 / 5
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	36.3	24.5	15.7	12.0	0.0	0 / 5
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.8	0.0	0.0	0 / 5
Percentage of cycles resulting in live births	48.8	33.0	18.2	12.0	0.0	0 / 5
Percentage of cycles resulting in pregnancy	55.4	42.5	28.1	17.3	15.0	0 / 5
Outcomes per Transfer						
Number of transfers	149	95	103	61	16	5
Percentage of transfers resulting in singleton live births	40.9	27.4	18.4	14.8	0 / 16	0 / 5
Percentage of transfers resulting in triplets or more live births	0.0	0.0	1.0	0.0	0 / 16	0 / 5
Percentage of transfers resulting in live births	55.0	36.8	21.4	14.8	0 / 16	0 / 5
Percentage of transfers resulting in pregnancy	62.4	47.4	33.0	21.3	3 / 16	0 / 5
Outcomes per Pregnancy						
Number of pregnancies	93	45	34	13	3	0
Percentage of pregnancies resulting in singleton live births	65.6	57.8	55.9	9 / 13	0 / 3	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	2.9	0 / 13	0 / 3	
Percentage of pregnancies resulting in live births	88.2	77.8	64.7	9 / 13	0 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	59	21	26	12	8	5
Number of transfers	59	21	25	11	8	5
Average number of embryos transferred	2.0	2.2	2.6	2.2	2.1	3.0
Percentage of embryos transferred resulting in implantation	10.8	27.7	9.1	12.5	1 / 17	2 / 15
Percentage of transfers resulting in singleton live births	13.6	19.0	12.0	0 / 11	1 / 8	2 / 5
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 11	0 / 8	0 / 5
Percentage of transfers resulting in live births	15.3	33.3	12.0	1 / 11	1 / 8	2 / 5
Percentage of transfers resulting in pregnancy	23.7	42.9	24.0	2 / 11	1 / 8	2 / 5

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	45	35
Number of transfers	42	35
Average number of embryos transferred	2.0	2.3
Percentage of embryos transferred resulting in implantation	33.7	18.8
Percentage of transfers resulting in singleton live births	33.3	31.4
Percentage of transfers resulting in live births	45.2	34.3
Percentage of transfers resulting in pregnancy	54.8	37.1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Northwestern University

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 26 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

RIVER NORTH IVF-FERTILITY CENTERS OF ILLINOIS
CHICAGO, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	83%
Unstimulated	<1%	Used PGD	<1%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	9%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	21%	Male factor	24%	Female factors only	7%
Diminished ovarian reserve	26%	Other factor	12%	Female & male factors	11%
Endometriosis	5%	Unknown factor	21%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 2044 Data verified by Angeline Beltsos, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	528	285	247	135	66	13
Percentage of cancellations	10.2	13.3	19.8	23.0	33.3	5 / 13
Average number of embryos transferred	1.8	2.0	2.2	2.5	3.0	2.0
Percentage of embryos transferred resulting in implantation	35.5	25.8	17.7	8.1	6.7	0 / 10
Percentage of elective single embryo transfer (eSET)	26.0	10.7	1.2	0.0	0.0	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	29.0	20.4	13.8	9.6	1.5	0 / 13
Percentage of cycles resulting in triplets or more live births	0.2	0.0	0.4	0.0	0.0	0 / 13
Percentage of cycles resulting in live births	37.3	27.4	16.6	9.6	1.5	0 / 13
Percentage of cycles resulting in pregnancy	42.0	33.3	23.5	16.3	13.6	0 / 13
Outcomes per Transfer						
Number of transfers	432	228	185	96	40	5
Percentage of transfers resulting in singleton live births	35.4	25.4	18.4	13.5	2.5	0 / 5
Percentage of transfers resulting in triplets or more live births	0.2	0.0	0.5	0.0	0.0	0 / 5
Percentage of transfers resulting in live births	45.6	34.2	22.2	13.5	2.5	0 / 5
Percentage of transfers resulting in pregnancy	51.4	41.7	31.4	22.9	22.5	0 / 5
Outcomes per Pregnancy						
Number of pregnancies	222	95	58	22	9	0
Percentage of pregnancies resulting in singleton live births	68.9	61.1	58.6	59.1	1 / 9	
Percentage of pregnancies resulting in triplets or more live births	0.5	0.0	1.7	0.0	0 / 9	
Percentage of pregnancies resulting in live births	88.7	82.1	70.7	59.1	1 / 9	
Frozen Embryos from Nondonor Eggs						
Number of cycles	277	154	105	33	11	6
Number of transfers	265	145	99	32	11	6
Average number of embryos transferred	1.7	1.7	1.7	1.8	1.7	2.0
Percentage of embryos transferred resulting in implantation	38.3	28.5	21.4	17.5	2 / 19	4 / 12
Percentage of transfers resulting in singleton live births	30.2	24.1	22.2	21.9	2 / 11	1 / 6
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 11	0 / 6
Percentage of transfers resulting in live births	43.8	30.3	27.3	21.9	2 / 11	1 / 6
Percentage of transfers resulting in pregnancy	52.5	42.1	37.4	34.4	3 / 11	3 / 6

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	99	85
Number of transfers	82	77
Average number of embryos transferred	1.9	1.8
Percentage of embryos transferred resulting in implantation	51.0	23.0
Percentage of transfers resulting in singleton live births	36.6	14.3
Percentage of transfers resulting in live births	59.8	23.4
Percentage of transfers resulting in pregnancy	62.2	32.5

CURRENT CLINIC SERVICES AND PROFILE

Current Name: River North IVF-Fertility Centers of Illinois

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 68 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF ILLINOIS AT CHICAGO IVF PROGRAM
CHICAGO, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	42%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	21%	Uterine factor	<1%	*Multiple Factors:*	
Ovulatory dysfunction	8%	Male factor	34%	Female factors only	13%
Diminished ovarian reserve	15%	Other factor	13%	Female & male factors	11%
Endometriosis	13%	Unknown factor	21%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 158 Data verified by Humberto Scoccia, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	51	21	37	13	1	0
Percentage of cancellations	7.8	14.3	27.0	3 / 13	0 / 1	
Average number of embryos transferred	1.9	1.9	2.0	2.6	2.0	
Percentage of embryos transferred resulting in implantation	25.7	25.0	23.3	4.3	0 / 2	
Percentage of elective single embryo transfer (eSET)	11.1	2 / 15	1 / 17	0 / 7	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	11.8	23.8	21.6	1 / 13	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 13	0 / 1	
Percentage of cycles resulting in live births	21.6	28.6	21.6	1 / 13	0 / 1	
Percentage of cycles resulting in pregnancy	31.4	38.1	32.4	1 / 13	0 / 1	
Outcomes per Transfer						
Number of transfers	40	17	22	9	1	0
Percentage of transfers resulting in singleton live births	15.0	5 / 17	36.4	1 / 9	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 17	0.0	0 / 9	0 / 1	
Percentage of transfers resulting in live births	27.5	6 / 17	36.4	1 / 9	0 / 1	
Percentage of transfers resulting in pregnancy	40.0	8 / 17	54.5	1 / 9	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	16	8	12	1	0	0
Percentage of pregnancies resulting in singleton live births	6 / 16	5 / 8	8 / 12	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 16	0 / 8	0 / 12	0 / 1		
Percentage of pregnancies resulting in live births	11 / 16	6 / 8	8 / 12	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	19	5	4	2	0	0
Number of transfers	16	5	3	2	0	0
Average number of embryos transferred	1.6	2.0	1.7	3.0		
Percentage of embryos transferred resulting in implantation	32.0	3 / 10	2 / 5	0 / 6		
Percentage of transfers resulting in singleton live births	3 / 16	1 / 5	2 / 3	0 / 2		
Percentage of transfers resulting in triplets or more live births	0 / 16	0 / 5	0 / 3	0 / 2		
Percentage of transfers resulting in live births	4 / 16	2 / 5	2 / 3	0 / 2		
Percentage of transfers resulting in pregnancy	8 / 16	2 / 5	3 / 3	0 / 2		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	1	4
Number of transfers	1	4
Average number of embryos transferred	1.0	1.5
Percentage of embryos transferred resulting in implantation	1 / 1	1 / 6
Percentage of transfers resulting in singleton live births	1 / 1	1 / 4
Percentage of transfers resulting in live births	1 / 1	1 / 4
Percentage of transfers resulting in pregnancy	1 / 1	1 / 4

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University of Illinois at Chicago IVF Program

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WOMEN'S HEALTH CONSULTANTS
CHICAGO, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	98%	With ICSI	85%
Unstimulated	0%	Used PGD	1%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	29%	Uterine factor	32%	*Multiple Factors:*	
Ovulatory dysfunction	41%	Male factor	39%	Female factors only	43%
Diminished ovarian reserve	45%	Other factor	21%	Female & male factors	29%
Endometriosis	15%	Unknown factor	0%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 170 Data verified by Mary W. Molo, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	53	23	32	15	14	1
Percentage of cancellations	7.5	0.0	12.5	2 / 15	1 / 14	0 / 1
Average number of embryos transferred	2.3	2.5	2.4	2.9	2.6	1.0
Percentage of embryos transferred resulting in implantation	23.1	16.4	11.7	9.4	4.8	0 / 1
Percentage of elective single embryo transfer (eSET)	2.2	9.1	0.0	0 / 9	0 / 7	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	18.9	13.0	15.6	1 / 15	0 / 14	0 / 1
Percentage of cycles resulting in triplets or more live births	1.9	0.0	0.0	0 / 15	0 / 14	0 / 1
Percentage of cycles resulting in live births	28.3	21.7	15.6	1 / 15	0 / 14	0 / 1
Percentage of cycles resulting in pregnancy	34.0	30.4	21.9	3 / 15	1 / 14	0 / 1
Outcomes per Transfer						
Number of transfers	46	22	25	11	8	1
Percentage of transfers resulting in singleton live births	21.7	13.6	20.0	1 / 11	0 / 8	0 / 1
Percentage of transfers resulting in triplets or more live births	2.2	0.0	0.0	0 / 11	0 / 8	0 / 1
Percentage of transfers resulting in live births	32.6	22.7	20.0	1 / 11	0 / 8	0 / 1
Percentage of transfers resulting in pregnancy	39.1	31.8	28.0	3 / 11	1 / 8	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	18	7	7	3	1	0
Percentage of pregnancies resulting in singleton live births	10 / 18	3 / 7	5 / 7	1 / 3	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	1 / 18	0 / 7	0 / 7	0 / 3	0 / 1	
Percentage of pregnancies resulting in live births	15 / 18	5 / 7	5 / 7	1 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	11	8	1	4	1	0
Number of transfers	11	8	0	4	1	0
Average number of embryos transferred	2.4	2.1		2.5	2.0	
Percentage of embryos transferred resulting in implantation	7.7	3 / 17		0 / 10	0 / 2	
Percentage of transfers resulting in singleton live births	2 / 11	3 / 8		0 / 4	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 11	0 / 8		0 / 4	0 / 1	
Percentage of transfers resulting in live births	2 / 11	3 / 8		0 / 4	0 / 1	
Percentage of transfers resulting in pregnancy	2 / 11	3 / 8		0 / 4	0 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	3	4
Number of transfers	3	3
Average number of embryos transferred	2.3	2.7
Percentage of embryos transferred resulting in implantation	2 / 7	1 / 8
Percentage of transfers resulting in singleton live births	2 / 3	1 / 3
Percentage of transfers resulting in live births	2 / 3	1 / 3
Percentage of transfers resulting in pregnancy	2 / 3	1 / 3

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Women's Health Consultants

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 9 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE HEALTH/JOLIET IVF
CREST HILL, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	85%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	15%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	11%	Male factor	23%	Female factors only	8%
Diminished ovarian reserve	44%	Other factor	<1%	Female & male factors	9%
Endometriosis	6%	Unknown factor	17%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 115 Data verified by Robert S. Springer, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	64	18	13	3	2	0
Percentage of cancellations	6.3	1 / 18	2 / 13	1 / 3	0 / 2	
Average number of embryos transferred	2.2	2.4	2.8	3.0	1.5	
Percentage of embryos transferred resulting in implantation	24.0	22.5	10.7	0 / 6	0 / 3	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 16	0 / 8	0 / 2	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	20.3	5 / 18	1 / 13	0 / 3	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 18	0 / 13	0 / 3	0 / 2	
Percentage of cycles resulting in live births	29.7	5 / 18	2 / 13	0 / 3	0 / 2	
Percentage of cycles resulting in pregnancy	34.4	7 / 18	2 / 13	1 / 3	0 / 2	
Outcomes per Transfer						
Number of transfers	56	17	10	2	2	0
Percentage of transfers resulting in singleton live births	23.2	5 / 17	1 / 10	0 / 2	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 17	0 / 10	0 / 2	0 / 2	
Percentage of transfers resulting in live births	33.9	5 / 17	2 / 10	0 / 2	0 / 2	
Percentage of transfers resulting in pregnancy	39.3	7 / 17	2 / 10	1 / 2	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	22	7	2	1	0	0
Percentage of pregnancies resulting in singleton live births	59.1	5 / 7	1 / 2	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 7	0 / 2	0 / 1		
Percentage of pregnancies resulting in live births	86.4	5 / 7	2 / 2	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	1	3	1	0	0
Number of transfers	5	1	3	1	0	0
Average number of embryos transferred	2.0	2.0	2.0	4.0		
Percentage of embryos transferred resulting in implantation	2 / 10	0 / 2	0 / 6	0 / 4		
Percentage of transfers resulting in singleton live births	1 / 5	0 / 1	0 / 3	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 5	0 / 1	0 / 3	0 / 1		
Percentage of transfers resulting in live births	1 / 5	0 / 1	0 / 3	0 / 1		
Percentage of transfers resulting in pregnancy	2 / 5	0 / 1	0 / 3	1 / 1		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	3	2
Number of transfers	3	2
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation	2 / 6	0 / 4
Percentage of transfers resulting in singleton live births	2 / 3	0 / 2
Percentage of transfers resulting in live births	2 / 3	0 / 2
Percentage of transfers resulting in pregnancy	2 / 3	0 / 2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Reproductive Health/Joliet IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MIDWEST FERTILITY CENTER
DOWNERS GROVE, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	98%	With ICSI	34%
Unstimulated	0%	Used PGD	5%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	16%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	25%	Male factor	28%	Female factors only	15%
Diminished ovarian reserve	27%	Other factor	10%	Female & male factors	13%
Endometriosis	16%	Unknown factor	4%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 171 Data verified by Amos E. Madanes, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	47	27	27	14	2	2
Percentage of cancellations	10.6	14.8	37.0	5 / 14	2 / 2	1 / 2
Average number of embryos transferred	2.1	2.6	2.6	2.3		1.0
Percentage of embryos transferred resulting in implantation	27.7	24.6	4.4	2 / 18		0 / 1
Percentage of elective single embryo transfer (eSET)	7.5	0.0	0 / 15	0 / 4		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.4	25.9	7.4	0 / 14	0 / 2	0 / 2
Percentage of cycles resulting in triplets or more live births	2.1	3.7	0.0	0 / 14	0 / 2	0 / 2
Percentage of cycles resulting in live births	27.7	33.3	7.4	0 / 14	0 / 2	0 / 2
Percentage of cycles resulting in pregnancy	38.3	37.0	14.8	2 / 14	0 / 2	0 / 2
Outcomes per Transfer						
Number of transfers	40	22	17	8	0	1
Percentage of transfers resulting in singleton live births	27.5	31.8	2 / 17	0 / 8		0 / 1
Percentage of transfers resulting in triplets or more live births	2.5	4.5	0 / 17	0 / 8		0 / 1
Percentage of transfers resulting in live births	32.5	40.9	2 / 17	0 / 8		0 / 1
Percentage of transfers resulting in pregnancy	45.0	45.5	4 / 17	2 / 8		0 / 1
Outcomes per Pregnancy						
Number of pregnancies	18	10	4	2	0	0
Percentage of pregnancies resulting in singleton live births	11 / 18	7 / 10	2 / 4	0 / 2		
Percentage of pregnancies resulting in triplets or more live births	1 / 18	1 / 10	0 / 4	0 / 2		
Percentage of pregnancies resulting in live births	13 / 18	9 / 10	2 / 4	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	22	4	10	3	1	5
Number of transfers	21	4	9	3	1	5
Average number of embryos transferred	2.2	2.0	2.3	2.0	2.0	2.0
Percentage of embryos transferred resulting in implantation	10.6	1 / 8	4.8	0 / 6	0 / 2	0 / 10
Percentage of transfers resulting in singleton live births	14.3	1 / 4	1 / 9	0 / 3	0 / 1	0 / 5
Percentage of transfers resulting in triplets or more live births	0.0	0 / 4	0 / 9	0 / 3	0 / 1	0 / 5
Percentage of transfers resulting in live births	19.0	1 / 4	1 / 9	0 / 3	0 / 1	0 / 5
Percentage of transfers resulting in pregnancy	23.8	1 / 4	1 / 9	0 / 3	0 / 1	0 / 5

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	5	2
Number of transfers	4	2
Average number of embryos transferred	2.3	2.0
Percentage of embryos transferred resulting in implantation	0 / 9	1 / 4
Percentage of transfers resulting in singleton live births	0 / 4	1 / 2
Percentage of transfers resulting in live births	0 / 4	1 / 2
Percentage of transfers resulting in pregnancy	0 / 4	1 / 2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Midwest Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY CENTER OF CHICAGO
GURNEE, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	73%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	9%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	11%	Male factor	31%	Female factors only	8%
Diminished ovarian reserve	38%	Other factor	5%	Female & male factors	11%
Endometriosis	9%	Unknown factor	16%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 568 Data verified by Richard P. Sherbahn, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	208	83	60	10	10	2
Percentage of cancellations	3.8	9.6	10.0	1 / 10	0 / 10	2 / 2
Average number of embryos transferred	2.0	2.2	2.3	2.3	4.6	
Percentage of embryos transferred resulting in implantation	48.8	34.6	26.0	4.8	4.3	
Percentage of elective single embryo transfer (eSET)	5.2	7.1	0.0	0 / 7	0 / 10	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.3	21.7	23.3	1 / 10	1 / 10	0 / 2
Percentage of cycles resulting in triplets or more live births	1.0	1.2	0.0	0 / 10	0 / 10	0 / 2
Percentage of cycles resulting in live births	57.7	41.0	30.0	1 / 10	1 / 10	0 / 2
Percentage of cycles resulting in pregnancy	63.9	47.0	45.0	1 / 10	3 / 10	0 / 2
Outcomes per Transfer						
Number of transfers	198	72	53	9	10	0
Percentage of transfers resulting in singleton live births	31.8	25.0	26.4	1 / 9	1 / 10	
Percentage of transfers resulting in triplets or more live births	1.0	1.4	0.0	0 / 9	0 / 10	
Percentage of transfers resulting in live births	60.6	47.2	34.0	1 / 9	1 / 10	
Percentage of transfers resulting in pregnancy	67.2	54.2	50.9	1 / 9	3 / 10	
Outcomes per Pregnancy						
Number of pregnancies	133	39	27	1	3	0
Percentage of pregnancies resulting in singleton live births	47.4	46.2	51.9	1 / 1	1 / 3	
Percentage of pregnancies resulting in triplets or more live births	1.5	2.6	0.0	0 / 1	0 / 3	
Percentage of pregnancies resulting in live births	90.2	87.2	66.7	1 / 1	1 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	47	20	11	2	0	0
Number of transfers	45	20	11	2	0	0
Average number of embryos transferred	1.9	1.8	1.5	1.0		
Percentage of embryos transferred resulting in implantation	60.7	42.9	7 / 16	1 / 2		
Percentage of transfers resulting in singleton live births	33.3	35.0	4 / 11	1 / 2		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 11	0 / 2		
Percentage of transfers resulting in live births	66.7	55.0	5 / 11	1 / 2		
Percentage of transfers resulting in pregnancy	73.3	55.0	6 / 11	1 / 2		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	84	31
Number of transfers	75	30
Average number of embryos transferred	1.9	1.6
Percentage of embryos transferred resulting in implantation	69.1	51.1
Percentage of transfers resulting in singleton live births	38.7	36.7
Percentage of transfers resulting in live births	80.0	53.3
Percentage of transfers resulting in pregnancy	82.7	76.7

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Fertility Center of Chicago

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 6 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CHICAGO INFERTILITY ASSOCIATES, LTD.
HANOVER PARK, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	79%
Unstimulated	0%	Used PGD	47%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	21%	Uterine factor	11%	*Multiple Factors:*	
Ovulatory dysfunction	11%	Male factor	26%	Female factors only	21%
Diminished ovarian reserve	11%	Other factor	11%	Female & male factors	16%
Endometriosis	32%	Unknown factor	21%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 19 Data verified by Ketan Jobanputra, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	10	3	4	1	0	1
Percentage of cancellations	2 / 10	0 / 3	0 / 4	0 / 1		0 / 1
Average number of embryos transferred	2.0	2.3	2.0	4.0		1.0
Percentage of embryos transferred resulting in implantation	0 / 10	0 / 7	1 / 6	0 / 4		0 / 1
Percentage of elective single embryo transfer (eSET)	0 / 3	0 / 2	0 / 2	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	0 / 10	0 / 3	1 / 4	0 / 1		0 / 1
Percentage of cycles resulting in triplets or more live births	0 / 10	0 / 3	0 / 4	0 / 1		0 / 1
Percentage of cycles resulting in live births	0 / 10	0 / 3	1 / 4	0 / 1		0 / 1
Percentage of cycles resulting in pregnancy	0 / 10	0 / 3	1 / 4	0 / 1		0 / 1
Outcomes per Transfer						
Number of transfers	5	3	3	1	0	1
Percentage of transfers resulting in singleton live births	0 / 5	0 / 3	1 / 3	0 / 1		0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 5	0 / 3	0 / 3	0 / 1		0 / 1
Percentage of transfers resulting in live births	0 / 5	0 / 3	1 / 3	0 / 1		0 / 1
Percentage of transfers resulting in pregnancy	0 / 5	0 / 3	1 / 3	0 / 1		0 / 1
Outcomes per Pregnancy						
Number of pregnancies	0	0	1	0	0	0
Percentage of pregnancies resulting in singleton live births			1 / 1			
Percentage of pregnancies resulting in triplets or more live births			0 / 1			
Percentage of pregnancies resulting in live births			1 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	0	0	0	0	0
Number of transfers	0	0	0	0	0	0
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in triplets or more live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation		
Percentage of transfers resulting in singleton live births		
Percentage of transfers resulting in live births		
Percentage of transfers resulting in pregnancy		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Chicago Infertility Associates, Ltd.

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HIGHLAND PARK IVF CENTER
HIGHLAND PARK, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	81%
Unstimulated	0%	Used PGD	1%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	5%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	13%	Male factor	18%	Female factors only	31%
Diminished ovarian reserve	43%	Other factor	42%	Female & male factors	10%
Endometriosis	4%	Unknown factor	20%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 2018 Data verified by Edward L. Marut, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	422	240	272	196	87	17
Percentage of cancellations	6.4	10.8	22.1	34.2	19.5	6 / 17
Average number of embryos transferred	2.0	2.1	2.5	2.8	2.9	3.0
Percentage of embryos transferred resulting in implantation	36.6	28.6	17.8	6.2	1.1	0.0
Percentage of elective single embryo transfer (eSET)	12.7	8.8	3.0	1.1	0.0	0 / 8
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.6	17.5	14.3	5.6	0.0	0 / 17
Percentage of cycles resulting in triplets or more live births	0.0	0.8	0.4	0.0	0.0	0 / 17
Percentage of cycles resulting in live births	38.9	29.6	18.8	6.1	0.0	0 / 17
Percentage of cycles resulting in pregnancy	42.7	35.4	27.2	9.2	1.1	0 / 17
Outcomes per Transfer						
Number of transfers	341	196	191	104	60	9
Percentage of transfers resulting in singleton live births	31.7	21.4	20.4	10.6	0.0	0 / 9
Percentage of transfers resulting in triplets or more live births	0.0	1.0	0.5	0.0	0.0	0 / 9
Percentage of transfers resulting in live births	48.1	36.2	26.7	11.5	0.0	0 / 9
Percentage of transfers resulting in pregnancy	52.8	43.4	38.7	17.3	1.7	0 / 9
Outcomes per Pregnancy						
Number of pregnancies	180	85	74	18	1	0
Percentage of pregnancies resulting in singleton live births	60.0	49.4	52.7	11 / 18	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	2.4	1.4	0 / 18	0 / 1	
Percentage of pregnancies resulting in live births	91.1	83.5	68.9	12 / 18	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	194	124	102	37	8	5
Number of transfers	182	115	90	36	8	5
Average number of embryos transferred	1.7	1.7	1.6	1.8	1.4	1.8
Percentage of embryos transferred resulting in implantation	35.9	35.3	38.9	26.6	4 / 11	0 / 9
Percentage of transfers resulting in singleton live births	30.8	30.4	46.7	16.7	4 / 8	0 / 5
Percentage of transfers resulting in triplets or more live births	0.5	0.0	0.0	0.0	0 / 8	0 / 5
Percentage of transfers resulting in live births	42.9	39.1	46.7	25.0	4 / 8	0 / 5
Percentage of transfers resulting in pregnancy	53.8	53.9	56.7	44.4	4 / 8	0 / 5

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	164	150
Number of transfers	125	131
Average number of embryos transferred	1.9	1.8
Percentage of embryos transferred resulting in implantation	44.5	31.3
Percentage of transfers resulting in singleton live births	28.8	34.4
Percentage of transfers resulting in live births	50.4	39.7
Percentage of transfers resulting in pregnancy	60.8	49.6

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Highland Park IVF Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 195 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HINSDALE CENTER FOR REPRODUCTION
HINSDALE, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	84%
Unstimulated	0%	Used PGD	2%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	11%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	2%	Male factor	47%	Female factors only	0%
Diminished ovarian reserve	26%	Other factor	17%	Female & male factors	19%
Endometriosis	8%	Unknown factor	4%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 98 Data verified by Michael J. Hickey, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	38	14	3	0	0	0
Percentage of cancellations	7.9	2 / 14	0 / 3			
Average number of embryos transferred	2.4	2.8	3.7			
Percentage of embryos transferred resulting in implantation	18.5	9.1	3 / 11			
Percentage of elective single embryo transfer (eSET)	0.0	0 / 8	0 / 3			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	10.5	1 / 14	1 / 3			
Percentage of cycles resulting in triplets or more live births	0.0	0 / 14	0 / 3			
Percentage of cycles resulting in live births	18.4	1 / 14	2 / 3			
Percentage of cycles resulting in pregnancy	18.4	2 / 14	2 / 3			
Outcomes per Transfer						
Number of transfers	27	8	3	0	0	0
Percentage of transfers resulting in singleton live births	14.8	1 / 8	1 / 3			
Percentage of transfers resulting in triplets or more live births	0.0	0 / 8	0 / 3			
Percentage of transfers resulting in live births	25.9	1 / 8	2 / 3			
Percentage of transfers resulting in pregnancy	25.9	2 / 8	2 / 3			
Outcomes per Pregnancy						
Number of pregnancies	7	2	2	0	0	0
Percentage of pregnancies resulting in singleton live births	4 / 7	1 / 2	1 / 2			
Percentage of pregnancies resulting in triplets or more live births	0 / 7	0 / 2	0 / 2			
Percentage of pregnancies resulting in live births	7 / 7	1 / 2	2 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	16	5	5	4	3	1
Number of transfers	15	4	5	2	2	1
Average number of embryos transferred	2.7	2.3	2.2	3.5	2.5	3.0
Percentage of embryos transferred resulting in implantation	12.5	1 / 9	5 / 11	0 / 7	3 / 5	0 / 3
Percentage of transfers resulting in singleton live births	5 / 15	1 / 4	3 / 5	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 15	0 / 4	0 / 5	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in live births	5 / 15	1 / 4	4 / 5	0 / 2	1 / 2	0 / 1
Percentage of transfers resulting in pregnancy	6 / 15	1 / 4	4 / 5	0 / 2	2 / 2	0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	3	6
Number of transfers	0	5
Average number of embryos transferred		2.4
Percentage of embryos transferred resulting in implantation		0 / 12
Percentage of transfers resulting in singleton live births		0 / 5
Percentage of transfers resulting in live births		0 / 5
Percentage of transfers resulting in pregnancy		0 / 5

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Hinsdale Center for Reproduction

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REENA JABAMONI, MD, SC
HOFFMAN ESTATES, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	82%
Unstimulated	0%	Used PGD	2%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	10%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	25%	Male factor	16%	Female factors only	3%
Diminished ovarian reserve	38%	Other factor	11%	Female & male factors	0%
Endometriosis	3%	Unknown factor	0%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 63 Data verified by Reena Jabamoni, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	30	9	8	2	0	0
Percentage of cancellations	10.0	3 / 9	0 / 8	0 / 2		
Average number of embryos transferred	1.6	2.5	2.7	2.0		
Percentage of embryos transferred resulting in implantation	44.7	2 / 15	4 / 19	0 / 4		
Percentage of elective single embryo transfer (eSET)	33.3	0 / 6	0 / 7	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	33.3	2 / 9	2 / 8	0 / 2		
Percentage of cycles resulting in triplets or more live births	3.3	0 / 9	0 / 8	0 / 2		
Percentage of cycles resulting in live births	40.0	2 / 9	2 / 8	0 / 2		
Percentage of cycles resulting in pregnancy	40.0	2 / 9	3 / 8	0 / 2		
Outcomes per Transfer						
Number of transfers	24	6	7	2	0	0
Percentage of transfers resulting in singleton live births	41.7	2 / 6	2 / 7	0 / 2		
Percentage of transfers resulting in triplets or more live births	4.2	0 / 6	0 / 7	0 / 2		
Percentage of transfers resulting in live births	50.0	2 / 6	2 / 7	0 / 2		
Percentage of transfers resulting in pregnancy	50.0	2 / 6	3 / 7	0 / 2		
Outcomes per Pregnancy						
Number of pregnancies	12	2	3	0	0	0
Percentage of pregnancies resulting in singleton live births	10 / 12	2 / 2	2 / 3			
Percentage of pregnancies resulting in triplets or more live births	1 / 12	0 / 2	0 / 3			
Percentage of pregnancies resulting in live births	12 / 12	2 / 2	2 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	2	2	1	0	1
Number of transfers	4	2	2	1	0	1
Average number of embryos transferred	1.5	2.5	2.0	2.0		2.0
Percentage of embryos transferred resulting in implantation	1 / 6	2 / 5	2 / 4	1 / 2		0 / 2
Percentage of transfers resulting in singleton live births	1 / 4	0 / 2	0 / 2	1 / 1		0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 2	0 / 2	0 / 1		0 / 1
Percentage of transfers resulting in live births	1 / 4	1 / 2	1 / 2	1 / 1		0 / 1
Percentage of transfers resulting in pregnancy	1 / 4	1 / 2	1 / 2	1 / 1		0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	4	0
Number of transfers	3	0
Average number of embryos transferred	2.0	
Percentage of embryos transferred resulting in implantation	2 / 6	
Percentage of transfers resulting in singleton live births	2 / 3	
Percentage of transfers resulting in live births	2 / 3	
Percentage of transfers resulting in pregnancy	2 / 3	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reena Jabamoni, MD, SC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 5 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

KARANDE AND ASSOCIATES, SC DBA
InVIA FERTILITY SPECIALISTS
HOFFMAN ESTATES, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	63%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	6%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	10%	Male factor	26%	Female factors only	2%
Diminished ovarian reserve	24%	Other factor	3%	Female & male factors	8%
Endometriosis	9%	Unknown factor	29%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 557 Data verified by Vishvanath C. Karande, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	203	79	80	35	17	0
Percentage of cancellations	7.4	5.1	15.0	17.1	3 / 17	
Average number of embryos transferred	1.8	1.9	2.3	2.4	2.5	
Percentage of embryos transferred resulting in implantation	31.0	22.2	13.0	6.1	3.1	
Percentage of elective single embryo transfer (eSET)	9.5	3.3	0.0	0 / 19	0 / 11	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	20.2	24.1	15.0	5.7	1 / 17	
Percentage of cycles resulting in triplets or more live births	1.0	0.0	0.0	0.0	0 / 17	
Percentage of cycles resulting in live births	32.0	30.4	17.5	5.7	1 / 17	
Percentage of cycles resulting in pregnancy	34.0	31.6	20.0	8.6	1 / 17	
Outcomes per Transfer						
Number of transfers	169	70	61	27	13	0
Percentage of transfers resulting in singleton live births	24.3	27.1	19.7	7.4	1 / 13	
Percentage of transfers resulting in triplets or more live births	1.2	0.0	0.0	0.0	0 / 13	
Percentage of transfers resulting in live births	38.5	34.3	23.0	7.4	1 / 13	
Percentage of transfers resulting in pregnancy	40.8	35.7	26.2	11.1	1 / 13	
Outcomes per Pregnancy						
Number of pregnancies	69	25	16	3	1	0
Percentage of pregnancies resulting in singleton live births	59.4	76.0	12 / 16	2 / 3	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	2.9	0.0	0 / 16	0 / 3	0 / 1	
Percentage of pregnancies resulting in live births	94.2	96.0	14 / 16	2 / 3	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	48	24	12	3	2	1
Number of transfers	44	21	11	3	2	1
Average number of embryos transferred	1.7	1.6	1.4	1.7	2.0	1.0
Percentage of embryos transferred resulting in implantation	30.7	27.3	6 / 15	0 / 5	0 / 4	0 / 1
Percentage of transfers resulting in singleton live births	38.6	23.8	2 / 11	0 / 3	0 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 11	0 / 3	0 / 2	0 / 1
Percentage of transfers resulting in live births	43.2	33.3	2 / 11	0 / 3	0 / 2	0 / 1
Percentage of transfers resulting in pregnancy	45.5	33.3	6 / 11	0 / 3	0 / 2	0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	37	16
Number of transfers	34	16
Average number of embryos transferred	1.9	1.6
Percentage of embryos transferred resulting in implantation	59.4	50.0
Percentage of transfers resulting in singleton live births	47.1	6 / 16
Percentage of transfers resulting in live births	70.6	9 / 16
Percentage of transfers resulting in pregnancy	82.4	10 / 16

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Karande and Associates, SC dba, InVia Fertility Specialists

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 4 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE HEALTH SPECIALISTS, LTD.
JOLIET, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	80%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	14%	Uterine factor	14%	*Multiple Factors:*	
Ovulatory dysfunction	18%	Male factor	58%	Female factors only	7%
Diminished ovarian reserve	18%	Other factor	2%	Female & male factors	30%
Endometriosis	10%	Unknown factor	7%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 88

Data verified by Marek W. Piekos, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	35	18	15	2	0	0
Percentage of cancellations	0.0	5 / 18	0 / 15	0 / 2		
Average number of embryos transferred	2.5	2.8	2.5	2.5		
Percentage of embryos transferred resulting in implantation	14.0	8.3	8.1	0 / 5		
Percentage of elective single embryo transfer (eSET)	0.0	0 / 13	0 / 14	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	20.0	2 / 18	2 / 15	0 / 2		
Percentage of cycles resulting in triplets or more live births	2.9	0 / 18	0 / 15	0 / 2		
Percentage of cycles resulting in live births	25.7	2 / 18	2 / 15	0 / 2		
Percentage of cycles resulting in pregnancy	25.7	2 / 18	4 / 15	0 / 2		
Outcomes per Transfer						
Number of transfers	35	13	15	2	0	0
Percentage of transfers resulting in singleton live births	20.0	2 / 13	2 / 15	0 / 2		
Percentage of transfers resulting in triplets or more live births	2.9	0 / 13	0 / 15	0 / 2		
Percentage of transfers resulting in live births	25.7	2 / 13	2 / 15	0 / 2		
Percentage of transfers resulting in pregnancy	25.7	2 / 13	4 / 15	0 / 2		
Outcomes per Pregnancy						
Number of pregnancies	9	2	4	0	0	0
Percentage of pregnancies resulting in singleton live births	7 / 9	2 / 2	2 / 4			
Percentage of pregnancies resulting in triplets or more live births	1 / 9	0 / 2	0 / 4			
Percentage of pregnancies resulting in live births	9 / 9	2 / 2	2 / 4			
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	2	0	1	0	2
Number of transfers	7	2	0	1	0	2
Average number of embryos transferred	2.9	2.5		2.0		3.0
Percentage of embryos transferred resulting in implantation	25.0	0 / 5		0 / 2		0 / 6
Percentage of transfers resulting in singleton live births	2 / 7	0 / 2		0 / 1		0 / 2
Percentage of transfers resulting in triplets or more live births	0 / 7	0 / 2		0 / 1		0 / 2
Percentage of transfers resulting in live births	3 / 7	0 / 2		0 / 1		0 / 2
Percentage of transfers resulting in pregnancy	4 / 7	0 / 2		0 / 1		0 / 2

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	3	3
Number of transfers	3	3
Average number of embryos transferred	2.0	3.0
Percentage of embryos transferred resulting in implantation	0 / 6	0 / 9
Percentage of transfers resulting in singleton live births	0 / 3	0 / 3
Percentage of transfers resulting in live births	0 / 3	0 / 3
Percentage of transfers resulting in pregnancy	0 / 3	0 / 3

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Health Specialists, Ltd.

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 2 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE ADVANCED IVF INSTITUTE
CHARLES E. MILLER, MD & ASSOCIATES
NAPERVILLE, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	77%
Unstimulated	0%	Used PGD	<1%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	8%	Uterine factor	15%	*Multiple Factors:*	
Ovulatory dysfunction	9%	Male factor	32%	Female factors only	14%
Diminished ovarian reserve	41%	Other factor	4%	Female & male factors	19%
Endometriosis	12%	Unknown factor	17%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 437 Data verified by Charles E. Miller, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	123	72	65	35	13	2
Percentage of cancellations	8.1	15.3	24.6	14.3	5 / 13	0 / 2
Average number of embryos transferred	2.1	2.2	3.1	3.4	3.0	1.0
Percentage of embryos transferred resulting in implantation	53.2	33.3	14.5	16.7	1 / 15	0 / 1
Percentage of elective single embryo transfer (eSET)	2.2	0.0	0.0	0.0	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	28.5	26.4	10.8	14.3	0 / 13	0 / 2
Percentage of cycles resulting in triplets or more live births	1.6	0.0	0.0	0.0	0 / 13	0 / 2
Percentage of cycles resulting in live births	51.2	34.7	13.8	20.0	0 / 13	0 / 2
Percentage of cycles resulting in pregnancy	55.3	40.3	23.1	31.4	1 / 13	0 / 2
Outcomes per Transfer						
Number of transfers	91	54	36	28	5	1
Percentage of transfers resulting in singleton live births	38.5	35.2	19.4	17.9	0 / 5	0 / 1
Percentage of transfers resulting in triplets or more live births	2.2	0.0	0.0	0.0	0 / 5	0 / 1
Percentage of transfers resulting in live births	69.2	46.3	25.0	25.0	0 / 5	0 / 1
Percentage of transfers resulting in pregnancy	74.7	53.7	41.7	39.3	1 / 5	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	68	29	15	11	1	0
Percentage of pregnancies resulting in singleton live births	51.5	65.5	7 / 15	5 / 11	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	2.9	0.0	0 / 15	0 / 11	0 / 1	
Percentage of pregnancies resulting in live births	92.6	86.2	9 / 15	7 / 11	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	45	35	9	5	2	0
Number of transfers	36	33	9	5	2	0
Average number of embryos transferred	1.8	2.1	2.6	2.2	2.0	
Percentage of embryos transferred resulting in implantation	25.8	38.2	21.7	2 / 11	2 / 4	
Percentage of transfers resulting in singleton live births	30.6	33.3	4 / 9	2 / 5	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	3.0	0 / 9	0 / 5	0 / 2	
Percentage of transfers resulting in live births	38.9	51.5	4 / 9	2 / 5	0 / 2	
Percentage of transfers resulting in pregnancy	47.2	57.6	5 / 9	2 / 5	2 / 2	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	22	9
Number of transfers	19	8
Average number of embryos transferred	2.1	1.9
Percentage of embryos transferred resulting in implantation	57.5	4 / 15
Percentage of transfers resulting in singleton live births	8 / 19	2 / 8
Percentage of transfers resulting in live births	14 / 19	3 / 8
Percentage of transfers resulting in pregnancy	16 / 19	4 / 8

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Advanced IVF Institute, Charles E. Miller, MD, SC & Associates

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 8 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF1
NAPERVILLE, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	84%
Unstimulated	0%	Used PGD	17%
Used gestational carrier	1%		

Patient Diagnosis[b]

Tubal factor	13%	Uterine factor	8%	*Multiple Factors:*	
Ovulatory dysfunction	6%	Male factor	37%	Female factors only	9%
Diminished ovarian reserve	33%	Other factor	12%	Female & male factors	17%
Endometriosis	6%	Unknown factor	14%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 464

Data verified by Randy S. Morris, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	140	44	44	24	8	2
Percentage of cancellations	6.4	25.0	4.5	20.8	2 / 8	1 / 2
Average number of embryos transferred	2.0	1.9	2.6	2.9	3.0	1.0
Percentage of embryos transferred resulting in implantation	29.2	39.7	11.0	12.2	1 / 9	0 / 1
Percentage of elective single embryo transfer (eSET)	4.4	13.8	0.0	0 / 13	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	19.3	18.2	9.1	12.5	1 / 8	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 8	0 / 2
Percentage of cycles resulting in live births	32.1	34.1	15.9	12.5	1 / 8	0 / 2
Percentage of cycles resulting in pregnancy	38.6	36.4	25.0	16.7	1 / 8	0 / 2
Outcomes per Transfer						
Number of transfers	118	30	42	14	3	1
Percentage of transfers resulting in singleton live births	22.9	26.7	9.5	3 / 14	1 / 3	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 14	0 / 3	0 / 1
Percentage of transfers resulting in live births	38.1	50.0	16.7	3 / 14	1 / 3	0 / 1
Percentage of transfers resulting in pregnancy	45.8	53.3	26.2	4 / 14	1 / 3	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	54	16	11	4	1	0
Percentage of pregnancies resulting in singleton live births	50.0	8 / 16	4 / 11	3 / 4	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 16	0 / 11	0 / 4	0 / 1	
Percentage of pregnancies resulting in live births	83.3	15 / 16	7 / 11	3 / 4	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	76	20	21	4	0	0
Number of transfers	75	20	16	4	0	0
Average number of embryos transferred	1.7	1.7	2.0	2.3		
Percentage of embryos transferred resulting in implantation	23.8	12.1	21.9	1 / 9		
Percentage of transfers resulting in singleton live births	22.7	20.0	2 / 16	1 / 4		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 16	0 / 4		
Percentage of transfers resulting in live births	29.3	20.0	3 / 16	1 / 4		
Percentage of transfers resulting in pregnancy	41.3	35.0	6 / 16	2 / 4		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	40	41
Number of transfers	37	40
Average number of embryos transferred	2.0	1.8
Percentage of embryos transferred resulting in implantation	43.2	27.8
Percentage of transfers resulting in singleton live births	40.5	35.0
Percentage of transfers resulting in live births	59.5	40.0
Percentage of transfers resulting in pregnancy	59.5	52.5

CURRENT CLINIC SERVICES AND PROFILE

Current Name: IVF1

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 7 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

OAK BROOK FERTILITY CENTER
OAK BROOK, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	77%
Unstimulated	<1%	Used PGD	13%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	9%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	16%	Male factor	23%	Female factors only	10%
Diminished ovarian reserve	32%	Other factor	21%	Female & male factors	9%
Endometriosis	10%	Unknown factor	6%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 538 Data verified by W. Paul Dmowski, MD, PhD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	144	76	85	44	15	9
Percentage of cancellations	6.9	11.8	17.6	20.5	2 / 15	2 / 9
Average number of embryos transferred	1.7	2.0	2.3	2.4	3.5	1.6
Percentage of embryos transferred resulting in implantation	31.0	26.5	14.7	11.7	14.3	0 / 8
Percentage of elective single embryo transfer (eSET)	15.8	6.4	0.0	0.0	0 / 7	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	20.8	15.8	10.6	0.0	1 / 15	0 / 9
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 15	0 / 9
Percentage of cycles resulting in live births	28.5	22.4	11.8	4.5	2 / 15	0 / 9
Percentage of cycles resulting in pregnancy	34.7	31.6	18.8	11.4	4 / 15	0 / 9
Outcomes per Transfer						
Number of transfers	114	51	59	25	8	5
Percentage of transfers resulting in singleton live births	26.3	23.5	15.3	0.0	1 / 8	0 / 5
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 8	0 / 5
Percentage of transfers resulting in live births	36.0	33.3	16.9	8.0	2 / 8	0 / 5
Percentage of transfers resulting in pregnancy	43.9	47.1	27.1	20.0	4 / 8	0 / 5
Outcomes per Pregnancy						
Number of pregnancies	50	24	16	5	4	0
Percentage of pregnancies resulting in singleton live births	60.0	50.0	9 / 16	0 / 5	1 / 4	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0 / 16	0 / 5	0 / 4	
Percentage of pregnancies resulting in live births	82.0	70.8	10 / 16	2 / 5	2 / 4	
Frozen Embryos from Nondonor Eggs						
Number of cycles	62	29	19	6	2	2
Number of transfers	57	24	18	6	2	2
Average number of embryos transferred	2.0	1.9	1.7	2.2	2.0	2.0
Percentage of embryos transferred resulting in implantation	35.3	26.7	30.0	4 / 13	1 / 4	0 / 4
Percentage of transfers resulting in singleton live births	36.8	25.0	5 / 18	2 / 6	1 / 2	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 18	0 / 6	0 / 2	0 / 2
Percentage of transfers resulting in live births	47.4	37.5	6 / 18	2 / 6	1 / 2	0 / 2
Percentage of transfers resulting in pregnancy	61.4	41.7	8 / 18	3 / 6	1 / 2	0 / 2

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	20	25
Number of transfers	16	25
Average number of embryos transferred	1.9	2.0
Percentage of embryos transferred resulting in implantation	46.7	35.3
Percentage of transfers resulting in singleton live births	6 / 16	36.0
Percentage of transfers resulting in live births	9 / 16	48.0
Percentage of transfers resulting in pregnancy	11 / 16	52.0

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2011. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 26 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DANIEL ROSTEIN, MD
OAK BROOK, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	100%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	0%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	17%	Male factor	67%	Female factors only	0%
Diminished ovarian reserve	17%	Other factor	33%	Female & male factors	17%
Endometriosis	0%	Unknown factor	0%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 6

Data verified by Daniel A. Rostein, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	3	0	0	0	0	0
Percentage of cancellations	0 / 3					
Average number of embryos transferred	2.5					
Percentage of embryos transferred resulting in implantation	3 / 5					
Percentage of elective single embryo transfer (eSET)	0 / 2					
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	0 / 3					
Percentage of cycles resulting in triplets or more live births	0 / 3					
Percentage of cycles resulting in live births	0 / 3					
Percentage of cycles resulting in pregnancy	1 / 3					
Outcomes per Transfer						
Number of transfers	2	0	0	0	0	0
Percentage of transfers resulting in singleton live births	0 / 2					
Percentage of transfers resulting in triplets or more live births	0 / 2					
Percentage of transfers resulting in live births	0 / 2					
Percentage of transfers resulting in pregnancy	1 / 2					
Outcomes per Pregnancy						
Number of pregnancies	1	0	0	0	0	0
Percentage of pregnancies resulting in singleton live births	0 / 1					
Percentage of pregnancies resulting in triplets or more live births	0 / 1					
Percentage of pregnancies resulting in live births	0 / 1					
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	1	0	0	0	0
Number of transfers	1	1	0	0	0	0
Average number of embryos transferred	3.0	3.0				
Percentage of embryos transferred resulting in implantation	0 / 3	0 / 3				
Percentage of transfers resulting in singleton live births	0 / 1	0 / 1				
Percentage of transfers resulting in triplets or more live births	0 / 1	0 / 1				
Percentage of transfers resulting in live births	0 / 1	0 / 1				
Percentage of transfers resulting in pregnancy	0 / 1	0 / 1				

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	1	0
Number of transfers	1	0
Average number of embryos transferred	2.0	
Percentage of embryos transferred resulting in implantation	1 / 2	
Percentage of transfers resulting in singleton live births	0 / 1	
Percentage of transfers resulting in live births	0 / 1	
Percentage of transfers resulting in pregnancy	1 / 1	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Daniel Rostein, MD

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2011 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2011 ART cycle data or the clinic's Medical Director did not approve the clinic's 2011 ART cycle data for inclusion in this report.

REPRODUCTIVE HEALTH AND FERTILITY CENTER
ROCKFORD, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	90%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	35%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	32%	Male factor	46%	Female factors only	28%
Diminished ovarian reserve	12%	Other factor	29%	Female & male factors	27%
Endometriosis	25%	Unknown factor	2%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 136 Data verified by Chiravudh Sawetawan, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	42	15	9	1	1	0
Percentage of cancellations	2.4	2 / 15	0 / 9	0 / 1	0 / 1	
Average number of embryos transferred	2.2	2.7	2.1	1.0	3.0	
Percentage of embryos transferred resulting in implantation	31.6	25.7	3 / 17	0 / 1	0 / 3	
Percentage of elective single embryo transfer (eSET)	6.1	0 / 13	0 / 7		0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.2	2 / 15	2 / 9	0 / 1	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 15	0 / 9	0 / 1	0 / 1	
Percentage of cycles resulting in live births	40.5	5 / 15	2 / 9	0 / 1	0 / 1	
Percentage of cycles resulting in pregnancy	42.9	5 / 15	2 / 9	0 / 1	0 / 1	
Outcomes per Transfer						
Number of transfers	34	13	8	1	1	0
Percentage of transfers resulting in singleton live births	32.4	2 / 13	2 / 8	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 13	0 / 8	0 / 1	0 / 1	
Percentage of transfers resulting in live births	50.0	5 / 13	2 / 8	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	52.9	5 / 13	2 / 8	0 / 1	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	18	5	2	0	0	0
Percentage of pregnancies resulting in singleton live births	11 / 18	2 / 5	2 / 2			
Percentage of pregnancies resulting in triplets or more live births	0 / 18	0 / 5	0 / 2			
Percentage of pregnancies resulting in live births	17 / 18	5 / 5	2 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	41	4	3	0	0	0
Number of transfers	39	4	3	0	0	0
Average number of embryos transferred	2.2	2.0	2.0			
Percentage of embryos transferred resulting in implantation	15.1	0 / 8	3 / 6			
Percentage of transfers resulting in singleton live births	12.8	0 / 4	3 / 3			
Percentage of transfers resulting in triplets or more live births	0.0	0 / 4	0 / 3			
Percentage of transfers resulting in live births	23.1	0 / 4	3 / 3			
Percentage of transfers resulting in pregnancy	28.2	0 / 4	3 / 3			

	All Ages Combined[f]	
Donor Eggs	**Fresh Embryos**	**Frozen Embryos**
Number of cycles	9	11
Number of transfers	9	11
Average number of embryos transferred	2.0	2.3
Percentage of embryos transferred resulting in implantation	8 / 18	16.0
Percentage of transfers resulting in singleton live births	5 / 9	2 / 11
Percentage of transfers resulting in live births	6 / 9	2 / 11
Percentage of transfers resulting in pregnancy	6 / 9	5 / 11

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Health and Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CHICAGO IVF
SKOKIE, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	93%
Unstimulated	0%	Used PGD	<1%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	18%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	13%	Male factor	32%	Female factors only	8%
Diminished ovarian reserve	30%	Other factor	6%	Female & male factors	15%
Endometriosis	3%	Unknown factor	24%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 415

Data verified by Joel G. Brasch, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	132	53	64	22	12	10
Percentage of cancellations	1.5	1.9	1.6	9.1	0 / 12	1 / 10
Average number of embryos transferred	2.1	2.5	2.8	3.3	2.2	2.6
Percentage of embryos transferred resulting in implantation	22.6	15.6	11.7	12.1	0.0	0 / 18
Percentage of elective single embryo transfer (eSET)	3.3	2.0	1.9	0 / 18	0 / 5	0 / 5
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.3	22.6	20.3	13.6	0 / 12	0 / 10
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 12	0 / 10
Percentage of cycles resulting in live births	32.6	28.3	23.4	18.2	0 / 12	0 / 10
Percentage of cycles resulting in pregnancy	39.4	35.8	28.1	27.3	1 / 12	0 / 10
Outcomes per Transfer						
Number of transfers	125	52	59	20	9	7
Percentage of transfers resulting in singleton live births	28.8	23.1	22.0	15.0	0 / 9	0 / 7
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 9	0 / 7
Percentage of transfers resulting in live births	34.4	28.8	25.4	20.0	0 / 9	0 / 7
Percentage of transfers resulting in pregnancy	41.6	36.5	30.5	30.0	1 / 9	0 / 7
Outcomes per Pregnancy						
Number of pregnancies	52	19	18	6	1	0
Percentage of pregnancies resulting in singleton live births	69.2	12 / 19	13 / 18	3 / 6	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 19	0 / 18	0 / 6	0 / 1	
Percentage of pregnancies resulting in live births	82.7	15 / 19	15 / 18	4 / 6	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	49	19	16	3	3	1
Number of transfers	48	19	16	3	3	1
Average number of embryos transferred	2.5	2.2	3.0	2.7	3.0	2.0
Percentage of embryos transferred resulting in implantation	12.6	9.5	16.7	0 / 8	3 / 9	0 / 2
Percentage of transfers resulting in singleton live births	20.8	2 / 19	1 / 16	0 / 3	1 / 3	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 19	1 / 16	0 / 3	0 / 3	0 / 1
Percentage of transfers resulting in live births	22.9	3 / 19	4 / 16	0 / 3	2 / 3	0 / 1
Percentage of transfers resulting in pregnancy	35.4	7 / 19	7 / 16	0 / 3	2 / 3	0 / 1

	All Ages Combined[f]	
Donor Eggs	**Fresh Embryos**	**Frozen Embryos**
Number of cycles	17	14
Number of transfers	16	14
Average number of embryos transferred	2.1	2.7
Percentage of embryos transferred resulting in implantation	23.5	5.3
Percentage of transfers resulting in singleton live births	3 / 16	1 / 14
Percentage of transfers resulting in live births	3 / 16	1 / 14
Percentage of transfers resulting in pregnancy	7 / 16	3 / 14

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Chicago IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 17 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTH SHORE FERTILITY, SC
SKOKIE, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	72%
Unstimulated	0%	Used PGD	4%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	8%	Uterine factor	1%	*Multiple Factors:*	
Ovulatory dysfunction	19%	Male factor	18%	Female factors only	1%
Diminished ovarian reserve	39%	Other factor	3%	Female & male factors	5%
Endometriosis	5%	Unknown factor	13%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 327

Data verified by Susan Davies, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	95	77	50	31	17	6
Percentage of cancellations	11.6	13.0	16.0	25.8	2 / 17	3 / 6
Average number of embryos transferred	2.4	2.3	2.4	3.3	2.5	1.0
Percentage of embryos transferred resulting in implantation	27.7	17.6	11.4	3.8	0.0	0 / 1
Percentage of elective single embryo transfer (eSET)	0.0	0.0	0.0	0 / 15	0 / 6	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	16.8	10.4	10.0	3.2	0 / 17	0 / 6
Percentage of cycles resulting in triplets or more live births	1.1	0.0	0.0	0.0	0 / 17	0 / 6
Percentage of cycles resulting in live births	28.4	15.6	14.0	3.2	0 / 17	0 / 6
Percentage of cycles resulting in pregnancy	44.2	20.8	18.0	6.5	0 / 17	0 / 6
Outcomes per Transfer						
Number of transfers	79	52	33	16	8	1
Percentage of transfers resulting in singleton live births	20.3	15.4	15.2	1 / 16	0 / 8	0 / 1
Percentage of transfers resulting in triplets or more live births	1.3	0.0	0.0	0 / 16	0 / 8	0 / 1
Percentage of transfers resulting in live births	34.2	23.1	21.2	1 / 16	0 / 8	0 / 1
Percentage of transfers resulting in pregnancy	53.2	30.8	27.3	2 / 16	0 / 8	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	42	16	9	2	0	0
Percentage of pregnancies resulting in singleton live births	38.1	8 / 16	5 / 9	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	2.4	0 / 16	0 / 9	0 / 2		
Percentage of pregnancies resulting in live births	64.3	12 / 16	7 / 9	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	9	9	6	3	0	0
Number of transfers	9	8	5	3	0	0
Average number of embryos transferred	2.0	2.3	1.8	2.3		
Percentage of embryos transferred resulting in implantation	3 / 18	1 / 18	1 / 9	1 / 7		
Percentage of transfers resulting in singleton live births	3 / 9	0 / 8	1 / 5	0 / 3		
Percentage of transfers resulting in triplets or more live births	0 / 9	0 / 8	0 / 5	0 / 3		
Percentage of transfers resulting in live births	3 / 9	0 / 8	1 / 5	0 / 3		
Percentage of transfers resulting in pregnancy	5 / 9	4 / 8	1 / 5	1 / 3		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	17	7
Number of transfers	15	6
Average number of embryos transferred	1.9	1.8
Percentage of embryos transferred resulting in implantation	46.4	1 / 11
Percentage of transfers resulting in singleton live births	2 / 15	1 / 6
Percentage of transfers resulting in live births	7 / 15	1 / 6
Percentage of transfers resulting in pregnancy	8 / 15	1 / 6

CURRENT CLINIC SERVICES AND PROFILE

Current Name: North Shore Fertility, SC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2011 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2011 ART cycle data or the clinic's Medical Director did not approve the clinic's 2011 ART cycle data for inclusion in this report.

SOUTHERN ILLINOIS UNIVERSITY SCHOOL OF MEDICINE FERTILITY AND IVF CENTER
SPRINGFIELD, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	57%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	20%	Uterine factor	14%	*Multiple Factors:*	
Ovulatory dysfunction	35%	Male factor	42%	Female factors only	25%
Diminished ovarian reserve	13%	Other factor	15%	Female & male factors	28%
Endometriosis	22%	Unknown factor	3%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 102 Data verified by J. Ricardo Loret De Mola, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	49	22	10	1	0	0
Percentage of cancellations	6.1	22.7	1 / 10	0 / 1		
Average number of embryos transferred	1.8	2.1	2.6	2.0		
Percentage of embryos transferred resulting in implantation	57.0	48.5	19.0	0 / 2		
Percentage of elective single embryo transfer (eSET)	12.5	0 / 14	0 / 8	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	34.7	18.2	3 / 10	0 / 1		
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 10	0 / 1		
Percentage of cycles resulting in live births	57.1	36.4	3 / 10	0 / 1		
Percentage of cycles resulting in pregnancy	63.3	40.9	4 / 10	0 / 1		
Outcomes per Transfer						
Number of transfers	44	16	8	1	0	0
Percentage of transfers resulting in singleton live births	38.6	4 / 16	3 / 8	0 / 1		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0 / 8	0 / 1		
Percentage of transfers resulting in live births	63.6	8 / 16	3 / 8	0 / 1		
Percentage of transfers resulting in pregnancy	70.5	9 / 16	4 / 8	0 / 1		
Outcomes per Pregnancy						
Number of pregnancies	31	9	4	0	0	0
Percentage of pregnancies resulting in singleton live births	54.8	4 / 9	3 / 4			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 9	0 / 4			
Percentage of pregnancies resulting in live births	90.3	8 / 9	3 / 4			
Frozen Embryos from Nondonor Eggs						
Number of cycles	9	3	0	1	0	0
Number of transfers	8	3	0	0	0	0
Average number of embryos transferred	1.8	1.7				
Percentage of embryos transferred resulting in implantation	3 / 14	1 / 5				
Percentage of transfers resulting in singleton live births	3 / 8	1 / 3				
Percentage of transfers resulting in triplets or more live births	0 / 8	0 / 3				
Percentage of transfers resulting in live births	3 / 8	1 / 3				
Percentage of transfers resulting in pregnancy	4 / 8	1 / 3				

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	7	0
Number of transfers	7	0
Average number of embryos transferred	2.0	
Percentage of embryos transferred resulting in implantation	7 / 14	
Percentage of transfers resulting in singleton live births	4 / 7	
Percentage of transfers resulting in live births	5 / 7	
Percentage of transfers resulting in pregnancy	5 / 7	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Southern Illinois University School of Medicine Fertility and IVF Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SETH LEVRANT, MD, PC
PARTNERS IN REPRODUCTIVE HEALTH
TINLEY PARK, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	64%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	18%	Uterine factor	8%	*Multiple Factors:*	
Ovulatory dysfunction	16%	Male factor	33%	Female factors only	7%
Diminished ovarian reserve	17%	Other factor	3%	Female & male factors	14%
Endometriosis	11%	Unknown factor	15%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 122 Data verified by Seth G. Levrant, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	54	15	20	5	2	2
Percentage of cancellations	7.4	3 / 15	10.0	0 / 5	2 / 2	1 / 2
Average number of embryos transferred	2.0	2.0	2.4	2.8		3.0
Percentage of embryos transferred resulting in implantation	18.8	8.3	6.8	0 / 14		0 / 3
Percentage of elective single embryo transfer (eSET)	4.1	1 / 12	0 / 17	0 / 5		0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	16.7	2 / 15	5.0	0 / 5	0 / 2	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0 / 15	0.0	0 / 5	0 / 2	0 / 2
Percentage of cycles resulting in live births	20.4	2 / 15	10.0	0 / 5	0 / 2	0 / 2
Percentage of cycles resulting in pregnancy	29.6	3 / 15	10.0	0 / 5	0 / 2	0 / 2
Outcomes per Transfer						
Number of transfers	49	12	18	5	0	1
Percentage of transfers resulting in singleton live births	18.4	2 / 12	1 / 18	0 / 5		0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 12	0 / 18	0 / 5		0 / 1
Percentage of transfers resulting in live births	22.4	2 / 12	2 / 18	0 / 5		0 / 1
Percentage of transfers resulting in pregnancy	32.7	3 / 12	2 / 18	0 / 5		0 / 1
Outcomes per Pregnancy						
Number of pregnancies	16	3	2	0	0	0
Percentage of pregnancies resulting in singleton live births	9 / 16	2 / 3	1 / 2			
Percentage of pregnancies resulting in triplets or more live births	0 / 16	0 / 3	0 / 2			
Percentage of pregnancies resulting in live births	11 / 16	2 / 3	2 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	12	0	4	2	0	0
Number of transfers	12	0	3	2	0	0
Average number of embryos transferred	1.9		2.0	2.5		
Percentage of embryos transferred resulting in implantation	8.7		0 / 6	0 / 5		
Percentage of transfers resulting in singleton live births	1 / 12		0 / 3	0 / 2		
Percentage of transfers resulting in triplets or more live births	0 / 12		0 / 3	0 / 2		
Percentage of transfers resulting in live births	1 / 12		0 / 3	0 / 2		
Percentage of transfers resulting in pregnancy	3 / 12		0 / 3	1 / 2		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	6	0
Number of transfers	5	0
Average number of embryos transferred	2.0	
Percentage of embryos transferred resulting in implantation	1 / 10	
Percentage of transfers resulting in singleton live births	1 / 5	
Percentage of transfers resulting in live births	1 / 5	
Percentage of transfers resulting in pregnancy	2 / 5	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Seth Levrant, MD, PC, Partners in Reproductive Health

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

AMERICAN HEALTH NETWORK-REPRODUCTIVE MEDICINE
CARMEL, INDIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	80%
Unstimulated	0%	Used PGD	34%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	4%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	35%	Male factor	8%	Female factors only	4%
Diminished ovarian reserve	29%	Other factor	6%	Female & male factors	3%
Endometriosis	15%	Unknown factor	11%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 110

Data verified by Leo M. Bonventura, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	45	10	16	3	0	2
Percentage of cancellations	13.3	4 / 10	1 / 16	1 / 3		1 / 2
Average number of embryos transferred	1.8	1.7	2.0			
Percentage of embryos transferred resulting in implantation	33.9	3 / 5	0 / 14			
Percentage of elective single embryo transfer (eSET)	6.9	0 / 2	0 / 6			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	13.3	2 / 10	0 / 16	0 / 3		0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0 / 10	0 / 16	0 / 3		0 / 2
Percentage of cycles resulting in live births	20.0	2 / 10	0 / 16	0 / 3		0 / 2
Percentage of cycles resulting in pregnancy	35.6	2 / 10	0 / 16	0 / 3		0 / 2
Outcomes per Transfer						
Number of transfers	32	3	7	0	0	0
Percentage of transfers resulting in singleton live births	18.8	2 / 3	0 / 7			
Percentage of transfers resulting in triplets or more live births	0.0	0 / 3	0 / 7			
Percentage of transfers resulting in live births	28.1	2 / 3	0 / 7			
Percentage of transfers resulting in pregnancy	50.0	2 / 3	0 / 7			
Outcomes per Pregnancy						
Number of pregnancies	16	2	0	0	0	0
Percentage of pregnancies resulting in singleton live births	6 / 16	2 / 2				
Percentage of pregnancies resulting in triplets or more live births	0 / 16	0 / 2				
Percentage of pregnancies resulting in live births	9 / 16	2 / 2				
Frozen Embryos from Nondonor Eggs						
Number of cycles	8	3	2	4	0	1
Number of transfers	8	3	2	3	0	1
Average number of embryos transferred	1.6	2.0	2.0	2.7		3.0
Percentage of embryos transferred resulting in implantation	6 / 13	1 / 6	0 / 4	2 / 8		0 / 3
Percentage of transfers resulting in singleton live births	2 / 8	1 / 3	0 / 2	2 / 3		0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 8	0 / 3	0 / 2	0 / 3		0 / 1
Percentage of transfers resulting in live births	3 / 8	1 / 3	0 / 2	2 / 3		0 / 1
Percentage of transfers resulting in pregnancy	5 / 8	1 / 3	0 / 2	2 / 3		0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	15	1
Number of transfers	10	0
Average number of embryos transferred	2.0	
Percentage of embryos transferred resulting in implantation	40.0	
Percentage of transfers resulting in singleton live births	3 / 10	
Percentage of transfers resulting in live births	4 / 10	
Percentage of transfers resulting in pregnancy	7 / 10	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: American Health Network-reproductive medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

JARRETT FERTILITY GROUP
CARMEL, INDIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	98%	With ICSI	74%
Unstimulated	0%	Used PGD	6%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	10%	Uterine factor	6%	*Multiple Factors:*	
Ovulatory dysfunction	18%	Male factor	22%	Female factors only	13%
Diminished ovarian reserve	15%	Other factor	27%	Female & male factors	13%
Endometriosis	25%	Unknown factor	11%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 425 Data verified by John C. Jarrett, II, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	158	72	63	11	3	2
Percentage of cancellations	13.3	11.1	23.8	1 / 11	1 / 3	1 / 2
Average number of embryos transferred	2.0	2.2	2.3	2.3	2.0	1.0
Percentage of embryos transferred resulting in implantation	48.4	27.5	16.5	2 / 16	0 / 4	0 / 1
Percentage of elective single embryo transfer (eSET)	5.0	1.9	3.4	0 / 6	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	36.1	25.0	9.5	0 / 11	0 / 3	0 / 2
Percentage of cycles resulting in triplets or more live births	1.9	1.4	0.0	0 / 11	0 / 3	0 / 2
Percentage of cycles resulting in live births	51.3	34.7	11.1	1 / 11	0 / 3	0 / 2
Percentage of cycles resulting in pregnancy	60.8	40.3	19.0	1 / 11	0 / 3	0 / 2
Outcomes per Transfer						
Number of transfers	130	60	35	7	2	1
Percentage of transfers resulting in singleton live births	43.8	30.0	17.1	0 / 7	0 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	2.3	1.7	0.0	0 / 7	0 / 2	0 / 1
Percentage of transfers resulting in live births	62.3	41.7	20.0	1 / 7	0 / 2	0 / 1
Percentage of transfers resulting in pregnancy	73.8	48.3	34.3	1 / 7	0 / 2	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	96	29	12	1	0	0
Percentage of pregnancies resulting in singleton live births	59.4	62.1	6 / 12	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	3.1	3.4	0 / 12	0 / 1		
Percentage of pregnancies resulting in live births	84.4	86.2	7 / 12	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	33	12	15	0	0	2
Number of transfers	30	11	12	0	0	0
Average number of embryos transferred	1.7	1.9	2.3			
Percentage of embryos transferred resulting in implantation	21.2	38.1	14.8			
Percentage of transfers resulting in singleton live births	23.3	6 / 11	3 / 12			
Percentage of transfers resulting in triplets or more live births	0.0	0 / 11	0 / 12			
Percentage of transfers resulting in live births	26.7	7 / 11	3 / 12			
Percentage of transfers resulting in pregnancy	33.3	7 / 11	6 / 12			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	38	16
Number of transfers	34	15
Average number of embryos transferred	1.9	1.7
Percentage of embryos transferred resulting in implantation	44.6	11.5
Percentage of transfers resulting in singleton live births	32.4	2 / 15
Percentage of transfers resulting in live births	55.9	2 / 15
Percentage of transfers resulting in pregnancy	58.8	2 / 15

CURRENT CLINIC SERVICES AND PROFILE

Current Name: John C. Jarrett II, MD AHN Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MIDWEST FERTILITY SPECIALISTS
CARMEL, INDIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	81%
Unstimulated	0%	Used PGD	<1%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	13%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	16%	Male factor	35%	Female factors only	9%
Diminished ovarian reserve	22%	Other factor	15%	Female & male factors	15%
Endometriosis	11%	Unknown factor	9%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 559 Data verified by Laura M. Reuter, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	226	67	43	26	3	2
Percentage of cancellations	9.7	11.9	20.9	30.8	0 / 3	0 / 2
Average number of embryos transferred	2.0	2.0	2.5	2.8	1.7	3.0
Percentage of embryos transferred resulting in implantation	35.2	19.4	27.3	4.3	0 / 5	0 / 6
Percentage of elective single embryo transfer (eSET)	1.7	2.0	0.0	0 / 17	0 / 2	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	21.7	14.9	18.6	3.8	0 / 3	0 / 2
Percentage of cycles resulting in triplets or more live births	1.3	0.0	2.3	0.0	0 / 3	0 / 2
Percentage of cycles resulting in live births	37.6	20.9	27.9	3.8	0 / 3	0 / 2
Percentage of cycles resulting in pregnancy	40.7	28.4	34.9	11.5	0 / 3	0 / 2
Outcomes per Transfer						
Number of transfers	191	55	31	17	3	2
Percentage of transfers resulting in singleton live births	25.7	18.2	25.8	1 / 17	0 / 3	0 / 2
Percentage of transfers resulting in triplets or more live births	1.6	0.0	3.2	0 / 17	0 / 3	0 / 2
Percentage of transfers resulting in live births	44.5	25.5	38.7	1 / 17	0 / 3	0 / 2
Percentage of transfers resulting in pregnancy	48.2	34.5	48.4	3 / 17	0 / 3	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	92	19	15	3	0	0
Percentage of pregnancies resulting in singleton live births	53.3	10 / 19	8 / 15	1 / 3		
Percentage of pregnancies resulting in triplets or more live births	3.3	0 / 19	1 / 15	0 / 3		
Percentage of pregnancies resulting in live births	92.4	14 / 19	12 / 15	1 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	67	25	11	6	1	2
Number of transfers	49	18	10	4	1	1
Average number of embryos transferred	2.0	2.2	2.1	2.3	2.0	2.0
Percentage of embryos transferred resulting in implantation	19.0	15.4	19.0	1 / 9	0 / 2	0 / 2
Percentage of transfers resulting in singleton live births	26.5	2 / 18	3 / 10	1 / 4	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 18	0 / 10	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in live births	32.7	4 / 18	3 / 10	1 / 4	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	38.8	4 / 18	4 / 10	1 / 4	0 / 1	0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	57	23
Number of transfers	50	23
Average number of embryos transferred	2.0	2.2
Percentage of embryos transferred resulting in implantation	44.4	32.0
Percentage of transfers resulting in singleton live births	32.0	39.1
Percentage of transfers resulting in live births	56.0	52.2
Percentage of transfers resulting in pregnancy	60.0	56.5

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Midwest Fertility Specialists

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 2 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTION INSTITUTE, LLC
ADVANCED FERTILITY GROUP
EVANSVILLE, INDIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	55%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	20%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	53%	Male factor	41%	Female factors only	11%
Diminished ovarian reserve	8%	Other factor	4%	Female & male factors	32%
Endometriosis	17%	Unknown factor	0%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 181 Data verified by William L. Gentry, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	58	22	17	6	4	0
Percentage of cancellations	5.2	18.2	4 / 17	0 / 6	2 / 4	
Average number of embryos transferred	2.1	2.2	1.9	2.2	2.0	
Percentage of embryos transferred resulting in implantation	32.4	35.0	16.0	0 / 11	0 / 2	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 17	0 / 10	0 / 3	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	15.5	22.7	4 / 17	0 / 6	0 / 4	
Percentage of cycles resulting in triplets or more live births	1.7	0.0	0 / 17	0 / 6	0 / 4	
Percentage of cycles resulting in live births	36.2	36.4	4 / 17	0 / 6	0 / 4	
Percentage of cycles resulting in pregnancy	37.9	40.9	4 / 17	0 / 6	0 / 4	
Outcomes per Transfer						
Number of transfers	52	18	13	5	1	0
Percentage of transfers resulting in singleton live births	17.3	5 / 18	4 / 13	0 / 5	0 / 1	
Percentage of transfers resulting in triplets or more live births	1.9	0 / 18	0 / 13	0 / 5	0 / 1	
Percentage of transfers resulting in live births	40.4	8 / 18	4 / 13	0 / 5	0 / 1	
Percentage of transfers resulting in pregnancy	42.3	9 / 18	4 / 13	0 / 5	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	22	9	4	0	0	0
Percentage of pregnancies resulting in singleton live births	40.9	5 / 9	4 / 4			
Percentage of pregnancies resulting in triplets or more live births	4.5	0 / 9	0 / 4			
Percentage of pregnancies resulting in live births	95.5	8 / 9	4 / 4			
Frozen Embryos from Nondonor Eggs						
Number of cycles	31	13	7	0	0	0
Number of transfers	31	12	7	0	0	0
Average number of embryos transferred	2.0	2.2	2.0			
Percentage of embryos transferred resulting in implantation	16.1	34.6	2 / 14			
Percentage of transfers resulting in singleton live births	19.4	3 / 12	1 / 7			
Percentage of transfers resulting in triplets or more live births	0.0	1 / 12	0 / 7			
Percentage of transfers resulting in live births	25.8	5 / 12	1 / 7			
Percentage of transfers resulting in pregnancy	25.8	6 / 12	1 / 7			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	7	16
Number of transfers	6	16
Average number of embryos transferred	2.0	2.3
Percentage of embryos transferred resulting in implantation	3 / 12	13.9
Percentage of transfers resulting in singleton live births	2 / 6	4 / 16
Percentage of transfers resulting in live births	2 / 6	4 / 16
Percentage of transfers resulting in pregnancy	3 / 6	4 / 16

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Reproduction Institute, LLC, Advanced Fertility Group

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY GROUP
INDIANAPOLIS, INDIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	54%
Unstimulated	0%	Used PGD	5%
Used gestational carrier	3%		

Patient Diagnosis[b]

Tubal factor	9%	Uterine factor	6%	*Multiple Factors:*	
Ovulatory dysfunction	26%	Male factor	66%	Female factors only	8%
Diminished ovarian reserve	23%	Other factor	5%	Female & male factors	40%
Endometriosis	13%	Unknown factor	0%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 116

Data verified by William Gentry, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	42	20	20	4	6	2
Percentage of cancellations	14.3	10.0	10.0	3 / 4	4 / 6	1 / 2
Average number of embryos transferred	2.3	2.3	2.2	3.0	2.5	3.0
Percentage of embryos transferred resulting in implantation	36.0	36.1	23.1	1 / 3	0 / 5	0 / 3
Percentage of elective single embryo transfer (eSET)	0.0	1 / 15	1 / 16	0 / 1	0 / 2	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	21.4	25.0	10.0	1 / 4	0 / 6	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 4	0 / 6	0 / 2
Percentage of cycles resulting in live births	35.7	40.0	20.0	1 / 4	0 / 6	0 / 2
Percentage of cycles resulting in pregnancy	42.9	40.0	30.0	1 / 4	0 / 6	0 / 2
Outcomes per Transfer						
Number of transfers	33	16	18	1	2	1
Percentage of transfers resulting in singleton live births	27.3	5 / 16	2 / 18	1 / 1	0 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0 / 18	0 / 1	0 / 2	0 / 1
Percentage of transfers resulting in live births	45.5	8 / 16	4 / 18	1 / 1	0 / 2	0 / 1
Percentage of transfers resulting in pregnancy	54.5	8 / 16	6 / 18	1 / 1	0 / 2	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	18	8	6	1	0	0
Percentage of pregnancies resulting in singleton live births	9 / 18	5 / 8	2 / 6	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 18	0 / 8	0 / 6	0 / 1		
Percentage of pregnancies resulting in live births	15 / 18	8 / 8	4 / 6	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	13	4	0	1	0	2
Number of transfers	13	4	0	1	0	1
Average number of embryos transferred	2.0	2.0		2.0		3.0
Percentage of embryos transferred resulting in implantation	15.4	0 / 8		2 / 2		0 / 3
Percentage of transfers resulting in singleton live births	4 / 13	0 / 4		0 / 1		0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 13	0 / 4		0 / 1		0 / 1
Percentage of transfers resulting in live births	4 / 13	0 / 4		1 / 1		0 / 1
Percentage of transfers resulting in pregnancy	4 / 13	0 / 4		1 / 1		0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	2	0
Number of transfers	2	0
Average number of embryos transferred	2.0	
Percentage of embryos transferred resulting in implantation	3 / 4	
Percentage of transfers resulting in singleton live births	1 / 2	
Percentage of transfers resulting in live births	2 / 2	
Percentage of transfers resulting in pregnancy	2 / 2	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Fertility Group

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 2 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COMMUNITY REPRODUCTIVE ENDOCRINOLOGY
INDIANAPOLIS, INDIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	65%
Unstimulated	0%	Used PGD	1%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	9%	Uterine factor	1%	*Multiple Factors:*	
Ovulatory dysfunction	21%	Male factor	65%	Female factors only	6%
Diminished ovarian reserve	11%	Other factor	4%	Female & male factors	44%
Endometriosis	46%	Unknown factor	6%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 85 Data verified by David E. Carnovale, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	47	12	10	3	1	1
Percentage of cancellations	14.9	3 / 12	5 / 10	0 / 3	0 / 1	1 / 1
Average number of embryos transferred	1.9	2.0	2.5	3.0	3.0	
Percentage of embryos transferred resulting in implantation	46.7	8 / 14	1 / 10	1 / 9	0 / 3	
Percentage of elective single embryo transfer (eSET)	5.3	0 / 7	0 / 4	0 / 3	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	34.0	4 / 12	1 / 10	0 / 3	0 / 1	0 / 1
Percentage of cycles resulting in triplets or more live births	2.1	0 / 12	0 / 10	0 / 3	0 / 1	0 / 1
Percentage of cycles resulting in live births	51.1	6 / 12	1 / 10	0 / 3	0 / 1	0 / 1
Percentage of cycles resulting in pregnancy	57.4	6 / 12	1 / 10	1 / 3	0 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	39	7	4	3	1	0
Percentage of transfers resulting in singleton live births	41.0	4 / 7	1 / 4	0 / 3	0 / 1	
Percentage of transfers resulting in triplets or more live births	2.6	0 / 7	0 / 4	0 / 3	0 / 1	
Percentage of transfers resulting in live births	61.5	6 / 7	1 / 4	0 / 3	0 / 1	
Percentage of transfers resulting in pregnancy	69.2	6 / 7	1 / 4	1 / 3	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	27	6	1	1	0	0
Percentage of pregnancies resulting in singleton live births	59.3	4 / 6	1 / 1	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	3.7	0 / 6	0 / 1	0 / 1		
Percentage of pregnancies resulting in live births	88.9	6 / 6	1 / 1	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	2	1	0	0	1
Number of transfers	5	2	1	0	0	1
Average number of embryos transferred	2.0	1.5	1.0			2.0
Percentage of embryos transferred resulting in implantation	0 / 10	1 / 3	0 / 1			1 / 2
Percentage of transfers resulting in singleton live births	0 / 5	1 / 2	0 / 1			1 / 1
Percentage of transfers resulting in triplets or more live births	0 / 5	0 / 2	0 / 1			0 / 1
Percentage of transfers resulting in live births	0 / 5	1 / 2	0 / 1			1 / 1
Percentage of transfers resulting in pregnancy	0 / 5	1 / 2	0 / 1			1 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation		
Percentage of transfers resulting in singleton live births		
Percentage of transfers resulting in live births		
Percentage of transfers resulting in pregnancy		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Community Reproductive Endocrinology

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FAMILY BEGINNINGS, PC
INDIANAPOLIS, INDIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	75%
Unstimulated	<1%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	20%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	11%	Male factor	17%	Female factors only	2%
Diminished ovarian reserve	3%	Other factor	0%	Female & male factors	4%
Endometriosis	21%	Unknown factor	32%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 129

Data verified by James G. Donahue, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	53	37	15	9	3	0
Percentage of cancellations	13.2	24.3	2 / 15	3 / 9	1 / 3	
Average number of embryos transferred	2.2	2.4	2.1	2.5	2.0	
Percentage of embryos transferred resulting in implantation	21.3	14.0	8.7	0 / 10	0 / 2	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 18	0 / 7	0 / 3	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	18.9	13.5	0 / 15	0 / 9	0 / 3	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 15	0 / 9	0 / 3	
Percentage of cycles resulting in live births	20.8	16.2	1 / 15	0 / 9	0 / 3	
Percentage of cycles resulting in pregnancy	39.6	16.2	1 / 15	0 / 9	0 / 3	
Outcomes per Transfer						
Number of transfers	42	21	11	4	1	0
Percentage of transfers resulting in singleton live births	23.8	23.8	0 / 11	0 / 4	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 11	0 / 4	0 / 1	
Percentage of transfers resulting in live births	26.2	28.6	1 / 11	0 / 4	0 / 1	
Percentage of transfers resulting in pregnancy	50.0	28.6	1 / 11	0 / 4	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	21	6	1	0	0	0
Percentage of pregnancies resulting in singleton live births	47.6	5 / 6	0 / 1			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 6	0 / 1			
Percentage of pregnancies resulting in live births	52.4	6 / 6	1 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	2	1	0	0	0
Number of transfers	5	1	1	0	0	0
Average number of embryos transferred	2.4	2.0	1.0			
Percentage of embryos transferred resulting in implantation	2 / 12	1 / 2	0 / 1			
Percentage of transfers resulting in singleton live births	2 / 5	0 / 1	0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 5	0 / 1	0 / 1			
Percentage of transfers resulting in live births	2 / 5	0 / 1	0 / 1			
Percentage of transfers resulting in pregnancy	2 / 5	1 / 1	0 / 1			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	2	1
Number of transfers	2	1
Average number of embryos transferred	2.5	2.0
Percentage of embryos transferred resulting in implantation	2 / 5	1 / 2
Percentage of transfers resulting in singleton live births	2 / 2	0 / 1
Percentage of transfers resulting in live births	2 / 2	0 / 1
Percentage of transfers resulting in pregnancy	2 / 2	1 / 1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Family Beginnings, PC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INDIANA UNIVERSITY HOSPITAL
INDIANAPOLIS, INDIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	47%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	13%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	44%	Male factor	26%	Female factors only	9%
Diminished ovarian reserve	17%	Other factor	13%	Female & male factors	22%
Endometriosis	9%	Unknown factor	9%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 23 Data verified by Marguerite K. Shepard, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	11	5	1	1	0	1
Percentage of cancellations	2 / 11	0 / 5	0 / 1	0 / 1		0 / 1
Average number of embryos transferred	1.9	2.0	2.0	2.0		
Percentage of embryos transferred resulting in implantation	3 / 15	4 / 8	0 / 2	0 / 2		
Percentage of elective single embryo transfer (eSET)	2 / 8	0 / 4	0 / 1	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	1 / 11	2 / 5	0 / 1	0 / 1		0 / 1
Percentage of cycles resulting in triplets or more live births	0 / 11	0 / 5	0 / 1	0 / 1		0 / 1
Percentage of cycles resulting in live births	2 / 11	3 / 5	0 / 1	0 / 1		0 / 1
Percentage of cycles resulting in pregnancy	2 / 11	3 / 5	0 / 1	0 / 1		0 / 1
Outcomes per Transfer						
Number of transfers	8	4	1	1	0	0
Percentage of transfers resulting in singleton live births	1 / 8	2 / 4	0 / 1	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 8	0 / 4	0 / 1	0 / 1		
Percentage of transfers resulting in live births	2 / 8	3 / 4	0 / 1	0 / 1		
Percentage of transfers resulting in pregnancy	2 / 8	3 / 4	0 / 1	0 / 1		
Outcomes per Pregnancy						
Number of pregnancies	2	3	0	0	0	0
Percentage of pregnancies resulting in singleton live births	1 / 2	2 / 3				
Percentage of pregnancies resulting in triplets or more live births	0 / 2	0 / 3				
Percentage of pregnancies resulting in live births	2 / 2	3 / 3				
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	0	0	0	0	0
Number of transfers	4	0	0	0	0	0
Average number of embryos transferred	2.3					
Percentage of embryos transferred resulting in implantation	0 / 9					
Percentage of transfers resulting in singleton live births	0 / 4					
Percentage of transfers resulting in triplets or more live births	0 / 4					
Percentage of transfers resulting in live births	0 / 4					
Percentage of transfers resulting in pregnancy	0 / 4					

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation		
Percentage of transfers resulting in singleton live births		
Percentage of transfers resulting in live births		
Percentage of transfers resulting in pregnancy		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Indiana University Hospital

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE CARE OF INDIANA
INDIANAPOLIS, INDIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	99%	With ICSI	46%
Unstimulated	0%	Used PGD	2%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	0%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	0%	Male factor	0%	Female factors only	0%
Diminished ovarian reserve	0%	Other factor	0%	Female & male factors	0%
Endometriosis	0%	Unknown factor	100%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 95

Data verified by Michael A. Henry, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	40	14	6	1	1	4
Percentage of cancellations	12.5	0 / 14	2 / 6	0 / 1	0 / 1	1 / 4
Average number of embryos transferred	2.2	2.3	2.5	3.0	2.0	
Percentage of embryos transferred resulting in implantation	43.7	34.4	3 / 10	0 / 3	1 / 2	
Percentage of elective single embryo transfer (eSET)	3.2	0 / 12	0 / 4	0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	17.5	1 / 14	1 / 6	0 / 1	0 / 1	0 / 4
Percentage of cycles resulting in triplets or more live births	2.5	0 / 14	0 / 6	0 / 1	0 / 1	0 / 4
Percentage of cycles resulting in live births	37.5	4 / 14	2 / 6	0 / 1	0 / 1	0 / 4
Percentage of cycles resulting in pregnancy	45.0	6 / 14	2 / 6	0 / 1	1 / 1	0 / 4
Outcomes per Transfer						
Number of transfers	32	14	4	1	1	0
Percentage of transfers resulting in singleton live births	21.9	1 / 14	1 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	3.1	0 / 14	0 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in live births	46.9	4 / 14	2 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	56.3	6 / 14	2 / 4	0 / 1	1 / 1	
Outcomes per Pregnancy						
Number of pregnancies	18	6	2	0	1	0
Percentage of pregnancies resulting in singleton live births	7 / 18	1 / 6	1 / 2		0 / 1	
Percentage of pregnancies resulting in triplets or more live births	1 / 18	0 / 6	0 / 2		0 / 1	
Percentage of pregnancies resulting in live births	15 / 18	4 / 6	2 / 2		0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	16	7	1	0	0	0
Number of transfers	15	7	1	0	0	0
Average number of embryos transferred	2.1	2.1	2.0			
Percentage of embryos transferred resulting in implantation	25.0	3 / 15	0 / 2			
Percentage of transfers resulting in singleton live births	2 / 15	3 / 7	0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 15	0 / 7	0 / 1			
Percentage of transfers resulting in live births	4 / 15	3 / 7	0 / 1			
Percentage of transfers resulting in pregnancy	5 / 15	3 / 7	0 / 1			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	4	1
Number of transfers	4	1
Average number of embryos transferred	2.5	2.0
Percentage of embryos transferred resulting in implantation	5 / 10	0 / 2
Percentage of transfers resulting in singleton live births	4 / 4	0 / 1
Percentage of transfers resulting in live births	4 / 4	0 / 1
Percentage of transfers resulting in pregnancy	4 / 4	0 / 1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Care of Indiana

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WOMEN'S SPECIALTY HEALTH CENTERS, PC
NOBLESVILLE, INDIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	57%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	7%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	79%	Male factor	57%	Female factors only	21%
Diminished ovarian reserve	7%	Other factor	29%	Female & male factors	57%
Endometriosis	21%	Unknown factor	0%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 14 Data verified by David S. McLaughlin, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	6	0	0	1	0	0
Percentage of cancellations	1 / 6			0 / 1		
Average number of embryos transferred	2.0			2.0		
Percentage of embryos transferred resulting in implantation	4 / 10			1 / 2		
Percentage of elective single embryo transfer (eSET)	0 / 5			0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	2 / 6			0 / 1		
Percentage of cycles resulting in triplets or more live births	0 / 6			0 / 1		
Percentage of cycles resulting in live births	2 / 6			0 / 1		
Percentage of cycles resulting in pregnancy	3 / 6			1 / 1		
Outcomes per Transfer						
Number of transfers	5	0	0	1	0	0
Percentage of transfers resulting in singleton live births	2 / 5			0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 5			0 / 1		
Percentage of transfers resulting in live births	2 / 5			0 / 1		
Percentage of transfers resulting in pregnancy	3 / 5			1 / 1		
Outcomes per Pregnancy						
Number of pregnancies	3	0	0	1	0	0
Percentage of pregnancies resulting in singleton live births	2 / 3			0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 3			0 / 1		
Percentage of pregnancies resulting in live births	2 / 3			0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	2	0	0	0	0
Number of transfers	3	1	0	0	0	0
Average number of embryos transferred	1.3	2.0				
Percentage of embryos transferred resulting in implantation	2 / 4	0 / 2				
Percentage of transfers resulting in singleton live births	2 / 3	0 / 1				
Percentage of transfers resulting in triplets or more live births	0 / 3	0 / 1				
Percentage of transfers resulting in live births	2 / 3	0 / 1				
Percentage of transfers resulting in pregnancy	2 / 3	0 / 1				

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	1	0
Number of transfers	1	0
Average number of embryos transferred	2.0	
Percentage of embryos transferred resulting in implantation	0 / 2	
Percentage of transfers resulting in singleton live births	0 / 1	
Percentage of transfers resulting in live births	0 / 1	
Percentage of transfers resulting in pregnancy	0 / 1	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Women's Specialty Health Centers, PC

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MID-IOWA FERTILITY, PC
CLIVE, IOWA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	88%
Unstimulated	0%	Used PGD	2%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	8%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	19%	Male factor	32%	Female factors only	1%
Diminished ovarian reserve	13%	Other factor	7%	Female & male factors	<1%
Endometriosis	12%	Unknown factor	9%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 424

Data verified by Donald C. Young, DO

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	200	58	40	4	1	0
Percentage of cancellations	8.0	20.7	12.5	1 / 4	1 / 1	
Average number of embryos transferred	1.8	1.9	2.0	2.5		
Percentage of embryos transferred resulting in implantation	48.9	44.7	20.3	1 / 5		
Percentage of elective single embryo transfer (eSET)	4.9	2.7	0.0	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.0	25.9	12.5	0 / 4	0 / 1	
Percentage of cycles resulting in triplets or more live births	1.0	0.0	0.0	0 / 4	0 / 1	
Percentage of cycles resulting in live births	45.5	36.2	20.0	0 / 4	0 / 1	
Percentage of cycles resulting in pregnancy	53.5	43.1	25.0	1 / 4	0 / 1	
Outcomes per Transfer						
Number of transfers	166	39	29	2	0	0
Percentage of transfers resulting in singleton live births	32.5	38.5	17.2	0 / 2		
Percentage of transfers resulting in triplets or more live births	1.2	0.0	0.0	0 / 2		
Percentage of transfers resulting in live births	54.8	53.8	27.6	0 / 2		
Percentage of transfers resulting in pregnancy	64.5	64.1	34.5	1 / 2		
Outcomes per Pregnancy						
Number of pregnancies	107	25	10	1	0	0
Percentage of pregnancies resulting in singleton live births	50.5	60.0	5 / 10	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	1.9	0.0	0 / 10	0 / 1		
Percentage of pregnancies resulting in live births	85.0	84.0	8 / 10	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	64	14	8	2	0	0
Number of transfers	62	14	7	2	0	0
Average number of embryos transferred	1.8	1.9	2.0	2.0		
Percentage of embryos transferred resulting in implantation	35.7	34.6	0 / 14	0 / 4		
Percentage of transfers resulting in singleton live births	32.3	5 / 14	0 / 7	0 / 2		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 14	0 / 7	0 / 2		
Percentage of transfers resulting in live births	43.5	7 / 14	0 / 7	0 / 2		
Percentage of transfers resulting in pregnancy	58.1	7 / 14	0 / 7	0 / 2		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	24	9
Number of transfers	21	9
Average number of embryos transferred	1.9	1.7
Percentage of embryos transferred resulting in implantation	61.5	8 / 15
Percentage of transfers resulting in singleton live births	47.6	4 / 9
Percentage of transfers resulting in live births	66.7	5 / 9
Percentage of transfers resulting in pregnancy	81.0	6 / 9

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Mid-Iowa Fertility, PC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF IOWA HOSPITALS AND CLINICS
CENTER FOR ADVANCED REPRODUCTIVE CARE
IOWA CITY, IOWA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	57%
Unstimulated	0%	Used PGD	2%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	20%	Uterine factor	9%	*Multiple Factors:*	
Ovulatory dysfunction	22%	Male factor	32%	Female factors only	23%
Diminished ovarian reserve	10%	Other factor	40%	Female & male factors	22%
Endometriosis	13%	Unknown factor	16%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 620 Data verified by Bradley J. Van Voorhis, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	212	67	59	30	1	0
Percentage of cancellations	5.7	10.4	11.9	33.3	0 / 1	
Average number of embryos transferred	1.6	1.7	2.6	2.7	4.0	
Percentage of embryos transferred resulting in implantation	36.9	29.2	24.8	24.1	0 / 4	
Percentage of elective single embryo transfer (eSET)	34.3	26.9	2.2	0 / 18	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	35.4	28.4	23.7	13.3	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.5	0.0	0.0	0.0	0 / 1	
Percentage of cycles resulting in live births	42.9	32.8	33.9	23.3	0 / 1	
Percentage of cycles resulting in pregnancy	46.2	35.8	47.5	33.3	0 / 1	
Outcomes per Transfer						
Number of transfers	191	58	49	20	1	0
Percentage of transfers resulting in singleton live births	39.3	32.8	28.6	20.0	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.5	0.0	0.0	0.0	0 / 1	
Percentage of transfers resulting in live births	47.6	37.9	40.8	35.0	0 / 1	
Percentage of transfers resulting in pregnancy	51.3	41.4	57.1	50.0	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	98	24	28	10	0	0
Percentage of pregnancies resulting in singleton live births	76.5	79.2	50.0	4 / 10		
Percentage of pregnancies resulting in triplets or more live births	1.0	0.0	0.0	0 / 10		
Percentage of pregnancies resulting in live births	92.9	91.7	71.4	7 / 10		
Frozen Embryos from Nondonor Eggs						
Number of cycles	135	36	31	7	1	0
Number of transfers	120	31	25	4	1	0
Average number of embryos transferred	1.6	1.3	1.5	2.0	2.0	
Percentage of embryos transferred resulting in implantation	43.9	34.1	18.9	2 / 8	1 / 2	
Percentage of transfers resulting in singleton live births	46.7	35.5	16.0	1 / 4	1 / 1	
Percentage of transfers resulting in triplets or more live births	0.8	0.0	0.0	0 / 4	0 / 1	
Percentage of transfers resulting in live births	54.2	35.5	20.0	1 / 4	1 / 1	
Percentage of transfers resulting in pregnancy	64.2	51.6	32.0	2 / 4	1 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	15	26
Number of transfers	14	23
Average number of embryos transferred	1.7	1.7
Percentage of embryos transferred resulting in implantation	29.2	37.5
Percentage of transfers resulting in singleton live births	4 / 14	30.4
Percentage of transfers resulting in live births	4 / 14	39.1
Percentage of transfers resulting in pregnancy	7 / 14	56.5

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University of Iowa Hospitals and Clinics, Center for Advanced Reproductive Care

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 4 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MIDWEST REPRODUCTIVE CENTER, PA
OLATHE, KANSAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	88%
Unstimulated	0%	Used PGD	4%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	12%	Uterine factor	12%	*Multiple Factors:*	
Ovulatory dysfunction	26%	Male factor	49%	Female factors only	14%
Diminished ovarian reserve	17%	Other factor	8%	Female & male factors	29%
Endometriosis	16%	Unknown factor	10%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 193 Data verified by Dan L. Gehlbach, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	76	29	13	8	2	0
Percentage of cancellations	7.9	6.9	2 / 13	2 / 8	0 / 2	
Average number of embryos transferred	2.2	2.3	2.3	2.2	2.5	
Percentage of embryos transferred resulting in implantation	31.9	27.4	40.0	3 / 13	0 / 5	
Percentage of elective single embryo transfer (eSET)	1.5	7.7	0 / 10	0 / 5	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	19.7	24.1	4 / 13	1 / 8	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	3.4	0 / 13	0 / 8	0 / 2	
Percentage of cycles resulting in live births	36.8	37.9	5 / 13	1 / 8	0 / 2	
Percentage of cycles resulting in pregnancy	39.5	41.4	8 / 13	2 / 8	0 / 2	
Outcomes per Transfer						
Number of transfers	66	27	11	6	2	0
Percentage of transfers resulting in singleton live births	22.7	25.9	4 / 11	1 / 6	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	3.7	0 / 11	0 / 6	0 / 2	
Percentage of transfers resulting in live births	42.4	40.7	5 / 11	1 / 6	0 / 2	
Percentage of transfers resulting in pregnancy	45.5	44.4	8 / 11	2 / 6	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	30	12	8	2	0	0
Percentage of pregnancies resulting in singleton live births	50.0	7 / 12	4 / 8	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	1 / 12	0 / 8	0 / 2		
Percentage of pregnancies resulting in live births	93.3	11 / 12	5 / 8	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	31	6	5	2	0	1
Number of transfers	28	6	5	2	0	1
Average number of embryos transferred	2.5	2.5	1.8	1.5		4.0
Percentage of embryos transferred resulting in implantation	18.3	1 / 15	3 / 9	0 / 3		0 / 4
Percentage of transfers resulting in singleton live births	28.6	1 / 6	3 / 5	0 / 2		0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 6	0 / 5	0 / 2		0 / 1
Percentage of transfers resulting in live births	28.6	1 / 6	3 / 5	0 / 2		0 / 1
Percentage of transfers resulting in pregnancy	57.1	1 / 6	3 / 5	0 / 2		0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	9	11
Number of transfers	9	11
Average number of embryos transferred	2.0	2.2
Percentage of embryos transferred resulting in implantation	6 / 18	8.3
Percentage of transfers resulting in singleton live births	2 / 9	1 / 11
Percentage of transfers resulting in live births	3 / 9	1 / 11
Percentage of transfers resulting in pregnancy	4 / 9	3 / 11

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Midwest Reproductive Center, PA

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR ADVANCED REPRODUCTIVE MEDICINE
OVERLAND PARK, KANSAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	80%
Unstimulated	0%	Used PGD	1%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	25%	Uterine factor	13%	*Multiple Factors:*	
Ovulatory dysfunction	22%	Male factor	34%	Female factors only	11%
Diminished ovarian reserve	16%	Other factor	7%	Female & male factors	14%
Endometriosis	5%	Unknown factor	3%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 93

Data verified by S. Samuel Kim, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	51	7	12	0	0	0
Percentage of cancellations	5.9	0 / 7	2 / 12			
Average number of embryos transferred	2.1	2.7	2.2			
Percentage of embryos transferred resulting in implantation	29.6	2 / 19	5.0			
Percentage of elective single embryo transfer (eSET)	2.2	1 / 7	0 / 9			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	29.4	0 / 7	0 / 12			
Percentage of cycles resulting in triplets or more live births	0.0	0 / 7	0 / 12			
Percentage of cycles resulting in live births	39.2	1 / 7	0 / 12			
Percentage of cycles resulting in pregnancy	47.1	1 / 7	1 / 12			
Outcomes per Transfer						
Number of transfers	46	7	9	0	0	0
Percentage of transfers resulting in singleton live births	32.6	0 / 7	0 / 9			
Percentage of transfers resulting in triplets or more live births	0.0	0 / 7	0 / 9			
Percentage of transfers resulting in live births	43.5	1 / 7	0 / 9			
Percentage of transfers resulting in pregnancy	52.2	1 / 7	1 / 9			
Outcomes per Pregnancy						
Number of pregnancies	24	1	1	0	0	0
Percentage of pregnancies resulting in singleton live births	62.5	0 / 1	0 / 1			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 1	0 / 1			
Percentage of pregnancies resulting in live births	83.3	1 / 1	0 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	10	3	0	1	0	0
Number of transfers	9	2	0	1	0	0
Average number of embryos transferred	2.0	2.0		2.0		
Percentage of embryos transferred resulting in implantation	6 / 18	4 / 4		1 / 2		
Percentage of transfers resulting in singleton live births	2 / 9	0 / 2		1 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 9	0 / 2		0 / 1		
Percentage of transfers resulting in live births	4 / 9	2 / 2		1 / 1		
Percentage of transfers resulting in pregnancy	4 / 9	2 / 2		1 / 1		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	6	3
Number of transfers	4	3
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation	5 / 8	2 / 6
Percentage of transfers resulting in singleton live births	1 / 4	0 / 3
Percentage of transfers resulting in live births	3 / 4	1 / 3
Percentage of transfers resulting in pregnancy	3 / 4	1 / 3

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Advanced Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 4 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE RESOURCE CENTER OF GREATER KANSAS CITY
OVERLAND PARK, KANSAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	85%
Unstimulated	0%	Used PGD	10%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	8%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	27%	Male factor	35%	Female factors only	13%
Diminished ovarian reserve	39%	Other factor	19%	Female & male factors	23%
Endometriosis	6%	Unknown factor	5%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 351 Data verified by Celeste Brabec, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	132	46	24	3	2	0
Percentage of cancellations	15.2	10.9	20.8	0 / 3	0 / 2	
Average number of embryos transferred	1.9	1.8	2.3	2.7		
Percentage of embryos transferred resulting in implantation	39.2	28.1	27.8	2 / 8		
Percentage of elective single embryo transfer (eSET)	9.4	10.0	0 / 11	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.8	10.9	29.2	1 / 3	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 3	0 / 2	
Percentage of cycles resulting in live births	40.2	23.9	29.2	1 / 3	0 / 2	
Percentage of cycles resulting in pregnancy	43.2	30.4	33.3	1 / 3	0 / 2	
Outcomes per Transfer						
Number of transfers	103	35	16	3	0	0
Percentage of transfers resulting in singleton live births	33.0	14.3	7 / 16	1 / 3		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 16	0 / 3		
Percentage of transfers resulting in live births	51.5	31.4	7 / 16	1 / 3		
Percentage of transfers resulting in pregnancy	55.3	40.0	8 / 16	1 / 3		
Outcomes per Pregnancy						
Number of pregnancies	57	14	8	1	0	0
Percentage of pregnancies resulting in singleton live births	59.6	5 / 14	7 / 8	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 14	0 / 8	0 / 1		
Percentage of pregnancies resulting in live births	93.0	11 / 14	7 / 8	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	45	20	11	0	0	0
Number of transfers	44	20	10	0	0	0
Average number of embryos transferred	1.6	1.5	1.7			
Percentage of embryos transferred resulting in implantation	41.7	13.8	5 / 17			
Percentage of transfers resulting in singleton live births	31.8	15.0	3 / 10			
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 10			
Percentage of transfers resulting in live births	43.2	15.0	3 / 10			
Percentage of transfers resulting in pregnancy	54.5	20.0	5 / 10			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	45	23
Number of transfers	39	22
Average number of embryos transferred	1.8	1.6
Percentage of embryos transferred resulting in implantation	49.3	47.2
Percentage of transfers resulting in singleton live births	17.9	31.8
Percentage of transfers resulting in live births	43.6	50.0
Percentage of transfers resulting in pregnancy	53.8	54.5

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Resource Center of Greater Kansas City

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 12 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE & INFERTILITY
SHAWNEE MISSION MEDICAL CENTER
SHAWNEE MISSION, KANSAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	42%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	15%	Uterine factor	7%	*Multiple Factors:*	
Ovulatory dysfunction	15%	Male factor	42%	Female factors only	10%
Diminished ovarian reserve	35%	Other factor	7%	Female & male factors	26%
Endometriosis	14%	Unknown factor	13%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 164 Data verified by Dan L. Stewart, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	55	24	24	3	0	0
Percentage of cancellations	12.7	25.0	33.3	2 / 3		
Average number of embryos transferred	2.0	2.1	2.1	1.0		
Percentage of embryos transferred resulting in implantation	36.0	21.7	3.7	0 / 1		
Percentage of elective single embryo transfer (eSET)	5.3	1 / 10	0 / 10			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	20.0	16.7	4.2	0 / 3		
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 3		
Percentage of cycles resulting in live births	38.2	16.7	4.2	0 / 3		
Percentage of cycles resulting in pregnancy	38.2	20.8	8.3	0 / 3		
Outcomes per Transfer						
Number of transfers	44	11	13	1	0	0
Percentage of transfers resulting in singleton live births	25.0	4 / 11	1 / 13	0 / 1		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 11	0 / 13	0 / 1		
Percentage of transfers resulting in live births	47.7	4 / 11	1 / 13	0 / 1		
Percentage of transfers resulting in pregnancy	47.7	5 / 11	2 / 13	0 / 1		
Outcomes per Pregnancy						
Number of pregnancies	21	5	2	0	0	0
Percentage of pregnancies resulting in singleton live births	52.4	4 / 5	1 / 2			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 5	0 / 2			
Percentage of pregnancies resulting in live births	100.0	4 / 5	1 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	16	17	3	1	0	0
Number of transfers	16	12	3	1	0	0
Average number of embryos transferred	1.5	1.3	1.7	2.0		
Percentage of embryos transferred resulting in implantation	54.2	7 / 15	1 / 5	2 / 2		
Percentage of transfers resulting in singleton live births	2 / 16	4 / 12	1 / 3	1 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 16	0 / 12	0 / 3	0 / 1		
Percentage of transfers resulting in live births	6 / 16	5 / 12	1 / 3	1 / 1		
Percentage of transfers resulting in pregnancy	9 / 16	7 / 12	2 / 3	1 / 1		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	9	12
Number of transfers	5	10
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation	4 / 10	15.0
Percentage of transfers resulting in singleton live births	2 / 5	2 / 10
Percentage of transfers resulting in live births	3 / 5	2 / 10
Percentage of transfers resulting in pregnancy	3 / 5	4 / 10

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine & Infertility, Shawnee Mission Medical Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE CENTER FOR REPRODUCTIVE MEDICINE
WICHITA, KANSAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	66%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	11%	Uterine factor	6%	*Multiple Factors:*	
Ovulatory dysfunction	24%	Male factor	51%	Female factors only	10%
Diminished ovarian reserve	29%	Other factor	2%	Female & male factors	29%
Endometriosis	18%	Unknown factor	4%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 178

Data verified by Bruce L. Tjaden, DO

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	80	17	15	8	2	1
Percentage of cancellations	7.5	0 / 17	2 / 15	2 / 8	2 / 2	0 / 1
Average number of embryos transferred	1.7	1.9	2.8	3.2		6.0
Percentage of embryos transferred resulting in implantation	30.9	17.9	27.0	3 / 19		0 / 6
Percentage of elective single embryo transfer (eSET)	26.5	0 / 12	0 / 12	0 / 5		0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.0	1 / 17	3 / 15	0 / 8	0 / 2	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0 / 17	0 / 15	0 / 8	0 / 2	0 / 1
Percentage of cycles resulting in live births	31.3	3 / 17	5 / 15	1 / 8	0 / 2	0 / 1
Percentage of cycles resulting in pregnancy	42.5	4 / 17	7 / 15	2 / 8	0 / 2	0 / 1
Outcomes per Transfer						
Number of transfers	72	15	13	6	0	1
Percentage of transfers resulting in singleton live births	27.8	1 / 15	3 / 13	0 / 6		0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 15	0 / 13	0 / 6		0 / 1
Percentage of transfers resulting in live births	34.7	3 / 15	5 / 13	1 / 6		0 / 1
Percentage of transfers resulting in pregnancy	47.2	4 / 15	7 / 13	2 / 6		0 / 1
Outcomes per Pregnancy						
Number of pregnancies	34	4	7	2	0	0
Percentage of pregnancies resulting in singleton live births	58.8	1 / 4	3 / 7	0 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 4	0 / 7	0 / 2		
Percentage of pregnancies resulting in live births	73.5	3 / 4	5 / 7	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	28	8	1	1	0	0
Number of transfers	27	8	1	0	0	0
Average number of embryos transferred	1.5	1.5	1.0			
Percentage of embryos transferred resulting in implantation	19.5	3 / 12	1 / 1			
Percentage of transfers resulting in singleton live births	14.8	3 / 8	1 / 1			
Percentage of transfers resulting in triplets or more live births	0.0	0 / 8	0 / 1			
Percentage of transfers resulting in live births	22.2	3 / 8	1 / 1			
Percentage of transfers resulting in pregnancy	33.3	3 / 8	1 / 1			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	9	8
Number of transfers	7	8
Average number of embryos transferred	1.9	1.8
Percentage of embryos transferred resulting in implantation	3 / 13	4 / 14
Percentage of transfers resulting in singleton live births	1 / 7	3 / 8
Percentage of transfers resulting in live births	2 / 7	3 / 8
Percentage of transfers resulting in pregnancy	2 / 7	3 / 8

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BLUEGRASS FERTILITY CENTER
LEXINGTON, KENTUCKY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	85%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	12%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	14%	Male factor	50%	Female factors only	11%
Diminished ovarian reserve	23%	Other factor	12%	Female & male factors	17%
Endometriosis	19%	Unknown factor	1%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 145 Data verified by James W. Akin, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	56	19	13	5	6	0
Percentage of cancellations	5.4	0 / 19	1 / 13	1 / 5	0 / 6	
Average number of embryos transferred	2.2	2.5	2.1	2.0	4.0	
Percentage of embryos transferred resulting in implantation	35.6	28.9	0.0	0 / 6	0.0	
Percentage of elective single embryo transfer (eSET)	2.2	0 / 17	0 / 8	0 / 1	0 / 5	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.4	3 / 19	0 / 13	0 / 5	0 / 6	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 19	0 / 13	0 / 5	0 / 6	
Percentage of cycles resulting in live births	42.9	8 / 19	0 / 13	0 / 5	0 / 6	
Percentage of cycles resulting in pregnancy	51.8	10 / 19	0 / 13	0 / 5	0 / 6	
Outcomes per Transfer						
Number of transfers	48	18	11	3	5	0
Percentage of transfers resulting in singleton live births	35.4	3 / 18	0 / 11	0 / 3	0 / 5	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 18	0 / 11	0 / 3	0 / 5	
Percentage of transfers resulting in live births	50.0	8 / 18	0 / 11	0 / 3	0 / 5	
Percentage of transfers resulting in pregnancy	60.4	10 / 18	0 / 11	0 / 3	0 / 5	
Outcomes per Pregnancy						
Number of pregnancies	29	10	0	0	0	0
Percentage of pregnancies resulting in singleton live births	58.6	3 / 10				
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 10				
Percentage of pregnancies resulting in live births	82.8	8 / 10				
Frozen Embryos from Nondonor Eggs						
Number of cycles	21	6	7	0	0	0
Number of transfers	21	6	7	0	0	0
Average number of embryos transferred	1.9	1.5	1.7			
Percentage of embryos transferred resulting in implantation	32.5	2 / 9	0 / 12			
Percentage of transfers resulting in singleton live births	19.0	2 / 6	0 / 7			
Percentage of transfers resulting in triplets or more live births	0.0	0 / 6	0 / 7			
Percentage of transfers resulting in live births	38.1	2 / 6	0 / 7			
Percentage of transfers resulting in pregnancy	57.1	3 / 6	2 / 7			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	7	5
Number of transfers	7	5
Average number of embryos transferred	2.1	2.0
Percentage of embryos transferred resulting in implantation	7 / 15	3 / 10
Percentage of transfers resulting in singleton live births	3 / 7	1 / 5
Percentage of transfers resulting in live births	5 / 7	2 / 5
Percentage of transfers resulting in pregnancy	7 / 7	2 / 5

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Bluegrass Fertility Center

Donor egg?	Yes	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 3 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF KENTUCKY
LEXINGTON, KENTUCKY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	20%
Unstimulated	0%	Used PGD	7%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	47%	Uterine factor	18%	*Multiple Factors:*	
Ovulatory dysfunction	0%	Male factor	6%	Female factors only	18%
Diminished ovarian reserve	0%	Other factor	0%	Female & male factors	0%
Endometriosis	24%	Unknown factor	24%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 17

Data verified by Kenneth N. Muse, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	9	5	1	0	0	0
Percentage of cancellations	5 / 9	2 / 5	1 / 1			
Average number of embryos transferred	2.0	2.0				
Percentage of embryos transferred resulting in implantation	1 / 8	3 / 6				
Percentage of elective single embryo transfer (eSET)	0 / 3	0 / 3				
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	1 / 9	1 / 5	0 / 1			
Percentage of cycles resulting in triplets or more live births	0 / 9	0 / 5	0 / 1			
Percentage of cycles resulting in live births	1 / 9	2 / 5	0 / 1			
Percentage of cycles resulting in pregnancy	1 / 9	2 / 5	0 / 1			
Outcomes per Transfer						
Number of transfers	4	3	0	0	0	0
Percentage of transfers resulting in singleton live births	1 / 4	1 / 3				
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 3				
Percentage of transfers resulting in live births	1 / 4	2 / 3				
Percentage of transfers resulting in pregnancy	1 / 4	2 / 3				
Outcomes per Pregnancy						
Number of pregnancies	1	2	0	0	0	0
Percentage of pregnancies resulting in singleton live births	1 / 1	1 / 2				
Percentage of pregnancies resulting in triplets or more live births	0 / 1	0 / 2				
Percentage of pregnancies resulting in live births	1 / 1	2 / 2				
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	0	0	0	0	0
Number of transfers	1	0	0	0	0	0
Average number of embryos transferred	1.0					
Percentage of embryos transferred resulting in implantation	0 / 1					
Percentage of transfers resulting in singleton live births	0 / 1					
Percentage of transfers resulting in triplets or more live births	0 / 1					
Percentage of transfers resulting in live births	0 / 1					
Percentage of transfers resulting in pregnancy	0 / 1					

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	0	1
Number of transfers	0	1
Average number of embryos transferred		2.0
Percentage of embryos transferred resulting in implantation		0 / 2
Percentage of transfers resulting in singleton live births		0 / 1
Percentage of transfers resulting in live births		0 / 1
Percentage of transfers resulting in pregnancy		0 / 1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University of Kentucky

Donor egg?	Yes	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY AND ENDOCRINE ASSOCIATES
LOUISVILLE REPRODUCTIVE CENTER
LOUISVILLE, KENTUCKY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	74%
Unstimulated	3%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	17%	Uterine factor	<1%	*Multiple Factors:*	
Ovulatory dysfunction	21%	Male factor	56%	Female factors only	14%
Diminished ovarian reserve	46%	Other factor	2%	Female & male factors	49%
Endometriosis	33%	Unknown factor	4%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 144 Data verified by Robert J. Homm, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	36	16	14	5	2	0
Percentage of cancellations	8.3	3 / 16	4 / 14	1 / 5	0 / 2	
Average number of embryos transferred	2.2	2.5	2.6	3.0	2.5	
Percentage of embryos transferred resulting in implantation	30.8	27.3	11.5	0 / 6	0 / 5	
Percentage of elective single embryo transfer (eSET)	3.3	0 / 13	0 / 9	0 / 2	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.0	7 / 16	0 / 14	0 / 5	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 16	1 / 14	0 / 5	0 / 2	
Percentage of cycles resulting in live births	38.9	8 / 16	1 / 14	0 / 5	0 / 2	
Percentage of cycles resulting in pregnancy	47.2	8 / 16	1 / 14	1 / 5	0 / 2	
Outcomes per Transfer						
Number of transfers	30	13	10	2	2	0
Percentage of transfers resulting in singleton live births	30.0	7 / 13	0 / 10	0 / 2	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 13	1 / 10	0 / 2	0 / 2	
Percentage of transfers resulting in live births	46.7	8 / 13	1 / 10	0 / 2	0 / 2	
Percentage of transfers resulting in pregnancy	56.7	8 / 13	1 / 10	1 / 2	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	17	8	1	1	0	0
Percentage of pregnancies resulting in singleton live births	9 / 17	7 / 8	0 / 1	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 17	0 / 8	1 / 1	0 / 1		
Percentage of pregnancies resulting in live births	14 / 17	8 / 8	1 / 1	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	23	12	9	2	0	1
Number of transfers	23	12	9	2	0	1
Average number of embryos transferred	1.9	1.8	2.0	2.0		2.0
Percentage of embryos transferred resulting in implantation	20.5	4.8	2 / 18	0 / 4		0 / 2
Percentage of transfers resulting in singleton live births	30.4	1 / 12	0 / 9	0 / 2		0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 12	0 / 9	0 / 2		0 / 1
Percentage of transfers resulting in live births	30.4	1 / 12	1 / 9	0 / 2		0 / 1
Percentage of transfers resulting in pregnancy	43.5	4 / 12	2 / 9	0 / 2		0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	7	17
Number of transfers	7	17
Average number of embryos transferred	2.1	2.2
Percentage of embryos transferred resulting in implantation	3 / 15	23.7
Percentage of transfers resulting in singleton live births	1 / 7	2 / 17
Percentage of transfers resulting in live births	2 / 7	4 / 17
Percentage of transfers resulting in pregnancy	3 / 7	9 / 17

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility and Endocrine Associates, Louisville Reproductive Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OB/GYN ASSOCIATES FERTILITY CENTER
LOUISVILLE, KENTUCKY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	51%
Unstimulated	0%	Used PGD	7%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	18%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	16%	Male factor	44%	Female factors only	16%
Diminished ovarian reserve	33%	Other factor	14%	Female & male factors	27%
Endometriosis	17%	Unknown factor	6%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 213

Data verified by Henry C. Bohler, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	77	31	24	10	8	1
Percentage of cancellations	9.1	3.2	0.0	1 / 10	2 / 8	0 / 1
Average number of embryos transferred	2.1	2.1	2.9	3.1	3.7	4.0
Percentage of embryos transferred resulting in implantation	27.0	24.2	7.2	16.0	9.1	0 / 4
Percentage of elective single embryo transfer (eSET)	6.6	11.5	0.0	0 / 8	0 / 5	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.0	35.5	12.5	1 / 10	1 / 8	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 10	0 / 8	0 / 1
Percentage of cycles resulting in live births	36.4	38.7	16.7	1 / 10	1 / 8	0 / 1
Percentage of cycles resulting in pregnancy	40.3	45.2	20.8	3 / 10	2 / 8	0 / 1
Outcomes per Transfer						
Number of transfers	66	29	24	8	6	1
Percentage of transfers resulting in singleton live births	30.3	37.9	12.5	1 / 8	1 / 6	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 8	0 / 6	0 / 1
Percentage of transfers resulting in live births	42.4	41.4	16.7	1 / 8	1 / 6	0 / 1
Percentage of transfers resulting in pregnancy	47.0	48.3	20.8	3 / 8	2 / 6	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	31	14	5	3	2	0
Percentage of pregnancies resulting in singleton live births	64.5	11 / 14	3 / 5	1 / 3	1 / 2	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 14	0 / 5	0 / 3	0 / 2	
Percentage of pregnancies resulting in live births	90.3	12 / 14	4 / 5	1 / 3	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	20	11	3	0	1	1
Number of transfers	18	10	3	0	1	1
Average number of embryos transferred	2.1	1.5	2.3		2.0	3.0
Percentage of embryos transferred resulting in implantation	36.8	4 / 15	1 / 7		0 / 2	0 / 3
Percentage of transfers resulting in singleton live births	7 / 18	4 / 10	1 / 3		0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 18	0 / 10	0 / 3		0 / 1	0 / 1
Percentage of transfers resulting in live births	10 / 18	4 / 10	1 / 3		0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	11 / 18	4 / 10	2 / 3		0 / 1	0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	18	8
Number of transfers	15	6
Average number of embryos transferred	1.9	1.8
Percentage of embryos transferred resulting in implantation	55.2	7 / 11
Percentage of transfers resulting in singleton live births	6 / 15	2 / 6
Percentage of transfers resulting in live births	11 / 15	4 / 6
Percentage of transfers resulting in pregnancy	11 / 15	5 / 6

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2011. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 3 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

A WOMAN'S CENTER FOR REPRODUCTIVE MEDICINE
BATON ROUGE, LOUISIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	84%
Unstimulated	0%	Used PGD	<1%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	18%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	5%	Male factor	51%	Female factors only	10%
Diminished ovarian reserve	45%	Other factor	3%	Female & male factors	31%
Endometriosis	14%	Unknown factor	6%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 134 Data verified by Bobby W. Webster, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	57	13	25	13	0	1
Percentage of cancellations	10.5	4 / 13	16.0	3 / 13		0 / 1
Average number of embryos transferred	1.9	2.0	2.1	3.5		3.0
Percentage of embryos transferred resulting in implantation	36.6	1 / 18	11.1	5.7		0 / 3
Percentage of elective single embryo transfer (eSET)	6.3	0 / 7	0 / 18	0 / 10		0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	22.8	1 / 13	16.0	0 / 13		0 / 1
Percentage of cycles resulting in triplets or more live births	1.8	0 / 13	0.0	0 / 13		0 / 1
Percentage of cycles resulting in live births	33.3	1 / 13	16.0	0 / 13		0 / 1
Percentage of cycles resulting in pregnancy	38.6	1 / 13	24.0	3 / 13		0 / 1
Outcomes per Transfer						
Number of transfers	48	9	21	10	0	1
Percentage of transfers resulting in singleton live births	27.1	1 / 9	19.0	0 / 10		0 / 1
Percentage of transfers resulting in triplets or more live births	2.1	0 / 9	0.0	0 / 10		0 / 1
Percentage of transfers resulting in live births	39.6	1 / 9	19.0	0 / 10		0 / 1
Percentage of transfers resulting in pregnancy	45.8	1 / 9	28.6	3 / 10		0 / 1
Outcomes per Pregnancy						
Number of pregnancies	22	1	6	3	0	0
Percentage of pregnancies resulting in singleton live births	59.1	1 / 1	4 / 6	0 / 3		
Percentage of pregnancies resulting in triplets or more live births	4.5	0 / 1	0 / 6	0 / 3		
Percentage of pregnancies resulting in live births	86.4	1 / 1	4 / 6	0 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	8	5	2	2	0	1
Number of transfers	8	5	1	1	0	1
Average number of embryos transferred	1.8	1.8	2.0	1.0		2.0
Percentage of embryos transferred resulting in implantation	5 / 14	3 / 9	0 / 2	0 / 1		0 / 2
Percentage of transfers resulting in singleton live births	3 / 8	1 / 5	0 / 1	0 / 1		0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 8	0 / 5	0 / 1	0 / 1		0 / 1
Percentage of transfers resulting in live births	4 / 8	1 / 5	0 / 1	0 / 1		0 / 1
Percentage of transfers resulting in pregnancy	4 / 8	3 / 5	0 / 1	0 / 1		0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	6	1
Number of transfers	6	1
Average number of embryos transferred	2.2	1.0
Percentage of embryos transferred resulting in implantation	5 / 13	1 / 1
Percentage of transfers resulting in singleton live births	2 / 6	0 / 1
Percentage of transfers resulting in live births	3 / 6	0 / 1
Percentage of transfers resulting in pregnancy	4 / 6	1 / 1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: A Woman's Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 2 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY AND WOMEN'S HEALTH CENTER OF LOUISIANA
LAFAYETTE, LOUISIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	84%
Unstimulated	0%	Used PGD	<1%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	34%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	9%	Male factor	29%	Female factors only	9%
Diminished ovarian reserve	12%	Other factor	0%	Female & male factors	5%
Endometriosis	15%	Unknown factor	13%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 161 Data verified by John Storment, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	82	19	23	9	6	0
Percentage of cancellations	4.9	1 / 19	8.7	2 / 9	1 / 6	
Average number of embryos transferred	2.1	2.2	2.8	2.0	1.2	
Percentage of embryos transferred resulting in implantation	44.7	27.0	18.9	0 / 14	0 / 6	
Percentage of elective single embryo transfer (eSET)	2.8	1 / 16	0 / 18	0 / 5	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	31.7	5 / 19	13.0	0 / 9	0 / 6	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 19	0.0	0 / 9	0 / 6	
Percentage of cycles resulting in live births	53.7	7 / 19	21.7	0 / 9	0 / 6	
Percentage of cycles resulting in pregnancy	59.8	8 / 19	39.1	2 / 9	0 / 6	
Outcomes per Transfer						
Number of transfers	78	17	19	7	5	0
Percentage of transfers resulting in singleton live births	33.3	5 / 17	3 / 19	0 / 7	0 / 5	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 17	0 / 19	0 / 7	0 / 5	
Percentage of transfers resulting in live births	56.4	7 / 17	5 / 19	0 / 7	0 / 5	
Percentage of transfers resulting in pregnancy	62.8	8 / 17	9 / 19	2 / 7	0 / 5	
Outcomes per Pregnancy						
Number of pregnancies	49	8	9	2	0	0
Percentage of pregnancies resulting in singleton live births	53.1	5 / 8	3 / 9	0 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 8	0 / 9	0 / 2		
Percentage of pregnancies resulting in live births	89.8	7 / 8	5 / 9	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	13	2	1	0	0	0
Number of transfers	13	2	1	0	0	0
Average number of embryos transferred	2.5	2.5	3.0			
Percentage of embryos transferred resulting in implantation	12.5	3 / 5	0 / 3			
Percentage of transfers resulting in singleton live births	1 / 13	1 / 2	0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 13	0 / 2	0 / 1			
Percentage of transfers resulting in live births	2 / 13	1 / 2	0 / 1			
Percentage of transfers resulting in pregnancy	4 / 13	1 / 2	0 / 1			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	4	2
Number of transfers	4	2
Average number of embryos transferred	2.8	2.5
Percentage of embryos transferred resulting in implantation	1 / 11	2 / 5
Percentage of transfers resulting in singleton live births	0 / 4	0 / 2
Percentage of transfers resulting in live births	0 / 4	1 / 2
Percentage of transfers resulting in pregnancy	2 / 4	1 / 2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility and Women's Health Center of Louisiana

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 2 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE FERTILITY INSTITUTE OF NEW ORLEANS
METAIRIE, LOUISIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	60%
Unstimulated	0%	Used PGD	8%
Used gestational carrier	3%		

Patient Diagnosis[b]

Tubal factor	22%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	21%	Male factor	31%	Female factors only	3%
Diminished ovarian reserve	7%	Other factor	18%	Female & male factors	9%
Endometriosis	7%	Unknown factor	6%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 481 Data verified by Richard P. Dickey, MD, PhD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	180	79	69	23	20	6
Percentage of cancellations	9.4	16.5	17.4	17.4	35.0	4 / 6
Average number of embryos transferred	2.2	2.2	2.5	2.7	2.9	1.0
Percentage of embryos transferred resulting in implantation	36.5	23.4	10.5	7.0	0.0	0 / 1
Percentage of elective single embryo transfer (eSET)	0.7	1.8	0.0	0 / 15	0 / 9	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.1	12.7	10.1	13.0	0.0	0 / 6
Percentage of cycles resulting in triplets or more live births	0.6	1.3	0.0	0.0	0.0	0 / 6
Percentage of cycles resulting in live births	45.0	24.1	13.0	13.0	0.0	0 / 6
Percentage of cycles resulting in pregnancy	48.9	26.6	15.9	13.0	5.0	0 / 6
Outcomes per Transfer						
Number of transfers	159	63	54	16	10	1
Percentage of transfers resulting in singleton live births	29.6	15.9	13.0	3 / 16	0 / 10	0 / 1
Percentage of transfers resulting in triplets or more live births	0.6	1.6	0.0	0 / 16	0 / 10	0 / 1
Percentage of transfers resulting in live births	50.9	30.2	16.7	3 / 16	0 / 10	0 / 1
Percentage of transfers resulting in pregnancy	55.3	33.3	20.4	3 / 16	1 / 10	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	88	21	11	3	1	0
Percentage of pregnancies resulting in singleton live births	53.4	47.6	7 / 11	3 / 3	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	1.1	4.8	0 / 11	0 / 3	0 / 1	
Percentage of pregnancies resulting in live births	92.0	90.5	9 / 11	3 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	35	20	15	3	4	0
Number of transfers	30	17	9	2	4	0
Average number of embryos transferred	2.2	1.9	2.2	2.5	2.3	
Percentage of embryos transferred resulting in implantation	29.9	33.3	15.0	0 / 5	0 / 9	
Percentage of transfers resulting in singleton live births	30.0	4 / 17	1 / 9	0 / 2	0 / 4	
Percentage of transfers resulting in triplets or more live births	3.3	0 / 17	0 / 9	0 / 2	0 / 4	
Percentage of transfers resulting in live births	40.0	7 / 17	2 / 9	0 / 2	0 / 4	
Percentage of transfers resulting in pregnancy	50.0	7 / 17	2 / 9	0 / 2	0 / 4	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	11	16
Number of transfers	10	13
Average number of embryos transferred	2.1	1.8
Percentage of embryos transferred resulting in implantation	14.3	16.7
Percentage of transfers resulting in singleton live births	2 / 10	3 / 13
Percentage of transfers resulting in live births	2 / 10	3 / 13
Percentage of transfers resulting in pregnancy	4 / 10	4 / 13

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Fertility Institute of New Orleans

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR FERTILITY AND REPRODUCTIVE HEALTH
SHREVEPORT, LOUISIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	68%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	33%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	21%	Male factor	34%	Female factors only	12%
Diminished ovarian reserve	8%	Other factor	<1%	Female & male factors	10%
Endometriosis	23%	Unknown factor	4%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 133 Data verified by David T. Vandermolen, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	55	22	14	8	1	0
Percentage of cancellations	9.1	22.7	3 / 14	2 / 8	0 / 1	
Average number of embryos transferred	2.2	2.7	3.0	3.3	1.0	
Percentage of embryos transferred resulting in implantation	38.8	26.1	18.2	5.0	0 / 1	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 17	0 / 11	0 / 6		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.6	22.7	2 / 14	1 / 8	0 / 1	
Percentage of cycles resulting in triplets or more live births	1.8	4.5	0 / 14	0 / 8	0 / 1	
Percentage of cycles resulting in live births	45.5	36.4	4 / 14	1 / 8	0 / 1	
Percentage of cycles resulting in pregnancy	49.1	36.4	4 / 14	1 / 8	0 / 1	
Outcomes per Transfer						
Number of transfers	46	17	11	6	1	0
Percentage of transfers resulting in singleton live births	28.3	5 / 17	2 / 11	1 / 6	0 / 1	
Percentage of transfers resulting in triplets or more live births	2.2	1 / 17	0 / 11	0 / 6	0 / 1	
Percentage of transfers resulting in live births	54.3	8 / 17	4 / 11	1 / 6	0 / 1	
Percentage of transfers resulting in pregnancy	58.7	8 / 17	4 / 11	1 / 6	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	27	8	4	1	0	0
Percentage of pregnancies resulting in singleton live births	48.1	5 / 8	2 / 4	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	3.7	1 / 8	0 / 4	0 / 1		
Percentage of pregnancies resulting in live births	92.6	8 / 8	4 / 4	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	13	10	5	1	0	0
Number of transfers	13	9	4	1	0	0
Average number of embryos transferred	1.9	2.2	2.3	2.0		
Percentage of embryos transferred resulting in implantation	52.0	20.0	1 / 9	2 / 2		
Percentage of transfers resulting in singleton live births	4 / 13	3 / 9	0 / 4	1 / 1		
Percentage of transfers resulting in triplets or more live births	1 / 13	0 / 9	0 / 4	0 / 1		
Percentage of transfers resulting in live births	8 / 13	3 / 9	0 / 4	1 / 1		
Percentage of transfers resulting in pregnancy	8 / 13	4 / 9	1 / 4	1 / 1		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	4	0
Number of transfers	3	0
Average number of embryos transferred	2.3	
Percentage of embryos transferred resulting in implantation	6 / 7	
Percentage of transfers resulting in singleton live births	0 / 3	
Percentage of transfers resulting in live births	3 / 3	
Percentage of transfers resulting in pregnancy	3 / 3	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2011. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR ART AT UNION MEMORIAL HOSPITAL
BALTIMORE, MARYLAND

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	75%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	19%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	11%	Male factor	34%	Female factors only	4%
Diminished ovarian reserve	27%	Other factor	8%	Female & male factors	10%
Endometriosis	12%	Unknown factor	5%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 83

Data verified by Nathan G. Berger, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	28	13	7	6	10	0
Percentage of cancellations	10.7	1 / 13	1 / 7	2 / 6	7 / 10	
Average number of embryos transferred	2.2	2.7	2.7	1.3	2.0	
Percentage of embryos transferred resulting in implantation	21.4	11.1	0 / 16	0 / 4	0 / 4	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 10	0 / 5	0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	14.3	1 / 13	0 / 7	0 / 6	0 / 10	
Percentage of cycles resulting in triplets or more live births	3.6	0 / 13	0 / 7	0 / 6	0 / 10	
Percentage of cycles resulting in live births	21.4	2 / 13	0 / 7	0 / 6	0 / 10	
Percentage of cycles resulting in pregnancy	28.6	2 / 13	0 / 7	0 / 6	0 / 10	
Outcomes per Transfer						
Number of transfers	25	10	6	3	2	0
Percentage of transfers resulting in singleton live births	16.0	1 / 10	0 / 6	0 / 3	0 / 2	
Percentage of transfers resulting in triplets or more live births	4.0	0 / 10	0 / 6	0 / 3	0 / 2	
Percentage of transfers resulting in live births	24.0	2 / 10	0 / 6	0 / 3	0 / 2	
Percentage of transfers resulting in pregnancy	32.0	2 / 10	0 / 6	0 / 3	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	8	2	0	0	0	0
Percentage of pregnancies resulting in singleton live births	4 / 8	1 / 2				
Percentage of pregnancies resulting in triplets or more live births	1 / 8	0 / 2				
Percentage of pregnancies resulting in live births	6 / 8	2 / 2				
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	5	1	1	0	0
Number of transfers	4	4	1	1	0	0
Average number of embryos transferred	1.5	2.5	2.0	1.0		
Percentage of embryos transferred resulting in implantation	1 / 6	0 / 10	0 / 2	0 / 1		
Percentage of transfers resulting in singleton live births	1 / 4	0 / 4	0 / 1	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 4	0 / 1	0 / 1		
Percentage of transfers resulting in live births	1 / 4	0 / 4	0 / 1	0 / 1		
Percentage of transfers resulting in pregnancy	1 / 4	1 / 4	0 / 1	0 / 1		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	5	3
Number of transfers	4	3
Average number of embryos transferred	2.3	2.7
Percentage of embryos transferred resulting in implantation	3 / 9	0 / 8
Percentage of transfers resulting in singleton live births	1 / 4	0 / 3
Percentage of transfers resulting in live births	2 / 4	0 / 3
Percentage of transfers resulting in pregnancy	2 / 4	0 / 3

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for ART at Medstar Union Memorial Hospital

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHADY GROVE FERTILITY RSC AT GBMC
BALTIMORE, MARYLAND

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	48%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	20%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	17%	Male factor	39%	Female factors only	6%
Diminished ovarian reserve	10%	Other factor	6%	Female & male factors	11%
Endometriosis	7%	Unknown factor	17%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 626 Data verified by Eugene Katz, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	259	108	92	39	21	1
Percentage of cancellations	8.5	12.0	14.1	20.5	23.8	0 / 1
Average number of embryos transferred	1.6	2.0	2.7	3.0	3.5	3.0
Percentage of embryos transferred resulting in implantation	41.7	40.5	26.9	5.6	9.4	0 / 3
Percentage of elective single embryo transfer (eSET)	37.0	8.4	0.0	0.0	0 / 15	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	34.4	21.3	18.5	5.1	4.8	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.9	0.0	0.0	0.0	0 / 1
Percentage of cycles resulting in live births	42.9	40.7	33.7	7.7	9.5	0 / 1
Percentage of cycles resulting in pregnancy	49.4	43.5	38.0	12.8	28.6	0 / 1
Outcomes per Transfer						
Number of transfers	225	88	74	30	15	1
Percentage of transfers resulting in singleton live births	39.6	26.1	23.0	6.7	1 / 15	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	1.1	0.0	0.0	0 / 15	0 / 1
Percentage of transfers resulting in live births	49.3	50.0	41.9	10.0	2 / 15	0 / 1
Percentage of transfers resulting in pregnancy	56.9	53.4	47.3	16.7	6 / 15	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	128	47	35	5	6	0
Percentage of pregnancies resulting in singleton live births	69.5	48.9	48.6	2 / 5	1 / 6	
Percentage of pregnancies resulting in triplets or more live births	0.0	2.1	0.0	0 / 5	0 / 6	
Percentage of pregnancies resulting in live births	86.7	93.6	88.6	3 / 5	2 / 6	
Frozen Embryos from Nondonor Eggs						
Number of cycles	60	18	14	13	0	0
Number of transfers	57	16	13	11	0	0
Average number of embryos transferred	1.6	1.9	1.9	2.2		
Percentage of embryos transferred resulting in implantation	36.6	43.3	28.0	12.5		
Percentage of transfers resulting in singleton live births	33.3	8 / 16	4 / 13	1 / 11		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	1 / 13	0 / 11		
Percentage of transfers resulting in live births	42.1	9 / 16	5 / 13	1 / 11		
Percentage of transfers resulting in pregnancy	54.4	9 / 16	6 / 13	3 / 11		

	All Ages Combined[f]	
Donor Eggs	**Fresh Embryos**	**Frozen Embryos**
Number of cycles	0	1
Number of transfers	0	1
Average number of embryos transferred		2.0
Percentage of embryos transferred resulting in implantation		0 / 2
Percentage of transfers resulting in singleton live births		0 / 1
Percentage of transfers resulting in live births		0 / 1
Percentage of transfers resulting in pregnancy		0 / 1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Shady Grove Fertility RSC at GBMC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ENDRIKA HINTON, MD
LUTHERVILLE, MARYLAND

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	28%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	16%	Uterine factor	21%	*Multiple Factors:*	
Ovulatory dysfunction	24%	Male factor	29%	Female factors only	37%
Diminished ovarian reserve	24%	Other factor	3%	Female & male factors	16%
Endometriosis	50%	Unknown factor	0%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 38 Data verified by Endrika L. Hinton, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	15	8	3	5	1	0
Percentage of cancellations	1 / 15	2 / 8	0 / 3	2 / 5	0 / 1	
Average number of embryos transferred	2.1	2.0	2.0	3.0	1.0	
Percentage of embryos transferred resulting in implantation	47.6	5 / 12	2 / 4	0 / 6	0 / 1	
Percentage of elective single embryo transfer (eSET)	1 / 10	1 / 6	0 / 2	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	4 / 15	2 / 8	2 / 3	0 / 5	0 / 1	
Percentage of cycles resulting in triplets or more live births	0 / 15	0 / 8	0 / 3	0 / 5	0 / 1	
Percentage of cycles resulting in live births	6 / 15	3 / 8	2 / 3	0 / 5	0 / 1	
Percentage of cycles resulting in pregnancy	6 / 15	3 / 8	2 / 3	1 / 5	0 / 1	
Outcomes per Transfer						
Number of transfers	10	6	2	2	1	0
Percentage of transfers resulting in singleton live births	4 / 10	2 / 6	2 / 2	0 / 2	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 10	0 / 6	0 / 2	0 / 2	0 / 1	
Percentage of transfers resulting in live births	6 / 10	3 / 6	2 / 2	0 / 2	0 / 1	
Percentage of transfers resulting in pregnancy	6 / 10	3 / 6	2 / 2	1 / 2	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	6	3	2	1	0	0
Percentage of pregnancies resulting in singleton live births	4 / 6	2 / 3	2 / 2	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 6	0 / 3	0 / 2	0 / 1		
Percentage of pregnancies resulting in live births	6 / 6	3 / 3	2 / 2	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	3	3	0	0	0	0
Number of transfers	3	3	0	0	0	0
Average number of embryos transferred	2.3	2.3				
Percentage of embryos transferred resulting in implantation	0 / 7	5 / 7				
Percentage of transfers resulting in singleton live births	0 / 3	2 / 3				
Percentage of transfers resulting in triplets or more live births	0 / 3	0 / 3				
Percentage of transfers resulting in live births	0 / 3	3 / 3				
Percentage of transfers resulting in pregnancy	2 / 3	3 / 3				

	All Ages Combined[f]	
Donor Eggs	**Fresh Embryos**	**Frozen Embryos**
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation		
Percentage of transfers resulting in singleton live births		
Percentage of transfers resulting in live births		
Percentage of transfers resulting in pregnancy		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Endrika Hinton, MD

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

JOHNS HOPKINS FERTILITY CENTER
LUTHERVILLE, MARYLAND

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	45%
Unstimulated	0%	Used PGD	2%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	15%	Uterine factor	11%	*Multiple Factors:*	
Ovulatory dysfunction	4%	Male factor	21%	Female factors only	14%
Diminished ovarian reserve	41%	Other factor	16%	Female & male factors	9%
Endometriosis	14%	Unknown factor	3%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 325 Data verified by Jairo E. Garcia, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	59	37	73	54	20	6
Percentage of cancellations	10.2	29.7	16.4	37.0	25.0	1 / 6
Average number of embryos transferred	1.8	1.7	2.0	2.2	3.2	1.3
Percentage of embryos transferred resulting in implantation	44.0	17.6	12.9	11.3	8.6	0 / 4
Percentage of elective single embryo transfer (eSET)	14.3	1 / 14	2.4	0 / 17	0 / 10	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	20.3	13.5	9.6	5.6	10.0	0 / 6
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 6
Percentage of cycles resulting in live births	33.9	13.5	12.3	5.6	10.0	0 / 6
Percentage of cycles resulting in pregnancy	40.7	16.2	19.2	9.3	15.0	0 / 6
Outcomes per Transfer						
Number of transfers	41	20	50	24	11	3
Percentage of transfers resulting in singleton live births	29.3	25.0	14.0	12.5	2 / 11	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 11	0 / 3
Percentage of transfers resulting in live births	48.8	25.0	18.0	12.5	2 / 11	0 / 3
Percentage of transfers resulting in pregnancy	58.5	30.0	28.0	20.8	3 / 11	0 / 3
Outcomes per Pregnancy						
Number of pregnancies	24	6	14	5	3	0
Percentage of pregnancies resulting in singleton live births	50.0	5 / 6	7 / 14	3 / 5	2 / 3	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 6	0 / 14	0 / 5	0 / 3	
Percentage of pregnancies resulting in live births	83.3	5 / 6	9 / 14	3 / 5	2 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	12	10	24	5	2	2
Number of transfers	10	9	23	5	2	1
Average number of embryos transferred	1.9	2.1	2.0	1.4	3.5	2.0
Percentage of embryos transferred resulting in implantation	5 / 19	4 / 19	8.5	4 / 7	0 / 7	0 / 2
Percentage of transfers resulting in singleton live births	2 / 10	1 / 9	8.7	2 / 5	0 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 10	0 / 9	0.0	0 / 5	0 / 2	0 / 1
Percentage of transfers resulting in live births	3 / 10	1 / 9	8.7	3 / 5	0 / 2	0 / 1
Percentage of transfers resulting in pregnancy	4 / 10	3 / 9	26.1	3 / 5	0 / 2	0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	8	13
Number of transfers	3	12
Average number of embryos transferred	2.0	2.1
Percentage of embryos transferred resulting in implantation	3 / 6	20.0
Percentage of transfers resulting in singleton live births	0 / 3	2 / 12
Percentage of transfers resulting in live births	1 / 3	3 / 12
Percentage of transfers resulting in pregnancy	2 / 3	4 / 12

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Johns Hopkins Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 26 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2011 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2011 ART cycle data or the clinic's Medical Director did not approve the clinic's 2011 ART cycle data for inclusion in this report.

This clinic provided ART services during 2011 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2011 ART cycle data or the clinic's Medical Director did not approve the clinic's 2011 ART cycle data for inclusion in this report.

SHADY GROVE FERTILITY REPRODUCTIVE SCIENCE CENTER
ROCKVILLE, MARYLAND

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	58%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	11%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	10%	Male factor	25%	Female factors only	5%
Diminished ovarian reserve	24%	Other factor	12%	Female & male factors	7%
Endometriosis	5%	Unknown factor	22%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 6295 Data verified by Michael J. Levy, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	1558	893	912	438	176	16
Percentage of cancellations	5.8	10.0	13.7	16.7	21.0	3 / 16
Average number of embryos transferred	1.6	1.8	2.2	2.8	3.2	2.9
Percentage of embryos transferred resulting in implantation	40.4	34.4	24.0	12.7	6.6	2.9
Percentage of elective single embryo transfer (eSET)	36.1	24.7	4.2	0.3	0.0	0 / 10
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	31.5	29.1	20.4	13.2	2.8	1 / 16
Percentage of cycles resulting in triplets or more live births	0.4	0.2	0.2	0.0	0.0	0 / 16
Percentage of cycles resulting in live births	40.2	35.6	26.5	15.5	4.5	1 / 16
Percentage of cycles resulting in pregnancy	47.8	43.0	34.4	25.3	14.2	1 / 16
Outcomes per Transfer						
Number of transfers	1362	749	716	332	125	12
Percentage of transfers resulting in singleton live births	36.0	34.7	26.0	17.5	4.0	1 / 12
Percentage of transfers resulting in triplets or more live births	0.4	0.3	0.3	0.0	0.0	0 / 12
Percentage of transfers resulting in live births	46.0	42.5	33.8	20.5	6.4	1 / 12
Percentage of transfers resulting in pregnancy	54.6	51.3	43.9	33.4	20.0	1 / 12
Outcomes per Pregnancy						
Number of pregnancies	744	384	314	111	25	1
Percentage of pregnancies resulting in singleton live births	65.9	67.7	59.2	52.3	20.0	1 / 1
Percentage of pregnancies resulting in triplets or more live births	0.8	0.5	0.6	0.0	0.0	0 / 1
Percentage of pregnancies resulting in live births	84.3	82.8	77.1	61.3	32.0	1 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	470	259	177	69	19	6
Number of transfers	450	245	163	63	18	5
Average number of embryos transferred	1.6	1.5	1.5	1.7	2.0	1.4
Percentage of embryos transferred resulting in implantation	49.1	40.9	32.5	23.4	16.7	0 / 7
Percentage of transfers resulting in singleton live births	37.3	36.3	25.8	28.6	5 / 18	0 / 5
Percentage of transfers resulting in triplets or more live births	0.0	0.4	0.0	0.0	0 / 18	0 / 5
Percentage of transfers resulting in live births	50.7	43.7	30.1	30.2	5 / 18	0 / 5
Percentage of transfers resulting in pregnancy	64.9	59.6	43.6	42.9	5 / 18	1 / 5

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	891	411
Number of transfers	772	370
Average number of embryos transferred	1.4	1.4
Percentage of embryos transferred resulting in implantation	48.1	34.5
Percentage of transfers resulting in singleton live births	42.0	28.1
Percentage of transfers resulting in live births	50.3	34.3
Percentage of transfers resulting in pregnancy	62.8	48.1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Shady Grove Fertility Reproductive Science Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF MARYLAND
TOWSON, MARYLAND

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	43%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	22%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	32%	Male factor	39%	Female factors only	17%
Diminished ovarian reserve	14%	Other factor	16%	Female & male factors	23%
Endometriosis	17%	Unknown factor	3%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 338 Data verified by Santiago L. Padilla, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	95	56	57	26	10	3
Percentage of cancellations	6.3	12.5	31.6	23.1	2 / 10	0 / 3
Average number of embryos transferred	2.0	2.2	2.5	4.1	2.8	5.0
Percentage of embryos transferred resulting in implantation	37.9	31.4	14.4	15.4	0.0	0 / 15
Percentage of elective single embryo transfer (eSET)	2.4	4.3	0.0	0 / 19	0 / 6	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	29.5	21.4	10.5	15.4	0 / 10	0 / 3
Percentage of cycles resulting in triplets or more live births	0.0	1.8	0.0	3.8	0 / 10	0 / 3
Percentage of cycles resulting in live births	40.0	30.4	14.0	19.2	0 / 10	0 / 3
Percentage of cycles resulting in pregnancy	50.5	37.5	22.8	26.9	0 / 10	0 / 3
Outcomes per Transfer						
Number of transfers	86	48	39	19	8	3
Percentage of transfers resulting in singleton live births	32.6	25.0	15.4	4 / 19	0 / 8	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	2.1	0.0	1 / 19	0 / 8	0 / 3
Percentage of transfers resulting in live births	44.2	35.4	20.5	5 / 19	0 / 8	0 / 3
Percentage of transfers resulting in pregnancy	55.8	43.8	33.3	7 / 19	0 / 8	0 / 3
Outcomes per Pregnancy						
Number of pregnancies	48	21	13	7	0	0
Percentage of pregnancies resulting in singleton live births	58.3	57.1	6 / 13	4 / 7		
Percentage of pregnancies resulting in triplets or more live births	0.0	4.8	0 / 13	1 / 7		
Percentage of pregnancies resulting in live births	79.2	81.0	8 / 13	5 / 7		
Frozen Embryos from Nondonor Eggs						
Number of cycles	36	17	17	3	3	7
Number of transfers	32	16	15	3	2	5
Average number of embryos transferred	1.8	1.8	1.9	2.3	1.5	2.8
Percentage of embryos transferred resulting in implantation	27.6	44.8	20.7	2 / 7	0 / 3	0 / 14
Percentage of transfers resulting in singleton live births	28.1	3 / 16	5 / 15	0 / 3	0 / 2	0 / 5
Percentage of transfers resulting in triplets or more live births	3.1	1 / 16	0 / 15	0 / 3	0 / 2	0 / 5
Percentage of transfers resulting in live births	34.4	7 / 16	5 / 15	0 / 3	0 / 2	0 / 5
Percentage of transfers resulting in pregnancy	46.9	8 / 16	7 / 15	2 / 3	0 / 2	1 / 5

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	7	1
Number of transfers	6	1
Average number of embryos transferred	1.8	2.0
Percentage of embryos transferred resulting in implantation	5 / 11	0 / 2
Percentage of transfers resulting in singleton live births	3 / 6	0 / 1
Percentage of transfers resulting in live births	3 / 6	0 / 1
Percentage of transfers resulting in pregnancy	5 / 6	0 / 1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Center of Maryland

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BRIGHAM AND WOMEN'S HOSPITAL CENTER FOR ASSISTED REPRODUCTIVE TECHNOLOGY
BOSTON, MASSACHUSETTS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	36%
Unstimulated	<1%	Used PGD	3%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	11%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	11%	Male factor	27%	Female factors only	7%
Diminished ovarian reserve	21%	Other factor	12%	Female & male factors	11%
Endometriosis	7%	Unknown factor	28%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 1935 Data verified by Elizabeth S. Ginsburg, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	474	328	388	187	76	4
Percentage of cancellations	1.9	7.0	7.7	6.4	7.9	1 / 4
Average number of embryos transferred	1.8	2.2	2.7	4.0	4.8	6.0
Percentage of embryos transferred resulting in implantation	34.1	28.2	15.0	5.1	5.7	0 / 18
Percentage of elective single embryo transfer (eSET)	18.3	6.9	1.0	0.0	0.0	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.8	23.5	17.5	8.6	10.5	0 / 4
Percentage of cycles resulting in triplets or more live births	0.2	0.3	0.0	0.0	0.0	0 / 4
Percentage of cycles resulting in live births	38.8	33.2	21.9	9.6	13.2	0 / 4
Percentage of cycles resulting in pregnancy	46.6	40.9	31.2	20.3	23.7	0 / 4
Outcomes per Transfer						
Number of transfers	432	283	336	164	69	3
Percentage of transfers resulting in singleton live births	30.6	27.2	20.2	9.8	11.6	0 / 3
Percentage of transfers resulting in triplets or more live births	0.2	0.4	0.0	0.0	0.0	0 / 3
Percentage of transfers resulting in live births	42.6	38.5	25.3	11.0	14.5	0 / 3
Percentage of transfers resulting in pregnancy	51.2	47.3	36.0	23.2	26.1	0 / 3
Outcomes per Pregnancy						
Number of pregnancies	221	134	121	38	18	0
Percentage of pregnancies resulting in singleton live births	59.7	57.5	56.2	42.1	8 / 18	
Percentage of pregnancies resulting in triplets or more live births	0.5	0.7	0.0	0.0	0 / 18	
Percentage of pregnancies resulting in live births	83.3	81.3	70.2	47.4	10 / 18	
Frozen Embryos from Nondonor Eggs						
Number of cycles	153	99	83	19	4	5
Number of transfers	146	95	78	19	4	1
Average number of embryos transferred	2.1	2.4	2.8	3.1	5.0	3.0
Percentage of embryos transferred resulting in implantation	20.8	15.4	17.2	8.6	10.0	1 / 3
Percentage of transfers resulting in singleton live births	21.9	24.2	19.2	3 / 19	1 / 4	1 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 19	0 / 4	0 / 1
Percentage of transfers resulting in live births	31.5	28.4	24.4	3 / 19	1 / 4	1 / 1
Percentage of transfers resulting in pregnancy	40.4	38.9	41.0	6 / 19	1 / 4	1 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	66	49
Number of transfers	61	46
Average number of embryos transferred	2.0	2.3
Percentage of embryos transferred resulting in implantation	47.5	26.4
Percentage of transfers resulting in singleton live births	34.4	30.4
Percentage of transfers resulting in live births	60.7	41.3
Percentage of transfers resulting in pregnancy	63.9	47.8

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Brigham and Women's Hospital Center for Assisted Reproductive Technology

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 26 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MASSACHUSETTS GENERAL HOSPITAL FERTILITY CENTER
BOSTON, MASSACHUSETTS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	45%
Unstimulated	0%	Used PGD	4%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	13%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	14%	Male factor	38%	Female factors only	4%
Diminished ovarian reserve	18%	Other factor	5%	Female & male factors	16%
Endometriosis	6%	Unknown factor	28%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 809 Data verified by Thomas L. Toth, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	260	154	170	67	18	0
Percentage of cancellations	3.5	5.8	10.0	11.9	3 / 18	
Average number of embryos transferred	1.8	2.0	2.5	3.3	4.2	
Percentage of embryos transferred resulting in implantation	42.7	36.1	21.5	14.5	3.4	
Percentage of elective single embryo transfer (eSET)	11.8	4.8	0.0	0.0	0 / 14	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	31.9	31.8	20.6	16.4	1 / 18	
Percentage of cycles resulting in triplets or more live births	0.4	0.0	0.0	1.5	0 / 18	
Percentage of cycles resulting in live births	46.2	44.2	28.2	20.9	1 / 18	
Percentage of cycles resulting in pregnancy	54.2	50.0	32.9	29.9	2 / 18	
Outcomes per Transfer						
Number of transfers	232	136	144	58	14	0
Percentage of transfers resulting in singleton live births	35.8	36.0	24.3	19.0	1 / 14	
Percentage of transfers resulting in triplets or more live births	0.4	0.0	0.0	1.7	0 / 14	
Percentage of transfers resulting in live births	51.7	50.0	33.3	24.1	1 / 14	
Percentage of transfers resulting in pregnancy	60.8	56.6	38.9	34.5	2 / 14	
Outcomes per Pregnancy						
Number of pregnancies	141	77	56	20	2	0
Percentage of pregnancies resulting in singleton live births	58.9	63.6	62.5	55.0	1 / 2	
Percentage of pregnancies resulting in triplets or more live births	0.7	0.0	0.0	5.0	0 / 2	
Percentage of pregnancies resulting in live births	85.1	88.3	85.7	70.0	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	42	18	15	6	1	0
Number of transfers	40	18	15	6	1	0
Average number of embryos transferred	1.5	1.8	1.9	1.7	3.0	
Percentage of embryos transferred resulting in implantation	26.7	34.4	34.5	5 / 10	0 / 3	
Percentage of transfers resulting in singleton live births	20.0	6 / 18	4 / 15	2 / 6	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	1 / 18	0 / 15	0 / 6	0 / 1	
Percentage of transfers resulting in live births	25.0	7 / 18	5 / 15	3 / 6	0 / 1	
Percentage of transfers resulting in pregnancy	35.0	8 / 18	9 / 15	4 / 6	0 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	46	12
Number of transfers	44	11
Average number of embryos transferred	1.8	1.7
Percentage of embryos transferred resulting in implantation	46.3	7 / 19
Percentage of transfers resulting in singleton live births	40.9	5 / 11
Percentage of transfers resulting in live births	56.8	6 / 11
Percentage of transfers resulting in pregnancy	61.4	6 / 11

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Massachusetts General Hospital Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 8 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REI DIVISION AT TUFTS MEDICAL CENTER
BOSTON, MASSACHUSETTS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	31%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	10%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	10%	Male factor	26%	Female factors only	0%
Diminished ovarian reserve	0%	Other factor	3%	Female & male factors	7%
Endometriosis	8%	Unknown factor	50%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 136 Data verified by Sandra A. Carson, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	45	28	40	7	1	0
Percentage of cancellations	4.4	10.7	5.0	0 / 7	0 / 1	
Average number of embryos transferred	2.1	2.6	3.1	2.6	3.0	
Percentage of embryos transferred resulting in implantation	23.9	17.2	8.7	0 / 18	0 / 3	
Percentage of elective single embryo transfer (eSET)	4.9	0.0	2.9	0 / 5	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	28.9	14.3	17.5	0 / 7	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 7	0 / 1	
Percentage of cycles resulting in live births	35.6	25.0	20.0	0 / 7	0 / 1	
Percentage of cycles resulting in pregnancy	40.0	28.6	22.5	0 / 7	0 / 1	
Outcomes per Transfer						
Number of transfers	42	22	37	7	1	0
Percentage of transfers resulting in singleton live births	31.0	18.2	18.9	0 / 7	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 7	0 / 1	
Percentage of transfers resulting in live births	38.1	31.8	21.6	0 / 7	0 / 1	
Percentage of transfers resulting in pregnancy	42.9	36.4	24.3	0 / 7	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	18	8	9	0	0	0
Percentage of pregnancies resulting in singleton live births	13 / 18	4 / 8	7 / 9			
Percentage of pregnancies resulting in triplets or more live births	0 / 18	0 / 8	0 / 9			
Percentage of pregnancies resulting in live births	16 / 18	7 / 8	8 / 9			
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	5	6	0	0	0
Number of transfers	4	5	6	0	0	0
Average number of embryos transferred	2.0	2.0	2.0			
Percentage of embryos transferred resulting in implantation	1 / 8	1 / 10	1 / 12			
Percentage of transfers resulting in singleton live births	1 / 4	0 / 5	1 / 6			
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 5	0 / 6			
Percentage of transfers resulting in live births	1 / 4	0 / 5	1 / 6			
Percentage of transfers resulting in pregnancy	1 / 4	1 / 5	1 / 6			

	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Donor Eggs		
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation		
Percentage of transfers resulting in singleton live births		
Percentage of transfers resulting in live births		
Percentage of transfers resulting in pregnancy		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: REI Division at Tufts Medical Center

Donor egg?	No	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY SOLUTIONS, PC DBA MASSACHUSETTS FERTILITY CENTER, LLC DEDHAM, MASSACHUSETTS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	40%
Unstimulated	0%	Used PGD	2%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	21%	Uterine factor	11%	*Multiple Factors:*	
Ovulatory dysfunction	15%	Male factor	25%	Female factors only	11%
Diminished ovarian reserve	27%	Other factor	5%	Female & male factors	6%
Endometriosis	8%	Unknown factor	7%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 362 Data verified by Ania Kowalik, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	118	61	64	50	5	0
Percentage of cancellations	10.2	9.8	4.7	20.0	0 / 5	
Average number of embryos transferred	1.8	2.1	2.4	2.8	2.4	
Percentage of embryos transferred resulting in implantation	33.5	23.9	16.4	4.2	0 / 12	
Percentage of elective single embryo transfer (eSET)	26.4	16.0	6.0	0.0	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.4	31.1	21.9	2.0	0 / 5	
Percentage of cycles resulting in triplets or more live births	1.7	0.0	0.0	0.0	0 / 5	
Percentage of cycles resulting in live births	32.2	32.8	23.4	2.0	0 / 5	
Percentage of cycles resulting in pregnancy	38.1	41.0	28.1	10.0	0 / 5	
Outcomes per Transfer						
Number of transfers	92	53	56	34	5	0
Percentage of transfers resulting in singleton live births	32.6	35.8	25.0	2.9	0 / 5	
Percentage of transfers resulting in triplets or more live births	2.2	0.0	0.0	0.0	0 / 5	
Percentage of transfers resulting in live births	41.3	37.7	26.8	2.9	0 / 5	
Percentage of transfers resulting in pregnancy	48.9	47.2	32.1	14.7	0 / 5	
Outcomes per Pregnancy						
Number of pregnancies	45	25	18	5	0	0
Percentage of pregnancies resulting in singleton live births	66.7	76.0	14 / 18	1 / 5		
Percentage of pregnancies resulting in triplets or more live births	4.4	0.0	0 / 18	0 / 5		
Percentage of pregnancies resulting in live births	84.4	80.0	15 / 18	1 / 5		
Frozen Embryos from Nondonor Eggs						
Number of cycles	32	8	10	1	1	0
Number of transfers	30	8	7	1	1	0
Average number of embryos transferred	1.8	1.9	2.3	2.0	4.0	
Percentage of embryos transferred resulting in implantation	14.5	1 / 15	0 / 16	0 / 2	0 / 4	
Percentage of transfers resulting in singleton live births	26.7	1 / 8	0 / 7	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 8	0 / 7	0 / 1	0 / 1	
Percentage of transfers resulting in live births	26.7	1 / 8	0 / 7	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	26.7	2 / 8	0 / 7	0 / 1	0 / 1	

	All Ages Combined[f]	
Donor Eggs	**Fresh Embryos**	**Frozen Embryos**
Number of cycles	11	1
Number of transfers	10	1
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation	35.0	0 / 2
Percentage of transfers resulting in singleton live births	3 / 10	0 / 1
Percentage of transfers resulting in live births	5 / 10	0 / 1
Percentage of transfers resulting in pregnancy	6 / 10	0 / 1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Solutions, PC dba, Massachusetts Fertility Center, LLC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE SCIENCE CENTER
LEXINGTON, MASSACHUSETTS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	43%
Unstimulated	<1%	Used PGD	1%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	18%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	14%	Male factor	43%	Female factors only	6%
Diminished ovarian reserve	17%	Other factor	7%	Female & male factors	18%
Endometriosis	7%	Unknown factor	18%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 2636 Data verified by Samuel C. Pang, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	883	432	472	213	48	6
Percentage of cancellations	3.3	6.3	8.3	8.5	10.4	2 / 6
Average number of embryos transferred	1.6	1.8	2.4	3.0	3.5	3.3
Percentage of embryos transferred resulting in implantation	33.5	33.1	18.4	11.0	5.6	0 / 13
Percentage of elective single embryo transfer (eSET)	36.7	18.9	3.3	0.0	0.0	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	29.6	28.0	16.9	15.0	0.0	0 / 6
Percentage of cycles resulting in triplets or more live births	0.7	0.0	0.0	0.5	0.0	0 / 6
Percentage of cycles resulting in live births	35.1	35.0	21.6	16.9	0.0	0 / 6
Percentage of cycles resulting in pregnancy	40.9	41.4	28.8	23.9	10.4	0 / 6
Outcomes per Transfer						
Number of transfers	780	353	387	176	31	4
Percentage of transfers resulting in singleton live births	33.5	34.3	20.7	18.2	0.0	0 / 4
Percentage of transfers resulting in triplets or more live births	0.8	0.0	0.0	0.6	0.0	0 / 4
Percentage of transfers resulting in live births	39.7	42.8	26.4	20.5	0.0	0 / 4
Percentage of transfers resulting in pregnancy	46.3	50.7	35.1	29.0	16.1	0 / 4
Outcomes per Pregnancy						
Number of pregnancies	361	179	136	51	5	0
Percentage of pregnancies resulting in singleton live births	72.3	67.6	58.8	62.7	0 / 5	
Percentage of pregnancies resulting in triplets or more live births	1.7	0.0	0.0	2.0	0 / 5	
Percentage of pregnancies resulting in live births	85.9	84.4	75.0	70.6	0 / 5	
Frozen Embryos from Nondonor Eggs						
Number of cycles	233	94	77	25	10	1
Number of transfers	195	75	57	15	6	1
Average number of embryos transferred	1.5	1.5	1.6	1.9	1.3	2.0
Percentage of embryos transferred resulting in implantation	24.0	17.9	16.1	21.4	0 / 8	1 / 2
Percentage of transfers resulting in singleton live births	20.0	16.0	21.1	4 / 15	0 / 6	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 15	0 / 6	0 / 1
Percentage of transfers resulting in live births	25.6	20.0	21.1	4 / 15	0 / 6	0 / 1
Percentage of transfers resulting in pregnancy	33.8	24.0	24.6	7 / 15	0 / 6	1 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	85	57
Number of transfers	73	46
Average number of embryos transferred	1.6	1.3
Percentage of embryos transferred resulting in implantation	44.7	31.0
Percentage of transfers resulting in singleton live births	43.8	26.1
Percentage of transfers resulting in live births	50.7	28.3
Percentage of transfers resulting in pregnancy	61.6	39.1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Science Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTERS OF NEW ENGLAND, INC.
NEW ENGLAND CLINICS OF REPRODUCTIVE MEDICINE, INC.
READING, MASSACHUSETTS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	46%
Unstimulated	0%	Used PGD	4%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	14%	Uterine factor	9%	*Multiple Factors:*	
Ovulatory dysfunction	15%	Male factor	29%	Female factors only	11%
Diminished ovarian reserve	10%	Other factor	28%	Female & male factors	14%
Endometriosis	8%	Unknown factor	16%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 979 Data verified by R. Ian Hardy, MD, PhD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	352	156	154	77	33	0
Percentage of cancellations	2.8	7.1	8.4	9.1	6.1	
Average number of embryos transferred	1.8	1.9	1.9	2.3	2.3	
Percentage of embryos transferred resulting in implantation	34.8	25.5	22.3	9.0	0.0	
Percentage of elective single embryo transfer (eSET)	7.0	4.3	4.7	0.0	0.0	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	29.8	25.0	14.3	6.5	0.0	
Percentage of cycles resulting in triplets or more live births	0.3	0.0	0.0	0.0	0.0	
Percentage of cycles resulting in live births	37.5	30.1	20.8	7.8	0.0	
Percentage of cycles resulting in pregnancy	44.6	37.2	27.3	20.8	6.1	
Outcomes per Transfer						
Number of transfers	303	132	125	58	25	0
Percentage of transfers resulting in singleton live births	34.7	29.5	17.6	8.6	0.0	
Percentage of transfers resulting in triplets or more live births	0.3	0.0	0.0	0.0	0.0	
Percentage of transfers resulting in live births	43.6	35.6	25.6	10.3	0.0	
Percentage of transfers resulting in pregnancy	51.8	43.9	33.6	27.6	8.0	
Outcomes per Pregnancy						
Number of pregnancies	157	58	42	16	2	0
Percentage of pregnancies resulting in singleton live births	66.9	67.2	52.4	5 / 16	0 / 2	
Percentage of pregnancies resulting in triplets or more live births	0.6	0.0	0.0	0 / 16	0 / 2	
Percentage of pregnancies resulting in live births	84.1	81.0	76.2	6 / 16	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	58	40	28	14	8	3
Number of transfers	51	33	26	12	8	3
Average number of embryos transferred	1.8	1.6	1.8	2.0	1.9	2.0
Percentage of embryos transferred resulting in implantation	18.9	18.9	14.6	16.7	1 / 15	0 / 6
Percentage of transfers resulting in singleton live births	23.5	18.2	7.7	2 / 12	1 / 8	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 12	0 / 8	0 / 3
Percentage of transfers resulting in live births	25.5	21.2	11.5	3 / 12	1 / 8	0 / 3
Percentage of transfers resulting in pregnancy	35.3	33.3	19.2	4 / 12	1 / 8	0 / 3

	All Ages Combined[f]	
Donor Eggs	**Fresh Embryos**	**Frozen Embryos**
Number of cycles	45	11
Number of transfers	42	11
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation	38.6	22.7
Percentage of transfers resulting in singleton live births	47.6	4 / 11
Percentage of transfers resulting in live births	59.5	4 / 11
Percentage of transfers resulting in pregnancy	61.9	5 / 11

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Centers of New England, Inc., New England Clinics of Reproductive Medicine, Inc.

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 13 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BAYSTATE REPRODUCTIVE MEDICINE
SPRINGFIELD, MASSACHUSETTS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	41%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	12%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	16%	Male factor	31%	Female factors only	6%
Diminished ovarian reserve	12%	Other factor	2%	Female & male factors	7%
Endometriosis	12%	Unknown factor	24%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 490

Data verified by Kelly Lynch, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	143	67	59	34	8	0
Percentage of cancellations	4.9	17.9	11.9	8.8	2 / 8	
Average number of embryos transferred	1.4	1.9	2.6	3.6	4.6	
Percentage of embryos transferred resulting in implantation	34.8	26.7	21.6	7.6	8.7	
Percentage of elective single embryo transfer (eSET)	52.7	16.7	4.5	0.0	0 / 5	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	34.3	22.4	13.6	17.6	2 / 8	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 8	
Percentage of cycles resulting in live births	37.8	31.3	23.7	17.6	2 / 8	
Percentage of cycles resulting in pregnancy	42.0	34.3	33.9	26.5	3 / 8	
Outcomes per Transfer						
Number of transfers	129	54	49	29	5	0
Percentage of transfers resulting in singleton live births	38.0	27.8	16.3	20.7	2 / 5	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 5	
Percentage of transfers resulting in live births	41.9	38.9	28.6	20.7	2 / 5	
Percentage of transfers resulting in pregnancy	46.5	42.6	40.8	31.0	3 / 5	
Outcomes per Pregnancy						
Number of pregnancies	60	23	20	9	3	0
Percentage of pregnancies resulting in singleton live births	81.7	65.2	40.0	6 / 9	2 / 3	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 9	0 / 3	
Percentage of pregnancies resulting in live births	90.0	91.3	70.0	6 / 9	2 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	69	37	23	4	4	0
Number of transfers	64	34	20	4	2	0
Average number of embryos transferred	1.5	1.5	2.0	2.3	2.5	
Percentage of embryos transferred resulting in implantation	51.5	44.0	38.5	4 / 9	1 / 5	
Percentage of transfers resulting in singleton live births	32.8	20.6	40.0	2 / 4	1 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 4	0 / 2	
Percentage of transfers resulting in live births	50.0	35.3	50.0	2 / 4	1 / 2	
Percentage of transfers resulting in pregnancy	62.5	47.1	55.0	2 / 4	1 / 2	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	21	21
Number of transfers	19	18
Average number of embryos transferred	1.5	1.7
Percentage of embryos transferred resulting in implantation	21.4	53.3
Percentage of transfers resulting in singleton live births	3 / 19	7 / 18
Percentage of transfers resulting in live births	4 / 19	10 / 18
Percentage of transfers resulting in pregnancy	6 / 19	11 / 18

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Baystate Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CARDONE REPRODUCTIVE MEDICINE AND INFERTILITY
STONEHAM, MASSACHUSETTS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	30%
Unstimulated	0%	Used PGD	<1%
Used gestational carrier	6%		

Patient Diagnosis[b]

Tubal factor	12%	Uterine factor	16%	*Multiple Factors:*	
Ovulatory dysfunction	10%	Male factor	15%	Female factors only	12%
Diminished ovarian reserve	42%	Other factor	8%	Female & male factors	6%
Endometriosis	5%	Unknown factor	11%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 220 Data verified by Vito R. Cardone, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	39	24	35	22	11	7
Percentage of cancellations	0.0	4.2	5.7	13.6	1 / 11	1 / 7
Average number of embryos transferred	1.9	2.2	2.0	2.8	3.0	2.7
Percentage of embryos transferred resulting in implantation	37.0	21.6	25.4	2.0	0 / 18	0 / 16
Percentage of elective single embryo transfer (eSET)	0.0	0.0	0.0	0 / 15	0 / 5	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	35.9	16.7	28.6	0.0	0 / 11	0 / 7
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 11	0 / 7
Percentage of cycles resulting in live births	46.2	25.0	34.3	0.0	0 / 11	0 / 7
Percentage of cycles resulting in pregnancy	61.5	41.7	34.3	13.6	0 / 11	0 / 7
Outcomes per Transfer						
Number of transfers	38	23	31	18	6	6
Percentage of transfers resulting in singleton live births	36.8	17.4	32.3	0 / 18	0 / 6	0 / 6
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 18	0 / 6	0 / 6
Percentage of transfers resulting in live births	47.4	26.1	38.7	0 / 18	0 / 6	0 / 6
Percentage of transfers resulting in pregnancy	63.2	43.5	38.7	3 / 18	0 / 6	0 / 6
Outcomes per Pregnancy						
Number of pregnancies	24	10	12	3	0	0
Percentage of pregnancies resulting in singleton live births	58.3	4 / 10	10 / 12	0 / 3		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 10	0 / 12	0 / 3		
Percentage of pregnancies resulting in live births	75.0	6 / 10	12 / 12	0 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	15	8	2	2	5	3
Number of transfers	13	8	2	2	5	3
Average number of embryos transferred	2.5	2.6	1.5	2.5	4.2	2.7
Percentage of embryos transferred resulting in implantation	12.1	23.8	0 / 3	0 / 5	14.3	0 / 8
Percentage of transfers resulting in singleton live births	3 / 13	5 / 8	0 / 2	0 / 2	2 / 5	0 / 3
Percentage of transfers resulting in triplets or more live births	0 / 13	0 / 8	0 / 2	0 / 2	0 / 5	0 / 3
Percentage of transfers resulting in live births	3 / 13	5 / 8	0 / 2	0 / 2	2 / 5	0 / 3
Percentage of transfers resulting in pregnancy	3 / 13	5 / 8	0 / 2	0 / 2	3 / 5	0 / 3

	All Ages Combined[f]	
Donor Eggs	**Fresh Embryos**	**Frozen Embryos**
Number of cycles	30	17
Number of transfers	25	15
Average number of embryos transferred	2.0	2.7
Percentage of embryos transferred resulting in implantation	32.0	12.5
Percentage of transfers resulting in singleton live births	32.0	3 / 15
Percentage of transfers resulting in live births	44.0	4 / 15
Percentage of transfers resulting in pregnancy	52.0	4 / 15

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Cardone Reproductive Medicine and Infertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BOSTON IVF
WALTHAM, MASSACHUSETTS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	39%
Unstimulated	<1%	Used PGD	6%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	8%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	10%	Male factor	26%	Female factors only	2%
Diminished ovarian reserve	20%	Other factor	5%	Female & male factors	7%
Endometriosis	4%	Unknown factor	35%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 3302 Data verified by Michael M. Alper, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	872	543	566	293	129	29
Percentage of cancellations	3.7	6.4	11.3	9.6	14.0	24.1
Average number of embryos transferred	1.8	2.1	2.6	3.5	3.5	4.5
Percentage of embryos transferred resulting in implantation	30.5	22.7	12.3	6.9	3.9	2.5
Percentage of elective single embryo transfer (eSET)	19.3	9.0	2.3	0.0	1.2	0 / 16
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	22.8	19.0	13.6	11.6	7.0	0.0
Percentage of cycles resulting in triplets or more live births	0.2	0.0	0.0	0.0	0.0	0.0
Percentage of cycles resulting in live births	32.9	26.3	17.3	13.3	7.0	0.0
Percentage of cycles resulting in pregnancy	38.9	33.3	23.1	20.8	10.9	6.9
Outcomes per Transfer						
Number of transfers	782	463	459	235	102	18
Percentage of transfers resulting in singleton live births	25.4	22.2	16.8	14.5	8.8	0 / 18
Percentage of transfers resulting in triplets or more live births	0.3	0.0	0.0	0.0	0.0	0 / 18
Percentage of transfers resulting in live births	36.7	30.9	21.4	16.6	8.8	0 / 18
Percentage of transfers resulting in pregnancy	43.4	39.1	28.5	26.0	13.7	2 / 18
Outcomes per Pregnancy						
Number of pregnancies	339	181	131	61	14	2
Percentage of pregnancies resulting in singleton live births	58.7	56.9	58.8	55.7	9 / 14	0 / 2
Percentage of pregnancies resulting in triplets or more live births	0.6	0.0	0.0	0.0	0 / 14	0 / 2
Percentage of pregnancies resulting in live births	84.7	79.0	74.8	63.9	9 / 14	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	295	153	105	39	6	4
Number of transfers	278	141	89	35	4	4
Average number of embryos transferred	1.9	2.0	2.2	2.7	2.3	2.5
Percentage of embryos transferred resulting in implantation	19.2	15.4	9.7	9.5	1 / 9	0 / 10
Percentage of transfers resulting in singleton live births	20.9	19.1	13.5	8.6	1 / 4	0 / 4
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 4	0 / 4
Percentage of transfers resulting in live births	26.3	22.7	16.9	14.3	1 / 4	0 / 4
Percentage of transfers resulting in pregnancy	34.2	26.2	24.7	31.4	1 / 4	1 / 4

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	139	129
Number of transfers	136	125
Average number of embryos transferred	1.9	1.9
Percentage of embryos transferred resulting in implantation	36.0	20.9
Percentage of transfers resulting in singleton live births	33.8	19.2
Percentage of transfers resulting in live births	49.3	24.8
Percentage of transfers resulting in pregnancy	54.4	32.0

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Boston IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 19 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE
UNIVERSITY OF MICHIGAN REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY
ANN ARBOR, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	64%
Unstimulated	0%	Used PGD	7%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	17%	Uterine factor	6%	*Multiple Factors:*	
Ovulatory dysfunction	23%	Male factor	60%	Female factors only	13%
Diminished ovarian reserve	42%	Other factor	7%	Female & male factors	43%
Endometriosis	13%	Unknown factor	<1%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 164

Data verified by Senait Fisseha, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	64	19	16	8	6	0
Percentage of cancellations	7.8	2 / 19	2 / 16	2 / 8	2 / 6	
Average number of embryos transferred	1.9	2.1	2.2	2.6	2.3	
Percentage of embryos transferred resulting in implantation	33.9	40.0	22.6	3 / 13	0 / 7	
Percentage of elective single embryo transfer (eSET)	8.8	0 / 17	1 / 14	0 / 5	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.6	7 / 19	5 / 16	2 / 8	0 / 6	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 19	0 / 16	0 / 8	0 / 6	
Percentage of cycles resulting in live births	39.1	10 / 19	5 / 16	2 / 8	0 / 6	
Percentage of cycles resulting in pregnancy	46.9	11 / 19	6 / 16	3 / 8	0 / 6	
Outcomes per Transfer						
Number of transfers	58	17	14	5	3	0
Percentage of transfers resulting in singleton live births	29.3	7 / 17	5 / 14	2 / 5	0 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 17	0 / 14	0 / 5	0 / 3	
Percentage of transfers resulting in live births	43.1	10 / 17	5 / 14	2 / 5	0 / 3	
Percentage of transfers resulting in pregnancy	51.7	11 / 17	6 / 14	3 / 5	0 / 3	
Outcomes per Pregnancy						
Number of pregnancies	30	11	6	3	0	0
Percentage of pregnancies resulting in singleton live births	56.7	7 / 11	5 / 6	2 / 3		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 11	0 / 6	0 / 3		
Percentage of pregnancies resulting in live births	83.3	10 / 11	5 / 6	2 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	21	10	4	3	1	1
Number of transfers	21	10	4	3	1	1
Average number of embryos transferred	1.9	1.8	2.0	2.0	1.0	1.0
Percentage of embryos transferred resulting in implantation	20.5	6 / 18	0 / 8	0 / 6	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births	33.3	5 / 10	0 / 4	0 / 3	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 10	0 / 4	0 / 3	0 / 1	0 / 1
Percentage of transfers resulting in live births	33.3	5 / 10	0 / 4	0 / 3	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	42.9	6 / 10	0 / 4	0 / 3	0 / 1	0 / 1

	All Ages Combined[f]	
Donor Eggs	**Fresh Embryos**	**Frozen Embryos**
Number of cycles	10	1
Number of transfers	9	1
Average number of embryos transferred	1.9	2.0
Percentage of embryos transferred resulting in implantation	11 / 17	2 / 2
Percentage of transfers resulting in singleton live births	4 / 9	0 / 1
Percentage of transfers resulting in live births	6 / 9	1 / 1
Percentage of transfers resulting in pregnancy	7 / 9	1 / 1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Reproductive Medicine, University of Michigan Reproductive Endocrinology and Infertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 5 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE AND SURGERY, PC
BIRMINGHAM, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	97%
Unstimulated	0%	Used PGD	4%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	7%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	18%	Male factor	32%	Female factors only	10%
Diminished ovarian reserve	46%	Other factor	8%	Female & male factors	13%
Endometriosis	8%	Unknown factor	6%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 143 Data verified by Michael S. Mersol-Barg, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	36	30	20	12	1	5
Percentage of cancellations	0.0	0.0	0.0	0 / 12	0 / 1	0 / 5
Average number of embryos transferred	1.9	1.9	2.1	2.1	2.0	1.5
Percentage of embryos transferred resulting in implantation	28.4	37.5	16.2	9.5	0 / 2	0 / 6
Percentage of elective single embryo transfer (eSET)	9.7	7.1	1 / 16	0 / 9	0 / 1	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.6	16.7	15.0	2 / 12	0 / 1	0 / 5
Percentage of cycles resulting in triplets or more live births	0.0	3.3	0.0	0 / 12	0 / 1	0 / 5
Percentage of cycles resulting in live births	41.7	26.7	15.0	2 / 12	0 / 1	0 / 5
Percentage of cycles resulting in pregnancy	41.7	43.3	30.0	2 / 12	0 / 1	0 / 5
Outcomes per Transfer						
Number of transfers	35	30	18	10	1	4
Percentage of transfers resulting in singleton live births	31.4	16.7	3 / 18	2 / 10	0 / 1	0 / 4
Percentage of transfers resulting in triplets or more live births	0.0	3.3	0 / 18	0 / 10	0 / 1	0 / 4
Percentage of transfers resulting in live births	42.9	26.7	3 / 18	2 / 10	0 / 1	0 / 4
Percentage of transfers resulting in pregnancy	42.9	43.3	6 / 18	2 / 10	0 / 1	0 / 4
Outcomes per Pregnancy						
Number of pregnancies	15	13	6	2	0	0
Percentage of pregnancies resulting in singleton live births	11 / 15	5 / 13	3 / 6	2 / 2		
Percentage of pregnancies resulting in triplets or more live births	0 / 15	1 / 13	0 / 6	0 / 2		
Percentage of pregnancies resulting in live births	15 / 15	8 / 13	3 / 6	2 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	12	3	1	3	0	0
Number of transfers	11	3	1	2	0	0
Average number of embryos transferred	1.5	1.7	1.0	1.5		
Percentage of embryos transferred resulting in implantation	2 / 16	0 / 5	0 / 1	0 / 3		
Percentage of transfers resulting in singleton live births	1 / 11	0 / 3	0 / 1	0 / 2		
Percentage of transfers resulting in triplets or more live births	0 / 11	0 / 3	0 / 1	0 / 2		
Percentage of transfers resulting in live births	1 / 11	0 / 3	0 / 1	0 / 2		
Percentage of transfers resulting in pregnancy	2 / 11	1 / 3	0 / 1	0 / 2		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	9	11
Number of transfers	9	10
Average number of embryos transferred	1.6	1.7
Percentage of embryos transferred resulting in implantation	5 / 14	2 / 17
Percentage of transfers resulting in singleton live births	1 / 9	2 / 10
Percentage of transfers resulting in live births	3 / 9	2 / 10
Percentage of transfers resulting in pregnancy	3 / 9	2 / 10

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Reproductive Medicine and Surgery, PC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 6 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTIVE MEDICINE AND SURGERY, PC
BLOOMFIELD HILLS, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	84%
Unstimulated	0%	Used PGD	11%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	16%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	9%	Male factor	59%	Female factors only	18%
Diminished ovarian reserve	29%	Other factor	18%	Female & male factors	33%
Endometriosis	21%	Unknown factor	6%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 97

Data verified by Carole L. Kowalczyk, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	29	14	14	5	1	1
Percentage of cancellations	10.3	1 / 14	2 / 14	2 / 5	0 / 1	1 / 1
Average number of embryos transferred	2.2	2.3	2.1	2.3	2.0	
Percentage of embryos transferred resulting in implantation	23.1	29.6	33.3	1 / 7	0 / 2	
Percentage of elective single embryo transfer (eSET)	8.7	0 / 12	1 / 9	0 / 2	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	20.7	3 / 14	5 / 14	1 / 5	0 / 1	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0 / 14	0 / 14	0 / 5	0 / 1	0 / 1
Percentage of cycles resulting in live births	31.0	4 / 14	5 / 14	1 / 5	0 / 1	0 / 1
Percentage of cycles resulting in pregnancy	44.8	6 / 14	6 / 14	1 / 5	0 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	24	12	10	3	1	0
Percentage of transfers resulting in singleton live births	25.0	3 / 12	5 / 10	1 / 3	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 12	0 / 10	0 / 3	0 / 1	
Percentage of transfers resulting in live births	37.5	4 / 12	5 / 10	1 / 3	0 / 1	
Percentage of transfers resulting in pregnancy	54.2	6 / 12	6 / 10	1 / 3	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	13	6	6	1	0	0
Percentage of pregnancies resulting in singleton live births	6 / 13	3 / 6	5 / 6	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 13	0 / 6	0 / 6	0 / 1		
Percentage of pregnancies resulting in live births	9 / 13	4 / 6	5 / 6	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	9	12	2	3	0	1
Number of transfers	9	11	1	3	0	1
Average number of embryos transferred	1.7	1.9	1.0	1.7		2.0
Percentage of embryos transferred resulting in implantation	3 / 15	33.3	0 / 1	1 / 5		0 / 2
Percentage of transfers resulting in singleton live births	3 / 9	4 / 11	0 / 1	1 / 3		0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 9	0 / 11	0 / 1	0 / 3		0 / 1
Percentage of transfers resulting in live births	3 / 9	5 / 11	0 / 1	1 / 3		0 / 1
Percentage of transfers resulting in pregnancy	3 / 9	5 / 11	0 / 1	1 / 3		0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	3	3
Number of transfers	3	3
Average number of embryos transferred	2.7	2.0
Percentage of embryos transferred resulting in implantation	3 / 8	1 / 6
Percentage of transfers resulting in singleton live births	2 / 3	1 / 3
Percentage of transfers resulting in live births	2 / 3	1 / 3
Percentage of transfers resulting in pregnancy	3 / 3	1 / 3

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Reproductive Medicine and Surgery, PC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GAGO IVF
BRIGHTON, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	49%
Unstimulated	0%	Used PGD	2%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	29%	Uterine factor	12%	*Multiple Factors:*	
Ovulatory dysfunction	17%	Male factor	32%	Female factors only	35%
Diminished ovarian reserve	51%	Other factor	17%	Female & male factors	26%
Endometriosis	23%	Unknown factor	7%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 87 Data verified by Laura A. Gago, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	28	10	12	6	3	0
Percentage of cancellations	0.0	0 / 10	0 / 12	0 / 6	1 / 3	
Average number of embryos transferred	2.1	2.1	2.5	2.0	5.0	
Percentage of embryos transferred resulting in implantation	46.2	28.6	14.8	1 / 10	0 / 5	
Percentage of elective single embryo transfer (eSET)	12.5	1 / 8	0 / 10	0 / 3	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	28.6	4 / 10	2 / 12	1 / 6	0 / 3	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 10	0 / 12	0 / 6	0 / 3	
Percentage of cycles resulting in live births	53.6	5 / 10	3 / 12	1 / 6	0 / 3	
Percentage of cycles resulting in pregnancy	64.3	5 / 10	3 / 12	1 / 6	0 / 3	
Outcomes per Transfer						
Number of transfers	25	10	11	5	1	0
Percentage of transfers resulting in singleton live births	32.0	4 / 10	2 / 11	1 / 5	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 10	0 / 11	0 / 5	0 / 1	
Percentage of transfers resulting in live births	60.0	5 / 10	3 / 11	1 / 5	0 / 1	
Percentage of transfers resulting in pregnancy	72.0	5 / 10	3 / 11	1 / 5	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	18	5	3	1	0	0
Percentage of pregnancies resulting in singleton live births	8 / 18	4 / 5	2 / 3	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 18	0 / 5	0 / 3	0 / 1		
Percentage of pregnancies resulting in live births	15 / 18	5 / 5	3 / 3	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	4	2	1	0	0
Number of transfers	6	4	2	1	0	0
Average number of embryos transferred	2.0	1.8	2.0	2.0		
Percentage of embryos transferred resulting in implantation	1 / 12	4 / 7	0 / 4	1 / 2		
Percentage of transfers resulting in singleton live births	1 / 6	2 / 4	0 / 2	1 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 4	0 / 2	0 / 1		
Percentage of transfers resulting in live births	1 / 6	2 / 4	0 / 2	1 / 1		
Percentage of transfers resulting in pregnancy	1 / 6	2 / 4	0 / 2	1 / 1		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	10	5
Number of transfers	10	5
Average number of embryos transferred	2.1	2.0
Percentage of embryos transferred resulting in implantation	57.1	1 / 10
Percentage of transfers resulting in singleton live births	3 / 10	1 / 5
Percentage of transfers resulting in live births	7 / 10	1 / 5
Percentage of transfers resulting in pregnancy	7 / 10	1 / 5

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Gago IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 4 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MICHIGAN COMPREHENSIVE FERTILITY CENTER
DEARBORN, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	70%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	13%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	24%	Male factor	60%	Female factors only	11%
Diminished ovarian reserve	30%	Other factor	6%	Female & male factors	38%
Endometriosis	17%	Unknown factor	6%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 202

Data verified by David M. Magyar, DO

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	62	24	23	10	3	0
Percentage of cancellations	19.4	20.8	39.1	5 / 10	1 / 3	
Average number of embryos transferred	2.1	2.7	2.8	4.0	3.5	
Percentage of embryos transferred resulting in implantation	32.0	10.4	6.1	0 / 16	0 / 7	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 17	0 / 10	0 / 4	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.4	12.5	8.7	0 / 10	0 / 3	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 10	0 / 3	
Percentage of cycles resulting in live births	35.5	16.7	8.7	0 / 10	0 / 3	
Percentage of cycles resulting in pregnancy	40.3	16.7	8.7	0 / 10	0 / 3	
Outcomes per Transfer						
Number of transfers	49	18	12	4	2	0
Percentage of transfers resulting in singleton live births	34.7	3 / 18	2 / 12	0 / 4	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 18	0 / 12	0 / 4	0 / 2	
Percentage of transfers resulting in live births	44.9	4 / 18	2 / 12	0 / 4	0 / 2	
Percentage of transfers resulting in pregnancy	51.0	4 / 18	2 / 12	0 / 4	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	25	4	2	0	0	0
Percentage of pregnancies resulting in singleton live births	68.0	3 / 4	2 / 2			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 4	0 / 2			
Percentage of pregnancies resulting in live births	88.0	4 / 4	2 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	22	12	6	1	1	1
Number of transfers	20	8	6	1	0	1
Average number of embryos transferred	2.4	2.4	3.0	4.0		3.0
Percentage of embryos transferred resulting in implantation	8.3	0 / 19	1 / 18	0 / 4		0 / 3
Percentage of transfers resulting in singleton live births	10.0	0 / 8	1 / 6	0 / 1		0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 8	0 / 6	0 / 1		0 / 1
Percentage of transfers resulting in live births	15.0	0 / 8	1 / 6	0 / 1		0 / 1
Percentage of transfers resulting in pregnancy	15.0	0 / 8	1 / 6	0 / 1		0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	22	15
Number of transfers	22	13
Average number of embryos transferred	2.0	2.1
Percentage of embryos transferred resulting in implantation	23.3	14.8
Percentage of transfers resulting in singleton live births	27.3	4 / 13
Percentage of transfers resulting in live births	31.8	4 / 13
Percentage of transfers resulting in pregnancy	40.9	4 / 13

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Michigan Comprehensive Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GRAND RAPIDS FERTILITY & IVF, PC
GRAND RAPIDS, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	88%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	12%	Uterine factor	<1%	*Multiple Factors:*	
Ovulatory dysfunction	5%	Male factor	50%	Female factors only	<1%
Diminished ovarian reserve	20%	Other factor	11%	Female & male factors	23%
Endometriosis	14%	Unknown factor	14%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 116 Data verified by Douglas C. Daly, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	43	9	5	2	0	0
Percentage of cancellations	9.3	2 / 9	0 / 5	1 / 2		
Average number of embryos transferred	2.2	2.8	3.5	3.0		
Percentage of embryos transferred resulting in implantation	11.9	5 / 17	2 / 14	0 / 3		
Percentage of elective single embryo transfer (eSET)	0.0	0 / 6	0 / 4	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	14.0	1 / 9	0 / 5	0 / 2		
Percentage of cycles resulting in triplets or more live births	0.0	0 / 9	0 / 5	0 / 2		
Percentage of cycles resulting in live births	16.3	2 / 9	1 / 5	0 / 2		
Percentage of cycles resulting in pregnancy	16.3	3 / 9	1 / 5	0 / 2		
Outcomes per Transfer						
Number of transfers	30	6	4	1	0	0
Percentage of transfers resulting in singleton live births	20.0	1 / 6	0 / 4	0 / 1		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 6	0 / 4	0 / 1		
Percentage of transfers resulting in live births	23.3	2 / 6	1 / 4	0 / 1		
Percentage of transfers resulting in pregnancy	23.3	3 / 6	1 / 4	0 / 1		
Outcomes per Pregnancy						
Number of pregnancies	7	3	1	0	0	0
Percentage of pregnancies resulting in singleton live births	6 / 7	1 / 3	0 / 1			
Percentage of pregnancies resulting in triplets or more live births	0 / 7	0 / 3	0 / 1			
Percentage of pregnancies resulting in live births	7 / 7	2 / 3	1 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	27	3	3	3	0	0
Number of transfers	27	3	2	3	0	0
Average number of embryos transferred	2.3	2.7	3.0	2.3		
Percentage of embryos transferred resulting in implantation	17.5	3 / 8	1 / 6	0 / 7		
Percentage of transfers resulting in singleton live births	25.9	3 / 3	0 / 2	0 / 3		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 3	0 / 2	0 / 3		
Percentage of transfers resulting in live births	33.3	3 / 3	0 / 2	0 / 3		
Percentage of transfers resulting in pregnancy	33.3	3 / 3	1 / 2	0 / 3		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	8	13
Number of transfers	7	13
Average number of embryos transferred	1.9	2.1
Percentage of embryos transferred resulting in implantation	5 / 13	29.6
Percentage of transfers resulting in singleton live births	3 / 7	4 / 13
Percentage of transfers resulting in live births	4 / 7	5 / 13
Percentage of transfers resulting in pregnancy	4 / 7	7 / 13

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Grand Rapids Fertility & IVF, PC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MICHIGAN REPRODUCTIVE & IVF CENTER, PC
GRAND RAPIDS, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	>99%	With ICSI	84%
Unstimulated	0%	Used PGD	<1%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	21%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	14%	Male factor	73%	Female factors only	6%
Diminished ovarian reserve	18%	Other factor	5%	Female & male factors	40%
Endometriosis	22%	Unknown factor	3%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 899 Data verified by William G. Dodds, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	275	82	80	18	3	0
Percentage of cancellations	10.9	23.2	10.0	6 / 18	0 / 3	
Average number of embryos transferred	2.1	2.4	3.1	3.3	3.3	
Percentage of embryos transferred resulting in implantation	28.1	22.1	14.4	13.9	0 / 10	
Percentage of elective single embryo transfer (eSET)	0.4	0.0	1.5	0 / 11	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	21.5	13.4	16.3	1 / 18	0 / 3	
Percentage of cycles resulting in triplets or more live births	0.7	1.2	0.0	0 / 18	0 / 3	
Percentage of cycles resulting in live births	32.0	23.2	22.5	3 / 18	0 / 3	
Percentage of cycles resulting in pregnancy	41.1	28.0	33.8	3 / 18	0 / 3	
Outcomes per Transfer						
Number of transfers	236	60	71	11	3	0
Percentage of transfers resulting in singleton live births	25.0	18.3	18.3	1 / 11	0 / 3	
Percentage of transfers resulting in triplets or more live births	0.8	1.7	0.0	0 / 11	0 / 3	
Percentage of transfers resulting in live births	37.3	31.7	25.4	3 / 11	0 / 3	
Percentage of transfers resulting in pregnancy	47.9	38.3	38.0	3 / 11	0 / 3	
Outcomes per Pregnancy						
Number of pregnancies	113	23	27	3	0	0
Percentage of pregnancies resulting in singleton live births	52.2	47.8	48.1	1 / 3		
Percentage of pregnancies resulting in triplets or more live births	1.8	4.3	0.0	0 / 3		
Percentage of pregnancies resulting in live births	77.9	82.6	66.7	3 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	210	49	53	8	2	0
Number of transfers	207	48	51	8	1	0
Average number of embryos transferred	2.3	2.5	2.4	3.3	4.0	
Percentage of embryos transferred resulting in implantation	22.9	16.4	16.1	11.5	0 / 4	
Percentage of transfers resulting in singleton live births	29.5	22.9	23.5	2 / 8	0 / 1	
Percentage of transfers resulting in triplets or more live births	1.4	0.0	0.0	0 / 8	0 / 1	
Percentage of transfers resulting in live births	38.2	31.3	29.4	2 / 8	0 / 1	
Percentage of transfers resulting in pregnancy	44.9	33.3	39.2	2 / 8	0 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	38	81
Number of transfers	34	80
Average number of embryos transferred	2.0	2.2
Percentage of embryos transferred resulting in implantation	42.0	21.2
Percentage of transfers resulting in singleton live births	35.3	21.3
Percentage of transfers resulting in live births	52.9	30.0
Percentage of transfers resulting in pregnancy	67.6	41.3

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Michigan Reproductive & IVF Center, PC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 7 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF MICHIGAN
ROCHESTER HILLS, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	>99%	With ICSI	90%
Unstimulated	2%	Used PGD	11%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	15%	Uterine factor	13%	*Multiple Factors:*	
Ovulatory dysfunction	23%	Male factor	39%	Female factors only	16%
Diminished ovarian reserve	32%	Other factor	16%	Female & male factors	24%
Endometriosis	13%	Unknown factor	3%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 948 Data verified by Mostafa I. Abuzeid, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	304	141	110	34	12	6
Percentage of cancellations	5.9	8.5	7.3	11.8	1 / 12	2 / 6
Average number of embryos transferred	2.1	2.2	2.3	2.7	2.6	3.7
Percentage of embryos transferred resulting in implantation	37.9	29.9	22.2	13.4	4.8	0 / 11
Percentage of elective single embryo transfer (eSET)	6.2	3.8	1.3	0.0	0 / 7	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.6	24.8	18.2	17.6	1 / 12	0 / 6
Percentage of cycles resulting in triplets or more live births	0.7	0.7	0.9	0.0	0 / 12	0 / 6
Percentage of cycles resulting in live births	40.8	32.6	25.5	20.6	1 / 12	0 / 6
Percentage of cycles resulting in pregnancy	50.0	41.1	31.8	23.5	1 / 12	0 / 6
Outcomes per Transfer						
Number of transfers	253	115	87	25	8	3
Percentage of transfers resulting in singleton live births	33.2	30.4	23.0	24.0	1 / 8	0 / 3
Percentage of transfers resulting in triplets or more live births	0.8	0.9	1.1	0.0	0 / 8	0 / 3
Percentage of transfers resulting in live births	49.0	40.0	32.2	28.0	1 / 8	0 / 3
Percentage of transfers resulting in pregnancy	60.1	50.4	40.2	32.0	1 / 8	0 / 3
Outcomes per Pregnancy						
Number of pregnancies	152	58	35	8	1	0
Percentage of pregnancies resulting in singleton live births	55.3	60.3	57.1	6 / 8	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	1.3	1.7	2.9	0 / 8	0 / 1	
Percentage of pregnancies resulting in live births	81.6	79.3	80.0	7 / 8	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	113	42	28	7	5	3
Number of transfers	102	37	26	6	4	2
Average number of embryos transferred	2.0	2.1	2.2	1.7	3.8	2.5
Percentage of embryos transferred resulting in implantation	33.2	33.3	24.6	1 / 10	1 / 15	0 / 5
Percentage of transfers resulting in singleton live births	31.4	35.1	38.5	1 / 6	0 / 4	0 / 2
Percentage of transfers resulting in triplets or more live births	1.0	0.0	0.0	0 / 6	0 / 4	0 / 2
Percentage of transfers resulting in live births	45.1	43.2	46.2	1 / 6	0 / 4	0 / 2
Percentage of transfers resulting in pregnancy	55.9	59.5	46.2	3 / 6	2 / 4	0 / 2

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	93	50
Number of transfers	76	44
Average number of embryos transferred	2.1	2.0
Percentage of embryos transferred resulting in implantation	44.3	15.6
Percentage of transfers resulting in singleton live births	28.9	11.4
Percentage of transfers resulting in live births	55.3	15.9
Percentage of transfers resulting in pregnancy	64.5	34.1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: IVF Michigan

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 12 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WAYNE STATE UNIVERSITY PHYSICIAN GROUP
SOUTHFIELD, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	91%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	17%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	15%	Male factor	45%	Female factors only	12%
Diminished ovarian reserve	19%	Other factor	17%	Female & male factors	25%
Endometriosis	18%	Unknown factor	15%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 150 Data verified by Elizabeth E. Puscheck, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	67	18	12	8	3	0
Percentage of cancellations	6.0	3 / 18	2 / 12	1 / 8	0 / 3	
Average number of embryos transferred	2.2	2.8	3.1	3.9	2.7	
Percentage of embryos transferred resulting in implantation	36.3	18.2	19.4	3.7	0 / 8	
Percentage of elective single embryo transfer (eSET)	5.0	1 / 11	0 / 10	0 / 7	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	32.8	5 / 18	2 / 12	1 / 8	0 / 3	
Percentage of cycles resulting in triplets or more live births	1.5	0 / 18	1 / 12	0 / 8	0 / 3	
Percentage of cycles resulting in live births	46.3	5 / 18	3 / 12	1 / 8	0 / 3	
Percentage of cycles resulting in pregnancy	55.2	6 / 18	4 / 12	1 / 8	0 / 3	
Outcomes per Transfer						
Number of transfers	61	12	10	7	3	0
Percentage of transfers resulting in singleton live births	36.1	5 / 12	2 / 10	1 / 7	0 / 3	
Percentage of transfers resulting in triplets or more live births	1.6	0 / 12	1 / 10	0 / 7	0 / 3	
Percentage of transfers resulting in live births	50.8	5 / 12	3 / 10	1 / 7	0 / 3	
Percentage of transfers resulting in pregnancy	60.7	6 / 12	4 / 10	1 / 7	0 / 3	
Outcomes per Pregnancy						
Number of pregnancies	37	6	4	1	0	0
Percentage of pregnancies resulting in singleton live births	59.5	5 / 6	2 / 4	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	2.7	0 / 6	1 / 4	0 / 1		
Percentage of pregnancies resulting in live births	83.8	5 / 6	3 / 4	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	16	11	5	2	1	1
Number of transfers	16	11	4	2	1	1
Average number of embryos transferred	2.5	3.1	3.5	2.0	5.0	3.0
Percentage of embryos transferred resulting in implantation	25.0	17.6	2 / 14	0 / 4	0 / 5	0 / 3
Percentage of transfers resulting in singleton live births	6 / 16	2 / 11	1 / 4	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 16	0 / 11	0 / 4	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in live births	7 / 16	3 / 11	1 / 4	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	9 / 16	5 / 11	1 / 4	0 / 2	0 / 1	0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	3	3
Number of transfers	2	3
Average number of embryos transferred	2.0	2.7
Percentage of embryos transferred resulting in implantation	2 / 4	0 / 8
Percentage of transfers resulting in singleton live births	0 / 2	0 / 3
Percentage of transfers resulting in live births	1 / 2	0 / 3
Percentage of transfers resulting in pregnancy	1 / 2	0 / 3

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Wayne State University Physician Group

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HENRY FORD REPRODUCTIVE MEDICINE
TROY, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	42%
Unstimulated	0%	Used PGD	2%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	17%	Uterine factor	7%	*Multiple Factors:*	
Ovulatory dysfunction	13%	Male factor	37%	Female factors only	5%
Diminished ovarian reserve	6%	Other factor	26%	Female & male factors	23%
Endometriosis	11%	Unknown factor	13%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 82 Data verified by Kenneth Ginsburg, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	18	19	8	3	0	0
Percentage of cancellations	2 / 18	5 / 19	0 / 8	1 / 3		
Average number of embryos transferred	2.2	2.3	2.5	3.5		
Percentage of embryos transferred resulting in implantation	36.4	14.3	0 / 15	0 / 7		
Percentage of elective single embryo transfer (eSET)	0 / 14	0 / 12	0 / 5	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	3 / 18	4 / 19	0 / 8	0 / 3		
Percentage of cycles resulting in triplets or more live births	0 / 18	0 / 19	0 / 8	0 / 3		
Percentage of cycles resulting in live births	6 / 18	4 / 19	0 / 8	0 / 3		
Percentage of cycles resulting in pregnancy	8 / 18	4 / 19	1 / 8	0 / 3		
Outcomes per Transfer						
Number of transfers	15	12	6	2	0	0
Percentage of transfers resulting in singleton live births	3 / 15	4 / 12	0 / 6	0 / 2		
Percentage of transfers resulting in triplets or more live births	0 / 15	0 / 12	0 / 6	0 / 2		
Percentage of transfers resulting in live births	6 / 15	4 / 12	0 / 6	0 / 2		
Percentage of transfers resulting in pregnancy	8 / 15	4 / 12	1 / 6	0 / 2		
Outcomes per Pregnancy						
Number of pregnancies	8	4	1	0	0	0
Percentage of pregnancies resulting in singleton live births	3 / 8	4 / 4	0 / 1			
Percentage of pregnancies resulting in triplets or more live births	0 / 8	0 / 4	0 / 1			
Percentage of pregnancies resulting in live births	6 / 8	4 / 4	0 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	10	3	11	1	2	0
Number of transfers	10	3	11	1	2	0
Average number of embryos transferred	2.5	1.7	2.3	2.0	3.0	
Percentage of embryos transferred resulting in implantation	40.0	1 / 5	16.0	0 / 2	0 / 6	
Percentage of transfers resulting in singleton live births	4 / 10	1 / 3	0 / 11	0 / 1	0 / 2	
Percentage of transfers resulting in triplets or more live births	0 / 10	0 / 3	0 / 11	0 / 1	0 / 2	
Percentage of transfers resulting in live births	7 / 10	1 / 3	2 / 11	0 / 1	0 / 2	
Percentage of transfers resulting in pregnancy	7 / 10	1 / 3	2 / 11	0 / 1	0 / 2	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	3	4
Number of transfers	1	4
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation	0 / 2	2 / 8
Percentage of transfers resulting in singleton live births	0 / 1	1 / 4
Percentage of transfers resulting in live births	0 / 1	1 / 4
Percentage of transfers resulting in pregnancy	0 / 1	2 / 4

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Henry Ford Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2011 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2011 ART cycle data or the clinic's Medical Director did not approve the clinic's 2011 ART cycle data for inclusion in this report.

This clinic provided ART services during 2011 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2011 ART cycle data or the clinic's Medical Director did not approve the clinic's 2011 ART cycle data for inclusion in this report.

REPRODUCTIVE MEDICINE ASSOCIATES OF MICHIGAN
TROY, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	51%
Unstimulated	0%	Used PGD	4%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	11%	Uterine factor	7%	*Multiple Factors:*	
Ovulatory dysfunction	19%	Male factor	38%	Female factors only	12%
Diminished ovarian reserve	14%	Other factor	19%	Female & male factors	19%
Endometriosis	13%	Unknown factor	11%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 352

Data verified by Brad T. Miller, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	151	42	28	17	7	1
Percentage of cancellations	2.6	4.8	10.7	5 / 17	3 / 7	0 / 1
Average number of embryos transferred	2.2	2.4	2.3	2.1	2.5	2.0
Percentage of embryos transferred resulting in implantation	39.8	25.5	18.5	32.0	1 / 10	0 / 2
Percentage of elective single embryo transfer (eSET)	8.3	5.3	0.0	1 / 10	0 / 3	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.8	19.0	25.0	2 / 17	1 / 7	0 / 1
Percentage of cycles resulting in triplets or more live births	1.3	4.8	0.0	1 / 17	0 / 7	0 / 1
Percentage of cycles resulting in live births	43.7	31.0	28.6	4 / 17	1 / 7	0 / 1
Percentage of cycles resulting in pregnancy	55.0	38.1	28.6	5 / 17	1 / 7	0 / 1
Outcomes per Transfer						
Number of transfers	139	39	23	12	4	1
Percentage of transfers resulting in singleton live births	30.2	20.5	30.4	2 / 12	1 / 4	0 / 1
Percentage of transfers resulting in triplets or more live births	1.4	5.1	0.0	1 / 12	0 / 4	0 / 1
Percentage of transfers resulting in live births	47.5	33.3	34.8	4 / 12	1 / 4	0 / 1
Percentage of transfers resulting in pregnancy	59.7	41.0	34.8	5 / 12	1 / 4	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	83	16	8	5	1	0
Percentage of pregnancies resulting in singleton live births	50.6	8 / 16	7 / 8	2 / 5	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	2.4	2 / 16	0 / 8	1 / 5	0 / 1	
Percentage of pregnancies resulting in live births	79.5	13 / 16	8 / 8	4 / 5	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	49	8	8	4	1	0
Number of transfers	42	8	8	4	0	0
Average number of embryos transferred	1.9	2.5	1.9	1.3		
Percentage of embryos transferred resulting in implantation	37.0	30.0	3 / 15	2 / 5		
Percentage of transfers resulting in singleton live births	33.3	3 / 8	2 / 8	2 / 4		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 8	0 / 8	0 / 4		
Percentage of transfers resulting in live births	42.9	4 / 8	2 / 8	2 / 4		
Percentage of transfers resulting in pregnancy	61.9	5 / 8	3 / 8	2 / 4		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	27	9
Number of transfers	26	8
Average number of embryos transferred	2.2	1.9
Percentage of embryos transferred resulting in implantation	56.1	5 / 15
Percentage of transfers resulting in singleton live births	38.5	1 / 8
Percentage of transfers resulting in live births	65.4	2 / 8
Percentage of transfers resulting in pregnancy	80.8	5 / 8

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine Associates of Michigan

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 3 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MICHIGAN CENTER FOR FERTILITY AND WOMEN'S HEALTH, PLC
WARREN, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	94%
Unstimulated	0%	Used PGD	11%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	15%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	8%	Male factor	50%	Female factors only	4%
Diminished ovarian reserve	37%	Other factor	7%	Female & male factors	26%
Endometriosis	6%	Unknown factor	8%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 158

Data verified by Carole L. Kowalczyk, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	61	21	15	10	2	0
Percentage of cancellations	3.3	14.3	1 / 15	0 / 10	0 / 2	
Average number of embryos transferred	2.0	2.1	2.2	3.0		
Percentage of embryos transferred resulting in implantation	36.8	22.9	20.7	7.4		
Percentage of elective single embryo transfer (eSET)	5.5	1 / 16	0 / 12	0 / 8		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	29.5	14.3	3 / 15	2 / 10	0 / 2	
Percentage of cycles resulting in triplets or more live births	1.6	0.0	0 / 15	0 / 10	0 / 2	
Percentage of cycles resulting in live births	44.3	14.3	4 / 15	2 / 10	0 / 2	
Percentage of cycles resulting in pregnancy	50.8	38.1	5 / 15	2 / 10	0 / 2	
Outcomes per Transfer						
Number of transfers	58	17	13	9	0	0
Percentage of transfers resulting in singleton live births	31.0	3 / 17	3 / 13	2 / 9		
Percentage of transfers resulting in triplets or more live births	1.7	0 / 17	0 / 13	0 / 9		
Percentage of transfers resulting in live births	46.6	3 / 17	4 / 13	2 / 9		
Percentage of transfers resulting in pregnancy	53.4	8 / 17	5 / 13	2 / 9		
Outcomes per Pregnancy						
Number of pregnancies	31	8	5	2	0	0
Percentage of pregnancies resulting in singleton live births	58.1	3 / 8	3 / 5	2 / 2		
Percentage of pregnancies resulting in triplets or more live births	3.2	0 / 8	0 / 5	0 / 2		
Percentage of pregnancies resulting in live births	87.1	3 / 8	4 / 5	2 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	16	7	2	1	4	1
Number of transfers	16	7	2	0	4	1
Average number of embryos transferred	1.9	1.7	2.0		1.8	2.0
Percentage of embryos transferred resulting in implantation	53.3	5 / 12	4 / 4		0 / 7	0 / 2
Percentage of transfers resulting in singleton live births	6 / 16	3 / 7	1 / 2		0 / 4	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 16	0 / 7	0 / 2		0 / 4	0 / 1
Percentage of transfers resulting in live births	9 / 16	3 / 7	2 / 2		0 / 4	0 / 1
Percentage of transfers resulting in pregnancy	12 / 16	5 / 7	2 / 2		0 / 4	0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	14	4
Number of transfers	14	4
Average number of embryos transferred	1.9	1.8
Percentage of embryos transferred resulting in implantation	74.1	3 / 7
Percentage of transfers resulting in singleton live births	5 / 14	0 / 4
Percentage of transfers resulting in live births	10 / 14	1 / 4
Percentage of transfers resulting in pregnancy	11 / 14	2 / 4

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Michigan Center for Fertility and Women's Health, PLC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 4 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE MIDWEST CENTER FOR REPRODUCTIVE HEALTH, PA
MAPLE GROVE, MINNESOTA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	34%
Unstimulated	0%	Used PGD	2%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	12%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	46%	Male factor	39%	Female factors only	7%
Diminished ovarian reserve	3%	Other factor	4%	Female & male factors	20%
Endometriosis	13%	Unknown factor	9%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 205 Data verified by Randle S. Corfman, MD, PhD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	79	36	8	1	2	0
Percentage of cancellations	2.5	2.8	1 / 8	1 / 1	0 / 2	
Average number of embryos transferred	1.9	1.8	2.0		1.5	
Percentage of embryos transferred resulting in implantation	53.4	47.5	1 / 14		0 / 3	
Percentage of elective single embryo transfer (eSET)	2.7	3.4	0 / 7		0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.3	30.6	1 / 8	0 / 1	0 / 2	
Percentage of cycles resulting in triplets or more live births	1.3	0.0	0 / 8	0 / 1	0 / 2	
Percentage of cycles resulting in live births	59.5	52.8	1 / 8	0 / 1	0 / 2	
Percentage of cycles resulting in pregnancy	60.8	52.8	3 / 8	0 / 1	0 / 2	
Outcomes per Transfer						
Number of transfers	75	33	7	0	2	0
Percentage of transfers resulting in singleton live births	26.7	33.3	1 / 7		0 / 2	
Percentage of transfers resulting in triplets or more live births	1.3	0.0	0 / 7		0 / 2	
Percentage of transfers resulting in live births	62.7	57.6	1 / 7		0 / 2	
Percentage of transfers resulting in pregnancy	64.0	57.6	3 / 7		0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	48	19	3	0	0	0
Percentage of pregnancies resulting in singleton live births	41.7	11 / 19	1 / 3			
Percentage of pregnancies resulting in triplets or more live births	2.1	0 / 19	0 / 3			
Percentage of pregnancies resulting in live births	97.9	19 / 19	1 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	30	9	5	0	0	0
Number of transfers	25	8	5	0	0	0
Average number of embryos transferred	1.7	1.4	1.8			
Percentage of embryos transferred resulting in implantation	31.0	3 / 11	0 / 9			
Percentage of transfers resulting in singleton live births	28.0	3 / 8	0 / 5			
Percentage of transfers resulting in triplets or more live births	0.0	0 / 8	0 / 5			
Percentage of transfers resulting in live births	40.0	3 / 8	0 / 5			
Percentage of transfers resulting in pregnancy	40.0	3 / 8	0 / 5			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	25	10
Number of transfers	22	10
Average number of embryos transferred	1.9	1.9
Percentage of embryos transferred resulting in implantation	51.2	4 / 19
Percentage of transfers resulting in singleton live births	36.4	4 / 10
Percentage of transfers resulting in live births	63.6	4 / 10
Percentage of transfers resulting in pregnancy	63.6	4 / 10

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Midwest Center for Reproductive Health, PA

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE
ADVANCED REPRODUCTIVE TECHNOLOGIES
MINNEAPOLIS, MINNESOTA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	58%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	1%		

Patient Diagnosis[b]

Tubal factor	10%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	15%	Male factor	37%	Female factors only	7%
Diminished ovarian reserve	31%	Other factor	3%	Female & male factors	17%
Endometriosis	10%	Unknown factor	14%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 894 Data verified by Bruce F. Campbell, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	342	139	113	52	15	6
Percentage of cancellations	4.7	12.2	14.2	7.7	3 / 15	0 / 6
Average number of embryos transferred	1.8	2.0	2.0	2.4	2.5	2.5
Percentage of embryos transferred resulting in implantation	52.1	35.5	19.8	19.6	14.3	0 / 10
Percentage of elective single embryo transfer (eSET)	13.8	6.8	1.3	0.0	0 / 8	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	33.0	19.4	20.4	21.2	2 / 15	0 / 6
Percentage of cycles resulting in triplets or more live births	0.6	0.0	0.0	0.0	0 / 15	0 / 6
Percentage of cycles resulting in live births	53.5	35.3	22.1	25.0	3 / 15	0 / 6
Percentage of cycles resulting in pregnancy	58.8	41.0	35.4	32.7	3 / 15	1 / 6
Outcomes per Transfer						
Number of transfers	307	111	94	43	11	4
Percentage of transfers resulting in singleton live births	36.8	24.3	24.5	25.6	2 / 11	0 / 4
Percentage of transfers resulting in triplets or more live births	0.7	0.0	0.0	0.0	0 / 11	0 / 4
Percentage of transfers resulting in live births	59.6	44.1	26.6	30.2	3 / 11	0 / 4
Percentage of transfers resulting in pregnancy	65.5	51.4	42.6	39.5	3 / 11	1 / 4
Outcomes per Pregnancy						
Number of pregnancies	201	57	40	17	3	1
Percentage of pregnancies resulting in singleton live births	56.2	47.4	57.5	11 / 17	2 / 3	0 / 1
Percentage of pregnancies resulting in triplets or more live births	1.0	0.0	0.0	0 / 17	0 / 3	0 / 1
Percentage of pregnancies resulting in live births	91.0	86.0	62.5	13 / 17	3 / 3	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	58	26	15	5	2	0
Number of transfers	56	24	13	4	1	0
Average number of embryos transferred	1.9	1.8	1.5	1.3	2.0	
Percentage of embryos transferred resulting in implantation	30.8	39.5	9 / 19	1 / 5	1 / 2	
Percentage of transfers resulting in singleton live births	28.6	41.7	3 / 13	0 / 4	1 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 13	0 / 4	0 / 1	
Percentage of transfers resulting in live births	35.7	50.0	5 / 13	0 / 4	1 / 1	
Percentage of transfers resulting in pregnancy	50.0	58.3	8 / 13	1 / 4	1 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	88	33
Number of transfers	85	28
Average number of embryos transferred	1.8	1.8
Percentage of embryos transferred resulting in implantation	61.8	22.0
Percentage of transfers resulting in singleton live births	38.8	25.0
Percentage of transfers resulting in live births	65.9	32.1
Percentage of transfers resulting in pregnancy	80.0	39.3

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Reproductive Medicine, Advanced Reproductive Technologies

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE CENTER
MINNEAPOLIS, MINNESOTA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	78%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	21%	Uterine factor	6%	*Multiple Factors:*	
Ovulatory dysfunction	19%	Male factor	61%	Female factors only	9%
Diminished ovarian reserve	8%	Other factor	3%	Female & male factors	26%
Endometriosis	16%	Unknown factor	6%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 330 Data verified by William R. Phipps, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	146	50	55	27	8	0
Percentage of cancellations	7.5	6.0	9.1	29.6	0 / 8	
Average number of embryos transferred	2.0	2.0	2.6	2.9	3.0	
Percentage of embryos transferred resulting in implantation	38.6	42.6	17.4	22.4	2 / 15	
Percentage of elective single embryo transfer (eSET)	4.0	2.4	0.0	0 / 16	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.1	30.0	25.5	7.4	1 / 8	
Percentage of cycles resulting in triplets or more live births	0.7	0.0	0.0	0.0	0 / 8	
Percentage of cycles resulting in live births	43.8	50.0	25.5	22.2	1 / 8	
Percentage of cycles resulting in pregnancy	50.0	60.0	36.4	29.6	3 / 8	
Outcomes per Transfer						
Number of transfers	130	46	45	17	5	0
Percentage of transfers resulting in singleton live births	33.8	32.6	31.1	2 / 17	1 / 5	
Percentage of transfers resulting in triplets or more live births	0.8	0.0	0.0	0 / 17	0 / 5	
Percentage of transfers resulting in live births	49.2	54.3	31.1	6 / 17	1 / 5	
Percentage of transfers resulting in pregnancy	56.2	65.2	44.4	8 / 17	3 / 5	
Outcomes per Pregnancy						
Number of pregnancies	73	30	20	8	3	0
Percentage of pregnancies resulting in singleton live births	60.3	50.0	70.0	2 / 8	1 / 3	
Percentage of pregnancies resulting in triplets or more live births	1.4	0.0	0.0	0 / 8	0 / 3	
Percentage of pregnancies resulting in live births	87.7	83.3	70.0	6 / 8	1 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	23	9	6	0	2	0
Number of transfers	18	9	5	0	1	0
Average number of embryos transferred	1.7	1.4	1.8		3.0	
Percentage of embryos transferred resulting in implantation	19.4	3 / 13	3 / 9		0 / 3	
Percentage of transfers resulting in singleton live births	4 / 18	3 / 9	2 / 5		0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 18	0 / 9	0 / 5		0 / 1	
Percentage of transfers resulting in live births	5 / 18	3 / 9	2 / 5		0 / 1	
Percentage of transfers resulting in pregnancy	5 / 18	3 / 9	3 / 5		0 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	4	0
Number of transfers	4	0
Average number of embryos transferred	2.0	
Percentage of embryos transferred resulting in implantation	2 / 8	
Percentage of transfers resulting in singleton live births	0 / 4	
Percentage of transfers resulting in live births	1 / 4	
Percentage of transfers resulting in pregnancy	1 / 4	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MAYO CLINIC ASSISTED REPRODUCTIVE TECHNOLOGIES
ROCHESTER, MINNESOTA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	47%
Unstimulated	0%	Used PGD	<1%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	9%	Uterine factor	1%	*Multiple Factors:*	
Ovulatory dysfunction	26%	Male factor	44%	Female factors only	12%
Diminished ovarian reserve	30%	Other factor	15%	Female & male factors	25%
Endometriosis	6%	Unknown factor	11%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 296 Data verified by Charles C. Coddington, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	80	25	16	5	4	1
Percentage of cancellations	13.8	24.0	8 / 16	1 / 5	1 / 4	0 / 1
Average number of embryos transferred	2.0	2.6	2.4	3.5	4.0	4.0
Percentage of embryos transferred resulting in implantation	38.7	8.2	2 / 19	1 / 14	1 / 12	0 / 4
Percentage of elective single embryo transfer (eSET)	1.7	0 / 19	0 / 8	0 / 4	0 / 3	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	22.5	4.0	0 / 16	0 / 5	0 / 4	0 / 1
Percentage of cycles resulting in triplets or more live births	1.3	0.0	0 / 16	0 / 5	0 / 4	0 / 1
Percentage of cycles resulting in live births	35.0	8.0	1 / 16	0 / 5	0 / 4	0 / 1
Percentage of cycles resulting in pregnancy	42.5	16.0	3 / 16	1 / 5	1 / 4	0 / 1
Outcomes per Transfer						
Number of transfers	59	19	8	4	3	1
Percentage of transfers resulting in singleton live births	30.5	1 / 19	0 / 8	0 / 4	0 / 3	0 / 1
Percentage of transfers resulting in triplets or more live births	1.7	0 / 19	0 / 8	0 / 4	0 / 3	0 / 1
Percentage of transfers resulting in live births	47.5	2 / 19	1 / 8	0 / 4	0 / 3	0 / 1
Percentage of transfers resulting in pregnancy	57.6	4 / 19	3 / 8	1 / 4	1 / 3	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	34	4	3	1	1	0
Percentage of pregnancies resulting in singleton live births	52.9	1 / 4	0 / 3	0 / 1	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	2.9	0 / 4	0 / 3	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births	82.4	2 / 4	1 / 3	0 / 1	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	76	33	12	4	3	0
Number of transfers	71	26	8	4	3	0
Average number of embryos transferred	2.2	2.3	2.4	2.5	2.3	
Percentage of embryos transferred resulting in implantation	24.4	10.2	2 / 19	3 / 10	2 / 7	
Percentage of transfers resulting in singleton live births	25.4	11.5	1 / 8	1 / 4	1 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 8	0 / 4	0 / 3	
Percentage of transfers resulting in live births	36.6	15.4	1 / 8	2 / 4	1 / 3	
Percentage of transfers resulting in pregnancy	46.5	23.1	2 / 8	2 / 4	2 / 3	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	5	32
Number of transfers	2	28
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation	2 / 4	26.8
Percentage of transfers resulting in singleton live births	2 / 2	25.0
Percentage of transfers resulting in live births	2 / 2	35.7
Percentage of transfers resulting in pregnancy	2 / 2	50.0

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Mayo Clinic Assisted Reproductive Technologies

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 20 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE & INFERTILITY ASSOCIATES
WOODBURY, MINNESOTA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	94%
Unstimulated	0%	Used PGD	4%
Used gestational carrier	3%		

Patient Diagnosis[b]

Tubal factor	16%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	18%	Male factor	67%	Female factors only	10%
Diminished ovarian reserve	9%	Other factor	38%	Female & male factors	46%
Endometriosis	16%	Unknown factor	4%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 527 Data verified by Jacques P. Stassart, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	180	55	49	20	3	1
Percentage of cancellations	1.1	3.6	6.1	5.0	2 / 3	1 / 1
Average number of embryos transferred	1.9	2.1	2.6	2.9	3.0	
Percentage of embryos transferred resulting in implantation	39.6	25.9	22.9	2.2	0 / 3	
Percentage of elective single embryo transfer (eSET)	10.9	6.4	0.0	0 / 13	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.6	30.9	20.4	5.0	0 / 3	0 / 1
Percentage of cycles resulting in triplets or more live births	0.6	0.0	4.1	0.0	0 / 3	0 / 1
Percentage of cycles resulting in live births	49.4	40.0	30.6	5.0	0 / 3	0 / 1
Percentage of cycles resulting in pregnancy	55.6	45.5	30.6	5.0	0 / 3	0 / 1
Outcomes per Transfer						
Number of transfers	175	51	42	16	1	0
Percentage of transfers resulting in singleton live births	31.4	33.3	23.8	1 / 16	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.6	0.0	4.8	0 / 16	0 / 1	
Percentage of transfers resulting in live births	50.9	43.1	35.7	1 / 16	0 / 1	
Percentage of transfers resulting in pregnancy	57.1	49.0	35.7	1 / 16	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	100	25	15	1	0	0
Percentage of pregnancies resulting in singleton live births	55.0	68.0	10 / 15	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	1.0	0.0	2 / 15	0 / 1		
Percentage of pregnancies resulting in live births	89.0	88.0	15 / 15	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	54	42	17	3	1	1
Number of transfers	54	38	15	3	1	1
Average number of embryos transferred	1.6	1.5	1.9	2.0	2.0	2.0
Percentage of embryos transferred resulting in implantation	29.1	22.4	35.7	1 / 6	0 / 2	0 / 2
Percentage of transfers resulting in singleton live births	37.0	28.9	5 / 15	1 / 3	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 15	0 / 3	0 / 1	0 / 1
Percentage of transfers resulting in live births	40.7	28.9	7 / 15	1 / 3	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	46.3	34.2	9 / 15	1 / 3	1 / 1	0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	71	30
Number of transfers	66	29
Average number of embryos transferred	1.9	1.6
Percentage of embryos transferred resulting in implantation	41.1	32.6
Percentage of transfers resulting in singleton live births	31.8	27.6
Percentage of transfers resulting in live births	48.5	31.0
Percentage of transfers resulting in pregnancy	62.1	44.8

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine & Infertility Associates

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 2 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2011 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2011 ART cycle data or the clinic's Medical Director did not approve the clinic's 2011 ART cycle data for inclusion in this report.

MISSISSIPPI FERTILITY INSTITUTE
JACKSON, MISSISSIPPI

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	78%
Unstimulated	0%	Used PGD	2%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	25%	Uterine factor	11%	*Multiple Factors:*	
Ovulatory dysfunction	5%	Male factor	25%	Female factors only	16%
Diminished ovarian reserve	20%	Other factor	2%	Female & male factors	11%
Endometriosis	28%	Unknown factor	14%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 167 Data verified by John D. Isaacs, Jr, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	66	31	17	10	1	0
Percentage of cancellations	3.0	9.7	4 / 17	4 / 10	0 / 1	
Average number of embryos transferred	2.2	2.2	2.4	2.0	4.0	
Percentage of embryos transferred resulting in implantation	30.7	25.0	7.7	1 / 8	0 / 4	
Percentage of elective single embryo transfer (eSET)	0.0	0.0	0 / 9	1 / 4	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.8	16.1	2 / 17	1 / 10	0 / 1	
Percentage of cycles resulting in triplets or more live births	3.0	0.0	0 / 17	0 / 10	0 / 1	
Percentage of cycles resulting in live births	40.9	29.0	2 / 17	1 / 10	0 / 1	
Percentage of cycles resulting in pregnancy	40.9	29.0	2 / 17	1 / 10	0 / 1	
Outcomes per Transfer						
Number of transfers	59	26	11	4	1	0
Percentage of transfers resulting in singleton live births	28.8	19.2	2 / 11	1 / 4	0 / 1	
Percentage of transfers resulting in triplets or more live births	3.4	0.0	0 / 11	0 / 4	0 / 1	
Percentage of transfers resulting in live births	45.8	34.6	2 / 11	1 / 4	0 / 1	
Percentage of transfers resulting in pregnancy	45.8	34.6	2 / 11	1 / 4	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	27	9	2	1	0	0
Percentage of pregnancies resulting in singleton live births	63.0	5 / 9	2 / 2	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	7.4	0 / 9	0 / 2	0 / 1		
Percentage of pregnancies resulting in live births	100.0	9 / 9	2 / 2	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	13	4	4	0	0	0
Number of transfers	13	3	4	0	0	0
Average number of embryos transferred	1.7	2.3	2.0			
Percentage of embryos transferred resulting in implantation	13.6	1 / 7	3 / 8			
Percentage of transfers resulting in singleton live births	1 / 13	1 / 3	0 / 4			
Percentage of transfers resulting in triplets or more live births	0 / 13	0 / 3	1 / 4			
Percentage of transfers resulting in live births	2 / 13	1 / 3	1 / 4			
Percentage of transfers resulting in pregnancy	2 / 13	1 / 3	1 / 4			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	6	15
Number of transfers	5	15
Average number of embryos transferred	1.8	1.9
Percentage of embryos transferred resulting in implantation	4 / 9	24.1
Percentage of transfers resulting in singleton live births	2 / 5	5 / 15
Percentage of transfers resulting in live births	3 / 5	5 / 15
Percentage of transfers resulting in pregnancy	3 / 5	7 / 15

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Mississippi Fertility Institute

Donor egg?	Yes	Gestational carriers?	No	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF MISSISSIPPI MEDICAL CENTER
JACKSON, MISSISSIPPI

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	67%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	42%	Uterine factor	25%	*Multiple Factors:*	
Ovulatory dysfunction	8%	Male factor	17%	Female factors only	25%
Diminished ovarian reserve	25%	Other factor	8%	Female & male factors	17%
Endometriosis	17%	Unknown factor	0%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 12 Data verified by William H. Cleland, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	2	1	0	0	0	0
Percentage of cancellations	0 / 2	0 / 1				
Average number of embryos transferred	2.0	3.0				
Percentage of embryos transferred resulting in implantation	0 / 4	0 / 3				
Percentage of elective single embryo transfer (eSET)	0 / 2	0 / 1				
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	0 / 2	0 / 1				
Percentage of cycles resulting in triplets or more live births	0 / 2	0 / 1				
Percentage of cycles resulting in live births	0 / 2	0 / 1				
Percentage of cycles resulting in pregnancy	0 / 2	0 / 1				
Outcomes per Transfer						
Number of transfers	2	1	0	0	0	0
Percentage of transfers resulting in singleton live births	0 / 2	0 / 1				
Percentage of transfers resulting in triplets or more live births	0 / 2	0 / 1				
Percentage of transfers resulting in live births	0 / 2	0 / 1				
Percentage of transfers resulting in pregnancy	0 / 2	0 / 1				
Outcomes per Pregnancy						
Number of pregnancies	0	0	0	0	0	0
Percentage of pregnancies resulting in singleton live births						
Percentage of pregnancies resulting in triplets or more live births						
Percentage of pregnancies resulting in live births						
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	2	0	0	0	0
Number of transfers	4	2	0	0	0	0
Average number of embryos transferred	1.8	1.5				
Percentage of embryos transferred resulting in implantation	2 / 7	0 / 3				
Percentage of transfers resulting in singleton live births	2 / 4	0 / 2				
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 2				
Percentage of transfers resulting in live births	2 / 4	0 / 2				
Percentage of transfers resulting in pregnancy	2 / 4	0 / 2				

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	0	3
Number of transfers	0	3
Average number of embryos transferred		2.0
Percentage of embryos transferred resulting in implantation		0 / 6
Percentage of transfers resulting in singleton live births		0 / 3
Percentage of transfers resulting in live births		0 / 3
Percentage of transfers resulting in pregnancy		0 / 3

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2011. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INFERTILITY CENTER OF ST. LOUIS
SHERMAN J. SILBER, MD
CHESTERFIELD, MISSOURI

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	95%
Unstimulated	0%	Used PGD	2%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	7%	Uterine factor	6%	*Multiple Factors:*	
Ovulatory dysfunction	20%	Male factor	35%	Female factors only	10%
Diminished ovarian reserve	40%	Other factor	6%	Female & male factors	13%
Endometriosis	<1%	Unknown factor	10%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 426 Data verified by Sherman J. Silber, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	90	20	13	2	0	0
Percentage of cancellations	5.6	0.0	0 / 13	0 / 2		
Average number of embryos transferred	2.0	2.0	2.0	2.0		
Percentage of embryos transferred resulting in implantation	24.0	25.0	20.0	1 / 4		
Percentage of elective single embryo transfer (eSET)	3.6	1 / 19	1 / 9	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.6	25.0	3 / 13	1 / 2		
Percentage of cycles resulting in triplets or more live births	0.0	5.0	0 / 13	0 / 2		
Percentage of cycles resulting in live births	33.3	35.0	3 / 13	1 / 2		
Percentage of cycles resulting in pregnancy	43.3	35.0	5 / 13	1 / 2		
Outcomes per Transfer						
Number of transfers	85	20	10	2	0	0
Percentage of transfers resulting in singleton live births	27.1	25.0	3 / 10	1 / 2		
Percentage of transfers resulting in triplets or more live births	0.0	5.0	0 / 10	0 / 2		
Percentage of transfers resulting in live births	35.3	35.0	3 / 10	1 / 2		
Percentage of transfers resulting in pregnancy	45.9	35.0	5 / 10	1 / 2		
Outcomes per Pregnancy						
Number of pregnancies	39	7	5	1	0	0
Percentage of pregnancies resulting in singleton live births	59.0	5 / 7	3 / 5	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0.0	1 / 7	0 / 5	0 / 1		
Percentage of pregnancies resulting in live births	76.9	7 / 7	3 / 5	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	124	41	37	25	27	8
Number of transfers	116	36	35	25	26	7
Average number of embryos transferred	2.0	2.0	2.1	2.5	2.3	1.9
Percentage of embryos transferred resulting in implantation	26.3	22.2	13.5	6.3	5.0	1 / 13
Percentage of transfers resulting in singleton live births	24.1	13.9	22.9	12.0	7.7	1 / 7
Percentage of transfers resulting in triplets or more live births	0.9	0.0	0.0	0.0	0.0	0 / 7
Percentage of transfers resulting in live births	35.3	25.0	22.9	12.0	7.7	1 / 7
Percentage of transfers resulting in pregnancy	44.8	38.9	40.0	20.0	11.5	1 / 7

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	17	22
Number of transfers	16	19
Average number of embryos transferred	2.3	1.9
Percentage of embryos transferred resulting in implantation	27.0	22.2
Percentage of transfers resulting in singleton live births	3 / 16	3 / 19
Percentage of transfers resulting in live births	6 / 16	4 / 19
Percentage of transfers resulting in pregnancy	8 / 16	8 / 19

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Infertility Center of St. Louis, Sherman J. Silber, MD

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 332 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MID-MISSOURI REPRODUCTIVE MEDICINE AND SURGERY, INC.
COLUMBIA, MISSOURI

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	71%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	22%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	34%	Male factor	52%	Female factors only	23%
Diminished ovarian reserve	33%	Other factor	7%	Female & male factors	40%
Endometriosis	31%	Unknown factor	1%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 96 Data verified by Steven A. Brody, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	29	12	5	2	0	0
Percentage of cancellations	0.0	2 / 12	0 / 5	0 / 2		
Average number of embryos transferred	1.9	2.3	2.4	2.0		
Percentage of embryos transferred resulting in implantation	46.4	47.8	2 / 12	0 / 2		
Percentage of elective single embryo transfer (eSET)	13.8	0 / 10	0 / 5	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	37.9	1 / 12	1 / 5	0 / 2		
Percentage of cycles resulting in triplets or more live births	0.0	1 / 12	0 / 5	0 / 2		
Percentage of cycles resulting in live births	62.1	5 / 12	1 / 5	0 / 2		
Percentage of cycles resulting in pregnancy	62.1	6 / 12	2 / 5	1 / 2		
Outcomes per Transfer						
Number of transfers	29	10	5	1	0	0
Percentage of transfers resulting in singleton live births	37.9	1 / 10	1 / 5	0 / 1		
Percentage of transfers resulting in triplets or more live births	0.0	1 / 10	0 / 5	0 / 1		
Percentage of transfers resulting in live births	62.1	5 / 10	1 / 5	0 / 1		
Percentage of transfers resulting in pregnancy	62.1	6 / 10	2 / 5	1 / 1		
Outcomes per Pregnancy						
Number of pregnancies	18	6	2	1	0	0
Percentage of pregnancies resulting in singleton live births	11 / 18	1 / 6	1 / 2	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 18	1 / 6	0 / 2	0 / 1		
Percentage of pregnancies resulting in live births	18 / 18	5 / 6	1 / 2	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	18	2	2	0	0	2
Number of transfers	17	2	1	0	0	2
Average number of embryos transferred	2.1	1.5	1.0			2.0
Percentage of embryos transferred resulting in implantation	25.0	2 / 3	0 / 1			0 / 4
Percentage of transfers resulting in singleton live births	6 / 17	2 / 2	0 / 1			0 / 2
Percentage of transfers resulting in triplets or more live births	0 / 17	0 / 2	0 / 1			0 / 2
Percentage of transfers resulting in live births	7 / 17	2 / 2	0 / 1			0 / 2
Percentage of transfers resulting in pregnancy	9 / 17	2 / 2	0 / 1			0 / 2

	All Ages Combined[f]	
Donor Eggs	**Fresh Embryos**	**Frozen Embryos**
Number of cycles	14	10
Number of transfers	13	9
Average number of embryos transferred	1.6	2.1
Percentage of embryos transferred resulting in implantation	33.3	1 / 19
Percentage of transfers resulting in singleton live births	4 / 13	1 / 9
Percentage of transfers resulting in live births	5 / 13	1 / 9
Percentage of transfers resulting in pregnancy	6 / 13	1 / 9

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Mid-Missouri Reproductive Medicine and Surgery, Inc.

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MISSOURI CENTER FOR REPRODUCTIVE MEDICINE AND FERTILITY
COLUMBIA, MISSOURI

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	55%
Unstimulated	0%	Used PGD	5%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	33%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	19%	Male factor	19%	Female factors only	22%
Diminished ovarian reserve	15%	Other factor	41%	Female & male factors	15%
Endometriosis	19%	Unknown factor	15%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 27

Data verified by Mira Aubuchon, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	8	8	6	0	0	0
Percentage of cancellations	1 / 8	1 / 8	1 / 6			
Average number of embryos transferred	1.8	1.8	1.5			
Percentage of embryos transferred resulting in implantation	1 / 7	0 / 9	1 / 3			
Percentage of elective single embryo transfer (eSET)	0 / 3	0 / 3	1 / 2			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	1 / 8	0 / 8	1 / 6			
Percentage of cycles resulting in triplets or more live births	0 / 8	0 / 8	0 / 6			
Percentage of cycles resulting in live births	1 / 8	0 / 8	1 / 6			
Percentage of cycles resulting in pregnancy	1 / 8	0 / 8	1 / 6			
Outcomes per Transfer						
Number of transfers	4	5	2	0	0	0
Percentage of transfers resulting in singleton live births	1 / 4	0 / 5	1 / 2			
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 5	0 / 2			
Percentage of transfers resulting in live births	1 / 4	0 / 5	1 / 2			
Percentage of transfers resulting in pregnancy	1 / 4	0 / 5	1 / 2			
Outcomes per Pregnancy						
Number of pregnancies	1	0	1	0	0	0
Percentage of pregnancies resulting in singleton live births	1 / 1		1 / 1			
Percentage of pregnancies resulting in triplets or more live births	0 / 1		0 / 1			
Percentage of pregnancies resulting in live births	1 / 1		1 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	1	0	0	0	0
Number of transfers	1	1	0	0	0	0
Average number of embryos transferred	2.0	2.0				
Percentage of embryos transferred resulting in implantation	0 / 2	0 / 2				
Percentage of transfers resulting in singleton live births	0 / 1	0 / 1				
Percentage of transfers resulting in triplets or more live births	0 / 1	0 / 1				
Percentage of transfers resulting in live births	0 / 1	0 / 1				
Percentage of transfers resulting in pregnancy	0 / 1	0 / 1				

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	1	2
Number of transfers	1	2
Average number of embryos transferred	3.0	2.5
Percentage of embryos transferred resulting in implantation	0 / 3	0 / 5
Percentage of transfers resulting in singleton live births	0 / 1	0 / 2
Percentage of transfers resulting in live births	0 / 1	0 / 2
Percentage of transfers resulting in pregnancy	0 / 1	0 / 2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Missouri Center for Reproductive Medicine and Fertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2011 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2011 ART cycle data or the clinic's Medical Director did not approve the clinic's 2011 ART cycle data for inclusion in this report.

MIDWEST WOMEN'S HEALTHCARE SPECIALISTS
KANSAS CITY, MISSOURI

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	82%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	27%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	29%	Male factor	53%	Female factors only	27%
Diminished ovarian reserve	21%	Other factor	2%	Female & male factors	38%
Endometriosis	42%	Unknown factor	1%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 89 Data verified by Gregory C. Starks, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	37	14	8	1	0	0
Percentage of cancellations	18.9	3 / 14	0 / 8	1 / 1		
Average number of embryos transferred	2.0	1.9	2.3			
Percentage of embryos transferred resulting in implantation	48.3	23.8	3 / 16			
Percentage of elective single embryo transfer (eSET)	0.0	0 / 10	0 / 7			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.0	1 / 14	1 / 8	0 / 1		
Percentage of cycles resulting in triplets or more live births	0.0	0 / 14	0 / 8	0 / 1		
Percentage of cycles resulting in live births	45.9	3 / 14	1 / 8	0 / 1		
Percentage of cycles resulting in pregnancy	51.4	4 / 14	4 / 8	0 / 1		
Outcomes per Transfer						
Number of transfers	30	11	7	0	0	0
Percentage of transfers resulting in singleton live births	33.3	1 / 11	1 / 7			
Percentage of transfers resulting in triplets or more live births	0.0	0 / 11	0 / 7			
Percentage of transfers resulting in live births	56.7	3 / 11	1 / 7			
Percentage of transfers resulting in pregnancy	63.3	4 / 11	4 / 7			
Outcomes per Pregnancy						
Number of pregnancies	19	4	4	0	0	0
Percentage of pregnancies resulting in singleton live births	10 / 19	1 / 4	1 / 4			
Percentage of pregnancies resulting in triplets or more live births	0 / 19	0 / 4	0 / 4			
Percentage of pregnancies resulting in live births	17 / 19	3 / 4	1 / 4			
Frozen Embryos from Nondonor Eggs						
Number of cycles	16	8	0	0	0	0
Number of transfers	14	8	0	0	0	0
Average number of embryos transferred	1.9	1.6				
Percentage of embryos transferred resulting in implantation	38.5	7 / 13				
Percentage of transfers resulting in singleton live births	3 / 14	4 / 8				
Percentage of transfers resulting in triplets or more live births	1 / 14	0 / 8				
Percentage of transfers resulting in live births	5 / 14	5 / 8				
Percentage of transfers resulting in pregnancy	9 / 14	5 / 8				

	All Ages Combined[f]	
Donor Eggs	**Fresh Embryos**	**Frozen Embryos**
Number of cycles	5	0
Number of transfers	3	0
Average number of embryos transferred	2.0	
Percentage of embryos transferred resulting in implantation	6 / 6	
Percentage of transfers resulting in singleton live births	0 / 3	
Percentage of transfers resulting in live births	3 / 3	
Percentage of transfers resulting in pregnancy	3 / 3	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Midwest Women's Healthcare Specialists

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY PARTNERSHIP
SAINT PETERS, MISSOURI

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	98%
Unstimulated	0%	Used PGD	<1%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	12%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	21%	Male factor	31%	Female factors only	6%
Diminished ovarian reserve	32%	Other factor	6%	Female & male factors	16%
Endometriosis	7%	Unknown factor	14%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 146

Data verified by David E. Simckes, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	63	20	16	7	0	0
Percentage of cancellations	1.6	0.0	1 / 16	0 / 7		
Average number of embryos transferred	2.0	2.1	3.0	2.8		
Percentage of embryos transferred resulting in implantation	25.5	23.7	15.4	4 / 14		
Percentage of elective single embryo transfer (eSET)	0.0	0 / 18	0 / 13	0 / 4		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.4	25.0	6 / 16	1 / 7		
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 16	0 / 7		
Percentage of cycles resulting in live births	31.7	25.0	6 / 16	2 / 7		
Percentage of cycles resulting in pregnancy	36.5	40.0	6 / 16	3 / 7		
Outcomes per Transfer						
Number of transfers	55	18	13	5	0	0
Percentage of transfers resulting in singleton live births	29.1	5 / 18	6 / 13	1 / 5		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 18	0 / 13	0 / 5		
Percentage of transfers resulting in live births	36.4	5 / 18	6 / 13	2 / 5		
Percentage of transfers resulting in pregnancy	41.8	8 / 18	6 / 13	3 / 5		
Outcomes per Pregnancy						
Number of pregnancies	23	8	6	3	0	0
Percentage of pregnancies resulting in singleton live births	69.6	5 / 8	6 / 6	1 / 3		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 8	0 / 6	0 / 3		
Percentage of pregnancies resulting in live births	87.0	5 / 8	6 / 6	2 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	17	6	5	0	0	0
Number of transfers	16	6	5	0	0	0
Average number of embryos transferred	2.0	2.2	2.2			
Percentage of embryos transferred resulting in implantation	31.3	2 / 13	1 / 11			
Percentage of transfers resulting in singleton live births	6 / 16	2 / 6	1 / 5			
Percentage of transfers resulting in triplets or more live births	0 / 16	0 / 6	0 / 5			
Percentage of transfers resulting in live births	8 / 16	2 / 6	1 / 5			
Percentage of transfers resulting in pregnancy	9 / 16	3 / 6	2 / 5			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	5	7
Number of transfers	5	6
Average number of embryos transferred	2.0	1.8
Percentage of embryos transferred resulting in implantation	3 / 10	0 / 11
Percentage of transfers resulting in singleton live births	1 / 5	0 / 6
Percentage of transfers resulting in live births	2 / 5	0 / 6
Percentage of transfers resulting in pregnancy	2 / 5	0 / 6

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Partnership

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 4 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER AT MISSOURI BAPTIST MEDICAL CENTER
ST. LOUIS, MISSOURI

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	83%
Unstimulated	0%	Used PGD	4%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	16%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	30%	Male factor	65%	Female factors only	10%
Diminished ovarian reserve	53%	Other factor	3%	Female & male factors	52%
Endometriosis	21%	Unknown factor	1%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 98 Data verified by Anthony C. Pearlstone, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	45	21	10	2	0	0
Percentage of cancellations	11.1	9.5	2 / 10	0 / 2		
Average number of embryos transferred	1.9	2.1	2.2	1.5		
Percentage of embryos transferred resulting in implantation	43.1	42.4	1 / 13	0 / 3		
Percentage of elective single embryo transfer (eSET)	0.0	2 / 15	0 / 5	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	31.1	19.0	0 / 10	0 / 2		
Percentage of cycles resulting in triplets or more live births	0.0	4.8	0 / 10	0 / 2		
Percentage of cycles resulting in live births	48.9	38.1	0 / 10	0 / 2		
Percentage of cycles resulting in pregnancy	51.1	42.9	1 / 10	0 / 2		
Outcomes per Transfer						
Number of transfers	38	16	6	2	0	0
Percentage of transfers resulting in singleton live births	36.8	4 / 16	0 / 6	0 / 2		
Percentage of transfers resulting in triplets or more live births	0.0	1 / 16	0 / 6	0 / 2		
Percentage of transfers resulting in live births	57.9	8 / 16	0 / 6	0 / 2		
Percentage of transfers resulting in pregnancy	60.5	9 / 16	1 / 6	0 / 2		
Outcomes per Pregnancy						
Number of pregnancies	23	9	1	0	0	0
Percentage of pregnancies resulting in singleton live births	60.9	4 / 9	0 / 1			
Percentage of pregnancies resulting in triplets or more live births	0.0	1 / 9	0 / 1			
Percentage of pregnancies resulting in live births	95.7	8 / 9	0 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	3	2	1	0	0
Number of transfers	1	3	2	1	0	0
Average number of embryos transferred	3.0	2.3	2.5	1.0		
Percentage of embryos transferred resulting in implantation	0 / 3	0 / 7	0 / 5	0 / 1		
Percentage of transfers resulting in singleton live births	0 / 1	0 / 3	0 / 2	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 1	0 / 3	0 / 2	0 / 1		
Percentage of transfers resulting in live births	0 / 1	0 / 3	0 / 2	0 / 1		
Percentage of transfers resulting in pregnancy	0 / 1	0 / 3	0 / 2	0 / 1		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	9	4
Number of transfers	6	3
Average number of embryos transferred	2.0	2.3
Percentage of embryos transferred resulting in implantation	7 / 12	1 / 7
Percentage of transfers resulting in singleton live births	3 / 6	1 / 3
Percentage of transfers resulting in live births	4 / 6	1 / 3
Percentage of transfers resulting in pregnancy	5 / 6	1 / 3

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Center at Missouri Baptist Medical Center

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE INFERTILITY AND REPRODUCTIVE MEDICINE CENTER AT WASHINGTON UNIVERSITY SCHOOL OF MEDICINE AND BARNES-JEWISH HOSPITAL ST. LOUIS, MISSOURI

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	65%
Unstimulated	0%	Used PGD	2%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	18%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	19%	Male factor	20%	Female factors only	8%
Diminished ovarian reserve	28%	Other factor	7%	Female & male factors	6%
Endometriosis	8%	Unknown factor	16%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 510 Data verified by Randall R. Odem, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	240	52	66	18	4	0
Percentage of cancellations	9.6	11.5	16.7	4 / 18	1 / 4	
Average number of embryos transferred	2.0	2.5	3.0	3.6	4.3	
Percentage of embryos transferred resulting in implantation	31.9	20.2	14.1	7.8	1 / 13	
Percentage of elective single embryo transfer (eSET)	2.0	0.0	0.0	0 / 13	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	32.5	25.0	10.6	2 / 18	0 / 4	
Percentage of cycles resulting in triplets or more live births	0.8	0.0	0.0	0 / 18	0 / 4	
Percentage of cycles resulting in live births	41.3	30.8	19.7	2 / 18	0 / 4	
Percentage of cycles resulting in pregnancy	46.3	36.5	24.2	3 / 18	1 / 4	
Outcomes per Transfer						
Number of transfers	211	41	55	14	3	0
Percentage of transfers resulting in singleton live births	37.0	31.7	12.7	2 / 14	0 / 3	
Percentage of transfers resulting in triplets or more live births	0.9	0.0	0.0	0 / 14	0 / 3	
Percentage of transfers resulting in live births	46.9	39.0	23.6	2 / 14	0 / 3	
Percentage of transfers resulting in pregnancy	52.6	46.3	29.1	3 / 14	1 / 3	
Outcomes per Pregnancy						
Number of pregnancies	111	19	16	3	1	0
Percentage of pregnancies resulting in singleton live births	70.3	13 / 19	7 / 16	2 / 3	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	1.8	0 / 19	0 / 16	0 / 3	0 / 1	
Percentage of pregnancies resulting in live births	89.2	16 / 19	13 / 16	2 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	43	19	10	5	1	1
Number of transfers	38	17	6	4	1	1
Average number of embryos transferred	1.8	1.9	2.5	2.0	3.0	1.0
Percentage of embryos transferred resulting in implantation	38.8	31.3	1 / 15	4 / 8	1 / 3	0 / 1
Percentage of transfers resulting in singleton live births	50.0	3 / 17	1 / 6	1 / 4	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	2.6	0 / 17	0 / 6	1 / 4	0 / 1	0 / 1
Percentage of transfers resulting in live births	55.3	6 / 17	1 / 6	2 / 4	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	57.9	7 / 17	1 / 6	2 / 4	1 / 1	0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	35	16
Number of transfers	31	14
Average number of embryos transferred	1.9	1.8
Percentage of embryos transferred resulting in implantation	37.3	32.0
Percentage of transfers resulting in singleton live births	25.8	6 / 14
Percentage of transfers resulting in live births	45.2	6 / 14
Percentage of transfers resulting in pregnancy	51.6	8 / 14

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Infertility and Reproductive Medicine Center at Washington University School of Medicine and Barnes-Jewish Hospital

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 11 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BILLINGS CLINIC
DEPARTMENT OF REPRODUCTIVE MEDICINE AND FERTILITY CARE
BILLINGS, MONTANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	71%
Unstimulated	0%	Used PGD	2%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	14%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	26%	Male factor	31%	Female factors only	10%
Diminished ovarian reserve	10%	Other factor	10%	Female & male factors	19%
Endometriosis	14%	Unknown factor	24%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 58 Data verified by Christopher P. Montville, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	31	15	5	1	0	0
Percentage of cancellations	3.2	2 / 15	2 / 5	0 / 1		
Average number of embryos transferred	1.8	2.2	3.0			
Percentage of embryos transferred resulting in implantation	42.3	31.0	1 / 9			
Percentage of elective single embryo transfer (eSET)	14.8	0 / 12	0 / 3			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	38.7	5 / 15	1 / 5	0 / 1		
Percentage of cycles resulting in triplets or more live births	0.0	0 / 15	0 / 5	0 / 1		
Percentage of cycles resulting in live births	51.6	7 / 15	1 / 5	0 / 1		
Percentage of cycles resulting in pregnancy	58.1	7 / 15	2 / 5	0 / 1		
Outcomes per Transfer						
Number of transfers	29	13	3	0	0	0
Percentage of transfers resulting in singleton live births	41.4	5 / 13	1 / 3			
Percentage of transfers resulting in triplets or more live births	0.0	0 / 13	0 / 3			
Percentage of transfers resulting in live births	55.2	7 / 13	1 / 3			
Percentage of transfers resulting in pregnancy	62.1	7 / 13	2 / 3			
Outcomes per Pregnancy						
Number of pregnancies	18	7	2	0	0	0
Percentage of pregnancies resulting in singleton live births	12 / 18	5 / 7	1 / 2			
Percentage of pregnancies resulting in triplets or more live births	0 / 18	0 / 7	0 / 2			
Percentage of pregnancies resulting in live births	16 / 18	7 / 7	1 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	3	1	1	0	0	0
Number of transfers	3	1	1	0	0	0
Average number of embryos transferred	2.0	2.0	1.0			
Percentage of embryos transferred resulting in implantation	0 / 6	0 / 2	0 / 1			
Percentage of transfers resulting in singleton live births	0 / 3	0 / 1	0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 3	0 / 1	0 / 1			
Percentage of transfers resulting in live births	0 / 3	0 / 1	0 / 1			
Percentage of transfers resulting in pregnancy	0 / 3	0 / 1	0 / 1			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	0	1
Number of transfers	0	1
Average number of embryos transferred		1.0
Percentage of embryos transferred resulting in implantation		0 / 1
Percentage of transfers resulting in singleton live births		0 / 1
Percentage of transfers resulting in live births		0 / 1
Percentage of transfers resulting in pregnancy		0 / 1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Billings Clinic, Department of Reproductive Medicine and Fertility Care

Donor egg?	No	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Pending
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HEARTLAND CENTER FOR REPRODUCTIVE MEDICINE, PC
OMAHA, NEBRASKA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	56%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	18%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	5%	Male factor	52%	Female factors only	8%
Diminished ovarian reserve	39%	Other factor	3%	Female & male factors	30%
Endometriosis	12%	Unknown factor	8%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 215

Data verified by Victoria M. Maclin, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	98	24	28	4	2	1
Percentage of cancellations	6.1	8.3	14.3	1 / 4	0 / 2	0 / 1
Average number of embryos transferred	1.9	1.6	1.9	1.7		3.0
Percentage of embryos transferred resulting in implantation	37.5	34.8	21.1	1 / 5		0 / 3
Percentage of elective single embryo transfer (eSET)	0.0	0 / 9	1 / 15	0 / 2		0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.5	20.8	21.4	1 / 4	0 / 2	0 / 1
Percentage of cycles resulting in triplets or more live births	1.0	0.0	0.0	0 / 4	0 / 2	0 / 1
Percentage of cycles resulting in live births	35.7	20.8	25.0	1 / 4	0 / 2	0 / 1
Percentage of cycles resulting in pregnancy	41.8	29.2	28.6	2 / 4	0 / 2	0 / 1
Outcomes per Transfer						
Number of transfers	76	14	20	3	0	1
Percentage of transfers resulting in singleton live births	34.2	5 / 14	30.0	1 / 3		0 / 1
Percentage of transfers resulting in triplets or more live births	1.3	0 / 14	0.0	0 / 3		0 / 1
Percentage of transfers resulting in live births	46.1	5 / 14	35.0	1 / 3		0 / 1
Percentage of transfers resulting in pregnancy	53.9	7 / 14	40.0	2 / 3		0 / 1
Outcomes per Pregnancy						
Number of pregnancies	41	7	8	2	0	0
Percentage of pregnancies resulting in singleton live births	63.4	5 / 7	6 / 8	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	2.4	0 / 7	0 / 8	0 / 2		
Percentage of pregnancies resulting in live births	85.4	5 / 7	7 / 8	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	14	1	7	3	0	0
Number of transfers	14	1	6	3	0	0
Average number of embryos transferred	1.7	3.0	1.5	2.3		
Percentage of embryos transferred resulting in implantation	16.7	2 / 3	0 / 9	1 / 7		
Percentage of transfers resulting in singleton live births	2 / 14	0 / 1	0 / 6	1 / 3		
Percentage of transfers resulting in triplets or more live births	0 / 14	0 / 1	0 / 6	0 / 3		
Percentage of transfers resulting in live births	3 / 14	1 / 1	0 / 6	1 / 3		
Percentage of transfers resulting in pregnancy	3 / 14	1 / 1	0 / 6	1 / 3		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	23	10
Number of transfers	20	9
Average number of embryos transferred	1.9	1.7
Percentage of embryos transferred resulting in implantation	55.3	6 / 15
Percentage of transfers resulting in singleton live births	40.0	5 / 9
Percentage of transfers resulting in live births	70.0	5 / 9
Percentage of transfers resulting in pregnancy	85.0	5 / 9

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Heartland Center for Reproductive Medicine, PC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEBRASKA METHODIST HOSPITAL REI
OMAHA, NEBRASKA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	87%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	20%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	19%	Male factor	46%	Female factors only	16%
Diminished ovarian reserve	7%	Other factor	24%	Female & male factors	25%
Endometriosis	17%	Unknown factor	7%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 444 Data verified by Carolyn M. Doherty, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	172	52	35	12	0	0
Percentage of cancellations	8.7	9.6	31.4	3 / 12		
Average number of embryos transferred	2.1	2.6	3.2	4.1		
Percentage of embryos transferred resulting in implantation	27.8	17.4	10.4	5.4		
Percentage of elective single embryo transfer (eSET)	5.4	2.2	0.0	0 / 9		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.7	28.8	5.7	2 / 12		
Percentage of cycles resulting in triplets or more live births	0.6	0.0	0.0	0 / 12		
Percentage of cycles resulting in live births	34.9	34.6	11.4	2 / 12		
Percentage of cycles resulting in pregnancy	40.1	40.4	14.3	2 / 12		
Outcomes per Transfer						
Number of transfers	151	47	21	9	0	0
Percentage of transfers resulting in singleton live births	30.5	31.9	9.5	2 / 9		
Percentage of transfers resulting in triplets or more live births	0.7	0.0	0.0	0 / 9		
Percentage of transfers resulting in live births	39.7	38.3	19.0	2 / 9		
Percentage of transfers resulting in pregnancy	45.7	44.7	23.8	2 / 9		
Outcomes per Pregnancy						
Number of pregnancies	69	21	5	2	0	0
Percentage of pregnancies resulting in singleton live births	66.7	71.4	2 / 5	2 / 2		
Percentage of pregnancies resulting in triplets or more live births	1.4	0.0	0 / 5	0 / 2		
Percentage of pregnancies resulting in live births	87.0	85.7	4 / 5	2 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	96	23	17	5	1	2
Number of transfers	62	11	8	4	1	2
Average number of embryos transferred	1.8	1.9	1.4	2.3	1.0	4.0
Percentage of embryos transferred resulting in implantation	35.1	38.1	3 / 11	1 / 9	0 / 1	1 / 8
Percentage of transfers resulting in singleton live births	32.3	4 / 11	3 / 8	1 / 4	0 / 1	1 / 2
Percentage of transfers resulting in triplets or more live births	1.6	0 / 11	0 / 8	0 / 4	0 / 1	0 / 2
Percentage of transfers resulting in live births	41.9	5 / 11	3 / 8	1 / 4	0 / 1	1 / 2
Percentage of transfers resulting in pregnancy	54.8	6 / 11	4 / 8	2 / 4	0 / 1	1 / 2

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	18	11
Number of transfers	17	6
Average number of embryos transferred	2.1	2.3
Percentage of embryos transferred resulting in implantation	16.7	6 / 14
Percentage of transfers resulting in singleton live births	1 / 17	3 / 6
Percentage of transfers resulting in live births	3 / 17	4 / 6
Percentage of transfers resulting in pregnancy	4 / 17	5 / 6

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Nebraska Methodist Hospital REI

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF LAS VEGAS
LAS VEGAS, NEVADA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	86%
Unstimulated	0%	Used PGD	<1%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	17%	Uterine factor	<1%	*Multiple Factors:*	
Ovulatory dysfunction	5%	Male factor	42%	Female factors only	8%
Diminished ovarian reserve	54%	Other factor	7%	Female & male factors	25%
Endometriosis	3%	Unknown factor	9%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 569 Data verified by Bruce S. Shapiro, MD, PhD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	85	63	45	23	8	6
Percentage of cancellations	5.9	6.3	15.6	30.4	2 / 8	1 / 6
Average number of embryos transferred	1.7	1.8	1.8	2.0	1.8	2.0
Percentage of embryos transferred resulting in implantation	40.0	27.3	13.5	10.0	0 / 9	2 / 2
Percentage of elective single embryo transfer (eSET)	25.0	10.5	0 / 16	0 / 10	0 / 3	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	16.5	19.0	4.4	0.0	0 / 8	0 / 6
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 8	0 / 6
Percentage of cycles resulting in live births	27.1	23.8	6.7	0.0	0 / 8	0 / 6
Percentage of cycles resulting in pregnancy	32.9	27.0	13.3	4.3	0 / 8	1 / 6
Outcomes per Transfer						
Number of transfers	54	43	21	10	5	1
Percentage of transfers resulting in singleton live births	25.9	27.9	9.5	0 / 10	0 / 5	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 10	0 / 5	0 / 1
Percentage of transfers resulting in live births	42.6	34.9	14.3	0 / 10	0 / 5	0 / 1
Percentage of transfers resulting in pregnancy	51.9	39.5	28.6	1 / 10	0 / 5	1 / 1
Outcomes per Pregnancy						
Number of pregnancies	28	17	6	1	0	1
Percentage of pregnancies resulting in singleton live births	50.0	12 / 17	2 / 6	0 / 1		0 / 1
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 17	0 / 6	0 / 1		0 / 1
Percentage of pregnancies resulting in live births	82.1	15 / 17	3 / 6	0 / 1		0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	144	58	55	15	3	1
Number of transfers	124	45	48	8	2	0
Average number of embryos transferred	1.7	1.5	1.7	2.0	1.0	
Percentage of embryos transferred resulting in implantation	48.6	46.4	28.9	7 / 16	1 / 2	
Percentage of transfers resulting in singleton live births	39.5	35.6	31.3	3 / 8	1 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 8	0 / 2	
Percentage of transfers resulting in live births	56.5	48.9	31.3	4 / 8	1 / 2	
Percentage of transfers resulting in pregnancy	63.7	57.8	60.4	6 / 8	1 / 2	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	36	27
Number of transfers	29	23
Average number of embryos transferred	1.7	1.5
Percentage of embryos transferred resulting in implantation	64.0	68.6
Percentage of transfers resulting in singleton live births	51.7	26.1
Percentage of transfers resulting in live births	72.4	60.9
Percentage of transfers resulting in pregnancy	79.3	69.6

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Center of Las Vegas

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 303 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2011 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2011 ART cycle data or the clinic's Medical Director did not approve the clinic's 2011 ART cycle data for inclusion in this report.

RED ROCK FERTILITY CENTER
LAS VEGAS, NEVADA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	94%
Unstimulated	2%	Used PGD	35%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	13%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	11%	Male factor	22%	Female factors only	3%
Diminished ovarian reserve	26%	Other factor	4%	Female & male factors	4%
Endometriosis	5%	Unknown factor	23%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 188

Data verified by Eva D. Littman, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	62	13	26	19	5	8
Percentage of cancellations	3.2	0 / 13	0.0	2 / 19	0 / 5	1 / 8
Average number of embryos transferred	2.4	2.6	3.0	3.4	2.8	1.0
Percentage of embryos transferred resulting in implantation	35.5	20.6	10.8	6.8	1 / 11	0 / 1
Percentage of elective single embryo transfer (eSET)	1.8	0 / 12	4.2	0 / 12	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	32.3	1 / 13	11.5	3 / 19	1 / 5	0 / 8
Percentage of cycles resulting in triplets or more live births	1.6	2 / 13	0.0	0 / 19	0 / 5	0 / 8
Percentage of cycles resulting in live births	48.4	3 / 13	19.2	3 / 19	1 / 5	0 / 8
Percentage of cycles resulting in pregnancy	50.0	3 / 13	23.1	3 / 19	1 / 5	0 / 8
Outcomes per Transfer						
Number of transfers	59	13	25	13	4	1
Percentage of transfers resulting in singleton live births	33.9	1 / 13	12.0	3 / 13	1 / 4	0 / 1
Percentage of transfers resulting in triplets or more live births	1.7	2 / 13	0.0	0 / 13	0 / 4	0 / 1
Percentage of transfers resulting in live births	50.8	3 / 13	20.0	3 / 13	1 / 4	0 / 1
Percentage of transfers resulting in pregnancy	52.5	3 / 13	24.0	3 / 13	1 / 4	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	31	3	6	3	1	0
Percentage of pregnancies resulting in singleton live births	64.5	1 / 3	3 / 6	3 / 3	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	3.2	2 / 3	0 / 6	0 / 3	0 / 1	
Percentage of pregnancies resulting in live births	96.8	3 / 3	5 / 6	3 / 3	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	20	6	8	2	0	0
Number of transfers	19	6	8	2	0	0
Average number of embryos transferred	2.1	2.5	2.0	2.0		
Percentage of embryos transferred resulting in implantation	35.9	4 / 15	4 / 16	1 / 4		
Percentage of transfers resulting in singleton live births	6 / 19	1 / 6	3 / 8	1 / 2		
Percentage of transfers resulting in triplets or more live births	1 / 19	0 / 6	0 / 8	0 / 2		
Percentage of transfers resulting in live births	9 / 19	2 / 6	3 / 8	1 / 2		
Percentage of transfers resulting in pregnancy	9 / 19	3 / 6	4 / 8	1 / 2		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	12	7
Number of transfers	10	7
Average number of embryos transferred	2.1	2.0
Percentage of embryos transferred resulting in implantation	47.6	8 / 14
Percentage of transfers resulting in singleton live births	3 / 10	5 / 7
Percentage of transfers resulting in live births	5 / 10	5 / 7
Percentage of transfers resulting in pregnancy	6 / 10	6 / 7

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Red Rock Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 25 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2011 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2011 ART cycle data or the clinic's Medical Director did not approve the clinic's 2011 ART cycle data for inclusion in this report.

THE NEVADA CENTER FOR REPRODUCTIVE MEDICINE
RENO, NEVADA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	78%
Unstimulated	0%	Used PGD	10%
Used gestational carrier	3%		

Patient Diagnosis[b]

Tubal factor	17%	Uterine factor	19%	*Multiple Factors:*	
Ovulatory dysfunction	13%	Male factor	32%	Female factors only	29%
Diminished ovarian reserve	48%	Other factor	22%	Female & male factors	24%
Endometriosis	13%	Unknown factor	6%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 254 Data verified by Russell A. Foulk, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	50	22	18	13	5	2
Percentage of cancellations	2.0	0.0	2 / 18	2 / 13	0 / 5	0 / 2
Average number of embryos transferred	2.0	2.0	2.1	2.1	2.6	1.0
Percentage of embryos transferred resulting in implantation	39.1	22.5	24.0	1 / 19	2 / 13	0 / 2
Percentage of elective single embryo transfer (eSET)	8.7	1 / 17	0 / 9	0 / 5	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	28.0	9.1	3 / 18	1 / 13	0 / 5	0 / 2
Percentage of cycles resulting in triplets or more live births	2.0	0.0	0 / 18	0 / 13	0 / 5	0 / 2
Percentage of cycles resulting in live births	44.0	22.7	3 / 18	1 / 13	0 / 5	0 / 2
Percentage of cycles resulting in pregnancy	44.0	22.7	5 / 18	2 / 13	2 / 5	0 / 2
Outcomes per Transfer						
Number of transfers	47	20	12	9	5	2
Percentage of transfers resulting in singleton live births	29.8	10.0	3 / 12	1 / 9	0 / 5	0 / 2
Percentage of transfers resulting in triplets or more live births	2.1	0.0	0 / 12	0 / 9	0 / 5	0 / 2
Percentage of transfers resulting in live births	46.8	25.0	3 / 12	1 / 9	0 / 5	0 / 2
Percentage of transfers resulting in pregnancy	46.8	25.0	5 / 12	2 / 9	2 / 5	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	22	5	5	2	2	0
Percentage of pregnancies resulting in singleton live births	63.6	2 / 5	3 / 5	1 / 2	0 / 2	
Percentage of pregnancies resulting in triplets or more live births	4.5	0 / 5	0 / 5	0 / 2	0 / 2	
Percentage of pregnancies resulting in live births	100.0	5 / 5	3 / 5	1 / 2	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	41	19	10	1	1	2
Number of transfers	41	18	10	1	1	2
Average number of embryos transferred	1.8	2.0	2.4	3.0	2.0	2.0
Percentage of embryos transferred resulting in implantation	25.7	38.9	29.2	0 / 3	1 / 2	1 / 4
Percentage of transfers resulting in singleton live births	29.3	8 / 18	5 / 10	0 / 1	0 / 1	1 / 2
Percentage of transfers resulting in triplets or more live births	0.0	1 / 18	0 / 10	0 / 1	0 / 1	0 / 2
Percentage of transfers resulting in live births	34.1	9 / 18	5 / 10	0 / 1	0 / 1	1 / 2
Percentage of transfers resulting in pregnancy	43.9	10 / 18	6 / 10	0 / 1	1 / 1	1 / 2

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	28	42
Number of transfers	26	42
Average number of embryos transferred	2.0	2.1
Percentage of embryos transferred resulting in implantation	52.9	29.5
Percentage of transfers resulting in singleton live births	34.6	28.6
Percentage of transfers resulting in live births	53.8	42.9
Percentage of transfers resulting in pregnancy	69.2	42.9

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Nevada Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 9 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DARTMOUTH-HITCHCOCK MEDICAL CENTER
LEBANON, NEW HAMPSHIRE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	48%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	13%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	6%	Male factor	36%	Female factors only	1%
Diminished ovarian reserve	19%	Other factor	5%	Female & male factors	11%
Endometriosis	3%	Unknown factor	29%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 177

Data verified by Misty B. Porter, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	58	32	19	9	3	0
Percentage of cancellations	12.1	28.1	5 / 19	2 / 9	1 / 3	
Average number of embryos transferred	1.6	1.9	2.5	3.4	4.0	
Percentage of embryos transferred resulting in implantation	35.1	28.2	13.3	0.0	0 / 8	
Percentage of elective single embryo transfer (eSET)	32.6	2 / 19	0 / 12	0 / 6	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	22.4	25.0	3 / 19	0 / 9	0 / 3	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 19	0 / 9	0 / 3	
Percentage of cycles resulting in live births	31.0	25.0	3 / 19	0 / 9	0 / 3	
Percentage of cycles resulting in pregnancy	39.7	28.1	4 / 19	0 / 9	0 / 3	
Outcomes per Transfer						
Number of transfers	48	21	12	7	2	0
Percentage of transfers resulting in singleton live births	27.1	38.1	3 / 12	0 / 7	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 12	0 / 7	0 / 2	
Percentage of transfers resulting in live births	37.5	38.1	3 / 12	0 / 7	0 / 2	
Percentage of transfers resulting in pregnancy	47.9	42.9	4 / 12	0 / 7	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	23	9	4	0	0	0
Percentage of pregnancies resulting in singleton live births	56.5	8 / 9	3 / 4			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 9	0 / 4			
Percentage of pregnancies resulting in live births	78.3	8 / 9	3 / 4			
Frozen Embryos from Nondonor Eggs						
Number of cycles	19	15	3	3	1	0
Number of transfers	19	15	2	3	1	0
Average number of embryos transferred	1.8	1.7	4.0	2.3	3.0	
Percentage of embryos transferred resulting in implantation	2.9	28.0	1 / 8	2 / 7	0 / 3	
Percentage of transfers resulting in singleton live births	1 / 19	5 / 15	0 / 2	2 / 3	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 19	0 / 15	0 / 2	0 / 3	0 / 1	
Percentage of transfers resulting in live births	1 / 19	5 / 15	0 / 2	2 / 3	0 / 1	
Percentage of transfers resulting in pregnancy	2 / 19	7 / 15	1 / 2	2 / 3	0 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	9	6
Number of transfers	8	5
Average number of embryos transferred	1.8	1.6
Percentage of embryos transferred resulting in implantation	3 / 14	3 / 8
Percentage of transfers resulting in singleton live births	3 / 8	0 / 5
Percentage of transfers resulting in live births	3 / 8	1 / 5
Percentage of transfers resulting in pregnancy	3 / 8	2 / 5

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Dartmouth-Hitchcock Medical Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHER INSTITUTE FOR REPRODUCTIVE MEDICINE-NEW JERSEY
BEDMINSTER, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	85%
Unstimulated	<1%	Used PGD	27%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	6%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	18%	Male factor	24%	Female factors only	17%
Diminished ovarian reserve	41%	Other factor	32%	Female & male factors	13%
Endometriosis	6%	Unknown factor	1%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 293 Data verified by Albert J. Peters, DO

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	79	52	55	31	9	8
Percentage of cancellations	8.9	13.5	5.5	19.4	2 / 9	2 / 8
Average number of embryos transferred	2.0	2.0	1.8	2.3	2.0	1.3
Percentage of embryos transferred resulting in implantation	34.1	39.7	11.1	11.1	0 / 14	0 / 4
Percentage of elective single embryo transfer (eSET)	8.2	6.1	11.5	0 / 12	0 / 5	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	17.7	17.3	7.3	9.7	0 / 9	0 / 8
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 9	0 / 8
Percentage of cycles resulting in live births	31.6	32.7	9.1	9.7	0 / 9	0 / 8
Percentage of cycles resulting in pregnancy	41.8	36.5	14.5	12.9	0 / 9	0 / 8
Outcomes per Transfer						
Number of transfers	66	36	39	16	7	3
Percentage of transfers resulting in singleton live births	21.2	25.0	10.3	3 / 16	0 / 7	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 16	0 / 7	0 / 3
Percentage of transfers resulting in live births	37.9	47.2	12.8	3 / 16	0 / 7	0 / 3
Percentage of transfers resulting in pregnancy	50.0	52.8	20.5	4 / 16	0 / 7	0 / 3
Outcomes per Pregnancy						
Number of pregnancies	33	19	8	4	0	0
Percentage of pregnancies resulting in singleton live births	42.4	9 / 19	4 / 8	3 / 4		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 19	0 / 8	0 / 4		
Percentage of pregnancies resulting in live births	75.8	17 / 19	5 / 8	3 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	9	15	7	3	3	1
Number of transfers	9	14	7	3	1	1
Average number of embryos transferred	2.0	1.9	1.4	2.0	3.0	2.0
Percentage of embryos transferred resulting in implantation	7 / 18	37.0	1 / 10	1 / 6	0 / 3	1 / 2
Percentage of transfers resulting in singleton live births	2 / 9	4 / 14	1 / 7	0 / 3	0 / 1	1 / 1
Percentage of transfers resulting in triplets or more live births	0 / 9	0 / 14	0 / 7	0 / 3	0 / 1	0 / 1
Percentage of transfers resulting in live births	3 / 9	6 / 14	1 / 7	0 / 3	0 / 1	1 / 1
Percentage of transfers resulting in pregnancy	5 / 9	8 / 14	2 / 7	1 / 3	0 / 1	1 / 1

	All Ages Combined[f]	
Donor Eggs	**Fresh Embryos**	**Frozen Embryos**
Number of cycles	12	9
Number of transfers	11	8
Average number of embryos transferred	1.9	2.0
Percentage of embryos transferred resulting in implantation	52.4	3 / 16
Percentage of transfers resulting in singleton live births	7 / 11	3 / 8
Percentage of transfers resulting in live births	8 / 11	3 / 8
Percentage of transfers resulting in pregnancy	9 / 11	4 / 8

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Sher Institute for Reproductive Medicine-New Jersey

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 5 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE SCIENCE CENTER OF NEW JERSEY
EATONTOWN, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	42%
Unstimulated	0%	Used PGD	7%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	23%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	9%	Male factor	36%	Female factors only	18%
Diminished ovarian reserve	46%	Other factor	3%	Female & male factors	24%
Endometriosis	25%	Unknown factor	3%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 283

Data verified by William Ziegler, DO

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	102	58	41	24	3	0
Percentage of cancellations	4.9	17.2	12.2	0.0	2 / 3	
Average number of embryos transferred	2.0	2.4	2.7	3.2	2.0	
Percentage of embryos transferred resulting in implantation	34.4	30.3	12.6	4.1	0 / 2	
Percentage of elective single embryo transfer (eSET)	2.2	0.0	0.0	0.0	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	29.4	27.6	12.2	12.5	0 / 3	
Percentage of cycles resulting in triplets or more live births	1.0	0.0	0.0	0.0	0 / 3	
Percentage of cycles resulting in live births	39.2	37.9	17.1	12.5	0 / 3	
Percentage of cycles resulting in pregnancy	49.0	44.8	26.8	25.0	0 / 3	
Outcomes per Transfer						
Number of transfers	94	46	32	23	1	0
Percentage of transfers resulting in singleton live births	31.9	34.8	15.6	13.0	0 / 1	
Percentage of transfers resulting in triplets or more live births	1.1	0.0	0.0	0.0	0 / 1	
Percentage of transfers resulting in live births	42.6	47.8	21.9	13.0	0 / 1	
Percentage of transfers resulting in pregnancy	53.2	56.5	34.4	26.1	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	50	26	11	6	0	0
Percentage of pregnancies resulting in singleton live births	60.0	61.5	5 / 11	3 / 6		
Percentage of pregnancies resulting in triplets or more live births	2.0	0.0	0 / 11	0 / 6		
Percentage of pregnancies resulting in live births	80.0	84.6	7 / 11	3 / 6		
Frozen Embryos from Nondonor Eggs						
Number of cycles	10	6	4	0	1	0
Number of transfers	10	6	4	0	1	0
Average number of embryos transferred	2.1	2.0	2.3		2.0	
Percentage of embryos transferred resulting in implantation	14.3	3 / 12	2 / 9		0 / 2	
Percentage of transfers resulting in singleton live births	3 / 10	0 / 6	1 / 4		0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 10	0 / 6	0 / 4		0 / 1	
Percentage of transfers resulting in live births	3 / 10	1 / 6	1 / 4		0 / 1	
Percentage of transfers resulting in pregnancy	3 / 10	2 / 6	2 / 4		0 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	23	11
Number of transfers	21	11
Average number of embryos transferred	2.1	2.2
Percentage of embryos transferred resulting in implantation	34.1	4.2
Percentage of transfers resulting in singleton live births	23.8	0 / 11
Percentage of transfers resulting in live births	42.9	0 / 11
Percentage of transfers resulting in pregnancy	57.1	1 / 11

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Science Center of New Jersey

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR ADVANCED REPRODUCTIVE MEDICINE & FERTILITY
EDISON, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	61%
Unstimulated	0%	Used PGD	6%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	13%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	20%	Male factor	37%	Female factors only	2%
Diminished ovarian reserve	22%	Other factor	<1%	Female & male factors	11%
Endometriosis	6%	Unknown factor	15%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 288 Data verified by Gregory H. Corsan, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	104	45	33	22	7	1
Percentage of cancellations	1.9	4.4	15.2	0.0	0 / 7	0 / 1
Average number of embryos transferred	1.9	2.2	2.8	3.6	2.2	1.0
Percentage of embryos transferred resulting in implantation	26.7	27.9	6.8	5.8	0 / 13	0 / 1
Percentage of elective single embryo transfer (eSET)	17.2	7.7	0.0	0 / 16	0 / 5	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	24.0	24.4	6.1	0.0	0 / 7	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 7	0 / 1
Percentage of cycles resulting in live births	32.7	33.3	6.1	4.5	0 / 7	0 / 1
Percentage of cycles resulting in pregnancy	36.5	40.0	15.2	18.2	1 / 7	0 / 1
Outcomes per Transfer						
Number of transfers	96	40	26	19	6	1
Percentage of transfers resulting in singleton live births	26.0	27.5	7.7	0 / 19	0 / 6	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 19	0 / 6	0 / 1
Percentage of transfers resulting in live births	35.4	37.5	7.7	1 / 19	0 / 6	0 / 1
Percentage of transfers resulting in pregnancy	39.6	45.0	19.2	4 / 19	1 / 6	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	38	18	5	4	1	0
Percentage of pregnancies resulting in singleton live births	65.8	11 / 18	2 / 5	0 / 4	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 18	0 / 5	0 / 4	0 / 1	
Percentage of pregnancies resulting in live births	89.5	15 / 18	2 / 5	1 / 4	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	44	9	4	0	2	1
Number of transfers	42	9	4	0	2	1
Average number of embryos transferred	2.0	1.6	2.0		2.0	2.0
Percentage of embryos transferred resulting in implantation	45.8	6 / 14	1 / 8		0 / 4	2 / 2
Percentage of transfers resulting in singleton live births	45.2	4 / 9	1 / 4		0 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 9	0 / 4		0 / 2	0 / 1
Percentage of transfers resulting in live births	57.1	4 / 9	1 / 4		0 / 2	1 / 1
Percentage of transfers resulting in pregnancy	69.0	5 / 9	2 / 4		0 / 2	1 / 1

	All Ages Combined[f]	
Donor Eggs	**Fresh Embryos**	**Frozen Embryos**
Number of cycles	10	6
Number of transfers	10	6
Average number of embryos transferred	1.7	2.0
Percentage of embryos transferred resulting in implantation	12 / 17	7 / 12
Percentage of transfers resulting in singleton live births	6 / 10	1 / 6
Percentage of transfers resulting in live births	8 / 10	4 / 6
Percentage of transfers resulting in pregnancy	8 / 10	4 / 6

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Advanced Reproductive Medicine & Fertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WOMEN'S FERTILITY CENTER
ENGLEWOOD, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	80%
Unstimulated	0%	Used PGD	9%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	17%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	7%	Male factor	30%	Female factors only	11%
Diminished ovarian reserve	57%	Other factor	13%	Female & male factors	23%
Endometriosis	0%	Unknown factor	6%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 70

Data verified by Philip R. Lesorgen, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	16	14	22	10	3	0
Percentage of cancellations	2 / 16	1 / 14	31.8	0 / 10	0 / 3	
Average number of embryos transferred	2.0	2.2	2.1	1.8	1.5	
Percentage of embryos transferred resulting in implantation	3.8	16.7	9.5	0 / 16	0 / 3	
Percentage of elective single embryo transfer (eSET)	0 / 12	1 / 8	0 / 7	0 / 5	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	1 / 16	0 / 14	9.1	0 / 10	0 / 3	
Percentage of cycles resulting in triplets or more live births	0 / 16	0 / 14	0.0	0 / 10	0 / 3	
Percentage of cycles resulting in live births	1 / 16	2 / 14	9.1	0 / 10	0 / 3	
Percentage of cycles resulting in pregnancy	3 / 16	3 / 14	9.1	0 / 10	0 / 3	
Outcomes per Transfer						
Number of transfers	13	11	10	9	2	0
Percentage of transfers resulting in singleton live births	1 / 13	0 / 11	2 / 10	0 / 9	0 / 2	
Percentage of transfers resulting in triplets or more live births	0 / 13	0 / 11	0 / 10	0 / 9	0 / 2	
Percentage of transfers resulting in live births	1 / 13	2 / 11	2 / 10	0 / 9	0 / 2	
Percentage of transfers resulting in pregnancy	3 / 13	3 / 11	2 / 10	0 / 9	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	3	3	2	0	0	0
Percentage of pregnancies resulting in singleton live births	1 / 3	0 / 3	2 / 2			
Percentage of pregnancies resulting in triplets or more live births	0 / 3	0 / 3	0 / 2			
Percentage of pregnancies resulting in live births	1 / 3	2 / 3	2 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	1	0	0	0	0
Number of transfers	4	1	0	0	0	0
Average number of embryos transferred	2.3	2.0				
Percentage of embryos transferred resulting in implantation	2 / 9	0 / 2				
Percentage of transfers resulting in singleton live births	0 / 4	0 / 1				
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 1				
Percentage of transfers resulting in live births	1 / 4	0 / 1				
Percentage of transfers resulting in pregnancy	1 / 4	0 / 1				

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation		
Percentage of transfers resulting in singleton live births		
Percentage of transfers resulting in live births		
Percentage of transfers resulting in pregnancy		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Women's Fertility Center

Donor egg?	No	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTH HUDSON I.V.F.
CENTER FOR FERTILITY AND GYNECOLOGY
ENGLEWOOD CLIFFS, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	90%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	20%		

Patient Diagnosis[b]

Tubal factor	9%	Uterine factor	12%	*Multiple Factors:*	
Ovulatory dysfunction	3%	Male factor	27%	Female factors only	12%
Diminished ovarian reserve	73%	Other factor	6%	Female & male factors	18%
Endometriosis	6%	Unknown factor	3%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 33 Data verified by Jane E. Miller, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	6	2	2	0	0	0
Percentage of cancellations	0 / 6	0 / 2	1 / 2			
Average number of embryos transferred	2.2	2.5	2.0			
Percentage of embryos transferred resulting in implantation	8 / 13	3 / 5	0 / 2			
Percentage of elective single embryo transfer (eSET)	0 / 5	0 / 2	0 / 1			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	2 / 6	1 / 2	0 / 2			
Percentage of cycles resulting in triplets or more live births	0 / 6	0 / 2	0 / 2			
Percentage of cycles resulting in live births	5 / 6	2 / 2	0 / 2			
Percentage of cycles resulting in pregnancy	5 / 6	2 / 2	0 / 2			
Outcomes per Transfer						
Number of transfers	6	2	1	0	0	0
Percentage of transfers resulting in singleton live births	2 / 6	1 / 2	0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 2	0 / 1			
Percentage of transfers resulting in live births	5 / 6	2 / 2	0 / 1			
Percentage of transfers resulting in pregnancy	5 / 6	2 / 2	0 / 1			
Outcomes per Pregnancy						
Number of pregnancies	5	2	0	0	0	0
Percentage of pregnancies resulting in singleton live births	2 / 5	1 / 2				
Percentage of pregnancies resulting in triplets or more live births	0 / 5	0 / 2				
Percentage of pregnancies resulting in live births	5 / 5	2 / 2				
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	1	1	1	0	0
Number of transfers	1	1	1	1	0	0
Average number of embryos transferred	2.0	2.0	3.0	3.0		
Percentage of embryos transferred resulting in implantation	1 / 2	0 / 2	0 / 3	0 / 3		
Percentage of transfers resulting in singleton live births	1 / 1	0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 1	0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in live births	1 / 1	0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in pregnancy	1 / 1	0 / 1	0 / 1	0 / 1		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	5	14
Number of transfers	4	11
Average number of embryos transferred	2.5	2.8
Percentage of embryos transferred resulting in implantation	6 / 10	16.1
Percentage of transfers resulting in singleton live births	1 / 4	1 / 11
Percentage of transfers resulting in live births	3 / 4	3 / 11
Percentage of transfers resulting in pregnancy	3 / 4	3 / 11

CURRENT CLINIC SERVICES AND PROFILE

Current Name: North Hudson I.V.F., Center for Fertility and Gynecology

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 4 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DOUGLAS S. RABIN, MD
FAIR LAWN, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	100%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	11%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	24%	Male factor	22%	Female factors only	11%
Diminished ovarian reserve	2%	Other factor	36%	Female & male factors	22%
Endometriosis	2%	Unknown factor	36%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 55 Data verified by Douglas S. Rabin, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	10	4	8	1	2	5
Percentage of cancellations	0 / 10	0 / 4	0 / 8	0 / 1	0 / 2	0 / 5
Average number of embryos transferred	1.9	4.0	2.7	2.0	1.5	3.0
Percentage of embryos transferred resulting in implantation	5 / 17	0 / 8	0 / 16	0 / 2	0 / 3	0 / 12
Percentage of elective single embryo transfer (eSET)	5 / 9	0 / 2	0 / 4	0 / 1	0 / 1	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	3 / 10	0 / 4	0 / 8	0 / 1	0 / 2	0 / 5
Percentage of cycles resulting in triplets or more live births	0 / 10	0 / 4	0 / 8	0 / 1	0 / 2	0 / 5
Percentage of cycles resulting in live births	3 / 10	0 / 4	0 / 8	0 / 1	0 / 2	0 / 5
Percentage of cycles resulting in pregnancy	5 / 10	0 / 4	0 / 8	0 / 1	0 / 2	0 / 5
Outcomes per Transfer						
Number of transfers	9	2	6	1	2	4
Percentage of transfers resulting in singleton live births	3 / 9	0 / 2	0 / 6	0 / 1	0 / 2	0 / 4
Percentage of transfers resulting in triplets or more live births	0 / 9	0 / 2	0 / 6	0 / 1	0 / 2	0 / 4
Percentage of transfers resulting in live births	3 / 9	0 / 2	0 / 6	0 / 1	0 / 2	0 / 4
Percentage of transfers resulting in pregnancy	5 / 9	0 / 2	0 / 6	0 / 1	0 / 2	0 / 4
Outcomes per Pregnancy						
Number of pregnancies	5	0	0	0	0	0
Percentage of pregnancies resulting in singleton live births	3 / 5					
Percentage of pregnancies resulting in triplets or more live births	0 / 5					
Percentage of pregnancies resulting in live births	3 / 5					
Frozen Embryos from Nondonor Eggs						
Number of cycles	10	6	5	0	1	0
Number of transfers	10	6	5	0	1	0
Average number of embryos transferred	2.1	2.7	2.2		2.0	
Percentage of embryos transferred resulting in implantation	14.3	7 / 16	3 / 11		0 / 2	
Percentage of transfers resulting in singleton live births	1 / 10	1 / 6	1 / 5		0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 10	0 / 6	0 / 5		0 / 1	
Percentage of transfers resulting in live births	1 / 10	4 / 6	2 / 5		0 / 1	
Percentage of transfers resulting in pregnancy	2 / 10	4 / 6	2 / 5		0 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	2	1
Number of transfers	2	1
Average number of embryos transferred	2.0	4.0
Percentage of embryos transferred resulting in implantation	0 / 4	0 / 4
Percentage of transfers resulting in singleton live births	0 / 2	0 / 1
Percentage of transfers resulting in live births	0 / 2	0 / 1
Percentage of transfers resulting in pregnancy	0 / 2	0 / 1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Douglas S. Rabin, MD

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 3 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY REPRODUCTIVE ASSOCIATES, PC
HASBROUCK HEIGHTS, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	95%
Unstimulated	2%	Used PGD	15%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	17%	Uterine factor	9%	*Multiple Factors:*	
Ovulatory dysfunction	15%	Male factor	80%	Female factors only	3%
Diminished ovarian reserve	17%	Other factor	12%	Female & male factors	48%
Endometriosis	5%	Unknown factor	6%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 291 Data verified by Peter G. McGovern, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	110	59	42	35	14	2
Percentage of cancellations	0.0	0.0	2.4	0.0	0 / 14	0 / 2
Average number of embryos transferred	2.1	2.5	2.5	2.5	3.5	3.0
Percentage of embryos transferred resulting in implantation	29.5	24.3	14.9	9.5	2.6	0 / 3
Percentage of elective single embryo transfer (eSET)	0.0	0.0	0.0	0.0	0 / 10	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.4	28.8	16.7	20.0	0 / 14	0 / 2
Percentage of cycles resulting in triplets or more live births	1.8	0.0	0.0	0.0	0 / 14	0 / 2
Percentage of cycles resulting in live births	40.9	39.0	16.7	20.0	0 / 14	0 / 2
Percentage of cycles resulting in pregnancy	45.5	44.1	33.3	22.9	2 / 14	0 / 2
Outcomes per Transfer						
Number of transfers	106	55	38	30	11	1
Percentage of transfers resulting in singleton live births	27.4	30.9	18.4	23.3	0 / 11	0 / 1
Percentage of transfers resulting in triplets or more live births	1.9	0.0	0.0	0.0	0 / 11	0 / 1
Percentage of transfers resulting in live births	42.5	41.8	18.4	23.3	0 / 11	0 / 1
Percentage of transfers resulting in pregnancy	47.2	47.3	36.8	26.7	2 / 11	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	50	26	14	8	2	0
Percentage of pregnancies resulting in singleton live births	58.0	65.4	7 / 14	7 / 8	0 / 2	
Percentage of pregnancies resulting in triplets or more live births	4.0	0.0	0 / 14	0 / 8	0 / 2	
Percentage of pregnancies resulting in live births	90.0	88.5	7 / 14	7 / 8	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	10	7	4	1	2	0
Number of transfers	9	7	2	1	2	0
Average number of embryos transferred	2.7	2.6	2.0	2.0	2.0	
Percentage of embryos transferred resulting in implantation	29.2	1 / 18	2 / 4	0 / 2	0 / 4	
Percentage of transfers resulting in singleton live births	3 / 9	0 / 7	1 / 2	0 / 1	0 / 2	
Percentage of transfers resulting in triplets or more live births	0 / 9	0 / 7	0 / 2	0 / 1	0 / 2	
Percentage of transfers resulting in live births	4 / 9	0 / 7	1 / 2	0 / 1	0 / 2	
Percentage of transfers resulting in pregnancy	5 / 9	1 / 7	2 / 2	0 / 1	0 / 2	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	5	0
Number of transfers	4	0
Average number of embryos transferred	2.3	
Percentage of embryos transferred resulting in implantation	5 / 9	
Percentage of transfers resulting in singleton live births	1 / 4	
Percentage of transfers resulting in live births	3 / 4	
Percentage of transfers resulting in pregnancy	4 / 4	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University Reproductive Associates, PC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 9 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHORE INSTITUTE FOR REPRODUCTIVE MEDICINE
LAKEWOOD, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	22%
Unstimulated	0%	Used PGD	4%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	23%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	11%	Male factor	31%	Female factors only	5%
Diminished ovarian reserve	23%	Other factor	<1%	Female & male factors	9%
Endometriosis	5%	Unknown factor	18%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 110 Data verified by Allen Morgan, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	55	13	11	10	1	0
Percentage of cancellations	20.0	5 / 13	3 / 11	4 / 10	0 / 1	
Average number of embryos transferred	2.5	2.3	2.8	2.6		
Percentage of embryos transferred resulting in implantation	35.9	8 / 18	27.3	0 / 13		
Percentage of elective single embryo transfer (eSET)	0.0	0 / 6	0 / 7	0 / 5		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	20.0	3 / 13	1 / 11	0 / 10	0 / 1	
Percentage of cycles resulting in triplets or more live births	3.6	0 / 13	0 / 11	0 / 10	0 / 1	
Percentage of cycles resulting in live births	38.2	5 / 13	3 / 11	0 / 10	0 / 1	
Percentage of cycles resulting in pregnancy	43.6	6 / 13	4 / 11	0 / 10	0 / 1	
Outcomes per Transfer						
Number of transfers	41	8	8	5	0	0
Percentage of transfers resulting in singleton live births	26.8	3 / 8	1 / 8	0 / 5		
Percentage of transfers resulting in triplets or more live births	4.9	0 / 8	0 / 8	0 / 5		
Percentage of transfers resulting in live births	51.2	5 / 8	3 / 8	0 / 5		
Percentage of transfers resulting in pregnancy	58.5	6 / 8	4 / 8	0 / 5		
Outcomes per Pregnancy						
Number of pregnancies	24	6	4	0	0	0
Percentage of pregnancies resulting in singleton live births	45.8	3 / 6	1 / 4			
Percentage of pregnancies resulting in triplets or more live births	8.3	0 / 6	0 / 4			
Percentage of pregnancies resulting in live births	87.5	5 / 6	3 / 4			
Frozen Embryos from Nondonor Eggs						
Number of cycles	8	0	1	0	0	0
Number of transfers	6	0	1	0	0	0
Average number of embryos transferred	2.7		3.0			
Percentage of embryos transferred resulting in implantation	1 / 16		0 / 3			
Percentage of transfers resulting in singleton live births	1 / 6		0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 6		0 / 1			
Percentage of transfers resulting in live births	1 / 6		0 / 1			
Percentage of transfers resulting in pregnancy	1 / 6		0 / 1			

	All Ages Combined[f]	
Donor Eggs	**Fresh Embryos**	**Frozen Embryos**
Number of cycles	3	8
Number of transfers	2	6
Average number of embryos transferred	2.0	2.5
Percentage of embryos transferred resulting in implantation	1 / 4	0 / 15
Percentage of transfers resulting in singleton live births	1 / 2	0 / 6
Percentage of transfers resulting in live births	1 / 2	0 / 6
Percentage of transfers resulting in pregnancy	1 / 2	0 / 6

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Shore Institute for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DELAWARE VALLEY OBGYN AND INFERTILITY GROUP
PRINCETON IVF
LAWRENCEVILLE, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	60%
Unstimulated	<1%	Used PGD	2%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	28%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	45%	Male factor	50%	Female factors only	16%
Diminished ovarian reserve	22%	Other factor	10%	Female & male factors	39%
Endometriosis	1%	Unknown factor	7%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 153 Data verified by Seth G. Derman, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	57	28	22	16	6	1
Percentage of cancellations	0.0	3.6	0.0	0 / 16	0 / 6	1 / 1
Average number of embryos transferred	2.1	2.7	3.1	3.1	3.0	
Percentage of embryos transferred resulting in implantation	26.2	13.0	12.1	10.6	0 / 15	
Percentage of elective single embryo transfer (eSET)	0.0	0.0	0.0	0 / 14	0 / 5	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	21.1	14.3	9.1	2 / 16	0 / 6	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 16	0 / 6	0 / 1
Percentage of cycles resulting in live births	33.3	17.9	13.6	3 / 16	0 / 6	0 / 1
Percentage of cycles resulting in pregnancy	40.4	28.6	36.4	4 / 16	0 / 6	0 / 1
Outcomes per Transfer						
Number of transfers	57	26	21	15	5	0
Percentage of transfers resulting in singleton live births	21.1	15.4	9.5	2 / 15	0 / 5	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 15	0 / 5	
Percentage of transfers resulting in live births	33.3	19.2	14.3	3 / 15	0 / 5	
Percentage of transfers resulting in pregnancy	40.4	30.8	38.1	4 / 15	0 / 5	
Outcomes per Pregnancy						
Number of pregnancies	23	8	8	4	0	0
Percentage of pregnancies resulting in singleton live births	52.2	4 / 8	2 / 8	2 / 4		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 8	0 / 8	0 / 4		
Percentage of pregnancies resulting in live births	82.6	5 / 8	3 / 8	3 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	8	0	3	1	5	1
Number of transfers	8	0	3	1	5	1
Average number of embryos transferred	1.9		3.3	2.0	2.4	2.0
Percentage of embryos transferred resulting in implantation	0 / 15		1 / 10	0 / 2	1 / 12	1 / 2
Percentage of transfers resulting in singleton live births	0 / 8		1 / 3	0 / 1	0 / 5	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 8		0 / 3	0 / 1	0 / 5	0 / 1
Percentage of transfers resulting in live births	0 / 8		1 / 3	0 / 1	0 / 5	0 / 1
Percentage of transfers resulting in pregnancy	0 / 8		1 / 3	0 / 1	1 / 5	1 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	4	1
Number of transfers	4	1
Average number of embryos transferred	2.3	2.0
Percentage of embryos transferred resulting in implantation	5 / 9	0 / 2
Percentage of transfers resulting in singleton live births	0 / 4	0 / 1
Percentage of transfers resulting in live births	1 / 4	0 / 1
Percentage of transfers resulting in pregnancy	3 / 4	0 / 1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Delaware Valley OBGYN and Infertility Group, Princeton IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2011 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2011 ART cycle data or the clinic's Medical Director did not approve the clinic's 2011 ART cycle data for inclusion in this report.

EAST COAST INFERTILITY AND IVF
LITTLE SILVER, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	66%
Unstimulated	0%	Used PGD	4%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	9%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	10%	Male factor	39%	Female factors only	10%
Diminished ovarian reserve	33%	Other factor	14%	Female & male factors	24%
Endometriosis	28%	Unknown factor	2%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 272

Data verified by Miguel Damien, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	69	49	40	20	21	4
Percentage of cancellations	4.3	6.1	7.5	5.0	0.0	0 / 4
Average number of embryos transferred	2.1	2.2	2.4	3.3	2.7	1.5
Percentage of embryos transferred resulting in implantation	35.6	19.0	19.7	3.3	4.7	0 / 3
Percentage of elective single embryo transfer (eSET)	0.0	0.0	0.0	0 / 16	0 / 11	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	17.4	16.3	10.0	10.0	0.0	0 / 4
Percentage of cycles resulting in triplets or more live births	4.3	0.0	0.0	0.0	0.0	0 / 4
Percentage of cycles resulting in live births	31.9	24.5	17.5	10.0	0.0	0 / 4
Percentage of cycles resulting in pregnancy	36.2	24.5	27.5	10.0	9.5	0 / 4
Outcomes per Transfer						
Number of transfers	56	38	32	18	16	2
Percentage of transfers resulting in singleton live births	21.4	21.1	12.5	2 / 18	0 / 16	0 / 2
Percentage of transfers resulting in triplets or more live births	5.4	0.0	0.0	0 / 18	0 / 16	0 / 2
Percentage of transfers resulting in live births	39.3	31.6	21.9	2 / 18	0 / 16	0 / 2
Percentage of transfers resulting in pregnancy	44.6	31.6	34.4	2 / 18	2 / 16	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	25	12	11	2	2	0
Percentage of pregnancies resulting in singleton live births	48.0	8 / 12	4 / 11	2 / 2	0 / 2	
Percentage of pregnancies resulting in triplets or more live births	12.0	0 / 12	0 / 11	0 / 2	0 / 2	
Percentage of pregnancies resulting in live births	88.0	12 / 12	7 / 11	2 / 2	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	22	10	3	1	1	0
Number of transfers	21	9	3	1	1	0
Average number of embryos transferred	2.2	2.0	2.3	1.0	2.0	
Percentage of embryos transferred resulting in implantation	34.0	5 / 18	3 / 7	0 / 1	0 / 2	
Percentage of transfers resulting in singleton live births	33.3	3 / 9	0 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 9	0 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in live births	47.6	3 / 9	0 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	52.4	4 / 9	2 / 3	0 / 1	0 / 1	

	All Ages Combined[f]	
Donor Eggs	**Fresh Embryos**	**Frozen Embryos**
Number of cycles	17	15
Number of transfers	16	15
Average number of embryos transferred	2.0	1.9
Percentage of embryos transferred resulting in implantation	56.3	41.4
Percentage of transfers resulting in singleton live births	4 / 16	4 / 15
Percentage of transfers resulting in live births	11 / 16	7 / 15
Percentage of transfers resulting in pregnancy	11 / 16	9 / 15

CURRENT CLINIC SERVICES AND PROFILE

Current Name: East Coast Infertility and IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 5 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INSTITUTE FOR REPRODUCTIVE MEDICINE AND SCIENCE
SAINT BARNABAS MEDICAL CENTER
LIVINGSTON, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	55%
Unstimulated	0%	Used PGD	17%
Used gestational carrier	1%		

Patient Diagnosis[b]

Tubal factor	14%	Uterine factor	7%	*Multiple Factors:*	
Ovulatory dysfunction	7%	Male factor	19%	Female factors only	14%
Diminished ovarian reserve	51%	Other factor	7%	Female & male factors	12%
Endometriosis	5%	Unknown factor	17%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 777

Data verified by Margaret G. Garrisi, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	226	128	144	90	31	7
Percentage of cancellations	9.3	14.1	14.6	28.9	22.6	5 / 7
Average number of embryos transferred	1.7	1.8	2.5	2.7	3.0	4.5
Percentage of embryos transferred resulting in implantation	42.0	34.8	17.3	14.8	1.9	0 / 9
Percentage of elective single embryo transfer (eSET)	30.1	20.7	2.0	2.2	0 / 14	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	31.0	25.0	15.3	13.3	3.2	0 / 7
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	1.1	0.0	0 / 7
Percentage of cycles resulting in live births	41.6	32.8	18.1	15.6	3.2	0 / 7
Percentage of cycles resulting in pregnancy	47.8	42.2	31.9	20.0	3.2	0 / 7
Outcomes per Transfer						
Number of transfers	189	102	114	57	18	2
Percentage of transfers resulting in singleton live births	37.0	31.4	19.3	21.1	1 / 18	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	1.8	0 / 18	0 / 2
Percentage of transfers resulting in live births	49.7	41.2	22.8	24.6	1 / 18	0 / 2
Percentage of transfers resulting in pregnancy	57.1	52.9	40.4	31.6	1 / 18	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	108	54	46	18	1	0
Percentage of pregnancies resulting in singleton live births	64.8	59.3	47.8	12 / 18	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	1 / 18	0 / 1	
Percentage of pregnancies resulting in live births	87.0	77.8	56.5	14 / 18	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	45	21	15	2	1	1
Number of transfers	44	21	15	2	1	1
Average number of embryos transferred	1.6	1.5	1.8	3.0	1.0	4.0
Percentage of embryos transferred resulting in implantation	52.9	32.3	22.2	1 / 6	1 / 1	0 / 4
Percentage of transfers resulting in singleton live births	43.2	14.3	5 / 15	1 / 2	1 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 15	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in live births	59.1	28.6	5 / 15	1 / 2	1 / 1	0 / 1
Percentage of transfers resulting in pregnancy	65.9	42.9	6 / 15	1 / 2	1 / 1	0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	45	21
Number of transfers	44	21
Average number of embryos transferred	1.8	1.9
Percentage of embryos transferred resulting in implantation	35.1	35.9
Percentage of transfers resulting in singleton live births	34.1	23.8
Percentage of transfers resulting in live births	43.2	28.6
Percentage of transfers resulting in pregnancy	47.7	57.1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Institute for Reproductive Medicine and Science, Saint Barnabas Medical Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 28 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COOPER INSTITUTE FOR REPRODUCTIVE HORMONAL DISORDERS
MARLTON, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	37%
Unstimulated	3%	Used PGD	<1%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	16%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	8%	Male factor	31%	Female factors only	11%
Diminished ovarian reserve	51%	Other factor	5%	Female & male factors	14%
Endometriosis	5%	Unknown factor	10%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 1172 Data verified by Jerome H. Check, MD, PhD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	208	106	176	137	77	70
Percentage of cancellations	19.2	24.5	30.7	35.0	44.2	37.1
Average number of embryos transferred	1.9	2.0	2.3	1.8	2.2	1.6
Percentage of embryos transferred resulting in implantation	33.9	26.3	24.2	5.9	6.2	0.0
Percentage of elective single embryo transfer (eSET)	4.8	1.9	0.0	0.0	0.0	0 / 10
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	18.8	17.0	15.3	5.1	2.6	0.0
Percentage of cycles resulting in triplets or more live births	0.5	0.9	0.0	0.0	0.0	0.0
Percentage of cycles resulting in live births	28.8	22.6	16.5	5.1	2.6	0.0
Percentage of cycles resulting in pregnancy	33.7	23.6	24.4	8.0	5.2	0.0
Outcomes per Transfer						
Number of transfers	142	65	92	65	29	22
Percentage of transfers resulting in singleton live births	27.5	27.7	29.3	10.8	6.9	0.0
Percentage of transfers resulting in triplets or more live births	0.7	1.5	0.0	0.0	0.0	0.0
Percentage of transfers resulting in live births	42.3	36.9	31.5	10.8	6.9	0.0
Percentage of transfers resulting in pregnancy	49.3	38.5	46.7	16.9	13.8	0.0
Outcomes per Pregnancy						
Number of pregnancies	70	25	43	11	4	0
Percentage of pregnancies resulting in singleton live births	55.7	72.0	62.8	7 / 11	2 / 4	
Percentage of pregnancies resulting in triplets or more live births	1.4	4.0	0.0	0 / 11	0 / 4	
Percentage of pregnancies resulting in live births	85.7	96.0	67.4	7 / 11	2 / 4	
Frozen Embryos from Nondonor Eggs						
Number of cycles	86	63	26	13	8	4
Number of transfers	73	51	25	8	8	2
Average number of embryos transferred	2.0	2.1	2.5	2.8	3.0	4.0
Percentage of embryos transferred resulting in implantation	32.4	17.0	19.4	4.5	4.2	1 / 8
Percentage of transfers resulting in singleton live births	30.1	21.6	20.0	0 / 8	1 / 8	1 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 8	0 / 8	0 / 2
Percentage of transfers resulting in live births	38.4	25.5	24.0	0 / 8	1 / 8	1 / 2
Percentage of transfers resulting in pregnancy	53.4	35.3	36.0	1 / 8	1 / 8	1 / 2

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	68	130
Number of transfers	48	94
Average number of embryos transferred	2.0	2.1
Percentage of embryos transferred resulting in implantation	32.7	29.4
Percentage of transfers resulting in singleton live births	29.2	22.3
Percentage of transfers resulting in live births	43.8	36.2
Percentage of transfers resulting in pregnancy	50.0	46.8

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Cooper Institute for Reproductive Hormonal Disorders

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DELAWARE VALLEY INSTITUTE OF FERTILITY AND GENETICS
MARLTON, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	58%
Unstimulated	0%	Used PGD	4%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	19%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	43%	Male factor	59%	Female factors only	11%
Diminished ovarian reserve	26%	Other factor	7%	Female & male factors	50%
Endometriosis	10%	Unknown factor	9%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 183 Data verified by George S. Taliadouros, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	90	24	15	5	4	3
Percentage of cancellations	0.0	4.2	0 / 15	0 / 5	0 / 4	0 / 3
Average number of embryos transferred	1.9	2.3	2.9	3.0	3.8	3.0
Percentage of embryos transferred resulting in implantation	47.3	26.9	20.9	0 / 15	0 / 15	2 / 9
Percentage of elective single embryo transfer (eSET)	10.0	8.7	0 / 15	0 / 5	0 / 4	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	34.4	33.3	4 / 15	0 / 5	0 / 4	0 / 3
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 15	0 / 5	0 / 4	0 / 3
Percentage of cycles resulting in live births	55.6	41.7	5 / 15	0 / 5	0 / 4	1 / 3
Percentage of cycles resulting in pregnancy	58.9	45.8	6 / 15	0 / 5	0 / 4	1 / 3
Outcomes per Transfer						
Number of transfers	88	23	15	5	4	3
Percentage of transfers resulting in singleton live births	35.2	34.8	4 / 15	0 / 5	0 / 4	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 15	0 / 5	0 / 4	0 / 3
Percentage of transfers resulting in live births	56.8	43.5	5 / 15	0 / 5	0 / 4	1 / 3
Percentage of transfers resulting in pregnancy	60.2	47.8	6 / 15	0 / 5	0 / 4	1 / 3
Outcomes per Pregnancy						
Number of pregnancies	53	11	6	0	0	1
Percentage of pregnancies resulting in singleton live births	58.5	8 / 11	4 / 6			0 / 1
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 11	0 / 6			0 / 1
Percentage of pregnancies resulting in live births	94.3	10 / 11	5 / 6			1 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	12	5	5	3	0	0
Number of transfers	12	5	5	3	0	0
Average number of embryos transferred	2.0	1.6	1.4	3.3		
Percentage of embryos transferred resulting in implantation	16.7	3 / 8	1 / 7	0 / 10		
Percentage of transfers resulting in singleton live births	3 / 12	0 / 5	1 / 5	0 / 3		
Percentage of transfers resulting in triplets or more live births	0 / 12	0 / 5	0 / 5	0 / 3		
Percentage of transfers resulting in live births	3 / 12	1 / 5	1 / 5	0 / 3		
Percentage of transfers resulting in pregnancy	4 / 12	2 / 5	1 / 5	0 / 3		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	15	2
Number of transfers	15	2
Average number of embryos transferred	1.8	2.0
Percentage of embryos transferred resulting in implantation	59.3	1 / 4
Percentage of transfers resulting in singleton live births	7 / 15	1 / 2
Percentage of transfers resulting in live births	10 / 15	1 / 2
Percentage of transfers resulting in pregnancy	11 / 15	1 / 2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Delaware Valley Institute of Fertility and Genetics

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTH JERSEY FERTILITY CENTER
MARLTON, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	62%
Unstimulated	0%	Used PGD	2%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	27%	Uterine factor	7%	*Multiple Factors:*	
Ovulatory dysfunction	22%	Male factor	46%	Female factors only	23%
Diminished ovarian reserve	35%	Other factor	19%	Female & male factors	29%
Endometriosis	14%	Unknown factor	7%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 442 Data verified by Robert A. Skaf, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	170	76	39	40	12	2
Percentage of cancellations	5.3	6.6	7.7	7.5	1 / 12	1 / 2
Average number of embryos transferred	1.9	2.2	3.1	3.4	4.4	3.0
Percentage of embryos transferred resulting in implantation	33.7	26.2	16.8	3.3	4.2	0 / 3
Percentage of elective single embryo transfer (eSET)	11.3	1.5	0.0	0.0	0 / 11	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	21.2	14.5	12.8	2.5	2 / 12	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 12	0 / 2
Percentage of cycles resulting in live births	36.5	28.9	17.9	2.5	2 / 12	0 / 2
Percentage of cycles resulting in pregnancy	41.8	35.5	35.9	12.5	3 / 12	1 / 2
Outcomes per Transfer						
Number of transfers	156	68	33	35	11	1
Percentage of transfers resulting in singleton live births	23.1	16.2	15.2	2.9	2 / 11	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 11	0 / 1
Percentage of transfers resulting in live births	39.7	32.4	21.2	2.9	2 / 11	0 / 1
Percentage of transfers resulting in pregnancy	45.5	39.7	42.4	14.3	3 / 11	1 / 1
Outcomes per Pregnancy						
Number of pregnancies	71	27	14	5	3	1
Percentage of pregnancies resulting in singleton live births	50.7	40.7	5 / 14	1 / 5	2 / 3	0 / 1
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0 / 14	0 / 5	0 / 3	0 / 1
Percentage of pregnancies resulting in live births	87.3	81.5	7 / 14	1 / 5	2 / 3	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	42	19	7	0	0	0
Number of transfers	40	17	6	0	0	0
Average number of embryos transferred	2.0	1.9	2.2			
Percentage of embryos transferred resulting in implantation	24.4	15.6	1 / 13			
Percentage of transfers resulting in singleton live births	27.5	2 / 17	1 / 6			
Percentage of transfers resulting in triplets or more live births	0.0	0 / 17	0 / 6			
Percentage of transfers resulting in live births	37.5	3 / 17	1 / 6			
Percentage of transfers resulting in pregnancy	45.0	5 / 17	2 / 6			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	25	10
Number of transfers	22	9
Average number of embryos transferred	2.0	1.7
Percentage of embryos transferred resulting in implantation	48.8	2 / 15
Percentage of transfers resulting in singleton live births	59.1	2 / 9
Percentage of transfers resulting in live births	72.7	2 / 9
Percentage of transfers resulting in pregnancy	77.3	3 / 9

CURRENT CLINIC SERVICES AND PROFILE

Current Name: South Jersey Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DIAMOND INSTITUTE FOR INFERTILITY
MILLBURN, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	58%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	17%	Uterine factor	1%	*Multiple Factors:*	
Ovulatory dysfunction	11%	Male factor	19%	Female factors only	7%
Diminished ovarian reserve	56%	Other factor	<1%	Female & male factors	12%
Endometriosis	5%	Unknown factor	11%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 369

Data verified by Arie Birkenfeld, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	79	41	49	27	12	5
Percentage of cancellations	6.3	9.8	22.4	14.8	3 / 12	1 / 5
Average number of embryos transferred	1.9	2.2	2.5	2.9	3.1	1.8
Percentage of embryos transferred resulting in implantation	31.8	24.7	9.8	3.1	0.0	0 / 7
Percentage of elective single embryo transfer (eSET)	19.1	0.0	9.4	4.8	0 / 8	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	24.1	24.4	6.1	7.4	0 / 12	0 / 5
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 12	0 / 5
Percentage of cycles resulting in live births	35.4	26.8	8.2	7.4	0 / 12	0 / 5
Percentage of cycles resulting in pregnancy	40.5	36.6	18.4	14.8	0 / 12	0 / 5
Outcomes per Transfer						
Number of transfers	70	35	37	22	8	4
Percentage of transfers resulting in singleton live births	27.1	28.6	8.1	9.1	0 / 8	0 / 4
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 8	0 / 4
Percentage of transfers resulting in live births	40.0	31.4	10.8	9.1	0 / 8	0 / 4
Percentage of transfers resulting in pregnancy	45.7	42.9	24.3	18.2	0 / 8	0 / 4
Outcomes per Pregnancy						
Number of pregnancies	32	15	9	4	0	0
Percentage of pregnancies resulting in singleton live births	59.4	10 / 15	3 / 9	2 / 4		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 15	0 / 9	0 / 4		
Percentage of pregnancies resulting in live births	87.5	11 / 15	4 / 9	2 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	62	19	18	8	2	3
Number of transfers	57	18	17	8	1	3
Average number of embryos transferred	1.7	1.9	1.8	1.8	2.0	1.3
Percentage of embryos transferred resulting in implantation	38.9	26.5	33.3	3 / 14	0 / 2	0 / 4
Percentage of transfers resulting in singleton live births	22.8	6 / 18	1 / 17	1 / 8	0 / 1	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0 / 18	0 / 17	0 / 8	0 / 1	0 / 3
Percentage of transfers resulting in live births	38.6	7 / 18	4 / 17	1 / 8	0 / 1	0 / 3
Percentage of transfers resulting in pregnancy	47.4	9 / 18	7 / 17	3 / 8	0 / 1	0 / 3

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	19	25
Number of transfers	18	22
Average number of embryos transferred	1.9	1.7
Percentage of embryos transferred resulting in implantation	25.7	34.2
Percentage of transfers resulting in singleton live births	5 / 18	18.2
Percentage of transfers resulting in live births	6 / 18	31.8
Percentage of transfers resulting in pregnancy	9 / 18	50.0

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Diamond Institute for Infertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 21 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF NEW JERSEY
MORRISTOWN, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	81%
Unstimulated	0%	Used PGD	14%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	11%	Uterine factor	6%	*Multiple Factors:*	
Ovulatory dysfunction	23%	Male factor	51%	Female factors only	14%
Diminished ovarian reserve	10%	Other factor	43%	Female & male factors	34%
Endometriosis	4%	Unknown factor	0%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 2088 Data verified by Michael R. Drews, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	500	233	169	62	36	10
Percentage of cancellations	4.2	9.0	10.7	16.1	22.2	2 / 10
Average number of embryos transferred	1.8	1.7	1.8	1.8	2.2	2.0
Percentage of embryos transferred resulting in implantation	62.5	52.1	33.6	28.4	4.5	1 / 12
Percentage of elective single embryo transfer (eSET)	13.6	16.1	9.9	12.9	0 / 15	0 / 5
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	37.2	30.5	26.0	14.5	2.8	0 / 10
Percentage of cycles resulting in triplets or more live births	1.2	0.4	0.0	0.0	0.0	0 / 10
Percentage of cycles resulting in live births	64.4	46.4	33.7	19.4	2.8	0 / 10
Percentage of cycles resulting in pregnancy	71.4	58.4	42.6	37.1	11.1	1 / 10
Outcomes per Transfer						
Number of transfers	462	194	135	42	20	6
Percentage of transfers resulting in singleton live births	40.3	36.6	32.6	21.4	5.0	0 / 6
Percentage of transfers resulting in triplets or more live births	1.3	0.5	0.0	0.0	0.0	0 / 6
Percentage of transfers resulting in live births	69.7	55.7	42.2	28.6	5.0	0 / 6
Percentage of transfers resulting in pregnancy	77.3	70.1	53.3	54.8	20.0	1 / 6
Outcomes per Pregnancy						
Number of pregnancies	357	136	72	23	4	1
Percentage of pregnancies resulting in singleton live births	52.1	52.2	61.1	39.1	1 / 4	0 / 1
Percentage of pregnancies resulting in triplets or more live births	1.7	0.7	0.0	0.0	0 / 4	0 / 1
Percentage of pregnancies resulting in live births	90.2	79.4	79.2	52.2	1 / 4	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	364	214	181	58	14	6
Number of transfers	330	198	164	49	10	3
Average number of embryos transferred	1.7	1.5	1.4	1.4	1.4	1.7
Percentage of embryos transferred resulting in implantation	50.4	44.1	47.0	42.3	5 / 14	1 / 5
Percentage of transfers resulting in singleton live births	34.5	36.9	37.8	46.9	3 / 10	1 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 10	0 / 3
Percentage of transfers resulting in live births	52.4	47.5	47.6	51.0	3 / 10	1 / 3
Percentage of transfers resulting in pregnancy	70.9	62.1	64.0	63.3	7 / 10	1 / 3

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	99	142
Number of transfers	94	132
Average number of embryos transferred	1.9	1.7
Percentage of embryos transferred resulting in implantation	65.7	35.5
Percentage of transfers resulting in singleton live births	36.2	23.5
Percentage of transfers resulting in live births	71.3	36.4
Percentage of transfers resulting in pregnancy	87.2	54.5

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine Associates of New Jersey

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 1058 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

VALLEY HOSPITAL FERTILITY CENTER
PARAMUS, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	36%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	5%		

Patient Diagnosis[b]

Tubal factor	14%	Uterine factor	10%	*Multiple Factors:*	
Ovulatory dysfunction	16%	Male factor	27%	Female factors only	16%
Diminished ovarian reserve	40%	Other factor	8%	Female & male factors	16%
Endometriosis	14%	Unknown factor	7%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 354

Data verified by Ali Nasseri, MD, PhD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	92	75	55	44	16	2
Percentage of cancellations	5.4	10.7	7.3	25.0	5 / 16	0 / 2
Average number of embryos transferred	1.8	1.9	2.1	2.2	2.0	3.0
Percentage of embryos transferred resulting in implantation	43.9	34.9	24.0	16.7	0 / 14	0 / 6
Percentage of elective single embryo transfer (eSET)	14.3	1.8	2.3	0.0	0 / 6	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	35.9	18.7	27.3	18.2	0 / 16	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 16	0 / 2
Percentage of cycles resulting in live births	46.7	34.7	29.1	18.2	0 / 16	0 / 2
Percentage of cycles resulting in pregnancy	54.3	42.7	38.2	25.0	1 / 16	0 / 2
Outcomes per Transfer						
Number of transfers	86	66	49	33	7	2
Percentage of transfers resulting in singleton live births	38.4	21.2	30.6	24.2	0 / 7	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 7	0 / 2
Percentage of transfers resulting in live births	50.0	39.4	32.7	24.2	0 / 7	0 / 2
Percentage of transfers resulting in pregnancy	58.1	48.5	42.9	33.3	1 / 7	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	50	32	21	11	1	0
Percentage of pregnancies resulting in singleton live births	66.0	43.8	71.4	8 / 11	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 11	0 / 1	
Percentage of pregnancies resulting in live births	86.0	81.3	76.2	8 / 11	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	26	10	8	3	1	1
Number of transfers	26	10	8	3	1	1
Average number of embryos transferred	1.9	1.9	2.1	2.3	1.0	3.0
Percentage of embryos transferred resulting in implantation	28.0	8 / 19	1 / 17	1 / 7	1 / 1	0 / 3
Percentage of transfers resulting in singleton live births	30.8	5 / 10	1 / 8	1 / 3	1 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 10	0 / 8	0 / 3	0 / 1	0 / 1
Percentage of transfers resulting in live births	30.8	5 / 10	1 / 8	1 / 3	1 / 1	0 / 1
Percentage of transfers resulting in pregnancy	42.3	6 / 10	2 / 8	1 / 3	1 / 1	0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	13	8
Number of transfers	13	7
Average number of embryos transferred	1.8	1.9
Percentage of embryos transferred resulting in implantation	58.3	5 / 13
Percentage of transfers resulting in singleton live births	2 / 13	3 / 7
Percentage of transfers resulting in live births	6 / 13	4 / 7
Percentage of transfers resulting in pregnancy	8 / 13	4 / 7

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Valley Hospital Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 27 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF NEW JERSEY
SOMERSET, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	33%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	18%	Uterine factor	10%	*Multiple Factors:*	
Ovulatory dysfunction	15%	Male factor	43%	Female factors only	15%
Diminished ovarian reserve	36%	Other factor	16%	Female & male factors	27%
Endometriosis	8%	Unknown factor	8%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 657 Data verified by Michael C. Darder, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	235	111	74	50	10	2
Percentage of cancellations	3.0	7.2	13.5	8.0	1 / 10	0 / 2
Average number of embryos transferred	2.3	2.4	2.7	2.9	3.8	5.0
Percentage of embryos transferred resulting in implantation	31.3	27.0	18.2	10.9	0.0	0 / 10
Percentage of elective single embryo transfer (eSET)	1.4	1.1	1.9	0.0	0 / 8	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.8	26.1	16.2	12.0	0 / 10	0 / 2
Percentage of cycles resulting in triplets or more live births	0.4	0.0	0.0	0.0	0 / 10	0 / 2
Percentage of cycles resulting in live births	44.3	37.8	21.6	16.0	0 / 10	0 / 2
Percentage of cycles resulting in pregnancy	49.8	41.4	31.1	24.0	0 / 10	0 / 2
Outcomes per Transfer						
Number of transfers	222	95	57	41	8	2
Percentage of transfers resulting in singleton live births	28.4	30.5	21.1	14.6	0 / 8	0 / 2
Percentage of transfers resulting in triplets or more live births	0.5	0.0	0.0	0.0	0 / 8	0 / 2
Percentage of transfers resulting in live births	46.8	44.2	28.1	19.5	0 / 8	0 / 2
Percentage of transfers resulting in pregnancy	52.7	48.4	40.4	29.3	0 / 8	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	117	46	23	12	0	0
Percentage of pregnancies resulting in singleton live births	53.8	63.0	52.2	6 / 12		
Percentage of pregnancies resulting in triplets or more live births	0.9	0.0	0.0	0 / 12		
Percentage of pregnancies resulting in live births	88.9	91.3	69.6	8 / 12		
Frozen Embryos from Nondonor Eggs						
Number of cycles	18	10	4	2	2	0
Number of transfers	16	9	4	2	2	0
Average number of embryos transferred	2.0	1.8	2.0	1.0	3.5	
Percentage of embryos transferred resulting in implantation	59.4	9 / 16	4 / 8	0 / 2	0 / 7	
Percentage of transfers resulting in singleton live births	3 / 16	4 / 9	2 / 4	0 / 2	0 / 2	
Percentage of transfers resulting in triplets or more live births	0 / 16	0 / 9	0 / 4	0 / 2	0 / 2	
Percentage of transfers resulting in live births	9 / 16	5 / 9	2 / 4	0 / 2	0 / 2	
Percentage of transfers resulting in pregnancy	12 / 16	6 / 9	4 / 4	0 / 2	0 / 2	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	109	30
Number of transfers	104	29
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation	61.9	40.4
Percentage of transfers resulting in singleton live births	34.6	31.0
Percentage of transfers resulting in live births	71.2	44.8
Percentage of transfers resulting in pregnancy	79.8	55.2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: IVF New Jersey

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 7 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DR. LOUIS R. MANARA
VOORHEES, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	41%
Unstimulated	0%	Used PGD	2%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	7%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	16%	Male factor	26%	Female factors only	4%
Diminished ovarian reserve	15%	Other factor	13%	Female & male factors	12%
Endometriosis	8%	Unknown factor	28%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 159 Data verified by Louis R. Manara, DO

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	46	36	24	17	3	0
Percentage of cancellations	15.2	16.7	4.2	5 / 17	0 / 3	
Average number of embryos transferred	2.3	2.2	2.7	3.0	3.0	
Percentage of embryos transferred resulting in implantation	21.3	26.9	7.0	6.1	0 / 9	
Percentage of elective single embryo transfer (eSET)	2.6	6.7	0.0	0 / 10	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	21.7	27.8	8.3	1 / 17	0 / 3	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 17	0 / 3	
Percentage of cycles resulting in live births	30.4	33.3	12.5	1 / 17	0 / 3	
Percentage of cycles resulting in pregnancy	32.6	41.7	12.5	1 / 17	0 / 3	
Outcomes per Transfer						
Number of transfers	39	30	21	11	3	0
Percentage of transfers resulting in singleton live births	25.6	33.3	9.5	1 / 11	0 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 11	0 / 3	
Percentage of transfers resulting in live births	35.9	40.0	14.3	1 / 11	0 / 3	
Percentage of transfers resulting in pregnancy	38.5	50.0	14.3	1 / 11	0 / 3	
Outcomes per Pregnancy						
Number of pregnancies	15	15	3	1	0	0
Percentage of pregnancies resulting in singleton live births	10 / 15	10 / 15	2 / 3	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 15	0 / 15	0 / 3	0 / 1		
Percentage of pregnancies resulting in live births	14 / 15	12 / 15	3 / 3	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	9	4	1	0	2
Number of transfers	7	9	4	1	0	2
Average number of embryos transferred	1.6	1.9	1.8	1.0		1.5
Percentage of embryos transferred resulting in implantation	2 / 11	6 / 17	0 / 7	0 / 1		0 / 3
Percentage of transfers resulting in singleton live births	2 / 7	3 / 9	0 / 4	0 / 1		0 / 2
Percentage of transfers resulting in triplets or more live births	0 / 7	0 / 9	0 / 4	0 / 1		0 / 2
Percentage of transfers resulting in live births	2 / 7	3 / 9	0 / 4	0 / 1		0 / 2
Percentage of transfers resulting in pregnancy	2 / 7	5 / 9	0 / 4	0 / 1		0 / 2

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	10	0
Number of transfers	9	0
Average number of embryos transferred	2.2	
Percentage of embryos transferred resulting in implantation	20.0	
Percentage of transfers resulting in singleton live births	2 / 9	
Percentage of transfers resulting in live births	3 / 9	
Percentage of transfers resulting in pregnancy	3 / 9	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Dr. Louis R. Manara

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTH JERSEY FERTILITY ASSOCIATES, LLC
WAYNE, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	62%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	31%	Uterine factor	8%	*Multiple Factors:*	
Ovulatory dysfunction	4%	Male factor	20%	Female factors only	14%
Diminished ovarian reserve	25%	Other factor	20%	Female & male factors	8%
Endometriosis	0%	Unknown factor	16%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 95 Data verified by Mark X. Ransom, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	44	7	20	11	1	1
Percentage of cancellations	0.0	1 / 7	25.0	1 / 11	1 / 1	0 / 1
Average number of embryos transferred	1.9	2.2	2.8	3.1		3.0
Percentage of embryos transferred resulting in implantation	43.4	3 / 13	13.9	9.7		0 / 3
Percentage of elective single embryo transfer (eSET)	5.4	0 / 6	0 / 12	0 / 9		0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	31.8	3 / 7	10.0	2 / 11	0 / 1	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0 / 7	0.0	0 / 11	0 / 1	0 / 1
Percentage of cycles resulting in live births	43.2	3 / 7	15.0	2 / 11	0 / 1	0 / 1
Percentage of cycles resulting in pregnancy	59.1	3 / 7	20.0	2 / 11	0 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	40	6	13	10	0	1
Percentage of transfers resulting in singleton live births	35.0	3 / 6	2 / 13	2 / 10		0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 6	0 / 13	0 / 10		0 / 1
Percentage of transfers resulting in live births	47.5	3 / 6	3 / 13	2 / 10		0 / 1
Percentage of transfers resulting in pregnancy	65.0	3 / 6	4 / 13	2 / 10		0 / 1
Outcomes per Pregnancy						
Number of pregnancies	26	3	4	2	0	0
Percentage of pregnancies resulting in singleton live births	53.8	3 / 3	2 / 4	2 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 3	0 / 4	0 / 2		
Percentage of pregnancies resulting in live births	73.1	3 / 3	3 / 4	2 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	2	0	0	0	0
Number of transfers	3	2	0	0	0	0
Average number of embryos transferred	1.7	2.0				
Percentage of embryos transferred resulting in implantation	0 / 5	0 / 4				
Percentage of transfers resulting in singleton live births	0 / 3	0 / 2				
Percentage of transfers resulting in triplets or more live births	0 / 3	0 / 2				
Percentage of transfers resulting in live births	0 / 3	0 / 2				
Percentage of transfers resulting in pregnancy	0 / 3	0 / 2				

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	1	4
Number of transfers	1	4
Average number of embryos transferred	1.0	2.5
Percentage of embryos transferred resulting in implantation	0 / 1	2 / 10
Percentage of transfers resulting in singleton live births	0 / 1	0 / 4
Percentage of transfers resulting in live births	0 / 1	1 / 4
Percentage of transfers resulting in pregnancy	0 / 1	1 / 4

CURRENT CLINIC SERVICES AND PROFILE

Current Name: North Jersey Fertility Associates, LLC

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY INSTITUTE OF NEW JERSEY AND NEW YORK
WESTWOOD, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	89%
Unstimulated	0%	Used PGD	7%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	18%	Uterine factor	46%	*Multiple Factors:*	
Ovulatory dysfunction	36%	Male factor	50%	Female factors only	37%
Diminished ovarian reserve	44%	Other factor	34%	Female & male factors	43%
Endometriosis	13%	Unknown factor	<1%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 231 Data verified by Daniel Navot, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	66	32	37	16	11	2
Percentage of cancellations	6.1	6.3	0.0	3 / 16	1 / 11	0 / 2
Average number of embryos transferred	2.3	2.4	2.9	3.5	3.7	2.0
Percentage of embryos transferred resulting in implantation	27.2	16.2	8.6	7.9	3.0	0 / 2
Percentage of elective single embryo transfer (eSET)	1.8	3.8	0.0	0 / 11	0 / 8	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	18.2	12.5	18.9	1 / 16	0 / 11	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 16	0 / 11	0 / 2
Percentage of cycles resulting in live births	36.4	21.9	18.9	1 / 16	0 / 11	0 / 2
Percentage of cycles resulting in pregnancy	39.4	25.0	21.6	3 / 16	1 / 11	0 / 2
Outcomes per Transfer						
Number of transfers	59	28	36	11	9	1
Percentage of transfers resulting in singleton live births	20.3	14.3	19.4	1 / 11	0 / 9	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 11	0 / 9	0 / 1
Percentage of transfers resulting in live births	40.7	25.0	19.4	1 / 11	0 / 9	0 / 1
Percentage of transfers resulting in pregnancy	44.1	28.6	22.2	3 / 11	1 / 9	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	26	8	8	3	1	0
Percentage of pregnancies resulting in singleton live births	46.2	4 / 8	7 / 8	1 / 3	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 8	0 / 8	0 / 3	0 / 1	
Percentage of pregnancies resulting in live births	92.3	7 / 8	7 / 8	1 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	25	4	5	1	0	0
Number of transfers	23	4	4	1	0	0
Average number of embryos transferred	2.6	2.8	2.3	3.0		
Percentage of embryos transferred resulting in implantation	10.2	3 / 11	0 / 9	0 / 3		
Percentage of transfers resulting in singleton live births	8.7	1 / 4	0 / 4	0 / 1		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 4	0 / 4	0 / 1		
Percentage of transfers resulting in live births	17.4	2 / 4	0 / 4	0 / 1		
Percentage of transfers resulting in pregnancy	17.4	3 / 4	0 / 4	0 / 1		

	All Ages Combined[f]	
Donor Eggs	**Fresh Embryos**	**Frozen Embryos**
Number of cycles	14	18
Number of transfers	14	17
Average number of embryos transferred	2.4	2.6
Percentage of embryos transferred resulting in implantation	42.4	8.9
Percentage of transfers resulting in singleton live births	6 / 14	3 / 17
Percentage of transfers resulting in live births	9 / 14	3 / 17
Percentage of transfers resulting in pregnancy	9 / 14	5 / 17

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Institute of New Jersey and New York

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 7 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE OF NEW MEXICO
ALBUQUERQUE, NEW MEXICO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	84%
Unstimulated	0%	Used PGD	5%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	11%	Uterine factor	16%	*Multiple Factors:*	
Ovulatory dysfunction	11%	Male factor	70%	Female factors only	7%
Diminished ovarian reserve	25%	Other factor	52%	Female & male factors	60%
Endometriosis	6%	Unknown factor	2%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 219 Data verified by Douglas J. Thompson, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	72	33	22	8	4	0
Percentage of cancellations	8.3	9.1	9.1	1 / 8	1 / 4	
Average number of embryos transferred	1.9	2.1	2.9	3.1	3.3	
Percentage of embryos transferred resulting in implantation	52.0	36.7	21.8	22.7	0 / 10	
Percentage of elective single embryo transfer (eSET)	11.1	0.0	0 / 16	0 / 7	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	22.2	24.2	22.7	3 / 8	0 / 4	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 8	0 / 4	
Percentage of cycles resulting in live births	52.8	45.5	36.4	3 / 8	0 / 4	
Percentage of cycles resulting in pregnancy	55.6	45.5	40.9	3 / 8	1 / 4	
Outcomes per Transfer						
Number of transfers	65	29	19	7	3	0
Percentage of transfers resulting in singleton live births	24.6	27.6	5 / 19	3 / 7	0 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 19	0 / 7	0 / 3	
Percentage of transfers resulting in live births	58.5	51.7	8 / 19	3 / 7	0 / 3	
Percentage of transfers resulting in pregnancy	61.5	51.7	9 / 19	3 / 7	1 / 3	
Outcomes per Pregnancy						
Number of pregnancies	40	15	9	3	1	0
Percentage of pregnancies resulting in singleton live births	40.0	8 / 15	5 / 9	3 / 3	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 15	0 / 9	0 / 3	0 / 1	
Percentage of pregnancies resulting in live births	95.0	15 / 15	8 / 9	3 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	20	11	8	3	1	1
Number of transfers	20	10	8	2	1	1
Average number of embryos transferred	2.2	2.4	2.0	2.5	2.0	2.0
Percentage of embryos transferred resulting in implantation	25.6	37.5	4 / 16	0 / 5	0 / 2	1 / 2
Percentage of transfers resulting in singleton live births	25.0	4 / 10	2 / 8	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 10	0 / 8	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in live births	35.0	6 / 10	3 / 8	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	55.0	6 / 10	4 / 8	1 / 2	0 / 1	1 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	14	22
Number of transfers	13	21
Average number of embryos transferred	2.0	2.3
Percentage of embryos transferred resulting in implantation	53.8	28.6
Percentage of transfers resulting in singleton live births	4 / 13	33.3
Percentage of transfers resulting in live births	8 / 13	47.6
Percentage of transfers resulting in pregnancy	9 / 13	52.4

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Reproductive Medicine of New Mexico

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 7 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE FERTILITY INSTITUTE AT NEW YORK METHODIST HOSPITAL
BROOKLYN, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	68%
Unstimulated	0%	Used PGD	<1%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	58%	Uterine factor	13%	*Multiple Factors:*	
Ovulatory dysfunction	3%	Male factor	13%	Female factors only	34%
Diminished ovarian reserve	28%	Other factor	4%	Female & male factors	8%
Endometriosis	34%	Unknown factor	0%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 363

Data verified by George D. Kofinas, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	40	51	75	49	51	6
Percentage of cancellations	12.5	25.5	30.7	28.6	37.3	2 / 6
Average number of embryos transferred	2.2	2.9	3.1	3.4	3.0	3.0
Percentage of embryos transferred resulting in implantation	25.3	26.7	15.9	8.0	0.0	0 / 9
Percentage of elective single embryo transfer (eSET)	24.2	3.2	0.0	0.0	0.0	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.0	25.5	16.0	6.1	0.0	0 / 6
Percentage of cycles resulting in triplets or more live births	2.5	0.0	0.0	0.0	0.0	0 / 6
Percentage of cycles resulting in live births	35.0	27.5	18.7	6.1	0.0	0 / 6
Percentage of cycles resulting in pregnancy	35.0	41.2	25.3	14.3	0.0	0 / 6
Outcomes per Transfer						
Number of transfers	34	35	47	29	29	3
Percentage of transfers resulting in singleton live births	29.4	37.1	25.5	10.3	0.0	0 / 3
Percentage of transfers resulting in triplets or more live births	2.9	0.0	0.0	0.0	0.0	0 / 3
Percentage of transfers resulting in live births	41.2	40.0	29.8	10.3	0.0	0 / 3
Percentage of transfers resulting in pregnancy	41.2	60.0	40.4	24.1	0.0	0 / 3
Outcomes per Pregnancy						
Number of pregnancies	14	21	19	7	0	0
Percentage of pregnancies resulting in singleton live births	10 / 14	61.9	12 / 19	3 / 7		
Percentage of pregnancies resulting in triplets or more live births	1 / 14	0.0	0 / 19	0 / 7		
Percentage of pregnancies resulting in live births	14 / 14	66.7	14 / 19	3 / 7		
Frozen Embryos from Nondonor Eggs						
Number of cycles	14	14	11	2	2	4
Number of transfers	14	14	11	2	2	4
Average number of embryos transferred	2.1	3.1	2.9	4.0	4.5	3.5
Percentage of embryos transferred resulting in implantation	44.8	23.3	12.5	1 / 8	2 / 9	3 / 14
Percentage of transfers resulting in singleton live births	6 / 14	4 / 14	4 / 11	1 / 2	1 / 2	0 / 4
Percentage of transfers resulting in triplets or more live births	0 / 14	0 / 14	0 / 11	0 / 2	0 / 2	0 / 4
Percentage of transfers resulting in live births	9 / 14	7 / 14	4 / 11	1 / 2	1 / 2	1 / 4
Percentage of transfers resulting in pregnancy	11 / 14	7 / 14	4 / 11	1 / 2	2 / 2	1 / 4

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	21	23
Number of transfers	21	23
Average number of embryos transferred	2.2	2.7
Percentage of embryos transferred resulting in implantation	43.5	9.8
Percentage of transfers resulting in singleton live births	47.6	13.0
Percentage of transfers resulting in live births	61.9	17.4
Percentage of transfers resulting in pregnancy	66.7	26.1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Fertility Institute at New York Methodist Hospital

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 23 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GENESIS FERTILITY & REPRODUCTIVE MEDICINE
BROOKLYN, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	54%
Unstimulated	<1%	Used PGD	5%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	17%	Uterine factor	<1%	*Multiple Factors:*	
Ovulatory dysfunction	11%	Male factor	48%	Female factors only	4%
Diminished ovarian reserve	27%	Other factor	5%	Female & male factors	18%
Endometriosis	3%	Unknown factor	13%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 495 Data verified by Richard V. Grazi, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	156	69	84	51	19	9
Percentage of cancellations	16.7	23.2	19.0	25.5	3 / 19	4 / 9
Average number of embryos transferred	2.0	2.5	2.8	3.6	3.1	4.8
Percentage of embryos transferred resulting in implantation	42.3	23.6	16.8	5.0	4.5	0 / 19
Percentage of elective single embryo transfer (eSET)	9.7	2.2	1.8	0.0	0 / 13	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.7	15.9	11.9	2.0	2 / 19	0 / 9
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 19	0 / 9
Percentage of cycles resulting in live births	39.1	23.2	16.7	2.0	2 / 19	0 / 9
Percentage of cycles resulting in pregnancy	43.6	29.0	22.6	11.8	2 / 19	0 / 9
Outcomes per Transfer						
Number of transfers	120	50	60	34	14	4
Percentage of transfers resulting in singleton live births	30.8	22.0	16.7	2.9	2 / 14	0 / 4
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 14	0 / 4
Percentage of transfers resulting in live births	50.8	32.0	23.3	2.9	2 / 14	0 / 4
Percentage of transfers resulting in pregnancy	56.7	40.0	31.7	17.6	2 / 14	0 / 4
Outcomes per Pregnancy						
Number of pregnancies	68	20	19	6	2	0
Percentage of pregnancies resulting in singleton live births	54.4	55.0	10 / 19	1 / 6	2 / 2	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0 / 19	0 / 6	0 / 2	
Percentage of pregnancies resulting in live births	89.7	80.0	14 / 19	1 / 6	2 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	41	13	7	5	1	1
Number of transfers	39	12	6	5	1	0
Average number of embryos transferred	2.1	2.2	2.3	2.4	2.0	
Percentage of embryos transferred resulting in implantation	33.3	11.5	5 / 14	2 / 12	0 / 2	
Percentage of transfers resulting in singleton live births	30.8	2 / 12	3 / 6	1 / 5	0 / 1	
Percentage of transfers resulting in triplets or more live births	2.6	0 / 12	0 / 6	0 / 5	0 / 1	
Percentage of transfers resulting in live births	38.5	2 / 12	3 / 6	1 / 5	0 / 1	
Percentage of transfers resulting in pregnancy	51.3	3 / 12	4 / 6	2 / 5	0 / 1	

	All Ages Combined[f]	
Donor Eggs	**Fresh Embryos**	**Frozen Embryos**
Number of cycles	26	13
Number of transfers	23	11
Average number of embryos transferred	2.0	2.1
Percentage of embryos transferred resulting in implantation	40.0	21.7
Percentage of transfers resulting in singleton live births	39.1	3 / 11
Percentage of transfers resulting in live births	52.2	4 / 11
Percentage of transfers resulting in pregnancy	60.9	4 / 11

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Genesis Fertility & Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 2 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INFERTILITY & IVF MEDICAL ASSOCIATES OF WESTERN NEW YORK
BUFFALO, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	63%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	26%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	12%	Male factor	36%	Female factors only	4%
Diminished ovarian reserve	8%	Other factor	0%	Female & male factors	6%
Endometriosis	13%	Unknown factor	16%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 337

Data verified by Michael W. Sullivan, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	153	82	42	13	3	0
Percentage of cancellations	11.1	14.6	14.3	2 / 13	1 / 3	
Average number of embryos transferred	2.2	2.6	3.0	3.3	2.5	
Percentage of embryos transferred resulting in implantation	26.7	20.2	13.5	8.3	0 / 5	
Percentage of elective single embryo transfer (eSET)	0.8	1.5	3.3	0 / 11	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	24.8	20.7	16.7	3 / 13	0 / 3	
Percentage of cycles resulting in triplets or more live births	1.3	0.0	2.4	0 / 13	0 / 3	
Percentage of cycles resulting in live births	34.0	29.3	21.4	3 / 13	0 / 3	
Percentage of cycles resulting in pregnancy	38.6	35.4	21.4	3 / 13	0 / 3	
Outcomes per Transfer						
Number of transfers	132	69	32	11	2	0
Percentage of transfers resulting in singleton live births	28.8	24.6	21.9	3 / 11	0 / 2	
Percentage of transfers resulting in triplets or more live births	1.5	0.0	3.1	0 / 11	0 / 2	
Percentage of transfers resulting in live births	39.4	34.8	28.1	3 / 11	0 / 2	
Percentage of transfers resulting in pregnancy	44.7	42.0	28.1	3 / 11	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	59	29	9	3	0	0
Percentage of pregnancies resulting in singleton live births	64.4	58.6	7 / 9	3 / 3		
Percentage of pregnancies resulting in triplets or more live births	3.4	0.0	1 / 9	0 / 3		
Percentage of pregnancies resulting in live births	88.1	82.8	9 / 9	3 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	23	7	3	1	0	0
Number of transfers	22	7	3	1	0	0
Average number of embryos transferred	2.1	1.7	2.3	2.0		
Percentage of embryos transferred resulting in implantation	15.2	4 / 12	2 / 7	0 / 2		
Percentage of transfers resulting in singleton live births	13.6	1 / 7	0 / 3	0 / 1		
Percentage of transfers resulting in triplets or more live births	0.0	1 / 7	0 / 3	0 / 1		
Percentage of transfers resulting in live births	18.2	2 / 7	1 / 3	0 / 1		
Percentage of transfers resulting in pregnancy	18.2	4 / 7	2 / 3	0 / 1		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	8	2
Number of transfers	6	2
Average number of embryos transferred	2.2	2.5
Percentage of embryos transferred resulting in implantation	4 / 13	0 / 5
Percentage of transfers resulting in singleton live births	0 / 6	0 / 2
Percentage of transfers resulting in live births	2 / 6	0 / 2
Percentage of transfers resulting in pregnancy	2 / 6	0 / 2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Infertility & IVF Medical Associates of Western New York

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HUDSON VALLEY FERTILITY, PLLC
FISHKILL, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	95%
Unstimulated	<1%	Used PGD	<1%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	16%	Uterine factor	11%	*Multiple Factors:*	
Ovulatory dysfunction	52%	Male factor	37%	Female factors only	18%
Diminished ovarian reserve	23%	Other factor	5%	Female & male factors	26%
Endometriosis	4%	Unknown factor	2%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 180 Data verified by Daniel W. Levine, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	45	18	25	16	5	2
Percentage of cancellations	2.2	0 / 18	8.0	0 / 16	0 / 5	0 / 2
Average number of embryos transferred	2.1	2.5	2.6	2.5	1.0	3.0
Percentage of embryos transferred resulting in implantation	23.9	14.3	12.8	14.3	0 / 1	0 / 3
Percentage of elective single embryo transfer (eSET)	5.9	0 / 10	0 / 15	0 / 11		0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	17.8	2 / 18	4.0	2 / 16	0 / 5	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0 / 18	0.0	0 / 16	0 / 5	0 / 2
Percentage of cycles resulting in live births	24.4	2 / 18	8.0	3 / 16	0 / 5	0 / 2
Percentage of cycles resulting in pregnancy	28.9	4 / 18	16.0	5 / 16	0 / 5	0 / 2
Outcomes per Transfer						
Number of transfers	34	11	15	11	1	1
Percentage of transfers resulting in singleton live births	23.5	2 / 11	1 / 15	2 / 11	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 11	0 / 15	0 / 11	0 / 1	0 / 1
Percentage of transfers resulting in live births	32.4	2 / 11	2 / 15	3 / 11	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	38.2	4 / 11	4 / 15	5 / 11	0 / 1	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	13	4	4	5	0	0
Percentage of pregnancies resulting in singleton live births	8 / 13	2 / 4	1 / 4	2 / 5		
Percentage of pregnancies resulting in triplets or more live births	0 / 13	0 / 4	0 / 4	0 / 5		
Percentage of pregnancies resulting in live births	11 / 13	2 / 4	2 / 4	3 / 5		
Frozen Embryos from Nondonor Eggs						
Number of cycles	17	12	17	6	7	0
Number of transfers	16	11	15	6	7	0
Average number of embryos transferred	2.4	2.0	2.7	2.2	2.7	
Percentage of embryos transferred resulting in implantation	18.4	45.5	12.5	1 / 13	0 / 19	
Percentage of transfers resulting in singleton live births	6 / 16	3 / 11	1 / 15	1 / 6	0 / 7	
Percentage of transfers resulting in triplets or more live births	0 / 16	1 / 11	0 / 15	0 / 6	0 / 7	
Percentage of transfers resulting in live births	6 / 16	4 / 11	3 / 15	1 / 6	0 / 7	
Percentage of transfers resulting in pregnancy	7 / 16	7 / 11	3 / 15	1 / 6	0 / 7	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	5	5
Number of transfers	2	4
Average number of embryos transferred	2.5	2.0
Percentage of embryos transferred resulting in implantation	2 / 5	0 / 8
Percentage of transfers resulting in singleton live births	0 / 2	0 / 4
Percentage of transfers resulting in live births	1 / 2	0 / 4
Percentage of transfers resulting in pregnancy	1 / 2	0 / 4

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Hudson Valley Fertility, PLLC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 24 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE NEW YORK FERTILITY CENTER
FLUSHING, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	76%
Unstimulated	0%	Used PGD	4%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	16%	Uterine factor	6%	*Multiple Factors:*	
Ovulatory dysfunction	7%	Male factor	12%	Female factors only	5%
Diminished ovarian reserve	2%	Other factor	34%	Female & male factors	0%
Endometriosis	9%	Unknown factor	20%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 199

Data verified by Tony Tsai, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	50	25	41	10	12	21
Percentage of cancellations	6.0	12.0	19.5	0 / 10	3 / 12	23.8
Average number of embryos transferred	3.0	2.5	3.8	1.8	2.6	3.6
Percentage of embryos transferred resulting in implantation	19.7	5.5	4.6	0 / 14	0.0	0.0
Percentage of elective single embryo transfer (eSET)	0.0	0 / 17	0.0	0 / 3	0 / 7	0 / 6
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	16.0	4.0	0.0	0 / 10	0 / 12	0.0
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 10	0 / 12	0.0
Percentage of cycles resulting in live births	26.0	4.0	2.4	0 / 10	0 / 12	0.0
Percentage of cycles resulting in pregnancy	40.0	20.0	9.8	0 / 10	0 / 12	0.0
Outcomes per Transfer						
Number of transfers	45	22	23	8	9	7
Percentage of transfers resulting in singleton live births	17.8	4.5	0.0	0 / 8	0 / 9	0 / 7
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 8	0 / 9	0 / 7
Percentage of transfers resulting in live births	28.9	4.5	4.3	0 / 8	0 / 9	0 / 7
Percentage of transfers resulting in pregnancy	44.4	22.7	17.4	0 / 8	0 / 9	0 / 7
Outcomes per Pregnancy						
Number of pregnancies	20	5	4	0	0	0
Percentage of pregnancies resulting in singleton live births	40.0	1 / 5	0 / 4			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 5	0 / 4			
Percentage of pregnancies resulting in live births	65.0	1 / 5	1 / 4			
Frozen Embryos from Nondonor Eggs						
Number of cycles	19	9	8	0	0	3
Number of transfers	17	8	6	0	0	3
Average number of embryos transferred	3.5	3.3	2.3			3.3
Percentage of embryos transferred resulting in implantation	6.8	7.7	0 / 14			0 / 10
Percentage of transfers resulting in singleton live births	0 / 17	0 / 8	0 / 6			0 / 3
Percentage of transfers resulting in triplets or more live births	0 / 17	0 / 8	0 / 6			0 / 3
Percentage of transfers resulting in live births	1 / 17	0 / 8	0 / 6			0 / 3
Percentage of transfers resulting in pregnancy	4 / 17	1 / 8	0 / 6			0 / 3

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	0	1
Number of transfers	0	1
Average number of embryos transferred		2.0
Percentage of embryos transferred resulting in implantation		0 / 2
Percentage of transfers resulting in singleton live births		0 / 1
Percentage of transfers resulting in live births		0 / 1
Percentage of transfers resulting in pregnancy		0 / 1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The New York Fertility Center

Donor egg?	Yes	Gestational carriers?	No	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MONTEFIORE'S INSTITUTE FOR REPRODUCTIVE MEDICINE AND HEALTH
HARTSDALE, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	68%
Unstimulated	1%	Used PGD	2%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	26%	Uterine factor	8%	*Multiple Factors:*	
Ovulatory dysfunction	17%	Male factor	29%	Female factors only	18%
Diminished ovarian reserve	36%	Other factor	9%	Female & male factors	16%
Endometriosis	7%	Unknown factor	10%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 188 Data verified by Harry J. Lieman, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	31	32	39	23	9	15
Percentage of cancellations	3.2	6.3	15.4	17.4	4 / 9	3 / 15
Average number of embryos transferred	2.0	2.4	2.7	3.5	2.2	3.4
Percentage of embryos transferred resulting in implantation	21.8	26.1	14.9	10.7	1 / 11	0.0
Percentage of elective single embryo transfer (eSET)	11.5	3.4	0.0	0 / 14	0 / 3	0 / 10
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	32.3	28.1	12.8	8.7	1 / 9	0 / 15
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 9	0 / 15
Percentage of cycles resulting in live births	35.5	37.5	17.9	13.0	1 / 9	0 / 15
Percentage of cycles resulting in pregnancy	35.5	43.8	28.2	13.0	1 / 9	1 / 15
Outcomes per Transfer						
Number of transfers	28	29	32	16	5	11
Percentage of transfers resulting in singleton live births	35.7	31.0	15.6	2 / 16	1 / 5	0 / 11
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 16	0 / 5	0 / 11
Percentage of transfers resulting in live births	39.3	41.4	21.9	3 / 16	1 / 5	0 / 11
Percentage of transfers resulting in pregnancy	39.3	48.3	34.4	3 / 16	1 / 5	1 / 11
Outcomes per Pregnancy						
Number of pregnancies	11	14	11	3	1	1
Percentage of pregnancies resulting in singleton live births	10 / 11	9 / 14	5 / 11	2 / 3	1 / 1	0 / 1
Percentage of pregnancies resulting in triplets or more live births	0 / 11	0 / 14	0 / 11	0 / 3	0 / 1	0 / 1
Percentage of pregnancies resulting in live births	11 / 11	12 / 14	7 / 11	3 / 3	1 / 1	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	10	7	3	4	2	0
Number of transfers	10	6	3	1	2	0
Average number of embryos transferred	1.7	1.8	2.0	2.0	2.0	
Percentage of embryos transferred resulting in implantation	4 / 17	0 / 11	0 / 6	0 / 2	2 / 4	
Percentage of transfers resulting in singleton live births	4 / 10	0 / 6	0 / 3	0 / 1	1 / 2	
Percentage of transfers resulting in triplets or more live births	0 / 10	0 / 6	0 / 3	0 / 1	0 / 2	
Percentage of transfers resulting in live births	4 / 10	0 / 6	0 / 3	0 / 1	1 / 2	
Percentage of transfers resulting in pregnancy	4 / 10	0 / 6	0 / 3	0 / 1	1 / 2	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	6	7
Number of transfers	4	6
Average number of embryos transferred	2.3	2.0
Percentage of embryos transferred resulting in implantation	6 / 9	0 / 12
Percentage of transfers resulting in singleton live births	1 / 4	0 / 6
Percentage of transfers resulting in live births	3 / 4	0 / 6
Percentage of transfers resulting in pregnancy	3 / 4	0 / 6

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Montefiore's Institute for Reproductive Medicine and Health

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ALBANY IVF FERTILITY
LOUDONVILLE, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	64%
Unstimulated	<1%	Used PGD	<1%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	15%	Uterine factor	1%	*Multiple Factors:*	
Ovulatory dysfunction	11%	Male factor	29%	Female factors only	15%
Diminished ovarian reserve	59%	Other factor	2%	Female & male factors	18%
Endometriosis	7%	Unknown factor	11%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 175

Data verified by Peter M. Horvath, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	65	31	30	6	6	0
Percentage of cancellations	10.8	16.1	13.3	0 / 6	1 / 6	
Average number of embryos transferred	2.0	2.3	3.0	3.4	2.8	
Percentage of embryos transferred resulting in implantation	33.9	38.9	17.6	1 / 17	0 / 11	
Percentage of elective single embryo transfer (eSET)	2.2	5.0	0.0	0 / 4	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	21.5	22.6	23.3	1 / 6	0 / 6	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 6	0 / 6	
Percentage of cycles resulting in live births	35.4	38.7	33.3	1 / 6	0 / 6	
Percentage of cycles resulting in pregnancy	38.5	48.4	40.0	1 / 6	0 / 6	
Outcomes per Transfer						
Number of transfers	54	24	25	5	4	0
Percentage of transfers resulting in singleton live births	25.9	29.2	28.0	1 / 5	0 / 4	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 5	0 / 4	
Percentage of transfers resulting in live births	42.6	50.0	40.0	1 / 5	0 / 4	
Percentage of transfers resulting in pregnancy	46.3	62.5	48.0	1 / 5	0 / 4	
Outcomes per Pregnancy						
Number of pregnancies	25	15	12	1	0	0
Percentage of pregnancies resulting in singleton live births	56.0	7 / 15	7 / 12	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 15	0 / 12	0 / 1		
Percentage of pregnancies resulting in live births	92.0	12 / 15	10 / 12	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	11	1	2	0	1	0
Number of transfers	11	1	2	0	1	0
Average number of embryos transferred	2.3	2.0	2.0		1.0	
Percentage of embryos transferred resulting in implantation	16.0	0 / 2	1 / 4		0 / 1	
Percentage of transfers resulting in singleton live births	2 / 11	0 / 1	1 / 2		0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 11	0 / 1	0 / 2		0 / 1	
Percentage of transfers resulting in live births	3 / 11	0 / 1	1 / 2		0 / 1	
Percentage of transfers resulting in pregnancy	3 / 11	0 / 1	1 / 2		0 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	17	5
Number of transfers	17	5
Average number of embryos transferred	2.0	2.2
Percentage of embryos transferred resulting in implantation	38.2	1 / 11
Percentage of transfers resulting in singleton live births	4 / 17	1 / 5
Percentage of transfers resulting in live births	8 / 17	1 / 5
Percentage of transfers resulting in pregnancy	8 / 17	1 / 5

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Albany IVF Fertility

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTH SHORE UNIVERSITY HOSPITAL
CENTER FOR HUMAN REPRODUCTION
MANHASSET, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	87%
Unstimulated	0%	Used PGD	9%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	15%	Uterine factor	<1%	*Multiple Factors:*	
Ovulatory dysfunction	13%	Male factor	29%	Female factors only	3%
Diminished ovarian reserve	20%	Other factor	9%	Female & male factors	9%
Endometriosis	7%	Unknown factor	20%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 726

Data verified by Avner Hershlag, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	196	111	104	49	15	1
Percentage of cancellations	5.6	5.4	15.4	6.1	0 / 15	1 / 1
Average number of embryos transferred	2.0	2.3	2.9	3.7	3.3	
Percentage of embryos transferred resulting in implantation	38.4	23.2	15.1	9.9	5.1	
Percentage of elective single embryo transfer (eSET)	9.2	4.4	0.0	0.0	0 / 9	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.0	31.5	17.3	26.5	2 / 15	0 / 1
Percentage of cycles resulting in triplets or more live births	1.5	0.0	1.0	0.0	0 / 15	0 / 1
Percentage of cycles resulting in live births	43.4	36.0	21.2	26.5	2 / 15	0 / 1
Percentage of cycles resulting in pregnancy	48.5	43.2	26.9	34.7	2 / 15	0 / 1
Outcomes per Transfer						
Number of transfers	178	99	83	44	12	0
Percentage of transfers resulting in singleton live births	28.7	35.4	21.7	29.5	2 / 12	
Percentage of transfers resulting in triplets or more live births	1.7	0.0	1.2	0.0	0 / 12	
Percentage of transfers resulting in live births	47.8	40.4	26.5	29.5	2 / 12	
Percentage of transfers resulting in pregnancy	53.4	48.5	33.7	38.6	2 / 12	
Outcomes per Pregnancy						
Number of pregnancies	95	48	28	17	2	0
Percentage of pregnancies resulting in singleton live births	53.7	72.9	64.3	13 / 17	2 / 2	
Percentage of pregnancies resulting in triplets or more live births	3.2	0.0	3.6	0 / 17	0 / 2	
Percentage of pregnancies resulting in live births	89.5	83.3	78.6	13 / 17	2 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	82	40	34	15	7	1
Number of transfers	82	39	34	15	7	1
Average number of embryos transferred	2.1	2.5	2.5	2.4	3.4	1.0
Percentage of embryos transferred resulting in implantation	24.1	11.3	15.5	0.0	8.3	1 / 1
Percentage of transfers resulting in singleton live births	30.5	17.9	29.4	0 / 15	1 / 7	1 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 15	0 / 7	0 / 1
Percentage of transfers resulting in live births	37.8	20.5	29.4	0 / 15	1 / 7	1 / 1
Percentage of transfers resulting in pregnancy	41.5	33.3	44.1	3 / 15	2 / 7	1 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	32	39
Number of transfers	30	39
Average number of embryos transferred	2.0	2.3
Percentage of embryos transferred resulting in implantation	54.2	12.1
Percentage of transfers resulting in singleton live births	26.7	17.9
Percentage of transfers resulting in live births	60.0	23.1
Percentage of transfers resulting in pregnancy	70.0	25.6

CURRENT CLINIC SERVICES AND PROFILE

Current Name: North Shore University Hospital, Center for Human Reproduction

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 12 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

LONG ISLAND IVF
MELVILLE, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	82%
Unstimulated	0%	Used PGD	6%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	19%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	5%	Male factor	31%	Female factors only	6%
Diminished ovarian reserve	19%	Other factor	4%	Female & male factors	12%
Endometriosis	11%	Unknown factor	28%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 613 Data verified by Daniel Kenigsberg, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	119	75	88	44	24	9
Percentage of cancellations	2.5	12.0	8.0	9.1	33.3	3 / 9
Average number of embryos transferred	2.0	2.1	2.6	3.0	2.9	2.2
Percentage of embryos transferred resulting in implantation	41.3	36.7	23.2	15.3	5.0	0 / 13
Percentage of elective single embryo transfer (eSET)	6.6	8.8	1.5	0.0	0 / 13	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	33.6	26.7	14.8	15.9	0.0	0 / 9
Percentage of cycles resulting in triplets or more live births	0.0	1.3	0.0	0.0	0.0	0 / 9
Percentage of cycles resulting in live births	49.6	40.0	25.0	20.5	0.0	0 / 9
Percentage of cycles resulting in pregnancy	59.7	45.3	38.6	36.4	8.3	0 / 9
Outcomes per Transfer						
Number of transfers	112	60	74	39	14	6
Percentage of transfers resulting in singleton live births	35.7	33.3	17.6	17.9	0 / 14	0 / 6
Percentage of transfers resulting in triplets or more live births	0.0	1.7	0.0	0.0	0 / 14	0 / 6
Percentage of transfers resulting in live births	52.7	50.0	29.7	23.1	0 / 14	0 / 6
Percentage of transfers resulting in pregnancy	63.4	56.7	45.9	41.0	2 / 14	0 / 6
Outcomes per Pregnancy						
Number of pregnancies	71	34	34	16	2	0
Percentage of pregnancies resulting in singleton live births	56.3	58.8	38.2	7 / 16	0 / 2	
Percentage of pregnancies resulting in triplets or more live births	0.0	2.9	0.0	0 / 16	0 / 2	
Percentage of pregnancies resulting in live births	83.1	88.2	64.7	9 / 16	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	51	31	38	14	6	2
Number of transfers	50	30	38	14	6	2
Average number of embryos transferred	1.9	2.0	2.4	2.8	3.0	2.0
Percentage of embryos transferred resulting in implantation	28.4	30.5	13.3	12.8	1 / 18	1 / 4
Percentage of transfers resulting in singleton live births	34.0	40.0	15.8	1 / 14	1 / 6	1 / 2
Percentage of transfers resulting in triplets or more live births	2.0	0.0	0.0	0 / 14	0 / 6	0 / 2
Percentage of transfers resulting in live births	40.0	43.3	21.1	2 / 14	1 / 6	1 / 2
Percentage of transfers resulting in pregnancy	46.0	53.3	31.6	5 / 14	1 / 6	1 / 2

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	57	55
Number of transfers	53	55
Average number of embryos transferred	2.0	1.9
Percentage of embryos transferred resulting in implantation	41.0	22.3
Percentage of transfers resulting in singleton live births	37.7	23.6
Percentage of transfers resulting in live births	54.7	30.9
Percentage of transfers resulting in pregnancy	62.3	38.2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Long Island IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 2 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE SPECIALISTS OF NEW YORK
MINEOLA, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	47%
Unstimulated	6%	Used PGD	4%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	15%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	14%	Male factor	40%	Female factors only	13%
Diminished ovarian reserve	15%	Other factor	29%	Female & male factors	18%
Endometriosis	6%	Unknown factor	16%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 1339

Data verified by James Stelling, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	277	184	250	165	93	54
Percentage of cancellations	0.4	3.8	1.2	4.8	0.0	5.6
Average number of embryos transferred	1.8	1.9	2.4	3.1	2.9	2.4
Percentage of embryos transferred resulting in implantation	28.6	18.6	10.9	5.2	2.4	0.0
Percentage of elective single embryo transfer (eSET)	19.7	9.5	5.2	0.9	0.0	0.0
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	22.7	13.0	12.4	3.0	2.2	0.0
Percentage of cycles resulting in triplets or more live births	0.0	0.5	0.0	0.0	0.0	0.0
Percentage of cycles resulting in live births	31.8	17.9	14.8	4.8	2.2	0.0
Percentage of cycles resulting in pregnancy	38.6	25.5	22.4	10.3	6.5	0.0
Outcomes per Transfer						
Number of transfers	260	158	232	133	72	38
Percentage of transfers resulting in singleton live births	24.2	15.2	13.4	3.8	2.8	0.0
Percentage of transfers resulting in triplets or more live births	0.0	0.6	0.0	0.0	0.0	0.0
Percentage of transfers resulting in live births	33.8	20.9	15.9	6.0	2.8	0.0
Percentage of transfers resulting in pregnancy	41.2	29.7	24.1	12.8	8.3	0.0
Outcomes per Pregnancy						
Number of pregnancies	107	47	56	17	6	0
Percentage of pregnancies resulting in singleton live births	58.9	51.1	55.4	5 / 17	2 / 6	
Percentage of pregnancies resulting in triplets or more live births	0.0	2.1	0.0	0 / 17	0 / 6	
Percentage of pregnancies resulting in live births	82.2	70.2	66.1	8 / 17	2 / 6	
Frozen Embryos from Nondonor Eggs						
Number of cycles	138	55	58	14	4	3
Number of transfers	137	53	55	12	3	3
Average number of embryos transferred	1.6	1.7	1.5	2.0	1.3	2.0
Percentage of embryos transferred resulting in implantation	26.7	23.9	22.4	25.0	1 / 4	0 / 6
Percentage of transfers resulting in singleton live births	21.9	13.2	12.7	4 / 12	1 / 3	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 12	0 / 3	0 / 3
Percentage of transfers resulting in live births	27.0	18.9	16.4	5 / 12	1 / 3	0 / 3
Percentage of transfers resulting in pregnancy	38.0	41.5	29.1	5 / 12	1 / 3	0 / 3

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	23	21
Number of transfers	21	21
Average number of embryos transferred	2.0	1.9
Percentage of embryos transferred resulting in implantation	36.6	15.4
Percentage of transfers resulting in singleton live births	33.3	9.5
Percentage of transfers resulting in live births	47.6	19.0
Percentage of transfers resulting in pregnancy	57.1	28.6

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2011. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 52 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WESTCHESTER REPRODUCTIVE MEDICINE
MT. KISCO, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	61%
Unstimulated	0%	Used PGD	11%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	31%	Uterine factor	10%	*Multiple Factors:*	
Ovulatory dysfunction	14%	Male factor	59%	Female factors only	14%
Diminished ovarian reserve	28%	Other factor	10%	Female & male factors	38%
Endometriosis	10%	Unknown factor	3%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 29

Data verified by Rachel A. Bennett, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	8	8	6	2	2	2
Percentage of cancellations	2 / 8	1 / 8	1 / 6	0 / 2	0 / 2	0 / 2
Average number of embryos transferred	2.0	2.3	2.2	3.5	2.0	5.0
Percentage of embryos transferred resulting in implantation	3 / 8	6 / 14	2 / 11	0 / 7	0 / 2	0 / 10
Percentage of elective single embryo transfer (eSET)	1 / 4	0 / 5	0 / 4	0 / 2	0 / 1	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	1 / 8	3 / 8	2 / 6	0 / 2	0 / 2	0 / 2
Percentage of cycles resulting in triplets or more live births	0 / 8	0 / 8	0 / 6	0 / 2	0 / 2	0 / 2
Percentage of cycles resulting in live births	2 / 8	4 / 8	2 / 6	0 / 2	0 / 2	0 / 2
Percentage of cycles resulting in pregnancy	2 / 8	5 / 8	2 / 6	2 / 2	0 / 2	0 / 2
Outcomes per Transfer						
Number of transfers	4	6	5	2	1	2
Percentage of transfers resulting in singleton live births	1 / 4	3 / 6	2 / 5	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 6	0 / 5	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in live births	2 / 4	4 / 6	2 / 5	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in pregnancy	2 / 4	5 / 6	2 / 5	2 / 2	0 / 1	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	2	5	2	2	0	0
Percentage of pregnancies resulting in singleton live births	1 / 2	3 / 5	2 / 2	0 / 2		
Percentage of pregnancies resulting in triplets or more live births	0 / 2	0 / 5	0 / 2	0 / 2		
Percentage of pregnancies resulting in live births	2 / 2	4 / 5	2 / 2	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	0	0	1	0	0
Number of transfers	0	0	0	1	0	0
Average number of embryos transferred				3.0		
Percentage of embryos transferred resulting in implantation				0 / 3		
Percentage of transfers resulting in singleton live births				0 / 1		
Percentage of transfers resulting in triplets or more live births				0 / 1		
Percentage of transfers resulting in live births				0 / 1		
Percentage of transfers resulting in pregnancy				0 / 1		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation		
Percentage of transfers resulting in singleton live births		
Percentage of transfers resulting in live births		
Percentage of transfers resulting in pregnancy		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Westchester Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY SERVICES
NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	86%
Unstimulated	0%	Used PGD	2%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	22%	Uterine factor	<1%	*Multiple Factors:*	
Ovulatory dysfunction	10%	Male factor	14%	Female factors only	3%
Diminished ovarian reserve	27%	Other factor	13%	Female & male factors	3%
Endometriosis	2%	Unknown factor	19%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 312 Data verified by Hugh D. Melnick, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	71	31	61	31	38	9
Percentage of cancellations	8.5	16.1	11.5	9.7	10.5	4 / 9
Average number of embryos transferred	2.4	2.3	3.0	2.9	3.2	4.0
Percentage of embryos transferred resulting in implantation	22.7	15.5	8.9	3.9	1.1	0 / 16
Percentage of elective single embryo transfer (eSET)	1.8	4.8	0.0	0.0	0.0	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	19.7	12.9	9.8	9.7	2.6	0 / 9
Percentage of cycles resulting in triplets or more live births	1.4	0.0	0.0	0.0	0.0	0 / 9
Percentage of cycles resulting in live births	25.4	19.4	13.1	9.7	2.6	0 / 9
Percentage of cycles resulting in pregnancy	29.6	25.8	18.0	12.9	5.3	0 / 9
Outcomes per Transfer						
Number of transfers	59	25	49	26	30	4
Percentage of transfers resulting in singleton live births	23.7	16.0	12.2	11.5	3.3	0 / 4
Percentage of transfers resulting in triplets or more live births	1.7	0.0	0.0	0.0	0.0	0 / 4
Percentage of transfers resulting in live births	30.5	24.0	16.3	11.5	3.3	0 / 4
Percentage of transfers resulting in pregnancy	35.6	32.0	22.4	15.4	6.7	0 / 4
Outcomes per Pregnancy						
Number of pregnancies	21	8	11	4	2	0
Percentage of pregnancies resulting in singleton live births	66.7	4 / 8	6 / 11	3 / 4	1 / 2	
Percentage of pregnancies resulting in triplets or more live births	4.8	0 / 8	0 / 11	0 / 4	0 / 2	
Percentage of pregnancies resulting in live births	85.7	6 / 8	8 / 11	3 / 4	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	13	4	5	2	0	1
Number of transfers	13	4	5	2	0	1
Average number of embryos transferred	2.1	3.3	2.6	1.5		2.0
Percentage of embryos transferred resulting in implantation	11.1	1 / 13	4 / 13	0 / 3		0 / 2
Percentage of transfers resulting in singleton live births	1 / 13	1 / 4	1 / 5	0 / 2		0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 13	0 / 4	0 / 5	0 / 2		0 / 1
Percentage of transfers resulting in live births	2 / 13	1 / 4	2 / 5	0 / 2		0 / 1
Percentage of transfers resulting in pregnancy	2 / 13	1 / 4	3 / 5	0 / 2		0 / 1

	All Ages Combined[f]	
Donor Eggs	**Fresh Embryos**	**Frozen Embryos**
Number of cycles	13	33
Number of transfers	13	33
Average number of embryos transferred	2.1	2.5
Percentage of embryos transferred resulting in implantation	14.8	10.8
Percentage of transfers resulting in singleton live births	4 / 13	9.1
Percentage of transfers resulting in live births	4 / 13	18.2
Percentage of transfers resulting in pregnancy	4 / 13	21.2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Fertility Services

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 38 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

AMERICAN FERTILITY SERVICES, PC
NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	39%
Unstimulated	3%	Used PGD	2%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	12%	Uterine factor	<1%	*Multiple Factors:*	
Ovulatory dysfunction	4%	Male factor	7%	Female factors only	7%
Diminished ovarian reserve	34%	Other factor	13%	Female & male factors	2%
Endometriosis	4%	Unknown factor	34%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 122 Data verified by Andrew Loucopoulos, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	23	15	25	18	6	2
Percentage of cancellations	13.0	2 / 15	4.0	3 / 18	5 / 6	2 / 2
Average number of embryos transferred	2.0	2.0	2.6	2.5	3.0	
Percentage of embryos transferred resulting in implantation	9.4	15.0	13.0	9.4	0 / 3	
Percentage of elective single embryo transfer (eSET)	1 / 15	1 / 8	0 / 15	0 / 10	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	13.0	3 / 15	20.0	2 / 18	0 / 6	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0 / 15	0.0	0 / 18	0 / 6	0 / 2
Percentage of cycles resulting in live births	13.0	3 / 15	20.0	2 / 18	0 / 6	0 / 2
Percentage of cycles resulting in pregnancy	13.0	3 / 15	20.0	5 / 18	1 / 6	0 / 2
Outcomes per Transfer						
Number of transfers	16	10	18	13	1	0
Percentage of transfers resulting in singleton live births	3 / 16	3 / 10	5 / 18	2 / 13	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 16	0 / 10	0 / 18	0 / 13	0 / 1	
Percentage of transfers resulting in live births	3 / 16	3 / 10	5 / 18	2 / 13	0 / 1	
Percentage of transfers resulting in pregnancy	3 / 16	3 / 10	5 / 18	5 / 13	1 / 1	
Outcomes per Pregnancy						
Number of pregnancies	3	3	5	5	1	0
Percentage of pregnancies resulting in singleton live births	3 / 3	3 / 3	5 / 5	2 / 5	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 3	0 / 3	0 / 5	0 / 5	0 / 1	
Percentage of pregnancies resulting in live births	3 / 3	3 / 3	5 / 5	2 / 5	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	3	4	3	1	1
Number of transfers	2	3	4	3	0	1
Average number of embryos transferred	1.5	1.7	1.3	2.3		4.0
Percentage of embryos transferred resulting in implantation	1 / 3	1 / 5	4 / 5	0 / 7		0 / 4
Percentage of transfers resulting in singleton live births	1 / 2	0 / 3	3 / 4	0 / 3		0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 2	0 / 3	0 / 4	0 / 3		0 / 1
Percentage of transfers resulting in live births	1 / 2	0 / 3	3 / 4	0 / 3		0 / 1
Percentage of transfers resulting in pregnancy	1 / 2	1 / 3	4 / 4	0 / 3		0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	6	10
Number of transfers	5	8
Average number of embryos transferred	2.0	2.1
Percentage of embryos transferred resulting in implantation	5 / 10	1 / 17
Percentage of transfers resulting in singleton live births	3 / 5	1 / 8
Percentage of transfers resulting in live births	4 / 5	1 / 8
Percentage of transfers resulting in pregnancy	4 / 5	1 / 8

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2011. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 52 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BETH ISRAEL CENTER FOR INFERTILITY & REPRODUCTIVE HEALTH
NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	78%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	26%	Uterine factor	11%	*Multiple Factors:*	
Ovulatory dysfunction	15%	Male factor	56%	Female factors only	12%
Diminished ovarian reserve	34%	Other factor	0%	Female & male factors	36%
Endometriosis	4%	Unknown factor	7%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 170 Data verified by Peter Chang, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	36	13	32	24	15	0
Percentage of cancellations	11.1	2 / 13	21.9	25.0	5 / 15	
Average number of embryos transferred	2.5	2.7	3.4	3.6	3.9	
Percentage of embryos transferred resulting in implantation	30.8	8.3	17.1	1.5	0.0	
Percentage of elective single embryo transfer (eSET)	0.0	1 / 9	9.5	0 / 18	0 / 9	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	19.4	0 / 13	21.9	0.0	0 / 15	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 13	0.0	0.0	0 / 15	
Percentage of cycles resulting in live births	36.1	1 / 13	28.1	0.0	0 / 15	
Percentage of cycles resulting in pregnancy	36.1	2 / 13	31.3	4.2	1 / 15	
Outcomes per Transfer						
Number of transfers	26	9	24	18	10	0
Percentage of transfers resulting in singleton live births	26.9	0 / 9	29.2	0 / 18	0 / 10	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 9	0.0	0 / 18	0 / 10	
Percentage of transfers resulting in live births	50.0	1 / 9	37.5	0 / 18	0 / 10	
Percentage of transfers resulting in pregnancy	50.0	2 / 9	41.7	1 / 18	1 / 10	
Outcomes per Pregnancy						
Number of pregnancies	13	2	10	1	1	0
Percentage of pregnancies resulting in singleton live births	7 / 13	0 / 2	7 / 10	0 / 1	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 13	0 / 2	0 / 10	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births	13 / 13	1 / 2	9 / 10	0 / 1	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	26	11	2	2	0	0
Number of transfers	26	11	1	2	0	0
Average number of embryos transferred	2.7	2.9	4.0	4.0		
Percentage of embryos transferred resulting in implantation	26.8	46.9	3 / 4	1 / 8		
Percentage of transfers resulting in singleton live births	30.8	6 / 11	1 / 1	1 / 2		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 11	0 / 1	0 / 2		
Percentage of transfers resulting in live births	42.3	9 / 11	1 / 1	1 / 2		
Percentage of transfers resulting in pregnancy	53.8	11 / 11	1 / 1	1 / 2		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	7	2
Number of transfers	7	2
Average number of embryos transferred	2.0	3.0
Percentage of embryos transferred resulting in implantation	5 / 14	3 / 6
Percentage of transfers resulting in singleton live births	3 / 7	1 / 2
Percentage of transfers resulting in live births	3 / 7	2 / 2
Percentage of transfers resulting in pregnancy	4 / 7	2 / 2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Beth Israel Center for Infertility & Reproductive Health

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BROOKLYN/WESTSIDE FERTILITY CENTER
BROOKLYN FERTILITY CENTER
NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	72%
Unstimulated	3%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	71%	Uterine factor	84%	*Multiple Factors:*	
Ovulatory dysfunction	75%	Male factor	57%	Female factors only	43%
Diminished ovarian reserve	2%	Other factor	0%	Female & male factors	57%
Endometriosis	21%	Unknown factor	0%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 44

Data verified by Dov B. Goldstein, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	10	6	7	4	5	0
Percentage of cancellations	1 / 10	1 / 6	1 / 7	1 / 4	1 / 5	
Average number of embryos transferred	1.8	1.5	1.5	2.5	2.5	
Percentage of embryos transferred resulting in implantation	2 / 16	2 / 6	0 / 6	0 / 5	0 / 5	
Percentage of elective single embryo transfer (eSET)	2 / 9	1 / 2	1 / 3	0 / 2	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	2 / 10	0 / 6	0 / 7	0 / 4	0 / 5	
Percentage of cycles resulting in triplets or more live births	0 / 10	0 / 6	0 / 7	0 / 4	0 / 5	
Percentage of cycles resulting in live births	2 / 10	1 / 6	0 / 7	0 / 4	0 / 5	
Percentage of cycles resulting in pregnancy	2 / 10	1 / 6	0 / 7	0 / 4	0 / 5	
Outcomes per Transfer						
Number of transfers	9	4	4	2	2	0
Percentage of transfers resulting in singleton live births	2 / 9	0 / 4	0 / 4	0 / 2	0 / 2	
Percentage of transfers resulting in triplets or more live births	0 / 9	0 / 4	0 / 4	0 / 2	0 / 2	
Percentage of transfers resulting in live births	2 / 9	1 / 4	0 / 4	0 / 2	0 / 2	
Percentage of transfers resulting in pregnancy	2 / 9	1 / 4	0 / 4	0 / 2	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	2	1	0	0	0	0
Percentage of pregnancies resulting in singleton live births	2 / 2	0 / 1				
Percentage of pregnancies resulting in triplets or more live births	0 / 2	0 / 1				
Percentage of pregnancies resulting in live births	2 / 2	1 / 1				
Frozen Embryos from Nondonor Eggs						
Number of cycles	8	3	0	1	0	0
Number of transfers	8	3	0	1	0	0
Average number of embryos transferred	2.1	2.0		5.0		
Percentage of embryos transferred resulting in implantation	0 / 17	0 / 6		0 / 5		
Percentage of transfers resulting in singleton live births	0 / 8	0 / 3		0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 8	0 / 3		0 / 1		
Percentage of transfers resulting in live births	0 / 8	0 / 3		0 / 1		
Percentage of transfers resulting in pregnancy	0 / 8	1 / 3		0 / 1		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation		
Percentage of transfers resulting in singleton live births		
Percentage of transfers resulting in live births		
Percentage of transfers resulting in pregnancy		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Brooklyn/Westside Fertility Center, Brooklyn Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COLUMBIA UNIVERSITY CENTER FOR WOMEN'S REPRODUCTIVE CARE
NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	56%
Unstimulated	0%	Used PGD	2%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	8%	Uterine factor	1%	*Multiple Factors:*	
Ovulatory dysfunction	7%	Male factor	33%	Female factors only	4%
Diminished ovarian reserve	50%	Other factor	7%	Female & male factors	14%
Endometriosis	2%	Unknown factor	10%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 1794 Data verified by Michael M. Guarnaccia, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	335	267	396	258	162	44
Percentage of cancellations	10.4	11.6	14.6	15.9	24.7	56.8
Average number of embryos transferred	1.9	2.1	2.4	2.9	3.2	2.5
Percentage of embryos transferred resulting in implantation	32.0	19.0	14.2	7.0	3.5	3.3
Percentage of elective single embryo transfer (eSET)	4.4	1.1	0.4	0.0	0.0	0 / 9
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	22.4	19.1	14.1	7.8	3.7	2.3
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0.0
Percentage of cycles resulting in live births	31.9	22.8	17.2	9.3	3.7	2.3
Percentage of cycles resulting in pregnancy	37.9	32.6	20.7	17.1	8.0	2.3
Outcomes per Transfer						
Number of transfers	255	207	263	176	81	12
Percentage of transfers resulting in singleton live births	29.4	24.6	21.3	11.4	7.4	1 / 12
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 12
Percentage of transfers resulting in live births	42.0	29.5	25.9	13.6	7.4	1 / 12
Percentage of transfers resulting in pregnancy	49.8	42.0	31.2	25.0	16.0	1 / 12
Outcomes per Pregnancy						
Number of pregnancies	127	87	82	44	13	1
Percentage of pregnancies resulting in singleton live births	59.1	58.6	68.3	45.5	6 / 13	1 / 1
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 13	0 / 1
Percentage of pregnancies resulting in live births	84.3	70.1	82.9	54.5	6 / 13	1 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	65	45	40	15	8	4
Number of transfers	65	40	38	13	8	3
Average number of embryos transferred	1.9	1.7	1.9	2.1	2.6	1.7
Percentage of embryos transferred resulting in implantation	28.1	30.9	26.0	11.1	9.5	1 / 5
Percentage of transfers resulting in singleton live births	33.8	40.0	21.1	3 / 13	1 / 8	1 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 13	0 / 8	0 / 3
Percentage of transfers resulting in live births	41.5	45.0	31.6	3 / 13	1 / 8	1 / 3
Percentage of transfers resulting in pregnancy	52.3	60.0	47.4	4 / 13	4 / 8	1 / 3

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	100	55
Number of transfers	91	46
Average number of embryos transferred	2.1	1.8
Percentage of embryos transferred resulting in implantation	38.5	23.8
Percentage of transfers resulting in singleton live births	34.1	21.7
Percentage of transfers resulting in live births	51.6	30.4
Percentage of transfers resulting in pregnancy	57.1	41.3

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Columbia University Center for Women's Reproductive Care

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 15 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CONTINUUM REPRODUCTIVE CENTER OF ST. LUKE'S ROOSEVELT HOSPITAL
NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	78%
Unstimulated	0%	Used PGD	5%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	14%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	12%	Male factor	32%	Female factors only	10%
Diminished ovarian reserve	32%	Other factor	7%	Female & male factors	15%
Endometriosis	13%	Unknown factor	13%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 466

Data verified by Martin Keltz, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	101	81	87	66	40	11
Percentage of cancellations	0.0	0.0	3.4	1.5	0.0	1 / 11
Average number of embryos transferred	2.2	2.5	2.9	2.8	3.2	2.7
Percentage of embryos transferred resulting in implantation	26.1	17.6	12.6	3.3	0.9	0 / 19
Percentage of elective single embryo transfer (eSET)	3.6	1.6	0.0	0.0	0.0	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	32.7	17.3	21.8	4.5	2.5	0 / 11
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 11
Percentage of cycles resulting in live births	40.6	25.9	25.3	4.5	2.5	0 / 11
Percentage of cycles resulting in pregnancy	45.5	32.1	31.0	12.1	2.5	0 / 11
Outcomes per Transfer						
Number of transfers	92	72	74	54	33	7
Percentage of transfers resulting in singleton live births	35.9	19.4	25.7	5.6	3.0	0 / 7
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 7
Percentage of transfers resulting in live births	44.6	29.2	29.7	5.6	3.0	0 / 7
Percentage of transfers resulting in pregnancy	50.0	36.1	36.5	14.8	3.0	0 / 7
Outcomes per Pregnancy						
Number of pregnancies	46	26	27	8	1	0
Percentage of pregnancies resulting in singleton live births	71.7	53.8	70.4	3 / 8	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 8	0 / 1	
Percentage of pregnancies resulting in live births	89.1	80.8	81.5	3 / 8	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	21	14	10	5	2	0
Number of transfers	20	14	10	5	2	0
Average number of embryos transferred	2.8	2.5	3.1	2.8	4.5	
Percentage of embryos transferred resulting in implantation	21.8	14.3	6.5	1 / 14	0 / 9	
Percentage of transfers resulting in singleton live births	25.0	1 / 14	1 / 10	0 / 5	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 14	0 / 10	0 / 5	0 / 2	
Percentage of transfers resulting in live births	40.0	3 / 14	1 / 10	0 / 5	0 / 2	
Percentage of transfers resulting in pregnancy	50.0	4 / 14	2 / 10	1 / 5	0 / 2	

	All Ages Combined[f]	
Donor Eggs	**Fresh Embryos**	**Frozen Embryos**
Number of cycles	20	8
Number of transfers	18	8
Average number of embryos transferred	2.1	2.6
Percentage of embryos transferred resulting in implantation	28.9	14.3
Percentage of transfers resulting in singleton live births	8 / 18	1 / 8
Percentage of transfers resulting in live births	9 / 18	2 / 8
Percentage of transfers resulting in pregnancy	11 / 18	2 / 8

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Continuum Reproductive Center of St. Luke's Roosevelt Hospital

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF NEW YORK
NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	100%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	20%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	40%	Male factor	0%	Female factors only	0%
Diminished ovarian reserve	0%	Other factor	0%	Female & male factors	0%
Endometriosis	0%	Unknown factor	40%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 5

Data verified by Satwant K. Dhamoon, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	2	0	0	1	0	0
Percentage of cancellations	0 / 2			0 / 1		
Average number of embryos transferred	3.0			2.0		
Percentage of embryos transferred resulting in implantation	2 / 3			0 / 2		
Percentage of elective single embryo transfer (eSET)	0 / 1			0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	0 / 2			0 / 1		
Percentage of cycles resulting in triplets or more live births	0 / 2			0 / 1		
Percentage of cycles resulting in live births	1 / 2			0 / 1		
Percentage of cycles resulting in pregnancy	1 / 2			0 / 1		
Outcomes per Transfer						
Number of transfers	1	0	0	1	0	0
Percentage of transfers resulting in singleton live births	0 / 1			0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 1			0 / 1		
Percentage of transfers resulting in live births	1 / 1			0 / 1		
Percentage of transfers resulting in pregnancy	1 / 1			0 / 1		
Outcomes per Pregnancy						
Number of pregnancies	1	0	0	0	0	0
Percentage of pregnancies resulting in singleton live births	0 / 1					
Percentage of pregnancies resulting in triplets or more live births	0 / 1					
Percentage of pregnancies resulting in live births	1 / 1					
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	0	0	1	0	0
Number of transfers	1	0	0	1	0	0
Average number of embryos transferred	3.0			2.0		
Percentage of embryos transferred resulting in implantation	0 / 3			0 / 2		
Percentage of transfers resulting in singleton live births	0 / 1			0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 1			0 / 1		
Percentage of transfers resulting in live births	0 / 1			0 / 1		
Percentage of transfers resulting in pregnancy	0 / 1			0 / 1		

	All Ages Combined[f]	
Donor Eggs	**Fresh Embryos**	**Frozen Embryos**
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation		
Percentage of transfers resulting in singleton live births		
Percentage of transfers resulting in live births		
Percentage of transfers resulting in pregnancy		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: IVF New York

Donor egg?	Yes	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MANHATTAN REPRODUCTIVE MEDICINE
NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	94%
Unstimulated	2%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	100%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	4%	Male factor	98%	Female factors only	2%
Diminished ovarian reserve	61%	Other factor	0%	Female & male factors	98%
Endometriosis	5%	Unknown factor	0%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 86

Data verified by Hanna Jesionowska, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	29	5	10	4	2	2
Percentage of cancellations	0.0	0 / 5	0 / 10	1 / 4	1 / 2	1 / 2
Average number of embryos transferred	3.1	3.2	3.7	3.7	1.0	3.0
Percentage of embryos transferred resulting in implantation	31.1	6 / 16	8.1	1 / 11	0 / 1	0 / 3
Percentage of elective single embryo transfer (eSET)	0.0	0 / 5	0 / 9	0 / 2		0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	17.2	1 / 5	2 / 10	1 / 4	0 / 2	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0 / 5	0 / 10	0 / 4	0 / 2	0 / 2
Percentage of cycles resulting in live births	41.4	3 / 5	2 / 10	1 / 4	0 / 2	0 / 2
Percentage of cycles resulting in pregnancy	55.2	4 / 5	3 / 10	1 / 4	0 / 2	0 / 2
Outcomes per Transfer						
Number of transfers	29	5	10	3	1	1
Percentage of transfers resulting in singleton live births	17.2	1 / 5	2 / 10	1 / 3	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 5	0 / 10	0 / 3	0 / 1	0 / 1
Percentage of transfers resulting in live births	41.4	3 / 5	2 / 10	1 / 3	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	55.2	4 / 5	3 / 10	1 / 3	0 / 1	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	16	4	3	1	0	0
Percentage of pregnancies resulting in singleton live births	5 / 16	1 / 4	2 / 3	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 16	0 / 4	0 / 3	0 / 1		
Percentage of pregnancies resulting in live births	12 / 16	3 / 4	2 / 3	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	1	0	0	0	0
Number of transfers	2	1	0	0	0	0
Average number of embryos transferred	4.0	4.0				
Percentage of embryos transferred resulting in implantation	0 / 8	1 / 4				
Percentage of transfers resulting in singleton live births	0 / 2	0 / 1				
Percentage of transfers resulting in triplets or more live births	0 / 2	0 / 1				
Percentage of transfers resulting in live births	0 / 2	0 / 1				
Percentage of transfers resulting in pregnancy	0 / 2	1 / 1				

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	28	3
Number of transfers	28	3
Average number of embryos transferred	3.6	3.0
Percentage of embryos transferred resulting in implantation	31.0	1 / 9
Percentage of transfers resulting in singleton live births	14.3	1 / 3
Percentage of transfers resulting in live births	46.4	1 / 3
Percentage of transfers resulting in pregnancy	60.7	1 / 3

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Manhattan Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MEDICAL OFFICES FOR HUMAN REPRODUCTION
CENTER FOR HUMAN REPRODUCTION (CHR)
NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	70%
Unstimulated	<1%	Used PGD	12%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	16%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	8%	Male factor	17%	Female factors only	19%
Diminished ovarian reserve	64%	Other factor	23%	Female & male factors	15%
Endometriosis	7%	Unknown factor	2%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 440 Data verified by Norbert Gleicher, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	63	33	87	42	57	38
Percentage of cancellations	4.8	9.1	17.2	21.4	22.8	36.8
Average number of embryos transferred	2.2	2.0	2.6	2.6	2.8	2.7
Percentage of embryos transferred resulting in implantation	22.1	15.7	7.6	2.7	2.4	2.9
Percentage of elective single embryo transfer (eSET)	4.3	2 / 18	0.0	0.0	0.0	0 / 8
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	22.2	15.2	9.2	4.8	3.5	2.6
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0.0
Percentage of cycles resulting in live births	28.6	18.2	10.3	4.8	3.5	2.6
Percentage of cycles resulting in pregnancy	33.3	24.2	13.8	9.5	3.5	2.6
Outcomes per Transfer						
Number of transfers	52	25	56	29	29	13
Percentage of transfers resulting in singleton live births	26.9	20.0	14.3	6.9	6.9	1 / 13
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 13
Percentage of transfers resulting in live births	34.6	24.0	16.1	6.9	6.9	1 / 13
Percentage of transfers resulting in pregnancy	40.4	32.0	21.4	13.8	6.9	1 / 13
Outcomes per Pregnancy						
Number of pregnancies	21	8	12	4	2	1
Percentage of pregnancies resulting in singleton live births	66.7	5 / 8	8 / 12	2 / 4	2 / 2	1 / 1
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 8	0 / 12	0 / 4	0 / 2	0 / 1
Percentage of pregnancies resulting in live births	85.7	6 / 8	9 / 12	2 / 4	2 / 2	1 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	21	11	11	6	2	3
Number of transfers	21	9	10	6	2	3
Average number of embryos transferred	2.3	2.3	2.7	2.7	2.0	2.7
Percentage of embryos transferred resulting in implantation	14.6	14.3	3.7	3 / 16	0 / 4	1 / 8
Percentage of transfers resulting in singleton live births	19.0	3 / 9	1 / 10	1 / 6	0 / 2	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0 / 9	0 / 10	0 / 6	0 / 2	0 / 3
Percentage of transfers resulting in live births	23.8	3 / 9	1 / 10	2 / 6	0 / 2	0 / 3
Percentage of transfers resulting in pregnancy	38.1	3 / 9	1 / 10	2 / 6	0 / 2	1 / 3

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	42	24
Number of transfers	39	24
Average number of embryos transferred	2.1	2.5
Percentage of embryos transferred resulting in implantation	30.0	24.6
Percentage of transfers resulting in singleton live births	28.2	33.3
Percentage of transfers resulting in live births	41.0	37.5
Percentage of transfers resulting in pregnancy	46.2	50.0

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Medical Offices for Human Reproduction, Center for Human Reproduction (CHR)

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 39 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

METROPOLITAN REPRODUCTIVE MEDICINE, PC
NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	44%
Unstimulated	0%	Used PGD	4%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	5%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	27%	Male factor	46%	Female factors only	0%
Diminished ovarian reserve	19%	Other factor	8%	Female & male factors	30%
Endometriosis	0%	Unknown factor	24%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 37

Data verified by Susan Lobel, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	8	4	6	4	2	3
Percentage of cancellations	1 / 8	0 / 4	2 / 6	1 / 4	0 / 2	0 / 3
Average number of embryos transferred	1.9	3.0	3.3	5.7	6.0	5.7
Percentage of embryos transferred resulting in implantation	5 / 13	1 / 9	5 / 13	2 / 17	1 / 12	0 / 17
Percentage of elective single embryo transfer (eSET)	0 / 6	0 / 3	0 / 4	0 / 3	0 / 2	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	4 / 8	0 / 4	1 / 6	0 / 4	1 / 2	0 / 3
Percentage of cycles resulting in triplets or more live births	0 / 8	0 / 4	0 / 6	0 / 4	0 / 2	0 / 3
Percentage of cycles resulting in live births	4 / 8	0 / 4	2 / 6	0 / 4	1 / 2	0 / 3
Percentage of cycles resulting in pregnancy	4 / 8	1 / 4	3 / 6	2 / 4	1 / 2	0 / 3
Outcomes per Transfer						
Number of transfers	7	3	4	3	2	3
Percentage of transfers resulting in singleton live births	4 / 7	0 / 3	1 / 4	0 / 3	1 / 2	0 / 3
Percentage of transfers resulting in triplets or more live births	0 / 7	0 / 3	0 / 4	0 / 3	0 / 2	0 / 3
Percentage of transfers resulting in live births	4 / 7	0 / 3	2 / 4	0 / 3	1 / 2	0 / 3
Percentage of transfers resulting in pregnancy	4 / 7	1 / 3	3 / 4	2 / 3	1 / 2	0 / 3
Outcomes per Pregnancy						
Number of pregnancies	4	1	3	2	1	0
Percentage of pregnancies resulting in singleton live births	4 / 4	0 / 1	1 / 3	0 / 2	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 4	0 / 1	0 / 3	0 / 2	0 / 1	
Percentage of pregnancies resulting in live births	4 / 4	0 / 1	2 / 3	0 / 2	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	1	1	0	0	0
Number of transfers	4	1	1	0	0	0
Average number of embryos transferred	1.8	3.0	1.0			
Percentage of embryos transferred resulting in implantation	0 / 7	0 / 3	0 / 1			
Percentage of transfers resulting in singleton live births	0 / 4	0 / 1	0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 1	0 / 1			
Percentage of transfers resulting in live births	0 / 4	0 / 1	0 / 1			
Percentage of transfers resulting in pregnancy	0 / 4	0 / 1	0 / 1			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	2	1
Number of transfers	2	1
Average number of embryos transferred	2.5	3.0
Percentage of embryos transferred resulting in implantation	3 / 5	2 / 3
Percentage of transfers resulting in singleton live births	1 / 2	0 / 1
Percentage of transfers resulting in live births	2 / 2	1 / 1
Percentage of transfers resulting in pregnancy	2 / 2	1 / 1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Metropolitan Reproductive Medicine, PC

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW HOPE FERTILITY CENTER
NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	92%
Unstimulated	50%	Used PGD	3%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	19%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	3%	Male factor	16%	Female factors only	10%
Diminished ovarian reserve	61%	Other factor	9%	Female & male factors	9%
Endometriosis	5%	Unknown factor	6%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 1705

Data verified by John J. Zhang, MD, PhD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	88	74	81	76	86	94
Percentage of cancellations	1.1	0.0	1.2	1.3	1.2	2.1
Average number of embryos transferred	1.2	1.3	1.2	1.3	1.2	1.1
Percentage of embryos transferred resulting in implantation	40.2	33.3	25.0	27.4	10.0	3.7
Percentage of elective single embryo transfer (eSET)	60.0	36.7	51.7	19.0	30.8	6 / 16
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	34.1	20.3	14.8	13.2	4.7	0.0
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0.0
Percentage of cycles resulting in live births	35.2	25.7	14.8	13.2	4.7	0.0
Percentage of cycles resulting in pregnancy	39.8	33.8	28.4	26.3	11.6	5.3
Outcomes per Transfer						
Number of transfers	78	69	75	65	81	72
Percentage of transfers resulting in singleton live births	38.5	21.7	16.0	15.4	4.9	0.0
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0.0
Percentage of transfers resulting in live births	39.7	27.5	16.0	15.4	4.9	0.0
Percentage of transfers resulting in pregnancy	44.9	36.2	30.7	30.8	12.3	6.9
Outcomes per Pregnancy						
Number of pregnancies	35	25	23	20	10	5
Percentage of pregnancies resulting in singleton live births	85.7	60.0	52.2	50.0	4 / 10	0 / 5
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 10	0 / 5
Percentage of pregnancies resulting in live births	88.6	76.0	52.2	50.0	4 / 10	0 / 5
Frozen Embryos from Nondonor Eggs						
Number of cycles	279	178	200	134	111	179
Number of transfers	278	177	199	134	111	177
Average number of embryos transferred	1.2	1.2	1.1	1.1	1.2	1.2
Percentage of embryos transferred resulting in implantation	51.1	48.0	33.3	21.5	16.8	11.7
Percentage of transfers resulting in singleton live births	29.5	27.7	18.6	7.5	6.3	8.5
Percentage of transfers resulting in triplets or more live births	0.4	0.0	0.0	0.0	0.0	0.0
Percentage of transfers resulting in live births	35.3	32.8	20.1	8.2	9.0	9.6
Percentage of transfers resulting in pregnancy	52.2	48.6	34.7	25.4	18.9	13.6

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	16	109
Number of transfers	4	97
Average number of embryos transferred	1.8	1.2
Percentage of embryos transferred resulting in implantation	5 / 7	49.1
Percentage of transfers resulting in singleton live births	3 / 4	34.0
Percentage of transfers resulting in live births	3 / 4	39.2
Percentage of transfers resulting in pregnancy	4 / 4	53.6

CURRENT CLINIC SERVICES AND PROFILE

Current Name: New Hope Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 2516 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW YORK FERTILITY INSTITUTE
NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	92%
Unstimulated	1%	Used PGD	49%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	<1%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	5%	Male factor	13%	Female factors only	2%
Diminished ovarian reserve	27%	Other factor	12%	Female & male factors	2%
Endometriosis	13%	Unknown factor	31%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 121

Data verified by Majid Fateh, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	10	15	21	14	9	4
Percentage of cancellations	0 / 10	0 / 15	4.8	2 / 14	0 / 9	2 / 4
Average number of embryos transferred	3.4	3.3	2.9	3.0	1.8	2.0
Percentage of embryos transferred resulting in implantation	19.4	16.0	12.7	6.1	1 / 11	0 / 4
Percentage of elective single embryo transfer (eSET)	0 / 9	0 / 15	1 / 17	0 / 11	0 / 3	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	2 / 10	6 / 15	28.6	1 / 14	1 / 9	0 / 4
Percentage of cycles resulting in triplets or more live births	0 / 10	0 / 15	0.0	0 / 14	0 / 9	0 / 4
Percentage of cycles resulting in live births	3 / 10	7 / 15	28.6	1 / 14	1 / 9	0 / 4
Percentage of cycles resulting in pregnancy	5 / 10	7 / 15	33.3	2 / 14	1 / 9	0 / 4
Outcomes per Transfer						
Number of transfers	9	15	19	11	6	2
Percentage of transfers resulting in singleton live births	2 / 9	6 / 15	6 / 19	1 / 11	1 / 6	0 / 2
Percentage of transfers resulting in triplets or more live births	0 / 9	0 / 15	0 / 19	0 / 11	0 / 6	0 / 2
Percentage of transfers resulting in live births	3 / 9	7 / 15	6 / 19	1 / 11	1 / 6	0 / 2
Percentage of transfers resulting in pregnancy	5 / 9	7 / 15	7 / 19	2 / 11	1 / 6	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	5	7	7	2	1	0
Percentage of pregnancies resulting in singleton live births	2 / 5	6 / 7	6 / 7	1 / 2	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 5	0 / 7	0 / 7	0 / 2	0 / 1	
Percentage of pregnancies resulting in live births	3 / 5	7 / 7	6 / 7	1 / 2	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	2	4	2	2	2
Number of transfers	4	2	4	2	2	2
Average number of embryos transferred	2.5	4.0	2.0	3.0	3.0	1.5
Percentage of embryos transferred resulting in implantation	2 / 10	2 / 8	0 / 8	0 / 6	1 / 6	0 / 3
Percentage of transfers resulting in singleton live births	0 / 4	1 / 2	0 / 4	0 / 2	0 / 2	0 / 2
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 2	0 / 4	0 / 2	0 / 2	0 / 2
Percentage of transfers resulting in live births	1 / 4	1 / 2	0 / 4	0 / 2	0 / 2	0 / 2
Percentage of transfers resulting in pregnancy	1 / 4	1 / 2	0 / 4	0 / 2	1 / 2	0 / 2

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	5	27
Number of transfers	5	27
Average number of embryos transferred	3.2	3.1
Percentage of embryos transferred resulting in implantation	4 / 16	17.9
Percentage of transfers resulting in singleton live births	2 / 5	48.1
Percentage of transfers resulting in live births	3 / 5	51.9
Percentage of transfers resulting in pregnancy	3 / 5	51.9

CURRENT CLINIC SERVICES AND PROFILE

Current Name: New York Fertility Institute

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 21 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW YORK FERTILITY SERVICES, PC
BATZOFIN FERTILITY SERVICES, PC
NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	86%
Unstimulated	0%	Used PGD	6%
Used gestational carrier	7%		

Patient Diagnosis[b]

Tubal factor	4%	Uterine factor	8%	*Multiple Factors:*	
Ovulatory dysfunction	15%	Male factor	13%	Female factors only	9%
Diminished ovarian reserve	33%	Other factor	23%	Female & male factors	4%
Endometriosis	6%	Unknown factor	12%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 171 Data verified by Joel Batzofin, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	43	18	32	18	6	5
Percentage of cancellations	0.0	0 / 18	0.0	0 / 18	0 / 6	0 / 5
Average number of embryos transferred	2.1	2.2	2.5	2.3	3.0	3.2
Percentage of embryos transferred resulting in implantation	27.6	20.0	13.4	2.8	0 / 15	0 / 16
Percentage of elective single embryo transfer (eSET)	11.8	0 / 15	0.0	1 / 12	0 / 3	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	20.9	1 / 18	9.4	1 / 18	0 / 6	0 / 5
Percentage of cycles resulting in triplets or more live births	0.0	0 / 18	3.1	0 / 18	0 / 6	0 / 5
Percentage of cycles resulting in live births	32.6	3 / 18	15.6	1 / 18	0 / 6	0 / 5
Percentage of cycles resulting in pregnancy	34.9	4 / 18	15.6	1 / 18	0 / 6	0 / 5
Outcomes per Transfer						
Number of transfers	37	16	27	16	5	5
Percentage of transfers resulting in singleton live births	24.3	1 / 16	11.1	1 / 16	0 / 5	0 / 5
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	3.7	0 / 16	0 / 5	0 / 5
Percentage of transfers resulting in live births	37.8	3 / 16	18.5	1 / 16	0 / 5	0 / 5
Percentage of transfers resulting in pregnancy	40.5	4 / 16	18.5	1 / 16	0 / 5	0 / 5
Outcomes per Pregnancy						
Number of pregnancies	15	4	5	1	0	0
Percentage of pregnancies resulting in singleton live births	9 / 15	1 / 4	3 / 5	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 15	0 / 4	1 / 5	0 / 1		
Percentage of pregnancies resulting in live births	14 / 15	3 / 4	5 / 5	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	1	2	0	0	0
Number of transfers	6	1	2	0	0	0
Average number of embryos transferred	2.3	2.0	1.5			
Percentage of embryos transferred resulting in implantation	2 / 14	0 / 2	0 / 3			
Percentage of transfers resulting in singleton live births	2 / 6	0 / 1	0 / 2			
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 1	0 / 2			
Percentage of transfers resulting in live births	2 / 6	0 / 1	0 / 2			
Percentage of transfers resulting in pregnancy	2 / 6	0 / 1	0 / 2			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	29	10
Number of transfers	28	8
Average number of embryos transferred	2.3	2.1
Percentage of embryos transferred resulting in implantation	21.5	6 / 17
Percentage of transfers resulting in singleton live births	17.9	1 / 8
Percentage of transfers resulting in live births	32.1	3 / 8
Percentage of transfers resulting in pregnancy	35.7	4 / 8

CURRENT CLINIC SERVICES AND PROFILE

Current Name: New York Fertility Services, PC, Batzofin Fertility Services, PC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 9 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEWAY MEDICAL
NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	33%
Unstimulated	0%	Used PGD	5%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	20%	Uterine factor	6%	*Multiple Factors:*	
Ovulatory dysfunction	4%	Male factor	7%	Female factors only	2%
Diminished ovarian reserve	26%	Other factor	6%	Female & male factors	0%
Endometriosis	2%	Unknown factor	33%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 55

Data verified by Jesse Hade, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	9	7	9	10	6	1
Percentage of cancellations	0 / 9	1 / 7	0 / 9	3 / 10	1 / 6	0 / 1
Average number of embryos transferred	1.7	2.0	2.1	2.7	1.8	3.0
Percentage of embryos transferred resulting in implantation	8 / 15	3 / 12	3 / 19	2 / 16	2 / 9	0 / 3
Percentage of elective single embryo transfer (eSET)	1 / 7	1 / 5	0 / 6	0 / 5	0 / 2	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	5 / 9	2 / 7	3 / 9	0 / 10	2 / 6	0 / 1
Percentage of cycles resulting in triplets or more live births	0 / 9	0 / 7	0 / 9	0 / 10	0 / 6	0 / 1
Percentage of cycles resulting in live births	6 / 9	2 / 7	3 / 9	1 / 10	2 / 6	0 / 1
Percentage of cycles resulting in pregnancy	7 / 9	2 / 7	3 / 9	1 / 10	2 / 6	0 / 1
Outcomes per Transfer						
Number of transfers	9	6	9	6	5	1
Percentage of transfers resulting in singleton live births	5 / 9	2 / 6	3 / 9	0 / 6	2 / 5	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 9	0 / 6	0 / 9	0 / 6	0 / 5	0 / 1
Percentage of transfers resulting in live births	6 / 9	2 / 6	3 / 9	1 / 6	2 / 5	0 / 1
Percentage of transfers resulting in pregnancy	7 / 9	2 / 6	3 / 9	1 / 6	2 / 5	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	7	2	3	1	2	0
Percentage of pregnancies resulting in singleton live births	5 / 7	2 / 2	3 / 3	0 / 1	2 / 2	
Percentage of pregnancies resulting in triplets or more live births	0 / 7	0 / 2	0 / 3	0 / 1	0 / 2	
Percentage of pregnancies resulting in live births	6 / 7	2 / 2	3 / 3	1 / 1	2 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	3	3	0	0	0
Number of transfers	1	3	3	0	0	0
Average number of embryos transferred	1.0	2.0	2.0			
Percentage of embryos transferred resulting in implantation	0 / 1	2 / 6	0 / 6			
Percentage of transfers resulting in singleton live births	0 / 1	0 / 3	0 / 3			
Percentage of transfers resulting in triplets or more live births	0 / 1	0 / 3	0 / 3			
Percentage of transfers resulting in live births	0 / 1	1 / 3	0 / 3			
Percentage of transfers resulting in pregnancy	0 / 1	2 / 3	1 / 3			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	3	3
Number of transfers	3	3
Average number of embryos transferred	2.3	1.7
Percentage of embryos transferred resulting in implantation	4 / 7	2 / 5
Percentage of transfers resulting in singleton live births	2 / 3	2 / 3
Percentage of transfers resulting in live births	3 / 3	2 / 3
Percentage of transfers resulting in pregnancy	3 / 3	2 / 3

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2011. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 52 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NYU FERTILITY CENTER
NEW YORK UNIVERSITY SCHOOL OF MEDICINE
NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	27%
Unstimulated	<1%	Used PGD	7%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	9%	Uterine factor	12%	*Multiple Factors:*	
Ovulatory dysfunction	9%	Male factor	19%	Female factors only	24%
Diminished ovarian reserve	20%	Other factor	49%	Female & male factors	11%
Endometriosis	9%	Unknown factor	13%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 1440 Data verified by James A. Grifo, MD, PhD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	233	178	256	205	133	45
Percentage of cancellations	8.2	9.0	18.0	23.9	21.8	42.2
Average number of embryos transferred	1.8	2.0	2.3	2.6	3.1	2.9
Percentage of embryos transferred resulting in implantation	34.8	30.0	17.8	11.2	7.5	1.6
Percentage of elective single embryo transfer (eSET)	18.3	9.4	2.7	0.0	0.0	0 / 17
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.9	28.7	16.4	8.3	8.3	0.0
Percentage of cycles resulting in triplets or more live births	0.0	0.6	0.0	0.0	0.0	0.0
Percentage of cycles resulting in live births	36.9	36.0	18.8	10.2	9.0	0.0
Percentage of cycles resulting in pregnancy	43.3	41.0	28.5	17.6	15.8	4.4
Outcomes per Transfer						
Number of transfers	200	154	199	139	96	22
Percentage of transfers resulting in singleton live births	32.5	33.1	21.1	12.2	11.5	0.0
Percentage of transfers resulting in triplets or more live births	0.0	0.6	0.0	0.0	0.0	0.0
Percentage of transfers resulting in live births	43.0	41.6	24.1	15.1	12.5	0.0
Percentage of transfers resulting in pregnancy	50.5	47.4	36.7	25.9	21.9	9.1
Outcomes per Pregnancy						
Number of pregnancies	101	73	73	36	21	2
Percentage of pregnancies resulting in singleton live births	64.4	69.9	57.5	47.2	52.4	0 / 2
Percentage of pregnancies resulting in triplets or more live births	0.0	1.4	0.0	0.0	0.0	0 / 2
Percentage of pregnancies resulting in live births	85.1	87.7	65.8	58.3	57.1	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	89	71	70	30	7	3
Number of transfers	83	65	63	29	7	3
Average number of embryos transferred	1.7	1.7	1.8	1.6	2.0	2.0
Percentage of embryos transferred resulting in implantation	33.3	35.4	27.0	15.2	5 / 14	6 / 6
Percentage of transfers resulting in singleton live births	36.1	33.8	19.0	24.1	3 / 7	2 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 7	0 / 3
Percentage of transfers resulting in live births	42.2	41.5	27.0	24.1	3 / 7	2 / 3
Percentage of transfers resulting in pregnancy	54.2	58.5	42.9	34.5	5 / 7	3 / 3

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	80	40
Number of transfers	77	33
Average number of embryos transferred	1.8	1.6
Percentage of embryos transferred resulting in implantation	56.1	34.6
Percentage of transfers resulting in singleton live births	39.0	33.3
Percentage of transfers resulting in live births	61.0	36.4
Percentage of transfers resulting in pregnancy	74.0	51.5

CURRENT CLINIC SERVICES AND PROFILE

Current Name: NYU Fertility Center, New York University School of Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 507 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

OFFICES FOR FERTILITY AND REPRODUCTIVE MEDICINE
NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	98%
Unstimulated	0%	Used PGD	23%
Used gestational carrier	4%		

Patient Diagnosis[b]

Tubal factor	18%	Uterine factor	12%	*Multiple Factors:*	
Ovulatory dysfunction	26%	Male factor	69%	Female factors only	17%
Diminished ovarian reserve	69%	Other factor	24%	Female & male factors	68%
Endometriosis	9%	Unknown factor	0%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 104 Data verified by Cecilia Schmidt-Sarosi, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	14	6	10	10	6	2
Percentage of cancellations	0 / 14	0 / 6	0 / 10	0 / 10	0 / 6	0 / 2
Average number of embryos transferred	2.0	2.6	2.0	2.3	2.8	1.5
Percentage of embryos transferred resulting in implantation	10.7	3 / 13	5 / 16	2 / 16	1 / 14	0 / 3
Percentage of elective single embryo transfer (eSET)	0 / 11	0 / 5	0 / 6	0 / 6	0 / 3	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	3 / 14	1 / 6	2 / 10	1 / 10	0 / 6	0 / 2
Percentage of cycles resulting in triplets or more live births	0 / 14	0 / 6	0 / 10	0 / 10	0 / 6	0 / 2
Percentage of cycles resulting in live births	3 / 14	2 / 6	3 / 10	1 / 10	0 / 6	0 / 2
Percentage of cycles resulting in pregnancy	4 / 14	2 / 6	4 / 10	3 / 10	1 / 6	0 / 2
Outcomes per Transfer						
Number of transfers	14	5	8	7	5	2
Percentage of transfers resulting in singleton live births	3 / 14	1 / 5	2 / 8	1 / 7	0 / 5	0 / 2
Percentage of transfers resulting in triplets or more live births	0 / 14	0 / 5	0 / 8	0 / 7	0 / 5	0 / 2
Percentage of transfers resulting in live births	3 / 14	2 / 5	3 / 8	1 / 7	0 / 5	0 / 2
Percentage of transfers resulting in pregnancy	4 / 14	2 / 5	4 / 8	3 / 7	1 / 5	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	4	2	4	3	1	0
Percentage of pregnancies resulting in singleton live births	3 / 4	1 / 2	2 / 4	1 / 3	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 4	0 / 2	0 / 4	0 / 3	0 / 1	
Percentage of pregnancies resulting in live births	3 / 4	2 / 2	3 / 4	1 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	10	4	3	0	1
Number of transfers	4	9	4	2	0	1
Average number of embryos transferred	1.3	1.4	2.0	2.0		1.0
Percentage of embryos transferred resulting in implantation	0 / 5	3 / 13	2 / 8	1 / 4		0 / 1
Percentage of transfers resulting in singleton live births	0 / 4	3 / 9	1 / 4	0 / 2		0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 9	0 / 4	0 / 2		0 / 1
Percentage of transfers resulting in live births	0 / 4	3 / 9	1 / 4	0 / 2		0 / 1
Percentage of transfers resulting in pregnancy	1 / 4	4 / 9	2 / 4	1 / 2		0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	14	20
Number of transfers	13	20
Average number of embryos transferred	1.8	1.9
Percentage of embryos transferred resulting in implantation	37.5	18.9
Percentage of transfers resulting in singleton live births	5 / 13	20.0
Percentage of transfers resulting in live births	6 / 13	25.0
Percentage of transfers resulting in pregnancy	6 / 13	35.0

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Offices for Fertility and Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 40 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF NEW YORK, LLP
NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	58%
Unstimulated	0%	Used PGD	4%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	12%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	11%	Male factor	24%	Female factors only	3%
Diminished ovarian reserve	23%	Other factor	9%	Female & male factors	3%
Endometriosis	6%	Unknown factor	20%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 2000 Data verified by Lawrence Grunfeld, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	473	327	407	230	128	34
Percentage of cancellations	5.3	7.3	15.5	20.4	19.5	32.4
Average number of embryos transferred	2.2	2.4	3.0	3.2	3.5	2.8
Percentage of embryos transferred resulting in implantation	35.7	24.6	17.6	8.8	3.8	0.0
Percentage of elective single embryo transfer (eSET)	2.0	2.0	2.1	0.0	0.0	0 / 15
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	34.5	23.2	20.4	12.6	6.3	0.0
Percentage of cycles resulting in triplets or more live births	0.2	0.3	0.5	0.4	0.0	0.0
Percentage of cycles resulting in live births	49.9	32.4	25.8	14.3	7.0	0.0
Percentage of cycles resulting in pregnancy	54.8	39.1	33.2	19.6	11.7	2.9
Outcomes per Transfer						
Number of transfers	435	279	312	163	97	19
Percentage of transfers resulting in singleton live births	37.5	27.2	26.6	17.8	8.2	0 / 19
Percentage of transfers resulting in triplets or more live births	0.2	0.4	0.6	0.6	0.0	0 / 19
Percentage of transfers resulting in live births	54.3	38.0	33.7	20.2	9.3	0 / 19
Percentage of transfers resulting in pregnancy	59.5	45.9	43.3	27.6	15.5	1 / 19
Outcomes per Pregnancy						
Number of pregnancies	259	128	135	45	15	1
Percentage of pregnancies resulting in singleton live births	62.9	59.4	61.5	64.4	8 / 15	0 / 1
Percentage of pregnancies resulting in triplets or more live births	0.4	0.8	1.5	2.2	0 / 15	0 / 1
Percentage of pregnancies resulting in live births	91.1	82.8	77.8	73.3	9 / 15	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	97	49	49	8	3	2
Number of transfers	92	48	47	7	2	2
Average number of embryos transferred	2.2	1.9	2.2	2.1	1.0	2.0
Percentage of embryos transferred resulting in implantation	29.5	18.0	21.6	3 / 15	0 / 2	0 / 4
Percentage of transfers resulting in singleton live births	32.6	20.8	31.9	3 / 7	0 / 2	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 7	0 / 2	0 / 2
Percentage of transfers resulting in live births	45.7	22.9	36.2	3 / 7	0 / 2	0 / 2
Percentage of transfers resulting in pregnancy	53.3	35.4	40.4	3 / 7	0 / 2	0 / 2

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	154	39
Number of transfers	151	36
Average number of embryos transferred	2.2	1.9
Percentage of embryos transferred resulting in implantation	38.8	15.9
Percentage of transfers resulting in singleton live births	30.5	22.2
Percentage of transfers resulting in live births	52.3	22.2
Percentage of transfers resulting in pregnancy	63.6	36.1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine Associates of New York, LLP

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 146 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GEOFFREY SHER, MD, PC
NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	84%
Unstimulated	3%	Used PGD	13%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	2%	Uterine factor	<1%	*Multiple Factors:*	
Ovulatory dysfunction	3%	Male factor	4%	Female factors only	4%
Diminished ovarian reserve	61%	Other factor	4%	Female & male factors	1%
Endometriosis	2%	Unknown factor	29%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 456

Data verified by Drew V. Tortoriello, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	83	60	67	68	35	16
Percentage of cancellations	3.6	8.3	10.4	11.8	25.7	7 / 16
Average number of embryos transferred	2.0	2.2	2.1	2.5	3.5	3.6
Percentage of embryos transferred resulting in implantation	51.0	30.4	19.6	9.6	6.8	1 / 18
Percentage of elective single embryo transfer (eSET)	9.0	2.6	0.0	0.0	0 / 15	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	32.5	20.0	10.4	10.3	2.9	0 / 16
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 16
Percentage of cycles resulting in live births	59.0	31.7	14.9	11.8	2.9	0 / 16
Percentage of cycles resulting in pregnancy	61.4	36.7	22.4	14.7	11.4	1 / 16
Outcomes per Transfer						
Number of transfers	75	47	46	45	17	5
Percentage of transfers resulting in singleton live births	36.0	25.5	15.2	15.6	1 / 17	0 / 5
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 17	0 / 5
Percentage of transfers resulting in live births	65.3	40.4	21.7	17.8	1 / 17	0 / 5
Percentage of transfers resulting in pregnancy	68.0	46.8	32.6	22.2	4 / 17	1 / 5
Outcomes per Pregnancy						
Number of pregnancies	51	22	15	10	4	1
Percentage of pregnancies resulting in singleton live births	52.9	54.5	7 / 15	7 / 10	1 / 4	0 / 1
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0 / 15	0 / 10	0 / 4	0 / 1
Percentage of pregnancies resulting in live births	96.1	86.4	10 / 15	8 / 10	1 / 4	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	23	13	20	14	7	2
Number of transfers	22	12	18	14	7	1
Average number of embryos transferred	2.2	1.6	1.8	2.4	2.3	1.0
Percentage of embryos transferred resulting in implantation	43.8	5 / 19	34.4	26.5	3 / 16	0 / 1
Percentage of transfers resulting in singleton live births	22.7	3 / 12	8 / 18	3 / 14	1 / 7	0 / 1
Percentage of transfers resulting in triplets or more live births	4.5	0 / 12	0 / 18	0 / 14	0 / 7	0 / 1
Percentage of transfers resulting in live births	50.0	3 / 12	9 / 18	3 / 14	1 / 7	0 / 1
Percentage of transfers resulting in pregnancy	59.1	5 / 12	10 / 18	6 / 14	3 / 7	0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	26	22
Number of transfers	24	20
Average number of embryos transferred	2.0	1.9
Percentage of embryos transferred resulting in implantation	62.5	48.6
Percentage of transfers resulting in singleton live births	58.3	50.0
Percentage of transfers resulting in live births	70.8	65.0
Percentage of transfers resulting in pregnancy	87.5	75.0

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Geoffrey Sher, MD, PC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 146 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WEILL MEDICAL COLLEGE OF CORNELL UNIVERSITY
THE CENTER FOR REPRODUCTIVE MEDICINE AND INFERTILITY
NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	66%
Unstimulated	1%	Used PGD	4%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	16%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	8%	Male factor	32%	Female factors only	16%
Diminished ovarian reserve	51%	Other factor	4%	Female & male factors	16%
Endometriosis	13%	Unknown factor	8%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 3263 Data verified by Zev Rosenwaks, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	633	530	642	482	247	77
Percentage of cancellations	7.1	9.8	14.3	19.9	23.1	42.9
Average number of embryos transferred	2.1	2.5	2.9	3.3	3.6	3.6
Percentage of embryos transferred resulting in implantation	30.4	22.2	17.3	9.5	3.8	1.5
Percentage of elective single embryo transfer (eSET)	4.5	2.1	1.1	0.6	0.0	0.0
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	28.1	19.1	20.4	12.0	5.3	0.0
Percentage of cycles resulting in triplets or more live births	0.0	0.2	0.0	0.0	0.0	0.0
Percentage of cycles resulting in live births	38.1	29.2	24.9	14.3	6.1	0.0
Percentage of cycles resulting in pregnancy	43.3	36.2	32.7	22.2	8.9	3.9
Outcomes per Transfer						
Number of transfers	548	462	507	370	177	36
Percentage of transfers resulting in singleton live births	32.5	21.9	25.8	15.7	7.3	0.0
Percentage of transfers resulting in triplets or more live births	0.0	0.2	0.0	0.0	0.0	0.0
Percentage of transfers resulting in live births	44.0	33.5	31.6	18.6	8.5	0.0
Percentage of transfers resulting in pregnancy	50.0	41.6	41.4	28.9	12.4	8.3
Outcomes per Pregnancy						
Number of pregnancies	274	192	210	107	22	3
Percentage of pregnancies resulting in singleton live births	65.0	52.6	62.4	54.2	59.1	0 / 3
Percentage of pregnancies resulting in triplets or more live births	0.0	0.5	0.0	0.0	0.0	0 / 3
Percentage of pregnancies resulting in live births	88.0	80.7	76.2	64.5	68.2	0 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	163	92	79	29	14	6
Number of transfers	141	84	69	27	11	4
Average number of embryos transferred	1.7	1.6	1.7	1.9	1.7	2.0
Percentage of embryos transferred resulting in implantation	32.9	30.6	28.2	7.8	1 / 19	0 / 8
Percentage of transfers resulting in singleton live births	28.4	39.3	31.9	7.4	1 / 11	0 / 4
Percentage of transfers resulting in triplets or more live births	0.0	0.0	1.4	0.0	0 / 11	0 / 4
Percentage of transfers resulting in live births	38.3	42.9	34.8	11.1	1 / 11	0 / 4
Percentage of transfers resulting in pregnancy	46.1	48.8	42.0	11.1	1 / 11	0 / 4

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	180	89
Number of transfers	157	76
Average number of embryos transferred	2.0	1.8
Percentage of embryos transferred resulting in implantation	44.4	21.6
Percentage of transfers resulting in singleton live births	35.0	26.3
Percentage of transfers resulting in live births	55.4	30.3
Percentage of transfers resulting in pregnancy	62.4	38.2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Weill Medical College of Cornell University, The Center for Reproductive Medicine and Infertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 104 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

EAST COAST FERTILITY
PLAINVIEW, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	56%
Unstimulated	<1%	Used PGD	4%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	18%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	15%	Male factor	32%	Female factors only	10%
Diminished ovarian reserve	24%	Other factor	15%	Female & male factors	16%
Endometriosis	9%	Unknown factor	14%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 762

Data verified by David Kreiner, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	193	105	93	68	42	18
Percentage of cancellations	4.1	10.5	8.6	10.3	23.8	9 / 18
Average number of embryos transferred	1.6	1.9	2.5	2.7	3.1	2.6
Percentage of embryos transferred resulting in implantation	37.2	30.8	18.4	14.6	3.4	0.0
Percentage of elective single embryo transfer (eSET)	35.8	13.8	4.5	2.6	0.0	0 / 6
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	35.8	21.0	22.6	13.2	2.4	0 / 18
Percentage of cycles resulting in triplets or more live births	0.5	0.0	0.0	0.0	0.0	0 / 18
Percentage of cycles resulting in live births	40.4	27.6	26.9	14.7	2.4	0 / 18
Percentage of cycles resulting in pregnancy	50.3	37.1	31.2	23.5	4.8	0 / 18
Outcomes per Transfer						
Number of transfers	178	82	77	49	28	8
Percentage of transfers resulting in singleton live births	38.8	26.8	27.3	18.4	3.6	0 / 8
Percentage of transfers resulting in triplets or more live births	0.6	0.0	0.0	0.0	0.0	0 / 8
Percentage of transfers resulting in live births	43.8	35.4	32.5	20.4	3.6	0 / 8
Percentage of transfers resulting in pregnancy	54.5	47.6	37.7	32.7	7.1	0 / 8
Outcomes per Pregnancy						
Number of pregnancies	97	39	29	16	2	0
Percentage of pregnancies resulting in singleton live births	71.1	56.4	72.4	9 / 16	1 / 2	
Percentage of pregnancies resulting in triplets or more live births	1.0	0.0	0.0	0 / 16	0 / 2	
Percentage of pregnancies resulting in live births	80.4	74.4	86.2	10 / 16	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	95	45	29	6	9	6
Number of transfers	92	38	25	6	7	2
Average number of embryos transferred	1.7	1.7	1.9	1.7	1.9	1.0
Percentage of embryos transferred resulting in implantation	25.3	20.3	12.8	0 / 10	1 / 13	2 / 2
Percentage of transfers resulting in singleton live births	27.2	21.1	20.0	0 / 6	1 / 7	1 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 6	0 / 7	0 / 2
Percentage of transfers resulting in live births	31.5	23.7	20.0	0 / 6	1 / 7	1 / 2
Percentage of transfers resulting in pregnancy	39.1	28.9	24.0	0 / 6	1 / 7	2 / 2

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	34	19
Number of transfers	33	18
Average number of embryos transferred	1.7	1.4
Percentage of embryos transferred resulting in implantation	40.4	28.0
Percentage of transfers resulting in singleton live births	39.4	5 / 18
Percentage of transfers resulting in live births	45.5	6 / 18
Percentage of transfers resulting in pregnancy	57.6	6 / 18

CURRENT CLINIC SERVICES AND PROFILE

Current Name: East Coast Fertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 26 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ROCHESTER FERTILITY CARE, PC
ROCHESTER, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	78%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	18%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	18%	Male factor	36%	Female factors only	13%
Diminished ovarian reserve	24%	Other factor	17%	Female & male factors	21%
Endometriosis	18%	Unknown factor	9%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 126 Data verified by Rosalind A. Hayes, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	43	23	21	2	1	0
Percentage of cancellations	16.3	30.4	19.0	0 / 2	0 / 1	
Average number of embryos transferred	2.2	2.8	2.9	2.5	5.0	
Percentage of embryos transferred resulting in implantation	27.7	15.9	13.6	1 / 5	0 / 5	
Percentage of elective single embryo transfer (eSET)	3.4	0 / 14	0 / 14	0 / 2	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	11.6	21.7	14.3	1 / 2	0 / 1	
Percentage of cycles resulting in triplets or more live births	2.3	0.0	0.0	0 / 2	0 / 1	
Percentage of cycles resulting in live births	23.3	26.1	19.0	1 / 2	0 / 1	
Percentage of cycles resulting in pregnancy	25.6	26.1	23.8	1 / 2	0 / 1	
Outcomes per Transfer						
Number of transfers	29	16	15	2	1	0
Percentage of transfers resulting in singleton live births	17.2	5 / 16	3 / 15	1 / 2	0 / 1	
Percentage of transfers resulting in triplets or more live births	3.4	0 / 16	0 / 15	0 / 2	0 / 1	
Percentage of transfers resulting in live births	34.5	6 / 16	4 / 15	1 / 2	0 / 1	
Percentage of transfers resulting in pregnancy	37.9	6 / 16	5 / 15	1 / 2	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	11	6	5	1	0	0
Percentage of pregnancies resulting in singleton live births	5 / 11	5 / 6	3 / 5	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	1 / 11	0 / 6	0 / 5	0 / 1		
Percentage of pregnancies resulting in live births	10 / 11	6 / 6	4 / 5	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	10	3	1	0	1	0
Number of transfers	10	3	1	0	0	0
Average number of embryos transferred	2.1	1.7	1.0			
Percentage of embryos transferred resulting in implantation	23.8	0 / 5	0 / 1			
Percentage of transfers resulting in singleton live births	3 / 10	0 / 3	0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 10	0 / 3	0 / 1			
Percentage of transfers resulting in live births	4 / 10	0 / 3	0 / 1			
Percentage of transfers resulting in pregnancy	4 / 10	0 / 3	0 / 1			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	11	10
Number of transfers	10	8
Average number of embryos transferred	2.3	2.1
Percentage of embryos transferred resulting in implantation	26.1	4 / 17
Percentage of transfers resulting in singleton live births	4 / 10	2 / 8
Percentage of transfers resulting in live births	4 / 10	3 / 8
Percentage of transfers resulting in pregnancy	6 / 10	3 / 8

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Rochester Fertility Care, PC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

STRONG FERTILITY CENTER
ROCHESTER, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	77%
Unstimulated	0%	Used PGD	5%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	16%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	12%	Male factor	47%	Female factors only	9%
Diminished ovarian reserve	16%	Other factor	16%	Female & male factors	18%
Endometriosis	7%	Unknown factor	14%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 274 Data verified by John T. Queenan, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	87	36	33	15	3	0
Percentage of cancellations	10.3	8.3	24.2	2 / 15	0 / 3	
Average number of embryos transferred	2.2	2.7	3.0	3.1	4.3	
Percentage of embryos transferred resulting in implantation	26.4	32.2	9.7	5.0	0 / 13	
Percentage of elective single embryo transfer (eSET)	0.0	0.0	0.0	0 / 11	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	24.1	19.4	15.2	0 / 15	0 / 3	
Percentage of cycles resulting in triplets or more live births	2.3	0.0	0.0	0 / 15	0 / 3	
Percentage of cycles resulting in live births	34.5	44.4	18.2	0 / 15	0 / 3	
Percentage of cycles resulting in pregnancy	37.9	47.2	21.2	2 / 15	0 / 3	
Outcomes per Transfer						
Number of transfers	74	33	24	13	3	0
Percentage of transfers resulting in singleton live births	28.4	21.2	20.8	0 / 13	0 / 3	
Percentage of transfers resulting in triplets or more live births	2.7	0.0	0.0	0 / 13	0 / 3	
Percentage of transfers resulting in live births	40.5	48.5	25.0	0 / 13	0 / 3	
Percentage of transfers resulting in pregnancy	44.6	51.5	29.2	2 / 13	0 / 3	
Outcomes per Pregnancy						
Number of pregnancies	33	17	7	2	0	0
Percentage of pregnancies resulting in singleton live births	63.6	7 / 17	5 / 7	0 / 2		
Percentage of pregnancies resulting in triplets or more live births	6.1	0 / 17	0 / 7	0 / 2		
Percentage of pregnancies resulting in live births	90.9	16 / 17	6 / 7	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	26	16	3	5	1	2
Number of transfers	23	16	3	5	1	2
Average number of embryos transferred	1.9	1.8	2.0	2.6	5.0	1.5
Percentage of embryos transferred resulting in implantation	25.6	6.9	0 / 6	2 / 13	0 / 5	0 / 3
Percentage of transfers resulting in singleton live births	34.8	2 / 16	0 / 3	1 / 5	0 / 1	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0 / 3	0 / 5	0 / 1	0 / 2
Percentage of transfers resulting in live births	39.1	2 / 16	0 / 3	1 / 5	0 / 1	0 / 2
Percentage of transfers resulting in pregnancy	47.8	3 / 16	0 / 3	2 / 5	0 / 1	0 / 2

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	26	21
Number of transfers	24	21
Average number of embryos transferred	2.1	2.0
Percentage of embryos transferred resulting in implantation	42.0	21.4
Percentage of transfers resulting in singleton live births	20.8	23.8
Percentage of transfers resulting in live births	50.0	28.6
Percentage of transfers resulting in pregnancy	54.2	38.1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Strong Fertility Center

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 4 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ISLAND REPRODUCTIVE SERVICES
STATEN ISLAND, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	85%
Unstimulated	0%	Used PGD	4%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	28%	Uterine factor	16%	*Multiple Factors:*	
Ovulatory dysfunction	23%	Male factor	55%	Female factors only	19%
Diminished ovarian reserve	44%	Other factor	10%	Female & male factors	43%
Endometriosis	9%	Unknown factor	1%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 306

Data verified by Eric S. Knochenhauer, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	51	43	39	24	18	12
Percentage of cancellations	5.9	9.3	15.4	16.7	2 / 18	6 / 12
Average number of embryos transferred	1.9	2.2	2.6	3.0	3.2	1.5
Percentage of embryos transferred resulting in implantation	27.4	23.5	15.5	11.9	2.4	0 / 6
Percentage of elective single embryo transfer (eSET)	25.0	5.7	3.3	0.0	0 / 13	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	19.6	18.6	20.5	12.5	1 / 18	0 / 12
Percentage of cycles resulting in triplets or more live births	0.0	2.3	0.0	0.0	0 / 18	0 / 12
Percentage of cycles resulting in live births	27.5	27.9	25.6	12.5	1 / 18	0 / 12
Percentage of cycles resulting in pregnancy	39.2	32.6	28.2	25.0	1 / 18	0 / 12
Outcomes per Transfer						
Number of transfers	45	37	32	20	13	4
Percentage of transfers resulting in singleton live births	22.2	21.6	25.0	15.0	1 / 13	0 / 4
Percentage of transfers resulting in triplets or more live births	0.0	2.7	0.0	0.0	0 / 13	0 / 4
Percentage of transfers resulting in live births	31.1	32.4	31.3	15.0	1 / 13	0 / 4
Percentage of transfers resulting in pregnancy	44.4	37.8	34.4	30.0	1 / 13	0 / 4
Outcomes per Pregnancy						
Number of pregnancies	20	14	11	6	1	0
Percentage of pregnancies resulting in singleton live births	50.0	8 / 14	8 / 11	3 / 6	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	1 / 14	0 / 11	0 / 6	0 / 1	
Percentage of pregnancies resulting in live births	70.0	12 / 14	10 / 11	3 / 6	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	35	29	13	6	4	2
Number of transfers	35	26	13	6	4	1
Average number of embryos transferred	1.9	1.8	1.9	2.2	3.0	1.0
Percentage of embryos transferred resulting in implantation	30.3	32.6	0.0	0 / 13	2 / 12	0 / 1
Percentage of transfers resulting in singleton live births	14.3	34.6	0 / 13	0 / 6	1 / 4	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 13	0 / 6	0 / 4	0 / 1
Percentage of transfers resulting in live births	25.7	46.2	0 / 13	0 / 6	1 / 4	0 / 1
Percentage of transfers resulting in pregnancy	48.6	46.2	1 / 13	0 / 6	2 / 4	0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	11	19
Number of transfers	9	19
Average number of embryos transferred	1.9	1.9
Percentage of embryos transferred resulting in implantation	6 / 17	37.8
Percentage of transfers resulting in singleton live births	3 / 9	3 / 19
Percentage of transfers resulting in live births	4 / 9	7 / 19
Percentage of transfers resulting in pregnancy	5 / 9	10 / 19

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Island Reproductive Services

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 14 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GOLD COAST IVF
REPRODUCTIVE MEDICINE AND SURGERY CENTER
SYOSSET, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	87%
Unstimulated	0%	Used PGD	1%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	15%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	17%	Male factor	36%	Female factors only	15%
Diminished ovarian reserve	52%	Other factor	9%	Female & male factors	28%
Endometriosis	8%	Unknown factor	7%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 131

Data verified by Steven F. Palter, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	37	18	30	8	4	2
Percentage of cancellations	2.7	0 / 18	3.3	1 / 8	1 / 4	0 / 2
Average number of embryos transferred	2.2	2.8	3.3	2.7	4.3	5.5
Percentage of embryos transferred resulting in implantation	36.5	18.8	21.6	2 / 19	1 / 13	0 / 11
Percentage of elective single embryo transfer (eSET)	0.0	0 / 17	0.0	0 / 5	0 / 3	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	32.4	4 / 18	30.0	1 / 8	0 / 4	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0 / 18	3.3	0 / 8	0 / 4	0 / 2
Percentage of cycles resulting in live births	48.6	6 / 18	40.0	1 / 8	0 / 4	0 / 2
Percentage of cycles resulting in pregnancy	54.1	8 / 18	50.0	2 / 8	1 / 4	0 / 2
Outcomes per Transfer						
Number of transfers	34	17	29	7	3	2
Percentage of transfers resulting in singleton live births	35.3	4 / 17	31.0	1 / 7	0 / 3	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0 / 17	3.4	0 / 7	0 / 3	0 / 2
Percentage of transfers resulting in live births	52.9	6 / 17	41.4	1 / 7	0 / 3	0 / 2
Percentage of transfers resulting in pregnancy	58.8	8 / 17	51.7	2 / 7	1 / 3	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	20	8	15	2	1	0
Percentage of pregnancies resulting in singleton live births	60.0	4 / 8	9 / 15	1 / 2	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 8	1 / 15	0 / 2	0 / 1	
Percentage of pregnancies resulting in live births	90.0	6 / 8	12 / 15	1 / 2	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	4	2	0	0	0
Number of transfers	7	4	2	0	0	0
Average number of embryos transferred	2.1	2.3	2.5			
Percentage of embryos transferred resulting in implantation	6 / 15	4 / 9	0 / 5			
Percentage of transfers resulting in singleton live births	4 / 7	1 / 4	0 / 2			
Percentage of transfers resulting in triplets or more live births	0 / 7	0 / 4	0 / 2			
Percentage of transfers resulting in live births	5 / 7	2 / 4	0 / 2			
Percentage of transfers resulting in pregnancy	6 / 7	2 / 4	0 / 2			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	14	5
Number of transfers	14	5
Average number of embryos transferred	2.1	2.2
Percentage of embryos transferred resulting in implantation	43.3	6 / 11
Percentage of transfers resulting in singleton live births	4 / 14	3 / 5
Percentage of transfers resulting in live births	7 / 14	4 / 5
Percentage of transfers resulting in pregnancy	8 / 14	5 / 5

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Gold Coast IVF, Reproductive Medicine and Surgery Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CNY FERTILITY CENTER
SYRACUSE, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	88%
Unstimulated	<1%	Used PGD	4%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	23%	Uterine factor	12%	*Multiple Factors:*	
Ovulatory dysfunction	15%	Male factor	29%	Female factors only	23%
Diminished ovarian reserve	31%	Other factor	17%	Female & male factors	17%
Endometriosis	15%	Unknown factor	11%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 2295 Data verified by Robert J. Kiltz, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	734	313	357	202	59	51
Percentage of cancellations	5.2	9.3	11.5	11.4	8.5	21.6
Average number of embryos transferred	2.3	2.7	3.1	3.2	2.6	2.5
Percentage of embryos transferred resulting in implantation	26.3	20.8	10.0	5.1	2.2	0.0
Percentage of elective single embryo transfer (eSET)	4.8	3.0	0.0	0.8	0.0	0 / 17
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.4	19.5	10.4	5.9	0.0	0.0
Percentage of cycles resulting in triplets or more live births	0.5	1.6	0.8	0.0	0.0	0.0
Percentage of cycles resulting in live births	34.7	26.5	13.7	6.9	1.7	0.0
Percentage of cycles resulting in pregnancy	41.4	33.9	20.4	11.4	1.7	0.0
Outcomes per Transfer						
Number of transfers	660	257	279	140	36	24
Percentage of transfers resulting in singleton live births	26.1	23.7	13.3	8.6	0.0	0.0
Percentage of transfers resulting in triplets or more live births	0.6	1.9	1.1	0.0	0.0	0.0
Percentage of transfers resulting in live births	38.6	32.3	17.6	10.0	2.8	0.0
Percentage of transfers resulting in pregnancy	46.1	41.2	26.2	16.4	2.8	0.0
Outcomes per Pregnancy						
Number of pregnancies	304	106	73	23	1	0
Percentage of pregnancies resulting in singleton live births	56.6	57.5	50.7	52.2	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	1.3	4.7	4.1	0.0	0 / 1	
Percentage of pregnancies resulting in live births	83.9	78.3	67.1	60.9	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	155	53	69	10	3	3
Number of transfers	155	53	69	10	3	3
Average number of embryos transferred	2.1	2.0	2.3	1.8	1.7	2.3
Percentage of embryos transferred resulting in implantation	15.4	10.5	6.4	4 / 18	0 / 5	0 / 7
Percentage of transfers resulting in singleton live births	18.1	15.1	11.6	4 / 10	0 / 3	0 / 3
Percentage of transfers resulting in triplets or more live births	0.6	0.0	0.0	0 / 10	0 / 3	0 / 3
Percentage of transfers resulting in live births	23.2	15.1	11.6	4 / 10	0 / 3	0 / 3
Percentage of transfers resulting in pregnancy	27.7	20.8	17.4	4 / 10	0 / 3	0 / 3

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	217	69
Number of transfers	183	68
Average number of embryos transferred	2.5	2.3
Percentage of embryos transferred resulting in implantation	30.3	12.3
Percentage of transfers resulting in singleton live births	26.2	20.6
Percentage of transfers resulting in live births	42.1	23.5
Percentage of transfers resulting in pregnancy	53.6	26.5

CURRENT CLINIC SERVICES AND PROFILE

Current Name: CNY Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 21 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY IVF
SUNY UPSTATE MEDICAL UNIVERSITY
SYRACUSE, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	92%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	14%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	14%	Male factor	50%	Female factors only	14%
Diminished ovarian reserve	36%	Other factor	29%	Female & male factors	43%
Endometriosis	7%	Unknown factor	14%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 14 Data verified by Shawky Z. Badawy, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	6	3	4	0	0	0
Percentage of cancellations	0 / 6	1 / 3	0 / 4			
Average number of embryos transferred	3.0	2.5	2.0			
Percentage of embryos transferred resulting in implantation	0 / 15	1 / 5	0 / 6			
Percentage of elective single embryo transfer (eSET)	0 / 5	0 / 2	0 / 2			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	0 / 6	0 / 3	0 / 4			
Percentage of cycles resulting in triplets or more live births	0 / 6	0 / 3	0 / 4			
Percentage of cycles resulting in live births	0 / 6	0 / 3	0 / 4			
Percentage of cycles resulting in pregnancy	0 / 6	1 / 3	0 / 4			
Outcomes per Transfer						
Number of transfers	5	2	4	0	0	0
Percentage of transfers resulting in singleton live births	0 / 5	0 / 2	0 / 4			
Percentage of transfers resulting in triplets or more live births	0 / 5	0 / 2	0 / 4			
Percentage of transfers resulting in live births	0 / 5	0 / 2	0 / 4			
Percentage of transfers resulting in pregnancy	0 / 5	1 / 2	0 / 4			
Outcomes per Pregnancy						
Number of pregnancies	0	1	0	0	0	0
Percentage of pregnancies resulting in singleton live births		0 / 1				
Percentage of pregnancies resulting in triplets or more live births		0 / 1				
Percentage of pregnancies resulting in live births		0 / 1				
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	0	0	0	0	0
Number of transfers	1	0	0	0	0	0
Average number of embryos transferred	4.0					
Percentage of embryos transferred resulting in implantation	0 / 4					
Percentage of transfers resulting in singleton live births	0 / 1					
Percentage of transfers resulting in triplets or more live births	0 / 1					
Percentage of transfers resulting in live births	0 / 1					
Percentage of transfers resulting in pregnancy	0 / 1					

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation		
Percentage of transfers resulting in singleton live births		
Percentage of transfers resulting in live births		
Percentage of transfers resulting in pregnancy		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University IVF, SUNY Upstate Medical University

Donor egg?	No	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WESTCHESTER FERTILITY AND REPRODUCTIVE ENDOCRINOLOGY
WHITE PLAINS, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	74%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	33%	Uterine factor	27%	*Multiple Factors:*	
Ovulatory dysfunction	14%	Male factor	31%	Female factors only	44%
Diminished ovarian reserve	75%	Other factor	3%	Female & male factors	26%
Endometriosis	13%	Unknown factor	0%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 106 Data verified by Michael B. Blotner, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	26	11	13	29	8	5
Percentage of cancellations	3.8	1 / 11	3 / 13	31.0	2 / 8	4 / 5
Average number of embryos transferred	2.2	1.9	2.3	2.7	2.0	2.0
Percentage of embryos transferred resulting in implantation	34.1	10 / 17	17.4	7.0	0 / 6	0 / 2
Percentage of elective single embryo transfer (eSET)	10.0	1 / 8	0 / 9	0 / 16	0 / 3	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.9	4 / 11	1 / 13	10.3	0 / 8	0 / 5
Percentage of cycles resulting in triplets or more live births	0.0	0 / 11	0 / 13	0.0	0 / 8	0 / 5
Percentage of cycles resulting in live births	34.6	5 / 11	1 / 13	10.3	0 / 8	0 / 5
Percentage of cycles resulting in pregnancy	50.0	6 / 11	2 / 13	10.3	0 / 8	0 / 5
Outcomes per Transfer						
Number of transfers	20	9	10	16	3	1
Percentage of transfers resulting in singleton live births	35.0	4 / 9	1 / 10	3 / 16	0 / 3	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 9	0 / 10	0 / 16	0 / 3	0 / 1
Percentage of transfers resulting in live births	45.0	5 / 9	1 / 10	3 / 16	0 / 3	0 / 1
Percentage of transfers resulting in pregnancy	65.0	6 / 9	2 / 10	3 / 16	0 / 3	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	13	6	2	3	0	0
Percentage of pregnancies resulting in singleton live births	7 / 13	4 / 6	1 / 2	3 / 3		
Percentage of pregnancies resulting in triplets or more live births	0 / 13	0 / 6	0 / 2	0 / 3		
Percentage of pregnancies resulting in live births	9 / 13	5 / 6	1 / 2	3 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	2	7	1	0	0
Number of transfers	2	2	4	1	0	0
Average number of embryos transferred	2.0	2.0	1.8	2.0		
Percentage of embryos transferred resulting in implantation	2 / 4	1 / 4	2 / 7	0 / 2		
Percentage of transfers resulting in singleton live births	0 / 2	1 / 2	0 / 4	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 2	0 / 2	0 / 4	0 / 1		
Percentage of transfers resulting in live births	0 / 2	1 / 2	0 / 4	0 / 1		
Percentage of transfers resulting in pregnancy	1 / 2	1 / 2	1 / 4	0 / 1		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	2	0
Number of transfers	2	0
Average number of embryos transferred	2.0	
Percentage of embryos transferred resulting in implantation	1 / 4	
Percentage of transfers resulting in singleton live births	1 / 2	
Percentage of transfers resulting in live births	1 / 2	
Percentage of transfers resulting in pregnancy	1 / 2	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Westchester Fertility and Reproductive Endocrinology

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 3 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.