NORTH CAROLINA CENTER FOR REPRODUCTIVE MEDICINE
THE TALBERT FERTILITY INSTITUTE
CARY, NORTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	97%
Unstimulated	0%	Used PGD	5%
Used gestational carrier	4%		

Patient Diagnosis[b]

Tubal factor	14%	Uterine factor	29%	*Multiple Factors:*	
Ovulatory dysfunction	16%	Male factor	54%	Female factors only	16%
Diminished ovarian reserve	47%	Other factor	11%	Female & male factors	45%
Endometriosis	8%	Unknown factor	2%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 265 Data verified by Sameh K. Toma, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	82	36	26	6	2	1
Percentage of cancellations	3.7	0.0	0.0	0 / 6	0 / 2	0 / 1
Average number of embryos transferred	2.5	2.9	3.4	3.8	4.0	1.0
Percentage of embryos transferred resulting in implantation	21.7	11.3	7.1	3 / 15	0 / 4	0 / 1
Percentage of elective single embryo transfer (eSET)	1.4	0.0	0.0	0 / 4	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	28.0	13.9	11.5	1 / 6	0 / 2	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 6	0 / 2	0 / 1
Percentage of cycles resulting in live births	36.6	22.2	11.5	2 / 6	0 / 2	0 / 1
Percentage of cycles resulting in pregnancy	42.7	27.8	23.1	2 / 6	0 / 2	0 / 1
Outcomes per Transfer						
Number of transfers	74	34	25	4	1	1
Percentage of transfers resulting in singleton live births	31.1	14.7	12.0	1 / 4	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in live births	40.5	23.5	12.0	2 / 4	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	47.3	29.4	24.0	2 / 4	0 / 1	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	35	10	6	2	0	0
Percentage of pregnancies resulting in singleton live births	65.7	5 / 10	3 / 6	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 10	0 / 6	0 / 2		
Percentage of pregnancies resulting in live births	85.7	8 / 10	3 / 6	2 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	17	12	4	0	2	1
Number of transfers	17	10	4	0	2	0
Average number of embryos transferred	2.6	2.9	1.8		4.5	
Percentage of embryos transferred resulting in implantation	13.3	6.9	2 / 7		1 / 9	
Percentage of transfers resulting in singleton live births	4 / 17	2 / 10	0 / 4		1 / 2	
Percentage of transfers resulting in triplets or more live births	0 / 17	0 / 10	0 / 4		0 / 2	
Percentage of transfers resulting in live births	5 / 17	2 / 10	1 / 4		1 / 2	
Percentage of transfers resulting in pregnancy	6 / 17	6 / 10	1 / 4		1 / 2	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	45	31
Number of transfers	43	29
Average number of embryos transferred	2.4	2.3
Percentage of embryos transferred resulting in implantation	34.0	13.6
Percentage of transfers resulting in singleton live births	30.2	13.8
Percentage of transfers resulting in live births	53.5	17.2
Percentage of transfers resulting in pregnancy	62.8	31.0

CURRENT CLINIC SERVICES AND PROFILE

Current Name: North Carolina Center for Reproductive Medicine, The Talbert Fertility Institute

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF NORTH CAROLINA A.R.T. CLINIC
CHAPEL HILL, NORTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	65%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	17%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	16%	Male factor	33%	Female factors only	4%
Diminished ovarian reserve	15%	Other factor	2%	Female & male factors	10%
Endometriosis	5%	Unknown factor	25%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 195 Data verified by Jennifer E. Mersereau, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	71	37	10	5	1	0
Percentage of cancellations	2.8	0.0	1 / 10	0 / 5	1 / 1	
Average number of embryos transferred	1.8	2.3	3.2	3.2		
Percentage of embryos transferred resulting in implantation	27.9	16.0	20.7	0 / 16		
Percentage of elective single embryo transfer (eSET)	14.3	0.0	0 / 9	1 / 5		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	22.5	13.5	2 / 10	0 / 5	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 10	0 / 5	0 / 1	
Percentage of cycles resulting in live births	31.0	21.6	4 / 10	0 / 5	0 / 1	
Percentage of cycles resulting in pregnancy	39.4	29.7	4 / 10	0 / 5	0 / 1	
Outcomes per Transfer						
Number of transfers	67	36	9	5	0	0
Percentage of transfers resulting in singleton live births	23.9	13.9	2 / 9	0 / 5		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 9	0 / 5		
Percentage of transfers resulting in live births	32.8	22.2	4 / 9	0 / 5		
Percentage of transfers resulting in pregnancy	41.8	30.6	4 / 9	0 / 5		
Outcomes per Pregnancy						
Number of pregnancies	28	11	4	0	0	0
Percentage of pregnancies resulting in singleton live births	57.1	5 / 11	2 / 4			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 11	0 / 4			
Percentage of pregnancies resulting in live births	78.6	8 / 11	4 / 4			
Frozen Embryos from Nondonor Eggs						
Number of cycles	25	11	7	3	0	0
Number of transfers	24	11	7	3	0	0
Average number of embryos transferred	1.5	1.8	1.9	3.3		
Percentage of embryos transferred resulting in implantation	29.7	10.0	4 / 13	0 / 10		
Percentage of transfers resulting in singleton live births	20.8	0 / 11	2 / 7	0 / 3		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 11	0 / 7	0 / 3		
Percentage of transfers resulting in live births	33.3	1 / 11	3 / 7	0 / 3		
Percentage of transfers resulting in pregnancy	33.3	3 / 11	4 / 7	0 / 3		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	17	8
Number of transfers	16	8
Average number of embryos transferred	2.0	1.3
Percentage of embryos transferred resulting in implantation	25.0	1 / 10
Percentage of transfers resulting in singleton live births	3 / 16	1 / 8
Percentage of transfers resulting in live births	4 / 16	1 / 8
Percentage of transfers resulting in pregnancy	11 / 16	1 / 8

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University of North Carolina A.R.T. Clinic

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 12 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INSTITUTE FOR ASSISTED REPRODUCTION
CHARLOTTE, NORTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	87%
Unstimulated	<1%	Used PGD	2%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	12%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	19%	Male factor	25%	Female factors only	9%
Diminished ovarian reserve	21%	Other factor	14%	Female & male factors	10%
Endometriosis	10%	Unknown factor	13%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 871

Data verified by Jack L. Crain, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	284	110	103	55	13	6
Percentage of cancellations	7.4	9.1	12.6	21.8	2 / 13	3 / 6
Average number of embryos transferred	1.9	2.1	2.2	2.4	2.8	
Percentage of embryos transferred resulting in implantation	37.3	25.3	19.6	14.5	0 / 14	
Percentage of elective single embryo transfer (eSET)	13.7	4.2	1.6	0.0	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	19.4	20.0	15.5	9.1	0 / 13	0 / 6
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 13	0 / 6
Percentage of cycles resulting in live births	29.9	27.3	19.4	9.1	0 / 13	0 / 6
Percentage of cycles resulting in pregnancy	33.8	32.7	35.0	16.4	0 / 13	0 / 6
Outcomes per Transfer						
Number of transfers	188	78	69	26	5	0
Percentage of transfers resulting in singleton live births	29.3	28.2	23.2	19.2	0 / 5	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 5	
Percentage of transfers resulting in live births	45.2	38.5	29.0	19.2	0 / 5	
Percentage of transfers resulting in pregnancy	51.1	46.2	52.2	34.6	0 / 5	
Outcomes per Pregnancy						
Number of pregnancies	96	36	36	9	0	0
Percentage of pregnancies resulting in singleton live births	57.3	61.1	44.4	5 / 9		
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 9		
Percentage of pregnancies resulting in live births	88.5	83.3	55.6	5 / 9		
Frozen Embryos from Nondonor Eggs						
Number of cycles	116	56	47	12	0	4
Number of transfers	111	53	43	12	0	4
Average number of embryos transferred	1.8	1.8	1.9	2.1		2.0
Percentage of embryos transferred resulting in implantation	54.0	49.5	24.4	36.0		0 / 8
Percentage of transfers resulting in singleton live births	32.4	34.0	23.3	6 / 12		0 / 4
Percentage of transfers resulting in triplets or more live births	0.9	0.0	0.0	0 / 12		0 / 4
Percentage of transfers resulting in live births	58.6	54.7	30.2	7 / 12		0 / 4
Percentage of transfers resulting in pregnancy	72.1	62.3	51.2	8 / 12		0 / 4

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	44	21
Number of transfers	35	20
Average number of embryos transferred	1.9	1.9
Percentage of embryos transferred resulting in implantation	53.8	39.5
Percentage of transfers resulting in singleton live births	25.7	35.0
Percentage of transfers resulting in live births	57.1	50.0
Percentage of transfers resulting in pregnancy	74.3	55.0

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Institute for Assisted Reproduction

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PROGRAM FOR ASSISTED REPRODUCTION, CAROLINAS MEDICAL CENTER
CHARLOTTE, NORTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	82%
Unstimulated	0%	Used PGD	<1%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	15%	Uterine factor	<1%	*Multiple Factors:*	
Ovulatory dysfunction	28%	Male factor	35%	Female factors only	13%
Diminished ovarian reserve	30%	Other factor	10%	Female & male factors	21%
Endometriosis	13%	Unknown factor	6%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 221 Data verified by Bradley S. Hurst, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	75	34	28	9	0	0
Percentage of cancellations	1.3	0.0	10.7	1 / 9		
Average number of embryos transferred	1.9	2.0	2.6	3.4		
Percentage of embryos transferred resulting in implantation	43.9	30.9	31.7	16.7		
Percentage of elective single embryo transfer (eSET)	10.6	6.1	4.3	0 / 5		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	29.3	41.2	25.0	1 / 9		
Percentage of cycles resulting in triplets or more live births	1.3	0.0	0.0	0 / 9		
Percentage of cycles resulting in live births	48.0	47.1	35.7	2 / 9		
Percentage of cycles resulting in pregnancy	56.0	58.8	50.0	4 / 9		
Outcomes per Transfer						
Number of transfers	71	34	23	7	0	0
Percentage of transfers resulting in singleton live births	31.0	41.2	30.4	1 / 7		
Percentage of transfers resulting in triplets or more live births	1.4	0.0	0.0	0 / 7		
Percentage of transfers resulting in live births	50.7	47.1	43.5	2 / 7		
Percentage of transfers resulting in pregnancy	59.2	58.8	60.9	4 / 7		
Outcomes per Pregnancy						
Number of pregnancies	42	20	14	4	0	0
Percentage of pregnancies resulting in singleton live births	52.4	70.0	7 / 14	1 / 4		
Percentage of pregnancies resulting in triplets or more live births	2.4	0.0	0 / 14	0 / 4		
Percentage of pregnancies resulting in live births	85.7	80.0	10 / 14	2 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	27	17	3	5	1	0
Number of transfers	24	15	3	4	0	0
Average number of embryos transferred	1.9	2.0	1.0	3.0		
Percentage of embryos transferred resulting in implantation	41.3	36.7	3 / 3	3 / 12		
Percentage of transfers resulting in singleton live births	37.5	4 / 15	3 / 3	3 / 4		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 15	0 / 3	0 / 4		
Percentage of transfers resulting in live births	54.2	7 / 15	3 / 3	3 / 4		
Percentage of transfers resulting in pregnancy	58.3	10 / 15	3 / 3	3 / 4		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	15	7
Number of transfers	15	5
Average number of embryos transferred	2.1	2.4
Percentage of embryos transferred resulting in implantation	40.6	3 / 12
Percentage of transfers resulting in singleton live births	7 / 15	3 / 5
Percentage of transfers resulting in live births	9 / 15	3 / 5
Percentage of transfers resulting in pregnancy	10 / 15	3 / 5

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Program for Assisted Reproduction, Carolinas Medical Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 32 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DUKE FERTILITY CENTER
DUKE UNIVERSITY MEDICAL CENTER
DURHAM, NORTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	70%
Unstimulated	0%	Used PGD	2%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	11%	Uterine factor	6%	*Multiple Factors:*	
Ovulatory dysfunction	19%	Male factor	42%	Female factors only	10%
Diminished ovarian reserve	31%	Other factor	5%	Female & male factors	20%
Endometriosis	11%	Unknown factor	9%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 327

Data verified by Suheil J. Muasher, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	91	45	39	20	6	0
Percentage of cancellations	8.8	4.4	23.1	10.0	2 / 6	
Average number of embryos transferred	1.9	2.1	2.3	2.4	3.0	
Percentage of embryos transferred resulting in implantation	34.4	34.6	14.3	12.2	0 / 12	
Percentage of elective single embryo transfer (eSET)	2.7	2.7	4.2	0 / 11	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.4	35.6	7.7	25.0	0 / 6	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 6	
Percentage of cycles resulting in live births	39.6	42.2	12.8	25.0	0 / 6	
Percentage of cycles resulting in pregnancy	50.5	53.3	20.5	35.0	1 / 6	
Outcomes per Transfer						
Number of transfers	80	38	27	17	4	0
Percentage of transfers resulting in singleton live births	30.0	42.1	11.1	5 / 17	0 / 4	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 17	0 / 4	
Percentage of transfers resulting in live births	45.0	50.0	18.5	5 / 17	0 / 4	
Percentage of transfers resulting in pregnancy	57.5	63.2	29.6	7 / 17	1 / 4	
Outcomes per Pregnancy						
Number of pregnancies	46	24	8	7	1	0
Percentage of pregnancies resulting in singleton live births	52.2	66.7	3 / 8	5 / 7	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0 / 8	0 / 7	0 / 1	
Percentage of pregnancies resulting in live births	78.3	79.2	5 / 8	5 / 7	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	36	30	18	5	0	0
Number of transfers	35	29	18	5	0	0
Average number of embryos transferred	1.9	2.3	2.4	3.0		
Percentage of embryos transferred resulting in implantation	27.3	13.6	18.2	1 / 15		
Percentage of transfers resulting in singleton live births	42.9	24.1	7 / 18	1 / 5		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 18	0 / 5		
Percentage of transfers resulting in live births	45.7	27.6	7 / 18	1 / 5		
Percentage of transfers resulting in pregnancy	45.7	31.0	10 / 18	2 / 5		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	21	16
Number of transfers	19	14
Average number of embryos transferred	1.9	1.8
Percentage of embryos transferred resulting in implantation	55.6	40.0
Percentage of transfers resulting in singleton live births	7 / 19	7 / 14
Percentage of transfers resulting in live births	13 / 19	8 / 14
Percentage of transfers resulting in pregnancy	16 / 19	8 / 14

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2011. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 52 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WOMACK ARMY MEDICAL CENTER REI CLINIC
FORT BRAGG, NORTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	61%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	26%	Uterine factor	12%	*Multiple Factors:*	
Ovulatory dysfunction	17%	Male factor	22%	Female factors only	13%
Diminished ovarian reserve	15%	Other factor	0%	Female & male factors	10%
Endometriosis	22%	Unknown factor	12%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 78 Data verified by Jason Parker, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	25	22	20	8	0	0
Percentage of cancellations	0.0	4.5	10.0	1 / 8		
Average number of embryos transferred	2.0	2.2	2.8	3.3		
Percentage of embryos transferred resulting in implantation	26.0	17.4	13.7	17.4		
Percentage of elective single embryo transfer (eSET)	0.0	0.0	0 / 18	0 / 7		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	36.0	27.3	30.0	2 / 8		
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 8		
Percentage of cycles resulting in live births	44.0	31.8	30.0	3 / 8		
Percentage of cycles resulting in pregnancy	44.0	31.8	30.0	3 / 8		
Outcomes per Transfer						
Number of transfers	25	21	18	7	0	0
Percentage of transfers resulting in singleton live births	36.0	28.6	6 / 18	2 / 7		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 18	0 / 7		
Percentage of transfers resulting in live births	44.0	33.3	6 / 18	3 / 7		
Percentage of transfers resulting in pregnancy	44.0	33.3	6 / 18	3 / 7		
Outcomes per Pregnancy						
Number of pregnancies	11	7	6	3	0	0
Percentage of pregnancies resulting in singleton live births	9 / 11	6 / 7	6 / 6	2 / 3		
Percentage of pregnancies resulting in triplets or more live births	0 / 11	0 / 7	0 / 6	0 / 3		
Percentage of pregnancies resulting in live births	11 / 11	7 / 7	6 / 6	3 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	1	0	1	0	0
Number of transfers	1	1	0	1	0	0
Average number of embryos transferred	2.0	3.0		2.0		
Percentage of embryos transferred resulting in implantation	2 / 2	0 / 3		1 / 2		
Percentage of transfers resulting in singleton live births	0 / 1	0 / 1		1 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 1	0 / 1		0 / 1		
Percentage of transfers resulting in live births	1 / 1	0 / 1		1 / 1		
Percentage of transfers resulting in pregnancy	1 / 1	0 / 1		1 / 1		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation		
Percentage of transfers resulting in singleton live births		
Percentage of transfers resulting in live births		
Percentage of transfers resulting in pregnancy		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Womack Army Medical Center REI Clinic

Donor egg?	No	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	No			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

EAST CAROLINA UNIVERSITY
GREENVILLE, NORTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	58%
Unstimulated	0%	Used PGD	1%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	25%	Uterine factor	8%	*Multiple Factors:*	
Ovulatory dysfunction	14%	Male factor	34%	Female factors only	25%
Diminished ovarian reserve	41%	Other factor	11%	Female & male factors	21%
Endometriosis	21%	Unknown factor	9%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 102

Data verified by Clifford C. Hayslip, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	47	14	12	0	0	0
Percentage of cancellations	4.3	0 / 14	1 / 12			
Average number of embryos transferred	2.0	2.2	2.5			
Percentage of embryos transferred resulting in implantation	25.3	37.9	7.1			
Percentage of elective single embryo transfer (eSET)	4.8	0 / 10	0 / 9			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	31.9	3 / 14	2 / 12			
Percentage of cycles resulting in triplets or more live births	2.1	0 / 14	0 / 12			
Percentage of cycles resulting in live births	36.2	6 / 14	2 / 12			
Percentage of cycles resulting in pregnancy	38.3	9 / 14	2 / 12			
Outcomes per Transfer						
Number of transfers	45	13	11	0	0	0
Percentage of transfers resulting in singleton live births	33.3	3 / 13	2 / 11			
Percentage of transfers resulting in triplets or more live births	2.2	0 / 13	0 / 11			
Percentage of transfers resulting in live births	37.8	6 / 13	2 / 11			
Percentage of transfers resulting in pregnancy	40.0	9 / 13	2 / 11			
Outcomes per Pregnancy						
Number of pregnancies	18	9	2	0	0	0
Percentage of pregnancies resulting in singleton live births	15 / 18	3 / 9	2 / 2			
Percentage of pregnancies resulting in triplets or more live births	1 / 18	0 / 9	0 / 2			
Percentage of pregnancies resulting in live births	17 / 18	6 / 9	2 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	6	2	1	1	2
Number of transfers	6	6	2	1	1	2
Average number of embryos transferred	1.3	1.8	2.5	1.0	2.0	3.0
Percentage of embryos transferred resulting in implantation	7 / 8	5 / 11	1 / 5	0 / 1	2 / 2	0 / 6
Percentage of transfers resulting in singleton live births	2 / 6	4 / 6	1 / 2	0 / 1	0 / 1	0 / 2
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 6	0 / 2	0 / 1	0 / 1	0 / 2
Percentage of transfers resulting in live births	3 / 6	4 / 6	1 / 2	0 / 1	1 / 1	0 / 2
Percentage of transfers resulting in pregnancy	5 / 6	5 / 6	1 / 2	0 / 1	1 / 1	0 / 2

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	8	3
Number of transfers	8	3
Average number of embryos transferred	2.1	1.7
Percentage of embryos transferred resulting in implantation	8 / 17	1 / 5
Percentage of transfers resulting in singleton live births	4 / 8	1 / 3
Percentage of transfers resulting in live births	5 / 8	1 / 3
Percentage of transfers resulting in pregnancy	6 / 8	2 / 3

CURRENT CLINIC SERVICES AND PROFILE

Current Name: East Carolina University

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PREMIER FERTILITY CENTER
HIGH POINT REGIONAL HEALTH SYSTEM
HIGH POINT, NORTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	76%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	16%	Uterine factor	1%	*Multiple Factors:*	
Ovulatory dysfunction	24%	Male factor	56%	Female factors only	10%
Diminished ovarian reserve	28%	Other factor	3%	Female & male factors	34%
Endometriosis	10%	Unknown factor	8%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 90 Data verified by Jeffrey L. Deaton, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	34	14	7	3	0	0
Percentage of cancellations	8.8	4 / 14	1 / 7	1 / 3		
Average number of embryos transferred	1.7	2.0	2.0	2.0		
Percentage of embryos transferred resulting in implantation	46.7	6 / 18	4 / 10	0 / 4		
Percentage of elective single embryo transfer (eSET)	24.0	0 / 8	0 / 5	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	47.1	1 / 14	2 / 7	0 / 3		
Percentage of cycles resulting in triplets or more live births	0.0	0 / 14	0 / 7	0 / 3		
Percentage of cycles resulting in live births	52.9	3 / 14	3 / 7	0 / 3		
Percentage of cycles resulting in pregnancy	55.9	4 / 14	3 / 7	0 / 3		
Outcomes per Transfer						
Number of transfers	26	9	5	2	0	0
Percentage of transfers resulting in singleton live births	61.5	1 / 9	2 / 5	0 / 2		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 9	0 / 5	0 / 2		
Percentage of transfers resulting in live births	69.2	3 / 9	3 / 5	0 / 2		
Percentage of transfers resulting in pregnancy	73.1	4 / 9	3 / 5	0 / 2		
Outcomes per Pregnancy						
Number of pregnancies	19	4	3	0	0	0
Percentage of pregnancies resulting in singleton live births	16 / 19	1 / 4	2 / 3			
Percentage of pregnancies resulting in triplets or more live births	0 / 19	0 / 4	0 / 3			
Percentage of pregnancies resulting in live births	18 / 19	3 / 4	3 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	18	6	5	1	0	0
Number of transfers	18	5	3	1	0	0
Average number of embryos transferred	1.4	1.4	1.3	2.0		
Percentage of embryos transferred resulting in implantation	46.2	2 / 7	1 / 4	0 / 2		
Percentage of transfers resulting in singleton live births	9 / 18	2 / 5	1 / 3	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 18	0 / 5	0 / 3	0 / 1		
Percentage of transfers resulting in live births	10 / 18	2 / 5	1 / 3	0 / 1		
Percentage of transfers resulting in pregnancy	13 / 18	3 / 5	1 / 3	0 / 1		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	1	1
Number of transfers	1	1
Average number of embryos transferred	1.0	1.0
Percentage of embryos transferred resulting in implantation	1 / 1	1 / 1
Percentage of transfers resulting in singleton live births	1 / 1	1 / 1
Percentage of transfers resulting in live births	1 / 1	1 / 1
Percentage of transfers resulting in pregnancy	1 / 1	1 / 1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Premier Fertility Center, High Point Regional Health System

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 2 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTIVE CONCEPTS
HUNTERSVILLE, NORTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	94%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	15%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	21%	Male factor	47%	Female factors only	8%
Diminished ovarian reserve	39%	Other factor	0%	Female & male factors	25%
Endometriosis	5%	Unknown factor	5%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 75

Data verified by Mark L. Jutras, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	17	18	8	6	0	0
Percentage of cancellations	0 / 17	0 / 18	1 / 8	0 / 6		
Average number of embryos transferred	1.7	1.7	1.7	2.5		
Percentage of embryos transferred resulting in implantation	33.3	63.0	2 / 10	1 / 10		
Percentage of elective single embryo transfer (eSET)	2 / 11	4 / 13	0 / 3	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	4 / 17	6 / 18	2 / 8	0 / 6		
Percentage of cycles resulting in triplets or more live births	0 / 17	0 / 18	0 / 8	0 / 6		
Percentage of cycles resulting in live births	6 / 17	11 / 18	2 / 8	0 / 6		
Percentage of cycles resulting in pregnancy	6 / 17	13 / 18	2 / 8	1 / 6		
Outcomes per Transfer						
Number of transfers	14	16	6	4	0	0
Percentage of transfers resulting in singleton live births	4 / 14	6 / 16	2 / 6	0 / 4		
Percentage of transfers resulting in triplets or more live births	0 / 14	0 / 16	0 / 6	0 / 4		
Percentage of transfers resulting in live births	6 / 14	11 / 16	2 / 6	0 / 4		
Percentage of transfers resulting in pregnancy	6 / 14	13 / 16	2 / 6	1 / 4		
Outcomes per Pregnancy						
Number of pregnancies	6	13	2	1	0	0
Percentage of pregnancies resulting in singleton live births	4 / 6	6 / 13	2 / 2	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 6	0 / 13	0 / 2	0 / 1		
Percentage of pregnancies resulting in live births	6 / 6	11 / 13	2 / 2	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	6	3	1	0	0
Number of transfers	6	6	3	1	0	0
Average number of embryos transferred	1.3	1.5	2.0	2.0		
Percentage of embryos transferred resulting in implantation	5 / 8	3 / 9	2 / 6	0 / 2		
Percentage of transfers resulting in singleton live births	3 / 6	3 / 6	1 / 3	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 6	0 / 3	0 / 1		
Percentage of transfers resulting in live births	4 / 6	3 / 6	1 / 3	0 / 1		
Percentage of transfers resulting in pregnancy	4 / 6	3 / 6	2 / 3	0 / 1		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	5	4
Number of transfers	5	4
Average number of embryos transferred	2.0	1.5
Percentage of embryos transferred resulting in implantation	2 / 10	4 / 6
Percentage of transfers resulting in singleton live births	1 / 5	2 / 4
Percentage of transfers resulting in live births	1 / 5	3 / 4
Percentage of transfers resulting in pregnancy	2 / 5	3 / 4

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Reproductive Concepts

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CAROLINA CONCEPTIONS, PA
RALEIGH, NORTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	86%
Unstimulated	0%	Used PGD	5%
Used gestational carrier	3%		

Patient Diagnosis[b]

Tubal factor	13%	Uterine factor	8%	*Multiple Factors:*	
Ovulatory dysfunction	17%	Male factor	37%	Female factors only	11%
Diminished ovarian reserve	37%	Other factor	7%	Female & male factors	22%
Endometriosis	7%	Unknown factor	13%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 581 Data verified by William R. Meyer, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	219	89	62	31	1	1
Percentage of cancellations	6.8	6.7	12.9	16.1	0 / 1	1 / 1
Average number of embryos transferred	2.0	2.4	3.0	3.4	3.0	
Percentage of embryos transferred resulting in implantation	42.1	29.1	20.1	7.3	0 / 3	
Percentage of elective single embryo transfer (eSET)	6.1	2.7	0.0	0 / 19	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	34.2	30.3	21.0	6.5	0 / 1	0 / 1
Percentage of cycles resulting in triplets or more live births	0.5	3.4	0.0	0.0	0 / 1	0 / 1
Percentage of cycles resulting in live births	49.3	38.2	29.0	9.7	0 / 1	0 / 1
Percentage of cycles resulting in pregnancy	54.3	43.8	35.5	16.1	0 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	194	77	52	24	1	0
Percentage of transfers resulting in singleton live births	38.7	35.1	25.0	8.3	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.5	3.9	0.0	0.0	0 / 1	
Percentage of transfers resulting in live births	55.7	44.2	34.6	12.5	0 / 1	
Percentage of transfers resulting in pregnancy	61.3	50.6	42.3	20.8	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	119	39	22	5	0	0
Percentage of pregnancies resulting in singleton live births	63.0	69.2	59.1	2 / 5		
Percentage of pregnancies resulting in triplets or more live births	0.8	7.7	0.0	0 / 5		
Percentage of pregnancies resulting in live births	90.8	87.2	81.8	3 / 5		
Frozen Embryos from Nondonor Eggs						
Number of cycles	57	17	21	1	0	1
Number of transfers	55	17	20	1	0	1
Average number of embryos transferred	2.1	2.4	2.1	2.0		2.0
Percentage of embryos transferred resulting in implantation	32.2	20.0	14.3	1 / 2		0 / 2
Percentage of transfers resulting in singleton live births	23.6	4 / 17	25.0	0 / 1		0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 17	0.0	0 / 1		0 / 1
Percentage of transfers resulting in live births	41.8	4 / 17	25.0	0 / 1		0 / 1
Percentage of transfers resulting in pregnancy	47.3	6 / 17	30.0	1 / 1		0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	57	24
Number of transfers	56	23
Average number of embryos transferred	1.9	2.0
Percentage of embryos transferred resulting in implantation	53.2	23.4
Percentage of transfers resulting in singleton live births	32.1	26.1
Percentage of transfers resulting in live births	57.1	34.8
Percentage of transfers resulting in pregnancy	67.9	39.1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Carolina Conceptions, PA

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 3 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WAKE FOREST UNIVERSITY CENTER FOR REPRODUCTIVE MEDICINE
WINSTON-SALEM, NORTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	72%
Unstimulated	<1%	Used PGD	2%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	13%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	20%	Male factor	38%	Female factors only	11%
Diminished ovarian reserve	18%	Other factor	6%	Female & male factors	18%
Endometriosis	20%	Unknown factor	15%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 316

Data verified by Tamer M. Yalcinkaya, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	107	54	42	9	4	0
Percentage of cancellations	3.7	9.3	11.9	1 / 9	1 / 4	
Average number of embryos transferred	1.9	2.0	2.8	3.7	4.0	
Percentage of embryos transferred resulting in implantation	52.1	41.7	27.6	11.5	0 / 8	
Percentage of elective single embryo transfer (eSET)	18.1	11.1	0.0	0 / 7	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	39.3	35.2	35.7	2 / 9	0 / 4	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 9	0 / 4	
Percentage of cycles resulting in live births	59.8	50.0	38.1	2 / 9	0 / 4	
Percentage of cycles resulting in pregnancy	65.4	57.4	57.1	3 / 9	0 / 4	
Outcomes per Transfer						
Number of transfers	99	47	37	7	2	0
Percentage of transfers resulting in singleton live births	42.4	40.4	40.5	2 / 7	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 7	0 / 2	
Percentage of transfers resulting in live births	64.6	57.4	43.2	2 / 7	0 / 2	
Percentage of transfers resulting in pregnancy	70.7	66.0	64.9	3 / 7	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	70	31	24	3	0	0
Percentage of pregnancies resulting in singleton live births	60.0	61.3	62.5	2 / 3		
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 3		
Percentage of pregnancies resulting in live births	91.4	87.1	66.7	2 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	35	24	12	4	0	0
Number of transfers	32	23	11	4	0	0
Average number of embryos transferred	1.8	2.3	2.1	2.5		
Percentage of embryos transferred resulting in implantation	37.3	22.2	17.4	3 / 10		
Percentage of transfers resulting in singleton live births	31.3	21.7	1 / 11	1 / 4		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 11	0 / 4		
Percentage of transfers resulting in live births	43.8	26.1	2 / 11	2 / 4		
Percentage of transfers resulting in pregnancy	56.3	43.5	4 / 11	2 / 4		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	18	7
Number of transfers	16	5
Average number of embryos transferred	1.8	2.0
Percentage of embryos transferred resulting in implantation	75.9	0 / 10
Percentage of transfers resulting in singleton live births	4 / 16	0 / 5
Percentage of transfers resulting in live births	12 / 16	0 / 5
Percentage of transfers resulting in pregnancy	14 / 16	2 / 5

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Wake Forest University Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 6 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SANFORD REPRODUCTIVE MEDICINE INSTITUTE
FARGO, NORTH DAKOTA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	86%
Unstimulated	0%	Used PGD	2%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	17%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	36%	Male factor	56%	Female factors only	12%
Diminished ovarian reserve	14%	Other factor	9%	Female & male factors	27%
Endometriosis	8%	Unknown factor	5%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 212 Data verified by Steffen P. Christensen, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	95	20	12	4	0	0
Percentage of cancellations	15.8	0.0	1 / 12	0 / 4		
Average number of embryos transferred	2.1	2.3	2.8	3.0		
Percentage of embryos transferred resulting in implantation	44.2	41.9	13.6	1 / 9		
Percentage of elective single embryo transfer (eSET)	0.0	0 / 19	1 / 8	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.4	30.0	1 / 12	1 / 4		
Percentage of cycles resulting in triplets or more live births	2.1	0.0	0 / 12	0 / 4		
Percentage of cycles resulting in live births	43.2	50.0	2 / 12	1 / 4		
Percentage of cycles resulting in pregnancy	48.4	55.0	2 / 12	1 / 4		
Outcomes per Transfer						
Number of transfers	73	19	8	3	0	0
Percentage of transfers resulting in singleton live births	35.6	6 / 19	1 / 8	1 / 3		
Percentage of transfers resulting in triplets or more live births	2.7	0 / 19	0 / 8	0 / 3		
Percentage of transfers resulting in live births	56.2	10 / 19	2 / 8	1 / 3		
Percentage of transfers resulting in pregnancy	63.0	11 / 19	2 / 8	1 / 3		
Outcomes per Pregnancy						
Number of pregnancies	46	11	2	1	0	0
Percentage of pregnancies resulting in singleton live births	56.5	6 / 11	1 / 2	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	4.3	0 / 11	0 / 2	0 / 1		
Percentage of pregnancies resulting in live births	89.1	10 / 11	2 / 2	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	50	12	7	3	0	0
Number of transfers	47	10	6	2	0	0
Average number of embryos transferred	2.4	2.8	2.8	2.0		
Percentage of embryos transferred resulting in implantation	8.0	10.7	5 / 17	0 / 4		
Percentage of transfers resulting in singleton live births	10.6	3 / 10	2 / 6	0 / 2		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 10	0 / 6	0 / 2		
Percentage of transfers resulting in live births	14.9	3 / 10	3 / 6	0 / 2		
Percentage of transfers resulting in pregnancy	17.0	4 / 10	5 / 6	0 / 2		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	5	4
Number of transfers	4	3
Average number of embryos transferred	1.8	2.7
Percentage of embryos transferred resulting in implantation	6 / 7	1 / 8
Percentage of transfers resulting in singleton live births	2 / 4	1 / 3
Percentage of transfers resulting in live births	4 / 4	1 / 3
Percentage of transfers resulting in pregnancy	4 / 4	1 / 3

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Sanford Reproductive Medicine Institute

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY UNLIMITED, INC.
NORTHEASTERN OHIO FERTILITY CENTER
AKRON, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	41%
Unstimulated	5%	Used PGD	18%
Used gestational carrier	5%		

Patient Diagnosis[b]

Tubal factor	11%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	13%	Male factor	38%	Female factors only	21%
Diminished ovarian reserve	28%	Other factor	30%	Female & male factors	13%
Endometriosis	21%	Unknown factor	0%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 47 Data verified by Nicholas J. Spirtos, DO

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	8	10	4	0	0	0
Percentage of cancellations	0 / 8	0 / 10	0 / 4			
Average number of embryos transferred	2.7	2.2	3.0			
Percentage of embryos transferred resulting in implantation	3 / 16	0.0	0 / 6			
Percentage of elective single embryo transfer (eSET)	0 / 6	0 / 6	0 / 2			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	1 / 8	0 / 10	0 / 4			
Percentage of cycles resulting in triplets or more live births	0 / 8	0 / 10	0 / 4			
Percentage of cycles resulting in live births	2 / 8	0 / 10	0 / 4			
Percentage of cycles resulting in pregnancy	2 / 8	0 / 10	0 / 4			
Outcomes per Transfer						
Number of transfers	6	9	2	0	0	0
Percentage of transfers resulting in singleton live births	1 / 6	0 / 9	0 / 2			
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 9	0 / 2			
Percentage of transfers resulting in live births	2 / 6	0 / 9	0 / 2			
Percentage of transfers resulting in pregnancy	2 / 6	0 / 9	0 / 2			
Outcomes per Pregnancy						
Number of pregnancies	2	0	0	0	0	0
Percentage of pregnancies resulting in singleton live births	1 / 2					
Percentage of pregnancies resulting in triplets or more live births	0 / 2					
Percentage of pregnancies resulting in live births	2 / 2					
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	1	2	1	1	0
Number of transfers	5	1	2	1	1	0
Average number of embryos transferred	2.4	2.0	1.5	4.0	3.0	
Percentage of embryos transferred resulting in implantation	1 / 12	0 / 2	0 / 3	0 / 4	0 / 3	
Percentage of transfers resulting in singleton live births	1 / 5	0 / 1	0 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 5	0 / 1	0 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in live births	1 / 5	0 / 1	0 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	1 / 5	0 / 1	0 / 2	0 / 1	0 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	12	3
Number of transfers	11	3
Average number of embryos transferred	2.2	2.3
Percentage of embryos transferred resulting in implantation	25.0	1 / 7
Percentage of transfers resulting in singleton live births	2 / 11	0 / 3
Percentage of transfers resulting in live births	3 / 11	0 / 3
Percentage of transfers resulting in pregnancy	4 / 11	1 / 3

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Unlimited, Inc., Northeastern Ohio Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE GYNECOLOGY
AKRON, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	74%
Unstimulated	0%	Used PGD	4%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	22%	Uterine factor	14%	*Multiple Factors:*	
Ovulatory dysfunction	15%	Male factor	61%	Female factors only	16%
Diminished ovarian reserve	31%	Other factor	4%	Female & male factors	43%
Endometriosis	29%	Unknown factor	4%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 325 Data verified by Richard W. Moretuzzo, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	131	52	18	13	4	1
Percentage of cancellations	4.6	5.8	1 / 18	0 / 13	0 / 4	0 / 1
Average number of embryos transferred	2.3	2.4	2.5	3.2	2.0	2.0
Percentage of embryos transferred resulting in implantation	26.1	15.7	18.2	16.7	0 / 8	0 / 2
Percentage of elective single embryo transfer (eSET)	1.7	0.0	0 / 12	0 / 12	0 / 2	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.2	19.2	2 / 18	2 / 13	0 / 4	0 / 1
Percentage of cycles resulting in triplets or more live births	0.8	0.0	1 / 18	0 / 13	0 / 4	0 / 1
Percentage of cycles resulting in live births	38.2	23.1	3 / 18	3 / 13	0 / 4	0 / 1
Percentage of cycles resulting in pregnancy	42.0	28.8	4 / 18	5 / 13	0 / 4	0 / 1
Outcomes per Transfer						
Number of transfers	121	47	13	13	4	1
Percentage of transfers resulting in singleton live births	27.3	21.3	2 / 13	2 / 13	0 / 4	0 / 1
Percentage of transfers resulting in triplets or more live births	0.8	0.0	1 / 13	0 / 13	0 / 4	0 / 1
Percentage of transfers resulting in live births	41.3	25.5	3 / 13	3 / 13	0 / 4	0 / 1
Percentage of transfers resulting in pregnancy	45.5	31.9	4 / 13	5 / 13	0 / 4	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	55	15	4	5	0	0
Percentage of pregnancies resulting in singleton live births	60.0	10 / 15	2 / 4	2 / 5		
Percentage of pregnancies resulting in triplets or more live births	1.8	0 / 15	1 / 4	0 / 5		
Percentage of pregnancies resulting in live births	90.9	12 / 15	3 / 4	3 / 5		
Frozen Embryos from Nondonor Eggs						
Number of cycles	39	19	2	3	1	0
Number of transfers	37	18	2	3	1	0
Average number of embryos transferred	2.4	2.6	3.0	2.7	6.0	
Percentage of embryos transferred resulting in implantation	29.5	26.1	2 / 6	2 / 8	0 / 6	
Percentage of transfers resulting in singleton live births	43.2	6 / 18	2 / 2	1 / 3	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 18	0 / 2	0 / 3	0 / 1	
Percentage of transfers resulting in live births	51.4	8 / 18	2 / 2	1 / 3	0 / 1	
Percentage of transfers resulting in pregnancy	64.9	9 / 18	2 / 2	3 / 3	1 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	23	19
Number of transfers	23	18
Average number of embryos transferred	2.1	2.4
Percentage of embryos transferred resulting in implantation	50.0	18.2
Percentage of transfers resulting in singleton live births	43.5	5 / 18
Percentage of transfers resulting in live births	60.9	5 / 18
Percentage of transfers resulting in pregnancy	65.2	8 / 18

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Gynecology

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 4 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BETHESDA CENTER FOR REPRODUCTIVE HEALTH & FERTILITY
CINCINNATI, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	58%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	14%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	12%	Male factor	26%	Female factors only	8%
Diminished ovarian reserve	39%	Other factor	6%	Female & male factors	9%
Endometriosis	5%	Unknown factor	16%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 330 Data verified by Glen E. Hofmann, MD, PhD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	108	36	44	7	6	2
Percentage of cancellations	17.6	19.4	15.9	2 / 7	1 / 6	0 / 2
Average number of embryos transferred	2.0	2.1	2.4	2.2	2.8	3.0
Percentage of embryos transferred resulting in implantation	35.1	25.8	15.7	2 / 11	1 / 11	0 / 6
Percentage of elective single embryo transfer (eSET)	1.2	7.1	0.0	0 / 4	0 / 4	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.9	8.3	18.2	2 / 7	0 / 6	0 / 2
Percentage of cycles resulting in triplets or more live births	0.9	0.0	0.0	0 / 7	0 / 6	0 / 2
Percentage of cycles resulting in live births	38.9	22.2	22.7	2 / 7	0 / 6	0 / 2
Percentage of cycles resulting in pregnancy	44.4	38.9	34.1	2 / 7	1 / 6	0 / 2
Outcomes per Transfer						
Number of transfers	86	29	37	5	4	2
Percentage of transfers resulting in singleton live births	32.6	10.3	21.6	2 / 5	0 / 4	0 / 2
Percentage of transfers resulting in triplets or more live births	1.2	0.0	0.0	0 / 5	0 / 4	0 / 2
Percentage of transfers resulting in live births	48.8	27.6	27.0	2 / 5	0 / 4	0 / 2
Percentage of transfers resulting in pregnancy	55.8	48.3	40.5	2 / 5	1 / 4	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	48	14	15	2	1	0
Percentage of pregnancies resulting in singleton live births	58.3	3 / 14	8 / 15	2 / 2	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	2.1	0 / 14	0 / 15	0 / 2	0 / 1	
Percentage of pregnancies resulting in live births	87.5	8 / 14	10 / 15	2 / 2	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	31	17	11	5	7	0
Number of transfers	29	15	10	3	6	0
Average number of embryos transferred	2.0	1.7	1.9	1.7	2.0	
Percentage of embryos transferred resulting in implantation	37.9	38.5	0 / 19	1 / 5	2 / 12	
Percentage of transfers resulting in singleton live births	24.1	6 / 15	0 / 10	1 / 3	0 / 6	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 15	0 / 10	0 / 3	0 / 6	
Percentage of transfers resulting in live births	44.8	8 / 15	0 / 10	1 / 3	1 / 6	
Percentage of transfers resulting in pregnancy	62.1	9 / 15	1 / 10	1 / 3	1 / 6	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	23	33
Number of transfers	21	32
Average number of embryos transferred	2.0	1.8
Percentage of embryos transferred resulting in implantation	66.7	32.2
Percentage of transfers resulting in singleton live births	33.3	34.4
Percentage of transfers resulting in live births	71.4	46.9
Percentage of transfers resulting in pregnancy	81.0	56.3

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Bethesda Center for Reproductive Health & Fertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE HEALTH
CINCINNATI, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	>99%	With ICSI	41%
Unstimulated	2%	Used PGD	<1%
Used gestational carrier	3%		

Patient Diagnosis[b]

Tubal factor	18%	Uterine factor	6%	*Multiple Factors:*	
Ovulatory dysfunction	17%	Male factor	40%	Female factors only	11%
Diminished ovarian reserve	30%	Other factor	14%	Female & male factors	26%
Endometriosis	13%	Unknown factor	4%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 234 Data verified by Krystene B. DiPaola, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	75	30	15	10	1	1
Percentage of cancellations	10.7	10.0	1 / 15	1 / 10	0 / 1	0 / 1
Average number of embryos transferred	2.0	2.4	2.3	2.5	1.0	
Percentage of embryos transferred resulting in implantation	18.5	11.3	10.7	5.0	0 / 1	
Percentage of elective single embryo transfer (eSET)	0.0	0.0	0 / 10	0 / 5		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	13.3	20.0	1 / 15	1 / 10	0 / 1	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 15	0 / 10	0 / 1	0 / 1
Percentage of cycles resulting in live births	21.3	20.0	2 / 15	1 / 10	0 / 1	0 / 1
Percentage of cycles resulting in pregnancy	24.0	20.0	2 / 15	1 / 10	0 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	61	22	12	8	1	0
Percentage of transfers resulting in singleton live births	16.4	27.3	1 / 12	1 / 8	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 12	0 / 8	0 / 1	
Percentage of transfers resulting in live births	26.2	27.3	2 / 12	1 / 8	0 / 1	
Percentage of transfers resulting in pregnancy	29.5	27.3	2 / 12	1 / 8	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	18	6	2	1	0	0
Percentage of pregnancies resulting in singleton live births	10 / 18	6 / 6	1 / 2	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 18	0 / 6	0 / 2	0 / 1		
Percentage of pregnancies resulting in live births	16 / 18	6 / 6	2 / 2	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	22	12	8	1	0	0
Number of transfers	21	11	8	1	0	0
Average number of embryos transferred	2.1	1.8	2.0	2.0		
Percentage of embryos transferred resulting in implantation	8.9	20.0	2 / 16	0 / 2		
Percentage of transfers resulting in singleton live births	14.3	2 / 11	0 / 8	0 / 1		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 11	0 / 8	0 / 1		
Percentage of transfers resulting in live births	14.3	3 / 11	1 / 8	0 / 1		
Percentage of transfers resulting in pregnancy	28.6	3 / 11	1 / 8	0 / 1		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	41	18
Number of transfers	37	15
Average number of embryos transferred	1.9	1.9
Percentage of embryos transferred resulting in implantation	22.2	7.1
Percentage of transfers resulting in singleton live births	18.9	2 / 15
Percentage of transfers resulting in live births	27.0	2 / 15
Percentage of transfers resulting in pregnancy	29.7	2 / 15

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Reproductive Health

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 3 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INSTITUTE FOR REPRODUCTIVE HEALTH
CINCINNATI, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	61%
Unstimulated	0%	Used PGD	1%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	17%	Uterine factor	10%	*Multiple Factors:*	
Ovulatory dysfunction	28%	Male factor	39%	Female factors only	21%
Diminished ovarian reserve	22%	Other factor	9%	Female & male factors	23%
Endometriosis	22%	Unknown factor	6%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 933 Data verified by Sherif G. Awadalla, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	455	130	85	22	12	2
Percentage of cancellations	6.2	10.0	12.9	13.6	1 / 12	0 / 2
Average number of embryos transferred	2.1	2.4	2.8	3.0	2.6	1.5
Percentage of embryos transferred resulting in implantation	32.4	27.8	19.9	7.4	3.4	0 / 3
Percentage of elective single embryo transfer (eSET)	1.9	1.9	0.0	0 / 16	0 / 9	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	21.3	23.1	24.7	9.1	1 / 12	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0.8	1.2	0.0	0 / 12	0 / 2
Percentage of cycles resulting in live births	40.0	36.2	31.8	13.6	1 / 12	0 / 2
Percentage of cycles resulting in pregnancy	44.4	40.8	36.5	18.2	1 / 12	1 / 2
Outcomes per Transfer						
Number of transfers	419	115	71	18	11	2
Percentage of transfers resulting in singleton live births	23.2	26.1	29.6	2 / 18	1 / 11	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.9	1.4	0 / 18	0 / 11	0 / 2
Percentage of transfers resulting in live births	43.4	40.9	38.0	3 / 18	1 / 11	0 / 2
Percentage of transfers resulting in pregnancy	48.2	46.1	43.7	4 / 18	1 / 11	1 / 2
Outcomes per Pregnancy						
Number of pregnancies	202	53	31	4	1	1
Percentage of pregnancies resulting in singleton live births	48.0	56.6	67.7	2 / 4	1 / 1	0 / 1
Percentage of pregnancies resulting in triplets or more live births	0.0	1.9	3.2	0 / 4	0 / 1	0 / 1
Percentage of pregnancies resulting in live births	90.1	88.7	87.1	3 / 4	1 / 1	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	97	38	12	5	0	1
Number of transfers	93	38	12	4	0	1
Average number of embryos transferred	2.1	1.9	2.3	2.5		2.0
Percentage of embryos transferred resulting in implantation	27.7	21.6	14.8	1 / 10		0 / 2
Percentage of transfers resulting in singleton live births	30.1	15.8	3 / 12	0 / 4		0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	2.6	0 / 12	0 / 4		0 / 1
Percentage of transfers resulting in live births	40.9	26.3	3 / 12	0 / 4		0 / 1
Percentage of transfers resulting in pregnancy	45.2	28.9	3 / 12	1 / 4		0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	51	23
Number of transfers	48	23
Average number of embryos transferred	2.1	2.1
Percentage of embryos transferred resulting in implantation	42.6	18.8
Percentage of transfers resulting in singleton live births	37.5	21.7
Percentage of transfers resulting in live births	56.3	26.1
Percentage of transfers resulting in pregnancy	62.5	30.4

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Institute for Reproductive Health

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 6 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CLEVELAND CLINIC FERTILITY CENTER
CLEVELAND, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	79%
Unstimulated	<1%	Used PGD	2%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	14%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	19%	Male factor	47%	Female factors only	10%
Diminished ovarian reserve	25%	Other factor	10%	Female & male factors	23%
Endometriosis	12%	Unknown factor	12%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 801 Data verified by Cynthia Austin, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	208	101	95	50	14	2
Percentage of cancellations	16.3	14.9	26.3	34.0	7 / 14	0 / 2
Average number of embryos transferred	2.0	2.4	2.7	2.8	3.1	2.5
Percentage of embryos transferred resulting in implantation	32.9	32.3	16.0	11.3	0.0	0 / 5
Percentage of elective single embryo transfer (eSET)	11.1	1.2	0.0	0.0	0 / 7	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	24.5	41.6	11.6	12.0	0 / 14	0 / 2
Percentage of cycles resulting in triplets or more live births	1.0	0.0	1.1	0.0	0 / 14	0 / 2
Percentage of cycles resulting in live births	37.0	50.5	17.9	14.0	0 / 14	0 / 2
Percentage of cycles resulting in pregnancy	40.4	53.5	23.2	14.0	0 / 14	0 / 2
Outcomes per Transfer						
Number of transfers	172	84	68	29	7	2
Percentage of transfers resulting in singleton live births	29.7	50.0	16.2	20.7	0 / 7	0 / 2
Percentage of transfers resulting in triplets or more live births	1.2	0.0	1.5	0.0	0 / 7	0 / 2
Percentage of transfers resulting in live births	44.8	60.7	25.0	24.1	0 / 7	0 / 2
Percentage of transfers resulting in pregnancy	48.8	64.3	32.4	24.1	0 / 7	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	84	54	22	7	0	0
Percentage of pregnancies resulting in singleton live births	60.7	77.8	50.0	6 / 7		
Percentage of pregnancies resulting in triplets or more live births	2.4	0.0	4.5	0 / 7		
Percentage of pregnancies resulting in live births	91.7	94.4	77.3	7 / 7		
Frozen Embryos from Nondonor Eggs						
Number of cycles	119	63	45	24	11	0
Number of transfers	93	51	41	21	7	0
Average number of embryos transferred	1.7	1.8	2.0	2.0	1.9	
Percentage of embryos transferred resulting in implantation	35.2	23.4	35.0	27.9	1 / 13	
Percentage of transfers resulting in singleton live births	34.4	33.3	29.3	23.8	1 / 7	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 7	
Percentage of transfers resulting in live births	40.9	37.3	39.0	28.6	1 / 7	
Percentage of transfers resulting in pregnancy	49.5	47.1	58.5	47.6	1 / 7	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	31	38
Number of transfers	26	30
Average number of embryos transferred	1.8	1.8
Percentage of embryos transferred resulting in implantation	27.1	33.3
Percentage of transfers resulting in singleton live births	34.6	33.3
Percentage of transfers resulting in live births	42.3	43.3
Percentage of transfers resulting in pregnancy	42.3	43.3

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Cleveland Clinic Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 16 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

OHIO REPRODUCTIVE MEDICINE
COLUMBUS, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	46%
Unstimulated	0%	Used PGD	2%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	22%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	7%	Male factor	33%	Female factors only	8%
Diminished ovarian reserve	24%	Other factor	3%	Female & male factors	9%
Endometriosis	9%	Unknown factor	18%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 547

Data verified by Grant Schmidt, MD, PhD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	216	79	81	33	12	4
Percentage of cancellations	8.8	6.3	13.6	3.0	1 / 12	2 / 4
Average number of embryos transferred	2.0	2.3	2.8	2.8	3.3	3.5
Percentage of embryos transferred resulting in implantation	41.2	28.7	15.0	9.4	0.0	0 / 7
Percentage of elective single embryo transfer (eSET)	8.4	3.0	0.0	0.0	0 / 9	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.8	38.0	16.0	9.1	0 / 12	0 / 4
Percentage of cycles resulting in triplets or more live births	0.0	0.0	1.2	0.0	0 / 12	0 / 4
Percentage of cycles resulting in live births	47.2	44.3	21.0	12.1	0 / 12	0 / 4
Percentage of cycles resulting in pregnancy	56.5	51.9	27.2	24.2	0 / 12	0 / 4
Outcomes per Transfer						
Number of transfers	190	71	68	30	11	2
Percentage of transfers resulting in singleton live births	31.6	42.3	19.1	10.0	0 / 11	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	1.5	0.0	0 / 11	0 / 2
Percentage of transfers resulting in live births	53.7	49.3	25.0	13.3	0 / 11	0 / 2
Percentage of transfers resulting in pregnancy	64.2	57.7	32.4	26.7	0 / 11	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	122	41	22	8	0	0
Percentage of pregnancies resulting in singleton live births	49.2	73.2	59.1	3 / 8		
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	4.5	0 / 8		
Percentage of pregnancies resulting in live births	83.6	85.4	77.3	4 / 8		
Frozen Embryos from Nondonor Eggs						
Number of cycles	27	22	12	1	2	1
Number of transfers	24	18	12	1	1	0
Average number of embryos transferred	1.9	2.2	1.6	2.0	1.0	
Percentage of embryos transferred resulting in implantation	21.7	27.5	5 / 19	0 / 2	1 / 1	
Percentage of transfers resulting in singleton live births	25.0	4 / 18	5 / 12	0 / 1	1 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 18	0 / 12	0 / 1	0 / 1	
Percentage of transfers resulting in live births	29.2	5 / 18	5 / 12	0 / 1	1 / 1	
Percentage of transfers resulting in pregnancy	37.5	8 / 18	5 / 12	0 / 1	1 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	35	22
Number of transfers	35	21
Average number of embryos transferred	2.0	1.9
Percentage of embryos transferred resulting in implantation	43.5	17.5
Percentage of transfers resulting in singleton live births	20.0	9.5
Percentage of transfers resulting in live births	51.4	19.0
Percentage of transfers resulting in pregnancy	54.3	23.8

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Ohio Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 2 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WRIGHT STATE PHYSICIANS WOMEN'S HEALTH CARE
DAYTON, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	33%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	0%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	0%	Male factor	0%	Female factors only	0%
Diminished ovarian reserve	0%	Other factor	0%	Female & male factors	0%
Endometriosis	0%	Unknown factor	100%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 3

Data verified by Lawrence S. Amesse, MD, PhD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	2	1	0	0	0	0
Percentage of cancellations	0 / 2	0 / 1				
Average number of embryos transferred	2.5	3.0				
Percentage of embryos transferred resulting in implantation	1 / 5	0 / 3				
Percentage of elective single embryo transfer (eSET)	0 / 2	0 / 1				
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	1 / 2	0 / 1				
Percentage of cycles resulting in triplets or more live births	0 / 2	0 / 1				
Percentage of cycles resulting in live births	1 / 2	0 / 1				
Percentage of cycles resulting in pregnancy	1 / 2	0 / 1				
Outcomes per Transfer						
Number of transfers	2	1	0	0	0	0
Percentage of transfers resulting in singleton live births	1 / 2	0 / 1				
Percentage of transfers resulting in triplets or more live births	0 / 2	0 / 1				
Percentage of transfers resulting in live births	1 / 2	0 / 1				
Percentage of transfers resulting in pregnancy	1 / 2	0 / 1				
Outcomes per Pregnancy						
Number of pregnancies	1	0	0	0	0	0
Percentage of pregnancies resulting in singleton live births	1 / 1					
Percentage of pregnancies resulting in triplets or more live births	0 / 1					
Percentage of pregnancies resulting in live births	1 / 1					
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	0	0	0	0	0
Number of transfers	0	0	0	0	0	0
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in triplets or more live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation		
Percentage of transfers resulting in singleton live births		
Percentage of transfers resulting in live births		
Percentage of transfers resulting in pregnancy		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Wright State Physicians Women's Health Care

Donor egg?	No	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	No	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

KETTERING REPRODUCTIVE MEDICINE
KETTERING, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	55%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	8%	Uterine factor	1%	*Multiple Factors:*	
Ovulatory dysfunction	10%	Male factor	48%	Female factors only	5%
Diminished ovarian reserve	28%	Other factor	12%	Female & male factors	17%
Endometriosis	10%	Unknown factor	5%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 157

Data verified by Jeremy M. Groll, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	72	22	10	3	4	0
Percentage of cancellations	8.3	13.6	0 / 10	1 / 3	1 / 4	
Average number of embryos transferred	1.9	2.1	2.3	2.5	3.0	
Percentage of embryos transferred resulting in implantation	51.3	38.2	21.7	1 / 5	0 / 6	
Percentage of elective single embryo transfer (eSET)	10.2	1 / 15	0 / 10	0 / 2	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	33.3	27.3	3 / 10	1 / 3	0 / 4	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 10	0 / 3	0 / 4	
Percentage of cycles resulting in live births	50.0	40.9	3 / 10	1 / 3	0 / 4	
Percentage of cycles resulting in pregnancy	61.1	45.5	3 / 10	1 / 3	0 / 4	
Outcomes per Transfer						
Number of transfers	60	16	10	2	2	0
Percentage of transfers resulting in singleton live births	40.0	6 / 16	3 / 10	1 / 2	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0 / 10	0 / 2	0 / 2	
Percentage of transfers resulting in live births	60.0	9 / 16	3 / 10	1 / 2	0 / 2	
Percentage of transfers resulting in pregnancy	73.3	10 / 16	3 / 10	1 / 2	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	44	10	3	1	0	0
Percentage of pregnancies resulting in singleton live births	54.5	6 / 10	3 / 3	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 10	0 / 3	0 / 1		
Percentage of pregnancies resulting in live births	81.8	9 / 10	3 / 3	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	25	4	3	0	0	0
Number of transfers	25	4	3	0	0	0
Average number of embryos transferred	1.6	1.8	2.3			
Percentage of embryos transferred resulting in implantation	29.3	1 / 7	1 / 7			
Percentage of transfers resulting in singleton live births	36.0	0 / 4	1 / 3			
Percentage of transfers resulting in triplets or more live births	0.0	0 / 4	0 / 3			
Percentage of transfers resulting in live births	40.0	0 / 4	1 / 3			
Percentage of transfers resulting in pregnancy	44.0	1 / 4	1 / 3			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	8	6
Number of transfers	7	6
Average number of embryos transferred	2.0	1.8
Percentage of embryos transferred resulting in implantation	8 / 14	2 / 11
Percentage of transfers resulting in singleton live births	1 / 7	1 / 6
Percentage of transfers resulting in live births	4 / 7	1 / 6
Percentage of transfers resulting in pregnancy	6 / 7	2 / 6

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Kettering Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF NORTHWESTERN OHIO
TOLEDO, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	44%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	28%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	20%	Male factor	52%	Female factors only	18%
Diminished ovarian reserve	33%	Other factor	5%	Female & male factors	25%
Endometriosis	8%	Unknown factor	<1%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 113 Data verified by Joseph V. Karnitis, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	40	14	8	5	1	0
Percentage of cancellations	15.0	4 / 14	2 / 8	0 / 5	1 / 1	
Average number of embryos transferred	2.4	2.8	2.3	3.2		
Percentage of embryos transferred resulting in implantation	31.5	24.0	1 / 14	3 / 16		
Percentage of elective single embryo transfer (eSET)	0.0	0 / 9	0 / 6	0 / 5		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	20.0	2 / 14	1 / 8	1 / 5	0 / 1	
Percentage of cycles resulting in triplets or more live births	2.5	0 / 14	0 / 8	0 / 5	0 / 1	
Percentage of cycles resulting in live births	32.5	3 / 14	1 / 8	2 / 5	0 / 1	
Percentage of cycles resulting in pregnancy	40.0	3 / 14	1 / 8	2 / 5	0 / 1	
Outcomes per Transfer						
Number of transfers	31	9	6	5	0	0
Percentage of transfers resulting in singleton live births	25.8	2 / 9	1 / 6	1 / 5		
Percentage of transfers resulting in triplets or more live births	3.2	0 / 9	0 / 6	0 / 5		
Percentage of transfers resulting in live births	41.9	3 / 9	1 / 6	2 / 5		
Percentage of transfers resulting in pregnancy	51.6	3 / 9	1 / 6	2 / 5		
Outcomes per Pregnancy						
Number of pregnancies	16	3	1	2	0	0
Percentage of pregnancies resulting in singleton live births	8 / 16	2 / 3	1 / 1	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	1 / 16	0 / 3	0 / 1	0 / 2		
Percentage of pregnancies resulting in live births	13 / 16	3 / 3	1 / 1	2 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	20	3	7	3	0	0
Number of transfers	13	3	4	1	0	0
Average number of embryos transferred	2.5	1.7	1.5	2.0		
Percentage of embryos transferred resulting in implantation	9.4	1 / 5	1 / 6	0 / 2		
Percentage of transfers resulting in singleton live births	2 / 13	1 / 3	1 / 4	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 13	0 / 3	0 / 4	0 / 1		
Percentage of transfers resulting in live births	2 / 13	1 / 3	1 / 4	0 / 1		
Percentage of transfers resulting in pregnancy	3 / 13	1 / 3	1 / 4	0 / 1		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	9	3
Number of transfers	7	2
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation	6 / 14	0 / 4
Percentage of transfers resulting in singleton live births	4 / 7	0 / 2
Percentage of transfers resulting in live births	4 / 7	0 / 2
Percentage of transfers resulting in pregnancy	4 / 7	1 / 2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Center of Northwestern Ohio

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE GYNECOLOGY, INC.
WESTERVILLE, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	74%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	10%	Uterine factor	7%	*Multiple Factors:*	
Ovulatory dysfunction	17%	Male factor	49%	Female factors only	10%
Diminished ovarian reserve	15%	Other factor	5%	Female & male factors	23%
Endometriosis	23%	Unknown factor	11%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 138 Data verified by Richard Moretuzzo, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	76	14	23	8	0	0
Percentage of cancellations	5.3	0 / 14	4.3	2 / 8		
Average number of embryos transferred	2.1	2.2	2.2	2.8		
Percentage of embryos transferred resulting in implantation	27.5	29.0	14.3	4 / 17		
Percentage of elective single embryo transfer (eSET)	1.4	0 / 14	0 / 17	0 / 6		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	17.1	6 / 14	13.0	3 / 8		
Percentage of cycles resulting in triplets or more live births	0.0	0 / 14	0.0	0 / 8		
Percentage of cycles resulting in live births	31.6	6 / 14	17.4	3 / 8		
Percentage of cycles resulting in pregnancy	36.8	7 / 14	21.7	4 / 8		
Outcomes per Transfer						
Number of transfers	72	14	19	6	0	0
Percentage of transfers resulting in singleton live births	18.1	6 / 14	3 / 19	3 / 6		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 14	0 / 19	0 / 6		
Percentage of transfers resulting in live births	33.3	6 / 14	4 / 19	3 / 6		
Percentage of transfers resulting in pregnancy	38.9	7 / 14	5 / 19	4 / 6		
Outcomes per Pregnancy						
Number of pregnancies	28	7	5	4	0	0
Percentage of pregnancies resulting in singleton live births	46.4	6 / 7	3 / 5	3 / 4		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 7	0 / 5	0 / 4		
Percentage of pregnancies resulting in live births	85.7	6 / 7	4 / 5	3 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	11	3	2	1	0	0
Number of transfers	11	3	2	1	0	0
Average number of embryos transferred	1.8	2.3	2.5	3.0		
Percentage of embryos transferred resulting in implantation	30.0	1 / 7	2 / 5	1 / 3		
Percentage of transfers resulting in singleton live births	1 / 11	1 / 3	2 / 2	1 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 11	0 / 3	0 / 2	0 / 1		
Percentage of transfers resulting in live births	3 / 11	1 / 3	2 / 2	1 / 1		
Percentage of transfers resulting in pregnancy	4 / 11	1 / 3	2 / 2	1 / 1		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation		
Percentage of transfers resulting in singleton live births		
Percentage of transfers resulting in live births		
Percentage of transfers resulting in pregnancy		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Gynecology, Inc.

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HENRY G. BENNETT, JR., FERTILITY INSTITUTE
OKLAHOMA CITY, OKLAHOMA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	48%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	25%	Uterine factor	<1%	*Multiple Factors:*	
Ovulatory dysfunction	24%	Male factor	43%	Female factors only	12%
Diminished ovarian reserve	15%	Other factor	8%	Female & male factors	20%
Endometriosis	16%	Unknown factor	7%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 275 Data verified by Eli Reshef, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	125	38	32	8	1	0
Percentage of cancellations	1.6	5.3	9.4	1 / 8	0 / 1	
Average number of embryos transferred	2.0	2.2	2.4	2.8	1.0	
Percentage of embryos transferred resulting in implantation	45.6	31.6	26.9	1 / 17	0 / 1	
Percentage of elective single embryo transfer (eSET)	0.0	0.0	0.0	0 / 6		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.4	23.7	31.3	0 / 8	0 / 1	
Percentage of cycles resulting in triplets or more live births	1.6	2.6	6.3	0 / 8	0 / 1	
Percentage of cycles resulting in live births	54.4	39.5	37.5	0 / 8	0 / 1	
Percentage of cycles resulting in pregnancy	62.4	47.4	46.9	2 / 8	0 / 1	
Outcomes per Transfer						
Number of transfers	120	34	28	6	1	0
Percentage of transfers resulting in singleton live births	31.7	26.5	35.7	0 / 6	0 / 1	
Percentage of transfers resulting in triplets or more live births	1.7	2.9	7.1	0 / 6	0 / 1	
Percentage of transfers resulting in live births	56.7	44.1	42.9	0 / 6	0 / 1	
Percentage of transfers resulting in pregnancy	65.0	52.9	53.6	2 / 6	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	78	18	15	2	0	0
Percentage of pregnancies resulting in singleton live births	48.7	9 / 18	10 / 15	0 / 2		
Percentage of pregnancies resulting in triplets or more live births	2.6	1 / 18	2 / 15	0 / 2		
Percentage of pregnancies resulting in live births	87.2	15 / 18	12 / 15	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	21	6	4	6	2	3
Number of transfers	19	5	4	5	2	3
Average number of embryos transferred	2.0	2.2	2.3	1.8	3.0	2.0
Percentage of embryos transferred resulting in implantation	10.5	0 / 11	1 / 9	2 / 9	0 / 6	1 / 6
Percentage of transfers resulting in singleton live births	4 / 19	0 / 5	0 / 4	1 / 5	0 / 2	1 / 3
Percentage of transfers resulting in triplets or more live births	0 / 19	0 / 5	0 / 4	0 / 5	0 / 2	0 / 3
Percentage of transfers resulting in live births	4 / 19	0 / 5	0 / 4	1 / 5	0 / 2	1 / 3
Percentage of transfers resulting in pregnancy	4 / 19	0 / 5	1 / 4	2 / 5	0 / 2	1 / 3

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	20	9
Number of transfers	20	8
Average number of embryos transferred	2.2	2.6
Percentage of embryos transferred resulting in implantation	20.9	9.5
Percentage of transfers resulting in singleton live births	30.0	1 / 8
Percentage of transfers resulting in live births	35.0	1 / 8
Percentage of transfers resulting in pregnancy	50.0	3 / 8

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Henry G. Bennett, Jr., Fertility Institute

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DEACONESS CENTER FOR REPRODUCTIVE HEALTH
OKLAHOMA CITY, OKLAHOMA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	84%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	17%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	2%	Male factor	49%	Female factors only	7%
Diminished ovarian reserve	34%	Other factor	22%	Female & male factors	17%
Endometriosis	0%	Unknown factor	0%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 41

Data verified by Gilbert G. Haas, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	22	3	0	0	0	0
Percentage of cancellations	18.2	0 / 3				
Average number of embryos transferred	2.1	2.3				
Percentage of embryos transferred resulting in implantation	27.0	3 / 7				
Percentage of elective single embryo transfer (eSET)	1 / 18	0 / 3				
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	18.2	2 / 3				
Percentage of cycles resulting in triplets or more live births	0.0	0 / 3				
Percentage of cycles resulting in live births	27.3	2 / 3				
Percentage of cycles resulting in pregnancy	36.4	2 / 3				
Outcomes per Transfer						
Number of transfers	18	3	0	0	0	0
Percentage of transfers resulting in singleton live births	4 / 18	2 / 3				
Percentage of transfers resulting in triplets or more live births	0 / 18	0 / 3				
Percentage of transfers resulting in live births	6 / 18	2 / 3				
Percentage of transfers resulting in pregnancy	8 / 18	2 / 3				
Outcomes per Pregnancy						
Number of pregnancies	8	2	0	0	0	0
Percentage of pregnancies resulting in singleton live births	4 / 8	2 / 2				
Percentage of pregnancies resulting in triplets or more live births	0 / 8	0 / 2				
Percentage of pregnancies resulting in live births	6 / 8	2 / 2				
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	1	1	0	0	0
Number of transfers	7	1	1	0	0	0
Average number of embryos transferred	1.7	2.0	2.0			
Percentage of embryos transferred resulting in implantation	3 / 12	0 / 2	0 / 2			
Percentage of transfers resulting in singleton live births	2 / 7	0 / 1	0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 7	0 / 1	0 / 1			
Percentage of transfers resulting in live births	2 / 7	0 / 1	0 / 1			
Percentage of transfers resulting in pregnancy	2 / 7	1 / 1	1 / 1			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	5	2
Number of transfers	5	2
Average number of embryos transferred	1.6	2.0
Percentage of embryos transferred resulting in implantation	2 / 8	0 / 4
Percentage of transfers resulting in singleton live births	0 / 5	0 / 2
Percentage of transfers resulting in live births	0 / 5	0 / 2
Percentage of transfers resulting in pregnancy	2 / 5	0 / 2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Deaconess Center for Reproductive Health

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

OU PHYSICIANS REPRODUCTIVE MEDICINE
OKLAHOMA CITY, OKLAHOMA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	95%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	22%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	24%	Male factor	43%	Female factors only	15%
Diminished ovarian reserve	6%	Other factor	27%	Female & male factors	26%
Endometriosis	11%	Unknown factor	8%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 137 Data verified by Karl R. Hansen, MD, PhD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	56	19	12	4	0	4
Percentage of cancellations	3.6	1 / 19	0 / 12	1 / 4		1 / 4
Average number of embryos transferred	1.9	2.2	2.7	3.7		4.0
Percentage of embryos transferred resulting in implantation	48.1	22.5	37.5	0 / 11		1 / 12
Percentage of elective single embryo transfer (eSET)	9.3	1 / 18	0 / 11	0 / 3		0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.4	4 / 19	4 / 12	0 / 4		1 / 4
Percentage of cycles resulting in triplets or more live births	1.8	0 / 19	0 / 12	0 / 4		0 / 4
Percentage of cycles resulting in live births	55.4	6 / 19	6 / 12	0 / 4		1 / 4
Percentage of cycles resulting in pregnancy	60.7	6 / 19	9 / 12	0 / 4		2 / 4
Outcomes per Transfer						
Number of transfers	54	18	12	3	0	3
Percentage of transfers resulting in singleton live births	31.5	4 / 18	4 / 12	0 / 3		1 / 3
Percentage of transfers resulting in triplets or more live births	1.9	0 / 18	0 / 12	0 / 3		0 / 3
Percentage of transfers resulting in live births	57.4	6 / 18	6 / 12	0 / 3		1 / 3
Percentage of transfers resulting in pregnancy	63.0	6 / 18	9 / 12	0 / 3		2 / 3
Outcomes per Pregnancy						
Number of pregnancies	34	6	9	0	0	2
Percentage of pregnancies resulting in singleton live births	50.0	4 / 6	4 / 9			1 / 2
Percentage of pregnancies resulting in triplets or more live births	2.9	0 / 6	0 / 9			0 / 2
Percentage of pregnancies resulting in live births	91.2	6 / 6	6 / 9			1 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	17	8	3	1	0	0
Number of transfers	16	7	3	1	0	0
Average number of embryos transferred	1.9	2.6	1.7	2.0		
Percentage of embryos transferred resulting in implantation	46.7	3 / 18	1 / 5	0 / 2		
Percentage of transfers resulting in singleton live births	3 / 16	2 / 7	1 / 3	0 / 1		
Percentage of transfers resulting in triplets or more live births	1 / 16	0 / 7	0 / 3	0 / 1		
Percentage of transfers resulting in live births	6 / 16	2 / 7	1 / 3	0 / 1		
Percentage of transfers resulting in pregnancy	10 / 16	3 / 7	1 / 3	0 / 1		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	7	6
Number of transfers	7	6
Average number of embryos transferred	2.1	2.0
Percentage of embryos transferred resulting in implantation	7 / 15	2 / 12
Percentage of transfers resulting in singleton live births	2 / 7	2 / 6
Percentage of transfers resulting in live births	4 / 7	2 / 6
Percentage of transfers resulting in pregnancy	4 / 7	2 / 6

CURRENT CLINIC SERVICES AND PROFILE

Current Name: OU Physicians Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

TULSA FERTILITY CENTER
TULSA, OKLAHOMA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	63%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	18%	Uterine factor	<1%	*Multiple Factors:*	
Ovulatory dysfunction	20%	Male factor	46%	Female factors only	10%
Diminished ovarian reserve	9%	Other factor	15%	Female & male factors	20%
Endometriosis	16%	Unknown factor	9%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 296

Data verified by Stanley G. Prough, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	126	35	25	10	2	4
Percentage of cancellations	3.2	11.4	16.0	2 / 10	0 / 2	1 / 4
Average number of embryos transferred	1.9	1.8	1.8	1.9		2.3
Percentage of embryos transferred resulting in implantation	36.2	14.6	9.1	2 / 13		0 / 7
Percentage of elective single embryo transfer (eSET)	4.5	4.8	1 / 13	0 / 5		0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.4	14.3	12.0	2 / 10	0 / 2	0 / 4
Percentage of cycles resulting in triplets or more live births	1.6	0.0	0.0	0 / 10	0 / 2	0 / 4
Percentage of cycles resulting in live births	38.1	17.1	12.0	2 / 10	0 / 2	0 / 4
Percentage of cycles resulting in pregnancy	43.7	20.0	16.0	2 / 10	0 / 2	0 / 4
Outcomes per Transfer						
Number of transfers	99	27	18	7	0	3
Percentage of transfers resulting in singleton live births	32.3	18.5	3 / 18	2 / 7		0 / 3
Percentage of transfers resulting in triplets or more live births	2.0	0.0	0 / 18	0 / 7		0 / 3
Percentage of transfers resulting in live births	48.5	22.2	3 / 18	2 / 7		0 / 3
Percentage of transfers resulting in pregnancy	55.6	25.9	4 / 18	2 / 7		0 / 3
Outcomes per Pregnancy						
Number of pregnancies	55	7	4	2	0	0
Percentage of pregnancies resulting in singleton live births	58.2	5 / 7	3 / 4	2 / 2		
Percentage of pregnancies resulting in triplets or more live births	3.6	0 / 7	0 / 4	0 / 2		
Percentage of pregnancies resulting in live births	87.3	6 / 7	3 / 4	2 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	50	10	6	3	0	3
Number of transfers	47	8	6	3	0	3
Average number of embryos transferred	1.9	2.0	2.2	2.0		2.0
Percentage of embryos transferred resulting in implantation	47.3	5 / 16	1 / 13	1 / 6		0 / 6
Percentage of transfers resulting in singleton live births	27.7	5 / 8	1 / 6	0 / 3		0 / 3
Percentage of transfers resulting in triplets or more live births	2.1	0 / 8	0 / 6	0 / 3		0 / 3
Percentage of transfers resulting in live births	55.3	5 / 8	1 / 6	0 / 3		0 / 3
Percentage of transfers resulting in pregnancy	68.1	5 / 8	1 / 6	2 / 3		1 / 3

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	12	10
Number of transfers	11	10
Average number of embryos transferred	2.0	1.9
Percentage of embryos transferred resulting in implantation	40.9	2 / 19
Percentage of transfers resulting in singleton live births	2 / 11	2 / 10
Percentage of transfers resulting in live births	5 / 11	2 / 10
Percentage of transfers resulting in pregnancy	7 / 11	3 / 10

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Tulsa Fertility Center

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF OREGON
EUGENE, OREGON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	86%
Unstimulated	0%	Used PGD	4%
Used gestational carrier	4%		

Patient Diagnosis[b]

Tubal factor	15%	Uterine factor	10%	*Multiple Factors:*	
Ovulatory dysfunction	15%	Male factor	32%	Female factors only	24%
Diminished ovarian reserve	41%	Other factor	25%	Female & male factors	19%
Endometriosis	3%	Unknown factor	8%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 122 Data verified by Douglas J. Austin, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	29	13	9	4	0	1
Percentage of cancellations	3.4	1 / 13	0 / 9	0 / 4		0 / 1
Average number of embryos transferred	2.6	2.5	4.1	3.5		1.0
Percentage of embryos transferred resulting in implantation	29.7	30.0	18.9	0 / 14		0 / 1
Percentage of elective single embryo transfer (eSET)	3.6	0 / 11	0 / 9	0 / 4		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	24.1	5 / 13	3 / 9	0 / 4		0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0 / 13	0 / 9	0 / 4		0 / 1
Percentage of cycles resulting in live births	41.4	7 / 13	3 / 9	0 / 4		0 / 1
Percentage of cycles resulting in pregnancy	51.7	7 / 13	4 / 9	0 / 4		0 / 1
Outcomes per Transfer						
Number of transfers	28	12	9	4	0	1
Percentage of transfers resulting in singleton live births	25.0	5 / 12	3 / 9	0 / 4		0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 12	0 / 9	0 / 4		0 / 1
Percentage of transfers resulting in live births	42.9	7 / 12	3 / 9	0 / 4		0 / 1
Percentage of transfers resulting in pregnancy	53.6	7 / 12	4 / 9	0 / 4		0 / 1
Outcomes per Pregnancy						
Number of pregnancies	15	7	4	0	0	0
Percentage of pregnancies resulting in singleton live births	7 / 15	5 / 7	3 / 4			
Percentage of pregnancies resulting in triplets or more live births	0 / 15	0 / 7	0 / 4			
Percentage of pregnancies resulting in live births	12 / 15	7 / 7	3 / 4			
Frozen Embryos from Nondonor Eggs						
Number of cycles	17	7	3	3	3	0
Number of transfers	16	7	3	3	3	0
Average number of embryos transferred	2.4	2.3	2.7	2.7	2.7	
Percentage of embryos transferred resulting in implantation	15.8	2 / 16	0 / 8	0 / 8	0 / 8	
Percentage of transfers resulting in singleton live births	2 / 16	2 / 7	0 / 3	0 / 3	0 / 3	
Percentage of transfers resulting in triplets or more live births	0 / 16	0 / 7	0 / 3	0 / 3	0 / 3	
Percentage of transfers resulting in live births	3 / 16	2 / 7	0 / 3	0 / 3	0 / 3	
Percentage of transfers resulting in pregnancy	4 / 16	2 / 7	0 / 3	0 / 3	0 / 3	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	16	17
Number of transfers	16	17
Average number of embryos transferred	2.3	2.8
Percentage of embryos transferred resulting in implantation	27.8	18.8
Percentage of transfers resulting in singleton live births	6 / 16	9 / 17
Percentage of transfers resulting in live births	7 / 16	9 / 17
Percentage of transfers resulting in pregnancy	8 / 16	9 / 17

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Center of Oregon

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTHWEST FERTILITY CENTER
PORTLAND, OREGON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	48%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	5%		

Patient Diagnosis[b]

Tubal factor	26%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	9%	Male factor	41%	Female factors only	15%
Diminished ovarian reserve	27%	Other factor	7%	Female & male factors	22%
Endometriosis	22%	Unknown factor	2%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 121

Data verified by Eugene M. Stoelk, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	35	12	9	4	4	0
Percentage of cancellations	8.6	3 / 12	1 / 9	0 / 4	1 / 4	
Average number of embryos transferred	2.1	2.3	2.9	3.0	5.0	
Percentage of embryos transferred resulting in implantation	44.4	28.6	30.4	1 / 12	1 / 15	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 8	1 / 8	0 / 4	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	20.0	2 / 12	6 / 9	1 / 4	0 / 4	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 12	0 / 9	0 / 4	0 / 4	
Percentage of cycles resulting in live births	48.6	4 / 12	6 / 9	1 / 4	0 / 4	
Percentage of cycles resulting in pregnancy	48.6	4 / 12	6 / 9	1 / 4	1 / 4	
Outcomes per Transfer						
Number of transfers	30	9	8	4	3	0
Percentage of transfers resulting in singleton live births	23.3	2 / 9	6 / 8	1 / 4	0 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 9	0 / 8	0 / 4	0 / 3	
Percentage of transfers resulting in live births	56.7	4 / 9	6 / 8	1 / 4	0 / 3	
Percentage of transfers resulting in pregnancy	56.7	4 / 9	6 / 8	1 / 4	1 / 3	
Outcomes per Pregnancy						
Number of pregnancies	17	4	6	1	1	0
Percentage of pregnancies resulting in singleton live births	7 / 17	2 / 4	6 / 6	1 / 1	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 17	0 / 4	0 / 6	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births	17 / 17	4 / 4	6 / 6	1 / 1	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	17	7	3	0	1	0
Number of transfers	17	7	3	0	1	0
Average number of embryos transferred	2.1	2.1	2.3		3.0	
Percentage of embryos transferred resulting in implantation	22.2	4 / 15	0 / 7		0 / 3	
Percentage of transfers resulting in singleton live births	6 / 17	1 / 7	0 / 3		0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 17	0 / 7	0 / 3		0 / 1	
Percentage of transfers resulting in live births	7 / 17	2 / 7	0 / 3		0 / 1	
Percentage of transfers resulting in pregnancy	7 / 17	2 / 7	0 / 3		0 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	16	13
Number of transfers	16	13
Average number of embryos transferred	2.1	2.2
Percentage of embryos transferred resulting in implantation	45.5	3.4
Percentage of transfers resulting in singleton live births	5 / 16	1 / 13
Percentage of transfers resulting in live births	9 / 16	1 / 13
Percentage of transfers resulting in pregnancy	11 / 16	1 / 13

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Northwest Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

OREGON REPRODUCTIVE MEDICINE
PORTLAND, OREGON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	69%
Unstimulated	<1%	Used PGD	4%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	9%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	11%	Male factor	26%	Female factors only	7%
Diminished ovarian reserve	36%	Other factor	8%	Female & male factors	9%
Endometriosis	9%	Unknown factor	15%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 685 Data verified by Robert K. Matteri, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	171	100	67	35	7	0
Percentage of cancellations	4.7	12.0	9.0	11.4	0 / 7	
Average number of embryos transferred	1.9	2.0	2.0	2.5	3.8	
Percentage of embryos transferred resulting in implantation	57.5	46.3	38.5	21.1	0 / 19	
Percentage of elective single embryo transfer (eSET)	9.3	6.4	4.9	0.0	0 / 5	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	34.5	37.0	25.4	14.3	0 / 7	
Percentage of cycles resulting in triplets or more live births	0.6	0.0	0.0	0.0	0 / 7	
Percentage of cycles resulting in live births	58.5	51.0	35.8	20.0	0 / 7	
Percentage of cycles resulting in pregnancy	66.1	56.0	40.3	25.7	0 / 7	
Outcomes per Transfer						
Number of transfers	148	82	47	28	5	0
Percentage of transfers resulting in singleton live births	39.9	45.1	36.2	17.9	0 / 5	
Percentage of transfers resulting in triplets or more live births	0.7	0.0	0.0	0.0	0 / 5	
Percentage of transfers resulting in live births	67.6	62.2	51.1	25.0	0 / 5	
Percentage of transfers resulting in pregnancy	76.4	68.3	57.4	32.1	0 / 5	
Outcomes per Pregnancy						
Number of pregnancies	113	56	27	9	0	0
Percentage of pregnancies resulting in singleton live births	52.2	66.1	63.0	5 / 9		
Percentage of pregnancies resulting in triplets or more live births	0.9	0.0	0.0	0 / 9		
Percentage of pregnancies resulting in live births	88.5	91.1	88.9	7 / 9		
Frozen Embryos from Nondonor Eggs						
Number of cycles	49	46	30	13	3	0
Number of transfers	47	43	27	11	3	0
Average number of embryos transferred	1.6	1.7	1.6	1.5	1.3	
Percentage of embryos transferred resulting in implantation	51.9	43.8	45.2	6 / 17	2 / 4	
Percentage of transfers resulting in singleton live births	42.6	41.9	44.4	6 / 11	1 / 3	
Percentage of transfers resulting in triplets or more live births	2.1	2.3	3.7	0 / 11	0 / 3	
Percentage of transfers resulting in live births	59.6	53.5	55.6	6 / 11	1 / 3	
Percentage of transfers resulting in pregnancy	61.7	58.1	59.3	7 / 11	2 / 3	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	115	49
Number of transfers	106	45
Average number of embryos transferred	1.7	1.8
Percentage of embryos transferred resulting in implantation	75.4	39.2
Percentage of transfers resulting in singleton live births	34.9	40.0
Percentage of transfers resulting in live births	74.5	48.9
Percentage of transfers resulting in pregnancy	84.0	55.6

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Oregon Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 76 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY FERTILITY CONSULTANTS
OREGON HEALTH & SCIENCE UNIVERSITY
PORTLAND, OREGON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	77%
Unstimulated	<1%	Used PGD	4%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	13%	Uterine factor	1%	*Multiple Factors:*	
Ovulatory dysfunction	14%	Male factor	44%	Female factors only	7%
Diminished ovarian reserve	27%	Other factor	18%	Female & male factors	21%
Endometriosis	7%	Unknown factor	8%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 415 Data verified by Phillip E. Patton, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	88	55	48	26	17	1
Percentage of cancellations	5.7	10.9	20.8	26.9	4 / 17	0 / 1
Average number of embryos transferred	2.2	2.2	2.8	3.1	3.5	3.0
Percentage of embryos transferred resulting in implantation	33.0	27.7	13.4	6.8	2.4	0 / 3
Percentage of elective single embryo transfer (eSET)	2.5	2.2	5.9	0 / 18	0 / 11	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.7	25.5	8.3	7.7	1 / 17	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 17	0 / 1
Percentage of cycles resulting in live births	42.0	34.5	12.5	7.7	1 / 17	0 / 1
Percentage of cycles resulting in pregnancy	53.4	38.2	18.8	19.2	1 / 17	0 / 1
Outcomes per Transfer						
Number of transfers	80	46	35	19	12	1
Percentage of transfers resulting in singleton live births	33.8	30.4	11.4	2 / 19	1 / 12	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 19	0 / 12	0 / 1
Percentage of transfers resulting in live births	46.3	41.3	17.1	2 / 19	1 / 12	0 / 1
Percentage of transfers resulting in pregnancy	58.8	45.7	25.7	5 / 19	1 / 12	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	47	21	9	5	1	0
Percentage of pregnancies resulting in singleton live births	57.4	66.7	4 / 9	2 / 5	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0 / 9	0 / 5	0 / 1	
Percentage of pregnancies resulting in live births	78.7	90.5	6 / 9	2 / 5	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	53	32	39	6	4	1
Number of transfers	51	30	34	6	4	1
Average number of embryos transferred	2.0	2.0	2.1	3.0	2.3	3.0
Percentage of embryos transferred resulting in implantation	22.1	16.7	16.7	4 / 18	1 / 9	0 / 3
Percentage of transfers resulting in singleton live births	31.4	26.7	20.6	2 / 6	1 / 4	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	2.9	0 / 6	0 / 4	0 / 1
Percentage of transfers resulting in live births	37.3	30.0	23.5	3 / 6	1 / 4	0 / 1
Percentage of transfers resulting in pregnancy	43.1	30.0	29.4	3 / 6	1 / 4	0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	16	29
Number of transfers	15	28
Average number of embryos transferred	1.9	2.3
Percentage of embryos transferred resulting in implantation	75.0	9.5
Percentage of transfers resulting in singleton live births	8 / 15	14.3
Percentage of transfers resulting in live births	13 / 15	17.9
Percentage of transfers resulting in pregnancy	13 / 15	21.4

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University Fertility Consultants, Oregon Health & Science University

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 4 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ABINGTON REPRODUCTIVE MEDICINE, ABINGTON IVF AND GENETICS
TOLL CENTER FOR REPRODUCTIVE SCIENCES
ABINGTON, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	76%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	13%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	11%	Male factor	34%	Female factors only	16%
Diminished ovarian reserve	27%	Other factor	39%	Female & male factors	20%
Endometriosis	10%	Unknown factor	3%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 485 Data verified by Stephen G. Somkuti, MD, PhD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	126	74	94	35	19	2
Percentage of cancellations	4.8	9.5	14.9	17.1	0 / 19	0 / 2
Average number of embryos transferred	2.0	2.4	3.1	3.2	3.7	4.0
Percentage of embryos transferred resulting in implantation	32.2	24.7	16.4	5.7	0.0	0 / 8
Percentage of elective single embryo transfer (eSET)	4.9	1.8	0.0	0.0	0 / 14	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	29.4	17.6	8.5	11.4	0 / 19	0 / 2
Percentage of cycles resulting in triplets or more live births	0.8	1.4	1.1	0.0	0 / 19	0 / 2
Percentage of cycles resulting in live births	39.7	28.4	17.0	11.4	0 / 19	0 / 2
Percentage of cycles resulting in pregnancy	44.4	36.5	27.7	17.1	0 / 19	0 / 2
Outcomes per Transfer						
Number of transfers	109	62	72	27	15	2
Percentage of transfers resulting in singleton live births	33.9	21.0	11.1	14.8	0 / 15	0 / 2
Percentage of transfers resulting in triplets or more live births	0.9	1.6	1.4	0.0	0 / 15	0 / 2
Percentage of transfers resulting in live births	45.9	33.9	22.2	14.8	0 / 15	0 / 2
Percentage of transfers resulting in pregnancy	51.4	43.5	36.1	22.2	0 / 15	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	56	27	26	6	0	0
Percentage of pregnancies resulting in singleton live births	66.1	48.1	30.8	4 / 6		
Percentage of pregnancies resulting in triplets or more live births	1.8	3.7	3.8	0 / 6		
Percentage of pregnancies resulting in live births	89.3	77.8	61.5	4 / 6		
Frozen Embryos from Nondonor Eggs						
Number of cycles	62	15	15	4	1	2
Number of transfers	61	15	15	4	1	2
Average number of embryos transferred	2.1	2.3	2.5	3.8	2.0	1.5
Percentage of embryos transferred resulting in implantation	11.5	11.4	8.1	0 / 15	0 / 2	1 / 3
Percentage of transfers resulting in singleton live births	14.8	2 / 15	2 / 15	0 / 4	0 / 1	1 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0 / 15	0 / 15	0 / 4	0 / 1	0 / 2
Percentage of transfers resulting in live births	16.4	2 / 15	2 / 15	0 / 4	0 / 1	1 / 2
Percentage of transfers resulting in pregnancy	32.8	4 / 15	4 / 15	0 / 4	0 / 1	1 / 2

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	17	19
Number of transfers	16	18
Average number of embryos transferred	1.9	1.9
Percentage of embryos transferred resulting in implantation	20.0	8.6
Percentage of transfers resulting in singleton live births	4 / 16	3 / 18
Percentage of transfers resulting in live births	4 / 16	3 / 18
Percentage of transfers resulting in pregnancy	5 / 16	3 / 18

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Abington Reproductive Medicine, Abington IVF and Genetics, Toll Center for Reproductive Sciences

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 4 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INFERTILITY SOLUTIONS, PC
ALLENTOWN, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	91%
Unstimulated	8%	Used PGD	3%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	19%	Uterine factor	8%	*Multiple Factors:*	
Ovulatory dysfunction	27%	Male factor	42%	Female factors only	21%
Diminished ovarian reserve	35%	Other factor	4%	Female & male factors	30%
Endometriosis	23%	Unknown factor	4%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 122

Data verified by Bruce I. Rose, MD, PhD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	61	24	9	10	2	1
Percentage of cancellations	4.9	4.2	2 / 9	0 / 10	0 / 2	0 / 1
Average number of embryos transferred	2.1	2.3	1.0	1.3	2.0	3.0
Percentage of embryos transferred resulting in implantation	20.5	10.4	0 / 5	0 / 9	1 / 4	0 / 3
Percentage of elective single embryo transfer (eSET)	0.0	0 / 16		0 / 2	0 / 1	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	19.7	12.5	0 / 9	0 / 10	1 / 2	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 9	0 / 10	0 / 2	0 / 1
Percentage of cycles resulting in live births	27.9	16.7	0 / 9	0 / 10	1 / 2	0 / 1
Percentage of cycles resulting in pregnancy	32.8	20.8	0 / 9	0 / 10	1 / 2	1 / 1
Outcomes per Transfer						
Number of transfers	57	21	5	7	2	1
Percentage of transfers resulting in singleton live births	21.1	14.3	0 / 5	0 / 7	1 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 5	0 / 7	0 / 2	0 / 1
Percentage of transfers resulting in live births	29.8	19.0	0 / 5	0 / 7	1 / 2	0 / 1
Percentage of transfers resulting in pregnancy	35.1	23.8	0 / 5	0 / 7	1 / 2	1 / 1
Outcomes per Pregnancy						
Number of pregnancies	20	5	0	0	1	1
Percentage of pregnancies resulting in singleton live births	60.0	3 / 5			1 / 1	0 / 1
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 5			0 / 1	0 / 1
Percentage of pregnancies resulting in live births	85.0	4 / 5			1 / 1	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	7	2	0	0	0
Number of transfers	2	7	2	0	0	0
Average number of embryos transferred	2.5	2.7	2.5			
Percentage of embryos transferred resulting in implantation	0 / 5	3 / 19	0 / 5			
Percentage of transfers resulting in singleton live births	0 / 2	1 / 7	0 / 2			
Percentage of transfers resulting in triplets or more live births	0 / 2	0 / 7	0 / 2			
Percentage of transfers resulting in live births	0 / 2	2 / 7	0 / 2			
Percentage of transfers resulting in pregnancy	0 / 2	2 / 7	0 / 2			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	1	3
Number of transfers	1	3
Average number of embryos transferred	2.0	2.7
Percentage of embryos transferred resulting in implantation	1 / 2	0 / 8
Percentage of transfers resulting in singleton live births	0 / 1	0 / 3
Percentage of transfers resulting in live births	0 / 1	0 / 3
Percentage of transfers resulting in pregnancy	1 / 1	0 / 3

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Infertility Solutions, PC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF PENNSYLVANIA
ALLENTOWN, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	83%
Unstimulated	0%	Used PGD	8%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	9%	Uterine factor	7%	*Multiple Factors:*	
Ovulatory dysfunction	20%	Male factor	58%	Female factors only	10%
Diminished ovarian reserve	10%	Other factor	29%	Female & male factors	27%
Endometriosis	6%	Unknown factor	0%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 128 Data verified by Wendy J. Schillings, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	52	20	11	4	2	1
Percentage of cancellations	3.8	15.0	2 / 11	0 / 4	1 / 2	0 / 1
Average number of embryos transferred	1.9	1.8	1.8	1.5	2.0	1.0
Percentage of embryos transferred resulting in implantation	63.5	58.1	3 / 14	0 / 3	1 / 2	0 / 1
Percentage of elective single embryo transfer (eSET)	4.8	1 / 15	1 / 7	0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	32.7	35.0	1 / 11	0 / 4	0 / 2	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	5.0	0 / 11	0 / 4	0 / 2	0 / 1
Percentage of cycles resulting in live births	63.5	60.0	1 / 11	0 / 4	0 / 2	0 / 1
Percentage of cycles resulting in pregnancy	76.9	60.0	3 / 11	0 / 4	1 / 2	0 / 1
Outcomes per Transfer						
Number of transfers	45	17	8	2	1	1
Percentage of transfers resulting in singleton live births	37.8	7 / 17	1 / 8	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	1 / 17	0 / 8	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in live births	73.3	12 / 17	1 / 8	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	88.9	12 / 17	3 / 8	0 / 2	1 / 1	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	40	12	3	0	1	0
Percentage of pregnancies resulting in singleton live births	42.5	7 / 12	1 / 3		0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	1 / 12	0 / 3		0 / 1	
Percentage of pregnancies resulting in live births	82.5	12 / 12	1 / 3		0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	19	9	3	0	0	0
Number of transfers	18	6	2	0	0	0
Average number of embryos transferred	1.7	1.8	1.5			
Percentage of embryos transferred resulting in implantation	63.3	6 / 11	1 / 3			
Percentage of transfers resulting in singleton live births	8 / 18	3 / 6	1 / 2			
Percentage of transfers resulting in triplets or more live births	0 / 18	0 / 6	0 / 2			
Percentage of transfers resulting in live births	13 / 18	3 / 6	1 / 2			
Percentage of transfers resulting in pregnancy	15 / 18	4 / 6	2 / 2			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	2	5
Number of transfers	2	4
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation	4 / 4	2 / 8
Percentage of transfers resulting in singleton live births	0 / 2	2 / 4
Percentage of transfers resulting in live births	2 / 2	2 / 4
Percentage of transfers resulting in pregnancy	2 / 2	2 / 4

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine Associates of Pennsylvania

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 58 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FAMILY FERTILITY CENTER
BETHLEHEM, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	74%
Unstimulated	0%	Used PGD	1%
Used gestational carrier	1%		

Patient Diagnosis[b]

Tubal factor	13%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	12%	Male factor	57%	Female factors only	10%
Diminished ovarian reserve	40%	Other factor	14%	Female & male factors	34%
Endometriosis	8%	Unknown factor	5%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 93

Data verified by H. Christina Lee, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	44	13	6	3	3	0
Percentage of cancellations	2.3	0 / 13	1 / 6	0 / 3	0 / 3	
Average number of embryos transferred	2.0	2.3	2.0	3.0	3.0	
Percentage of embryos transferred resulting in implantation	38.6	56.7	0 / 8	0 / 9	1 / 9	
Percentage of elective single embryo transfer (eSET)	7.9	0 / 11	0 / 3	0 / 3	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	31.8	5 / 13	0 / 6	0 / 3	1 / 3	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 13	0 / 6	0 / 3	0 / 3	
Percentage of cycles resulting in live births	52.3	10 / 13	0 / 6	0 / 3	1 / 3	
Percentage of cycles resulting in pregnancy	52.3	10 / 13	0 / 6	0 / 3	1 / 3	
Outcomes per Transfer						
Number of transfers	41	13	4	3	3	0
Percentage of transfers resulting in singleton live births	34.1	5 / 13	0 / 4	0 / 3	1 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 13	0 / 4	0 / 3	0 / 3	
Percentage of transfers resulting in live births	56.1	10 / 13	0 / 4	0 / 3	1 / 3	
Percentage of transfers resulting in pregnancy	56.1	10 / 13	0 / 4	0 / 3	1 / 3	
Outcomes per Pregnancy						
Number of pregnancies	23	10	0	0	1	0
Percentage of pregnancies resulting in singleton live births	60.9	5 / 10			1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 10			0 / 1	
Percentage of pregnancies resulting in live births	100.0	10 / 10			1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	2	4	1	0	0
Number of transfers	6	2	4	1	0	0
Average number of embryos transferred	1.8	1.5	2.0	1.0		
Percentage of embryos transferred resulting in implantation	2 / 11	2 / 3	2 / 8	1 / 1		
Percentage of transfers resulting in singleton live births	2 / 6	0 / 2	1 / 4	1 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 2	0 / 4	0 / 1		
Percentage of transfers resulting in live births	2 / 6	1 / 2	1 / 4	1 / 1		
Percentage of transfers resulting in pregnancy	2 / 6	1 / 2	2 / 4	1 / 1		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	8	3
Number of transfers	8	3
Average number of embryos transferred	2.0	1.3
Percentage of embryos transferred resulting in implantation	13 / 16	0 / 4
Percentage of transfers resulting in singleton live births	2 / 8	0 / 3
Percentage of transfers resulting in live births	7 / 8	0 / 3
Percentage of transfers resulting in pregnancy	7 / 8	0 / 3

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Family Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MAIN LINE FERTILITY AND REPRODUCTIVE MEDICINE
BRYN MAWR, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	50%
Unstimulated	2%	Used PGD	11%
Used gestational carrier	1%		

Patient Diagnosis[b]

Tubal factor	15%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	17%	Male factor	21%	Female factors only	15%
Diminished ovarian reserve	38%	Other factor	12%	Female & male factors	11%
Endometriosis	7%	Unknown factor	18%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 833 Data verified by Michael J. Glassner, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	236	127	128	66	17	6
Percentage of cancellations	2.1	2.4	2.3	1.5	1 / 17	1 / 6
Average number of embryos transferred	2.3	2.4	2.9	3.4	3.2	2.5
Percentage of embryos transferred resulting in implantation	35.0	20.9	14.7	5.0	6.3	0 / 5
Percentage of elective single embryo transfer (eSET)	5.0	4.4	2.1	0.0	0 / 9	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	33.9	22.0	19.5	6.1	0 / 17	0 / 6
Percentage of cycles resulting in triplets or more live births	0.4	0.0	0.0	0.0	0 / 17	0 / 6
Percentage of cycles resulting in live births	47.0	28.3	21.1	7.6	1 / 17	0 / 6
Percentage of cycles resulting in pregnancy	54.7	37.0	32.8	15.2	1 / 17	0 / 6
Outcomes per Transfer						
Number of transfers	206	102	106	48	10	2
Percentage of transfers resulting in singleton live births	38.8	27.5	23.6	8.3	0 / 10	0 / 2
Percentage of transfers resulting in triplets or more live births	0.5	0.0	0.0	0.0	0 / 10	0 / 2
Percentage of transfers resulting in live births	53.9	35.3	25.5	10.4	1 / 10	0 / 2
Percentage of transfers resulting in pregnancy	62.6	46.1	39.6	20.8	1 / 10	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	129	47	42	10	1	0
Percentage of pregnancies resulting in singleton live births	62.0	59.6	59.5	4 / 10	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.8	0.0	0.0	0 / 10	0 / 1	
Percentage of pregnancies resulting in live births	86.0	76.6	64.3	5 / 10	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	61	38	21	6	4	0
Number of transfers	59	35	20	6	4	0
Average number of embryos transferred	1.8	2.0	2.0	1.7	2.3	
Percentage of embryos transferred resulting in implantation	29.2	32.9	12.5	1 / 10	3 / 9	
Percentage of transfers resulting in singleton live births	35.6	37.1	10.0	1 / 6	0 / 4	
Percentage of transfers resulting in triplets or more live births	0.0	2.9	0.0	0 / 6	1 / 4	
Percentage of transfers resulting in live births	39.0	45.7	10.0	1 / 6	1 / 4	
Percentage of transfers resulting in pregnancy	47.5	57.1	40.0	1 / 6	1 / 4	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	69	54
Number of transfers	65	50
Average number of embryos transferred	2.1	1.9
Percentage of embryos transferred resulting in implantation	38.1	28.9
Percentage of transfers resulting in singleton live births	32.3	34.0
Percentage of transfers resulting in live births	49.2	42.0
Percentage of transfers resulting in pregnancy	64.6	44.0

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Main Line Fertility and Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 56 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GEISINGER MEDICAL CENTER FERTILITY PROGRAM
DANVILLE, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	89%
Unstimulated	0%	Used PGD	4%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	11%	Uterine factor	7%	*Multiple Factors:*	
Ovulatory dysfunction	11%	Male factor	26%	Female factors only	7%
Diminished ovarian reserve	24%	Other factor	19%	Female & male factors	8%
Endometriosis	6%	Unknown factor	13%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 133

Data verified by Jennifer Gell, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	38	16	16	9	0	0
Percentage of cancellations	7.9	1 / 16	2 / 16	2 / 9		
Average number of embryos transferred	1.9	2.3	2.6	2.3		
Percentage of embryos transferred resulting in implantation	21.7	25.0	22.6	2 / 14		
Percentage of elective single embryo transfer (eSET)	9.7	0 / 12	0 / 11	0 / 4		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	18.4	3 / 16	4 / 16	2 / 9		
Percentage of cycles resulting in triplets or more live births	0.0	1 / 16	0 / 16	0 / 9		
Percentage of cycles resulting in live births	23.7	4 / 16	4 / 16	2 / 9		
Percentage of cycles resulting in pregnancy	31.6	6 / 16	7 / 16	2 / 9		
Outcomes per Transfer						
Number of transfers	32	14	12	6	0	0
Percentage of transfers resulting in singleton live births	21.9	3 / 14	4 / 12	2 / 6		
Percentage of transfers resulting in triplets or more live births	0.0	1 / 14	0 / 12	0 / 6		
Percentage of transfers resulting in live births	28.1	4 / 14	4 / 12	2 / 6		
Percentage of transfers resulting in pregnancy	37.5	6 / 14	7 / 12	2 / 6		
Outcomes per Pregnancy						
Number of pregnancies	12	6	7	2	0	0
Percentage of pregnancies resulting in singleton live births	7 / 12	3 / 6	4 / 7	2 / 2		
Percentage of pregnancies resulting in triplets or more live births	0 / 12	1 / 6	0 / 7	0 / 2		
Percentage of pregnancies resulting in live births	9 / 12	4 / 6	4 / 7	2 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	21	7	2	2	2	1
Number of transfers	19	5	2	1	2	1
Average number of embryos transferred	1.7	1.8	1.5	2.0	2.0	2.0
Percentage of embryos transferred resulting in implantation	34.4	3 / 9	0 / 3	1 / 2	0 / 4	0 / 2
Percentage of transfers resulting in singleton live births	7 / 19	3 / 5	0 / 2	1 / 1	0 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 19	0 / 5	0 / 2	0 / 1	0 / 2	0 / 1
Percentage of transfers resulting in live births	8 / 19	3 / 5	0 / 2	1 / 1	0 / 2	0 / 1
Percentage of transfers resulting in pregnancy	9 / 19	3 / 5	0 / 2	1 / 1	0 / 2	0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	9	10
Number of transfers	8	10
Average number of embryos transferred	2.0	1.9
Percentage of embryos transferred resulting in implantation	6 / 16	4 / 19
Percentage of transfers resulting in singleton live births	1 / 8	2 / 10
Percentage of transfers resulting in live births	3 / 8	2 / 10
Percentage of transfers resulting in pregnancy	4 / 8	5 / 10

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Geisinger Medical Center Fertility Program

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2011 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2011 ART cycle data or the clinic's Medical Director did not approve the clinic's 2011 ART cycle data for inclusion in this report.

PENN STATE MILTON S. HERSHEY MEDICAL CENTER
HERSHEY, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	69%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	1%		

Patient Diagnosis[b]

Tubal factor	14%	Uterine factor	8%	*Multiple Factors:*	
Ovulatory dysfunction	20%	Male factor	39%	Female factors only	5%
Diminished ovarian reserve	2%	Other factor	2%	Female & male factors	9%
Endometriosis	4%	Unknown factor	27%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 101 Data verified by William C. Dodson, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	35	26	10	4	0	0
Percentage of cancellations	14.3	26.9	1 / 10	0 / 4		
Average number of embryos transferred	1.9	2.1	2.0	3.0		
Percentage of embryos transferred resulting in implantation	31.5	8.1	3 / 12	1 / 12		
Percentage of elective single embryo transfer (eSET)	0.0	1 / 16	0 / 4	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	34.3	11.5	1 / 10	1 / 4		
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 10	0 / 4		
Percentage of cycles resulting in live births	40.0	11.5	1 / 10	1 / 4		
Percentage of cycles resulting in pregnancy	42.9	19.2	2 / 10	1 / 4		
Outcomes per Transfer						
Number of transfers	28	18	6	4	0	0
Percentage of transfers resulting in singleton live births	42.9	3 / 18	1 / 6	1 / 4		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 18	0 / 6	0 / 4		
Percentage of transfers resulting in live births	50.0	3 / 18	1 / 6	1 / 4		
Percentage of transfers resulting in pregnancy	53.6	5 / 18	2 / 6	1 / 4		
Outcomes per Pregnancy						
Number of pregnancies	15	5	2	1	0	0
Percentage of pregnancies resulting in singleton live births	12 / 15	3 / 5	1 / 2	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 15	0 / 5	0 / 2	0 / 1		
Percentage of pregnancies resulting in live births	14 / 15	3 / 5	1 / 2	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	11	8	1	0	0	0
Number of transfers	10	8	1	0	0	0
Average number of embryos transferred	2.6	2.5	3.0			
Percentage of embryos transferred resulting in implantation	19.2	25.0	0 / 3			
Percentage of transfers resulting in singleton live births	3 / 10	3 / 8	0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 10	0 / 8	0 / 1			
Percentage of transfers resulting in live births	4 / 10	4 / 8	0 / 1			
Percentage of transfers resulting in pregnancy	4 / 10	4 / 8	0 / 1			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	1	5
Number of transfers	1	5
Average number of embryos transferred	2.0	1.8
Percentage of embryos transferred resulting in implantation	0 / 2	0 / 9
Percentage of transfers resulting in singleton live births	0 / 1	0 / 5
Percentage of transfers resulting in live births	0 / 1	0 / 5
Percentage of transfers resulting in pregnancy	0 / 1	0 / 5

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Penn State Milton S. Hershey Medical Center

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 2 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF PHILADELPHIA
KING OF PRUSSIA, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	67%
Unstimulated	0%	Used PGD	4%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	18%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	15%	Male factor	33%	Female factors only	11%
Diminished ovarian reserve	26%	Other factor	8%	Female & male factors	11%
Endometriosis	8%	Unknown factor	15%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 454 Data verified by Arthur J. Castelbaum, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	154	56	72	26	17	6
Percentage of cancellations	11.7	8.9	9.7	23.1	5 / 17	3 / 6
Average number of embryos transferred	2.0	2.2	2.7	3.1	2.7	2.5
Percentage of embryos transferred resulting in implantation	38.6	22.7	19.0	6.4	3.7	0 / 5
Percentage of elective single embryo transfer (eSET)	2.7	2.6	0.0	1 / 14	0 / 8	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.6	21.4	16.7	7.7	1 / 17	0 / 6
Percentage of cycles resulting in triplets or more live births	0.6	0.0	1.4	0.0	0 / 17	0 / 6
Percentage of cycles resulting in live births	39.6	26.8	26.4	7.7	1 / 17	0 / 6
Percentage of cycles resulting in pregnancy	46.1	39.3	30.6	15.4	1 / 17	0 / 6
Outcomes per Transfer						
Number of transfers	125	45	62	15	10	2
Percentage of transfers resulting in singleton live births	32.8	26.7	19.4	2 / 15	1 / 10	0 / 2
Percentage of transfers resulting in triplets or more live births	0.8	0.0	1.6	0 / 15	0 / 10	0 / 2
Percentage of transfers resulting in live births	48.8	33.3	30.6	2 / 15	1 / 10	0 / 2
Percentage of transfers resulting in pregnancy	56.8	48.9	35.5	4 / 15	1 / 10	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	71	22	22	4	1	0
Percentage of pregnancies resulting in singleton live births	57.7	54.5	54.5	2 / 4	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	1.4	0.0	4.5	0 / 4	0 / 1	
Percentage of pregnancies resulting in live births	85.9	68.2	86.4	2 / 4	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	44	20	11	7	0	1
Number of transfers	42	18	11	6	0	1
Average number of embryos transferred	1.6	1.8	2.0	2.0		3.0
Percentage of embryos transferred resulting in implantation	14.9	33.3	0.0	3 / 12		0 / 3
Percentage of transfers resulting in singleton live births	19.0	9 / 18	0 / 11	2 / 6		0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 18	0 / 11	0 / 6		0 / 1
Percentage of transfers resulting in live births	19.0	10 / 18	0 / 11	2 / 6		0 / 1
Percentage of transfers resulting in pregnancy	31.0	10 / 18	0 / 11	4 / 6		1 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	22	18
Number of transfers	19	17
Average number of embryos transferred	1.9	1.9
Percentage of embryos transferred resulting in implantation	36.1	25.0
Percentage of transfers resulting in singleton live births	4 / 19	3 / 17
Percentage of transfers resulting in live births	7 / 19	4 / 17
Percentage of transfers resulting in pregnancy	9 / 19	7 / 17

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2011. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 52 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY AND GYNECOLOGY ASSOCIATES
PHILADELPHIA, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	45%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	20%	Uterine factor	6%	*Multiple Factors:*	
Ovulatory dysfunction	16%	Male factor	24%	Female factors only	18%
Diminished ovarian reserve	55%	Other factor	2%	Female & male factors	20%
Endometriosis	12%	Unknown factor	4%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 51

Data verified by Leonore C. Huppert, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	11	8	4	4	2	2
Percentage of cancellations	1 / 11	0 / 8	0 / 4	1 / 4	0 / 2	0 / 2
Average number of embryos transferred	2.3	3.0	3.3	3.7	4.0	2.5
Percentage of embryos transferred resulting in implantation	52.4	29.2	3 / 10	1 / 11	1 / 4	0 / 5
Percentage of elective single embryo transfer (eSET)	0 / 9	0 / 8	0 / 3	0 / 3	0 / 1	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	6 / 11	2 / 8	1 / 4	0 / 4	1 / 2	0 / 2
Percentage of cycles resulting in triplets or more live births	0 / 11	0 / 8	0 / 4	0 / 4	0 / 2	0 / 2
Percentage of cycles resulting in live births	8 / 11	4 / 8	2 / 4	0 / 4	1 / 2	0 / 2
Percentage of cycles resulting in pregnancy	8 / 11	4 / 8	2 / 4	1 / 4	1 / 2	0 / 2
Outcomes per Transfer						
Number of transfers	9	8	3	3	1	2
Percentage of transfers resulting in singleton live births	6 / 9	2 / 8	1 / 3	0 / 3	1 / 1	0 / 2
Percentage of transfers resulting in triplets or more live births	0 / 9	0 / 8	0 / 3	0 / 3	0 / 1	0 / 2
Percentage of transfers resulting in live births	8 / 9	4 / 8	2 / 3	0 / 3	1 / 1	0 / 2
Percentage of transfers resulting in pregnancy	8 / 9	4 / 8	2 / 3	1 / 3	1 / 1	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	8	4	2	1	1	0
Percentage of pregnancies resulting in singleton live births	6 / 8	2 / 4	1 / 2	0 / 1	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 8	0 / 4	0 / 2	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births	8 / 8	4 / 4	2 / 2	0 / 1	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	4	2	1	0	0
Number of transfers	4	4	2	1	0	0
Average number of embryos transferred	2.0	2.5	3.0	4.0		
Percentage of embryos transferred resulting in implantation	2 / 8	3 / 10	0 / 6	1 / 4		
Percentage of transfers resulting in singleton live births	2 / 4	3 / 4	0 / 2	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 4	0 / 2	0 / 1		
Percentage of transfers resulting in live births	2 / 4	3 / 4	0 / 2	0 / 1		
Percentage of transfers resulting in pregnancy	2 / 4	3 / 4	0 / 2	1 / 1		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	3	5
Number of transfers	2	4
Average number of embryos transferred	2.0	2.3
Percentage of embryos transferred resulting in implantation	2 / 4	2 / 9
Percentage of transfers resulting in singleton live births	2 / 2	0 / 4
Percentage of transfers resulting in live births	2 / 2	1 / 4
Percentage of transfers resulting in pregnancy	2 / 2	2 / 4

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility and Gynecology Associates

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

JEFFERSON IVF
PHILADELPHIA, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	55%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	13%	Uterine factor	7%	*Multiple Factors:*	
Ovulatory dysfunction	47%	Male factor	67%	Female factors only	0%
Diminished ovarian reserve	0%	Other factor	20%	Female & male factors	47%
Endometriosis	0%	Unknown factor	0%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 15

Data verified by Gregory T. Fossum, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	2	6	2	0	1	0
Percentage of cancellations	0 / 2	2 / 6	0 / 2		1 / 1	
Average number of embryos transferred	2.0	2.5	3.5			
Percentage of embryos transferred resulting in implantation	2 / 4	8 / 10	0 / 7			
Percentage of elective single embryo transfer (eSET)	0 / 2	0 / 4	0 / 2			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	0 / 2	1 / 6	0 / 2		0 / 1	
Percentage of cycles resulting in triplets or more live births	0 / 2	2 / 6	0 / 2		0 / 1	
Percentage of cycles resulting in live births	1 / 2	3 / 6	0 / 2		0 / 1	
Percentage of cycles resulting in pregnancy	1 / 2	4 / 6	0 / 2		0 / 1	
Outcomes per Transfer						
Number of transfers	2	4	2	0	0	0
Percentage of transfers resulting in singleton live births	0 / 2	1 / 4	0 / 2			
Percentage of transfers resulting in triplets or more live births	0 / 2	2 / 4	0 / 2			
Percentage of transfers resulting in live births	1 / 2	3 / 4	0 / 2			
Percentage of transfers resulting in pregnancy	1 / 2	4 / 4	0 / 2			
Outcomes per Pregnancy						
Number of pregnancies	1	4	0	0	0	0
Percentage of pregnancies resulting in singleton live births	0 / 1	1 / 4				
Percentage of pregnancies resulting in triplets or more live births	0 / 1	2 / 4				
Percentage of pregnancies resulting in live births	1 / 1	3 / 4				
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	0	0	0	0	0
Number of transfers	1	0	0	0	0	0
Average number of embryos transferred	3.0					
Percentage of embryos transferred resulting in implantation	0 / 3					
Percentage of transfers resulting in singleton live births	0 / 1					
Percentage of transfers resulting in triplets or more live births	0 / 1					
Percentage of transfers resulting in live births	0 / 1					
Percentage of transfers resulting in pregnancy	0 / 1					

	All Ages Combined[f]	
Donor Eggs	**Fresh Embryos**	**Frozen Embryos**
Number of cycles	1	2
Number of transfers	0	2
Average number of embryos transferred		2.0
Percentage of embryos transferred resulting in implantation		0 / 4
Percentage of transfers resulting in singleton live births		0 / 2
Percentage of transfers resulting in live births		0 / 2
Percentage of transfers resulting in pregnancy		0 / 2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Jefferson IVF

Donor egg?	Yes	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOCIETY HILL REPRODUCTIVE MEDICINE
PHILADELPHIA, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	58%
Unstimulated	3%	Used PGD	0%
Used gestational carrier	3%		

Patient Diagnosis[b]

Tubal factor	16%	Uterine factor	16%	*Multiple Factors:*	
Ovulatory dysfunction	9%	Male factor	42%	Female factors only	21%
Diminished ovarian reserve	44%	Other factor	16%	Female & male factors	40%
Endometriosis	33%	Unknown factor	9%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 43

Data verified by Maureen P. Kelly, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	12	4	10	0	5	0
Percentage of cancellations	0 / 12	0 / 4	1 / 10		1 / 5	
Average number of embryos transferred	2.2	1.8	2.4		1.5	
Percentage of embryos transferred resulting in implantation	30.8	3 / 7	1 / 19		0 / 6	
Percentage of elective single embryo transfer (eSET)	0 / 12	0 / 3	0 / 7		0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	8 / 12	1 / 4	0 / 10		0 / 5	
Percentage of cycles resulting in triplets or more live births	0 / 12	0 / 4	0 / 10		0 / 5	
Percentage of cycles resulting in live births	8 / 12	2 / 4	0 / 10		0 / 5	
Percentage of cycles resulting in pregnancy	8 / 12	2 / 4	2 / 10		0 / 5	
Outcomes per Transfer						
Number of transfers	12	4	8	0	4	0
Percentage of transfers resulting in singleton live births	8 / 12	1 / 4	0 / 8		0 / 4	
Percentage of transfers resulting in triplets or more live births	0 / 12	0 / 4	0 / 8		0 / 4	
Percentage of transfers resulting in live births	8 / 12	2 / 4	0 / 8		0 / 4	
Percentage of transfers resulting in pregnancy	8 / 12	2 / 4	2 / 8		0 / 4	
Outcomes per Pregnancy						
Number of pregnancies	8	2	2	0	0	0
Percentage of pregnancies resulting in singleton live births	8 / 8	1 / 2	0 / 2			
Percentage of pregnancies resulting in triplets or more live births	0 / 8	0 / 2	0 / 2			
Percentage of pregnancies resulting in live births	8 / 8	2 / 2	0 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	2	1	0	0	0
Number of transfers	5	1	1	0	0	0
Average number of embryos transferred	2.0	3.0	2.0			
Percentage of embryos transferred resulting in implantation	3 / 10	1 / 3	0 / 2			
Percentage of transfers resulting in singleton live births	1 / 5	1 / 1	0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 5	0 / 1	0 / 1			
Percentage of transfers resulting in live births	1 / 5	1 / 1	0 / 1			
Percentage of transfers resulting in pregnancy	4 / 5	1 / 1	0 / 1			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	2	2
Number of transfers	2	2
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation	2 / 4	1 / 4
Percentage of transfers resulting in singleton live births	1 / 2	1 / 2
Percentage of transfers resulting in live births	1 / 2	1 / 2
Percentage of transfers resulting in pregnancy	2 / 2	2 / 2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Society Hill Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF PENNSYLVANIA
PENN FERTILITY CARE
PHILADELPHIA, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	26%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	20%	Uterine factor	12%	*Multiple Factors:*	
Ovulatory dysfunction	11%	Male factor	31%	Female factors only	28%
Diminished ovarian reserve	29%	Other factor	28%	Female & male factors	15%
Endometriosis	11%	Unknown factor	12%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 524 Data verified by Anuja Dokras, MD, PhD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	143	85	110	44	20	1
Percentage of cancellations	6.3	16.5	15.5	11.4	10.0	1 / 1
Average number of embryos transferred	1.8	2.1	2.2	2.6	2.8	
Percentage of embryos transferred resulting in implantation	30.5	21.6	13.7	6.8	4.5	
Percentage of elective single embryo transfer (eSET)	12.5	1.8	3.3	0.0	0 / 12	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.2	15.3	12.7	4.5	5.0	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 1
Percentage of cycles resulting in live births	32.9	23.5	15.5	6.8	5.0	0 / 1
Percentage of cycles resulting in pregnancy	40.6	30.6	21.8	15.9	10.0	0 / 1
Outcomes per Transfer						
Number of transfers	118	66	80	34	16	0
Percentage of transfers resulting in singleton live births	30.5	19.7	17.5	5.9	1 / 16	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 16	
Percentage of transfers resulting in live births	39.8	30.3	21.3	8.8	1 / 16	
Percentage of transfers resulting in pregnancy	49.2	39.4	30.0	20.6	2 / 16	
Outcomes per Pregnancy						
Number of pregnancies	58	26	24	7	2	0
Percentage of pregnancies resulting in singleton live births	62.1	50.0	58.3	2 / 7	1 / 2	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 7	0 / 2	
Percentage of pregnancies resulting in live births	81.0	76.9	70.8	3 / 7	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	35	11	9	3	1	1
Number of transfers	26	11	8	3	0	1
Average number of embryos transferred	2.1	2.4	2.6	3.0		3.0
Percentage of embryos transferred resulting in implantation	24.1	19.2	23.8	0 / 9		0 / 3
Percentage of transfers resulting in singleton live births	26.9	5 / 11	3 / 8	0 / 3		0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 11	0 / 8	0 / 3		0 / 1
Percentage of transfers resulting in live births	34.6	5 / 11	4 / 8	0 / 3		0 / 1
Percentage of transfers resulting in pregnancy	38.5	5 / 11	4 / 8	0 / 3		0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	32	29
Number of transfers	29	26
Average number of embryos transferred	1.7	2.0
Percentage of embryos transferred resulting in implantation	46.9	31.4
Percentage of transfers resulting in singleton live births	31.0	34.6
Percentage of transfers resulting in live births	44.8	42.3
Percentage of transfers resulting in pregnancy	62.1	53.8

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University of Pennsylvania, Penn Fertility Care

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 42 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

JONES INSTITUTE AT WEST PENN ALLEGHENY HEALTH SYSTEM
PITTSBURGH, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	53%
Unstimulated	0%	Used PGD	1%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	14%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	9%	Male factor	50%	Female factors only	16%
Diminished ovarian reserve	27%	Other factor	24%	Female & male factors	25%
Endometriosis	10%	Unknown factor	8%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 133

Data verified by Scott W. Kauma, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	48	22	5	6	2	0
Percentage of cancellations	16.7	27.3	1 / 5	2 / 6	1 / 2	
Average number of embryos transferred	2.1	2.5	2.3	3.3	3.0	
Percentage of embryos transferred resulting in implantation	35.0	25.0	4 / 9	1 / 10	0 / 3	
Percentage of elective single embryo transfer (eSET)	2.6	0 / 16	0 / 4	0 / 3	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.1	31.8	2 / 5	1 / 6	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 5	0 / 6	0 / 2	
Percentage of cycles resulting in live births	41.7	36.4	3 / 5	1 / 6	0 / 2	
Percentage of cycles resulting in pregnancy	43.8	40.9	3 / 5	1 / 6	0 / 2	
Outcomes per Transfer						
Number of transfers	39	16	4	3	1	0
Percentage of transfers resulting in singleton live births	33.3	7 / 16	2 / 4	1 / 3	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0 / 4	0 / 3	0 / 1	
Percentage of transfers resulting in live births	51.3	8 / 16	3 / 4	1 / 3	0 / 1	
Percentage of transfers resulting in pregnancy	53.8	9 / 16	3 / 4	1 / 3	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	21	9	3	1	0	0
Percentage of pregnancies resulting in singleton live births	61.9	7 / 9	2 / 3	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 9	0 / 3	0 / 1		
Percentage of pregnancies resulting in live births	95.2	8 / 9	3 / 3	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	15	7	2	0	3	0
Number of transfers	14	7	2	0	2	0
Average number of embryos transferred	2.1	2.1	2.5		2.0	
Percentage of embryos transferred resulting in implantation	3.3	1 / 15	2 / 5		0 / 4	
Percentage of transfers resulting in singleton live births	1 / 14	1 / 7	0 / 2		0 / 2	
Percentage of transfers resulting in triplets or more live births	0 / 14	0 / 7	0 / 2		0 / 2	
Percentage of transfers resulting in live births	1 / 14	1 / 7	0 / 2		0 / 2	
Percentage of transfers resulting in pregnancy	4 / 14	1 / 7	2 / 2		0 / 2	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	18	5
Number of transfers	12	5
Average number of embryos transferred	2.2	2.2
Percentage of embryos transferred resulting in implantation	34.6	2 / 11
Percentage of transfers resulting in singleton live births	1 / 12	2 / 5
Percentage of transfers resulting in live births	4 / 12	2 / 5
Percentage of transfers resulting in pregnancy	7 / 12	2 / 5

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Jones Institute at West Penn Allegheny Health System

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE HEALTH SPECIALISTS, INC.
PITTSBURGH, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	68%
Unstimulated	0%	Used PGD	2%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	9%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	8%	Male factor	43%	Female factors only	3%
Diminished ovarian reserve	7%	Other factor	6%	Female & male factors	8%
Endometriosis	10%	Unknown factor	26%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 295 Data verified by Judith L. Albert, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	107	39	40	12	4	0
Percentage of cancellations	3.7	5.1	2.5	1 / 12	0 / 4	
Average number of embryos transferred	1.7	1.9	2.4	2.0	2.7	
Percentage of embryos transferred resulting in implantation	45.1	20.0	21.2	20.0	0 / 8	
Percentage of elective single embryo transfer (eSET)	24.1	13.8	2.9	0 / 7	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	34.6	30.8	20.0	4 / 12	0 / 4	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	2.5	0 / 12	0 / 4	
Percentage of cycles resulting in live births	50.5	30.8	30.0	4 / 12	0 / 4	
Percentage of cycles resulting in pregnancy	55.1	38.5	37.5	4 / 12	0 / 4	
Outcomes per Transfer						
Number of transfers	95	35	36	10	3	0
Percentage of transfers resulting in singleton live births	38.9	34.3	22.2	4 / 10	0 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	2.8	0 / 10	0 / 3	
Percentage of transfers resulting in live births	56.8	34.3	33.3	4 / 10	0 / 3	
Percentage of transfers resulting in pregnancy	62.1	42.9	41.7	4 / 10	0 / 3	
Outcomes per Pregnancy						
Number of pregnancies	59	15	15	4	0	0
Percentage of pregnancies resulting in singleton live births	62.7	12 / 15	8 / 15	4 / 4		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 15	1 / 15	0 / 4		
Percentage of pregnancies resulting in live births	91.5	12 / 15	12 / 15	4 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	37	15	14	3	2	3
Number of transfers	36	13	14	3	1	3
Average number of embryos transferred	1.5	1.3	1.4	1.7	3.0	3.0
Percentage of embryos transferred resulting in implantation	34.5	5 / 17	6 / 19	0 / 5	2 / 3	0 / 9
Percentage of transfers resulting in singleton live births	41.7	4 / 13	6 / 14	0 / 3	0 / 1	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0 / 13	0 / 14	0 / 3	0 / 1	0 / 3
Percentage of transfers resulting in live births	47.2	4 / 13	6 / 14	0 / 3	1 / 1	0 / 3
Percentage of transfers resulting in pregnancy	55.6	7 / 13	6 / 14	1 / 3	1 / 1	0 / 3

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	14	5
Number of transfers	14	5
Average number of embryos transferred	1.8	1.6
Percentage of embryos transferred resulting in implantation	48.0	1 / 8
Percentage of transfers resulting in singleton live births	8 / 14	1 / 5
Percentage of transfers resulting in live births	10 / 14	1 / 5
Percentage of transfers resulting in pregnancy	11 / 14	1 / 5

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Health Specialists, Inc.

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 2 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF PITTSBURGH PHYSICIANS
CENTER FOR FERTILITY AND REPRODUCTIVE ENDOCRINOLOGY
PITTSBURGH, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	58%
Unstimulated	0%	Used PGD	<1%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	9%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	7%	Male factor	31%	Female factors only	15%
Diminished ovarian reserve	53%	Other factor	25%	Female & male factors	19%
Endometriosis	9%	Unknown factor	5%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 623 Data verified by Anthony N. Wakim, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	142	63	51	31	2	0
Percentage of cancellations	3.5	3.2	5.9	22.6	1 / 2	
Average number of embryos transferred	1.9	2.2	2.5	2.7		
Percentage of embryos transferred resulting in implantation	17.0	19.3	18.5	7.9		
Percentage of elective single embryo transfer (eSET)	13.2	7.5	0.0	0.0		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	17.6	20.6	17.6	6.5	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	1.6	0.0	0.0	0 / 2	
Percentage of cycles resulting in live births	19.0	25.4	23.5	6.5	0 / 2	
Percentage of cycles resulting in pregnancy	28.2	31.7	29.4	12.9	0 / 2	
Outcomes per Transfer						
Number of transfers	118	54	43	23	0	0
Percentage of transfers resulting in singleton live births	21.2	24.1	20.9	8.7		
Percentage of transfers resulting in triplets or more live births	0.0	1.9	0.0	0.0		
Percentage of transfers resulting in live births	22.9	29.6	27.9	8.7		
Percentage of transfers resulting in pregnancy	33.9	37.0	34.9	17.4		
Outcomes per Pregnancy						
Number of pregnancies	40	20	15	4	0	0
Percentage of pregnancies resulting in singleton live births	62.5	65.0	9 / 15	2 / 4		
Percentage of pregnancies resulting in triplets or more live births	0.0	5.0	0 / 15	0 / 4		
Percentage of pregnancies resulting in live births	67.5	80.0	12 / 15	2 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	149	49	27	13	5	1
Number of transfers	125	38	22	10	5	1
Average number of embryos transferred	2.1	2.2	2.4	2.2	1.6	3.0
Percentage of embryos transferred resulting in implantation	18.1	14.5	7.5	18.2	1 / 8	0 / 3
Percentage of transfers resulting in singleton live births	22.4	21.1	18.2	2 / 10	1 / 5	0 / 1
Percentage of transfers resulting in triplets or more live births	1.6	0.0	0.0	0 / 10	0 / 5	0 / 1
Percentage of transfers resulting in live births	28.0	21.1	18.2	2 / 10	1 / 5	0 / 1
Percentage of transfers resulting in pregnancy	33.6	28.9	22.7	4 / 10	1 / 5	0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	37	53
Number of transfers	32	39
Average number of embryos transferred	1.8	1.8
Percentage of embryos transferred resulting in implantation	35.7	29.2
Percentage of transfers resulting in singleton live births	40.6	30.8
Percentage of transfers resulting in live births	50.0	38.5
Percentage of transfers resulting in pregnancy	50.0	43.6

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University of Pittsburgh Physicians, Center for Fertility and Reproductive Endocrinology

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 2 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE ENDOCRINOLOGY AND FERTILITY CENTER
UPLAND, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	53%
Unstimulated	0%	Used PGD	4%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	32%	Uterine factor	8%	*Multiple Factors:*	
Ovulatory dysfunction	20%	Male factor	31%	Female factors only	21%
Diminished ovarian reserve	7%	Other factor	32%	Female & male factors	20%
Endometriosis	16%	Unknown factor	0%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 248 Data verified by Albert El-Roeiy, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	87	31	39	18	7	2
Percentage of cancellations	16.1	16.1	7.7	1 / 18	0 / 7	2 / 2
Average number of embryos transferred	2.1	2.5	2.7	2.6	3.0	
Percentage of embryos transferred resulting in implantation	29.7	22.2	6.3	3.4	1 / 9	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 14	0.0	0 / 8	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	10.3	16.1	5.1	1 / 18	1 / 7	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 18	0 / 7	0 / 2
Percentage of cycles resulting in live births	19.5	22.6	7.7	1 / 18	1 / 7	0 / 2
Percentage of cycles resulting in pregnancy	21.8	25.8	10.3	1 / 18	1 / 7	0 / 2
Outcomes per Transfer						
Number of transfers	47	18	30	11	3	0
Percentage of transfers resulting in singleton live births	19.1	5 / 18	6.7	1 / 11	1 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 18	0.0	0 / 11	0 / 3	
Percentage of transfers resulting in live births	36.2	7 / 18	10.0	1 / 11	1 / 3	
Percentage of transfers resulting in pregnancy	40.4	8 / 18	13.3	1 / 11	1 / 3	
Outcomes per Pregnancy						
Number of pregnancies	19	8	4	1	1	0
Percentage of pregnancies resulting in singleton live births	9 / 19	5 / 8	2 / 4	1 / 1	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 19	0 / 8	0 / 4	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births	17 / 19	7 / 8	3 / 4	1 / 1	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	33	7	4	3	0	0
Number of transfers	30	7	4	3	0	0
Average number of embryos transferred	2.4	2.0	3.0	3.7		
Percentage of embryos transferred resulting in implantation	14.1	6 / 14	2 / 12	0 / 11		
Percentage of transfers resulting in singleton live births	16.7	4 / 7	2 / 4	0 / 3		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 7	0 / 4	0 / 3		
Percentage of transfers resulting in live births	20.0	5 / 7	2 / 4	0 / 3		
Percentage of transfers resulting in pregnancy	26.7	5 / 7	2 / 4	0 / 3		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	11	6
Number of transfers	6	4
Average number of embryos transferred	2.7	2.3
Percentage of embryos transferred resulting in implantation	2 / 16	0 / 9
Percentage of transfers resulting in singleton live births	0 / 6	0 / 4
Percentage of transfers resulting in live births	1 / 6	0 / 4
Percentage of transfers resulting in pregnancy	1 / 6	0 / 4

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Endocrinology and Fertility Center

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE SCIENCE INSTITUTE OF SUBURBAN PHILADELPHIA
WAYNE, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	64%
Unstimulated	0%	Used PGD	8%
Used gestational carrier	1%		

Patient Diagnosis[b]

Tubal factor	11%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	39%	Male factor	24%	Female factors only	9%
Diminished ovarian reserve	40%	Other factor	4%	Female & male factors	15%
Endometriosis	6%	Unknown factor	3%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 151

Data verified by Abraham K. Munabi, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	42	24	20	3	4	3
Percentage of cancellations	2.4	8.3	15.0	0 / 3	1 / 4	0 / 3
Average number of embryos transferred	2.0	2.0	2.1	2.5	3.0	4.0
Percentage of embryos transferred resulting in implantation	32.0	27.9	12.9	1 / 5	0 / 9	0 / 12
Percentage of elective single embryo transfer (eSET)	5.7	9.5	0 / 10	0 / 2	0 / 3	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	28.6	16.7	10.0	1 / 3	0 / 4	0 / 3
Percentage of cycles resulting in triplets or more live births	2.4	0.0	0.0	0 / 3	0 / 4	0 / 3
Percentage of cycles resulting in live births	38.1	33.3	15.0	1 / 3	0 / 4	0 / 3
Percentage of cycles resulting in pregnancy	50.0	37.5	15.0	1 / 3	0 / 4	0 / 3
Outcomes per Transfer						
Number of transfers	37	22	15	2	3	3
Percentage of transfers resulting in singleton live births	32.4	18.2	2 / 15	1 / 2	0 / 3	0 / 3
Percentage of transfers resulting in triplets or more live births	2.7	0.0	0 / 15	0 / 2	0 / 3	0 / 3
Percentage of transfers resulting in live births	43.2	36.4	3 / 15	1 / 2	0 / 3	0 / 3
Percentage of transfers resulting in pregnancy	56.8	40.9	3 / 15	1 / 2	0 / 3	0 / 3
Outcomes per Pregnancy						
Number of pregnancies	21	9	3	1	0	0
Percentage of pregnancies resulting in singleton live births	57.1	4 / 9	2 / 3	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	4.8	0 / 9	0 / 3	0 / 1		
Percentage of pregnancies resulting in live births	76.2	8 / 9	3 / 3	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	16	12	0	1	1	0
Number of transfers	16	11	0	1	1	0
Average number of embryos transferred	1.4	1.5		1.0	1.0	
Percentage of embryos transferred resulting in implantation	27.3	6 / 17		0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births	3 / 16	2 / 11		0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 16	0 / 11		0 / 1	0 / 1	
Percentage of transfers resulting in live births	4 / 16	4 / 11		0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	5 / 16	4 / 11		0 / 1	0 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	15	10
Number of transfers	14	10
Average number of embryos transferred	2.1	1.8
Percentage of embryos transferred resulting in implantation	31.0	4 / 18
Percentage of transfers resulting in singleton live births	6 / 14	2 / 10
Percentage of transfers resulting in live births	7 / 14	3 / 10
Percentage of transfers resulting in pregnancy	7 / 14	4 / 10

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2011. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 52 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WOMEN'S CLINIC, LTD.
WEST READING, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	68%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	24%	Uterine factor	8%	*Multiple Factors:*	
Ovulatory dysfunction	35%	Male factor	72%	Female factors only	18%
Diminished ovarian reserve	28%	Other factor	16%	Female & male factors	60%
Endometriosis	32%	Unknown factor	1%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 74 Data verified by Vincent A. Pellegrini, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	45	11	7	2	3	0
Percentage of cancellations	31.1	2 / 11	2 / 7	0 / 2	2 / 3	
Average number of embryos transferred	2.3	2.1	3.2	2.5	1.0	
Percentage of embryos transferred resulting in implantation	28.6	1 / 15	3 / 16	0 / 5	0 / 1	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 6	0 / 5	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.7	1 / 11	2 / 7	0 / 2	0 / 3	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 11	0 / 7	0 / 2	0 / 3	
Percentage of cycles resulting in live births	33.3	1 / 11	2 / 7	0 / 2	0 / 3	
Percentage of cycles resulting in pregnancy	35.6	2 / 11	3 / 7	0 / 2	0 / 3	
Outcomes per Transfer						
Number of transfers	31	7	5	2	1	0
Percentage of transfers resulting in singleton live births	38.7	1 / 7	2 / 5	0 / 2	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 7	0 / 5	0 / 2	0 / 1	
Percentage of transfers resulting in live births	48.4	1 / 7	2 / 5	0 / 2	0 / 1	
Percentage of transfers resulting in pregnancy	51.6	2 / 7	3 / 5	0 / 2	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	16	2	3	0	0	0
Percentage of pregnancies resulting in singleton live births	12 / 16	1 / 2	2 / 3			
Percentage of pregnancies resulting in triplets or more live births	0 / 16	0 / 2	0 / 3			
Percentage of pregnancies resulting in live births	15 / 16	1 / 2	2 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	3	2	1	0	0	0
Number of transfers	3	2	1	0	0	0
Average number of embryos transferred	2.0	1.5	2.0			
Percentage of embryos transferred resulting in implantation	2 / 6	1 / 3	1 / 2			
Percentage of transfers resulting in singleton live births	1 / 3	1 / 2	1 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 3	0 / 2	0 / 1			
Percentage of transfers resulting in live births	1 / 3	1 / 2	1 / 1			
Percentage of transfers resulting in pregnancy	2 / 3	1 / 2	1 / 1			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation		
Percentage of transfers resulting in singleton live births		
Percentage of transfers resulting in live births		
Percentage of transfers resulting in pregnancy		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Women's Clinic, Ltd.

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE FERTILITY CENTER, LLC
YORK, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	87%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	2%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	<1%	Male factor	28%	Female factors only	0%
Diminished ovarian reserve	21%	Other factor	0%	Female & male factors	2%
Endometriosis	0%	Unknown factor	50%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 102

Data verified by Robert B. Filer, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	47	11	12	0	0	0
Percentage of cancellations	0.0	0 / 11	0 / 12			
Average number of embryos transferred	2.2	2.8	2.6			
Percentage of embryos transferred resulting in implantation	17.2	8.0	17.4			
Percentage of elective single embryo transfer (eSET)	2.8	0 / 8	0 / 8			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	19.1	2 / 11	1 / 12			
Percentage of cycles resulting in triplets or more live births	0.0	0 / 11	0 / 12			
Percentage of cycles resulting in live births	25.5	2 / 11	2 / 12			
Percentage of cycles resulting in pregnancy	27.7	2 / 11	3 / 12			
Outcomes per Transfer						
Number of transfers	42	9	9	0	0	0
Percentage of transfers resulting in singleton live births	21.4	2 / 9	1 / 9			
Percentage of transfers resulting in triplets or more live births	0.0	0 / 9	0 / 9			
Percentage of transfers resulting in live births	28.6	2 / 9	2 / 9			
Percentage of transfers resulting in pregnancy	31.0	2 / 9	3 / 9			
Outcomes per Pregnancy						
Number of pregnancies	13	2	3	0	0	0
Percentage of pregnancies resulting in singleton live births	9 / 13	2 / 2	1 / 3			
Percentage of pregnancies resulting in triplets or more live births	0 / 13	0 / 2	0 / 3			
Percentage of pregnancies resulting in live births	12 / 13	2 / 2	2 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	5	0	0	0	0
Number of transfers	5	5	0	0	0	0
Average number of embryos transferred	1.6	1.8				
Percentage of embryos transferred resulting in implantation	3 / 8	3 / 9				
Percentage of transfers resulting in singleton live births	3 / 5	1 / 5				
Percentage of transfers resulting in triplets or more live births	0 / 5	0 / 5				
Percentage of transfers resulting in live births	3 / 5	2 / 5				
Percentage of transfers resulting in pregnancy	3 / 5	2 / 5				

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	8	12
Number of transfers	7	12
Average number of embryos transferred	2.0	2.3
Percentage of embryos transferred resulting in implantation	3 / 14	28.6
Percentage of transfers resulting in singleton live births	0 / 7	5 / 12
Percentage of transfers resulting in live births	1 / 7	6 / 12
Percentage of transfers resulting in pregnancy	2 / 7	6 / 12

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Fertility Center, LLC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PEDRO J. BEAUCHAMP, MD
BAYAMON, PUERTO RICO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	66%
Unstimulated	0%	Used PGD	2%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	33%	Uterine factor	8%	*Multiple Factors:*	
Ovulatory dysfunction	22%	Male factor	57%	Female factors only	20%
Diminished ovarian reserve	4%	Other factor	32%	Female & male factors	42%
Endometriosis	38%	Unknown factor	3%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 153 Data verified by Pedro J. Beauchamp, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	51	36	26	18	2	3
Percentage of cancellations	7.8	13.9	15.4	2 / 18	0 / 2	2 / 3
Average number of embryos transferred	2.1	2.1	2.7	2.6	3.5	
Percentage of embryos transferred resulting in implantation	34.0	27.0	8.8	2.6	0 / 7	
Percentage of elective single embryo transfer (eSET)	0.0	0.0	0.0	0 / 12	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	31.4	11.1	15.4	0 / 18	0 / 2	0 / 3
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 18	0 / 2	0 / 3
Percentage of cycles resulting in live births	41.2	27.8	15.4	0 / 18	0 / 2	0 / 3
Percentage of cycles resulting in pregnancy	58.8	41.7	30.8	2 / 18	0 / 2	0 / 3
Outcomes per Transfer						
Number of transfers	46	30	21	15	2	0
Percentage of transfers resulting in singleton live births	34.8	13.3	19.0	0 / 15	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 15	0 / 2	
Percentage of transfers resulting in live births	45.7	33.3	19.0	0 / 15	0 / 2	
Percentage of transfers resulting in pregnancy	65.2	50.0	38.1	2 / 15	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	30	15	8	2	0	0
Percentage of pregnancies resulting in singleton live births	53.3	4 / 15	4 / 8	0 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 15	0 / 8	0 / 2		
Percentage of pregnancies resulting in live births	70.0	10 / 15	4 / 8	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	0	2	0	0	1
Number of transfers	4	0	2	0	0	1
Average number of embryos transferred	3.0		3.5			1.0
Percentage of embryos transferred resulting in implantation	0 / 12		0 / 7			0 / 1
Percentage of transfers resulting in singleton live births	0 / 4		0 / 2			0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 4		0 / 2			0 / 1
Percentage of transfers resulting in live births	0 / 4		0 / 2			0 / 1
Percentage of transfers resulting in pregnancy	0 / 4		0 / 2			0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	7	2
Number of transfers	7	2
Average number of embryos transferred	2.4	2.5
Percentage of embryos transferred resulting in implantation	8 / 17	0 / 5
Percentage of transfers resulting in singleton live births	1 / 7	0 / 2
Percentage of transfers resulting in live births	4 / 7	0 / 2
Percentage of transfers resulting in pregnancy	4 / 7	0 / 2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Pedro J. Beauchamp, MD

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CLINICA DE FERTILIDAD HIMA-SAN PABLO
CAGUAS, PUERTO RICO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	62%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	33%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	5%	Male factor	33%	Female factors only	2%
Diminished ovarian reserve	10%	Other factor	0%	Female & male factors	12%
Endometriosis	19%	Unknown factor	14%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 42 Data verified by Jose R. Cruz, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	15	9	8	4	1	0
Percentage of cancellations	0 / 15	0 / 9	0 / 8	0 / 4	0 / 1	
Average number of embryos transferred	2.2	2.2	2.6	3.0	1.0	
Percentage of embryos transferred resulting in implantation	57.6	20.0	28.6	2 / 12	0 / 1	
Percentage of elective single embryo transfer (eSET)	1 / 15	1 / 7	0 / 6	0 / 4		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	7 / 15	4 / 9	3 / 8	2 / 4	0 / 1	
Percentage of cycles resulting in triplets or more live births	1 / 15	0 / 9	0 / 8	0 / 4	0 / 1	
Percentage of cycles resulting in live births	10 / 15	4 / 9	4 / 8	2 / 4	0 / 1	
Percentage of cycles resulting in pregnancy	13 / 15	4 / 9	4 / 8	2 / 4	0 / 1	
Outcomes per Transfer						
Number of transfers	15	9	8	4	1	0
Percentage of transfers resulting in singleton live births	7 / 15	4 / 9	3 / 8	2 / 4	0 / 1	
Percentage of transfers resulting in triplets or more live births	1 / 15	0 / 9	0 / 8	0 / 4	0 / 1	
Percentage of transfers resulting in live births	10 / 15	4 / 9	4 / 8	2 / 4	0 / 1	
Percentage of transfers resulting in pregnancy	13 / 15	4 / 9	4 / 8	2 / 4	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	13	4	4	2	0	0
Percentage of pregnancies resulting in singleton live births	7 / 13	4 / 4	3 / 4	2 / 2		
Percentage of pregnancies resulting in triplets or more live births	1 / 13	0 / 4	0 / 4	0 / 2		
Percentage of pregnancies resulting in live births	10 / 13	4 / 4	4 / 4	2 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	0	0	0	0	0
Number of transfers	1	0	0	0	0	0
Average number of embryos transferred	1.0					
Percentage of embryos transferred resulting in implantation	1 / 1					
Percentage of transfers resulting in singleton live births	1 / 1					
Percentage of transfers resulting in triplets or more live births	0 / 1					
Percentage of transfers resulting in live births	1 / 1					
Percentage of transfers resulting in pregnancy	1 / 1					

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	3	1
Number of transfers	3	1
Average number of embryos transferred	2.3	2.0
Percentage of embryos transferred resulting in implantation	4 / 7	0 / 2
Percentage of transfers resulting in singleton live births	1 / 3	0 / 1
Percentage of transfers resulting in live births	2 / 3	0 / 1
Percentage of transfers resulting in pregnancy	3 / 3	0 / 1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Clinica de Fertilidad HIMA-San Pablo

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GREFI
GYNECOLOGY, REPRODUCTIVE ENDOCRINOLOGY & FERTILITY INSTITUTE
SANTURCE, PUERTO RICO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	58%
Unstimulated	0%	Used PGD	21%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	33%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	7%	Male factor	41%	Female factors only	2%
Diminished ovarian reserve	9%	Other factor	30%	Female & male factors	24%
Endometriosis	11%	Unknown factor	2%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 46 Data verified by Rosa Ileana Cruz, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	11	8	8	4	2	0
Percentage of cancellations	0 / 11	0 / 8	0 / 8	0 / 4	0 / 2	
Average number of embryos transferred	2.5	3.0	2.3	3.0	4.0	
Percentage of embryos transferred resulting in implantation	40.0	19.0	1 / 14	2 / 12	0 / 4	
Percentage of elective single embryo transfer (eSET)	0 / 9	0 / 6	0 / 5	0 / 4	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	3 / 11	1 / 8	1 / 8	0 / 4	0 / 2	
Percentage of cycles resulting in triplets or more live births	1 / 11	0 / 8	0 / 8	0 / 4	0 / 2	
Percentage of cycles resulting in live births	5 / 11	2 / 8	1 / 8	0 / 4	0 / 2	
Percentage of cycles resulting in pregnancy	6 / 11	2 / 8	1 / 8	1 / 4	0 / 2	
Outcomes per Transfer						
Number of transfers	10	7	6	4	1	0
Percentage of transfers resulting in singleton live births	3 / 10	1 / 7	1 / 6	0 / 4	0 / 1	
Percentage of transfers resulting in triplets or more live births	1 / 10	0 / 7	0 / 6	0 / 4	0 / 1	
Percentage of transfers resulting in live births	5 / 10	2 / 7	1 / 6	0 / 4	0 / 1	
Percentage of transfers resulting in pregnancy	6 / 10	2 / 7	1 / 6	1 / 4	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	6	2	1	1	0	0
Percentage of pregnancies resulting in singleton live births	3 / 6	1 / 2	1 / 1	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	1 / 6	0 / 2	0 / 1	0 / 1		
Percentage of pregnancies resulting in live births	5 / 6	2 / 2	1 / 1	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	0	1	2	1	0
Number of transfers	1	0	1	1	1	0
Average number of embryos transferred	2.0		4.0	2.0	3.0	
Percentage of embryos transferred resulting in implantation	2 / 2		0 / 4	0 / 2	1 / 3	
Percentage of transfers resulting in singleton live births	1 / 1		0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 1		0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in live births	1 / 1		0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	1 / 1		0 / 1	0 / 1	1 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	7	0
Number of transfers	7	0
Average number of embryos transferred	2.3	
Percentage of embryos transferred resulting in implantation	2 / 16	
Percentage of transfers resulting in singleton live births	1 / 7	
Percentage of transfers resulting in live births	1 / 7	
Percentage of transfers resulting in pregnancy	2 / 7	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: GREFI, Gynecology, Reproductive Endocrinology & Fertility Institute

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WOMEN AND INFANTS' DIVISION OF REPRODUCTIVE MEDICINE AND INFERTILITY
PROVIDENCE, RHODE ISLAND

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	59%
Unstimulated	3%	Used PGD	3%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	12%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	11%	Male factor	27%	Female factors only	3%
Diminished ovarian reserve	5%	Other factor	6%	Female & male factors	7%
Endometriosis	5%	Unknown factor	43%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 666

Data verified by Sandra A. Carson, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	265	108	110	60	11	0
Percentage of cancellations	4.9	5.6	10.0	11.7	1 / 11	
Average number of embryos transferred	2.1	2.3	2.6	3.8	4.0	
Percentage of embryos transferred resulting in implantation	20.5	20.4	16.9	5.2	0.0	
Percentage of elective single embryo transfer (eSET)	5.0	2.2	0.0	0.0	0 / 7	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	17.0	23.1	10.9	11.7	0 / 11	
Percentage of cycles resulting in triplets or more live births	0.4	0.0	0.0	0.0	0 / 11	
Percentage of cycles resulting in live births	25.7	29.6	18.2	11.7	0 / 11	
Percentage of cycles resulting in pregnancy	29.8	37.0	26.4	15.0	0 / 11	
Outcomes per Transfer						
Number of transfers	234	95	87	46	8	0
Percentage of transfers resulting in singleton live births	19.2	26.3	13.8	15.2	0 / 8	
Percentage of transfers resulting in triplets or more live births	0.4	0.0	0.0	0.0	0 / 8	
Percentage of transfers resulting in live births	29.1	33.7	23.0	15.2	0 / 8	
Percentage of transfers resulting in pregnancy	33.8	42.1	33.3	19.6	0 / 8	
Outcomes per Pregnancy						
Number of pregnancies	79	40	29	9	0	0
Percentage of pregnancies resulting in singleton live births	57.0	62.5	41.4	7 / 9		
Percentage of pregnancies resulting in triplets or more live births	1.3	0.0	0.0	0 / 9		
Percentage of pregnancies resulting in live births	86.1	80.0	69.0	7 / 9		
Frozen Embryos from Nondonor Eggs						
Number of cycles	33	14	16	8	4	3
Number of transfers	32	14	15	7	3	3
Average number of embryos transferred	1.9	1.5	2.1	2.1	2.0	1.7
Percentage of embryos transferred resulting in implantation	19.4	19.0	16.1	1 / 15	0 / 6	1 / 5
Percentage of transfers resulting in singleton live births	18.8	1 / 14	3 / 15	1 / 7	0 / 3	1 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0 / 14	0 / 15	0 / 7	0 / 3	0 / 3
Percentage of transfers resulting in live births	28.1	2 / 14	4 / 15	1 / 7	0 / 3	1 / 3
Percentage of transfers resulting in pregnancy	28.1	3 / 14	7 / 15	2 / 7	0 / 3	1 / 3

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	28	6
Number of transfers	26	6
Average number of embryos transferred	1.9	1.3
Percentage of embryos transferred resulting in implantation	28.6	0 / 8
Percentage of transfers resulting in singleton live births	26.9	0 / 6
Percentage of transfers resulting in live births	38.5	0 / 6
Percentage of transfers resulting in pregnancy	46.2	0 / 6

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2011. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 52 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PIEDMONT REPRODUCTIVE ENDOCRINOLOGY GROUP, PA
GREENVILLE, SOUTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	96%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	3%		

Patient Diagnosis[b]

Tubal factor	14%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	26%	Male factor	52%	Female factors only	11%
Diminished ovarian reserve	26%	Other factor	18%	Female & male factors	37%
Endometriosis	11%	Unknown factor	3%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 237 Data verified by John E. Nichols, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	78	50	22	4	0	0
Percentage of cancellations	1.3	8.0	0.0	0 / 4		
Average number of embryos transferred	2.0	2.1	2.7	2.8		
Percentage of embryos transferred resulting in implantation	40.0	36.2	18.3	1 / 11		
Percentage of elective single embryo transfer (eSET)	9.7	4.8	0.0	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	42.3	36.0	27.3	1 / 4		
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 4		
Percentage of cycles resulting in live births	53.8	48.0	36.4	1 / 4		
Percentage of cycles resulting in pregnancy	56.4	50.0	40.9	1 / 4		
Outcomes per Transfer						
Number of transfers	73	44	22	4	0	0
Percentage of transfers resulting in singleton live births	45.2	40.9	27.3	1 / 4		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 4		
Percentage of transfers resulting in live births	57.5	54.5	36.4	1 / 4		
Percentage of transfers resulting in pregnancy	60.3	56.8	40.9	1 / 4		
Outcomes per Pregnancy						
Number of pregnancies	44	25	9	1	0	0
Percentage of pregnancies resulting in singleton live births	75.0	72.0	6 / 9	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0 / 9	0 / 1		
Percentage of pregnancies resulting in live births	95.5	96.0	8 / 9	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	26	13	5	5	1	0
Number of transfers	26	11	5	5	1	0
Average number of embryos transferred	2.0	1.9	2.2	2.0	3.0	
Percentage of embryos transferred resulting in implantation	28.8	9.5	2 / 11	2 / 10	0 / 3	
Percentage of transfers resulting in singleton live births	30.8	2 / 11	2 / 5	2 / 5	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 11	0 / 5	0 / 5	0 / 1	
Percentage of transfers resulting in live births	38.5	2 / 11	2 / 5	2 / 5	0 / 1	
Percentage of transfers resulting in pregnancy	46.2	2 / 11	2 / 5	2 / 5	0 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	18	15
Number of transfers	15	14
Average number of embryos transferred	2.0	2.2
Percentage of embryos transferred resulting in implantation	36.7	19.4
Percentage of transfers resulting in singleton live births	7 / 15	4 / 14
Percentage of transfers resulting in live births	7 / 15	5 / 14
Percentage of transfers resulting in pregnancy	10 / 15	5 / 14

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Piedmont Reproductive Endocrinology Group, PA

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY MEDICAL GROUP, DEPARTMENT OF OBSTETRICS AND GYNECOLOGY
REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY
GREENVILLE, SOUTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	81%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	16%	Uterine factor	8%	*Multiple Factors:*	
Ovulatory dysfunction	34%	Male factor	48%	Female factors only	16%
Diminished ovarian reserve	8%	Other factor	5%	Female & male factors	34%
Endometriosis	44%	Unknown factor	0%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 134

Data verified by Paul B. Miller, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	49	15	17	7	2	0
Percentage of cancellations	10.2	2 / 15	2 / 17	1 / 7	2 / 2	
Average number of embryos transferred	2.1	2.3	2.9	3.0		
Percentage of embryos transferred resulting in implantation	28.4	12.0	15.9	0 / 15		
Percentage of elective single embryo transfer (eSET)	2.6	1 / 11	0 / 14	0 / 4		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.6	2 / 15	2 / 17	0 / 7	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 15	0 / 17	0 / 7	0 / 2	
Percentage of cycles resulting in live births	36.7	2 / 15	3 / 17	0 / 7	0 / 2	
Percentage of cycles resulting in pregnancy	40.8	3 / 15	5 / 17	0 / 7	0 / 2	
Outcomes per Transfer						
Number of transfers	39	11	15	5	0	0
Percentage of transfers resulting in singleton live births	38.5	2 / 11	2 / 15	0 / 5		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 11	0 / 15	0 / 5		
Percentage of transfers resulting in live births	46.2	2 / 11	3 / 15	0 / 5		
Percentage of transfers resulting in pregnancy	51.3	3 / 11	5 / 15	0 / 5		
Outcomes per Pregnancy						
Number of pregnancies	20	3	5	0	0	0
Percentage of pregnancies resulting in singleton live births	75.0	2 / 3	2 / 5			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 3	0 / 5			
Percentage of pregnancies resulting in live births	90.0	2 / 3	3 / 5			
Frozen Embryos from Nondonor Eggs						
Number of cycles	18	11	4	3	1	0
Number of transfers	16	11	4	3	1	0
Average number of embryos transferred	1.8	2.0	2.3	2.7	2.0	
Percentage of embryos transferred resulting in implantation	21.4	27.3	1 / 9	2 / 8	1 / 2	
Percentage of transfers resulting in singleton live births	2 / 16	4 / 11	0 / 4	2 / 3	1 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 16	0 / 11	0 / 4	0 / 3	0 / 1	
Percentage of transfers resulting in live births	4 / 16	5 / 11	0 / 4	2 / 3	1 / 1	
Percentage of transfers resulting in pregnancy	4 / 16	5 / 11	1 / 4	2 / 3	1 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	6	1
Number of transfers	6	1
Average number of embryos transferred	2.2	4.0
Percentage of embryos transferred resulting in implantation	2 / 13	1 / 4
Percentage of transfers resulting in singleton live births	0 / 6	1 / 1
Percentage of transfers resulting in live births	1 / 6	1 / 1
Percentage of transfers resulting in pregnancy	1 / 6	1 / 1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2011. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 52 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTHEASTERN FERTILITY CENTER, PA
MOUNT PLEASANT, SOUTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	63%
Unstimulated	0%	Used PGD	1%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	14%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	12%	Male factor	29%	Female factors only	7%
Diminished ovarian reserve	41%	Other factor	3%	Female & male factors	14%
Endometriosis	6%	Unknown factor	15%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 484

Data verified by Grant W. Patton, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	164	62	36	15	2	0
Percentage of cancellations	10.4	9.7	19.4	0 / 15	0 / 2	
Average number of embryos transferred	1.9	2.1	2.4	2.9	3.5	
Percentage of embryos transferred resulting in implantation	42.8	32.7	27.5	12.2	0 / 7	
Percentage of elective single embryo transfer (eSET)	6.1	0.0	0.0	0 / 14	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.8	25.8	33.3	2 / 15	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.6	3.2	0.0	0 / 15	0 / 2	
Percentage of cycles resulting in live births	46.3	37.1	36.1	2 / 15	0 / 2	
Percentage of cycles resulting in pregnancy	51.2	41.9	50.0	5 / 15	0 / 2	
Outcomes per Transfer						
Number of transfers	139	54	29	14	2	0
Percentage of transfers resulting in singleton live births	31.7	29.6	41.4	2 / 14	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.7	3.7	0.0	0 / 14	0 / 2	
Percentage of transfers resulting in live births	54.7	42.6	44.8	2 / 14	0 / 2	
Percentage of transfers resulting in pregnancy	60.4	48.1	62.1	5 / 14	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	84	26	18	5	0	0
Percentage of pregnancies resulting in singleton live births	52.4	61.5	12 / 18	2 / 5		
Percentage of pregnancies resulting in triplets or more live births	1.2	7.7	0 / 18	0 / 5		
Percentage of pregnancies resulting in live births	90.5	88.5	13 / 18	2 / 5		
Frozen Embryos from Nondonor Eggs						
Number of cycles	56	29	17	6	1	0
Number of transfers	56	29	17	6	1	0
Average number of embryos transferred	1.8	1.6	1.6	1.7	2.0	
Percentage of embryos transferred resulting in implantation	42.4	28.9	28.6	1 / 10	0 / 2	
Percentage of transfers resulting in singleton live births	37.5	31.0	4 / 17	1 / 6	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 17	0 / 6	0 / 1	
Percentage of transfers resulting in live births	53.6	34.5	5 / 17	1 / 6	0 / 1	
Percentage of transfers resulting in pregnancy	58.9	51.7	8 / 17	1 / 6	1 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	63	33
Number of transfers	56	30
Average number of embryos transferred	1.9	1.8
Percentage of embryos transferred resulting in implantation	47.2	27.8
Percentage of transfers resulting in singleton live births	32.1	16.7
Percentage of transfers resulting in live births	53.6	26.7
Percentage of transfers resulting in pregnancy	64.3	43.3

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Southeastern Fertility Center, PA

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 11 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY & REPRODUCTIVE ENDOCRINOLOGY
WEST COLUMBIA, SOUTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	97%
Unstimulated	1%	Used PGD	3%
Used gestational carrier	1%		

Patient Diagnosis[b]

Tubal factor	13%	Uterine factor	<1%	*Multiple Factors:*	
Ovulatory dysfunction	17%	Male factor	28%	Female factors only	7%
Diminished ovarian reserve	27%	Other factor	9%	Female & male factors	5%
Endometriosis	9%	Unknown factor	9%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 247

Data verified by Gail F. Whitman-Elia, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	93	24	36	9	9	1
Percentage of cancellations	1.1	0.0	8.3	1 / 9	0 / 9	0 / 1
Average number of embryos transferred	2.1	2.3	2.8	3.6	2.4	
Percentage of embryos transferred resulting in implantation	31.8	26.4	18.4	13.8	1 / 17	
Percentage of elective single embryo transfer (eSET)	0.0	0.0	0.0	0 / 6	0 / 5	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	33.3	20.8	11.1	1 / 9	0 / 9	0 / 1
Percentage of cycles resulting in triplets or more live births	1.1	0.0	2.8	0 / 9	0 / 9	0 / 1
Percentage of cycles resulting in live births	47.3	29.2	16.7	1 / 9	0 / 9	0 / 1
Percentage of cycles resulting in pregnancy	51.6	45.8	30.6	3 / 9	1 / 9	0 / 1
Outcomes per Transfer						
Number of transfers	92	23	31	8	7	0
Percentage of transfers resulting in singleton live births	33.7	21.7	12.9	1 / 8	0 / 7	
Percentage of transfers resulting in triplets or more live births	1.1	0.0	3.2	0 / 8	0 / 7	
Percentage of transfers resulting in live births	47.8	30.4	19.4	1 / 8	0 / 7	
Percentage of transfers resulting in pregnancy	52.2	47.8	35.5	3 / 8	1 / 7	
Outcomes per Pregnancy						
Number of pregnancies	48	11	11	3	1	0
Percentage of pregnancies resulting in singleton live births	64.6	5 / 11	4 / 11	1 / 3	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	2.1	0 / 11	1 / 11	0 / 3	0 / 1	
Percentage of pregnancies resulting in live births	91.7	7 / 11	6 / 11	1 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	31	12	12	1	0	1
Number of transfers	31	12	12	1	0	1
Average number of embryos transferred	2.4	1.9	2.4	2.0		2.0
Percentage of embryos transferred resulting in implantation	32.4	8.7	13.8	2 / 2		0 / 2
Percentage of transfers resulting in singleton live births	22.6	1 / 12	0 / 12	0 / 1		0 / 1
Percentage of transfers resulting in triplets or more live births	3.2	0 / 12	0 / 12	0 / 1		0 / 1
Percentage of transfers resulting in live births	38.7	1 / 12	2 / 12	1 / 1		0 / 1
Percentage of transfers resulting in pregnancy	58.1	2 / 12	2 / 12	1 / 1		0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	9	9
Number of transfers	8	9
Average number of embryos transferred	2.0	2.2
Percentage of embryos transferred resulting in implantation	4 / 16	25.0
Percentage of transfers resulting in singleton live births	4 / 8	1 / 9
Percentage of transfers resulting in live births	4 / 8	3 / 9
Percentage of transfers resulting in pregnancy	5 / 8	3 / 9

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Fertility & Reproductive Endocrinology

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 8 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SANFORD WOMEN'S HEALTH
SIOUX FALLS, SOUTH DAKOTA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	53%
Unstimulated	0%	Used PGD	5%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	15%	Uterine factor	1%	*Multiple Factors:*	
Ovulatory dysfunction	17%	Male factor	52%	Female factors only	15%
Diminished ovarian reserve	16%	Other factor	39%	Female & male factors	33%
Endometriosis	13%	Unknown factor	6%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 255 Data verified by Keith A. Hansen, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	130	20	23	2	0	0
Percentage of cancellations	9.2	15.0	8.7	0 / 2		
Average number of embryos transferred	1.8	2.2	2.3	3.5		
Percentage of embryos transferred resulting in implantation	34.2	29.7	20.4	0 / 7		
Percentage of elective single embryo transfer (eSET)	29.9	0 / 15	1 / 18	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	36.2	30.0	30.4	0 / 2		
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 2		
Percentage of cycles resulting in live births	41.5	40.0	34.8	0 / 2		
Percentage of cycles resulting in pregnancy	52.3	45.0	43.5	0 / 2		
Outcomes per Transfer						
Number of transfers	110	17	21	2	0	0
Percentage of transfers resulting in singleton live births	42.7	6 / 17	33.3	0 / 2		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 17	0.0	0 / 2		
Percentage of transfers resulting in live births	49.1	8 / 17	38.1	0 / 2		
Percentage of transfers resulting in pregnancy	61.8	9 / 17	47.6	0 / 2		
Outcomes per Pregnancy						
Number of pregnancies	68	9	10	0	0	0
Percentage of pregnancies resulting in singleton live births	69.1	6 / 9	7 / 10			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 9	0 / 10			
Percentage of pregnancies resulting in live births	79.4	8 / 9	8 / 10			
Frozen Embryos from Nondonor Eggs						
Number of cycles	56	9	6	1	1	2
Number of transfers	53	8	6	1	1	2
Average number of embryos transferred	2.1	1.6	2.0	3.0	2.0	2.0
Percentage of embryos transferred resulting in implantation	10.9	2 / 13	0 / 12	0 / 3	0 / 2	0 / 4
Percentage of transfers resulting in singleton live births	13.2	1 / 8	0 / 6	0 / 1	0 / 1	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0 / 8	0 / 6	0 / 1	0 / 1	0 / 2
Percentage of transfers resulting in live births	17.0	1 / 8	0 / 6	0 / 1	0 / 1	0 / 2
Percentage of transfers resulting in pregnancy	30.2	2 / 8	0 / 6	0 / 1	0 / 1	0 / 2

	All Ages Combined[f]	
Donor Eggs	**Fresh Embryos**	**Frozen Embryos**
Number of cycles	4	1
Number of transfers	4	1
Average number of embryos transferred	1.8	1.0
Percentage of embryos transferred resulting in implantation	3 / 7	1 / 1
Percentage of transfers resulting in singleton live births	3 / 4	1 / 1
Percentage of transfers resulting in live births	3 / 4	1 / 1
Percentage of transfers resulting in pregnancy	3 / 4	1 / 1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Sanford Women's Health

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 2 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER, LLC
CHATTANOOGA, TENNESSEE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	87%
Unstimulated	2%	Used PGD	4%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	10%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	15%	Male factor	40%	Female factors only	5%
Diminished ovarian reserve	20%	Other factor	9%	Female & male factors	9%
Endometriosis	7%	Unknown factor	12%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 129

Data verified by Barry W. Donesky, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	32	7	2	3	2	0
Percentage of cancellations	3.1	0 / 7	0 / 2	1 / 3	0 / 2	
Average number of embryos transferred	1.9	2.0	1.5	1.5	2.0	
Percentage of embryos transferred resulting in implantation	26.0	2 / 12	1 / 3	0 / 3	0 / 4	
Percentage of elective single embryo transfer (eSET)	7.7	0 / 6	0 / 1	1 / 2	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	12.5	1 / 7	1 / 2	0 / 3	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 7	0 / 2	0 / 3	0 / 2	
Percentage of cycles resulting in live births	25.0	1 / 7	1 / 2	0 / 3	0 / 2	
Percentage of cycles resulting in pregnancy	28.1	2 / 7	1 / 2	0 / 3	0 / 2	
Outcomes per Transfer						
Number of transfers	26	6	2	2	2	0
Percentage of transfers resulting in singleton live births	15.4	1 / 6	1 / 2	0 / 2	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 6	0 / 2	0 / 2	0 / 2	
Percentage of transfers resulting in live births	30.8	1 / 6	1 / 2	0 / 2	0 / 2	
Percentage of transfers resulting in pregnancy	34.6	2 / 6	1 / 2	0 / 2	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	9	2	1	0	0	0
Percentage of pregnancies resulting in singleton live births	4 / 9	1 / 2	1 / 1			
Percentage of pregnancies resulting in triplets or more live births	0 / 9	0 / 2	0 / 1			
Percentage of pregnancies resulting in live births	8 / 9	1 / 2	1 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	35	7	11	5	0	0
Number of transfers	35	7	11	5	0	0
Average number of embryos transferred	1.8	1.6	2.1	1.8		
Percentage of embryos transferred resulting in implantation	23.8	3 / 11	26.1	2 / 9		
Percentage of transfers resulting in singleton live births	31.4	3 / 7	4 / 11	0 / 5		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 7	0 / 11	0 / 5		
Percentage of transfers resulting in live births	34.3	3 / 7	5 / 11	1 / 5		
Percentage of transfers resulting in pregnancy	40.0	4 / 7	5 / 11	1 / 5		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	13	12
Number of transfers	12	12
Average number of embryos transferred	1.9	1.7
Percentage of embryos transferred resulting in implantation	43.5	45.0
Percentage of transfers resulting in singleton live births	2 / 12	6 / 12
Percentage of transfers resulting in live births	6 / 12	7 / 12
Percentage of transfers resulting in pregnancy	6 / 12	7 / 12

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Center, LLC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Pending
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 15 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

TENNESSEE REPRODUCTIVE MEDICINE
CHATTANOOGA, TENNESSEE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	81%
Unstimulated	0%	Used PGD	4%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	23%	Uterine factor	<1%	*Multiple Factors:*	
Ovulatory dysfunction	30%	Male factor	19%	Female factors only	20%
Diminished ovarian reserve	6%	Other factor	23%	Female & male factors	9%
Endometriosis	22%	Unknown factor	10%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 114 Data verified by Ringland S. Murray, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	58	15	10	1	0	0
Percentage of cancellations	3.4	0 / 15	0 / 10	0 / 1		
Average number of embryos transferred	1.9	2.2	2.8	4.0		
Percentage of embryos transferred resulting in implantation	40.6	17.2	16.0	2 / 4		
Percentage of elective single embryo transfer (eSET)	18.0	0 / 13	0 / 9	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	36.2	5 / 15	1 / 10	0 / 1		
Percentage of cycles resulting in triplets or more live births	1.7	0 / 15	0 / 10	0 / 1		
Percentage of cycles resulting in live births	50.0	5 / 15	2 / 10	1 / 1		
Percentage of cycles resulting in pregnancy	53.4	5 / 15	2 / 10	1 / 1		
Outcomes per Transfer						
Number of transfers	53	13	9	1	0	0
Percentage of transfers resulting in singleton live births	39.6	5 / 13	1 / 9	0 / 1		
Percentage of transfers resulting in triplets or more live births	1.9	0 / 13	0 / 9	0 / 1		
Percentage of transfers resulting in live births	54.7	5 / 13	2 / 9	1 / 1		
Percentage of transfers resulting in pregnancy	58.5	5 / 13	2 / 9	1 / 1		
Outcomes per Pregnancy						
Number of pregnancies	31	5	2	1	0	0
Percentage of pregnancies resulting in singleton live births	67.7	5 / 5	1 / 2	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	3.2	0 / 5	0 / 2	0 / 1		
Percentage of pregnancies resulting in live births	93.5	5 / 5	2 / 2	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	18	5	3	0	0	0
Number of transfers	18	5	3	0	0	0
Average number of embryos transferred	1.7	1.8	2.0			
Percentage of embryos transferred resulting in implantation	22.6	2 / 9	0 / 6			
Percentage of transfers resulting in singleton live births	6 / 18	1 / 5	0 / 3			
Percentage of transfers resulting in triplets or more live births	0 / 18	0 / 5	0 / 3			
Percentage of transfers resulting in live births	6 / 18	1 / 5	0 / 3			
Percentage of transfers resulting in pregnancy	8 / 18	2 / 5	0 / 3			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	2	2
Number of transfers	2	1
Average number of embryos transferred	2.0	1.0
Percentage of embryos transferred resulting in implantation	4 / 4	0 / 1
Percentage of transfers resulting in singleton live births	0 / 2	0 / 1
Percentage of transfers resulting in live births	2 / 2	0 / 1
Percentage of transfers resulting in pregnancy	2 / 2	0 / 1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Tennessee Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 4 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

QUILLEN FERTILITY AND WOMEN'S SERVICES
JOHNSON CITY, TENNESSEE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	62%
Unstimulated	2%	Used PGD	2%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	9%	Uterine factor	7%	*Multiple Factors:*	
Ovulatory dysfunction	21%	Male factor	28%	Female factors only	11%
Diminished ovarian reserve	19%	Other factor	6%	Female & male factors	10%
Endometriosis	17%	Unknown factor	16%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 88

Data verified by Norman A. Assad, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	43	9	10	0	1	0
Percentage of cancellations	11.6	1 / 9	1 / 10		0 / 1	
Average number of embryos transferred	2.0	2.0	2.3		2.0	
Percentage of embryos transferred resulting in implantation	32.9	4 / 16	1 / 18		0 / 2	
Percentage of elective single embryo transfer (eSET)	2.7	0 / 8	0 / 6		0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	16.3	2 / 9	1 / 10		0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 9	0 / 10		0 / 1	
Percentage of cycles resulting in live births	32.6	2 / 9	1 / 10		0 / 1	
Percentage of cycles resulting in pregnancy	48.8	4 / 9	3 / 10		0 / 1	
Outcomes per Transfer						
Number of transfers	38	8	8	0	1	0
Percentage of transfers resulting in singleton live births	18.4	2 / 8	1 / 8		0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 8	0 / 8		0 / 1	
Percentage of transfers resulting in live births	36.8	2 / 8	1 / 8		0 / 1	
Percentage of transfers resulting in pregnancy	55.3	4 / 8	3 / 8		0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	21	4	3	0	0	0
Percentage of pregnancies resulting in singleton live births	33.3	2 / 4	1 / 3			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 4	0 / 3			
Percentage of pregnancies resulting in live births	66.7	2 / 4	1 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	12	5	5	0	0	0
Number of transfers	10	5	2	0	0	0
Average number of embryos transferred	1.2	1.8	1.0			
Percentage of embryos transferred resulting in implantation	4 / 12	2 / 9	0 / 2			
Percentage of transfers resulting in singleton live births	2 / 10	2 / 5	0 / 2			
Percentage of transfers resulting in triplets or more live births	0 / 10	0 / 5	0 / 2			
Percentage of transfers resulting in live births	3 / 10	2 / 5	0 / 2			
Percentage of transfers resulting in pregnancy	3 / 10	2 / 5	0 / 2			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	2	1
Number of transfers	2	1
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation	0 / 4	0 / 2
Percentage of transfers resulting in singleton live births	0 / 2	0 / 1
Percentage of transfers resulting in live births	0 / 2	0 / 1
Percentage of transfers resulting in pregnancy	1 / 2	0 / 1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Quillen Fertility and Women's Services

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

EAST TENNESSEE IVF AND ANDROLOGY CENTER
KNOXVILLE, TENNESSEE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	26%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	22%	Uterine factor	9%	*Multiple Factors:*	
Ovulatory dysfunction	26%	Male factor	30%	Female factors only	26%
Diminished ovarian reserve	22%	Other factor	0%	Female & male factors	17%
Endometriosis	30%	Unknown factor	9%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 23

Data verified by Gayla Harris, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	12	8	2	1	0	0
Percentage of cancellations	0 / 12	0 / 8	0 / 2	0 / 1		
Average number of embryos transferred	2.0	1.8	2.0	2.0		
Percentage of embryos transferred resulting in implantation	29.2	2 / 14	1 / 4	0 / 2		
Percentage of elective single embryo transfer (eSET)	0 / 12	0 / 6	0 / 2	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	5 / 12	2 / 8	1 / 2	0 / 1		
Percentage of cycles resulting in triplets or more live births	0 / 12	0 / 8	0 / 2	0 / 1		
Percentage of cycles resulting in live births	6 / 12	2 / 8	1 / 2	0 / 1		
Percentage of cycles resulting in pregnancy	6 / 12	2 / 8	1 / 2	0 / 1		
Outcomes per Transfer						
Number of transfers	12	8	2	1	0	0
Percentage of transfers resulting in singleton live births	5 / 12	2 / 8	1 / 2	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 12	0 / 8	0 / 2	0 / 1		
Percentage of transfers resulting in live births	6 / 12	2 / 8	1 / 2	0 / 1		
Percentage of transfers resulting in pregnancy	6 / 12	2 / 8	1 / 2	0 / 1		
Outcomes per Pregnancy						
Number of pregnancies	6	2	1	0	0	0
Percentage of pregnancies resulting in singleton live births	5 / 6	2 / 2	1 / 1			
Percentage of pregnancies resulting in triplets or more live births	0 / 6	0 / 2	0 / 1			
Percentage of pregnancies resulting in live births	6 / 6	2 / 2	1 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	0	0	0	0	0
Number of transfers	0	0	0	0	0	0
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in triplets or more live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

	All Ages Combined[f]	
Donor Eggs	**Fresh Embryos**	**Frozen Embryos**
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation		
Percentage of transfers resulting in singleton live births		
Percentage of transfers resulting in live births		
Percentage of transfers resulting in pregnancy		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: East Tennessee IVF and Andrology Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTHEASTERN FERTILITY CENTER
KNOXVILLE, TENNESSEE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	57%
Unstimulated	5%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	3%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	5%	Male factor	47%	Female factors only	5%
Diminished ovarian reserve	20%	Other factor	14%	Female & male factors	16%
Endometriosis	18%	Unknown factor	18%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 148

Data verified by Jeffrey A. Keenan, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	13	5	1	2	0	0
Percentage of cancellations	1 / 13	0 / 5	0 / 1	0 / 2		
Average number of embryos transferred	2.0	2.4	3.0	4.0		
Percentage of embryos transferred resulting in implantation	18.2	2 / 12	0 / 3	2 / 8		
Percentage of elective single embryo transfer (eSET)	0 / 10	0 / 5	0 / 1	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	0 / 13	2 / 5	0 / 1	1 / 2		
Percentage of cycles resulting in triplets or more live births	0 / 13	0 / 5	0 / 1	0 / 2		
Percentage of cycles resulting in live births	1 / 13	2 / 5	0 / 1	1 / 2		
Percentage of cycles resulting in pregnancy	2 / 13	2 / 5	0 / 1	1 / 2		
Outcomes per Transfer						
Number of transfers	11	5	1	2	0	0
Percentage of transfers resulting in singleton live births	0 / 11	2 / 5	0 / 1	1 / 2		
Percentage of transfers resulting in triplets or more live births	0 / 11	0 / 5	0 / 1	0 / 2		
Percentage of transfers resulting in live births	1 / 11	2 / 5	0 / 1	1 / 2		
Percentage of transfers resulting in pregnancy	2 / 11	2 / 5	0 / 1	1 / 2		
Outcomes per Pregnancy						
Number of pregnancies	2	2	0	1	0	0
Percentage of pregnancies resulting in singleton live births	0 / 2	2 / 2		1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 2	0 / 2		0 / 1		
Percentage of pregnancies resulting in live births	1 / 2	2 / 2		1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	14	3	1	0	0	0
Number of transfers	12	2	1	0	0	0
Average number of embryos transferred	2.1	2.0	3.0			
Percentage of embryos transferred resulting in implantation	12.0	0 / 4	0 / 3			
Percentage of transfers resulting in singleton live births	1 / 12	0 / 2	0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 12	0 / 2	0 / 1			
Percentage of transfers resulting in live births	2 / 12	0 / 2	0 / 1			
Percentage of transfers resulting in pregnancy	2 / 12	0 / 2	0 / 1			

	All Ages Combined[f]	
Donor Eggs	**Fresh Embryos**	**Frozen Embryos**
Number of cycles	0	109
Number of transfers	0	108
Average number of embryos transferred		2.6
Percentage of embryos transferred resulting in implantation		22.5
Percentage of transfers resulting in singleton live births		30.6
Percentage of transfers resulting in live births		40.7
Percentage of transfers resulting in pregnancy		52.8

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Southeastern Fertility Center

Donor egg?	No	Gestational carriers?	No	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	No			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

KUTTEH KE FERTILITY ASSOCIATES OF MEMPHIS, PLLC
MEMPHIS, TENNESSEE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	62%
Unstimulated	0%	Used PGD	1%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	26%	Uterine factor	9%	*Multiple Factors:*	
Ovulatory dysfunction	23%	Male factor	38%	Female factors only	18%
Diminished ovarian reserve	21%	Other factor	11%	Female & male factors	22%
Endometriosis	16%	Unknown factor	6%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 277 Data verified by Raymond W. Ke, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	109	46	27	3	1	0
Percentage of cancellations	1.8	6.5	3.7	0 / 3	0 / 1	
Average number of embryos transferred	2.0	1.9	2.2	2.7	1.0	
Percentage of embryos transferred resulting in implantation	30.5	31.6	14.5	0 / 8	0 / 1	
Percentage of elective single embryo transfer (eSET)	7.3	10.3	0.0	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	19.3	32.6	11.1	0 / 3	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 3	0 / 1	
Percentage of cycles resulting in live births	35.8	39.1	11.1	0 / 3	0 / 1	
Percentage of cycles resulting in pregnancy	38.5	47.8	22.2	1 / 3	0 / 1	
Outcomes per Transfer						
Number of transfers	98	42	25	3	1	0
Percentage of transfers resulting in singleton live births	21.4	35.7	12.0	0 / 3	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 3	0 / 1	
Percentage of transfers resulting in live births	39.8	42.9	12.0	0 / 3	0 / 1	
Percentage of transfers resulting in pregnancy	42.9	52.4	24.0	1 / 3	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	42	22	6	1	0	0
Percentage of pregnancies resulting in singleton live births	50.0	68.2	3 / 6	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0 / 6	0 / 1		
Percentage of pregnancies resulting in live births	92.9	81.8	3 / 6	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	45	13	9	3	1	0
Number of transfers	42	11	8	2	1	0
Average number of embryos transferred	1.7	1.8	1.9	2.0	2.0	
Percentage of embryos transferred resulting in implantation	35.6	40.0	1 / 15	0 / 4	0 / 2	
Percentage of transfers resulting in singleton live births	31.0	2 / 11	1 / 8	0 / 2	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 11	0 / 8	0 / 2	0 / 1	
Percentage of transfers resulting in live births	42.9	5 / 11	1 / 8	0 / 2	0 / 1	
Percentage of transfers resulting in pregnancy	45.2	5 / 11	2 / 8	0 / 2	0 / 1	

	All Ages Combined[f]	
Donor Eggs	**Fresh Embryos**	**Frozen Embryos**
Number of cycles	12	8
Number of transfers	12	8
Average number of embryos transferred	2.1	1.5
Percentage of embryos transferred resulting in implantation	48.0	3 / 12
Percentage of transfers resulting in singleton live births	5 / 12	3 / 8
Percentage of transfers resulting in live births	8 / 12	3 / 8
Percentage of transfers resulting in pregnancy	9 / 12	3 / 8

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Kutteh Ke Fertility Associates of Memphis, PLLC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 2 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE CENTER FOR REPRODUCTIVE HEALTH
NASHVILLE, TENNESSEE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	88%
Unstimulated	0%	Used PGD	1%
Used gestational carrier	1%		

Patient Diagnosis[b]

Tubal factor	13%	Uterine factor	<1%	*Multiple Factors:*	
Ovulatory dysfunction	54%	Male factor	71%	Female factors only	7%
Diminished ovarian reserve	31%	Other factor	2%	Female & male factors	60%
Endometriosis	8%	Unknown factor	3%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 117

Data verified by Jaime M. Vasquez, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	40	15	11	3	0	0
Percentage of cancellations	5.0	2 / 15	0 / 11	1 / 3		
Average number of embryos transferred	2.6	2.7	3.2	3.5		
Percentage of embryos transferred resulting in implantation	9.4	8.6	9.4	0 / 7		
Percentage of elective single embryo transfer (eSET)	2.8	0 / 12	0 / 10	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	10.0	1 / 15	1 / 11	0 / 3		
Percentage of cycles resulting in triplets or more live births	2.5	0 / 15	0 / 11	0 / 3		
Percentage of cycles resulting in live births	15.0	1 / 15	2 / 11	0 / 3		
Percentage of cycles resulting in pregnancy	17.5	2 / 15	2 / 11	0 / 3		
Outcomes per Transfer						
Number of transfers	37	13	10	2	0	0
Percentage of transfers resulting in singleton live births	10.8	1 / 13	1 / 10	0 / 2		
Percentage of transfers resulting in triplets or more live births	2.7	0 / 13	0 / 10	0 / 2		
Percentage of transfers resulting in live births	16.2	1 / 13	2 / 10	0 / 2		
Percentage of transfers resulting in pregnancy	18.9	2 / 13	2 / 10	0 / 2		
Outcomes per Pregnancy						
Number of pregnancies	7	2	2	0	0	0
Percentage of pregnancies resulting in singleton live births	4 / 7	1 / 2	1 / 2			
Percentage of pregnancies resulting in triplets or more live births	1 / 7	0 / 2	0 / 2			
Percentage of pregnancies resulting in live births	6 / 7	1 / 2	2 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	17	7	3	1	0	4
Number of transfers	16	7	3	1	0	4
Average number of embryos transferred	3.1	2.7	3.0	3.0		3.0
Percentage of embryos transferred resulting in implantation	8.2	1 / 19	0 / 9	0 / 3		2 / 12
Percentage of transfers resulting in singleton live births	3 / 16	1 / 7	0 / 3	0 / 1		2 / 4
Percentage of transfers resulting in triplets or more live births	0 / 16	0 / 7	0 / 3	0 / 1		0 / 4
Percentage of transfers resulting in live births	3 / 16	1 / 7	0 / 3	0 / 1		2 / 4
Percentage of transfers resulting in pregnancy	5 / 16	1 / 7	0 / 3	0 / 1		2 / 4

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	9	7
Number of transfers	7	7
Average number of embryos transferred	2.7	2.9
Percentage of embryos transferred resulting in implantation	4 / 19	20.0
Percentage of transfers resulting in singleton live births	4 / 7	1 / 7
Percentage of transfers resulting in live births	4 / 7	2 / 7
Percentage of transfers resulting in pregnancy	5 / 7	3 / 7

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Center for Reproductive Health

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NASHVILLE FERTILITY CENTER
NASHVILLE, TENNESSEE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	74%
Unstimulated	0%	Used PGD	14%
Used gestational carrier	1%		

Patient Diagnosis[b]

Tubal factor	22%	Uterine factor	13%	*Multiple Factors:*	
Ovulatory dysfunction	20%	Male factor	44%	Female factors only	29%
Diminished ovarian reserve	38%	Other factor	31%	Female & male factors	32%
Endometriosis	25%	Unknown factor	2%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 462 Data verified by George A. Hill, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	138	65	59	19	7	0
Percentage of cancellations	12.3	16.9	25.4	5 / 19	5 / 7	
Average number of embryos transferred	1.8	2.3	2.5	3.5	2.0	
Percentage of embryos transferred resulting in implantation	36.8	19.3	19.8	2.6	0 / 4	
Percentage of elective single embryo transfer (eSET)	27.1	2.0	2.7	0 / 11	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	31.2	16.9	18.6	0 / 19	0 / 7	
Percentage of cycles resulting in triplets or more live births	0.7	0.0	0.0	0 / 19	0 / 7	
Percentage of cycles resulting in live births	40.6	24.6	23.7	0 / 19	0 / 7	
Percentage of cycles resulting in pregnancy	45.7	29.2	30.5	2 / 19	0 / 7	
Outcomes per Transfer						
Number of transfers	114	51	42	11	2	0
Percentage of transfers resulting in singleton live births	37.7	21.6	26.2	0 / 11	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.9	0.0	0.0	0 / 11	0 / 2	
Percentage of transfers resulting in live births	49.1	31.4	33.3	0 / 11	0 / 2	
Percentage of transfers resulting in pregnancy	55.3	37.3	42.9	2 / 11	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	63	19	18	2	0	0
Percentage of pregnancies resulting in singleton live births	68.3	11 / 19	11 / 18	0 / 2		
Percentage of pregnancies resulting in triplets or more live births	1.6	0 / 19	0 / 18	0 / 2		
Percentage of pregnancies resulting in live births	88.9	16 / 19	14 / 18	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	70	26	19	4	1	1
Number of transfers	66	25	16	3	1	1
Average number of embryos transferred	2.0	2.0	2.0	2.0	2.0	3.0
Percentage of embryos transferred resulting in implantation	38.9	21.6	25.0	0 / 6	0 / 2	0 / 3
Percentage of transfers resulting in singleton live births	36.4	36.0	6 / 16	0 / 3	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	1.5	0.0	0 / 16	0 / 3	0 / 1	0 / 1
Percentage of transfers resulting in live births	51.5	40.0	7 / 16	0 / 3	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	59.1	40.0	8 / 16	0 / 3	0 / 1	0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	12	41
Number of transfers	11	31
Average number of embryos transferred	1.6	2.0
Percentage of embryos transferred resulting in implantation	7 / 18	43.5
Percentage of transfers resulting in singleton live births	0 / 11	51.6
Percentage of transfers resulting in live births	2 / 11	58.1
Percentage of transfers resulting in pregnancy	5 / 11	64.5

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Nashville Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 7 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

AUSTIN FERTILITY AND REPRODUCTIVE MEDICINE-WESTLAKE IVF
AUSTIN, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	85%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	15%	Uterine factor	11%	*Multiple Factors:*	
Ovulatory dysfunction	15%	Male factor	30%	Female factors only	15%
Diminished ovarian reserve	4%	Other factor	19%	Female & male factors	7%
Endometriosis	19%	Unknown factor	15%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 27

Data verified by Shahryar K. Kavoussi, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	8	7	8	3	0	0
Percentage of cancellations	0 / 8	1 / 7	0 / 8	0 / 3		
Average number of embryos transferred	2.7	2.7	3.1	3.3		
Percentage of embryos transferred resulting in implantation	3 / 16	1 / 16	13.6	0 / 10		
Percentage of elective single embryo transfer (eSET)	0 / 6	0 / 6	0 / 7	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	3 / 8	1 / 7	3 / 8	0 / 3		
Percentage of cycles resulting in triplets or more live births	0 / 8	0 / 7	0 / 8	0 / 3		
Percentage of cycles resulting in live births	3 / 8	1 / 7	3 / 8	0 / 3		
Percentage of cycles resulting in pregnancy	4 / 8	1 / 7	5 / 8	0 / 3		
Outcomes per Transfer						
Number of transfers	6	6	7	3	0	0
Percentage of transfers resulting in singleton live births	3 / 6	1 / 6	3 / 7	0 / 3		
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 6	0 / 7	0 / 3		
Percentage of transfers resulting in live births	3 / 6	1 / 6	3 / 7	0 / 3		
Percentage of transfers resulting in pregnancy	4 / 6	1 / 6	5 / 7	0 / 3		
Outcomes per Pregnancy						
Number of pregnancies	4	1	5	0	0	0
Percentage of pregnancies resulting in singleton live births	3 / 4	1 / 1	3 / 5			
Percentage of pregnancies resulting in triplets or more live births	0 / 4	0 / 1	0 / 5			
Percentage of pregnancies resulting in live births	3 / 4	1 / 1	3 / 5			
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	0	0	0	0	0
Number of transfers	1	0	0	0	0	0
Average number of embryos transferred	2.0					
Percentage of embryos transferred resulting in implantation	1 / 2					
Percentage of transfers resulting in singleton live births	1 / 1					
Percentage of transfers resulting in triplets or more live births	0 / 1					
Percentage of transfers resulting in live births	1 / 1					
Percentage of transfers resulting in pregnancy	1 / 1					

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation		
Percentage of transfers resulting in singleton live births		
Percentage of transfers resulting in live births		
Percentage of transfers resulting in pregnancy		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Austin Fertility and Reproductive Medicine-Westlake IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Pending
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

AUSTIN FERTILITY INSTITUTE, PA
AUSTIN, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	92%
Unstimulated	0%	Used PGD	2%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	10%	Uterine factor	1%	*Multiple Factors:*	
Ovulatory dysfunction	30%	Male factor	62%	Female factors only	2%
Diminished ovarian reserve	15%	Other factor	7%	Female & male factors	33%
Endometriosis	11%	Unknown factor	0%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 93

Data verified by Kenneth K. Moghadam, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	33	14	15	2	2	0
Percentage of cancellations	3.0	0 / 14	2 / 15	0 / 2	0 / 2	
Average number of embryos transferred	2.1	2.1	2.7	2.5	3.0	
Percentage of embryos transferred resulting in implantation	39.3	22.2	23.3	0 / 5	0 / 6	
Percentage of elective single embryo transfer (eSET)	7.1	1 / 13	0 / 10	0 / 2	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	39.4	2 / 14	2 / 15	0 / 2	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 14	0 / 15	0 / 2	0 / 2	
Percentage of cycles resulting in live births	54.5	3 / 14	3 / 15	0 / 2	0 / 2	
Percentage of cycles resulting in pregnancy	54.5	6 / 14	6 / 15	0 / 2	0 / 2	
Outcomes per Transfer						
Number of transfers	29	13	11	2	2	0
Percentage of transfers resulting in singleton live births	44.8	2 / 13	2 / 11	0 / 2	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 13	0 / 11	0 / 2	0 / 2	
Percentage of transfers resulting in live births	62.1	3 / 13	3 / 11	0 / 2	0 / 2	
Percentage of transfers resulting in pregnancy	62.1	6 / 13	6 / 11	0 / 2	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	18	6	6	0	0	0
Percentage of pregnancies resulting in singleton live births	13 / 18	2 / 6	2 / 6			
Percentage of pregnancies resulting in triplets or more live births	0 / 18	0 / 6	0 / 6			
Percentage of pregnancies resulting in live births	18 / 18	3 / 6	3 / 6			
Frozen Embryos from Nondonor Eggs						
Number of cycles	9	3	3	1	0	0
Number of transfers	8	3	2	1	0	0
Average number of embryos transferred	2.3	2.7	3.0	4.0		
Percentage of embryos transferred resulting in implantation	5 / 18	0 / 8	1 / 6	2 / 4		
Percentage of transfers resulting in singleton live births	3 / 8	0 / 3	1 / 2	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 8	0 / 3	0 / 2	0 / 1		
Percentage of transfers resulting in live births	3 / 8	0 / 3	1 / 2	1 / 1		
Percentage of transfers resulting in pregnancy	5 / 8	0 / 3	1 / 2	1 / 1		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	9	2
Number of transfers	9	2
Average number of embryos transferred	1.9	2.5
Percentage of embryos transferred resulting in implantation	10 / 17	4 / 5
Percentage of transfers resulting in singleton live births	5 / 9	2 / 2
Percentage of transfers resulting in live births	6 / 9	2 / 2
Percentage of transfers resulting in pregnancy	8 / 9	2 / 2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Austin Fertility Institute, PA

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

TEXAS FERTILITY CENTER
DRS. VAUGHN, SILVERBERG, HANSARD AND BURGER
AUSTIN, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	59%
Unstimulated	0%	Used PGD	6%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	11%	Uterine factor	17%	*Multiple Factors:*	
Ovulatory dysfunction	15%	Male factor	27%	Female factors only	24%
Diminished ovarian reserve	18%	Other factor	28%	Female & male factors	15%
Endometriosis	26%	Unknown factor	8%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 899

Data verified by Kaylen Silverberg, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	253	128	138	54	19	4
Percentage of cancellations	9.9	8.6	16.7	18.5	2 / 19	1 / 4
Average number of embryos transferred	1.9	2.2	2.9	3.3	3.1	1.5
Percentage of embryos transferred resulting in implantation	36.0	24.6	18.4	8.7	0.0	1 / 3
Percentage of elective single embryo transfer (eSET)	17.2	5.9	0.0	0.0	0 / 13	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	24.9	21.9	16.7	9.3	0 / 19	1 / 4
Percentage of cycles resulting in triplets or more live births	0.8	0.8	0.7	0.0	0 / 19	0 / 4
Percentage of cycles resulting in live births	38.7	28.1	25.4	13.0	0 / 19	1 / 4
Percentage of cycles resulting in pregnancy	44.3	35.2	29.0	16.7	0 / 19	1 / 4
Outcomes per Transfer						
Number of transfers	216	108	106	38	16	2
Percentage of transfers resulting in singleton live births	29.2	25.9	21.7	13.2	0 / 16	1 / 2
Percentage of transfers resulting in triplets or more live births	0.9	0.9	0.9	0.0	0 / 16	0 / 2
Percentage of transfers resulting in live births	45.4	33.3	33.0	18.4	0 / 16	1 / 2
Percentage of transfers resulting in pregnancy	51.9	41.7	37.7	23.7	0 / 16	1 / 2
Outcomes per Pregnancy						
Number of pregnancies	112	45	40	9	0	1
Percentage of pregnancies resulting in singleton live births	56.3	62.2	57.5	5 / 9		1 / 1
Percentage of pregnancies resulting in triplets or more live births	1.8	2.2	2.5	0 / 9		0 / 1
Percentage of pregnancies resulting in live births	87.5	80.0	87.5	7 / 9		1 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	92	50	36	8	5	1
Number of transfers	81	43	33	5	2	1
Average number of embryos transferred	1.6	1.5	1.8	2.6	2.0	1.0
Percentage of embryos transferred resulting in implantation	39.1	48.4	31.0	3 / 13	0 / 4	0 / 1
Percentage of transfers resulting in singleton live births	30.9	32.6	33.3	2 / 5	0 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	2.3	0.0	0 / 5	0 / 2	0 / 1
Percentage of transfers resulting in live births	44.4	46.5	36.4	2 / 5	0 / 2	0 / 1
Percentage of transfers resulting in pregnancy	55.6	55.8	45.5	3 / 5	0 / 2	0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	73	38
Number of transfers	68	33
Average number of embryos transferred	1.9	1.5
Percentage of embryos transferred resulting in implantation	42.1	36.0
Percentage of transfers resulting in singleton live births	33.8	36.4
Percentage of transfers resulting in live births	50.0	42.4
Percentage of transfers resulting in pregnancy	66.2	51.5

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Texas Fertility Center, Drs. Vaughn, Silverberg, Hansard and Burger

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 15 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DR. JEFFREY YOUNGKIN
AUSTIN FERTILITY CENTER
AUSTIN, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	33%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	12%	Uterine factor	6%	*Multiple Factors:*	
Ovulatory dysfunction	12%	Male factor	18%	Female factors only	12%
Diminished ovarian reserve	0%	Other factor	6%	Female & male factors	6%
Endometriosis	41%	Unknown factor	24%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 17 Data verified by Jeffrey T. Youngkin, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	1	4	7	0	0	0
Percentage of cancellations	0 / 1	1 / 4	1 / 7			
Average number of embryos transferred	2.0	2.7	3.0			
Percentage of embryos transferred resulting in implantation	2 / 2	3 / 8	1 / 18			
Percentage of elective single embryo transfer (eSET)	0 / 1	0 / 3	0 / 6			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	0 / 1	0 / 4	0 / 7			
Percentage of cycles resulting in triplets or more live births	0 / 1	1 / 4	0 / 7			
Percentage of cycles resulting in live births	1 / 1	1 / 4	0 / 7			
Percentage of cycles resulting in pregnancy	1 / 1	1 / 4	2 / 7			
Outcomes per Transfer						
Number of transfers	1	3	6	0	0	0
Percentage of transfers resulting in singleton live births	0 / 1	0 / 3	0 / 6			
Percentage of transfers resulting in triplets or more live births	0 / 1	1 / 3	0 / 6			
Percentage of transfers resulting in live births	1 / 1	1 / 3	0 / 6			
Percentage of transfers resulting in pregnancy	1 / 1	1 / 3	2 / 6			
Outcomes per Pregnancy						
Number of pregnancies	1	1	2	0	0	0
Percentage of pregnancies resulting in singleton live births	0 / 1	0 / 1	0 / 2			
Percentage of pregnancies resulting in triplets or more live births	0 / 1	1 / 1	0 / 2			
Percentage of pregnancies resulting in live births	1 / 1	1 / 1	0 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	3	1	0	0	0
Number of transfers	1	3	1	0	0	0
Average number of embryos transferred	2.0	1.3	1.0			
Percentage of embryos transferred resulting in implantation	2 / 2	0 / 4	1 / 1			
Percentage of transfers resulting in singleton live births	1 / 1	0 / 3	1 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 1	0 / 3	0 / 1			
Percentage of transfers resulting in live births	1 / 1	0 / 3	1 / 1			
Percentage of transfers resulting in pregnancy	1 / 1	1 / 3	1 / 1			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation		
Percentage of transfers resulting in singleton live births		
Percentage of transfers resulting in live births		
Percentage of transfers resulting in pregnancy		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Dr. Jeffrey Youngkin, Austin Fertility Center

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR ASSISTED REPRODUCTION
BEDFORD, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	67%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	18%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	15%	Male factor	40%	Female factors only	10%
Diminished ovarian reserve	32%	Other factor	16%	Female & male factors	24%
Endometriosis	5%	Unknown factor	6%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 560 Data verified by Kevin J. Doody, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	147	70	66	37	13	1
Percentage of cancellations	2.0	7.1	9.1	10.8	2 / 13	0 / 1
Average number of embryos transferred	1.8	1.9	2.1	2.4	1.9	1.0
Percentage of embryos transferred resulting in implantation	40.2	37.3	12.5	15.6	9.5	0 / 1
Percentage of elective single embryo transfer (eSET)	17.2	5.9	2.1	4.3	0 / 7	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.8	17.1	10.6	13.5	2 / 13	0 / 1
Percentage of cycles resulting in triplets or more live births	0.7	0.0	0.0	0.0	0 / 13	0 / 1
Percentage of cycles resulting in live births	41.5	34.3	12.1	16.2	2 / 13	0 / 1
Percentage of cycles resulting in pregnancy	47.6	41.4	22.7	27.0	2 / 13	0 / 1
Outcomes per Transfer						
Number of transfers	135	59	53	27	11	1
Percentage of transfers resulting in singleton live births	25.9	20.3	13.2	18.5	2 / 11	0 / 1
Percentage of transfers resulting in triplets or more live births	0.7	0.0	0.0	0.0	0 / 11	0 / 1
Percentage of transfers resulting in live births	45.2	40.7	15.1	22.2	2 / 11	0 / 1
Percentage of transfers resulting in pregnancy	51.9	49.2	28.3	37.0	2 / 11	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	70	29	15	10	2	0
Percentage of pregnancies resulting in singleton live births	50.0	41.4	7 / 15	5 / 10	2 / 2	
Percentage of pregnancies resulting in triplets or more live births	1.4	0.0	0 / 15	0 / 10	0 / 2	
Percentage of pregnancies resulting in live births	87.1	82.8	8 / 15	6 / 10	2 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	72	42	21	9	3	1
Number of transfers	70	41	21	9	3	1
Average number of embryos transferred	1.7	1.8	1.9	2.4	2.3	2.0
Percentage of embryos transferred resulting in implantation	36.1	26.4	33.3	9.1	1 / 7	1 / 2
Percentage of transfers resulting in singleton live births	28.6	26.8	42.9	1 / 9	1 / 3	1 / 1
Percentage of transfers resulting in triplets or more live births	1.4	0.0	0.0	0 / 9	0 / 3	0 / 1
Percentage of transfers resulting in live births	38.6	36.6	42.9	1 / 9	1 / 3	1 / 1
Percentage of transfers resulting in pregnancy	50.0	41.5	66.7	3 / 9	1 / 3	1 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	26	52
Number of transfers	25	52
Average number of embryos transferred	1.9	1.9
Percentage of embryos transferred resulting in implantation	56.5	40.4
Percentage of transfers resulting in singleton live births	24.0	19.2
Percentage of transfers resulting in live births	60.0	40.4
Percentage of transfers resulting in pregnancy	72.0	53.8

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Assisted Reproduction

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2011 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2011 ART cycle data or the clinic's Medical Director did not approve the clinic's 2011 ART cycle data for inclusion in this report.

DALLAS-FORT WORTH FERTILITY ASSOCIATES
DALLAS, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	41%
Unstimulated	0%	Used PGD	1%
Used gestational carrier	1%		

Patient Diagnosis[b]

Tubal factor	14%	Uterine factor	8%	*Multiple Factors:*	
Ovulatory dysfunction	28%	Male factor	39%	Female factors only	18%
Diminished ovarian reserve	44%	Other factor	8%	Female & male factors	29%
Endometriosis	12%	Unknown factor	6%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 552 Data verified by Samuel J. Chantilis, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	159	75	97	33	10	1
Percentage of cancellations	8.8	17.3	16.5	36.4	2 / 10	1 / 1
Average number of embryos transferred	1.9	2.2	2.3	3.5	3.0	
Percentage of embryos transferred resulting in implantation	39.2	25.4	20.2	15.9	4.2	
Percentage of elective single embryo transfer (eSET)	8.5	1.6	0.0	0 / 17	0 / 8	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.9	29.3	19.6	9.1	1 / 10	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 10	0 / 1
Percentage of cycles resulting in live births	39.0	36.0	25.8	12.1	1 / 10	0 / 1
Percentage of cycles resulting in pregnancy	45.9	44.0	33.0	21.2	2 / 10	0 / 1
Outcomes per Transfer						
Number of transfers	139	62	76	18	8	0
Percentage of transfers resulting in singleton live births	27.3	35.5	25.0	3 / 18	1 / 8	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 18	0 / 8	
Percentage of transfers resulting in live births	44.6	43.5	32.9	4 / 18	1 / 8	
Percentage of transfers resulting in pregnancy	52.5	53.2	42.1	7 / 18	2 / 8	
Outcomes per Pregnancy						
Number of pregnancies	73	33	32	7	2	0
Percentage of pregnancies resulting in singleton live births	52.1	66.7	59.4	3 / 7	1 / 2	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 7	0 / 2	
Percentage of pregnancies resulting in live births	84.9	81.8	78.1	4 / 7	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	46	14	8	6	1	1
Number of transfers	45	14	7	5	1	1
Average number of embryos transferred	1.8	1.6	2.0	1.6	1.0	1.0
Percentage of embryos transferred resulting in implantation	43.8	26.1	2 / 14	3 / 8	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births	35.6	2 / 14	2 / 7	1 / 5	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	2.2	0 / 14	0 / 7	0 / 5	0 / 1	0 / 1
Percentage of transfers resulting in live births	51.1	4 / 14	2 / 7	2 / 5	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	55.6	5 / 14	3 / 7	2 / 5	0 / 1	0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	74	27
Number of transfers	69	27
Average number of embryos transferred	1.9	1.8
Percentage of embryos transferred resulting in implantation	62.3	25.0
Percentage of transfers resulting in singleton live births	29.0	29.6
Percentage of transfers resulting in live births	68.1	33.3
Percentage of transfers resulting in pregnancy	73.9	44.4

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Dallas-Fort Worth Fertility Associates

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 18 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY AND ADVANCED REPRODUCTIVE MEDICINE
DALLAS, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	79%
Unstimulated	0%	Used PGD	2%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	8%	Uterine factor	8%	*Multiple Factors:*	
Ovulatory dysfunction	22%	Male factor	47%	Female factors only	8%
Diminished ovarian reserve	30%	Other factor	6%	Female & male factors	21%
Endometriosis	6%	Unknown factor	3%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 73

Data verified by Orhan Bukulmez, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	32	8	8	1	3	0
Percentage of cancellations	3.1	0 / 8	0 / 8	0 / 1	1 / 3	
Average number of embryos transferred	1.8	2.3	2.3	2.0	3.0	
Percentage of embryos transferred resulting in implantation	17.6	3 / 18	4 / 18	0 / 2	0 / 6	
Percentage of elective single embryo transfer (eSET)	14.8	0 / 8	0 / 8	0 / 1	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	21.9	3 / 8	1 / 8	0 / 1	0 / 3	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 8	0 / 8	0 / 1	0 / 3	
Percentage of cycles resulting in live births	25.0	3 / 8	2 / 8	0 / 1	0 / 3	
Percentage of cycles resulting in pregnancy	25.0	3 / 8	2 / 8	0 / 1	0 / 3	
Outcomes per Transfer						
Number of transfers	28	8	8	1	2	0
Percentage of transfers resulting in singleton live births	25.0	3 / 8	1 / 8	0 / 1	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 8	0 / 8	0 / 1	0 / 2	
Percentage of transfers resulting in live births	28.6	3 / 8	2 / 8	0 / 1	0 / 2	
Percentage of transfers resulting in pregnancy	28.6	3 / 8	2 / 8	0 / 1	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	8	3	2	0	0	0
Percentage of pregnancies resulting in singleton live births	7 / 8	3 / 3	1 / 2			
Percentage of pregnancies resulting in triplets or more live births	0 / 8	0 / 3	0 / 2			
Percentage of pregnancies resulting in live births	8 / 8	3 / 3	2 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	14	3	2	1	0	1
Number of transfers	14	3	1	1	0	1
Average number of embryos transferred	1.6	1.7	2.0	3.0		2.0
Percentage of embryos transferred resulting in implantation	45.5	1 / 5	2 / 2	1 / 3		0 / 2
Percentage of transfers resulting in singleton live births	5 / 14	1 / 3	0 / 1	0 / 1		0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 14	0 / 3	0 / 1	0 / 1		0 / 1
Percentage of transfers resulting in live births	7 / 14	1 / 3	1 / 1	0 / 1		0 / 1
Percentage of transfers resulting in pregnancy	8 / 14	1 / 3	1 / 1	1 / 1		0 / 1

	All Ages Combined[f]	
Donor Eggs	**Fresh Embryos**	**Frozen Embryos**
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation		
Percentage of transfers resulting in singleton live births		
Percentage of transfers resulting in live births		
Percentage of transfers resulting in pregnancy		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility and Advanced Reproductive Medicine

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 4 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF DALLAS
DALLAS, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	86%
Unstimulated	0%	Used PGD	10%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	20%	Uterine factor	6%	*Multiple Factors:*	
Ovulatory dysfunction	6%	Male factor	48%	Female factors only	15%
Diminished ovarian reserve	22%	Other factor	15%	Female & male factors	27%
Endometriosis	28%	Unknown factor	3%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 113 Data verified by J. Michael Putman, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	35	11	8	6	3	0
Percentage of cancellations	0.0	1 / 11	0 / 8	0 / 6	0 / 3	
Average number of embryos transferred	2.0	2.1	2.9	3.0	2.7	
Percentage of embryos transferred resulting in implantation	38.8	23.8	30.4	1 / 15	0 / 8	
Percentage of elective single embryo transfer (eSET)	9.7	1 / 9	0 / 8	0 / 4	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	37.1	3 / 11	2 / 8	1 / 6	0 / 3	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 11	1 / 8	0 / 6	0 / 3	
Percentage of cycles resulting in live births	48.6	3 / 11	3 / 8	1 / 6	0 / 3	
Percentage of cycles resulting in pregnancy	65.7	4 / 11	5 / 8	1 / 6	0 / 3	
Outcomes per Transfer						
Number of transfers	34	10	8	5	3	0
Percentage of transfers resulting in singleton live births	38.2	3 / 10	2 / 8	1 / 5	0 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 10	1 / 8	0 / 5	0 / 3	
Percentage of transfers resulting in live births	50.0	3 / 10	3 / 8	1 / 5	0 / 3	
Percentage of transfers resulting in pregnancy	67.6	4 / 10	5 / 8	1 / 5	0 / 3	
Outcomes per Pregnancy						
Number of pregnancies	23	4	5	1	0	0
Percentage of pregnancies resulting in singleton live births	56.5	3 / 4	2 / 5	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 4	1 / 5	0 / 1		
Percentage of pregnancies resulting in live births	73.9	3 / 4	3 / 5	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	18	10	5	5	1	2
Number of transfers	18	10	5	5	1	2
Average number of embryos transferred	2.2	2.2	2.0	2.4	2.0	6.0
Percentage of embryos transferred resulting in implantation	38.5	27.3	7 / 10	4 / 12	0 / 2	0 / 12
Percentage of transfers resulting in singleton live births	6 / 18	4 / 10	2 / 5	2 / 5	0 / 1	0 / 2
Percentage of transfers resulting in triplets or more live births	1 / 18	0 / 10	1 / 5	0 / 5	0 / 1	0 / 2
Percentage of transfers resulting in live births	9 / 18	5 / 10	4 / 5	3 / 5	0 / 1	0 / 2
Percentage of transfers resulting in pregnancy	11 / 18	7 / 10	4 / 5	4 / 5	0 / 1	0 / 2

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	4	5
Number of transfers	4	5
Average number of embryos transferred	2.0	2.2
Percentage of embryos transferred resulting in implantation	4 / 8	4 / 11
Percentage of transfers resulting in singleton live births	2 / 4	1 / 5
Percentage of transfers resulting in live births	3 / 4	2 / 5
Percentage of transfers resulting in pregnancy	3 / 4	3 / 5

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Center of Dallas

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 23 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF INSTITUTE
DALLAS, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	52%
Unstimulated	0%	Used PGD	4%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	32%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	24%	Male factor	32%	Female factors only	16%
Diminished ovarian reserve	60%	Other factor	0%	Female & male factors	32%
Endometriosis	0%	Unknown factor	0%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 25 Data verified by Noel Peng, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	12	2	5	5	0	1
Percentage of cancellations	1 / 12	0 / 2	0 / 5	2 / 5		1 / 1
Average number of embryos transferred	2.0	2.0	2.0	1.7		
Percentage of embryos transferred resulting in implantation	59.1	1 / 2	5 / 8	0 / 5		
Percentage of elective single embryo transfer (eSET)	0 / 10	0 / 1	0 / 2	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	6 / 12	1 / 2	1 / 5	0 / 5		0 / 1
Percentage of cycles resulting in triplets or more live births	0 / 12	0 / 2	1 / 5	0 / 5		0 / 1
Percentage of cycles resulting in live births	9 / 12	1 / 2	2 / 5	0 / 5		0 / 1
Percentage of cycles resulting in pregnancy	11 / 12	1 / 2	4 / 5	0 / 5		0 / 1
Outcomes per Transfer						
Number of transfers	11	1	4	3	0	0
Percentage of transfers resulting in singleton live births	6 / 11	1 / 1	1 / 4	0 / 3		
Percentage of transfers resulting in triplets or more live births	0 / 11	0 / 1	1 / 4	0 / 3		
Percentage of transfers resulting in live births	9 / 11	1 / 1	2 / 4	0 / 3		
Percentage of transfers resulting in pregnancy	11 / 11	1 / 1	4 / 4	0 / 3		
Outcomes per Pregnancy						
Number of pregnancies	11	1	4	0	0	0
Percentage of pregnancies resulting in singleton live births	6 / 11	1 / 1	1 / 4			
Percentage of pregnancies resulting in triplets or more live births	0 / 11	0 / 1	1 / 4			
Percentage of pregnancies resulting in live births	9 / 11	1 / 1	2 / 4			
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	0	0	0	0	0
Number of transfers	0	0	0	0	0	0
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in triplets or more live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation		
Percentage of transfers resulting in singleton live births		
Percentage of transfers resulting in live births		
Percentage of transfers resulting in pregnancy		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: IVF Institute

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 2 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPROMED FERTILITY CENTER
DALLAS, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	65%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	20%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	27%	Male factor	7%	Female factors only	13%
Diminished ovarian reserve	48%	Other factor	2%	Female & male factors	0%
Endometriosis	5%	Unknown factor	0%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 56

Data verified by Anil B. Pinto, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	21	13	6	2	0	1
Percentage of cancellations	4.8	0 / 13	1 / 6	0 / 2		0 / 1
Average number of embryos transferred	2.2	2.2	2.4	2.0		3.0
Percentage of embryos transferred resulting in implantation	30.2	38.5	6 / 12	2 / 4		1 / 3
Percentage of elective single embryo transfer (eSET)	0.0	0 / 12	0 / 5	0 / 2		0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	61.9	5 / 13	4 / 6	0 / 2		1 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0 / 13	0 / 6	0 / 2		0 / 1
Percentage of cycles resulting in live births	61.9	7 / 13	5 / 6	1 / 2		1 / 1
Percentage of cycles resulting in pregnancy	61.9	7 / 13	5 / 6	1 / 2		1 / 1
Outcomes per Transfer						
Number of transfers	20	12	5	2	0	1
Percentage of transfers resulting in singleton live births	65.0	5 / 12	4 / 5	0 / 2		1 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 12	0 / 5	0 / 2		0 / 1
Percentage of transfers resulting in live births	65.0	7 / 12	5 / 5	1 / 2		1 / 1
Percentage of transfers resulting in pregnancy	65.0	7 / 12	5 / 5	1 / 2		1 / 1
Outcomes per Pregnancy						
Number of pregnancies	13	7	5	1	0	1
Percentage of pregnancies resulting in singleton live births	13 / 13	5 / 7	4 / 5	0 / 1		1 / 1
Percentage of pregnancies resulting in triplets or more live births	0 / 13	0 / 7	0 / 5	0 / 1		0 / 1
Percentage of pregnancies resulting in live births	13 / 13	7 / 7	5 / 5	1 / 1		1 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	2	1	1	0	0
Number of transfers	4	1	1	1	0	0
Average number of embryos transferred	2.0	2.0	3.0	2.0		
Percentage of embryos transferred resulting in implantation	4 / 8	1 / 2	0 / 3	0 / 2		
Percentage of transfers resulting in singleton live births	4 / 4	1 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in live births	4 / 4	1 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in pregnancy	4 / 4	1 / 1	0 / 1	0 / 1		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	2	3
Number of transfers	2	3
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation	1 / 4	3 / 6
Percentage of transfers resulting in singleton live births	1 / 2	3 / 3
Percentage of transfers resulting in live births	1 / 2	3 / 3
Percentage of transfers resulting in pregnancy	1 / 2	3 / 3

CURRENT CLINIC SERVICES AND PROFILE

Current Name: ReproMed Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 5 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHER INSTITUTE FOR REPRODUCTIVE MEDICINE-DALLAS
DALLAS, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	90%
Unstimulated	2%	Used PGD	39%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	17%	Uterine factor	7%	*Multiple Factors:*	
Ovulatory dysfunction	6%	Male factor	19%	Female factors only	12%
Diminished ovarian reserve	44%	Other factor	23%	Female & male factors	10%
Endometriosis	3%	Unknown factor	9%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 302 Data verified by Walid Saleh, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	118	39	34	6	11	5
Percentage of cancellations	2.5	0.0	11.8	0 / 6	1 / 11	1 / 5
Average number of embryos transferred	2.0	1.9	2.0	1.7	1.0	2.5
Percentage of embryos transferred resulting in implantation	44.9	46.7	25.6	0 / 5	1 / 3	0 / 5
Percentage of elective single embryo transfer (eSET)	7.7	14.3	1 / 15	0 / 2		0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.3	28.2	8.8	0 / 6	1 / 11	0 / 5
Percentage of cycles resulting in triplets or more live births	1.7	2.6	0.0	0 / 6	0 / 11	0 / 5
Percentage of cycles resulting in live births	45.8	43.6	14.7	0 / 6	1 / 11	0 / 5
Percentage of cycles resulting in pregnancy	53.4	51.3	26.5	0 / 6	1 / 11	0 / 5
Outcomes per Transfer						
Number of transfers	99	32	20	3	3	2
Percentage of transfers resulting in singleton live births	31.3	34.4	15.0	0 / 3	1 / 3	0 / 2
Percentage of transfers resulting in triplets or more live births	2.0	3.1	0.0	0 / 3	0 / 3	0 / 2
Percentage of transfers resulting in live births	54.5	53.1	25.0	0 / 3	1 / 3	0 / 2
Percentage of transfers resulting in pregnancy	63.6	62.5	45.0	0 / 3	1 / 3	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	63	20	9	0	1	0
Percentage of pregnancies resulting in singleton live births	49.2	55.0	3 / 9		1 / 1	
Percentage of pregnancies resulting in triplets or more live births	3.2	5.0	0 / 9		0 / 1	
Percentage of pregnancies resulting in live births	85.7	85.0	5 / 9		1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	19	12	7	2	1	2
Number of transfers	17	12	7	1	1	0
Average number of embryos transferred	1.9	2.1	1.9	3.0	1.0	
Percentage of embryos transferred resulting in implantation	50.0	28.0	3 / 13	0 / 3	0 / 1	
Percentage of transfers resulting in singleton live births	4 / 17	3 / 12	2 / 7	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 17	0 / 12	0 / 7	0 / 1	0 / 1	
Percentage of transfers resulting in live births	9 / 17	3 / 12	2 / 7	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	12 / 17	7 / 12	3 / 7	0 / 1	0 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	33	13
Number of transfers	27	12
Average number of embryos transferred	2.0	2.1
Percentage of embryos transferred resulting in implantation	47.3	32.0
Percentage of transfers resulting in singleton live births	33.3	4 / 12
Percentage of transfers resulting in live births	55.6	5 / 12
Percentage of transfers resulting in pregnancy	70.4	6 / 12

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Sher Institute for Reproductive Medicine-Dallas

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 12 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

TEXAS CENTER FOR REPRODUCTIVE HEALTH
DALLAS, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	94%
Unstimulated	0%	Used PGD	7%
Used gestational carrier	7%		

Patient Diagnosis[b]

Tubal factor	6%	Uterine factor	18%	*Multiple Factors:*	
Ovulatory dysfunction	18%	Male factor	40%	Female factors only	28%
Diminished ovarian reserve	28%	Other factor	32%	Female & male factors	24%
Endometriosis	10%	Unknown factor	4%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 50 Data verified by Samuel P. Marynick, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	14	8	5	2	1	1
Percentage of cancellations	1 / 14	1 / 8	0 / 5	0 / 2	0 / 1	0 / 1
Average number of embryos transferred	2.0	2.0	2.4	2.0	1.0	4.0
Percentage of embryos transferred resulting in implantation	61.5	9 / 14	5 / 12	0 / 2	0 / 1	0 / 4
Percentage of elective single embryo transfer (eSET)	0 / 13	0 / 6	0 / 4	0 / 1		0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	5 / 14	3 / 8	1 / 5	0 / 2	0 / 1	0 / 1
Percentage of cycles resulting in triplets or more live births	0 / 14	0 / 8	1 / 5	0 / 2	0 / 1	0 / 1
Percentage of cycles resulting in live births	10 / 14	5 / 8	2 / 5	0 / 2	0 / 1	0 / 1
Percentage of cycles resulting in pregnancy	11 / 14	6 / 8	3 / 5	0 / 2	0 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	13	7	5	1	1	1
Percentage of transfers resulting in singleton live births	5 / 13	3 / 7	1 / 5	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 13	0 / 7	1 / 5	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in live births	10 / 13	5 / 7	2 / 5	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	11 / 13	6 / 7	3 / 5	0 / 1	0 / 1	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	11	6	3	0	0	0
Percentage of pregnancies resulting in singleton live births	5 / 11	3 / 6	1 / 3			
Percentage of pregnancies resulting in triplets or more live births	0 / 11	0 / 6	1 / 3			
Percentage of pregnancies resulting in live births	10 / 11	5 / 6	2 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	3	1	1	1	0	0
Number of transfers	3	1	1	1	0	0
Average number of embryos transferred	2.0	2.0	2.0	2.0		
Percentage of embryos transferred resulting in implantation	1 / 6	2 / 2	1 / 2	1 / 2		
Percentage of transfers resulting in singleton live births	1 / 3	0 / 1	0 / 1	1 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 3	0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in live births	1 / 3	1 / 1	0 / 1	1 / 1		
Percentage of transfers resulting in pregnancy	1 / 3	1 / 1	1 / 1	1 / 1		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	6	7
Number of transfers	6	7
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation	3 / 12	4 / 14
Percentage of transfers resulting in singleton live births	3 / 6	4 / 7
Percentage of transfers resulting in live births	3 / 6	4 / 7
Percentage of transfers resulting in pregnancy	3 / 6	4 / 7

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Texas Center for Reproductive Health

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 4 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE WOMEN'S PLACE
DeSOTO, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	44%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	44%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	11%	Male factor	44%	Female factors only	11%
Diminished ovarian reserve	11%	Other factor	11%	Female & male factors	22%
Endometriosis	0%	Unknown factor	11%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 9

Data verified by Lisa A. King, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	7	1	0	1	0	0
Percentage of cancellations	1 / 7	0 / 1		0 / 1		
Average number of embryos transferred	1.8	2.0				
Percentage of embryos transferred resulting in implantation	4 / 9	2 / 2				
Percentage of elective single embryo transfer (eSET)	0 / 4	0 / 1				
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	2 / 7	0 / 1		0 / 1		
Percentage of cycles resulting in triplets or more live births	0 / 7	0 / 1		0 / 1		
Percentage of cycles resulting in live births	3 / 7	1 / 1		0 / 1		
Percentage of cycles resulting in pregnancy	3 / 7	1 / 1		0 / 1		
Outcomes per Transfer						
Number of transfers	5	1	0	0	0	0
Percentage of transfers resulting in singleton live births	2 / 5	0 / 1				
Percentage of transfers resulting in triplets or more live births	0 / 5	0 / 1				
Percentage of transfers resulting in live births	3 / 5	1 / 1				
Percentage of transfers resulting in pregnancy	3 / 5	1 / 1				
Outcomes per Pregnancy						
Number of pregnancies	3	1	0	0	0	0
Percentage of pregnancies resulting in singleton live births	2 / 3	0 / 1				
Percentage of pregnancies resulting in triplets or more live births	0 / 3	0 / 1				
Percentage of pregnancies resulting in live births	3 / 3	1 / 1				
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	0	0	0	0	0
Number of transfers	0	0	0	0	0	0
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in triplets or more live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

	All Ages Combined[f]	
Donor Eggs	**Fresh Embryos**	**Frozen Embryos**
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation		
Percentage of transfers resulting in singleton live births		
Percentage of transfers resulting in live births		
Percentage of transfers resulting in pregnancy		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Women's Place

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY FERTILITY CENTER
DICKINSON, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	32%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	5%		

Patient Diagnosis[b]

Tubal factor	31%	Uterine factor	17%	*Multiple Factors:*	
Ovulatory dysfunction	31%	Male factor	35%	Female factors only	14%
Diminished ovarian reserve	7%	Other factor	17%	Female & male factors	24%
Endometriosis	10%	Unknown factor	17%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 29

Data verified by John Y. Phelps, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	15	6	1	0	0	0
Percentage of cancellations	0 / 15	0 / 6	0 / 1			
Average number of embryos transferred	2.7	2.7	2.0			
Percentage of embryos transferred resulting in implantation	40.0	4 / 16	0 / 2			
Percentage of elective single embryo transfer (eSET)	0 / 15	0 / 6	0 / 1			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	5 / 15	2 / 6	0 / 1			
Percentage of cycles resulting in triplets or more live births	0 / 15	0 / 6	0 / 1			
Percentage of cycles resulting in live births	9 / 15	3 / 6	0 / 1			
Percentage of cycles resulting in pregnancy	10 / 15	3 / 6	0 / 1			
Outcomes per Transfer						
Number of transfers	15	6	1	0	0	0
Percentage of transfers resulting in singleton live births	5 / 15	2 / 6	0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 15	0 / 6	0 / 1			
Percentage of transfers resulting in live births	9 / 15	3 / 6	0 / 1			
Percentage of transfers resulting in pregnancy	10 / 15	3 / 6	0 / 1			
Outcomes per Pregnancy						
Number of pregnancies	10	3	0	0	0	0
Percentage of pregnancies resulting in singleton live births	5 / 10	2 / 3				
Percentage of pregnancies resulting in triplets or more live births	0 / 10	0 / 3				
Percentage of pregnancies resulting in live births	9 / 10	3 / 3				
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	1	0	0	0	0
Number of transfers	5	1	0	0	0	0
Average number of embryos transferred	2.2	1.0				
Percentage of embryos transferred resulting in implantation	1 / 11	0 / 1				
Percentage of transfers resulting in singleton live births	1 / 5	0 / 1				
Percentage of transfers resulting in triplets or more live births	0 / 5	0 / 1				
Percentage of transfers resulting in live births	1 / 5	0 / 1				
Percentage of transfers resulting in pregnancy	1 / 5	0 / 1				

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	1	0
Number of transfers	1	0
Average number of embryos transferred	2.0	
Percentage of embryos transferred resulting in implantation	1 / 2	
Percentage of transfers resulting in singleton live births	1 / 1	
Percentage of transfers resulting in live births	1 / 1	
Percentage of transfers resulting in pregnancy	1 / 1	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTHWEST CENTER FOR REPRODUCTIVE HEALTH, PA
EL PASO, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	94%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	27%	Uterine factor	6%	*Multiple Factors:*	
Ovulatory dysfunction	22%	Male factor	43%	Female factors only	21%
Diminished ovarian reserve	27%	Other factor	6%	Female & male factors	33%
Endometriosis	33%	Unknown factor	5%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 107 Data verified by Luis S. Noble, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	18	10	10	6	2	0
Percentage of cancellations	1 / 18	0 / 10	0 / 10	1 / 6	1 / 2	
Average number of embryos transferred	1.8	2.3	2.4	2.4	2.0	
Percentage of embryos transferred resulting in implantation	42.9	38.1	27.3	0 / 12	0 / 2	
Percentage of elective single embryo transfer (eSET)	3 / 15	0 / 8	0 / 9	0 / 4	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	9 / 18	1 / 10	4 / 10	0 / 6	0 / 2	
Percentage of cycles resulting in triplets or more live births	0 / 18	1 / 10	0 / 10	0 / 6	0 / 2	
Percentage of cycles resulting in live births	10 / 18	3 / 10	5 / 10	0 / 6	0 / 2	
Percentage of cycles resulting in pregnancy	10 / 18	4 / 10	6 / 10	0 / 6	0 / 2	
Outcomes per Transfer						
Number of transfers	16	9	9	5	1	0
Percentage of transfers resulting in singleton live births	9 / 16	1 / 9	4 / 9	0 / 5	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 16	1 / 9	0 / 9	0 / 5	0 / 1	
Percentage of transfers resulting in live births	10 / 16	3 / 9	5 / 9	0 / 5	0 / 1	
Percentage of transfers resulting in pregnancy	10 / 16	4 / 9	6 / 9	0 / 5	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	10	4	6	0	0	0
Percentage of pregnancies resulting in singleton live births	9 / 10	1 / 4	4 / 6			
Percentage of pregnancies resulting in triplets or more live births	0 / 10	1 / 4	0 / 6			
Percentage of pregnancies resulting in live births	10 / 10	3 / 4	5 / 6			
Frozen Embryos from Nondonor Eggs						
Number of cycles	22	12	7	1	0	1
Number of transfers	21	12	7	1	0	1
Average number of embryos transferred	2.0	1.9	1.7	3.0		2.0
Percentage of embryos transferred resulting in implantation	35.7	39.1	5 / 12	0 / 3		2 / 2
Percentage of transfers resulting in singleton live births	28.6	4 / 12	0 / 7	0 / 1		0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 12	1 / 7	0 / 1		0 / 1
Percentage of transfers resulting in live births	38.1	6 / 12	1 / 7	0 / 1		1 / 1
Percentage of transfers resulting in pregnancy	61.9	8 / 12	2 / 7	0 / 1		1 / 1

	All Ages Combined[f]	
Donor Eggs	**Fresh Embryos**	**Frozen Embryos**
Number of cycles	11	7
Number of transfers	11	7
Average number of embryos transferred	1.8	2.3
Percentage of embryos transferred resulting in implantation	75.0	5 / 16
Percentage of transfers resulting in singleton live births	4 / 11	3 / 7
Percentage of transfers resulting in live births	8 / 11	4 / 7
Percentage of transfers resulting in pregnancy	8 / 11	5 / 7

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Southwest Center for Reproductive Health, PA

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 17 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FORT WORTH FERTILITY, PA
FORT WORTH, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	90%
Unstimulated	0%	Used PGD	8%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	12%	Uterine factor	<1%	*Multiple Factors:*	
Ovulatory dysfunction	11%	Male factor	38%	Female factors only	9%
Diminished ovarian reserve	34%	Other factor	15%	Female & male factors	15%
Endometriosis	4%	Unknown factor	11%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 324 Data verified by Robert A. Kaufmann, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	121	66	41	16	4	1
Percentage of cancellations	2.5	1.5	2.4	0 / 16	0 / 4	0 / 1
Average number of embryos transferred	1.9	2.0	2.4	1.8	3.0	2.0
Percentage of embryos transferred resulting in implantation	34.1	24.3	17.1	8.7	1 / 6	0 / 2
Percentage of elective single embryo transfer (eSET)	12.1	2.2	0.0	0 / 9	0 / 2	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	24.8	22.7	12.2	1 / 16	0 / 4	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	1.5	0.0	0 / 16	0 / 4	0 / 1
Percentage of cycles resulting in live births	39.7	27.3	17.1	1 / 16	0 / 4	0 / 1
Percentage of cycles resulting in pregnancy	44.6	30.3	29.3	2 / 16	1 / 4	0 / 1
Outcomes per Transfer						
Number of transfers	109	53	32	13	2	1
Percentage of transfers resulting in singleton live births	27.5	28.3	15.6	1 / 13	0 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	1.9	0.0	0 / 13	0 / 2	0 / 1
Percentage of transfers resulting in live births	44.0	34.0	21.9	1 / 13	0 / 2	0 / 1
Percentage of transfers resulting in pregnancy	49.5	37.7	37.5	2 / 13	1 / 2	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	54	20	12	2	1	0
Percentage of pregnancies resulting in singleton live births	55.6	75.0	5 / 12	1 / 2	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	5.0	0 / 12	0 / 2	0 / 1	
Percentage of pregnancies resulting in live births	88.9	90.0	7 / 12	1 / 2	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	27	18	3	1	1	1
Number of transfers	27	18	3	1	1	1
Average number of embryos transferred	1.7	1.6	1.3	2.0	3.0	1.0
Percentage of embryos transferred resulting in implantation	48.9	27.6	1 / 4	0 / 2	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births	37.0	7 / 18	0 / 3	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 18	0 / 3	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in live births	55.6	7 / 18	0 / 3	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	63.0	8 / 18	1 / 3	0 / 1	0 / 1	0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	15	9
Number of transfers	11	9
Average number of embryos transferred	1.9	1.6
Percentage of embryos transferred resulting in implantation	42.9	6 / 14
Percentage of transfers resulting in singleton live births	5 / 11	2 / 9
Percentage of transfers resulting in live births	7 / 11	4 / 9
Percentage of transfers resulting in pregnancy	7 / 11	4 / 9

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fort Worth Fertility, PA

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 3 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2011 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2011 ART cycle data or the clinic's Medical Director did not approve the clinic's 2011 ART cycle data for inclusion in this report.

DALLAS IVF
FRISCO, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	53%
Unstimulated	0%	Used PGD	5%
Used gestational carrier	1%		

Patient Diagnosis[b]

Tubal factor	12%	Uterine factor	1%	*Multiple Factors:*	
Ovulatory dysfunction	14%	Male factor	46%	Female factors only	2%
Diminished ovarian reserve	23%	Other factor	7%	Female & male factors	11%
Endometriosis	2%	Unknown factor	11%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 371 Data verified by Brian D. Barnett, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	152	70	39	23	9	0
Percentage of cancellations	5.3	4.3	5.1	13.0	2 / 9	
Average number of embryos transferred	2.0	2.2	2.8	3.1	3.5	
Percentage of embryos transferred resulting in implantation	40.0	33.1	22.8	10.3	0.0	
Percentage of elective single embryo transfer (eSET)	7.3	4.7	0.0	0 / 17	0 / 6	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	22.4	24.3	25.6	17.4	0 / 9	
Percentage of cycles resulting in triplets or more live births	0.0	1.4	0.0	0.0	0 / 9	
Percentage of cycles resulting in live births	44.7	35.7	38.5	17.4	0 / 9	
Percentage of cycles resulting in pregnancy	49.3	48.6	38.5	21.7	0 / 9	
Outcomes per Transfer						
Number of transfers	141	66	36	19	6	0
Percentage of transfers resulting in singleton live births	24.1	25.8	27.8	4 / 19	0 / 6	
Percentage of transfers resulting in triplets or more live births	0.0	1.5	0.0	0 / 19	0 / 6	
Percentage of transfers resulting in live births	48.2	37.9	41.7	4 / 19	0 / 6	
Percentage of transfers resulting in pregnancy	53.2	51.5	41.7	5 / 19	0 / 6	
Outcomes per Pregnancy						
Number of pregnancies	75	34	15	5	0	0
Percentage of pregnancies resulting in singleton live births	45.3	50.0	10 / 15	4 / 5		
Percentage of pregnancies resulting in triplets or more live births	0.0	2.9	0 / 15	0 / 5		
Percentage of pregnancies resulting in live births	90.7	73.5	15 / 15	4 / 5		
Frozen Embryos from Nondonor Eggs						
Number of cycles	27	14	9	2	1	0
Number of transfers	24	12	9	1	1	0
Average number of embryos transferred	1.7	1.5	1.4	1.0	1.0	
Percentage of embryos transferred resulting in implantation	12.5	4 / 18	2 / 13	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births	20.8	4 / 12	2 / 9	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 12	0 / 9	0 / 1	0 / 1	
Percentage of transfers resulting in live births	20.8	4 / 12	2 / 9	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	25.0	6 / 12	4 / 9	0 / 1	0 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	19	6
Number of transfers	16	5
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation	75.0	4 / 10
Percentage of transfers resulting in singleton live births	7 / 16	2 / 5
Percentage of transfers resulting in live births	15 / 16	2 / 5
Percentage of transfers resulting in pregnancy	15 / 16	4 / 5

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Dallas IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 3 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY SPECIALISTS OF TEXAS, PLLC
FRISCO, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	55%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	15%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	20%	Male factor	44%	Female factors only	2%
Diminished ovarian reserve	20%	Other factor	2%	Female & male factors	13%
Endometriosis	2%	Unknown factor	11%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 178 Data verified by Jerald S. Goldstein, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	88	21	32	6	3	2
Percentage of cancellations	5.7	0.0	12.5	1 / 6	0 / 3	1 / 2
Average number of embryos transferred	2.0	2.1	2.5	2.6	3.3	
Percentage of embryos transferred resulting in implantation	40.0	48.8	29.0	1 / 13	0 / 10	
Percentage of elective single embryo transfer (eSET)	2.5	0 / 18	8.0	0 / 3	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.3	42.9	40.6	1 / 6	0 / 3	0 / 2
Percentage of cycles resulting in triplets or more live births	1.1	0.0	0.0	0 / 6	0 / 3	0 / 2
Percentage of cycles resulting in live births	47.7	52.4	46.9	1 / 6	0 / 3	0 / 2
Percentage of cycles resulting in pregnancy	52.3	66.7	53.1	2 / 6	0 / 3	0 / 2
Outcomes per Transfer						
Number of transfers	81	20	28	5	3	0
Percentage of transfers resulting in singleton live births	29.6	45.0	46.4	1 / 5	0 / 3	
Percentage of transfers resulting in triplets or more live births	1.2	0.0	0.0	0 / 5	0 / 3	
Percentage of transfers resulting in live births	51.9	55.0	53.6	1 / 5	0 / 3	
Percentage of transfers resulting in pregnancy	56.8	70.0	60.7	2 / 5	0 / 3	
Outcomes per Pregnancy						
Number of pregnancies	46	14	17	2	0	0
Percentage of pregnancies resulting in singleton live births	52.2	9 / 14	13 / 17	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	2.2	0 / 14	0 / 17	0 / 2		
Percentage of pregnancies resulting in live births	91.3	11 / 14	15 / 17	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	2	0	0	0	0
Number of transfers	6	2	0	0	0	0
Average number of embryos transferred	1.8	2.0				
Percentage of embryos transferred resulting in implantation	8 / 11	3 / 4				
Percentage of transfers resulting in singleton live births	2 / 6	1 / 2				
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 2				
Percentage of transfers resulting in live births	4 / 6	2 / 2				
Percentage of transfers resulting in pregnancy	4 / 6	2 / 2				

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	17	1
Number of transfers	14	1
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation	71.4	2 / 2
Percentage of transfers resulting in singleton live births	2 / 14	1 / 1
Percentage of transfers resulting in live births	10 / 14	1 / 1
Percentage of transfers resulting in pregnancy	11 / 14	1 / 1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Specialists of Texas, PLLC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 5 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FRISCO INSTITUTE FOR REPRODUCTIVE MEDICINE
FRISCO, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	59%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	16%	Uterine factor	7%	*Multiple Factors:*	
Ovulatory dysfunction	35%	Male factor	56%	Female factors only	11%
Diminished ovarian reserve	47%	Other factor	11%	Female & male factors	49%
Endometriosis	16%	Unknown factor	4%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 55

Data verified by Rinku V. Mehta, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	19	5	8	4	4	1
Percentage of cancellations	0 / 19	0 / 5	0 / 8	0 / 4	0 / 4	0 / 1
Average number of embryos transferred	1.7	2.2	2.7	3.3	1.5	3.0
Percentage of embryos transferred resulting in implantation	39.4	4 / 11	3 / 16	1 / 13	0 / 3	0 / 3
Percentage of elective single embryo transfer (eSET)	8 / 19	1 / 5	0 / 6	0 / 3	0 / 1	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	9 / 19	3 / 5	1 / 8	0 / 4	0 / 4	0 / 1
Percentage of cycles resulting in triplets or more live births	0 / 19	0 / 5	0 / 8	0 / 4	0 / 4	0 / 1
Percentage of cycles resulting in live births	10 / 19	3 / 5	2 / 8	0 / 4	0 / 4	0 / 1
Percentage of cycles resulting in pregnancy	12 / 19	4 / 5	2 / 8	1 / 4	0 / 4	1 / 1
Outcomes per Transfer						
Number of transfers	19	5	6	4	2	1
Percentage of transfers resulting in singleton live births	9 / 19	3 / 5	1 / 6	0 / 4	0 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 19	0 / 5	0 / 6	0 / 4	0 / 2	0 / 1
Percentage of transfers resulting in live births	10 / 19	3 / 5	2 / 6	0 / 4	0 / 2	0 / 1
Percentage of transfers resulting in pregnancy	12 / 19	4 / 5	2 / 6	1 / 4	0 / 2	1 / 1
Outcomes per Pregnancy						
Number of pregnancies	12	4	2	1	0	1
Percentage of pregnancies resulting in singleton live births	9 / 12	3 / 4	1 / 2	0 / 1		0 / 1
Percentage of pregnancies resulting in triplets or more live births	0 / 12	0 / 4	0 / 2	0 / 1		0 / 1
Percentage of pregnancies resulting in live births	10 / 12	3 / 4	2 / 2	0 / 1		0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	5	2	1	1	0
Number of transfers	5	5	2	1	1	0
Average number of embryos transferred	1.4	2.4	2.5	1.0	1.0	
Percentage of embryos transferred resulting in implantation	1 / 7	2 / 12	2 / 5	1 / 1	1 / 1	
Percentage of transfers resulting in singleton live births	0 / 5	2 / 5	2 / 2	1 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 5	0 / 5	0 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in live births	0 / 5	2 / 5	2 / 2	1 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	1 / 5	2 / 5	2 / 2	1 / 1	1 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation		
Percentage of transfers resulting in singleton live births		
Percentage of transfers resulting in live births		
Percentage of transfers resulting in pregnancy		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Frisco Institute for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 5 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY CENTER OF TEXAS
HOUSTON, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	91%
Unstimulated	0%	Used PGD	2%
Used gestational carrier	1%		

Patient Diagnosis[b]

Tubal factor	26%	Uterine factor	7%	*Multiple Factors:*	
Ovulatory dysfunction	35%	Male factor	31%	Female factors only	32%
Diminished ovarian reserve	23%	Other factor	36%	Female & male factors	26%
Endometriosis	21%	Unknown factor	2%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 168 Data verified by Michael A. Allon, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	49	19	18	4	0	0
Percentage of cancellations	2.0	1 / 19	1 / 18	1 / 4		
Average number of embryos transferred	2.3	2.7	2.6	2.5		
Percentage of embryos transferred resulting in implantation	31.1	20.9	24.4	0 / 5		
Percentage of elective single embryo transfer (eSET)	2.2	0 / 15	0 / 16	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	34.7	8 / 19	1 / 18	0 / 4		
Percentage of cycles resulting in triplets or more live births	0.0	0 / 19	1 / 18	0 / 4		
Percentage of cycles resulting in live births	49.0	8 / 19	3 / 18	0 / 4		
Percentage of cycles resulting in pregnancy	57.1	9 / 19	6 / 18	0 / 4		
Outcomes per Transfer						
Number of transfers	46	16	16	2	0	0
Percentage of transfers resulting in singleton live births	37.0	8 / 16	1 / 16	0 / 2		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	1 / 16	0 / 2		
Percentage of transfers resulting in live births	52.2	8 / 16	3 / 16	0 / 2		
Percentage of transfers resulting in pregnancy	60.9	9 / 16	6 / 16	0 / 2		
Outcomes per Pregnancy						
Number of pregnancies	28	9	6	0	0	0
Percentage of pregnancies resulting in singleton live births	60.7	8 / 9	1 / 6			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 9	1 / 6			
Percentage of pregnancies resulting in live births	85.7	8 / 9	3 / 6			
Frozen Embryos from Nondonor Eggs						
Number of cycles	29	11	5	3	3	1
Number of transfers	29	11	5	3	3	1
Average number of embryos transferred	2.1	2.3	2.6	2.3	2.7	4.0
Percentage of embryos transferred resulting in implantation	32.3	20.0	1 / 13	0 / 7	0 / 8	0 / 4
Percentage of transfers resulting in singleton live births	31.0	3 / 11	1 / 5	0 / 3	0 / 3	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 11	0 / 5	0 / 3	0 / 3	0 / 1
Percentage of transfers resulting in live births	48.3	4 / 11	1 / 5	0 / 3	0 / 3	0 / 1
Percentage of transfers resulting in pregnancy	55.2	5 / 11	3 / 5	0 / 3	0 / 3	0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	10	16
Number of transfers	10	16
Average number of embryos transferred	2.2	2.2
Percentage of embryos transferred resulting in implantation	54.5	37.1
Percentage of transfers resulting in singleton live births	2 / 10	4 / 16
Percentage of transfers resulting in live births	6 / 10	8 / 16
Percentage of transfers resulting in pregnancy	7 / 10	9 / 16

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Fertility Center of Texas

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 67 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BAYLOR FAMILY FERTILITY PROGRAM
HOUSTON, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	84%
Unstimulated	0%	Used PGD	5%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	13%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	20%	Male factor	38%	Female factors only	5%
Diminished ovarian reserve	13%	Other factor	9%	Female & male factors	10%
Endometriosis	5%	Unknown factor	16%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 112 Data verified by William E. Gibbons, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	37	16	13	7	2	0
Percentage of cancellations	16.2	1 / 16	2 / 13	2 / 7	0 / 2	
Average number of embryos transferred	1.8	2.5	2.7	2.8	4.0	
Percentage of embryos transferred resulting in implantation	33.3	28.9	3.7	1 / 14	0 / 8	
Percentage of elective single embryo transfer (eSET)	39.1	0 / 14	0 / 9	0 / 5	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	13.5	4 / 16	0 / 13	1 / 7	0 / 2	
Percentage of cycles resulting in triplets or more live births	5.4	0 / 16	0 / 13	0 / 7	0 / 2	
Percentage of cycles resulting in live births	24.3	6 / 16	0 / 13	1 / 7	0 / 2	
Percentage of cycles resulting in pregnancy	27.0	8 / 16	1 / 13	1 / 7	0 / 2	
Outcomes per Transfer						
Number of transfers	27	15	10	5	2	0
Percentage of transfers resulting in singleton live births	18.5	4 / 15	0 / 10	1 / 5	0 / 2	
Percentage of transfers resulting in triplets or more live births	7.4	0 / 15	0 / 10	0 / 5	0 / 2	
Percentage of transfers resulting in live births	33.3	6 / 15	0 / 10	1 / 5	0 / 2	
Percentage of transfers resulting in pregnancy	37.0	8 / 15	1 / 10	1 / 5	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	10	8	1	1	0	0
Percentage of pregnancies resulting in singleton live births	5 / 10	4 / 8	0 / 1	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	2 / 10	0 / 8	0 / 1	0 / 1		
Percentage of pregnancies resulting in live births	9 / 10	6 / 8	0 / 1	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	17	7	5	0	1	0
Number of transfers	11	6	5	0	1	0
Average number of embryos transferred	2.1	1.8	2.0		2.0	
Percentage of embryos transferred resulting in implantation	4.3	0 / 11	3 / 10		0 / 2	
Percentage of transfers resulting in singleton live births	0 / 11	0 / 6	1 / 5		0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 11	0 / 6	0 / 5		0 / 1	
Percentage of transfers resulting in live births	0 / 11	0 / 6	1 / 5		0 / 1	
Percentage of transfers resulting in pregnancy	1 / 11	0 / 6	2 / 5		1 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	3	4
Number of transfers	2	3
Average number of embryos transferred	2.5	2.0
Percentage of embryos transferred resulting in implantation	2 / 5	1 / 6
Percentage of transfers resulting in singleton live births	0 / 2	1 / 3
Percentage of transfers resulting in live births	1 / 2	1 / 3
Percentage of transfers resulting in pregnancy	1 / 2	1 / 3

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Baylor Family Fertility Program

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 5 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2011 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2011 ART cycle data or the clinic's Medical Director did not approve the clinic's 2011 ART cycle data for inclusion in this report.

FERTILITY SPECIALISTS OF HOUSTON
HOUSTON, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	85%
Unstimulated	0%	Used PGD	20%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	17%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	19%	Male factor	38%	Female factors only	20%
Diminished ovarian reserve	41%	Other factor	15%	Female & male factors	25%
Endometriosis	21%	Unknown factor	3%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 691

Data verified by George M. Grunert, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	199	115	105	26	16	8
Percentage of cancellations	11.1	15.7	16.2	26.9	1 / 16	1 / 8
Average number of embryos transferred	2.0	2.0	2.2	2.6	2.8	2.3
Percentage of embryos transferred resulting in implantation	39.4	22.4	13.2	12.2	2.9	0 / 7
Percentage of elective single embryo transfer (eSET)	6.5	9.2	3.5	0 / 14	0 / 10	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.1	21.7	9.5	19.2	1 / 16	0 / 8
Percentage of cycles resulting in triplets or more live births	1.0	0.0	1.0	0.0	0 / 16	0 / 8
Percentage of cycles resulting in live births	38.7	23.5	12.4	19.2	1 / 16	0 / 8
Percentage of cycles resulting in pregnancy	44.7	30.4	16.2	26.9	2 / 16	0 / 8
Outcomes per Transfer						
Number of transfers	162	82	69	16	12	3
Percentage of transfers resulting in singleton live births	28.4	30.5	14.5	5 / 16	1 / 12	0 / 3
Percentage of transfers resulting in triplets or more live births	1.2	0.0	1.4	0 / 16	0 / 12	0 / 3
Percentage of transfers resulting in live births	47.5	32.9	18.8	5 / 16	1 / 12	0 / 3
Percentage of transfers resulting in pregnancy	54.9	42.7	24.6	7 / 16	2 / 12	0 / 3
Outcomes per Pregnancy						
Number of pregnancies	89	35	17	7	2	0
Percentage of pregnancies resulting in singleton live births	51.7	71.4	10 / 17	5 / 7	1 / 2	
Percentage of pregnancies resulting in triplets or more live births	2.2	0.0	1 / 17	0 / 7	0 / 2	
Percentage of pregnancies resulting in live births	86.5	77.1	13 / 17	5 / 7	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	76	33	20	8	7	3
Number of transfers	75	33	19	8	7	3
Average number of embryos transferred	2.0	1.7	1.9	1.8	1.9	1.7
Percentage of embryos transferred resulting in implantation	30.3	23.6	27.0	2 / 14	1 / 13	0 / 5
Percentage of transfers resulting in singleton live births	29.3	21.2	7 / 19	1 / 8	0 / 7	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 19	0 / 8	0 / 7	0 / 3
Percentage of transfers resulting in live births	41.3	27.3	7 / 19	1 / 8	0 / 7	0 / 3
Percentage of transfers resulting in pregnancy	57.3	42.4	8 / 19	2 / 8	1 / 7	0 / 3

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	57	18
Number of transfers	53	18
Average number of embryos transferred	2.0	1.9
Percentage of embryos transferred resulting in implantation	57.7	29.4
Percentage of transfers resulting in singleton live births	35.8	7 / 18
Percentage of transfers resulting in live births	66.0	8 / 18
Percentage of transfers resulting in pregnancy	73.6	9 / 18

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Specialists of Houston

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 9 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HOUSTON FERTILITY INSTITUTE
HOUSTON, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	>99%	With ICSI	94%
Unstimulated	0%	Used PGD	6%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	17%	Uterine factor	20%	*Multiple Factors:*	
Ovulatory dysfunction	9%	Male factor	26%	Female factors only	26%
Diminished ovarian reserve	47%	Other factor	15%	Female & male factors	14%
Endometriosis	7%	Unknown factor	10%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 1431 Data verified by Ghassan F. Haddad, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	370	176	154	66	16	1
Percentage of cancellations	3.0	5.1	6.5	7.6	3 / 16	0 / 1
Average number of embryos transferred	1.9	1.9	1.9	2.3	2.4	2.0
Percentage of embryos transferred resulting in implantation	49.2	38.3	28.3	11.4	3.8	0 / 2
Percentage of elective single embryo transfer (eSET)	7.1	8.1	4.4	2.1	0 / 10	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	31.6	30.1	20.8	9.1	0 / 16	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 16	0 / 1
Percentage of cycles resulting in live births	54.9	43.2	27.9	12.1	0 / 16	0 / 1
Percentage of cycles resulting in pregnancy	63.2	48.9	37.7	21.2	1 / 16	0 / 1
Outcomes per Transfer						
Number of transfers	340	146	130	53	11	1
Percentage of transfers resulting in singleton live births	34.4	36.3	24.6	11.3	0 / 11	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 11	0 / 1
Percentage of transfers resulting in live births	59.7	52.1	33.1	15.1	0 / 11	0 / 1
Percentage of transfers resulting in pregnancy	68.8	58.9	44.6	26.4	1 / 11	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	234	86	58	14	1	0
Percentage of pregnancies resulting in singleton live births	50.0	61.6	55.2	6 / 14	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 14	0 / 1	
Percentage of pregnancies resulting in live births	86.8	88.4	74.1	8 / 14	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	181	93	60	16	5	3
Number of transfers	167	86	55	12	5	1
Average number of embryos transferred	1.8	1.9	1.9	1.9	2.0	1.0
Percentage of embryos transferred resulting in implantation	45.8	37.4	17.3	8.7	1 / 10	0 / 1
Percentage of transfers resulting in singleton live births	37.7	41.9	12.7	1 / 12	1 / 5	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 12	0 / 5	0 / 1
Percentage of transfers resulting in live births	52.7	50.0	18.2	1 / 12	1 / 5	0 / 1
Percentage of transfers resulting in pregnancy	65.3	62.8	40.0	3 / 12	2 / 5	0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	139	151
Number of transfers	137	132
Average number of embryos transferred	1.9	1.8
Percentage of embryos transferred resulting in implantation	50.0	37.7
Percentage of transfers resulting in singleton live births	43.1	25.8
Percentage of transfers resulting in live births	62.0	41.7
Percentage of transfers resulting in pregnancy	75.2	56.1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2011. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 52 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HOUSTON INFERTILITY CLINIC
SONJA KRISTIANSEN, MD
HOUSTON, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	68%
Unstimulated	0%	Used PGD	13%
Used gestational carrier	3%		

Patient Diagnosis[b]

Tubal factor	16%	Uterine factor	1%	*Multiple Factors:*	
Ovulatory dysfunction	2%	Male factor	47%	Female factors only	3%
Diminished ovarian reserve	26%	Other factor	21%	Female & male factors	20%
Endometriosis	0%	Unknown factor	10%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 155

Data verified by Sonja B. Kristiansen, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	48	28	17	19	10	6
Percentage of cancellations	6.3	0.0	6 / 17	7 / 19	5 / 10	3 / 6
Average number of embryos transferred	2.4	2.3	2.4	2.0	1.5	1.0
Percentage of embryos transferred resulting in implantation	36.2	25.0	23.1	20.8	2 / 6	0 / 1
Percentage of elective single embryo transfer (eSET)	0.0	4.5	1 / 10	0 / 9	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	29.2	32.1	5 / 17	5 / 19	2 / 10	0 / 6
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 17	0 / 19	0 / 10	0 / 6
Percentage of cycles resulting in live births	45.8	35.7	5 / 17	5 / 19	2 / 10	0 / 6
Percentage of cycles resulting in pregnancy	52.1	42.9	6 / 17	5 / 19	2 / 10	0 / 6
Outcomes per Transfer						
Number of transfers	40	26	11	12	4	1
Percentage of transfers resulting in singleton live births	35.0	34.6	5 / 11	5 / 12	2 / 4	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 11	0 / 12	0 / 4	0 / 1
Percentage of transfers resulting in live births	55.0	38.5	5 / 11	5 / 12	2 / 4	0 / 1
Percentage of transfers resulting in pregnancy	62.5	46.2	6 / 11	5 / 12	2 / 4	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	25	12	6	5	2	0
Percentage of pregnancies resulting in singleton live births	56.0	9 / 12	5 / 6	5 / 5	2 / 2	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 12	0 / 6	0 / 5	0 / 2	
Percentage of pregnancies resulting in live births	88.0	10 / 12	5 / 6	5 / 5	2 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	11	4	4	0	0	0
Number of transfers	11	4	3	0	0	0
Average number of embryos transferred	2.0	1.5	1.7			
Percentage of embryos transferred resulting in implantation	22.7	1 / 6	4 / 5			
Percentage of transfers resulting in singleton live births	5 / 11	1 / 4	1 / 3			
Percentage of transfers resulting in triplets or more live births	0 / 11	0 / 4	0 / 3			
Percentage of transfers resulting in live births	5 / 11	1 / 4	2 / 3			
Percentage of transfers resulting in pregnancy	5 / 11	1 / 4	3 / 3			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	8	0
Number of transfers	7	0
Average number of embryos transferred	2.4	
Percentage of embryos transferred resulting in implantation	9 / 17	
Percentage of transfers resulting in singleton live births	2 / 7	
Percentage of transfers resulting in live births	5 / 7	
Percentage of transfers resulting in pregnancy	5 / 7	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Houston Infertility Clinic, Sonja Kristiansen, MD

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HOUSTON IVF
HOUSTON, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	96%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	3%		

Patient Diagnosis[b]

Tubal factor	10%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	9%	Male factor	16%	Female factors only	13%
Diminished ovarian reserve	50%	Other factor	6%	Female & male factors	5%
Endometriosis	7%	Unknown factor	16%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 563

Data verified by Timothy N. Hickman, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	184	81	89	30	18	2
Percentage of cancellations	0.0	2.5	7.9	0.0	2 / 18	0 / 2
Average number of embryos transferred	2.0	2.2	2.8	3.1	3.5	2.5
Percentage of embryos transferred resulting in implantation	42.7	25.7	17.0	12.1	6.7	0 / 5
Percentage of elective single embryo transfer (eSET)	2.9	1.4	0.0	0.0	0 / 10	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	29.9	22.2	24.7	20.0	1 / 18	0 / 2
Percentage of cycles resulting in triplets or more live births	1.1	0.0	0.0	0.0	0 / 18	0 / 2
Percentage of cycles resulting in live births	52.7	35.8	30.3	26.7	1 / 18	0 / 2
Percentage of cycles resulting in pregnancy	56.0	42.0	36.0	26.7	4 / 18	0 / 2
Outcomes per Transfer						
Number of transfers	180	76	81	29	13	2
Percentage of transfers resulting in singleton live births	30.6	23.7	27.2	20.7	1 / 13	0 / 2
Percentage of transfers resulting in triplets or more live births	1.1	0.0	0.0	0.0	0 / 13	0 / 2
Percentage of transfers resulting in live births	53.9	38.2	33.3	27.6	1 / 13	0 / 2
Percentage of transfers resulting in pregnancy	57.2	44.7	39.5	27.6	4 / 13	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	103	34	32	8	4	0
Percentage of pregnancies resulting in singleton live births	53.4	52.9	68.8	6 / 8	1 / 4	
Percentage of pregnancies resulting in triplets or more live births	1.9	0.0	0.0	0 / 8	0 / 4	
Percentage of pregnancies resulting in live births	94.2	85.3	84.4	8 / 8	1 / 4	
Frozen Embryos from Nondonor Eggs						
Number of cycles	47	26	23	5	3	0
Number of transfers	47	25	23	5	3	0
Average number of embryos transferred	1.9	1.8	1.9	2.0	2.7	
Percentage of embryos transferred resulting in implantation	25.3	26.7	15.9	1 / 10	1 / 8	
Percentage of transfers resulting in singleton live births	29.8	28.0	26.1	1 / 5	0 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	4.0	0.0	0 / 5	0 / 3	
Percentage of transfers resulting in live births	38.3	36.0	26.1	1 / 5	0 / 3	
Percentage of transfers resulting in pregnancy	51.1	44.0	30.4	1 / 5	1 / 3	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	37	18
Number of transfers	36	18
Average number of embryos transferred	1.9	1.9
Percentage of embryos transferred resulting in implantation	45.6	37.1
Percentage of transfers resulting in singleton live births	27.8	8 / 18
Percentage of transfers resulting in live births	52.8	10 / 18
Percentage of transfers resulting in pregnancy	66.7	10 / 18

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Houston IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 37 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTH HOUSTON CENTER FOR REPRODUCTIVE MEDICINE, PA (NHCRM)
HOUSTON, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	70%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	6%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	56%	Male factor	36%	Female factors only	23%
Diminished ovarian reserve	14%	Other factor	14%	Female & male factors	29%
Endometriosis	18%	Unknown factor	9%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 80 Data verified by Dorothy J. Roach, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	36	5	12	1	2	0
Percentage of cancellations	2.8	0 / 5	1 / 12	0 / 1	0 / 2	
Average number of embryos transferred	1.9	2.4	1.9	2.0	2.0	
Percentage of embryos transferred resulting in implantation	61.5	2 / 12	7 / 19	0 / 2	0 / 4	
Percentage of elective single embryo transfer (eSET)	3.2	0 / 5	0 / 8	0 / 1	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	33.3	2 / 5	5 / 12	0 / 1	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 5	0 / 12	0 / 1	0 / 2	
Percentage of cycles resulting in live births	61.1	2 / 5	6 / 12	0 / 1	0 / 2	
Percentage of cycles resulting in pregnancy	75.0	2 / 5	6 / 12	0 / 1	0 / 2	
Outcomes per Transfer						
Number of transfers	34	5	10	1	2	0
Percentage of transfers resulting in singleton live births	35.3	2 / 5	5 / 10	0 / 1	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 5	0 / 10	0 / 1	0 / 2	
Percentage of transfers resulting in live births	64.7	2 / 5	6 / 10	0 / 1	0 / 2	
Percentage of transfers resulting in pregnancy	79.4	2 / 5	6 / 10	0 / 1	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	27	2	6	0	0	0
Percentage of pregnancies resulting in singleton live births	44.4	2 / 2	5 / 6			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 2	0 / 6			
Percentage of pregnancies resulting in live births	81.5	2 / 2	6 / 6			
Frozen Embryos from Nondonor Eggs						
Number of cycles	13	5	3	0	0	0
Number of transfers	13	5	3	0	0	0
Average number of embryos transferred	1.8	2.0	1.3			
Percentage of embryos transferred resulting in implantation	16.7	4 / 10	1 / 4			
Percentage of transfers resulting in singleton live births	2 / 13	3 / 5	1 / 3			
Percentage of transfers resulting in triplets or more live births	0 / 13	0 / 5	0 / 3			
Percentage of transfers resulting in live births	3 / 13	3 / 5	1 / 3			
Percentage of transfers resulting in pregnancy	3 / 13	3 / 5	1 / 3			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	3	0
Number of transfers	3	0
Average number of embryos transferred	1.7	
Percentage of embryos transferred resulting in implantation	6 / 5	
Percentage of transfers resulting in singleton live births	1 / 3	
Percentage of transfers resulting in live births	1 / 3	
Percentage of transfers resulting in pregnancy	3 / 3	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: North Houston Center for Reproductive Medicine, PA, (NHCRM)

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTIVE CARE CENTER OF IRVING
IRVING, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	61%
Unstimulated	0%	Used PGD	<1%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	22%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	13%	Male factor	38%	Female factors only	14%
Diminished ovarian reserve	32%	Other factor	5%	Female & male factors	18%
Endometriosis	10%	Unknown factor	13%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 359

Data verified by Sy Q. Le, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	123	43	36	9	5	0
Percentage of cancellations	4.1	4.7	2.8	3 / 9	1 / 5	
Average number of embryos transferred	1.9	1.9	1.9	2.5	2.0	
Percentage of embryos transferred resulting in implantation	42.1	34.2	27.1	1 / 15	0 / 8	
Percentage of elective single embryo transfer (eSET)	8.8	8.8	10.7	0 / 6	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	35.8	39.5	13.9	1 / 9	0 / 5	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 9	0 / 5	
Percentage of cycles resulting in live births	52.8	46.5	25.0	1 / 9	0 / 5	
Percentage of cycles resulting in pregnancy	59.3	53.5	36.1	2 / 9	0 / 5	
Outcomes per Transfer						
Number of transfers	115	38	31	6	4	0
Percentage of transfers resulting in singleton live births	38.3	44.7	16.1	1 / 6	0 / 4	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 6	0 / 4	
Percentage of transfers resulting in live births	56.5	52.6	29.0	1 / 6	0 / 4	
Percentage of transfers resulting in pregnancy	63.5	60.5	41.9	2 / 6	0 / 4	
Outcomes per Pregnancy						
Number of pregnancies	73	23	13	2	0	0
Percentage of pregnancies resulting in singleton live births	60.3	73.9	5 / 13	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0 / 13	0 / 2		
Percentage of pregnancies resulting in live births	89.0	87.0	9 / 13	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	53	28	19	7	2	1
Number of transfers	53	28	19	7	2	1
Average number of embryos transferred	1.8	1.8	1.7	1.6	2.0	2.0
Percentage of embryos transferred resulting in implantation	41.5	18.4	24.2	3 / 11	1 / 4	0 / 2
Percentage of transfers resulting in singleton live births	30.2	25.0	6 / 19	2 / 7	0 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 19	0 / 7	0 / 2	0 / 1
Percentage of transfers resulting in live births	50.9	28.6	7 / 19	2 / 7	0 / 2	0 / 1
Percentage of transfers resulting in pregnancy	52.8	42.9	7 / 19	3 / 7	1 / 2	0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	21	12
Number of transfers	20	12
Average number of embryos transferred	1.9	1.9
Percentage of embryos transferred resulting in implantation	67.6	17.4
Percentage of transfers resulting in singleton live births	30.0	3 / 12
Percentage of transfers resulting in live births	70.0	3 / 12
Percentage of transfers resulting in pregnancy	75.0	6 / 12

CURRENT CLINIC SERVICES AND PROFILE

Current Name: IVFMD, Advanced Reproductive Care Center of Irving

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 13 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WILFORD HALL MEDICAL CENTER
LACKLAND AFB, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	57%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	29%	Uterine factor	11%	*Multiple Factors:*	
Ovulatory dysfunction	15%	Male factor	60%	Female factors only	11%
Diminished ovarian reserve	16%	Other factor	3%	Female & male factors	32%
Endometriosis	15%	Unknown factor	4%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 94

Data verified by Matthew G. Retzloff, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	60	18	16	0	0	0
Percentage of cancellations	1.7	0 / 18	1 / 16			
Average number of embryos transferred	2.0	2.2	2.3			
Percentage of embryos transferred resulting in implantation	36.8	26.3	33.3			
Percentage of elective single embryo transfer (eSET)	1.8	0 / 17	0 / 12			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.0	4 / 18	4 / 16			
Percentage of cycles resulting in triplets or more live births	0.0	0 / 18	0 / 16			
Percentage of cycles resulting in live births	45.0	7 / 18	5 / 16			
Percentage of cycles resulting in pregnancy	48.3	7 / 18	7 / 16			
Outcomes per Transfer						
Number of transfers	56	17	13	0	0	0
Percentage of transfers resulting in singleton live births	26.8	4 / 17	4 / 13			
Percentage of transfers resulting in triplets or more live births	0.0	0 / 17	0 / 13			
Percentage of transfers resulting in live births	48.2	7 / 17	5 / 13			
Percentage of transfers resulting in pregnancy	51.8	7 / 17	7 / 13			
Outcomes per Pregnancy						
Number of pregnancies	29	7	7	0	0	0
Percentage of pregnancies resulting in singleton live births	51.7	4 / 7	4 / 7			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 7	0 / 7			
Percentage of pregnancies resulting in live births	93.1	7 / 7	5 / 7			
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	0	0	0	0	0
Number of transfers	0	0	0	0	0	0
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in triplets or more live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation		
Percentage of transfers resulting in singleton live births		
Percentage of transfers resulting in live births		
Percentage of transfers resulting in pregnancy		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Brooke Army Medical Center

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER OF FERTILITY AND REPRODUCTIVE SURGERY
TEXAS TECH HEALTH SCIENCES CENTER
LUBBOCK, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	92%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	7%	Uterine factor	7%	*Multiple Factors:*	
Ovulatory dysfunction	19%	Male factor	44%	Female factors only	22%
Diminished ovarian reserve	3%	Other factor	53%	Female & male factors	35%
Endometriosis	27%	Unknown factor	3%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 68

Data verified by Jennifer L. Phy, DO

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	25	15	9	3	0	0
Percentage of cancellations	8.0	1 / 15	1 / 9	0 / 3		
Average number of embryos transferred	2.3	2.6	2.8	3.7		
Percentage of embryos transferred resulting in implantation	20.8	16.7	4.5	2 / 11		
Percentage of elective single embryo transfer (eSET)	4.3	0 / 13	0 / 7	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	12.0	2 / 15	1 / 9	1 / 3		
Percentage of cycles resulting in triplets or more live births	0.0	0 / 15	0 / 9	0 / 3		
Percentage of cycles resulting in live births	28.0	4 / 15	1 / 9	1 / 3		
Percentage of cycles resulting in pregnancy	28.0	5 / 15	1 / 9	1 / 3		
Outcomes per Transfer						
Number of transfers	23	14	8	3	0	0
Percentage of transfers resulting in singleton live births	13.0	2 / 14	1 / 8	1 / 3		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 14	0 / 8	0 / 3		
Percentage of transfers resulting in live births	30.4	4 / 14	1 / 8	1 / 3		
Percentage of transfers resulting in pregnancy	30.4	5 / 14	1 / 8	1 / 3		
Outcomes per Pregnancy						
Number of pregnancies	7	5	1	1	0	0
Percentage of pregnancies resulting in singleton live births	3 / 7	2 / 5	1 / 1	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 7	0 / 5	0 / 1	0 / 1		
Percentage of pregnancies resulting in live births	7 / 7	4 / 5	1 / 1	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	9	3	2	0	0	0
Number of transfers	7	2	2	0	0	0
Average number of embryos transferred	2.3	1.5	3.0			
Percentage of embryos transferred resulting in implantation	4 / 14	1 / 3	0 / 6			
Percentage of transfers resulting in singleton live births	2 / 7	1 / 2	0 / 2			
Percentage of transfers resulting in triplets or more live births	0 / 7	0 / 2	0 / 2			
Percentage of transfers resulting in live births	3 / 7	1 / 2	0 / 2			
Percentage of transfers resulting in pregnancy	3 / 7	1 / 2	0 / 2			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	0	2
Number of transfers	0	2
Average number of embryos transferred		2.5
Percentage of embryos transferred resulting in implantation		2 / 5
Percentage of transfers resulting in singleton live births		2 / 2
Percentage of transfers resulting in live births		2 / 2
Percentage of transfers resulting in pregnancy		2 / 2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center of Fertility and Reproductive Surgery, Texas Tech Health Sciences Center

Donor egg?	No	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE CENTRE FOR REPRODUCTIVE MEDICINE
LUBBOCK, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	17%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	1%		

Patient Diagnosis[b]

Tubal factor	35%	Uterine factor	14%	*Multiple Factors:*	
Ovulatory dysfunction	30%	Male factor	39%	Female factors only	42%
Diminished ovarian reserve	30%	Other factor	38%	Female & male factors	30%
Endometriosis	26%	Unknown factor	0%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 89 Data verified by Janelle O. Dorsett, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	42	8	12	6	2	0
Percentage of cancellations	0.0	1 / 8	2 / 12	3 / 6	0 / 2	
Average number of embryos transferred	1.7	1.7	1.9	2.0	3.0	
Percentage of embryos transferred resulting in implantation	62.9	5 / 10	4 / 15	0 / 4	0 / 6	
Percentage of elective single embryo transfer (eSET)	13.8	0 / 4	0 / 7	0 / 1	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	28.6	3 / 8	2 / 12	0 / 6	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 8	0 / 12	0 / 6	0 / 2	
Percentage of cycles resulting in live births	59.5	4 / 8	3 / 12	0 / 6	0 / 2	
Percentage of cycles resulting in pregnancy	61.9	4 / 8	3 / 12	0 / 6	0 / 2	
Outcomes per Transfer						
Number of transfers	37	6	8	2	2	0
Percentage of transfers resulting in singleton live births	32.4	3 / 6	2 / 8	0 / 2	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 6	0 / 8	0 / 2	0 / 2	
Percentage of transfers resulting in live births	67.6	4 / 6	3 / 8	0 / 2	0 / 2	
Percentage of transfers resulting in pregnancy	70.3	4 / 6	3 / 8	0 / 2	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	26	4	3	0	0	0
Percentage of pregnancies resulting in singleton live births	46.2	3 / 4	2 / 3			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 4	0 / 3			
Percentage of pregnancies resulting in live births	96.2	4 / 4	3 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	2	3	0	0	0
Number of transfers	4	2	3	0	0	0
Average number of embryos transferred	2.0	2.0	1.3			
Percentage of embryos transferred resulting in implantation	7 / 8	1 / 4	0 / 4			
Percentage of transfers resulting in singleton live births	0 / 4	1 / 2	0 / 3			
Percentage of transfers resulting in triplets or more live births	1 / 4	0 / 2	0 / 3			
Percentage of transfers resulting in live births	3 / 4	1 / 2	0 / 3			
Percentage of transfers resulting in pregnancy	3 / 4	1 / 2	0 / 3			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	6	3
Number of transfers	4	3
Average number of embryos transferred	1.8	3.0
Percentage of embryos transferred resulting in implantation	2 / 7	4 / 9
Percentage of transfers resulting in singleton live births	2 / 4	2 / 3
Percentage of transfers resulting in live births	2 / 4	3 / 3
Percentage of transfers resulting in pregnancy	2 / 4	3 / 3

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Centre for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE INSTITUTE OF SOUTH TEXAS
McALLEN, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	89%
Unstimulated	<1%	Used PGD	0%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	39%	Uterine factor	31%	*Multiple Factors:*	
Ovulatory dysfunction	20%	Male factor	48%	Female factors only	24%
Diminished ovarian reserve	22%	Other factor	13%	Female & male factors	31%
Endometriosis	12%	Unknown factor	2%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 223 Data verified by Esteban O. Brown, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	107	40	24	17	6	1
Percentage of cancellations	7.5	12.5	0.0	1 / 17	1 / 6	0 / 1
Average number of embryos transferred	2.6	2.7	2.7	2.6	3.0	1.0
Percentage of embryos transferred resulting in implantation	37.8	31.3	12.7	7.1	1 / 15	0 / 1
Percentage of elective single embryo transfer (eSET)	1.1	0.0	0.0	0 / 14	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.1	32.5	16.7	1 / 17	1 / 6	0 / 1
Percentage of cycles resulting in triplets or more live births	3.7	0.0	0.0	0 / 17	0 / 6	0 / 1
Percentage of cycles resulting in live births	46.7	42.5	20.8	1 / 17	1 / 6	0 / 1
Percentage of cycles resulting in pregnancy	53.3	50.0	37.5	3 / 17	1 / 6	0 / 1
Outcomes per Transfer						
Number of transfers	97	31	23	16	5	1
Percentage of transfers resulting in singleton live births	29.9	41.9	17.4	1 / 16	1 / 5	0 / 1
Percentage of transfers resulting in triplets or more live births	4.1	0.0	0.0	0 / 16	0 / 5	0 / 1
Percentage of transfers resulting in live births	51.5	54.8	21.7	1 / 16	1 / 5	0 / 1
Percentage of transfers resulting in pregnancy	58.8	64.5	39.1	3 / 16	1 / 5	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	57	20	9	3	1	0
Percentage of pregnancies resulting in singleton live births	50.9	65.0	4 / 9	1 / 3	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	7.0	0.0	0 / 9	0 / 3	0 / 1	
Percentage of pregnancies resulting in live births	87.7	85.0	5 / 9	1 / 3	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	16	1	3	0	2	0
Number of transfers	15	1	2	0	1	0
Average number of embryos transferred	2.6	2.0	2.0		3.0	
Percentage of embryos transferred resulting in implantation	28.2	0 / 2	0 / 4		0 / 3	
Percentage of transfers resulting in singleton live births	3 / 15	0 / 1	0 / 2		0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 15	0 / 1	0 / 2		0 / 1	
Percentage of transfers resulting in live births	5 / 15	0 / 1	0 / 2		0 / 1	
Percentage of transfers resulting in pregnancy	6 / 15	0 / 1	0 / 2		0 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	6	0
Number of transfers	5	0
Average number of embryos transferred	2.4	
Percentage of embryos transferred resulting in implantation	5 / 12	
Percentage of transfers resulting in singleton live births	1 / 5	
Percentage of transfers resulting in live births	3 / 5	
Percentage of transfers resulting in pregnancy	3 / 5	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Institute of South Texas

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PRESBYTERIAN HOSPITAL PLANO ARTS
PLANO, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	31%
Unstimulated	0%	Used PGD	4%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	9%	Uterine factor	11%	*Multiple Factors:*	
Ovulatory dysfunction	49%	Male factor	32%	Female factors only	23%
Diminished ovarian reserve	28%	Other factor	12%	Female & male factors	25%
Endometriosis	17%	Unknown factor	2%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 451

Data verified by Alfred J. Rodriguez, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	156	72	59	26	14	9
Percentage of cancellations	5.1	5.6	10.2	15.4	3 / 14	1 / 9
Average number of embryos transferred	2.2	2.4	2.9	3.1	2.9	3.0
Percentage of embryos transferred resulting in implantation	35.7	25.6	23.1	4.3	6.9	0 / 15
Percentage of elective single embryo transfer (eSET)	4.9	3.0	0.0	0 / 19	0 / 9	0 / 5
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	19.9	31.9	13.6	0.0	1 / 14	0 / 9
Percentage of cycles resulting in triplets or more live births	1.3	1.4	1.7	0.0	0 / 14	0 / 9
Percentage of cycles resulting in live births	43.6	41.7	27.1	3.8	1 / 14	0 / 9
Percentage of cycles resulting in pregnancy	47.4	47.2	37.3	15.4	2 / 14	0 / 9
Outcomes per Transfer						
Number of transfers	146	67	51	22	10	5
Percentage of transfers resulting in singleton live births	21.2	34.3	15.7	0.0	1 / 10	0 / 5
Percentage of transfers resulting in triplets or more live births	1.4	1.5	2.0	0.0	0 / 10	0 / 5
Percentage of transfers resulting in live births	46.6	44.8	31.4	4.5	1 / 10	0 / 5
Percentage of transfers resulting in pregnancy	50.7	50.7	43.1	18.2	2 / 10	0 / 5
Outcomes per Pregnancy						
Number of pregnancies	74	34	22	4	2	0
Percentage of pregnancies resulting in singleton live births	41.9	67.6	36.4	0 / 4	1 / 2	
Percentage of pregnancies resulting in triplets or more live births	2.7	2.9	4.5	0 / 4	0 / 2	
Percentage of pregnancies resulting in live births	91.9	88.2	72.7	1 / 4	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	38	16	18	4	4	5
Number of transfers	38	16	18	3	4	4
Average number of embryos transferred	1.9	1.7	1.6	1.0	1.3	2.0
Percentage of embryos transferred resulting in implantation	28.8	25.9	32.1	1 / 3	0 / 5	2 / 8
Percentage of transfers resulting in singleton live births	21.1	3 / 16	6 / 18	1 / 3	0 / 4	1 / 4
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0 / 18	0 / 3	0 / 4	0 / 4
Percentage of transfers resulting in live births	36.8	5 / 16	6 / 18	1 / 3	0 / 4	1 / 4
Percentage of transfers resulting in pregnancy	39.5	5 / 16	7 / 18	1 / 3	0 / 4	2 / 4

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	23	7
Number of transfers	21	6
Average number of embryos transferred	1.9	1.7
Percentage of embryos transferred resulting in implantation	57.5	3 / 10
Percentage of transfers resulting in singleton live births	19.0	2 / 6
Percentage of transfers resulting in live births	61.9	2 / 6
Percentage of transfers resulting in pregnancy	61.9	3 / 6

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Presbyterian Hospital Plano ARTS

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 14 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF SAN ANTONIO
SAN ANTONIO, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	66%
Unstimulated	0%	Used PGD	4%
Used gestational carrier	1%		

Patient Diagnosis[b]

Tubal factor	26%	Uterine factor	7%	*Multiple Factors:*	
Ovulatory dysfunction	16%	Male factor	39%	Female factors only	13%
Diminished ovarian reserve	19%	Other factor	7%	Female & male factors	21%
Endometriosis	14%	Unknown factor	11%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 475

Data verified by Joseph E. Martin, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	149	59	53	27	11	1
Percentage of cancellations	2.7	15.3	13.2	18.5	3 / 11	0 / 1
Average number of embryos transferred	2.0	2.0	2.7	2.9	3.2	2.0
Percentage of embryos transferred resulting in implantation	45.8	48.0	23.7	9.1	3 / 19	0 / 2
Percentage of elective single embryo transfer (eSET)	1.4	0.0	0.0	0 / 18	0 / 6	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	33.6	22.0	20.8	11.1	1 / 11	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	3.4	0.0	0.0	0 / 11	0 / 1
Percentage of cycles resulting in live births	53.7	40.7	28.3	11.1	1 / 11	0 / 1
Percentage of cycles resulting in pregnancy	65.1	52.5	39.6	11.1	3 / 11	0 / 1
Outcomes per Transfer						
Number of transfers	140	49	44	19	6	1
Percentage of transfers resulting in singleton live births	35.7	26.5	25.0	3 / 19	1 / 6	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	4.1	0.0	0 / 19	0 / 6	0 / 1
Percentage of transfers resulting in live births	57.1	49.0	34.1	3 / 19	1 / 6	0 / 1
Percentage of transfers resulting in pregnancy	69.3	63.3	47.7	3 / 19	3 / 6	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	97	31	21	3	3	0
Percentage of pregnancies resulting in singleton live births	51.5	41.9	52.4	3 / 3	1 / 3	
Percentage of pregnancies resulting in triplets or more live births	0.0	6.5	0.0	0 / 3	0 / 3	
Percentage of pregnancies resulting in live births	82.5	77.4	71.4	3 / 3	1 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	66	20	32	5	0	1
Number of transfers	65	20	32	5	0	1
Average number of embryos transferred	1.8	1.9	1.6	1.8		2.0
Percentage of embryos transferred resulting in implantation	37.8	31.6	30.8	3 / 9		0 / 2
Percentage of transfers resulting in singleton live births	30.8	25.0	25.0	3 / 5		0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 5		0 / 1
Percentage of transfers resulting in live births	43.1	35.0	28.1	3 / 5		0 / 1
Percentage of transfers resulting in pregnancy	56.9	50.0	40.6	4 / 5		0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	36	15
Number of transfers	35	15
Average number of embryos transferred	2.1	1.7
Percentage of embryos transferred resulting in implantation	38.9	44.0
Percentage of transfers resulting in singleton live births	37.1	9 / 15
Percentage of transfers resulting in live births	57.1	10 / 15
Percentage of transfers resulting in pregnancy	62.9	10 / 15

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Center of San Antonio

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 4 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2011 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2011 ART cycle data or the clinic's Medical Director did not approve the clinic's 2011 ART cycle data for inclusion in this report.

INSTITUTE FOR WOMEN'S HEALTH
ADVANCED FERTILITY LABORATORY
SAN ANTONIO, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	64%
Unstimulated	0%	Used PGD	4%
Used gestational carrier	4%		

Patient Diagnosis[b]

Tubal factor	20%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	45%	Male factor	48%	Female factors only	25%
Diminished ovarian reserve	22%	Other factor	7%	Female & male factors	25%
Endometriosis	12%	Unknown factor	0%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 60

Data verified by Joseph R. Garza, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	19	13	6	4	3	2
Percentage of cancellations	3 / 19	1 / 13	1 / 6	1 / 4	0 / 3	0 / 2
Average number of embryos transferred	2.0	2.4	2.6	2.7	4.0	2.5
Percentage of embryos transferred resulting in implantation	23.1	15.4	1 / 13	0 / 8	0 / 8	0 / 5
Percentage of elective single embryo transfer (eSET)	0 / 12	0 / 11	0 / 5	0 / 3	0 / 2	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	1 / 19	1 / 13	1 / 6	0 / 4	0 / 3	0 / 2
Percentage of cycles resulting in triplets or more live births	0 / 19	0 / 13	0 / 6	0 / 4	0 / 3	0 / 2
Percentage of cycles resulting in live births	3 / 19	2 / 13	1 / 6	0 / 4	0 / 3	0 / 2
Percentage of cycles resulting in pregnancy	4 / 19	3 / 13	1 / 6	0 / 4	0 / 3	0 / 2
Outcomes per Transfer						
Number of transfers	13	11	5	3	2	2
Percentage of transfers resulting in singleton live births	1 / 13	1 / 11	1 / 5	0 / 3	0 / 2	0 / 2
Percentage of transfers resulting in triplets or more live births	0 / 13	0 / 11	0 / 5	0 / 3	0 / 2	0 / 2
Percentage of transfers resulting in live births	3 / 13	2 / 11	1 / 5	0 / 3	0 / 2	0 / 2
Percentage of transfers resulting in pregnancy	4 / 13	3 / 11	1 / 5	0 / 3	0 / 2	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	4	3	1	0	0	0
Percentage of pregnancies resulting in singleton live births	1 / 4	1 / 3	1 / 1			
Percentage of pregnancies resulting in triplets or more live births	0 / 4	0 / 3	0 / 1			
Percentage of pregnancies resulting in live births	3 / 4	2 / 3	1 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	1	4	1	0	0
Number of transfers	5	1	4	1	0	0
Average number of embryos transferred	2.2	2.0	2.8	2.0		
Percentage of embryos transferred resulting in implantation	0 / 11	0 / 2	0 / 11	1 / 2		
Percentage of transfers resulting in singleton live births	0 / 5	0 / 1	0 / 4	1 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 5	0 / 1	0 / 4	0 / 1		
Percentage of transfers resulting in live births	0 / 5	0 / 1	0 / 4	1 / 1		
Percentage of transfers resulting in pregnancy	0 / 5	0 / 1	0 / 4	1 / 1		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	1	1
Number of transfers	1	1
Average number of embryos transferred	1.0	1.0
Percentage of embryos transferred resulting in implantation	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births	0 / 1	0 / 1
Percentage of transfers resulting in live births	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	0 / 1	0 / 1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Institute for Women's Health, Advanced Fertility Laboratory

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PERINATAL AND FERTILITY SPECIALISTS
SAN ANTONIO, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	83%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	29%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	29%	Male factor	4%	Female factors only	18%
Diminished ovarian reserve	29%	Other factor	0%	Female & male factors	4%
Endometriosis	25%	Unknown factor	11%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 28 Data verified by Gerard M. Honoré, MD, PhD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	8	2	6	5	1	2
Percentage of cancellations	1 / 8	0 / 2	0 / 6	1 / 5	1 / 1	0 / 2
Average number of embryos transferred	2.3	2.5	3.0	3.3		3.0
Percentage of embryos transferred resulting in implantation	1 / 16	0 / 5	2 / 18	0 / 10		0 / 3
Percentage of elective single embryo transfer (eSET)	0 / 7	0 / 2	0 / 6	0 / 2		0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	1 / 8	0 / 2	0 / 6	0 / 5	0 / 1	0 / 2
Percentage of cycles resulting in triplets or more live births	0 / 8	0 / 2	0 / 6	0 / 5	0 / 1	0 / 2
Percentage of cycles resulting in live births	1 / 8	0 / 2	1 / 6	0 / 5	0 / 1	0 / 2
Percentage of cycles resulting in pregnancy	2 / 8	0 / 2	1 / 6	0 / 5	0 / 1	0 / 2
Outcomes per Transfer						
Number of transfers	7	2	6	3	0	1
Percentage of transfers resulting in singleton live births	1 / 7	0 / 2	0 / 6	0 / 3		0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 7	0 / 2	0 / 6	0 / 3		0 / 1
Percentage of transfers resulting in live births	1 / 7	0 / 2	1 / 6	0 / 3		0 / 1
Percentage of transfers resulting in pregnancy	2 / 7	0 / 2	1 / 6	0 / 3		0 / 1
Outcomes per Pregnancy						
Number of pregnancies	2	0	1	0	0	0
Percentage of pregnancies resulting in singleton live births	1 / 2		0 / 1			
Percentage of pregnancies resulting in triplets or more live births	0 / 2		0 / 1			
Percentage of pregnancies resulting in live births	1 / 2		1 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	2	1	0	0	0
Number of transfers	0	2	1	0	0	0
Average number of embryos transferred		3.5	1.0			
Percentage of embryos transferred resulting in implantation		0 / 7	0 / 1			
Percentage of transfers resulting in singleton live births		0 / 2	0 / 1			
Percentage of transfers resulting in triplets or more live births		0 / 2	0 / 1			
Percentage of transfers resulting in live births		0 / 2	0 / 1			
Percentage of transfers resulting in pregnancy		0 / 2	0 / 1			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	1	0
Number of transfers	1	0
Average number of embryos transferred	2.0	
Percentage of embryos transferred resulting in implantation	0 / 2	
Percentage of transfers resulting in singleton live births	0 / 1	
Percentage of transfers resulting in live births	0 / 1	
Percentage of transfers resulting in pregnancy	0 / 1	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Perinatal and Fertility Specialists

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF TEXAS, PA
SAN ANTONIO, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	85%
Unstimulated	0%	Used PGD	11%
Used gestational carrier	1%		

Patient Diagnosis[b]

Tubal factor	16%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	33%	Male factor	55%	Female factors only	8%
Diminished ovarian reserve	3%	Other factor	5%	Female & male factors	24%
Endometriosis	10%	Unknown factor	8%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 409

Data verified by Francisco Arredondo, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	172	54	41	20	4	0
Percentage of cancellations	12.8	11.1	19.5	15.0	2 / 4	
Average number of embryos transferred	1.8	2.0	2.4	2.4	2.0	
Percentage of embryos transferred resulting in implantation	45.0	33.8	32.8	15.4	0 / 2	
Percentage of elective single embryo transfer (eSET)	13.8	2.7	0.0	1 / 13	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.0	18.5	29.3	15.0	0 / 4	
Percentage of cycles resulting in triplets or more live births	0.6	0.0	0.0	0.0	0 / 4	
Percentage of cycles resulting in live births	39.5	31.5	36.6	20.0	0 / 4	
Percentage of cycles resulting in pregnancy	42.4	35.2	41.5	25.0	0 / 4	
Outcomes per Transfer						
Number of transfers	126	41	28	16	1	0
Percentage of transfers resulting in singleton live births	34.1	24.4	42.9	3 / 16	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.8	0.0	0.0	0 / 16	0 / 1	
Percentage of transfers resulting in live births	54.0	41.5	53.6	4 / 16	0 / 1	
Percentage of transfers resulting in pregnancy	57.9	46.3	60.7	5 / 16	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	73	19	17	5	0	0
Percentage of pregnancies resulting in singleton live births	58.9	10 / 19	12 / 17	3 / 5		
Percentage of pregnancies resulting in triplets or more live births	1.4	0 / 19	0 / 17	0 / 5		
Percentage of pregnancies resulting in live births	93.2	17 / 19	15 / 17	4 / 5		
Frozen Embryos from Nondonor Eggs						
Number of cycles	42	17	10	4	0	0
Number of transfers	38	15	9	4	0	0
Average number of embryos transferred	1.7	1.7	1.6	1.5		
Percentage of embryos transferred resulting in implantation	47.6	32.0	2 / 14	3 / 6		
Percentage of transfers resulting in singleton live births	42.1	5 / 15	2 / 9	1 / 4		
Percentage of transfers resulting in triplets or more live births	2.6	0 / 15	0 / 9	0 / 4		
Percentage of transfers resulting in live births	52.6	6 / 15	2 / 9	2 / 4		
Percentage of transfers resulting in pregnancy	60.5	7 / 15	2 / 9	2 / 4		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	33	12
Number of transfers	26	12
Average number of embryos transferred	1.9	1.8
Percentage of embryos transferred resulting in implantation	59.2	28.6
Percentage of transfers resulting in singleton live births	38.5	2 / 12
Percentage of transfers resulting in live births	69.2	2 / 12
Percentage of transfers resulting in pregnancy	73.1	5 / 12

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine Associates of Texas, PA

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 3 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UT MEDICINE WOMEN'S HEALTH CENTER
SAN ANTONIO, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	19%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	17%	Uterine factor	7%	*Multiple Factors:*	
Ovulatory dysfunction	15%	Male factor	15%	Female factors only	4%
Diminished ovarian reserve	20%	Other factor	2%	Female & male factors	9%
Endometriosis	12%	Unknown factor	26%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 91

Data verified by Robert G. Brzyski, MD, PhD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	20	15	12	12	2	1
Percentage of cancellations	0.0	1 / 15	0 / 12	0 / 12	1 / 2	0 / 1
Average number of embryos transferred	2.1	2.0	2.8	3.8		1.0
Percentage of embryos transferred resulting in implantation	26.3	29.2	15.2	7.1		0 / 1
Percentage of elective single embryo transfer (eSET)	0 / 16	0 / 10	0 / 11	0 / 11		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.0	5 / 15	1 / 12	2 / 12	0 / 2	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0 / 15	0 / 12	0 / 12	0 / 2	0 / 1
Percentage of cycles resulting in live births	40.0	6 / 15	2 / 12	2 / 12	0 / 2	0 / 1
Percentage of cycles resulting in pregnancy	45.0	6 / 15	3 / 12	4 / 12	0 / 2	0 / 1
Outcomes per Transfer						
Number of transfers	18	12	12	11	0	1
Percentage of transfers resulting in singleton live births	6 / 18	5 / 12	1 / 12	2 / 11		0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 18	0 / 12	0 / 12	0 / 11		0 / 1
Percentage of transfers resulting in live births	8 / 18	6 / 12	2 / 12	2 / 11		0 / 1
Percentage of transfers resulting in pregnancy	9 / 18	6 / 12	3 / 12	4 / 11		0 / 1
Outcomes per Pregnancy						
Number of pregnancies	9	6	3	4	0	0
Percentage of pregnancies resulting in singleton live births	6 / 9	5 / 6	1 / 3	2 / 4		
Percentage of pregnancies resulting in triplets or more live births	0 / 9	0 / 6	0 / 3	0 / 4		
Percentage of pregnancies resulting in live births	8 / 9	6 / 6	2 / 3	2 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	6	7	4	0	1
Number of transfers	5	6	7	4	0	0
Average number of embryos transferred	1.8	2.2	1.3	2.5		
Percentage of embryos transferred resulting in implantation	1 / 9	2 / 13	1 / 9	0 / 10		
Percentage of transfers resulting in singleton live births	1 / 5	2 / 6	0 / 7	0 / 4		
Percentage of transfers resulting in triplets or more live births	0 / 5	0 / 6	0 / 7	0 / 4		
Percentage of transfers resulting in live births	1 / 5	2 / 6	0 / 7	0 / 4		
Percentage of transfers resulting in pregnancy	1 / 5	2 / 6	1 / 7	0 / 4		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	3	3
Number of transfers	2	2
Average number of embryos transferred	2.0	1.5
Percentage of embryos transferred resulting in implantation	0 / 4	0 / 3
Percentage of transfers resulting in singleton live births	0 / 2	0 / 2
Percentage of transfers resulting in live births	0 / 2	0 / 2
Percentage of transfers resulting in pregnancy	0 / 2	0 / 2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: UT Medicine Women's Health Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SCOTT AND WHITE HEALTHCARE
TEMPLE, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	60%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	28%	Uterine factor	1%	*Multiple Factors:*	
Ovulatory dysfunction	1%	Male factor	36%	Female factors only	9%
Diminished ovarian reserve	10%	Other factor	3%	Female & male factors	8%
Endometriosis	17%	Unknown factor	22%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 78 Data verified by Thomas J. Wincek, MD, PhD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	39	3	8	3	2	0
Percentage of cancellations	5.1	2 / 3	2 / 8	1 / 3	0 / 2	
Average number of embryos transferred	2.1	2.0	2.5	2.5	3.0	
Percentage of embryos transferred resulting in implantation	41.8	0 / 2	3 / 15	1 / 5	0 / 6	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 1	0 / 6	0 / 2	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	35.9	0 / 3	0 / 8	0 / 3	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 3	0 / 8	0 / 3	0 / 2	
Percentage of cycles resulting in live births	53.8	0 / 3	1 / 8	0 / 3	0 / 2	
Percentage of cycles resulting in pregnancy	53.8	0 / 3	2 / 8	1 / 3	0 / 2	
Outcomes per Transfer						
Number of transfers	37	1	6	2	2	0
Percentage of transfers resulting in singleton live births	37.8	0 / 1	0 / 6	0 / 2	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 1	0 / 6	0 / 2	0 / 2	
Percentage of transfers resulting in live births	56.8	0 / 1	1 / 6	0 / 2	0 / 2	
Percentage of transfers resulting in pregnancy	56.8	0 / 1	2 / 6	1 / 2	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	21	0	2	1	0	0
Percentage of pregnancies resulting in singleton live births	66.7		0 / 2	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0.0		0 / 2	0 / 1		
Percentage of pregnancies resulting in live births	100.0		1 / 2	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	8	6	4	0	1	0
Number of transfers	8	6	4	0	1	0
Average number of embryos transferred	2.3	2.2	1.8		2.0	
Percentage of embryos transferred resulting in implantation	6 / 18	5 / 13	1 / 7		0 / 2	
Percentage of transfers resulting in singleton live births	4 / 8	4 / 6	1 / 4		0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 8	0 / 6	0 / 4		0 / 1	
Percentage of transfers resulting in live births	5 / 8	4 / 6	1 / 4		0 / 1	
Percentage of transfers resulting in pregnancy	5 / 8	4 / 6	1 / 4		0 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	1	3
Number of transfers	1	3
Average number of embryos transferred	2.0	1.7
Percentage of embryos transferred resulting in implantation	1 / 2	3 / 5
Percentage of transfers resulting in singleton live births	1 / 1	1 / 3
Percentage of transfers resulting in live births	1 / 1	2 / 3
Percentage of transfers resulting in pregnancy	1 / 1	2 / 3

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Scott and White Healthcare

Donor egg?	No	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER OF REPRODUCTIVE MEDICINE (CORM)
WEBSTER, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	65%
Unstimulated	5%	Used PGD	3%
Used gestational carrier	4%		

Patient Diagnosis[b]

Tubal factor	15%	Uterine factor	6%	*Multiple Factors:*	
Ovulatory dysfunction	26%	Male factor	21%	Female factors only	<1%
Diminished ovarian reserve	18%	Other factor	6%	Female & male factors	<1%
Endometriosis	6%	Unknown factor	2%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 343

Data verified by Vicki L. Schnell, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	103	54	30	13	2	0
Percentage of cancellations	6.8	9.3	6.7	3 / 13	0 / 2	
Average number of embryos transferred	1.9	2.0	2.2	2.4	2.5	
Percentage of embryos transferred resulting in implantation	33.5	24.4	17.9	1 / 19	2 / 5	
Percentage of elective single embryo transfer (eSET)	7.4	2.3	0.0	0 / 8	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.3	20.4	23.3	1 / 13	2 / 2	
Percentage of cycles resulting in triplets or more live births	1.0	0.0	0.0	0 / 13	0 / 2	
Percentage of cycles resulting in live births	37.9	27.8	23.3	1 / 13	2 / 2	
Percentage of cycles resulting in pregnancy	45.6	31.5	30.0	1 / 13	2 / 2	
Outcomes per Transfer						
Number of transfers	96	46	26	8	2	0
Percentage of transfers resulting in singleton live births	25.0	23.9	26.9	1 / 8	2 / 2	
Percentage of transfers resulting in triplets or more live births	1.0	0.0	0.0	0 / 8	0 / 2	
Percentage of transfers resulting in live births	40.6	32.6	26.9	1 / 8	2 / 2	
Percentage of transfers resulting in pregnancy	49.0	37.0	34.6	1 / 8	2 / 2	
Outcomes per Pregnancy						
Number of pregnancies	47	17	9	1	2	0
Percentage of pregnancies resulting in singleton live births	51.1	11 / 17	7 / 9	1 / 1	2 / 2	
Percentage of pregnancies resulting in triplets or more live births	2.1	0 / 17	0 / 9	0 / 1	0 / 2	
Percentage of pregnancies resulting in live births	83.0	15 / 17	7 / 9	1 / 1	2 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	48	32	19	3	0	0
Number of transfers	42	32	16	3	0	0
Average number of embryos transferred	2.1	1.9	2.2	1.7		
Percentage of embryos transferred resulting in implantation	28.1	28.3	20.0	1 / 5		
Percentage of transfers resulting in singleton live births	23.8	28.1	4 / 16	1 / 3		
Percentage of transfers resulting in triplets or more live births	2.4	0.0	0 / 16	0 / 3		
Percentage of transfers resulting in live births	35.7	37.5	5 / 16	1 / 3		
Percentage of transfers resulting in pregnancy	57.1	46.9	6 / 16	1 / 3		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	21	18
Number of transfers	19	18
Average number of embryos transferred	1.7	2.2
Percentage of embryos transferred resulting in implantation	57.6	35.9
Percentage of transfers resulting in singleton live births	4 / 19	5 / 18
Percentage of transfers resulting in live births	9 / 19	9 / 18
Percentage of transfers resulting in pregnancy	11 / 19	11 / 18

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center of Reproductive Medicine (CORM)

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UTAH FERTILITY CENTER
PLEASANT GROVE, UTAH

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	60%
Unstimulated	0%	Used PGD	4%
Used gestational carrier	3%		

Patient Diagnosis[b]

Tubal factor	18%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	20%	Male factor	39%	Female factors only	20%
Diminished ovarian reserve	32%	Other factor	7%	Female & male factors	19%
Endometriosis	27%	Unknown factor	3%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 219 Data verified by Russell A. Foulk, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	124	17	15	2	1	0
Percentage of cancellations	1.6	0 / 17	1 / 15	0 / 2	0 / 1	
Average number of embryos transferred	2.1	2.5	2.8	3.0	4.0	
Percentage of embryos transferred resulting in implantation	47.1	29.7	24.2	1 / 6	1 / 4	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 14	0 / 11	0 / 2	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	35.5	4 / 17	2 / 15	0 / 2	0 / 1	
Percentage of cycles resulting in triplets or more live births	2.4	1 / 17	0 / 15	0 / 2	0 / 1	
Percentage of cycles resulting in live births	57.3	7 / 17	5 / 15	0 / 2	0 / 1	
Percentage of cycles resulting in pregnancy	64.5	7 / 17	5 / 15	1 / 2	1 / 1	
Outcomes per Transfer						
Number of transfers	115	15	12	2	1	0
Percentage of transfers resulting in singleton live births	38.3	4 / 15	2 / 12	0 / 2	0 / 1	
Percentage of transfers resulting in triplets or more live births	2.6	1 / 15	0 / 12	0 / 2	0 / 1	
Percentage of transfers resulting in live births	61.7	7 / 15	5 / 12	0 / 2	0 / 1	
Percentage of transfers resulting in pregnancy	69.6	7 / 15	5 / 12	1 / 2	1 / 1	
Outcomes per Pregnancy						
Number of pregnancies	80	7	5	1	1	0
Percentage of pregnancies resulting in singleton live births	55.0	4 / 7	2 / 5	0 / 1	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	3.8	1 / 7	0 / 5	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births	88.8	7 / 7	5 / 5	0 / 1	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	27	4	4	2	3	0
Number of transfers	23	2	4	2	2	0
Average number of embryos transferred	1.7	2.0	2.0	2.5	2.5	
Percentage of embryos transferred resulting in implantation	48.7	2 / 4	4 / 8	4 / 5	2 / 5	
Percentage of transfers resulting in singleton live births	52.2	0 / 2	0 / 4	0 / 2	2 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 2	0 / 4	0 / 2	0 / 2	
Percentage of transfers resulting in live births	65.2	1 / 2	0 / 4	1 / 2	2 / 2	
Percentage of transfers resulting in pregnancy	65.2	1 / 2	2 / 4	2 / 2	2 / 2	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	12	8
Number of transfers	12	5
Average number of embryos transferred	2.3	2.2
Percentage of embryos transferred resulting in implantation	33.3	3 / 11
Percentage of transfers resulting in singleton live births	7 / 12	1 / 5
Percentage of transfers resulting in live births	8 / 12	2 / 5
Percentage of transfers resulting in pregnancy	10 / 12	2 / 5

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Utah Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 11 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

EAST BAY FERTILITY CENTER
PROVO, UTAH

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	88%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	23%	Uterine factor	7%	*Multiple Factors:*	
Ovulatory dysfunction	23%	Male factor	51%	Female factors only	1%
Diminished ovarian reserve	11%	Other factor	0%	Female & male factors	11%
Endometriosis	0%	Unknown factor	0%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 71

Data verified by Glen Andrew, DO

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	43	10	8	2	2	0
Percentage of cancellations	14.0	0 / 10	1 / 8	1 / 2	0 / 2	
Average number of embryos transferred	2.3	2.4	2.4	4.0	2.5	
Percentage of embryos transferred resulting in implantation	46.3	29.2	2 / 17	1 / 4	0 / 5	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 9	0 / 6	0 / 1	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.2	4 / 10	2 / 8	1 / 2	0 / 2	
Percentage of cycles resulting in triplets or more live births	2.3	0 / 10	0 / 8	0 / 2	0 / 2	
Percentage of cycles resulting in live births	55.8	5 / 10	2 / 8	1 / 2	0 / 2	
Percentage of cycles resulting in pregnancy	55.8	6 / 10	2 / 8	1 / 2	0 / 2	
Outcomes per Transfer						
Number of transfers	36	10	7	1	2	0
Percentage of transfers resulting in singleton live births	36.1	4 / 10	2 / 7	1 / 1	0 / 2	
Percentage of transfers resulting in triplets or more live births	2.8	0 / 10	0 / 7	0 / 1	0 / 2	
Percentage of transfers resulting in live births	66.7	5 / 10	2 / 7	1 / 1	0 / 2	
Percentage of transfers resulting in pregnancy	66.7	6 / 10	2 / 7	1 / 1	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	24	6	2	1	0	0
Percentage of pregnancies resulting in singleton live births	54.2	4 / 6	2 / 2	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	4.2	0 / 6	0 / 2	0 / 1		
Percentage of pregnancies resulting in live births	100.0	5 / 6	2 / 2	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	3	3	0	0	0	0
Number of transfers	3	3	0	0	0	0
Average number of embryos transferred	2.7	2.7				
Percentage of embryos transferred resulting in implantation	2 / 8	2 / 8				
Percentage of transfers resulting in singleton live births	0 / 3	2 / 3				
Percentage of transfers resulting in triplets or more live births	0 / 3	0 / 3				
Percentage of transfers resulting in live births	1 / 3	2 / 3				
Percentage of transfers resulting in pregnancy	1 / 3	2 / 3				

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation		
Percentage of transfers resulting in singleton live births		
Percentage of transfers resulting in live births		
Percentage of transfers resulting in pregnancy		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: East Bay Fertility Center

Donor egg?	No	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	No			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UTAH CENTER FOR REPRODUCTIVE MEDICINE
SALT LAKE CITY, UTAH

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	52%
Unstimulated	0%	Used PGD	2%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	10%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	15%	Male factor	51%	Female factors only	5%
Diminished ovarian reserve	22%	Other factor	6%	Female & male factors	22%
Endometriosis	12%	Unknown factor	11%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 430 Data verified by Ahmad O. Hammoud, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	198	49	36	9	5	0
Percentage of cancellations	14.1	12.2	25.0	2 / 9	3 / 5	
Average number of embryos transferred	2.0	2.3	2.5	2.7	3.5	
Percentage of embryos transferred resulting in implantation	43.4	32.3	30.6	2 / 16	0 / 7	
Percentage of elective single embryo transfer (eSET)	5.6	0.0	0.0	0 / 6	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	24.2	24.5	16.7	0 / 9	0 / 5	
Percentage of cycles resulting in triplets or more live births	1.0	0.0	2.8	0 / 9	0 / 5	
Percentage of cycles resulting in live births	44.9	38.8	27.8	0 / 9	0 / 5	
Percentage of cycles resulting in pregnancy	52.0	44.9	41.7	1 / 9	0 / 5	
Outcomes per Transfer						
Number of transfers	164	42	25	6	2	0
Percentage of transfers resulting in singleton live births	29.3	28.6	24.0	0 / 6	0 / 2	
Percentage of transfers resulting in triplets or more live births	1.2	0.0	4.0	0 / 6	0 / 2	
Percentage of transfers resulting in live births	54.3	45.2	40.0	0 / 6	0 / 2	
Percentage of transfers resulting in pregnancy	62.8	52.4	60.0	1 / 6	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	103	22	15	1	0	0
Percentage of pregnancies resulting in singleton live births	46.6	54.5	6 / 15	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	1.9	0.0	1 / 15	0 / 1		
Percentage of pregnancies resulting in live births	86.4	86.4	10 / 15	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	55	19	12	3	2	2
Number of transfers	53	19	11	2	1	2
Average number of embryos transferred	2.2	2.2	2.2	3.0	2.0	2.5
Percentage of embryos transferred resulting in implantation	16.5	7.1	4.2	0 / 6	2 / 2	0 / 5
Percentage of transfers resulting in singleton live births	24.5	3 / 19	1 / 11	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0 / 19	0 / 11	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in live births	26.4	3 / 19	1 / 11	0 / 2	1 / 1	0 / 2
Percentage of transfers resulting in pregnancy	37.7	6 / 19	1 / 11	1 / 2	1 / 1	0 / 2

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	26	14
Number of transfers	25	14
Average number of embryos transferred	1.8	2.2
Percentage of embryos transferred resulting in implantation	46.7	25.8
Percentage of transfers resulting in singleton live births	28.0	3 / 14
Percentage of transfers resulting in live births	56.0	5 / 14
Percentage of transfers resulting in pregnancy	72.0	7 / 14

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Utah Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE CARE CENTER
SANDY, UTAH

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	57%
Unstimulated	0%	Used PGD	6%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	11%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	23%	Male factor	54%	Female factors only	9%
Diminished ovarian reserve	18%	Other factor	7%	Female & male factors	28%
Endometriosis	19%	Unknown factor	3%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 512

Data verified by Keith L. Blauer, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	234	62	42	11	2	0
Percentage of cancellations	7.3	9.7	2.4	1 / 11	0 / 2	
Average number of embryos transferred	2.1	2.1	2.2	2.2	3.0	
Percentage of embryos transferred resulting in implantation	32.7	35.6	15.3	0.0	1 / 6	
Percentage of elective single embryo transfer (eSET)	5.7	2.2	6.1	0 / 8	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.1	22.6	9.5	0 / 11	1 / 2	
Percentage of cycles resulting in triplets or more live births	0.4	1.6	0.0	0 / 11	0 / 2	
Percentage of cycles resulting in live births	38.5	37.1	16.7	0 / 11	1 / 2	
Percentage of cycles resulting in pregnancy	42.3	43.5	23.8	0 / 11	1 / 2	
Outcomes per Transfer						
Number of transfers	202	49	38	9	2	0
Percentage of transfers resulting in singleton live births	26.7	28.6	10.5	0 / 9	1 / 2	
Percentage of transfers resulting in triplets or more live births	0.5	2.0	0.0	0 / 9	0 / 2	
Percentage of transfers resulting in live births	44.6	46.9	18.4	0 / 9	1 / 2	
Percentage of transfers resulting in pregnancy	49.0	55.1	26.3	0 / 9	1 / 2	
Outcomes per Pregnancy						
Number of pregnancies	99	27	10	0	1	0
Percentage of pregnancies resulting in singleton live births	54.5	51.9	4 / 10		1 / 1	
Percentage of pregnancies resulting in triplets or more live births	1.0	3.7	0 / 10		0 / 1	
Percentage of pregnancies resulting in live births	90.9	85.2	7 / 10		1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	88	20	11	5	0	5
Number of transfers	79	18	10	5	0	5
Average number of embryos transferred	1.8	1.6	1.8	2.0		2.0
Percentage of embryos transferred resulting in implantation	18.0	28.6	1 / 18	0 / 10		3 / 10
Percentage of transfers resulting in singleton live births	15.2	3 / 18	1 / 10	0 / 5		0 / 5
Percentage of transfers resulting in triplets or more live births	0.0	0 / 18	0 / 10	0 / 5		1 / 5
Percentage of transfers resulting in live births	21.5	5 / 18	1 / 10	0 / 5		1 / 5
Percentage of transfers resulting in pregnancy	24.1	6 / 18	1 / 10	0 / 5		2 / 5

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	27	5
Number of transfers	26	5
Average number of embryos transferred	2.0	1.8
Percentage of embryos transferred resulting in implantation	37.3	3 / 9
Percentage of transfers resulting in singleton live births	30.8	1 / 5
Percentage of transfers resulting in live births	46.2	1 / 5
Percentage of transfers resulting in pregnancy	61.5	2 / 5

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Care Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

VERMONT CENTER FOR REPRODUCTIVE MEDICINE
BURLINGTON, VERMONT

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	71%
Unstimulated	0%	Used PGD	2%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	7%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	4%	Male factor	43%	Female factors only	2%
Diminished ovarian reserve	24%	Other factor	10%	Female & male factors	11%
Endometriosis	5%	Unknown factor	17%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 149 Data verified by Peter R. Casson, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	48	33	27	7	2	0
Percentage of cancellations	10.4	21.2	18.5	0 / 7	1 / 2	
Average number of embryos transferred	1.8	2.1	2.7	3.0	3.0	
Percentage of embryos transferred resulting in implantation	45.9	24.5	15.7	9.5	0 / 3	
Percentage of elective single embryo transfer (eSET)	14.3	9.1	0 / 18	0 / 7	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.0	15.2	14.8	2 / 7	0 / 2	
Percentage of cycles resulting in triplets or more live births	2.1	0.0	0.0	0 / 7	0 / 2	
Percentage of cycles resulting in live births	43.8	24.2	14.8	2 / 7	0 / 2	
Percentage of cycles resulting in pregnancy	47.9	30.3	25.9	2 / 7	0 / 2	
Outcomes per Transfer						
Number of transfers	41	23	19	7	1	0
Percentage of transfers resulting in singleton live births	29.3	21.7	4 / 19	2 / 7	0 / 1	
Percentage of transfers resulting in triplets or more live births	2.4	0.0	0 / 19	0 / 7	0 / 1	
Percentage of transfers resulting in live births	51.2	34.8	4 / 19	2 / 7	0 / 1	
Percentage of transfers resulting in pregnancy	56.1	43.5	7 / 19	2 / 7	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	23	10	7	2	0	0
Percentage of pregnancies resulting in singleton live births	52.2	5 / 10	4 / 7	2 / 2		
Percentage of pregnancies resulting in triplets or more live births	4.3	0 / 10	0 / 7	0 / 2		
Percentage of pregnancies resulting in live births	91.3	8 / 10	4 / 7	2 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	3	2	2	1	1
Number of transfers	5	3	2	2	1	1
Average number of embryos transferred	1.4	1.7	1.0	2.5	2.0	2.0
Percentage of embryos transferred resulting in implantation	2 / 7	0 / 5	0 / 2	0 / 5	0 / 2	0 / 2
Percentage of transfers resulting in singleton live births	1 / 5	0 / 3	0 / 2	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 5	0 / 3	0 / 2	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in live births	1 / 5	0 / 3	0 / 2	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	2 / 5	0 / 3	0 / 2	0 / 2	0 / 1	0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	15	3
Number of transfers	13	2
Average number of embryos transferred	1.8	1.0
Percentage of embryos transferred resulting in implantation	25.0	0 / 2
Percentage of transfers resulting in singleton live births	4 / 13	0 / 2
Percentage of transfers resulting in live births	5 / 13	0 / 2
Percentage of transfers resulting in pregnancy	5 / 13	0 / 2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Vermont Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WASHINGTON FERTILITY CENTER
ANNANDALE, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	31%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	20%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	14%	Male factor	34%	Female factors only	0%
Diminished ovarian reserve	33%	Other factor	1%	Female & male factors	19%
Endometriosis	6%	Unknown factor	10%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 70

Data verified by Pierre Asmar, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	19	10	15	6	0	1
Percentage of cancellations	0 / 19	1 / 10	1 / 15	1 / 6		0 / 1
Average number of embryos transferred	1.8	2.9	2.2	3.4		4.0
Percentage of embryos transferred resulting in implantation	22.2	10.0	19.4	0 / 17		0 / 4
Percentage of elective single embryo transfer (eSET)	1 / 13	0 / 7	0 / 12	0 / 5		0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	5 / 19	2 / 10	1 / 15	0 / 6		0 / 1
Percentage of cycles resulting in triplets or more live births	0 / 19	0 / 10	0 / 15	0 / 6		0 / 1
Percentage of cycles resulting in live births	5 / 19	2 / 10	3 / 15	0 / 6		0 / 1
Percentage of cycles resulting in pregnancy	6 / 19	2 / 10	5 / 15	1 / 6		0 / 1
Outcomes per Transfer						
Number of transfers	15	7	14	5	0	1
Percentage of transfers resulting in singleton live births	5 / 15	2 / 7	1 / 14	0 / 5		0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 15	0 / 7	0 / 14	0 / 5		0 / 1
Percentage of transfers resulting in live births	5 / 15	2 / 7	3 / 14	0 / 5		0 / 1
Percentage of transfers resulting in pregnancy	6 / 15	2 / 7	5 / 14	1 / 5		0 / 1
Outcomes per Pregnancy						
Number of pregnancies	6	2	5	1	0	0
Percentage of pregnancies resulting in singleton live births	5 / 6	2 / 2	1 / 5	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 6	0 / 2	0 / 5	0 / 1		
Percentage of pregnancies resulting in live births	5 / 6	2 / 2	3 / 5	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	0	1	0	0	0
Number of transfers	2	0	1	0	0	0
Average number of embryos transferred	2.5		1.0			
Percentage of embryos transferred resulting in implantation	0 / 5		0 / 1			
Percentage of transfers resulting in singleton live births	0 / 2		0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 2		0 / 1			
Percentage of transfers resulting in live births	0 / 2		0 / 1			
Percentage of transfers resulting in pregnancy	0 / 2		0 / 1			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	15	1
Number of transfers	12	1
Average number of embryos transferred	2.0	3.0
Percentage of embryos transferred resulting in implantation	62.5	1 / 3
Percentage of transfers resulting in singleton live births	3 / 12	1 / 1
Percentage of transfers resulting in live births	8 / 12	1 / 1
Percentage of transfers resulting in pregnancy	9 / 12	1 / 1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Washington Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DOMINION FERTILITY AND ENDOCRINOLOGY
ARLINGTON, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	61%
Unstimulated	71%	Used PGD	<1%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	17%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	7%	Male factor	45%	Female factors only	16%
Diminished ovarian reserve	36%	Other factor	34%	Female & male factors	31%
Endometriosis	1%	Unknown factor	10%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 998 Data verified by Michael DiMattina, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	260	181	210	79	42	38
Percentage of cancellations	17.7	24.9	22.4	21.5	21.4	44.7
Average number of embryos transferred	1.2	1.5	1.5	2.2	1.7	1.7
Percentage of embryos transferred resulting in implantation	28.2	22.8	19.0	9.9	10.0	1 / 15
Percentage of elective single embryo transfer (eSET)	54.0	5.9	3.3	0 / 15	0 / 6	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	13.1	8.8	8.1	6.3	7.1	2.6
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0.0
Percentage of cycles resulting in live births	14.2	10.5	8.6	6.3	7.1	2.6
Percentage of cycles resulting in pregnancy	16.2	14.4	12.4	13.9	9.5	5.3
Outcomes per Transfer						
Number of transfers	126	76	89	32	18	9
Percentage of transfers resulting in singleton live births	27.0	21.1	19.1	15.6	3 / 18	1 / 9
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 18	0 / 9
Percentage of transfers resulting in live births	29.4	25.0	20.2	15.6	3 / 18	1 / 9
Percentage of transfers resulting in pregnancy	33.3	34.2	29.2	34.4	4 / 18	2 / 9
Outcomes per Pregnancy						
Number of pregnancies	42	26	26	11	4	2
Percentage of pregnancies resulting in singleton live births	81.0	61.5	65.4	5 / 11	3 / 4	1 / 2
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 11	0 / 4	0 / 2
Percentage of pregnancies resulting in live births	88.1	73.1	69.2	5 / 11	3 / 4	1 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	57	35	24	2	2	2
Number of transfers	57	33	20	2	2	2
Average number of embryos transferred	1.5	1.5	1.7	1.5	3.0	1.0
Percentage of embryos transferred resulting in implantation	27.1	20.8	5.9	0 / 3	0 / 6	0 / 2
Percentage of transfers resulting in singleton live births	24.6	21.2	10.0	0 / 2	0 / 2	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 2	0 / 2	0 / 2
Percentage of transfers resulting in live births	29.8	24.2	10.0	0 / 2	0 / 2	0 / 2
Percentage of transfers resulting in pregnancy	33.3	30.3	15.0	1 / 2	0 / 2	0 / 2

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	25	41
Number of transfers	21	37
Average number of embryos transferred	1.3	1.3
Percentage of embryos transferred resulting in implantation	33.3	30.6
Percentage of transfers resulting in singleton live births	28.6	29.7
Percentage of transfers resulting in live births	33.3	35.1
Percentage of transfers resulting in pregnancy	42.9	43.2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Dominion Fertility and Endocrinology

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 6 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE AND SURGERY CENTER OF VIRGINIA, PLC
CHARLOTTESVILLE, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	55%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	20%	Uterine factor	7%	*Multiple Factors:*	
Ovulatory dysfunction	17%	Male factor	44%	Female factors only	18%
Diminished ovarian reserve	23%	Other factor	9%	Female & male factors	20%
Endometriosis	20%	Unknown factor	9%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 269 Data verified by Christopher D. Williams, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	87	43	31	8	1	0
Percentage of cancellations	3.4	7.0	9.7	1 / 8	0 / 1	
Average number of embryos transferred	2.1	2.6	3.2	4.0		
Percentage of embryos transferred resulting in implantation	30.6	22.3	16.1	3.6		
Percentage of elective single embryo transfer (eSET)	2.4	0.0	0.0	0 / 7		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	31.0	16.3	22.6	0 / 8	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	2.3	0.0	0 / 8	0 / 1	
Percentage of cycles resulting in live births	43.7	27.9	29.0	0 / 8	0 / 1	
Percentage of cycles resulting in pregnancy	46.0	37.2	35.5	2 / 8	0 / 1	
Outcomes per Transfer						
Number of transfers	84	40	27	7	0	0
Percentage of transfers resulting in singleton live births	32.1	17.5	25.9	0 / 7		
Percentage of transfers resulting in triplets or more live births	0.0	2.5	0.0	0 / 7		
Percentage of transfers resulting in live births	45.2	30.0	33.3	0 / 7		
Percentage of transfers resulting in pregnancy	47.6	40.0	40.7	2 / 7		
Outcomes per Pregnancy						
Number of pregnancies	40	16	11	2	0	0
Percentage of pregnancies resulting in singleton live births	67.5	7 / 16	7 / 11	0 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	1 / 16	0 / 11	0 / 2		
Percentage of pregnancies resulting in live births	95.0	12 / 16	9 / 11	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	38	17	2	2	1	0
Number of transfers	37	17	1	2	1	0
Average number of embryos transferred	1.9	2.1	2.0	2.5	3.0	
Percentage of embryos transferred resulting in implantation	15.3	11.4	0 / 2	0 / 5	0 / 3	
Percentage of transfers resulting in singleton live births	18.9	4 / 17	0 / 1	0 / 2	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 17	0 / 1	0 / 2	0 / 1	
Percentage of transfers resulting in live births	18.9	4 / 17	0 / 1	0 / 2	0 / 1	
Percentage of transfers resulting in pregnancy	32.4	4 / 17	0 / 1	0 / 2	1 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	25	14
Number of transfers	25	11
Average number of embryos transferred	2.0	1.9
Percentage of embryos transferred resulting in implantation	44.0	19.0
Percentage of transfers resulting in singleton live births	36.0	2 / 11
Percentage of transfers resulting in live births	52.0	3 / 11
Percentage of transfers resulting in pregnancy	68.0	3 / 11

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine and Surgery Center of Virginia, PLC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GENETICS & IVF INSTITUTE
FAIRFAX, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	77%
Unstimulated	0%	Used PGD	30%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	11%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	6%	Male factor	36%	Female factors only	10%
Diminished ovarian reserve	51%	Other factor	25%	Female & male factors	24%
Endometriosis	5%	Unknown factor	4%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 587

Data verified by Laurence C. Udoff, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	86	70	72	22	14	5
Percentage of cancellations	1.2	1.4	4.2	4.5	0 / 14	1 / 5
Average number of embryos transferred	1.9	1.8	2.3	2.4	3.5	3.0
Percentage of embryos transferred resulting in implantation	29.9	16.7	14.0	8.8	4.3	0 / 9
Percentage of elective single embryo transfer (eSET)	15.6	17.9	5.6	0 / 11	0 / 13	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	20.9	15.7	13.9	0.0	1 / 14	0 / 5
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 14	0 / 5
Percentage of cycles resulting in live births	29.1	17.1	16.7	0.0	1 / 14	0 / 5
Percentage of cycles resulting in pregnancy	36.0	21.4	23.6	18.2	3 / 14	0 / 5
Outcomes per Transfer						
Number of transfers	70	50	59	14	13	3
Percentage of transfers resulting in singleton live births	25.7	22.0	16.9	0 / 14	1 / 13	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 14	0 / 13	0 / 3
Percentage of transfers resulting in live births	35.7	24.0	20.3	0 / 14	1 / 13	0 / 3
Percentage of transfers resulting in pregnancy	44.3	30.0	28.8	4 / 14	3 / 13	0 / 3
Outcomes per Pregnancy						
Number of pregnancies	31	15	17	4	3	0
Percentage of pregnancies resulting in singleton live births	58.1	11 / 15	10 / 17	0 / 4	1 / 3	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 15	0 / 17	0 / 4	0 / 3	
Percentage of pregnancies resulting in live births	80.6	12 / 15	12 / 17	0 / 4	1 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	32	18	18	7	2	0
Number of transfers	31	17	16	7	2	0
Average number of embryos transferred	1.6	1.5	1.6	1.7	2.5	
Percentage of embryos transferred resulting in implantation	40.0	38.5	34.6	2 / 12	0 / 5	
Percentage of transfers resulting in singleton live births	25.8	5 / 17	2 / 16	2 / 7	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 17	0 / 16	0 / 7	0 / 2	
Percentage of transfers resulting in live births	41.9	6 / 17	5 / 16	2 / 7	0 / 2	
Percentage of transfers resulting in pregnancy	51.6	7 / 17	7 / 16	3 / 7	0 / 2	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	141	100
Number of transfers	134	89
Average number of embryos transferred	1.9	1.7
Percentage of embryos transferred resulting in implantation	47.2	26.0
Percentage of transfers resulting in singleton live births	38.8	28.1
Percentage of transfers resulting in live births	56.7	33.7
Percentage of transfers resulting in pregnancy	72.4	41.6

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Genetics & IVF Institute

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE MUASHER CENTER FOR FERTILITY AND IVF
FAIRFAX, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	69%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	19%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	7%	Male factor	30%	Female factors only	6%
Diminished ovarian reserve	15%	Other factor	12%	Female & male factors	11%
Endometriosis	4%	Unknown factor	26%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 188

Data verified by Nancy Durso, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	58	39	48	24	7	0
Percentage of cancellations	3.4	7.7	6.3	0.0	1 / 7	
Average number of embryos transferred	2.0	2.1	2.6	2.2	2.2	
Percentage of embryos transferred resulting in implantation	24.0	24.3	6.9	0.0	0 / 11	
Percentage of elective single embryo transfer (eSET)	0.0	0.0	0.0	0 / 15	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	22.4	25.6	10.4	0.0	0 / 7	
Percentage of cycles resulting in triplets or more live births	1.7	0.0	0.0	0.0	0 / 7	
Percentage of cycles resulting in live births	31.0	33.3	12.5	0.0	0 / 7	
Percentage of cycles resulting in pregnancy	37.9	33.3	22.9	0.0	1 / 7	
Outcomes per Transfer						
Number of transfers	51	33	39	21	5	0
Percentage of transfers resulting in singleton live births	25.5	30.3	12.8	0.0	0 / 5	
Percentage of transfers resulting in triplets or more live births	2.0	0.0	0.0	0.0	0 / 5	
Percentage of transfers resulting in live births	35.3	39.4	15.4	0.0	0 / 5	
Percentage of transfers resulting in pregnancy	43.1	39.4	28.2	0.0	1 / 5	
Outcomes per Pregnancy						
Number of pregnancies	22	13	11	0	1	0
Percentage of pregnancies resulting in singleton live births	59.1	10 / 13	5 / 11		0 / 1	
Percentage of pregnancies resulting in triplets or more live births	4.5	0 / 13	0 / 11		0 / 1	
Percentage of pregnancies resulting in live births	81.8	13 / 13	6 / 11		0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	3	2	1	1	0
Number of transfers	0	3	2	1	1	0
Average number of embryos transferred		2.0	3.0	2.0	3.0	
Percentage of embryos transferred resulting in implantation		0 / 6	1 / 6	0 / 2	0 / 3	
Percentage of transfers resulting in singleton live births		0 / 3	1 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births		0 / 3	0 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in live births		0 / 3	1 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy		0 / 3	1 / 2	0 / 1	0 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	2	3
Number of transfers	2	3
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation	0 / 4	2 / 6
Percentage of transfers resulting in singleton live births	0 / 2	0 / 3
Percentage of transfers resulting in live births	0 / 2	1 / 3
Percentage of transfers resulting in pregnancy	1 / 2	1 / 3

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Partners for Fertility and IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

JONES INSTITUTE FOR REPRODUCTIVE MEDICINE
NORFOLK, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	85%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	25%	Uterine factor	13%	*Multiple Factors:*	
Ovulatory dysfunction	21%	Male factor	33%	Female factors only	22%
Diminished ovarian reserve	29%	Other factor	11%	Female & male factors	19%
Endometriosis	12%	Unknown factor	8%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 405 Data verified by Laurel A. Stadtmauer, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	103	62	55	26	7	1
Percentage of cancellations	5.8	8.1	16.4	7.7	2 / 7	0 / 1
Average number of embryos transferred	2.0	2.1	2.1	2.3	2.6	
Percentage of embryos transferred resulting in implantation	28.7	27.3	19.1	15.4	0 / 13	
Percentage of elective single embryo transfer (eSET)	3.4	0.0	0.0	0.0	0 / 5	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.2	14.5	16.4	11.5	0 / 7	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 7	0 / 1
Percentage of cycles resulting in live births	36.9	27.4	21.8	11.5	0 / 7	0 / 1
Percentage of cycles resulting in pregnancy	37.9	35.5	27.3	26.9	0 / 7	0 / 1
Outcomes per Transfer						
Number of transfers	93	53	44	23	5	0
Percentage of transfers resulting in singleton live births	28.0	17.0	20.5	13.0	0 / 5	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 5	
Percentage of transfers resulting in live births	40.9	32.1	27.3	13.0	0 / 5	
Percentage of transfers resulting in pregnancy	41.9	41.5	34.1	30.4	0 / 5	
Outcomes per Pregnancy						
Number of pregnancies	39	22	15	7	0	0
Percentage of pregnancies resulting in singleton live births	66.7	40.9	9 / 15	3 / 7		
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0 / 15	0 / 7		
Percentage of pregnancies resulting in live births	97.4	77.3	12 / 15	3 / 7		
Frozen Embryos from Nondonor Eggs						
Number of cycles	44	26	16	10	5	1
Number of transfers	43	25	15	9	5	1
Average number of embryos transferred	2.2	2.4	2.7	2.3	2.8	3.0
Percentage of embryos transferred resulting in implantation	18.9	31.7	14.6	4.8	0 / 14	0 / 3
Percentage of transfers resulting in singleton live births	16.3	36.0	5 / 15	0 / 9	0 / 5	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 15	0 / 9	0 / 5	0 / 1
Percentage of transfers resulting in live births	20.9	44.0	5 / 15	0 / 9	0 / 5	0 / 1
Percentage of transfers resulting in pregnancy	30.2	52.0	6 / 15	1 / 9	0 / 5	0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	21	28
Number of transfers	19	28
Average number of embryos transferred	2.1	2.2
Percentage of embryos transferred resulting in implantation	56.4	9.8
Percentage of transfers resulting in singleton live births	7 / 19	3.6
Percentage of transfers resulting in live births	11 / 19	3.6
Percentage of transfers resulting in pregnancy	15 / 19	21.4

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Jones Institute for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 3 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

VIRGINIA CENTER FOR REPRODUCTIVE MEDICINE
RESTON, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	98%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	19%	Uterine factor	11%	*Multiple Factors:*	
Ovulatory dysfunction	11%	Male factor	76%	Female factors only	12%
Diminished ovarian reserve	55%	Other factor	20%	Female & male factors	64%
Endometriosis	9%	Unknown factor	<1%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 176

Data verified by Fady I. Sharara, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	46	33	42	21	7	2
Percentage of cancellations	0.0	3.0	0.0	4.8	0 / 7	0 / 2
Average number of embryos transferred	1.8	2.1	2.5	2.2	2.3	2.0
Percentage of embryos transferred resulting in implantation	36.3	36.4	24.3	9.8	3 / 14	0 / 4
Percentage of elective single embryo transfer (eSET)	8.8	7.1	0.0	0 / 14	0 / 6	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	32.6	30.3	28.6	9.5	2 / 7	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 7	0 / 2
Percentage of cycles resulting in live births	43.5	48.5	33.3	9.5	2 / 7	0 / 2
Percentage of cycles resulting in pregnancy	54.3	48.5	45.2	28.6	4 / 7	0 / 2
Outcomes per Transfer						
Number of transfers	45	32	42	19	6	2
Percentage of transfers resulting in singleton live births	33.3	31.3	28.6	2 / 19	2 / 6	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 19	0 / 6	0 / 2
Percentage of transfers resulting in live births	44.4	50.0	33.3	2 / 19	2 / 6	0 / 2
Percentage of transfers resulting in pregnancy	55.6	50.0	45.2	6 / 19	4 / 6	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	25	16	19	6	4	0
Percentage of pregnancies resulting in singleton live births	60.0	10 / 16	12 / 19	2 / 6	2 / 4	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 16	0 / 19	0 / 6	0 / 4	
Percentage of pregnancies resulting in live births	80.0	16 / 16	14 / 19	2 / 6	2 / 4	
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	1	1	0	0	0
Number of transfers	2	1	1	0	0	0
Average number of embryos transferred	1.5	2.0	2.0			
Percentage of embryos transferred resulting in implantation	3 / 3	1 / 2	1 / 2			
Percentage of transfers resulting in singleton live births	1 / 2	0 / 1	0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 2	0 / 1	0 / 1			
Percentage of transfers resulting in live births	1 / 2	0 / 1	0 / 1			
Percentage of transfers resulting in pregnancy	2 / 2	1 / 1	1 / 1			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	19	2
Number of transfers	18	1
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation	63.9	0 / 2
Percentage of transfers resulting in singleton live births	10 / 18	0 / 1
Percentage of transfers resulting in live births	14 / 18	0 / 1
Percentage of transfers resulting in pregnancy	16 / 18	0 / 1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Virginia Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 2 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY INSTITUTE OF VIRGINIA
RICHMOND, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	81%
Unstimulated	0%	Used PGD	4%
Used gestational carrier	3%		

Patient Diagnosis[b]

Tubal factor	11%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	16%	Male factor	33%	Female factors only	3%
Diminished ovarian reserve	14%	Other factor	3%	Female & male factors	7%
Endometriosis	11%	Unknown factor	18%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 271 Data verified by Kenneth A. Steingold, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	82	42	22	14	1	0
Percentage of cancellations	6.1	11.9	22.7	5 / 14	0 / 1	
Average number of embryos transferred	2.0	2.3	2.9	3.1	1.0	
Percentage of embryos transferred resulting in implantation	34.2	33.3	10.2	7.1	0 / 1	
Percentage of elective single embryo transfer (eSET)	12.3	0.0	0 / 17	0 / 9		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	34.1	28.6	22.7	2 / 14	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 14	0 / 1	
Percentage of cycles resulting in live births	45.1	45.2	22.7	2 / 14	0 / 1	
Percentage of cycles resulting in pregnancy	48.8	50.0	22.7	2 / 14	0 / 1	
Outcomes per Transfer						
Number of transfers	73	36	17	9	1	0
Percentage of transfers resulting in singleton live births	38.4	33.3	5 / 17	2 / 9	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 17	0 / 9	0 / 1	
Percentage of transfers resulting in live births	50.7	52.8	5 / 17	2 / 9	0 / 1	
Percentage of transfers resulting in pregnancy	54.8	58.3	5 / 17	2 / 9	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	40	21	5	2	0	0
Percentage of pregnancies resulting in singleton live births	70.0	57.1	5 / 5	2 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0 / 5	0 / 2		
Percentage of pregnancies resulting in live births	92.5	90.5	5 / 5	2 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	52	25	15	2	0	0
Number of transfers	52	25	15	2	0	0
Average number of embryos transferred	2.0	1.9	2.3	4.0		
Percentage of embryos transferred resulting in implantation	35.2	29.2	17.6	3 / 8		
Percentage of transfers resulting in singleton live births	38.5	36.0	4 / 15	1 / 2		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 15	0 / 2		
Percentage of transfers resulting in live births	50.0	44.0	4 / 15	2 / 2		
Percentage of transfers resulting in pregnancy	61.5	52.0	8 / 15	2 / 2		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	9	7
Number of transfers	9	7
Average number of embryos transferred	2.0	2.1
Percentage of embryos transferred resulting in implantation	9 / 18	2 / 15
Percentage of transfers resulting in singleton live births	2 / 9	0 / 7
Percentage of transfers resulting in live births	5 / 9	1 / 7
Percentage of transfers resulting in pregnancy	6 / 9	1 / 7

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Institute of Virginia

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

LIFESOURCE FERTILITY CENTER
RICHMOND, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	85%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	19%	Uterine factor	30%	*Multiple Factors:*	
Ovulatory dysfunction	18%	Male factor	84%	Female factors only	10%
Diminished ovarian reserve	24%	Other factor	1%	Female & male factors	56%
Endometriosis	20%	Unknown factor	1%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 91 Data verified by Joseph G. Gianfortoni, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	22	17	5	1	2	0
Percentage of cancellations	13.6	1 / 17	0 / 5	0 / 1	0 / 2	
Average number of embryos transferred	1.6	1.7	3.0	3.0	2.0	
Percentage of embryos transferred resulting in implantation	55.2	45.5	4 / 15	2 / 3	0 / 4	
Percentage of elective single embryo transfer (eSET)	6 / 17	5 / 13	0 / 5	0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	31.8	3 / 17	2 / 5	0 / 1	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 17	0 / 5	0 / 1	0 / 2	
Percentage of cycles resulting in live births	45.5	5 / 17	3 / 5	1 / 1	0 / 2	
Percentage of cycles resulting in pregnancy	50.0	7 / 17	3 / 5	1 / 1	0 / 2	
Outcomes per Transfer						
Number of transfers	18	13	5	1	2	0
Percentage of transfers resulting in singleton live births	7 / 18	3 / 13	2 / 5	0 / 1	0 / 2	
Percentage of transfers resulting in triplets or more live births	0 / 18	0 / 13	0 / 5	0 / 1	0 / 2	
Percentage of transfers resulting in live births	10 / 18	5 / 13	3 / 5	1 / 1	0 / 2	
Percentage of transfers resulting in pregnancy	11 / 18	7 / 13	3 / 5	1 / 1	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	11	7	3	1	0	0
Percentage of pregnancies resulting in singleton live births	7 / 11	3 / 7	2 / 3	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 11	0 / 7	0 / 3	0 / 1		
Percentage of pregnancies resulting in live births	10 / 11	5 / 7	3 / 3	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	20	15	0	0	1	0
Number of transfers	20	14	0	0	1	0
Average number of embryos transferred	1.7	1.4			4.0	
Percentage of embryos transferred resulting in implantation	47.1	40.0			2 / 4	
Percentage of transfers resulting in singleton live births	40.0	4 / 14			0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 14			0 / 1	
Percentage of transfers resulting in live births	50.0	5 / 14			1 / 1	
Percentage of transfers resulting in pregnancy	60.0	7 / 14			1 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	4	4
Number of transfers	4	4
Average number of embryos transferred	1.5	2.0
Percentage of embryos transferred resulting in implantation	5 / 6	0 / 8
Percentage of transfers resulting in singleton live births	1 / 4	0 / 4
Percentage of transfers resulting in live births	2 / 4	0 / 4
Percentage of transfers resulting in pregnancy	3 / 4	0 / 4

CURRENT CLINIC SERVICES AND PROFILE

Current Name: LifeSource Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE RICHMOND CENTER FOR FERTILITY AND ENDOCRINOLOGY
RICHMOND, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	77%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	12%	Uterine factor	6%	*Multiple Factors:*	
Ovulatory dysfunction	18%	Male factor	63%	Female factors only	9%
Diminished ovarian reserve	23%	Other factor	8%	Female & male factors	29%
Endometriosis	7%	Unknown factor	5%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 141 Data verified by George F. Tidey, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	41	12	19	5	0	0
Percentage of cancellations	2.4	0 / 12	3 / 19	1 / 5		
Average number of embryos transferred	2.1	2.1	2.7	3.8		
Percentage of embryos transferred resulting in implantation	37.9	52.2	12.5	0 / 15		
Percentage of elective single embryo transfer (eSET)	3.1	1 / 11	0 / 11	0 / 4		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.8	6 / 12	2 / 19	0 / 5		
Percentage of cycles resulting in triplets or more live births	0.0	0 / 12	0 / 19	0 / 5		
Percentage of cycles resulting in live births	41.5	9 / 12	3 / 19	0 / 5		
Percentage of cycles resulting in pregnancy	41.5	9 / 12	4 / 19	1 / 5		
Outcomes per Transfer						
Number of transfers	32	11	12	4	0	0
Percentage of transfers resulting in singleton live births	34.4	6 / 11	2 / 12	0 / 4		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 11	0 / 12	0 / 4		
Percentage of transfers resulting in live births	53.1	9 / 11	3 / 12	0 / 4		
Percentage of transfers resulting in pregnancy	53.1	9 / 11	4 / 12	1 / 4		
Outcomes per Pregnancy						
Number of pregnancies	17	9	4	1	0	0
Percentage of pregnancies resulting in singleton live births	11 / 17	6 / 9	2 / 4	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 17	0 / 9	0 / 4	0 / 1		
Percentage of pregnancies resulting in live births	17 / 17	9 / 9	3 / 4	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	22	9	11	1	0	0
Number of transfers	22	9	9	1	0	0
Average number of embryos transferred	1.9	2.1	2.1	4.0		
Percentage of embryos transferred resulting in implantation	39.0	1 / 19	2 / 19	0 / 4		
Percentage of transfers resulting in singleton live births	9.1	1 / 9	2 / 9	0 / 1		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 9	0 / 9	0 / 1		
Percentage of transfers resulting in live births	36.4	1 / 9	2 / 9	0 / 1		
Percentage of transfers resulting in pregnancy	50.0	3 / 9	5 / 9	0 / 1		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	6	15
Number of transfers	6	13
Average number of embryos transferred	1.7	2.0
Percentage of embryos transferred resulting in implantation	3 / 10	46.2
Percentage of transfers resulting in singleton live births	2 / 6	4 / 13
Percentage of transfers resulting in live births	2 / 6	7 / 13
Percentage of transfers resulting in pregnancy	3 / 6	9 / 13

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2011. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 52 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY CENTER FOR ADVANCED REPRODUCTIVE MEDICINE
RICHMOND, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	88%
Unstimulated	0%	Used PGD	13%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	31%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	38%	Male factor	38%	Female factors only	19%
Diminished ovarian reserve	31%	Other factor	38%	Female & male factors	38%
Endometriosis	0%	Unknown factor	6%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 16 Data verified by Richard S. Lucidi, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	4	2	1	1	0	0
Percentage of cancellations	0 / 4	0 / 2	0 / 1	0 / 1		
Average number of embryos transferred	1.8	2.0	3.0	5.0		
Percentage of embryos transferred resulting in implantation	5 / 7	0 / 2	0 / 3	0 / 5		
Percentage of elective single embryo transfer (eSET)	1 / 4	0 / 1	0 / 1	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	2 / 4	0 / 2	0 / 1	0 / 1		
Percentage of cycles resulting in triplets or more live births	0 / 4	0 / 2	0 / 1	0 / 1		
Percentage of cycles resulting in live births	3 / 4	0 / 2	0 / 1	0 / 1		
Percentage of cycles resulting in pregnancy	4 / 4	0 / 2	0 / 1	0 / 1		
Outcomes per Transfer						
Number of transfers	4	1	1	1	0	0
Percentage of transfers resulting in singleton live births	2 / 4	0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in live births	3 / 4	0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in pregnancy	4 / 4	0 / 1	0 / 1	0 / 1		
Outcomes per Pregnancy						
Number of pregnancies	4	0	0	0	0	0
Percentage of pregnancies resulting in singleton live births	2 / 4					
Percentage of pregnancies resulting in triplets or more live births	0 / 4					
Percentage of pregnancies resulting in live births	3 / 4					
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	2	0	0	0	0
Number of transfers	2	2	0	0	0	0
Average number of embryos transferred	1.5	2.0				
Percentage of embryos transferred resulting in implantation	1 / 3	1 / 4				
Percentage of transfers resulting in singleton live births	1 / 2	0 / 2				
Percentage of transfers resulting in triplets or more live births	0 / 2	0 / 2				
Percentage of transfers resulting in live births	1 / 2	0 / 2				
Percentage of transfers resulting in pregnancy	1 / 2	1 / 2				

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	1	0
Number of transfers	1	0
Average number of embryos transferred	1.0	
Percentage of embryos transferred resulting in implantation	0 / 1	
Percentage of transfers resulting in singleton live births	0 / 1	
Percentage of transfers resulting in live births	0 / 1	
Percentage of transfers resulting in pregnancy	0 / 1	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University Center for Advanced Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 3 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2011 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2011 ART cycle data or the clinic's Medical Director did not approve the clinic's 2011 ART cycle data for inclusion in this report.

THE NEW HOPE CENTER FOR REPRODUCTIVE MEDICINE
VIRGINIA BEACH, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	85%
Unstimulated	2%	Used PGD	10%
Used gestational carrier	3%		

Patient Diagnosis[b]

Tubal factor	26%	Uterine factor	10%	*Multiple Factors:*	
Ovulatory dysfunction	25%	Male factor	31%	Female factors only	23%
Diminished ovarian reserve	38%	Other factor	5%	Female & male factors	20%
Endometriosis	15%	Unknown factor	3%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 257

Data verified by Robin L. Poe-Zeigler, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	85	33	22	6	3	1
Percentage of cancellations	1.2	3.0	9.1	0 / 6	1 / 3	1 / 1
Average number of embryos transferred	1.9	2.2	2.4	2.3	3.0	
Percentage of embryos transferred resulting in implantation	38.6	23.9	31.6	2 / 9	1 / 3	
Percentage of elective single embryo transfer (eSET)	5.8	7.4	0 / 14	0 / 4	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	22.4	15.2	18.2	2 / 6	1 / 3	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	3.0	4.5	0 / 6	0 / 3	0 / 1
Percentage of cycles resulting in live births	40.0	24.2	27.3	2 / 6	1 / 3	0 / 1
Percentage of cycles resulting in pregnancy	47.1	36.4	31.8	2 / 6	1 / 3	0 / 1
Outcomes per Transfer						
Number of transfers	74	30	16	4	1	0
Percentage of transfers resulting in singleton live births	25.7	16.7	4 / 16	2 / 4	1 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	3.3	1 / 16	0 / 4	0 / 1	
Percentage of transfers resulting in live births	45.9	26.7	6 / 16	2 / 4	1 / 1	
Percentage of transfers resulting in pregnancy	54.1	40.0	7 / 16	2 / 4	1 / 1	
Outcomes per Pregnancy						
Number of pregnancies	40	12	7	2	1	0
Percentage of pregnancies resulting in singleton live births	47.5	5 / 12	4 / 7	2 / 2	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	1 / 12	1 / 7	0 / 2	0 / 1	
Percentage of pregnancies resulting in live births	85.0	8 / 12	6 / 7	2 / 2	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	35	11	6	2	0	1
Number of transfers	34	7	6	2	0	1
Average number of embryos transferred	1.9	2.1	2.0	3.0		2.0
Percentage of embryos transferred resulting in implantation	27.3	4 / 15	4 / 12	0 / 6		0 / 2
Percentage of transfers resulting in singleton live births	26.5	2 / 7	0 / 6	0 / 2		0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 7	0 / 6	0 / 2		0 / 1
Percentage of transfers resulting in live births	32.4	2 / 7	1 / 6	0 / 2		0 / 1
Percentage of transfers resulting in pregnancy	50.0	3 / 7	4 / 6	1 / 2		0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	19	33
Number of transfers	19	32
Average number of embryos transferred	2.2	2.0
Percentage of embryos transferred resulting in implantation	39.0	30.8
Percentage of transfers resulting in singleton live births	7 / 19	18.8
Percentage of transfers resulting in live births	10 / 19	37.5
Percentage of transfers resulting in pregnancy	12 / 19	50.0

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The New Hope Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 7 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FRANCISCO M. IRIANNI, MD
WINCHESTER, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	60%
Unstimulated	0%	Used PGD	7%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	25%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	10%	Male factor	45%	Female factors only	0%
Diminished ovarian reserve	35%	Other factor	0%	Female & male factors	35%
Endometriosis	5%	Unknown factor	20%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 20 Data verified by Francisco M. Irianni, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	8	4	1	2	0	0
Percentage of cancellations	1 / 8	0 / 4	0 / 1	1 / 2		
Average number of embryos transferred	2.2	2.3	1.0			
Percentage of embryos transferred resulting in implantation	5 / 13	5 / 9	0 / 1			
Percentage of elective single embryo transfer (eSET)	0 / 6	0 / 3				
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	1 / 8	1 / 4	0 / 1	0 / 2		
Percentage of cycles resulting in triplets or more live births	0 / 8	1 / 4	0 / 1	0 / 2		
Percentage of cycles resulting in live births	3 / 8	2 / 4	0 / 1	0 / 2		
Percentage of cycles resulting in pregnancy	4 / 8	3 / 4	0 / 1	0 / 2		
Outcomes per Transfer						
Number of transfers	6	4	1	0	0	0
Percentage of transfers resulting in singleton live births	1 / 6	1 / 4	0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 6	1 / 4	0 / 1			
Percentage of transfers resulting in live births	3 / 6	2 / 4	0 / 1			
Percentage of transfers resulting in pregnancy	4 / 6	3 / 4	0 / 1			
Outcomes per Pregnancy						
Number of pregnancies	4	3	0	0	0	0
Percentage of pregnancies resulting in singleton live births	1 / 4	1 / 3				
Percentage of pregnancies resulting in triplets or more live births	0 / 4	1 / 3				
Percentage of pregnancies resulting in live births	3 / 4	2 / 3				
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	1	0	0	0	0
Number of transfers	2	1	0	0	0	0
Average number of embryos transferred	2.0	2.0				
Percentage of embryos transferred resulting in implantation	0 / 4	0 / 2				
Percentage of transfers resulting in singleton live births	0 / 2	0 / 1				
Percentage of transfers resulting in triplets or more live births	0 / 2	0 / 1				
Percentage of transfers resulting in live births	0 / 2	0 / 1				
Percentage of transfers resulting in pregnancy	0 / 2	0 / 1				

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	2	0
Number of transfers	2	0
Average number of embryos transferred	2.0	
Percentage of embryos transferred resulting in implantation	3 / 4	
Percentage of transfers resulting in singleton live births	1 / 2	
Percentage of transfers resulting in live births	2 / 2	
Percentage of transfers resulting in pregnancy	2 / 2	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Francisco M. Irianni, MD

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

OVERLAKE REPRODUCTIVE HEALTH, INC., PS
BELLEVUE, WASHINGTON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	47%
Unstimulated	0%	Used PGD	14%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	64%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	59%	Male factor	50%	Female factors only	42%
Diminished ovarian reserve	78%	Other factor	<1%	Female & male factors	48%
Endometriosis	7%	Unknown factor	1%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 139 Data verified by Kevin M. Johnson, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	44	20	26	3	5	3
Percentage of cancellations	2.3	5.0	7.7	0 / 3	0 / 5	2 / 3
Average number of embryos transferred	2.0	2.3	3.1	3.5	1.8	5.0
Percentage of embryos transferred resulting in implantation	37.2	36.1	22.4	0 / 7	0 / 7	0 / 5
Percentage of elective single embryo transfer (eSET)	8.3	0 / 12	0 / 17	0 / 2	0 / 2	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	20.5	40.0	11.5	0 / 3	0 / 5	0 / 3
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 3	0 / 5	0 / 3
Percentage of cycles resulting in live births	34.1	45.0	23.1	0 / 3	0 / 5	0 / 3
Percentage of cycles resulting in pregnancy	45.5	50.0	34.6	0 / 3	0 / 5	0 / 3
Outcomes per Transfer						
Number of transfers	40	16	19	2	4	1
Percentage of transfers resulting in singleton live births	22.5	8 / 16	3 / 19	0 / 2	0 / 4	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0 / 19	0 / 2	0 / 4	0 / 1
Percentage of transfers resulting in live births	37.5	9 / 16	6 / 19	0 / 2	0 / 4	0 / 1
Percentage of transfers resulting in pregnancy	50.0	10 / 16	9 / 19	0 / 2	0 / 4	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	20	10	9	0	0	0
Percentage of pregnancies resulting in singleton live births	45.0	8 / 10	3 / 9			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 10	0 / 9			
Percentage of pregnancies resulting in live births	75.0	9 / 10	6 / 9			
Frozen Embryos from Nondonor Eggs						
Number of cycles	16	2	4	0	0	0
Number of transfers	14	1	4	0	0	0
Average number of embryos transferred	1.8	1.0	1.8			
Percentage of embryos transferred resulting in implantation	44.0	1 / 1	0 / 7			
Percentage of transfers resulting in singleton live births	6 / 14	1 / 1	0 / 4			
Percentage of transfers resulting in triplets or more live births	0 / 14	0 / 1	0 / 4			
Percentage of transfers resulting in live births	8 / 14	1 / 1	0 / 4			
Percentage of transfers resulting in pregnancy	8 / 14	1 / 1	0 / 4			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	9	7
Number of transfers	9	6
Average number of embryos transferred	1.9	1.8
Percentage of embryos transferred resulting in implantation	9 / 17	3 / 11
Percentage of transfers resulting in singleton live births	4 / 9	2 / 6
Percentage of transfers resulting in live births	6 / 9	2 / 6
Percentage of transfers resulting in pregnancy	7 / 9	3 / 6

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Overlake Reproductive Health, Inc., PS

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WASHINGTON CENTER FOR REPRODUCTIVE MEDICINE
BELLEVUE, WASHINGTON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	72%
Unstimulated	0%	Used PGD	63%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	9%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	2%	Male factor	16%	Female factors only	9%
Diminished ovarian reserve	24%	Other factor	52%	Female & male factors	3%
Endometriosis	2%	Unknown factor	4%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 153

Data verified by James I. Kustin, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	53	21	21	3	2	0
Percentage of cancellations	0.0	0.0	0.0	0 / 3	1 / 2	
Average number of embryos transferred	2.0	2.3	1.9	4.0	4.0	
Percentage of embryos transferred resulting in implantation	41.8	34.9	7.4	2 / 8	0 / 4	
Percentage of elective single embryo transfer (eSET)	5.0	0 / 15	0 / 9	0 / 2	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	20.8	33.3	0.0	1 / 3	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 3	0 / 2	
Percentage of cycles resulting in live births	37.7	42.9	4.8	1 / 3	0 / 2	
Percentage of cycles resulting in pregnancy	45.3	57.1	4.8	2 / 3	0 / 2	
Outcomes per Transfer						
Number of transfers	46	19	14	2	1	0
Percentage of transfers resulting in singleton live births	23.9	7 / 19	0 / 14	1 / 2	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 19	0 / 14	0 / 2	0 / 1	
Percentage of transfers resulting in live births	43.5	9 / 19	1 / 14	1 / 2	0 / 1	
Percentage of transfers resulting in pregnancy	52.2	12 / 19	1 / 14	2 / 2	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	24	12	1	2	0	0
Percentage of pregnancies resulting in singleton live births	45.8	7 / 12	0 / 1	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 12	0 / 1	0 / 2		
Percentage of pregnancies resulting in live births	83.3	9 / 12	1 / 1	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	15	7	4	1	0	0
Number of transfers	15	6	3	1	0	0
Average number of embryos transferred	2.3	2.2	2.0	2.0		
Percentage of embryos transferred resulting in implantation	42.9	2 / 13	0 / 6	0 / 2		
Percentage of transfers resulting in singleton live births	5 / 15	2 / 6	0 / 3	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 15	0 / 6	0 / 3	0 / 1		
Percentage of transfers resulting in live births	8 / 15	2 / 6	0 / 3	0 / 1		
Percentage of transfers resulting in pregnancy	10 / 15	2 / 6	0 / 3	0 / 1		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	17	9
Number of transfers	13	9
Average number of embryos transferred	2.2	2.2
Percentage of embryos transferred resulting in implantation	53.6	25.0
Percentage of transfers resulting in singleton live births	3 / 13	3 / 9
Percentage of transfers resulting in live births	8 / 13	3 / 9
Percentage of transfers resulting in pregnancy	9 / 13	4 / 9

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Washington Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BELLINGHAM IVF & FERTILITY CARE
BELLINGHAM, WASHINGTON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	91%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	7%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	24%	Male factor	58%	Female factors only	6%
Diminished ovarian reserve	22%	Other factor	16%	Female & male factors	33%
Endometriosis	7%	Unknown factor	4%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 86

Data verified by Emmett Branigan, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	19	13	8	2	0	1
Percentage of cancellations	0 / 19	0 / 13	0 / 8	1 / 2		0 / 1
Average number of embryos transferred	2.1	2.2	2.5	2.0		1.0
Percentage of embryos transferred resulting in implantation	38.9	12.5	5.0	1 / 2		0 / 1
Percentage of elective single embryo transfer (eSET)	0 / 17	0 / 11	0 / 8	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	8 / 19	3 / 13	1 / 8	1 / 2		0 / 1
Percentage of cycles resulting in triplets or more live births	0 / 19	0 / 13	0 / 8	0 / 2		0 / 1
Percentage of cycles resulting in live births	11 / 19	3 / 13	1 / 8	1 / 2		0 / 1
Percentage of cycles resulting in pregnancy	12 / 19	4 / 13	1 / 8	1 / 2		0 / 1
Outcomes per Transfer						
Number of transfers	17	11	8	1	0	1
Percentage of transfers resulting in singleton live births	8 / 17	3 / 11	1 / 8	1 / 1		0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 17	0 / 11	0 / 8	0 / 1		0 / 1
Percentage of transfers resulting in live births	11 / 17	3 / 11	1 / 8	1 / 1		0 / 1
Percentage of transfers resulting in pregnancy	12 / 17	4 / 11	1 / 8	1 / 1		0 / 1
Outcomes per Pregnancy						
Number of pregnancies	12	4	1	1	0	0
Percentage of pregnancies resulting in singleton live births	8 / 12	3 / 4	1 / 1	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 12	0 / 4	0 / 1	0 / 1		
Percentage of pregnancies resulting in live births	11 / 12	3 / 4	1 / 1	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	12	6	3	0	0
Number of transfers	7	12	6	3	0	0
Average number of embryos transferred	2.3	2.0	2.3	2.3		
Percentage of embryos transferred resulting in implantation	2 / 16	16.7	0 / 14	0 / 7		
Percentage of transfers resulting in singleton live births	2 / 7	4 / 12	0 / 6	0 / 3		
Percentage of transfers resulting in triplets or more live births	0 / 7	0 / 12	0 / 6	0 / 3		
Percentage of transfers resulting in live births	2 / 7	4 / 12	0 / 6	0 / 3		
Percentage of transfers resulting in pregnancy	3 / 7	4 / 12	0 / 6	0 / 3		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	11	4
Number of transfers	11	4
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation	45.5	0 / 8
Percentage of transfers resulting in singleton live births	6 / 11	0 / 4
Percentage of transfers resulting in live births	8 / 11	0 / 4
Percentage of transfers resulting in pregnancy	10 / 11	0 / 4

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Bellingham IVF & Fertility Care

Donor egg?	Yes	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

OLYMPIA WOMEN'S HEALTH
OLYMPIA, WASHINGTON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	0%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	15%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	5%	Male factor	0%	Female factors only	0%
Diminished ovarian reserve	8%	Other factor	0%	Female & male factors	0%
Endometriosis	31%	Unknown factor	42%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 65

Data verified by James F. Moruzzi, MD, PhD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	32	4	10	2	1	1
Percentage of cancellations	6.3	0 / 4	0 / 10	0 / 2	0 / 1	0 / 1
Average number of embryos transferred	1.9	1.8	2.4	2.0	2.0	2.0
Percentage of embryos transferred resulting in implantation	36.4	1 / 7	20.8	2 / 4	1 / 2	0 / 2
Percentage of elective single embryo transfer (eSET)	4.2	0 / 3	0 / 10	0 / 2	0 / 1	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.0	1 / 4	2 / 10	0 / 2	1 / 1	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0 / 4	0 / 10	0 / 2	0 / 1	0 / 1
Percentage of cycles resulting in live births	40.6	1 / 4	3 / 10	1 / 2	1 / 1	0 / 1
Percentage of cycles resulting in pregnancy	43.8	1 / 4	3 / 10	1 / 2	1 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	29	4	10	2	1	1
Percentage of transfers resulting in singleton live births	27.6	1 / 4	2 / 10	0 / 2	1 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 4	0 / 10	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in live births	44.8	1 / 4	3 / 10	1 / 2	1 / 1	0 / 1
Percentage of transfers resulting in pregnancy	48.3	1 / 4	3 / 10	1 / 2	1 / 1	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	14	1	3	1	1	0
Percentage of pregnancies resulting in singleton live births	8 / 14	1 / 1	2 / 3	0 / 1	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 14	0 / 1	0 / 3	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births	13 / 14	1 / 1	3 / 3	1 / 1	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	9	0	4	1	0	1
Number of transfers	9	0	4	1	0	1
Average number of embryos transferred	1.8		1.8	2.0		2.0
Percentage of embryos transferred resulting in implantation	3 / 16		1 / 7	1 / 2		1 / 2
Percentage of transfers resulting in singleton live births	3 / 9		1 / 4	1 / 1		1 / 1
Percentage of transfers resulting in triplets or more live births	0 / 9		0 / 4	0 / 1		0 / 1
Percentage of transfers resulting in live births	3 / 9		1 / 4	1 / 1		1 / 1
Percentage of transfers resulting in pregnancy	3 / 9		1 / 4	1 / 1		1 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation		
Percentage of transfers resulting in singleton live births		
Percentage of transfers resulting in live births		
Percentage of transfers resulting in pregnancy		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Olympia Women's Health

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PACIFIC NORTHWEST FERTILITY AND IVF SPECIALISTS
SEATTLE, WASHINGTON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	94%
Unstimulated	0%	Used PGD	2%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	3%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	6%	Male factor	26%	Female factors only	6%
Diminished ovarian reserve	43%	Other factor	26%	Female & male factors	11%
Endometriosis	7%	Unknown factor	6%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 649

Data verified by Lorna A. Marshall, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	81	44	59	29	13	3
Percentage of cancellations	2.5	4.5	6.8	0.0	1 / 13	0 / 3
Average number of embryos transferred	1.8	1.8	2.5	3.3	4.8	4.3
Percentage of embryos transferred resulting in implantation	35.7	33.3	22.1	8.2	1.7	0 / 13
Percentage of elective single embryo transfer (eSET)	23.7	25.0	0.0	0.0	0 / 12	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.9	22.7	23.7	13.8	1 / 13	0 / 3
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	3.4	0 / 13	0 / 3
Percentage of cycles resulting in live births	40.7	34.1	32.2	17.2	1 / 13	0 / 3
Percentage of cycles resulting in pregnancy	50.6	36.4	39.0	17.2	1 / 13	0 / 3
Outcomes per Transfer						
Number of transfers	78	39	54	29	12	3
Percentage of transfers resulting in singleton live births	32.1	25.6	25.9	13.8	1 / 12	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	3.4	0 / 12	0 / 3
Percentage of transfers resulting in live births	42.3	38.5	35.2	17.2	1 / 12	0 / 3
Percentage of transfers resulting in pregnancy	52.6	41.0	42.6	17.2	1 / 12	0 / 3
Outcomes per Pregnancy						
Number of pregnancies	41	16	23	5	1	0
Percentage of pregnancies resulting in singleton live births	61.0	10 / 16	60.9	4 / 5	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 16	0.0	1 / 5	0 / 1	
Percentage of pregnancies resulting in live births	80.5	15 / 16	82.6	5 / 5	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	79	61	54	24	1	2
Number of transfers	69	51	46	20	1	2
Average number of embryos transferred	1.7	1.7	1.8	1.6	2.0	1.0
Percentage of embryos transferred resulting in implantation	50.9	43.7	31.7	28.1	2 / 2	0 / 2
Percentage of transfers resulting in singleton live births	30.4	25.5	34.8	20.0	1 / 1	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	5.0	0 / 1	0 / 2
Percentage of transfers resulting in live births	52.2	41.2	43.5	25.0	1 / 1	0 / 2
Percentage of transfers resulting in pregnancy	63.8	58.8	47.8	30.0	1 / 1	0 / 2

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	71	128
Number of transfers	67	122
Average number of embryos transferred	1.5	1.5
Percentage of embryos transferred resulting in implantation	67.6	43.9
Percentage of transfers resulting in singleton live births	47.8	38.5
Percentage of transfers resulting in live births	67.2	49.2
Percentage of transfers resulting in pregnancy	76.1	58.2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Pacific Northwest Fertility and IVF Specialists

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 50 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SEATTLE REPRODUCTIVE MEDICINE
INTEGRAMED AMERICA
SEATTLE, WASHINGTON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	64%
Unstimulated	0%	Used PGD	2%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	12%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	13%	Male factor	34%	Female factors only	9%
Diminished ovarian reserve	34%	Other factor	9%	Female & male factors	14%
Endometriosis	10%	Unknown factor	11%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 1720 Data verified by Lynn B. Davis, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	444	191	257	111	30	4
Percentage of cancellations	5.4	6.8	11.7	19.8	13.3	1 / 4
Average number of embryos transferred	1.6	1.8	2.2	2.7	2.9	2.7
Percentage of embryos transferred resulting in implantation	40.1	34.9	18.4	13.8	9.5	0 / 8
Percentage of elective single embryo transfer (eSET)	37.5	27.2	4.6	0.0	0.0	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	32.9	30.4	17.9	14.4	10.0	0 / 4
Percentage of cycles resulting in triplets or more live births	0.2	0.0	0.4	0.0	0.0	0 / 4
Percentage of cycles resulting in live births	41.9	37.7	21.8	17.1	13.3	0 / 4
Percentage of cycles resulting in pregnancy	46.2	46.1	29.6	23.4	23.3	0 / 4
Outcomes per Transfer						
Number of transfers	390	169	210	82	22	3
Percentage of transfers resulting in singleton live births	37.4	34.3	21.9	19.5	13.6	0 / 3
Percentage of transfers resulting in triplets or more live births	0.3	0.0	0.5	0.0	0.0	0 / 3
Percentage of transfers resulting in live births	47.7	42.6	26.7	23.2	18.2	0 / 3
Percentage of transfers resulting in pregnancy	52.6	52.1	36.2	31.7	31.8	0 / 3
Outcomes per Pregnancy						
Number of pregnancies	205	88	76	26	7	0
Percentage of pregnancies resulting in singleton live births	71.2	65.9	60.5	61.5	3 / 7	
Percentage of pregnancies resulting in triplets or more live births	0.5	0.0	1.3	0.0	0 / 7	
Percentage of pregnancies resulting in live births	90.7	81.8	73.7	73.1	4 / 7	
Frozen Embryos from Nondonor Eggs						
Number of cycles	168	78	73	23	5	5
Number of transfers	150	63	57	19	3	5
Average number of embryos transferred	1.6	1.5	1.4	1.5	2.3	1.4
Percentage of embryos transferred resulting in implantation	33.2	31.3	27.8	10.7	1 / 7	0 / 7
Percentage of transfers resulting in singleton live births	31.3	34.9	35.1	3 / 19	0 / 3	0 / 5
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 19	0 / 3	0 / 5
Percentage of transfers resulting in live births	39.3	38.1	35.1	3 / 19	0 / 3	0 / 5
Percentage of transfers resulting in pregnancy	46.0	46.0	40.4	4 / 19	1 / 3	0 / 5

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	234	97
Number of transfers	217	88
Average number of embryos transferred	1.6	1.8
Percentage of embryos transferred resulting in implantation	54.5	27.9
Percentage of transfers resulting in singleton live births	45.2	23.9
Percentage of transfers resulting in live births	61.8	31.8
Percentage of transfers resulting in pregnancy	71.0	46.6

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Seattle Reproductive Medicine, Integramed America

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY REPRODUCTIVE CARE
UNIVERSITY OF WASHINGTON
SEATTLE, WASHINGTON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	87%
Unstimulated	0%	Used PGD	11%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	7%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	7%	Male factor	30%	Female factors only	0%
Diminished ovarian reserve	33%	Other factor	12%	Female & male factors	7%
Endometriosis	5%	Unknown factor	14%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 43

Data verified by Paul W. Zarutskie, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	19	4	11	3	0	1
Percentage of cancellations	4 / 19	0 / 4	1 / 11	0 / 3		0 / 1
Average number of embryos transferred	1.8	1.7	2.4	2.0		
Percentage of embryos transferred resulting in implantation	38.1	1 / 5	1 / 19	2 / 6		
Percentage of elective single embryo transfer (eSET)	3 / 11	1 / 3	0 / 7	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	4 / 19	1 / 4	0 / 11	0 / 3		0 / 1
Percentage of cycles resulting in triplets or more live births	0 / 19	0 / 4	0 / 11	0 / 3		0 / 1
Percentage of cycles resulting in live births	6 / 19	1 / 4	0 / 11	1 / 3		0 / 1
Percentage of cycles resulting in pregnancy	7 / 19	1 / 4	1 / 11	1 / 3		0 / 1
Outcomes per Transfer						
Number of transfers	12	3	8	3	0	0
Percentage of transfers resulting in singleton live births	4 / 12	1 / 3	0 / 8	0 / 3		
Percentage of transfers resulting in triplets or more live births	0 / 12	0 / 3	0 / 8	0 / 3		
Percentage of transfers resulting in live births	6 / 12	1 / 3	0 / 8	1 / 3		
Percentage of transfers resulting in pregnancy	7 / 12	1 / 3	1 / 8	1 / 3		
Outcomes per Pregnancy						
Number of pregnancies	7	1	1	1	0	0
Percentage of pregnancies resulting in singleton live births	4 / 7	1 / 1	0 / 1	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 7	0 / 1	0 / 1	0 / 1		
Percentage of pregnancies resulting in live births	6 / 7	1 / 1	0 / 1	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	2	1	0	0	0
Number of transfers	1	1	1	0	0	0
Average number of embryos transferred	2.0	2.0	2.0			
Percentage of embryos transferred resulting in implantation	1 / 2	0 / 2	0 / 2			
Percentage of transfers resulting in singleton live births	1 / 1	0 / 1	0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 1	0 / 1	0 / 1			
Percentage of transfers resulting in live births	1 / 1	0 / 1	0 / 1			
Percentage of transfers resulting in pregnancy	1 / 1	0 / 1	0 / 1			

	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Donor Eggs		
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation		
Percentage of transfers resulting in singleton live births		
Percentage of transfers resulting in live births		
Percentage of transfers resulting in pregnancy		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University Reproductive Care, University of Washington

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 3 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE CENTER FOR REPRODUCTIVE HEALTH
SPOKANE, WASHINGTON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	100%
Unstimulated	0%	Used PGD	2%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	9%	Uterine factor	1%	*Multiple Factors:*	
Ovulatory dysfunction	16%	Male factor	69%	Female factors only	10%
Diminished ovarian reserve	21%	Other factor	20%	Female & male factors	28%
Endometriosis	10%	Unknown factor	4%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 199 Data verified by Edwin Robins, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	38	5	1	1	0	0
Percentage of cancellations	0.0	0 / 5	0 / 1	0 / 1		
Average number of embryos transferred	1.9	1.8	2.0	3.0		
Percentage of embryos transferred resulting in implantation	68.1	8 / 9	2 / 2	2 / 3		
Percentage of elective single embryo transfer (eSET)	10.8	1 / 5	0 / 1	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	42.1	2 / 5	0 / 1	0 / 1		
Percentage of cycles resulting in triplets or more live births	0.0	1 / 5	0 / 1	0 / 1		
Percentage of cycles resulting in live births	78.9	4 / 5	1 / 1	1 / 1		
Percentage of cycles resulting in pregnancy	84.2	4 / 5	1 / 1	1 / 1		
Outcomes per Transfer						
Number of transfers	38	5	1	1	0	0
Percentage of transfers resulting in singleton live births	42.1	2 / 5	0 / 1	0 / 1		
Percentage of transfers resulting in triplets or more live births	0.0	1 / 5	0 / 1	0 / 1		
Percentage of transfers resulting in live births	78.9	4 / 5	1 / 1	1 / 1		
Percentage of transfers resulting in pregnancy	84.2	4 / 5	1 / 1	1 / 1		
Outcomes per Pregnancy						
Number of pregnancies	32	4	1	1	0	0
Percentage of pregnancies resulting in singleton live births	50.0	2 / 4	0 / 1	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0.0	1 / 4	0 / 1	0 / 1		
Percentage of pregnancies resulting in live births	93.8	4 / 4	1 / 1	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	69	39	22	2	1	0
Number of transfers	69	39	22	2	1	0
Average number of embryos transferred	1.9	1.8	1.6	1.5	2.0	
Percentage of embryos transferred resulting in implantation	29.9	21.1	40.0	1 / 3	1 / 2	
Percentage of transfers resulting in singleton live births	27.5	20.5	31.8	1 / 2	1 / 1	
Percentage of transfers resulting in triplets or more live births	1.4	0.0	0.0	0 / 2	0 / 1	
Percentage of transfers resulting in live births	39.1	25.6	31.8	1 / 2	1 / 1	
Percentage of transfers resulting in pregnancy	49.3	41.0	50.0	1 / 2	1 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	8	13
Number of transfers	6	13
Average number of embryos transferred	1.8	1.8
Percentage of embryos transferred resulting in implantation	8 / 11	30.4
Percentage of transfers resulting in singleton live births	2 / 6	2 / 13
Percentage of transfers resulting in live births	5 / 6	4 / 13
Percentage of transfers resulting in pregnancy	5 / 6	5 / 13

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Center for Reproductive Health

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 127 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GYFT CLINIC, PLLC
TACOMA, WASHINGTON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	54%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	25%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	12%	Male factor	45%	Female factors only	12%
Diminished ovarian reserve	22%	Other factor	2%	Female & male factors	16%
Endometriosis	14%	Unknown factor	12%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 49

Data verified by Robert Z. McLees, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	14	11	7	1	2	0
Percentage of cancellations	0 / 14	2 / 11	0 / 7	0 / 1	0 / 2	
Average number of embryos transferred	2.2	3.6	4.2	4.0	3.0	
Percentage of embryos transferred resulting in implantation	32.3	18.8	12.0	0 / 4	0 / 6	
Percentage of elective single embryo transfer (eSET)	0 / 14	0 / 9	0 / 6	0 / 1	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	2 / 14	5 / 11	1 / 7	0 / 1	0 / 2	
Percentage of cycles resulting in triplets or more live births	0 / 14	0 / 11	0 / 7	0 / 1	0 / 2	
Percentage of cycles resulting in live births	5 / 14	5 / 11	1 / 7	0 / 1	0 / 2	
Percentage of cycles resulting in pregnancy	6 / 14	5 / 11	3 / 7	0 / 1	0 / 2	
Outcomes per Transfer						
Number of transfers	14	9	6	1	2	0
Percentage of transfers resulting in singleton live births	2 / 14	5 / 9	1 / 6	0 / 1	0 / 2	
Percentage of transfers resulting in triplets or more live births	0 / 14	0 / 9	0 / 6	0 / 1	0 / 2	
Percentage of transfers resulting in live births	5 / 14	5 / 9	1 / 6	0 / 1	0 / 2	
Percentage of transfers resulting in pregnancy	6 / 14	5 / 9	3 / 6	0 / 1	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	6	5	3	0	0	0
Percentage of pregnancies resulting in singleton live births	2 / 6	5 / 5	1 / 3			
Percentage of pregnancies resulting in triplets or more live births	0 / 6	0 / 5	0 / 3			
Percentage of pregnancies resulting in live births	5 / 6	5 / 5	1 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	2	2	1	0	0
Number of transfers	5	2	2	1	0	0
Average number of embryos transferred	2.4	2.0	2.5	2.0		
Percentage of embryos transferred resulting in implantation	2 / 12	3 / 4	1 / 5	0 / 2		
Percentage of transfers resulting in singleton live births	1 / 5	0 / 2	1 / 2	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 5	1 / 2	0 / 2	0 / 1		
Percentage of transfers resulting in live births	1 / 5	1 / 2	1 / 2	0 / 1		
Percentage of transfers resulting in pregnancy	2 / 5	1 / 2	1 / 2	0 / 1		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	2	2
Number of transfers	2	2
Average number of embryos transferred	2.5	2.5
Percentage of embryos transferred resulting in implantation	1 / 5	0 / 5
Percentage of transfers resulting in singleton live births	1 / 2	0 / 2
Percentage of transfers resulting in live births	1 / 2	0 / 2
Percentage of transfers resulting in pregnancy	1 / 2	0 / 2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2011. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 52 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MADIGAN ARMY MEDICAL CENTER
TACOMA, WASHINGTON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	64%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	26%	Uterine factor	6%	*Multiple Factors:*	
Ovulatory dysfunction	8%	Male factor	48%	Female factors only	5%
Diminished ovarian reserve	23%	Other factor	4%	Female & male factors	24%
Endometriosis	9%	Unknown factor	8%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 131 Data verified by Greg E. Chow, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	47	26	27	16	1	0
Percentage of cancellations	12.8	15.4	33.3	4 / 16	0 / 1	
Average number of embryos transferred	1.8	1.9	2.2	2.6	1.0	
Percentage of embryos transferred resulting in implantation	43.1	30.0	18.4	16.1	2 / 1	
Percentage of elective single embryo transfer (eSET)	19.4	2 / 17	1 / 16	0 / 8		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.5	34.6	14.8	4 / 16	1 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 16	0 / 1	
Percentage of cycles resulting in live births	42.6	38.5	14.8	4 / 16	1 / 1	
Percentage of cycles resulting in pregnancy	51.1	46.2	22.2	4 / 16	1 / 1	
Outcomes per Transfer						
Number of transfers	40	21	17	12	1	0
Percentage of transfers resulting in singleton live births	30.0	42.9	4 / 17	4 / 12	1 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 17	0 / 12	0 / 1	
Percentage of transfers resulting in live births	50.0	47.6	4 / 17	4 / 12	1 / 1	
Percentage of transfers resulting in pregnancy	60.0	57.1	6 / 17	4 / 12	1 / 1	
Outcomes per Pregnancy						
Number of pregnancies	24	12	6	4	1	0
Percentage of pregnancies resulting in singleton live births	50.0	9 / 12	4 / 6	4 / 4	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 12	0 / 6	0 / 4	0 / 1	
Percentage of pregnancies resulting in live births	83.3	10 / 12	4 / 6	4 / 4	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	2	1	4	0	1
Number of transfers	6	2	1	3	0	1
Average number of embryos transferred	2.2	2.5	2.0	2.3		2.0
Percentage of embryos transferred resulting in implantation	3 / 13	1 / 5	0 / 2	3 / 7		0 / 2
Percentage of transfers resulting in singleton live births	3 / 6	1 / 2	0 / 1	1 / 3		0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 2	0 / 1	0 / 3		0 / 1
Percentage of transfers resulting in live births	3 / 6	1 / 2	0 / 1	2 / 3		0 / 1
Percentage of transfers resulting in pregnancy	3 / 6	1 / 2	1 / 1	2 / 3		0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation		
Percentage of transfers resulting in singleton live births		
Percentage of transfers resulting in live births		
Percentage of transfers resulting in pregnancy		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Madigan Army Medical Center

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WEST VIRGINIA UNIVERSITY FERTILITY CENTER
CHARLESTON, WEST VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	41%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	20%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	26%	Male factor	26%	Female factors only	3%
Diminished ovarian reserve	34%	Other factor	0%	Female & male factors	11%
Endometriosis	0%	Unknown factor	9%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 35 Data verified by Pickens A. Gantt, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	14	4	2	2	0	0
Percentage of cancellations	0 / 14	0 / 4	0 / 2	0 / 2		
Average number of embryos transferred	2.4	2.7	3.5	3.0		
Percentage of embryos transferred resulting in implantation	27.6	0 / 8	0 / 7	0 / 3		
Percentage of elective single embryo transfer (eSET)	0 / 12	0 / 3	0 / 2	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	4 / 14	0 / 4	0 / 2	0 / 2		
Percentage of cycles resulting in triplets or more live births	0 / 14	0 / 4	0 / 2	0 / 2		
Percentage of cycles resulting in live births	5 / 14	0 / 4	0 / 2	0 / 2		
Percentage of cycles resulting in pregnancy	7 / 14	0 / 4	0 / 2	0 / 2		
Outcomes per Transfer						
Number of transfers	12	3	2	1	0	0
Percentage of transfers resulting in singleton live births	4 / 12	0 / 3	0 / 2	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 12	0 / 3	0 / 2	0 / 1		
Percentage of transfers resulting in live births	5 / 12	0 / 3	0 / 2	0 / 1		
Percentage of transfers resulting in pregnancy	7 / 12	0 / 3	0 / 2	0 / 1		
Outcomes per Pregnancy						
Number of pregnancies	7	0	0	0	0	0
Percentage of pregnancies resulting in singleton live births	4 / 7					
Percentage of pregnancies resulting in triplets or more live births	0 / 7					
Percentage of pregnancies resulting in live births	5 / 7					
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	5	0	0	0	0
Number of transfers	6	5	0	0	0	0
Average number of embryos transferred	2.3	3.0				
Percentage of embryos transferred resulting in implantation	3 / 14	1 / 15				
Percentage of transfers resulting in singleton live births	3 / 6	1 / 5				
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 5				
Percentage of transfers resulting in live births	3 / 6	1 / 5				
Percentage of transfers resulting in pregnancy	3 / 6	1 / 5				

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	2	0
Number of transfers	2	0
Average number of embryos transferred	2.5	
Percentage of embryos transferred resulting in implantation	3 / 5	
Percentage of transfers resulting in singleton live births	1 / 2	
Percentage of transfers resulting in live births	2 / 2	
Percentage of transfers resulting in pregnancy	2 / 2	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: West Virginia University Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CABELL HUNTINGTON HOSPITAL
CENTER FOR ADVANCED REPRODUCTIVE MEDICINE
HUNTINGTON, WEST VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	27%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	5%		

Patient Diagnosis[b]

Tubal factor	31%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	23%	Male factor	35%	Female factors only	4%
Diminished ovarian reserve	0%	Other factor	15%	Female & male factors	8%
Endometriosis	8%	Unknown factor	0%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 26 Data verified by William N. Burns, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	14	7	1	0	0	0
Percentage of cancellations	0 / 14	0 / 7	0 / 1			
Average number of embryos transferred	2.6	3.0	4.0			
Percentage of embryos transferred resulting in implantation	17.6	4 / 18	1 / 4			
Percentage of elective single embryo transfer (eSET)	0 / 12	0 / 6	0 / 1			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	4 / 14	1 / 7	0 / 1			
Percentage of cycles resulting in triplets or more live births	0 / 14	0 / 7	0 / 1			
Percentage of cycles resulting in live births	5 / 14	2 / 7	0 / 1			
Percentage of cycles resulting in pregnancy	5 / 14	3 / 7	1 / 1			
Outcomes per Transfer						
Number of transfers	13	6	1	0	0	0
Percentage of transfers resulting in singleton live births	4 / 13	1 / 6	0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 13	0 / 6	0 / 1			
Percentage of transfers resulting in live births	5 / 13	2 / 6	0 / 1			
Percentage of transfers resulting in pregnancy	5 / 13	3 / 6	1 / 1			
Outcomes per Pregnancy						
Number of pregnancies	5	3	1	0	0	0
Percentage of pregnancies resulting in singleton live births	4 / 5	1 / 3	0 / 1			
Percentage of pregnancies resulting in triplets or more live births	0 / 5	0 / 3	0 / 1			
Percentage of pregnancies resulting in live births	5 / 5	2 / 3	0 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	3	0	1	0	0	0
Number of transfers	3	0	1	0	0	0
Average number of embryos transferred	1.7		1.0			
Percentage of embryos transferred resulting in implantation	2 / 5		0 / 1			
Percentage of transfers resulting in singleton live births	1 / 3		0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 3		0 / 1			
Percentage of transfers resulting in live births	1 / 3		0 / 1			
Percentage of transfers resulting in pregnancy	2 / 3		0 / 1			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation		
Percentage of transfers resulting in singleton live births		
Percentage of transfers resulting in live births		
Percentage of transfers resulting in pregnancy		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Cabell Huntington Hospital, Center for Advanced Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WEST VIRGINIA UNIVERSITY CENTER FOR REPRODUCTIVE MEDICINE
MORGANTOWN, WEST VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	53%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	31%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	23%	Male factor	68%	Female factors only	16%
Diminished ovarian reserve	44%	Other factor	15%	Female & male factors	65%
Endometriosis	31%	Unknown factor	3%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 62 Data verified by Roger C. Toffle, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	22	18	8	6	1	0
Percentage of cancellations	31.8	7 / 18	2 / 8	1 / 6	1 / 1	
Average number of embryos transferred	2.1	2.2	2.0	2.5		
Percentage of embryos transferred resulting in implantation	43.3	30.0	0 / 10	0 / 5		
Percentage of elective single embryo transfer (eSET)	0 / 13	0 / 8	0 / 4	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	18.2	2 / 18	0 / 8	0 / 6	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 18	0 / 8	0 / 6	0 / 1	
Percentage of cycles resulting in live births	36.4	4 / 18	0 / 8	0 / 6	0 / 1	
Percentage of cycles resulting in pregnancy	36.4	4 / 18	0 / 8	0 / 6	0 / 1	
Outcomes per Transfer						
Number of transfers	14	9	5	2	0	0
Percentage of transfers resulting in singleton live births	4 / 14	2 / 9	0 / 5	0 / 2		
Percentage of transfers resulting in triplets or more live births	0 / 14	0 / 9	0 / 5	0 / 2		
Percentage of transfers resulting in live births	8 / 14	4 / 9	0 / 5	0 / 2		
Percentage of transfers resulting in pregnancy	8 / 14	4 / 9	0 / 5	0 / 2		
Outcomes per Pregnancy						
Number of pregnancies	8	4	0	0	0	0
Percentage of pregnancies resulting in singleton live births	4 / 8	2 / 4				
Percentage of pregnancies resulting in triplets or more live births	0 / 8	0 / 4				
Percentage of pregnancies resulting in live births	8 / 8	4 / 4				
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	1	2	0	0	0
Number of transfers	3	1	2	0	0	0
Average number of embryos transferred	2.3	2.0	3.0			
Percentage of embryos transferred resulting in implantation	0 / 7	0 / 2	2 / 6			
Percentage of transfers resulting in singleton live births	0 / 3	0 / 1	0 / 2			
Percentage of transfers resulting in triplets or more live births	0 / 3	0 / 1	0 / 2			
Percentage of transfers resulting in live births	0 / 3	0 / 1	1 / 2			
Percentage of transfers resulting in pregnancy	0 / 3	0 / 1	1 / 2			

	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Donor Eggs		
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation		
Percentage of transfers resulting in singleton live births		
Percentage of transfers resulting in live births		
Percentage of transfers resulting in pregnancy		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: West Virginia University Center for Reproductive Medicine

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

AURORA FERTILITY SERVICES-GREEN BAY
THE WOMEN'S CENTER AT AURORA BAYCARE MEDICAL CENTER
GREEN BAY, WISCONSIN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	98%
Unstimulated	0%	Used PGD	6%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	16%	Uterine factor	12%	*Multiple Factors:*	
Ovulatory dysfunction	16%	Male factor	89%	Female factors only	2%
Diminished ovarian reserve	9%	Other factor	19%	Female & male factors	50%
Endometriosis	5%	Unknown factor	0%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 151

Data verified by Ellen C. Hayes, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	56	29	14	4	2	0
Percentage of cancellations	1.8	0.0	0 / 14	0 / 4	1 / 2	
Average number of embryos transferred	2.0	2.1	1.9	1.8	1.0	
Percentage of embryos transferred resulting in implantation	47.2	37.7	14.3	0 / 7	1 / 1	
Percentage of elective single embryo transfer (eSET)	3.8	4.2	1 / 10	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.8	34.5	2 / 14	0 / 4	1 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 14	0 / 4	0 / 2	
Percentage of cycles resulting in live births	51.8	41.4	2 / 14	0 / 4	1 / 2	
Percentage of cycles resulting in pregnancy	57.1	48.3	3 / 14	0 / 4	1 / 2	
Outcomes per Transfer						
Number of transfers	54	25	11	4	1	0
Percentage of transfers resulting in singleton live births	27.8	40.0	2 / 11	0 / 4	1 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 11	0 / 4	0 / 1	
Percentage of transfers resulting in live births	53.7	48.0	2 / 11	0 / 4	1 / 1	
Percentage of transfers resulting in pregnancy	59.3	56.0	3 / 11	0 / 4	1 / 1	
Outcomes per Pregnancy						
Number of pregnancies	32	14	3	0	1	0
Percentage of pregnancies resulting in singleton live births	46.9	10 / 14	2 / 3		1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 14	0 / 3		0 / 1	
Percentage of pregnancies resulting in live births	90.6	12 / 14	2 / 3		1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	27	9	4	1	0	0
Number of transfers	24	9	4	1	0	0
Average number of embryos transferred	2.1	2.0	1.3	1.0		
Percentage of embryos transferred resulting in implantation	32.0	2 / 18	1 / 5	0 / 1		
Percentage of transfers resulting in singleton live births	50.0	1 / 9	1 / 4	0 / 1		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 9	0 / 4	0 / 1		
Percentage of transfers resulting in live births	50.0	1 / 9	1 / 4	0 / 1		
Percentage of transfers resulting in pregnancy	58.3	2 / 9	1 / 4	0 / 1		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	3	2
Number of transfers	3	2
Average number of embryos transferred	2.0	3.0
Percentage of embryos transferred resulting in implantation	2 / 6	0 / 6
Percentage of transfers resulting in singleton live births	2 / 3	0 / 2
Percentage of transfers resulting in live births	2 / 3	0 / 2
Percentage of transfers resulting in pregnancy	2 / 3	0 / 2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2011. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 52 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GUNDERSEN LUTHERAN FERTILITY CENTER
LA CROSSE, WISCONSIN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	89%
Unstimulated	0%	Used PGD	15%
Used gestational carrier	4%		

Patient Diagnosis[b]

Tubal factor	18%	Uterine factor	20%	*Multiple Factors:*	
Ovulatory dysfunction	27%	Male factor	51%	Female factors only	28%
Diminished ovarian reserve	20%	Other factor	31%	Female & male factors	39%
Endometriosis	39%	Unknown factor	0%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 71

Data verified by Catherine R. Ryan, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	27	6	13	1	0	0
Percentage of cancellations	0.0	1 / 6	3 / 13	0 / 1		
Average number of embryos transferred	1.7	2.3	2.1	3.0		
Percentage of embryos transferred resulting in implantation	32.5	3 / 9	2 / 17	0 / 3		
Percentage of elective single embryo transfer (eSET)	33.3	0 / 4	0 / 4	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	29.6	0 / 6	2 / 13	0 / 1		
Percentage of cycles resulting in triplets or more live births	0.0	0 / 6	0 / 13	0 / 1		
Percentage of cycles resulting in live births	37.0	1 / 6	2 / 13	0 / 1		
Percentage of cycles resulting in pregnancy	37.0	1 / 6	2 / 13	0 / 1		
Outcomes per Transfer						
Number of transfers	23	4	8	1	0	0
Percentage of transfers resulting in singleton live births	34.8	0 / 4	2 / 8	0 / 1		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 4	0 / 8	0 / 1		
Percentage of transfers resulting in live births	43.5	1 / 4	2 / 8	0 / 1		
Percentage of transfers resulting in pregnancy	43.5	1 / 4	2 / 8	0 / 1		
Outcomes per Pregnancy						
Number of pregnancies	10	1	2	0	0	0
Percentage of pregnancies resulting in singleton live births	8 / 10	0 / 1	2 / 2			
Percentage of pregnancies resulting in triplets or more live births	0 / 10	0 / 1	0 / 2			
Percentage of pregnancies resulting in live births	10 / 10	1 / 1	2 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	15	2	0	0	0	0
Number of transfers	14	2	0	0	0	0
Average number of embryos transferred	2.3	2.0				
Percentage of embryos transferred resulting in implantation	21.9	0 / 4				
Percentage of transfers resulting in singleton live births	3 / 14	0 / 2				
Percentage of transfers resulting in triplets or more live births	0 / 14	0 / 2				
Percentage of transfers resulting in live births	5 / 14	0 / 2				
Percentage of transfers resulting in pregnancy	6 / 14	0 / 2				

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	4	3
Number of transfers	2	3
Average number of embryos transferred	1.0	1.7
Percentage of embryos transferred resulting in implantation	1 / 2	0 / 5
Percentage of transfers resulting in singleton live births	1 / 2	0 / 3
Percentage of transfers resulting in live births	1 / 2	0 / 3
Percentage of transfers resulting in pregnancy	1 / 2	0 / 3

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2011. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 52 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF WISCONSIN-GENERATIONS FERTILITY CARE
MIDDLETON, WISCONSIN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	61%
Unstimulated	0%	Used PGD	5%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	10%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	19%	Male factor	57%	Female factors only	5%
Diminished ovarian reserve	7%	Other factor	8%	Female & male factors	19%
Endometriosis	7%	Unknown factor	14%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 108

Data verified by Dan I. Lebovic, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	60	13	10	3	0	0
Percentage of cancellations	8.3	3 / 13	3 / 10	0 / 3		
Average number of embryos transferred	1.7	2.2	2.5	2.3		
Percentage of embryos transferred resulting in implantation	36.2	31.8	3 / 15	3 / 7		
Percentage of elective single embryo transfer (eSET)	30.2	0 / 10	0 / 6	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.0	5 / 13	1 / 10	0 / 3		
Percentage of cycles resulting in triplets or more live births	0.0	0 / 13	0 / 10	0 / 3		
Percentage of cycles resulting in live births	41.7	6 / 13	2 / 10	1 / 3		
Percentage of cycles resulting in pregnancy	48.3	6 / 13	2 / 10	2 / 3		
Outcomes per Transfer						
Number of transfers	54	10	6	3	0	0
Percentage of transfers resulting in singleton live births	33.3	5 / 10	1 / 6	0 / 3		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 10	0 / 6	0 / 3		
Percentage of transfers resulting in live births	46.3	6 / 10	2 / 6	1 / 3		
Percentage of transfers resulting in pregnancy	53.7	6 / 10	2 / 6	2 / 3		
Outcomes per Pregnancy						
Number of pregnancies	29	6	2	2	0	0
Percentage of pregnancies resulting in singleton live births	62.1	5 / 6	1 / 2	0 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 6	0 / 2	0 / 2		
Percentage of pregnancies resulting in live births	86.2	6 / 6	2 / 2	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	15	3	3	0	0	0
Number of transfers	15	3	3	0	0	0
Average number of embryos transferred	2.1	2.3	2.0			
Percentage of embryos transferred resulting in implantation	18.8	1 / 7	1 / 6			
Percentage of transfers resulting in singleton live births	2 / 15	1 / 3	1 / 3			
Percentage of transfers resulting in triplets or more live births	0 / 15	0 / 3	0 / 3			
Percentage of transfers resulting in live births	3 / 15	1 / 3	1 / 3			
Percentage of transfers resulting in pregnancy	5 / 15	1 / 3	1 / 3			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	0	1
Number of transfers	0	1
Average number of embryos transferred		1.0
Percentage of embryos transferred resulting in implantation		0 / 1
Percentage of transfers resulting in singleton live births		0 / 1
Percentage of transfers resulting in live births		0 / 1
Percentage of transfers resulting in pregnancy		0 / 1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University of Wisconsin-Generations Fertility Care

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WISCONSIN FERTILITY INSTITUTE
MIDDLETON, WISCONSIN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	82%
Unstimulated	2%	Used PGD	10%
Used gestational carrier	3%		

Patient Diagnosis[b]

Tubal factor	8%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	16%	Male factor	29%	Female factors only	7%
Diminished ovarian reserve	46%	Other factor	11%	Female & male factors	20%
Endometriosis	4%	Unknown factor	8%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 256

Data verified by David L. Olive, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	58	18	26	15	2	0
Percentage of cancellations	8.6	0 / 18	15.4	6 / 15	0 / 2	
Average number of embryos transferred	2.4	2.9	2.4	3.3	6.5	
Percentage of embryos transferred resulting in implantation	17.9	15.2	22.7	3.3	0 / 13	
Percentage of elective single embryo transfer (eSET)	2.2	1 / 16	0 / 14	0 / 8	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	19.0	3 / 18	7.7	1 / 15	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 18	0.0	0 / 15	0 / 2	
Percentage of cycles resulting in live births	22.4	4 / 18	19.2	1 / 15	0 / 2	
Percentage of cycles resulting in pregnancy	32.8	4 / 18	30.8	1 / 15	0 / 2	
Outcomes per Transfer						
Number of transfers	45	16	18	9	2	0
Percentage of transfers resulting in singleton live births	24.4	3 / 16	2 / 18	1 / 9	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0 / 18	0 / 9	0 / 2	
Percentage of transfers resulting in live births	28.9	4 / 16	5 / 18	1 / 9	0 / 2	
Percentage of transfers resulting in pregnancy	42.2	4 / 16	8 / 18	1 / 9	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	19	4	8	1	0	0
Percentage of pregnancies resulting in singleton live births	11 / 19	3 / 4	2 / 8	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 19	0 / 4	0 / 8	0 / 1		
Percentage of pregnancies resulting in live births	13 / 19	4 / 4	5 / 8	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	41	15	12	4	0	2
Number of transfers	39	15	12	4	0	2
Average number of embryos transferred	2.4	2.1	1.8	2.3		4.0
Percentage of embryos transferred resulting in implantation	16.8	18.8	9.1	0 / 9		0 / 8
Percentage of transfers resulting in singleton live births	20.5	0 / 15	2 / 12	0 / 4		0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0 / 15	0 / 12	0 / 4		0 / 2
Percentage of transfers resulting in live births	28.2	2 / 15	2 / 12	0 / 4		0 / 2
Percentage of transfers resulting in pregnancy	35.9	3 / 15	2 / 12	0 / 4		0 / 2

	All Ages Combined[f]	
Donor Eggs	**Fresh Embryos**	**Frozen Embryos**
Number of cycles	29	34
Number of transfers	24	31
Average number of embryos transferred	2.1	2.1
Percentage of embryos transferred resulting in implantation	49.0	3.0
Percentage of transfers resulting in singleton live births	25.0	6.5
Percentage of transfers resulting in live births	45.8	6.5
Percentage of transfers resulting in pregnancy	66.7	6.5

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Wisconsin Fertility Institute

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 3 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FROEDTERT & MEDICAL COLLEGE OF WISCONSIN REPRODUCTIVE MEDICINE CENTER MILWAUKEE, WISCONSIN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	95%
Unstimulated	0%	Used PGD	4%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	13%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	19%	Male factor	42%	Female factors only	10%
Diminished ovarian reserve	28%	Other factor	3%	Female & male factors	15%
Endometriosis	3%	Unknown factor	15%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 313 Data verified by Estil Strawn, Jr., MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	114	36	39	12	2	0
Percentage of cancellations	3.5	5.6	7.7	0 / 12	0 / 2	
Average number of embryos transferred	1.6	1.9	2.3	2.9	3.5	
Percentage of embryos transferred resulting in implantation	36.8	27.6	20.8	9.4	1 / 7	
Percentage of elective single embryo transfer (eSET)	35.8	17.9	0.0	0 / 10	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	36.0	27.8	10.3	3 / 12	1 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	2.6	0 / 12	0 / 2	
Percentage of cycles resulting in live births	42.1	33.3	20.5	3 / 12	1 / 2	
Percentage of cycles resulting in pregnancy	45.6	36.1	25.6	3 / 12	1 / 2	
Outcomes per Transfer						
Number of transfers	99	31	33	11	2	0
Percentage of transfers resulting in singleton live births	41.4	32.3	12.1	3 / 11	1 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	3.0	0 / 11	0 / 2	
Percentage of transfers resulting in live births	48.5	38.7	24.2	3 / 11	1 / 2	
Percentage of transfers resulting in pregnancy	52.5	41.9	30.3	3 / 11	1 / 2	
Outcomes per Pregnancy						
Number of pregnancies	52	13	10	3	1	0
Percentage of pregnancies resulting in singleton live births	78.8	10 / 13	4 / 10	3 / 3	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 13	1 / 10	0 / 3	0 / 1	
Percentage of pregnancies resulting in live births	92.3	12 / 13	8 / 10	3 / 3	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	47	19	12	1	2	0
Number of transfers	41	18	10	1	2	0
Average number of embryos transferred	1.9	2.0	2.1	2.0	2.0	
Percentage of embryos transferred resulting in implantation	32.1	36.1	28.6	0 / 2	1 / 4	
Percentage of transfers resulting in singleton live births	26.8	3 / 18	3 / 10	0 / 1	1 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 18	0 / 10	0 / 1	0 / 2	
Percentage of transfers resulting in live births	36.6	6 / 18	4 / 10	0 / 1	1 / 2	
Percentage of transfers resulting in pregnancy	46.3	10 / 18	5 / 10	0 / 1	1 / 2	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	20	9
Number of transfers	19	9
Average number of embryos transferred	1.5	1.9
Percentage of embryos transferred resulting in implantation	34.5	3 / 17
Percentage of transfers resulting in singleton live births	7 / 19	3 / 9
Percentage of transfers resulting in live births	8 / 19	3 / 9
Percentage of transfers resulting in pregnancy	9 / 19	3 / 9

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Froedtert & Medical College of Wisconsin, Reproductive Medicine Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 3 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE SPECIALTY CENTER
IVF COLUMBIA
MILWAUKEE, WISCONSIN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	61%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	18%	Uterine factor	12%	*Multiple Factors:*	
Ovulatory dysfunction	0%	Male factor	72%	Female factors only	9%
Diminished ovarian reserve	23%	Other factor	0%	Female & male factors	32%
Endometriosis	23%	Unknown factor	4%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 57

Data verified by Grace M. Janik, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	14	10	9	3	2	0
Percentage of cancellations	0 / 14	0 / 10	2 / 9	1 / 3	0 / 2	
Average number of embryos transferred	2.1	2.1	1.8	3.0	4.0	
Percentage of embryos transferred resulting in implantation	36.0	23.8	2 / 7	0 / 6	0 / 4	
Percentage of elective single embryo transfer (eSET)	1 / 12	0 / 9	0 / 3	0 / 2	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	3 / 14	3 / 10	0 / 9	0 / 3	0 / 2	
Percentage of cycles resulting in triplets or more live births	0 / 14	0 / 10	0 / 9	0 / 3	0 / 2	
Percentage of cycles resulting in live births	5 / 14	4 / 10	0 / 9	0 / 3	0 / 2	
Percentage of cycles resulting in pregnancy	7 / 14	5 / 10	1 / 9	0 / 3	0 / 2	
Outcomes per Transfer						
Number of transfers	12	10	4	2	1	0
Percentage of transfers resulting in singleton live births	3 / 12	3 / 10	0 / 4	0 / 2	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 12	0 / 10	0 / 4	0 / 2	0 / 1	
Percentage of transfers resulting in live births	5 / 12	4 / 10	0 / 4	0 / 2	0 / 1	
Percentage of transfers resulting in pregnancy	7 / 12	5 / 10	1 / 4	0 / 2	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	7	5	1	0	0	0
Percentage of pregnancies resulting in singleton live births	3 / 7	3 / 5	0 / 1			
Percentage of pregnancies resulting in triplets or more live births	0 / 7	0 / 5	0 / 1			
Percentage of pregnancies resulting in live births	5 / 7	4 / 5	0 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	9	5	1	0	0
Number of transfers	2	8	5	1	0	0
Average number of embryos transferred	2.5	1.8	2.6	3.0		
Percentage of embryos transferred resulting in implantation	2 / 5	3 / 14	4 / 13	2 / 3		
Percentage of transfers resulting in singleton live births	2 / 2	3 / 8	1 / 5	1 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 2	0 / 8	0 / 5	0 / 1		
Percentage of transfers resulting in live births	2 / 2	3 / 8	2 / 5	1 / 1		
Percentage of transfers resulting in pregnancy	2 / 2	3 / 8	2 / 5	1 / 1		

	All Ages Combined[f]	
Donor Eggs	**Fresh Embryos**	**Frozen Embryos**
Number of cycles	2	0
Number of transfers	1	0
Average number of embryos transferred	1.0	
Percentage of embryos transferred resulting in implantation	1 / 1	
Percentage of transfers resulting in singleton live births	1 / 1	
Percentage of transfers resulting in live births	1 / 1	
Percentage of transfers resulting in pregnancy	1 / 1	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Specialty Center, IVF Columbia

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

AURORA HEALTH CARE-AURORA FERTILITY SERVICES, WEST ALLIS
WEST ALLIS, WISCONSIN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	92%
Unstimulated	0%	Used PGD	4%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	16%	Uterine factor	7%	*Multiple Factors:*	
Ovulatory dysfunction	21%	Male factor	69%	Female factors only	12%
Diminished ovarian reserve	39%	Other factor	22%	Female & male factors	57%
Endometriosis	7%	Unknown factor	5%		

2011 ART SUCCESS RATES[c,d]

Number of cycles in table:[e] 152

Data verified by Ellen C. Hayes, MD

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	57	21	23	9	3	0
Percentage of cancellations	3.5	0.0	17.4	2 / 9	0 / 3	
Average number of embryos transferred	2.0	2.3	2.2	2.2	2.7	
Percentage of embryos transferred resulting in implantation	47.1	35.6	11.4	3 / 11	0 / 8	
Percentage of elective single embryo transfer (eSET)	0.0	0.0	0 / 13	0 / 3	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	24.6	47.6	13.0	1 / 9	0 / 3	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 9	0 / 3	
Percentage of cycles resulting in live births	49.1	52.4	13.0	2 / 9	0 / 3	
Percentage of cycles resulting in pregnancy	56.1	61.9	26.1	2 / 9	0 / 3	
Outcomes per Transfer						
Number of transfers	50	20	16	5	3	0
Percentage of transfers resulting in singleton live births	28.0	50.0	3 / 16	1 / 5	0 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 16	0 / 5	0 / 3	
Percentage of transfers resulting in live births	56.0	55.0	3 / 16	2 / 5	0 / 3	
Percentage of transfers resulting in pregnancy	64.0	65.0	6 / 16	2 / 5	0 / 3	
Outcomes per Pregnancy						
Number of pregnancies	32	13	6	2	0	0
Percentage of pregnancies resulting in singleton live births	43.8	10 / 13	3 / 6	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 13	0 / 6	0 / 2		
Percentage of pregnancies resulting in live births	87.5	11 / 13	3 / 6	2 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	13	3	8	3	1	0
Number of transfers	11	3	7	3	0	0
Average number of embryos transferred	1.8	2.0	1.9	1.7		
Percentage of embryos transferred resulting in implantation	35.0	2 / 6	2 / 13	0 / 5		
Percentage of transfers resulting in singleton live births	3 / 11	0 / 3	0 / 7	0 / 3		
Percentage of transfers resulting in triplets or more live births	0 / 11	0 / 3	0 / 7	0 / 3		
Percentage of transfers resulting in live births	4 / 11	1 / 3	0 / 7	0 / 3		
Percentage of transfers resulting in pregnancy	7 / 11	2 / 3	2 / 7	0 / 3		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	10	1
Number of transfers	10	1
Average number of embryos transferred	1.9	2.0
Percentage of embryos transferred resulting in implantation	10 / 19	0 / 2
Percentage of transfers resulting in singleton live births	3 / 10	0 / 1
Percentage of transfers resulting in live births	5 / 10	0 / 1
Percentage of transfers resulting in pregnancy	6 / 10	0 / 1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2011. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number excludes 52 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.