

2011

Assisted Reproductive Technology

Fertility Clinic Success Rates Report

National Center for Chronic Disease Prevention and Health Promotion
Division of Reproductive Health




Updates to this report will be posted on the CDC Web site at the following address:

<http://www.cdc.gov/art/ART2011>

For additional information, send an e-mail to cdcinfo@cdc.gov (Subject: ART)

Or write to CDC, ATTN: ART Surveillance and Research Team
4770 Buford Highway, N.E.; Mail Stop F-74; Atlanta, GA 30341-3717.



2011

Assisted Reproductive Technology

Fertility Clinic Success Rates Report

August 2013

Acknowledgments

The Centers for Disease Control and Prevention, the Society for Assisted Reproductive Technology, and the American Society for Reproductive Medicine thank RESOLVE: The National Infertility Association and The American Fertility Association for their commitment to assisted reproductive technology (ART) surveillance. Their assistance in making this report informative and helpful to people considering an ART procedure is greatly appreciated. Appendix D has current contact information for these national consumer organizations.

This publication was developed and produced by the National Center for Chronic Disease Prevention and Health Promotion of the Centers for Disease Control and Prevention in consultation with the American Society for Reproductive Medicine and the Society for Assisted Reproductive Technology.

Centers for Disease Control and Prevention

National Center for Chronic Disease
Prevention and Health Promotion

Ursula E. Bauer, PhD, MPH, Director

Division of Reproductive Health

CAPT Wanda D. Barfield, MD, MPH, Director
Kelly Brumbaugh, MPH, CHES

Women's Health and Fertility Branch

Denise J. Jamieson, MD, MPH, Chief
Jeani Chang, MPH
Sheree Lynn Boulet, DrPH
Sara Crawford, PhD
Dmitry Kissin, MD, MPH
Aniket D. Kulkarni, MBBS, MPH
Allison S. Mneimneh, MPH, CPM
Mithi Sunderam, PhD
Yujia Zhang, PhD

American Society for Reproductive Medicine

Linda C. Giudice, MD, PhD, President

Society for Assisted Reproductive Technology

G. David Ball, PhD, President
Kelley Jefferson

The data included in this report and publication support were provided by Westat under Contract No. GS-23F-8144H for the National Center for Chronic Disease Prevention and Health Promotion, Centers for Disease Control and Prevention, U.S. Department of Health and Human Services.

Suggested Citation: Centers for Disease Control and Prevention, American Society for Reproductive Medicine, Society for Assisted Reproductive Technology. *2011 Assisted Reproductive Technology Fertility Clinic Success Rates Report*. Atlanta (GA): US Dept of Health and Human Services; 2013.

Table of Contents

Preface	1
Commonly Asked Questions About the U.S. ART Clinic Reporting System	3
2011 Fertility Clinic Tables	11
Introduction to Fertility Clinic Tables	13
Important Factors to Consider When Using These Tables to Assess a Clinic	13
How to Read a Fertility Clinic Table	17
2011 National Summary	24
Alabama	25
Alaska	31
Arizona	32
Arkansas	42
California	43
Colorado	118
Connecticut	126
Delaware	135
District of Columbia	137
Florida	141
Georgia	170
Hawaii	179
Idaho	185
Illinois	186
Indiana	214
Iowa	224
Kansas	226
Kentucky	231
Louisiana	235
Maryland	239
Massachusetts	247
Michigan	256
Minnesota	270
Mississippi	275
Missouri	278
Montana	286
Nebraska	287

Nevada	289
New Hampshire	294
New Jersey	295
New Mexico	317
New York	318
North Carolina	356
North Dakota	367
Ohio	368
Oklahoma	379
Oregon	383
Pennsylvania	387
Puerto Rico	407
Rhode Island	410
South Carolina	411
South Dakota	415
Tennessee	416
Texas	424
Utah	467
Vermont	471
Virginia	472
Washington	486
West Virginia	496
Wisconsin	499
Appendix A: Technical Notes	507
Validation of 2011 ART Data	509
Appendix B: Glossary of Terms	511
Appendix C: ART Clinics	517
Reporting ART Clinics for 2011, by State	519
Nonreporting ART Clinics for 2011, by State	557
Appendix D: National Consumer Organizations	559

Preface

For many people who want to start a family, the dream of having a child is not easily realized; about 12% of women of childbearing age in the United States have used an infertility service. Assisted reproductive technology (ART) has been used in the United States since 1981 to help women become pregnant, most commonly through the transfer of fertilized human eggs into a woman's uterus. However, for many people, deciding whether to undergo this expensive and time-consuming treatment can be difficult.

The goal of this report is to help potential ART users make informed decisions about ART by providing some of the information needed to answer the following questions:

- What are my chances of having a child by using ART?
- Where can I go to get this treatment?

The Society for Assisted Reproductive Technology (SART), an organization of ART providers affiliated with the American Society for Reproductive Medicine (ASRM), has been collecting data and publishing annual reports of pregnancy success rates for fertility clinics in the United States and Canada since 1989. In 1992, the U.S. Congress passed the Fertility Clinic Success Rate and Certification Act. This law requires the Centers for Disease Control and Prevention (CDC) to publish pregnancy success rates for ART in fertility clinics in the United States. (For more details about the law, see <http://www.cdc.gov/art/Policy.htm>.) Since 1995, CDC has worked in consultation with SART and ASRM to report ART success rates.

The 2011 report of pregnancy success rates is the seventeenth to be issued under the law. This report is based on the latest available data on the type, number, and outcome of ART cycles performed in U.S. clinics.

The 2011 ART report has three major sections:

- ***Commonly Asked Questions About the U.S. ART Clinic Reporting System.*** This section provides background information on infertility and ART and an explanation of the data collection, analysis, and publication processes.
- ***Fertility Clinic Tables.*** Many factors contribute to the success of ART, including the training and experience of the ART clinic and laboratory professionals, the quality of services, and the characteristics of the patient population. The Fertility Clinic Tables section displays ART results and success rates for individual U.S. fertility clinics in 2011. The section also includes the 2011 National Summary table, which combines data from all clinics.
- ***Appendixes:***
 - Appendix A** provides information about 2011 data validation activities.
 - Appendix B** provides definitions for technical and medical terms used throughout the report.

Appendix C includes the current names and addresses of all reporting clinics along with a list of clinics known to be in operation in 2011 that did not report their data to CDC as required by law.

Appendix D includes the names and addresses of national consumer organizations that offer support to people experiencing infertility.

Success rates can be reported in a variety of ways, and the statistical aspects of these rates can be difficult to interpret. This report is intended for the general public, and the emphasis is on presenting the information in an easily understandable form. CDC hopes that this report is informative and helpful to people considering an ART procedure. We welcome any suggestions for improving the report and making it easier to use. (Please contact us at cdcinfo@cdc.gov [Subject: ART].)

In addition to the *2011 Assisted Reproductive Technology Fertility Clinic Success Rates Report*, CDC also publishes the *2011 Assisted Reproductive Technology National Summary Report* (available in December 2013), which provides an overall national picture that uses 2011 data to answer specific questions related to ART success rates.

Commonly Asked Questions About the U.S. ART Clinic Reporting System

Background Information, Data Collection Methods, Content and Design of the Report, and Additional Information About ART in the United States

1. How many people in the United States have infertility problems?

The latest data on infertility available to the Centers for Disease Control and Prevention (CDC) are from the 2006–2010 National Survey of Family Growth. (For more details about the data, see http://www.cdc.gov/nchs/nsfg/abc_list_i.htm#infertility).

- Of the approximately 62 million women aged 15–44 years in 2010, about 7.4 million, or 12%, had received infertility services at some time in their lives. (Infertility services include medical tests to diagnose infertility, medical advice and treatments to help a woman become pregnant, and services other than routine prenatal care to prevent miscarriage.)
- Additionally, 1.5 million married women aged 15–44 years are infertile (unable to get pregnant for at least 12 consecutive months).

2. What is assisted reproductive technology (ART)?

Although various definitions have been used for ART, the definition used in this report is based on the 1992 law that requires CDC to publish this report. According to this definition, ART includes all fertility treatments in which both eggs and sperm are handled. In general, ART procedures involve surgically removing eggs from a woman's ovaries, combining them with sperm in the laboratory, and returning them to the woman's body or donating them to another woman. They do NOT include treatments in which only sperm are handled (i.e., intrauterine insemination) or procedures in which a woman takes drugs only to stimulate egg production without the intention of having eggs surgically retrieved.

The main type of ART is **in vitro fertilization (IVF)**. IVF involves extracting a woman's eggs, fertilizing the eggs in the laboratory, and then transferring the resulting embryos into the woman's uterus through the cervix. For some IVF procedures, fertilization involves a specialized technique known as intracytoplasmic sperm injection (ICSI). In ICSI, a single sperm is injected directly into the woman's egg.

Other types of ART exist, but are rarely performed. **Gamete intrafallopian transfer (GIFT)** involves using a fiber optic instrument called a laparoscope to guide the transfer of unfertilized eggs and sperm (gametes) into the woman's fallopian tubes through small incisions in her abdomen. **Zygote intrafallopian transfer (ZIFT)** involves fertilizing a woman's eggs in the laboratory and then using a laparoscope to guide the transfer of the fertilized eggs (zygotes) into her fallopian tubes.

In addition, ART often is categorized according to whether the procedure used a woman's own eggs (nondonor) or eggs from another woman (donor) and according to whether the embryos used were newly fertilized (fresh) or previously fertilized, frozen, and then thawed (frozen).

3. What is an ART cycle?

Because ART consists of several steps over an interval of approximately 2 weeks, an ART procedure is typically referred to as a **cycle** of treatment rather than a procedure at a single point in time. The start of an ART cycle is when a woman begins taking drugs to stimulate egg production or starts ovarian monitoring with the intent of having embryos transferred. For the purposes of this report, data on **all cycles that were started**, even those that were discontinued before all steps were undertaken, are counted in the clinic's success rates.

4. How do U.S. ART clinics report data to CDC about their success rates?

CDC contracts with a statistical survey research organization, Westat, to obtain the data published in the *Fertility Clinic Success Rates Report*. Westat maintains a list of all ART clinics known to be in operation and tracks clinic reorganizations and closings. This list includes clinics and individual providers that are members of the Society for Assisted Reproductive Technology (SART) as well as clinics and providers that are not SART members. Westat maintains the National ART Surveillance System (NASS), the Web-based data collection system that all ART clinics use to submit data to CDC. Clinics either electronically enter or import data into NASS for each ART cycle started in a given reporting year. SART-member clinics can report directly to SART, and SART submits the data to NASS. The data collected include information on the client's medical history (such as infertility diagnoses), clinical information pertaining to the ART procedure, and information on resulting pregnancies and births.

5. Why is the report of 2011 success rates being published in 2013?

Before success rates based on live births can be calculated, every ART pregnancy must be followed up to determine whether a birth occurred. Therefore, the earliest possible date that clinics can report complete annual data is late in the year after ART treatment was initiated (about 9 months past year-end, when all the births have occurred). Accordingly, the results of all the cycles initiated in 2011 were not known until October 2012. After ART outcomes are known, the following occurs before the report is published:

- Clinics enter their 2011 data into NASS and verify the data's accuracy before submitting the data at the end of 2012 to Westat.
- Westat compiles a national data set in the beginning of 2013 from the data submitted by individual clinics.
- CDC data analysts conduct comprehensive checks of the numbers reported for every clinic.
- Individual fertility clinic tables are available in the spring of 2013 on CDC's Web site at <http://www.cdc.gov/art/ARTReports.htm>.
- Clinic tables and accompanying text for both the printed and electronic versions of the full report are compiled and laid out.

- Necessary changes are incorporated and proofread.
- The report is submitted to the Government Printing Office to begin the printing and production process.

These steps are time-consuming but essential for ensuring that the report provides the public with correct information particularly regarding each clinic's success rates.

6. Which clinics are represented in this report?

The data in this report come from 451 fertility clinics that provided and verified information about the outcomes of the ART cycles started in their clinics in 2011.

Although almost all clinics that provided ART services in the United States during 2011 are represented in this report, data from 30 clinics or practitioners are not included because they did not report as required. Clinics and practitioners known to have been in operation as of January 1, 2011, that did not report and verify their data are listed in this report as nonreporters, as required by law (see Appendix C: Nonreporting ART Clinics for 2011, by State on pages 557–558). Given the estimated number of ART cycles performed in nonreporting clinics, we estimate that ART surveillance covered 97% of ART cycles performed in the United States in 2011. We will continue to make every effort to include in future reports all clinics and practitioners providing ART services.

7. Why aren't the clinics ranked by their success rates?

Because the decision to undergo ART treatment is a very personal decision, this report may not contain all of the information that consumers need to decide which ART clinic or procedure is best for their treatment. Many factors contribute to the success rate of an ART procedure in particular patients, and a difference in success rates between two ART clinics may reflect differences in the groups of patients treated, the types of procedures performed, or other factors. More explanations on how to use the success rates and other statistics published in this report are in the Introduction to Fertility Clinic Tables section (see pages 13–23). The report should be used to help people considering an ART procedure find clinics where they can meet personally with ART providers to discuss their specific medical situation and their likelihood of success using ART. Contacting a clinic also may provide additional information that could be helpful in deciding whether or not to use ART. Because ART offers several treatment options for infertility, there are many other factors that may affect the decision. Going through repeated ART cycles requires substantial commitments of time, effort, money, and emotional energy. Therefore, this report may be a helpful starting point for consumers to obtain information and consider their options.

8. Does this report include all ART cycles performed by the reporting clinics?

This report includes data for all 151,923 ART cycles performed in 2011 by the 451 clinics that reported their data as required. This report also includes 11,116 reported ART cycles started with the intent of cryopreserving (freezing) all resulting oocytes/embryos for potential future use. However, because these cycles did not result in an embryo transfer, they are not included in the clinic success rates and are only reported for each clinic in footnote "e" of their table. This report does exclude 6 cycles started in which a new treatment procedure was being evaluated.

9. How are the success rates determined?

This report presents several measures of success for ART, including the percentage of ART cycles that result in a pregnancy. (Please note that not all pregnancies result in live birth; some pregnancies may result in miscarriage, induced abortion, or stillbirth.) All live-birth deliveries were reported to the ART clinic by either the patient or the patient's obstetric provider. Because this report is geared toward patients, the focus is on the percentage of cycles resulting in live births. Singleton live births are emphasized as a separate measure of success because they have a much lower risk than multiple-infant births for adverse infant health outcomes, including prematurity, low birth weight, disability, and death. Success rates were additionally calculated at various steps of the ART cycle to provide a complete picture of the chances for success as the cycle progresses.

10. What are my chances of getting pregnant using ART?

Many consumers ask this question because they assume that the pregnancy will lead to a live birth. Unfortunately, not all ART procedures that result in a pregnancy lead to the delivery of a live infant. For example, 101,213 fresh nondonor ART cycles were started in 2011. Of those, 36,266 (36%) led to a pregnancy, but only 29,598 (29%) resulted in a live birth. In other words, 6,668 (18%) of ART pregnancies did not result in a live birth. The percentage of cycles resulting in live births will give a more accurate answer to the question, "If I have an ART procedure, what is my chance that I will have a baby?"

It is important to note that ART success rates vary in the context of patient and treatment characteristics. These characteristics include age, infertility diagnosis, number of embryos transferred, type of ART procedure, use of techniques such as ICSI, and history of previous births, miscarriages, and ART cycles.

11. If a patient has had more than one ART treatment cycle, how is the success rate calculated? Alternatively, how many cycles does a patient usually go through before getting pregnant?

As required by law, this report presents ART success rates in terms of how many cycles were started each year. Because clinics report information based on outcomes for each cycle started, success rates on a "per patient" basis, or the number of cycles that an average patient may undergo before achieving success are not presented in this report. While it is possible to achieve success with one ART cycle, success rates vary in the context of patient and treatment characteristics. Consumers should consult with their physician to understand their specific medical situation and their chances of using ART.

12. What quality control steps are used to ensure data accuracy?

To have their success rates published in this annual report, clinics have to submit their data in time for analysis and the clinics' medical directors have to verify by signature that the tabulated success rates are accurate. Then, Westat conducts an in-house review and contacts the clinics if corrections are necessary. After the data have been verified, a quality control process called validation begins. This year, 35 of the 451 reporting clinics were selected after taking into consideration some cycle and clinic characteristics and whether the clinic had been selected before. (See Appendix A: Technical Notes on page 509 for a more detailed presentation of sampling strategy.) Members of the Westat Validation

Team visit these clinics and review medical record data for a sample of the clinic's ART cycles. For each cycle, the validation team abstracts information from the patient's medical record. The abstracted information is then reviewed onsite and compared with the data submitted for the report. The data validation process does not include any assessment of clinical practice or overall record keeping. Validation primarily helps ensure that clinics submit accurate data. It also serves to identify any systematic problems that could cause data collection to be inconsistent or incomplete. Findings and discrepancy rates from the 2011 validation visits will be available on the CDC Web site later this year at <http://www.cdc.gov/art/ARTReports.htm>.

13. How does CDC use the variables/data collected but not reported in the annual *Assisted Reproductive Technology Fertility Clinic Success Rates Report* and *National Summary Report*?

CDC uses the data collected and not reported in the annual ART reports to evaluate emerging ART research questions and to monitor safety and efficacy issues related to ART treatment for improving maternal and child outcomes. Other data may not be released in order to protect the ART patient's confidentiality. A list of ART publications is available at <http://www.cdc.gov/art/pubs.htm>.

14. How does CDC ensure the confidentiality of the ART data it collects?

CDC has an Assurance of Confidentiality for the ART database. An Assurance of Confidentiality is a formal confidentiality protection authorized under Section 308(d) of the Public Health Service Act (42 U.S.C. 242[m]). An assurance is used for projects conducted by CDC staff or contractors involving the collection or maintenance of sensitive identifiable or potentially identifiable information. The assurance allows CDC programs to assure that individuals and institutions involved in research or nonresearch projects protect the confidentiality of the data collected. Under Public Health Service Act Section 308(d), no identifiable information may be used for any purpose other than the purpose for which it was supplied unless such institution or individual has consented to that disclosure. CDC's current Assurance of Confidentiality for this project is ongoing.

15. Why doesn't the report contain specific medical information about ART?

This report describes a woman's average chances of success per ART cycle. Although the report provides some information about factors such as age and infertility diagnosis, consumers face many unique medical situations. This population-based registry of ART procedures cannot capture detailed information about specific medical conditions associated with infertility. Consumers should consult with their physician to understand their specific medical situation and their chances of success using ART.

16. Why are statistics in the *Fertility Clinic Tables* published by CDC different from statistics reported by SART's *IVF Success Rate Reports*?

During 1996–2011, the percentage of ART clinics reporting data to CDC with a SART membership ranged from approximately 84% to 95%. Annual summary statistics of ART treatments performed in each of these clinics are available online at <http://www.sart.org>. Although many of the same table items are used in both the CDC's *Fertility Clinic Tables* and SART's *IVF Success Rate Reports*, discrepancies in tabulated statistics between the SART and CDC tables may be due to (1) the inclusion

in the CDC Fertility Clinic Reports of ART treatments performed at non-SART member clinics; (2) differences in the data submission deadlines between SART and CDC, which may result in ART clinics being excluded from CDC's annual Fertility Clinic Reports; and (3) differences in data processing procedures and statistical methods used to generate statistics.

17. Does CDC have any information on the women who donate eggs?

CDC only collects information on the age of egg donors, but does not present it in the individual clinic tables for this report. In 2011, the average age of egg donors was approximately 28 years. Success rates for cycles using donor eggs or using embryos derived from donor eggs is related to the age of the woman who produced the eggs. Thus, the percentage of transfers that resulted in live births for cycles using fresh embryos from donor eggs remained consistently high—above 50% among most patients of different ages.

18. Are there any medical guidelines for ART performed in the United States?

The American Society for Reproductive Medicine (ASRM) and the Society of Assisted Reproductive Technology (SART) issue guidelines dealing with specific ART practice issues, such as the number of embryos to be transferred in an ART procedure. Further information can be obtained from ASRM or SART (both at telephone 205-978-5000 or Web sites <http://www.asrm.org> and <http://www.sart.org>).

19. Where can I get additional information on U.S. fertility clinics?

For further information on specific clinics, contact the clinic directly (see Appendix C for current contact information). In addition, SART can provide general information on its member clinics (telephone 205-978-5000, extension 109).

20. What's new in the 2011 report?

CDC is constantly striving to present the most accurate and relevant ART clinic success rates to help potential ART users make decisions. Changes to the clinic table and National Summary table format have been made to provide a more comprehensive and user-friendly presentation of clinic and national success rates data. Highlights of modifications designed to enhance clarity, readability, and improve the presentation of data include the following:

2011 ART Cycle Profile Section

- GIFT/ZIFT percentages are no longer shown.
- Total patient diagnosis percentages may be greater than 100% because more than one diagnosis could be reported for each cycle.
- Elective single embryo transfer (eSET) information is now reported in the 2011 ART Success Rates section.

2011 ART Success Rates Section

- Addition of total number of ART cycles performed (excluding banking cycles) for each clinic.
- Addition of footnote providing the total number of oocyte/embryo banking cycles for each clinic.
- Addition of success rates for women older than age 44 (>44).
- Addition of percentages of eSET by age of woman for fresh nondonor cycles.
- Rearrangement and grouping of success rates according to the order and occurrence of ART events (e.g., per cycle, transfer, or pregnancy).
- Elimination of confidence intervals and inclusion of denominators used to calculate success rates for each indicator (e.g., number of cycles, transfers, and pregnancies).
- Addition of select outcomes per pregnancy for fresh nondonor cycles and expanded outcomes of interest for frozen nondonor cycles and donor cycles.
- Addition of highlighted rates for the most favorable measure of ART success—singleton live births—for each cycle type (e.g., fresh, frozen, donor).

Lastly, all known nonreporting clinics are now included in alphabetical order in the Fertility Clinic Tables section of this report, although no data are presented for these clinics.

2011

Fertility Clinic Tables



INTRODUCTION TO FERTILITY CLINIC TABLES

The first table in this section is the 2011 National Summary of combined data from all clinics. Individual clinic tables follow, with each clinic's data presented in a one-page table that includes the types of assisted reproductive technology (ART) used, patient diagnoses, success rates, and individual clinic characteristics. Clinics reporting their data to the Centers for Disease Control and Prevention (CDC) are listed in alphabetical order by state, city, and clinic name. Each known nonreporting clinic is also included in alphabetical order, although no data are presented for these clinics.

Many people considering ART will want to use this report to find the “best” clinic. However, comparisons between clinics must be made with caution. Many factors contribute to the success of an ART procedure. Some factors are related to the training and experience of the ART clinic and laboratory professionals and the quality of services they provide. Other factors are related to the patients themselves, such as their age, quality of their eggs and sperm, cause of their infertility, genetic factors, and diagnosis. Some clinics may be more willing than others to accept patients with low chances of success or may specialize in ART treatments that attract particular types of patients.

We encourage consumers considering ART to contact clinics to discuss their specific medical situations and their potential for success using ART. Because clinics did not have the opportunity to provide narratives to explain their data in this report, such conversations could provide additional information to help consumers decide whether to use ART.

Although ART offers important options for the treatment of infertility, the decision to use ART involves many factors in addition to success rates. Therefore, consumers should carefully examine all related financial, psychological, and medical issues before beginning treatment. They also will want to consider the location of the clinic, the counseling and support services available, and the rapport that staff members have with their patients.

Important Factors to Consider When Using These Tables to Assess a Clinic

- ***These statistics are for 2011.*** Data for cycles started in 2011 could not be published until 2013 because the final outcomes of pregnancies conceived in December 2011 were not known until October 2012. Additional time was then required to collect and analyze the data and prepare the report. Many factors that contribute to a clinic's success rate may have changed in the 2 years since these cycles were performed. Personnel may be different. Equipment and training may or may not have been updated. As a result, success rates for 2011 may not necessarily represent current rates.

- **No reported success rate is absolute.** A clinic's success rates may vary from year to year even if all determining factors remain the same. The more cycles that a clinic carries out, the less the rate is likely to vary. Conversely, clinics that perform fewer cycles are likely to have more variability in success rates from year to year. As an extreme example, if a clinic reports only one ART cycle in a given category, as is sometimes the case in the data presented here, the clinic's success rate in that category would be either 0% or 100%. Because success rates may be misleading if they are based on a small number, the rates are shown as fractions rather than percentages when fewer than 20 cycles or outcomes (pregnancies, transfers, births) are reported in a given category.
- **Some clinics see more than the average number of patients with difficult infertility problems.** Some clinics are willing to offer ART to most potential patients, even those who have a low probability of success. Others discourage such patients or encourage them to use donor eggs, a practice that results in higher success rates among older women. Clinics that accept a higher percentage of women who previously have had multiple unsuccessful ART cycles will generally have lower success rates. In contrast, clinics that offer ART procedures to women who might have become pregnant with less technologically advanced treatment will generally have higher success rates.
- **The percentage of cycles that are canceled varies.** Percentages of canceled cycles using fresh nondonor eggs or embryos vary among clinics from less than 1% to, in a few cases, more than 25%. A high percentage of cancellations tends to lower the percentage of cycles resulting in live births but may increase the percentage of embryo transfers resulting in live births.
- **Percentages of unstimulated (or "natural") cycles are included with those for stimulated cycles.** In an unstimulated cycle, the woman ovulates naturally rather than through the daily injections used in stimulated cycles. Unstimulated cycles are less expensive because they require no daily injections and fewer ultrasounds and blood tests. However, women who use natural or mild stimulation produce only one or two follicles, thus reducing the potential number of embryos for transfer. As a result, clinics that perform a relatively high percentage of unstimulated cycles may have lower success rates. Nationally, 1% of ART cycles using fresh nondonor eggs or embryos in 2011 were unstimulated.
- **Success rates are calculated per cycle rather than per patient.** Success rates shown in this report are presented in terms of cycles, as required by law, rather than in terms of patients. As a result, patients who had more than one ART cycle in 2011 are represented in multiple cycles that are not linked. In addition, for patients who undergo both fresh and frozen cycles, success rates are calculated separately for each cycle. Clinics that have a very high percentage of cycles resulting in live births with frozen embryos would have higher ART success rates if these births were included as successes from the original stimulated cycle. Consumers should look at both rates (for cycles using fresh embryos and for those using frozen embryos) when assessing a clinic's success rates.

- ***The number of embryos transferred varies from clinic to clinic.*** In 2011, the average number of embryos that a clinic transferred to women younger than age 35 ranged from 1.0 to 3.5 for fresh nondonor cycles. The American Society for Reproductive Medicine (ASRM) and the Society for Assisted Reproductive Technology (SART) discourage the transfer of a large number of embryos because of the increased likelihood of multiple-fetus pregnancies. Multiple-fetus pregnancies, in turn, increase the probability of premature births and related health problems.

An explanation of how to read a fertility clinic table begins on page 17.

SAMPLE CLINIC TABLE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

1	Type of ART and Procedural Factors^a	2 Patient Diagnosis^b	
	IVF 99% With ICSI 66%	Tubal factor 13%	Uterine factor 1%
	Unstimulated <1% Used PGD 5%	Ovulatory dysfunction 6%	Male factor 19%
	Used gestational carrier <1%	Diminished ovarian reserve 9%	Other factor 7%
		Endometriosis 6%	Unknown factor 10%
			<i>Multiple Factors:</i> Female factors only 13% Female & male factors 28%

5	2011 ART SUCCESS RATES^{c,d}	3 Number of cycles in table: ^e 124	4 Data verified by Andrew B. Test, MD
----------	---	--	--

	Type of Cycle	6 Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
7	Fresh Embryos from Nondonor Eggs						
	Number of cycles	115	106	68	19	12	5
	Percentage of cancellations	12.2	6.6	13.2	3 / 19	2 / 12	2 / 5
	Average number of embryos transferred	2.0	2.5	2.8	2.9	2.7	2.0
	Percentage of embryos transferred resulting in implantation	32.5	24.5	16.6	11.4	4.6	1 / 7
	Percentage of elective single embryo transfer (eSET)	5.5	1.2	3.8	1 / 15	0 / 8	0 / 3
7A	Outcomes per Cycle						
	Percentage of cycles resulting in singleton live births	28.6	21.7	14.7	1 / 19	0 / 12	1 / 5
	Percentage of cycles resulting in triplets or more live births	1.7	1.8	2.9	1 / 19	0 / 12	0 / 5
	Percentage of cycles resulting in live births	37.4	31.1	20.6	2 / 19	1 / 12	1 / 5
	Percentage of cycles resulting in pregnancy	45.2	37.7	23.5	5 / 19	1 / 12	1 / 5
7B	Outcomes per Transfer						
	Number of transfers	90	85	52	15	8	3
	Percentage of transfers resulting in singleton live births	36.7	27.1	19.2	1 / 15	0 / 8	1 / 3
	Percentage of transfers resulting in triplets or more live births	2.2	2.4	3.8	1 / 15	0 / 8	0 / 3
	Percentage of transfers resulting in live births	47.7	38.8	26.9	2 / 15	1 / 8	1 / 3
	Percentage of transfers resulting in pregnancy	57.8	47.0	30.8	5 / 15	1 / 8	1 / 3
7C	Outcomes per Pregnancy						
	Number of pregnancies	52	40	16	5	1	1
	Percentage of pregnancies resulting in singleton live births	63.5	57.5	10 / 16	1 / 5	0 / 1	1 / 1
	Percentage of pregnancies resulting in triplets or more live births	3.8	5.0	2 / 16	1 / 5	0 / 1	0 / 1
	Percentage of pregnancies resulting in live births	82.7	82.5	14 / 16	2 / 5	1 / 1	1 / 1
8	Frozen Embryos from Nondonor Eggs						
	Number of cycles	75	30	25	20	15	10
	Number of transfers	62	25	20	14	8	5
	Average number of embryos transferred	2.1	2.0	2.7	2.0	2.7	2.0
	Percentage of embryos transferred resulting in implantation	31.2	30.0	20.4	14.3	9.3	2 / 10
	Percentage of transfers resulting in singleton live births	21.0	24.0	10.0	1 / 14	1 / 8	0 / 5
	Percentage of transfers resulting in triplets or more live births	1.7	4.0	5.0	0 / 14	0 / 8	0 / 5
	Percentage of transfers resulting in live births	27.4	36.0	20.0	2 / 14	1 / 8	1 / 5
	Percentage of transfers resulting in pregnancy	61.3	48.0	45.0	3 / 14	2 / 8	1 / 5

All Ages Combined^f

9	Donor Eggs	Fresh Embryos	Frozen Embryos
	Number of cycles	60	19
	Number of transfers	49	14
	Average number of embryos transferred	2.1	2.4
	Percentage of embryos transferred resulting in implantation	46.7	26.9
	Percentage of transfers resulting in singleton live births	45.0	3 / 14
	Percentage of transfers resulting in live births	51.0	7 / 14
	Percentage of transfers resulting in pregnancy	71.4	9 / 14

CURRENT CLINIC SERVICES AND PROFILE

10	Current Name: Sample Clinic		
	Donor egg? Yes	Gestational carriers? Yes	SART member? Yes
	Donor embryo? Yes	Embryo cryopreservation? Yes	Verified lab accreditation? Yes
	Single women? Yes		(See Appendix C for details.)

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

How to Read a Fertility Clinic Table

This section is provided to help consumers understand the information presented in the fertility clinic tables. The number before each heading refers to the number of the corresponding section in the sample clinic table on the opposite page. Technical terms are defined in the Glossary of Terms (see Appendix B on pages 513–515).

1. Type of ART and procedural factors

This section gives the percentage of in vitro fertilization (IVF) cycles performed using fresh nondonor embryos. It also lists the percentage of ART cycles using fresh nondonor eggs or embryos that were unstimulated, that used a gestational carrier, that involved intracytoplasmic sperm injection (ICSI), and that used preimplantation genetic diagnosis (PGD).

2. Patient diagnosis

This section gives the percentage of ART cycles for which patients had a particular diagnosis out of the total number of cycles performed at the clinic. Consumers may want to know what percentage of cycles are performed for a clinic's patients with the same diagnosis as they have. In addition, patients' diagnoses may affect a clinic's success rates. However, the use of these diagnostic categories may vary somewhat from clinic to clinic, and total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

3. Number of cycles in table

This is the total number of ART cycles started at the clinic in 2011 that are used to calculate success rates within the three categories of cycles included in Sections 7–9. This number excludes ART cycles started with the intention of cryopreserving (freezing) all resulting oocytes/embryos for potential future use and any cycles started in which a new procedure was being evaluated (a small number nationwide). These two types of cycles are not used to calculate clinic success rates presented in the table.

4. Verification

To have success rates published in the annual report, a clinic's medical director must verify the accuracy of the data reported to CDC. The name of the medical director who verified the clinic's data is shown.

5. Success rates by type of cycle

Success rates are given for the three categories of ART cycles included in Sections 7–9: cycles using fresh embryos from nondonor eggs, cycles using frozen embryos from nondonor eggs, and cycles using donor eggs. The success rates shown are calculated on the basis of data from all ART cycle procedures (IVF, gamete intrafallopian transfer or GIFT, and zygote intrafallopian transfer or ZIFT).

Success rates for the birth of a single live infant (a singleton live birth) are emphasized in the table because they are an important measure of success. Multiple-infant births are associated with increased risk of adverse outcomes for mothers and infants, including higher rates of caesarean section, prematurity, low birth weight, and infant disability or death.

Clinic table success rates indicate the average chance of success for cycles started at the clinic in 2011. Success rates are calculated by ART cycle stage (start, transfer, pregnancy) and by age group or for all ages combined. For example, if a clinic started 50 cycles in 2011, and these resulted in 15 live births, the average success rate for cycles started at that clinic would be

$$15 \text{ (births)} \div 50 \text{ (cycles)} = 0.3 \text{ or } 30\%$$

Thus, the success rate at that clinic in 2011 was 30%, meaning that 30% of cycles started that year resulted in a live birth.

Success rate calculations may be misleading if they are based on a small number. Therefore, when fewer than 20 cycles or outcomes (pregnancies, transfers) are reported in a given category, the rates are shown as fractions rather than percentages. For example, suppose that the sample clinic performed only 19 fresh embryo cycles using nondonor eggs among women aged 41–42 years. Of these 19 cycles, 2—or about 10%—resulted in a live birth. However, because of the small number of cycles, 10% is not a statistically reliable success rate, so the success rate is presented as 2/19, meaning 2 out of 19 cycles started resulted in a live birth.

6. Age of woman

Because a woman's fertility declines with age, clinics report lower success rates for older women attempting to become pregnant with their own eggs. For this reason, rates for women using nondonor eggs or embryos are reported separately for women younger than age 35, for women aged 35–37, aged 38–40, aged 41–42, aged 43–44, and for woman older than age 44. The sample clinic table illustrates the decline in ART success rates among older women. For example, for cycles that used fresh embryos from nondonor eggs, the percentage of cycles resulting in live births among women younger than age 35 was 37.4%, whereas the percentage of cycles resulting in live births among women aged 38–40 was 20.6%.

7. Cycles using fresh embryos from nondonor eggs

This section includes success rates for all ART cycles started with the intent to use fresh embryos from a woman's own eggs.

- **Number of cycles**

This represents the number of ART cycles by age of woman.

- **Percentage of cancellations**

(Number of cycles canceled divided by the total number of cycles, expressed as a percentage of cycles.)

This refers to the cycles that were stopped before an egg retrieval was attempted. A cycle may be canceled if a woman's ovaries do not respond to fertility medications and thus do not produce a sufficient number of follicles. Cycles also may be canceled because of illness or other medical or personal reasons.

- **Average number of embryos transferred**

(Average number of embryos per transfer procedure in which one or more embryos were transferred.)

The average number of embryos transferred varies from clinic to clinic. ASRM and SART have practice guidelines that address this issue. Further information can be obtained from ASRM or SART (both at telephone 205-978-5000 or Web sites <http://www.asrm.org> and <http://www.sart.org>).

- **Percentage of embryos transferred resulting in implantation**

(The larger of either the maximum number of fetal hearts or maximum number of infants born [live births + stillbirths] divided by the number of embryos transferred, expressed as a percentage of embryos transferred.)

This represents the cycles resulting in an intrauterine clinical pregnancy out of the total number of embryos transferred, in which one or more embryos were transferred. Not all fetal hearts can be detected by ultrasound. For this reason, a positive intrauterine clinical pregnancy is defined as the larger of either the maximum number of fetal hearts detected by ultrasound or maximum number of infants born, including live births and stillbirths.

- **Percentage of elective single embryo transfer (eSET)**

(The number of cycles in which 1 embryo was transferred and >0 embryos were cryopreserved, divided by the number of transfer procedures in which either 1 embryo was transferred and >0 embryos were cryopreserved or >1 embryos were transferred, expressed as a percentage of these transfer procedures.)

This represents the cycles in which one embryo is selected to be transferred from a larger number of available embryos, usually for the purpose of reducing the chance of having a multiple birth. For these cycles, one or more of the extra embryos are cryopreserved during the current cycle for future use.

7A. Outcomes per cycle

In this section, success rates using fresh embryos from nondonor eggs are calculated as a percentage of the fresh nondonor ART cycles started. The number of cycles that a clinic starts is not the same as the number of patients treated because some patients start more than one cycle in a year.

- **Percentage of cycles resulting in singleton live births**

(Number of singleton live births divided by number of cycles, expressed as a percentage of cycles.)

This represents the cycles that resulted in the birth of a single live infant out of all cycles started.

- **Percentage of cycles resulting in triplets or more live births**

(Number of triplet or more live births divided by number of cycles, expressed as a percentage of cycles.)

This represents the cycles that resulted in a triplet or more live birth out of all cycles started. A multiple-infant birth with one or more infants born live is counted as one live birth.

- **Percentage of cycles resulting in live births**

(Number of live births divided by number of cycles, expressed as a percentage of cycles.)

This represents the cycles that resulted in a live birth out of all cycles started. A cycle resulting in live birth may include one or more infants born alive; that is, a multiple-infant birth (e.g., twins, triplets) with at least one live-born infant is counted as one live birth.

- **Percentage of cycles resulting in pregnancy**

(Number of pregnancies divided by number of cycles, expressed as a percentage of cycles.)

This represents the cycles that resulted in a pregnancy out of all cycles started. Because some pregnancies end in a miscarriage, induced abortion, or stillbirth, the percentage of cycles resulting in pregnancies is usually higher than the percentage of cycles resulting in live births.

7B. Outcomes per transfer

In this section, success rates using fresh embryos from nondonor eggs are calculated as a percentage of fresh nondonor ART cycles in which an embryo transfer procedure was attempted, even if no embryos were successfully transferred. A clinic may begin cycles that do not proceed to transfer because not every cycle started results in successful egg retrieval, fertilization, and embryo transfer. For this reason, percentages of transfers resulting in pregnancies and live births generally are higher than the percentage for cycles started.

- **Number of transfers**

This represents the number of transfers by age of woman.

- **Percentage of transfers resulting in singleton live births**

(Number of singleton live births divided by number of transfers, expressed as a percentage of transfers.)

This represents the transfer procedures that resulted in the birth of a single live infant out of all cycles in which a transfer was attempted.

- **Percentage of transfers resulting in triplets or more live births**

(Number of triplet or more live births divided by number of transfers, expressed as a percentage of transfers.)

This represents the transfer procedures that resulted in a triplet or more live birth out of all cycles in which a transfer was attempted. A multiple-infant birth with one or more infants born live is counted as one live birth. Multiple-fetus pregnancies and multiple-infant births are associated with increased risk of adverse outcomes for mothers and infants, including higher rates of caesarean section, prematurity, low birth weight, and infant disability or death.

- **Percentage of transfers resulting in live births**

(Number of live births divided by number of transfers, expressed as a percentage of transfers.)

This represents the transfer procedures that resulted in a live birth out of all cycles in which a transfer was attempted. A transfer resulting in live birth may include one or more infants born alive; that is, a multiple-infant birth (e.g., twins, triplets) with at least one live-born infant is counted as one live birth.

- **Percentage of transfers resulting in pregnancy**

(Number of pregnancies divided by number of transfers, expressed as a percentage of transfers.)

This represents the transfer procedures that resulted in a pregnancy out of all cycles in which a transfer was attempted. Because some pregnancies end in a miscarriage, induced abortion, or stillbirth, the percentage of transfers resulting in pregnancies is usually higher than the percentage of transfers resulting in live births.

7C. Outcomes per pregnancy

In this section, success rates using fresh embryos from nondonor eggs are calculated as a percentage of fresh nondonor ART cycles resulting in pregnancy. A pregnancy with more than one fetus is counted as one pregnancy. Because not every cycle started results in successful egg retrieval, fertilization, transfer, and pregnancy, the percentage of pregnancies resulting in live births generally is higher than percentages for cycles started or transfers attempted.

- **Number of pregnancies**

This represents the number of pregnancies by age of woman.

- **Percentage of pregnancies resulting in singleton live births**

(Number of singleton live births divided by number of pregnancies, expressed as a percentage of pregnancies.)

This represents the pregnancies that resulted in the birth of a single live infant out of all cycles resulting in a pregnancy. It includes multiple-fetus pregnancies that may have been reduced to a single-fetus pregnancy by the time of birth, either naturally (e.g., fetal death) or because a woman and her doctor decided to reduce the number of fetuses through a procedure called multifetal pregnancy reduction. (CDC does not collect information on multifetal pregnancy reductions.)

- **Percentage of pregnancies resulting in triplets or more live births**

(Number of triplet or more live births divided by number of pregnancies, expressed as a percentage of pregnancies.)

This represents the pregnancies that resulted in a triplet or more live birth out of all cycles resulting in a pregnancy. A multiple-infant birth with one or more infants born live is counted as one live birth. Multiple-fetus pregnancies and multiple-infant births are associated with increased risk of adverse outcomes for mothers and infants, including higher rates of caesarean section, prematurity, low birth weight, and infant disability or death.

- **Percentage of pregnancies resulting in live births**

(Number of live births divided by number of pregnancies, expressed as a percentage of pregnancies.)

This represents the pregnancies that resulted in a live birth out of all cycles resulting in a pregnancy. A pregnancy resulting in live birth may include one or more infants born alive; that is, a multiple-infant birth (e.g., twins, triplets) with at least one live-born infant is counted as one live birth.

8. Cycles using frozen embryos from nondonor eggs

Frozen (cryopreserved) embryo cycles are those in which previously frozen embryos are thawed and then transferred. Because frozen embryo cycles use embryos formed from a previous cycle, no stimulation or retrieval is involved in the current cycle. As a result, these cycles usually are less expensive and less invasive than cycles using fresh embryos. In addition, freezing some of the embryos from a retrieval procedure may increase a woman's overall chances of having a child from a single retrieval.

In this section, success rates for ART cycles using frozen embryos from nondonor eggs are calculated as a percentage of transfers. A clinic may begin cycles that do not proceed to transfer because not every cycle started results in the successful thaw of previously frozen embryos or proceeds to transfer. Thus, the number of transfers attempted is usually lower than the number of cycles started. See Sections 7 and 7B for the interpretation of success rates.

9. Cycles using donor eggs

Older women, women with premature ovarian failure (early menopause), women whose ovaries have been removed, and women with a genetic concern about using their own eggs may consider using eggs that are donated by a young, healthy woman. Embryos donated by patients who previously had ART also may be available. Many clinics provide services for donor egg and embryo cycles.

In this section, success rates are presented separately for ART cycles using fresh donor eggs or embryos and those using frozen donor embryos. For these cycle types, results from women in all age groups are reported together because previous data show that patient age does not affect success rates with donor eggs. Success rates using donor eggs or embryos are calculated as a percentage of transfers. See Sections 7 and 7B for the interpretation of success rates.

10. Current clinic services and profile

- **Current name.** This may reflect a clinic name change that occurred since 2011, whereas the clinic name at the top of the table was the name of the ART clinic as it existed in 2011. Some clinics not only have changed their names but have reorganized as well. Reorganization is defined as a change in ownership or affiliation or a change in at least two of the three key staff positions (practice director, medical director, or laboratory director). In such cases, no current name is listed, but a statement that the clinic has undergone reorganization since 2011 is included, and no current clinic services or profile are listed.
- **Donor egg.** Some clinics have programs for ART using donor eggs. Donor eggs are eggs that have been retrieved from one woman (the donor) and then transferred to another woman (the recipient). Policies regarding sharing of donor eggs vary from clinic to clinic.

- **Donor embryo.** These are embryos that were donated by other patients who previously underwent ART treatment and had extra embryos available.
- **Single women.** Clinics have varying policies regarding ART services for single (unmarried) women.
- **Gestational carriers.** A gestational carrier is a woman who carries a child for others; sometimes such women are referred to as gestational surrogates. Policies regarding ART services using gestational carriers vary from clinic to clinic. Some states do not permit clinics to offer this service.
- **Embryo cryopreservation.** This item refers to whether the clinic has a program for freezing extra embryos that may be available from a patient’s ART cycle.
- **SART member.** In 2011, 378 of the 451 reporting clinics were SART members.
- **Verified lab accreditation.** If “Yes” appears next to this item, the ART clinic uses an embryo laboratory accredited by one or more of the following organizations:
 - College of American Pathologists/ASRM, Reproductive Laboratory Accreditation Program (CAP/ASRM).
 - The Joint Commission.
 - New York State Tissue Bank Program (NYSTB).

If “Pending” appears here, it means that the clinic has submitted an application for accreditation to one of the above organizations and has provided proof of such application to CDC. “No” indicates that the embryo laboratory has not been accredited by any of these three organizations.

CDC provides this information as a public service. Please note that CDC does not oversee any of these accreditation programs. They are all nonfederal programs. To become certified, laboratories must have in place systems and processes that comply with the accrediting organization’s standards. Depending on the organization, standards may include those for personnel, quality control and quality assurance, specimen tracking, results reporting, and the performance of technical procedures. Compliance with these standards is confirmed by documentation provided by the laboratory and by on-site inspections. For further information, consumers may contact the following accrediting organizations directly:

- CAP/ASRM: For a list of accredited laboratories, call 800-323-4040 and follow the prompts for Laboratory Accreditation.
- The Joint Commission: Call 630-792-5800 to inquire about the status of individual laboratories.
- NYSTB: Call 518-485-5341 to find out which laboratories are certified under the tissue bank regulations.

Further information on laboratory accreditation for specific clinics is provided in Appendix C.

2011 NATIONAL SUMMARY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE			
Type of ART and Procedural Factors ^a		Patient Diagnosis ^b	
IVF	>99%	With ICSI	67%
Unstimulated	1%	Used PGD	5%
Used gestational carrier	<1%		
		Tubal factor	14%
		Ovulatory dysfunction	14%
		Diminished ovarian reserve	30%
		Endometriosis	10%
		Uterine factor	5%
		Male factor	34%
		Other factor	15%
		Unknown factor	12%
		Multiple Factors:	
		Female factors only	11%
		Female & male factors	18%

2011 ART SUCCESS RATES ^c		Number of cycles in table: ^d 151,923					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		42,059	20,963	21,128	10,733	4,744	1,586
Percentage of cancellations		6.4	9.4	12.5	16.1	18.2	26.8
Average number of embryos transferred		2.0	2.2	2.5	3.0	3.1	2.6
Percentage of embryos transferred resulting in implantation		35.6	27.3	17.3	9.4	4.5	1.9
Percentage of elective single embryo transfer (eSET)		12.2	7.0	2.2	0.7	0.4	1.2
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		27.2	22.9	16.7	10.2	4.7	1.1
Percentage of cycles resulting in triplets or more live births		0.5	0.4	0.3	0.1	0.0	0.0
Percentage of cycles resulting in live births		40.0	31.9	21.5	12.1	5.3	1.1
Percentage of cycles resulting in pregnancy		46.1	38.5	29.2	19.4	10.7	4.1
Outcomes per Transfer							
Number of transfers		36,493	17,410	16,625	7,892	3,277	868
Percentage of transfers resulting in singleton live births		31.3	27.6	21.2	13.9	6.8	2.0
Percentage of transfers resulting in triplets or more live births		0.6	0.5	0.4	0.1	0.0	0.0
Percentage of transfers resulting in live births		46.0	38.4	27.3	16.5	7.6	2.1
Percentage of transfers resulting in pregnancy		53.1	46.3	37.1	26.4	15.5	7.5
Outcomes per Pregnancy							
Number of pregnancies		19,379	8,065	6,166	2,083	508	65
Percentage of pregnancies resulting in singleton live births		59.0	59.5	57.3	52.6	44.1	26.2
Percentage of pregnancies resulting in triplets or more live births		1.1	1.1	1.0	0.4	0.0	0.0
Percentage of pregnancies resulting in live births		86.7	82.9	73.7	62.4	49.2	27.7
Frozen Embryos from Nondonor Eggs							
Number of cycles		15,226	7,599	5,692	2,104	886	673
Number of transfers		14,271	7,051	5,239	1,923	787	609
Average number of embryos transferred		1.9	1.9	1.9	2.0	2.2	1.9
Percentage of embryos transferred resulting in implantation		30.8	27.9	23.1	18.3	12.5	12.0
Percentage of transfers resulting in singleton live births		29.1	28.2	24.1	20.2	14.7	13.0
Percentage of transfers resulting in triplets or more live births		0.4	0.2	0.3	0.2	0.1	0.2
Percentage of transfers resulting in live births		39.0	35.5	29.7	24.0	17.0	14.8
Percentage of transfers resulting in pregnancy		48.6	45.7	40.5	36.7	26.9	21.3
All Ages Combined^e							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		10,797			7,733		
Number of transfers		9,767			7,143		
Average number of embryos transferred		1.9			1.9		
Percentage of embryos transferred resulting in implantation		45.9			27.7		
Percentage of transfers resulting in singleton live births		35.1			27.2		
Percentage of transfers resulting in live births		54.8			35.7		
Percentage of transfers resulting in pregnancy		64.7			45.5		

CURRENT CLINIC SERVICES AND PROFILE			
Percentage of clinics that offer the following services:		Clinic profile:	
Donor egg	93%	Gestational carriers	86%
Donor embryo	71%	Embryo cryopreservation	100%
Single women	95%	SART member	84%
		Verified lab accreditation	
		Yes	93%
		No	6%
		Pending	1%

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d Number excludes 11,116 oocyte/embryo banking cycle(s) and 6 cycles in which new procedures were evaluated.

^e All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ALABAMA FERTILITY SPECIALISTS BIRMINGHAM, ALABAMA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	42%	Tubal factor	21%	Uterine factor	1%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	25%	Male factor	37%	
Used gestational carrier	0%			Diminished ovarian reserve	18%	Other factor	11%	
				Endometriosis	34%	Unknown factor	9%	
				Multiple Factors:				
				Female factors only				16%
				Female & male factors				27%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 89

Data verified by Michael P. Steinkampf, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	39	8	9	4	0	0
Percentage of cancellations	17.9	1 / 8	3 / 9	0 / 4		
Average number of embryos transferred	2.2	2.7	2.3	4.3		
Percentage of embryos transferred resulting in implantation	40.0	5 / 19	4 / 14	1 / 17		
Percentage of elective single embryo transfer (eSET)	0.0	0 / 7	1 / 5	0 / 4		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	28.2	0 / 8	2 / 9	0 / 4		
Percentage of cycles resulting in triplets or more live births	0.0	0 / 8	0 / 9	0 / 4		
Percentage of cycles resulting in live births	46.2	2 / 8	3 / 9	0 / 4		
Percentage of cycles resulting in pregnancy	48.7	2 / 8	3 / 9	2 / 4		
Outcomes per Transfer						
Number of transfers	30	7	6	4	0	0
Percentage of transfers resulting in singleton live births	36.7	0 / 7	2 / 6	0 / 4		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 7	0 / 6	0 / 4		
Percentage of transfers resulting in live births	60.0	2 / 7	3 / 6	0 / 4		
Percentage of transfers resulting in pregnancy	63.3	2 / 7	3 / 6	2 / 4		
Outcomes per Pregnancy						
Number of pregnancies	19	2	3	2	0	0
Percentage of pregnancies resulting in singleton live births	11 / 19	0 / 2	2 / 3	0 / 2		
Percentage of pregnancies resulting in triplets or more live births	0 / 19	0 / 2	0 / 3	0 / 2		
Percentage of pregnancies resulting in live births	18 / 19	2 / 2	3 / 3	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	7	3	2	0	0
Number of transfers	6	7	3	2	0	0
Average number of embryos transferred	2.3	1.6	1.3	1.5		
Percentage of embryos transferred resulting in implantation	0 / 14	2 / 11	2 / 4	0 / 3		
Percentage of transfers resulting in singleton live births	0 / 6	0 / 7	1 / 3	0 / 2		
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 7	0 / 3	0 / 2		
Percentage of transfers resulting in live births	0 / 6	1 / 7	1 / 3	0 / 2		
Percentage of transfers resulting in pregnancy	0 / 6	1 / 7	1 / 3	0 / 2		
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		8		3		
Number of transfers		8		2		
Average number of embryos transferred		2.1		2.5		
Percentage of embryos transferred resulting in implantation		6 / 17		2 / 5		
Percentage of transfers resulting in singleton live births		4 / 8		0 / 2		
Percentage of transfers resulting in live births		5 / 8		1 / 2		
Percentage of transfers resulting in pregnancy		5 / 8		1 / 2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Alabama Fertility Specialists					
Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ART FERTILITY PROGRAM OF ALABAMA BIRMINGHAM, ALABAMA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	84%	Tubal factor	33%	Uterine factor	3%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	17%	Male factor	62%	
Used gestational carrier	1%			Diminished ovarian reserve	17%	Other factor	61%	
				Endometriosis	25%	Unknown factor	2%	
				Multiple Factors:				
				Female factors only				18%
				Female & male factors				53%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 338

Data verified by Kathryn L. Honea, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	163	33	23	2	9	0
Percentage of cancellations	11.0	15.2	8.7	0 / 2	2 / 9	
Average number of embryos transferred	2.0	2.1	2.7	3.0	2.8	
Percentage of embryos transferred resulting in implantation	26.6	17.3	24.6	0 / 3	2 / 17	
Percentage of elective single embryo transfer (eSET)	5.3	0.0	0 / 19	0 / 1	0 / 5	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.4	18.2	39.1	0 / 2	0 / 9	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 2	0 / 9	
Percentage of cycles resulting in live births	34.4	21.2	47.8	0 / 2	1 / 9	
Percentage of cycles resulting in pregnancy	37.4	27.3	47.8	0 / 2	1 / 9	
Outcomes per Transfer						
Number of transfers	140	25	21	1	6	0
Percentage of transfers resulting in singleton live births	30.7	24.0	42.9	0 / 1	0 / 6	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 1	0 / 6	
Percentage of transfers resulting in live births	40.0	28.0	52.4	0 / 1	1 / 6	
Percentage of transfers resulting in pregnancy	43.6	36.0	52.4	0 / 1	1 / 6	
Outcomes per Pregnancy						
Number of pregnancies	61	9	11	0	1	0
Percentage of pregnancies resulting in singleton live births	70.5	6 / 9	9 / 11		0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 9	0 / 11		0 / 1	
Percentage of pregnancies resulting in live births	91.8	7 / 9	11 / 11		1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	42	11	8	0	0	0
Number of transfers	37	9	6	0	0	0
Average number of embryos transferred	1.7	1.8	1.0			
Percentage of embryos transferred resulting in implantation	19.4	2 / 16	0 / 6			
Percentage of transfers resulting in singleton live births	24.3	2 / 9	0 / 6			
Percentage of transfers resulting in triplets or more live births	0.0	0 / 9	0 / 6			
Percentage of transfers resulting in live births	27.0	2 / 9	0 / 6			
Percentage of transfers resulting in pregnancy	32.4	2 / 9	0 / 6			
All Ages Combined^f						
	Fresh Embryos			Frozen Embryos		
Number of cycles	26			21		
Number of transfers	22			17		
Average number of embryos transferred	2.0			1.9		
Percentage of embryos transferred resulting in implantation	36.4			18.8		
Percentage of transfers resulting in singleton live births	27.3			1 / 17		
Percentage of transfers resulting in live births	40.9			3 / 17		
Percentage of transfers resulting in pregnancy	45.5			6 / 17		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: ART Fertility Program of Alabama

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF ALABAMA AT BIRMINGHAM BIRMINGHAM, ALABAMA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE				Patient Diagnosis ^b				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	64%	Tubal factor	12%	Uterine factor	0%	Multiple Factors: Female factors only 18% Female & male factors 17%
Unstimulated	0%	Used PGD	7%	Ovulatory dysfunction	13%	Male factor	30%	
Used gestational carrier	0%			Diminished ovarian reserve	46%	Other factor	7%	
				Endometriosis	16%	Unknown factor	17%	

2011 ART SUCCESS RATES^{c,d} Number of cycles in table: ^e 84 Data verified by Gordon W. Bates, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	34	9	10	2	1	0
Percentage of cancellations	2.9	2 / 9	2 / 10	1 / 2	0 / 1	
Average number of embryos transferred	2.2	2.5	2.8	2.0	2.0	
Percentage of embryos transferred resulting in implantation	37.9	3 / 15	13.6	0 / 2	0 / 2	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 6	0 / 8	0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.5	1 / 9	3 / 10	0 / 2	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 9	0 / 10	0 / 2	0 / 1	
Percentage of cycles resulting in live births	47.1	2 / 9	3 / 10	0 / 2	0 / 1	
Percentage of cycles resulting in pregnancy	50.0	2 / 9	3 / 10	0 / 2	0 / 1	
Outcomes per Transfer						
Number of transfers	30	6	8	1	1	0
Percentage of transfers resulting in singleton live births	26.7	1 / 6	3 / 8	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 6	0 / 8	0 / 1	0 / 1	
Percentage of transfers resulting in live births	53.3	2 / 6	3 / 8	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	56.7	2 / 6	3 / 8	0 / 1	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	17	2	3	0	0	0
Percentage of pregnancies resulting in singleton live births	8 / 17	1 / 2	3 / 3			
Percentage of pregnancies resulting in triplets or more live births	0 / 17	0 / 2	0 / 3			
Percentage of pregnancies resulting in live births	16 / 17	2 / 2	3 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	3	6	2	1	0	0
Number of transfers	3	5	2	1	0	0
Average number of embryos transferred	2.3	2.6	3.0	2.0		
Percentage of embryos transferred resulting in implantation	0 / 7	4 / 13	0 / 6	0 / 2		
Percentage of transfers resulting in singleton live births	0 / 3	0 / 5	0 / 2	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 3	0 / 5	0 / 2	0 / 1		
Percentage of transfers resulting in live births	0 / 3	1 / 5	0 / 2	0 / 1		
Percentage of transfers resulting in pregnancy	1 / 3	3 / 5	0 / 2	0 / 1		
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	11		5			
Number of transfers	11		5			
Average number of embryos transferred	2.1		2.2			
Percentage of embryos transferred resulting in implantation	21.7		1 / 11			
Percentage of transfers resulting in singleton live births	0 / 11		1 / 5			
Percentage of transfers resulting in live births	1 / 11		1 / 5			
Percentage of transfers resulting in pregnancy	4 / 11		3 / 5			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University of Alabama at Birmingham					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 4 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HUNTSVILLE REPRODUCTIVE MEDICINE, PC HUNTSVILLE, ALABAMA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	77%	Tubal factor	27%	Uterine factor	7%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	18%	Male factor	39%	
Used gestational carrier	1%			Diminished ovarian reserve	39%	Other factor	15%	
				Endometriosis	19%	Unknown factor	4%	
				Multiple Factors:				
				Female factors only				35%
				Female & male factors				23%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 124

Data verified by Andrew J. Harper, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	50	16	15	2	0	1
Percentage of cancellations	2.0	0 / 16	0 / 15	1 / 2		0 / 1
Average number of embryos transferred	2.2	2.4	3.3	4.0		2.0
Percentage of embryos transferred resulting in implantation	35.0	41.0	19.6	0 / 4		0 / 2
Percentage of elective single embryo transfer (eSET)	0.0	0 / 15	0 / 14	0 / 1		0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	34.0	6 / 16	4 / 15	0 / 2		0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0 / 16	0 / 15	0 / 2		0 / 1
Percentage of cycles resulting in live births	50.0	10 / 16	5 / 15	0 / 2		0 / 1
Percentage of cycles resulting in pregnancy	58.0	11 / 16	8 / 15	0 / 2		0 / 1
Outcomes per Transfer						
Number of transfers	47	16	14	1	0	1
Percentage of transfers resulting in singleton live births	36.2	6 / 16	4 / 14	0 / 1		0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0 / 14	0 / 1		0 / 1
Percentage of transfers resulting in live births	53.2	10 / 16	5 / 14	0 / 1		0 / 1
Percentage of transfers resulting in pregnancy	61.7	11 / 16	8 / 14	0 / 1		0 / 1
Outcomes per Pregnancy						
Number of pregnancies	29	11	8	0	0	0
Percentage of pregnancies resulting in singleton live births	58.6	6 / 11	4 / 8			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 11	0 / 8			
Percentage of pregnancies resulting in live births	86.2	10 / 11	5 / 8			
Frozen Embryos from Nondonor Eggs						
Number of cycles	9	7	3	0	0	0
Number of transfers	9	7	3	0	0	0
Average number of embryos transferred	2.1	1.9	1.3			
Percentage of embryos transferred resulting in implantation	7 / 19	0 / 13	0 / 4			
Percentage of transfers resulting in singleton live births	2 / 9	0 / 7	0 / 3			
Percentage of transfers resulting in triplets or more live births	1 / 9	0 / 7	0 / 3			
Percentage of transfers resulting in live births	4 / 9	0 / 7	0 / 3			
Percentage of transfers resulting in pregnancy	4 / 9	0 / 7	1 / 3			
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Number of cycles		14		7		
Number of transfers		12		7		
Average number of embryos transferred		1.8		1.9		
Percentage of embryos transferred resulting in implantation		45.5		2 / 13		
Percentage of transfers resulting in singleton live births		6 / 12		2 / 7		
Percentage of transfers resulting in live births		8 / 12		2 / 7		
Percentage of transfers resulting in pregnancy		9 / 12		3 / 7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Huntsville Reproductive Medicine, PC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 2 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE MOBILE, ALABAMA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE				Patient Diagnosis ^b				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	83%	Tubal factor	24%	Uterine factor	3%	Multiple Factors: Female factors only 12% Female & male factors 18%
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	9%	Male factor	40%	
Used gestational carrier	1%			Diminished ovarian reserve	19%	Other factor	15%	
				Endometriosis	23%	Unknown factor	0%	

2011 ART SUCCESS RATES^{c,d} Number of cycles in table: ^e 243 Data verified by George T. Koulianos, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	98	31	26	12	2	1
Percentage of cancellations	9.2	19.4	7.7	4 / 12	0 / 2	1 / 1
Average number of embryos transferred	2.0	2.1	2.7	3.0	4.0	
Percentage of embryos transferred resulting in implantation	46.6	26.0	26.2	19.0	2 / 8	
Percentage of elective single embryo transfer (eSET)	4.7	0.0	0.0	0 / 7	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	29.6	9.7	26.9	0 / 12	1 / 2	0 / 1
Percentage of cycles resulting in triplets or more live births	2.0	0.0	0.0	0 / 12	0 / 2	0 / 1
Percentage of cycles resulting in live births	49.0	22.6	34.6	1 / 12	1 / 2	0 / 1
Percentage of cycles resulting in pregnancy	59.2	29.0	46.2	2 / 12	1 / 2	0 / 1
Outcomes per Transfer						
Number of transfers	87	24	24	7	2	0
Percentage of transfers resulting in singleton live births	33.3	12.5	29.2	0 / 7	1 / 2	
Percentage of transfers resulting in triplets or more live births	2.3	0.0	0.0	0 / 7	0 / 2	
Percentage of transfers resulting in live births	55.2	29.2	37.5	1 / 7	1 / 2	
Percentage of transfers resulting in pregnancy	66.7	37.5	50.0	2 / 7	1 / 2	
Outcomes per Pregnancy						
Number of pregnancies	58	9	12	2	1	0
Percentage of pregnancies resulting in singleton live births	50.0	3 / 9	7 / 12	0 / 2	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	3.4	0 / 9	0 / 12	0 / 2	0 / 1	
Percentage of pregnancies resulting in live births	82.8	7 / 9	9 / 12	1 / 2	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	19	15	8	2	2	0
Number of transfers	18	12	5	2	2	0
Average number of embryos transferred	2.0	1.8	2.4	2.5	2.5	
Percentage of embryos transferred resulting in implantation	38.9	19.0	1 / 12	0 / 5	0 / 5	
Percentage of transfers resulting in singleton live births	8 / 18	2 / 12	1 / 5	0 / 2	0 / 2	
Percentage of transfers resulting in triplets or more live births	0 / 18	0 / 12	0 / 5	0 / 2	0 / 2	
Percentage of transfers resulting in live births	11 / 18	2 / 12	1 / 5	0 / 2	0 / 2	
Percentage of transfers resulting in pregnancy	12 / 18	6 / 12	1 / 5	0 / 2	0 / 2	
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	20		7			
Number of transfers	18		7			
Average number of embryos transferred	2.0		1.9			
Percentage of embryos transferred resulting in implantation	33.3		0 / 13			
Percentage of transfers resulting in singleton live births	1 / 18		0 / 7			
Percentage of transfers resulting in live births	6 / 18		0 / 7			
Percentage of transfers resulting in pregnancy	7 / 18		1 / 7			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Reproductive Medicine					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 2 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF SOUTH ALABAMA IVF AND ART PROGRAM MOBILE, ALABAMA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	100%	Tubal factor	49%	Uterine factor	22%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	43%	Male factor	24%	
Used gestational carrier	0%			Diminished ovarian reserve	32%	Other factor	19%	
				Endometriosis	41%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				51%
				Female & male factors				22%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 37

Data verified by Botros M. Rizk, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	21	5	4	1	0	0
Percentage of cancellations	0.0	0 / 5	0 / 4	0 / 1		
Average number of embryos transferred	2.3	2.2	2.5	3.0		
Percentage of embryos transferred resulting in implantation	14.0	4 / 11	3 / 10	0 / 3		
Percentage of elective single embryo transfer (eSET)	0 / 16	0 / 4	0 / 3	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.8	3 / 5	0 / 4	0 / 1		
Percentage of cycles resulting in triplets or more live births	0.0	0 / 5	0 / 4	0 / 1		
Percentage of cycles resulting in live births	23.8	3 / 5	0 / 4	0 / 1		
Percentage of cycles resulting in pregnancy	33.3	3 / 5	3 / 4	0 / 1		
Outcomes per Transfer						
Number of transfers	19	5	4	1	0	0
Percentage of transfers resulting in singleton live births	5 / 19	3 / 5	0 / 4	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 19	0 / 5	0 / 4	0 / 1		
Percentage of transfers resulting in live births	5 / 19	3 / 5	0 / 4	0 / 1		
Percentage of transfers resulting in pregnancy	7 / 19	3 / 5	3 / 4	0 / 1		
Outcomes per Pregnancy						
Number of pregnancies	7	3	3	0	0	0
Percentage of pregnancies resulting in singleton live births	5 / 7	3 / 3	0 / 3			
Percentage of pregnancies resulting in triplets or more live births	0 / 7	0 / 3	0 / 3			
Percentage of pregnancies resulting in live births	5 / 7	3 / 3	0 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	2	2	0	0	0
Number of transfers	2	2	2	0	0	0
Average number of embryos transferred	2.0	2.5	2.5			
Percentage of embryos transferred resulting in implantation	0 / 4	3 / 5	0 / 5			
Percentage of transfers resulting in singleton live births	0 / 2	0 / 2	0 / 2			
Percentage of transfers resulting in triplets or more live births	0 / 2	0 / 2	0 / 2			
Percentage of transfers resulting in live births	0 / 2	1 / 2	0 / 2			
Percentage of transfers resulting in pregnancy	0 / 2	2 / 2	0 / 2			
All Ages Combined^f						
	Fresh Embryos			Frozen Embryos		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University of South Alabama IVF and ART Program

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

JOHN NELS ANDERSON, MD SOLDOTNA, ALASKA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	53%	Tubal factor	13%	Uterine factor	0%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	21%	Male factor	49%
Used gestational carrier	0%			Diminished ovarian reserve	10%	Other factor	28%
				Endometriosis	12%	Unknown factor	9%
				Multiple Factors:			
						Female factors only	9%
						Female & male factors	28%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 116

Data verified by John N. Anderson, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	62	16	16	2	0	0
Percentage of cancellations	8.1	3 / 16	0 / 16	0 / 2		
Average number of embryos transferred	2.6	2.3	2.4	3.0		
Percentage of embryos transferred resulting in implantation	12.9	28.0	5.9	0 / 6		
Percentage of elective single embryo transfer (eSET)	0.0	0 / 9	0 / 12	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	9.7	2 / 16	2 / 16	0 / 2		
Percentage of cycles resulting in triplets or more live births	0.0	1 / 16	0 / 16	0 / 2		
Percentage of cycles resulting in live births	16.1	3 / 16	2 / 16	0 / 2		
Percentage of cycles resulting in pregnancy	24.2	5 / 16	5 / 16	0 / 2		
Outcomes per Transfer						
Number of transfers	54	11	14	2	0	0
Percentage of transfers resulting in singleton live births	11.1	2 / 11	2 / 14	0 / 2		
Percentage of transfers resulting in triplets or more live births	0.0	1 / 11	0 / 14	0 / 2		
Percentage of transfers resulting in live births	18.5	3 / 11	2 / 14	0 / 2		
Percentage of transfers resulting in pregnancy	27.8	5 / 11	5 / 14	0 / 2		
Outcomes per Pregnancy						
Number of pregnancies	15	5	5	0	0	0
Percentage of pregnancies resulting in singleton live births	6 / 15	2 / 5	2 / 5			
Percentage of pregnancies resulting in triplets or more live births	0 / 15	1 / 5	0 / 5			
Percentage of pregnancies resulting in live births	10 / 15	3 / 5	2 / 5			
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	1	3	0	0	0
Number of transfers	7	1	3	0	0	0
Average number of embryos transferred	1.7	3.0	2.0			
Percentage of embryos transferred resulting in implantation	0 / 12	0 / 3	0 / 6			
Percentage of transfers resulting in singleton live births	0 / 7	0 / 1	0 / 3			
Percentage of transfers resulting in triplets or more live births	0 / 7	0 / 1	0 / 3			
Percentage of transfers resulting in live births	0 / 7	0 / 1	0 / 3			
Percentage of transfers resulting in pregnancy	0 / 7	0 / 1	0 / 3			
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	7		2			
Number of transfers	6		2			
Average number of embryos transferred	2.5		1.5			
Percentage of embryos transferred resulting in implantation	1 / 15		0 / 3			
Percentage of transfers resulting in singleton live births	1 / 6		0 / 2			
Percentage of transfers resulting in live births	1 / 6		0 / 2			
Percentage of transfers resulting in pregnancy	1 / 6		0 / 2			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: John Nels Anderson, MD

Donor egg?	No	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	No			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

TROCHÉ FERTILITY CENTERS GLENDALE, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	93%	Tubal factor	17%	Uterine factor	1%
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	9%	Male factor	75%
Used gestational carrier	<1%			Diminished ovarian reserve	19%	Other factor	5%
				Endometriosis	5%	Unknown factor	2%
				Multiple Factors: Female factors only 2% Female & male factors 29%			

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 195

Data verified by Vladimir Troché, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	60	22	23	10	4	1
Percentage of cancellations	1.7	4.5	13.0	2 / 10	0 / 4	0 / 1
Average number of embryos transferred	2.1	2.6	3.7	4.0	5.0	5.0
Percentage of embryos transferred resulting in implantation	30.5	25.0	16.9	0.0	1 / 10	0 / 5
Percentage of elective single embryo transfer (eSET)	7.3	0.0	0 / 19	0 / 7	0 / 2	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.0	18.2	13.0	0 / 10	0 / 4	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 10	0 / 4	0 / 1
Percentage of cycles resulting in live births	40.0	31.8	30.4	0 / 10	0 / 4	0 / 1
Percentage of cycles resulting in pregnancy	43.3	40.9	47.8	0 / 10	1 / 4	0 / 1
Outcomes per Transfer						
Number of transfers	55	20	19	7	2	1
Percentage of transfers resulting in singleton live births	27.3	20.0	3 / 19	0 / 7	0 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 19	0 / 7	0 / 2	0 / 1
Percentage of transfers resulting in live births	43.6	35.0	7 / 19	0 / 7	0 / 2	0 / 1
Percentage of transfers resulting in pregnancy	47.3	45.0	11 / 19	0 / 7	1 / 2	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	26	9	11	0	1	0
Percentage of pregnancies resulting in singleton live births	57.7	4 / 9	3 / 11		0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 9	0 / 11		0 / 1	
Percentage of pregnancies resulting in live births	92.3	7 / 9	7 / 11		0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	34	12	7	3	1	0
Number of transfers	32	11	6	3	1	0
Average number of embryos transferred	2.2	2.2	2.3	3.0	2.0	
Percentage of embryos transferred resulting in implantation	21.7	4.2	0 / 14	1 / 9	2 / 2	
Percentage of transfers resulting in singleton live births	31.3	1 / 11	0 / 6	1 / 3	0 / 1	
Percentage of transfers resulting in triplets or more live births	3.1	0 / 11	0 / 6	0 / 3	0 / 1	
Percentage of transfers resulting in live births	34.4	1 / 11	0 / 6	1 / 3	0 / 1	
Percentage of transfers resulting in pregnancy	37.5	2 / 11	0 / 6	1 / 3	1 / 1	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		12		6		
Number of transfers		12		6		
Average number of embryos transferred		1.8		2.8		
Percentage of embryos transferred resulting in implantation		54.5		3 / 17		
Percentage of transfers resulting in singleton live births		4 / 12		3 / 6		
Percentage of transfers resulting in live births		7 / 12		3 / 6		
Percentage of transfers resulting in pregnancy		10 / 12		3 / 6		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Troché Fertility Centers

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ARIZONA REPRODUCTIVE MEDICINE SPECIALISTS PHOENIX, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE								
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	68%	Tubal factor	17%	Uterine factor	1%	<i>Multiple Factors:</i> Female factors only 10% Female & male factors 43%
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	20%	Male factor	61%	
Used gestational carrier	0%			Diminished ovarian reserve	47%	Other factor	9%	
				Endometriosis	9%	Unknown factor	4%	

2011 ART SUCCESS RATES ^{c,d}		Number of cycles in table: ^e 297						Data verified by Drew V. Moffitt, MD
Type of Cycle	Age of Woman							
	<35	35–37	38–40	41–42	43–44	>44		
Fresh Embryos from Nondonor Eggs								
Number of cycles	72	36	34	6	2	0		
Percentage of cancellations	6.9	5.6	23.5	0 / 6	0 / 2			
Average number of embryos transferred	2.2	2.2	2.4	3.3	2.0			
Percentage of embryos transferred resulting in implantation	24.8	20.6	8.8	0 / 13	1 / 2			
Percentage of elective single embryo transfer (eSET)	3.5	6.9	0.0	0 / 4	0 / 1			
Outcomes per Cycle								
Percentage of cycles resulting in singleton live births	20.8	22.2	8.8	0 / 6	1 / 2			
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 6	0 / 2			
Percentage of cycles resulting in live births	27.8	27.8	11.8	0 / 6	1 / 2			
Percentage of cycles resulting in pregnancy	36.1	33.3	11.8	0 / 6	1 / 2			
Outcomes per Transfer								
Number of transfers	58	31	24	4	1	0		
Percentage of transfers resulting in singleton live births	25.9	25.8	12.5	0 / 4	1 / 1			
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 4	0 / 1			
Percentage of transfers resulting in live births	34.5	32.3	16.7	0 / 4	1 / 1			
Percentage of transfers resulting in pregnancy	44.8	38.7	16.7	0 / 4	1 / 1			
Outcomes per Pregnancy								
Number of pregnancies	26	12	4	0	1	0		
Percentage of pregnancies resulting in singleton live births	57.7	8 / 12	3 / 4		1 / 1			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 12	0 / 4		0 / 1			
Percentage of pregnancies resulting in live births	76.9	10 / 12	4 / 4		1 / 1			
Frozen Embryos from Nondonor Eggs								
Number of cycles	51	28	18	5	2	1		
Number of transfers	49	26	18	5	2	1		
Average number of embryos transferred	1.6	1.5	1.9	1.4	1.5	2.0		
Percentage of embryos transferred resulting in implantation	26.6	25.6	29.4	2 / 7	1 / 3	1 / 2		
Percentage of transfers resulting in singleton live births	22.4	30.8	6 / 18	0 / 5	0 / 2	1 / 1		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 18	0 / 5	0 / 2	0 / 1		
Percentage of transfers resulting in live births	24.5	34.6	6 / 18	0 / 5	0 / 2	1 / 1		
Percentage of transfers resulting in pregnancy	38.8	34.6	8 / 18	2 / 5	1 / 2	1 / 1		
All Ages Combined^f								
Donor Eggs		Fresh Embryos			Frozen Embryos			
Number of cycles		15			27			
Number of transfers		15			24			
Average number of embryos transferred		1.9			1.7			
Percentage of embryos transferred resulting in implantation		41.4			12.5			
Percentage of transfers resulting in singleton live births		5 / 15			16.7			
Percentage of transfers resulting in live births		7 / 15			16.7			
Percentage of transfers resulting in pregnancy		11 / 15			25.0			

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Arizona Reproductive Medicine Specialists					
Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 29 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTHWEST FERTILITY CENTER PHOENIX, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	93%	Tubal factor	11%	Uterine factor	7%	Multiple Factors: Female factors only 20% Female & male factors 46%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	26%	Male factor	57%	
Used gestational carrier	0%			Diminished ovarian reserve	43%	Other factor	10%	
				Endometriosis	23%	Unknown factor	4%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 74

Data verified by Sujatha Gunnala, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	32	11	8	5	1	0
Percentage of cancellations	3.1	0 / 11	0 / 8	0 / 5	0 / 1	
Average number of embryos transferred	1.9	2.2	2.4	2.2	2.0	
Percentage of embryos transferred resulting in implantation	16.7	4.5	2 / 19	1 / 11	0 / 2	
Percentage of elective single embryo transfer (eSET)	11.5	0 / 10	0 / 8	0 / 5	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.0	1 / 11	2 / 8	1 / 5	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 11	0 / 8	0 / 5	0 / 1	
Percentage of cycles resulting in live births	25.0	1 / 11	2 / 8	1 / 5	0 / 1	
Percentage of cycles resulting in pregnancy	25.0	2 / 11	3 / 8	1 / 5	0 / 1	
Outcomes per Transfer						
Number of transfers	29	10	8	5	1	0
Percentage of transfers resulting in singleton live births	27.6	1 / 10	2 / 8	1 / 5	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 10	0 / 8	0 / 5	0 / 1	
Percentage of transfers resulting in live births	27.6	1 / 10	2 / 8	1 / 5	0 / 1	
Percentage of transfers resulting in pregnancy	27.6	2 / 10	3 / 8	1 / 5	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	8	2	3	1	0	0
Percentage of pregnancies resulting in singleton live births	8 / 8	1 / 2	2 / 3	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 8	0 / 2	0 / 3	0 / 1		
Percentage of pregnancies resulting in live births	8 / 8	1 / 2	2 / 3	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	10	2	2	0	0	0
Number of transfers	9	2	2	0	0	0
Average number of embryos transferred	2.3	2.5	2.0			
Percentage of embryos transferred resulting in implantation	14.3	1 / 5	0 / 4			
Percentage of transfers resulting in singleton live births	1 / 9	1 / 2	0 / 2			
Percentage of transfers resulting in triplets or more live births	0 / 9	0 / 2	0 / 2			
Percentage of transfers resulting in live births	2 / 9	1 / 2	0 / 2			
Percentage of transfers resulting in pregnancy	2 / 9	1 / 2	0 / 2			
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	1		2			
Number of transfers	1		2			
Average number of embryos transferred	2.0		2.0			
Percentage of embryos transferred resulting in implantation	1 / 2		1 / 4			
Percentage of transfers resulting in singleton live births	0 / 1		1 / 2			
Percentage of transfers resulting in live births	0 / 1		1 / 2			
Percentage of transfers resulting in pregnancy	1 / 1		1 / 2			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Southwest Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY CARE SCOTTSDALE, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	59%	Tubal factor	12%	Uterine factor	4%
Unstimulated	0%	Used PGD	5%	Ovulatory dysfunction	12%	Male factor	50%
Used gestational carrier	<1%			Diminished ovarian reserve	29%	Other factor	8%
				Endometriosis	10%	Unknown factor	14%
				Multiple Factors:			
						Female factors only	9%
						Female & male factors	27%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 172

Data verified by Nathaniel Zoneraich, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	68	20	26	9	0	0
Percentage of cancellations	5.9	15.0	11.5	4 / 9		
Average number of embryos transferred	1.6	1.8	2.5	3.2		
Percentage of embryos transferred resulting in implantation	59.0	39.3	22.2	1 / 16		
Percentage of elective single embryo transfer (eSET)	39.0	5 / 15	4.5	0 / 5		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.9	45.0	15.4	1 / 9		
Percentage of cycles resulting in triplets or more live births	1.5	0.0	0.0	0 / 9		
Percentage of cycles resulting in live births	51.5	50.0	23.1	1 / 9		
Percentage of cycles resulting in pregnancy	61.8	60.0	38.5	1 / 9		
Outcomes per Transfer						
Number of transfers	62	16	22	5	0	0
Percentage of transfers resulting in singleton live births	33.9	9 / 16	18.2	1 / 5		
Percentage of transfers resulting in triplets or more live births	1.6	0 / 16	0.0	0 / 5		
Percentage of transfers resulting in live births	56.5	10 / 16	27.3	1 / 5		
Percentage of transfers resulting in pregnancy	67.7	12 / 16	45.5	1 / 5		
Outcomes per Pregnancy						
Number of pregnancies	42	12	10	1	0	0
Percentage of pregnancies resulting in singleton live births	50.0	9 / 12	4 / 10	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	2.4	0 / 12	0 / 10	0 / 1		
Percentage of pregnancies resulting in live births	83.3	10 / 12	6 / 10	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	17	8	3	3	0	0
Number of transfers	15	8	3	3	0	0
Average number of embryos transferred	1.9	1.9	2.0	2.3		
Percentage of embryos transferred resulting in implantation	46.4	9 / 15	2 / 6	1 / 7		
Percentage of transfers resulting in singleton live births	6 / 15	0 / 8	0 / 3	0 / 3		
Percentage of transfers resulting in triplets or more live births	0 / 15	0 / 8	0 / 3	0 / 3		
Percentage of transfers resulting in live births	8 / 15	3 / 8	1 / 3	0 / 3		
Percentage of transfers resulting in pregnancy	10 / 15	6 / 8	1 / 3	2 / 3		
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		13		5		
Number of transfers		12		5		
Average number of embryos transferred		1.6		1.4		
Percentage of embryos transferred resulting in implantation		8 / 19		4 / 7		
Percentage of transfers resulting in singleton live births		2 / 12		1 / 5		
Percentage of transfers resulting in live births		4 / 12		2 / 5		
Percentage of transfers resulting in pregnancy		6 / 12		3 / 5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Fertility Care

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 2 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ARIZONA ASSOCIATES FOR REPRODUCTIVE HEALTH SCOTTSDALE, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	80%	Tubal factor	8%	Uterine factor	3%
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	15%	Male factor	50%
Used gestational carrier	<1%			Diminished ovarian reserve	34%	Other factor	3%
				Endometriosis	5%	Unknown factor	10%
				Multiple Factors: Female factors only 7% Female & male factors 19%			

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 227

Data verified by Ketan S. Patel, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	79	48	34	11	4	0
Percentage of cancellations	7.6	10.4	11.8	2 / 11	0 / 4	
Average number of embryos transferred	2.0	2.1	2.5	2.9	2.5	
Percentage of embryos transferred resulting in implantation	47.4	27.3	25.0	7.7	1 / 10	
Percentage of elective single embryo transfer (eSET)	9.1	7.3	0.0	0 / 8	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	24.1	22.9	17.6	1 / 11	1 / 4	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 11	0 / 4	
Percentage of cycles resulting in live births	48.1	33.3	23.5	1 / 11	1 / 4	
Percentage of cycles resulting in pregnancy	54.4	35.4	32.4	3 / 11	1 / 4	
Outcomes per Transfer						
Number of transfers	68	42	26	9	4	0
Percentage of transfers resulting in singleton live births	27.9	26.2	23.1	1 / 9	1 / 4	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 9	0 / 4	
Percentage of transfers resulting in live births	55.9	38.1	30.8	1 / 9	1 / 4	
Percentage of transfers resulting in pregnancy	63.2	40.5	42.3	3 / 9	1 / 4	
Outcomes per Pregnancy						
Number of pregnancies	43	17	11	3	1	0
Percentage of pregnancies resulting in singleton live births	44.2	11 / 17	6 / 11	1 / 3	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 17	0 / 11	0 / 3	0 / 1	
Percentage of pregnancies resulting in live births	88.4	16 / 17	8 / 11	1 / 3	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	16	10	7	1	1	0
Number of transfers	15	10	7	1	1	0
Average number of embryos transferred	1.9	2.1	1.9	1.0	2.0	
Percentage of embryos transferred resulting in implantation	53.6	28.6	3 / 13	0 / 1	1 / 2	
Percentage of transfers resulting in singleton live births	6 / 15	4 / 10	2 / 7	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 15	0 / 10	0 / 7	0 / 1	0 / 1	
Percentage of transfers resulting in live births	10 / 15	5 / 10	2 / 7	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	10 / 15	6 / 10	2 / 7	0 / 1	1 / 1	
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	7		9			
Number of transfers	7		9			
Average number of embryos transferred	1.9		2.3			
Percentage of embryos transferred resulting in implantation	8 / 13		19.0			
Percentage of transfers resulting in singleton live births	2 / 7		2 / 9			
Percentage of transfers resulting in live births	4 / 7		3 / 9			
Percentage of transfers resulting in pregnancy	5 / 7		3 / 9			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Arizona Associates for Reproductive Health

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 4 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ARIZONA CENTER FOR FERTILITY STUDIES SCOTTSDALE, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	98%	With ICSI	98%	Tubal factor	10%	Uterine factor	4%
Unstimulated	0%	Used PGD	28%	Ovulatory dysfunction	14%	Male factor	31%
Used gestational carrier	2%			Diminished ovarian reserve	20%	Other factor	27%
				Endometriosis	7%	Unknown factor	3%
				Multiple Factors:			
						Female factors only	3%
						Female & male factors	13%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 96

Data verified by Jay S. Nemiro, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	28	9	14	6	1	0
Percentage of cancellations	0.0	1 / 9	0 / 14	0 / 6	0 / 1	
Average number of embryos transferred	2.0	2.1	2.2	2.8	5.0	
Percentage of embryos transferred resulting in implantation	41.9	8 / 15	42.9	1 / 11	1 / 5	
Percentage of elective single embryo transfer (eSET)	9.5	0 / 6	0 / 10	0 / 3	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	32.1	4 / 9	4 / 14	0 / 6	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 9	0 / 14	0 / 6	0 / 1	
Percentage of cycles resulting in live births	39.3	6 / 9	6 / 14	0 / 6	0 / 1	
Percentage of cycles resulting in pregnancy	53.6	6 / 9	10 / 14	1 / 6	1 / 1	
Outcomes per Transfer						
Number of transfers	22	7	13	4	1	0
Percentage of transfers resulting in singleton live births	40.9	4 / 7	4 / 13	0 / 4	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 7	0 / 13	0 / 4	0 / 1	
Percentage of transfers resulting in live births	50.0	6 / 7	6 / 13	0 / 4	0 / 1	
Percentage of transfers resulting in pregnancy	68.2	6 / 7	10 / 13	1 / 4	1 / 1	
Outcomes per Pregnancy						
Number of pregnancies	15	6	10	1	1	0
Percentage of pregnancies resulting in singleton live births	9 / 15	4 / 6	4 / 10	0 / 1	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 15	0 / 6	0 / 10	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births	11 / 15	6 / 6	6 / 10	0 / 1	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	10	6	3	1	0
Number of transfers	5	9	6	3	1	0
Average number of embryos transferred	2.0	1.7	2.0	2.0	4.0	
Percentage of embryos transferred resulting in implantation	4 / 10	6 / 15	5 / 12	1 / 6	1 / 4	
Percentage of transfers resulting in singleton live births	4 / 5	3 / 9	1 / 6	1 / 3	1 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 5	0 / 9	0 / 6	0 / 3	0 / 1	
Percentage of transfers resulting in live births	4 / 5	4 / 9	2 / 6	1 / 3	1 / 1	
Percentage of transfers resulting in pregnancy	4 / 5	5 / 9	3 / 6	2 / 3	1 / 1	
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		12		1		
Number of transfers		10		1		
Average number of embryos transferred		2.0		2.0		
Percentage of embryos transferred resulting in implantation		40.0		1 / 2		
Percentage of transfers resulting in singleton live births		5 / 10		0 / 1		
Percentage of transfers resulting in live births		6 / 10		0 / 1		
Percentage of transfers resulting in pregnancy		7 / 10		1 / 1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Arizona Center for Fertility Studies

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 44 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF PHOENIX SCOTTSDALE, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	91%	Tubal factor	20%	Uterine factor	0%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	4%	Male factor	53%
Used gestational carrier	6%			Diminished ovarian reserve	4%	Other factor	4%
				Endometriosis	0%	Unknown factor	24%
				Multiple Factors:			
						Female factors only	2%
						Female & male factors	9%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 45

Data verified by John L. Couvaras, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	15	4	8	4	2	0
Percentage of cancellations	0 / 15	0 / 4	0 / 8	0 / 4	1 / 2	
Average number of embryos transferred	2.1	2.3	2.4	3.0		
Percentage of embryos transferred resulting in implantation	21.7	2 / 9	2 / 17	2 / 12		
Percentage of elective single embryo transfer (eSET)	0 / 11	1 / 4	0 / 7	0 / 4		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	3 / 15	1 / 4	1 / 8	0 / 4	0 / 2	
Percentage of cycles resulting in triplets or more live births	0 / 15	0 / 4	0 / 8	0 / 4	0 / 2	
Percentage of cycles resulting in live births	4 / 15	1 / 4	1 / 8	1 / 4	0 / 2	
Percentage of cycles resulting in pregnancy	4 / 15	1 / 4	1 / 8	1 / 4	0 / 2	
Outcomes per Transfer						
Number of transfers	11	4	7	4	0	0
Percentage of transfers resulting in singleton live births	3 / 11	1 / 4	1 / 7	0 / 4		
Percentage of transfers resulting in triplets or more live births	0 / 11	0 / 4	0 / 7	0 / 4		
Percentage of transfers resulting in live births	4 / 11	1 / 4	1 / 7	1 / 4		
Percentage of transfers resulting in pregnancy	4 / 11	1 / 4	1 / 7	1 / 4		
Outcomes per Pregnancy						
Number of pregnancies	4	1	1	1	0	0
Percentage of pregnancies resulting in singleton live births	3 / 4	1 / 1	1 / 1	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 4	0 / 1	0 / 1	0 / 1		
Percentage of pregnancies resulting in live births	4 / 4	1 / 1	1 / 1	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	3	1	4	1	0	0
Number of transfers	3	1	4	1	0	0
Average number of embryos transferred	1.7	3.0	1.8	2.0		
Percentage of embryos transferred resulting in implantation	0 / 5	0 / 3	1 / 7	0 / 2		
Percentage of transfers resulting in singleton live births	0 / 3	0 / 1	1 / 4	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 3	0 / 1	0 / 4	0 / 1		
Percentage of transfers resulting in live births	0 / 3	0 / 1	1 / 4	0 / 1		
Percentage of transfers resulting in pregnancy	0 / 3	0 / 1	1 / 4	0 / 1		
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		3		0		
Number of transfers		3		0		
Average number of embryos transferred		1.7				
Percentage of embryos transferred resulting in implantation		1 / 5				
Percentage of transfers resulting in singleton live births		1 / 3				
Percentage of transfers resulting in live births		1 / 3				
Percentage of transfers resulting in pregnancy		1 / 3				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: IVF Phoenix

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 10 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY TREATMENT CENTER TEMPE, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	98%	Tubal factor	2%	Uterine factor	<1%	Multiple Factors: Female factors only 1% Female & male factors 4%
Unstimulated	<1%	Used PGD	4%	Ovulatory dysfunction	61%	Male factor	9%	
Used gestational carrier	0%			Diminished ovarian reserve	14%	Other factor	5%	
				Endometriosis	5%	Unknown factor	8%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 353

Data verified by H. Randall Craig, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	64	33	26	20	8	0
Percentage of cancellations	0.0	0.0	0.0	0.0	0 / 8	
Average number of embryos transferred	2.2	2.3	2.4	2.5	2.3	
Percentage of embryos transferred resulting in implantation	28.9	23.6	17.9	0.0	0 / 9	
Percentage of elective single embryo transfer (eSET)	2.0	4.8	0.0	0 / 13	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	35.9	21.2	30.8	0.0	0 / 8	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 8	
Percentage of cycles resulting in live births	43.8	27.3	34.6	0.0	0 / 8	
Percentage of cycles resulting in pregnancy	43.8	36.4	38.5	5.0	0 / 8	
Outcomes per Transfer						
Number of transfers	54	24	23	16	4	0
Percentage of transfers resulting in singleton live births	42.6	29.2	34.8	0 / 16	0 / 4	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 16	0 / 4	
Percentage of transfers resulting in live births	51.9	37.5	39.1	0 / 16	0 / 4	
Percentage of transfers resulting in pregnancy	51.9	50.0	43.5	1 / 16	0 / 4	
Outcomes per Pregnancy						
Number of pregnancies	28	12	10	1	0	0
Percentage of pregnancies resulting in singleton live births	82.1	7 / 12	8 / 10	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 12	0 / 10	0 / 1		
Percentage of pregnancies resulting in live births	100.0	9 / 12	9 / 10	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	60	23	21	14	5	1
Number of transfers	60	23	21	14	5	1
Average number of embryos transferred	2.3	2.3	2.4	2.3	2.4	2.0
Percentage of embryos transferred resulting in implantation	31.6	32.1	31.4	18.8	0 / 12	0 / 2
Percentage of transfers resulting in singleton live births	35.0	30.4	23.8	1 / 14	0 / 5	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 14	0 / 5	0 / 1
Percentage of transfers resulting in live births	48.3	39.1	38.1	2 / 14	0 / 5	0 / 1
Percentage of transfers resulting in pregnancy	60.0	52.2	47.6	5 / 14	1 / 5	0 / 1
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	23		55			
Number of transfers	23		54			
Average number of embryos transferred	2.0		2.4			
Percentage of embryos transferred resulting in implantation	42.2		32.0			
Percentage of transfers resulting in singleton live births	34.8		29.6			
Percentage of transfers resulting in live births	47.8		44.4			
Percentage of transfers resulting in pregnancy	60.9		55.6			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Treatment Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 66 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ARIZONA CENTER FOR REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY TUCSON, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	46%	Tubal factor	16%	Uterine factor	11%	
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	16%	Male factor	23%	
Used gestational carrier	0%			Diminished ovarian reserve	14%	Other factor	<1%	
				Endometriosis	57%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				21%
				Female & male factors				11%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 265

Data verified by Timothy J. Gelety, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	68	32	35	20	7	5
Percentage of cancellations	0.0	3.1	2.9	5.0	0 / 7	0 / 5
Average number of embryos transferred	2.5	3.0	3.4	3.3	3.7	3.6
Percentage of embryos transferred resulting in implantation	28.2	18.6	14.6	7.5	9.1	0 / 18
Percentage of elective single embryo transfer (eSET)	0.0	0.0	0.0	0 / 16	0 / 6	0 / 5
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.9	9.4	20.0	5.0	0 / 7	0 / 5
Percentage of cycles resulting in triplets or more live births	1.5	3.1	0.0	0.0	0 / 7	0 / 5
Percentage of cycles resulting in live births	41.2	21.9	25.7	5.0	1 / 7	0 / 5
Percentage of cycles resulting in pregnancy	50.0	31.3	37.1	20.0	1 / 7	0 / 5
Outcomes per Transfer						
Number of transfers	62	29	30	16	6	5
Percentage of transfers resulting in singleton live births	33.9	10.3	23.3	1 / 16	0 / 6	0 / 5
Percentage of transfers resulting in triplets or more live births	1.6	3.4	0.0	0 / 16	0 / 6	0 / 5
Percentage of transfers resulting in live births	45.2	24.1	30.0	1 / 16	1 / 6	0 / 5
Percentage of transfers resulting in pregnancy	54.8	34.5	43.3	4 / 16	1 / 6	0 / 5
Outcomes per Pregnancy						
Number of pregnancies	34	10	13	4	1	0
Percentage of pregnancies resulting in singleton live births	61.8	3 / 10	7 / 13	1 / 4	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	2.9	1 / 10	0 / 13	0 / 4	0 / 1	
Percentage of pregnancies resulting in live births	82.4	7 / 10	9 / 13	1 / 4	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	50	13	11	5	1	0
Number of transfers	48	13	11	5	1	0
Average number of embryos transferred	3.5	3.2	4.0	4.0	1.0	
Percentage of embryos transferred resulting in implantation	6.6	2.4	6.8	0.0	0 / 1	
Percentage of transfers resulting in singleton live births	8.3	1 / 13	2 / 11	0 / 5	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 13	0 / 11	0 / 5	0 / 1	
Percentage of transfers resulting in live births	12.5	1 / 13	2 / 11	0 / 5	0 / 1	
Percentage of transfers resulting in pregnancy	18.8	1 / 13	3 / 11	0 / 5	0 / 1	
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	11		7			
Number of transfers	5		7			
Average number of embryos transferred	2.2		3.4			
Percentage of embryos transferred resulting in implantation	1 / 11		8.3			
Percentage of transfers resulting in singleton live births	0 / 5		0 / 7			
Percentage of transfers resulting in live births	0 / 5		0 / 7			
Percentage of transfers resulting in pregnancy	1 / 5		2 / 7			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Arizona Center for Reproductive Endocrinology and Infertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE HEALTH CENTER TUCSON, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	93%	Tubal factor	17%	Uterine factor	9%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	14%	Male factor	46%	
Used gestational carrier	0%			Diminished ovarian reserve	14%	Other factor	9%	
				Endometriosis	18%	Unknown factor	10%	
				Multiple Factors:				
				Female factors only				12%
				Female & male factors				22%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 307

Data verified by Scot M. Hutchison, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	73	19	20	8	2	0
Percentage of cancellations	4.1	0 / 19	15.0	1 / 8	0 / 2	
Average number of embryos transferred	1.6	1.6	1.6	2.0	2.0	
Percentage of embryos transferred resulting in implantation	30.2	4 / 11	6 / 19	0 / 2	0 / 2	
Percentage of elective single embryo transfer (eSET)	33.3	3 / 7	2 / 9	0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	15.1	2 / 19	10.0	0 / 8	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 19	0.0	0 / 8	0 / 2	
Percentage of cycles resulting in live births	16.4	2 / 19	15.0	0 / 8	0 / 2	
Percentage of cycles resulting in pregnancy	16.4	3 / 19	30.0	0 / 8	0 / 2	
Outcomes per Transfer						
Number of transfers	27	7	12	1	1	0
Percentage of transfers resulting in singleton live births	40.7	2 / 7	2 / 12	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 7	0 / 12	0 / 1	0 / 1	
Percentage of transfers resulting in live births	44.4	2 / 7	3 / 12	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	44.4	3 / 7	6 / 12	0 / 1	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	12	3	6	0	0	0
Percentage of pregnancies resulting in singleton live births	11 / 12	2 / 3	2 / 6			
Percentage of pregnancies resulting in triplets or more live births	0 / 12	0 / 3	0 / 6			
Percentage of pregnancies resulting in live births	12 / 12	2 / 3	3 / 6			
Frozen Embryos from Nondonor Eggs						
Number of cycles	89	20	12	7	1	0
Number of transfers	88	20	11	7	1	0
Average number of embryos transferred	1.3	1.6	1.7	2.3	2.0	
Percentage of embryos transferred resulting in implantation	26.3	28.1	5 / 19	1 / 16	0 / 2	
Percentage of transfers resulting in singleton live births	23.9	40.0	4 / 11	1 / 7	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 11	0 / 7	0 / 1	
Percentage of transfers resulting in live births	26.1	40.0	4 / 11	1 / 7	0 / 1	
Percentage of transfers resulting in pregnancy	34.1	45.0	7 / 11	1 / 7	0 / 1	
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		25		31		
Number of transfers		21		31		
Average number of embryos transferred		1.1		1.2		
Percentage of embryos transferred resulting in implantation		54.2		29.7		
Percentage of transfers resulting in singleton live births		57.1		29.0		
Percentage of transfers resulting in live births		57.1		29.0		
Percentage of transfers resulting in pregnancy		66.7		38.7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Health Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 12 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**ARKANSAS FERTILITY CENTER
LITTLE ROCK FERTILITY CENTER
LITTLE ROCK, ARKANSAS**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	50%	Tubal factor	13%	Uterine factor	2%	
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	16%	Male factor	14%	
Used gestational carrier	<1%			Diminished ovarian reserve	9%	Other factor	<1%	
				Endometriosis	5%	Unknown factor	49%	
				Multiple Factors:				
				Female factors only				3%
				Female & male factors				5%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 308

Data verified by Dean M. Moutos, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	127	40	33	13	0	1
Percentage of cancellations	4.7	10.0	12.1	4 / 13		0 / 1
Average number of embryos transferred	1.9	2.2	2.4	2.2		
Percentage of embryos transferred resulting in implantation	38.2	24.4	17.7	5.0		
Percentage of elective single embryo transfer (eSET)	19.6	2.9	0.0	0 / 7		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	29.1	17.5	15.2	1 / 13		0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 13		0 / 1
Percentage of cycles resulting in live births	43.3	27.5	15.2	1 / 13		0 / 1
Percentage of cycles resulting in pregnancy	48.8	37.5	30.3	1 / 13		0 / 1
Outcomes per Transfer						
Number of transfers	115	35	26	9	0	0
Percentage of transfers resulting in singleton live births	32.2	20.0	19.2	1 / 9		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 9		
Percentage of transfers resulting in live births	47.8	31.4	19.2	1 / 9		
Percentage of transfers resulting in pregnancy	53.9	42.9	38.5	1 / 9		
Outcomes per Pregnancy						
Number of pregnancies	62	15	10	1	0	0
Percentage of pregnancies resulting in singleton live births	59.7	7 / 15	5 / 10	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 15	0 / 10	0 / 1		
Percentage of pregnancies resulting in live births	88.7	11 / 15	5 / 10	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	45	16	11	3	1	0
Number of transfers	42	15	10	1	1	0
Average number of embryos transferred	1.7	1.7	1.7	1.0	2.0	
Percentage of embryos transferred resulting in implantation	20.5	20.0	4 / 17	0 / 1	0 / 2	
Percentage of transfers resulting in singleton live births	21.4	3 / 15	2 / 10	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 15	0 / 10	0 / 1	0 / 1	
Percentage of transfers resulting in live births	21.4	3 / 15	3 / 10	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	33.3	4 / 15	3 / 10	0 / 1	0 / 1	
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		6		12		
Number of transfers		6		6		
Average number of embryos transferred		2.2		2.0		
Percentage of embryos transferred resulting in implantation		6 / 13		1 / 12		
Percentage of transfers resulting in singleton live births		2 / 6		1 / 6		
Percentage of transfers resulting in live births		4 / 6		1 / 6		
Percentage of transfers resulting in pregnancy		4 / 6		1 / 6		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Arkansas Fertility Center, Little Rock Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 5 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

LIFESTART FERTILITY CENTER AGOURA HILLS, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE				Patient Diagnosis ^b				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	63%	Tubal factor	9%	Uterine factor	9%	Multiple Factors: Female factors only 18% Female & male factors 36%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	9%	Male factor	64%	
Used gestational carrier	0%			Diminished ovarian reserve	46%	Other factor	9%	
				Endometriosis	36%	Unknown factor	0%	

2011 ART SUCCESS RATES^{c,d} Number of cycles in table: ^e 11 Data verified by Anita P. Singh, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	3	1	1	3	0	0
Percentage of cancellations	0 / 3	0 / 1	0 / 1	0 / 3		
Average number of embryos transferred	2.0	1.0	3.0	3.5		
Percentage of embryos transferred resulting in implantation	3 / 6	0 / 1	3 / 3	1 / 7		
Percentage of elective single embryo transfer (eSET)	0 / 3		0 / 1	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	1 / 3	0 / 1	0 / 1	1 / 3		
Percentage of cycles resulting in triplets or more live births	0 / 3	0 / 1	0 / 1	0 / 3		
Percentage of cycles resulting in live births	2 / 3	0 / 1	1 / 1	1 / 3		
Percentage of cycles resulting in pregnancy	3 / 3	0 / 1	1 / 1	1 / 3		
Outcomes per Transfer						
Number of transfers	3	1	1	2	0	0
Percentage of transfers resulting in singleton live births	1 / 3	0 / 1	0 / 1	1 / 2		
Percentage of transfers resulting in triplets or more live births	0 / 3	0 / 1	0 / 1	0 / 2		
Percentage of transfers resulting in live births	2 / 3	0 / 1	1 / 1	1 / 2		
Percentage of transfers resulting in pregnancy	3 / 3	0 / 1	1 / 1	1 / 2		
Outcomes per Pregnancy						
Number of pregnancies	3	0	1	1	0	0
Percentage of pregnancies resulting in singleton live births	1 / 3		0 / 1	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 3		0 / 1	0 / 1		
Percentage of pregnancies resulting in live births	2 / 3		1 / 1	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	0	0	0	0	0
Number of transfers	1	0	0	0	0	0
Average number of embryos transferred	2.0					
Percentage of embryos transferred resulting in implantation	2 / 2					
Percentage of transfers resulting in singleton live births	0 / 1					
Percentage of transfers resulting in triplets or more live births	0 / 1					
Percentage of transfers resulting in live births	1 / 1					
Percentage of transfers resulting in pregnancy	1 / 1					
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	2		0			
Number of transfers	2		0			
Average number of embryos transferred	2.5					
Percentage of embryos transferred resulting in implantation	1 / 5					
Percentage of transfers resulting in singleton live births	1 / 2					
Percentage of transfers resulting in live births	1 / 2					
Percentage of transfers resulting in pregnancy	1 / 2					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: LifeStart Fertility Center					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ALTA BATES IN VITRO FERTILIZATION PROGRAM BERKELEY, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	84%	Tubal factor	9%	Uterine factor	14%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	21%	Male factor	17%
Used gestational carrier	3%			Diminished ovarian reserve	51%	Other factor	11%
				Endometriosis	6%	Unknown factor	2%
				Multiple Factors:			
						Female factors only	17%
						Female & male factors	7%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 109

Data verified by Ryszard J. Chetkowski, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	8	10	7	4	3	0
Percentage of cancellations	1 / 8	1 / 10	0 / 7	0 / 4	2 / 3	
Average number of embryos transferred	2.0	2.4	2.6	4.5	2.0	
Percentage of embryos transferred resulting in implantation	5 / 12	13.6	4 / 18	3 / 18	0 / 2	
Percentage of elective single embryo transfer (eSET)	0 / 6	0 / 9	0 / 6	0 / 4	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	4 / 8	1 / 10	2 / 7	1 / 4	0 / 3	
Percentage of cycles resulting in triplets or more live births	0 / 8	0 / 10	0 / 7	0 / 4	0 / 3	
Percentage of cycles resulting in live births	4 / 8	2 / 10	3 / 7	2 / 4	0 / 3	
Percentage of cycles resulting in pregnancy	4 / 8	2 / 10	3 / 7	2 / 4	0 / 3	
Outcomes per Transfer						
Number of transfers	6	9	7	4	1	0
Percentage of transfers resulting in singleton live births	4 / 6	1 / 9	2 / 7	1 / 4	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 9	0 / 7	0 / 4	0 / 1	
Percentage of transfers resulting in live births	4 / 6	2 / 9	3 / 7	2 / 4	0 / 1	
Percentage of transfers resulting in pregnancy	4 / 6	2 / 9	3 / 7	2 / 4	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	4	2	3	2	0	0
Percentage of pregnancies resulting in singleton live births	4 / 4	1 / 2	2 / 3	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	0 / 4	0 / 2	0 / 3	0 / 2		
Percentage of pregnancies resulting in live births	4 / 4	2 / 2	3 / 3	2 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	15	4	3	3	4	0
Number of transfers	15	4	3	3	4	0
Average number of embryos transferred	1.9	2.3	3.7	2.7	4.8	
Percentage of embryos transferred resulting in implantation	35.7	1 / 9	0 / 11	1 / 8	0 / 19	
Percentage of transfers resulting in singleton live births	6 / 15	1 / 4	0 / 3	1 / 3	0 / 4	
Percentage of transfers resulting in triplets or more live births	0 / 15	0 / 4	0 / 3	0 / 3	0 / 4	
Percentage of transfers resulting in live births	8 / 15	1 / 4	0 / 3	1 / 3	0 / 4	
Percentage of transfers resulting in pregnancy	8 / 15	1 / 4	0 / 3	2 / 3	0 / 4	
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	23		25			
Number of transfers	21		23			
Average number of embryos transferred	2.4		1.8			
Percentage of embryos transferred resulting in implantation	30.0		26.2			
Percentage of transfers resulting in singleton live births	28.6		21.7			
Percentage of transfers resulting in live births	42.9		30.4			
Percentage of transfers resulting in pregnancy	57.1		34.8			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Alta Bates In Vitro Fertilization Program

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 15 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**CALIFORNIA CENTER FOR REPRODUCTIVE HEALTH
BEVERLY HILLS REPRODUCTIVE FERTILITY CENTER
BEVERLY HILLS, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	>99%	With ICSI	96%	Tubal factor	16%	Uterine factor	3%
Unstimulated	0%	Used PGD	7%	Ovulatory dysfunction	8%	Male factor	34%
Used gestational carrier	<1%			Diminished ovarian reserve	43%	Other factor	8%
				Endometriosis	9%	Unknown factor	8%
				Multiple Factors: Female factors only 12% Female & male factors 16%			

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 309

Data verified by Peyman Saadat, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	101	49	35	34	15	8
Percentage of cancellations	0.0	0.0	0.0	0.0	0 / 15	1 / 8
Average number of embryos transferred	2.8	3.2	3.2	3.6	3.3	2.3
Percentage of embryos transferred resulting in implantation	29.8	24.4	20.4	9.6	2.0	0 / 16
Percentage of elective single embryo transfer (eSET)	0.0	0.0	0.0	0.0	0 / 15	0 / 6
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.7	28.6	37.1	14.7	0 / 15	0 / 8
Percentage of cycles resulting in triplets or more live births	2.0	0.0	2.9	0.0	0 / 15	0 / 8
Percentage of cycles resulting in live births	52.5	44.9	40.0	17.6	0 / 15	0 / 8
Percentage of cycles resulting in pregnancy	59.4	59.2	54.3	44.1	2 / 15	0 / 8
Outcomes per Transfer						
Number of transfers	101	49	32	32	15	7
Percentage of transfers resulting in singleton live births	30.7	28.6	40.6	15.6	0 / 15	0 / 7
Percentage of transfers resulting in triplets or more live births	2.0	0.0	3.1	0.0	0 / 15	0 / 7
Percentage of transfers resulting in live births	52.5	44.9	43.8	18.8	0 / 15	0 / 7
Percentage of transfers resulting in pregnancy	59.4	59.2	59.4	46.9	2 / 15	0 / 7
Outcomes per Pregnancy						
Number of pregnancies	60	29	19	15	2	0
Percentage of pregnancies resulting in singleton live births	51.7	48.3	13 / 19	5 / 15	0 / 2	
Percentage of pregnancies resulting in triplets or more live births	3.3	0.0	1 / 19	0 / 15	0 / 2	
Percentage of pregnancies resulting in live births	88.3	75.9	14 / 19	6 / 15	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	20	7	5	4	3	5
Number of transfers	20	7	5	4	3	5
Average number of embryos transferred	3.2	2.6	3.4	4.0	4.7	4.2
Percentage of embryos transferred resulting in implantation	23.4	3 / 18	1 / 17	0 / 16	2 / 14	4.8
Percentage of transfers resulting in singleton live births	25.0	1 / 7	1 / 5	0 / 4	1 / 3	0 / 5
Percentage of transfers resulting in triplets or more live births	5.0	0 / 7	0 / 5	0 / 4	0 / 3	0 / 5
Percentage of transfers resulting in live births	40.0	1 / 7	1 / 5	0 / 4	1 / 3	0 / 5
Percentage of transfers resulting in pregnancy	50.0	3 / 7	1 / 5	1 / 4	2 / 3	1 / 5
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
	Number of cycles	12	11			
Number of transfers	12	11				
Average number of embryos transferred	2.8	3.1				
Percentage of embryos transferred resulting in implantation	42.4	11.8				
Percentage of transfers resulting in singleton live births	3 / 12	2 / 11				
Percentage of transfers resulting in live births	7 / 12	3 / 11				
Percentage of transfers resulting in pregnancy	9 / 12	3 / 11				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: California Center for Reproductive Health, Beverly Hills Reproductive Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 11 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**CENTER FOR REPRODUCTIVE HEALTH & GYNECOLOGY
(CRH&G)
BEVERLY HILLS, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	59%	Tubal factor	19%	Uterine factor	4%
Unstimulated	0%	Used PGD	40%	Ovulatory dysfunction	6%	Male factor	57%
Used gestational carrier	1%			Diminished ovarian reserve	48%	Other factor	23%
				Endometriosis	<1%	Unknown factor	<1%
				Multiple Factors: Female factors only 14% Female & male factors 36%			

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 124

Data verified by Sam Najmabadi, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	21	19	20	19	6	8
Percentage of cancellations	0.0	2 / 19	15.0	3 / 19	1 / 6	2 / 8
Average number of embryos transferred	2.0	2.2	2.0	1.6	1.2	2.3
Percentage of embryos transferred resulting in implantation	45.0	27.0	26.7	61.9	2 / 6	0 / 7
Percentage of elective single embryo transfer (eSET)	2 / 17	1 / 16	0 / 11	0 / 6	0 / 1	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	28.6	4 / 19	15.0	5 / 19	2 / 6	0 / 8
Percentage of cycles resulting in triplets or more live births	0.0	0 / 19	0.0	0 / 19	0 / 6	0 / 8
Percentage of cycles resulting in live births	42.9	4 / 19	20.0	8 / 19	2 / 6	0 / 8
Percentage of cycles resulting in pregnancy	61.9	10 / 19	40.0	10 / 19	2 / 6	1 / 8
Outcomes per Transfer						
Number of transfers	20	17	15	13	5	3
Percentage of transfers resulting in singleton live births	30.0	4 / 17	3 / 15	5 / 13	2 / 5	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0 / 17	0 / 15	0 / 13	0 / 5	0 / 3
Percentage of transfers resulting in live births	45.0	4 / 17	4 / 15	8 / 13	2 / 5	0 / 3
Percentage of transfers resulting in pregnancy	65.0	10 / 17	8 / 15	10 / 13	2 / 5	1 / 3
Outcomes per Pregnancy						
Number of pregnancies	13	10	8	10	2	1
Percentage of pregnancies resulting in singleton live births	6 / 13	4 / 10	3 / 8	5 / 10	2 / 2	0 / 1
Percentage of pregnancies resulting in triplets or more live births	0 / 13	0 / 10	0 / 8	0 / 10	0 / 2	0 / 1
Percentage of pregnancies resulting in live births	9 / 13	4 / 10	4 / 8	8 / 10	2 / 2	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	2	4	2	0	0
Number of transfers	5	2	4	2	0	0
Average number of embryos transferred	2.4	3.0	2.0	2.0		
Percentage of embryos transferred resulting in implantation	4 / 12	1 / 6	1 / 8	2 / 4		
Percentage of transfers resulting in singleton live births	2 / 5	1 / 2	1 / 4	0 / 2		
Percentage of transfers resulting in triplets or more live births	0 / 5	0 / 2	0 / 4	0 / 2		
Percentage of transfers resulting in live births	3 / 5	1 / 2	1 / 4	1 / 2		
Percentage of transfers resulting in pregnancy	3 / 5	1 / 2	1 / 4	1 / 2		
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			16		2	
Number of transfers			16		2	
Average number of embryos transferred			1.9		2.5	
Percentage of embryos transferred resulting in implantation			54.8		2 / 5	
Percentage of transfers resulting in singleton live births			4 / 16		0 / 2	
Percentage of transfers resulting in live births			10 / 16		1 / 2	
Percentage of transfers resulting in pregnancy			10 / 16		1 / 2	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Reproductive Health & Gynecology, (CRH&G)

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 8 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTHERN CALIFORNIA REPRODUCTIVE CENTER BEVERLY HILLS, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE				Patient Diagnosis ^b				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	56%	Tubal factor	11%	Uterine factor	5%	Multiple Factors: Female factors only 10% Female & male factors 11%
Unstimulated	<1%	Used PGD	29%	Ovulatory dysfunction	10%	Male factor	25%	
Used gestational carrier	3%			Diminished ovarian reserve	40%	Other factor	22%	
				Endometriosis	2%	Unknown factor	6%	

2011 ART SUCCESS RATES^{c,d} Number of cycles in table: ^e 613 Data verified by Mark W. Surrey, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	113	86	119	70	32	8
Percentage of cancellations	1.8	2.3	5.9	11.4	6.3	3 / 8
Average number of embryos transferred	1.8	2.1	2.3	2.9	2.6	2.5
Percentage of embryos transferred resulting in implantation	45.3	31.7	24.0	13.7	18.2	0 / 10
Percentage of elective single embryo transfer (eSET)	30.0	16.7	5.3	0.0	1 / 16	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	31.0	26.7	16.8	12.9	6.3	0 / 8
Percentage of cycles resulting in triplets or more live births	1.8	0.0	0.0	0.0	0.0	0 / 8
Percentage of cycles resulting in live births	43.4	31.4	26.1	15.7	12.5	0 / 8
Percentage of cycles resulting in pregnancy	50.4	39.5	36.1	21.4	25.0	0 / 8
Outcomes per Transfer						
Number of transfers	88	61	89	45	21	4
Percentage of transfers resulting in singleton live births	39.8	37.7	22.5	20.0	9.5	0 / 4
Percentage of transfers resulting in triplets or more live births	2.3	0.0	0.0	0.0	0.0	0 / 4
Percentage of transfers resulting in live births	55.7	44.3	34.8	24.4	19.0	0 / 4
Percentage of transfers resulting in pregnancy	64.8	55.7	48.3	33.3	38.1	0 / 4
Outcomes per Pregnancy						
Number of pregnancies	57	34	43	15	8	0
Percentage of pregnancies resulting in singleton live births	61.4	67.6	46.5	9 / 15	2 / 8	
Percentage of pregnancies resulting in triplets or more live births	3.5	0.0	0.0	0 / 15	0 / 8	
Percentage of pregnancies resulting in live births	86.0	79.4	72.1	11 / 15	4 / 8	
Frozen Embryos from Nondonor Eggs						
Number of cycles	56	17	18	10	5	0
Number of transfers	53	17	17	10	3	0
Average number of embryos transferred	2.0	2.2	1.8	1.9	2.3	
Percentage of embryos transferred resulting in implantation	31.1	35.1	32.3	5 / 19	3 / 7	
Percentage of transfers resulting in singleton live births	32.1	6 / 17	5 / 17	3 / 10	1 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 17	0 / 17	0 / 10	0 / 3	
Percentage of transfers resulting in live births	37.7	9 / 17	7 / 17	3 / 10	2 / 3	
Percentage of transfers resulting in pregnancy	58.5	11 / 17	8 / 17	6 / 10	2 / 3	
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	47		32			
Number of transfers	38		30			
Average number of embryos transferred	1.4		1.7			
Percentage of embryos transferred resulting in implantation	53.7		44.0			
Percentage of transfers resulting in singleton live births	47.4		36.7			
Percentage of transfers resulting in live births	57.9		46.7			
Percentage of transfers resulting in pregnancy	65.8		56.7			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Southern California Reproductive Center					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 37 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WEST COAST IVF CLINIC, INC. BEVERLY HILLS, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	0%	Tubal factor	50%	Uterine factor	0%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	50%	Male factor	50%	
Used gestational carrier	0%			Diminished ovarian reserve	50%	Other factor	0%	
				Endometriosis	0%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				0%
				Female & male factors				50%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 2

Data verified by Michael Kamrava, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	1	0	0	0	0	0
Percentage of cancellations	0 / 1					
Average number of embryos transferred	2.0					
Percentage of embryos transferred resulting in implantation	3 / 2					
Percentage of elective single embryo transfer (eSET)	0 / 1					
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	0 / 1					
Percentage of cycles resulting in triplets or more live births	1 / 1					
Percentage of cycles resulting in live births	1 / 1					
Percentage of cycles resulting in pregnancy	1 / 1					
Outcomes per Transfer						
Number of transfers	1	0	0	0	0	0
Percentage of transfers resulting in singleton live births	0 / 1					
Percentage of transfers resulting in triplets or more live births	1 / 1					
Percentage of transfers resulting in live births	1 / 1					
Percentage of transfers resulting in pregnancy	1 / 1					
Outcomes per Pregnancy						
Number of pregnancies	1	0	0	0	0	0
Percentage of pregnancies resulting in singleton live births	0 / 1					
Percentage of pregnancies resulting in triplets or more live births	1 / 1					
Percentage of pregnancies resulting in live births	1 / 1					
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	0	0	0	0	0
Number of transfers	0	0	0	0	0	0
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in triplets or more live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						
All Ages Combined^f						
	Fresh Embryos			Frozen Embryos		
Number of cycles	1			0		
Number of transfers	1			0		
Average number of embryos transferred	2.0					
Percentage of embryos transferred resulting in implantation	1 / 2					
Percentage of transfers resulting in singleton live births	1 / 1					
Percentage of transfers resulting in live births	1 / 1					
Percentage of transfers resulting in pregnancy	1 / 1					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2011. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CARE OF ORANGE COUNTY BREA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	83%	Tubal factor	9%	Uterine factor	2%	Multiple Factors: Female factors only 2% Female & male factors 8%
Unstimulated	0%	Used PGD	13%	Ovulatory dysfunction	5%	Male factor	32%	
Used gestational carrier	0%			Diminished ovarian reserve	30%	Other factor	11%	
				Endometriosis	0%	Unknown factor	23%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 133

Data verified by C. Terence Lee, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	26	29	10	2	3	2
Percentage of cancellations	11.5	20.7	1 / 10	0 / 2	0 / 3	1 / 2
Average number of embryos transferred	2.1	2.0	2.7	2.0	4.3	7.0
Percentage of embryos transferred resulting in implantation	38.1	18.4	20.8	0 / 2	1 / 13	0 / 7
Percentage of elective single embryo transfer (eSET)	1 / 19	1 / 18	0 / 8	0 / 1	0 / 3	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	15.4	10.3	4 / 10	0 / 2	1 / 3	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 10	0 / 2	0 / 3	0 / 2
Percentage of cycles resulting in live births	34.6	17.2	4 / 10	0 / 2	1 / 3	0 / 2
Percentage of cycles resulting in pregnancy	42.3	20.7	5 / 10	0 / 2	1 / 3	0 / 2
Outcomes per Transfer						
Number of transfers	20	19	9	1	3	1
Percentage of transfers resulting in singleton live births	20.0	3 / 19	4 / 9	0 / 1	1 / 3	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 19	0 / 9	0 / 1	0 / 3	0 / 1
Percentage of transfers resulting in live births	45.0	5 / 19	4 / 9	0 / 1	1 / 3	0 / 1
Percentage of transfers resulting in pregnancy	55.0	6 / 19	5 / 9	0 / 1	1 / 3	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	11	6	5	0	1	0
Percentage of pregnancies resulting in singleton live births	4 / 11	3 / 6	4 / 5		1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 11	0 / 6	0 / 5		0 / 1	
Percentage of pregnancies resulting in live births	9 / 11	5 / 6	4 / 5		1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	18	16	5	1	3	0
Number of transfers	17	16	5	1	3	0
Average number of embryos transferred	1.9	2.3	2.6	2.0	4.0	
Percentage of embryos transferred resulting in implantation	28.1	30.6	1 / 13	1 / 2	0 / 12	
Percentage of transfers resulting in singleton live births	3 / 17	2 / 16	1 / 5	1 / 1	0 / 3	
Percentage of transfers resulting in triplets or more live births	0 / 17	0 / 16	0 / 5	0 / 1	0 / 3	
Percentage of transfers resulting in live births	5 / 17	6 / 16	1 / 5	1 / 1	0 / 3	
Percentage of transfers resulting in pregnancy	9 / 17	9 / 16	1 / 5	1 / 1	1 / 3	
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	4		14			
Number of transfers	4		14			
Average number of embryos transferred	1.5		2.1			
Percentage of embryos transferred resulting in implantation	4 / 6		24.1			
Percentage of transfers resulting in singleton live births	0 / 4		5 / 14			
Percentage of transfers resulting in live births	1 / 4		6 / 14			
Percentage of transfers resulting in pregnancy	3 / 4		7 / 14			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Care of Orange County

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 13 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**CENTRAL CALIFORNIA IVF PROGRAM
WOMEN'S SPECIALTY AND FERTILITY CENTER
CLOVIS, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	80%	Tubal factor	18%	Uterine factor	0%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	20%	Male factor	46%
Used gestational carrier	3%			Diminished ovarian reserve	34%	Other factor	<1%
				Endometriosis	6%	Unknown factor	4%
				Multiple Factors: Female factors only 3% Female & male factors 24%			

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 244

Data verified by H. Michael Synn, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	76	28	33	16	5	5
Percentage of cancellations	3.9	0.0	15.2	4 / 16	0 / 5	1 / 5
Average number of embryos transferred	2.2	2.5	2.9	2.8	3.0	3.0
Percentage of embryos transferred resulting in implantation	23.7	19.4	14.1	6.5	0 / 15	0 / 6
Percentage of elective single embryo transfer (eSET)	1.5	0.0	0.0	0 / 10	0 / 4	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	17.1	25.0	18.2	2 / 16	0 / 5	0 / 5
Percentage of cycles resulting in triplets or more live births	0.0	3.6	3.0	0 / 16	0 / 5	0 / 5
Percentage of cycles resulting in live births	27.6	28.6	21.2	2 / 16	0 / 5	0 / 5
Percentage of cycles resulting in pregnancy	32.9	39.3	27.3	3 / 16	0 / 5	0 / 5
Outcomes per Transfer						
Number of transfers	69	27	27	11	5	2
Percentage of transfers resulting in singleton live births	18.8	25.9	22.2	2 / 11	0 / 5	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	3.7	3.7	0 / 11	0 / 5	0 / 2
Percentage of transfers resulting in live births	30.4	29.6	25.9	2 / 11	0 / 5	0 / 2
Percentage of transfers resulting in pregnancy	36.2	40.7	33.3	3 / 11	0 / 5	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	25	11	9	3	0	0
Percentage of pregnancies resulting in singleton live births	52.0	7 / 11	6 / 9	2 / 3		
Percentage of pregnancies resulting in triplets or more live births	0.0	1 / 11	1 / 9	0 / 3		
Percentage of pregnancies resulting in live births	84.0	8 / 11	7 / 9	2 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	36	15	9	1	2	0
Number of transfers	33	14	7	1	2	0
Average number of embryos transferred	2.1	2.1	2.0	2.0	2.0	
Percentage of embryos transferred resulting in implantation	14.3	0.0	2 / 14	0 / 2	0 / 4	
Percentage of transfers resulting in singleton live births	12.1	0 / 14	0 / 7	0 / 1	0 / 2	
Percentage of transfers resulting in triplets or more live births	3.0	0 / 14	0 / 7	0 / 1	0 / 2	
Percentage of transfers resulting in live births	18.2	0 / 14	1 / 7	0 / 1	0 / 2	
Percentage of transfers resulting in pregnancy	24.2	1 / 14	1 / 7	0 / 1	0 / 2	
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			9		9	
Number of transfers			8		9	
Average number of embryos transferred			2.4		2.0	
Percentage of embryos transferred resulting in implantation			2 / 19		0 / 18	
Percentage of transfers resulting in singleton live births			2 / 8		0 / 9	
Percentage of transfers resulting in live births			2 / 8		0 / 9	
Percentage of transfers resulting in pregnancy			2 / 8		0 / 9	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Central California IVF Program, Women's Specialty and Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CALIFORNIA IVF: DAVIS FERTILITY CENTER, INC. DAVIS, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	75%	Tubal factor	10%	Uterine factor	6%	Multiple Factors: Female factors only 7% Female & male factors 24%
Unstimulated	0%	Used PGD	10%	Ovulatory dysfunction	11%	Male factor	47%	
Used gestational carrier	2%			Diminished ovarian reserve	18%	Other factor	27%	
				Endometriosis	7%	Unknown factor	8%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 358

Data verified by Ernest J. Zeringue, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	65	32	19	14	0	2
Percentage of cancellations	4.6	0.0	2 / 19	0 / 14		2 / 2
Average number of embryos transferred	2.0	2.0	1.8	2.8		
Percentage of embryos transferred resulting in implantation	30.4	22.2	8.3	6.5		
Percentage of elective single embryo transfer (eSET)	2.1	0.0	0 / 9	0 / 10		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	15.4	15.6	2 / 19	2 / 14		0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 19	0 / 14		0 / 2
Percentage of cycles resulting in live births	29.2	25.0	2 / 19	2 / 14		0 / 2
Percentage of cycles resulting in pregnancy	32.3	31.3	2 / 19	2 / 14		0 / 2
Outcomes per Transfer						
Number of transfers	50	27	13	11	0	0
Percentage of transfers resulting in singleton live births	20.0	18.5	2 / 13	2 / 11		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 13	0 / 11		
Percentage of transfers resulting in live births	38.0	29.6	2 / 13	2 / 11		
Percentage of transfers resulting in pregnancy	42.0	37.0	2 / 13	2 / 11		
Outcomes per Pregnancy						
Number of pregnancies	21	10	2	2	0	0
Percentage of pregnancies resulting in singleton live births	47.6	5 / 10	2 / 2	2 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 10	0 / 2	0 / 2		
Percentage of pregnancies resulting in live births	90.5	8 / 10	2 / 2	2 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	56	19	10	7	0	2
Number of transfers	54	19	9	7	0	2
Average number of embryos transferred	2.1	2.0	1.9	1.9		2.0
Percentage of embryos transferred resulting in implantation	20.2	21.1	3 / 17	3 / 13		0 / 4
Percentage of transfers resulting in singleton live births	18.5	7 / 19	3 / 9	2 / 7		0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0 / 19	0 / 9	0 / 7		0 / 2
Percentage of transfers resulting in live births	25.9	7 / 19	3 / 9	2 / 7		0 / 2
Percentage of transfers resulting in pregnancy	37.0	8 / 19	3 / 9	3 / 7		0 / 2
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	58		74			
Number of transfers	53		73			
Average number of embryos transferred	1.9		1.9			
Percentage of embryos transferred resulting in implantation	44.7		29.4			
Percentage of transfers resulting in singleton live births	35.8		20.5			
Percentage of transfers resulting in live births	58.5		32.9			
Percentage of transfers resulting in pregnancy	64.2		39.7			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: California IVF Fertility Center, Inc.

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 35 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**EAST BAY FERTILITY CENTER
DUBLIN, CALIFORNIA**

This clinic provided ART services during 2011 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2011 ART cycle data or the clinic's Medical Director did not approve the clinic's 2011 ART cycle data for inclusion in this report.

CALIFORNIA CENTER FOR REPRODUCTIVE MEDICINE ENCINITAS, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	89%	Tubal factor	10%	Uterine factor	21%	
Unstimulated	0%	Used PGD	8%	Ovulatory dysfunction	3%	Male factor	21%	
Used gestational carrier	8%			Diminished ovarian reserve	51%	Other factor	18%	
				Endometriosis	10%	Unknown factor	7%	
				Multiple Factors:				
				Female factors only				28%
				Female & male factors				10%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 71

Data verified by Lori L. Arnold, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	18	7	9	2	0	1
Percentage of cancellations	1 / 18	0 / 7	2 / 9	0 / 2		1 / 1
Average number of embryos transferred	2.4	2.7	2.5	3.0		
Percentage of embryos transferred resulting in implantation	17.5	5 / 19	5 / 15	1 / 6		
Percentage of elective single embryo transfer (eSET)	0 / 17	0 / 6	0 / 5	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	5 / 18	2 / 7	1 / 9	1 / 2		0 / 1
Percentage of cycles resulting in triplets or more live births	0 / 18	0 / 7	0 / 9	0 / 2		0 / 1
Percentage of cycles resulting in live births	5 / 18	3 / 7	3 / 9	1 / 2		0 / 1
Percentage of cycles resulting in pregnancy	7 / 18	4 / 7	3 / 9	1 / 2		0 / 1
Outcomes per Transfer						
Number of transfers	17	7	6	2	0	0
Percentage of transfers resulting in singleton live births	5 / 17	2 / 7	1 / 6	1 / 2		
Percentage of transfers resulting in triplets or more live births	0 / 17	0 / 7	0 / 6	0 / 2		
Percentage of transfers resulting in live births	5 / 17	3 / 7	3 / 6	1 / 2		
Percentage of transfers resulting in pregnancy	7 / 17	4 / 7	3 / 6	1 / 2		
Outcomes per Pregnancy						
Number of pregnancies	7	4	3	1	0	0
Percentage of pregnancies resulting in singleton live births	5 / 7	2 / 4	1 / 3	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 7	0 / 4	0 / 3	0 / 1		
Percentage of pregnancies resulting in live births	5 / 7	3 / 4	3 / 3	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	2	1	0	0	0
Number of transfers	2	1	1	0	0	0
Average number of embryos transferred	2.5	4.0	3.0			
Percentage of embryos transferred resulting in implantation	0 / 5	0 / 4	1 / 3			
Percentage of transfers resulting in singleton live births	0 / 2	0 / 1	1 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 2	0 / 1	0 / 1			
Percentage of transfers resulting in live births	0 / 2	0 / 1	1 / 1			
Percentage of transfers resulting in pregnancy	0 / 2	0 / 1	1 / 1			
All Ages Combined^f						
Donor Eggs	Fresh Embryos			Frozen Embryos		
Number of cycles	23			6		
Number of transfers	22			6		
Average number of embryos transferred	2.3			3.2		
Percentage of embryos transferred resulting in implantation	41.2			6 / 19		
Percentage of transfers resulting in singleton live births	36.4			2 / 6		
Percentage of transfers resulting in live births	54.5			3 / 6		
Percentage of transfers resulting in pregnancy	63.6			3 / 6		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: California Center for Reproductive Medicine					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 5 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE FERTILITY INSTITUTES-LOS ANGELES, NEW YORK, GUADALAJARA ENCINO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	98%	Tubal factor	4%	Uterine factor	2%	Multiple Factors: Female factors only 2% Female & male factors 5%
Unstimulated	0%	Used PGD	80%	Ovulatory dysfunction	1%	Male factor	9%	
Used gestational carrier	2%			Diminished ovarian reserve	7%	Other factor	82%	
				Endometriosis	1%	Unknown factor	3%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 169

Data verified by Jeffrey Steinberg, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	50	37	34	3	0	0
Percentage of cancellations	4.0	2.7	0.0	0 / 3		
Average number of embryos transferred	1.8	1.7	2.1	1.7		
Percentage of embryos transferred resulting in implantation	45.8	25.9	19.6	1 / 5		
Percentage of elective single embryo transfer (eSET)	22.0	17.4	4.5	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	34.0	27.0	20.6	1 / 3		
Percentage of cycles resulting in triplets or more live births	2.0	0.0	0.0	0 / 3		
Percentage of cycles resulting in live births	46.0	27.0	23.5	1 / 3		
Percentage of cycles resulting in pregnancy	54.0	37.8	29.4	1 / 3		
Outcomes per Transfer						
Number of transfers	47	32	27	3	0	0
Percentage of transfers resulting in singleton live births	36.2	31.3	25.9	1 / 3		
Percentage of transfers resulting in triplets or more live births	2.1	0.0	0.0	0 / 3		
Percentage of transfers resulting in live births	48.9	31.3	29.6	1 / 3		
Percentage of transfers resulting in pregnancy	57.4	43.8	37.0	1 / 3		
Outcomes per Pregnancy						
Number of pregnancies	27	14	10	1	0	0
Percentage of pregnancies resulting in singleton live births	63.0	10 / 14	7 / 10	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	3.7	0 / 14	0 / 10	0 / 1		
Percentage of pregnancies resulting in live births	85.2	10 / 14	8 / 10	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	1	2	3	0	0
Number of transfers	4	1	1	2	0	0
Average number of embryos transferred	2.5	3.0	1.0	2.5		
Percentage of embryos transferred resulting in implantation	5 / 10	0 / 3	0 / 1	0 / 5		
Percentage of transfers resulting in singleton live births	0 / 4	0 / 1	0 / 1	0 / 2		
Percentage of transfers resulting in triplets or more live births	1 / 4	0 / 1	0 / 1	0 / 2		
Percentage of transfers resulting in live births	2 / 4	0 / 1	0 / 1	0 / 2		
Percentage of transfers resulting in pregnancy	2 / 4	0 / 1	0 / 1	0 / 2		
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			28		6	
Number of transfers			28		6	
Average number of embryos transferred			2.1		1.8	
Percentage of embryos transferred resulting in implantation			47.5		6 / 11	
Percentage of transfers resulting in singleton live births			35.7		0 / 6	
Percentage of transfers resulting in live births			60.7		2 / 6	
Percentage of transfers resulting in pregnancy			64.3		2 / 6	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Fertility Institutes-Los Angeles, New York, Guadalajara

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 21 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HRC FERTILITY-ENCINO ENCINO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	70%	Tubal factor	5%	Uterine factor	<1%	Multiple Factors: Female factors only <1% Female & male factors 14%
Unstimulated	<1%	Used PGD	10%	Ovulatory dysfunction	7%	Male factor	63%	
Used gestational carrier	0%			Diminished ovarian reserve	<1%	Other factor	23%	
				Endometriosis	6%	Unknown factor	10%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 490

Data verified by Michael A. Feinman, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	94	43	57	65	24	9
Percentage of cancellations	14.9	9.3	19.3	9.2	20.8	2 / 9
Average number of embryos transferred	2.2	2.0	2.8	3.7	3.2	2.9
Percentage of embryos transferred resulting in implantation	47.1	55.1	23.7	12.4	6.6	5.0
Percentage of elective single embryo transfer (eSET)	9.2	15.8	7.1	1.8	0 / 15	0 / 7
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.9	46.5	24.6	12.3	4.2	0 / 9
Percentage of cycles resulting in triplets or more live births	2.1	0.0	1.8	0.0	0.0	0 / 9
Percentage of cycles resulting in live births	54.3	69.8	35.1	20.0	8.3	0 / 9
Percentage of cycles resulting in pregnancy	61.7	72.1	49.1	36.9	20.8	2 / 9
Outcomes per Transfer						
Number of transfers	80	39	46	59	19	7
Percentage of transfers resulting in singleton live births	36.3	51.3	30.4	13.6	1 / 19	0 / 7
Percentage of transfers resulting in triplets or more live births	2.5	0.0	2.2	0.0	0 / 19	0 / 7
Percentage of transfers resulting in live births	63.8	76.9	43.5	22.0	2 / 19	0 / 7
Percentage of transfers resulting in pregnancy	72.5	79.5	60.9	40.7	5 / 19	2 / 7
Outcomes per Pregnancy						
Number of pregnancies	58	31	28	24	5	2
Percentage of pregnancies resulting in singleton live births	50.0	64.5	50.0	33.3	1 / 5	0 / 2
Percentage of pregnancies resulting in triplets or more live births	3.4	0.0	3.6	0.0	0 / 5	0 / 2
Percentage of pregnancies resulting in live births	87.9	96.8	71.4	54.2	2 / 5	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	31	29	27	16	12	25
Number of transfers	29	28	24	16	9	23
Average number of embryos transferred	2.3	2.6	2.3	2.5	2.7	2.2
Percentage of embryos transferred resulting in implantation	22.7	16.2	29.1	25.0	12.5	22.0
Percentage of transfers resulting in singleton live births	34.5	35.7	29.2	2 / 16	3 / 9	17.4
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	1 / 16	0 / 9	0.0
Percentage of transfers resulting in live births	41.4	35.7	45.8	4 / 16	3 / 9	26.1
Percentage of transfers resulting in pregnancy	55.2	50.0	54.2	5 / 16	3 / 9	39.1
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
	Number of cycles	53		5		
	Number of transfers	46		2		
	Average number of embryos transferred	2.0		3.5		
	Percentage of embryos transferred resulting in implantation	46.7		2 / 7		
	Percentage of transfers resulting in singleton live births	45.7		0 / 2		
	Percentage of transfers resulting in live births	63.0		1 / 2		
Percentage of transfers resulting in pregnancy	76.1		1 / 2			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: HRC Fertility-Encino

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 3 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ZOUVES FERTILITY CENTER FOSTER CITY, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	94%	Tubal factor	10%	Uterine factor	3%
Unstimulated	0%	Used PGD	41%	Ovulatory dysfunction	16%	Male factor	28%
Used gestational carrier	5%			Diminished ovarian reserve	33%	Other factor	9%
				Endometriosis	20%	Unknown factor	6%
				Multiple Factors:			
						Female factors only	9%
						Female & male factors	14%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 537

Data verified by Christo Zouves, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	81	76	75	53	20	7
Percentage of cancellations	0.0	1.3	4.0	3.8	10.0	0 / 7
Average number of embryos transferred	2.2	2.4	2.8	2.3	2.2	1.3
Percentage of embryos transferred resulting in implantation	18.8	20.5	12.2	11.8	7.9	0 / 5
Percentage of elective single embryo transfer (eSET)	4.1	0.0	1.6	3.2	0 / 10	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	22.2	19.7	20.0	5.7	10.0	0 / 7
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 7
Percentage of cycles resulting in live births	28.4	28.9	22.7	9.4	10.0	0 / 7
Percentage of cycles resulting in pregnancy	38.3	35.5	26.7	18.9	20.0	0 / 7
Outcomes per Transfer						
Number of transfers	77	70	68	45	17	4
Percentage of transfers resulting in singleton live births	23.4	21.4	22.1	6.7	2 / 17	0 / 4
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 17	0 / 4
Percentage of transfers resulting in live births	29.9	31.4	25.0	11.1	2 / 17	0 / 4
Percentage of transfers resulting in pregnancy	40.3	38.6	29.4	22.2	4 / 17	0 / 4
Outcomes per Pregnancy						
Number of pregnancies	31	27	20	10	4	0
Percentage of pregnancies resulting in singleton live births	58.1	55.6	75.0	3 / 10	2 / 4	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 10	0 / 4	
Percentage of pregnancies resulting in live births	74.2	81.5	85.0	5 / 10	2 / 4	
Frozen Embryos from Nondonor Eggs						
Number of cycles	39	34	15	6	0	0
Number of transfers	38	34	15	6	0	0
Average number of embryos transferred	2.1	2.0	2.1	2.3		
Percentage of embryos transferred resulting in implantation	30.8	23.2	25.8	2 / 14		
Percentage of transfers resulting in singleton live births	31.6	20.6	2 / 15	0 / 6		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 15	0 / 6		
Percentage of transfers resulting in live births	44.7	23.5	4 / 15	1 / 6		
Percentage of transfers resulting in pregnancy	60.5	44.1	6 / 15	3 / 6		
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			63		68	
Number of transfers			61		67	
Average number of embryos transferred			2.0		2.1	
Percentage of embryos transferred resulting in implantation			34.4		25.2	
Percentage of transfers resulting in singleton live births			27.9		25.4	
Percentage of transfers resulting in live births			44.3		32.8	
Percentage of transfers resulting in pregnancy			55.7		38.8	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Zouves Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 41 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WEST COAST FERTILITY CENTERS FOUNTAIN VALLEY, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	96%	Tubal factor	30%	Uterine factor	10%	Multiple Factors: Female factors only 30% Female & male factors 26%
Unstimulated	0%	Used PGD	33%	Ovulatory dysfunction	16%	Male factor	37%	
Used gestational carrier	0%			Diminished ovarian reserve	34%	Other factor	28%	
				Endometriosis	15%	Unknown factor	7%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 155

Data verified by David G. Diaz, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	30	27	13	4	2	0
Percentage of cancellations	0.0	3.7	0 / 13	1 / 4	0 / 2	
Average number of embryos transferred	2.1	2.0	2.0	1.3	1.5	
Percentage of embryos transferred resulting in implantation	39.7	34.0	15.0	0 / 4	0 / 3	
Percentage of elective single embryo transfer (eSET)	0.0	4.8	0 / 9	0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	33.3	29.6	2 / 13	0 / 4	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 13	0 / 4	0 / 2	
Percentage of cycles resulting in live births	46.7	37.0	2 / 13	0 / 4	0 / 2	
Percentage of cycles resulting in pregnancy	50.0	44.4	3 / 13	0 / 4	0 / 2	
Outcomes per Transfer						
Number of transfers	28	24	10	3	2	0
Percentage of transfers resulting in singleton live births	35.7	33.3	2 / 10	0 / 3	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 10	0 / 3	0 / 2	
Percentage of transfers resulting in live births	50.0	41.7	2 / 10	0 / 3	0 / 2	
Percentage of transfers resulting in pregnancy	53.6	50.0	3 / 10	0 / 3	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	15	12	3	0	0	0
Percentage of pregnancies resulting in singleton live births	10 / 15	8 / 12	2 / 3			
Percentage of pregnancies resulting in triplets or more live births	0 / 15	0 / 12	0 / 3			
Percentage of pregnancies resulting in live births	14 / 15	10 / 12	2 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	29	20	10	1	2	0
Number of transfers	29	20	10	1	2	0
Average number of embryos transferred	2.0	1.9	2.2	1.0	2.0	
Percentage of embryos transferred resulting in implantation	37.9	26.3	36.4	0 / 1	1 / 4	
Percentage of transfers resulting in singleton live births	48.3	35.0	5 / 10	0 / 1	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	1 / 10	0 / 1	0 / 2	
Percentage of transfers resulting in live births	51.7	35.0	6 / 10	0 / 1	0 / 2	
Percentage of transfers resulting in pregnancy	58.6	50.0	6 / 10	0 / 1	1 / 2	
All Ages Combined^f						
Donor Eggs	Fresh Embryos			Frozen Embryos		
Number of cycles	12			5		
Number of transfers	12			5		
Average number of embryos transferred	2.1			1.8		
Percentage of embryos transferred resulting in implantation	48.0			6 / 9		
Percentage of transfers resulting in singleton live births	6 / 12			2 / 5		
Percentage of transfers resulting in live births	7 / 12			4 / 5		
Percentage of transfers resulting in pregnancy	8 / 12			4 / 5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: West Coast Fertility Centers

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 37 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**XPERT FERTILITY CARE OF CALIFORNIA
MINH N. HO, MD, FACOG
FOUNTAIN VALLEY, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	41%	Tubal factor	11%	Uterine factor	4%
Unstimulated	0%	Used PGD	5%	Ovulatory dysfunction	29%	Male factor	46%
Used gestational carrier	5%			Diminished ovarian reserve	54%	Other factor	0%
				Endometriosis	0%	Unknown factor	0%
				Multiple Factors: Female factors only 7% Female & male factors 36%			

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 28

Data verified by Minh N. Ho, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	7	9	3	3	0	0
Percentage of cancellations	0 / 7	0 / 9	0 / 3	0 / 3		
Average number of embryos transferred	3.3	3.2	4.7	3.3		
Percentage of embryos transferred resulting in implantation	34.8	34.5	0 / 14	2 / 10		
Percentage of elective single embryo transfer (eSET)	0 / 7	0 / 9	0 / 3	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	3 / 7	5 / 9	0 / 3	1 / 3		
Percentage of cycles resulting in triplets or more live births	0 / 7	0 / 9	0 / 3	0 / 3		
Percentage of cycles resulting in live births	5 / 7	5 / 9	0 / 3	1 / 3		
Percentage of cycles resulting in pregnancy	5 / 7	8 / 9	0 / 3	2 / 3		
Outcomes per Transfer						
Number of transfers	7	9	3	3	0	0
Percentage of transfers resulting in singleton live births	3 / 7	5 / 9	0 / 3	1 / 3		
Percentage of transfers resulting in triplets or more live births	0 / 7	0 / 9	0 / 3	0 / 3		
Percentage of transfers resulting in live births	5 / 7	5 / 9	0 / 3	1 / 3		
Percentage of transfers resulting in pregnancy	5 / 7	8 / 9	0 / 3	2 / 3		
Outcomes per Pregnancy						
Number of pregnancies	5	8	0	2	0	0
Percentage of pregnancies resulting in singleton live births	3 / 5	5 / 8		1 / 2		
Percentage of pregnancies resulting in triplets or more live births	0 / 5	0 / 8		0 / 2		
Percentage of pregnancies resulting in live births	5 / 5	5 / 8		1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	0	0	0	0	0
Number of transfers	0	0	0	0	0	0
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in triplets or more live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

All Ages Combined^f

Donor Eggs	Fresh Embryos	Frozen Embryos
Number of cycles	3	3
Number of transfers	3	3
Average number of embryos transferred	3.7	4.3
Percentage of embryos transferred resulting in implantation	3 / 11	2 / 13
Percentage of transfers resulting in singleton live births	0 / 3	0 / 3
Percentage of transfers resulting in live births	0 / 3	1 / 3
Percentage of transfers resulting in pregnancy	2 / 3	1 / 3

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Xpert Fertility Care of California, Minh N. Ho, MD, FACOG

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

KAISER PERMANENTE CENTER FOR REPRODUCTIVE HEALTH FREMONT, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	76%	Tubal factor	10%	Uterine factor	6%	Multiple Factors: Female factors only 5% Female & male factors 28%
Unstimulated	<1%	Used PGD	2%	Ovulatory dysfunction	9%	Male factor	45%	
Used gestational carrier	0%			Diminished ovarian reserve	52%	Other factor	6%	
				Endometriosis	2%	Unknown factor	6%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 733

Data verified by Lisa Farah-Eways, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	160	124	125	59	28	10
Percentage of cancellations	9.4	9.7	18.4	18.6	25.0	2 / 10
Average number of embryos transferred	2.1	2.4	3.1	3.8	4.6	3.8
Percentage of embryos transferred resulting in implantation	44.6	31.7	19.9	9.3	5.5	0 / 15
Percentage of elective single embryo transfer (eSET)	10.9	4.0	1.2	0.0	0 / 16	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	31.3	26.6	17.6	13.6	3.6	0 / 10
Percentage of cycles resulting in triplets or more live births	1.3	0.8	0.0	0.0	0.0	0 / 10
Percentage of cycles resulting in live births	46.9	41.1	26.4	15.3	3.6	0 / 10
Percentage of cycles resulting in pregnancy	52.5	48.4	35.2	25.4	14.3	0 / 10
Outcomes per Transfer						
Number of transfers	125	102	92	43	16	4
Percentage of transfers resulting in singleton live births	40.0	32.4	23.9	18.6	1 / 16	0 / 4
Percentage of transfers resulting in triplets or more live births	1.6	1.0	0.0	0.0	0 / 16	0 / 4
Percentage of transfers resulting in live births	60.0	50.0	35.9	20.9	1 / 16	0 / 4
Percentage of transfers resulting in pregnancy	67.2	58.8	47.8	34.9	4 / 16	0 / 4
Outcomes per Pregnancy						
Number of pregnancies	84	60	44	15	4	0
Percentage of pregnancies resulting in singleton live births	59.5	55.0	50.0	8 / 15	1 / 4	
Percentage of pregnancies resulting in triplets or more live births	2.4	1.7	0.0	0 / 15	0 / 4	
Percentage of pregnancies resulting in live births	89.3	85.0	75.0	9 / 15	1 / 4	
Frozen Embryos from Nondonor Eggs						
Number of cycles	80	40	29	7	5	4
Number of transfers	79	39	29	7	4	3
Average number of embryos transferred	2.0	1.8	2.0	2.7	3.8	1.3
Percentage of embryos transferred resulting in implantation	30.6	37.5	23.7	4 / 19	0 / 15	0 / 4
Percentage of transfers resulting in singleton live births	35.4	35.9	27.6	1 / 7	0 / 4	0 / 3
Percentage of transfers resulting in triplets or more live births	1.3	0.0	0.0	0 / 7	0 / 4	0 / 3
Percentage of transfers resulting in live births	43.0	46.2	31.0	2 / 7	0 / 4	0 / 3
Percentage of transfers resulting in pregnancy	49.4	53.8	37.9	2 / 7	0 / 4	0 / 3
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	38		24			
Number of transfers	34		22			
Average number of embryos transferred	1.8		1.8			
Percentage of embryos transferred resulting in implantation	53.2		50.0			
Percentage of transfers resulting in singleton live births	32.4		50.0			
Percentage of transfers resulting in live births	55.9		59.1			
Percentage of transfers resulting in pregnancy	73.5		77.3			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Kaiser Permanente Center for Reproductive Health

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CARE FERTILITY GLENDALE, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	87%	Tubal factor	12%	Uterine factor	16%
Unstimulated	<1%	Used PGD	2%	Ovulatory dysfunction	13%	Male factor	14%
Used gestational carrier	<1%			Diminished ovarian reserve	25%	Other factor	20%
				Endometriosis	3%	Unknown factor	17%
				Multiple Factors:			
						Female factors only	13%
						Female & male factors	6%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 291

Data verified by Rudy Quintero, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	81	19	25	24	17	0
Percentage of cancellations	6.2	0 / 19	8.0	12.5	1 / 17	
Average number of embryos transferred	2.2	2.5	2.8	3.4	3.8	
Percentage of embryos transferred resulting in implantation	13.1	34.3	9.5	10.6	2.4	
Percentage of elective single embryo transfer (eSET)	8.9	0 / 14	0 / 14	0 / 13	0 / 9	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	11.1	1 / 19	4.0	4.2	0 / 17	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 19	0.0	0.0	0 / 17	
Percentage of cycles resulting in live births	12.3	5 / 19	4.0	8.3	0 / 17	
Percentage of cycles resulting in pregnancy	21.0	7 / 19	8.0	20.8	2 / 17	
Outcomes per Transfer						
Number of transfers	60	14	15	14	11	0
Percentage of transfers resulting in singleton live births	15.0	1 / 14	1 / 15	1 / 14	0 / 11	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 14	0 / 15	0 / 14	0 / 11	
Percentage of transfers resulting in live births	16.7	5 / 14	1 / 15	2 / 14	0 / 11	
Percentage of transfers resulting in pregnancy	28.3	7 / 14	2 / 15	5 / 14	2 / 11	
Outcomes per Pregnancy						
Number of pregnancies	17	7	2	5	2	0
Percentage of pregnancies resulting in singleton live births	9 / 17	1 / 7	1 / 2	1 / 5	0 / 2	
Percentage of pregnancies resulting in triplets or more live births	0 / 17	0 / 7	0 / 2	0 / 5	0 / 2	
Percentage of pregnancies resulting in live births	10 / 17	5 / 7	1 / 2	2 / 5	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	63	17	10	7	5	2
Number of transfers	57	17	8	5	4	2
Average number of embryos transferred	2.3	2.4	3.5	3.2	5.3	2.5
Percentage of embryos transferred resulting in implantation	17.3	17.1	10.7	1 / 16	4.8	0 / 5
Percentage of transfers resulting in singleton live births	17.5	3 / 17	1 / 8	0 / 5	0 / 4	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0 / 17	0 / 8	0 / 5	0 / 4	0 / 2
Percentage of transfers resulting in live births	22.8	3 / 17	2 / 8	0 / 5	0 / 4	0 / 2
Percentage of transfers resulting in pregnancy	45.6	7 / 17	3 / 8	1 / 5	1 / 4	0 / 2
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Number of cycles		11		10		
Number of transfers		10		10		
Average number of embryos transferred		1.9		2.2		
Percentage of embryos transferred resulting in implantation		4 / 19		13.6		
Percentage of transfers resulting in singleton live births		2 / 10		3 / 10		
Percentage of transfers resulting in live births		3 / 10		3 / 10		
Percentage of transfers resulting in pregnancy		4 / 10		4 / 10		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: CARE Fertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 10 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2011 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2011 ART cycle data or the clinic's Medical Director did not approve the clinic's 2011 ART cycle data for inclusion in this report.

COASTAL FERTILITY MEDICAL CENTER, INC. IRVINE, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	91%	Tubal factor	8%	Uterine factor	2%	
Unstimulated	0%	Used PGD	9%	Ovulatory dysfunction	5%	Male factor	32%	
Used gestational carrier	1%			Diminished ovarian reserve	37%	Other factor	16%	
				Endometriosis	6%	Unknown factor	22%	
				Multiple Factors:				
				Female factors only				11%
				Female & male factors				15%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 268

Data verified by Lawrence B. Werlin, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	65	38	34	22	1	0
Percentage of cancellations	1.5	7.9	5.9	18.2	0 / 1	
Average number of embryos transferred	2.2	2.6	2.8	3.0	3.0	
Percentage of embryos transferred resulting in implantation	19.7	18.1	15.7	10.0	0 / 3	
Percentage of elective single embryo transfer (eSET)	0.0	0.0	0.0	0 / 10	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	15.4	18.4	26.5	9.1	0 / 1	
Percentage of cycles resulting in triplets or more live births	1.5	2.6	0.0	0.0	0 / 1	
Percentage of cycles resulting in live births	23.1	26.3	29.4	9.1	0 / 1	
Percentage of cycles resulting in pregnancy	29.2	28.9	32.4	13.6	0 / 1	
Outcomes per Transfer						
Number of transfers	61	32	30	10	1	0
Percentage of transfers resulting in singleton live births	16.4	21.9	30.0	2 / 10	0 / 1	
Percentage of transfers resulting in triplets or more live births	1.6	3.1	0.0	0 / 10	0 / 1	
Percentage of transfers resulting in live births	24.6	31.3	33.3	2 / 10	0 / 1	
Percentage of transfers resulting in pregnancy	31.1	34.4	36.7	3 / 10	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	19	11	11	3	0	0
Percentage of pregnancies resulting in singleton live births	10 / 19	7 / 11	9 / 11	2 / 3		
Percentage of pregnancies resulting in triplets or more live births	1 / 19	1 / 11	0 / 11	0 / 3		
Percentage of pregnancies resulting in live births	15 / 19	10 / 11	10 / 11	2 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	23	25	16	7	3	0
Number of transfers	23	24	15	6	2	0
Average number of embryos transferred	2.3	2.3	2.4	2.3	3.0	
Percentage of embryos transferred resulting in implantation	24.5	25.0	33.3	1 / 14	0 / 6	
Percentage of transfers resulting in singleton live births	21.7	12.5	4 / 15	1 / 6	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 15	0 / 6	0 / 2	
Percentage of transfers resulting in live births	39.1	25.0	7 / 15	1 / 6	0 / 2	
Percentage of transfers resulting in pregnancy	39.1	33.3	8 / 15	1 / 6	0 / 2	
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		17		17		
Number of transfers		17		17		
Average number of embryos transferred		2.2		2.8		
Percentage of embryos transferred resulting in implantation		37.8		25.0		
Percentage of transfers resulting in singleton live births		6 / 17		4 / 17		
Percentage of transfers resulting in live births		10 / 17		6 / 17		
Percentage of transfers resulting in pregnancy		11 / 17		12 / 17		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Coastal Fertility Medical Center, Inc.

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 40 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF SOUTHERN CALIFORNIA IRVINE, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	87%	Tubal factor	10%	Uterine factor	13%	Multiple Factors: Female factors only 22% Female & male factors 9%
Unstimulated	0%	Used PGD	11%	Ovulatory dysfunction	10%	Male factor	19%	
Used gestational carrier	3%			Diminished ovarian reserve	38%	Other factor	20%	
				Endometriosis	10%	Unknown factor	15%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 149

Data verified by Ilene E. Hatch, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	26	18	18	16	11	1
Percentage of cancellations	3.8	2 / 18	2 / 18	4 / 16	0 / 11	0 / 1
Average number of embryos transferred	2.3	2.1	2.6	3.4	3.8	
Percentage of embryos transferred resulting in implantation	32.7	43.3	23.1	9.7	7.1	
Percentage of elective single embryo transfer (eSET)	4.2	2 / 13	0 / 13	0 / 9	0 / 11	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	38.5	8 / 18	4 / 18	1 / 16	0 / 11	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0 / 18	0 / 18	0 / 16	0 / 11	0 / 1
Percentage of cycles resulting in live births	50.0	8 / 18	5 / 18	2 / 16	0 / 11	0 / 1
Percentage of cycles resulting in pregnancy	50.0	10 / 18	7 / 18	2 / 16	3 / 11	0 / 1
Outcomes per Transfer						
Number of transfers	24	14	15	9	11	0
Percentage of transfers resulting in singleton live births	41.7	8 / 14	4 / 15	1 / 9	0 / 11	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 14	0 / 15	0 / 9	0 / 11	
Percentage of transfers resulting in live births	54.2	8 / 14	5 / 15	2 / 9	0 / 11	
Percentage of transfers resulting in pregnancy	54.2	10 / 14	7 / 15	2 / 9	3 / 11	
Outcomes per Pregnancy						
Number of pregnancies	13	10	7	2	3	0
Percentage of pregnancies resulting in singleton live births	10 / 13	8 / 10	4 / 7	1 / 2	0 / 3	
Percentage of pregnancies resulting in triplets or more live births	0 / 13	0 / 10	0 / 7	0 / 2	0 / 3	
Percentage of pregnancies resulting in live births	13 / 13	8 / 10	5 / 7	2 / 2	0 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	10	13	9	2	1	0
Number of transfers	10	12	8	2	1	0
Average number of embryos transferred	2.3	1.9	1.5	3.0	4.0	
Percentage of embryos transferred resulting in implantation	30.4	43.5	4 / 12	1 / 6	0 / 4	
Percentage of transfers resulting in singleton live births	2 / 10	6 / 12	4 / 8	1 / 2	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 10	0 / 12	0 / 8	0 / 2	0 / 1	
Percentage of transfers resulting in live births	4 / 10	7 / 12	4 / 8	1 / 2	0 / 1	
Percentage of transfers resulting in pregnancy	5 / 10	9 / 12	4 / 8	2 / 2	0 / 1	
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		5		19		
Number of transfers		5		17		
Average number of embryos transferred		1.8		1.9		
Percentage of embryos transferred resulting in implantation		6 / 9		31.3		
Percentage of transfers resulting in singleton live births		3 / 5		7 / 17		
Percentage of transfers resulting in live births		4 / 5		8 / 17		
Percentage of transfers resulting in pregnancy		5 / 5		9 / 17		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Center of Southern California

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 8 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**HOPE IVF AND FERTILITY CENTER
IRVINE, CALIFORNIA**

This clinic provided ART services during 2011 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2011 ART cycle data or the clinic's Medical Director did not approve the clinic's 2011 ART cycle data for inclusion in this report.

**LIFE IVF CENTER
FRANK D. YELIAN, MD, PC
IRVINE, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE				Patient Diagnosis ^b				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	94%	Tubal factor	14%	Uterine factor	6%	Multiple Factors: Female factors only 31% Female & male factors 6%
Unstimulated	69%	Used PGD	3%	Ovulatory dysfunction	5%	Male factor	13%	
Used gestational carrier	0%			Diminished ovarian reserve	40%	Other factor	34%	
				Endometriosis	22%	Unknown factor	13%	

2011 ART SUCCESS RATES^{c,d} Number of cycles in table: ^e 460 Data verified by Frank D. Yelian, MD, PhD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	26	31	46	31	13	18
Percentage of cancellations	3.8	6.5	2.2	3.2	1 / 13	1 / 18
Average number of embryos transferred	1.0	1.1	1.2	1.3	1.1	1.2
Percentage of embryos transferred resulting in implantation	12.0	45.2	25.0	10.8	0 / 13	0 / 19
Percentage of elective single embryo transfer (eSET)	9 / 10	6 / 8	7 / 15	1 / 9	0 / 1	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	11.5	29.0	17.4	6.5	0 / 13	0 / 18
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 13	0 / 18
Percentage of cycles resulting in live births	11.5	32.3	19.6	6.5	0 / 13	0 / 18
Percentage of cycles resulting in pregnancy	15.4	41.9	30.4	16.1	0 / 13	1 / 18
Outcomes per Transfer						
Number of transfers	24	29	44	30	12	16
Percentage of transfers resulting in singleton live births	12.5	31.0	18.2	6.7	0 / 12	0 / 16
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 12	0 / 16
Percentage of transfers resulting in live births	12.5	34.5	20.5	6.7	0 / 12	0 / 16
Percentage of transfers resulting in pregnancy	16.7	44.8	31.8	16.7	0 / 12	1 / 16
Outcomes per Pregnancy						
Number of pregnancies	4	13	14	5	0	1
Percentage of pregnancies resulting in singleton live births	3 / 4	9 / 13	8 / 14	2 / 5		0 / 1
Percentage of pregnancies resulting in triplets or more live births	0 / 4	0 / 13	0 / 14	0 / 5		0 / 1
Percentage of pregnancies resulting in live births	3 / 4	10 / 13	9 / 14	2 / 5		0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	56	64	65	57	15	23
Number of transfers	52	60	61	52	13	21
Average number of embryos transferred	1.3	1.1	1.2	1.3	1.3	1.1
Percentage of embryos transferred resulting in implantation	47.0	37.3	18.1	18.5	2 / 17	8.7
Percentage of transfers resulting in singleton live births	44.2	25.0	18.0	9.6	1 / 13	4.8
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 13	0.0
Percentage of transfers resulting in live births	50.0	28.3	18.0	11.5	1 / 13	4.8
Percentage of transfers resulting in pregnancy	55.8	45.0	23.0	23.1	2 / 13	9.5
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	0		15			
Number of transfers	0		14			
Average number of embryos transferred			1.4			
Percentage of embryos transferred resulting in implantation			40.0			
Percentage of transfers resulting in singleton live births			4 / 14			
Percentage of transfers resulting in live births			6 / 14			
Percentage of transfers resulting in pregnancy			6 / 14			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Life IVF Center, Frank D. Yelian, MD, PC					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 800 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**REPRODUCTIVE FERTILITY CENTER-OC
IRVINE, CALIFORNIA**

This clinic provided ART services during 2011 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2011 ART cycle data or the clinic's Medical Director did not approve the clinic's 2011 ART cycle data for inclusion in this report.

**LA JOLLA IVF
LA JOLLA, CALIFORNIA**

This clinic provided ART services during 2011 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2011 ART cycle data or the clinic's Medical Director did not approve the clinic's 2011 ART cycle data for inclusion in this report.

REPRODUCTIVE PARTNERS-UCSD REGIONAL FERTILITY CENTER LA JOLLA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	86%	Tubal factor	8%	Uterine factor	5%	
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	12%	Male factor	27%	
Used gestational carrier	2%			Diminished ovarian reserve	32%	Other factor	19%	
				Endometriosis	8%	Unknown factor	8%	
				Multiple Factors:				
				Female factors only				8%
				Female & male factors				8%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 519

Data verified by V. Gabriel Garzo, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	120	76	77	50	14	1
Percentage of cancellations	5.8	11.8	10.4	28.0	1 / 14	0 / 1
Average number of embryos transferred	1.6	1.9	2.1	2.5	2.6	2.0
Percentage of embryos transferred resulting in implantation	58.2	50.9	33.1	16.2	12.9	0 / 2
Percentage of elective single embryo transfer (eSET)	35.5	14.5	1.7	0.0	0 / 11	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	38.3	28.9	29.9	6.0	4 / 14	0 / 1
Percentage of cycles resulting in triplets or more live births	0.8	0.0	0.0	0.0	0 / 14	0 / 1
Percentage of cycles resulting in live births	54.2	43.4	39.0	10.0	4 / 14	0 / 1
Percentage of cycles resulting in pregnancy	64.2	51.3	45.5	20.0	6 / 14	0 / 1
Outcomes per Transfer						
Number of transfers	103	59	64	30	12	1
Percentage of transfers resulting in singleton live births	44.7	37.3	35.9	10.0	4 / 12	0 / 1
Percentage of transfers resulting in triplets or more live births	1.0	0.0	0.0	0.0	0 / 12	0 / 1
Percentage of transfers resulting in live births	63.1	55.9	46.9	16.7	4 / 12	0 / 1
Percentage of transfers resulting in pregnancy	74.8	66.1	54.7	33.3	6 / 12	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	77	39	35	10	6	0
Percentage of pregnancies resulting in singleton live births	59.7	56.4	65.7	3 / 10	4 / 6	
Percentage of pregnancies resulting in triplets or more live births	1.3	0.0	0.0	0 / 10	0 / 6	
Percentage of pregnancies resulting in live births	84.4	84.6	85.7	5 / 10	4 / 6	
Frozen Embryos from Nondonor Eggs						
Number of cycles	43	38	27	7	4	0
Number of transfers	38	34	24	3	1	0
Average number of embryos transferred	1.7	1.8	1.9	2.7	1.0	
Percentage of embryos transferred resulting in implantation	42.4	27.6	26.1	0 / 8	0 / 1	
Percentage of transfers resulting in singleton live births	31.6	35.3	20.8	0 / 3	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 3	0 / 1	
Percentage of transfers resulting in live births	50.0	41.2	29.2	0 / 3	0 / 1	
Percentage of transfers resulting in pregnancy	60.5	47.1	50.0	0 / 3	0 / 1	
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	35		27			
Number of transfers	31		23			
Average number of embryos transferred	1.4		1.9			
Percentage of embryos transferred resulting in implantation	74.4		25.6			
Percentage of transfers resulting in singleton live births	48.4		30.4			
Percentage of transfers resulting in live births	71.0		34.8			
Percentage of transfers resulting in pregnancy	80.6		47.8			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Partners-UCSD Regional Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 26 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE SCIENCES CENTER LA JOLLA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	92%	Tubal factor	8%	Uterine factor	12%	Multiple Factors: Female factors only 14% Female & male factors 30%
Unstimulated	0%	Used PGD	24%	Ovulatory dysfunction	16%	Male factor	44%	
Used gestational carrier	8%			Diminished ovarian reserve	37%	Other factor	25%	
				Endometriosis	4%	Unknown factor	2%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 93

Data verified by Samuel H. Wood, MD, PhD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	12	11	11	3	0	0
Percentage of cancellations	1 / 12	0 / 11	1 / 11	1 / 3		
Average number of embryos transferred	2.0	2.7	2.8	3.0		
Percentage of embryos transferred resulting in implantation	50.0	26.7	25.0	0 / 6		
Percentage of elective single embryo transfer (eSET)	0 / 10	2 / 11	0 / 10	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	7 / 12	7 / 11	2 / 11	0 / 3		
Percentage of cycles resulting in triplets or more live births	0 / 12	0 / 11	0 / 11	0 / 3		
Percentage of cycles resulting in live births	9 / 12	7 / 11	3 / 11	0 / 3		
Percentage of cycles resulting in pregnancy	9 / 12	8 / 11	6 / 11	0 / 3		
Outcomes per Transfer						
Number of transfers	11	11	10	2	0	0
Percentage of transfers resulting in singleton live births	7 / 11	7 / 11	2 / 10	0 / 2		
Percentage of transfers resulting in triplets or more live births	0 / 11	0 / 11	0 / 10	0 / 2		
Percentage of transfers resulting in live births	9 / 11	7 / 11	3 / 10	0 / 2		
Percentage of transfers resulting in pregnancy	9 / 11	8 / 11	6 / 10	0 / 2		
Outcomes per Pregnancy						
Number of pregnancies	9	8	6	0	0	0
Percentage of pregnancies resulting in singleton live births	7 / 9	7 / 8	2 / 6			
Percentage of pregnancies resulting in triplets or more live births	0 / 9	0 / 8	0 / 6			
Percentage of pregnancies resulting in live births	9 / 9	7 / 8	3 / 6			
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	4	7	0	1	0
Number of transfers	6	4	6	0	1	0
Average number of embryos transferred	2.3	2.3	2.3		2.0	
Percentage of embryos transferred resulting in implantation	10 / 14	2 / 9	4 / 14		0 / 2	
Percentage of transfers resulting in singleton live births	1 / 6	0 / 4	2 / 6		0 / 1	
Percentage of transfers resulting in triplets or more live births	1 / 6	0 / 4	0 / 6		0 / 1	
Percentage of transfers resulting in live births	4 / 6	1 / 4	3 / 6		0 / 1	
Percentage of transfers resulting in pregnancy	5 / 6	1 / 4	3 / 6		0 / 1	
All Ages Combined^f						
	Fresh Embryos			Frozen Embryos		
Number of cycles	19			19		
Number of transfers	19			19		
Average number of embryos transferred	1.9			2.2		
Percentage of embryos transferred resulting in implantation	51.4			42.9		
Percentage of transfers resulting in singleton live births	7 / 19			8 / 19		
Percentage of transfers resulting in live births	11 / 19			13 / 19		
Percentage of transfers resulting in pregnancy	12 / 19			13 / 19		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Sciences Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 7 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HRC FERTILITY-ORANGE COUNTY LAGUNA HILLS, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	85%	Tubal factor	6%	Uterine factor	1%	
Unstimulated	0%	Used PGD	30%	Ovulatory dysfunction	9%	Male factor	26%	
Used gestational carrier	0%			Diminished ovarian reserve	8%	Other factor	44%	
				Endometriosis	4%	Unknown factor	12%	
				Multiple Factors:				
				Female factors only				<1%
				Female & male factors				9%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 358

Data verified by Daniel A. Potter, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	105	55	66	24	8	3
Percentage of cancellations	10.5	21.8	15.2	12.5	1 / 8	0 / 3
Average number of embryos transferred	1.7	1.9	2.3	3.1	3.1	3.3
Percentage of embryos transferred resulting in implantation	49.7	36.1	34.1	10.6	9.1	2 / 10
Percentage of elective single embryo transfer (eSET)	31.3	14.3	5.1	0 / 18	0 / 5	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	44.8	23.6	28.8	20.8	1 / 8	2 / 3
Percentage of cycles resulting in triplets or more live births	1.0	3.6	1.5	0.0	0 / 8	0 / 3
Percentage of cycles resulting in live births	57.1	32.7	40.9	25.0	1 / 8	2 / 3
Percentage of cycles resulting in pregnancy	62.9	45.5	45.5	29.2	2 / 8	2 / 3
Outcomes per Transfer						
Number of transfers	94	43	56	21	7	3
Percentage of transfers resulting in singleton live births	50.0	30.2	33.9	23.8	1 / 7	2 / 3
Percentage of transfers resulting in triplets or more live births	1.1	4.7	1.8	0.0	0 / 7	0 / 3
Percentage of transfers resulting in live births	63.8	41.9	48.2	28.6	1 / 7	2 / 3
Percentage of transfers resulting in pregnancy	70.2	58.1	53.6	33.3	2 / 7	2 / 3
Outcomes per Pregnancy						
Number of pregnancies	66	25	30	7	2	2
Percentage of pregnancies resulting in singleton live births	71.2	52.0	63.3	5 / 7	1 / 2	2 / 2
Percentage of pregnancies resulting in triplets or more live births	1.5	8.0	3.3	0 / 7	0 / 2	0 / 2
Percentage of pregnancies resulting in live births	90.9	72.0	90.0	6 / 7	1 / 2	2 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	24	15	13	5	6	4
Number of transfers	23	14	13	5	6	4
Average number of embryos transferred	1.9	2.1	2.2	2.8	2.2	2.0
Percentage of embryos transferred resulting in implantation	53.5	31.0	39.3	4 / 14	3 / 13	4 / 8
Percentage of transfers resulting in singleton live births	39.1	7 / 14	6 / 13	3 / 5	2 / 6	2 / 4
Percentage of transfers resulting in triplets or more live births	0.0	0 / 14	0 / 13	0 / 5	0 / 6	0 / 4
Percentage of transfers resulting in live births	56.5	8 / 14	8 / 13	3 / 5	2 / 6	2 / 4
Percentage of transfers resulting in pregnancy	78.3	8 / 14	9 / 13	3 / 5	2 / 6	3 / 4
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Number of cycles		26		4		
Number of transfers		26		3		
Average number of embryos transferred		1.8		2.7		
Percentage of embryos transferred resulting in implantation		69.6		1 / 8		
Percentage of transfers resulting in singleton live births		61.5		1 / 3		
Percentage of transfers resulting in live births		88.5		1 / 3		
Percentage of transfers resulting in pregnancy		92.3		2 / 3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: HRC Fertility-Orange County

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ACACIO FERTILITY CENTER LAGUNA NIGUEL, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	86%	Tubal factor	11%	Uterine factor	11%	
Unstimulated	<1%	Used PGD	13%	Ovulatory dysfunction	5%	Male factor	32%	
Used gestational carrier	3%			Diminished ovarian reserve	33%	Other factor	55%	
				Endometriosis	11%	Unknown factor	2%	
				Multiple Factors:				
				Female factors only				24%
				Female & male factors				24%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 350

Data verified by Brian D. Acacio, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	64	37	47	43	29	27
Percentage of cancellations	4.7	10.8	19.1	11.6	6.9	29.6
Average number of embryos transferred	2.2	2.6	3.2	2.9	3.2	2.1
Percentage of embryos transferred resulting in implantation	25.8	20.7	15.8	8.0	2.7	3.3
Percentage of elective single embryo transfer (eSET)	0.0	3.4	0.0	3.6	0.0	0 / 8
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.0	24.3	17.0	9.3	6.9	0.0
Percentage of cycles resulting in triplets or more live births	0.0	0.0	2.1	0.0	0.0	0.0
Percentage of cycles resulting in live births	37.5	32.4	23.4	11.6	6.9	0.0
Percentage of cycles resulting in pregnancy	45.3	40.5	31.9	18.6	6.9	3.7
Outcomes per Transfer						
Number of transfers	59	31	37	35	23	14
Percentage of transfers resulting in singleton live births	27.1	29.0	21.6	11.4	8.7	0 / 14
Percentage of transfers resulting in triplets or more live births	0.0	0.0	2.7	0.0	0.0	0 / 14
Percentage of transfers resulting in live births	40.7	38.7	29.7	14.3	8.7	0 / 14
Percentage of transfers resulting in pregnancy	49.2	48.4	40.5	22.9	8.7	1 / 14
Outcomes per Pregnancy						
Number of pregnancies	29	15	15	8	2	1
Percentage of pregnancies resulting in singleton live births	55.2	9 / 15	8 / 15	4 / 8	2 / 2	0 / 1
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 15	1 / 15	0 / 8	0 / 2	0 / 1
Percentage of pregnancies resulting in live births	82.8	12 / 15	11 / 15	5 / 8	2 / 2	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	26	13	13	6	2	4
Number of transfers	22	12	11	5	1	4
Average number of embryos transferred	2.4	2.2	2.5	2.8	1.0	2.8
Percentage of embryos transferred resulting in implantation	30.8	30.8	28.6	4 / 14	0 / 1	4 / 11
Percentage of transfers resulting in singleton live births	27.3	4 / 12	2 / 11	2 / 5	0 / 1	2 / 4
Percentage of transfers resulting in triplets or more live births	0.0	0 / 12	0 / 11	0 / 5	0 / 1	0 / 4
Percentage of transfers resulting in live births	40.9	6 / 12	4 / 11	3 / 5	0 / 1	3 / 4
Percentage of transfers resulting in pregnancy	50.0	6 / 12	6 / 11	3 / 5	0 / 1	3 / 4
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	31		8			
Number of transfers	29		8			
Average number of embryos transferred	2.4		2.8			
Percentage of embryos transferred resulting in implantation	41.4		36.4			
Percentage of transfers resulting in singleton live births	34.5		6 / 8			
Percentage of transfers resulting in live births	65.5		6 / 8			
Percentage of transfers resulting in pregnancy	72.4		7 / 8			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Acacio Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 9 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

LOMA LINDA UNIVERSITY CENTER FOR FERTILITY AND IVF LOMA LINDA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	89%	Tubal factor	22%	Uterine factor	11%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	21%	Male factor	45%	
Used gestational carrier	<1%			Diminished ovarian reserve	41%	Other factor	4%	
				Endometriosis	10%	Unknown factor	6%	
				Multiple Factors:				
				Female factors only				18%
				Female & male factors				28%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 211

Data verified by John D. Jacobson, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	68	33	32	12	5	0
Percentage of cancellations	7.4	6.1	6.3	3 / 12	1 / 5	
Average number of embryos transferred	2.2	2.4	2.9	3.0	2.8	
Percentage of embryos transferred resulting in implantation	31.8	31.0	12.2	0.0	0 / 11	
Percentage of elective single embryo transfer (eSET)	1.8	0.0	0.0	0 / 5	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	22.1	21.2	18.8	0 / 12	0 / 5	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 12	0 / 5	
Percentage of cycles resulting in live births	35.3	39.4	18.8	0 / 12	0 / 5	
Percentage of cycles resulting in pregnancy	45.6	45.5	34.4	2 / 12	0 / 5	
Outcomes per Transfer						
Number of transfers	59	30	28	8	4	0
Percentage of transfers resulting in singleton live births	25.4	23.3	21.4	0 / 8	0 / 4	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 8	0 / 4	
Percentage of transfers resulting in live births	40.7	43.3	21.4	0 / 8	0 / 4	
Percentage of transfers resulting in pregnancy	52.5	50.0	39.3	2 / 8	0 / 4	
Outcomes per Pregnancy						
Number of pregnancies	31	15	11	2	0	0
Percentage of pregnancies resulting in singleton live births	48.4	7 / 15	6 / 11	0 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 15	0 / 11	0 / 2		
Percentage of pregnancies resulting in live births	77.4	13 / 15	6 / 11	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	28	8	4	1	2	1
Number of transfers	26	8	4	1	2	1
Average number of embryos transferred	2.6	2.4	2.5	3.0	2.0	3.0
Percentage of embryos transferred resulting in implantation	17.9	1 / 19	1 / 10	0 / 3	1 / 4	0 / 3
Percentage of transfers resulting in singleton live births	19.2	1 / 8	0 / 4	0 / 1	1 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 8	0 / 4	0 / 1	0 / 2	0 / 1
Percentage of transfers resulting in live births	26.9	1 / 8	0 / 4	0 / 1	1 / 2	0 / 1
Percentage of transfers resulting in pregnancy	50.0	2 / 8	1 / 4	0 / 1	1 / 2	0 / 1
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		9		8		
Number of transfers		7		6		
Average number of embryos transferred		1.7		2.5		
Percentage of embryos transferred resulting in implantation		6 / 12		1 / 15		
Percentage of transfers resulting in singleton live births		1 / 7		1 / 6		
Percentage of transfers resulting in live births		3 / 7		1 / 6		
Percentage of transfers resulting in pregnancy		5 / 7		1 / 6		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Loma Linda University Center for Fertility and IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CALIFORNIA FERTILITY PARTNERS LOS ANGELES, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE				Patient Diagnosis ^b			
Type of ART and Procedural Factors^a				Patient Diagnosis^b			
IVF	>99%	With ICSI	78%	Tubal factor	11%	Uterine factor	28%
Unstimulated	<1%	Used PGD	5%	Ovulatory dysfunction	4%	Male factor	33%
Used gestational carrier	14%			Diminished ovarian reserve	54%	Other factor	15%
				Endometriosis	9%	Unknown factor	5%
				Multiple Factors: Female factors only 23% Female & male factors 24%			

2011 ART SUCCESS RATES^{c,d} Number of cycles in table: ^e 636 Data verified by Richard P. Marrs, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	56	55	96	83	45	13
Percentage of cancellations	8.9	14.5	11.5	28.9	26.7	2 / 13
Average number of embryos transferred	2.1	2.6	2.8	3.7	3.4	3.6
Percentage of embryos transferred resulting in implantation	31.8	27.5	9.8	7.2	6.4	5.6
Percentage of elective single embryo transfer (eSET)	6.3	6.7	0.0	0.0	0.0	0 / 10
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	28.6	34.5	13.5	9.6	11.1	0 / 13
Percentage of cycles resulting in triplets or more live births	1.8	0.0	0.0	0.0	0.0	0 / 13
Percentage of cycles resulting in live births	41.1	40.0	14.6	9.6	11.1	0 / 13
Percentage of cycles resulting in pregnancy	44.6	50.9	22.9	22.9	24.4	2 / 13
Outcomes per Transfer						
Number of transfers	50	46	79	56	32	10
Percentage of transfers resulting in singleton live births	32.0	41.3	16.5	14.3	15.6	0 / 10
Percentage of transfers resulting in triplets or more live births	2.0	0.0	0.0	0.0	0.0	0 / 10
Percentage of transfers resulting in live births	46.0	47.8	17.7	14.3	15.6	0 / 10
Percentage of transfers resulting in pregnancy	50.0	60.9	27.8	33.9	34.4	2 / 10
Outcomes per Pregnancy						
Number of pregnancies	25	28	22	19	11	2
Percentage of pregnancies resulting in singleton live births	64.0	67.9	59.1	8 / 19	5 / 11	0 / 2
Percentage of pregnancies resulting in triplets or more live births	4.0	0.0	0.0	0 / 19	0 / 11	0 / 2
Percentage of pregnancies resulting in live births	92.0	78.6	63.6	8 / 19	5 / 11	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	12	16	19	17	12	6
Number of transfers	11	11	18	13	7	4
Average number of embryos transferred	2.2	2.1	2.1	2.2	2.7	3.0
Percentage of embryos transferred resulting in implantation	41.7	26.1	15.8	28.6	1 / 19	1 / 12
Percentage of transfers resulting in singleton live births	1 / 11	5 / 11	4 / 18	5 / 13	1 / 7	0 / 4
Percentage of transfers resulting in triplets or more live births	0 / 11	0 / 11	0 / 18	0 / 13	0 / 7	0 / 4
Percentage of transfers resulting in live births	5 / 11	5 / 11	4 / 18	5 / 13	1 / 7	0 / 4
Percentage of transfers resulting in pregnancy	7 / 11	6 / 11	6 / 18	9 / 13	2 / 7	1 / 4
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	130		76			
Number of transfers	123		57			
Average number of embryos transferred	1.9		2.1			
Percentage of embryos transferred resulting in implantation	56.4		34.7			
Percentage of transfers resulting in singleton live births	35.8		36.8			
Percentage of transfers resulting in live births	63.4		50.9			
Percentage of transfers resulting in pregnancy	71.5		59.6			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: California Fertility Partners					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 69 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**CEDARS SINAI MEDICAL CENTER
CENTER FOR FERTILITY AND REPRODUCTIVE MEDICINE
LOS ANGELES, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	60%	Tubal factor	12%	Uterine factor	12%
Unstimulated	0%	Used PGD	8%	Ovulatory dysfunction	10%	Male factor	35%
Used gestational carrier	0%			Diminished ovarian reserve	49%	Other factor	12%
				Endometriosis	7%	Unknown factor	13%
				Multiple Factors: Female factors only 19% Female & male factors 22%			

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 68

Data verified by Margareta D. Pisarska, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	15	13	15	14	5	0
Percentage of cancellations	0 / 15	1 / 13	1 / 15	4 / 14	1 / 5	
Average number of embryos transferred	2.2	1.9	2.1	2.8	2.0	
Percentage of embryos transferred resulting in implantation	41.9	52.2	33.3	22.7	0 / 4	
Percentage of elective single embryo transfer (eSET)	1 / 14	1 / 12	1 / 11	0 / 8	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	4 / 15	3 / 13	4 / 15	3 / 14	0 / 5	
Percentage of cycles resulting in triplets or more live births	0 / 15	0 / 13	0 / 15	0 / 14	0 / 5	
Percentage of cycles resulting in live births	7 / 15	7 / 13	6 / 15	4 / 14	0 / 5	
Percentage of cycles resulting in pregnancy	8 / 15	9 / 13	7 / 15	4 / 14	0 / 5	
Outcomes per Transfer						
Number of transfers	14	12	13	8	2	0
Percentage of transfers resulting in singleton live births	4 / 14	3 / 12	4 / 13	3 / 8	0 / 2	
Percentage of transfers resulting in triplets or more live births	0 / 14	0 / 12	0 / 13	0 / 8	0 / 2	
Percentage of transfers resulting in live births	7 / 14	7 / 12	6 / 13	4 / 8	0 / 2	
Percentage of transfers resulting in pregnancy	8 / 14	9 / 12	7 / 13	4 / 8	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	8	9	7	4	0	0
Percentage of pregnancies resulting in singleton live births	4 / 8	3 / 9	4 / 7	3 / 4		
Percentage of pregnancies resulting in triplets or more live births	0 / 8	0 / 9	0 / 7	0 / 4		
Percentage of pregnancies resulting in live births	7 / 8	7 / 9	6 / 7	4 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	1	1	0	0	0
Number of transfers	0	1	1	0	0	0
Average number of embryos transferred		2.0	3.0			
Percentage of embryos transferred resulting in implantation		0 / 2	0 / 3			
Percentage of transfers resulting in singleton live births		0 / 1	0 / 1			
Percentage of transfers resulting in triplets or more live births		0 / 1	0 / 1			
Percentage of transfers resulting in live births		0 / 1	0 / 1			
Percentage of transfers resulting in pregnancy		0 / 1	0 / 1			
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			2		2	
Number of transfers			2		2	
Average number of embryos transferred			2.0		1.5	
Percentage of embryos transferred resulting in implantation			2 / 4		2 / 3	
Percentage of transfers resulting in singleton live births			0 / 2		2 / 2	
Percentage of transfers resulting in live births			1 / 2		2 / 2	
Percentage of transfers resulting in pregnancy			1 / 2		2 / 2	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Cedars Sinai Medical Center, Center for Fertility and Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 2 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CHA FERTILITY CENTER LOS ANGELES, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	>99%	Tubal factor	6%	Uterine factor	2%	Multiple Factors: Female factors only 3% Female & male factors 4%
Unstimulated	<1%	Used PGD	19%	Ovulatory dysfunction	5%	Male factor	16%	
Used gestational carrier	<1%			Diminished ovarian reserve	60%	Other factor	9%	
				Endometriosis	<1%	Unknown factor	9%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 364

Data verified by Vicken P. Sepilian, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	51	31	28	8	6	5
Percentage of cancellations	0.0	0.0	0.0	0 / 8	0 / 6	0 / 5
Average number of embryos transferred	2.4	2.6	2.3	2.3	3.5	2.0
Percentage of embryos transferred resulting in implantation	27.1	21.5	18.0	1 / 18	4.8	0 / 8
Percentage of elective single embryo transfer (eSET)	2.2	0.0	0 / 18	1 / 6	0 / 6	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.5	16.1	25.0	1 / 8	1 / 6	0 / 5
Percentage of cycles resulting in triplets or more live births	2.0	0.0	0.0	0 / 8	0 / 6	0 / 5
Percentage of cycles resulting in live births	37.3	32.3	28.6	1 / 8	1 / 6	0 / 5
Percentage of cycles resulting in pregnancy	47.1	35.5	35.7	1 / 8	1 / 6	0 / 5
Outcomes per Transfer						
Number of transfers	50	30	26	8	6	4
Percentage of transfers resulting in singleton live births	24.0	16.7	26.9	1 / 8	1 / 6	0 / 4
Percentage of transfers resulting in triplets or more live births	2.0	0.0	0.0	0 / 8	0 / 6	0 / 4
Percentage of transfers resulting in live births	38.0	33.3	30.8	1 / 8	1 / 6	0 / 4
Percentage of transfers resulting in pregnancy	48.0	36.7	38.5	1 / 8	1 / 6	0 / 4
Outcomes per Pregnancy						
Number of pregnancies	24	11	10	1	1	0
Percentage of pregnancies resulting in singleton live births	50.0	5 / 11	7 / 10	1 / 1	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	4.2	0 / 11	0 / 10	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births	79.2	10 / 11	8 / 10	1 / 1	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	22	11	2	2	1	3
Number of transfers	22	11	2	2	1	3
Average number of embryos transferred	2.5	2.6	2.0	3.0	2.0	2.7
Percentage of embryos transferred resulting in implantation	40.7	13.8	1 / 4	2 / 6	0 / 2	2 / 8
Percentage of transfers resulting in singleton live births	63.6	2 / 11	1 / 2	0 / 2	0 / 1	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0 / 11	0 / 2	0 / 2	0 / 1	0 / 3
Percentage of transfers resulting in live births	77.3	2 / 11	1 / 2	0 / 2	0 / 1	0 / 3
Percentage of transfers resulting in pregnancy	86.4	4 / 11	1 / 2	2 / 2	0 / 1	2 / 3
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	112		82			
Number of transfers	111		81			
Average number of embryos transferred	2.0		2.2			
Percentage of embryos transferred resulting in implantation	39.6		37.0			
Percentage of transfers resulting in singleton live births	32.4		27.2			
Percentage of transfers resulting in live births	49.5		46.9			
Percentage of transfers resulting in pregnancy	60.4		60.5			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: CHA Fertility Center					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 36 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PACIFIC FERTILITY CENTER-LOS ANGELES LOS ANGELES, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	93%	Tubal factor	12%	Uterine factor	1%	
Unstimulated	<1%	Used PGD	7%	Ovulatory dysfunction	11%	Male factor	33%	
Used gestational carrier	2%			Diminished ovarian reserve	12%	Other factor	39%	
				Endometriosis	4%	Unknown factor	12%	
				Multiple Factors:				
				Female factors only				5%
				Female & male factors				15%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 386

Data verified by Vicken Sahakian, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	104	49	40	39	19	1
Percentage of cancellations	0.0	0.0	0.0	0.0	0 / 19	0 / 1
Average number of embryos transferred	2.2	2.3	2.5	2.5	3.0	1.0
Percentage of embryos transferred resulting in implantation	37.3	22.4	9.3	6.4	2.2	0 / 1
Percentage of elective single embryo transfer (eSET)	3.4	0.0	0.0	3.7	0 / 13	1 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.9	26.5	10.0	5.1	0 / 19	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 19	0 / 1
Percentage of cycles resulting in live births	48.1	30.6	10.0	7.7	0 / 19	0 / 1
Percentage of cycles resulting in pregnancy	50.0	40.8	17.5	10.3	1 / 19	0 / 1
Outcomes per Transfer						
Number of transfers	103	48	38	34	15	1
Percentage of transfers resulting in singleton live births	27.2	27.1	10.5	5.9	0 / 15	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 15	0 / 1
Percentage of transfers resulting in live births	48.5	31.3	10.5	8.8	0 / 15	0 / 1
Percentage of transfers resulting in pregnancy	50.5	41.7	18.4	11.8	1 / 15	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	52	20	7	4	1	0
Percentage of pregnancies resulting in singleton live births	53.8	65.0	4 / 7	2 / 4	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0 / 7	0 / 4	0 / 1	
Percentage of pregnancies resulting in live births	96.2	75.0	4 / 7	3 / 4	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	18	9	5	4	0	0
Number of transfers	18	9	5	4	0	0
Average number of embryos transferred	2.3	2.0	3.4	2.5		
Percentage of embryos transferred resulting in implantation	16.7	2 / 18	3 / 17	3 / 10		
Percentage of transfers resulting in singleton live births	4 / 18	2 / 9	1 / 5	1 / 4		
Percentage of transfers resulting in triplets or more live births	0 / 18	0 / 9	0 / 5	0 / 4		
Percentage of transfers resulting in live births	4 / 18	2 / 9	2 / 5	2 / 4		
Percentage of transfers resulting in pregnancy	5 / 18	2 / 9	2 / 5	2 / 4		
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	69		29			
Number of transfers	67		29			
Average number of embryos transferred	2.2		2.2			
Percentage of embryos transferred resulting in implantation	43.1		20.6			
Percentage of transfers resulting in singleton live births	32.8		24.1			
Percentage of transfers resulting in live births	53.7		34.5			
Percentage of transfers resulting in pregnancy	59.7		34.5			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Pacific Fertility Center-Los Angeles

Donor egg?	No	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 10 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UCLA FERTILITY CENTER LOS ANGELES, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	64%	Tubal factor	8%	Uterine factor	3%	Multiple Factors: Female factors only 7% Female & male factors 20%
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	3%	Male factor	38%	
Used gestational carrier	1%			Diminished ovarian reserve	12%	Other factor	46%	
				Endometriosis	13%	Unknown factor	11%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 120

Data verified by T.C. Jackson Wu, MD, PhD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	29	13	24	10	6	1
Percentage of cancellations	3.4	0 / 13	4.2	1 / 10	0 / 6	0 / 1
Average number of embryos transferred	1.7	1.8	2.3	2.0	2.4	4.0
Percentage of embryos transferred resulting in implantation	28.9	7 / 16	29.2	1 / 14	0 / 12	0 / 4
Percentage of elective single embryo transfer (eSET)	5 / 19	2 / 9	0.0	0 / 5	0 / 4	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	10.3	2 / 13	37.5	1 / 10	0 / 6	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0 / 13	0.0	0 / 10	0 / 6	0 / 1
Percentage of cycles resulting in live births	24.1	4 / 13	37.5	1 / 10	0 / 6	0 / 1
Percentage of cycles resulting in pregnancy	41.4	5 / 13	45.8	2 / 10	0 / 6	0 / 1
Outcomes per Transfer						
Number of transfers	22	9	21	7	5	1
Percentage of transfers resulting in singleton live births	13.6	2 / 9	42.9	1 / 7	0 / 5	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 9	0.0	0 / 7	0 / 5	0 / 1
Percentage of transfers resulting in live births	31.8	4 / 9	42.9	1 / 7	0 / 5	0 / 1
Percentage of transfers resulting in pregnancy	54.5	5 / 9	52.4	2 / 7	0 / 5	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	12	5	11	2	0	0
Percentage of pregnancies resulting in singleton live births	3 / 12	2 / 5	9 / 11	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	0 / 12	0 / 5	0 / 11	0 / 2		
Percentage of pregnancies resulting in live births	7 / 12	4 / 5	9 / 11	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	10	3	8	3	3	1
Number of transfers	10	3	8	2	3	1
Average number of embryos transferred	1.8	1.7	1.5	1.0	1.3	2.0
Percentage of embryos transferred resulting in implantation	9 / 18	4 / 5	3 / 12	0 / 2	1 / 4	0 / 2
Percentage of transfers resulting in singleton live births	3 / 10	1 / 3	2 / 8	0 / 2	1 / 3	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 10	0 / 3	0 / 8	0 / 2	0 / 3	0 / 1
Percentage of transfers resulting in live births	4 / 10	2 / 3	2 / 8	0 / 2	1 / 3	0 / 1
Percentage of transfers resulting in pregnancy	7 / 10	3 / 3	4 / 8	0 / 2	1 / 3	0 / 1
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	7		2			
Number of transfers	7		2			
Average number of embryos transferred	1.9		1.0			
Percentage of embryos transferred resulting in implantation	6 / 13		2 / 2			
Percentage of transfers resulting in singleton live births	2 / 7		2 / 2			
Percentage of transfers resulting in live births	4 / 7		2 / 2			
Percentage of transfers resulting in pregnancy	4 / 7		2 / 2			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: UCLA Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 8 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

USC REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY LOS ANGELES, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	98%	With ICSI	66%	Tubal factor	13%	Uterine factor	14%	
Unstimulated	<1%	Used PGD	5%	Ovulatory dysfunction	13%	Male factor	42%	
Used gestational carrier	1%			Diminished ovarian reserve	58%	Other factor	12%	
				Endometriosis	10%	Unknown factor	4%	
				Multiple Factors:				
				Female factors only				20%
				Female & male factors				33%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 320

Data verified by Richard J. Paulson, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	38	40	46	50	19	4
Percentage of cancellations	5.3	7.5	2.2	16.0	3 / 19	0 / 4
Average number of embryos transferred	1.9	2.6	3.0	3.7	5.2	2.8
Percentage of embryos transferred resulting in implantation	52.9	15.6	11.2	10.6	3.8	0 / 11
Percentage of elective single embryo transfer (eSET)	14.3	0.0	2.4	0.0	0 / 15	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	28.9	30.0	21.7	8.0	1 / 19	0 / 4
Percentage of cycles resulting in triplets or more live births	0.0	2.5	0.0	0.0	0 / 19	0 / 4
Percentage of cycles resulting in live births	52.6	32.5	23.9	8.0	1 / 19	0 / 4
Percentage of cycles resulting in pregnancy	57.9	40.0	32.6	26.0	4 / 19	2 / 4
Outcomes per Transfer						
Number of transfers	36	37	44	38	15	4
Percentage of transfers resulting in singleton live births	30.6	32.4	22.7	10.5	1 / 15	0 / 4
Percentage of transfers resulting in triplets or more live births	0.0	2.7	0.0	0.0	0 / 15	0 / 4
Percentage of transfers resulting in live births	55.6	35.1	25.0	10.5	1 / 15	0 / 4
Percentage of transfers resulting in pregnancy	61.1	43.2	34.1	34.2	4 / 15	2 / 4
Outcomes per Pregnancy						
Number of pregnancies	22	16	15	13	4	2
Percentage of pregnancies resulting in singleton live births	50.0	12 / 16	10 / 15	4 / 13	1 / 4	0 / 2
Percentage of pregnancies resulting in triplets or more live births	0.0	1 / 16	0 / 15	0 / 13	0 / 4	0 / 2
Percentage of pregnancies resulting in live births	90.9	13 / 16	11 / 15	4 / 13	1 / 4	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	24	13	29	2	1	1
Number of transfers	24	13	29	2	1	1
Average number of embryos transferred	2.2	2.5	2.7	2.5	1.0	4.0
Percentage of embryos transferred resulting in implantation	26.9	15.2	22.8	1 / 5	0 / 1	0 / 4
Percentage of transfers resulting in singleton live births	25.0	3 / 13	31.0	1 / 2	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 13	0.0	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in live births	33.3	4 / 13	34.5	1 / 2	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	45.8	4 / 13	55.2	1 / 2	1 / 1	0 / 1
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	22		31			
Number of transfers	22		31			
Average number of embryos transferred	2.0		2.3			
Percentage of embryos transferred resulting in implantation	18.6		15.7			
Percentage of transfers resulting in singleton live births	18.2		29.0			
Percentage of transfers resulting in live births	27.3		32.3			
Percentage of transfers resulting in pregnancy	40.9		32.3			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: USC Reproductive Endocrinology and Infertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 53 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**THE FERTILITY AND GYNECOLOGY CENTER
MONTEREY BAY IVF PROGRAM
MONTEREY, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE				Patient Diagnosis ^b				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	71%	Tubal factor	14%	Uterine factor	1%	Multiple Factors: Female factors only 1% Female & male factors 37%
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	17%	Male factor	57%	
Used gestational carrier	2%			Diminished ovarian reserve	28%	Other factor	15%	
				Endometriosis	8%	Unknown factor	0%	

2011 ART SUCCESS RATES^{c,d} Number of cycles in table: ^e 79 Data verified by Edward J. Ramirez, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	29	11	5	8	6	3
Percentage of cancellations	0.0	2 / 11	0 / 5	2 / 8	0 / 6	1 / 3
Average number of embryos transferred	2.1	2.4	2.3	4.3	2.3	3.5
Percentage of embryos transferred resulting in implantation	29.3	2 / 19	6 / 7	1 / 17	1 / 9	0 / 7
Percentage of elective single embryo transfer (eSET)	7.4	0 / 7	0 / 2	0 / 4	0 / 3	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	20.7	1 / 11	1 / 5	0 / 8	1 / 6	0 / 3
Percentage of cycles resulting in triplets or more live births	0.0	0 / 11	1 / 5	0 / 8	0 / 6	0 / 3
Percentage of cycles resulting in live births	34.5	1 / 11	3 / 5	0 / 8	1 / 6	0 / 3
Percentage of cycles resulting in pregnancy	62.1	2 / 11	3 / 5	1 / 8	1 / 6	0 / 3
Outcomes per Transfer						
Number of transfers	28	8	3	4	4	2
Percentage of transfers resulting in singleton live births	21.4	1 / 8	1 / 3	0 / 4	1 / 4	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0 / 8	1 / 3	0 / 4	0 / 4	0 / 2
Percentage of transfers resulting in live births	35.7	1 / 8	3 / 3	0 / 4	1 / 4	0 / 2
Percentage of transfers resulting in pregnancy	64.3	2 / 8	3 / 3	1 / 4	1 / 4	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	18	2	3	1	1	0
Percentage of pregnancies resulting in singleton live births	6 / 18	1 / 2	1 / 3	0 / 1	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 18	0 / 2	1 / 3	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births	10 / 18	1 / 2	3 / 3	0 / 1	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	3	2	0	1	0	0
Number of transfers	3	2	0	1	0	0
Average number of embryos transferred	2.0	1.5		1.0		
Percentage of embryos transferred resulting in implantation	2 / 6	1 / 3		1 / 1		
Percentage of transfers resulting in singleton live births	0 / 3	0 / 2		1 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 3	0 / 2		0 / 1		
Percentage of transfers resulting in live births	1 / 3	0 / 2		1 / 1		
Percentage of transfers resulting in pregnancy	1 / 3	1 / 2		1 / 1		
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
	Number of cycles	7	4			
Number of transfers	5	3				
Average number of embryos transferred	1.6	2.3				
Percentage of embryos transferred resulting in implantation	3 / 8	0 / 7				
Percentage of transfers resulting in singleton live births	2 / 5	0 / 3				
Percentage of transfers resulting in live births	2 / 5	0 / 3				
Percentage of transfers resulting in pregnancy	4 / 5	0 / 3				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Fertility and Gynecology Center, Monterey Bay IVF Program					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NOVA IN VITRO FERTILIZATION MOUNTAIN VIEW, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	38%	Tubal factor	14%	Uterine factor	7%	Multiple Factors: Female factors only 12% Female & male factors 7%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	11%	Male factor	14%	
Used gestational carrier	<1%			Diminished ovarian reserve	49%	Other factor	3%	
				Endometriosis	16%	Unknown factor	9%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 255

Data verified by Richard J. Schmidt, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	56	36	42	22	19	1
Percentage of cancellations	0.0	0.0	2.4	9.1	1 / 19	0 / 1
Average number of embryos transferred	2.1	2.3	2.9	3.2	3.7	3.0
Percentage of embryos transferred resulting in implantation	42.7	27.4	26.8	4.9	9.1	0 / 3
Percentage of elective single embryo transfer (eSET)	7.4	12.1	8.3	0 / 18	0 / 15	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	39.3	16.7	23.8	13.6	4 / 19	0 / 1
Percentage of cycles resulting in triplets or more live births	1.8	0.0	0.0	0.0	0 / 19	0 / 1
Percentage of cycles resulting in live births	58.9	38.9	33.3	13.6	4 / 19	0 / 1
Percentage of cycles resulting in pregnancy	66.1	44.4	54.8	13.6	5 / 19	0 / 1
Outcomes per Transfer						
Number of transfers	55	36	38	19	18	1
Percentage of transfers resulting in singleton live births	40.0	16.7	26.3	3 / 19	4 / 18	0 / 1
Percentage of transfers resulting in triplets or more live births	1.8	0.0	0.0	0 / 19	0 / 18	0 / 1
Percentage of transfers resulting in live births	60.0	38.9	36.8	3 / 19	4 / 18	0 / 1
Percentage of transfers resulting in pregnancy	67.3	44.4	60.5	3 / 19	5 / 18	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	37	16	23	3	5	0
Percentage of pregnancies resulting in singleton live births	59.5	6 / 16	43.5	3 / 3	4 / 5	
Percentage of pregnancies resulting in triplets or more live births	2.7	0 / 16	0.0	0 / 3	0 / 5	
Percentage of pregnancies resulting in live births	89.2	14 / 16	60.9	3 / 3	4 / 5	
Frozen Embryos from Nondonor Eggs						
Number of cycles	21	17	8	3	2	2
Number of transfers	21	17	8	3	2	2
Average number of embryos transferred	2.4	2.6	3.1	4.7	4.0	1.5
Percentage of embryos transferred resulting in implantation	19.6	17.8	4.0	0 / 14	1 / 8	0 / 3
Percentage of transfers resulting in singleton live births	28.6	5 / 17	1 / 8	0 / 3	0 / 2	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0 / 17	0 / 8	0 / 3	0 / 2	0 / 2
Percentage of transfers resulting in live births	33.3	6 / 17	1 / 8	0 / 3	0 / 2	0 / 2
Percentage of transfers resulting in pregnancy	52.4	7 / 17	1 / 8	0 / 3	1 / 2	1 / 2
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	13		13			
Number of transfers	13		13			
Average number of embryos transferred	2.0		1.8			
Percentage of embryos transferred resulting in implantation	61.5		37.5			
Percentage of transfers resulting in singleton live births	5 / 13		7 / 13			
Percentage of transfers resulting in live births	9 / 13		8 / 13			
Percentage of transfers resulting in pregnancy	9 / 13		8 / 13			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Nova In Vitro Fertilization

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 9 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**NEWPORT FERTILITY CENTER
MARK KAN, MD
NEWPORT BEACH, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE				Patient Diagnosis ^b				
Type of ART and Procedural Factors^a				Patient Diagnosis^b				
IVF	100%	With ICSI	88%	Tubal factor	7%	Uterine factor	16%	
Unstimulated	0%	Used PGD	8%	Ovulatory dysfunction	5%	Male factor	14%	
Used gestational carrier	8%			Diminished ovarian reserve	61%	Other factor	9%	
				Endometriosis	3%	Unknown factor	7%	
				Multiple Factors:				
				Female factors only				10%
				Female & male factors				8%

2011 ART SUCCESS RATES^{c,d} Number of cycles in table: ^e 97 Data verified by Mark T. Kan, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	19	8	18	14	5	2
Percentage of cancellations	1 / 19	0 / 8	0 / 18	4 / 14	1 / 5	0 / 2
Average number of embryos transferred	1.9	2.3	2.9	2.5	3.5	
Percentage of embryos transferred resulting in implantation	33.3	5 / 18	18.4	5.0	0 / 14	
Percentage of elective single embryo transfer (eSET)	3 / 17	0 / 8	0 / 16	0 / 6	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	8 / 19	4 / 8	5 / 18	1 / 14	0 / 5	0 / 2
Percentage of cycles resulting in triplets or more live births	0 / 19	0 / 8	0 / 18	0 / 14	0 / 5	0 / 2
Percentage of cycles resulting in live births	9 / 19	4 / 8	7 / 18	1 / 14	0 / 5	0 / 2
Percentage of cycles resulting in pregnancy	9 / 19	4 / 8	9 / 18	1 / 14	0 / 5	0 / 2
Outcomes per Transfer						
Number of transfers	17	8	17	8	4	0
Percentage of transfers resulting in singleton live births	8 / 17	4 / 8	5 / 17	1 / 8	0 / 4	
Percentage of transfers resulting in triplets or more live births	0 / 17	0 / 8	0 / 17	0 / 8	0 / 4	
Percentage of transfers resulting in live births	9 / 17	4 / 8	7 / 17	1 / 8	0 / 4	
Percentage of transfers resulting in pregnancy	9 / 17	4 / 8	9 / 17	1 / 8	0 / 4	
Outcomes per Pregnancy						
Number of pregnancies	9	4	9	1	0	0
Percentage of pregnancies resulting in singleton live births	8 / 9	4 / 4	5 / 9	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 9	0 / 4	0 / 9	0 / 1		
Percentage of pregnancies resulting in live births	9 / 9	4 / 4	7 / 9	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	3	9	0	3	1
Number of transfers	4	3	9	0	3	1
Average number of embryos transferred	1.5	1.7	1.8		2.0	2.0
Percentage of embryos transferred resulting in implantation	1 / 6	1 / 5	2 / 16		0 / 6	0 / 2
Percentage of transfers resulting in singleton live births	1 / 4	1 / 3	2 / 9		0 / 3	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 3	0 / 9		0 / 3	0 / 1
Percentage of transfers resulting in live births	1 / 4	1 / 3	2 / 9		0 / 3	0 / 1
Percentage of transfers resulting in pregnancy	1 / 4	1 / 3	2 / 9		0 / 3	0 / 1
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	10		1			
Number of transfers	10		1			
Average number of embryos transferred	2.0		3.0			
Percentage of embryos transferred resulting in implantation	90.0		2 / 3			
Percentage of transfers resulting in singleton live births	2 / 10		1 / 1			
Percentage of transfers resulting in live births	10 / 10		1 / 1			
Percentage of transfers resulting in pregnancy	10 / 10		1 / 1			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Newport Fertility Center, Mark Kan, MD

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE SPECIALTY MEDICAL CENTER NEWPORT BEACH, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	49%	Tubal factor	7%	Uterine factor	3%	
Unstimulated	0%	Used PGD	34%	Ovulatory dysfunction	10%	Male factor	29%	
Used gestational carrier	0%			Diminished ovarian reserve	60%	Other factor	5%	
				Endometriosis	3%	Unknown factor	12%	
				Multiple Factors:				
				Female factors only				1%
				Female & male factors				23%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 77

Data verified by Beth A. Ary, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	11	10	9	2	2	1
Percentage of cancellations	0 / 11	0 / 10	0 / 9	0 / 2	1 / 2	0 / 1
Average number of embryos transferred	2.0	2.4	3.7	4.0	1.0	1.0
Percentage of embryos transferred resulting in implantation	13.6	27.3	12.1	0 / 8	0 / 1	0 / 1
Percentage of elective single embryo transfer (eSET)	2 / 10	1 / 9	0 / 8	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	1 / 11	6 / 10	1 / 9	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in triplets or more live births	0 / 11	0 / 10	1 / 9	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in live births	2 / 11	6 / 10	2 / 9	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in pregnancy	2 / 11	6 / 10	2 / 9	0 / 2	0 / 2	0 / 1
Outcomes per Transfer						
Number of transfers	11	9	9	2	1	1
Percentage of transfers resulting in singleton live births	1 / 11	6 / 9	1 / 9	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 11	0 / 9	1 / 9	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in live births	2 / 11	6 / 9	2 / 9	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	2 / 11	6 / 9	2 / 9	0 / 2	0 / 1	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	2	6	2	0	0	0
Percentage of pregnancies resulting in singleton live births	1 / 2	6 / 6	1 / 2			
Percentage of pregnancies resulting in triplets or more live births	0 / 2	0 / 6	1 / 2			
Percentage of pregnancies resulting in live births	2 / 2	6 / 6	2 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	3	1	1	0	0
Number of transfers	5	3	1	1	0	0
Average number of embryos transferred	2.0	3.3	2.0	5.0		
Percentage of embryos transferred resulting in implantation	5 / 10	1 / 10	0 / 2	0 / 5		
Percentage of transfers resulting in singleton live births	2 / 5	1 / 3	0 / 1	0 / 1		
Percentage of transfers resulting in triplets or more live births	1 / 5	0 / 3	0 / 1	0 / 1		
Percentage of transfers resulting in live births	3 / 5	1 / 3	0 / 1	0 / 1		
Percentage of transfers resulting in pregnancy	3 / 5	1 / 3	0 / 1	0 / 1		
All Ages Combined^f						
Donor Eggs	Fresh Embryos			Frozen Embryos		
Number of cycles	19			13		
Number of transfers	17			13		
Average number of embryos transferred	2.3			2.1		
Percentage of embryos transferred resulting in implantation	43.6			18.5		
Percentage of transfers resulting in singleton live births	4 / 17			4 / 13		
Percentage of transfers resulting in live births	8 / 17			4 / 13		
Percentage of transfers resulting in pregnancy	11 / 17			5 / 13		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Specialty Medical Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTHERN CALIFORNIA CENTER FOR REPRODUCTIVE MEDICINE NEWPORT BEACH, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	87%	Tubal factor	8%	Uterine factor	7%	
Unstimulated	<1%	Used PGD	28%	Ovulatory dysfunction	8%	Male factor	37%	
Used gestational carrier	1%			Diminished ovarian reserve	30%	Other factor	38%	
				Endometriosis	14%	Unknown factor	7%	
				Multiple Factors:				
				Female factors only				23%
				Female & male factors				17%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 474

Data verified by Robert E. Anderson, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	85	67	84	46	23	5
Percentage of cancellations	5.9	7.5	11.9	21.7	13.0	1 / 5
Average number of embryos transferred	2.0	2.1	2.2	2.7	2.2	3.5
Percentage of embryos transferred resulting in implantation	45.0	31.7	22.4	13.7	0.0	0 / 7
Percentage of elective single embryo transfer (eSET)	11.4	9.3	10.3	0.0	0 / 7	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	28.2	29.9	21.4	10.9	0.0	0 / 5
Percentage of cycles resulting in triplets or more live births	2.4	0.0	0.0	0.0	0.0	0 / 5
Percentage of cycles resulting in live births	45.9	41.8	26.2	15.2	0.0	0 / 5
Percentage of cycles resulting in pregnancy	49.4	50.7	35.7	15.2	0.0	0 / 5
Outcomes per Transfer						
Number of transfers	75	59	70	27	13	2
Percentage of transfers resulting in singleton live births	32.0	33.9	25.7	18.5	0 / 13	0 / 2
Percentage of transfers resulting in triplets or more live births	2.7	0.0	0.0	0.0	0 / 13	0 / 2
Percentage of transfers resulting in live births	52.0	47.5	31.4	25.9	0 / 13	0 / 2
Percentage of transfers resulting in pregnancy	56.0	57.6	42.9	25.9	0 / 13	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	42	34	30	7	0	0
Percentage of pregnancies resulting in singleton live births	57.1	58.8	60.0	5 / 7		
Percentage of pregnancies resulting in triplets or more live births	4.8	0.0	0.0	0 / 7		
Percentage of pregnancies resulting in live births	92.9	82.4	73.3	7 / 7		
Frozen Embryos from Nondonor Eggs						
Number of cycles	45	33	23	11	2	2
Number of transfers	41	31	20	9	2	2
Average number of embryos transferred	1.9	1.5	2.2	1.9	1.0	3.5
Percentage of embryos transferred resulting in implantation	41.6	52.1	45.5	2 / 17	0 / 2	1 / 7
Percentage of transfers resulting in singleton live births	29.3	45.2	30.0	1 / 9	0 / 2	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 9	0 / 2	0 / 2
Percentage of transfers resulting in live births	46.3	51.6	55.0	1 / 9	0 / 2	0 / 2
Percentage of transfers resulting in pregnancy	56.1	61.3	70.0	2 / 9	1 / 2	1 / 2
All Ages Combined^f						
Donor Eggs	Fresh Embryos			Frozen Embryos		
Number of cycles	29			19		
Number of transfers	29			19		
Average number of embryos transferred	2.0			1.9		
Percentage of embryos transferred resulting in implantation	72.4			24.3		
Percentage of transfers resulting in singleton live births	31.0			4 / 19		
Percentage of transfers resulting in live births	82.8			5 / 19		
Percentage of transfers resulting in pregnancy	82.8			8 / 19		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Southern California Center for Reproductive Medicine					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 28 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**NORTHRIDGE CENTER FOR REPRODUCTIVE MEDICINE
NORTHRIDGE, CALIFORNIA**

This clinic provided ART services during 2011 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2011 ART cycle data or the clinic's Medical Director did not approve the clinic's 2011 ART cycle data for inclusion in this report.

LANE FERTILITY INSTITUTE NOVATO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	90%	Tubal factor	11%	Uterine factor	4%	Multiple Factors: Female factors only 0% Female & male factors 0%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	4%	Male factor	7%	
Used gestational carrier	0%			Diminished ovarian reserve	30%	Other factor	0%	
				Endometriosis	0%	Unknown factor	44%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 27

Data verified by Danielle E. Lane, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	4	1	8	1	4	1
Percentage of cancellations	0 / 4	0 / 1	1 / 8	0 / 1	0 / 4	0 / 1
Average number of embryos transferred	2.0	2.0	2.9	2.0	4.5	
Percentage of embryos transferred resulting in implantation	4 / 6	1 / 2	30.0	1 / 2	1 / 18	
Percentage of elective single embryo transfer (eSET)	0 / 3	0 / 1	0 / 7	0 / 1	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	1 / 4	1 / 1	3 / 8	1 / 1	1 / 4	0 / 1
Percentage of cycles resulting in triplets or more live births	0 / 4	0 / 1	0 / 8	0 / 1	0 / 4	0 / 1
Percentage of cycles resulting in live births	1 / 4	1 / 1	4 / 8	1 / 1	1 / 4	0 / 1
Percentage of cycles resulting in pregnancy	3 / 4	1 / 1	5 / 8	1 / 1	1 / 4	0 / 1
Outcomes per Transfer						
Number of transfers	3	1	7	1	4	0
Percentage of transfers resulting in singleton live births	1 / 3	1 / 1	3 / 7	1 / 1	1 / 4	
Percentage of transfers resulting in triplets or more live births	0 / 3	0 / 1	0 / 7	0 / 1	0 / 4	
Percentage of transfers resulting in live births	1 / 3	1 / 1	4 / 7	1 / 1	1 / 4	
Percentage of transfers resulting in pregnancy	3 / 3	1 / 1	5 / 7	1 / 1	1 / 4	
Outcomes per Pregnancy						
Number of pregnancies	3	1	5	1	1	0
Percentage of pregnancies resulting in singleton live births	1 / 3	1 / 1	3 / 5	1 / 1	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 3	0 / 1	0 / 5	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births	1 / 3	1 / 1	4 / 5	1 / 1	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	0	2	1	0	0
Number of transfers	2	0	2	1	0	0
Average number of embryos transferred	2.5		2.0	4.0		
Percentage of embryos transferred resulting in implantation	1 / 5		1 / 4	1 / 4		
Percentage of transfers resulting in singleton live births	1 / 2		1 / 2	1 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 2		0 / 2	0 / 1		
Percentage of transfers resulting in live births	1 / 2		1 / 2	1 / 1		
Percentage of transfers resulting in pregnancy	1 / 2		1 / 2	1 / 1		
All Ages Combined^f						
	Fresh Embryos		Frozen Embryos			
Number of cycles	2		1			
Number of transfers	2		1			
Average number of embryos transferred	1.5		2.0			
Percentage of embryos transferred resulting in implantation	1 / 3		0 / 2			
Percentage of transfers resulting in singleton live births	1 / 2		0 / 1			
Percentage of transfers resulting in live births	1 / 2		0 / 1			
Percentage of transfers resulting in pregnancy	1 / 2		0 / 1			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Lane Fertility Institute

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 8 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF-ORANGE SURGERY CENTER ORANGE, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	100%	Tubal factor	5%	Uterine factor	0%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	0%	Male factor	33%
Used gestational carrier	0%			Diminished ovarian reserve	0%	Other factor	43%
				Endometriosis	0%	Unknown factor	19%
				Multiple Factors:			
						Female factors only	0%
						Female & male factors	0%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 21

Data verified by Darush Mohyi, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	4	4	4	1	0	0
Percentage of cancellations	0 / 4	0 / 4	0 / 4	0 / 1		
Average number of embryos transferred	3.3	5.3	4.5	3.0		
Percentage of embryos transferred resulting in implantation	0 / 13	14.3	0 / 18	1 / 3		
Percentage of elective single embryo transfer (eSET)	0 / 4	0 / 4	0 / 4	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	0 / 4	1 / 4	0 / 4	0 / 1		
Percentage of cycles resulting in triplets or more live births	0 / 4	0 / 4	0 / 4	0 / 1		
Percentage of cycles resulting in live births	0 / 4	2 / 4	0 / 4	0 / 1		
Percentage of cycles resulting in pregnancy	0 / 4	2 / 4	0 / 4	1 / 1		
Outcomes per Transfer						
Number of transfers	4	4	4	1	0	0
Percentage of transfers resulting in singleton live births	0 / 4	1 / 4	0 / 4	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 4	0 / 4	0 / 1		
Percentage of transfers resulting in live births	0 / 4	2 / 4	0 / 4	0 / 1		
Percentage of transfers resulting in pregnancy	0 / 4	2 / 4	0 / 4	1 / 1		
Outcomes per Pregnancy						
Number of pregnancies	0	2	0	1	0	0
Percentage of pregnancies resulting in singleton live births		1 / 2		0 / 1		
Percentage of pregnancies resulting in triplets or more live births		0 / 2		0 / 1		
Percentage of pregnancies resulting in live births		2 / 2		0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	0	1	0	0	0
Number of transfers	2	0	1	0	0	0
Average number of embryos transferred	3.5		3.0			
Percentage of embryos transferred resulting in implantation	0 / 7		0 / 3			
Percentage of transfers resulting in singleton live births	0 / 2		0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 2		0 / 1			
Percentage of transfers resulting in live births	0 / 2		0 / 1			
Percentage of transfers resulting in pregnancy	0 / 2		0 / 1			
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			5		0	
Number of transfers			5		0	
Average number of embryos transferred			3.2			
Percentage of embryos transferred resulting in implantation			0 / 16			
Percentage of transfers resulting in singleton live births			0 / 5			
Percentage of transfers resulting in live births			0 / 5			
Percentage of transfers resulting in pregnancy			1 / 5			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: IVF-Orange Surgery Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BAY IN VITRO FERTILIZATION CENTER FOR REPRODUCTIVE MEDICINE PALO ALTO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	48%	Tubal factor	7%	Uterine factor	0%
Unstimulated	0%	Used PGD	13%	Ovulatory dysfunction	23%	Male factor	26%
Used gestational carrier	0%			Diminished ovarian reserve	29%	Other factor	16%
				Endometriosis	3%	Unknown factor	13%
				Multiple Factors:			
						Female factors only	3%
						Female & male factors	13%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 31

Data verified by Francis Polansky, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	11	3	3	3	2	1
Percentage of cancellations	0 / 11	0 / 3	0 / 3	0 / 3	0 / 2	0 / 1
Average number of embryos transferred	2.4	2.3	2.0	3.3	3.5	3.0
Percentage of embryos transferred resulting in implantation	23.1	3 / 7	2 / 6	0 / 10	0 / 7	1 / 3
Percentage of elective single embryo transfer (eSET)	0 / 11	0 / 3	0 / 2	0 / 3	0 / 2	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	2 / 11	1 / 3	0 / 3	0 / 3	0 / 2	0 / 1
Percentage of cycles resulting in triplets or more live births	0 / 11	0 / 3	0 / 3	0 / 3	0 / 2	0 / 1
Percentage of cycles resulting in live births	4 / 11	2 / 3	1 / 3	0 / 3	0 / 2	0 / 1
Percentage of cycles resulting in pregnancy	4 / 11	2 / 3	1 / 3	0 / 3	0 / 2	1 / 1
Outcomes per Transfer						
Number of transfers	11	3	3	3	2	1
Percentage of transfers resulting in singleton live births	2 / 11	1 / 3	0 / 3	0 / 3	0 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 11	0 / 3	0 / 3	0 / 3	0 / 2	0 / 1
Percentage of transfers resulting in live births	4 / 11	2 / 3	1 / 3	0 / 3	0 / 2	0 / 1
Percentage of transfers resulting in pregnancy	4 / 11	2 / 3	1 / 3	0 / 3	0 / 2	1 / 1
Outcomes per Pregnancy						
Number of pregnancies	4	2	1	0	0	1
Percentage of pregnancies resulting in singleton live births	2 / 4	1 / 2	0 / 1			0 / 1
Percentage of pregnancies resulting in triplets or more live births	0 / 4	0 / 2	0 / 1			0 / 1
Percentage of pregnancies resulting in live births	4 / 4	2 / 2	1 / 1			0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	2	2	0	0	0
Number of transfers	2	2	2	0	0	0
Average number of embryos transferred	2.0	3.5	2.0			
Percentage of embryos transferred resulting in implantation	2 / 4	1 / 7	0 / 4			
Percentage of transfers resulting in singleton live births	0 / 2	0 / 2	0 / 2			
Percentage of transfers resulting in triplets or more live births	0 / 2	0 / 2	0 / 2			
Percentage of transfers resulting in live births	1 / 2	0 / 2	0 / 2			
Percentage of transfers resulting in pregnancy	1 / 2	1 / 2	0 / 2			

All Ages Combined^f

Donor Eggs	Fresh Embryos	Frozen Embryos
Number of cycles	2	0
Number of transfers	2	0
Average number of embryos transferred	1.5	
Percentage of embryos transferred resulting in implantation	2 / 3	
Percentage of transfers resulting in singleton live births	2 / 2	
Percentage of transfers resulting in live births	2 / 2	
Percentage of transfers resulting in pregnancy	2 / 2	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Bay In Vitro Fertilization Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**STANFORD FERTILITY AND REPRODUCTIVE MEDICINE CENTER
STANFORD UNIVERSITY DEPARTMENT OF GYNECOLOGY AND OBSTETRICS
PALO ALTO, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	55%	Tubal factor	6%	Uterine factor	2%
Unstimulated	<1%	Used PGD	9%	Ovulatory dysfunction	10%	Male factor	59%
Used gestational carrier	2%			Diminished ovarian reserve	41%	Other factor	10%
				Endometriosis	14%	Unknown factor	10%
				Multiple Factors: Female factors only 4% Female & male factors 45%			

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 766

Data verified by Valerie Baker, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	120	134	131	75	44	12
Percentage of cancellations	1.7	3.0	9.9	8.0	13.6	0 / 12
Average number of embryos transferred	2.1	2.3	2.6	3.1	4.8	5.0
Percentage of embryos transferred resulting in implantation	20.1	15.2	12.0	9.1	0.7	2.2
Percentage of elective single embryo transfer (eSET)	17.8	6.7	6.1	2.0	0.0	0 / 7
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	22.5	18.7	13.7	14.7	2.3	1 / 12
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 12
Percentage of cycles resulting in live births	30.0	23.1	16.0	14.7	2.3	1 / 12
Percentage of cycles resulting in pregnancy	32.5	26.9	23.7	21.3	11.4	3 / 12
Outcomes per Transfer						
Number of transfers	110	115	95	61	31	9
Percentage of transfers resulting in singleton live births	24.5	21.7	18.9	18.0	3.2	1 / 9
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 9
Percentage of transfers resulting in live births	32.7	27.0	22.1	18.0	3.2	1 / 9
Percentage of transfers resulting in pregnancy	35.5	31.3	32.6	26.2	16.1	3 / 9
Outcomes per Pregnancy						
Number of pregnancies	39	36	31	16	5	3
Percentage of pregnancies resulting in singleton live births	69.2	69.4	58.1	11 / 16	1 / 5	1 / 3
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 16	0 / 5	0 / 3
Percentage of pregnancies resulting in live births	92.3	86.1	67.7	11 / 16	1 / 5	1 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	55	48	41	21	5	3
Number of transfers	54	48	40	21	5	3
Average number of embryos transferred	1.6	1.5	1.5	1.7	1.4	1.3
Percentage of embryos transferred resulting in implantation	28.7	24.3	23.7	19.4	2 / 7	1 / 4
Percentage of transfers resulting in singleton live births	25.9	22.9	15.0	23.8	2 / 5	1 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 5	0 / 3
Percentage of transfers resulting in live births	35.2	29.2	22.5	23.8	2 / 5	1 / 3
Percentage of transfers resulting in pregnancy	38.9	37.5	32.5	28.6	2 / 5	1 / 3
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	51		26			
Number of transfers	45		25			
Average number of embryos transferred	2.0		1.3			
Percentage of embryos transferred resulting in implantation	31.8		12.5			
Percentage of transfers resulting in singleton live births	28.9		8.0			
Percentage of transfers resulting in live births	37.8		8.0			
Percentage of transfers resulting in pregnancy	53.3		16.0			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Stanford Fertility and Reproductive Medicine Center, Stanford University Department of Gynecology and Obstetrics

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 84 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HRC FERTILITY-PASADENA PASADENA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	>99%	With ICSI	64%	Tubal factor	2%	Uterine factor	1%	Multiple Factors: Female factors only <1% Female & male factors 5%
Unstimulated	0%	Used PGD	5%	Ovulatory dysfunction	4%	Male factor	31%	
Used gestational carrier	<1%			Diminished ovarian reserve	5%	Other factor	49%	
				Endometriosis	4%	Unknown factor	9%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 551

Data verified by Bradford A. Kolb, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	96	67	76	36	28	16
Percentage of cancellations	20.8	25.4	28.9	44.4	35.7	14 / 16
Average number of embryos transferred	2.5	2.6	3.1	3.2	3.7	2.5
Percentage of embryos transferred resulting in implantation	42.3	35.2	23.0	14.3	1.5	0 / 5
Percentage of elective single embryo transfer (eSET)	2.8	2.2	0.0	0 / 17	0 / 15	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.2	34.3	28.9	19.4	3.6	0 / 16
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 16
Percentage of cycles resulting in live births	52.1	46.3	35.5	19.4	3.6	0 / 16
Percentage of cycles resulting in pregnancy	60.4	50.7	43.4	25.0	7.1	0 / 16
Outcomes per Transfer						
Number of transfers	75	50	54	20	18	2
Percentage of transfers resulting in singleton live births	38.7	46.0	40.7	35.0	1 / 18	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 18	0 / 2
Percentage of transfers resulting in live births	66.7	62.0	50.0	35.0	1 / 18	0 / 2
Percentage of transfers resulting in pregnancy	77.3	68.0	61.1	45.0	2 / 18	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	58	34	33	9	2	0
Percentage of pregnancies resulting in singleton live births	50.0	67.6	66.7	7 / 9	1 / 2	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 9	0 / 2	
Percentage of pregnancies resulting in live births	86.2	91.2	81.8	7 / 9	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	43	22	12	11	6	32
Number of transfers	40	21	12	9	3	31
Average number of embryos transferred	2.4	2.3	3.0	2.8	3.7	2.5
Percentage of embryos transferred resulting in implantation	24.7	49.0	22.2	32.0	3 / 11	13.2
Percentage of transfers resulting in singleton live births	30.0	33.3	4 / 12	3 / 9	1 / 3	22.6
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 12	0 / 9	0 / 3	0.0
Percentage of transfers resulting in live births	42.5	71.4	6 / 12	5 / 9	2 / 3	22.6
Percentage of transfers resulting in pregnancy	50.0	81.0	6 / 12	5 / 9	2 / 3	32.3
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	101		5			
Number of transfers	89		1			
Average number of embryos transferred	2.3		2.0			
Percentage of embryos transferred resulting in implantation	44.3		1 / 2			
Percentage of transfers resulting in singleton live births	44.9		1 / 1			
Percentage of transfers resulting in live births	62.9		1 / 1			
Percentage of transfers resulting in pregnancy	78.7		1 / 1			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: HRC Fertility-Pasadena

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**PALO ALTO MEDICAL FOUNDATION
REPRODUCTIVE ENDOCRINOLOGY & FERTILITY
PORTOLA VALLEY, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	52%	Tubal factor	19%	Uterine factor	2%
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	18%	Male factor	18%
Used gestational carrier	0%			Diminished ovarian reserve	23%	Other factor	6%
				Endometriosis	13%	Unknown factor	21%
				Multiple Factors:			
						Female factors only	12%
						Female & male factors	5%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 222

Data verified by Lillian M. Swiersz, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	59	26	28	18	19	4
Percentage of cancellations	23.7	19.2	17.9	2 / 18	9 / 19	1 / 4
Average number of embryos transferred	2.1	2.9	2.6	3.0	3.1	3.3
Percentage of embryos transferred resulting in implantation	25.3	6.6	10.9	7.1	3.2	0 / 10
Percentage of elective single embryo transfer (eSET)	17.5	4.8	0 / 19	0 / 12	0 / 9	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	18.6	7.7	10.7	1 / 18	1 / 19	0 / 4
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 18	0 / 19	0 / 4
Percentage of cycles resulting in live births	27.1	7.7	14.3	2 / 18	1 / 19	0 / 4
Percentage of cycles resulting in pregnancy	30.5	15.4	21.4	2 / 18	1 / 19	0 / 4
Outcomes per Transfer						
Number of transfers	42	21	21	14	10	3
Percentage of transfers resulting in singleton live births	26.2	9.5	14.3	1 / 14	1 / 10	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 14	0 / 10	0 / 3
Percentage of transfers resulting in live births	38.1	9.5	19.0	2 / 14	1 / 10	0 / 3
Percentage of transfers resulting in pregnancy	42.9	19.0	28.6	2 / 14	1 / 10	0 / 3
Outcomes per Pregnancy						
Number of pregnancies	18	4	6	2	1	0
Percentage of pregnancies resulting in singleton live births	11 / 18	2 / 4	3 / 6	1 / 2	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 18	0 / 4	0 / 6	0 / 2	0 / 1	
Percentage of pregnancies resulting in live births	16 / 18	2 / 4	4 / 6	2 / 2	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	26	15	18	3	4	0
Number of transfers	26	15	18	3	4	0
Average number of embryos transferred	1.5	1.5	2.0	2.0	2.8	
Percentage of embryos transferred resulting in implantation	20.0	18.2	22.2	2 / 6	2 / 11	
Percentage of transfers resulting in singleton live births	26.9	3 / 15	6 / 18	0 / 3	1 / 4	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 15	0 / 18	0 / 3	0 / 4	
Percentage of transfers resulting in live births	26.9	3 / 15	7 / 18	1 / 3	1 / 4	
Percentage of transfers resulting in pregnancy	30.8	4 / 15	9 / 18	1 / 3	1 / 4	
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			0		2	
Number of transfers			0		2	
Average number of embryos transferred					1.5	
Percentage of embryos transferred resulting in implantation					1 / 3	
Percentage of transfers resulting in singleton live births					1 / 2	
Percentage of transfers resulting in live births					1 / 2	
Percentage of transfers resulting in pregnancy					1 / 2	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Palo Alto Medical Foundation, Reproductive Endocrinology & Fertility

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 3 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE PARTNERS-REDONDO BEACH REDONDO BEACH, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE				Patient Diagnosis ^b				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	70%	Tubal factor	7%	Uterine factor	4%	Multiple Factors: Female factors only 4% Female & male factors 6%
Unstimulated	<1%	Used PGD	1%	Ovulatory dysfunction	4%	Male factor	20%	
Used gestational carrier	1%			Diminished ovarian reserve	23%	Other factor	36%	
				Endometriosis	3%	Unknown factor	16%	

2011 ART SUCCESS RATES^{c,d} Number of cycles in table: ^e 682 Data verified by Bill Yee, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	105	95	135	74	61	16
Percentage of cancellations	5.7	6.3	17.0	10.8	21.3	7 / 16
Average number of embryos transferred	1.9	2.1	2.6	2.9	3.5	3.4
Percentage of embryos transferred resulting in implantation	42.9	37.0	19.5	8.0	4.5	4.2
Percentage of elective single embryo transfer (eSET)	17.0	5.3	1.0	3.9	0.0	0 / 7
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	29.5	24.2	21.5	13.5	3.3	1 / 16
Percentage of cycles resulting in triplets or more live births	1.0	0.0	0.0	0.0	0.0	0 / 16
Percentage of cycles resulting in live births	47.6	40.0	26.7	13.5	3.3	1 / 16
Percentage of cycles resulting in pregnancy	55.2	50.5	33.3	21.6	13.1	1 / 16
Outcomes per Transfer						
Number of transfers	93	82	103	60	38	7
Percentage of transfers resulting in singleton live births	33.3	28.0	28.2	16.7	5.3	1 / 7
Percentage of transfers resulting in triplets or more live births	1.1	0.0	0.0	0.0	0.0	0 / 7
Percentage of transfers resulting in live births	53.8	46.3	35.0	16.7	5.3	1 / 7
Percentage of transfers resulting in pregnancy	62.4	58.5	43.7	26.7	21.1	1 / 7
Outcomes per Pregnancy						
Number of pregnancies	58	48	45	16	8	1
Percentage of pregnancies resulting in singleton live births	53.4	47.9	64.4	10 / 16	2 / 8	1 / 1
Percentage of pregnancies resulting in triplets or more live births	1.7	0.0	0.0	0 / 16	0 / 8	0 / 1
Percentage of pregnancies resulting in live births	86.2	79.2	80.0	10 / 16	2 / 8	1 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	36	33	26	10	8	8
Number of transfers	27	26	21	9	6	4
Average number of embryos transferred	2.0	1.8	2.0	2.6	2.5	2.0
Percentage of embryos transferred resulting in implantation	35.8	25.5	29.3	8.7	2 / 15	1 / 8
Percentage of transfers resulting in singleton live births	29.6	19.2	23.8	2 / 9	0 / 6	0 / 4
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 9	0 / 6	0 / 4
Percentage of transfers resulting in live births	44.4	23.1	28.6	2 / 9	0 / 6	0 / 4
Percentage of transfers resulting in pregnancy	66.7	38.5	47.6	3 / 9	2 / 6	1 / 4
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	47		28			
Number of transfers	35		25			
Average number of embryos transferred	1.5		1.8			
Percentage of embryos transferred resulting in implantation	49.0		31.1			
Percentage of transfers resulting in singleton live births	37.1		24.0			
Percentage of transfers resulting in live births	51.4		36.0			
Percentage of transfers resulting in pregnancy	71.4		48.0			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Partners-Redondo Beach					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTHERN CALIFORNIA FERTILITY MEDICAL CENTER ROSEVILLE, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	72%	Tubal factor	17%	Uterine factor	8%	
Unstimulated	0%	Used PGD	6%	Ovulatory dysfunction	26%	Male factor	51%	
Used gestational carrier	<1%			Diminished ovarian reserve	29%	Other factor	29%	
				Endometriosis	12%	Unknown factor	4%	
				Multiple Factors:				
				Female factors only				18%
				Female & male factors				40%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 589

Data verified by Carlos E. Soto-Albors, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	143	73	69	45	11	0
Percentage of cancellations	6.3	12.3	10.1	17.8	5 / 11	
Average number of embryos transferred	2.1	2.4	2.7	2.4	3.5	
Percentage of embryos transferred resulting in implantation	26.8	37.7	14.4	13.9	9.5	
Percentage of elective single embryo transfer (eSET)	2.6	1.9	0.0	0.0	0 / 5	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	22.4	21.9	17.4	15.6	0 / 11	
Percentage of cycles resulting in triplets or more live births	0.0	2.7	2.9	0.0	0 / 11	
Percentage of cycles resulting in live births	30.1	39.7	21.7	15.6	0 / 11	
Percentage of cycles resulting in pregnancy	37.8	41.1	24.6	24.4	2 / 11	
Outcomes per Transfer						
Number of transfers	121	58	57	33	6	0
Percentage of transfers resulting in singleton live births	26.4	27.6	21.1	21.2	0 / 6	
Percentage of transfers resulting in triplets or more live births	0.0	3.4	3.5	0.0	0 / 6	
Percentage of transfers resulting in live births	35.5	50.0	26.3	21.2	0 / 6	
Percentage of transfers resulting in pregnancy	44.6	51.7	29.8	33.3	2 / 6	
Outcomes per Pregnancy						
Number of pregnancies	54	30	17	11	2	0
Percentage of pregnancies resulting in singleton live births	59.3	53.3	12 / 17	7 / 11	0 / 2	
Percentage of pregnancies resulting in triplets or more live births	0.0	6.7	2 / 17	0 / 11	0 / 2	
Percentage of pregnancies resulting in live births	79.6	96.7	15 / 17	7 / 11	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	83	54	15	8	3	1
Number of transfers	70	39	13	7	2	1
Average number of embryos transferred	2.3	2.2	2.5	1.9	3.0	2.0
Percentage of embryos transferred resulting in implantation	29.7	31.4	18.2	1 / 13	2 / 6	1 / 2
Percentage of transfers resulting in singleton live births	30.0	35.9	3 / 13	0 / 7	0 / 2	1 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 13	0 / 7	0 / 2	0 / 1
Percentage of transfers resulting in live births	44.3	41.0	4 / 13	0 / 7	1 / 2	1 / 1
Percentage of transfers resulting in pregnancy	48.6	53.8	6 / 13	1 / 7	1 / 2	1 / 1
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			51		33	
Number of transfers			47		28	
Average number of embryos transferred			2.0		2.1	
Percentage of embryos transferred resulting in implantation			48.4		28.3	
Percentage of transfers resulting in singleton live births			40.4		35.7	
Percentage of transfers resulting in live births			61.7		46.4	
Percentage of transfers resulting in pregnancy			68.1		53.6	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Northern California Fertility Medical Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 3 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

KAISER PERMANENTE CENTER FOR REPRODUCTIVE HEALTH-SACRAMENTO SACRAMENTO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE				Patient Diagnosis ^b				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	72%	Tubal factor	12%	Uterine factor	1%	Multiple Factors: Female factors only 3% Female & male factors 16%
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	15%	Male factor	48%	
Used gestational carrier	4%			Diminished ovarian reserve	29%	Other factor	4%	
				Endometriosis	2%	Unknown factor	8%	

2011 ART SUCCESS RATES^{c,d} Number of cycles in table: ^e 221 Data verified by Kenneth Vu, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	69	29	32	9	1	0
Percentage of cancellations	1.4	3.4	3.1	1 / 9	0 / 1	
Average number of embryos transferred	1.8	2.4	2.8	2.8	2.0	
Percentage of embryos transferred resulting in implantation	44.2	25.8	13.6	0.0	0 / 2	
Percentage of elective single embryo transfer (eSET)	20.3	0.0	0.0	0 / 7	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	34.8	31.0	21.9	0 / 9	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 9	0 / 1	
Percentage of cycles resulting in live births	49.3	44.8	21.9	0 / 9	0 / 1	
Percentage of cycles resulting in pregnancy	59.4	48.3	34.4	0 / 9	0 / 1	
Outcomes per Transfer						
Number of transfers	65	28	29	8	1	0
Percentage of transfers resulting in singleton live births	36.9	32.1	24.1	0 / 8	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 8	0 / 1	
Percentage of transfers resulting in live births	52.3	46.4	24.1	0 / 8	0 / 1	
Percentage of transfers resulting in pregnancy	63.1	50.0	37.9	0 / 8	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	41	14	11	0	0	0
Percentage of pregnancies resulting in singleton live births	58.5	9 / 14	7 / 11			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 14	0 / 11			
Percentage of pregnancies resulting in live births	82.9	13 / 14	7 / 11			
Frozen Embryos from Nondonor Eggs						
Number of cycles	28	17	12	2	1	0
Number of transfers	27	15	11	2	1	0
Average number of embryos transferred	2.0	1.9	2.2	2.5	4.0	
Percentage of embryos transferred resulting in implantation	45.5	31.0	25.0	2 / 5	0 / 4	
Percentage of transfers resulting in singleton live births	29.6	2 / 15	4 / 11	0 / 2	0 / 1	
Percentage of transfers resulting in triplets or more live births	3.7	0 / 15	0 / 11	0 / 2	0 / 1	
Percentage of transfers resulting in live births	51.9	3 / 15	5 / 11	1 / 2	0 / 1	
Percentage of transfers resulting in pregnancy	55.6	8 / 15	7 / 11	1 / 2	0 / 1	
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		12		9		
Number of transfers		10		9		
Average number of embryos transferred		1.7		2.4		
Percentage of embryos transferred resulting in implantation		7 / 17		54.5		
Percentage of transfers resulting in singleton live births		2 / 10		5 / 9		
Percentage of transfers resulting in live births		4 / 10		8 / 9		
Percentage of transfers resulting in pregnancy		6 / 10		9 / 9		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Kaiser Permanente Center for Reproductive Health-Sacramento					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2011 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2011 ART cycle data or the clinic's Medical Director did not approve the clinic's 2011 ART cycle data for inclusion in this report.

This clinic provided ART services during 2011 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2011 ART cycle data or the clinic's Medical Director did not approve the clinic's 2011 ART cycle data for inclusion in this report.

FERTILITY SPECIALISTS MEDICAL GROUP SAN DIEGO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	86%	Tubal factor	11%	Uterine factor	11%	
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	13%	Male factor	63%	
Used gestational carrier	<1%			Diminished ovarian reserve	43%	Other factor	3%	
				Endometriosis	3%	Unknown factor	4%	
				Multiple Factors:				
				Female factors only				3%
				Female & male factors				43%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 233

Data verified by Arlene J. Morales, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	63	38	25	8	1	0
Percentage of cancellations	6.3	7.9	32.0	2 / 8	0 / 1	
Average number of embryos transferred	1.4	1.9	2.1	1.6	3.0	
Percentage of embryos transferred resulting in implantation	43.6	28.1	32.3	2 / 8	0 / 3	
Percentage of elective single embryo transfer (eSET)	55.8	19.4	0 / 10	1 / 4	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	33.3	26.3	24.0	1 / 8	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 8	0 / 1	
Percentage of cycles resulting in live births	39.7	34.2	28.0	1 / 8	0 / 1	
Percentage of cycles resulting in pregnancy	47.6	39.5	36.0	2 / 8	0 / 1	
Outcomes per Transfer						
Number of transfers	55	34	15	5	1	0
Percentage of transfers resulting in singleton live births	38.2	29.4	6 / 15	1 / 5	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 15	0 / 5	0 / 1	
Percentage of transfers resulting in live births	45.5	38.2	7 / 15	1 / 5	0 / 1	
Percentage of transfers resulting in pregnancy	54.5	44.1	9 / 15	2 / 5	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	30	15	9	2	0	0
Percentage of pregnancies resulting in singleton live births	70.0	10 / 15	6 / 9	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 15	0 / 9	0 / 2		
Percentage of pregnancies resulting in live births	83.3	13 / 15	7 / 9	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	33	19	7	7	2	0
Number of transfers	31	16	6	7	2	0
Average number of embryos transferred	1.9	2.1	2.2	2.3	2.0	
Percentage of embryos transferred resulting in implantation	34.5	18.2	4 / 13	2 / 16	1 / 4	
Percentage of transfers resulting in singleton live births	16.1	4 / 16	2 / 6	0 / 7	1 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0 / 6	0 / 7	0 / 2	
Percentage of transfers resulting in live births	35.5	4 / 16	3 / 6	0 / 7	1 / 2	
Percentage of transfers resulting in pregnancy	45.2	5 / 16	3 / 6	2 / 7	1 / 2	
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			16		14	
Number of transfers			14		14	
Average number of embryos transferred			1.6		1.9	
Percentage of embryos transferred resulting in implantation			45.5		14.8	
Percentage of transfers resulting in singleton live births			5 / 14		4 / 14	
Percentage of transfers resulting in live births			7 / 14		4 / 14	
Percentage of transfers resulting in pregnancy			8 / 14		4 / 14	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Specialists Medical Group

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 36 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NTC INFERTILITY CLINIC SAN DIEGO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	91%	Tubal factor	39%	Uterine factor	<1%	Multiple Factors: Female factors only 3% Female & male factors 12%
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	13%	Male factor	34%	
Used gestational carrier	<1%			Diminished ovarian reserve	4%	Other factor	3%	
				Endometriosis	6%	Unknown factor	13%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 204

Data verified by Larry Laufer, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	80	39	20	4	0	0
Percentage of cancellations	3.8	10.3	15.0	1 / 4		
Average number of embryos transferred	1.9	2.0	2.2	3.0		
Percentage of embryos transferred resulting in implantation	29.8	32.8	21.2	2 / 6		
Percentage of elective single embryo transfer (eSET)	13.2	6.7	0 / 15	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.8	25.6	25.0	0 / 4		
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 4		
Percentage of cycles resulting in live births	31.3	35.9	30.0	1 / 4		
Percentage of cycles resulting in pregnancy	42.5	43.6	30.0	1 / 4		
Outcomes per Transfer						
Number of transfers	70	33	15	2	0	0
Percentage of transfers resulting in singleton live births	27.1	30.3	5 / 15	0 / 2		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 15	0 / 2		
Percentage of transfers resulting in live births	35.7	42.4	6 / 15	1 / 2		
Percentage of transfers resulting in pregnancy	48.6	51.5	6 / 15	1 / 2		
Outcomes per Pregnancy						
Number of pregnancies	34	17	6	1	0	0
Percentage of pregnancies resulting in singleton live births	55.9	10 / 17	5 / 6	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 17	0 / 6	0 / 1		
Percentage of pregnancies resulting in live births	73.5	14 / 17	6 / 6	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	42	13	1	2	0	0
Number of transfers	42	13	1	2	0	0
Average number of embryos transferred	1.9	1.8	3.0	2.5		
Percentage of embryos transferred resulting in implantation	33.3	30.4	2 / 3	0 / 5		
Percentage of transfers resulting in singleton live births	38.1	4 / 13	0 / 1	0 / 2		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 13	0 / 1	0 / 2		
Percentage of transfers resulting in live births	45.2	4 / 13	1 / 1	0 / 2		
Percentage of transfers resulting in pregnancy	59.5	8 / 13	1 / 1	0 / 2		
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			2		1	
Number of transfers			1		1	
Average number of embryos transferred			2.0		2.0	
Percentage of embryos transferred resulting in implantation			2 / 2		0 / 2	
Percentage of transfers resulting in singleton live births			0 / 1		0 / 1	
Percentage of transfers resulting in live births			1 / 1		0 / 1	
Percentage of transfers resulting in pregnancy			1 / 1		0 / 1	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: NMCS D Infertility

Donor egg?	No	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**SAN DIEGO FERTILITY CENTER
(SDFC)
SAN DIEGO, CALIFORNIA**

This clinic provided ART services during 2011 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2011 ART cycle data or the clinic's Medical Director did not approve the clinic's 2011 ART cycle data for inclusion in this report.

This clinic provided ART services during 2011 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2011 ART cycle data or the clinic's Medical Director did not approve the clinic's 2011 ART cycle data for inclusion in this report.

LAUREL FERTILITY CARE SAN FRANCISCO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	94%	Tubal factor	10%	Uterine factor	7%
Unstimulated	<1%	Used PGD	6%	Ovulatory dysfunction	15%	Male factor	30%
Used gestational carrier	0%			Diminished ovarian reserve	32%	Other factor	7%
				Endometriosis	6%	Unknown factor	23%
				Multiple Factors: Female factors only 8% Female & male factors 20%			

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 235

Data verified by Collin B. Smikle, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	47	34	38	18	12	1
Percentage of cancellations	4.3	2.9	5.3	1 / 18	0 / 12	0 / 1
Average number of embryos transferred	1.9	2.2	3.0	3.0	2.7	1.0
Percentage of embryos transferred resulting in implantation	37.5	24.2	10.1	10.3	6.7	0 / 1
Percentage of elective single embryo transfer (eSET)	15.0	3.8	0.0	0 / 11	0 / 9	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	29.8	32.4	7.9	3 / 18	0 / 12	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 18	0 / 12	0 / 1
Percentage of cycles resulting in live births	34.0	35.3	15.8	3 / 18	0 / 12	0 / 1
Percentage of cycles resulting in pregnancy	53.2	41.2	15.8	3 / 18	2 / 12	0 / 1
Outcomes per Transfer						
Number of transfers	43	30	33	13	11	1
Percentage of transfers resulting in singleton live births	32.6	36.7	9.1	3 / 13	0 / 11	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 13	0 / 11	0 / 1
Percentage of transfers resulting in live births	37.2	40.0	18.2	3 / 13	0 / 11	0 / 1
Percentage of transfers resulting in pregnancy	58.1	46.7	18.2	3 / 13	2 / 11	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	25	14	6	3	2	0
Percentage of pregnancies resulting in singleton live births	56.0	11 / 14	3 / 6	3 / 3	0 / 2	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 14	0 / 6	0 / 3	0 / 2	
Percentage of pregnancies resulting in live births	64.0	12 / 14	6 / 6	3 / 3	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	33	9	13	7	1	2
Number of transfers	33	9	13	5	1	2
Average number of embryos transferred	2.2	2.2	2.2	3.2	5.0	2.5
Percentage of embryos transferred resulting in implantation	35.2	30.0	32.1	3 / 16	0 / 5	0 / 5
Percentage of transfers resulting in singleton live births	30.3	3 / 9	3 / 13	2 / 5	0 / 1	0 / 2
Percentage of transfers resulting in triplets or more live births	3.0	0 / 9	0 / 13	0 / 5	0 / 1	0 / 2
Percentage of transfers resulting in live births	45.5	3 / 9	4 / 13	2 / 5	0 / 1	0 / 2
Percentage of transfers resulting in pregnancy	57.6	6 / 9	7 / 13	3 / 5	0 / 1	0 / 2
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			14		6	
Number of transfers			14		5	
Average number of embryos transferred			1.9		2.4	
Percentage of embryos transferred resulting in implantation			48.1		8 / 12	
Percentage of transfers resulting in singleton live births			7 / 14		4 / 5	
Percentage of transfers resulting in live births			8 / 14		5 / 5	
Percentage of transfers resulting in pregnancy			11 / 14		5 / 5	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Laurel Fertility Care

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 16 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PACIFIC FERTILITY CENTER SAN FRANCISCO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE				Patient Diagnosis ^b			
Type of ART and Procedural Factors^a				Patient Diagnosis^b			
IVF	100%	With ICSI	40%	Tubal factor	5%	Uterine factor	4%
Unstimulated	1%	Used PGD	5%	Ovulatory dysfunction	7%	Male factor	25%
Used gestational carrier	1%			Diminished ovarian reserve	44%	Other factor	24%
				Endometriosis	8%	Unknown factor	9%
				Multiple Factors: Female factors only 11% Female & male factors 12%			

2011 ART SUCCESS RATES^{c,d} Number of cycles in table: ^e 1301 Data verified by Philip E. Chenette, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	131	131	195	109	64	17
Percentage of cancellations	3.8	13.7	16.9	21.1	25.0	6 / 17
Average number of embryos transferred	1.8	2.2	2.8	3.7	4.8	3.7
Percentage of embryos transferred resulting in implantation	27.1	17.6	15.2	9.3	4.1	11.5
Percentage of elective single embryo transfer (eSET)	34.5	18.3	3.4	2.6	2.2	0 / 7
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	28.2	13.7	18.5	5.5	9.4	1 / 17
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.5	0.0	0.0	0 / 17
Percentage of cycles resulting in live births	32.8	19.1	23.6	9.2	9.4	1 / 17
Percentage of cycles resulting in pregnancy	42.0	26.0	29.7	20.2	15.6	3 / 17
Outcomes per Transfer						
Number of transfers	121	106	155	81	46	7
Percentage of transfers resulting in singleton live births	30.6	17.0	23.2	7.4	13.0	1 / 7
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.6	0.0	0.0	0 / 7
Percentage of transfers resulting in live births	35.5	23.6	29.7	12.3	13.0	1 / 7
Percentage of transfers resulting in pregnancy	45.5	32.1	37.4	27.2	21.7	3 / 7
Outcomes per Pregnancy						
Number of pregnancies	55	34	58	22	10	3
Percentage of pregnancies resulting in singleton live births	67.3	52.9	62.1	27.3	6 / 10	1 / 3
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	1.7	0.0	0 / 10	0 / 3
Percentage of pregnancies resulting in live births	78.2	73.5	79.3	45.5	6 / 10	1 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	98	93	74	29	14	5
Number of transfers	83	83	61	25	9	4
Average number of embryos transferred	1.6	1.6	1.8	2.1	2.6	2.5
Percentage of embryos transferred resulting in implantation	47.7	29.5	31.5	20.8	8.7	0 / 10
Percentage of transfers resulting in singleton live births	41.0	32.5	32.8	8.0	1 / 9	0 / 4
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 9	0 / 4
Percentage of transfers resulting in live births	50.6	36.1	37.7	12.0	1 / 9	0 / 4
Percentage of transfers resulting in pregnancy	62.7	44.6	45.9	40.0	3 / 9	0 / 4
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	163		178			
Number of transfers	152		156			
Average number of embryos transferred	1.4		1.5			
Percentage of embryos transferred resulting in implantation	50.7		37.4			
Percentage of transfers resulting in singleton live births	47.4		28.2			
Percentage of transfers resulting in live births	55.3		35.9			
Percentage of transfers resulting in pregnancy	64.5		48.1			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Pacific Fertility Center					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 75 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UCSF CENTER FOR REPRODUCTIVE HEALTH SAN FRANCISCO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	59%	Tubal factor	9%	Uterine factor	2%	
Unstimulated	<1%	Used PGD	3%	Ovulatory dysfunction	4%	Male factor	28%	
Used gestational carrier	1%			Diminished ovarian reserve	34%	Other factor	7%	
				Endometriosis	5%	Unknown factor	30%	
				Multiple Factors:				
				Female factors only				6%
				Female & male factors				12%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 1155

Data verified by Marcelle I. Cedars, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	134	137	167	123	65	11
Percentage of cancellations	9.7	18.2	19.2	24.4	18.5	4 / 11
Average number of embryos transferred	1.6	1.9	2.8	3.8	4.7	4.9
Percentage of embryos transferred resulting in implantation	44.4	32.6	15.8	12.0	4.8	8.8
Percentage of elective single embryo transfer (eSET)	43.9	15.1	3.4	0.0	0.0	0 / 7
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	24.6	25.5	14.4	17.1	6.2	1 / 11
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 11
Percentage of cycles resulting in live births	35.8	30.7	21.0	19.5	9.2	1 / 11
Percentage of cycles resulting in pregnancy	42.5	39.4	28.7	26.8	13.8	1 / 11
Outcomes per Transfer						
Number of transfers	104	98	119	83	48	7
Percentage of transfers resulting in singleton live births	31.7	35.7	20.2	25.3	8.3	1 / 7
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 7
Percentage of transfers resulting in live births	46.2	42.9	29.4	28.9	12.5	1 / 7
Percentage of transfers resulting in pregnancy	54.8	55.1	40.3	39.8	18.8	1 / 7
Outcomes per Pregnancy						
Number of pregnancies	57	54	48	33	9	1
Percentage of pregnancies resulting in singleton live births	57.9	64.8	50.0	63.6	4 / 9	1 / 1
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 9	0 / 1
Percentage of pregnancies resulting in live births	84.2	77.8	72.9	72.7	6 / 9	1 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	80	97	102	38	18	11
Number of transfers	71	81	93	34	13	9
Average number of embryos transferred	1.7	1.8	2.4	2.9	4.5	3.1
Percentage of embryos transferred resulting in implantation	35.8	36.8	21.8	15.3	5.1	10.7
Percentage of transfers resulting in singleton live births	47.9	30.9	32.3	23.5	3 / 13	3 / 9
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 13	0 / 9
Percentage of transfers resulting in live births	53.5	44.4	37.6	32.4	3 / 13	3 / 9
Percentage of transfers resulting in pregnancy	57.7	54.3	48.4	50.0	3 / 13	3 / 9
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Number of cycles		74		98		
Number of transfers		65		93		
Average number of embryos transferred		1.3		1.6		
Percentage of embryos transferred resulting in implantation		40.2		29.6		
Percentage of transfers resulting in singleton live births		49.2		35.5		
Percentage of transfers resulting in live births		50.8		37.6		
Percentage of transfers resulting in pregnancy		61.5		46.2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: UCSF Center for Reproductive Health

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 75 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY PHYSICIANS OF NORTHERN CALIFORNIA SAN JOSE, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	72%	Tubal factor	13%	Uterine factor	3%	
Unstimulated	<1%	Used PGD	4%	Ovulatory dysfunction	7%	Male factor	52%	
Used gestational carrier	<1%			Diminished ovarian reserve	48%	Other factor	14%	
				Endometriosis	12%	Unknown factor	7%	
				Multiple Factors:				
				Female factors only				12%
				Female & male factors				34%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 620

Data verified by G. David Adamson, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	113	106	95	53	20	3
Percentage of cancellations	1.8	1.9	6.3	9.4	5.0	0 / 3
Average number of embryos transferred	1.8	2.0	2.5	2.9	3.5	1.7
Percentage of embryos transferred resulting in implantation	36.1	24.7	14.6	5.8	3.4	0 / 5
Percentage of elective single embryo transfer (eSET)	15.7	8.7	1.3	2.6	0 / 16	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	31.9	23.6	20.0	7.5	10.0	0 / 3
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 3
Percentage of cycles resulting in live births	46.0	32.1	24.2	11.3	10.0	0 / 3
Percentage of cycles resulting in pregnancy	51.3	36.8	34.7	17.0	10.0	0 / 3
Outcomes per Transfer						
Number of transfers	105	99	85	48	17	3
Percentage of transfers resulting in singleton live births	34.3	25.3	22.4	8.3	2 / 17	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 17	0 / 3
Percentage of transfers resulting in live births	49.5	34.3	27.1	12.5	2 / 17	0 / 3
Percentage of transfers resulting in pregnancy	55.2	39.4	38.8	18.8	2 / 17	0 / 3
Outcomes per Pregnancy						
Number of pregnancies	58	39	33	9	2	0
Percentage of pregnancies resulting in singleton live births	62.1	64.1	57.6	4 / 9	2 / 2	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 9	0 / 2	
Percentage of pregnancies resulting in live births	89.7	87.2	69.7	6 / 9	2 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	56	48	31	17	10	2
Number of transfers	55	48	30	17	10	1
Average number of embryos transferred	1.8	1.8	2.1	2.6	2.1	2.0
Percentage of embryos transferred resulting in implantation	14.1	14.3	14.1	11.4	9.5	1 / 2
Percentage of transfers resulting in singleton live births	18.2	22.9	16.7	2 / 17	2 / 10	1 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 17	0 / 10	0 / 1
Percentage of transfers resulting in live births	21.8	22.9	23.3	3 / 17	2 / 10	1 / 1
Percentage of transfers resulting in pregnancy	25.5	31.3	23.3	5 / 17	2 / 10	1 / 1
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	34		32			
Number of transfers	34		32			
Average number of embryos transferred	1.6		1.7			
Percentage of embryos transferred resulting in implantation	33.9		25.9			
Percentage of transfers resulting in singleton live births	20.6		34.4			
Percentage of transfers resulting in live births	32.4		37.5			
Percentage of transfers resulting in pregnancy	41.2		46.9			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Physicians of Northern California

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2011 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2011 ART cycle data or the clinic's Medical Director did not approve the clinic's 2011 ART cycle data for inclusion in this report.

REPRODUCTIVE SCIENCE CENTER OF THE SAN FRANCISCO BAY AREA SAN RAMON, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE				Patient Diagnosis ^b				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	>99%	With ICSI	68%	Tubal factor	13%	Uterine factor	9%	Multiple Factors: Female factors only 13% Female & male factors 21%
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	14%	Male factor	36%	
Used gestational carrier	<1%			Diminished ovarian reserve	36%	Other factor	13%	
				Endometriosis	7%	Unknown factor	11%	

2011 ART SUCCESS RATES^{c,d} Number of cycles in table:^e 1130 Data verified by Louis N. Weckstein, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	214	171	131	68	26	4
Percentage of cancellations	7.9	11.7	9.2	22.1	26.9	1 / 4
Average number of embryos transferred	1.9	2.1	2.6	3.5	4.0	3.3
Percentage of embryos transferred resulting in implantation	33.6	27.9	21.4	11.4	4.4	0 / 10
Percentage of elective single embryo transfer (eSET)	16.1	6.5	3.2	0.0	0 / 17	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	28.0	24.6	19.8	16.2	3.8	0 / 4
Percentage of cycles resulting in triplets or more live births	0.5	0.0	0.0	0.0	0.0	0 / 4
Percentage of cycles resulting in live births	36.4	30.4	25.2	17.6	3.8	0 / 4
Percentage of cycles resulting in pregnancy	41.1	36.3	32.1	27.9	15.4	0 / 4
Outcomes per Transfer						
Number of transfers	174	131	95	47	17	3
Percentage of transfers resulting in singleton live births	34.5	32.1	27.4	23.4	1 / 17	0 / 3
Percentage of transfers resulting in triplets or more live births	0.6	0.0	0.0	0.0	0 / 17	0 / 3
Percentage of transfers resulting in live births	44.8	39.7	34.7	25.5	1 / 17	0 / 3
Percentage of transfers resulting in pregnancy	50.6	47.3	44.2	40.4	4 / 17	0 / 3
Outcomes per Pregnancy						
Number of pregnancies	88	62	42	19	4	0
Percentage of pregnancies resulting in singleton live births	68.2	67.7	61.9	11 / 19	1 / 4	
Percentage of pregnancies resulting in triplets or more live births	1.1	0.0	0.0	0 / 19	0 / 4	
Percentage of pregnancies resulting in live births	88.6	83.9	78.6	12 / 19	1 / 4	
Frozen Embryos from Nondonor Eggs						
Number of cycles	117	92	76	27	6	2
Number of transfers	109	80	64	22	6	1
Average number of embryos transferred	1.7	1.7	1.8	1.9	1.7	2.0
Percentage of embryos transferred resulting in implantation	35.9	38.8	21.4	12.2	3 / 10	1 / 2
Percentage of transfers resulting in singleton live births	32.1	33.8	25.0	9.1	3 / 6	1 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 6	0 / 1
Percentage of transfers resulting in live births	43.1	42.5	28.1	9.1	3 / 6	1 / 1
Percentage of transfers resulting in pregnancy	48.6	55.0	39.1	22.7	3 / 6	1 / 1
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	107		89			
Number of transfers	99		78			
Average number of embryos transferred	1.6		1.7			
Percentage of embryos transferred resulting in implantation	53.2		24.8			
Percentage of transfers resulting in singleton live births	44.4		21.8			
Percentage of transfers resulting in live births	60.6		29.5			
Percentage of transfers resulting in pregnancy	70.7		41.0			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Science Center of the San Francisco Bay Area					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SANTA BARBARA FERTILITY CENTER SANTA BARBARA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	81%	Tubal factor	25%	Uterine factor	3%	
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	2%	Male factor	9%	
Used gestational carrier	4%			Diminished ovarian reserve	49%	Other factor	10%	
				Endometriosis	3%	Unknown factor	22%	
				Multiple Factors:				
				Female factors only				15%
				Female & male factors				6%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 67

Data verified by René B. Allen, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	11	4	16	10	10	1
Percentage of cancellations	1 / 11	0 / 4	2 / 16	1 / 10	1 / 10	0 / 1
Average number of embryos transferred	2.3	2.0	3.4	4.4	4.0	1.0
Percentage of embryos transferred resulting in implantation	47.8	1 / 8	12.8	5.7	5.6	0 / 1
Percentage of elective single embryo transfer (eSET)	0 / 10	1 / 4	0 / 13	0 / 7	0 / 8	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	3 / 11	1 / 4	1 / 16	1 / 10	2 / 10	0 / 1
Percentage of cycles resulting in triplets or more live births	0 / 11	0 / 4	0 / 16	0 / 10	0 / 10	0 / 1
Percentage of cycles resulting in live births	6 / 11	1 / 4	3 / 16	1 / 10	2 / 10	0 / 1
Percentage of cycles resulting in pregnancy	8 / 11	1 / 4	6 / 16	2 / 10	2 / 10	0 / 1
Outcomes per Transfer						
Number of transfers	10	4	14	8	9	1
Percentage of transfers resulting in singleton live births	3 / 10	1 / 4	1 / 14	1 / 8	2 / 9	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 10	0 / 4	0 / 14	0 / 8	0 / 9	0 / 1
Percentage of transfers resulting in live births	6 / 10	1 / 4	3 / 14	1 / 8	2 / 9	0 / 1
Percentage of transfers resulting in pregnancy	8 / 10	1 / 4	6 / 14	2 / 8	2 / 9	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	8	1	6	2	2	0
Percentage of pregnancies resulting in singleton live births	3 / 8	1 / 1	1 / 6	1 / 2	2 / 2	
Percentage of pregnancies resulting in triplets or more live births	0 / 8	0 / 1	0 / 6	0 / 2	0 / 2	
Percentage of pregnancies resulting in live births	6 / 8	1 / 1	3 / 6	1 / 2	2 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	2	1	3	3	0
Number of transfers	2	2	1	2	3	0
Average number of embryos transferred	1.0	1.5	3.0	2.0	4.7	
Percentage of embryos transferred resulting in implantation	1 / 2	1 / 3	0 / 3	0 / 4	1 / 14	
Percentage of transfers resulting in singleton live births	1 / 2	1 / 2	0 / 1	0 / 2	1 / 3	
Percentage of transfers resulting in triplets or more live births	0 / 2	0 / 2	0 / 1	0 / 2	0 / 3	
Percentage of transfers resulting in live births	1 / 2	1 / 2	0 / 1	0 / 2	1 / 3	
Percentage of transfers resulting in pregnancy	1 / 2	1 / 2	0 / 1	0 / 2	1 / 3	

All Ages Combined^f

Donor Eggs	Fresh Embryos	Frozen Embryos
Number of cycles	2	2
Number of transfers	2	2
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation	0 / 4	2 / 4
Percentage of transfers resulting in singleton live births	0 / 2	2 / 2
Percentage of transfers resulting in live births	0 / 2	2 / 2
Percentage of transfers resulting in pregnancy	1 / 2	2 / 2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Santa Barbara Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PARKER-ROSENMAN-RODI GYNECOLOGY AND INFERTILITY MEDICAL GROUP SANTA MONICA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	89%	With ICSI	89%	Tubal factor	7%	Uterine factor	13%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	11%	Male factor	54%
Used gestational carrier	0%			Diminished ovarian reserve	52%	Other factor	9%
				Endometriosis	4%	Unknown factor	0%
				Multiple Factors:			
				Female factors only 9%			
				Female & male factors 33%			

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 46

Data verified by Ingrid A. Rodi, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	11	4	3	5	2	1
Percentage of cancellations	0 / 11	0 / 4	0 / 3	2 / 5	1 / 2	0 / 1
Average number of embryos transferred	1.9	3.3	2.5	4.5	2.0	5.0
Percentage of embryos transferred resulting in implantation	6 / 19	1 / 10	2 / 5	1 / 9	0 / 2	0 / 5
Percentage of elective single embryo transfer (eSET)	2 / 10	0 / 3	0 / 2	0 / 2	0 / 1	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	4 / 11	1 / 4	2 / 3	1 / 5	0 / 2	0 / 1
Percentage of cycles resulting in triplets or more live births	0 / 11	0 / 4	0 / 3	0 / 5	0 / 2	0 / 1
Percentage of cycles resulting in live births	5 / 11	1 / 4	2 / 3	1 / 5	0 / 2	0 / 1
Percentage of cycles resulting in pregnancy	6 / 11	1 / 4	2 / 3	1 / 5	0 / 2	0 / 1
Outcomes per Transfer						
Number of transfers	10	3	2	2	1	1
Percentage of transfers resulting in singleton live births	4 / 10	1 / 3	2 / 2	1 / 2	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 10	0 / 3	0 / 2	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in live births	5 / 10	1 / 3	2 / 2	1 / 2	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	6 / 10	1 / 3	2 / 2	1 / 2	0 / 1	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	6	1	2	1	0	0
Percentage of pregnancies resulting in singleton live births	4 / 6	1 / 1	2 / 2	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 6	0 / 1	0 / 2	0 / 1		
Percentage of pregnancies resulting in live births	5 / 6	1 / 1	2 / 2	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	4	3	0	0	0
Number of transfers	7	4	2	0	0	0
Average number of embryos transferred	1.4	2.0	2.0			
Percentage of embryos transferred resulting in implantation	2 / 10	0 / 8	0 / 4			
Percentage of transfers resulting in singleton live births	2 / 7	0 / 4	0 / 2			
Percentage of transfers resulting in triplets or more live births	0 / 7	0 / 4	0 / 2			
Percentage of transfers resulting in live births	2 / 7	0 / 4	0 / 2			
Percentage of transfers resulting in pregnancy	2 / 7	0 / 4	0 / 2			
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		2		4		
Number of transfers		2		4		
Average number of embryos transferred		1.0		1.0		
Percentage of embryos transferred resulting in implantation		0 / 2		2 / 4		
Percentage of transfers resulting in singleton live births		0 / 2		2 / 4		
Percentage of transfers resulting in live births		0 / 2		2 / 4		
Percentage of transfers resulting in pregnancy		1 / 2		2 / 4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Parker-Rosenman-Rodi Gynecology and Infertility Medical Group

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 11 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SANTA MONICA FERTILITY SANTA MONICA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	93%	With ICSI	91%	Tubal factor	5%	Uterine factor	0%
Unstimulated	5%	Used PGD	21%	Ovulatory dysfunction	1%	Male factor	2%
Used gestational carrier	0%			Diminished ovarian reserve	14%	Other factor	66%
				Endometriosis	1%	Unknown factor	22%
				Multiple Factors:			
						Female factors only	7%
						Female & male factors	1%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 87

Data verified by John K. Jain, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	7	6	16	8	6	1
Percentage of cancellations	0 / 7	0 / 6	0 / 16	0 / 8	1 / 6	0 / 1
Average number of embryos transferred	2.2	3.0	2.8	4.4	4.8	8.0
Percentage of embryos transferred resulting in implantation	3 / 13	0 / 9	13.9	0.0	0 / 19	1 / 8
Percentage of elective single embryo transfer (eSET)	2 / 6	0 / 3	0 / 10	0 / 5	0 / 4	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	3 / 7	0 / 6	4 / 16	0 / 8	0 / 6	1 / 1
Percentage of cycles resulting in triplets or more live births	0 / 7	0 / 6	0 / 16	0 / 8	0 / 6	0 / 1
Percentage of cycles resulting in live births	3 / 7	0 / 6	4 / 16	0 / 8	0 / 6	1 / 1
Percentage of cycles resulting in pregnancy	3 / 7	0 / 6	5 / 16	0 / 8	1 / 6	1 / 1
Outcomes per Transfer						
Number of transfers	6	3	13	5	4	1
Percentage of transfers resulting in singleton live births	3 / 6	0 / 3	4 / 13	0 / 5	0 / 4	1 / 1
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 3	0 / 13	0 / 5	0 / 4	0 / 1
Percentage of transfers resulting in live births	3 / 6	0 / 3	4 / 13	0 / 5	0 / 4	1 / 1
Percentage of transfers resulting in pregnancy	3 / 6	0 / 3	5 / 13	0 / 5	1 / 4	1 / 1
Outcomes per Pregnancy						
Number of pregnancies	3	0	5	0	1	1
Percentage of pregnancies resulting in singleton live births	3 / 3		4 / 5		0 / 1	1 / 1
Percentage of pregnancies resulting in triplets or more live births	0 / 3		0 / 5		0 / 1	0 / 1
Percentage of pregnancies resulting in live births	3 / 3		4 / 5		0 / 1	1 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	3	1	4	3	1	0
Number of transfers	3	1	3	3	1	0
Average number of embryos transferred	1.3	3.0	1.7	2.3	1.0	
Percentage of embryos transferred resulting in implantation	0 / 4	0 / 3	2 / 5	0 / 7	0 / 1	
Percentage of transfers resulting in singleton live births	0 / 3	0 / 1	2 / 3	0 / 3	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 3	0 / 1	0 / 3	0 / 3	0 / 1	
Percentage of transfers resulting in live births	0 / 3	0 / 1	2 / 3	0 / 3	0 / 1	
Percentage of transfers resulting in pregnancy	0 / 3	0 / 1	2 / 3	0 / 3	0 / 1	

All Ages Combined^f

Donor Eggs	Fresh Embryos	Frozen Embryos
Number of cycles	21	10
Number of transfers	21	10
Average number of embryos transferred	1.2	1.7
Percentage of embryos transferred resulting in implantation	48.0	4 / 17
Percentage of transfers resulting in singleton live births	47.6	1 / 10
Percentage of transfers resulting in live births	47.6	2 / 10
Percentage of transfers resulting in pregnancy	66.7	4 / 10

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Santa Monica Fertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 83 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY ASSOCIATES MEDICAL GROUP, INC. SANTA ROSA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE				Patient Diagnosis ^b				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	71%	Tubal factor	18%	Uterine factor	3%	
Unstimulated	0%	Used PGD	5%	Ovulatory dysfunction	6%	Male factor	27%	
Used gestational carrier	1%			Diminished ovarian reserve	34%	Other factor	15%	
				Endometriosis	5%	Unknown factor	17%	
				Multiple Factors:				
				Female factors only				11%
				Female & male factors				11%

2011 ART SUCCESS RATES^{c,d} Number of cycles in table: ^e 223 Data verified by Jennifer V. Ratcliffe, MD, PhD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	52	32	38	7	7	3
Percentage of cancellations	9.6	21.9	18.4	2 / 7	1 / 7	1 / 3
Average number of embryos transferred	2.1	2.4	2.8	4.5	3.8	1.5
Percentage of embryos transferred resulting in implantation	32.6	19.3	16.3	1 / 18	0 / 19	0 / 3
Percentage of elective single embryo transfer (eSET)	7.0	9.1	0.0	0 / 4	0 / 5	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	21.2	31.3	31.6	1 / 7	0 / 7	0 / 3
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 7	0 / 7	0 / 3
Percentage of cycles resulting in live births	34.6	31.3	34.2	1 / 7	0 / 7	0 / 3
Percentage of cycles resulting in pregnancy	46.2	40.6	36.8	2 / 7	0 / 7	0 / 3
Outcomes per Transfer						
Number of transfers	44	24	31	4	5	2
Percentage of transfers resulting in singleton live births	25.0	41.7	38.7	1 / 4	0 / 5	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 4	0 / 5	0 / 2
Percentage of transfers resulting in live births	40.9	41.7	41.9	1 / 4	0 / 5	0 / 2
Percentage of transfers resulting in pregnancy	54.5	54.2	45.2	2 / 4	0 / 5	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	24	13	14	2	0	0
Percentage of pregnancies resulting in singleton live births	45.8	10 / 13	12 / 14	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 13	0 / 14	0 / 2		
Percentage of pregnancies resulting in live births	75.0	10 / 13	13 / 14	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	22	11	10	2	0	0
Number of transfers	22	11	8	2	0	0
Average number of embryos transferred	2.3	2.5	3.5	3.0		
Percentage of embryos transferred resulting in implantation	24.0	33.3	10.7	0 / 6		
Percentage of transfers resulting in singleton live births	45.5	5 / 11	3 / 8	0 / 2		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 11	0 / 8	0 / 2		
Percentage of transfers resulting in live births	50.0	6 / 11	3 / 8	0 / 2		
Percentage of transfers resulting in pregnancy	54.5	7 / 11	4 / 8	1 / 2		
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		18		21		
Number of transfers		18		17		
Average number of embryos transferred		1.8		2.2		
Percentage of embryos transferred resulting in implantation		57.6		16.2		
Percentage of transfers resulting in singleton live births		10 / 18		3 / 17		
Percentage of transfers resulting in live births		14 / 18		4 / 17		
Percentage of transfers resulting in pregnancy		15 / 18		6 / 17		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Fertility Associates Medical Group, Inc.					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 17 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

VALLEY CENTER FOR REPRODUCTIVE HEALTH
TINA KOOPERSMITH, MD
SHERMAN OAKS, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	57%	Tubal factor	27%	Uterine factor	10%
Unstimulated	0%	Used PGD	11%	Ovulatory dysfunction	33%	Male factor	54%
Used gestational carrier	0%			Diminished ovarian reserve	19%	Other factor	21%
				Endometriosis	6%	Unknown factor	0%
				Multiple Factors:			
						Female factors only	25%
						Female & male factors	37%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 52

Data verified by Tina B. Koopersmith, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	11	3	9	5	0	0
Percentage of cancellations	1 / 11	0 / 3	1 / 9	1 / 5		
Average number of embryos transferred	1.6	2.0	3.2	2.8		
Percentage of embryos transferred resulting in implantation	1 / 13	2 / 4	4 / 19	0 / 11		
Percentage of elective single embryo transfer (eSET)	2 / 7	0 / 2	1 / 6	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	1 / 11	0 / 3	2 / 9	0 / 5		
Percentage of cycles resulting in triplets or more live births	0 / 11	0 / 3	0 / 9	0 / 5		
Percentage of cycles resulting in live births	1 / 11	1 / 3	3 / 9	0 / 5		
Percentage of cycles resulting in pregnancy	2 / 11	1 / 3	3 / 9	0 / 5		
Outcomes per Transfer						
Number of transfers	8	2	6	4	0	0
Percentage of transfers resulting in singleton live births	1 / 8	0 / 2	2 / 6	0 / 4		
Percentage of transfers resulting in triplets or more live births	0 / 8	0 / 2	0 / 6	0 / 4		
Percentage of transfers resulting in live births	1 / 8	1 / 2	3 / 6	0 / 4		
Percentage of transfers resulting in pregnancy	2 / 8	1 / 2	3 / 6	0 / 4		
Outcomes per Pregnancy						
Number of pregnancies	2	1	3	0	0	0
Percentage of pregnancies resulting in singleton live births	1 / 2	0 / 1	2 / 3			
Percentage of pregnancies resulting in triplets or more live births	0 / 2	0 / 1	0 / 3			
Percentage of pregnancies resulting in live births	1 / 2	1 / 1	3 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	4	2	1	1	0
Number of transfers	6	4	2	1	1	0
Average number of embryos transferred	2.0	2.0	2.5	4.0	3.0	
Percentage of embryos transferred resulting in implantation	2 / 12	4 / 8	2 / 5	0 / 4	0 / 3	
Percentage of transfers resulting in singleton live births	1 / 6	2 / 4	1 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 4	0 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in live births	1 / 6	3 / 4	1 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	2 / 6	3 / 4	1 / 2	0 / 1	0 / 1	

All Ages Combined^f

Donor Eggs	Fresh Embryos	Frozen Embryos
Number of cycles	5	5
Number of transfers	4	5
Average number of embryos transferred	1.5	1.6
Percentage of embryos transferred resulting in implantation	1 / 6	1 / 8
Percentage of transfers resulting in singleton live births	0 / 4	1 / 5
Percentage of transfers resulting in live births	0 / 4	1 / 5
Percentage of transfers resulting in pregnancy	1 / 4	1 / 5

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Valley Center for Reproductive Health, Tina Koopersmith, MD

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GARFIELD FERTILITY CENTER SOUTH PASADENA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	55%	Tubal factor	17%	Uterine factor	0%
Unstimulated	0%	Used PGD	5%	Ovulatory dysfunction	17%	Male factor	41%
Used gestational carrier	0%			Diminished ovarian reserve	48%	Other factor	0%
				Endometriosis	10%	Unknown factor	10%
				Multiple Factors: Female factors only 14% Female & male factors 31%			

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 29

Data verified by Brian C. Su, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	7	7	6	2	0	0
Percentage of cancellations	0 / 7	1 / 7	0 / 6	0 / 2		
Average number of embryos transferred	1.8	2.5	3.7	2.0		
Percentage of embryos transferred resulting in implantation	3 / 11	5 / 15	4.5	0 / 4		
Percentage of elective single embryo transfer (eSET)	0 / 5	0 / 5	0 / 6	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	3 / 7	2 / 7	1 / 6	0 / 2		
Percentage of cycles resulting in triplets or more live births	0 / 7	0 / 7	0 / 6	0 / 2		
Percentage of cycles resulting in live births	3 / 7	3 / 7	1 / 6	0 / 2		
Percentage of cycles resulting in pregnancy	4 / 7	3 / 7	1 / 6	0 / 2		
Outcomes per Transfer						
Number of transfers	6	6	6	2	0	0
Percentage of transfers resulting in singleton live births	3 / 6	2 / 6	1 / 6	0 / 2		
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 6	0 / 6	0 / 2		
Percentage of transfers resulting in live births	3 / 6	3 / 6	1 / 6	0 / 2		
Percentage of transfers resulting in pregnancy	4 / 6	3 / 6	1 / 6	0 / 2		
Outcomes per Pregnancy						
Number of pregnancies	4	3	1	0	0	0
Percentage of pregnancies resulting in singleton live births	3 / 4	2 / 3	1 / 1			
Percentage of pregnancies resulting in triplets or more live births	0 / 4	0 / 3	0 / 1			
Percentage of pregnancies resulting in live births	3 / 4	3 / 3	1 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	1	0	0	0	0
Number of transfers	0	1	0	0	0	0
Average number of embryos transferred		1.0				
Percentage of embryos transferred resulting in implantation		0 / 1				
Percentage of transfers resulting in singleton live births		0 / 1				
Percentage of transfers resulting in triplets or more live births		0 / 1				
Percentage of transfers resulting in live births		0 / 1				
Percentage of transfers resulting in pregnancy		0 / 1				
All Ages Combined^f						
Donor Eggs	Fresh Embryos			Frozen Embryos		
Number of cycles	4			1		
Number of transfers	2			0		
Average number of embryos transferred	2.0					
Percentage of embryos transferred resulting in implantation	2 / 4					
Percentage of transfers resulting in singleton live births	0 / 2					
Percentage of transfers resulting in live births	1 / 2					
Percentage of transfers resulting in pregnancy	1 / 2					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Garfield Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**THE CENTER FOR FERTILITY AND GYNECOLOGY
VERMESH CENTER FOR FERTILITY
TARZANA, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	92%	Tubal factor	9%	Uterine factor	8%
Unstimulated	4%	Used PGD	6%	Ovulatory dysfunction	2%	Male factor	29%
Used gestational carrier	8%			Diminished ovarian reserve	45%	Other factor	18%
				Endometriosis	3%	Unknown factor	13%
				Multiple Factors: Female factors only 10% Female & male factors 13%			

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 268

Data verified by Michael Vermesh, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	38	29	50	36	23	12
Percentage of cancellations	2.6	3.4	2.0	2.8	0.0	1 / 12
Average number of embryos transferred	1.9	2.5	3.1	4.3	3.4	2.9
Percentage of embryos transferred resulting in implantation	37.5	23.9	16.3	9.4	2.6	3.1
Percentage of elective single embryo transfer (eSET)	9.4	11.5	2.3	0.0	0 / 19	0 / 8
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	28.9	17.2	12.0	5.6	8.7	0 / 12
Percentage of cycles resulting in triplets or more live births	2.6	0.0	0.0	0.0	0.0	0 / 12
Percentage of cycles resulting in live births	44.7	34.5	22.0	11.1	8.7	0 / 12
Percentage of cycles resulting in pregnancy	50.0	41.4	32.0	30.6	13.0	3 / 12
Outcomes per Transfer						
Number of transfers	37	28	49	35	23	11
Percentage of transfers resulting in singleton live births	29.7	17.9	12.2	5.7	8.7	0 / 11
Percentage of transfers resulting in triplets or more live births	2.7	0.0	0.0	0.0	0.0	0 / 11
Percentage of transfers resulting in live births	45.9	35.7	22.4	11.4	8.7	0 / 11
Percentage of transfers resulting in pregnancy	51.4	42.9	32.7	31.4	13.0	3 / 11
Outcomes per Pregnancy						
Number of pregnancies	19	12	16	11	3	3
Percentage of pregnancies resulting in singleton live births	11 / 19	5 / 12	6 / 16	2 / 11	2 / 3	0 / 3
Percentage of pregnancies resulting in triplets or more live births	1 / 19	0 / 12	0 / 16	0 / 11	0 / 3	0 / 3
Percentage of pregnancies resulting in live births	17 / 19	10 / 12	11 / 16	4 / 11	2 / 3	0 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	12	10	3	9	0	0
Number of transfers	12	10	3	9	0	0
Average number of embryos transferred	2.3	3.0	2.7	2.2		
Percentage of embryos transferred resulting in implantation	14.3	30.0	2 / 8	25.0		
Percentage of transfers resulting in singleton live births	2 / 12	3 / 10	0 / 3	2 / 9		
Percentage of transfers resulting in triplets or more live births	0 / 12	0 / 10	0 / 3	0 / 9		
Percentage of transfers resulting in live births	3 / 12	4 / 10	0 / 3	2 / 9		
Percentage of transfers resulting in pregnancy	4 / 12	6 / 10	1 / 3	5 / 9		
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			26		20	
Number of transfers			26		20	
Average number of embryos transferred			2.2		2.4	
Percentage of embryos transferred resulting in implantation			46.6		20.8	
Percentage of transfers resulting in singleton live births			42.3		30.0	
Percentage of transfers resulting in live births			61.5		35.0	
Percentage of transfers resulting in pregnancy			73.1		40.0	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Center for Fertility and Gynecology, Vermesh Center for Fertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 61 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**TREE OF LIFE CENTER FOR FERTILITY
SNUNIT BEN-OZER, MD
TARZANA, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	58%	Tubal factor	6%	Uterine factor	18%	Multiple Factors: Female factors only 27% Female & male factors 39%
Unstimulated	0%	Used PGD	16%	Ovulatory dysfunction	6%	Male factor	42%	
Used gestational carrier	0%			Diminished ovarian reserve	70%	Other factor	21%	
				Endometriosis	9%	Unknown factor	9%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 33

Data verified by Snunit Ben-Ozer, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	6	1	4	6	2	0
Percentage of cancellations	0 / 6	0 / 1	0 / 4	0 / 6	0 / 2	
Average number of embryos transferred	2.2	3.0	2.0	2.6	1.0	
Percentage of embryos transferred resulting in implantation	4 / 13	3 / 3	3 / 8	3 / 13	0 / 1	
Percentage of elective single embryo transfer (eSET)	0 / 5	0 / 1	0 / 3	1 / 4		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	4 / 6	0 / 1	3 / 4	3 / 6	0 / 2	
Percentage of cycles resulting in triplets or more live births	0 / 6	0 / 1	0 / 4	0 / 6	0 / 2	
Percentage of cycles resulting in live births	4 / 6	1 / 1	3 / 4	3 / 6	0 / 2	
Percentage of cycles resulting in pregnancy	4 / 6	1 / 1	4 / 4	3 / 6	0 / 2	
Outcomes per Transfer						
Number of transfers	6	1	4	5	1	0
Percentage of transfers resulting in singleton live births	4 / 6	0 / 1	3 / 4	3 / 5	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 1	0 / 4	0 / 5	0 / 1	
Percentage of transfers resulting in live births	4 / 6	1 / 1	3 / 4	3 / 5	0 / 1	
Percentage of transfers resulting in pregnancy	4 / 6	1 / 1	4 / 4	3 / 5	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	4	1	4	3	0	0
Percentage of pregnancies resulting in singleton live births	4 / 4	0 / 1	3 / 4	3 / 3		
Percentage of pregnancies resulting in triplets or more live births	0 / 4	0 / 1	0 / 4	0 / 3		
Percentage of pregnancies resulting in live births	4 / 4	1 / 1	3 / 4	3 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	0	3	0	0	0
Number of transfers	1	0	3	0	0	0
Average number of embryos transferred	2.0		2.0			
Percentage of embryos transferred resulting in implantation	0 / 2		1 / 6			
Percentage of transfers resulting in singleton live births	0 / 1		0 / 3			
Percentage of transfers resulting in triplets or more live births	0 / 1		0 / 3			
Percentage of transfers resulting in live births	0 / 1		0 / 3			
Percentage of transfers resulting in pregnancy	0 / 1		1 / 3			
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			6		4	
Number of transfers			6		4	
Average number of embryos transferred			2.0		2.0	
Percentage of embryos transferred resulting in implantation			4 / 12		2 / 8	
Percentage of transfers resulting in singleton live births			3 / 6		2 / 4	
Percentage of transfers resulting in live births			3 / 6		2 / 4	
Percentage of transfers resulting in pregnancy			3 / 6		2 / 4	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Tree of Life Center for Fertility, Snunit Ben-Ozer, MD

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 7 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY AND SURGICAL ASSOCIATES OF CALIFORNIA THOUSAND OAKS, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	80%	Tubal factor	11%	Uterine factor	7%	
Unstimulated	<1%	Used PGD	10%	Ovulatory dysfunction	13%	Male factor	26%	
Used gestational carrier	3%			Diminished ovarian reserve	42%	Other factor	11%	
				Endometriosis	7%	Unknown factor	3%	
				Multiple Factors:				
				Female factors only				8%
				Female & male factors				10%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 702

Data verified by Gary Hubert, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	118	69	90	42	12	4
Percentage of cancellations	3.4	1.4	0.0	4.8	0 / 12	0 / 4
Average number of embryos transferred	2.0	2.4	2.9	3.5	3.8	5.0
Percentage of embryos transferred resulting in implantation	32.6	23.3	14.9	9.4	4.3	0.0
Percentage of elective single embryo transfer (eSET)	11.7	9.0	1.2	0.0	0 / 11	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	33.1	24.6	24.4	7.1	1 / 12	0 / 4
Percentage of cycles resulting in triplets or more live births	0.0	1.4	0.0	0.0	0 / 12	0 / 4
Percentage of cycles resulting in live births	47.5	34.8	30.0	14.3	1 / 12	0 / 4
Percentage of cycles resulting in pregnancy	55.1	44.9	41.1	31.0	4 / 12	1 / 4
Outcomes per Transfer						
Number of transfers	114	68	90	40	12	4
Percentage of transfers resulting in singleton live births	34.2	25.0	24.4	7.5	1 / 12	0 / 4
Percentage of transfers resulting in triplets or more live births	0.0	1.5	0.0	0.0	0 / 12	0 / 4
Percentage of transfers resulting in live births	49.1	35.3	30.0	15.0	1 / 12	0 / 4
Percentage of transfers resulting in pregnancy	57.0	45.6	41.1	32.5	4 / 12	1 / 4
Outcomes per Pregnancy						
Number of pregnancies	65	31	37	13	4	1
Percentage of pregnancies resulting in singleton live births	60.0	54.8	59.5	3 / 13	1 / 4	0 / 1
Percentage of pregnancies resulting in triplets or more live births	0.0	3.2	0.0	0 / 13	0 / 4	0 / 1
Percentage of pregnancies resulting in live births	86.2	77.4	73.0	6 / 13	1 / 4	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	73	58	40	9	5	2
Number of transfers	73	57	40	9	5	2
Average number of embryos transferred	2.1	2.1	2.4	3.1	2.6	2.0
Percentage of embryos transferred resulting in implantation	29.6	25.8	14.7	14.3	0 / 13	0 / 4
Percentage of transfers resulting in singleton live births	34.2	22.8	20.0	4 / 9	0 / 5	0 / 2
Percentage of transfers resulting in triplets or more live births	1.4	0.0	0.0	0 / 9	0 / 5	0 / 2
Percentage of transfers resulting in live births	43.8	29.8	22.5	4 / 9	0 / 5	0 / 2
Percentage of transfers resulting in pregnancy	54.8	47.4	35.0	4 / 9	0 / 5	0 / 2
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			78		102	
Number of transfers			78		102	
Average number of embryos transferred			2.0		2.1	
Percentage of embryos transferred resulting in implantation			50.6		23.7	
Percentage of transfers resulting in singleton live births			39.7		23.5	
Percentage of transfers resulting in live births			60.3		32.4	
Percentage of transfers resulting in pregnancy			67.9		41.2	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility and Surgical Associates of California

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 120 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PACIFIC REPRODUCTIVE CENTER TORRANCE, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	97%	Tubal factor	13%	Uterine factor	7%	Multiple Factors: Female factors only 6% Female & male factors 17%
Unstimulated	0%	Used PGD	10%	Ovulatory dysfunction	14%	Male factor	42%	
Used gestational carrier	1%			Diminished ovarian reserve	16%	Other factor	21%	
				Endometriosis	11%	Unknown factor	2%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 341

Data verified by Rifaat Salem, MD, PhD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	116	57	68	25	15	4
Percentage of cancellations	1.7	1.8	2.9	4.0	2 / 15	0 / 4
Average number of embryos transferred	1.9	2.5	2.8	2.8	2.8	3.3
Percentage of embryos transferred resulting in implantation	36.7	25.6	10.8	10.4	5.6	0 / 13
Percentage of elective single embryo transfer (eSET)	5.5	3.8	1.7	4.3	0 / 10	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	34.5	24.6	16.2	16.0	1 / 15	0 / 4
Percentage of cycles resulting in triplets or more live births	0.0	0.0	2.9	0.0	0 / 15	0 / 4
Percentage of cycles resulting in live births	47.4	36.8	19.1	20.0	1 / 15	0 / 4
Percentage of cycles resulting in pregnancy	56.0	47.4	23.5	24.0	2 / 15	2 / 4
Outcomes per Transfer						
Number of transfers	112	54	65	24	13	4
Percentage of transfers resulting in singleton live births	35.7	25.9	16.9	16.7	1 / 13	0 / 4
Percentage of transfers resulting in triplets or more live births	0.0	0.0	3.1	0.0	0 / 13	0 / 4
Percentage of transfers resulting in live births	49.1	38.9	20.0	20.8	1 / 13	0 / 4
Percentage of transfers resulting in pregnancy	58.0	50.0	24.6	25.0	2 / 13	2 / 4
Outcomes per Pregnancy						
Number of pregnancies	65	27	16	6	2	2
Percentage of pregnancies resulting in singleton live births	61.5	51.9	11 / 16	4 / 6	1 / 2	0 / 2
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	2 / 16	0 / 6	0 / 2	0 / 2
Percentage of pregnancies resulting in live births	84.6	77.8	13 / 16	5 / 6	1 / 2	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	15	9	4	1	2	3
Number of transfers	14	9	4	1	2	3
Average number of embryos transferred	2.5	2.3	3.0	2.0	2.0	2.3
Percentage of embryos transferred resulting in implantation	11.4	14.3	2 / 12	0 / 2	0 / 4	1 / 7
Percentage of transfers resulting in singleton live births	1 / 14	3 / 9	0 / 4	0 / 1	0 / 2	1 / 3
Percentage of transfers resulting in triplets or more live births	0 / 14	0 / 9	0 / 4	0 / 1	0 / 2	0 / 3
Percentage of transfers resulting in live births	2 / 14	3 / 9	1 / 4	0 / 1	0 / 2	1 / 3
Percentage of transfers resulting in pregnancy	3 / 14	3 / 9	1 / 4	0 / 1	0 / 2	1 / 3
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	18		4			
Number of transfers	14		4			
Average number of embryos transferred	2.0		1.8			
Percentage of embryos transferred resulting in implantation	39.3		2 / 7			
Percentage of transfers resulting in singleton live births	8 / 14		2 / 4			
Percentage of transfers resulting in live births	9 / 14		2 / 4			
Percentage of transfers resulting in pregnancy	10 / 14		2 / 4			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Pacific Reproductive Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY FERTILITY CENTER TORRANCE, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	62%	Tubal factor	25%	Uterine factor	1%
Unstimulated	0%	Used PGD	5%	Ovulatory dysfunction	5%	Male factor	20%
Used gestational carrier	0%			Diminished ovarian reserve	5%	Other factor	19%
				Endometriosis	5%	Unknown factor	21%
				Multiple Factors: Female factors only 0% Female & male factors <1%			

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 197

Data verified by Omid A. Khorram, MD, PhD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	51	28	47	14	9	2
Percentage of cancellations	7.8	3.6	4.3	1 / 14	0 / 9	0 / 2
Average number of embryos transferred	2.7	3.0	3.2	3.2	4.0	2.0
Percentage of embryos transferred resulting in implantation	22.7	22.1	6.0	9.5	6.3	0 / 4
Percentage of elective single embryo transfer (eSET)	2.4	0.0	0.0	0 / 12	0 / 8	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	13.7	25.0	8.5	3 / 14	2 / 9	0 / 2
Percentage of cycles resulting in triplets or more live births	3.9	3.6	0.0	0 / 14	0 / 9	0 / 2
Percentage of cycles resulting in live births	21.6	35.7	10.6	3 / 14	2 / 9	0 / 2
Percentage of cycles resulting in pregnancy	29.4	42.9	27.7	5 / 14	4 / 9	0 / 2
Outcomes per Transfer						
Number of transfers	41	26	42	13	8	2
Percentage of transfers resulting in singleton live births	17.1	26.9	9.5	3 / 13	2 / 8	0 / 2
Percentage of transfers resulting in triplets or more live births	4.9	3.8	0.0	0 / 13	0 / 8	0 / 2
Percentage of transfers resulting in live births	26.8	38.5	11.9	3 / 13	2 / 8	0 / 2
Percentage of transfers resulting in pregnancy	36.6	46.2	31.0	5 / 13	4 / 8	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	15	12	13	5	4	0
Percentage of pregnancies resulting in singleton live births	7 / 15	7 / 12	4 / 13	3 / 5	2 / 4	
Percentage of pregnancies resulting in triplets or more live births	2 / 15	1 / 12	0 / 13	0 / 5	0 / 4	
Percentage of pregnancies resulting in live births	11 / 15	10 / 12	5 / 13	3 / 5	2 / 4	
Frozen Embryos from Nondonor Eggs						
Number of cycles	19	4	6	2	2	1
Number of transfers	18	4	5	2	2	1
Average number of embryos transferred	3.6	4.0	3.0	2.5	2.5	4.0
Percentage of embryos transferred resulting in implantation	1.6	0 / 16	0 / 15	0 / 5	0 / 5	0 / 4
Percentage of transfers resulting in singleton live births	0 / 18	0 / 4	0 / 5	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 18	0 / 4	0 / 5	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in live births	0 / 18	0 / 4	0 / 5	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in pregnancy	4 / 18	0 / 4	0 / 5	0 / 2	0 / 2	0 / 1
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			9		3	
Number of transfers			8		3	
Average number of embryos transferred			2.5		3.3	
Percentage of embryos transferred resulting in implantation			55.0		1 / 10	
Percentage of transfers resulting in singleton live births			0 / 8		1 / 3	
Percentage of transfers resulting in live births			3 / 8		1 / 3	
Percentage of transfers resulting in pregnancy			7 / 8		1 / 3	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE PARTNERS-WESTMINSTER WESTMINSTER, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	59%	Tubal factor	10%	Uterine factor	5%	Multiple Factors: Female factors only 8% Female & male factors 2%
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	8%	Male factor	16%	
Used gestational carrier	<1%			Diminished ovarian reserve	20%	Other factor	31%	
				Endometriosis	6%	Unknown factor	14%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 220

Data verified by Bill Yee, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	40	36	36	28	9	3
Percentage of cancellations	2.5	11.1	19.4	21.4	1 / 9	1 / 3
Average number of embryos transferred	1.8	2.3	2.5	2.7	3.0	4.0
Percentage of embryos transferred resulting in implantation	40.0	38.2	22.6	25.0	1 / 18	0 / 8
Percentage of elective single embryo transfer (eSET)	22.2	0.0	0.0	0 / 17	0 / 6	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	37.5	16.7	11.1	10.7	1 / 9	0 / 3
Percentage of cycles resulting in triplets or more live births	0.0	2.8	0.0	3.6	0 / 9	0 / 3
Percentage of cycles resulting in live births	50.0	36.1	16.7	21.4	1 / 9	0 / 3
Percentage of cycles resulting in pregnancy	57.5	47.2	33.3	32.1	1 / 9	0 / 3
Outcomes per Transfer						
Number of transfers	36	30	25	19	6	2
Percentage of transfers resulting in singleton live births	41.7	20.0	16.0	3 / 19	1 / 6	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	3.3	0.0	1 / 19	0 / 6	0 / 2
Percentage of transfers resulting in live births	55.6	43.3	24.0	6 / 19	1 / 6	0 / 2
Percentage of transfers resulting in pregnancy	63.9	56.7	48.0	9 / 19	1 / 6	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	23	17	12	9	1	0
Percentage of pregnancies resulting in singleton live births	65.2	6 / 17	4 / 12	3 / 9	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	1 / 17	0 / 12	1 / 9	0 / 1	
Percentage of pregnancies resulting in live births	87.0	13 / 17	6 / 12	6 / 9	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	15	15	16	2	1	0
Number of transfers	14	14	13	2	1	0
Average number of embryos transferred	1.8	1.9	2.5	2.5	1.0	
Percentage of embryos transferred resulting in implantation	24.0	18.5	21.9	2 / 5	1 / 1	
Percentage of transfers resulting in singleton live births	4 / 14	3 / 14	3 / 13	2 / 2	1 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 14	0 / 14	0 / 13	0 / 2	0 / 1	
Percentage of transfers resulting in live births	5 / 14	4 / 14	3 / 13	2 / 2	1 / 1	
Percentage of transfers resulting in pregnancy	6 / 14	5 / 14	6 / 13	2 / 2	1 / 1	
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	10		9			
Number of transfers	10		8			
Average number of embryos transferred	1.7		1.6			
Percentage of embryos transferred resulting in implantation	11 / 17		1 / 13			
Percentage of transfers resulting in singleton live births	2 / 10		1 / 8			
Percentage of transfers resulting in live births	6 / 10		1 / 8			
Percentage of transfers resulting in pregnancy	6 / 10		2 / 8			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Partners-Westminster

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**ADVANCED REPRODUCTIVE MEDICINE
UNIVERSITY OF COLORADO
AURORA, COLORADO**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	60%	Tubal factor	10%	Uterine factor	4%
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	12%	Male factor	37%
Used gestational carrier	4%			Diminished ovarian reserve	39%	Other factor	6%
				Endometriosis	6%	Unknown factor	14%
				Multiple Factors:			
						Female factors only	3%
						Female & male factors	18%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 146

Data verified by Ruben J. Alvero, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	37	24	20	2	0	1
Percentage of cancellations	10.8	12.5	15.0	0 / 2		0 / 1
Average number of embryos transferred	2.0	2.2	2.6	4.5		5.0
Percentage of embryos transferred resulting in implantation	36.4	34.0	26.7	1 / 9		0 / 5
Percentage of elective single embryo transfer (eSET)	6.3	5.0	0 / 15	0 / 2		0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	29.7	20.8	25.0	1 / 2		0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 2		0 / 1
Percentage of cycles resulting in live births	43.2	41.7	30.0	1 / 2		0 / 1
Percentage of cycles resulting in pregnancy	48.6	41.7	40.0	1 / 2		0 / 1
Outcomes per Transfer						
Number of transfers	33	21	17	2	0	1
Percentage of transfers resulting in singleton live births	33.3	23.8	5 / 17	1 / 2		0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 17	0 / 2		0 / 1
Percentage of transfers resulting in live births	48.5	47.6	6 / 17	1 / 2		0 / 1
Percentage of transfers resulting in pregnancy	54.5	47.6	8 / 17	1 / 2		0 / 1
Outcomes per Pregnancy						
Number of pregnancies	18	10	8	1	0	0
Percentage of pregnancies resulting in singleton live births	11 / 18	5 / 10	5 / 8	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 18	0 / 10	0 / 8	0 / 1		
Percentage of pregnancies resulting in live births	16 / 18	10 / 10	6 / 8	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	23	10	4	0	2	0
Number of transfers	22	10	4	0	2	0
Average number of embryos transferred	1.7	1.5	2.5		3.0	
Percentage of embryos transferred resulting in implantation	21.1	2 / 15	3 / 10		0 / 6	
Percentage of transfers resulting in singleton live births	18.2	2 / 10	3 / 4		0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 10	0 / 4		0 / 2	
Percentage of transfers resulting in live births	22.7	2 / 10	3 / 4		0 / 2	
Percentage of transfers resulting in pregnancy	31.8	2 / 10	3 / 4		0 / 2	
All Ages Combined^f						
	Fresh Embryos	Frozen Embryos				
Number of cycles	14	9				
Number of transfers	13	9				
Average number of embryos transferred	2.2	1.9				
Percentage of embryos transferred resulting in implantation	25.0	2 / 17				
Percentage of transfers resulting in singleton live births	4 / 13	2 / 9				
Percentage of transfers resulting in live births	4 / 13	2 / 9				
Percentage of transfers resulting in pregnancy	7 / 13	2 / 9				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Reproductive Medicine, University of Colorado

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 6 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE & FERTILITY CENTER COLORADO SPRINGS, COLORADO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	97%	Tubal factor	14%	Uterine factor	2%	
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	22%	Male factor	84%	
Used gestational carrier	1%			Diminished ovarian reserve	17%	Other factor	7%	
				Endometriosis	<1%	Unknown factor	3%	
				Multiple Factors:				
				Female factors only				2%
				Female & male factors				46%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 121

Data verified by Paul C. Magarelli, MD, PhD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	49	14	8	4	2	0
Percentage of cancellations	4.1	0 / 14	0 / 8	0 / 4	0 / 2	
Average number of embryos transferred	2.1	1.8	3.0	3.0	2.0	
Percentage of embryos transferred resulting in implantation	40.8	40.0	0 / 12	2 / 9	1 / 2	
Percentage of elective single embryo transfer (eSET)	11.1	0 / 7	0 / 4	0 / 3	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	20.4	4 / 14	0 / 8	0 / 4	1 / 2	
Percentage of cycles resulting in triplets or more live births	2.0	0 / 14	0 / 8	0 / 4	0 / 2	
Percentage of cycles resulting in live births	34.7	6 / 14	0 / 8	1 / 4	1 / 2	
Percentage of cycles resulting in pregnancy	40.8	6 / 14	0 / 8	1 / 4	1 / 2	
Outcomes per Transfer						
Number of transfers	36	11	4	3	1	0
Percentage of transfers resulting in singleton live births	27.8	4 / 11	0 / 4	0 / 3	1 / 1	
Percentage of transfers resulting in triplets or more live births	2.8	0 / 11	0 / 4	0 / 3	0 / 1	
Percentage of transfers resulting in live births	47.2	6 / 11	0 / 4	1 / 3	1 / 1	
Percentage of transfers resulting in pregnancy	55.6	6 / 11	0 / 4	1 / 3	1 / 1	
Outcomes per Pregnancy						
Number of pregnancies	20	6	0	1	1	0
Percentage of pregnancies resulting in singleton live births	50.0	4 / 6		0 / 1	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	5.0	0 / 6		0 / 1	0 / 1	
Percentage of pregnancies resulting in live births	85.0	6 / 6		1 / 1	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	18	8	2	0	0	0
Number of transfers	13	7	1	0	0	0
Average number of embryos transferred	2.0	2.1	2.0			
Percentage of embryos transferred resulting in implantation	19.2	6 / 15	0 / 2			
Percentage of transfers resulting in singleton live births	3 / 13	0 / 7	0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 13	0 / 7	0 / 1			
Percentage of transfers resulting in live births	4 / 13	3 / 7	0 / 1			
Percentage of transfers resulting in pregnancy	5 / 13	3 / 7	0 / 1			
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		9		7		
Number of transfers		8		7		
Average number of embryos transferred		2.3		2.1		
Percentage of embryos transferred resulting in implantation		7 / 18		3 / 15		
Percentage of transfers resulting in singleton live births		0 / 8		1 / 7		
Percentage of transfers resulting in live births		3 / 8		1 / 7		
Percentage of transfers resulting in pregnancy		4 / 8		2 / 7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine & Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 13 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**ERIC H. SILVERSTEIN, MD, PROFESSIONAL LLC DBA
THE FERTILITY CENTER OF COLORADO
COLORADO SPRINGS, COLORADO**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	91%	Tubal factor	17%	Uterine factor	3%
Unstimulated	0%	Used PGD	6%	Ovulatory dysfunction	20%	Male factor	32%
Used gestational carrier	0%			Diminished ovarian reserve	36%	Other factor	2%
				Endometriosis	12%	Unknown factor	8%
				Multiple Factors: Female factors only 8% Female & male factors 17%			

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 66

Data verified by Eric H. Silverstein, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	21	3	5	2	0	1
Percentage of cancellations	0.0	0 / 3	1 / 5	0 / 2		0 / 1
Average number of embryos transferred	1.8	2.0	2.5	1.5		2.0
Percentage of embryos transferred resulting in implantation	23.7	1 / 6	2 / 10	2 / 3		0 / 2
Percentage of elective single embryo transfer (eSET)	25.0	0 / 3	0 / 4	0 / 1		0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.8	1 / 3	0 / 5	1 / 2		0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0 / 3	0 / 5	0 / 2		0 / 1
Percentage of cycles resulting in live births	28.6	1 / 3	1 / 5	1 / 2		0 / 1
Percentage of cycles resulting in pregnancy	33.3	1 / 3	1 / 5	1 / 2		0 / 1
Outcomes per Transfer						
Number of transfers	21	3	4	2	0	1
Percentage of transfers resulting in singleton live births	23.8	1 / 3	0 / 4	1 / 2		0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 3	0 / 4	0 / 2		0 / 1
Percentage of transfers resulting in live births	28.6	1 / 3	1 / 4	1 / 2		0 / 1
Percentage of transfers resulting in pregnancy	33.3	1 / 3	1 / 4	1 / 2		0 / 1
Outcomes per Pregnancy						
Number of pregnancies	7	1	1	1	0	0
Percentage of pregnancies resulting in singleton live births	5 / 7	1 / 1	0 / 1	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 7	0 / 1	0 / 1	0 / 1		
Percentage of pregnancies resulting in live births	6 / 7	1 / 1	1 / 1	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	7	3	0	0	0
Number of transfers	6	7	3	0	0	0
Average number of embryos transferred	2.0	2.0	2.0			
Percentage of embryos transferred resulting in implantation	2 / 12	5 / 14	0 / 6			
Percentage of transfers resulting in singleton live births	2 / 6	1 / 7	0 / 3			
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 7	0 / 3			
Percentage of transfers resulting in live births	2 / 6	3 / 7	0 / 3			
Percentage of transfers resulting in pregnancy	3 / 6	3 / 7	0 / 3			
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
	Number of cycles	13	4			
Number of transfers	12	4				
Average number of embryos transferred	1.8	1.8				
Percentage of embryos transferred resulting in implantation	50.0	2 / 7				
Percentage of transfers resulting in singleton live births	2 / 12	1 / 4				
Percentage of transfers resulting in live births	4 / 12	1 / 4				
Percentage of transfers resulting in pregnancy	7 / 12	2 / 4				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Eric H. Silverstein, MD, Professional LLC dba, The Fertility Center of Colorado

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COLORADO REPRODUCTIVE ENDOCRINOLOGY DENVER, COLORADO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	39%	Tubal factor	14%	Uterine factor	5%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	12%	Male factor	15%
Used gestational carrier	0%			Diminished ovarian reserve	49%	Other factor	<1%
				Endometriosis	8%	Unknown factor	19%
				Multiple Factors:			
						Female factors only	13%
						Female & male factors	9%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 101

Data verified by Susan W. Trout, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	34	8	9	8	2	0
Percentage of cancellations	11.8	2 / 8	1 / 9	2 / 8	0 / 2	
Average number of embryos transferred	2.1	2.2	2.4	2.6	2.5	
Percentage of embryos transferred resulting in implantation	13.0	3 / 11	3 / 12	2 / 13	0 / 5	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 4	0 / 3	0 / 5	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	11.8	1 / 8	1 / 9	1 / 8	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 8	0 / 9	0 / 8	0 / 2	
Percentage of cycles resulting in live births	14.7	2 / 8	2 / 9	1 / 8	0 / 2	
Percentage of cycles resulting in pregnancy	17.6	3 / 8	2 / 9	2 / 8	0 / 2	
Outcomes per Transfer						
Number of transfers	26	5	5	5	2	0
Percentage of transfers resulting in singleton live births	15.4	1 / 5	1 / 5	1 / 5	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 5	0 / 5	0 / 5	0 / 2	
Percentage of transfers resulting in live births	19.2	2 / 5	2 / 5	1 / 5	0 / 2	
Percentage of transfers resulting in pregnancy	23.1	3 / 5	2 / 5	2 / 5	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	6	3	2	2	0	0
Percentage of pregnancies resulting in singleton live births	4 / 6	1 / 3	1 / 2	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	0 / 6	0 / 3	0 / 2	0 / 2		
Percentage of pregnancies resulting in live births	5 / 6	2 / 3	2 / 2	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	19	3	3	0	0	0
Number of transfers	15	3	3	0	0	0
Average number of embryos transferred	2.1	2.3	2.3			
Percentage of embryos transferred resulting in implantation	12.9	0 / 7	2 / 7			
Percentage of transfers resulting in singleton live births	3 / 15	0 / 3	2 / 3			
Percentage of transfers resulting in triplets or more live births	0 / 15	0 / 3	0 / 3			
Percentage of transfers resulting in live births	3 / 15	0 / 3	2 / 3			
Percentage of transfers resulting in pregnancy	4 / 15	0 / 3	2 / 3			
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Number of cycles		7		8		
Number of transfers		7		7		
Average number of embryos transferred		2.0		1.9		
Percentage of embryos transferred resulting in implantation		2 / 14		4 / 13		
Percentage of transfers resulting in singleton live births		1 / 7		4 / 7		
Percentage of transfers resulting in live births		1 / 7		4 / 7		
Percentage of transfers resulting in pregnancy		2 / 7		5 / 7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Colorado Reproductive Endocrinology

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ROCKY MOUNTAIN CENTER FOR REPRODUCTIVE MEDICINE FORT COLLINS, COLORADO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	91%	Tubal factor	16%	Uterine factor	0%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	18%	Male factor	28%
Used gestational carrier	0%			Diminished ovarian reserve	31%	Other factor	2%
				Endometriosis	12%	Unknown factor	19%
				Multiple Factors:			
						Female factors only	12%
						Female & male factors	15%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 67

Data verified by Kevin E. Bachus, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	19	9	5	2	0	0
Percentage of cancellations	2 / 19	0 / 9	0 / 5	0 / 2		
Average number of embryos transferred	2.0	2.2	3.0	3.0		
Percentage of embryos transferred resulting in implantation	47.1	20.0	8 / 15	0 / 6		
Percentage of elective single embryo transfer (eSET)	0 / 17	0 / 9	0 / 5	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	9 / 19	3 / 9	3 / 5	0 / 2		
Percentage of cycles resulting in triplets or more live births	0 / 19	0 / 9	0 / 5	0 / 2		
Percentage of cycles resulting in live births	12 / 19	3 / 9	5 / 5	0 / 2		
Percentage of cycles resulting in pregnancy	12 / 19	3 / 9	5 / 5	0 / 2		
Outcomes per Transfer						
Number of transfers	17	9	5	2	0	0
Percentage of transfers resulting in singleton live births	9 / 17	3 / 9	3 / 5	0 / 2		
Percentage of transfers resulting in triplets or more live births	0 / 17	0 / 9	0 / 5	0 / 2		
Percentage of transfers resulting in live births	12 / 17	3 / 9	5 / 5	0 / 2		
Percentage of transfers resulting in pregnancy	12 / 17	3 / 9	5 / 5	0 / 2		
Outcomes per Pregnancy						
Number of pregnancies	12	3	5	0	0	0
Percentage of pregnancies resulting in singleton live births	9 / 12	3 / 3	3 / 5			
Percentage of pregnancies resulting in triplets or more live births	0 / 12	0 / 3	0 / 5			
Percentage of pregnancies resulting in live births	12 / 12	3 / 3	5 / 5			
Frozen Embryos from Nondonor Eggs						
Number of cycles	16	3	0	2	0	0
Number of transfers	16	3	0	2	0	0
Average number of embryos transferred	1.8	1.7		2.0		
Percentage of embryos transferred resulting in implantation	17.9	0 / 5		0 / 4		
Percentage of transfers resulting in singleton live births	3 / 16	0 / 3		0 / 2		
Percentage of transfers resulting in triplets or more live births	0 / 16	0 / 3		0 / 2		
Percentage of transfers resulting in live births	4 / 16	0 / 3		0 / 2		
Percentage of transfers resulting in pregnancy	5 / 16	0 / 3		0 / 2		
All Ages Combined^f						
	Fresh Embryos		Frozen Embryos			
Number of cycles	7		4			
Number of transfers	7		4			
Average number of embryos transferred	2.0		1.8			
Percentage of embryos transferred resulting in implantation	7 / 14		1 / 7			
Percentage of transfers resulting in singleton live births	1 / 7		0 / 4			
Percentage of transfers resulting in live births	2 / 7		0 / 4			
Percentage of transfers resulting in pregnancy	5 / 7		1 / 4			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Rocky Mountain Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CONCEPTIONS REPRODUCTIVE ASSOCIATES LITTLETON, COLORADO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	93%	Tubal factor	7%	Uterine factor	1%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	17%	Male factor	50%	
Used gestational carrier	<1%			Diminished ovarian reserve	47%	Other factor	9%	
				Endometriosis	5%	Unknown factor	9%	
				Multiple Factors:				
				Female factors only				6%
				Female & male factors				33%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 445

Data verified by Mark R. Bush, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	122	40	27	12	1	0
Percentage of cancellations	4.1	7.5	11.1	2 / 12	0 / 1	
Average number of embryos transferred	1.8	1.9	2.0	2.3		
Percentage of embryos transferred resulting in implantation	59.9	59.1	35.9	6 / 18		
Percentage of elective single embryo transfer (eSET)	14.1	3.0	0 / 18	0 / 8		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	41.0	32.5	29.6	4 / 12	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 12	0 / 1	
Percentage of cycles resulting in live births	57.4	57.5	37.0	4 / 12	0 / 1	
Percentage of cycles resulting in pregnancy	65.6	72.5	51.9	6 / 12	0 / 1	
Outcomes per Transfer						
Number of transfers	98	34	20	8	0	0
Percentage of transfers resulting in singleton live births	51.0	38.2	40.0	4 / 8		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 8		
Percentage of transfers resulting in live births	71.4	67.6	50.0	4 / 8		
Percentage of transfers resulting in pregnancy	81.6	85.3	70.0	6 / 8		
Outcomes per Pregnancy						
Number of pregnancies	80	29	14	6	0	0
Percentage of pregnancies resulting in singleton live births	62.5	44.8	8 / 14	4 / 6		
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0 / 14	0 / 6		
Percentage of pregnancies resulting in live births	87.5	79.3	10 / 14	4 / 6		
Frozen Embryos from Nondonor Eggs						
Number of cycles	70	40	27	5	1	0
Number of transfers	68	38	27	5	1	0
Average number of embryos transferred	1.8	1.6	1.5	1.8	2.0	
Percentage of embryos transferred resulting in implantation	52.9	47.5	37.5	3 / 9	0 / 2	
Percentage of transfers resulting in singleton live births	51.5	52.6	29.6	2 / 5	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 5	0 / 1	
Percentage of transfers resulting in live births	63.2	60.5	40.7	2 / 5	0 / 1	
Percentage of transfers resulting in pregnancy	75.0	65.8	44.4	3 / 5	1 / 1	
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	70		30			
Number of transfers	55		30			
Average number of embryos transferred	1.8		1.6			
Percentage of embryos transferred resulting in implantation	57.6		36.7			
Percentage of transfers resulting in singleton live births	30.9		26.7			
Percentage of transfers resulting in live births	58.2		40.0			
Percentage of transfers resulting in pregnancy	67.3		60.0			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Conceptions Reproductive Associates

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 126 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COLORADO CENTER FOR REPRODUCTIVE MEDICINE LONE TREE, COLORADO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	93%	Tubal factor	5%	Uterine factor	8%
Unstimulated	<1%	Used PGD	0%	Ovulatory dysfunction	9%	Male factor	24%
Used gestational carrier	2%			Diminished ovarian reserve	44%	Other factor	15%
				Endometriosis	9%	Unknown factor	19%
				Multiple Factors:			
						Female factors only	14%
						Female & male factors	14%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 1451

Data verified by William B. Schoolcraft, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	140	101	85	34	28	6
Percentage of cancellations	2.9	2.0	1.2	5.9	3.6	0 / 6
Average number of embryos transferred	1.9	2.2	2.6	3.0	3.3	2.6
Percentage of embryos transferred resulting in implantation	53.0	32.4	24.1	18.6	11.6	0 / 13
Percentage of elective single embryo transfer (eSET)	10.7	2.1	2.6	0.0	0.0	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	42.1	33.7	27.1	20.6	17.9	0 / 6
Percentage of cycles resulting in triplets or more live births	0.7	1.0	0.0	2.9	0.0	0 / 6
Percentage of cycles resulting in live births	65.0	45.5	35.3	32.4	25.0	0 / 6
Percentage of cycles resulting in pregnancy	70.7	55.4	49.4	35.3	35.7	0 / 6
Outcomes per Transfer						
Number of transfers	136	99	82	32	26	5
Percentage of transfers resulting in singleton live births	43.4	34.3	28.0	21.9	19.2	0 / 5
Percentage of transfers resulting in triplets or more live births	0.7	1.0	0.0	3.1	0.0	0 / 5
Percentage of transfers resulting in live births	66.9	46.5	36.6	34.4	26.9	0 / 5
Percentage of transfers resulting in pregnancy	72.8	56.6	51.2	37.5	38.5	0 / 5
Outcomes per Pregnancy						
Number of pregnancies	99	56	42	12	10	0
Percentage of pregnancies resulting in singleton live births	59.6	60.7	54.8	7 / 12	5 / 10	
Percentage of pregnancies resulting in triplets or more live births	1.0	1.8	0.0	1 / 12	0 / 10	
Percentage of pregnancies resulting in live births	91.9	82.1	71.4	11 / 12	7 / 10	
Frozen Embryos from Nondonor Eggs						
Number of cycles	246	190	193	97	22	11
Number of transfers	246	190	192	97	22	11
Average number of embryos transferred	1.8	1.9	1.9	1.7	1.8	1.7
Percentage of embryos transferred resulting in implantation	61.8	56.4	50.0	44.7	30.8	4 / 19
Percentage of transfers resulting in singleton live births	39.0	40.5	35.9	46.4	27.3	4 / 11
Percentage of transfers resulting in triplets or more live births	0.4	0.0	2.1	0.0	0.0	0 / 11
Percentage of transfers resulting in live births	67.9	65.8	58.9	56.7	31.8	4 / 11
Percentage of transfers resulting in pregnancy	76.4	75.3	68.2	71.1	40.9	4 / 11
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	141		157			
Number of transfers	139		157			
Average number of embryos transferred	1.9		1.8			
Percentage of embryos transferred resulting in implantation	68.3		48.6			
Percentage of transfers resulting in singleton live births	38.8		39.5			
Percentage of transfers resulting in live births	76.3		61.1			
Percentage of transfers resulting in pregnancy	84.2		68.8			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Colorado Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 1001 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ROCKY MOUNTAIN FERTILITY CENTER, PC PARKER, COLORADO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	77%	Tubal factor	16%	Uterine factor	6%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	12%	Male factor	37%	
Used gestational carrier	0%			Diminished ovarian reserve	65%	Other factor	5%	
				Endometriosis	5%	Unknown factor	4%	
				Multiple Factors:				
				Female factors only				12%
				Female & male factors				27%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 82

Data verified by Deborah L. Smith, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	31	12	9	4	2	3
Percentage of cancellations	6.5	0 / 12	1 / 9	1 / 4	0 / 2	0 / 3
Average number of embryos transferred	2.1	2.1	3.0	3.3	5.0	2.3
Percentage of embryos transferred resulting in implantation	44.8	56.0	33.3	2 / 10	2 / 5	0 / 7
Percentage of elective single embryo transfer (eSET)	7.1	1 / 11	1 / 8	0 / 3	0 / 1	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	22.6	3 / 12	2 / 9	1 / 4	0 / 2	0 / 3
Percentage of cycles resulting in triplets or more live births	0.0	0 / 12	0 / 9	0 / 4	0 / 2	0 / 3
Percentage of cycles resulting in live births	45.2	8 / 12	4 / 9	1 / 4	1 / 2	0 / 3
Percentage of cycles resulting in pregnancy	61.3	9 / 12	4 / 9	1 / 4	1 / 2	0 / 3
Outcomes per Transfer						
Number of transfers	28	12	8	3	1	3
Percentage of transfers resulting in singleton live births	25.0	3 / 12	2 / 8	1 / 3	0 / 1	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0 / 12	0 / 8	0 / 3	0 / 1	0 / 3
Percentage of transfers resulting in live births	50.0	8 / 12	4 / 8	1 / 3	1 / 1	0 / 3
Percentage of transfers resulting in pregnancy	67.9	9 / 12	4 / 8	1 / 3	1 / 1	0 / 3
Outcomes per Pregnancy						
Number of pregnancies	19	9	4	1	1	0
Percentage of pregnancies resulting in singleton live births	7 / 19	3 / 9	2 / 4	1 / 1	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 19	0 / 9	0 / 4	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births	14 / 19	8 / 9	4 / 4	1 / 1	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	3	3	0	0	0
Number of transfers	6	3	2	0	0	0
Average number of embryos transferred	2.0	1.7	2.0			
Percentage of embryos transferred resulting in implantation	3 / 12	0 / 5	0 / 4			
Percentage of transfers resulting in singleton live births	3 / 6	0 / 3	0 / 2			
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 3	0 / 2			
Percentage of transfers resulting in live births	3 / 6	0 / 3	0 / 2			
Percentage of transfers resulting in pregnancy	5 / 6	0 / 3	0 / 2			
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		9		0		
Number of transfers		8		0		
Average number of embryos transferred		1.8				
Percentage of embryos transferred resulting in implantation		8 / 14				
Percentage of transfers resulting in singleton live births		2 / 8				
Percentage of transfers resulting in live births		4 / 8				
Percentage of transfers resulting in pregnancy		6 / 8				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Rocky Mountain Fertility Center, PC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CONNECTICUT FERTILITY ASSOCIATES BRIDGEPORT, CONNECTICUT

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	38%	Tubal factor	4%	Uterine factor	10%	Multiple Factors: Female factors only 8% Female & male factors 4%
Unstimulated	0%	Used PGD	8%	Ovulatory dysfunction	2%	Male factor	7%	
Used gestational carrier	5%			Diminished ovarian reserve	36%	Other factor	36%	
				Endometriosis	5%	Unknown factor	13%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 401

Data verified by Michael B. Doyle, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	50	41	30	27	15	5
Percentage of cancellations	2.0	4.9	6.7	14.8	4 / 15	2 / 5
Average number of embryos transferred	2.4	2.5	2.8	3.2	3.3	4.7
Percentage of embryos transferred resulting in implantation	23.3	15.3	4.2	6.3	0.0	0 / 14
Percentage of elective single embryo transfer (eSET)	4.3	0.0	9.1	1 / 18	0 / 9	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	14.0	19.5	10.0	3.7	0 / 15	0 / 5
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 15	0 / 5
Percentage of cycles resulting in live births	30.0	26.8	10.0	7.4	0 / 15	0 / 5
Percentage of cycles resulting in pregnancy	38.0	31.7	10.0	14.8	1 / 15	0 / 5
Outcomes per Transfer						
Number of transfers	48	39	25	20	9	3
Percentage of transfers resulting in singleton live births	14.6	20.5	12.0	5.0	0 / 9	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 9	0 / 3
Percentage of transfers resulting in live births	31.3	28.2	12.0	10.0	0 / 9	0 / 3
Percentage of transfers resulting in pregnancy	39.6	33.3	12.0	20.0	1 / 9	0 / 3
Outcomes per Pregnancy						
Number of pregnancies	19	13	3	4	1	0
Percentage of pregnancies resulting in singleton live births	7 / 19	8 / 13	3 / 3	1 / 4	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 19	0 / 13	0 / 3	0 / 4	0 / 1	
Percentage of pregnancies resulting in live births	15 / 19	11 / 13	3 / 3	2 / 4	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	14	13	11	3	4	1
Number of transfers	14	13	11	3	4	1
Average number of embryos transferred	2.3	2.2	2.4	3.0	2.8	2.0
Percentage of embryos transferred resulting in implantation	18.8	10.7	15.4	1 / 9	1 / 11	0 / 2
Percentage of transfers resulting in singleton live births	3 / 14	3 / 13	2 / 11	0 / 3	1 / 4	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 14	0 / 13	0 / 11	0 / 3	0 / 4	0 / 1
Percentage of transfers resulting in live births	4 / 14	3 / 13	3 / 11	0 / 3	1 / 4	0 / 1
Percentage of transfers resulting in pregnancy	4 / 14	4 / 13	3 / 11	1 / 3	1 / 4	0 / 1
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			111		76	
Number of transfers			108		75	
Average number of embryos transferred			2.1		2.1	
Percentage of embryos transferred resulting in implantation			43.5		16.6	
Percentage of transfers resulting in singleton live births			32.4		21.3	
Percentage of transfers resulting in live births			58.3		28.0	
Percentage of transfers resulting in pregnancy			66.7		30.7	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Connecticut Fertility Associates

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 35 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**THE CENTER FOR ADVANCED REPRODUCTIVE SERVICES
AT THE UNIVERSITY OF CONNECTICUT HEALTH CENTER
FARMINGTON, CONNECTICUT**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	74%	Tubal factor	12%	Uterine factor	6%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	13%	Male factor	33%
Used gestational carrier	<1%			Diminished ovarian reserve	7%	Other factor	32%
				Endometriosis	14%	Unknown factor	14%
				Multiple Factors: Female factors only 14% Female & male factors 14%			

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 1172

Data verified by John C. Nulsen, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	399	191	182	95	39	14
Percentage of cancellations	12.0	13.6	20.9	26.3	30.8	5 / 14
Average number of embryos transferred	1.7	1.8	2.6	3.3	3.1	3.1
Percentage of embryos transferred resulting in implantation	39.8	24.2	19.4	10.2	1.5	4.0
Percentage of elective single embryo transfer (eSET)	25.0	10.9	2.5	0.0	0 / 19	0 / 5
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	29.8	20.9	17.0	9.5	0.0	0 / 14
Percentage of cycles resulting in triplets or more live births	0.3	0.0	0.5	0.0	0.0	0 / 14
Percentage of cycles resulting in live births	39.1	23.6	20.3	12.6	0.0	0 / 14
Percentage of cycles resulting in pregnancy	46.1	32.5	31.3	21.1	2.6	1 / 14
Outcomes per Transfer						
Number of transfers	332	152	129	62	22	8
Percentage of transfers resulting in singleton live births	35.8	26.3	24.0	14.5	0.0	0 / 8
Percentage of transfers resulting in triplets or more live births	0.3	0.0	0.8	0.0	0.0	0 / 8
Percentage of transfers resulting in live births	47.0	29.6	28.7	19.4	0.0	0 / 8
Percentage of transfers resulting in pregnancy	55.4	40.8	44.2	32.3	4.5	1 / 8
Outcomes per Pregnancy						
Number of pregnancies	184	62	57	20	1	1
Percentage of pregnancies resulting in singleton live births	64.7	64.5	54.4	45.0	0 / 1	0 / 1
Percentage of pregnancies resulting in triplets or more live births	0.5	0.0	1.8	0.0	0 / 1	0 / 1
Percentage of pregnancies resulting in live births	84.8	72.6	64.9	60.0	0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	91	55	37	13	3	0
Number of transfers	88	53	35	13	3	0
Average number of embryos transferred	1.6	1.5	1.7	2.2	2.3	
Percentage of embryos transferred resulting in implantation	46.0	41.3	31.7	27.6	1 / 7	
Percentage of transfers resulting in singleton live births	50.0	45.3	31.4	3 / 13	1 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 13	0 / 3	
Percentage of transfers resulting in live births	54.5	49.1	42.9	4 / 13	1 / 3	
Percentage of transfers resulting in pregnancy	64.8	56.6	42.9	6 / 13	1 / 3	
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	28		25			
Number of transfers	24		24			
Average number of embryos transferred	1.8		1.6			
Percentage of embryos transferred resulting in implantation	44.2		41.0			
Percentage of transfers resulting in singleton live births	37.5		33.3			
Percentage of transfers resulting in live births	54.2		45.8			
Percentage of transfers resulting in pregnancy	66.7		62.5			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Center for Advanced Reproductive Services at the University of Connecticut Health Center					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GREENWICH FERTILITY AND IVF CENTER, PC GREENWICH, CONNECTICUT

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	35%	Tubal factor	14%	Uterine factor	0%
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	10%	Male factor	21%
Used gestational carrier	0%			Diminished ovarian reserve	39%	Other factor	6%
				Endometriosis	7%	Unknown factor	22%
				Multiple Factors:			
						Female factors only	8%
						Female & male factors	10%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 193

Data verified by Barry R. Witt, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	57	42	40	21	10	0
Percentage of cancellations	1.8	11.9	12.5	9.5	1 / 10	
Average number of embryos transferred	1.8	1.9	2.3	3.1	2.9	
Percentage of embryos transferred resulting in implantation	41.1	38.8	26.0	5.8	0.0	
Percentage of elective single embryo transfer (eSET)	23.5	12.1	0.0	0 / 17	0 / 8	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	36.8	28.6	25.0	9.5	0 / 10	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 10	
Percentage of cycles resulting in live births	49.1	42.9	30.0	9.5	0 / 10	
Percentage of cycles resulting in pregnancy	57.9	47.6	40.0	14.3	2 / 10	
Outcomes per Transfer						
Number of transfers	54	36	33	17	9	0
Percentage of transfers resulting in singleton live births	38.9	33.3	30.3	2 / 17	0 / 9	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 17	0 / 9	
Percentage of transfers resulting in live births	51.9	50.0	36.4	2 / 17	0 / 9	
Percentage of transfers resulting in pregnancy	61.1	55.6	48.5	3 / 17	2 / 9	
Outcomes per Pregnancy						
Number of pregnancies	33	20	16	3	2	0
Percentage of pregnancies resulting in singleton live births	63.6	60.0	10 / 16	2 / 3	0 / 2	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0 / 16	0 / 3	0 / 2	
Percentage of pregnancies resulting in live births	84.8	90.0	12 / 16	2 / 3	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	12	6	3	1	1	0
Number of transfers	12	5	3	1	1	0
Average number of embryos transferred	1.6	1.8	1.7	2.0	2.0	
Percentage of embryos transferred resulting in implantation	6 / 19	2 / 9	4 / 5	1 / 2	0 / 2	
Percentage of transfers resulting in singleton live births	6 / 12	1 / 5	1 / 3	1 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 12	0 / 5	0 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in live births	6 / 12	1 / 5	2 / 3	1 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	7 / 12	2 / 5	3 / 3	1 / 1	0 / 1	

All Ages Combined^f

Donor Eggs	Fresh Embryos	Frozen Embryos
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation		
Percentage of transfers resulting in singleton live births		
Percentage of transfers resulting in live births		
Percentage of transfers resulting in pregnancy		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Greenwich Fertility and IVF Center, PC

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

YALE FERTILITY CENTER NEW HAVEN, CONNECTICUT

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	74%	Tubal factor	12%	Uterine factor	6%	
Unstimulated	<1%	Used PGD	5%	Ovulatory dysfunction	5%	Male factor	24%	
Used gestational carrier	1%			Diminished ovarian reserve	18%	Other factor	37%	
				Endometriosis	5%	Unknown factor	13%	
				Multiple Factors:				
				Female factors only				9%
				Female & male factors				10%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 524

Data verified by Pasquale Patrizio, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	147	88	107	57	21	14
Percentage of cancellations	5.4	4.5	6.5	17.5	19.0	6 / 14
Average number of embryos transferred	2.2	2.3	2.5	2.6	2.4	2.8
Percentage of embryos transferred resulting in implantation	26.7	19.1	10.9	4.8	5.6	0 / 14
Percentage of elective single embryo transfer (eSET)	0.8	1.4	0.0	0.0	0 / 12	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.5	22.7	11.2	3.5	9.5	0 / 14
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 14
Percentage of cycles resulting in live births	37.4	29.5	15.0	5.3	9.5	0 / 14
Percentage of cycles resulting in pregnancy	43.5	34.1	17.8	14.0	9.5	0 / 14
Outcomes per Transfer						
Number of transfers	133	78	86	41	15	5
Percentage of transfers resulting in singleton live births	29.3	25.6	14.0	4.9	2 / 15	0 / 5
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 15	0 / 5
Percentage of transfers resulting in live births	41.4	33.3	18.6	7.3	2 / 15	0 / 5
Percentage of transfers resulting in pregnancy	48.1	38.5	22.1	19.5	2 / 15	0 / 5
Outcomes per Pregnancy						
Number of pregnancies	64	30	19	8	2	0
Percentage of pregnancies resulting in singleton live births	60.9	66.7	12 / 19	2 / 8	2 / 2	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0 / 19	0 / 8	0 / 2	
Percentage of pregnancies resulting in live births	85.9	86.7	16 / 19	3 / 8	2 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	21	4	5	4	5	4
Number of transfers	20	4	4	4	5	4
Average number of embryos transferred	2.0	2.3	2.0	2.5	2.2	1.5
Percentage of embryos transferred resulting in implantation	20.5	1 / 9	0 / 8	1 / 10	2 / 11	3 / 6
Percentage of transfers resulting in singleton live births	30.0	1 / 4	0 / 4	1 / 4	2 / 5	1 / 4
Percentage of transfers resulting in triplets or more live births	0.0	0 / 4	0 / 4	0 / 4	0 / 5	0 / 4
Percentage of transfers resulting in live births	35.0	1 / 4	0 / 4	1 / 4	2 / 5	2 / 4
Percentage of transfers resulting in pregnancy	35.0	1 / 4	0 / 4	1 / 4	2 / 5	2 / 4
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	31		16			
Number of transfers	27		14			
Average number of embryos transferred	2.0		2.2			
Percentage of embryos transferred resulting in implantation	51.9		25.8			
Percentage of transfers resulting in singleton live births	33.3		3 / 14			
Percentage of transfers resulting in live births	66.7		4 / 14			
Percentage of transfers resulting in pregnancy	70.4		5 / 14			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Yale Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 24 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF CONNECTICUT NORWALK, CONNECTICUT

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	67%	Tubal factor	11%	Uterine factor	6%	
Unstimulated	<1%	Used PGD	6%	Ovulatory dysfunction	25%	Male factor	23%	
Used gestational carrier	<1%			Diminished ovarian reserve	21%	Other factor	16%	
				Endometriosis	5%	Unknown factor	21%	
				Multiple Factors:				
				Female factors only				14%
				Female & male factors				12%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 776

Data verified by Mark P. Leondires, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	200	116	119	52	42	3
Percentage of cancellations	8.5	13.8	18.5	26.9	31.0	0 / 3
Average number of embryos transferred	1.9	2.1	2.7	3.1	3.2	2.0
Percentage of embryos transferred resulting in implantation	39.0	29.4	27.5	12.8	9.8	0 / 4
Percentage of elective single embryo transfer (eSET)	11.2	6.5	6.0	0.0	5.0	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	29.0	24.1	21.0	13.5	7.1	0 / 3
Percentage of cycles resulting in triplets or more live births	0.5	0.0	0.0	0.0	0.0	0 / 3
Percentage of cycles resulting in live births	44.0	33.6	32.8	15.4	7.1	0 / 3
Percentage of cycles resulting in pregnancy	49.0	38.8	41.2	25.0	21.4	0 / 3
Outcomes per Transfer						
Number of transfers	176	96	89	38	26	2
Percentage of transfers resulting in singleton live births	33.0	29.2	28.1	18.4	11.5	0 / 2
Percentage of transfers resulting in triplets or more live births	0.6	0.0	0.0	0.0	0.0	0 / 2
Percentage of transfers resulting in live births	50.0	40.6	43.8	21.1	11.5	0 / 2
Percentage of transfers resulting in pregnancy	55.7	46.9	55.1	34.2	34.6	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	98	45	49	13	9	0
Percentage of pregnancies resulting in singleton live births	59.2	62.2	51.0	7 / 13	3 / 9	
Percentage of pregnancies resulting in triplets or more live births	1.0	0.0	0.0	0 / 13	0 / 9	
Percentage of pregnancies resulting in live births	89.8	86.7	79.6	8 / 13	3 / 9	
Frozen Embryos from Nondonor Eggs						
Number of cycles	70	44	38	9	1	0
Number of transfers	60	36	35	9	1	0
Average number of embryos transferred	1.9	1.9	2.0	1.7	5.0	
Percentage of embryos transferred resulting in implantation	49.6	30.4	28.6	4 / 15	0 / 5	
Percentage of transfers resulting in singleton live births	43.3	38.9	20.0	2 / 9	0 / 1	
Percentage of transfers resulting in triplets or more live births	3.3	0.0	2.9	0 / 9	0 / 1	
Percentage of transfers resulting in live births	58.3	44.4	31.4	3 / 9	0 / 1	
Percentage of transfers resulting in pregnancy	71.7	50.0	45.7	3 / 9	0 / 1	

All Ages Combined^f

Donor Eggs	Fresh Embryos	Frozen Embryos
Number of cycles	42	40
Number of transfers	39	35
Average number of embryos transferred	1.8	2.0
Percentage of embryos transferred resulting in implantation	40.8	34.8
Percentage of transfers resulting in singleton live births	35.9	40.0
Percentage of transfers resulting in live births	51.3	51.4
Percentage of transfers resulting in pregnancy	56.4	60.0

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine Associates of Connecticut

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 118 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW ENGLAND FERTILITY INSTITUTE STAMFORD, CONNECTICUT

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	78%	Tubal factor	8%	Uterine factor	4%	Multiple Factors: Female factors only 6% Female & male factors 7%
Unstimulated	0%	Used PGD	5%	Ovulatory dysfunction	11%	Male factor	20%	
Used gestational carrier	6%			Diminished ovarian reserve	42%	Other factor	15%	
				Endometriosis	2%	Unknown factor	12%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 305

Data verified by Gad Lavy, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	50	9	51	17	28	16
Percentage of cancellations	2.0	0 / 9	17.6	4 / 17	39.3	5 / 16
Average number of embryos transferred	2.4	2.5	2.9	3.0	2.6	3.0
Percentage of embryos transferred resulting in implantation	28.6	15.0	12.2	6.1	0.0	0.0
Percentage of elective single embryo transfer (eSET)	6.7	0 / 8	3.0	0 / 9	0 / 8	0 / 7
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	24.0	0 / 9	13.7	1 / 17	0.0	0 / 16
Percentage of cycles resulting in triplets or more live births	0.0	0 / 9	0.0	0 / 17	0.0	0 / 16
Percentage of cycles resulting in live births	38.0	1 / 9	15.7	1 / 17	0.0	0 / 16
Percentage of cycles resulting in pregnancy	48.0	3 / 9	27.5	3 / 17	0.0	0 / 16
Outcomes per Transfer						
Number of transfers	47	8	39	11	13	9
Percentage of transfers resulting in singleton live births	25.5	0 / 8	17.9	1 / 11	0 / 13	0 / 9
Percentage of transfers resulting in triplets or more live births	0.0	0 / 8	0.0	0 / 11	0 / 13	0 / 9
Percentage of transfers resulting in live births	40.4	1 / 8	20.5	1 / 11	0 / 13	0 / 9
Percentage of transfers resulting in pregnancy	51.1	3 / 8	35.9	3 / 11	0 / 13	0 / 9
Outcomes per Pregnancy						
Number of pregnancies	24	3	14	3	0	0
Percentage of pregnancies resulting in singleton live births	50.0	0 / 3	7 / 14	1 / 3		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 3	0 / 14	0 / 3		
Percentage of pregnancies resulting in live births	79.2	1 / 3	8 / 14	1 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	33	16	17	8	4	5
Number of transfers	32	16	16	8	3	5
Average number of embryos transferred	2.1	1.9	2.4	3.3	2.3	3.0
Percentage of embryos transferred resulting in implantation	22.1	19.4	2.6	3.8	0 / 7	0 / 15
Percentage of transfers resulting in singleton live births	18.8	3 / 16	1 / 16	0 / 8	0 / 3	0 / 5
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0 / 16	0 / 8	0 / 3	0 / 5
Percentage of transfers resulting in live births	21.9	4 / 16	1 / 16	0 / 8	0 / 3	0 / 5
Percentage of transfers resulting in pregnancy	40.6	4 / 16	1 / 16	2 / 8	0 / 3	0 / 5
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	8		43			
Number of transfers	8		42			
Average number of embryos transferred	1.9		2.3			
Percentage of embryos transferred resulting in implantation	4 / 15		25.8			
Percentage of transfers resulting in singleton live births	4 / 8		23.8			
Percentage of transfers resulting in live births	4 / 8		35.7			
Percentage of transfers resulting in pregnancy	4 / 8		52.4			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: New England Fertility Institute

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 50 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE STAMFORD HOSPITAL STAMFORD, CONNECTICUT

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	42%	Tubal factor	9%	Uterine factor	5%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	46%	Male factor	23%	
Used gestational carrier	0%			Diminished ovarian reserve	18%	Other factor	5%	
				Endometriosis	14%	Unknown factor	14%	
				Multiple Factors:				
				Female factors only				14%
				Female & male factors				18%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 22

Data verified by Frances W. Ginsburg, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	7	1	2	2	0	0
Percentage of cancellations	1 / 7	0 / 1	0 / 2	1 / 2		
Average number of embryos transferred	2.8	3.0	3.5	4.0		
Percentage of embryos transferred resulting in implantation	1 / 17	0 / 3	0 / 7	0 / 4		
Percentage of elective single embryo transfer (eSET)	0 / 6	0 / 1	0 / 2	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	1 / 7	0 / 1	0 / 2	0 / 2		
Percentage of cycles resulting in triplets or more live births	0 / 7	0 / 1	0 / 2	0 / 2		
Percentage of cycles resulting in live births	1 / 7	0 / 1	0 / 2	0 / 2		
Percentage of cycles resulting in pregnancy	1 / 7	0 / 1	0 / 2	0 / 2		
Outcomes per Transfer						
Number of transfers	6	1	2	1	0	0
Percentage of transfers resulting in singleton live births	1 / 6	0 / 1	0 / 2	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 1	0 / 2	0 / 1		
Percentage of transfers resulting in live births	1 / 6	0 / 1	0 / 2	0 / 1		
Percentage of transfers resulting in pregnancy	1 / 6	0 / 1	0 / 2	0 / 1		
Outcomes per Pregnancy						
Number of pregnancies	1	0	0	0	0	0
Percentage of pregnancies resulting in singleton live births	1 / 1					
Percentage of pregnancies resulting in triplets or more live births	0 / 1					
Percentage of pregnancies resulting in live births	1 / 1					
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	0	0	2	0	1
Number of transfers	6	0	0	2	0	1
Average number of embryos transferred	2.0			2.0		3.0
Percentage of embryos transferred resulting in implantation	2 / 12			0 / 4		0 / 3
Percentage of transfers resulting in singleton live births	0 / 6			0 / 2		0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 6			0 / 2		0 / 1
Percentage of transfers resulting in live births	1 / 6			0 / 2		0 / 1
Percentage of transfers resulting in pregnancy	1 / 6			0 / 2		0 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		0		0		
Number of transfers		0		0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Stamford Hospital

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 3 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WOMEN'S FERTILITY CENTER STAMFORD, CONNECTICUT

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	87%	Tubal factor	20%	Uterine factor	2%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	4%	Male factor	26%
Used gestational carrier	0%			Diminished ovarian reserve	44%	Other factor	33%
				Endometriosis	13%	Unknown factor	13%
				Multiple Factors: Female factors only 24% Female & male factors 20%			

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 46

Data verified by Nora R. Miller, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	12	6	10	10	0	0
Percentage of cancellations	0 / 12	2 / 6	0 / 10	1 / 10		
Average number of embryos transferred	2.1	2.7	3.0	3.3		
Percentage of embryos transferred resulting in implantation	16.0	0 / 8	14.8	0.0		
Percentage of elective single embryo transfer (eSET)	0 / 12	0 / 3	0 / 9	0 / 9		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	2 / 12	0 / 6	2 / 10	0 / 10		
Percentage of cycles resulting in triplets or more live births	0 / 12	0 / 6	0 / 10	0 / 10		
Percentage of cycles resulting in live births	2 / 12	0 / 6	2 / 10	0 / 10		
Percentage of cycles resulting in pregnancy	3 / 12	0 / 6	3 / 10	0 / 10		
Outcomes per Transfer						
Number of transfers	12	3	9	9	0	0
Percentage of transfers resulting in singleton live births	2 / 12	0 / 3	2 / 9	0 / 9		
Percentage of transfers resulting in triplets or more live births	0 / 12	0 / 3	0 / 9	0 / 9		
Percentage of transfers resulting in live births	2 / 12	0 / 3	2 / 9	0 / 9		
Percentage of transfers resulting in pregnancy	3 / 12	0 / 3	3 / 9	0 / 9		
Outcomes per Pregnancy						
Number of pregnancies	3	0	3	0	0	0
Percentage of pregnancies resulting in singleton live births	2 / 3		2 / 3			
Percentage of pregnancies resulting in triplets or more live births	0 / 3		0 / 3			
Percentage of pregnancies resulting in live births	2 / 3		2 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	1	1	1	0	0
Number of transfers	1	1	1	1	0	0
Average number of embryos transferred	2.0	2.0	2.0	2.0		
Percentage of embryos transferred resulting in implantation	0 / 2	1 / 2	0 / 2	1 / 2		
Percentage of transfers resulting in singleton live births	0 / 1	1 / 1	0 / 1	1 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 1	0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in live births	0 / 1	1 / 1	0 / 1	1 / 1		
Percentage of transfers resulting in pregnancy	0 / 1	1 / 1	0 / 1	1 / 1		
All Ages Combined^f						
Donor Eggs	Fresh Embryos			Frozen Embryos		
Number of cycles	3			1		
Number of transfers	3			1		
Average number of embryos transferred	2.0			2.0		
Percentage of embryos transferred resulting in implantation	3 / 6			1 / 2		
Percentage of transfers resulting in singleton live births	1 / 3			0 / 1		
Percentage of transfers resulting in live births	2 / 3			0 / 1		
Percentage of transfers resulting in pregnancy	2 / 3			1 / 1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Women's Fertility Center

Donor egg?	No	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PARK AVENUE FERTILITY AND REPRODUCTIVE MEDICINE TRUMBULL, CONNECTICUT

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	86%	Tubal factor	8%	Uterine factor	1%	Multiple Factors: Female factors only <1% Female & male factors 2%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	2%	Male factor	18%	
Used gestational carrier	0%			Diminished ovarian reserve	32%	Other factor	3%	
				Endometriosis	<1%	Unknown factor	38%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 154

Data verified by Andrew J. Levi, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	47	23	28	17	11	2
Percentage of cancellations	0.0	8.7	10.7	3 / 17	1 / 11	1 / 2
Average number of embryos transferred	1.8	1.7	2.1	2.4	2.9	
Percentage of embryos transferred resulting in implantation	40.7	27.6	26.1	10.3	3.8	
Percentage of elective single embryo transfer (eSET)	5.1	1 / 13	2 / 16	0 / 8	0 / 6	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	31.9	17.4	14.3	3 / 17	0 / 11	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 17	0 / 11	0 / 2
Percentage of cycles resulting in live births	46.8	26.1	21.4	3 / 17	0 / 11	0 / 2
Percentage of cycles resulting in pregnancy	61.7	26.1	32.1	3 / 17	1 / 11	0 / 2
Outcomes per Transfer						
Number of transfers	44	17	22	12	9	0
Percentage of transfers resulting in singleton live births	34.1	4 / 17	18.2	3 / 12	0 / 9	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 17	0.0	0 / 12	0 / 9	
Percentage of transfers resulting in live births	50.0	6 / 17	27.3	3 / 12	0 / 9	
Percentage of transfers resulting in pregnancy	65.9	6 / 17	40.9	3 / 12	1 / 9	
Outcomes per Pregnancy						
Number of pregnancies	29	6	9	3	1	0
Percentage of pregnancies resulting in singleton live births	51.7	4 / 6	4 / 9	3 / 3	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 6	0 / 9	0 / 3	0 / 1	
Percentage of pregnancies resulting in live births	75.9	6 / 6	6 / 9	3 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	5	3	0	0	0
Number of transfers	4	5	3	0	0	0
Average number of embryos transferred	1.5	1.6	3.3			
Percentage of embryos transferred resulting in implantation	2 / 6	3 / 8	1 / 10			
Percentage of transfers resulting in singleton live births	2 / 4	1 / 5	0 / 3			
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 5	0 / 3			
Percentage of transfers resulting in live births	2 / 4	1 / 5	0 / 3			
Percentage of transfers resulting in pregnancy	2 / 4	3 / 5	1 / 3			
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	6		8			
Number of transfers	6		8			
Average number of embryos transferred	2.0		1.9			
Percentage of embryos transferred resulting in implantation	5 / 12		4 / 15			
Percentage of transfers resulting in singleton live births	3 / 6		4 / 8			
Percentage of transfers resulting in live births	4 / 6		4 / 8			
Percentage of transfers resulting in pregnancy	4 / 6		4 / 8			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Park Avenue Fertility and Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 6 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DELAWARE INSTITUTE FOR REPRODUCTIVE MEDICINE, PA NEWARK, DELAWARE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	83%	Tubal factor	47%	Uterine factor	4%	
Unstimulated	4%	Used PGD	6%	Ovulatory dysfunction	12%	Male factor	17%	
Used gestational carrier	0%			Diminished ovarian reserve	15%	Other factor	0%	
				Endometriosis	34%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				26%
				Female & male factors				3%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 208

Data verified by Jeffrey B. Russell, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	72	29	13	18	9	2
Percentage of cancellations	6.9	6.9	2 / 13	6 / 18	0 / 9	0 / 2
Average number of embryos transferred	1.9	2.1	2.0	1.9	3.0	1.0
Percentage of embryos transferred resulting in implantation	39.3	21.2	0 / 14	1 / 13	0 / 9	0 / 1
Percentage of elective single embryo transfer (eSET)	12.5	1 / 15	1 / 6	0 / 5	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	19.4	3.4	0 / 13	0 / 18	0 / 9	0 / 2
Percentage of cycles resulting in triplets or more live births	1.4	0.0	0 / 13	0 / 18	0 / 9	0 / 2
Percentage of cycles resulting in live births	31.9	13.8	0 / 13	0 / 18	0 / 9	0 / 2
Percentage of cycles resulting in pregnancy	36.1	13.8	1 / 13	1 / 18	0 / 9	0 / 2
Outcomes per Transfer						
Number of transfers	46	16	7	7	3	1
Percentage of transfers resulting in singleton live births	30.4	1 / 16	0 / 7	0 / 7	0 / 3	0 / 1
Percentage of transfers resulting in triplets or more live births	2.2	0 / 16	0 / 7	0 / 7	0 / 3	0 / 1
Percentage of transfers resulting in live births	50.0	4 / 16	0 / 7	0 / 7	0 / 3	0 / 1
Percentage of transfers resulting in pregnancy	56.5	4 / 16	1 / 7	1 / 7	0 / 3	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	26	4	1	1	0	0
Percentage of pregnancies resulting in singleton live births	53.8	1 / 4	0 / 1	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	3.8	0 / 4	0 / 1	0 / 1		
Percentage of pregnancies resulting in live births	88.5	4 / 4	0 / 1	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	35	12	0	1	0	0
Number of transfers	31	12	0	1	0	0
Average number of embryos transferred	2.0	2.0		2.0		
Percentage of embryos transferred resulting in implantation	17.5	16.7		0 / 2		
Percentage of transfers resulting in singleton live births	29.0	4 / 12		0 / 1		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 12		0 / 1		
Percentage of transfers resulting in live births	29.0	4 / 12		0 / 1		
Percentage of transfers resulting in pregnancy	35.5	5 / 12		0 / 1		
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	10		7			
Number of transfers	5		3			
Average number of embryos transferred	1.6		2.3			
Percentage of embryos transferred resulting in implantation	0 / 8		5 / 7			
Percentage of transfers resulting in singleton live births	0 / 5		3 / 3			
Percentage of transfers resulting in live births	0 / 5		3 / 3			
Percentage of transfers resulting in pregnancy	0 / 5		3 / 3			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Delaware Institute for Reproductive Medicine, PA

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE ASSOCIATES OF DELAWARE NEWARK, DELAWARE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	81%	Tubal factor	27%	Uterine factor	18%
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	22%	Male factor	41%
Used gestational carrier	0%			Diminished ovarian reserve	21%	Other factor	14%
				Endometriosis	49%	Unknown factor	<1%
				Multiple Factors:			
				Female factors only 34%			
				Female & male factors 33%			

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 416

Data verified by Ronald F. Feinberg, MD, PhD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	104	32	34	6	4	0
Percentage of cancellations	15.4	25.0	17.6	3 / 6	1 / 4	
Average number of embryos transferred	1.1	1.2	1.3	1.3	1.5	
Percentage of embryos transferred resulting in implantation	41.0	4 / 19	24.0	0 / 4	0 / 3	
Percentage of elective single embryo transfer (eSET)	90.6	10 / 13	10 / 15	0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.9	3.1	14.7	0 / 6	0 / 4	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 6	0 / 4	
Percentage of cycles resulting in live births	27.9	6.3	14.7	0 / 6	0 / 4	
Percentage of cycles resulting in pregnancy	31.7	15.6	26.5	0 / 6	0 / 4	
Outcomes per Transfer						
Number of transfers	72	16	20	3	2	0
Percentage of transfers resulting in singleton live births	40.3	1 / 16	25.0	0 / 3	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0.0	0 / 3	0 / 2	
Percentage of transfers resulting in live births	40.3	2 / 16	25.0	0 / 3	0 / 2	
Percentage of transfers resulting in pregnancy	45.8	5 / 16	45.0	0 / 3	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	33	5	9	0	0	0
Percentage of pregnancies resulting in singleton live births	87.9	1 / 5	5 / 9			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 5	0 / 9			
Percentage of pregnancies resulting in live births	87.9	2 / 5	5 / 9			
Frozen Embryos from Nondonor Eggs						
Number of cycles	122	45	25	10	1	1
Number of transfers	110	42	25	6	1	1
Average number of embryos transferred	1.2	1.2	1.3	1.3	2.0	2.0
Percentage of embryos transferred resulting in implantation	50.0	52.0	33.3	1 / 8	1 / 2	1 / 2
Percentage of transfers resulting in singleton live births	41.8	40.5	36.0	1 / 6	0 / 1	1 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 6	0 / 1	0 / 1
Percentage of transfers resulting in live births	44.5	47.6	36.0	1 / 6	0 / 1	1 / 1
Percentage of transfers resulting in pregnancy	59.1	54.8	44.0	2 / 6	1 / 1	1 / 1
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	4		28			
Number of transfers	4		26			
Average number of embryos transferred	1.0		1.1			
Percentage of embryos transferred resulting in implantation	3 / 4		39.3			
Percentage of transfers resulting in singleton live births	3 / 4		26.9			
Percentage of transfers resulting in live births	3 / 4		30.8			
Percentage of transfers resulting in pregnancy	3 / 4		42.3			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Associates of Delaware

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 37 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**THE A.R.T. INSTITUTE OF WASHINGTON, INC.
WALTER REED ARMY MEDICAL CENTER
WASHINGTON, DISTRICT OF COLUMBIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE				Patient Diagnosis ^b				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	77%	Tubal factor	29%	Uterine factor	1%	Multiple Factors: Female factors only 5% Female & male factors 9%
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	11%	Male factor	44%	
Used gestational carrier	0%			Diminished ovarian reserve	6%	Other factor	2%	
				Endometriosis	6%	Unknown factor	17%	

2011 ART SUCCESS RATES^{c,d} Number of cycles in table: ^e 435 Data verified by James Segars, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	202	79	92	27	0	0
Percentage of cancellations	3.5	0.0	5.4	3.7		
Average number of embryos transferred	1.7	1.8	2.2	2.6		
Percentage of embryos transferred resulting in implantation	36.6	24.1	18.0	10.8		
Percentage of elective single embryo transfer (eSET)	16.8	19.4	5.3	0.0		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	24.8	22.8	16.3	7.4		
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0		
Percentage of cycles resulting in live births	37.6	25.3	21.7	14.8		
Percentage of cycles resulting in pregnancy	46.0	36.7	28.3	29.6		
Outcomes per Transfer						
Number of transfers	190	75	85	25	0	0
Percentage of transfers resulting in singleton live births	26.3	24.0	17.6	8.0		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0		
Percentage of transfers resulting in live births	40.0	26.7	23.5	16.0		
Percentage of transfers resulting in pregnancy	48.9	38.7	30.6	32.0		
Outcomes per Pregnancy						
Number of pregnancies	93	29	26	8	0	0
Percentage of pregnancies resulting in singleton live births	53.8	62.1	57.7	2 / 8		
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 8		
Percentage of pregnancies resulting in live births	81.7	69.0	76.9	4 / 8		
Frozen Embryos from Nondonor Eggs						
Number of cycles	23	5	5	1	1	0
Number of transfers	23	5	5	1	1	0
Average number of embryos transferred	1.5	1.0	1.6	2.0	1.0	
Percentage of embryos transferred resulting in implantation	42.9	0 / 5	4 / 8	0 / 2	0 / 1	
Percentage of transfers resulting in singleton live births	47.8	0 / 5	1 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 5	1 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in live births	52.2	0 / 5	2 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	56.5	0 / 5	2 / 5	0 / 1	0 / 1	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		0		0		
Number of transfers		0		0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The A.R.T. Institute of Washington, Inc., Walter Reed National Military Medical Center

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COLUMBIA FERTILITY ASSOCIATES WASHINGTON, DISTRICT OF COLUMBIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	66%	Tubal factor	7%	Uterine factor	8%
Unstimulated	3%	Used PGD	4%	Ovulatory dysfunction	10%	Male factor	37%
Used gestational carrier	1%			Diminished ovarian reserve	18%	Other factor	28%
				Endometriosis	5%	Unknown factor	19%
				Multiple Factors: Female factors only 7% Female & male factors 20%			

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 753

Data verified by Safa Rifka, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	102	101	183	107	74	39
Percentage of cancellations	2.9	6.9	14.2	12.1	17.6	17.9
Average number of embryos transferred	2.1	2.0	2.3	2.7	2.7	2.0
Percentage of embryos transferred resulting in implantation	30.7	25.9	11.9	12.1	1.5	0.0
Percentage of elective single embryo transfer (eSET)	11.3	11.5	0.9	2.7	0.0	0 / 14
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	34.3	15.8	13.1	17.8	1.4	0.0
Percentage of cycles resulting in triplets or more live births	1.0	1.0	0.0	0.0	0.0	0.0
Percentage of cycles resulting in live births	41.2	28.7	14.2	18.7	1.4	0.0
Percentage of cycles resulting in pregnancy	45.1	29.7	18.0	22.4	1.4	0.0
Outcomes per Transfer						
Number of transfers	89	87	133	86	49	27
Percentage of transfers resulting in singleton live births	39.3	18.4	18.0	22.1	2.0	0.0
Percentage of transfers resulting in triplets or more live births	1.1	1.1	0.0	0.0	0.0	0.0
Percentage of transfers resulting in live births	47.2	33.3	19.5	23.3	2.0	0.0
Percentage of transfers resulting in pregnancy	51.7	34.5	24.8	27.9	2.0	0.0
Outcomes per Pregnancy						
Number of pregnancies	46	30	33	24	1	0
Percentage of pregnancies resulting in singleton live births	76.1	53.3	72.7	79.2	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	2.2	3.3	0.0	0.0	0 / 1	
Percentage of pregnancies resulting in live births	91.3	96.7	78.8	83.3	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	28	33	18	14	8	5
Number of transfers	28	30	17	14	8	5
Average number of embryos transferred	1.7	1.7	1.8	1.7	2.0	2.0
Percentage of embryos transferred resulting in implantation	17.0	17.6	13.3	4.2	1 / 16	1 / 10
Percentage of transfers resulting in singleton live births	28.6	16.7	2 / 17	1 / 14	1 / 8	1 / 5
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 17	0 / 14	0 / 8	0 / 5
Percentage of transfers resulting in live births	28.6	20.0	3 / 17	1 / 14	1 / 8	1 / 5
Percentage of transfers resulting in pregnancy	28.6	23.3	3 / 17	1 / 14	1 / 8	1 / 5
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			22		19	
Number of transfers			17		18	
Average number of embryos transferred			1.9		1.8	
Percentage of embryos transferred resulting in implantation			21.9		33.3	
Percentage of transfers resulting in singleton live births			7 / 17		3 / 18	
Percentage of transfers resulting in live births			7 / 17		6 / 18	
Percentage of transfers resulting in pregnancy			7 / 17		8 / 18	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Columbia Fertility Associates

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 18 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE GEORGE WASHINGTON UNIVERSITY MEDICAL FACULTY ASSOCIATES WASHINGTON, DISTRICT OF COLUMBIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE				Patient Diagnosis ^b				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	86%	Tubal factor	6%	Uterine factor	0%	
Unstimulated	7%	Used PGD	12%	Ovulatory dysfunction	4%	Male factor	24%	
Used gestational carrier	0%			Diminished ovarian reserve	13%	Other factor	9%	
				Endometriosis	2%	Unknown factor	48%	
				Multiple Factors:				
				Female factors only				2%
				Female & male factors				4%

2011 ART SUCCESS RATES^{c,d} Number of cycles in table: ^e 423 Data verified by Paul R. Gindoff, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	84	70	103	42	18	5
Percentage of cancellations	14.3	11.4	5.8	9.5	1 / 18	1 / 5
Average number of embryos transferred	1.6	1.6	2.1	2.4	2.3	3.0
Percentage of embryos transferred resulting in implantation	18.8	18.8	6.1	3.8	8.0	0 / 6
Percentage of elective single embryo transfer (eSET)	49.1	39.5	15.6	4.5	0 / 6	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	14.3	18.6	9.7	7.1	2 / 18	0 / 5
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 18	0 / 5
Percentage of cycles resulting in live births	15.5	20.0	9.7	7.1	2 / 18	0 / 5
Percentage of cycles resulting in pregnancy	20.2	22.9	11.7	9.5	2 / 18	0 / 5
Outcomes per Transfer						
Number of transfers	61	53	84	33	11	2
Percentage of transfers resulting in singleton live births	19.7	24.5	11.9	9.1	2 / 11	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 11	0 / 2
Percentage of transfers resulting in live births	21.3	26.4	11.9	9.1	2 / 11	0 / 2
Percentage of transfers resulting in pregnancy	27.9	30.2	14.3	12.1	2 / 11	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	17	16	12	4	2	0
Percentage of pregnancies resulting in singleton live births	12 / 17	13 / 16	10 / 12	3 / 4	2 / 2	
Percentage of pregnancies resulting in triplets or more live births	0 / 17	0 / 16	0 / 12	0 / 4	0 / 2	
Percentage of pregnancies resulting in live births	13 / 17	14 / 16	10 / 12	3 / 4	2 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	27	19	13	5	4	3
Number of transfers	26	17	13	4	3	3
Average number of embryos transferred	2.0	1.6	2.3	2.5	2.3	2.7
Percentage of embryos transferred resulting in implantation	5.8	10.7	10.0	4 / 10	0 / 7	0 / 8
Percentage of transfers resulting in singleton live births	11.5	1 / 17	1 / 13	1 / 4	0 / 3	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0 / 17	0 / 13	0 / 4	0 / 3	0 / 3
Percentage of transfers resulting in live births	11.5	2 / 17	2 / 13	2 / 4	0 / 3	0 / 3
Percentage of transfers resulting in pregnancy	11.5	2 / 17	2 / 13	3 / 4	0 / 3	0 / 3
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	21		9			
Number of transfers	18		7			
Average number of embryos transferred	1.5		2.3			
Percentage of embryos transferred resulting in implantation	29.6		3 / 16			
Percentage of transfers resulting in singleton live births	7 / 18		3 / 7			
Percentage of transfers resulting in live births	7 / 18		3 / 7			
Percentage of transfers resulting in pregnancy	8 / 18		3 / 7			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The George Washington University Medical Faculty Associates					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 23 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

JAMES A. SIMON, MD, PC
WASHINGTON, DISTRICT OF COLUMBIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	29%	Tubal factor	0%	Uterine factor	33%	Multiple Factors: Female factors only 0% Female & male factors 25%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	8%	Male factor	25%	
Used gestational carrier	0%			Diminished ovarian reserve	33%	Other factor	0%	
				Endometriosis	8%	Unknown factor	17%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 12

Data verified by James A. Simon, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	2	1	2	1	1	0
Percentage of cancellations	0 / 2	0 / 1	0 / 2	0 / 1	0 / 1	
Average number of embryos transferred	2.0		3.0	2.0		
Percentage of embryos transferred resulting in implantation	2 / 4		0 / 3	0 / 2		
Percentage of elective single embryo transfer (eSET)	0 / 2		0 / 1	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	0 / 2	0 / 1	0 / 2	0 / 1	0 / 1	
Percentage of cycles resulting in triplets or more live births	0 / 2	0 / 1	0 / 2	0 / 1	0 / 1	
Percentage of cycles resulting in live births	1 / 2	0 / 1	0 / 2	0 / 1	0 / 1	
Percentage of cycles resulting in pregnancy	1 / 2	0 / 1	0 / 2	0 / 1	0 / 1	
Outcomes per Transfer						
Number of transfers	2	0	1	1	0	0
Percentage of transfers resulting in singleton live births	0 / 2		0 / 1	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 2		0 / 1	0 / 1		
Percentage of transfers resulting in live births	1 / 2		0 / 1	0 / 1		
Percentage of transfers resulting in pregnancy	1 / 2		0 / 1	0 / 1		
Outcomes per Pregnancy						
Number of pregnancies	1	0	0	0	0	0
Percentage of pregnancies resulting in singleton live births	0 / 1					
Percentage of pregnancies resulting in triplets or more live births	0 / 1					
Percentage of pregnancies resulting in live births	1 / 1					
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	3	1	0	1	0
Number of transfers	0	3	1	0	1	0
Average number of embryos transferred		1.7	1.0		2.0	
Percentage of embryos transferred resulting in implantation		1 / 5	0 / 1		0 / 2	
Percentage of transfers resulting in singleton live births		1 / 3	0 / 1		0 / 1	
Percentage of transfers resulting in triplets or more live births		0 / 3	0 / 1		0 / 1	
Percentage of transfers resulting in live births		1 / 3	0 / 1		0 / 1	
Percentage of transfers resulting in pregnancy		1 / 3	0 / 1		0 / 1	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		0		0		
Number of transfers		0		0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: James A. Simon, MD, PC

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BOCAFERTILITY BOCA RATON, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	37%	Tubal factor	5%	Uterine factor	7%	Multiple Factors: Female factors only 5% Female & male factors 6%
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	5%	Male factor	20%	
Used gestational carrier	6%			Diminished ovarian reserve	57%	Other factor	12%	
				Endometriosis	<1%	Unknown factor	4%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 105

Data verified by Maurice (Moshe) R. Peress, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	26	10	18	8	3	0
Percentage of cancellations	0.0	2 / 10	3 / 18	0 / 8	1 / 3	
Average number of embryos transferred	2.1	2.1	2.1	2.4	3.5	
Percentage of embryos transferred resulting in implantation	20.4	9 / 17	3.3	2 / 19	0 / 7	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 8	0 / 11	0 / 6	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.9	3 / 10	1 / 18	0 / 8	0 / 3	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 10	0 / 18	0 / 8	0 / 3	
Percentage of cycles resulting in live births	26.9	3 / 10	1 / 18	0 / 8	0 / 3	
Percentage of cycles resulting in pregnancy	42.3	6 / 10	1 / 18	2 / 8	0 / 3	
Outcomes per Transfer						
Number of transfers	23	8	14	8	2	0
Percentage of transfers resulting in singleton live births	30.4	3 / 8	1 / 14	0 / 8	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 8	0 / 14	0 / 8	0 / 2	
Percentage of transfers resulting in live births	30.4	3 / 8	1 / 14	0 / 8	0 / 2	
Percentage of transfers resulting in pregnancy	47.8	6 / 8	1 / 14	2 / 8	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	11	6	1	2	0	0
Percentage of pregnancies resulting in singleton live births	7 / 11	3 / 6	1 / 1	0 / 2		
Percentage of pregnancies resulting in triplets or more live births	0 / 11	0 / 6	0 / 1	0 / 2		
Percentage of pregnancies resulting in live births	7 / 11	3 / 6	1 / 1	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	3	1	0	0	0
Number of transfers	2	3	1	0	0	0
Average number of embryos transferred	2.5	2.0	2.0			
Percentage of embryos transferred resulting in implantation	3 / 5	0 / 6	0 / 2			
Percentage of transfers resulting in singleton live births	1 / 2	0 / 3	0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 2	0 / 3	0 / 1			
Percentage of transfers resulting in live births	2 / 2	0 / 3	0 / 1			
Percentage of transfers resulting in pregnancy	2 / 2	0 / 3	0 / 1			
All Ages Combined^f						
	Fresh Embryos		Frozen Embryos			
Number of cycles	26		8			
Number of transfers	21		6			
Average number of embryos transferred	2.0		2.2			
Percentage of embryos transferred resulting in implantation	27.9		3 / 13			
Percentage of transfers resulting in singleton live births	19.0		1 / 6			
Percentage of transfers resulting in live births	38.1		2 / 6			
Percentage of transfers resulting in pregnancy	38.1		2 / 6			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: BocaFertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

- ^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PALM BEACH FERTILITY CENTER BOCA RATON, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	85%	Tubal factor	12%	Uterine factor	6%	Multiple Factors: Female factors only 10% Female & male factors 59%
Unstimulated	0%	Used PGD	21%	Ovulatory dysfunction	9%	Male factor	61%	
Used gestational carrier	10%			Diminished ovarian reserve	80%	Other factor	8%	
				Endometriosis	7%	Unknown factor	2%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 131

Data verified by Mark S. Denker, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	23	12	19	11	3	5
Percentage of cancellations	4.3	1 / 12	5 / 19	1 / 11	0 / 3	1 / 5
Average number of embryos transferred	2.1	1.9	2.5	2.3	3.0	2.0
Percentage of embryos transferred resulting in implantation	23.1	3 / 17	10.0	2 / 16	0 / 6	0 / 4
Percentage of elective single embryo transfer (eSET)	1 / 15	0 / 6	0 / 8	0 / 5	0 / 2	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	21.7	1 / 12	1 / 19	1 / 11	0 / 3	0 / 5
Percentage of cycles resulting in triplets or more live births	0.0	0 / 12	0 / 19	0 / 11	0 / 3	0 / 5
Percentage of cycles resulting in live births	30.4	2 / 12	1 / 19	1 / 11	0 / 3	0 / 5
Percentage of cycles resulting in pregnancy	30.4	2 / 12	2 / 19	2 / 11	0 / 3	0 / 5
Outcomes per Transfer						
Number of transfers	19	9	8	7	2	2
Percentage of transfers resulting in singleton live births	5 / 19	1 / 9	1 / 8	1 / 7	0 / 2	0 / 2
Percentage of transfers resulting in triplets or more live births	0 / 19	0 / 9	0 / 8	0 / 7	0 / 2	0 / 2
Percentage of transfers resulting in live births	7 / 19	2 / 9	1 / 8	1 / 7	0 / 2	0 / 2
Percentage of transfers resulting in pregnancy	7 / 19	2 / 9	2 / 8	2 / 7	0 / 2	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	7	2	2	2	0	0
Percentage of pregnancies resulting in singleton live births	5 / 7	1 / 2	1 / 2	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	0 / 7	0 / 2	0 / 2	0 / 2		
Percentage of pregnancies resulting in live births	7 / 7	2 / 2	1 / 2	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	0	3	2	0	1
Number of transfers	4	0	3	1	0	1
Average number of embryos transferred	1.8		1.3	2.0		1.0
Percentage of embryos transferred resulting in implantation	1 / 7		0 / 4	0 / 2		0 / 1
Percentage of transfers resulting in singleton live births	0 / 4		0 / 3	0 / 1		0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 4		0 / 3	0 / 1		0 / 1
Percentage of transfers resulting in live births	0 / 4		0 / 3	0 / 1		0 / 1
Percentage of transfers resulting in pregnancy	1 / 4		0 / 3	0 / 1		0 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		35		13		
Number of transfers		28		8		
Average number of embryos transferred		2.0		1.9		
Percentage of embryos transferred resulting in implantation		29.8		1 / 15		
Percentage of transfers resulting in singleton live births		32.1		1 / 8		
Percentage of transfers resulting in live births		46.4		1 / 8		
Percentage of transfers resulting in pregnancy		46.4		1 / 8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Palm Beach Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 7 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTIVE CARE CENTER BOYNTON BEACH, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	55%	Tubal factor	16%	Uterine factor	40%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	12%	Male factor	40%	
Used gestational carrier	5%			Diminished ovarian reserve	32%	Other factor	4%	
				Endometriosis	0%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				24%
				Female & male factors				20%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 25

Data verified by Tibor E. Polcz, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	10	3	4	2	1	0
Percentage of cancellations	0 / 10	0 / 3	0 / 4	0 / 2	0 / 1	
Average number of embryos transferred	2.8	2.0	2.5	2.0	2.0	
Percentage of embryos transferred resulting in implantation	36.4	4 / 6	1 / 5	0 / 4	0 / 2	
Percentage of elective single embryo transfer (eSET)	0 / 8	0 / 2	0 / 2	0 / 2	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	2 / 10	1 / 3	1 / 4	0 / 2	0 / 1	
Percentage of cycles resulting in triplets or more live births	0 / 10	0 / 3	0 / 4	0 / 2	0 / 1	
Percentage of cycles resulting in live births	4 / 10	2 / 3	1 / 4	0 / 2	0 / 1	
Percentage of cycles resulting in pregnancy	5 / 10	2 / 3	1 / 4	0 / 2	0 / 1	
Outcomes per Transfer						
Number of transfers	8	3	2	2	1	0
Percentage of transfers resulting in singleton live births	2 / 8	1 / 3	1 / 2	0 / 2	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 8	0 / 3	0 / 2	0 / 2	0 / 1	
Percentage of transfers resulting in live births	4 / 8	2 / 3	1 / 2	0 / 2	0 / 1	
Percentage of transfers resulting in pregnancy	5 / 8	2 / 3	1 / 2	0 / 2	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	5	2	1	0	0	0
Percentage of pregnancies resulting in singleton live births	2 / 5	1 / 2	1 / 1			
Percentage of pregnancies resulting in triplets or more live births	0 / 5	0 / 2	0 / 1			
Percentage of pregnancies resulting in live births	4 / 5	2 / 2	1 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	0	1	0	1	0
Number of transfers	0	0	1	0	1	0
Average number of embryos transferred			3.0		2.0	
Percentage of embryos transferred resulting in implantation			0 / 3		0 / 2	
Percentage of transfers resulting in singleton live births			0 / 1		0 / 1	
Percentage of transfers resulting in triplets or more live births			0 / 1		0 / 1	
Percentage of transfers resulting in live births			0 / 1		0 / 1	
Percentage of transfers resulting in pregnancy			0 / 1		0 / 1	
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	2		1			
Number of transfers	2		1			
Average number of embryos transferred	2.5		2.0			
Percentage of embryos transferred resulting in implantation	4 / 5		0 / 2			
Percentage of transfers resulting in singleton live births	0 / 2		0 / 1			
Percentage of transfers resulting in live births	2 / 2		0 / 1			
Percentage of transfers resulting in pregnancy	2 / 2		0 / 1			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Reproductive Care Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FLORIDA FERTILITY INSTITUTE CLEARWATER, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	68%	Tubal factor	28%	Uterine factor	7%	
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	23%	Male factor	46%	
Used gestational carrier	<1%			Diminished ovarian reserve	44%	Other factor	14%	
				Endometriosis	14%	Unknown factor	4%	
				Multiple Factors:				
				Female factors only				24%
				Female & male factors				36%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 141

Data verified by Mark D. Sanchez, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	51	27	18	12	1	0
Percentage of cancellations	7.8	3.7	1 / 18	3 / 12	0 / 1	
Average number of embryos transferred	2.5	2.7	3.0	2.4	3.0	
Percentage of embryos transferred resulting in implantation	26.2	23.7	27.1	5 / 19	0 / 3	
Percentage of elective single embryo transfer (eSET)	0.0	0.0	0 / 15	0 / 7	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	21.6	14.8	3 / 18	0 / 12	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 18	0 / 12	0 / 1	
Percentage of cycles resulting in live births	31.4	29.6	7 / 18	1 / 12	0 / 1	
Percentage of cycles resulting in pregnancy	37.3	37.0	10 / 18	3 / 12	0 / 1	
Outcomes per Transfer						
Number of transfers	42	22	16	8	1	0
Percentage of transfers resulting in singleton live births	26.2	18.2	3 / 16	0 / 8	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 16	0 / 8	0 / 1	
Percentage of transfers resulting in live births	38.1	36.4	7 / 16	1 / 8	0 / 1	
Percentage of transfers resulting in pregnancy	45.2	45.5	10 / 16	3 / 8	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	19	10	10	3	0	0
Percentage of pregnancies resulting in singleton live births	11 / 19	4 / 10	3 / 10	0 / 3		
Percentage of pregnancies resulting in triplets or more live births	0 / 19	0 / 10	0 / 10	0 / 3		
Percentage of pregnancies resulting in live births	16 / 19	8 / 10	7 / 10	1 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	5	0	0	0	0
Number of transfers	5	5	0	0	0	0
Average number of embryos transferred	2.6	2.4				
Percentage of embryos transferred resulting in implantation	2 / 13	2 / 12				
Percentage of transfers resulting in singleton live births	0 / 5	2 / 5				
Percentage of transfers resulting in triplets or more live births	0 / 5	0 / 5				
Percentage of transfers resulting in live births	1 / 5	2 / 5				
Percentage of transfers resulting in pregnancy	1 / 5	2 / 5				
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			15		7	
Number of transfers			15		6	
Average number of embryos transferred			2.3		2.0	
Percentage of embryos transferred resulting in implantation			37.1		2 / 12	
Percentage of transfers resulting in singleton live births			7 / 15		1 / 6	
Percentage of transfers resulting in live births			9 / 15		1 / 6	
Percentage of transfers resulting in pregnancy			10 / 15		2 / 6	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Florida Fertility Institute

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INFERTILITY AND REPRODUCTIVE MEDICINE OF SOUTH BROWARD COOPER CITY, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	79%	Tubal factor	26%	Uterine factor	11%	
Unstimulated	0%	Used PGD	7%	Ovulatory dysfunction	26%	Male factor	40%	
Used gestational carrier	0%			Diminished ovarian reserve	40%	Other factor	14%	
				Endometriosis	6%	Unknown factor	3%	
				Multiple Factors:				
				Female factors only				20%
				Female & male factors				29%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 35

Data verified by Kenneth Gelman, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	10	7	6	4	2	0
Percentage of cancellations	0 / 10	3 / 7	0 / 6	0 / 4	2 / 2	
Average number of embryos transferred	1.7	2.0	1.8	1.5		
Percentage of embryos transferred resulting in implantation	9 / 17	4 / 6	2 / 9	1 / 3		
Percentage of elective single embryo transfer (eSET)	0 / 7	0 / 3	0 / 4	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	3 / 10	2 / 7	1 / 6	0 / 4	0 / 2	
Percentage of cycles resulting in triplets or more live births	1 / 10	0 / 7	0 / 6	0 / 4	0 / 2	
Percentage of cycles resulting in live births	4 / 10	3 / 7	1 / 6	0 / 4	0 / 2	
Percentage of cycles resulting in pregnancy	5 / 10	3 / 7	2 / 6	2 / 4	0 / 2	
Outcomes per Transfer						
Number of transfers	10	3	5	2	0	0
Percentage of transfers resulting in singleton live births	3 / 10	2 / 3	1 / 5	0 / 2		
Percentage of transfers resulting in triplets or more live births	1 / 10	0 / 3	0 / 5	0 / 2		
Percentage of transfers resulting in live births	4 / 10	3 / 3	1 / 5	0 / 2		
Percentage of transfers resulting in pregnancy	5 / 10	3 / 3	2 / 5	2 / 2		
Outcomes per Pregnancy						
Number of pregnancies	5	3	2	2	0	0
Percentage of pregnancies resulting in singleton live births	3 / 5	2 / 3	1 / 2	0 / 2		
Percentage of pregnancies resulting in triplets or more live births	1 / 5	0 / 3	0 / 2	0 / 2		
Percentage of pregnancies resulting in live births	4 / 5	3 / 3	1 / 2	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	4	0	0	0	0
Number of transfers	2	3	0	0	0	0
Average number of embryos transferred	2.5	2.0				
Percentage of embryos transferred resulting in implantation	1 / 5	4 / 6				
Percentage of transfers resulting in singleton live births	1 / 2	3 / 3				
Percentage of transfers resulting in triplets or more live births	0 / 2	0 / 3				
Percentage of transfers resulting in live births	1 / 2	3 / 3				
Percentage of transfers resulting in pregnancy	1 / 2	3 / 3				
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	0		0			
Number of transfers	0		0			
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Infertility and Reproductive Medicine of South Broward

Donor egg?	No	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTHWEST FLORIDA FERTILITY CENTER, PA FORT MYERS, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	34%	Tubal factor	18%	Uterine factor	6%	
Unstimulated	2%	Used PGD	0%	Ovulatory dysfunction	4%	Male factor	31%	
Used gestational carrier	0%			Diminished ovarian reserve	33%	Other factor	4%	
				Endometriosis	4%	Unknown factor	20%	
				Multiple Factors:				
				Female factors only				0%
				Female & male factors				18%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 49

Data verified by Jacob L. Glock, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	13	10	11	3	0	4
Percentage of cancellations	1 / 13	0 / 10	0 / 11	0 / 3		0 / 4
Average number of embryos transferred	2.8	2.7	2.8	3.0		1.5
Percentage of embryos transferred resulting in implantation	24.2	22.2	12.0	1 / 9		0 / 6
Percentage of elective single embryo transfer (eSET)	0 / 12	0 / 9	0 / 8	0 / 3		0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	4 / 13	3 / 10	1 / 11	1 / 3		0 / 4
Percentage of cycles resulting in triplets or more live births	0 / 13	0 / 10	0 / 11	0 / 3		0 / 4
Percentage of cycles resulting in live births	6 / 13	4 / 10	2 / 11	1 / 3		0 / 4
Percentage of cycles resulting in pregnancy	6 / 13	5 / 10	2 / 11	1 / 3		0 / 4
Outcomes per Transfer						
Number of transfers	12	10	9	3	0	4
Percentage of transfers resulting in singleton live births	4 / 12	3 / 10	1 / 9	1 / 3		0 / 4
Percentage of transfers resulting in triplets or more live births	0 / 12	0 / 10	0 / 9	0 / 3		0 / 4
Percentage of transfers resulting in live births	6 / 12	4 / 10	2 / 9	1 / 3		0 / 4
Percentage of transfers resulting in pregnancy	6 / 12	5 / 10	2 / 9	1 / 3		0 / 4
Outcomes per Pregnancy						
Number of pregnancies	6	5	2	1	0	0
Percentage of pregnancies resulting in singleton live births	4 / 6	3 / 5	1 / 2	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 6	0 / 5	0 / 2	0 / 1		
Percentage of pregnancies resulting in live births	6 / 6	4 / 5	2 / 2	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	1	1	1	0	0
Number of transfers	0	1	1	1	0	0
Average number of embryos transferred		2.0	2.0	4.0		
Percentage of embryos transferred resulting in implantation		1 / 2	1 / 2	2 / 4		
Percentage of transfers resulting in singleton live births		1 / 1	1 / 1	0 / 1		
Percentage of transfers resulting in triplets or more live births		0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in live births		1 / 1	1 / 1	1 / 1		
Percentage of transfers resulting in pregnancy		1 / 1	1 / 1	1 / 1		
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			4		1	
Number of transfers			4		1	
Average number of embryos transferred			2.5		2.0	
Percentage of embryos transferred resulting in implantation			2 / 10		0 / 2	
Percentage of transfers resulting in singleton live births			2 / 4		0 / 1	
Percentage of transfers resulting in live births			2 / 4		0 / 1	
Percentage of transfers resulting in pregnancy			2 / 4		0 / 1	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Southwest Florida Fertility Center, PA

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SPECIALISTS IN REPRODUCTIVE MEDICINE AND SURGERY, PA FORT MYERS, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	65%	Tubal factor	11%	Uterine factor	2%
Unstimulated	0%	Used PGD	14%	Ovulatory dysfunction	12%	Male factor	25%
Used gestational carrier	0%			Diminished ovarian reserve	41%	Other factor	7%
				Endometriosis	19%	Unknown factor	2%
				Multiple Factors:			
						Female factors only	6%
						Female & male factors	10%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 126

Data verified by Craig R. Sweet, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	31	12	18	4	0	0
Percentage of cancellations	6.5	0 / 12	4 / 18	1 / 4		
Average number of embryos transferred	2.1	2.1	2.8	1.0		
Percentage of embryos transferred resulting in implantation	32.3	33.3	23.5	1 / 3		
Percentage of elective single embryo transfer (eSET)	11.1	0 / 8	0 / 11			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	19.4	3 / 12	3 / 18	1 / 4		
Percentage of cycles resulting in triplets or more live births	0.0	0 / 12	0 / 18	0 / 4		
Percentage of cycles resulting in live births	35.5	5 / 12	4 / 18	1 / 4		
Percentage of cycles resulting in pregnancy	45.2	5 / 12	5 / 18	1 / 4		
Outcomes per Transfer						
Number of transfers	29	10	12	3	0	0
Percentage of transfers resulting in singleton live births	20.7	3 / 10	3 / 12	1 / 3		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 10	0 / 12	0 / 3		
Percentage of transfers resulting in live births	37.9	5 / 10	4 / 12	1 / 3		
Percentage of transfers resulting in pregnancy	48.3	5 / 10	5 / 12	1 / 3		
Outcomes per Pregnancy						
Number of pregnancies	14	5	5	1	0	0
Percentage of pregnancies resulting in singleton live births	6 / 14	3 / 5	3 / 5	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 14	0 / 5	0 / 5	0 / 1		
Percentage of pregnancies resulting in live births	11 / 14	5 / 5	4 / 5	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	10	10	6	3	2	0
Number of transfers	10	7	6	3	1	0
Average number of embryos transferred	2.4	1.6	2.3	3.0	1.0	
Percentage of embryos transferred resulting in implantation	4.2	2 / 11	0 / 14	0 / 9	0 / 1	
Percentage of transfers resulting in singleton live births	0 / 10	2 / 7	0 / 6	0 / 3	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 10	0 / 7	0 / 6	0 / 3	0 / 1	
Percentage of transfers resulting in live births	0 / 10	2 / 7	0 / 6	0 / 3	0 / 1	
Percentage of transfers resulting in pregnancy	1 / 10	2 / 7	1 / 6	0 / 3	1 / 1	
All Ages Combined^f						
Donor Eggs	Fresh Embryos			Frozen Embryos		
Number of cycles	11			19		
Number of transfers	8			18		
Average number of embryos transferred	1.6			2.7		
Percentage of embryos transferred resulting in implantation	6 / 13			2.1		
Percentage of transfers resulting in singleton live births	2 / 8			1 / 18		
Percentage of transfers resulting in live births	4 / 8			1 / 18		
Percentage of transfers resulting in pregnancy	5 / 8			4 / 18		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Specialists in Reproductive Medicine and Surgery, PA

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF FLORIDA WOMEN'S HEALTH AT MAGNOLIA PARKE GAINESVILLE, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	59%	Tubal factor	13%	Uterine factor	0%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	13%	Male factor	40%	
Used gestational carrier	3%			Diminished ovarian reserve	24%	Other factor	13%	
				Endometriosis	33%	Unknown factor	2%	
				Multiple Factors:				
				Female factors only				12%
				Female & male factors				22%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 93

Data verified by Alice Rhoton-Vlasak, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	46	14	10	2	1	0
Percentage of cancellations	6.5	4 / 14	0 / 10	0 / 2	0 / 1	
Average number of embryos transferred	1.9	1.8	2.2	2.0	3.0	
Percentage of embryos transferred resulting in implantation	32.5	7 / 18	10.0	1 / 4	1 / 3	
Percentage of elective single embryo transfer (eSET)	5.1	0 / 7	0 / 8	0 / 2	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	28.3	3 / 14	2 / 10	1 / 2	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 14	0 / 10	0 / 2	0 / 1	
Percentage of cycles resulting in live births	39.1	5 / 14	2 / 10	1 / 2	0 / 1	
Percentage of cycles resulting in pregnancy	41.3	5 / 14	3 / 10	1 / 2	1 / 1	
Outcomes per Transfer						
Number of transfers	43	10	9	2	1	0
Percentage of transfers resulting in singleton live births	30.2	3 / 10	2 / 9	1 / 2	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 10	0 / 9	0 / 2	0 / 1	
Percentage of transfers resulting in live births	41.9	5 / 10	2 / 9	1 / 2	0 / 1	
Percentage of transfers resulting in pregnancy	44.2	5 / 10	3 / 9	1 / 2	1 / 1	
Outcomes per Pregnancy						
Number of pregnancies	19	5	3	1	1	0
Percentage of pregnancies resulting in singleton live births	13 / 19	3 / 5	2 / 3	1 / 1	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 19	0 / 5	0 / 3	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births	18 / 19	5 / 5	2 / 3	1 / 1	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	1	1	0	0	0
Number of transfers	7	1	1	0	0	0
Average number of embryos transferred	1.7	2.0	1.0			
Percentage of embryos transferred resulting in implantation	3 / 12	0 / 2	1 / 1			
Percentage of transfers resulting in singleton live births	0 / 7	0 / 1	1 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 7	0 / 1	0 / 1			
Percentage of transfers resulting in live births	1 / 7	0 / 1	1 / 1			
Percentage of transfers resulting in pregnancy	2 / 7	0 / 1	1 / 1			
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Number of cycles		8		3		
Number of transfers		8		2		
Average number of embryos transferred		1.6		1.5		
Percentage of embryos transferred resulting in implantation		7 / 13		2 / 3		
Percentage of transfers resulting in singleton live births		3 / 8		2 / 2		
Percentage of transfers resulting in live births		5 / 8		2 / 2		
Percentage of transfers resulting in pregnancy		5 / 8		2 / 2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University of Florida & Shands Reproductive Medicine at Springhill

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ASSISTED FERTILITY PROGRAM OF NORTH FLORIDA JACKSONVILLE, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE			
Type of ART and Procedural Factors ^a		Patient Diagnosis ^b	
IVF	100%	With ICSI	60%
Unstimulated	0%	Used PGD	10%
Used gestational carrier	3%		
		Tubal factor	10%
		Ovulatory dysfunction	16%
		Diminished ovarian reserve	8%
		Endometriosis	19%
		Uterine factor	0%
		Male factor	40%
		Other factor	16%
		Unknown factor	8%
		<i>Multiple Factors:</i>	
		Female factors only 5%	
		Female & male factors 11%	

2011 ART SUCCESS RATES^{c,d} Number of cycles in table: ^e 80 Data verified by Marwan M. Shaykh, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	31	19	8	2	2	1
Percentage of cancellations	3.2	2 / 19	0 / 8	0 / 2	0 / 2	0 / 1
Average number of embryos transferred	2.3	2.3	3.0	1.5	1.5	1.0
Percentage of embryos transferred resulting in implantation	20.0	10.3	0.0	0 / 3	0 / 3	0 / 1
Percentage of elective single embryo transfer (eSET)	3.8	0 / 13	0 / 6	0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	22.6	1 / 19	0 / 8	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in triplets or more live births	3.2	0 / 19	0 / 8	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in live births	29.0	2 / 19	0 / 8	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in pregnancy	32.3	4 / 19	0 / 8	0 / 2	0 / 2	0 / 1
Outcomes per Transfer						
Number of transfers	30	17	7	2	2	1
Percentage of transfers resulting in singleton live births	23.3	1 / 17	0 / 7	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	3.3	0 / 17	0 / 7	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in live births	30.0	2 / 17	0 / 7	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in pregnancy	33.3	4 / 17	0 / 7	0 / 2	0 / 2	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	10	4	0	0	0	0
Percentage of pregnancies resulting in singleton live births	7 / 10	1 / 4				
Percentage of pregnancies resulting in triplets or more live births	1 / 10	0 / 4				
Percentage of pregnancies resulting in live births	9 / 10	2 / 4				
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	2	0	0	0	0
Number of transfers	4	2	0	0	0	0
Average number of embryos transferred	2.0	1.5				
Percentage of embryos transferred resulting in implantation	1 / 8	0 / 3				
Percentage of transfers resulting in singleton live births	1 / 4	0 / 2				
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 2				
Percentage of transfers resulting in live births	1 / 4	0 / 2				
Percentage of transfers resulting in pregnancy	1 / 4	0 / 2				
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	6		5			
Number of transfers	6		5			
Average number of embryos transferred	2.2		1.0			
Percentage of embryos transferred resulting in implantation	6 / 13		2 / 5			
Percentage of transfers resulting in singleton live births	0 / 6		2 / 5			
Percentage of transfers resulting in live births	1 / 6		2 / 5			
Percentage of transfers resulting in pregnancy	3 / 6		2 / 5			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Assisted Fertility Program of North Florida					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BROWN FERTILITY ASSOCIATES JACKSONVILLE, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	59%	Tubal factor	11%	Uterine factor	0%	
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	17%	Male factor	22%	
Used gestational carrier	0%			Diminished ovarian reserve	37%	Other factor	43%	
				Endometriosis	18%	Unknown factor	3%	
				Multiple Factors:				
				Female factors only				29%
				Female & male factors				17%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 115

Data verified by Samuel E. Brown, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	41	17	14	15	6	5
Percentage of cancellations	9.8	2 / 17	0 / 14	4 / 15	1 / 6	0 / 5
Average number of embryos transferred	2.6	2.4	2.6	2.6	2.8	1.5
Percentage of embryos transferred resulting in implantation	24.7	21.2	10.8	0.0	0 / 14	0 / 6
Percentage of elective single embryo transfer (eSET)	0.0	0 / 12	0 / 13	0 / 8	0 / 5	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	12.2	3 / 17	0 / 14	0 / 15	0 / 6	0 / 5
Percentage of cycles resulting in triplets or more live births	0.0	0 / 17	1 / 14	0 / 15	0 / 6	0 / 5
Percentage of cycles resulting in live births	14.6	3 / 17	1 / 14	0 / 15	0 / 6	0 / 5
Percentage of cycles resulting in pregnancy	51.2	8 / 17	5 / 14	3 / 15	3 / 6	0 / 5
Outcomes per Transfer						
Number of transfers	36	14	14	10	5	4
Percentage of transfers resulting in singleton live births	13.9	3 / 14	0 / 14	0 / 10	0 / 5	0 / 4
Percentage of transfers resulting in triplets or more live births	0.0	0 / 14	1 / 14	0 / 10	0 / 5	0 / 4
Percentage of transfers resulting in live births	16.7	3 / 14	1 / 14	0 / 10	0 / 5	0 / 4
Percentage of transfers resulting in pregnancy	58.3	8 / 14	5 / 14	3 / 10	3 / 5	0 / 4
Outcomes per Pregnancy						
Number of pregnancies	21	8	5	3	3	0
Percentage of pregnancies resulting in singleton live births	23.8	3 / 8	0 / 5	0 / 3	0 / 3	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 8	1 / 5	0 / 3	0 / 3	
Percentage of pregnancies resulting in live births	28.6	3 / 8	1 / 5	0 / 3	0 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	1	1	0	0	0
Number of transfers	2	1	1	0	0	0
Average number of embryos transferred	2.0	3.0	2.0			
Percentage of embryos transferred resulting in implantation	0 / 4	0 / 3	0 / 2			
Percentage of transfers resulting in singleton live births	0 / 2	0 / 1	0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 2	0 / 1	0 / 1			
Percentage of transfers resulting in live births	0 / 2	0 / 1	0 / 1			
Percentage of transfers resulting in pregnancy	0 / 2	0 / 1	0 / 1			
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Number of cycles		9		4		
Number of transfers		8		4		
Average number of embryos transferred		2.5		2.5		
Percentage of embryos transferred resulting in implantation		40.0		1 / 10		
Percentage of transfers resulting in singleton live births		3 / 8		1 / 4		
Percentage of transfers resulting in live births		4 / 8		1 / 4		
Percentage of transfers resulting in pregnancy		8 / 8		1 / 4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Brown Fertility Associates

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FLORIDA INSTITUTE FOR REPRODUCTIVE MEDICINE JACKSONVILLE, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	79%	Tubal factor	25%	Uterine factor	10%	
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	18%	Male factor	63%	
Used gestational carrier	<1%			Diminished ovarian reserve	31%	Other factor	5%	
				Endometriosis	18%	Unknown factor	2%	
				Multiple Factors:				
				Female factors only				12%
				Female & male factors				42%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 742

Data verified by Kevin L. Winslow, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	235	68	58	19	3	3
Percentage of cancellations	5.1	13.2	6.9	1 / 19	0 / 3	0 / 3
Average number of embryos transferred	2.0	2.3	2.6	3.2	2.3	3.0
Percentage of embryos transferred resulting in implantation	34.1	21.3	14.4	3.6	1 / 7	1 / 9
Percentage of elective single embryo transfer (eSET)	7.7	3.6	0.0	0 / 17	0 / 2	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.2	16.2	10.3	1 / 19	0 / 3	1 / 3
Percentage of cycles resulting in triplets or more live births	1.3	0.0	0.0	0 / 19	0 / 3	0 / 3
Percentage of cycles resulting in live births	41.3	25.0	19.0	1 / 19	0 / 3	1 / 3
Percentage of cycles resulting in pregnancy	46.4	27.9	29.3	3 / 19	1 / 3	1 / 3
Outcomes per Transfer						
Number of transfers	201	55	51	17	3	3
Percentage of transfers resulting in singleton live births	35.3	20.0	11.8	1 / 17	0 / 3	1 / 3
Percentage of transfers resulting in triplets or more live births	1.5	0.0	0.0	0 / 17	0 / 3	0 / 3
Percentage of transfers resulting in live births	48.3	30.9	21.6	1 / 17	0 / 3	1 / 3
Percentage of transfers resulting in pregnancy	54.2	34.5	33.3	3 / 17	1 / 3	1 / 3
Outcomes per Pregnancy						
Number of pregnancies	109	19	17	3	1	1
Percentage of pregnancies resulting in singleton live births	65.1	11 / 19	6 / 17	1 / 3	0 / 1	1 / 1
Percentage of pregnancies resulting in triplets or more live births	2.8	0 / 19	0 / 17	0 / 3	0 / 1	0 / 1
Percentage of pregnancies resulting in live births	89.0	17 / 19	11 / 17	1 / 3	0 / 1	1 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	149	56	26	13	3	4
Number of transfers	146	54	25	13	3	4
Average number of embryos transferred	1.9	2.0	2.3	1.7	2.3	2.3
Percentage of embryos transferred resulting in implantation	17.7	13.9	13.8	18.2	1 / 7	1 / 9
Percentage of transfers resulting in singleton live births	15.1	24.1	20.0	1 / 13	0 / 3	1 / 4
Percentage of transfers resulting in triplets or more live births	0.0	0.0	4.0	0 / 13	0 / 3	0 / 4
Percentage of transfers resulting in live births	21.2	25.9	24.0	2 / 13	0 / 3	1 / 4
Percentage of transfers resulting in pregnancy	28.1	25.9	28.0	3 / 13	1 / 3	1 / 4
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	63		42			
Number of transfers	60		41			
Average number of embryos transferred	2.0		2.0			
Percentage of embryos transferred resulting in implantation	39.2		20.2			
Percentage of transfers resulting in singleton live births	30.0		9.8			
Percentage of transfers resulting in live births	45.0		19.5			
Percentage of transfers resulting in pregnancy	53.3		26.8			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Florida Institute for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 14 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

JACKSONVILLE CENTER FOR REPRODUCTIVE MEDICINE JACKSONVILLE, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	29%	Tubal factor	11%	Uterine factor	2%	
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	21%	Male factor	20%	
Used gestational carrier	0%			Diminished ovarian reserve	31%	Other factor	13%	
				Endometriosis	31%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				9%
				Female & male factors				12%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 308

Data verified by Michael D. Fox, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	104	50	43	8	2	0
Percentage of cancellations	4.8	4.0	16.3	1 / 8	0 / 2	
Average number of embryos transferred	1.9	2.2	2.0	1.8	2.0	
Percentage of embryos transferred resulting in implantation	29.7	17.0	18.6	0 / 9	0 / 4	
Percentage of elective single embryo transfer (eSET)	8.6	4.9	0.0	0 / 2	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	19.2	18.0	11.6	0 / 8	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 8	0 / 2	
Percentage of cycles resulting in live births	30.8	26.0	14.0	0 / 8	0 / 2	
Percentage of cycles resulting in pregnancy	34.6	28.0	20.9	0 / 8	0 / 2	
Outcomes per Transfer						
Number of transfers	85	46	29	5	2	0
Percentage of transfers resulting in singleton live births	23.5	19.6	17.2	0 / 5	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 5	0 / 2	
Percentage of transfers resulting in live births	37.6	28.3	20.7	0 / 5	0 / 2	
Percentage of transfers resulting in pregnancy	42.4	30.4	31.0	0 / 5	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	36	14	9	0	0	0
Percentage of pregnancies resulting in singleton live births	55.6	9 / 14	5 / 9			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 14	0 / 9			
Percentage of pregnancies resulting in live births	88.9	13 / 14	6 / 9			
Frozen Embryos from Nondonor Eggs						
Number of cycles	35	16	14	1	0	2
Number of transfers	32	15	14	1	0	2
Average number of embryos transferred	1.9	1.5	1.9	2.0		2.0
Percentage of embryos transferred resulting in implantation	16.7	4.5	7.4	0 / 2		0 / 4
Percentage of transfers resulting in singleton live births	18.8	1 / 15	0 / 14	0 / 1		0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0 / 15	0 / 14	0 / 1		0 / 2
Percentage of transfers resulting in live births	21.9	1 / 15	0 / 14	0 / 1		0 / 2
Percentage of transfers resulting in pregnancy	34.4	1 / 15	2 / 14	0 / 1		0 / 2
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		17		16		
Number of transfers		15		14		
Average number of embryos transferred		1.9		1.5		
Percentage of embryos transferred resulting in implantation		58.6		19.0		
Percentage of transfers resulting in singleton live births		3 / 15		3 / 14		
Percentage of transfers resulting in live births		8 / 15		3 / 14		
Percentage of transfers resulting in pregnancy		11 / 15		4 / 14		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Jacksonville Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR NATURAL IVF JUPITER, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	47%	Tubal factor	0%	Uterine factor	0%	
Unstimulated	6%	Used PGD	0%	Ovulatory dysfunction	0%	Male factor	24%	
Used gestational carrier	0%			Diminished ovarian reserve	100%	Other factor	18%	
				Endometriosis	0%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				18%
				Female & male factors				24%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 17

Data verified by Gene Manko, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	0	0	5	9	2	1
Percentage of cancellations			1 / 5	3 / 9	0 / 2	1 / 1
Average number of embryos transferred			1.0			
Percentage of embryos transferred resulting in implantation			0 / 2			
Percentage of elective single embryo transfer (eSET)						
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births			0 / 5	0 / 9	0 / 2	0 / 1
Percentage of cycles resulting in triplets or more live births			0 / 5	0 / 9	0 / 2	0 / 1
Percentage of cycles resulting in live births			0 / 5	0 / 9	0 / 2	0 / 1
Percentage of cycles resulting in pregnancy			0 / 5	0 / 9	0 / 2	0 / 1
Outcomes per Transfer						
Number of transfers	0	0	2	0	0	0
Percentage of transfers resulting in singleton live births			0 / 2			
Percentage of transfers resulting in triplets or more live births			0 / 2			
Percentage of transfers resulting in live births			0 / 2			
Percentage of transfers resulting in pregnancy			0 / 2			
Outcomes per Pregnancy						
Number of pregnancies	0	0	0	0	0	0
Percentage of pregnancies resulting in singleton live births						
Percentage of pregnancies resulting in triplets or more live births						
Percentage of pregnancies resulting in live births						
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	0	0	0	0	0
Number of transfers	0	0	0	0	0	0
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in triplets or more live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						
All Ages Combined^f						
	Fresh Embryos		Frozen Embryos			
Donor Eggs						
Number of cycles	0		0			
Number of transfers	0		0			
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Natural IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**CENTER FOR REPRODUCTIVE MEDICINE
LUTZ, FLORIDA**

This clinic provided ART services during 2011 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2011 ART cycle data or the clinic's Medical Director did not approve the clinic's 2011 ART cycle data for inclusion in this report.

IVF FLORIDA MARGATE, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	69%	Tubal factor	17%	Uterine factor	2%	
Unstimulated	<1%	Used PGD	<1%	Ovulatory dysfunction	11%	Male factor	32%	
Used gestational carrier	<1%			Diminished ovarian reserve	32%	Other factor	9%	
				Endometriosis	9%	Unknown factor	9%	
				Multiple Factors:				
				Female factors only				7%
				Female & male factors				11%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 1045

Data verified by David I. Hoffman, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	261	149	200	92	35	16
Percentage of cancellations	5.4	8.1	14.5	17.4	25.7	9 / 16
Average number of embryos transferred	1.7	2.1	2.6	3.2	2.9	2.5
Percentage of embryos transferred resulting in implantation	37.5	23.6	13.2	5.7	1.6	1 / 15
Percentage of elective single embryo transfer (eSET)	28.2	0.9	0.7	0.0	0 / 16	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	24.5	16.1	12.5	4.3	0.0	0 / 16
Percentage of cycles resulting in triplets or more live births	0.8	0.0	0.0	0.0	0.0	0 / 16
Percentage of cycles resulting in live births	36.8	22.1	14.5	6.5	0.0	0 / 16
Percentage of cycles resulting in pregnancy	41.8	33.6	24.5	15.2	5.7	1 / 16
Outcomes per Transfer						
Number of transfers	230	123	156	66	22	6
Percentage of transfers resulting in singleton live births	27.8	19.5	16.0	6.1	0.0	0 / 6
Percentage of transfers resulting in triplets or more live births	0.9	0.0	0.0	0.0	0.0	0 / 6
Percentage of transfers resulting in live births	41.7	26.8	18.6	9.1	0.0	0 / 6
Percentage of transfers resulting in pregnancy	47.4	40.7	31.4	21.2	9.1	1 / 6
Outcomes per Pregnancy						
Number of pregnancies	109	50	49	14	2	1
Percentage of pregnancies resulting in singleton live births	58.7	48.0	51.0	4 / 14	0 / 2	0 / 1
Percentage of pregnancies resulting in triplets or more live births	1.8	0.0	0.0	0 / 14	0 / 2	0 / 1
Percentage of pregnancies resulting in live births	88.1	66.0	59.2	6 / 14	0 / 2	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	85	42	23	23	6	3
Number of transfers	83	41	22	22	5	2
Average number of embryos transferred	1.5	1.6	1.9	2.2	1.8	1.0
Percentage of embryos transferred resulting in implantation	27.8	26.9	36.6	22.9	0 / 9	1 / 2
Percentage of transfers resulting in singleton live births	30.1	22.0	22.7	40.9	0 / 5	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 5	0 / 2
Percentage of transfers resulting in live births	32.5	29.3	31.8	40.9	0 / 5	0 / 2
Percentage of transfers resulting in pregnancy	43.4	36.6	59.1	54.5	0 / 5	1 / 2
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	75		35			
Number of transfers	67		33			
Average number of embryos transferred	1.7		1.7			
Percentage of embryos transferred resulting in implantation	45.3		38.2			
Percentage of transfers resulting in singleton live births	31.3		39.4			
Percentage of transfers resulting in live births	47.8		42.4			
Percentage of transfers resulting in pregnancy	68.7		57.6			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: IVF Florida

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**VIERA FERTILITY CENTER
FERTILITY AND REPRODUCTIVE MEDICINE CENTER FOR WOMEN
MELBOURNE, FLORIDA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	30%	Tubal factor	26%	Uterine factor	23%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	23%	Male factor	30%	
Used gestational carrier	0%			Diminished ovarian reserve	30%	Other factor	17%	
				Endometriosis	13%	Unknown factor	4%	
				Multiple Factors:				
				Female factors only				32%
				Female & male factors				19%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 53

Data verified by Diran Chamoun, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	18	5	8	11	1	0
Percentage of cancellations	1 / 18	0 / 5	0 / 8	1 / 11	0 / 1	
Average number of embryos transferred	2.2	2.6	2.6	2.1	2.0	
Percentage of embryos transferred resulting in implantation	29.7	0 / 13	9.5	2 / 19	0 / 2	
Percentage of elective single embryo transfer (eSET)	0 / 16	0 / 5	0 / 8	0 / 5	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	5 / 18	0 / 5	2 / 8	0 / 11	0 / 1	
Percentage of cycles resulting in triplets or more live births	0 / 18	0 / 5	0 / 8	0 / 11	0 / 1	
Percentage of cycles resulting in live births	8 / 18	0 / 5	2 / 8	0 / 11	0 / 1	
Percentage of cycles resulting in pregnancy	8 / 18	0 / 5	4 / 8	2 / 11	0 / 1	
Outcomes per Transfer						
Number of transfers	17	5	8	9	1	0
Percentage of transfers resulting in singleton live births	5 / 17	0 / 5	2 / 8	0 / 9	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 17	0 / 5	0 / 8	0 / 9	0 / 1	
Percentage of transfers resulting in live births	8 / 17	0 / 5	2 / 8	0 / 9	0 / 1	
Percentage of transfers resulting in pregnancy	8 / 17	0 / 5	4 / 8	2 / 9	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	8	0	4	2	0	0
Percentage of pregnancies resulting in singleton live births	5 / 8		2 / 4	0 / 2		
Percentage of pregnancies resulting in triplets or more live births	0 / 8		0 / 4	0 / 2		
Percentage of pregnancies resulting in live births	8 / 8		2 / 4	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	0	0	0	0	0
Number of transfers	2	0	0	0	0	0
Average number of embryos transferred	1.5					
Percentage of embryos transferred resulting in implantation	0 / 3					
Percentage of transfers resulting in singleton live births	0 / 2					
Percentage of transfers resulting in triplets or more live births	0 / 2					
Percentage of transfers resulting in live births	0 / 2					
Percentage of transfers resulting in pregnancy	0 / 2					

All Ages Combined^f

Donor Eggs	Fresh Embryos	Frozen Embryos
Number of cycles	3	5
Number of transfers	3	5
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation	3 / 6	0 / 10
Percentage of transfers resulting in singleton live births	1 / 3	0 / 5
Percentage of transfers resulting in live births	2 / 3	0 / 5
Percentage of transfers resulting in pregnancy	2 / 3	1 / 5

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Viera Fertility Center, Fertility and Reproductive Medicine Center for Women

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY & IVF CENTER OF MIAMI, INC. MIAMI, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	87%	Tubal factor	22%	Uterine factor	7%
Unstimulated	<1%	Used PGD	6%	Ovulatory dysfunction	11%	Male factor	52%
Used gestational carrier	1%			Diminished ovarian reserve	55%	Other factor	19%
				Endometriosis	10%	Unknown factor	1%
				Multiple Factors: Female factors only 20% Female & male factors 37%			

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 574

Data verified by Michael H. Jacobs, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	131	120	101	62	18	6
Percentage of cancellations	6.9	6.7	18.8	19.4	2 / 18	1 / 6
Average number of embryos transferred	2.3	2.2	2.4	2.8	2.7	2.6
Percentage of embryos transferred resulting in implantation	30.0	25.4	22.0	10.7	9.4	0 / 13
Percentage of elective single embryo transfer (eSET)	4.4	2.2	1.4	0.0	0 / 10	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.7	24.2	12.9	12.9	2 / 18	0 / 6
Percentage of cycles resulting in triplets or more live births	1.5	1.7	0.0	0.0	0 / 18	0 / 6
Percentage of cycles resulting in live births	36.6	29.2	16.8	14.5	2 / 18	0 / 6
Percentage of cycles resulting in pregnancy	42.0	35.8	32.7	19.4	2 / 18	0 / 6
Outcomes per Transfer						
Number of transfers	118	105	73	46	12	5
Percentage of transfers resulting in singleton live births	26.3	27.6	17.8	17.4	2 / 12	0 / 5
Percentage of transfers resulting in triplets or more live births	1.7	1.9	0.0	0.0	0 / 12	0 / 5
Percentage of transfers resulting in live births	40.7	33.3	23.3	19.6	2 / 12	0 / 5
Percentage of transfers resulting in pregnancy	46.6	41.0	45.2	26.1	2 / 12	0 / 5
Outcomes per Pregnancy						
Number of pregnancies	55	43	33	12	2	0
Percentage of pregnancies resulting in singleton live births	56.4	67.4	39.4	8 / 12	2 / 2	
Percentage of pregnancies resulting in triplets or more live births	3.6	4.7	0.0	0 / 12	0 / 2	
Percentage of pregnancies resulting in live births	87.3	81.4	51.5	9 / 12	2 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	32	21	21	8	5	6
Number of transfers	31	20	21	7	4	5
Average number of embryos transferred	1.7	2.0	1.9	1.9	1.8	1.8
Percentage of embryos transferred resulting in implantation	34.6	27.5	43.6	2 / 13	0 / 7	1 / 9
Percentage of transfers resulting in singleton live births	25.8	30.0	23.8	2 / 7	0 / 4	1 / 5
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 7	0 / 4	0 / 5
Percentage of transfers resulting in live births	35.5	35.0	33.3	2 / 7	0 / 4	1 / 5
Percentage of transfers resulting in pregnancy	41.9	45.0	52.4	2 / 7	0 / 4	1 / 5
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	39		4			
Number of transfers	32		4			
Average number of embryos transferred	2.2		2.0			
Percentage of embryos transferred resulting in implantation	55.1		2 / 8			
Percentage of transfers resulting in singleton live births	28.1		0 / 4			
Percentage of transfers resulting in live births	62.5		1 / 4			
Percentage of transfers resulting in pregnancy	65.6		1 / 4			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility & IVF Center of Miami, Inc.

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF MIAMI INFERTILITY CENTER MIAMI, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	68%	Tubal factor	23%	Uterine factor	2%	Multiple Factors: Female factors only 5% Female & male factors 9%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	6%	Male factor	38%	
Used gestational carrier	2%			Diminished ovarian reserve	23%	Other factor	13%	
				Endometriosis	6%	Unknown factor	5%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 127

Data verified by George R. Attia, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	43	14	25	9	4	2
Percentage of cancellations	2.3	2 / 14	4.0	3 / 9	1 / 4	0 / 2
Average number of embryos transferred	2.2	2.6	2.3	1.8	2.0	4.5
Percentage of embryos transferred resulting in implantation	29.6	19.0	26.9	0 / 11	0 / 6	0 / 9
Percentage of elective single embryo transfer (eSET)	0.0	0 / 7	0 / 18	0 / 4	0 / 2	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.9	0 / 14	16.0	0 / 9	0 / 4	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0 / 14	0.0	0 / 9	0 / 4	0 / 2
Percentage of cycles resulting in live births	34.9	2 / 14	28.0	0 / 9	0 / 4	0 / 2
Percentage of cycles resulting in pregnancy	41.9	2 / 14	40.0	0 / 9	0 / 4	0 / 2
Outcomes per Transfer						
Number of transfers	37	8	23	6	3	2
Percentage of transfers resulting in singleton live births	32.4	0 / 8	17.4	0 / 6	0 / 3	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0 / 8	0.0	0 / 6	0 / 3	0 / 2
Percentage of transfers resulting in live births	40.5	2 / 8	30.4	0 / 6	0 / 3	0 / 2
Percentage of transfers resulting in pregnancy	48.6	2 / 8	43.5	0 / 6	0 / 3	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	18	2	10	0	0	0
Percentage of pregnancies resulting in singleton live births	12 / 18	0 / 2	4 / 10			
Percentage of pregnancies resulting in triplets or more live births	0 / 18	0 / 2	0 / 10			
Percentage of pregnancies resulting in live births	15 / 18	2 / 2	7 / 10			
Frozen Embryos from Nondonor Eggs						
Number of cycles	15	3	5	2	0	0
Number of transfers	14	3	3	2	0	0
Average number of embryos transferred	1.9	2.0	2.3	2.0		
Percentage of embryos transferred resulting in implantation	25.9	2 / 6	0 / 7	1 / 4		
Percentage of transfers resulting in singleton live births	4 / 14	1 / 3	0 / 3	0 / 2		
Percentage of transfers resulting in triplets or more live births	0 / 14	0 / 3	0 / 3	0 / 2		
Percentage of transfers resulting in live births	5 / 14	1 / 3	0 / 3	0 / 2		
Percentage of transfers resulting in pregnancy	6 / 14	1 / 3	0 / 3	1 / 2		
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	5		0			
Number of transfers	5		0			
Average number of embryos transferred	2.0					
Percentage of embryos transferred resulting in implantation	6 / 10					
Percentage of transfers resulting in singleton live births	3 / 5					
Percentage of transfers resulting in live births	4 / 5					
Percentage of transfers resulting in pregnancy	5 / 5					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University of Miami Infertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PALMETTO FERTILITY CENTER OF SOUTH FLORIDA MIAMI LAKES, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	94%	Tubal factor	12%	Uterine factor	3%	
Unstimulated	4%	Used PGD	9%	Ovulatory dysfunction	17%	Male factor	44%	
Used gestational carrier	3%			Diminished ovarian reserve	45%	Other factor	20%	
				Endometriosis	6%	Unknown factor	2%	
				Multiple Factors:				
				Female factors only				12%
				Female & male factors				33%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 198

Data verified by Michael D. Graubert, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	61	31	29	6	2	2
Percentage of cancellations	6.6	0.0	3.4	0 / 6	0 / 2	1 / 2
Average number of embryos transferred	2.0	2.4	2.6	1.7	1.5	1.0
Percentage of embryos transferred resulting in implantation	45.9	24.6	21.2	0 / 5	0 / 3	0 / 1
Percentage of elective single embryo transfer (eSET)	7.7	0.0	0.0	0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	41.0	29.0	17.2	0 / 6	0 / 2	0 / 2
Percentage of cycles resulting in triplets or more live births	1.6	0.0	0.0	0 / 6	0 / 2	0 / 2
Percentage of cycles resulting in live births	55.7	38.7	20.7	0 / 6	0 / 2	0 / 2
Percentage of cycles resulting in pregnancy	63.9	41.9	41.4	0 / 6	0 / 2	0 / 2
Outcomes per Transfer						
Number of transfers	55	29	25	3	2	1
Percentage of transfers resulting in singleton live births	45.5	31.0	20.0	0 / 3	0 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	1.8	0.0	0.0	0 / 3	0 / 2	0 / 1
Percentage of transfers resulting in live births	61.8	41.4	24.0	0 / 3	0 / 2	0 / 1
Percentage of transfers resulting in pregnancy	70.9	44.8	48.0	0 / 3	0 / 2	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	39	13	12	0	0	0
Percentage of pregnancies resulting in singleton live births	64.1	9 / 13	5 / 12			
Percentage of pregnancies resulting in triplets or more live births	2.6	0 / 13	0 / 12			
Percentage of pregnancies resulting in live births	87.2	12 / 13	6 / 12			
Frozen Embryos from Nondonor Eggs						
Number of cycles	13	4	3	3	1	0
Number of transfers	13	4	3	3	1	0
Average number of embryos transferred	1.5	1.3	1.0	2.0	2.0	
Percentage of embryos transferred resulting in implantation	40.0	3 / 5	1 / 3	0 / 6	1 / 2	
Percentage of transfers resulting in singleton live births	5 / 13	1 / 4	0 / 3	0 / 3	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 13	0 / 4	0 / 3	0 / 3	0 / 1	
Percentage of transfers resulting in live births	6 / 13	1 / 4	0 / 3	0 / 3	0 / 1	
Percentage of transfers resulting in pregnancy	6 / 13	3 / 4	1 / 3	0 / 3	1 / 1	
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Number of cycles		30		13		
Number of transfers		23		13		
Average number of embryos transferred		1.9		1.6		
Percentage of embryos transferred resulting in implantation		61.4		47.6		
Percentage of transfers resulting in singleton live births		34.8		4 / 13		
Percentage of transfers resulting in live births		69.6		5 / 13		
Percentage of transfers resulting in pregnancy		78.3		9 / 13		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2011. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE, PA ORLANDO, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	54%	Tubal factor	12%	Uterine factor	4%	
Unstimulated	<1%	Used PGD	2%	Ovulatory dysfunction	36%	Male factor	24%	
Used gestational carrier	<1%			Diminished ovarian reserve	21%	Other factor	10%	
				Endometriosis	13%	Unknown factor	4%	
				Multiple Factors:				
				Female factors only				10%
				Female & male factors				12%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 702

Data verified by Randall A. Loy, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	226	105	118	26	12	1
Percentage of cancellations	7.1	10.5	12.7	38.5	3 / 12	0 / 1
Average number of embryos transferred	1.7	1.9	2.2	2.2	2.8	3.0
Percentage of embryos transferred resulting in implantation	28.9	31.9	15.5	20.7	0.0	0 / 3
Percentage of elective single embryo transfer (eSET)	21.7	16.7	3.6	0 / 11	0 / 8	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	22.1	26.7	14.4	11.5	0 / 12	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.8	0.0	0 / 12	0 / 1
Percentage of cycles resulting in live births	28.8	37.1	19.5	15.4	0 / 12	0 / 1
Percentage of cycles resulting in pregnancy	35.4	42.9	22.9	19.2	1 / 12	0 / 1
Outcomes per Transfer						
Number of transfers	183	85	95	13	9	1
Percentage of transfers resulting in singleton live births	27.3	32.9	17.9	3 / 13	0 / 9	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	1.1	0 / 13	0 / 9	0 / 1
Percentage of transfers resulting in live births	35.5	45.9	24.2	4 / 13	0 / 9	0 / 1
Percentage of transfers resulting in pregnancy	43.7	52.9	28.4	5 / 13	1 / 9	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	80	45	27	5	1	0
Percentage of pregnancies resulting in singleton live births	62.5	62.2	63.0	3 / 5	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	3.7	0 / 5	0 / 1	
Percentage of pregnancies resulting in live births	81.3	86.7	85.2	4 / 5	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	72	21	45	11	2	9
Number of transfers	65	19	33	11	1	6
Average number of embryos transferred	1.9	1.9	1.9	1.8	2.0	2.0
Percentage of embryos transferred resulting in implantation	33.1	24.3	28.6	0.0	0 / 2	0 / 12
Percentage of transfers resulting in singleton live births	36.9	5 / 19	27.3	0 / 11	0 / 1	0 / 6
Percentage of transfers resulting in triplets or more live births	1.5	0 / 19	0.0	0 / 11	0 / 1	0 / 6
Percentage of transfers resulting in live births	49.2	6 / 19	33.3	0 / 11	0 / 1	0 / 6
Percentage of transfers resulting in pregnancy	60.0	9 / 19	45.5	2 / 11	0 / 1	0 / 6
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	36		18			
Number of transfers	29		17			
Average number of embryos transferred	1.5		2.1			
Percentage of embryos transferred resulting in implantation	43.2		45.7			
Percentage of transfers resulting in singleton live births	48.3		7 / 17			
Percentage of transfers resulting in live births	55.2		10 / 17			
Percentage of transfers resulting in pregnancy	65.5		13 / 17			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Reproductive Medicine, PA

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW LEADERS IN INFERTILITY & ENDOCRINOLOGY, LLC PENSACOLA, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	85%	Tubal factor	37%	Uterine factor	2%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	10%	Male factor	38%	
Used gestational carrier	0%			Diminished ovarian reserve	32%	Other factor	2%	
				Endometriosis	26%	Unknown factor	6%	
				Multiple Factors:				
				Female factors only				19%
				Female & male factors				26%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 178

Data verified by Barry A. Ripps, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	78	25	32	16	6	1
Percentage of cancellations	9.0	0.0	15.6	4 / 16	2 / 6	0 / 1
Average number of embryos transferred	1.9	2.3	2.3	1.9	2.0	
Percentage of embryos transferred resulting in implantation	31.8	34.1	25.6	2 / 13	0 / 8	
Percentage of elective single embryo transfer (eSET)	6.7	1 / 18	0 / 14	0 / 4	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	24.4	28.0	18.8	2 / 16	0 / 6	0 / 1
Percentage of cycles resulting in triplets or more live births	1.3	4.0	3.1	0 / 16	0 / 6	0 / 1
Percentage of cycles resulting in live births	32.1	40.0	21.9	2 / 16	0 / 6	0 / 1
Percentage of cycles resulting in pregnancy	35.9	48.0	28.1	2 / 16	0 / 6	0 / 1
Outcomes per Transfer						
Number of transfers	59	19	17	7	4	0
Percentage of transfers resulting in singleton live births	32.2	7 / 19	6 / 17	2 / 7	0 / 4	
Percentage of transfers resulting in triplets or more live births	1.7	1 / 19	1 / 17	0 / 7	0 / 4	
Percentage of transfers resulting in live births	42.4	10 / 19	7 / 17	2 / 7	0 / 4	
Percentage of transfers resulting in pregnancy	47.5	12 / 19	9 / 17	2 / 7	0 / 4	
Outcomes per Pregnancy						
Number of pregnancies	28	12	9	2	0	0
Percentage of pregnancies resulting in singleton live births	67.9	7 / 12	6 / 9	2 / 2		
Percentage of pregnancies resulting in triplets or more live births	3.6	1 / 12	1 / 9	0 / 2		
Percentage of pregnancies resulting in live births	89.3	10 / 12	7 / 9	2 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	11	4	2	1	1	0
Number of transfers	11	4	2	0	1	0
Average number of embryos transferred	2.1	1.5	1.5		2.0	
Percentage of embryos transferred resulting in implantation	17.4	0 / 6	0 / 3		0 / 2	
Percentage of transfers resulting in singleton live births	1 / 11	0 / 4	0 / 2		0 / 1	
Percentage of transfers resulting in triplets or more live births	1 / 11	0 / 4	0 / 2		0 / 1	
Percentage of transfers resulting in live births	2 / 11	0 / 4	0 / 2		0 / 1	
Percentage of transfers resulting in pregnancy	2 / 11	0 / 4	0 / 2		0 / 1	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		0		1		
Number of transfers		0		1		
Average number of embryos transferred				2.0		
Percentage of embryos transferred resulting in implantation				0 / 2		
Percentage of transfers resulting in singleton live births				0 / 1		
Percentage of transfers resulting in live births				0 / 1		
Percentage of transfers resulting in pregnancy				0 / 1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: New Leaders in Infertility & Endocrinology, LLC

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 12 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY & GENETICS PLANTATION, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	79%	Tubal factor	12%	Uterine factor	5%	Multiple Factors: Female factors only 5% Female & male factors 32%
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	5%	Male factor	51%	
Used gestational carrier	0%			Diminished ovarian reserve	52%	Other factor	8%	
				Endometriosis	5%	Unknown factor	2%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 111

Data verified by Mick Abaé, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	31	23	20	20	4	3
Percentage of cancellations	6.5	0.0	10.0	5.0	0 / 4	0 / 3
Average number of embryos transferred	2.3	2.3	2.9	2.5	1.0	2.7
Percentage of embryos transferred resulting in implantation	45.5	39.6	21.2	8.6	0 / 1	0 / 8
Percentage of elective single embryo transfer (eSET)	3.4	13.6	0 / 16	0 / 10		0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	29.0	30.4	40.0	0.0	0 / 4	0 / 3
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 4	0 / 3
Percentage of cycles resulting in live births	58.1	56.5	40.0	0.0	0 / 4	0 / 3
Percentage of cycles resulting in pregnancy	64.5	65.2	45.0	10.0	0 / 4	0 / 3
Outcomes per Transfer						
Number of transfers	29	23	18	14	1	3
Percentage of transfers resulting in singleton live births	31.0	30.4	8 / 18	0 / 14	0 / 1	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 18	0 / 14	0 / 1	0 / 3
Percentage of transfers resulting in live births	62.1	56.5	8 / 18	0 / 14	0 / 1	0 / 3
Percentage of transfers resulting in pregnancy	69.0	65.2	9 / 18	2 / 14	0 / 1	0 / 3
Outcomes per Pregnancy						
Number of pregnancies	20	15	9	2	0	0
Percentage of pregnancies resulting in singleton live births	45.0	7 / 15	8 / 9	0 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 15	0 / 9	0 / 2		
Percentage of pregnancies resulting in live births	90.0	13 / 15	8 / 9	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	0	1	0	0	0
Number of transfers	0	0	1	0	0	0
Average number of embryos transferred			2.0			
Percentage of embryos transferred resulting in implantation			1 / 2			
Percentage of transfers resulting in singleton live births			1 / 1			
Percentage of transfers resulting in triplets or more live births			0 / 1			
Percentage of transfers resulting in live births			1 / 1			
Percentage of transfers resulting in pregnancy			1 / 1			
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			7		2	
Number of transfers			7		2	
Average number of embryos transferred			2.3		2.0	
Percentage of embryos transferred resulting in implantation			6 / 16		2 / 4	
Percentage of transfers resulting in singleton live births			2 / 7		1 / 2	
Percentage of transfers resulting in live births			4 / 7		1 / 2	
Percentage of transfers resulting in pregnancy			4 / 7		2 / 2	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility & Genetics

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER AND APPLIED GENETICS OF FLORIDA, INC. SARASOTA, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	72%	Tubal factor	8%	Uterine factor	1%	Multiple Factors: Female factors only 5% Female & male factors 19%
Unstimulated	0%	Used PGD	18%	Ovulatory dysfunction	2%	Male factor	38%	
Used gestational carrier	4%			Diminished ovarian reserve	44%	Other factor	18%	
				Endometriosis	6%	Unknown factor	7%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 85

Data verified by Julio E. Pabon, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	24	11	10	4	0	1
Percentage of cancellations	4.2	1 / 11	2 / 10	0 / 4		0 / 1
Average number of embryos transferred	2.1	2.3	2.4	1.7		
Percentage of embryos transferred resulting in implantation	35.4	17.4	5 / 19	3 / 5		
Percentage of elective single embryo transfer (eSET)	4.5	0 / 9	0 / 5	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	37.5	4 / 11	2 / 10	0 / 4		0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0 / 11	0 / 10	0 / 4		0 / 1
Percentage of cycles resulting in live births	50.0	4 / 11	3 / 10	1 / 4		0 / 1
Percentage of cycles resulting in pregnancy	58.3	4 / 11	5 / 10	1 / 4		0 / 1
Outcomes per Transfer						
Number of transfers	23	10	8	3	0	0
Percentage of transfers resulting in singleton live births	39.1	4 / 10	2 / 8	0 / 3		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 10	0 / 8	0 / 3		
Percentage of transfers resulting in live births	52.2	4 / 10	3 / 8	1 / 3		
Percentage of transfers resulting in pregnancy	60.9	4 / 10	5 / 8	1 / 3		
Outcomes per Pregnancy						
Number of pregnancies	14	4	5	1	0	0
Percentage of pregnancies resulting in singleton live births	9 / 14	4 / 4	2 / 5	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 14	0 / 4	0 / 5	0 / 1		
Percentage of pregnancies resulting in live births	12 / 14	4 / 4	3 / 5	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	9	4	2	0	0	0
Number of transfers	9	4	2	0	0	0
Average number of embryos transferred	2.0	2.3	1.5			
Percentage of embryos transferred resulting in implantation	5 / 18	4 / 9	1 / 3			
Percentage of transfers resulting in singleton live births	3 / 9	1 / 4	1 / 2			
Percentage of transfers resulting in triplets or more live births	0 / 9	1 / 4	0 / 2			
Percentage of transfers resulting in live births	3 / 9	2 / 4	1 / 2			
Percentage of transfers resulting in pregnancy	6 / 9	2 / 4	1 / 2			
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	14		6			
Number of transfers	13		6			
Average number of embryos transferred	1.7		2.3			
Percentage of embryos transferred resulting in implantation	59.1		4 / 14			
Percentage of transfers resulting in singleton live births	3 / 13		1 / 6			
Percentage of transfers resulting in live births	6 / 13		2 / 6			
Percentage of transfers resulting in pregnancy	10 / 13		2 / 6			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Center and Applied Genetics of Florida, Inc.

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 14 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTH FLORIDA INSTITUTE FOR REPRODUCTIVE MEDICINE SOUTH MIAMI, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	70%	Tubal factor	21%	Uterine factor	5%	
Unstimulated	0%	Used PGD	8%	Ovulatory dysfunction	8%	Male factor	60%	
Used gestational carrier	<1%			Diminished ovarian reserve	14%	Other factor	45%	
				Endometriosis	11%	Unknown factor	2%	
				Multiple Factors:				
				Female factors only				14%
				Female & male factors				41%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 715

Data verified by Juergen Eisermann, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	195	134	130	73	15	3
Percentage of cancellations	6.7	15.7	20.0	20.5	8 / 15	2 / 3
Average number of embryos transferred	1.9	1.8	1.9	2.0	1.7	4.0
Percentage of embryos transferred resulting in implantation	50.3	38.6	23.6	20.5	1 / 5	0 / 4
Percentage of elective single embryo transfer (eSET)	9.4	2.6	0.0	3.4	0 / 2	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	31.3	19.4	13.8	16.4	1 / 15	0 / 3
Percentage of cycles resulting in triplets or more live births	1.0	0.0	0.0	0.0	0 / 15	0 / 3
Percentage of cycles resulting in live births	51.3	31.3	18.5	16.4	1 / 15	0 / 3
Percentage of cycles resulting in pregnancy	56.9	36.6	23.1	19.2	1 / 15	0 / 3
Outcomes per Transfer						
Number of transfers	172	93	84	36	3	1
Percentage of transfers resulting in singleton live births	35.5	28.0	21.4	33.3	1 / 3	0 / 1
Percentage of transfers resulting in triplets or more live births	1.2	0.0	0.0	0.0	0 / 3	0 / 1
Percentage of transfers resulting in live births	58.1	45.2	28.6	33.3	1 / 3	0 / 1
Percentage of transfers resulting in pregnancy	64.5	52.7	35.7	38.9	1 / 3	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	111	49	30	14	1	0
Percentage of pregnancies resulting in singleton live births	55.0	53.1	60.0	12 / 14	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	1.8	0.0	0.0	0 / 14	0 / 1	
Percentage of pregnancies resulting in live births	90.1	85.7	80.0	12 / 14	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	39	16	16	7	4	1
Number of transfers	36	14	14	7	4	1
Average number of embryos transferred	1.9	2.0	1.9	2.0	1.5	3.0
Percentage of embryos transferred resulting in implantation	32.9	42.9	19.2	4 / 14	2 / 6	1 / 3
Percentage of transfers resulting in singleton live births	30.6	5 / 14	3 / 14	3 / 7	2 / 4	1 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 14	0 / 14	0 / 7	0 / 4	0 / 1
Percentage of transfers resulting in live births	47.2	8 / 14	4 / 14	3 / 7	2 / 4	1 / 1
Percentage of transfers resulting in pregnancy	47.2	9 / 14	4 / 14	4 / 7	2 / 4	1 / 1
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			61		21	
Number of transfers			51		18	
Average number of embryos transferred			1.9		1.8	
Percentage of embryos transferred resulting in implantation			61.1		39.4	
Percentage of transfers resulting in singleton live births			35.3		8 / 18	
Percentage of transfers resulting in live births			68.6		8 / 18	
Percentage of transfers resulting in pregnancy			72.5		11 / 18	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: South Florida Institute for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 15 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE HEALTH ASSOCIATES, PA TAMPA, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	79%	Tubal factor	44%	Uterine factor	0%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	9%	Male factor	65%
Used gestational carrier	0%			Diminished ovarian reserve	9%	Other factor	22%
				Endometriosis	0%	Unknown factor	0%
				Multiple Factors:			
						Female factors only	9%
						Female & male factors	35%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 23

Data verified by Catherine L. Cowart, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	8	3	6	2	0	0
Percentage of cancellations	1 / 8	1 / 3	1 / 6	0 / 2		
Average number of embryos transferred	2.3	2.0	3.0	3.0		
Percentage of embryos transferred resulting in implantation	0 / 16	0 / 4	1 / 15	1 / 6		
Percentage of elective single embryo transfer (eSET)	0 / 7	0 / 2	0 / 5	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	0 / 8	0 / 3	1 / 6	1 / 2		
Percentage of cycles resulting in triplets or more live births	0 / 8	0 / 3	0 / 6	0 / 2		
Percentage of cycles resulting in live births	0 / 8	0 / 3	1 / 6	1 / 2		
Percentage of cycles resulting in pregnancy	0 / 8	1 / 3	1 / 6	1 / 2		
Outcomes per Transfer						
Number of transfers	7	2	5	2	0	0
Percentage of transfers resulting in singleton live births	0 / 7	0 / 2	1 / 5	1 / 2		
Percentage of transfers resulting in triplets or more live births	0 / 7	0 / 2	0 / 5	0 / 2		
Percentage of transfers resulting in live births	0 / 7	0 / 2	1 / 5	1 / 2		
Percentage of transfers resulting in pregnancy	0 / 7	1 / 2	1 / 5	1 / 2		
Outcomes per Pregnancy						
Number of pregnancies	0	1	1	1	0	0
Percentage of pregnancies resulting in singleton live births		0 / 1	1 / 1	1 / 1		
Percentage of pregnancies resulting in triplets or more live births		0 / 1	0 / 1	0 / 1		
Percentage of pregnancies resulting in live births		0 / 1	1 / 1	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	0	1	0	0	0
Number of transfers	0	0	1	0	0	0
Average number of embryos transferred			3.0			
Percentage of embryos transferred resulting in implantation			0 / 3			
Percentage of transfers resulting in singleton live births			0 / 1			
Percentage of transfers resulting in triplets or more live births			0 / 1			
Percentage of transfers resulting in live births			0 / 1			
Percentage of transfers resulting in pregnancy			0 / 1			
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	3		0			
Number of transfers	3		0			
Average number of embryos transferred	2.3					
Percentage of embryos transferred resulting in implantation	1 / 7					
Percentage of transfers resulting in singleton live births	0 / 3					
Percentage of transfers resulting in live births	0 / 3					
Percentage of transfers resulting in pregnancy	1 / 3					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Health Associates, PA

Donor egg?	Yes	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE REPRODUCTIVE MEDICINE GROUP TAMPA, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	43%	Tubal factor	18%	Uterine factor	1%	
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	8%	Male factor	34%	
Used gestational carrier	<1%			Diminished ovarian reserve	15%	Other factor	7%	
				Endometriosis	16%	Unknown factor	20%	
				Multiple Factors:				
				Female factors only				7%
				Female & male factors				10%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 595

Data verified by Timothy Yeko, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	168	120	115	40	8	1
Percentage of cancellations	6.0	9.2	10.4	12.5	1 / 8	0 / 1
Average number of embryos transferred	1.8	2.0	2.7	3.0	3.0	1.0
Percentage of embryos transferred resulting in implantation	40.7	22.4	13.1	7.1	0.0	0 / 1
Percentage of elective single embryo transfer (eSET)	11.2	1.1	0.0	0.0	0 / 6	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	32.1	18.3	11.3	12.5	0 / 8	0 / 1
Percentage of cycles resulting in triplets or more live births	0.6	0.8	0.9	0.0	0 / 8	0 / 1
Percentage of cycles resulting in live births	44.6	25.0	17.4	12.5	0 / 8	0 / 1
Percentage of cycles resulting in pregnancy	51.2	30.8	23.5	15.0	0 / 8	0 / 1
Outcomes per Transfer						
Number of transfers	145	101	94	28	7	1
Percentage of transfers resulting in singleton live births	37.2	21.8	13.8	17.9	0 / 7	0 / 1
Percentage of transfers resulting in triplets or more live births	0.7	1.0	1.1	0.0	0 / 7	0 / 1
Percentage of transfers resulting in live births	51.7	29.7	21.3	17.9	0 / 7	0 / 1
Percentage of transfers resulting in pregnancy	59.3	36.6	28.7	21.4	0 / 7	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	86	37	27	6	0	0
Percentage of pregnancies resulting in singleton live births	62.8	59.5	48.1	5 / 6		
Percentage of pregnancies resulting in triplets or more live births	1.2	2.7	3.7	0 / 6		
Percentage of pregnancies resulting in live births	87.2	81.1	74.1	5 / 6		
Frozen Embryos from Nondonor Eggs						
Number of cycles	33	19	10	4	3	0
Number of transfers	32	19	8	4	3	0
Average number of embryos transferred	1.8	1.7	2.0	2.3	2.0	
Percentage of embryos transferred resulting in implantation	23.7	25.0	3 / 16	2 / 9	1 / 6	
Percentage of transfers resulting in singleton live births	28.1	8 / 19	3 / 8	0 / 4	1 / 3	
Percentage of transfers resulting in triplets or more live births	3.1	0 / 19	0 / 8	0 / 4	0 / 3	
Percentage of transfers resulting in live births	31.3	8 / 19	3 / 8	1 / 4	1 / 3	
Percentage of transfers resulting in pregnancy	43.8	9 / 19	3 / 8	1 / 4	1 / 3	
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			56		18	
Number of transfers			47		18	
Average number of embryos transferred			1.9		2.0	
Percentage of embryos transferred resulting in implantation			39.8		22.2	
Percentage of transfers resulting in singleton live births			25.5		6 / 18	
Percentage of transfers resulting in live births			44.7		7 / 18	
Percentage of transfers resulting in pregnancy			53.2		9 / 18	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2011. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 2 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF SOUTH FLORIDA IVF TAMPA, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	47%	Tubal factor	17%	Uterine factor	11%	
Unstimulated	2%	Used PGD	4%	Ovulatory dysfunction	10%	Male factor	36%	
Used gestational carrier	3%			Diminished ovarian reserve	31%	Other factor	7%	
				Endometriosis	4%	Unknown factor	11%	
				Multiple Factors:				
				Female factors only				10%
				Female & male factors				15%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 267

Data verified by Shayne Plosker, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	80	29	37	27	10	2
Percentage of cancellations	2.5	3.4	13.5	22.2	1 / 10	0 / 2
Average number of embryos transferred	2.1	2.4	3.1	3.2	3.4	1.5
Percentage of embryos transferred resulting in implantation	27.6	30.3	15.6	7.8	4.2	0 / 3
Percentage of elective single embryo transfer (eSET)	4.2	3.7	0.0	0 / 18	0 / 6	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	21.3	24.1	13.5	7.4	1 / 10	0 / 2
Percentage of cycles resulting in triplets or more live births	1.3	0.0	2.7	0.0	0 / 10	0 / 2
Percentage of cycles resulting in live births	35.0	37.9	21.6	11.1	1 / 10	0 / 2
Percentage of cycles resulting in pregnancy	38.8	51.7	29.7	14.8	1 / 10	0 / 2
Outcomes per Transfer						
Number of transfers	73	28	29	20	7	2
Percentage of transfers resulting in singleton live births	23.3	25.0	17.2	10.0	1 / 7	0 / 2
Percentage of transfers resulting in triplets or more live births	1.4	0.0	3.4	0.0	0 / 7	0 / 2
Percentage of transfers resulting in live births	38.4	39.3	27.6	15.0	1 / 7	0 / 2
Percentage of transfers resulting in pregnancy	42.5	53.6	37.9	20.0	1 / 7	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	31	15	11	4	1	0
Percentage of pregnancies resulting in singleton live births	54.8	7 / 15	5 / 11	2 / 4	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	3.2	0 / 15	1 / 11	0 / 4	0 / 1	
Percentage of pregnancies resulting in live births	90.3	11 / 15	8 / 11	3 / 4	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	23	9	8	2	1	1
Number of transfers	21	9	7	2	0	0
Average number of embryos transferred	1.8	1.9	2.0	2.5		
Percentage of embryos transferred resulting in implantation	43.2	8 / 17	4 / 14	2 / 5		
Percentage of transfers resulting in singleton live births	38.1	5 / 9	1 / 7	0 / 2		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 9	0 / 7	0 / 2		
Percentage of transfers resulting in live births	47.6	6 / 9	2 / 7	1 / 2		
Percentage of transfers resulting in pregnancy	76.2	6 / 9	3 / 7	1 / 2		
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		21		17		
Number of transfers		21		16		
Average number of embryos transferred		2.0		1.9		
Percentage of embryos transferred resulting in implantation		51.2		16.7		
Percentage of transfers resulting in singleton live births		23.8		5 / 16		
Percentage of transfers resulting in live births		47.6		5 / 16		
Percentage of transfers resulting in pregnancy		71.4		7 / 16		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University of South Florida IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

F.I.R.S.T.
FLORIDA INSTITUTE FOR REPRODUCTIVE SCIENCES AND TECHNOLOGIES
WESTON, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	89%	With ICSI	77%	Tubal factor	27%	Uterine factor	2%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	20%	Male factor	30%
Used gestational carrier	4%			Diminished ovarian reserve	86%	Other factor	5%
				Endometriosis	11%	Unknown factor	2%
				Multiple Factors:			
				Female factors only 34%			
				Female & male factors 29%			

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 56

Data verified by Minna R. Selub, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	7	2	13	4	0	0
Percentage of cancellations	0 / 7	0 / 2	0 / 13	0 / 4		
Average number of embryos transferred	3.5	3.0	3.4	4.0		
Percentage of embryos transferred resulting in implantation	4.8	2 / 6	0.0	0 / 12		
Percentage of elective single embryo transfer (eSET)	0 / 6	0 / 2	0 / 10	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	1 / 7	0 / 2	0 / 13	0 / 4		
Percentage of cycles resulting in triplets or more live births	0 / 7	0 / 2	0 / 13	0 / 4		
Percentage of cycles resulting in live births	1 / 7	1 / 2	0 / 13	0 / 4		
Percentage of cycles resulting in pregnancy	1 / 7	1 / 2	0 / 13	0 / 4		
Outcomes per Transfer						
Number of transfers	6	2	11	3	0	0
Percentage of transfers resulting in singleton live births	1 / 6	0 / 2	0 / 11	0 / 3		
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 2	0 / 11	0 / 3		
Percentage of transfers resulting in live births	1 / 6	1 / 2	0 / 11	0 / 3		
Percentage of transfers resulting in pregnancy	1 / 6	1 / 2	0 / 11	0 / 3		
Outcomes per Pregnancy						
Number of pregnancies	1	1	0	0	0	0
Percentage of pregnancies resulting in singleton live births	1 / 1	0 / 1				
Percentage of pregnancies resulting in triplets or more live births	0 / 1	0 / 1				
Percentage of pregnancies resulting in live births	1 / 1	1 / 1				
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	0	0	0	0	0
Number of transfers	1	0	0	0	0	0
Average number of embryos transferred	3.0					
Percentage of embryos transferred resulting in implantation	1 / 3					
Percentage of transfers resulting in singleton live births	1 / 1					
Percentage of transfers resulting in triplets or more live births	0 / 1					
Percentage of transfers resulting in live births	1 / 1					
Percentage of transfers resulting in pregnancy	1 / 1					
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			29		0	
Number of transfers			29		0	
Average number of embryos transferred			3.1			
Percentage of embryos transferred resulting in implantation			20.2			
Percentage of transfers resulting in singleton live births			20.7			
Percentage of transfers resulting in live births			31.0			
Percentage of transfers resulting in pregnancy			37.9			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: F.I.R.S.T., Florida Institute for Reproductive Sciences and Technologies

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF ASSISTED REPRODUCTION & ENDOCRINOLOGY WINTER PARK, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	60%	Tubal factor	13%	Uterine factor	11%
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	19%	Male factor	27%
Used gestational carrier	4%			Diminished ovarian reserve	39%	Other factor	3%
				Endometriosis	6%	Unknown factor	7%
				Multiple Factors:			
						Female factors only	8%
						Female & male factors	15%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 150

Data verified by Mark P. Trolce, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	46	29	18	5	2	0
Percentage of cancellations	4.3	3.4	0 / 18	0 / 5	0 / 2	
Average number of embryos transferred	2.0	2.3	2.7	1.8	2.0	
Percentage of embryos transferred resulting in implantation	24.1	26.2	22.0	1 / 9	0 / 4	
Percentage of elective single embryo transfer (eSET)	10.0	0.0	0 / 15	1 / 4	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	17.4	17.2	4 / 18	0 / 5	0 / 2	
Percentage of cycles resulting in triplets or more live births	2.2	0.0	0 / 18	0 / 5	0 / 2	
Percentage of cycles resulting in live births	28.3	37.9	6 / 18	0 / 5	0 / 2	
Percentage of cycles resulting in pregnancy	32.6	37.9	8 / 18	1 / 5	1 / 2	
Outcomes per Transfer						
Number of transfers	41	28	15	5	2	0
Percentage of transfers resulting in singleton live births	19.5	17.9	4 / 15	0 / 5	0 / 2	
Percentage of transfers resulting in triplets or more live births	2.4	0.0	0 / 15	0 / 5	0 / 2	
Percentage of transfers resulting in live births	31.7	39.3	6 / 15	0 / 5	0 / 2	
Percentage of transfers resulting in pregnancy	36.6	39.3	8 / 15	1 / 5	1 / 2	
Outcomes per Pregnancy						
Number of pregnancies	15	11	8	1	1	0
Percentage of pregnancies resulting in singleton live births	8 / 15	5 / 11	4 / 8	0 / 1	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	1 / 15	0 / 11	0 / 8	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births	13 / 15	11 / 11	6 / 8	0 / 1	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	9	4	3	2	0	0
Number of transfers	5	3	3	1	0	0
Average number of embryos transferred	2.2	2.0	2.7	3.0		
Percentage of embryos transferred resulting in implantation	2 / 11	1 / 6	0 / 8	0 / 3		
Percentage of transfers resulting in singleton live births	2 / 5	1 / 3	0 / 3	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 5	0 / 3	0 / 3	0 / 1		
Percentage of transfers resulting in live births	2 / 5	1 / 3	0 / 3	0 / 1		
Percentage of transfers resulting in pregnancy	2 / 5	1 / 3	0 / 3	0 / 1		
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		27		5		
Number of transfers		23		5		
Average number of embryos transferred		1.9		1.8		
Percentage of embryos transferred resulting in implantation		45.5		4 / 9		
Percentage of transfers resulting in singleton live births		43.5		2 / 5		
Percentage of transfers resulting in live births		60.9		3 / 5		
Percentage of transfers resulting in pregnancy		69.6		3 / 5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Center of Assisted Reproduction & Endocrinology

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ATLANTA CENTER FOR REPRODUCTIVE MEDICINE ATLANTA, GEORGIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	78%	Tubal factor	16%	Uterine factor	3%	
Unstimulated	<1%	Used PGD	4%	Ovulatory dysfunction	11%	Male factor	23%	
Used gestational carrier	<1%			Diminished ovarian reserve	28%	Other factor	12%	
				Endometriosis	9%	Unknown factor	20%	
				Multiple Factors:				
				Female factors only				12%
				Female & male factors				10%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 741

Data verified by James P. Toner, MD, PhD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	260	144	91	26	5	3
Percentage of cancellations	4.6	8.3	6.6	0.0	0 / 5	1 / 3
Average number of embryos transferred	2.0	2.5	2.7	3.3	2.2	
Percentage of embryos transferred resulting in implantation	34.7	26.4	17.5	11.4	1 / 11	
Percentage of elective single embryo transfer (eSET)	6.6	2.6	2.9	0.0	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.5	25.0	19.8	7.7	1 / 5	0 / 3
Percentage of cycles resulting in triplets or more live births	0.0	2.1	0.0	0.0	0 / 5	0 / 3
Percentage of cycles resulting in live births	41.9	34.0	26.4	15.4	1 / 5	0 / 3
Percentage of cycles resulting in pregnancy	49.6	43.8	29.7	15.4	1 / 5	0 / 3
Outcomes per Transfer						
Number of transfers	242	122	78	21	5	0
Percentage of transfers resulting in singleton live births	28.5	29.5	23.1	9.5	1 / 5	
Percentage of transfers resulting in triplets or more live births	0.0	2.5	0.0	0.0	0 / 5	
Percentage of transfers resulting in live births	45.0	40.2	30.8	19.0	1 / 5	
Percentage of transfers resulting in pregnancy	53.3	51.6	34.6	19.0	1 / 5	
Outcomes per Pregnancy						
Number of pregnancies	129	63	27	4	1	0
Percentage of pregnancies resulting in singleton live births	53.5	57.1	66.7	2 / 4	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	4.8	0.0	0 / 4	0 / 1	
Percentage of pregnancies resulting in live births	84.5	77.8	88.9	4 / 4	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	86	28	12	0	0	0
Number of transfers	79	27	12	0	0	0
Average number of embryos transferred	1.5	1.9	1.8			
Percentage of embryos transferred resulting in implantation	38.8	44.0	50.0			
Percentage of transfers resulting in singleton live births	31.6	25.9	6 / 12			
Percentage of transfers resulting in triplets or more live births	0.0	3.7	0 / 12			
Percentage of transfers resulting in live births	41.8	48.1	7 / 12			
Percentage of transfers resulting in pregnancy	48.1	59.3	8 / 12			
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		54		32		
Number of transfers		48		31		
Average number of embryos transferred		2.0		1.8		
Percentage of embryos transferred resulting in implantation		56.1		38.6		
Percentage of transfers resulting in singleton live births		33.3		25.8		
Percentage of transfers resulting in live births		68.8		45.2		
Percentage of transfers resulting in pregnancy		70.8		45.2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Atlanta Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 37 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

EMORY REPRODUCTIVE CENTER ATLANTA, GEORGIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	85%	Tubal factor	31%	Uterine factor	22%	Multiple Factors: Female factors only 25% Female & male factors 22%
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	15%	Male factor	32%	
Used gestational carrier	2%			Diminished ovarian reserve	32%	Other factor	3%	
				Endometriosis	18%	Unknown factor	11%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 226

Data verified by Donna Session, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	70	46	29	10	9	3
Percentage of cancellations	5.7	6.5	10.3	1 / 10	2 / 9	0 / 3
Average number of embryos transferred	1.9	2.2	3.2	3.7	3.8	3.0
Percentage of embryos transferred resulting in implantation	49.6	40.4	19.5	15.2	0.0	1 / 3
Percentage of elective single embryo transfer (eSET)	6.7	5.1	0.0	0 / 9	0 / 5	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	44.3	30.4	24.1	2 / 10	0 / 9	1 / 3
Percentage of cycles resulting in triplets or more live births	1.4	2.2	0.0	0 / 10	0 / 9	0 / 3
Percentage of cycles resulting in live births	60.0	47.8	34.5	3 / 10	0 / 9	1 / 3
Percentage of cycles resulting in pregnancy	65.7	52.2	51.7	4 / 10	0 / 9	1 / 3
Outcomes per Transfer						
Number of transfers	63	41	26	9	7	1
Percentage of transfers resulting in singleton live births	49.2	34.1	26.9	2 / 9	0 / 7	1 / 1
Percentage of transfers resulting in triplets or more live births	1.6	2.4	0.0	0 / 9	0 / 7	0 / 1
Percentage of transfers resulting in live births	66.7	53.7	38.5	3 / 9	0 / 7	1 / 1
Percentage of transfers resulting in pregnancy	73.0	58.5	57.7	4 / 9	0 / 7	1 / 1
Outcomes per Pregnancy						
Number of pregnancies	46	24	15	4	0	1
Percentage of pregnancies resulting in singleton live births	67.4	58.3	7 / 15	2 / 4		1 / 1
Percentage of pregnancies resulting in triplets or more live births	2.2	4.2	0 / 15	0 / 4		0 / 1
Percentage of pregnancies resulting in live births	91.3	91.7	10 / 15	3 / 4		1 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	24	16	5	1	1	0
Number of transfers	24	16	5	1	1	0
Average number of embryos transferred	2.1	2.1	3.0	3.0	5.0	
Percentage of embryos transferred resulting in implantation	35.3	23.5	3 / 15	1 / 3	0 / 5	
Percentage of transfers resulting in singleton live births	37.5	6 / 16	0 / 5	1 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in live births	54.2	7 / 16	1 / 5	1 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	54.2	9 / 16	2 / 5	1 / 1	1 / 1	
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			5		7	
Number of transfers			5		7	
Average number of embryos transferred			2.0		2.3	
Percentage of embryos transferred resulting in implantation			6 / 10		3 / 16	
Percentage of transfers resulting in singleton live births			2 / 5		1 / 7	
Percentage of transfers resulting in live births			4 / 5		2 / 7	
Percentage of transfers resulting in pregnancy			4 / 5		2 / 7	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Emory Reproductive Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 2 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GEORGIA REPRODUCTIVE SPECIALISTS, LLC

ATLANTA, GEORGIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	47%	Tubal factor	19%	Uterine factor	<1%
Unstimulated	0%	Used PGD	9%	Ovulatory dysfunction	14%	Male factor	22%
Used gestational carrier	3%			Diminished ovarian reserve	23%	Other factor	19%
				Endometriosis	10%	Unknown factor	21%
				Multiple Factors:			
						Female factors only	15%
						Female & male factors	11%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 428

Data verified by Mark Perloe, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	99	44	58	24	0	0
Percentage of cancellations	5.1	15.9	22.4	16.7		
Average number of embryos transferred	2.1	2.3	3.0	2.8		
Percentage of embryos transferred resulting in implantation	25.8	23.0	14.1	5.7		
Percentage of elective single embryo transfer (eSET)	4.8	0.0	0.0	0 / 17		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	20.2	13.6	15.5	12.5		
Percentage of cycles resulting in triplets or more live births	0.0	0.0	1.7	0.0		
Percentage of cycles resulting in live births	32.3	22.7	19.0	12.5		
Percentage of cycles resulting in pregnancy	38.4	29.5	22.4	20.8		
Outcomes per Transfer						
Number of transfers	86	32	42	19	0	0
Percentage of transfers resulting in singleton live births	23.3	18.8	21.4	3 / 19		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	2.4	0 / 19		
Percentage of transfers resulting in live births	37.2	31.3	26.2	3 / 19		
Percentage of transfers resulting in pregnancy	44.2	40.6	31.0	5 / 19		
Outcomes per Pregnancy						
Number of pregnancies	38	13	13	5	0	0
Percentage of pregnancies resulting in singleton live births	52.6	6 / 13	9 / 13	3 / 5		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 13	1 / 13	0 / 5		
Percentage of pregnancies resulting in live births	84.2	10 / 13	11 / 13	3 / 5		
Frozen Embryos from Nondonor Eggs						
Number of cycles	74	35	40	8	3	2
Number of transfers	68	33	36	7	3	1
Average number of embryos transferred	1.9	1.9	1.9	1.6	2.0	1.0
Percentage of embryos transferred resulting in implantation	19.0	27.4	17.4	3 / 11	1 / 6	0 / 1
Percentage of transfers resulting in singleton live births	19.1	30.3	13.9	2 / 7	1 / 3	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 7	0 / 3	0 / 1
Percentage of transfers resulting in live births	25.0	39.4	16.7	2 / 7	1 / 3	0 / 1
Percentage of transfers resulting in pregnancy	32.4	39.4	36.1	4 / 7	1 / 3	0 / 1
All Ages Combined^f						
Donor Eggs	Fresh Embryos			Frozen Embryos		
Number of cycles	14			27		
Number of transfers	13			26		
Average number of embryos transferred	2.1			1.8		
Percentage of embryos transferred resulting in implantation	44.4			26.1		
Percentage of transfers resulting in singleton live births	6 / 13			26.9		
Percentage of transfers resulting in live births	9 / 13			30.8		
Percentage of transfers resulting in pregnancy	10 / 13			38.5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Georgia Reproductive Specialists, LLC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 20 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE BIOLOGY ASSOCIATES ATLANTA, GEORGIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	91%	Tubal factor	12%	Uterine factor	4%	
Unstimulated	<1%	Used PGD	7%	Ovulatory dysfunction	17%	Male factor	28%	
Used gestational carrier	<1%			Diminished ovarian reserve	47%	Other factor	14%	
				Endometriosis	10%	Unknown factor	6%	
				Multiple Factors:				
				Female factors only				17%
				Female & male factors				17%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 1061

Data verified by Daniel Shapiro, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	206	117	122	58	28	4
Percentage of cancellations	5.3	8.5	11.5	12.1	10.7	0 / 4
Average number of embryos transferred	1.6	2.1	2.6	3.2	2.8	2.3
Percentage of embryos transferred resulting in implantation	29.9	24.3	15.6	9.4	5.9	0 / 7
Percentage of elective single embryo transfer (eSET)	43.5	18.4	5.1	0.0	0.0	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.7	27.4	18.9	13.8	7.1	0 / 4
Percentage of cycles resulting in triplets or more live births	0.0	1.7	0.0	0.0	0.0	0 / 4
Percentage of cycles resulting in live births	35.0	34.2	24.6	17.2	10.7	0 / 4
Percentage of cycles resulting in pregnancy	40.8	36.8	36.1	29.3	17.9	0 / 4
Outcomes per Transfer						
Number of transfers	189	103	105	49	24	3
Percentage of transfers resulting in singleton live births	30.2	31.1	21.9	16.3	8.3	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	1.9	0.0	0.0	0.0	0 / 3
Percentage of transfers resulting in live births	38.1	38.8	28.6	20.4	12.5	0 / 3
Percentage of transfers resulting in pregnancy	44.4	41.7	41.9	34.7	20.8	0 / 3
Outcomes per Pregnancy						
Number of pregnancies	84	43	44	17	5	0
Percentage of pregnancies resulting in singleton live births	67.9	74.4	52.3	8 / 17	2 / 5	
Percentage of pregnancies resulting in triplets or more live births	0.0	4.7	0.0	0 / 17	0 / 5	
Percentage of pregnancies resulting in live births	85.7	93.0	68.2	10 / 17	3 / 5	
Frozen Embryos from Nondonor Eggs						
Number of cycles	177	92	84	29	12	6
Number of transfers	174	90	83	28	12	6
Average number of embryos transferred	1.7	1.7	2.0	2.0	2.3	2.2
Percentage of embryos transferred resulting in implantation	42.8	27.3	32.7	26.3	14.3	2 / 13
Percentage of transfers resulting in singleton live births	33.9	32.2	32.5	25.0	4 / 12	2 / 6
Percentage of transfers resulting in triplets or more live births	1.7	0.0	0.0	0.0	0 / 12	0 / 6
Percentage of transfers resulting in live births	50.0	38.9	45.8	35.7	4 / 12	2 / 6
Percentage of transfers resulting in pregnancy	60.3	55.6	54.2	50.0	4 / 12	2 / 6
All Ages Combined^f						
Donor Eggs	Fresh Embryos			Frozen Embryos		
Number of cycles	19			107		
Number of transfers	18			101		
Average number of embryos transferred	1.6			1.6		
Percentage of embryos transferred resulting in implantation	72.4			36.8		
Percentage of transfers resulting in singleton live births	7 / 18			39.6		
Percentage of transfers resulting in live births	13 / 18			47.5		
Percentage of transfers resulting in pregnancy	15 / 18			58.4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Biology Associates

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 121 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE AND INFERTILITY ASSOCIATES AUGUSTA, GEORGIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	56%	Tubal factor	32%	Uterine factor	0%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	8%	Male factor	42%	
Used gestational carrier	0%			Diminished ovarian reserve	5%	Other factor	8%	
				Endometriosis	11%	Unknown factor	13%	
				Multiple Factors:				
				Female factors only				5%
				Female & male factors				13%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 38

Data verified by Adelina M. Emmi, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	16	9	0	0	0	0
Percentage of cancellations	1 / 16	1 / 9				
Average number of embryos transferred	1.8	1.9				
Percentage of embryos transferred resulting in implantation	48.1	7 / 15				
Percentage of elective single embryo transfer (eSET)	3 / 15	1 / 8				
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	7 / 16	4 / 9				
Percentage of cycles resulting in triplets or more live births	0 / 16	0 / 9				
Percentage of cycles resulting in live births	10 / 16	5 / 9				
Percentage of cycles resulting in pregnancy	10 / 16	6 / 9				
Outcomes per Transfer						
Number of transfers	15	8	0	0	0	0
Percentage of transfers resulting in singleton live births	7 / 15	4 / 8				
Percentage of transfers resulting in triplets or more live births	0 / 15	0 / 8				
Percentage of transfers resulting in live births	10 / 15	5 / 8				
Percentage of transfers resulting in pregnancy	10 / 15	6 / 8				
Outcomes per Pregnancy						
Number of pregnancies	10	6	0	0	0	0
Percentage of pregnancies resulting in singleton live births	7 / 10	4 / 6				
Percentage of pregnancies resulting in triplets or more live births	0 / 10	0 / 6				
Percentage of pregnancies resulting in live births	10 / 10	5 / 6				
Frozen Embryos from Nondonor Eggs						
Number of cycles	8	2	3	0	0	0
Number of transfers	6	1	2	0	0	0
Average number of embryos transferred	2.0	2.0	1.5			
Percentage of embryos transferred resulting in implantation	3 / 12	0 / 2	2 / 3			
Percentage of transfers resulting in singleton live births	3 / 6	0 / 1	0 / 2			
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 1	0 / 2			
Percentage of transfers resulting in live births	3 / 6	0 / 1	1 / 2			
Percentage of transfers resulting in pregnancy	3 / 6	0 / 1	1 / 2			
All Ages Combined^f						
	Fresh Embryos		Frozen Embryos			
Number of cycles	0		0			
Number of transfers	0		0			
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine and Infertility Associates

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SERVY INSTITUTE FOR REPRODUCTIVE ENDOCRINOLOGY AUGUSTA, GEORGIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	52%	Tubal factor	29%	Uterine factor	23%	
Unstimulated	0%	Used PGD	6%	Ovulatory dysfunction	20%	Male factor	30%	
Used gestational carrier	0%			Diminished ovarian reserve	27%	Other factor	9%	
				Endometriosis	18%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				33%
				Female & male factors				14%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 66

Data verified by Edouard Servy, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	23	9	13	2	0	1
Percentage of cancellations	0.0	1 / 9	2 / 13	2 / 2		0 / 1
Average number of embryos transferred	1.9	2.3	2.6			3.0
Percentage of embryos transferred resulting in implantation	38.9	4 / 16	13.0			0 / 3
Percentage of elective single embryo transfer (eSET)	2 / 18	0 / 7	0 / 9			0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	34.8	0 / 9	2 / 13	0 / 2		0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0 / 9	0 / 13	0 / 2		0 / 1
Percentage of cycles resulting in live births	43.5	1 / 9	2 / 13	0 / 2		0 / 1
Percentage of cycles resulting in pregnancy	47.8	2 / 9	3 / 13	0 / 2		0 / 1
Outcomes per Transfer						
Number of transfers	19	7	9	0	0	1
Percentage of transfers resulting in singleton live births	8 / 19	0 / 7	2 / 9			0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 19	0 / 7	0 / 9			0 / 1
Percentage of transfers resulting in live births	10 / 19	1 / 7	2 / 9			0 / 1
Percentage of transfers resulting in pregnancy	11 / 19	2 / 7	3 / 9			0 / 1
Outcomes per Pregnancy						
Number of pregnancies	11	2	3	0	0	0
Percentage of pregnancies resulting in singleton live births	8 / 11	0 / 2	2 / 3			
Percentage of pregnancies resulting in triplets or more live births	0 / 11	0 / 2	0 / 3			
Percentage of pregnancies resulting in live births	10 / 11	1 / 2	2 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	4	3	0	1	0
Number of transfers	6	3	3	0	1	0
Average number of embryos transferred	1.8	2.0	1.7		2.0	
Percentage of embryos transferred resulting in implantation	8 / 11	0 / 6	2 / 5		0 / 2	
Percentage of transfers resulting in singleton live births	0 / 6	0 / 3	2 / 3		0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 3	0 / 3		0 / 1	
Percentage of transfers resulting in live births	3 / 6	0 / 3	2 / 3		0 / 1	
Percentage of transfers resulting in pregnancy	4 / 6	0 / 3	2 / 3		0 / 1	
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Number of cycles		2		1		
Number of transfers		2		1		
Average number of embryos transferred		2.0		2.0		
Percentage of embryos transferred resulting in implantation		1 / 4		2 / 2		
Percentage of transfers resulting in singleton live births		1 / 2		0 / 1		
Percentage of transfers resulting in live births		1 / 2		1 / 1		
Percentage of transfers resulting in pregnancy		1 / 2		1 / 1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Servy Massey Fertility Institute, Servy Institute for Reproductive Endocrinology

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COLUMBUS CENTER FOR REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY, LLC COLUMBUS, GEORGIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	87%	Tubal factor	47%	Uterine factor	0%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	85%	Male factor	39%	
Used gestational carrier	0%			Diminished ovarian reserve	14%	Other factor	0%	
				Endometriosis	15%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				37%
				Female & male factors				38%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 103

Data verified by Prakash J. Thiruppathi, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	41	14	10	1	2	0
Percentage of cancellations	4.9	3 / 14	3 / 10	0 / 1	0 / 2	
Average number of embryos transferred	2.2	2.2	2.3	3.0	2.0	
Percentage of embryos transferred resulting in implantation	29.7	31.8	1 / 16	2 / 3	0 / 4	
Percentage of elective single embryo transfer (eSET)	0.0	1 / 9	0 / 7	0 / 1	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	22.0	3 / 14	1 / 10	0 / 1	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 14	0 / 10	0 / 1	0 / 2	
Percentage of cycles resulting in live births	31.7	5 / 14	1 / 10	1 / 1	0 / 2	
Percentage of cycles resulting in pregnancy	46.3	5 / 14	1 / 10	1 / 1	0 / 2	
Outcomes per Transfer						
Number of transfers	33	10	7	1	2	0
Percentage of transfers resulting in singleton live births	27.3	3 / 10	1 / 7	0 / 1	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 10	0 / 7	0 / 1	0 / 2	
Percentage of transfers resulting in live births	39.4	5 / 10	1 / 7	1 / 1	0 / 2	
Percentage of transfers resulting in pregnancy	57.6	5 / 10	1 / 7	1 / 1	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	19	5	1	1	0	0
Percentage of pregnancies resulting in singleton live births	9 / 19	3 / 5	1 / 1	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 19	0 / 5	0 / 1	0 / 1		
Percentage of pregnancies resulting in live births	13 / 19	5 / 5	1 / 1	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	20	1	2	2	1	0
Number of transfers	16	1	2	2	1	0
Average number of embryos transferred	2.4	3.0	1.5	2.0	3.0	
Percentage of embryos transferred resulting in implantation	28.2	1 / 3	0 / 3	2 / 4	2 / 3	
Percentage of transfers resulting in singleton live births	7 / 16	1 / 1	0 / 2	2 / 2	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 16	0 / 1	0 / 2	0 / 2	0 / 1	
Percentage of transfers resulting in live births	8 / 16	1 / 1	0 / 2	2 / 2	1 / 1	
Percentage of transfers resulting in pregnancy	8 / 16	1 / 1	0 / 2	2 / 2	1 / 1	
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Number of cycles		8		1		
Number of transfers		6		1		
Average number of embryos transferred		2.2		1.0		
Percentage of embryos transferred resulting in implantation		12 / 13		0 / 1		
Percentage of transfers resulting in singleton live births		1 / 6		0 / 1		
Percentage of transfers resulting in live births		5 / 6		0 / 1		
Percentage of transfers resulting in pregnancy		5 / 6		0 / 1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Columbus Center for Reproductive Endocrinology and Infertility, LLC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTRAL GEORGIA FERTILITY INSTITUTE MACON, GEORGIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	63%	Tubal factor	10%	Uterine factor	10%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	20%	Male factor	40%	
Used gestational carrier	0%			Diminished ovarian reserve	0%	Other factor	0%	
				Endometriosis	60%	Unknown factor	10%	
				Multiple Factors:				
				Female factors only				10%
				Female & male factors				40%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 10

Data verified by William J. Butler, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	4	3	1	0	0	0
Percentage of cancellations	0 / 4	0 / 3	0 / 1			
Average number of embryos transferred	1.8	1.3				
Percentage of embryos transferred resulting in implantation	3 / 7	1 / 4				
Percentage of elective single embryo transfer (eSET)	1 / 4	0 / 1				
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	3 / 4	1 / 3	0 / 1			
Percentage of cycles resulting in triplets or more live births	0 / 4	0 / 3	0 / 1			
Percentage of cycles resulting in live births	3 / 4	1 / 3	0 / 1			
Percentage of cycles resulting in pregnancy	3 / 4	1 / 3	0 / 1			
Outcomes per Transfer						
Number of transfers	4	3	0	0	0	0
Percentage of transfers resulting in singleton live births	3 / 4	1 / 3				
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 3				
Percentage of transfers resulting in live births	3 / 4	1 / 3				
Percentage of transfers resulting in pregnancy	3 / 4	1 / 3				
Outcomes per Pregnancy						
Number of pregnancies	3	1	0	0	0	0
Percentage of pregnancies resulting in singleton live births	3 / 3	1 / 1				
Percentage of pregnancies resulting in triplets or more live births	0 / 3	0 / 1				
Percentage of pregnancies resulting in live births	3 / 3	1 / 1				
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	1	1	0	0	0
Number of transfers	0	1	1	0	0	0
Average number of embryos transferred		2.0	1.0			
Percentage of embryos transferred resulting in implantation		0 / 2	0 / 1			
Percentage of transfers resulting in singleton live births		0 / 1	0 / 1			
Percentage of transfers resulting in triplets or more live births		0 / 1	0 / 1			
Percentage of transfers resulting in live births		0 / 1	0 / 1			
Percentage of transfers resulting in pregnancy		0 / 1	0 / 1			
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		0		0		
Number of transfers		0		0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Central Georgia Fertility Institute

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE GEORGIA CENTER FOR REPRODUCTIVE MEDICINE SAVANNAH, GEORGIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	76%	Tubal factor	22%	Uterine factor	6%	Multiple Factors: Female factors only 6% Female & male factors 41%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	20%	Male factor	64%	
Used gestational carrier	0%			Diminished ovarian reserve	27%	Other factor	1%	
				Endometriosis	9%	Unknown factor	1%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 162

Data verified by Patrick L. Blohm, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	60	24	10	2	1	0
Percentage of cancellations	5.0	4.2	0 / 10	0 / 2	0 / 1	
Average number of embryos transferred	2.0	2.2	2.2	2.5	3.0	
Percentage of embryos transferred resulting in implantation	34.6	33.3	9.1	0 / 5	0 / 3	
Percentage of elective single embryo transfer (eSET)	3.8	0.0	0 / 10	0 / 2	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	21.7	25.0	2 / 10	0 / 2	0 / 1	
Percentage of cycles resulting in triplets or more live births	1.7	4.2	0 / 10	0 / 2	0 / 1	
Percentage of cycles resulting in live births	36.7	37.5	2 / 10	0 / 2	0 / 1	
Percentage of cycles resulting in pregnancy	41.7	50.0	3 / 10	1 / 2	0 / 1	
Outcomes per Transfer						
Number of transfers	53	23	10	2	1	0
Percentage of transfers resulting in singleton live births	24.5	26.1	2 / 10	0 / 2	0 / 1	
Percentage of transfers resulting in triplets or more live births	1.9	4.3	0 / 10	0 / 2	0 / 1	
Percentage of transfers resulting in live births	41.5	39.1	2 / 10	0 / 2	0 / 1	
Percentage of transfers resulting in pregnancy	47.2	52.2	3 / 10	1 / 2	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	25	12	3	1	0	0
Percentage of pregnancies resulting in singleton live births	52.0	6 / 12	2 / 3	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	4.0	1 / 12	0 / 3	0 / 1		
Percentage of pregnancies resulting in live births	88.0	9 / 12	2 / 3	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	25	13	11	2	1	3
Number of transfers	25	13	11	2	1	3
Average number of embryos transferred	2.1	2.2	1.9	2.0	1.0	2.3
Percentage of embryos transferred resulting in implantation	50.0	14.3	9.5	0 / 4	0 / 1	3 / 7
Percentage of transfers resulting in singleton live births	32.0	3 / 13	2 / 11	0 / 2	0 / 1	1 / 3
Percentage of transfers resulting in triplets or more live births	8.0	0 / 13	0 / 11	0 / 2	0 / 1	0 / 3
Percentage of transfers resulting in live births	60.0	3 / 13	2 / 11	0 / 2	0 / 1	2 / 3
Percentage of transfers resulting in pregnancy	76.0	5 / 13	2 / 11	0 / 2	0 / 1	2 / 3
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		10		0		
Number of transfers		10		0		
Average number of embryos transferred		2.0				
Percentage of embryos transferred resulting in implantation		65.0				
Percentage of transfers resulting in singleton live births		6 / 10				
Percentage of transfers resulting in live births		8 / 10				
Percentage of transfers resulting in pregnancy		10 / 10				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Georgia Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTIVE CENTER OF HAWAII HONOLULU, HAWAII

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	78%	Tubal factor	15%	Uterine factor	<1%	
Unstimulated	2%	Used PGD	3%	Ovulatory dysfunction	2%	Male factor	90%	
Used gestational carrier	<1%			Diminished ovarian reserve	55%	Other factor	6%	
				Endometriosis	5%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				1%
				Female & male factors				70%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 154

Data verified by Christopher T. Huang, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	30	25	27	26	7	8
Percentage of cancellations	30.0	28.0	11.1	11.5	0 / 7	1 / 8
Average number of embryos transferred	2.0	2.3	3.0	3.5	3.7	2.2
Percentage of embryos transferred resulting in implantation	27.8	32.4	21.4	0.0	0.0	1 / 11
Percentage of elective single embryo transfer (eSET)	0 / 15	0 / 15	0.0	0 / 16	0 / 6	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	20.0	12.0	25.9	0.0	0 / 7	1 / 8
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 7	0 / 8
Percentage of cycles resulting in live births	26.7	24.0	33.3	0.0	0 / 7	1 / 8
Percentage of cycles resulting in pregnancy	26.7	32.0	44.4	3.8	0 / 7	1 / 8
Outcomes per Transfer						
Number of transfers	18	16	23	17	6	5
Percentage of transfers resulting in singleton live births	6 / 18	3 / 16	30.4	0 / 17	0 / 6	1 / 5
Percentage of transfers resulting in triplets or more live births	0 / 18	0 / 16	0.0	0 / 17	0 / 6	0 / 5
Percentage of transfers resulting in live births	8 / 18	6 / 16	39.1	0 / 17	0 / 6	1 / 5
Percentage of transfers resulting in pregnancy	8 / 18	8 / 16	52.2	1 / 17	0 / 6	1 / 5
Outcomes per Pregnancy						
Number of pregnancies	8	8	12	1	0	1
Percentage of pregnancies resulting in singleton live births	6 / 8	3 / 8	7 / 12	0 / 1		1 / 1
Percentage of pregnancies resulting in triplets or more live births	0 / 8	0 / 8	0 / 12	0 / 1		0 / 1
Percentage of pregnancies resulting in live births	8 / 8	6 / 8	9 / 12	0 / 1		1 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	3	4	2	1	0
Number of transfers	5	3	3	2	1	0
Average number of embryos transferred	2.0	2.0	3.7	3.5	3.0	
Percentage of embryos transferred resulting in implantation	6 / 10	3 / 6	0 / 11	0 / 7	0 / 3	
Percentage of transfers resulting in singleton live births	2 / 5	1 / 3	0 / 3	0 / 2	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 5	0 / 3	0 / 3	0 / 2	0 / 1	
Percentage of transfers resulting in live births	4 / 5	1 / 3	0 / 3	0 / 2	0 / 1	
Percentage of transfers resulting in pregnancy	4 / 5	2 / 3	0 / 3	1 / 2	0 / 1	
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			8		6	
Number of transfers			6		6	
Average number of embryos transferred			2.0		2.2	
Percentage of embryos transferred resulting in implantation			8 / 12		9 / 13	
Percentage of transfers resulting in singleton live births			1 / 6		4 / 6	
Percentage of transfers resulting in live births			4 / 6		5 / 6	
Percentage of transfers resulting in pregnancy			4 / 6		6 / 6	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Reproductive Center of Hawaii

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTIVE MEDICINE & GYNECOLOGY OF HAWAII, INC. HONOLULU, HAWAII

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	93%	Tubal factor	21%	Uterine factor	3%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	12%	Male factor	78%	
Used gestational carrier	0%			Diminished ovarian reserve	28%	Other factor	1%	
				Endometriosis	11%	Unknown factor	2%	
				Multiple Factors:				
				Female factors only				4%
				Female & male factors				46%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 224

Data verified by John L. Frattarelli, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	59	52	38	22	8	6
Percentage of cancellations	3.4	3.8	2.6	9.1	1 / 8	0 / 6
Average number of embryos transferred	2.3	2.4	2.6	2.7	3.3	2.0
Percentage of embryos transferred resulting in implantation	35.0	24.3	13.0	9.3	0.0	1 / 4
Percentage of elective single embryo transfer (eSET)	0.0	0.0	0.0	0 / 17	0 / 7	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	49.2	26.9	18.4	22.7	0 / 8	0 / 6
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 8	0 / 6
Percentage of cycles resulting in live births	59.3	38.5	21.1	22.7	0 / 8	0 / 6
Percentage of cycles resulting in pregnancy	61.0	46.2	34.2	31.8	0 / 8	1 / 6
Outcomes per Transfer						
Number of transfers	54	47	36	20	7	2
Percentage of transfers resulting in singleton live births	53.7	29.8	19.4	25.0	0 / 7	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 7	0 / 2
Percentage of transfers resulting in live births	64.8	42.6	22.2	25.0	0 / 7	0 / 2
Percentage of transfers resulting in pregnancy	66.7	51.1	36.1	35.0	0 / 7	1 / 2
Outcomes per Pregnancy						
Number of pregnancies	36	24	13	7	0	1
Percentage of pregnancies resulting in singleton live births	80.6	58.3	7 / 13	5 / 7		0 / 1
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0 / 13	0 / 7		0 / 1
Percentage of pregnancies resulting in live births	97.2	83.3	8 / 13	5 / 7		0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	9	4	0	1	0
Number of transfers	6	9	4	0	1	0
Average number of embryos transferred	2.0	1.6	2.5		3.0	
Percentage of embryos transferred resulting in implantation	4 / 12	4 / 14	4 / 10		2 / 3	
Percentage of transfers resulting in singleton live births	2 / 6	4 / 9	3 / 4		0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 9	0 / 4		0 / 1	
Percentage of transfers resulting in live births	3 / 6	4 / 9	3 / 4		1 / 1	
Percentage of transfers resulting in pregnancy	4 / 6	6 / 9	3 / 4		1 / 1	
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			15		4	
Number of transfers			15		4	
Average number of embryos transferred			2.2		2.0	
Percentage of embryos transferred resulting in implantation			48.5		4 / 8	
Percentage of transfers resulting in singleton live births			3 / 15		0 / 4	
Percentage of transfers resulting in live births			9 / 15		2 / 4	
Percentage of transfers resulting in pregnancy			10 / 15		2 / 4	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Reproductive Medicine & Gynecology of Hawaii, Inc.

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 17 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**HAWAII REPRODUCTIVE CENTER
HONOLULU, HAWAII**

This clinic provided ART services during 2011 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2011 ART cycle data or the clinic's Medical Director did not approve the clinic's 2011 ART cycle data for inclusion in this report.

IVF HAWAII HONOLULU, HAWAII

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	85%	Tubal factor	49%	Uterine factor	0%	
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	26%	Male factor	49%	
Used gestational carrier	0%			Diminished ovarian reserve	45%	Other factor	18%	
				Endometriosis	73%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				47%
				Female & male factors				44%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 110

Data verified by Benton Chun, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	19	12	34	10	8	2
Percentage of cancellations	2 / 19	0 / 12	17.6	2 / 10	2 / 8	0 / 2
Average number of embryos transferred	2.1	2.7	3.0	3.1	4.5	3.5
Percentage of embryos transferred resulting in implantation	41.9	25.0	15.0	9.1	3.7	0 / 7
Percentage of elective single embryo transfer (eSET)	1 / 14	0 / 11	0.0	0 / 5	0 / 6	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	6 / 19	2 / 12	17.6	1 / 10	0 / 8	0 / 2
Percentage of cycles resulting in triplets or more live births	0 / 19	0 / 12	0.0	0 / 10	0 / 8	0 / 2
Percentage of cycles resulting in live births	9 / 19	5 / 12	23.5	1 / 10	0 / 8	0 / 2
Percentage of cycles resulting in pregnancy	10 / 19	6 / 12	29.4	2 / 10	1 / 8	0 / 2
Outcomes per Transfer						
Number of transfers	15	12	27	7	6	2
Percentage of transfers resulting in singleton live births	6 / 15	2 / 12	22.2	1 / 7	0 / 6	0 / 2
Percentage of transfers resulting in triplets or more live births	0 / 15	0 / 12	0.0	0 / 7	0 / 6	0 / 2
Percentage of transfers resulting in live births	9 / 15	5 / 12	29.6	1 / 7	0 / 6	0 / 2
Percentage of transfers resulting in pregnancy	10 / 15	6 / 12	37.0	2 / 7	1 / 6	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	10	6	10	2	1	0
Percentage of pregnancies resulting in singleton live births	6 / 10	2 / 6	6 / 10	1 / 2	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 10	0 / 6	0 / 10	0 / 2	0 / 1	
Percentage of pregnancies resulting in live births	9 / 10	5 / 6	8 / 10	1 / 2	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	9	5	2	0	0
Number of transfers	4	7	5	2	0	0
Average number of embryos transferred	2.3	2.1	2.0	4.0		
Percentage of embryos transferred resulting in implantation	2 / 9	3 / 15	2 / 10	0 / 8		
Percentage of transfers resulting in singleton live births	2 / 4	1 / 7	2 / 5	0 / 2		
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 7	0 / 5	0 / 2		
Percentage of transfers resulting in live births	2 / 4	2 / 7	2 / 5	0 / 2		
Percentage of transfers resulting in pregnancy	2 / 4	3 / 7	3 / 5	0 / 2		
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			4		1	
Number of transfers			2		1	
Average number of embryos transferred			2.5		3.0	
Percentage of embryos transferred resulting in implantation			0 / 5		0 / 3	
Percentage of transfers resulting in singleton live births			0 / 2		0 / 1	
Percentage of transfers resulting in live births			0 / 2		0 / 1	
Percentage of transfers resulting in pregnancy			0 / 2		1 / 1	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: IVF Hawaii

Donor egg?	Yes	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PACIFIC IN VITRO FERTILIZATION INSTITUTE HONOLULU, HAWAII

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	71%	Tubal factor	18%	Uterine factor	<1%	
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	8%	Male factor	39%	
Used gestational carrier	0%			Diminished ovarian reserve	33%	Other factor	6%	
				Endometriosis	38%	Unknown factor	1%	
				Multiple Factors:				
				Female factors only				11%
				Female & male factors				25%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 421

Data verified by Thomas S. Kosasa, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	63	48	53	38	21	11
Percentage of cancellations	7.9	12.5	17.0	18.4	19.0	3 / 11
Average number of embryos transferred	2.2	2.6	3.4	2.9	3.6	2.0
Percentage of embryos transferred resulting in implantation	35.6	20.4	11.1	5.1	1.9	0 / 12
Percentage of elective single embryo transfer (eSET)	2.3	0.0	0.0	0.0	0 / 13	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	19.0	10.4	9.4	5.3	0.0	0 / 11
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 11
Percentage of cycles resulting in live births	31.7	20.8	15.1	7.9	0.0	0 / 11
Percentage of cycles resulting in pregnancy	38.1	31.3	28.3	7.9	4.8	0 / 11
Outcomes per Transfer						
Number of transfers	45	36	40	27	15	6
Percentage of transfers resulting in singleton live births	26.7	13.9	12.5	7.4	0 / 15	0 / 6
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 15	0 / 6
Percentage of transfers resulting in live births	44.4	27.8	20.0	11.1	0 / 15	0 / 6
Percentage of transfers resulting in pregnancy	53.3	41.7	37.5	11.1	1 / 15	0 / 6
Outcomes per Pregnancy						
Number of pregnancies	24	15	15	3	1	0
Percentage of pregnancies resulting in singleton live births	50.0	5 / 15	5 / 15	2 / 3	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 15	0 / 15	0 / 3	0 / 1	
Percentage of pregnancies resulting in live births	83.3	10 / 15	8 / 15	3 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	27	21	19	5	1	2
Number of transfers	25	21	18	4	1	2
Average number of embryos transferred	2.1	2.1	2.5	1.3	2.0	2.0
Percentage of embryos transferred resulting in implantation	36.5	34.1	22.2	1 / 5	1 / 2	0 / 4
Percentage of transfers resulting in singleton live births	44.0	14.3	2 / 18	1 / 4	0 / 1	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 18	0 / 4	0 / 1	0 / 2
Percentage of transfers resulting in live births	52.0	33.3	4 / 18	1 / 4	0 / 1	0 / 2
Percentage of transfers resulting in pregnancy	64.0	61.9	7 / 18	1 / 4	1 / 1	0 / 2
All Ages Combined^f						
Donor Eggs	Fresh Embryos			Frozen Embryos		
Number of cycles	80			32		
Number of transfers	69			26		
Average number of embryos transferred	2.0			2.1		
Percentage of embryos transferred resulting in implantation	47.4			40.7		
Percentage of transfers resulting in singleton live births	24.6			23.1		
Percentage of transfers resulting in live births	52.2			34.6		
Percentage of transfers resulting in pregnancy	60.9			61.5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Pacific In Vitro Fertilization Institute

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

TRIPLER ARMY MEDICAL CENTER IVF INSTITUTE TRIPLER AMC, HAWAII

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	57%	Tubal factor	56%	Uterine factor	8%	Multiple Factors: Female factors only 4% Female & male factors 16%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	8%	Male factor	36%	
Used gestational carrier	0%			Diminished ovarian reserve	8%	Other factor	0%	
				Endometriosis	4%	Unknown factor	16%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 25

Data verified by Nia Middleton, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	11	1	5	4	0	0
Percentage of cancellations	2 / 11	0 / 1	2 / 5	1 / 4		
Average number of embryos transferred	2.0	2.0	4.0	4.0		
Percentage of embryos transferred resulting in implantation	7 / 16	0 / 2	2 / 4	0 / 12		
Percentage of elective single embryo transfer (eSET)	0 / 8	0 / 1	0 / 1	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	1 / 11	0 / 1	0 / 5	0 / 4		
Percentage of cycles resulting in triplets or more live births	0 / 11	0 / 1	0 / 5	0 / 4		
Percentage of cycles resulting in live births	4 / 11	0 / 1	1 / 5	0 / 4		
Percentage of cycles resulting in pregnancy	5 / 11	0 / 1	1 / 5	1 / 4		
Outcomes per Transfer						
Number of transfers	8	1	1	3	0	0
Percentage of transfers resulting in singleton live births	1 / 8	0 / 1	0 / 1	0 / 3		
Percentage of transfers resulting in triplets or more live births	0 / 8	0 / 1	0 / 1	0 / 3		
Percentage of transfers resulting in live births	4 / 8	0 / 1	1 / 1	0 / 3		
Percentage of transfers resulting in pregnancy	5 / 8	0 / 1	1 / 1	1 / 3		
Outcomes per Pregnancy						
Number of pregnancies	5	0	1	1	0	0
Percentage of pregnancies resulting in singleton live births	1 / 5		0 / 1	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 5		0 / 1	0 / 1		
Percentage of pregnancies resulting in live births	4 / 5		1 / 1	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	1	2	0	0	0
Number of transfers	1	1	2	0	0	0
Average number of embryos transferred	2.0	2.0	3.0			
Percentage of embryos transferred resulting in implantation	0 / 2	0 / 2	5 / 6			
Percentage of transfers resulting in singleton live births	0 / 1	0 / 1	0 / 2			
Percentage of transfers resulting in triplets or more live births	0 / 1	0 / 1	1 / 2			
Percentage of transfers resulting in live births	0 / 1	0 / 1	2 / 2			
Percentage of transfers resulting in pregnancy	0 / 1	1 / 1	2 / 2			
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	0		0			
Number of transfers	0		0			
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Tripler Army Medical Center IVF Institute

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IDAHO CENTER FOR REPRODUCTIVE MEDICINE BOISE, IDAHO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	60%	Tubal factor	16%	Uterine factor	5%	
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	16%	Male factor	37%	
Used gestational carrier	8%			Diminished ovarian reserve	38%	Other factor	18%	
				Endometriosis	8%	Unknown factor	2%	
				Multiple Factors:				
				Female factors only				15%
				Female & male factors				21%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 390

Data verified by Cristin C. Slater, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	118	37	29	15	2	0
Percentage of cancellations	3.4	5.4	3.4	0 / 15	0 / 2	
Average number of embryos transferred	2.1	2.4	2.3	3.1	4.0	
Percentage of embryos transferred resulting in implantation	30.1	20.8	10.7	6.5	0 / 4	
Percentage of elective single embryo transfer (eSET)	1.0	0.0	0.0	0 / 13	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	22.9	18.9	17.2	2 / 15	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.8	0.0	0.0	0 / 15	0 / 2	
Percentage of cycles resulting in live births	39.0	29.7	17.2	2 / 15	0 / 2	
Percentage of cycles resulting in pregnancy	44.1	29.7	20.7	2 / 15	0 / 2	
Outcomes per Transfer						
Number of transfers	110	32	24	15	1	0
Percentage of transfers resulting in singleton live births	24.5	21.9	20.8	2 / 15	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.9	0.0	0.0	0 / 15	0 / 1	
Percentage of transfers resulting in live births	41.8	34.4	20.8	2 / 15	0 / 1	
Percentage of transfers resulting in pregnancy	47.3	34.4	25.0	2 / 15	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	52	11	6	2	0	0
Percentage of pregnancies resulting in singleton live births	51.9	7 / 11	5 / 6	2 / 2		
Percentage of pregnancies resulting in triplets or more live births	1.9	0 / 11	0 / 6	0 / 2		
Percentage of pregnancies resulting in live births	88.5	11 / 11	5 / 6	2 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	50	20	10	3	5	4
Number of transfers	49	20	8	3	5	4
Average number of embryos transferred	2.1	2.3	2.5	2.3	2.0	2.3
Percentage of embryos transferred resulting in implantation	26.7	23.9	15.0	0 / 7	1 / 10	1 / 9
Percentage of transfers resulting in singleton live births	34.7	15.0	3 / 8	0 / 3	1 / 5	0 / 4
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 8	0 / 3	0 / 5	0 / 4
Percentage of transfers resulting in live births	40.8	30.0	3 / 8	0 / 3	1 / 5	0 / 4
Percentage of transfers resulting in pregnancy	53.1	40.0	3 / 8	1 / 3	1 / 5	2 / 4
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		48		49		
Number of transfers		46		49		
Average number of embryos transferred		2.1		2.3		
Percentage of embryos transferred resulting in implantation		49.5		39.1		
Percentage of transfers resulting in singleton live births		43.5		22.4		
Percentage of transfers resulting in live births		58.7		44.9		
Percentage of transfers resulting in pregnancy		67.4		59.2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Idaho Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

RUSH-COPLEY CENTER FOR REPRODUCTIVE HEALTH AURORA, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	90%	Tubal factor	10%	Uterine factor	2%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	5%	Male factor	23%
Used gestational carrier	1%			Diminished ovarian reserve	11%	Other factor	57%
				Endometriosis	13%	Unknown factor	0%
				Multiple Factors:			
						Female factors only	6%
						Female & male factors	15%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 116

Data verified by Zvi Binor, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	46	13	24	2	10	2
Percentage of cancellations	4.3	1 / 13	12.5	0 / 2	2 / 10	1 / 2
Average number of embryos transferred	2.1	2.2	2.2	2.0	1.9	3.0
Percentage of embryos transferred resulting in implantation	29.2	33.3	16.2	0 / 2	1 / 15	0 / 3
Percentage of elective single embryo transfer (eSET)	0.0	0 / 11	0 / 14	0 / 1	0 / 6	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.4	2 / 13	8.3	0 / 2	1 / 10	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0 / 13	0.0	0 / 2	0 / 10	0 / 2
Percentage of cycles resulting in live births	34.8	5 / 13	12.5	0 / 2	1 / 10	0 / 2
Percentage of cycles resulting in pregnancy	43.5	5 / 13	25.0	0 / 2	1 / 10	0 / 2
Outcomes per Transfer						
Number of transfers	43	11	17	1	8	1
Percentage of transfers resulting in singleton live births	32.6	2 / 11	2 / 17	0 / 1	1 / 8	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 11	0 / 17	0 / 1	0 / 8	0 / 1
Percentage of transfers resulting in live births	37.2	5 / 11	3 / 17	0 / 1	1 / 8	0 / 1
Percentage of transfers resulting in pregnancy	46.5	5 / 11	6 / 17	0 / 1	1 / 8	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	20	5	6	0	1	0
Percentage of pregnancies resulting in singleton live births	70.0	2 / 5	2 / 6		1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 5	0 / 6		0 / 1	
Percentage of pregnancies resulting in live births	80.0	5 / 5	3 / 6		1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	3	3	0	0	0
Number of transfers	6	3	3	0	0	0
Average number of embryos transferred	2.3	2.0	1.0			
Percentage of embryos transferred resulting in implantation	3 / 14	2 / 6	0 / 3			
Percentage of transfers resulting in singleton live births	1 / 6	0 / 3	0 / 3			
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 3	0 / 3			
Percentage of transfers resulting in live births	1 / 6	1 / 3	0 / 3			
Percentage of transfers resulting in pregnancy	3 / 6	1 / 3	0 / 3			
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Number of cycles		4		2		
Number of transfers		4		2		
Average number of embryos transferred		2.3		3.0		
Percentage of embryos transferred resulting in implantation		1 / 9		0 / 6		
Percentage of transfers resulting in singleton live births		1 / 4		0 / 2		
Percentage of transfers resulting in live births		1 / 4		0 / 2		
Percentage of transfers resulting in pregnancy		2 / 4		0 / 2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Rush-Copley Center for Reproductive Health

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MARTIN S. BALIN, MD, PhD
CHICAGO, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	82%	Tubal factor	0%	Uterine factor	0%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	19%	Male factor	0%
Used gestational carrier	0%			Diminished ovarian reserve	38%	Other factor	0%
				Endometriosis	0%	Unknown factor	44%
				Multiple Factors:			
						Female factors only	0%
						Female & male factors	0%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 16

Data verified by Martin S. Balin, MD, PhD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	6	1	3	1	0	0
Percentage of cancellations	0 / 6	0 / 1	0 / 3	0 / 1		
Average number of embryos transferred	1.8	1.0	2.7			
Percentage of embryos transferred resulting in implantation	2 / 11	0 / 1	0 / 8			
Percentage of elective single embryo transfer (eSET)	0 / 5		0 / 3			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	1 / 6	0 / 1	0 / 3	0 / 1		
Percentage of cycles resulting in triplets or more live births	0 / 6	0 / 1	0 / 3	0 / 1		
Percentage of cycles resulting in live births	1 / 6	0 / 1	0 / 3	0 / 1		
Percentage of cycles resulting in pregnancy	2 / 6	0 / 1	0 / 3	0 / 1		
Outcomes per Transfer						
Number of transfers	6	1	3	0	0	0
Percentage of transfers resulting in singleton live births	1 / 6	0 / 1	0 / 3			
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 1	0 / 3			
Percentage of transfers resulting in live births	1 / 6	0 / 1	0 / 3			
Percentage of transfers resulting in pregnancy	2 / 6	0 / 1	0 / 3			
Outcomes per Pregnancy						
Number of pregnancies	2	0	0	0	0	0
Percentage of pregnancies resulting in singleton live births	1 / 2					
Percentage of pregnancies resulting in triplets or more live births	0 / 2					
Percentage of pregnancies resulting in live births	1 / 2					
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	0	2	0	0	0
Number of transfers	2	0	2	0	0	0
Average number of embryos transferred	1.5		2.0			
Percentage of embryos transferred resulting in implantation	1 / 3		0 / 4			
Percentage of transfers resulting in singleton live births	0 / 2		0 / 2			
Percentage of transfers resulting in triplets or more live births	0 / 2		0 / 2			
Percentage of transfers resulting in live births	0 / 2		0 / 2			
Percentage of transfers resulting in pregnancy	1 / 2		0 / 2			
All Ages Combined^f						
	Fresh Embryos			Frozen Embryos		
Number of cycles	1			0		
Number of transfers	1			0		
Average number of embryos transferred	2.0					
Percentage of embryos transferred resulting in implantation	0 / 2					
Percentage of transfers resulting in singleton live births	0 / 1					
Percentage of transfers resulting in live births	0 / 1					
Percentage of transfers resulting in pregnancy	0 / 1					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Martin S. Balin, MD, PhD

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**CENTER FOR REPRODUCTIVE MEDICINE & FERTILITY
THE UNIVERSITY OF CHICAGO
CHICAGO, ILLINOIS**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	42%	Tubal factor	20%	Uterine factor	6%	
Unstimulated	0%	Used PGD	6%	Ovulatory dysfunction	18%	Male factor	27%	
Used gestational carrier	1%			Diminished ovarian reserve	18%	Other factor	22%	
				Endometriosis	6%	Unknown factor	18%	
				Multiple Factors:				
				Female factors only				17%
				Female & male factors				14%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 282

Data verified by Helen Kim, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	61	42	41	9	11	0
Percentage of cancellations	27.9	14.3	34.1	5 / 9	4 / 11	
Average number of embryos transferred	1.8	2.3	2.6	5.0	3.7	
Percentage of embryos transferred resulting in implantation	22.6	28.9	20.0	0 / 10	4.5	
Percentage of elective single embryo transfer (eSET)	19.4	3.0	0.0	0 / 2	0 / 6	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	14.8	16.7	19.5	0 / 9	0 / 11	
Percentage of cycles resulting in triplets or more live births	0.0	4.8	0.0	0 / 9	0 / 11	
Percentage of cycles resulting in live births	18.0	31.0	19.5	0 / 9	0 / 11	
Percentage of cycles resulting in pregnancy	19.7	33.3	22.0	0 / 9	1 / 11	
Outcomes per Transfer						
Number of transfers	35	33	21	2	6	0
Percentage of transfers resulting in singleton live births	25.7	21.2	38.1	0 / 2	0 / 6	
Percentage of transfers resulting in triplets or more live births	0.0	6.1	0.0	0 / 2	0 / 6	
Percentage of transfers resulting in live births	31.4	39.4	38.1	0 / 2	0 / 6	
Percentage of transfers resulting in pregnancy	34.3	42.4	42.9	0 / 2	1 / 6	
Outcomes per Pregnancy						
Number of pregnancies	12	14	9	0	1	0
Percentage of pregnancies resulting in singleton live births	9 / 12	7 / 14	8 / 9		0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 12	2 / 14	0 / 9		0 / 1	
Percentage of pregnancies resulting in live births	11 / 12	13 / 14	8 / 9		0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	44	25	14	6	4	0
Number of transfers	41	23	12	4	2	0
Average number of embryos transferred	1.9	1.9	2.3	2.5	4.0	
Percentage of embryos transferred resulting in implantation	28.9	20.5	7.1	5 / 10	0 / 8	
Percentage of transfers resulting in singleton live births	22.0	30.4	2 / 12	0 / 4	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 12	0 / 4	0 / 2	
Percentage of transfers resulting in live births	34.1	30.4	2 / 12	1 / 4	0 / 2	
Percentage of transfers resulting in pregnancy	36.6	43.5	3 / 12	4 / 4	1 / 2	
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			14		11	
Number of transfers			10		9	
Average number of embryos transferred			1.7		1.7	
Percentage of embryos transferred resulting in implantation			4 / 17		3 / 15	
Percentage of transfers resulting in singleton live births			4 / 10		3 / 9	
Percentage of transfers resulting in live births			4 / 10		3 / 9	
Percentage of transfers resulting in pregnancy			5 / 10		5 / 9	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Reproductive Medicine & Fertility, The University of Chicago

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 3 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INSTITUTE FOR HUMAN REPRODUCTION (IHR) CHICAGO, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	81%	Tubal factor	25%	Uterine factor	6%	Multiple Factors: Female factors only 20% Female & male factors 31%
Unstimulated	1%	Used PGD	20%	Ovulatory dysfunction	21%	Male factor	39%	
Used gestational carrier	<1%			Diminished ovarian reserve	42%	Other factor	19%	
				Endometriosis	7%	Unknown factor	4%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 222

Data verified by Ilan Tur-Kaspa, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	55	29	26	17	4	12
Percentage of cancellations	0.0	0.0	11.5	2 / 17	0 / 4	1 / 12
Average number of embryos transferred	1.9	1.9	2.4	2.7	4.0	2.1
Percentage of embryos transferred resulting in implantation	31.0	32.0	18.9	8.6	0 / 8	0 / 17
Percentage of elective single embryo transfer (eSET)	16.0	19.0	0.0	0 / 9	0 / 2	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.6	31.0	15.4	2 / 17	0 / 4	0 / 12
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 17	0 / 4	0 / 12
Percentage of cycles resulting in live births	38.2	37.9	19.2	2 / 17	0 / 4	0 / 12
Percentage of cycles resulting in pregnancy	41.8	41.4	34.6	3 / 17	0 / 4	0 / 12
Outcomes per Transfer						
Number of transfers	52	27	22	13	2	8
Percentage of transfers resulting in singleton live births	25.0	33.3	18.2	2 / 13	0 / 2	0 / 8
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 13	0 / 2	0 / 8
Percentage of transfers resulting in live births	40.4	40.7	22.7	2 / 13	0 / 2	0 / 8
Percentage of transfers resulting in pregnancy	44.2	44.4	40.9	3 / 13	0 / 2	0 / 8
Outcomes per Pregnancy						
Number of pregnancies	23	12	9	3	0	0
Percentage of pregnancies resulting in singleton live births	56.5	9 / 12	4 / 9	2 / 3		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 12	0 / 9	0 / 3		
Percentage of pregnancies resulting in live births	91.3	11 / 12	5 / 9	2 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	28	8	10	4	3	3
Number of transfers	28	6	10	4	3	3
Average number of embryos transferred	1.6	1.5	1.4	1.3	1.7	1.3
Percentage of embryos transferred resulting in implantation	32.6	4 / 9	3 / 14	2 / 5	4 / 5	1 / 4
Percentage of transfers resulting in singleton live births	14.3	3 / 6	3 / 10	2 / 4	2 / 3	1 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0 / 6	0 / 10	0 / 4	0 / 3	0 / 3
Percentage of transfers resulting in live births	32.1	3 / 6	3 / 10	2 / 4	3 / 3	1 / 3
Percentage of transfers resulting in pregnancy	39.3	4 / 6	3 / 10	2 / 4	3 / 3	1 / 3
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
	Number of cycles	20	3			
Number of transfers	20	3				
Average number of embryos transferred	1.9	2.0				
Percentage of embryos transferred resulting in implantation	59.5	1 / 6				
Percentage of transfers resulting in singleton live births	40.0	1 / 3				
Percentage of transfers resulting in live births	65.0	1 / 3				
Percentage of transfers resulting in pregnancy	70.0	2 / 3				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Institute for Human Reproduction (IHR)

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTHWESTERN UNIVERSITY CHICAGO, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	84%	Tubal factor	9%	Uterine factor	4%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	11%	Male factor	30%
Used gestational carrier	1%			Diminished ovarian reserve	38%	Other factor	3%
				Endometriosis	4%	Unknown factor	21%
				Multiple Factors:			
						Female factors only	5%
						Female & male factors	12%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 706

Data verified by Edmond Confino, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	168	106	121	75	20	5
Percentage of cancellations	8.3	5.7	9.9	12.0	15.0	0 / 5
Average number of embryos transferred	1.9	2.0	2.4	2.7	3.0	3.4
Percentage of embryos transferred resulting in implantation	40.1	29.5	15.1	7.3	6.3	0 / 17
Percentage of elective single embryo transfer (eSET)	12.5	9.9	2.1	0.0	0 / 13	0 / 5
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	36.3	24.5	15.7	12.0	0.0	0 / 5
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.8	0.0	0.0	0 / 5
Percentage of cycles resulting in live births	48.8	33.0	18.2	12.0	0.0	0 / 5
Percentage of cycles resulting in pregnancy	55.4	42.5	28.1	17.3	15.0	0 / 5
Outcomes per Transfer						
Number of transfers	149	95	103	61	16	5
Percentage of transfers resulting in singleton live births	40.9	27.4	18.4	14.8	0 / 16	0 / 5
Percentage of transfers resulting in triplets or more live births	0.0	0.0	1.0	0.0	0 / 16	0 / 5
Percentage of transfers resulting in live births	55.0	36.8	21.4	14.8	0 / 16	0 / 5
Percentage of transfers resulting in pregnancy	62.4	47.4	33.0	21.3	3 / 16	0 / 5
Outcomes per Pregnancy						
Number of pregnancies	93	45	34	13	3	0
Percentage of pregnancies resulting in singleton live births	65.6	57.8	55.9	9 / 13	0 / 3	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	2.9	0 / 13	0 / 3	
Percentage of pregnancies resulting in live births	88.2	77.8	64.7	9 / 13	0 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	59	21	26	12	8	5
Number of transfers	59	21	25	11	8	5
Average number of embryos transferred	2.0	2.2	2.6	2.2	2.1	3.0
Percentage of embryos transferred resulting in implantation	10.8	27.7	9.1	12.5	1 / 17	2 / 15
Percentage of transfers resulting in singleton live births	13.6	19.0	12.0	0 / 11	1 / 8	2 / 5
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 11	0 / 8	0 / 5
Percentage of transfers resulting in live births	15.3	33.3	12.0	1 / 11	1 / 8	2 / 5
Percentage of transfers resulting in pregnancy	23.7	42.9	24.0	2 / 11	1 / 8	2 / 5
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		45		35		
Number of transfers		42		35		
Average number of embryos transferred		2.0		2.3		
Percentage of embryos transferred resulting in implantation		33.7		18.8		
Percentage of transfers resulting in singleton live births		33.3		31.4		
Percentage of transfers resulting in live births		45.2		34.3		
Percentage of transfers resulting in pregnancy		54.8		37.1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Northwestern University

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 26 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

RIVER NORTH IVF-FERTILITY CENTERS OF ILLINOIS CHICAGO, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	83%	Tubal factor	9%	Uterine factor	3%	
Unstimulated	<1%	Used PGD	<1%	Ovulatory dysfunction	21%	Male factor	24%	
Used gestational carrier	<1%			Diminished ovarian reserve	26%	Other factor	12%	
				Endometriosis	5%	Unknown factor	21%	
				Multiple Factors:				
				Female factors only				7%
				Female & male factors				11%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 2044

Data verified by Angeline Beltsos, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	528	285	247	135	66	13
Percentage of cancellations	10.2	13.3	19.8	23.0	33.3	5 / 13
Average number of embryos transferred	1.8	2.0	2.2	2.5	3.0	2.0
Percentage of embryos transferred resulting in implantation	35.5	25.8	17.7	8.1	6.7	0 / 10
Percentage of elective single embryo transfer (eSET)	26.0	10.7	1.2	0.0	0.0	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	29.0	20.4	13.8	9.6	1.5	0 / 13
Percentage of cycles resulting in triplets or more live births	0.2	0.0	0.4	0.0	0.0	0 / 13
Percentage of cycles resulting in live births	37.3	27.4	16.6	9.6	1.5	0 / 13
Percentage of cycles resulting in pregnancy	42.0	33.3	23.5	16.3	13.6	0 / 13
Outcomes per Transfer						
Number of transfers	432	228	185	96	40	5
Percentage of transfers resulting in singleton live births	35.4	25.4	18.4	13.5	2.5	0 / 5
Percentage of transfers resulting in triplets or more live births	0.2	0.0	0.5	0.0	0.0	0 / 5
Percentage of transfers resulting in live births	45.6	34.2	22.2	13.5	2.5	0 / 5
Percentage of transfers resulting in pregnancy	51.4	41.7	31.4	22.9	22.5	0 / 5
Outcomes per Pregnancy						
Number of pregnancies	222	95	58	22	9	0
Percentage of pregnancies resulting in singleton live births	68.9	61.1	58.6	59.1	1 / 9	
Percentage of pregnancies resulting in triplets or more live births	0.5	0.0	1.7	0.0	0 / 9	
Percentage of pregnancies resulting in live births	88.7	82.1	70.7	59.1	1 / 9	
Frozen Embryos from Nondonor Eggs						
Number of cycles	277	154	105	33	11	6
Number of transfers	265	145	99	32	11	6
Average number of embryos transferred	1.7	1.7	1.7	1.8	1.7	2.0
Percentage of embryos transferred resulting in implantation	38.3	28.5	21.4	17.5	2 / 19	4 / 12
Percentage of transfers resulting in singleton live births	30.2	24.1	22.2	21.9	2 / 11	1 / 6
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 11	0 / 6
Percentage of transfers resulting in live births	43.8	30.3	27.3	21.9	2 / 11	1 / 6
Percentage of transfers resulting in pregnancy	52.5	42.1	37.4	34.4	3 / 11	3 / 6
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	99		85			
Number of transfers	82		77			
Average number of embryos transferred	1.9		1.8			
Percentage of embryos transferred resulting in implantation	51.0		23.0			
Percentage of transfers resulting in singleton live births	36.6		14.3			
Percentage of transfers resulting in live births	59.8		23.4			
Percentage of transfers resulting in pregnancy	62.2		32.5			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: River North IVF-Fertility Centers of Illinois

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 68 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF ILLINOIS AT CHICAGO IVF PROGRAM CHICAGO, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	42%	Tubal factor	21%	Uterine factor	<1%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	8%	Male factor	34%	
Used gestational carrier	0%			Diminished ovarian reserve	15%	Other factor	13%	
				Endometriosis	13%	Unknown factor	21%	
				Multiple Factors:				
				Female factors only				13%
				Female & male factors				11%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 158

Data verified by Humberto Scoccia, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	51	21	37	13	1	0
Percentage of cancellations	7.8	14.3	27.0	3 / 13	0 / 1	
Average number of embryos transferred	1.9	1.9	2.0	2.6	2.0	
Percentage of embryos transferred resulting in implantation	25.7	25.0	23.3	4.3	0 / 2	
Percentage of elective single embryo transfer (eSET)	11.1	2 / 15	1 / 17	0 / 7	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	11.8	23.8	21.6	1 / 13	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 13	0 / 1	
Percentage of cycles resulting in live births	21.6	28.6	21.6	1 / 13	0 / 1	
Percentage of cycles resulting in pregnancy	31.4	38.1	32.4	1 / 13	0 / 1	
Outcomes per Transfer						
Number of transfers	40	17	22	9	1	0
Percentage of transfers resulting in singleton live births	15.0	5 / 17	36.4	1 / 9	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 17	0.0	0 / 9	0 / 1	
Percentage of transfers resulting in live births	27.5	6 / 17	36.4	1 / 9	0 / 1	
Percentage of transfers resulting in pregnancy	40.0	8 / 17	54.5	1 / 9	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	16	8	12	1	0	0
Percentage of pregnancies resulting in singleton live births	6 / 16	5 / 8	8 / 12	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 16	0 / 8	0 / 12	0 / 1		
Percentage of pregnancies resulting in live births	11 / 16	6 / 8	8 / 12	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	19	5	4	2	0	0
Number of transfers	16	5	3	2	0	0
Average number of embryos transferred	1.6	2.0	1.7	3.0		
Percentage of embryos transferred resulting in implantation	32.0	3 / 10	2 / 5	0 / 6		
Percentage of transfers resulting in singleton live births	3 / 16	1 / 5	2 / 3	0 / 2		
Percentage of transfers resulting in triplets or more live births	0 / 16	0 / 5	0 / 3	0 / 2		
Percentage of transfers resulting in live births	4 / 16	2 / 5	2 / 3	0 / 2		
Percentage of transfers resulting in pregnancy	8 / 16	2 / 5	3 / 3	0 / 2		
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		1		4		
Number of transfers		1		4		
Average number of embryos transferred		1.0		1.5		
Percentage of embryos transferred resulting in implantation		1 / 1		1 / 6		
Percentage of transfers resulting in singleton live births		1 / 1		1 / 4		
Percentage of transfers resulting in live births		1 / 1		1 / 4		
Percentage of transfers resulting in pregnancy		1 / 1		1 / 4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University of Illinois at Chicago IVF Program

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WOMEN'S HEALTH CONSULTANTS CHICAGO, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	98%	With ICSI	85%	Tubal factor	29%	Uterine factor	32%	Multiple Factors: Female factors only 43% Female & male factors 29%
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	41%	Male factor	39%	
Used gestational carrier	2%			Diminished ovarian reserve	45%	Other factor	21%	
				Endometriosis	15%	Unknown factor	0%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 170

Data verified by Mary W. Molo, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	53	23	32	15	14	1
Percentage of cancellations	7.5	0.0	12.5	2 / 15	1 / 14	0 / 1
Average number of embryos transferred	2.3	2.5	2.4	2.9	2.6	1.0
Percentage of embryos transferred resulting in implantation	23.1	16.4	11.7	9.4	4.8	0 / 1
Percentage of elective single embryo transfer (eSET)	2.2	9.1	0.0	0 / 9	0 / 7	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	18.9	13.0	15.6	1 / 15	0 / 14	0 / 1
Percentage of cycles resulting in triplets or more live births	1.9	0.0	0.0	0 / 15	0 / 14	0 / 1
Percentage of cycles resulting in live births	28.3	21.7	15.6	1 / 15	0 / 14	0 / 1
Percentage of cycles resulting in pregnancy	34.0	30.4	21.9	3 / 15	1 / 14	0 / 1
Outcomes per Transfer						
Number of transfers	46	22	25	11	8	1
Percentage of transfers resulting in singleton live births	21.7	13.6	20.0	1 / 11	0 / 8	0 / 1
Percentage of transfers resulting in triplets or more live births	2.2	0.0	0.0	0 / 11	0 / 8	0 / 1
Percentage of transfers resulting in live births	32.6	22.7	20.0	1 / 11	0 / 8	0 / 1
Percentage of transfers resulting in pregnancy	39.1	31.8	28.0	3 / 11	1 / 8	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	18	7	7	3	1	0
Percentage of pregnancies resulting in singleton live births	10 / 18	3 / 7	5 / 7	1 / 3	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	1 / 18	0 / 7	0 / 7	0 / 3	0 / 1	
Percentage of pregnancies resulting in live births	15 / 18	5 / 7	5 / 7	1 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	11	8	1	4	1	0
Number of transfers	11	8	0	4	1	0
Average number of embryos transferred	2.4	2.1		2.5	2.0	
Percentage of embryos transferred resulting in implantation	7.7	3 / 17		0 / 10	0 / 2	
Percentage of transfers resulting in singleton live births	2 / 11	3 / 8		0 / 4	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 11	0 / 8		0 / 4	0 / 1	
Percentage of transfers resulting in live births	2 / 11	3 / 8		0 / 4	0 / 1	
Percentage of transfers resulting in pregnancy	2 / 11	3 / 8		0 / 4	0 / 1	
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	3		4			
Number of transfers	3		3			
Average number of embryos transferred	2.3		2.7			
Percentage of embryos transferred resulting in implantation	2 / 7		1 / 8			
Percentage of transfers resulting in singleton live births	2 / 3		1 / 3			
Percentage of transfers resulting in live births	2 / 3		1 / 3			
Percentage of transfers resulting in pregnancy	2 / 3		1 / 3			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Women's Health Consultants

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 9 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE HEALTH/JOLIET IVF CREST HILL, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	85%	Tubal factor	15%	Uterine factor	0%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	11%	Male factor	23%	
Used gestational carrier	0%			Diminished ovarian reserve	44%	Other factor	<1%	
				Endometriosis	6%	Unknown factor	17%	
				Multiple Factors:				
				Female factors only				8%
				Female & male factors				9%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 115

Data verified by Robert S. Springer, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	64	18	13	3	2	0
Percentage of cancellations	6.3	1 / 18	2 / 13	1 / 3	0 / 2	
Average number of embryos transferred	2.2	2.4	2.8	3.0	1.5	
Percentage of embryos transferred resulting in implantation	24.0	22.5	10.7	0 / 6	0 / 3	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 16	0 / 8	0 / 2	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	20.3	5 / 18	1 / 13	0 / 3	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 18	0 / 13	0 / 3	0 / 2	
Percentage of cycles resulting in live births	29.7	5 / 18	2 / 13	0 / 3	0 / 2	
Percentage of cycles resulting in pregnancy	34.4	7 / 18	2 / 13	1 / 3	0 / 2	
Outcomes per Transfer						
Number of transfers	56	17	10	2	2	0
Percentage of transfers resulting in singleton live births	23.2	5 / 17	1 / 10	0 / 2	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 17	0 / 10	0 / 2	0 / 2	
Percentage of transfers resulting in live births	33.9	5 / 17	2 / 10	0 / 2	0 / 2	
Percentage of transfers resulting in pregnancy	39.3	7 / 17	2 / 10	1 / 2	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	22	7	2	1	0	0
Percentage of pregnancies resulting in singleton live births	59.1	5 / 7	1 / 2	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 7	0 / 2	0 / 1		
Percentage of pregnancies resulting in live births	86.4	5 / 7	2 / 2	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	1	3	1	0	0
Number of transfers	5	1	3	1	0	0
Average number of embryos transferred	2.0	2.0	2.0	4.0		
Percentage of embryos transferred resulting in implantation	2 / 10	0 / 2	0 / 6	0 / 4		
Percentage of transfers resulting in singleton live births	1 / 5	0 / 1	0 / 3	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 5	0 / 1	0 / 3	0 / 1		
Percentage of transfers resulting in live births	1 / 5	0 / 1	0 / 3	0 / 1		
Percentage of transfers resulting in pregnancy	2 / 5	0 / 1	0 / 3	1 / 1		
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	3		2			
Number of transfers	3		2			
Average number of embryos transferred	2.0		2.0			
Percentage of embryos transferred resulting in implantation	2 / 6		0 / 4			
Percentage of transfers resulting in singleton live births	2 / 3		0 / 2			
Percentage of transfers resulting in live births	2 / 3		0 / 2			
Percentage of transfers resulting in pregnancy	2 / 3		0 / 2			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Reproductive Health/Joliet IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MIDWEST FERTILITY CENTER DOWNERS GROVE, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	98%	With ICSI	34%	Tubal factor	16%	Uterine factor	5%	
Unstimulated	0%	Used PGD	5%	Ovulatory dysfunction	25%	Male factor	28%	
Used gestational carrier	<1%			Diminished ovarian reserve	27%	Other factor	10%	
				Endometriosis	16%	Unknown factor	4%	
				Multiple Factors:				
				Female factors only				15%
				Female & male factors				13%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 171

Data verified by Amos E. Madanes, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	47	27	27	14	2	2
Percentage of cancellations	10.6	14.8	37.0	5 / 14	2 / 2	1 / 2
Average number of embryos transferred	2.1	2.6	2.6	2.3		1.0
Percentage of embryos transferred resulting in implantation	27.7	24.6	4.4	2 / 18		0 / 1
Percentage of elective single embryo transfer (eSET)	7.5	0.0	0 / 15	0 / 4		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.4	25.9	7.4	0 / 14	0 / 2	0 / 2
Percentage of cycles resulting in triplets or more live births	2.1	3.7	0.0	0 / 14	0 / 2	0 / 2
Percentage of cycles resulting in live births	27.7	33.3	7.4	0 / 14	0 / 2	0 / 2
Percentage of cycles resulting in pregnancy	38.3	37.0	14.8	2 / 14	0 / 2	0 / 2
Outcomes per Transfer						
Number of transfers	40	22	17	8	0	1
Percentage of transfers resulting in singleton live births	27.5	31.8	2 / 17	0 / 8		0 / 1
Percentage of transfers resulting in triplets or more live births	2.5	4.5	0 / 17	0 / 8		0 / 1
Percentage of transfers resulting in live births	32.5	40.9	2 / 17	0 / 8		0 / 1
Percentage of transfers resulting in pregnancy	45.0	45.5	4 / 17	2 / 8		0 / 1
Outcomes per Pregnancy						
Number of pregnancies	18	10	4	2	0	0
Percentage of pregnancies resulting in singleton live births	11 / 18	7 / 10	2 / 4	0 / 2		
Percentage of pregnancies resulting in triplets or more live births	1 / 18	1 / 10	0 / 4	0 / 2		
Percentage of pregnancies resulting in live births	13 / 18	9 / 10	2 / 4	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	22	4	10	3	1	5
Number of transfers	21	4	9	3	1	5
Average number of embryos transferred	2.2	2.0	2.3	2.0	2.0	2.0
Percentage of embryos transferred resulting in implantation	10.6	1 / 8	4.8	0 / 6	0 / 2	0 / 10
Percentage of transfers resulting in singleton live births	14.3	1 / 4	1 / 9	0 / 3	0 / 1	0 / 5
Percentage of transfers resulting in triplets or more live births	0.0	0 / 4	0 / 9	0 / 3	0 / 1	0 / 5
Percentage of transfers resulting in live births	19.0	1 / 4	1 / 9	0 / 3	0 / 1	0 / 5
Percentage of transfers resulting in pregnancy	23.8	1 / 4	1 / 9	0 / 3	0 / 1	0 / 5
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	5		2			
Number of transfers	4		2			
Average number of embryos transferred	2.3		2.0			
Percentage of embryos transferred resulting in implantation	0 / 9		1 / 4			
Percentage of transfers resulting in singleton live births	0 / 4		1 / 2			
Percentage of transfers resulting in live births	0 / 4		1 / 2			
Percentage of transfers resulting in pregnancy	0 / 4		1 / 2			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Midwest Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY CENTER OF CHICAGO GURNEE, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	73%	Tubal factor	9%	Uterine factor	2%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	11%	Male factor	31%
Used gestational carrier	<1%			Diminished ovarian reserve	38%	Other factor	5%
				Endometriosis	9%	Unknown factor	16%
				Multiple Factors:			
						Female factors only	8%
						Female & male factors	11%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 568

Data verified by Richard P. Sherbahn, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	208	83	60	10	10	2
Percentage of cancellations	3.8	9.6	10.0	1 / 10	0 / 10	2 / 2
Average number of embryos transferred	2.0	2.2	2.3	2.3	4.6	
Percentage of embryos transferred resulting in implantation	48.8	34.6	26.0	4.8	4.3	
Percentage of elective single embryo transfer (eSET)	5.2	7.1	0.0	0 / 7	0 / 10	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.3	21.7	23.3	1 / 10	1 / 10	0 / 2
Percentage of cycles resulting in triplets or more live births	1.0	1.2	0.0	0 / 10	0 / 10	0 / 2
Percentage of cycles resulting in live births	57.7	41.0	30.0	1 / 10	1 / 10	0 / 2
Percentage of cycles resulting in pregnancy	63.9	47.0	45.0	1 / 10	3 / 10	0 / 2
Outcomes per Transfer						
Number of transfers	198	72	53	9	10	0
Percentage of transfers resulting in singleton live births	31.8	25.0	26.4	1 / 9	1 / 10	
Percentage of transfers resulting in triplets or more live births	1.0	1.4	0.0	0 / 9	0 / 10	
Percentage of transfers resulting in live births	60.6	47.2	34.0	1 / 9	1 / 10	
Percentage of transfers resulting in pregnancy	67.2	54.2	50.9	1 / 9	3 / 10	
Outcomes per Pregnancy						
Number of pregnancies	133	39	27	1	3	0
Percentage of pregnancies resulting in singleton live births	47.4	46.2	51.9	1 / 1	1 / 3	
Percentage of pregnancies resulting in triplets or more live births	1.5	2.6	0.0	0 / 1	0 / 3	
Percentage of pregnancies resulting in live births	90.2	87.2	66.7	1 / 1	1 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	47	20	11	2	0	0
Number of transfers	45	20	11	2	0	0
Average number of embryos transferred	1.9	1.8	1.5	1.0		
Percentage of embryos transferred resulting in implantation	60.7	42.9	7 / 16	1 / 2		
Percentage of transfers resulting in singleton live births	33.3	35.0	4 / 11	1 / 2		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 11	0 / 2		
Percentage of transfers resulting in live births	66.7	55.0	5 / 11	1 / 2		
Percentage of transfers resulting in pregnancy	73.3	55.0	6 / 11	1 / 2		
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		84		31		
Number of transfers		75		30		
Average number of embryos transferred		1.9		1.6		
Percentage of embryos transferred resulting in implantation		69.1		51.1		
Percentage of transfers resulting in singleton live births		38.7		36.7		
Percentage of transfers resulting in live births		80.0		53.3		
Percentage of transfers resulting in pregnancy		82.7		76.7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Fertility Center of Chicago

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 6 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CHICAGO INFERTILITY ASSOCIATES, LTD. HANOVER PARK, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	79%	Tubal factor	21%	Uterine factor	11%	Multiple Factors: Female factors only 21% Female & male factors 16%
Unstimulated	0%	Used PGD	47%	Ovulatory dysfunction	11%	Male factor	26%	
Used gestational carrier	0%			Diminished ovarian reserve	11%	Other factor	11%	
				Endometriosis	32%	Unknown factor	21%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 19

Data verified by Ketan Jobanputra, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	10	3	4	1	0	1
Percentage of cancellations	2 / 10	0 / 3	0 / 4	0 / 1		0 / 1
Average number of embryos transferred	2.0	2.3	2.0	4.0		1.0
Percentage of embryos transferred resulting in implantation	0 / 10	0 / 7	1 / 6	0 / 4		0 / 1
Percentage of elective single embryo transfer (eSET)	0 / 3	0 / 2	0 / 2	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	0 / 10	0 / 3	1 / 4	0 / 1		0 / 1
Percentage of cycles resulting in triplets or more live births	0 / 10	0 / 3	0 / 4	0 / 1		0 / 1
Percentage of cycles resulting in live births	0 / 10	0 / 3	1 / 4	0 / 1		0 / 1
Percentage of cycles resulting in pregnancy	0 / 10	0 / 3	1 / 4	0 / 1		0 / 1
Outcomes per Transfer						
Number of transfers	5	3	3	1	0	1
Percentage of transfers resulting in singleton live births	0 / 5	0 / 3	1 / 3	0 / 1		0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 5	0 / 3	0 / 3	0 / 1		0 / 1
Percentage of transfers resulting in live births	0 / 5	0 / 3	1 / 3	0 / 1		0 / 1
Percentage of transfers resulting in pregnancy	0 / 5	0 / 3	1 / 3	0 / 1		0 / 1
Outcomes per Pregnancy						
Number of pregnancies	0	0	1	0	0	0
Percentage of pregnancies resulting in singleton live births			1 / 1			
Percentage of pregnancies resulting in triplets or more live births			0 / 1			
Percentage of pregnancies resulting in live births			1 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	0	0	0	0	0
Number of transfers	0	0	0	0	0	0
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in triplets or more live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	0		0			
Number of transfers	0		0			
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Chicago Infertility Associates, Ltd.

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HIGHLAND PARK IVF CENTER HIGHLAND PARK, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	81%	Tubal factor	5%	Uterine factor	3%	
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	13%	Male factor	18%	
Used gestational carrier	2%			Diminished ovarian reserve	43%	Other factor	42%	
				Endometriosis	4%	Unknown factor	20%	
				Multiple Factors:				
				Female factors only				31%
				Female & male factors				10%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 2018

Data verified by Edward L. Marut, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	422	240	272	196	87	17
Percentage of cancellations	6.4	10.8	22.1	34.2	19.5	6 / 17
Average number of embryos transferred	2.0	2.1	2.5	2.8	2.9	3.0
Percentage of embryos transferred resulting in implantation	36.6	28.6	17.8	6.2	1.1	0.0
Percentage of elective single embryo transfer (eSET)	12.7	8.8	3.0	1.1	0.0	0 / 8
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.6	17.5	14.3	5.6	0.0	0 / 17
Percentage of cycles resulting in triplets or more live births	0.0	0.8	0.4	0.0	0.0	0 / 17
Percentage of cycles resulting in live births	38.9	29.6	18.8	6.1	0.0	0 / 17
Percentage of cycles resulting in pregnancy	42.7	35.4	27.2	9.2	1.1	0 / 17
Outcomes per Transfer						
Number of transfers	341	196	191	104	60	9
Percentage of transfers resulting in singleton live births	31.7	21.4	20.4	10.6	0.0	0 / 9
Percentage of transfers resulting in triplets or more live births	0.0	1.0	0.5	0.0	0.0	0 / 9
Percentage of transfers resulting in live births	48.1	36.2	26.7	11.5	0.0	0 / 9
Percentage of transfers resulting in pregnancy	52.8	43.4	38.7	17.3	1.7	0 / 9
Outcomes per Pregnancy						
Number of pregnancies	180	85	74	18	1	0
Percentage of pregnancies resulting in singleton live births	60.0	49.4	52.7	11 / 18	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	2.4	1.4	0 / 18	0 / 1	
Percentage of pregnancies resulting in live births	91.1	83.5	68.9	12 / 18	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	194	124	102	37	8	5
Number of transfers	182	115	90	36	8	5
Average number of embryos transferred	1.7	1.7	1.6	1.8	1.4	1.8
Percentage of embryos transferred resulting in implantation	35.9	35.3	38.9	26.6	4 / 11	0 / 9
Percentage of transfers resulting in singleton live births	30.8	30.4	46.7	16.7	4 / 8	0 / 5
Percentage of transfers resulting in triplets or more live births	0.5	0.0	0.0	0.0	0 / 8	0 / 5
Percentage of transfers resulting in live births	42.9	39.1	46.7	25.0	4 / 8	0 / 5
Percentage of transfers resulting in pregnancy	53.8	53.9	56.7	44.4	4 / 8	0 / 5
All Ages Combined^f						
	Fresh Embryos		Frozen Embryos			
Number of cycles	164		150			
Number of transfers	125		131			
Average number of embryos transferred	1.9		1.8			
Percentage of embryos transferred resulting in implantation	44.5		31.3			
Percentage of transfers resulting in singleton live births	28.8		34.4			
Percentage of transfers resulting in live births	50.4		39.7			
Percentage of transfers resulting in pregnancy	60.8		49.6			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Highland Park IVF Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 195 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HINSDALE CENTER FOR REPRODUCTION HINSDALE, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	84%	Tubal factor	11%	Uterine factor	4%	Multiple Factors: Female factors only 0% Female & male factors 19%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	2%	Male factor	47%	
Used gestational carrier	0%			Diminished ovarian reserve	26%	Other factor	17%	
				Endometriosis	8%	Unknown factor	4%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 98

Data verified by Michael J. Hickey, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	38	14	3	0	0	0
Percentage of cancellations	7.9	2 / 14	0 / 3			
Average number of embryos transferred	2.4	2.8	3.7			
Percentage of embryos transferred resulting in implantation	18.5	9.1	3 / 11			
Percentage of elective single embryo transfer (eSET)	0.0	0 / 8	0 / 3			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	10.5	1 / 14	1 / 3			
Percentage of cycles resulting in triplets or more live births	0.0	0 / 14	0 / 3			
Percentage of cycles resulting in live births	18.4	1 / 14	2 / 3			
Percentage of cycles resulting in pregnancy	18.4	2 / 14	2 / 3			
Outcomes per Transfer						
Number of transfers	27	8	3	0	0	0
Percentage of transfers resulting in singleton live births	14.8	1 / 8	1 / 3			
Percentage of transfers resulting in triplets or more live births	0.0	0 / 8	0 / 3			
Percentage of transfers resulting in live births	25.9	1 / 8	2 / 3			
Percentage of transfers resulting in pregnancy	25.9	2 / 8	2 / 3			
Outcomes per Pregnancy						
Number of pregnancies	7	2	2	0	0	0
Percentage of pregnancies resulting in singleton live births	4 / 7	1 / 2	1 / 2			
Percentage of pregnancies resulting in triplets or more live births	0 / 7	0 / 2	0 / 2			
Percentage of pregnancies resulting in live births	7 / 7	1 / 2	2 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	16	5	5	4	3	1
Number of transfers	15	4	5	2	2	1
Average number of embryos transferred	2.7	2.3	2.2	3.5	2.5	3.0
Percentage of embryos transferred resulting in implantation	12.5	1 / 9	5 / 11	0 / 7	3 / 5	0 / 3
Percentage of transfers resulting in singleton live births	5 / 15	1 / 4	3 / 5	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 15	0 / 4	0 / 5	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in live births	5 / 15	1 / 4	4 / 5	0 / 2	1 / 2	0 / 1
Percentage of transfers resulting in pregnancy	6 / 15	1 / 4	4 / 5	0 / 2	2 / 2	0 / 1
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	3		6			
Number of transfers	0		5			
Average number of embryos transferred			2.4			
Percentage of embryos transferred resulting in implantation			0 / 12			
Percentage of transfers resulting in singleton live births			0 / 5			
Percentage of transfers resulting in live births			0 / 5			
Percentage of transfers resulting in pregnancy			0 / 5			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Hinsdale Center for Reproduction

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REENA JABAMONI, MD, SC HOFFMAN ESTATES, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	82%	Tubal factor	10%	Uterine factor	0%	
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	25%	Male factor	16%	
Used gestational carrier	0%			Diminished ovarian reserve	38%	Other factor	11%	
				Endometriosis	3%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				3%
				Female & male factors				0%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 63

Data verified by Reena Jabamoni, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	30	9	8	2	0	0
Percentage of cancellations	10.0	3 / 9	0 / 8	0 / 2		
Average number of embryos transferred	1.6	2.5	2.7	2.0		
Percentage of embryos transferred resulting in implantation	44.7	2 / 15	4 / 19	0 / 4		
Percentage of elective single embryo transfer (eSET)	33.3	0 / 6	0 / 7	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	33.3	2 / 9	2 / 8	0 / 2		
Percentage of cycles resulting in triplets or more live births	3.3	0 / 9	0 / 8	0 / 2		
Percentage of cycles resulting in live births	40.0	2 / 9	2 / 8	0 / 2		
Percentage of cycles resulting in pregnancy	40.0	2 / 9	3 / 8	0 / 2		
Outcomes per Transfer						
Number of transfers	24	6	7	2	0	0
Percentage of transfers resulting in singleton live births	41.7	2 / 6	2 / 7	0 / 2		
Percentage of transfers resulting in triplets or more live births	4.2	0 / 6	0 / 7	0 / 2		
Percentage of transfers resulting in live births	50.0	2 / 6	2 / 7	0 / 2		
Percentage of transfers resulting in pregnancy	50.0	2 / 6	3 / 7	0 / 2		
Outcomes per Pregnancy						
Number of pregnancies	12	2	3	0	0	0
Percentage of pregnancies resulting in singleton live births	10 / 12	2 / 2	2 / 3			
Percentage of pregnancies resulting in triplets or more live births	1 / 12	0 / 2	0 / 3			
Percentage of pregnancies resulting in live births	12 / 12	2 / 2	2 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	2	2	1	0	1
Number of transfers	4	2	2	1	0	1
Average number of embryos transferred	1.5	2.5	2.0	2.0		2.0
Percentage of embryos transferred resulting in implantation	1 / 6	2 / 5	2 / 4	1 / 2		0 / 2
Percentage of transfers resulting in singleton live births	1 / 4	0 / 2	0 / 2	1 / 1		0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 2	0 / 2	0 / 1		0 / 1
Percentage of transfers resulting in live births	1 / 4	1 / 2	1 / 2	1 / 1		0 / 1
Percentage of transfers resulting in pregnancy	1 / 4	1 / 2	1 / 2	1 / 1		0 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		4		0		
Number of transfers		3		0		
Average number of embryos transferred		2.0				
Percentage of embryos transferred resulting in implantation		2 / 6				
Percentage of transfers resulting in singleton live births		2 / 3				
Percentage of transfers resulting in live births		2 / 3				
Percentage of transfers resulting in pregnancy		2 / 3				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reena Jabamoni, MD, SC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 5 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**KARANDE AND ASSOCIATES, SC DBA
InVIA FERTILITY SPECIALISTS
HOFFMAN ESTATES, ILLINOIS**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE				Patient Diagnosis ^b				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	63%	Tubal factor	6%	Uterine factor	3%	Multiple Factors: Female factors only 2% Female & male factors 8%
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	10%	Male factor	26%	
Used gestational carrier	0%			Diminished ovarian reserve	24%	Other factor	3%	
				Endometriosis	9%	Unknown factor	29%	

2011 ART SUCCESS RATES^{c,d} Number of cycles in table: ^e 557 Data verified by Vishvanath C. Karande, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	203	79	80	35	17	0
Percentage of cancellations	7.4	5.1	15.0	17.1	3 / 17	
Average number of embryos transferred	1.8	1.9	2.3	2.4	2.5	
Percentage of embryos transferred resulting in implantation	31.0	22.2	13.0	6.1	3.1	
Percentage of elective single embryo transfer (eSET)	9.5	3.3	0.0	0 / 19	0 / 11	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	20.2	24.1	15.0	5.7	1 / 17	
Percentage of cycles resulting in triplets or more live births	1.0	0.0	0.0	0.0	0 / 17	
Percentage of cycles resulting in live births	32.0	30.4	17.5	5.7	1 / 17	
Percentage of cycles resulting in pregnancy	34.0	31.6	20.0	8.6	1 / 17	
Outcomes per Transfer						
Number of transfers	169	70	61	27	13	0
Percentage of transfers resulting in singleton live births	24.3	27.1	19.7	7.4	1 / 13	
Percentage of transfers resulting in triplets or more live births	1.2	0.0	0.0	0.0	0 / 13	
Percentage of transfers resulting in live births	38.5	34.3	23.0	7.4	1 / 13	
Percentage of transfers resulting in pregnancy	40.8	35.7	26.2	11.1	1 / 13	
Outcomes per Pregnancy						
Number of pregnancies	69	25	16	3	1	0
Percentage of pregnancies resulting in singleton live births	59.4	76.0	12 / 16	2 / 3	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	2.9	0.0	0 / 16	0 / 3	0 / 1	
Percentage of pregnancies resulting in live births	94.2	96.0	14 / 16	2 / 3	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	48	24	12	3	2	1
Number of transfers	44	21	11	3	2	1
Average number of embryos transferred	1.7	1.6	1.4	1.7	2.0	1.0
Percentage of embryos transferred resulting in implantation	30.7	27.3	6 / 15	0 / 5	0 / 4	0 / 1
Percentage of transfers resulting in singleton live births	38.6	23.8	2 / 11	0 / 3	0 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 11	0 / 3	0 / 2	0 / 1
Percentage of transfers resulting in live births	43.2	33.3	2 / 11	0 / 3	0 / 2	0 / 1
Percentage of transfers resulting in pregnancy	45.5	33.3	6 / 11	0 / 3	0 / 2	0 / 1
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	37		16			
Number of transfers	34		16			
Average number of embryos transferred	1.9		1.6			
Percentage of embryos transferred resulting in implantation	59.4		50.0			
Percentage of transfers resulting in singleton live births	47.1		6 / 16			
Percentage of transfers resulting in live births	70.6		9 / 16			
Percentage of transfers resulting in pregnancy	82.4		10 / 16			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Karande and Associates, SC dba, InVia Fertility Specialists					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 4 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE HEALTH SPECIALISTS, LTD. JOLIET, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	80%	Tubal factor	14%	Uterine factor	14%
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	18%	Male factor	58%
Used gestational carrier	0%			Diminished ovarian reserve	18%	Other factor	2%
				Endometriosis	10%	Unknown factor	7%
				Multiple Factors: Female factors only 7% Female & male factors 30%			

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 88

Data verified by Marek W. Piekos, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	35	18	15	2	0	0
Percentage of cancellations	0.0	5 / 18	0 / 15	0 / 2		
Average number of embryos transferred	2.5	2.8	2.5	2.5		
Percentage of embryos transferred resulting in implantation	14.0	8.3	8.1	0 / 5		
Percentage of elective single embryo transfer (eSET)	0.0	0 / 13	0 / 14	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	20.0	2 / 18	2 / 15	0 / 2		
Percentage of cycles resulting in triplets or more live births	2.9	0 / 18	0 / 15	0 / 2		
Percentage of cycles resulting in live births	25.7	2 / 18	2 / 15	0 / 2		
Percentage of cycles resulting in pregnancy	25.7	2 / 18	4 / 15	0 / 2		
Outcomes per Transfer						
Number of transfers	35	13	15	2	0	0
Percentage of transfers resulting in singleton live births	20.0	2 / 13	2 / 15	0 / 2		
Percentage of transfers resulting in triplets or more live births	2.9	0 / 13	0 / 15	0 / 2		
Percentage of transfers resulting in live births	25.7	2 / 13	2 / 15	0 / 2		
Percentage of transfers resulting in pregnancy	25.7	2 / 13	4 / 15	0 / 2		
Outcomes per Pregnancy						
Number of pregnancies	9	2	4	0	0	0
Percentage of pregnancies resulting in singleton live births	7 / 9	2 / 2	2 / 4			
Percentage of pregnancies resulting in triplets or more live births	1 / 9	0 / 2	0 / 4			
Percentage of pregnancies resulting in live births	9 / 9	2 / 2	2 / 4			
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	2	0	1	0	2
Number of transfers	7	2	0	1	0	2
Average number of embryos transferred	2.9	2.5		2.0		3.0
Percentage of embryos transferred resulting in implantation	25.0	0 / 5		0 / 2		0 / 6
Percentage of transfers resulting in singleton live births	2 / 7	0 / 2		0 / 1		0 / 2
Percentage of transfers resulting in triplets or more live births	0 / 7	0 / 2		0 / 1		0 / 2
Percentage of transfers resulting in live births	3 / 7	0 / 2		0 / 1		0 / 2
Percentage of transfers resulting in pregnancy	4 / 7	0 / 2		0 / 1		0 / 2
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		3		3		
Number of transfers		3		3		
Average number of embryos transferred		2.0		3.0		
Percentage of embryos transferred resulting in implantation		0 / 6		0 / 9		
Percentage of transfers resulting in singleton live births		0 / 3		0 / 3		
Percentage of transfers resulting in live births		0 / 3		0 / 3		
Percentage of transfers resulting in pregnancy		0 / 3		0 / 3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Health Specialists, Ltd.

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 2 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**THE ADVANCED IVF INSTITUTE
CHARLES E. MILLER, MD & ASSOCIATES
NAPERVILLE, ILLINOIS**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	77%	Tubal factor	8%	Uterine factor	15%	
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	9%	Male factor	32%	
Used gestational carrier	<1%			Diminished ovarian reserve	41%	Other factor	4%	
				Endometriosis	12%	Unknown factor	17%	
				Multiple Factors:				
				Female factors only				14%
				Female & male factors				19%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 437

Data verified by Charles E. Miller, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	123	72	65	35	13	2
Percentage of cancellations	8.1	15.3	24.6	14.3	5 / 13	0 / 2
Average number of embryos transferred	2.1	2.2	3.1	3.4	3.0	1.0
Percentage of embryos transferred resulting in implantation	53.2	33.3	14.5	16.7	1 / 15	0 / 1
Percentage of elective single embryo transfer (eSET)	2.2	0.0	0.0	0.0	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	28.5	26.4	10.8	14.3	0 / 13	0 / 2
Percentage of cycles resulting in triplets or more live births	1.6	0.0	0.0	0.0	0 / 13	0 / 2
Percentage of cycles resulting in live births	51.2	34.7	13.8	20.0	0 / 13	0 / 2
Percentage of cycles resulting in pregnancy	55.3	40.3	23.1	31.4	1 / 13	0 / 2
Outcomes per Transfer						
Number of transfers	91	54	36	28	5	1
Percentage of transfers resulting in singleton live births	38.5	35.2	19.4	17.9	0 / 5	0 / 1
Percentage of transfers resulting in triplets or more live births	2.2	0.0	0.0	0.0	0 / 5	0 / 1
Percentage of transfers resulting in live births	69.2	46.3	25.0	25.0	0 / 5	0 / 1
Percentage of transfers resulting in pregnancy	74.7	53.7	41.7	39.3	1 / 5	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	68	29	15	11	1	0
Percentage of pregnancies resulting in singleton live births	51.5	65.5	7 / 15	5 / 11	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	2.9	0.0	0 / 15	0 / 11	0 / 1	
Percentage of pregnancies resulting in live births	92.6	86.2	9 / 15	7 / 11	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	45	35	9	5	2	0
Number of transfers	36	33	9	5	2	0
Average number of embryos transferred	1.8	2.1	2.6	2.2	2.0	
Percentage of embryos transferred resulting in implantation	25.8	38.2	21.7	2 / 11	2 / 4	
Percentage of transfers resulting in singleton live births	30.6	33.3	4 / 9	2 / 5	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	3.0	0 / 9	0 / 5	0 / 2	
Percentage of transfers resulting in live births	38.9	51.5	4 / 9	2 / 5	0 / 2	
Percentage of transfers resulting in pregnancy	47.2	57.6	5 / 9	2 / 5	2 / 2	
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	22		9			
Number of transfers	19		8			
Average number of embryos transferred	2.1		1.9			
Percentage of embryos transferred resulting in implantation	57.5		4 / 15			
Percentage of transfers resulting in singleton live births	8 / 19		2 / 8			
Percentage of transfers resulting in live births	14 / 19		3 / 8			
Percentage of transfers resulting in pregnancy	16 / 19		4 / 8			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Advanced IVF Institute, Charles E. Miller, MD, SC & Associates

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 8 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF1 NAPERVILLE, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	84%	Tubal factor	13%	Uterine factor	8%	
Unstimulated	0%	Used PGD	17%	Ovulatory dysfunction	6%	Male factor	37%	
Used gestational carrier	1%			Diminished ovarian reserve	33%	Other factor	12%	
				Endometriosis	6%	Unknown factor	14%	
				Multiple Factors:				
				Female factors only				9%
				Female & male factors				17%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 464

Data verified by Randy S. Morris, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	140	44	44	24	8	2
Percentage of cancellations	6.4	25.0	4.5	20.8	2 / 8	1 / 2
Average number of embryos transferred	2.0	1.9	2.6	2.9	3.0	1.0
Percentage of embryos transferred resulting in implantation	29.2	39.7	11.0	12.2	1 / 9	0 / 1
Percentage of elective single embryo transfer (eSET)	4.4	13.8	0.0	0 / 13	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	19.3	18.2	9.1	12.5	1 / 8	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 8	0 / 2
Percentage of cycles resulting in live births	32.1	34.1	15.9	12.5	1 / 8	0 / 2
Percentage of cycles resulting in pregnancy	38.6	36.4	25.0	16.7	1 / 8	0 / 2
Outcomes per Transfer						
Number of transfers	118	30	42	14	3	1
Percentage of transfers resulting in singleton live births	22.9	26.7	9.5	3 / 14	1 / 3	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 14	0 / 3	0 / 1
Percentage of transfers resulting in live births	38.1	50.0	16.7	3 / 14	1 / 3	0 / 1
Percentage of transfers resulting in pregnancy	45.8	53.3	26.2	4 / 14	1 / 3	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	54	16	11	4	1	0
Percentage of pregnancies resulting in singleton live births	50.0	8 / 16	4 / 11	3 / 4	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 16	0 / 11	0 / 4	0 / 1	
Percentage of pregnancies resulting in live births	83.3	15 / 16	7 / 11	3 / 4	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	76	20	21	4	0	0
Number of transfers	75	20	16	4	0	0
Average number of embryos transferred	1.7	1.7	2.0	2.3		
Percentage of embryos transferred resulting in implantation	23.8	12.1	21.9	1 / 9		
Percentage of transfers resulting in singleton live births	22.7	20.0	2 / 16	1 / 4		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 16	0 / 4		
Percentage of transfers resulting in live births	29.3	20.0	3 / 16	1 / 4		
Percentage of transfers resulting in pregnancy	41.3	35.0	6 / 16	2 / 4		
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Number of cycles		40		41		
Number of transfers		37		40		
Average number of embryos transferred		2.0		1.8		
Percentage of embryos transferred resulting in implantation		43.2		27.8		
Percentage of transfers resulting in singleton live births		40.5		35.0		
Percentage of transfers resulting in live births		59.5		40.0		
Percentage of transfers resulting in pregnancy		59.5		52.5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: IVF1

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 7 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

OAK BROOK FERTILITY CENTER OAK BROOK, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	77%	Tubal factor	9%	Uterine factor	5%	Multiple Factors: Female factors only 10% Female & male factors 9%
Unstimulated	<1%	Used PGD	13%	Ovulatory dysfunction	16%	Male factor	23%	
Used gestational carrier	0%			Diminished ovarian reserve	32%	Other factor	21%	
				Endometriosis	10%	Unknown factor	6%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 538

Data verified by W. Paul Dmowski, MD, PhD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	144	76	85	44	15	9
Percentage of cancellations	6.9	11.8	17.6	20.5	2 / 15	2 / 9
Average number of embryos transferred	1.7	2.0	2.3	2.4	3.5	1.6
Percentage of embryos transferred resulting in implantation	31.0	26.5	14.7	11.7	14.3	0 / 8
Percentage of elective single embryo transfer (eSET)	15.8	6.4	0.0	0.0	0 / 7	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	20.8	15.8	10.6	0.0	1 / 15	0 / 9
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 15	0 / 9
Percentage of cycles resulting in live births	28.5	22.4	11.8	4.5	2 / 15	0 / 9
Percentage of cycles resulting in pregnancy	34.7	31.6	18.8	11.4	4 / 15	0 / 9
Outcomes per Transfer						
Number of transfers	114	51	59	25	8	5
Percentage of transfers resulting in singleton live births	26.3	23.5	15.3	0.0	1 / 8	0 / 5
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 8	0 / 5
Percentage of transfers resulting in live births	36.0	33.3	16.9	8.0	2 / 8	0 / 5
Percentage of transfers resulting in pregnancy	43.9	47.1	27.1	20.0	4 / 8	0 / 5
Outcomes per Pregnancy						
Number of pregnancies	50	24	16	5	4	0
Percentage of pregnancies resulting in singleton live births	60.0	50.0	9 / 16	0 / 5	1 / 4	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0 / 16	0 / 5	0 / 4	
Percentage of pregnancies resulting in live births	82.0	70.8	10 / 16	2 / 5	2 / 4	
Frozen Embryos from Nondonor Eggs						
Number of cycles	62	29	19	6	2	2
Number of transfers	57	24	18	6	2	2
Average number of embryos transferred	2.0	1.9	1.7	2.2	2.0	2.0
Percentage of embryos transferred resulting in implantation	35.3	26.7	30.0	4 / 13	1 / 4	0 / 4
Percentage of transfers resulting in singleton live births	36.8	25.0	5 / 18	2 / 6	1 / 2	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 18	0 / 6	0 / 2	0 / 2
Percentage of transfers resulting in live births	47.4	37.5	6 / 18	2 / 6	1 / 2	0 / 2
Percentage of transfers resulting in pregnancy	61.4	41.7	8 / 18	3 / 6	1 / 2	0 / 2
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	20		25			
Number of transfers	16		25			
Average number of embryos transferred	1.9		2.0			
Percentage of embryos transferred resulting in implantation	46.7		35.3			
Percentage of transfers resulting in singleton live births	6 / 16		36.0			
Percentage of transfers resulting in live births	9 / 16		48.0			
Percentage of transfers resulting in pregnancy	11 / 16		52.0			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2011. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 26 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DANIEL ROSTEIN, MD OAK BROOK, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	100%	Tubal factor	0%	Uterine factor	0%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	17%	Male factor	67%	
Used gestational carrier	0%			Diminished ovarian reserve	17%	Other factor	33%	
				Endometriosis	0%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				0%
				Female & male factors				17%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 6

Data verified by Daniel A. Rostein, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	3	0	0	0	0	0
Percentage of cancellations	0 / 3					
Average number of embryos transferred	2.5					
Percentage of embryos transferred resulting in implantation	3 / 5					
Percentage of elective single embryo transfer (eSET)	0 / 2					
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	0 / 3					
Percentage of cycles resulting in triplets or more live births	0 / 3					
Percentage of cycles resulting in live births	0 / 3					
Percentage of cycles resulting in pregnancy	1 / 3					
Outcomes per Transfer						
Number of transfers	2	0	0	0	0	0
Percentage of transfers resulting in singleton live births	0 / 2					
Percentage of transfers resulting in triplets or more live births	0 / 2					
Percentage of transfers resulting in live births	0 / 2					
Percentage of transfers resulting in pregnancy	1 / 2					
Outcomes per Pregnancy						
Number of pregnancies	1	0	0	0	0	0
Percentage of pregnancies resulting in singleton live births	0 / 1					
Percentage of pregnancies resulting in triplets or more live births	0 / 1					
Percentage of pregnancies resulting in live births	0 / 1					
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	1	0	0	0	0
Number of transfers	1	1	0	0	0	0
Average number of embryos transferred	3.0	3.0				
Percentage of embryos transferred resulting in implantation	0 / 3	0 / 3				
Percentage of transfers resulting in singleton live births	0 / 1	0 / 1				
Percentage of transfers resulting in triplets or more live births	0 / 1	0 / 1				
Percentage of transfers resulting in live births	0 / 1	0 / 1				
Percentage of transfers resulting in pregnancy	0 / 1	0 / 1				
All Ages Combined^f						
	Fresh Embryos		Frozen Embryos			
Number of cycles	1		0			
Number of transfers	1		0			
Average number of embryos transferred	2.0					
Percentage of embryos transferred resulting in implantation	1 / 2					
Percentage of transfers resulting in singleton live births	0 / 1					
Percentage of transfers resulting in live births	0 / 1					
Percentage of transfers resulting in pregnancy	1 / 1					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Daniel Rostein, MD

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2011 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2011 ART cycle data or the clinic's Medical Director did not approve the clinic's 2011 ART cycle data for inclusion in this report.

REPRODUCTIVE HEALTH AND FERTILITY CENTER ROCKFORD, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	90%	Tubal factor	35%	Uterine factor	4%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	32%	Male factor	46%	
Used gestational carrier	2%			Diminished ovarian reserve	12%	Other factor	29%	
				Endometriosis	25%	Unknown factor	2%	
				Multiple Factors:				
				Female factors only				28%
				Female & male factors				27%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 136

Data verified by Chiravudh Sawetawan, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	42	15	9	1	1	0
Percentage of cancellations	2.4	2 / 15	0 / 9	0 / 1	0 / 1	
Average number of embryos transferred	2.2	2.7	2.1	1.0	3.0	
Percentage of embryos transferred resulting in implantation	31.6	25.7	3 / 17	0 / 1	0 / 3	
Percentage of elective single embryo transfer (eSET)	6.1	0 / 13	0 / 7		0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.2	2 / 15	2 / 9	0 / 1	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 15	0 / 9	0 / 1	0 / 1	
Percentage of cycles resulting in live births	40.5	5 / 15	2 / 9	0 / 1	0 / 1	
Percentage of cycles resulting in pregnancy	42.9	5 / 15	2 / 9	0 / 1	0 / 1	
Outcomes per Transfer						
Number of transfers	34	13	8	1	1	0
Percentage of transfers resulting in singleton live births	32.4	2 / 13	2 / 8	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 13	0 / 8	0 / 1	0 / 1	
Percentage of transfers resulting in live births	50.0	5 / 13	2 / 8	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	52.9	5 / 13	2 / 8	0 / 1	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	18	5	2	0	0	0
Percentage of pregnancies resulting in singleton live births	11 / 18	2 / 5	2 / 2			
Percentage of pregnancies resulting in triplets or more live births	0 / 18	0 / 5	0 / 2			
Percentage of pregnancies resulting in live births	17 / 18	5 / 5	2 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	41	4	3	0	0	0
Number of transfers	39	4	3	0	0	0
Average number of embryos transferred	2.2	2.0	2.0			
Percentage of embryos transferred resulting in implantation	15.1	0 / 8	3 / 6			
Percentage of transfers resulting in singleton live births	12.8	0 / 4	3 / 3			
Percentage of transfers resulting in triplets or more live births	0.0	0 / 4	0 / 3			
Percentage of transfers resulting in live births	23.1	0 / 4	3 / 3			
Percentage of transfers resulting in pregnancy	28.2	0 / 4	3 / 3			
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		9		11		
Number of transfers		9		11		
Average number of embryos transferred		2.0		2.3		
Percentage of embryos transferred resulting in implantation		8 / 18		16.0		
Percentage of transfers resulting in singleton live births		5 / 9		2 / 11		
Percentage of transfers resulting in live births		6 / 9		2 / 11		
Percentage of transfers resulting in pregnancy		6 / 9		5 / 11		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Health and Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CHICAGO IVF SKOKIE, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	93%	Tubal factor	18%	Uterine factor	3%	
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	13%	Male factor	32%	
Used gestational carrier	0%			Diminished ovarian reserve	30%	Other factor	6%	
				Endometriosis	3%	Unknown factor	24%	
				Multiple Factors:				
				Female factors only				8%
				Female & male factors				15%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 415

Data verified by Joel G. Brasch, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	132	53	64	22	12	10
Percentage of cancellations	1.5	1.9	1.6	9.1	0 / 12	1 / 10
Average number of embryos transferred	2.1	2.5	2.8	3.3	2.2	2.6
Percentage of embryos transferred resulting in implantation	22.6	15.6	11.7	12.1	0.0	0 / 18
Percentage of elective single embryo transfer (eSET)	3.3	2.0	1.9	0 / 18	0 / 5	0 / 5
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.3	22.6	20.3	13.6	0 / 12	0 / 10
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 12	0 / 10
Percentage of cycles resulting in live births	32.6	28.3	23.4	18.2	0 / 12	0 / 10
Percentage of cycles resulting in pregnancy	39.4	35.8	28.1	27.3	1 / 12	0 / 10
Outcomes per Transfer						
Number of transfers	125	52	59	20	9	7
Percentage of transfers resulting in singleton live births	28.8	23.1	22.0	15.0	0 / 9	0 / 7
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 9	0 / 7
Percentage of transfers resulting in live births	34.4	28.8	25.4	20.0	0 / 9	0 / 7
Percentage of transfers resulting in pregnancy	41.6	36.5	30.5	30.0	1 / 9	0 / 7
Outcomes per Pregnancy						
Number of pregnancies	52	19	18	6	1	0
Percentage of pregnancies resulting in singleton live births	69.2	12 / 19	13 / 18	3 / 6	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 19	0 / 18	0 / 6	0 / 1	
Percentage of pregnancies resulting in live births	82.7	15 / 19	15 / 18	4 / 6	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	49	19	16	3	3	1
Number of transfers	48	19	16	3	3	1
Average number of embryos transferred	2.5	2.2	3.0	2.7	3.0	2.0
Percentage of embryos transferred resulting in implantation	12.6	9.5	16.7	0 / 8	3 / 9	0 / 2
Percentage of transfers resulting in singleton live births	20.8	2 / 19	1 / 16	0 / 3	1 / 3	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 19	1 / 16	0 / 3	0 / 3	0 / 1
Percentage of transfers resulting in live births	22.9	3 / 19	4 / 16	0 / 3	2 / 3	0 / 1
Percentage of transfers resulting in pregnancy	35.4	7 / 19	7 / 16	0 / 3	2 / 3	0 / 1
All Ages Combined^f						
Donor Eggs	Fresh Embryos			Frozen Embryos		
Number of cycles	17			14		
Number of transfers	16			14		
Average number of embryos transferred	2.1			2.7		
Percentage of embryos transferred resulting in implantation	23.5			5.3		
Percentage of transfers resulting in singleton live births	3 / 16			1 / 14		
Percentage of transfers resulting in live births	3 / 16			1 / 14		
Percentage of transfers resulting in pregnancy	7 / 16			3 / 14		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Chicago IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 17 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTH SHORE FERTILITY, SC SKOKIE, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	72%	Tubal factor	8%	Uterine factor	1%	Multiple Factors: Female factors only 1% Female & male factors 5%
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	19%	Male factor	18%	
Used gestational carrier	0%			Diminished ovarian reserve	39%	Other factor	3%	
				Endometriosis	5%	Unknown factor	13%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 327

Data verified by Susan Davies, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	95	77	50	31	17	6
Percentage of cancellations	11.6	13.0	16.0	25.8	2 / 17	3 / 6
Average number of embryos transferred	2.4	2.3	2.4	3.3	2.5	1.0
Percentage of embryos transferred resulting in implantation	27.7	17.6	11.4	3.8	0.0	0 / 1
Percentage of elective single embryo transfer (eSET)	0.0	0.0	0.0	0 / 15	0 / 6	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	16.8	10.4	10.0	3.2	0 / 17	0 / 6
Percentage of cycles resulting in triplets or more live births	1.1	0.0	0.0	0.0	0 / 17	0 / 6
Percentage of cycles resulting in live births	28.4	15.6	14.0	3.2	0 / 17	0 / 6
Percentage of cycles resulting in pregnancy	44.2	20.8	18.0	6.5	0 / 17	0 / 6
Outcomes per Transfer						
Number of transfers	79	52	33	16	8	1
Percentage of transfers resulting in singleton live births	20.3	15.4	15.2	1 / 16	0 / 8	0 / 1
Percentage of transfers resulting in triplets or more live births	1.3	0.0	0.0	0 / 16	0 / 8	0 / 1
Percentage of transfers resulting in live births	34.2	23.1	21.2	1 / 16	0 / 8	0 / 1
Percentage of transfers resulting in pregnancy	53.2	30.8	27.3	2 / 16	0 / 8	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	42	16	9	2	0	0
Percentage of pregnancies resulting in singleton live births	38.1	8 / 16	5 / 9	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	2.4	0 / 16	0 / 9	0 / 2		
Percentage of pregnancies resulting in live births	64.3	12 / 16	7 / 9	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	9	9	6	3	0	0
Number of transfers	9	8	5	3	0	0
Average number of embryos transferred	2.0	2.3	1.8	2.3		
Percentage of embryos transferred resulting in implantation	3 / 18	1 / 18	1 / 9	1 / 7		
Percentage of transfers resulting in singleton live births	3 / 9	0 / 8	1 / 5	0 / 3		
Percentage of transfers resulting in triplets or more live births	0 / 9	0 / 8	0 / 5	0 / 3		
Percentage of transfers resulting in live births	3 / 9	0 / 8	1 / 5	0 / 3		
Percentage of transfers resulting in pregnancy	5 / 9	4 / 8	1 / 5	1 / 3		
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			17		7	
Number of transfers			15		6	
Average number of embryos transferred			1.9		1.8	
Percentage of embryos transferred resulting in implantation			46.4		1 / 11	
Percentage of transfers resulting in singleton live births			2 / 15		1 / 6	
Percentage of transfers resulting in live births			7 / 15		1 / 6	
Percentage of transfers resulting in pregnancy			8 / 15		1 / 6	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: North Shore Fertility, SC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**REPRODUCTIVE ENDOCRINOLOGY ASSOCIATES, SC
SPRINGFIELD, ILLINOIS**

This clinic provided ART services during 2011 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2011 ART cycle data or the clinic's Medical Director did not approve the clinic's 2011 ART cycle data for inclusion in this report.

SOUTHERN ILLINOIS UNIVERSITY SCHOOL OF MEDICINE FERTILITY AND IVF CENTER SPRINGFIELD, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	57%	Tubal factor	20%	Uterine factor	14%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	35%	Male factor	42%	
Used gestational carrier	0%			Diminished ovarian reserve	13%	Other factor	15%	
				Endometriosis	22%	Unknown factor	3%	
				Multiple Factors:				
				Female factors only				25%
				Female & male factors				28%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 102

Data verified by J. Ricardo Loret De Mola, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	49	22	10	1	0	0
Percentage of cancellations	6.1	22.7	1 / 10	0 / 1		
Average number of embryos transferred	1.8	2.1	2.6	2.0		
Percentage of embryos transferred resulting in implantation	57.0	48.5	19.0	0 / 2		
Percentage of elective single embryo transfer (eSET)	12.5	0 / 14	0 / 8	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	34.7	18.2	3 / 10	0 / 1		
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 10	0 / 1		
Percentage of cycles resulting in live births	57.1	36.4	3 / 10	0 / 1		
Percentage of cycles resulting in pregnancy	63.3	40.9	4 / 10	0 / 1		
Outcomes per Transfer						
Number of transfers	44	16	8	1	0	0
Percentage of transfers resulting in singleton live births	38.6	4 / 16	3 / 8	0 / 1		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0 / 8	0 / 1		
Percentage of transfers resulting in live births	63.6	8 / 16	3 / 8	0 / 1		
Percentage of transfers resulting in pregnancy	70.5	9 / 16	4 / 8	0 / 1		
Outcomes per Pregnancy						
Number of pregnancies	31	9	4	0	0	0
Percentage of pregnancies resulting in singleton live births	54.8	4 / 9	3 / 4			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 9	0 / 4			
Percentage of pregnancies resulting in live births	90.3	8 / 9	3 / 4			
Frozen Embryos from Nondonor Eggs						
Number of cycles	9	3	0	1	0	0
Number of transfers	8	3	0	0	0	0
Average number of embryos transferred	1.8	1.7				
Percentage of embryos transferred resulting in implantation	3 / 14	1 / 5				
Percentage of transfers resulting in singleton live births	3 / 8	1 / 3				
Percentage of transfers resulting in triplets or more live births	0 / 8	0 / 3				
Percentage of transfers resulting in live births	3 / 8	1 / 3				
Percentage of transfers resulting in pregnancy	4 / 8	1 / 3				
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	7		0			
Number of transfers	7		0			
Average number of embryos transferred	2.0					
Percentage of embryos transferred resulting in implantation	7 / 14					
Percentage of transfers resulting in singleton live births	4 / 7					
Percentage of transfers resulting in live births	5 / 7					
Percentage of transfers resulting in pregnancy	5 / 7					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Southern Illinois University School of Medicine Fertility and IVF Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SETH LEVRANT, MD, PC
PARTNERS IN REPRODUCTIVE HEALTH
TINLEY PARK, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	64%	Tubal factor	18%	Uterine factor	8%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	16%	Male factor	33%
Used gestational carrier	0%			Diminished ovarian reserve	17%	Other factor	3%
				Endometriosis	11%	Unknown factor	15%
				Multiple Factors:			
						Female factors only	7%
						Female & male factors	14%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 122

Data verified by Seth G. Levrant, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	54	15	20	5	2	2
Percentage of cancellations	7.4	3 / 15	10.0	0 / 5	2 / 2	1 / 2
Average number of embryos transferred	2.0	2.0	2.4	2.8		3.0
Percentage of embryos transferred resulting in implantation	18.8	8.3	6.8	0 / 14		0 / 3
Percentage of elective single embryo transfer (eSET)	4.1	1 / 12	0 / 17	0 / 5		0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	16.7	2 / 15	5.0	0 / 5	0 / 2	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0 / 15	0.0	0 / 5	0 / 2	0 / 2
Percentage of cycles resulting in live births	20.4	2 / 15	10.0	0 / 5	0 / 2	0 / 2
Percentage of cycles resulting in pregnancy	29.6	3 / 15	10.0	0 / 5	0 / 2	0 / 2
Outcomes per Transfer						
Number of transfers	49	12	18	5	0	1
Percentage of transfers resulting in singleton live births	18.4	2 / 12	1 / 18	0 / 5		0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 12	0 / 18	0 / 5		0 / 1
Percentage of transfers resulting in live births	22.4	2 / 12	2 / 18	0 / 5		0 / 1
Percentage of transfers resulting in pregnancy	32.7	3 / 12	2 / 18	0 / 5		0 / 1
Outcomes per Pregnancy						
Number of pregnancies	16	3	2	0	0	0
Percentage of pregnancies resulting in singleton live births	9 / 16	2 / 3	1 / 2			
Percentage of pregnancies resulting in triplets or more live births	0 / 16	0 / 3	0 / 2			
Percentage of pregnancies resulting in live births	11 / 16	2 / 3	2 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	12	0	4	2	0	0
Number of transfers	12	0	3	2	0	0
Average number of embryos transferred	1.9		2.0	2.5		
Percentage of embryos transferred resulting in implantation	8.7		0 / 6	0 / 5		
Percentage of transfers resulting in singleton live births	1 / 12		0 / 3	0 / 2		
Percentage of transfers resulting in triplets or more live births	0 / 12		0 / 3	0 / 2		
Percentage of transfers resulting in live births	1 / 12		0 / 3	0 / 2		
Percentage of transfers resulting in pregnancy	3 / 12		0 / 3	1 / 2		
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
	Number of cycles	6	0			
Number of transfers	5	0				
Average number of embryos transferred	2.0					
Percentage of embryos transferred resulting in implantation	1 / 10					
Percentage of transfers resulting in singleton live births	1 / 5					
Percentage of transfers resulting in live births	1 / 5					
Percentage of transfers resulting in pregnancy	2 / 5					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Seth Levrant, MD, PC, Partners in Reproductive Health

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

AMERICAN HEALTH NETWORK-REPRODUCTIVE MEDICINE CARMEL, INDIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	80%	Tubal factor	4%	Uterine factor	0%
Unstimulated	0%	Used PGD	34%	Ovulatory dysfunction	35%	Male factor	8%
Used gestational carrier	0%			Diminished ovarian reserve	29%	Other factor	6%
				Endometriosis	15%	Unknown factor	11%
				Multiple Factors:			
						Female factors only	4%
						Female & male factors	3%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 110

Data verified by Leo M. Bonventura, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	45	10	16	3	0	2
Percentage of cancellations	13.3	4 / 10	1 / 16	1 / 3		1 / 2
Average number of embryos transferred	1.8	1.7	2.0			
Percentage of embryos transferred resulting in implantation	33.9	3 / 5	0 / 14			
Percentage of elective single embryo transfer (eSET)	6.9	0 / 2	0 / 6			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	13.3	2 / 10	0 / 16	0 / 3		0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0 / 10	0 / 16	0 / 3		0 / 2
Percentage of cycles resulting in live births	20.0	2 / 10	0 / 16	0 / 3		0 / 2
Percentage of cycles resulting in pregnancy	35.6	2 / 10	0 / 16	0 / 3		0 / 2
Outcomes per Transfer						
Number of transfers	32	3	7	0	0	0
Percentage of transfers resulting in singleton live births	18.8	2 / 3	0 / 7			
Percentage of transfers resulting in triplets or more live births	0.0	0 / 3	0 / 7			
Percentage of transfers resulting in live births	28.1	2 / 3	0 / 7			
Percentage of transfers resulting in pregnancy	50.0	2 / 3	0 / 7			
Outcomes per Pregnancy						
Number of pregnancies	16	2	0	0	0	0
Percentage of pregnancies resulting in singleton live births	6 / 16	2 / 2				
Percentage of pregnancies resulting in triplets or more live births	0 / 16	0 / 2				
Percentage of pregnancies resulting in live births	9 / 16	2 / 2				
Frozen Embryos from Nondonor Eggs						
Number of cycles	8	3	2	4	0	1
Number of transfers	8	3	2	3	0	1
Average number of embryos transferred	1.6	2.0	2.0	2.7		3.0
Percentage of embryos transferred resulting in implantation	6 / 13	1 / 6	0 / 4	2 / 8		0 / 3
Percentage of transfers resulting in singleton live births	2 / 8	1 / 3	0 / 2	2 / 3		0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 8	0 / 3	0 / 2	0 / 3		0 / 1
Percentage of transfers resulting in live births	3 / 8	1 / 3	0 / 2	2 / 3		0 / 1
Percentage of transfers resulting in pregnancy	5 / 8	1 / 3	0 / 2	2 / 3		0 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		15		1		
Number of transfers		10		0		
Average number of embryos transferred		2.0				
Percentage of embryos transferred resulting in implantation		40.0				
Percentage of transfers resulting in singleton live births		3 / 10				
Percentage of transfers resulting in live births		4 / 10				
Percentage of transfers resulting in pregnancy		7 / 10				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: American Health Network-reproductive medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

JARRETT FERTILITY GROUP CARMEL, INDIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	98%	With ICSI	74%	Tubal factor	10%	Uterine factor	6%	
Unstimulated	0%	Used PGD	6%	Ovulatory dysfunction	18%	Male factor	22%	
Used gestational carrier	2%			Diminished ovarian reserve	15%	Other factor	27%	
				Endometriosis	25%	Unknown factor	11%	
				Multiple Factors:				
				Female factors only				13%
				Female & male factors				13%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 425

Data verified by John C. Jarrett, II, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	158	72	63	11	3	2
Percentage of cancellations	13.3	11.1	23.8	1 / 11	1 / 3	1 / 2
Average number of embryos transferred	2.0	2.2	2.3	2.3	2.0	1.0
Percentage of embryos transferred resulting in implantation	48.4	27.5	16.5	2 / 16	0 / 4	0 / 1
Percentage of elective single embryo transfer (eSET)	5.0	1.9	3.4	0 / 6	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	36.1	25.0	9.5	0 / 11	0 / 3	0 / 2
Percentage of cycles resulting in triplets or more live births	1.9	1.4	0.0	0 / 11	0 / 3	0 / 2
Percentage of cycles resulting in live births	51.3	34.7	11.1	1 / 11	0 / 3	0 / 2
Percentage of cycles resulting in pregnancy	60.8	40.3	19.0	1 / 11	0 / 3	0 / 2
Outcomes per Transfer						
Number of transfers	130	60	35	7	2	1
Percentage of transfers resulting in singleton live births	43.8	30.0	17.1	0 / 7	0 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	2.3	1.7	0.0	0 / 7	0 / 2	0 / 1
Percentage of transfers resulting in live births	62.3	41.7	20.0	1 / 7	0 / 2	0 / 1
Percentage of transfers resulting in pregnancy	73.8	48.3	34.3	1 / 7	0 / 2	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	96	29	12	1	0	0
Percentage of pregnancies resulting in singleton live births	59.4	62.1	6 / 12	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	3.1	3.4	0 / 12	0 / 1		
Percentage of pregnancies resulting in live births	84.4	86.2	7 / 12	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	33	12	15	0	0	2
Number of transfers	30	11	12	0	0	0
Average number of embryos transferred	1.7	1.9	2.3			
Percentage of embryos transferred resulting in implantation	21.2	38.1	14.8			
Percentage of transfers resulting in singleton live births	23.3	6 / 11	3 / 12			
Percentage of transfers resulting in triplets or more live births	0.0	0 / 11	0 / 12			
Percentage of transfers resulting in live births	26.7	7 / 11	3 / 12			
Percentage of transfers resulting in pregnancy	33.3	7 / 11	6 / 12			
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	38		16			
Number of transfers	34		15			
Average number of embryos transferred	1.9		1.7			
Percentage of embryos transferred resulting in implantation	44.6		11.5			
Percentage of transfers resulting in singleton live births	32.4		2 / 15			
Percentage of transfers resulting in live births	55.9		2 / 15			
Percentage of transfers resulting in pregnancy	58.8		2 / 15			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: John C. Jarrett II, MD AHN Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MIDWEST FERTILITY SPECIALISTS CARMEL, INDIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	81%	Tubal factor	13%	Uterine factor	3%	Multiple Factors: Female factors only 9% Female & male factors 15%
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	16%	Male factor	35%	
Used gestational carrier	2%			Diminished ovarian reserve	22%	Other factor	15%	
				Endometriosis	11%	Unknown factor	9%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 559

Data verified by Laura M. Reuter, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	226	67	43	26	3	2
Percentage of cancellations	9.7	11.9	20.9	30.8	0 / 3	0 / 2
Average number of embryos transferred	2.0	2.0	2.5	2.8	1.7	3.0
Percentage of embryos transferred resulting in implantation	35.2	19.4	27.3	4.3	0 / 5	0 / 6
Percentage of elective single embryo transfer (eSET)	1.7	2.0	0.0	0 / 17	0 / 2	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	21.7	14.9	18.6	3.8	0 / 3	0 / 2
Percentage of cycles resulting in triplets or more live births	1.3	0.0	2.3	0.0	0 / 3	0 / 2
Percentage of cycles resulting in live births	37.6	20.9	27.9	3.8	0 / 3	0 / 2
Percentage of cycles resulting in pregnancy	40.7	28.4	34.9	11.5	0 / 3	0 / 2
Outcomes per Transfer						
Number of transfers	191	55	31	17	3	2
Percentage of transfers resulting in singleton live births	25.7	18.2	25.8	1 / 17	0 / 3	0 / 2
Percentage of transfers resulting in triplets or more live births	1.6	0.0	3.2	0 / 17	0 / 3	0 / 2
Percentage of transfers resulting in live births	44.5	25.5	38.7	1 / 17	0 / 3	0 / 2
Percentage of transfers resulting in pregnancy	48.2	34.5	48.4	3 / 17	0 / 3	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	92	19	15	3	0	0
Percentage of pregnancies resulting in singleton live births	53.3	10 / 19	8 / 15	1 / 3		
Percentage of pregnancies resulting in triplets or more live births	3.3	0 / 19	1 / 15	0 / 3		
Percentage of pregnancies resulting in live births	92.4	14 / 19	12 / 15	1 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	67	25	11	6	1	2
Number of transfers	49	18	10	4	1	1
Average number of embryos transferred	2.0	2.2	2.1	2.3	2.0	2.0
Percentage of embryos transferred resulting in implantation	19.0	15.4	19.0	1 / 9	0 / 2	0 / 2
Percentage of transfers resulting in singleton live births	26.5	2 / 18	3 / 10	1 / 4	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 18	0 / 10	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in live births	32.7	4 / 18	3 / 10	1 / 4	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	38.8	4 / 18	4 / 10	1 / 4	0 / 1	0 / 1
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	57		23			
Number of transfers	50		23			
Average number of embryos transferred	2.0		2.2			
Percentage of embryos transferred resulting in implantation	44.4		32.0			
Percentage of transfers resulting in singleton live births	32.0		39.1			
Percentage of transfers resulting in live births	56.0		52.2			
Percentage of transfers resulting in pregnancy	60.0		56.5			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Midwest Fertility Specialists

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 2 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTION INSTITUTE, LLC
ADVANCED FERTILITY GROUP
EVANSVILLE, INDIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	55%	Tubal factor	20%	Uterine factor	4%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	53%	Male factor	41%	
Used gestational carrier	<1%			Diminished ovarian reserve	8%	Other factor	4%	
				Endometriosis	17%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				11%
				Female & male factors				32%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 181

Data verified by William L. Gentry, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	58	22	17	6	4	0
Percentage of cancellations	5.2	18.2	4 / 17	0 / 6	2 / 4	
Average number of embryos transferred	2.1	2.2	1.9	2.2	2.0	
Percentage of embryos transferred resulting in implantation	32.4	35.0	16.0	0 / 11	0 / 2	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 17	0 / 10	0 / 3	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	15.5	22.7	4 / 17	0 / 6	0 / 4	
Percentage of cycles resulting in triplets or more live births	1.7	0.0	0 / 17	0 / 6	0 / 4	
Percentage of cycles resulting in live births	36.2	36.4	4 / 17	0 / 6	0 / 4	
Percentage of cycles resulting in pregnancy	37.9	40.9	4 / 17	0 / 6	0 / 4	
Outcomes per Transfer						
Number of transfers	52	18	13	5	1	0
Percentage of transfers resulting in singleton live births	17.3	5 / 18	4 / 13	0 / 5	0 / 1	
Percentage of transfers resulting in triplets or more live births	1.9	0 / 18	0 / 13	0 / 5	0 / 1	
Percentage of transfers resulting in live births	40.4	8 / 18	4 / 13	0 / 5	0 / 1	
Percentage of transfers resulting in pregnancy	42.3	9 / 18	4 / 13	0 / 5	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	22	9	4	0	0	0
Percentage of pregnancies resulting in singleton live births	40.9	5 / 9	4 / 4			
Percentage of pregnancies resulting in triplets or more live births	4.5	0 / 9	0 / 4			
Percentage of pregnancies resulting in live births	95.5	8 / 9	4 / 4			
Frozen Embryos from Nondonor Eggs						
Number of cycles	31	13	7	0	0	0
Number of transfers	31	12	7	0	0	0
Average number of embryos transferred	2.0	2.2	2.0			
Percentage of embryos transferred resulting in implantation	16.1	34.6	2 / 14			
Percentage of transfers resulting in singleton live births	19.4	3 / 12	1 / 7			
Percentage of transfers resulting in triplets or more live births	0.0	1 / 12	0 / 7			
Percentage of transfers resulting in live births	25.8	5 / 12	1 / 7			
Percentage of transfers resulting in pregnancy	25.8	6 / 12	1 / 7			
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	7		16			
Number of transfers	6		16			
Average number of embryos transferred	2.0		2.3			
Percentage of embryos transferred resulting in implantation	3 / 12		13.9			
Percentage of transfers resulting in singleton live births	2 / 6		4 / 16			
Percentage of transfers resulting in live births	2 / 6		4 / 16			
Percentage of transfers resulting in pregnancy	3 / 6		4 / 16			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Reproduction Institute, LLC, Advanced Fertility Group					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY GROUP INDIANAPOLIS, INDIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	54%	Tubal factor	9%	Uterine factor	6%	Multiple Factors: Female factors only 8% Female & male factors 40%
Unstimulated	0%	Used PGD	5%	Ovulatory dysfunction	26%	Male factor	66%	
Used gestational carrier	3%			Diminished ovarian reserve	23%	Other factor	5%	
				Endometriosis	13%	Unknown factor	0%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 116

Data verified by William Gentry, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	42	20	20	4	6	2
Percentage of cancellations	14.3	10.0	10.0	3 / 4	4 / 6	1 / 2
Average number of embryos transferred	2.3	2.3	2.2	3.0	2.5	3.0
Percentage of embryos transferred resulting in implantation	36.0	36.1	23.1	1 / 3	0 / 5	0 / 3
Percentage of elective single embryo transfer (eSET)	0.0	1 / 15	1 / 16	0 / 1	0 / 2	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	21.4	25.0	10.0	1 / 4	0 / 6	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 4	0 / 6	0 / 2
Percentage of cycles resulting in live births	35.7	40.0	20.0	1 / 4	0 / 6	0 / 2
Percentage of cycles resulting in pregnancy	42.9	40.0	30.0	1 / 4	0 / 6	0 / 2
Outcomes per Transfer						
Number of transfers	33	16	18	1	2	1
Percentage of transfers resulting in singleton live births	27.3	5 / 16	2 / 18	1 / 1	0 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0 / 18	0 / 1	0 / 2	0 / 1
Percentage of transfers resulting in live births	45.5	8 / 16	4 / 18	1 / 1	0 / 2	0 / 1
Percentage of transfers resulting in pregnancy	54.5	8 / 16	6 / 18	1 / 1	0 / 2	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	18	8	6	1	0	0
Percentage of pregnancies resulting in singleton live births	9 / 18	5 / 8	2 / 6	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 18	0 / 8	0 / 6	0 / 1		
Percentage of pregnancies resulting in live births	15 / 18	8 / 8	4 / 6	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	13	4	0	1	0	2
Number of transfers	13	4	0	1	0	1
Average number of embryos transferred	2.0	2.0		2.0		3.0
Percentage of embryos transferred resulting in implantation	15.4	0 / 8		2 / 2		0 / 3
Percentage of transfers resulting in singleton live births	4 / 13	0 / 4		0 / 1		0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 13	0 / 4		0 / 1		0 / 1
Percentage of transfers resulting in live births	4 / 13	0 / 4		1 / 1		0 / 1
Percentage of transfers resulting in pregnancy	4 / 13	0 / 4		1 / 1		0 / 1

All Ages Combined^f

Donor Eggs	Fresh Embryos	Frozen Embryos
Number of cycles	2	0
Number of transfers	2	0
Average number of embryos transferred	2.0	
Percentage of embryos transferred resulting in implantation	3 / 4	
Percentage of transfers resulting in singleton live births	1 / 2	
Percentage of transfers resulting in live births	2 / 2	
Percentage of transfers resulting in pregnancy	2 / 2	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Fertility Group

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 2 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COMMUNITY REPRODUCTIVE ENDOCRINOLOGY INDIANAPOLIS, INDIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	65%	Tubal factor	9%	Uterine factor	1%	Multiple Factors: Female factors only 6% Female & male factors 44%
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	21%	Male factor	65%	
Used gestational carrier	0%			Diminished ovarian reserve	11%	Other factor	4%	
				Endometriosis	46%	Unknown factor	6%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 85

Data verified by David E. Carnovale, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	47	12	10	3	1	1
Percentage of cancellations	14.9	3 / 12	5 / 10	0 / 3	0 / 1	1 / 1
Average number of embryos transferred	1.9	2.0	2.5	3.0	3.0	
Percentage of embryos transferred resulting in implantation	46.7	8 / 14	1 / 10	1 / 9	0 / 3	
Percentage of elective single embryo transfer (eSET)	5.3	0 / 7	0 / 4	0 / 3	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	34.0	4 / 12	1 / 10	0 / 3	0 / 1	0 / 1
Percentage of cycles resulting in triplets or more live births	2.1	0 / 12	0 / 10	0 / 3	0 / 1	0 / 1
Percentage of cycles resulting in live births	51.1	6 / 12	1 / 10	0 / 3	0 / 1	0 / 1
Percentage of cycles resulting in pregnancy	57.4	6 / 12	1 / 10	1 / 3	0 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	39	7	4	3	1	0
Percentage of transfers resulting in singleton live births	41.0	4 / 7	1 / 4	0 / 3	0 / 1	
Percentage of transfers resulting in triplets or more live births	2.6	0 / 7	0 / 4	0 / 3	0 / 1	
Percentage of transfers resulting in live births	61.5	6 / 7	1 / 4	0 / 3	0 / 1	
Percentage of transfers resulting in pregnancy	69.2	6 / 7	1 / 4	1 / 3	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	27	6	1	1	0	0
Percentage of pregnancies resulting in singleton live births	59.3	4 / 6	1 / 1	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	3.7	0 / 6	0 / 1	0 / 1		
Percentage of pregnancies resulting in live births	88.9	6 / 6	1 / 1	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	2	1	0	0	1
Number of transfers	5	2	1	0	0	1
Average number of embryos transferred	2.0	1.5	1.0			2.0
Percentage of embryos transferred resulting in implantation	0 / 10	1 / 3	0 / 1			1 / 2
Percentage of transfers resulting in singleton live births	0 / 5	1 / 2	0 / 1			1 / 1
Percentage of transfers resulting in triplets or more live births	0 / 5	0 / 2	0 / 1			0 / 1
Percentage of transfers resulting in live births	0 / 5	1 / 2	0 / 1			1 / 1
Percentage of transfers resulting in pregnancy	0 / 5	1 / 2	0 / 1			1 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		0		0		
Number of transfers		0		0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Community Reproductive Endocrinology

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FAMILY BEGINNINGS, PC INDIANAPOLIS, INDIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	75%	Tubal factor	20%	Uterine factor	2%
Unstimulated	<1%	Used PGD	0%	Ovulatory dysfunction	11%	Male factor	17%
Used gestational carrier	0%			Diminished ovarian reserve	3%	Other factor	0%
				Endometriosis	21%	Unknown factor	32%
				Multiple Factors:			
						Female factors only	2%
						Female & male factors	4%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 129

Data verified by James G. Donahue, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	53	37	15	9	3	0
Percentage of cancellations	13.2	24.3	2 / 15	3 / 9	1 / 3	
Average number of embryos transferred	2.2	2.4	2.1	2.5	2.0	
Percentage of embryos transferred resulting in implantation	21.3	14.0	8.7	0 / 10	0 / 2	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 18	0 / 7	0 / 3	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	18.9	13.5	0 / 15	0 / 9	0 / 3	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 15	0 / 9	0 / 3	
Percentage of cycles resulting in live births	20.8	16.2	1 / 15	0 / 9	0 / 3	
Percentage of cycles resulting in pregnancy	39.6	16.2	1 / 15	0 / 9	0 / 3	
Outcomes per Transfer						
Number of transfers	42	21	11	4	1	0
Percentage of transfers resulting in singleton live births	23.8	23.8	0 / 11	0 / 4	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 11	0 / 4	0 / 1	
Percentage of transfers resulting in live births	26.2	28.6	1 / 11	0 / 4	0 / 1	
Percentage of transfers resulting in pregnancy	50.0	28.6	1 / 11	0 / 4	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	21	6	1	0	0	0
Percentage of pregnancies resulting in singleton live births	47.6	5 / 6	0 / 1			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 6	0 / 1			
Percentage of pregnancies resulting in live births	52.4	6 / 6	1 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	2	1	0	0	0
Number of transfers	5	1	1	0	0	0
Average number of embryos transferred	2.4	2.0	1.0			
Percentage of embryos transferred resulting in implantation	2 / 12	1 / 2	0 / 1			
Percentage of transfers resulting in singleton live births	2 / 5	0 / 1	0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 5	0 / 1	0 / 1			
Percentage of transfers resulting in live births	2 / 5	0 / 1	0 / 1			
Percentage of transfers resulting in pregnancy	2 / 5	1 / 1	0 / 1			

All Ages Combined^f

Donor Eggs	Fresh Embryos	Frozen Embryos
Number of cycles	2	1
Number of transfers	2	1
Average number of embryos transferred	2.5	2.0
Percentage of embryos transferred resulting in implantation	2 / 5	1 / 2
Percentage of transfers resulting in singleton live births	2 / 2	0 / 1
Percentage of transfers resulting in live births	2 / 2	0 / 1
Percentage of transfers resulting in pregnancy	2 / 2	1 / 1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Family Beginnings, PC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INDIANA UNIVERSITY HOSPITAL INDIANAPOLIS, INDIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	47%	Tubal factor	13%	Uterine factor	0%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	44%	Male factor	26%
Used gestational carrier	0%			Diminished ovarian reserve	17%	Other factor	13%
				Endometriosis	9%	Unknown factor	9%
				Multiple Factors:			
						Female factors only	9%
						Female & male factors	22%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 23

Data verified by Marguerite K. Shepard, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	11	5	1	1	0	1
Percentage of cancellations	2 / 11	0 / 5	0 / 1	0 / 1		0 / 1
Average number of embryos transferred	1.9	2.0	2.0	2.0		
Percentage of embryos transferred resulting in implantation	3 / 15	4 / 8	0 / 2	0 / 2		
Percentage of elective single embryo transfer (eSET)	2 / 8	0 / 4	0 / 1	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	1 / 11	2 / 5	0 / 1	0 / 1		0 / 1
Percentage of cycles resulting in triplets or more live births	0 / 11	0 / 5	0 / 1	0 / 1		0 / 1
Percentage of cycles resulting in live births	2 / 11	3 / 5	0 / 1	0 / 1		0 / 1
Percentage of cycles resulting in pregnancy	2 / 11	3 / 5	0 / 1	0 / 1		0 / 1
Outcomes per Transfer						
Number of transfers	8	4	1	1	0	0
Percentage of transfers resulting in singleton live births	1 / 8	2 / 4	0 / 1	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 8	0 / 4	0 / 1	0 / 1		
Percentage of transfers resulting in live births	2 / 8	3 / 4	0 / 1	0 / 1		
Percentage of transfers resulting in pregnancy	2 / 8	3 / 4	0 / 1	0 / 1		
Outcomes per Pregnancy						
Number of pregnancies	2	3	0	0	0	0
Percentage of pregnancies resulting in singleton live births	1 / 2	2 / 3				
Percentage of pregnancies resulting in triplets or more live births	0 / 2	0 / 3				
Percentage of pregnancies resulting in live births	2 / 2	3 / 3				
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	0	0	0	0	0
Number of transfers	4	0	0	0	0	0
Average number of embryos transferred	2.3					
Percentage of embryos transferred resulting in implantation	0 / 9					
Percentage of transfers resulting in singleton live births	0 / 4					
Percentage of transfers resulting in triplets or more live births	0 / 4					
Percentage of transfers resulting in live births	0 / 4					
Percentage of transfers resulting in pregnancy	0 / 4					
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	0		0			
Number of transfers	0		0			
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Indiana University Hospital

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE CARE OF INDIANA INDIANAPOLIS, INDIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	99%	With ICSI	46%	Tubal factor	0%	Uterine factor	0%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	0%	Male factor	0%
Used gestational carrier	2%			Diminished ovarian reserve	0%	Other factor	0%
				Endometriosis	0%	Unknown factor	100%
				Multiple Factors:			
						Female factors only	0%
						Female & male factors	0%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 95

Data verified by Michael A. Henry, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	40	14	6	1	1	4
Percentage of cancellations	12.5	0 / 14	2 / 6	0 / 1	0 / 1	1 / 4
Average number of embryos transferred	2.2	2.3	2.5	3.0	2.0	
Percentage of embryos transferred resulting in implantation	43.7	34.4	3 / 10	0 / 3	1 / 2	
Percentage of elective single embryo transfer (eSET)	3.2	0 / 12	0 / 4	0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	17.5	1 / 14	1 / 6	0 / 1	0 / 1	0 / 4
Percentage of cycles resulting in triplets or more live births	2.5	0 / 14	0 / 6	0 / 1	0 / 1	0 / 4
Percentage of cycles resulting in live births	37.5	4 / 14	2 / 6	0 / 1	0 / 1	0 / 4
Percentage of cycles resulting in pregnancy	45.0	6 / 14	2 / 6	0 / 1	1 / 1	0 / 4
Outcomes per Transfer						
Number of transfers	32	14	4	1	1	0
Percentage of transfers resulting in singleton live births	21.9	1 / 14	1 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	3.1	0 / 14	0 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in live births	46.9	4 / 14	2 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	56.3	6 / 14	2 / 4	0 / 1	1 / 1	
Outcomes per Pregnancy						
Number of pregnancies	18	6	2	0	1	0
Percentage of pregnancies resulting in singleton live births	7 / 18	1 / 6	1 / 2		0 / 1	
Percentage of pregnancies resulting in triplets or more live births	1 / 18	0 / 6	0 / 2		0 / 1	
Percentage of pregnancies resulting in live births	15 / 18	4 / 6	2 / 2		0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	16	7	1	0	0	0
Number of transfers	15	7	1	0	0	0
Average number of embryos transferred	2.1	2.1	2.0			
Percentage of embryos transferred resulting in implantation	25.0	3 / 15	0 / 2			
Percentage of transfers resulting in singleton live births	2 / 15	3 / 7	0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 15	0 / 7	0 / 1			
Percentage of transfers resulting in live births	4 / 15	3 / 7	0 / 1			
Percentage of transfers resulting in pregnancy	5 / 15	3 / 7	0 / 1			
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		4		1		
Number of transfers		4		1		
Average number of embryos transferred		2.5		2.0		
Percentage of embryos transferred resulting in implantation		5 / 10		0 / 2		
Percentage of transfers resulting in singleton live births		4 / 4		0 / 1		
Percentage of transfers resulting in live births		4 / 4		0 / 1		
Percentage of transfers resulting in pregnancy		4 / 4		0 / 1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Care of Indiana

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WOMEN'S SPECIALTY HEALTH CENTERS, PC NOBLESVILLE, INDIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	57%	Tubal factor	7%	Uterine factor	0%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	79%	Male factor	57%	
Used gestational carrier	0%			Diminished ovarian reserve	7%	Other factor	29%	
				Endometriosis	21%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				21%
				Female & male factors				57%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 14

Data verified by David S. McLaughlin, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	6	0	0	1	0	0
Percentage of cancellations	1 / 6			0 / 1		
Average number of embryos transferred	2.0			2.0		
Percentage of embryos transferred resulting in implantation	4 / 10			1 / 2		
Percentage of elective single embryo transfer (eSET)	0 / 5			0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	2 / 6			0 / 1		
Percentage of cycles resulting in triplets or more live births	0 / 6			0 / 1		
Percentage of cycles resulting in live births	2 / 6			0 / 1		
Percentage of cycles resulting in pregnancy	3 / 6			1 / 1		
Outcomes per Transfer						
Number of transfers	5	0	0	1	0	0
Percentage of transfers resulting in singleton live births	2 / 5			0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 5			0 / 1		
Percentage of transfers resulting in live births	2 / 5			0 / 1		
Percentage of transfers resulting in pregnancy	3 / 5			1 / 1		
Outcomes per Pregnancy						
Number of pregnancies	3	0	0	1	0	0
Percentage of pregnancies resulting in singleton live births	2 / 3			0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 3			0 / 1		
Percentage of pregnancies resulting in live births	2 / 3			0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	2	0	0	0	0
Number of transfers	3	1	0	0	0	0
Average number of embryos transferred	1.3	2.0				
Percentage of embryos transferred resulting in implantation	2 / 4	0 / 2				
Percentage of transfers resulting in singleton live births	2 / 3	0 / 1				
Percentage of transfers resulting in triplets or more live births	0 / 3	0 / 1				
Percentage of transfers resulting in live births	2 / 3	0 / 1				
Percentage of transfers resulting in pregnancy	2 / 3	0 / 1				
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		1		0		
Number of transfers		1		0		
Average number of embryos transferred		2.0				
Percentage of embryos transferred resulting in implantation		0 / 2				
Percentage of transfers resulting in singleton live births		0 / 1				
Percentage of transfers resulting in live births		0 / 1				
Percentage of transfers resulting in pregnancy		0 / 1				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Women's Specialty Health Centers, PC

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MID-IOWA FERTILITY, PC CLIVE, IOWA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	88%	Tubal factor	8%	Uterine factor	2%	
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	19%	Male factor	32%	
Used gestational carrier	<1%			Diminished ovarian reserve	13%	Other factor	7%	
				Endometriosis	12%	Unknown factor	9%	
				Multiple Factors:				
				Female factors only				1%
				Female & male factors				<1%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 424

Data verified by Donald C. Young, DO

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	200	58	40	4	1	0
Percentage of cancellations	8.0	20.7	12.5	1 / 4	1 / 1	
Average number of embryos transferred	1.8	1.9	2.0	2.5		
Percentage of embryos transferred resulting in implantation	48.9	44.7	20.3	1 / 5		
Percentage of elective single embryo transfer (eSET)	4.9	2.7	0.0	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.0	25.9	12.5	0 / 4	0 / 1	
Percentage of cycles resulting in triplets or more live births	1.0	0.0	0.0	0 / 4	0 / 1	
Percentage of cycles resulting in live births	45.5	36.2	20.0	0 / 4	0 / 1	
Percentage of cycles resulting in pregnancy	53.5	43.1	25.0	1 / 4	0 / 1	
Outcomes per Transfer						
Number of transfers	166	39	29	2	0	0
Percentage of transfers resulting in singleton live births	32.5	38.5	17.2	0 / 2		
Percentage of transfers resulting in triplets or more live births	1.2	0.0	0.0	0 / 2		
Percentage of transfers resulting in live births	54.8	53.8	27.6	0 / 2		
Percentage of transfers resulting in pregnancy	64.5	64.1	34.5	1 / 2		
Outcomes per Pregnancy						
Number of pregnancies	107	25	10	1	0	0
Percentage of pregnancies resulting in singleton live births	50.5	60.0	5 / 10	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	1.9	0.0	0 / 10	0 / 1		
Percentage of pregnancies resulting in live births	85.0	84.0	8 / 10	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	64	14	8	2	0	0
Number of transfers	62	14	7	2	0	0
Average number of embryos transferred	1.8	1.9	2.0	2.0		
Percentage of embryos transferred resulting in implantation	35.7	34.6	0 / 14	0 / 4		
Percentage of transfers resulting in singleton live births	32.3	5 / 14	0 / 7	0 / 2		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 14	0 / 7	0 / 2		
Percentage of transfers resulting in live births	43.5	7 / 14	0 / 7	0 / 2		
Percentage of transfers resulting in pregnancy	58.1	7 / 14	0 / 7	0 / 2		
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Number of cycles		24		9		
Number of transfers		21		9		
Average number of embryos transferred		1.9		1.7		
Percentage of embryos transferred resulting in implantation		61.5		8 / 15		
Percentage of transfers resulting in singleton live births		47.6		4 / 9		
Percentage of transfers resulting in live births		66.7		5 / 9		
Percentage of transfers resulting in pregnancy		81.0		6 / 9		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Mid-Iowa Fertility, PC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY OF IOWA HOSPITALS AND CLINICS
CENTER FOR ADVANCED REPRODUCTIVE CARE
IOWA CITY, IOWA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	57%	Tubal factor	20%	Uterine factor	9%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	22%	Male factor	32%
Used gestational carrier	<1%			Diminished ovarian reserve	10%	Other factor	40%
				Endometriosis	13%	Unknown factor	16%
				Multiple Factors: Female factors only 23% Female & male factors 22%			

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 620

Data verified by Bradley J. Van Voorhis, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	212	67	59	30	1	0
Percentage of cancellations	5.7	10.4	11.9	33.3	0 / 1	
Average number of embryos transferred	1.6	1.7	2.6	2.7	4.0	
Percentage of embryos transferred resulting in implantation	36.9	29.2	24.8	24.1	0 / 4	
Percentage of elective single embryo transfer (eSET)	34.3	26.9	2.2	0 / 18	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	35.4	28.4	23.7	13.3	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.5	0.0	0.0	0.0	0 / 1	
Percentage of cycles resulting in live births	42.9	32.8	33.9	23.3	0 / 1	
Percentage of cycles resulting in pregnancy	46.2	35.8	47.5	33.3	0 / 1	
Outcomes per Transfer						
Number of transfers	191	58	49	20	1	0
Percentage of transfers resulting in singleton live births	39.3	32.8	28.6	20.0	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.5	0.0	0.0	0.0	0 / 1	
Percentage of transfers resulting in live births	47.6	37.9	40.8	35.0	0 / 1	
Percentage of transfers resulting in pregnancy	51.3	41.4	57.1	50.0	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	98	24	28	10	0	0
Percentage of pregnancies resulting in singleton live births	76.5	79.2	50.0	4 / 10		
Percentage of pregnancies resulting in triplets or more live births	1.0	0.0	0.0	0 / 10		
Percentage of pregnancies resulting in live births	92.9	91.7	71.4	7 / 10		
Frozen Embryos from Nondonor Eggs						
Number of cycles	135	36	31	7	1	0
Number of transfers	120	31	25	4	1	0
Average number of embryos transferred	1.6	1.3	1.5	2.0	2.0	
Percentage of embryos transferred resulting in implantation	43.9	34.1	18.9	2 / 8	1 / 2	
Percentage of transfers resulting in singleton live births	46.7	35.5	16.0	1 / 4	1 / 1	
Percentage of transfers resulting in triplets or more live births	0.8	0.0	0.0	0 / 4	0 / 1	
Percentage of transfers resulting in live births	54.2	35.5	20.0	1 / 4	1 / 1	
Percentage of transfers resulting in pregnancy	64.2	51.6	32.0	2 / 4	1 / 1	
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Number of cycles		15		26		
Number of transfers		14		23		
Average number of embryos transferred		1.7		1.7		
Percentage of embryos transferred resulting in implantation		29.2		37.5		
Percentage of transfers resulting in singleton live births		4 / 14		30.4		
Percentage of transfers resulting in live births		4 / 14		39.1		
Percentage of transfers resulting in pregnancy		7 / 14		56.5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University of Iowa Hospitals and Clinics, Center for Advanced Reproductive Care

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 4 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MIDWEST REPRODUCTIVE CENTER, PA OLATHE, KANSAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	88%	Tubal factor	12%	Uterine factor	12%
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	26%	Male factor	49%
Used gestational carrier	<1%			Diminished ovarian reserve	17%	Other factor	8%
				Endometriosis	16%	Unknown factor	10%
				Multiple Factors: Female factors only 14% Female & male factors 29%			

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 193

Data verified by Dan L. Gehlbach, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	76	29	13	8	2	0
Percentage of cancellations	7.9	6.9	2 / 13	2 / 8	0 / 2	
Average number of embryos transferred	2.2	2.3	2.3	2.2	2.5	
Percentage of embryos transferred resulting in implantation	31.9	27.4	40.0	3 / 13	0 / 5	
Percentage of elective single embryo transfer (eSET)	1.5	7.7	0 / 10	0 / 5	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	19.7	24.1	4 / 13	1 / 8	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	3.4	0 / 13	0 / 8	0 / 2	
Percentage of cycles resulting in live births	36.8	37.9	5 / 13	1 / 8	0 / 2	
Percentage of cycles resulting in pregnancy	39.5	41.4	8 / 13	2 / 8	0 / 2	
Outcomes per Transfer						
Number of transfers	66	27	11	6	2	0
Percentage of transfers resulting in singleton live births	22.7	25.9	4 / 11	1 / 6	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	3.7	0 / 11	0 / 6	0 / 2	
Percentage of transfers resulting in live births	42.4	40.7	5 / 11	1 / 6	0 / 2	
Percentage of transfers resulting in pregnancy	45.5	44.4	8 / 11	2 / 6	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	30	12	8	2	0	0
Percentage of pregnancies resulting in singleton live births	50.0	7 / 12	4 / 8	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	1 / 12	0 / 8	0 / 2		
Percentage of pregnancies resulting in live births	93.3	11 / 12	5 / 8	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	31	6	5	2	0	1
Number of transfers	28	6	5	2	0	1
Average number of embryos transferred	2.5	2.5	1.8	1.5		4.0
Percentage of embryos transferred resulting in implantation	18.3	1 / 15	3 / 9	0 / 3		0 / 4
Percentage of transfers resulting in singleton live births	28.6	1 / 6	3 / 5	0 / 2		0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 6	0 / 5	0 / 2		0 / 1
Percentage of transfers resulting in live births	28.6	1 / 6	3 / 5	0 / 2		0 / 1
Percentage of transfers resulting in pregnancy	57.1	1 / 6	3 / 5	0 / 2		0 / 1
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Number of cycles		9		11		
Number of transfers		9		11		
Average number of embryos transferred		2.0		2.2		
Percentage of embryos transferred resulting in implantation		6 / 18		8.3		
Percentage of transfers resulting in singleton live births		2 / 9		1 / 11		
Percentage of transfers resulting in live births		3 / 9		1 / 11		
Percentage of transfers resulting in pregnancy		4 / 9		3 / 11		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Midwest Reproductive Center, PA

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR ADVANCED REPRODUCTIVE MEDICINE OVERLAND PARK, KANSAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	80%	Tubal factor	25%	Uterine factor	13%	
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	22%	Male factor	34%	
Used gestational carrier	0%			Diminished ovarian reserve	16%	Other factor	7%	
				Endometriosis	5%	Unknown factor	3%	
				Multiple Factors:				
				Female factors only				11%
				Female & male factors				14%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 93

Data verified by S. Samuel Kim, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	51	7	12	0	0	0
Percentage of cancellations	5.9	0 / 7	2 / 12			
Average number of embryos transferred	2.1	2.7	2.2			
Percentage of embryos transferred resulting in implantation	29.6	2 / 19	5.0			
Percentage of elective single embryo transfer (eSET)	2.2	1 / 7	0 / 9			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	29.4	0 / 7	0 / 12			
Percentage of cycles resulting in triplets or more live births	0.0	0 / 7	0 / 12			
Percentage of cycles resulting in live births	39.2	1 / 7	0 / 12			
Percentage of cycles resulting in pregnancy	47.1	1 / 7	1 / 12			
Outcomes per Transfer						
Number of transfers	46	7	9	0	0	0
Percentage of transfers resulting in singleton live births	32.6	0 / 7	0 / 9			
Percentage of transfers resulting in triplets or more live births	0.0	0 / 7	0 / 9			
Percentage of transfers resulting in live births	43.5	1 / 7	0 / 9			
Percentage of transfers resulting in pregnancy	52.2	1 / 7	1 / 9			
Outcomes per Pregnancy						
Number of pregnancies	24	1	1	0	0	0
Percentage of pregnancies resulting in singleton live births	62.5	0 / 1	0 / 1			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 1	0 / 1			
Percentage of pregnancies resulting in live births	83.3	1 / 1	0 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	10	3	0	1	0	0
Number of transfers	9	2	0	1	0	0
Average number of embryos transferred	2.0	2.0		2.0		
Percentage of embryos transferred resulting in implantation	6 / 18	4 / 4		1 / 2		
Percentage of transfers resulting in singleton live births	2 / 9	0 / 2		1 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 9	0 / 2		0 / 1		
Percentage of transfers resulting in live births	4 / 9	2 / 2		1 / 1		
Percentage of transfers resulting in pregnancy	4 / 9	2 / 2		1 / 1		
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Number of cycles		6		3		
Number of transfers		4		3		
Average number of embryos transferred		2.0		2.0		
Percentage of embryos transferred resulting in implantation		5 / 8		2 / 6		
Percentage of transfers resulting in singleton live births		1 / 4		0 / 3		
Percentage of transfers resulting in live births		3 / 4		1 / 3		
Percentage of transfers resulting in pregnancy		3 / 4		1 / 3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Advanced Reproductive Medicine					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 4 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE RESOURCE CENTER OF GREATER KANSAS CITY OVERLAND PARK, KANSAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	85%	Tubal factor	8%	Uterine factor	3%	Multiple Factors: Female factors only 13% Female & male factors 23%
Unstimulated	0%	Used PGD	10%	Ovulatory dysfunction	27%	Male factor	35%	
Used gestational carrier	<1%			Diminished ovarian reserve	39%	Other factor	19%	
				Endometriosis	6%	Unknown factor	5%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 351

Data verified by Celeste Brabec, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	132	46	24	3	2	0
Percentage of cancellations	15.2	10.9	20.8	0 / 3	0 / 2	
Average number of embryos transferred	1.9	1.8	2.3	2.7		
Percentage of embryos transferred resulting in implantation	39.2	28.1	27.8	2 / 8		
Percentage of elective single embryo transfer (eSET)	9.4	10.0	0 / 11	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.8	10.9	29.2	1 / 3	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 3	0 / 2	
Percentage of cycles resulting in live births	40.2	23.9	29.2	1 / 3	0 / 2	
Percentage of cycles resulting in pregnancy	43.2	30.4	33.3	1 / 3	0 / 2	
Outcomes per Transfer						
Number of transfers	103	35	16	3	0	0
Percentage of transfers resulting in singleton live births	33.0	14.3	7 / 16	1 / 3		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 16	0 / 3		
Percentage of transfers resulting in live births	51.5	31.4	7 / 16	1 / 3		
Percentage of transfers resulting in pregnancy	55.3	40.0	8 / 16	1 / 3		
Outcomes per Pregnancy						
Number of pregnancies	57	14	8	1	0	0
Percentage of pregnancies resulting in singleton live births	59.6	5 / 14	7 / 8	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 14	0 / 8	0 / 1		
Percentage of pregnancies resulting in live births	93.0	11 / 14	7 / 8	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	45	20	11	0	0	0
Number of transfers	44	20	10	0	0	0
Average number of embryos transferred	1.6	1.5	1.7			
Percentage of embryos transferred resulting in implantation	41.7	13.8	5 / 17			
Percentage of transfers resulting in singleton live births	31.8	15.0	3 / 10			
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 10			
Percentage of transfers resulting in live births	43.2	15.0	3 / 10			
Percentage of transfers resulting in pregnancy	54.5	20.0	5 / 10			
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		45		23		
Number of transfers		39		22		
Average number of embryos transferred		1.8		1.6		
Percentage of embryos transferred resulting in implantation		49.3		47.2		
Percentage of transfers resulting in singleton live births		17.9		31.8		
Percentage of transfers resulting in live births		43.6		50.0		
Percentage of transfers resulting in pregnancy		53.8		54.5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Resource Center of Greater Kansas City

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 12 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**REPRODUCTIVE MEDICINE & INFERTILITY
SHAWNEE MISSION MEDICAL CENTER
SHAWNEE MISSION, KANSAS**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	42%	Tubal factor	15%	Uterine factor	7%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	15%	Male factor	42%
Used gestational carrier	0%			Diminished ovarian reserve	35%	Other factor	7%
				Endometriosis	14%	Unknown factor	13%
				Multiple Factors: Female factors only 10% Female & male factors 26%			

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 164

Data verified by Dan L. Stewart, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	55	24	24	3	0	0
Percentage of cancellations	12.7	25.0	33.3	2 / 3		
Average number of embryos transferred	2.0	2.1	2.1	1.0		
Percentage of embryos transferred resulting in implantation	36.0	21.7	3.7	0 / 1		
Percentage of elective single embryo transfer (eSET)	5.3	1 / 10	0 / 10			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	20.0	16.7	4.2	0 / 3		
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 3		
Percentage of cycles resulting in live births	38.2	16.7	4.2	0 / 3		
Percentage of cycles resulting in pregnancy	38.2	20.8	8.3	0 / 3		
Outcomes per Transfer						
Number of transfers	44	11	13	1	0	0
Percentage of transfers resulting in singleton live births	25.0	4 / 11	1 / 13	0 / 1		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 11	0 / 13	0 / 1		
Percentage of transfers resulting in live births	47.7	4 / 11	1 / 13	0 / 1		
Percentage of transfers resulting in pregnancy	47.7	5 / 11	2 / 13	0 / 1		
Outcomes per Pregnancy						
Number of pregnancies	21	5	2	0	0	0
Percentage of pregnancies resulting in singleton live births	52.4	4 / 5	1 / 2			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 5	0 / 2			
Percentage of pregnancies resulting in live births	100.0	4 / 5	1 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	16	17	3	1	0	0
Number of transfers	16	12	3	1	0	0
Average number of embryos transferred	1.5	1.3	1.7	2.0		
Percentage of embryos transferred resulting in implantation	54.2	7 / 15	1 / 5	2 / 2		
Percentage of transfers resulting in singleton live births	2 / 16	4 / 12	1 / 3	1 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 16	0 / 12	0 / 3	0 / 1		
Percentage of transfers resulting in live births	6 / 16	5 / 12	1 / 3	1 / 1		
Percentage of transfers resulting in pregnancy	9 / 16	7 / 12	2 / 3	1 / 1		
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Number of cycles		9		12		
Number of transfers		5		10		
Average number of embryos transferred		2.0		2.0		
Percentage of embryos transferred resulting in implantation		4 / 10		15.0		
Percentage of transfers resulting in singleton live births		2 / 5		2 / 10		
Percentage of transfers resulting in live births		3 / 5		2 / 10		
Percentage of transfers resulting in pregnancy		3 / 5		4 / 10		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine & Infertility, Shawnee Mission Medical Center					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE CENTER FOR REPRODUCTIVE MEDICINE WICHITA, KANSAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	66%	Tubal factor	11%	Uterine factor	6%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	24%	Male factor	51%
Used gestational carrier	<1%			Diminished ovarian reserve	29%	Other factor	2%
				Endometriosis	18%	Unknown factor	4%
				Multiple Factors: Female factors only 10% Female & male factors 29%			

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 178

Data verified by Bruce L. Tjaden, DO

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	80	17	15	8	2	1
Percentage of cancellations	7.5	0 / 17	2 / 15	2 / 8	2 / 2	0 / 1
Average number of embryos transferred	1.7	1.9	2.8	3.2		6.0
Percentage of embryos transferred resulting in implantation	30.9	17.9	27.0	3 / 19		0 / 6
Percentage of elective single embryo transfer (eSET)	26.5	0 / 12	0 / 12	0 / 5		0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.0	1 / 17	3 / 15	0 / 8	0 / 2	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0 / 17	0 / 15	0 / 8	0 / 2	0 / 1
Percentage of cycles resulting in live births	31.3	3 / 17	5 / 15	1 / 8	0 / 2	0 / 1
Percentage of cycles resulting in pregnancy	42.5	4 / 17	7 / 15	2 / 8	0 / 2	0 / 1
Outcomes per Transfer						
Number of transfers	72	15	13	6	0	1
Percentage of transfers resulting in singleton live births	27.8	1 / 15	3 / 13	0 / 6		0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 15	0 / 13	0 / 6		0 / 1
Percentage of transfers resulting in live births	34.7	3 / 15	5 / 13	1 / 6		0 / 1
Percentage of transfers resulting in pregnancy	47.2	4 / 15	7 / 13	2 / 6		0 / 1
Outcomes per Pregnancy						
Number of pregnancies	34	4	7	2	0	0
Percentage of pregnancies resulting in singleton live births	58.8	1 / 4	3 / 7	0 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 4	0 / 7	0 / 2		
Percentage of pregnancies resulting in live births	73.5	3 / 4	5 / 7	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	28	8	1	1	0	0
Number of transfers	27	8	1	0	0	0
Average number of embryos transferred	1.5	1.5	1.0			
Percentage of embryos transferred resulting in implantation	19.5	3 / 12	1 / 1			
Percentage of transfers resulting in singleton live births	14.8	3 / 8	1 / 1			
Percentage of transfers resulting in triplets or more live births	0.0	0 / 8	0 / 1			
Percentage of transfers resulting in live births	22.2	3 / 8	1 / 1			
Percentage of transfers resulting in pregnancy	33.3	3 / 8	1 / 1			
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		9		8		
Number of transfers		7		8		
Average number of embryos transferred		1.9		1.8		
Percentage of embryos transferred resulting in implantation		3 / 13		4 / 14		
Percentage of transfers resulting in singleton live births		1 / 7		3 / 8		
Percentage of transfers resulting in live births		2 / 7		3 / 8		
Percentage of transfers resulting in pregnancy		2 / 7		3 / 8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BLUEGRASS FERTILITY CENTER LEXINGTON, KENTUCKY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	85%	Tubal factor	12%	Uterine factor	0%
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	14%	Male factor	50%
Used gestational carrier	0%			Diminished ovarian reserve	23%	Other factor	12%
				Endometriosis	19%	Unknown factor	1%
				Multiple Factors:			
						Female factors only	11%
						Female & male factors	17%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 145

Data verified by James W. Akin, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	56	19	13	5	6	0
Percentage of cancellations	5.4	0 / 19	1 / 13	1 / 5	0 / 6	
Average number of embryos transferred	2.2	2.5	2.1	2.0	4.0	
Percentage of embryos transferred resulting in implantation	35.6	28.9	0.0	0 / 6	0.0	
Percentage of elective single embryo transfer (eSET)	2.2	0 / 17	0 / 8	0 / 1	0 / 5	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.4	3 / 19	0 / 13	0 / 5	0 / 6	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 19	0 / 13	0 / 5	0 / 6	
Percentage of cycles resulting in live births	42.9	8 / 19	0 / 13	0 / 5	0 / 6	
Percentage of cycles resulting in pregnancy	51.8	10 / 19	0 / 13	0 / 5	0 / 6	
Outcomes per Transfer						
Number of transfers	48	18	11	3	5	0
Percentage of transfers resulting in singleton live births	35.4	3 / 18	0 / 11	0 / 3	0 / 5	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 18	0 / 11	0 / 3	0 / 5	
Percentage of transfers resulting in live births	50.0	8 / 18	0 / 11	0 / 3	0 / 5	
Percentage of transfers resulting in pregnancy	60.4	10 / 18	0 / 11	0 / 3	0 / 5	
Outcomes per Pregnancy						
Number of pregnancies	29	10	0	0	0	0
Percentage of pregnancies resulting in singleton live births	58.6	3 / 10				
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 10				
Percentage of pregnancies resulting in live births	82.8	8 / 10				
Frozen Embryos from Nondonor Eggs						
Number of cycles	21	6	7	0	0	0
Number of transfers	21	6	7	0	0	0
Average number of embryos transferred	1.9	1.5	1.7			
Percentage of embryos transferred resulting in implantation	32.5	2 / 9	0 / 12			
Percentage of transfers resulting in singleton live births	19.0	2 / 6	0 / 7			
Percentage of transfers resulting in triplets or more live births	0.0	0 / 6	0 / 7			
Percentage of transfers resulting in live births	38.1	2 / 6	0 / 7			
Percentage of transfers resulting in pregnancy	57.1	3 / 6	2 / 7			
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Number of cycles		7		5		
Number of transfers		7		5		
Average number of embryos transferred		2.1		2.0		
Percentage of embryos transferred resulting in implantation		7 / 15		3 / 10		
Percentage of transfers resulting in singleton live births		3 / 7		1 / 5		
Percentage of transfers resulting in live births		5 / 7		2 / 5		
Percentage of transfers resulting in pregnancy		7 / 7		2 / 5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Bluegrass Fertility Center

Donor egg?	Yes	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 3 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF KENTUCKY LEXINGTON, KENTUCKY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	20%	Tubal factor	47%	Uterine factor	18%	
Unstimulated	0%	Used PGD	7%	Ovulatory dysfunction	0%	Male factor	6%	
Used gestational carrier	0%			Diminished ovarian reserve	0%	Other factor	0%	
				Endometriosis	24%	Unknown factor	24%	
				Multiple Factors:				
				Female factors only				18%
				Female & male factors				0%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 17

Data verified by Kenneth N. Muse, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	9	5	1	0	0	0
Percentage of cancellations	5 / 9	2 / 5	1 / 1			
Average number of embryos transferred	2.0	2.0				
Percentage of embryos transferred resulting in implantation	1 / 8	3 / 6				
Percentage of elective single embryo transfer (eSET)	0 / 3	0 / 3				
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	1 / 9	1 / 5	0 / 1			
Percentage of cycles resulting in triplets or more live births	0 / 9	0 / 5	0 / 1			
Percentage of cycles resulting in live births	1 / 9	2 / 5	0 / 1			
Percentage of cycles resulting in pregnancy	1 / 9	2 / 5	0 / 1			
Outcomes per Transfer						
Number of transfers	4	3	0	0	0	0
Percentage of transfers resulting in singleton live births	1 / 4	1 / 3				
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 3				
Percentage of transfers resulting in live births	1 / 4	2 / 3				
Percentage of transfers resulting in pregnancy	1 / 4	2 / 3				
Outcomes per Pregnancy						
Number of pregnancies	1	2	0	0	0	0
Percentage of pregnancies resulting in singleton live births	1 / 1	1 / 2				
Percentage of pregnancies resulting in triplets or more live births	0 / 1	0 / 2				
Percentage of pregnancies resulting in live births	1 / 1	2 / 2				
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	0	0	0	0	0
Number of transfers	1	0	0	0	0	0
Average number of embryos transferred	1.0					
Percentage of embryos transferred resulting in implantation	0 / 1					
Percentage of transfers resulting in singleton live births	0 / 1					
Percentage of transfers resulting in triplets or more live births	0 / 1					
Percentage of transfers resulting in live births	0 / 1					
Percentage of transfers resulting in pregnancy	0 / 1					
All Ages Combined^f						
	Fresh Embryos		Frozen Embryos			
Number of cycles	0		1			
Number of transfers	0		1			
Average number of embryos transferred			2.0			
Percentage of embryos transferred resulting in implantation			0 / 2			
Percentage of transfers resulting in singleton live births			0 / 1			
Percentage of transfers resulting in live births			0 / 1			
Percentage of transfers resulting in pregnancy			0 / 1			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University of Kentucky

Donor egg?	Yes	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**FERTILITY AND ENDOCRINE ASSOCIATES
LOUISVILLE REPRODUCTIVE CENTER
LOUISVILLE, KENTUCKY**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE				Patient Diagnosis ^b				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	74%	Tubal factor	17%	Uterine factor	<1%	Multiple Factors: Female factors only 14% Female & male factors 49%
Unstimulated	3%	Used PGD	0%	Ovulatory dysfunction	21%	Male factor	56%	
Used gestational carrier	0%			Diminished ovarian reserve	46%	Other factor	2%	
				Endometriosis	33%	Unknown factor	4%	

2011 ART SUCCESS RATES^{c,d} Number of cycles in table:^e 144 Data verified by Robert J. Homm, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	36	16	14	5	2	0
Percentage of cancellations	8.3	3 / 16	4 / 14	1 / 5	0 / 2	
Average number of embryos transferred	2.2	2.5	2.6	3.0	2.5	
Percentage of embryos transferred resulting in implantation	30.8	27.3	11.5	0 / 6	0 / 5	
Percentage of elective single embryo transfer (eSET)	3.3	0 / 13	0 / 9	0 / 2	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.0	7 / 16	0 / 14	0 / 5	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 16	1 / 14	0 / 5	0 / 2	
Percentage of cycles resulting in live births	38.9	8 / 16	1 / 14	0 / 5	0 / 2	
Percentage of cycles resulting in pregnancy	47.2	8 / 16	1 / 14	1 / 5	0 / 2	
Outcomes per Transfer						
Number of transfers	30	13	10	2	2	0
Percentage of transfers resulting in singleton live births	30.0	7 / 13	0 / 10	0 / 2	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 13	1 / 10	0 / 2	0 / 2	
Percentage of transfers resulting in live births	46.7	8 / 13	1 / 10	0 / 2	0 / 2	
Percentage of transfers resulting in pregnancy	56.7	8 / 13	1 / 10	1 / 2	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	17	8	1	1	0	0
Percentage of pregnancies resulting in singleton live births	9 / 17	7 / 8	0 / 1	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 17	0 / 8	1 / 1	0 / 1		
Percentage of pregnancies resulting in live births	14 / 17	8 / 8	1 / 1	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	23	12	9	2	0	1
Number of transfers	23	12	9	2	0	1
Average number of embryos transferred	1.9	1.8	2.0	2.0		2.0
Percentage of embryos transferred resulting in implantation	20.5	4.8	2 / 18	0 / 4		0 / 2
Percentage of transfers resulting in singleton live births	30.4	1 / 12	0 / 9	0 / 2		0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 12	0 / 9	0 / 2		0 / 1
Percentage of transfers resulting in live births	30.4	1 / 12	1 / 9	0 / 2		0 / 1
Percentage of transfers resulting in pregnancy	43.5	4 / 12	2 / 9	0 / 2		0 / 1
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	7		17			
Number of transfers	7		17			
Average number of embryos transferred	2.1		2.2			
Percentage of embryos transferred resulting in implantation	3 / 15		23.7			
Percentage of transfers resulting in singleton live births	1 / 7		2 / 17			
Percentage of transfers resulting in live births	2 / 7		4 / 17			
Percentage of transfers resulting in pregnancy	3 / 7		9 / 17			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility and Endocrine Associates, Louisville Reproductive Center					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

KENTUCKY

UNIVERSITY OB/GYN ASSOCIATES FERTILITY CENTER LOUISVILLE, KENTUCKY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	51%	Tubal factor	18%	Uterine factor	2%	
Unstimulated	0%	Used PGD	7%	Ovulatory dysfunction	16%	Male factor	44%	
Used gestational carrier	0%			Diminished ovarian reserve	33%	Other factor	14%	
				Endometriosis	17%	Unknown factor	6%	
				Multiple Factors:				
				Female factors only				16%
				Female & male factors				27%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 213

Data verified by Henry C. Bohler, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	77	31	24	10	8	1
Percentage of cancellations	9.1	3.2	0.0	1 / 10	2 / 8	0 / 1
Average number of embryos transferred	2.1	2.1	2.9	3.1	3.7	4.0
Percentage of embryos transferred resulting in implantation	27.0	24.2	7.2	16.0	9.1	0 / 4
Percentage of elective single embryo transfer (eSET)	6.6	11.5	0.0	0 / 8	0 / 5	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.0	35.5	12.5	1 / 10	1 / 8	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 10	0 / 8	0 / 1
Percentage of cycles resulting in live births	36.4	38.7	16.7	1 / 10	1 / 8	0 / 1
Percentage of cycles resulting in pregnancy	40.3	45.2	20.8	3 / 10	2 / 8	0 / 1
Outcomes per Transfer						
Number of transfers	66	29	24	8	6	1
Percentage of transfers resulting in singleton live births	30.3	37.9	12.5	1 / 8	1 / 6	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 8	0 / 6	0 / 1
Percentage of transfers resulting in live births	42.4	41.4	16.7	1 / 8	1 / 6	0 / 1
Percentage of transfers resulting in pregnancy	47.0	48.3	20.8	3 / 8	2 / 6	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	31	14	5	3	2	0
Percentage of pregnancies resulting in singleton live births	64.5	11 / 14	3 / 5	1 / 3	1 / 2	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 14	0 / 5	0 / 3	0 / 2	
Percentage of pregnancies resulting in live births	90.3	12 / 14	4 / 5	1 / 3	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	20	11	3	0	1	1
Number of transfers	18	10	3	0	1	1
Average number of embryos transferred	2.1	1.5	2.3		2.0	3.0
Percentage of embryos transferred resulting in implantation	36.8	4 / 15	1 / 7		0 / 2	0 / 3
Percentage of transfers resulting in singleton live births	7 / 18	4 / 10	1 / 3		0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 18	0 / 10	0 / 3		0 / 1	0 / 1
Percentage of transfers resulting in live births	10 / 18	4 / 10	1 / 3		0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	11 / 18	4 / 10	2 / 3		0 / 1	0 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		18		8		
Number of transfers		15		6		
Average number of embryos transferred		1.9		1.8		
Percentage of embryos transferred resulting in implantation		55.2		7 / 11		
Percentage of transfers resulting in singleton live births		6 / 15		2 / 6		
Percentage of transfers resulting in live births		11 / 15		4 / 6		
Percentage of transfers resulting in pregnancy		11 / 15		5 / 6		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2011. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 3 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

A WOMAN'S CENTER FOR REPRODUCTIVE MEDICINE BATON ROUGE, LOUISIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	84%	Tubal factor	18%	Uterine factor	5%	Multiple Factors: Female factors only 10% Female & male factors 31%
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	5%	Male factor	51%	
Used gestational carrier	<1%			Diminished ovarian reserve	45%	Other factor	3%	
				Endometriosis	14%	Unknown factor	6%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 134

Data verified by Bobby W. Webster, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	57	13	25	13	0	1
Percentage of cancellations	10.5	4 / 13	16.0	3 / 13		0 / 1
Average number of embryos transferred	1.9	2.0	2.1	3.5		3.0
Percentage of embryos transferred resulting in implantation	36.6	1 / 18	11.1	5.7		0 / 3
Percentage of elective single embryo transfer (eSET)	6.3	0 / 7	0 / 18	0 / 10		0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	22.8	1 / 13	16.0	0 / 13		0 / 1
Percentage of cycles resulting in triplets or more live births	1.8	0 / 13	0.0	0 / 13		0 / 1
Percentage of cycles resulting in live births	33.3	1 / 13	16.0	0 / 13		0 / 1
Percentage of cycles resulting in pregnancy	38.6	1 / 13	24.0	3 / 13		0 / 1
Outcomes per Transfer						
Number of transfers	48	9	21	10	0	1
Percentage of transfers resulting in singleton live births	27.1	1 / 9	19.0	0 / 10		0 / 1
Percentage of transfers resulting in triplets or more live births	2.1	0 / 9	0.0	0 / 10		0 / 1
Percentage of transfers resulting in live births	39.6	1 / 9	19.0	0 / 10		0 / 1
Percentage of transfers resulting in pregnancy	45.8	1 / 9	28.6	3 / 10		0 / 1
Outcomes per Pregnancy						
Number of pregnancies	22	1	6	3	0	0
Percentage of pregnancies resulting in singleton live births	59.1	1 / 1	4 / 6	0 / 3		
Percentage of pregnancies resulting in triplets or more live births	4.5	0 / 1	0 / 6	0 / 3		
Percentage of pregnancies resulting in live births	86.4	1 / 1	4 / 6	0 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	8	5	2	2	0	1
Number of transfers	8	5	1	1	0	1
Average number of embryos transferred	1.8	1.8	2.0	1.0		2.0
Percentage of embryos transferred resulting in implantation	5 / 14	3 / 9	0 / 2	0 / 1		0 / 2
Percentage of transfers resulting in singleton live births	3 / 8	1 / 5	0 / 1	0 / 1		0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 8	0 / 5	0 / 1	0 / 1		0 / 1
Percentage of transfers resulting in live births	4 / 8	1 / 5	0 / 1	0 / 1		0 / 1
Percentage of transfers resulting in pregnancy	4 / 8	3 / 5	0 / 1	0 / 1		0 / 1
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	6		1			
Number of transfers	6		1			
Average number of embryos transferred	2.2		1.0			
Percentage of embryos transferred resulting in implantation	5 / 13		1 / 1			
Percentage of transfers resulting in singleton live births	2 / 6		0 / 1			
Percentage of transfers resulting in live births	3 / 6		0 / 1			
Percentage of transfers resulting in pregnancy	4 / 6		1 / 1			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: A Woman's Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 2 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY AND WOMEN'S HEALTH CENTER OF LOUISIANA LAFAYETTE, LOUISIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	84%	Tubal factor	34%	Uterine factor	4%	
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	9%	Male factor	29%	
Used gestational carrier	0%			Diminished ovarian reserve	12%	Other factor	0%	
				Endometriosis	15%	Unknown factor	13%	
				Multiple Factors:				
				Female factors only				9%
				Female & male factors				5%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 161

Data verified by John Storment, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	82	19	23	9	6	0
Percentage of cancellations	4.9	1 / 19	8.7	2 / 9	1 / 6	
Average number of embryos transferred	2.1	2.2	2.8	2.0	1.2	
Percentage of embryos transferred resulting in implantation	44.7	27.0	18.9	0 / 14	0 / 6	
Percentage of elective single embryo transfer (eSET)	2.8	1 / 16	0 / 18	0 / 5	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	31.7	5 / 19	13.0	0 / 9	0 / 6	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 19	0.0	0 / 9	0 / 6	
Percentage of cycles resulting in live births	53.7	7 / 19	21.7	0 / 9	0 / 6	
Percentage of cycles resulting in pregnancy	59.8	8 / 19	39.1	2 / 9	0 / 6	
Outcomes per Transfer						
Number of transfers	78	17	19	7	5	0
Percentage of transfers resulting in singleton live births	33.3	5 / 17	3 / 19	0 / 7	0 / 5	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 17	0 / 19	0 / 7	0 / 5	
Percentage of transfers resulting in live births	56.4	7 / 17	5 / 19	0 / 7	0 / 5	
Percentage of transfers resulting in pregnancy	62.8	8 / 17	9 / 19	2 / 7	0 / 5	
Outcomes per Pregnancy						
Number of pregnancies	49	8	9	2	0	0
Percentage of pregnancies resulting in singleton live births	53.1	5 / 8	3 / 9	0 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 8	0 / 9	0 / 2		
Percentage of pregnancies resulting in live births	89.8	7 / 8	5 / 9	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	13	2	1	0	0	0
Number of transfers	13	2	1	0	0	0
Average number of embryos transferred	2.5	2.5	3.0			
Percentage of embryos transferred resulting in implantation	12.5	3 / 5	0 / 3			
Percentage of transfers resulting in singleton live births	1 / 13	1 / 2	0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 13	0 / 2	0 / 1			
Percentage of transfers resulting in live births	2 / 13	1 / 2	0 / 1			
Percentage of transfers resulting in pregnancy	4 / 13	1 / 2	0 / 1			
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	4		2			
Number of transfers	4		2			
Average number of embryos transferred	2.8		2.5			
Percentage of embryos transferred resulting in implantation	1 / 11		2 / 5			
Percentage of transfers resulting in singleton live births	0 / 4		0 / 2			
Percentage of transfers resulting in live births	0 / 4		1 / 2			
Percentage of transfers resulting in pregnancy	2 / 4		1 / 2			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility and Women's Health Center of Louisiana

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 2 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE FERTILITY INSTITUTE OF NEW ORLEANS METAIRIE, LOUISIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	60%	Tubal factor	22%	Uterine factor	0%	
Unstimulated	0%	Used PGD	8%	Ovulatory dysfunction	21%	Male factor	31%	
Used gestational carrier	3%			Diminished ovarian reserve	7%	Other factor	18%	
				Endometriosis	7%	Unknown factor	6%	
				Multiple Factors:				
				Female factors only				3%
				Female & male factors				9%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 481

Data verified by Richard P. Dickey, MD, PhD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	180	79	69	23	20	6
Percentage of cancellations	9.4	16.5	17.4	17.4	35.0	4 / 6
Average number of embryos transferred	2.2	2.2	2.5	2.7	2.9	1.0
Percentage of embryos transferred resulting in implantation	36.5	23.4	10.5	7.0	0.0	0 / 1
Percentage of elective single embryo transfer (eSET)	0.7	1.8	0.0	0 / 15	0 / 9	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.1	12.7	10.1	13.0	0.0	0 / 6
Percentage of cycles resulting in triplets or more live births	0.6	1.3	0.0	0.0	0.0	0 / 6
Percentage of cycles resulting in live births	45.0	24.1	13.0	13.0	0.0	0 / 6
Percentage of cycles resulting in pregnancy	48.9	26.6	15.9	13.0	5.0	0 / 6
Outcomes per Transfer						
Number of transfers	159	63	54	16	10	1
Percentage of transfers resulting in singleton live births	29.6	15.9	13.0	3 / 16	0 / 10	0 / 1
Percentage of transfers resulting in triplets or more live births	0.6	1.6	0.0	0 / 16	0 / 10	0 / 1
Percentage of transfers resulting in live births	50.9	30.2	16.7	3 / 16	0 / 10	0 / 1
Percentage of transfers resulting in pregnancy	55.3	33.3	20.4	3 / 16	1 / 10	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	88	21	11	3	1	0
Percentage of pregnancies resulting in singleton live births	53.4	47.6	7 / 11	3 / 3	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	1.1	4.8	0 / 11	0 / 3	0 / 1	
Percentage of pregnancies resulting in live births	92.0	90.5	9 / 11	3 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	35	20	15	3	4	0
Number of transfers	30	17	9	2	4	0
Average number of embryos transferred	2.2	1.9	2.2	2.5	2.3	
Percentage of embryos transferred resulting in implantation	29.9	33.3	15.0	0 / 5	0 / 9	
Percentage of transfers resulting in singleton live births	30.0	4 / 17	1 / 9	0 / 2	0 / 4	
Percentage of transfers resulting in triplets or more live births	3.3	0 / 17	0 / 9	0 / 2	0 / 4	
Percentage of transfers resulting in live births	40.0	7 / 17	2 / 9	0 / 2	0 / 4	
Percentage of transfers resulting in pregnancy	50.0	7 / 17	2 / 9	0 / 2	0 / 4	
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	11		16			
Number of transfers	10		13			
Average number of embryos transferred	2.1		1.8			
Percentage of embryos transferred resulting in implantation	14.3		16.7			
Percentage of transfers resulting in singleton live births	2 / 10		3 / 13			
Percentage of transfers resulting in live births	2 / 10		3 / 13			
Percentage of transfers resulting in pregnancy	4 / 10		4 / 13			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Fertility Institute of New Orleans

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR FERTILITY AND REPRODUCTIVE HEALTH SHREVEPORT, LOUISIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	68%	Tubal factor	33%	Uterine factor	0%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	21%	Male factor	34%	
Used gestational carrier	0%			Diminished ovarian reserve	8%	Other factor	<1%	
				Endometriosis	23%	Unknown factor	4%	
				Multiple Factors:				
				Female factors only				12%
				Female & male factors				10%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 133

Data verified by David T. Vandermolen, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	55	22	14	8	1	0
Percentage of cancellations	9.1	22.7	3 / 14	2 / 8	0 / 1	
Average number of embryos transferred	2.2	2.7	3.0	3.3	1.0	
Percentage of embryos transferred resulting in implantation	38.8	26.1	18.2	5.0	0 / 1	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 17	0 / 11	0 / 6		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.6	22.7	2 / 14	1 / 8	0 / 1	
Percentage of cycles resulting in triplets or more live births	1.8	4.5	0 / 14	0 / 8	0 / 1	
Percentage of cycles resulting in live births	45.5	36.4	4 / 14	1 / 8	0 / 1	
Percentage of cycles resulting in pregnancy	49.1	36.4	4 / 14	1 / 8	0 / 1	
Outcomes per Transfer						
Number of transfers	46	17	11	6	1	0
Percentage of transfers resulting in singleton live births	28.3	5 / 17	2 / 11	1 / 6	0 / 1	
Percentage of transfers resulting in triplets or more live births	2.2	1 / 17	0 / 11	0 / 6	0 / 1	
Percentage of transfers resulting in live births	54.3	8 / 17	4 / 11	1 / 6	0 / 1	
Percentage of transfers resulting in pregnancy	58.7	8 / 17	4 / 11	1 / 6	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	27	8	4	1	0	0
Percentage of pregnancies resulting in singleton live births	48.1	5 / 8	2 / 4	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	3.7	1 / 8	0 / 4	0 / 1		
Percentage of pregnancies resulting in live births	92.6	8 / 8	4 / 4	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	13	10	5	1	0	0
Number of transfers	13	9	4	1	0	0
Average number of embryos transferred	1.9	2.2	2.3	2.0		
Percentage of embryos transferred resulting in implantation	52.0	20.0	1 / 9	2 / 2		
Percentage of transfers resulting in singleton live births	4 / 13	3 / 9	0 / 4	1 / 1		
Percentage of transfers resulting in triplets or more live births	1 / 13	0 / 9	0 / 4	0 / 1		
Percentage of transfers resulting in live births	8 / 13	3 / 9	0 / 4	1 / 1		
Percentage of transfers resulting in pregnancy	8 / 13	4 / 9	1 / 4	1 / 1		

All Ages Combined^f

Donor Eggs	Fresh Embryos	Frozen Embryos
Number of cycles	4	0
Number of transfers	3	0
Average number of embryos transferred	2.3	
Percentage of embryos transferred resulting in implantation	6 / 7	
Percentage of transfers resulting in singleton live births	0 / 3	
Percentage of transfers resulting in live births	3 / 3	
Percentage of transfers resulting in pregnancy	3 / 3	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2011. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR ART AT UNION MEMORIAL HOSPITAL BALTIMORE, MARYLAND

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	75%	Tubal factor	19%	Uterine factor	0%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	11%	Male factor	34%	
Used gestational carrier	0%			Diminished ovarian reserve	27%	Other factor	8%	
				Endometriosis	12%	Unknown factor	5%	
				Multiple Factors:				
				Female factors only				4%
				Female & male factors				10%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 83

Data verified by Nathan G. Berger, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	28	13	7	6	10	0
Percentage of cancellations	10.7	1 / 13	1 / 7	2 / 6	7 / 10	
Average number of embryos transferred	2.2	2.7	2.7	1.3	2.0	
Percentage of embryos transferred resulting in implantation	21.4	11.1	0 / 16	0 / 4	0 / 4	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 10	0 / 5	0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	14.3	1 / 13	0 / 7	0 / 6	0 / 10	
Percentage of cycles resulting in triplets or more live births	3.6	0 / 13	0 / 7	0 / 6	0 / 10	
Percentage of cycles resulting in live births	21.4	2 / 13	0 / 7	0 / 6	0 / 10	
Percentage of cycles resulting in pregnancy	28.6	2 / 13	0 / 7	0 / 6	0 / 10	
Outcomes per Transfer						
Number of transfers	25	10	6	3	2	0
Percentage of transfers resulting in singleton live births	16.0	1 / 10	0 / 6	0 / 3	0 / 2	
Percentage of transfers resulting in triplets or more live births	4.0	0 / 10	0 / 6	0 / 3	0 / 2	
Percentage of transfers resulting in live births	24.0	2 / 10	0 / 6	0 / 3	0 / 2	
Percentage of transfers resulting in pregnancy	32.0	2 / 10	0 / 6	0 / 3	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	8	2	0	0	0	0
Percentage of pregnancies resulting in singleton live births	4 / 8	1 / 2				
Percentage of pregnancies resulting in triplets or more live births	1 / 8	0 / 2				
Percentage of pregnancies resulting in live births	6 / 8	2 / 2				
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	5	1	1	0	0
Number of transfers	4	4	1	1	0	0
Average number of embryos transferred	1.5	2.5	2.0	1.0		
Percentage of embryos transferred resulting in implantation	1 / 6	0 / 10	0 / 2	0 / 1		
Percentage of transfers resulting in singleton live births	1 / 4	0 / 4	0 / 1	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 4	0 / 1	0 / 1		
Percentage of transfers resulting in live births	1 / 4	0 / 4	0 / 1	0 / 1		
Percentage of transfers resulting in pregnancy	1 / 4	1 / 4	0 / 1	0 / 1		
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		5		3		
Number of transfers		4		3		
Average number of embryos transferred		2.3		2.7		
Percentage of embryos transferred resulting in implantation		3 / 9		0 / 8		
Percentage of transfers resulting in singleton live births		1 / 4		0 / 3		
Percentage of transfers resulting in live births		2 / 4		0 / 3		
Percentage of transfers resulting in pregnancy		2 / 4		0 / 3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for ART at Medstar Union Memorial Hospital

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHADY GROVE FERTILITY RSC AT GBMC BALTIMORE, MARYLAND

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	48%	Tubal factor	20%	Uterine factor	4%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	17%	Male factor	39%	
Used gestational carrier	<1%			Diminished ovarian reserve	10%	Other factor	6%	
				Endometriosis	7%	Unknown factor	17%	
				Multiple Factors:				
				Female factors only				6%
				Female & male factors				11%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 626

Data verified by Eugene Katz, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	259	108	92	39	21	1
Percentage of cancellations	8.5	12.0	14.1	20.5	23.8	0 / 1
Average number of embryos transferred	1.6	2.0	2.7	3.0	3.5	3.0
Percentage of embryos transferred resulting in implantation	41.7	40.5	26.9	5.6	9.4	0 / 3
Percentage of elective single embryo transfer (eSET)	37.0	8.4	0.0	0.0	0 / 15	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	34.4	21.3	18.5	5.1	4.8	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.9	0.0	0.0	0.0	0 / 1
Percentage of cycles resulting in live births	42.9	40.7	33.7	7.7	9.5	0 / 1
Percentage of cycles resulting in pregnancy	49.4	43.5	38.0	12.8	28.6	0 / 1
Outcomes per Transfer						
Number of transfers	225	88	74	30	15	1
Percentage of transfers resulting in singleton live births	39.6	26.1	23.0	6.7	1 / 15	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	1.1	0.0	0.0	0 / 15	0 / 1
Percentage of transfers resulting in live births	49.3	50.0	41.9	10.0	2 / 15	0 / 1
Percentage of transfers resulting in pregnancy	56.9	53.4	47.3	16.7	6 / 15	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	128	47	35	5	6	0
Percentage of pregnancies resulting in singleton live births	69.5	48.9	48.6	2 / 5	1 / 6	
Percentage of pregnancies resulting in triplets or more live births	0.0	2.1	0.0	0 / 5	0 / 6	
Percentage of pregnancies resulting in live births	86.7	93.6	88.6	3 / 5	2 / 6	
Frozen Embryos from Nondonor Eggs						
Number of cycles	60	18	14	13	0	0
Number of transfers	57	16	13	11	0	0
Average number of embryos transferred	1.6	1.9	1.9	2.2		
Percentage of embryos transferred resulting in implantation	36.6	43.3	28.0	12.5		
Percentage of transfers resulting in singleton live births	33.3	8 / 16	4 / 13	1 / 11		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	1 / 13	0 / 11		
Percentage of transfers resulting in live births	42.1	9 / 16	5 / 13	1 / 11		
Percentage of transfers resulting in pregnancy	54.4	9 / 16	6 / 13	3 / 11		
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		0		1		
Number of transfers		0		1		
Average number of embryos transferred				2.0		
Percentage of embryos transferred resulting in implantation				0 / 2		
Percentage of transfers resulting in singleton live births				0 / 1		
Percentage of transfers resulting in live births				0 / 1		
Percentage of transfers resulting in pregnancy				0 / 1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Shady Grove Fertility RSC at GBMC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ENDRIKA HINTON, MD LUTHERVILLE, MARYLAND

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	28%	Tubal factor	16%	Uterine factor	21%	Multiple Factors: Female factors only 37% Female & male factors 16%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	24%	Male factor	29%	
Used gestational carrier	0%			Diminished ovarian reserve	24%	Other factor	3%	
				Endometriosis	50%	Unknown factor	0%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 38

Data verified by Endrika L. Hinton, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	15	8	3	5	1	0
Percentage of cancellations	1 / 15	2 / 8	0 / 3	2 / 5	0 / 1	
Average number of embryos transferred	2.1	2.0	2.0	3.0	1.0	
Percentage of embryos transferred resulting in implantation	47.6	5 / 12	2 / 4	0 / 6	0 / 1	
Percentage of elective single embryo transfer (eSET)	1 / 10	1 / 6	0 / 2	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	4 / 15	2 / 8	2 / 3	0 / 5	0 / 1	
Percentage of cycles resulting in triplets or more live births	0 / 15	0 / 8	0 / 3	0 / 5	0 / 1	
Percentage of cycles resulting in live births	6 / 15	3 / 8	2 / 3	0 / 5	0 / 1	
Percentage of cycles resulting in pregnancy	6 / 15	3 / 8	2 / 3	1 / 5	0 / 1	
Outcomes per Transfer						
Number of transfers	10	6	2	2	1	0
Percentage of transfers resulting in singleton live births	4 / 10	2 / 6	2 / 2	0 / 2	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 10	0 / 6	0 / 2	0 / 2	0 / 1	
Percentage of transfers resulting in live births	6 / 10	3 / 6	2 / 2	0 / 2	0 / 1	
Percentage of transfers resulting in pregnancy	6 / 10	3 / 6	2 / 2	1 / 2	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	6	3	2	1	0	0
Percentage of pregnancies resulting in singleton live births	4 / 6	2 / 3	2 / 2	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 6	0 / 3	0 / 2	0 / 1		
Percentage of pregnancies resulting in live births	6 / 6	3 / 3	2 / 2	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	3	3	0	0	0	0
Number of transfers	3	3	0	0	0	0
Average number of embryos transferred	2.3	2.3				
Percentage of embryos transferred resulting in implantation	0 / 7	5 / 7				
Percentage of transfers resulting in singleton live births	0 / 3	2 / 3				
Percentage of transfers resulting in triplets or more live births	0 / 3	0 / 3				
Percentage of transfers resulting in live births	0 / 3	3 / 3				
Percentage of transfers resulting in pregnancy	2 / 3	3 / 3				
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	0		0			
Number of transfers	0		0			
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Endrika Hinton, MD

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

JOHNS HOPKINS FERTILITY CENTER LUTHERVILLE, MARYLAND

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	45%	Tubal factor	15%	Uterine factor	11%	Multiple Factors: Female factors only 14% Female & male factors 9%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	4%	Male factor	21%	
Used gestational carrier	<1%			Diminished ovarian reserve	41%	Other factor	16%	
				Endometriosis	14%	Unknown factor	3%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 325

Data verified by Jairo E. Garcia, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	59	37	73	54	20	6
Percentage of cancellations	10.2	29.7	16.4	37.0	25.0	1 / 6
Average number of embryos transferred	1.8	1.7	2.0	2.2	3.2	1.3
Percentage of embryos transferred resulting in implantation	44.0	17.6	12.9	11.3	8.6	0 / 4
Percentage of elective single embryo transfer (eSET)	14.3	1 / 14	2.4	0 / 17	0 / 10	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	20.3	13.5	9.6	5.6	10.0	0 / 6
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 6
Percentage of cycles resulting in live births	33.9	13.5	12.3	5.6	10.0	0 / 6
Percentage of cycles resulting in pregnancy	40.7	16.2	19.2	9.3	15.0	0 / 6
Outcomes per Transfer						
Number of transfers	41	20	50	24	11	3
Percentage of transfers resulting in singleton live births	29.3	25.0	14.0	12.5	2 / 11	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 11	0 / 3
Percentage of transfers resulting in live births	48.8	25.0	18.0	12.5	2 / 11	0 / 3
Percentage of transfers resulting in pregnancy	58.5	30.0	28.0	20.8	3 / 11	0 / 3
Outcomes per Pregnancy						
Number of pregnancies	24	6	14	5	3	0
Percentage of pregnancies resulting in singleton live births	50.0	5 / 6	7 / 14	3 / 5	2 / 3	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 6	0 / 14	0 / 5	0 / 3	
Percentage of pregnancies resulting in live births	83.3	5 / 6	9 / 14	3 / 5	2 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	12	10	24	5	2	2
Number of transfers	10	9	23	5	2	1
Average number of embryos transferred	1.9	2.1	2.0	1.4	3.5	2.0
Percentage of embryos transferred resulting in implantation	5 / 19	4 / 19	8.5	4 / 7	0 / 7	0 / 2
Percentage of transfers resulting in singleton live births	2 / 10	1 / 9	8.7	2 / 5	0 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 10	0 / 9	0.0	0 / 5	0 / 2	0 / 1
Percentage of transfers resulting in live births	3 / 10	1 / 9	8.7	3 / 5	0 / 2	0 / 1
Percentage of transfers resulting in pregnancy	4 / 10	3 / 9	26.1	3 / 5	0 / 2	0 / 1
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	8		13			
Number of transfers	3		12			
Average number of embryos transferred	2.0		2.1			
Percentage of embryos transferred resulting in implantation	3 / 6		20.0			
Percentage of transfers resulting in singleton live births	0 / 3		2 / 12			
Percentage of transfers resulting in live births	1 / 3		3 / 12			
Percentage of transfers resulting in pregnancy	2 / 3		4 / 12			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Johns Hopkins Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 26 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2011 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2011 ART cycle data or the clinic's Medical Director did not approve the clinic's 2011 ART cycle data for inclusion in this report.

**CENTER FOR REPRODUCTIVE MEDICINE
ROCKVILLE, MARYLAND**

This clinic provided ART services during 2011 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2011 ART cycle data or the clinic's Medical Director did not approve the clinic's 2011 ART cycle data for inclusion in this report.

SHADY GROVE FERTILITY REPRODUCTIVE SCIENCE CENTER ROCKVILLE, MARYLAND

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	58%	Tubal factor	11%	Uterine factor	4%	Multiple Factors: Female factors only 5% Female & male factors 7%
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	10%	Male factor	25%	
Used gestational carrier	<1%			Diminished ovarian reserve	24%	Other factor	12%	
				Endometriosis	5%	Unknown factor	22%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 6295

Data verified by Michael J. Levy, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	1558	893	912	438	176	16
Percentage of cancellations	5.8	10.0	13.7	16.7	21.0	3 / 16
Average number of embryos transferred	1.6	1.8	2.2	2.8	3.2	2.9
Percentage of embryos transferred resulting in implantation	40.4	34.4	24.0	12.7	6.6	2.9
Percentage of elective single embryo transfer (eSET)	36.1	24.7	4.2	0.3	0.0	0 / 10
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	31.5	29.1	20.4	13.2	2.8	1 / 16
Percentage of cycles resulting in triplets or more live births	0.4	0.2	0.2	0.0	0.0	0 / 16
Percentage of cycles resulting in live births	40.2	35.6	26.5	15.5	4.5	1 / 16
Percentage of cycles resulting in pregnancy	47.8	43.0	34.4	25.3	14.2	1 / 16
Outcomes per Transfer						
Number of transfers	1362	749	716	332	125	12
Percentage of transfers resulting in singleton live births	36.0	34.7	26.0	17.5	4.0	1 / 12
Percentage of transfers resulting in triplets or more live births	0.4	0.3	0.3	0.0	0.0	0 / 12
Percentage of transfers resulting in live births	46.0	42.5	33.8	20.5	6.4	1 / 12
Percentage of transfers resulting in pregnancy	54.6	51.3	43.9	33.4	20.0	1 / 12
Outcomes per Pregnancy						
Number of pregnancies	744	384	314	111	25	1
Percentage of pregnancies resulting in singleton live births	65.9	67.7	59.2	52.3	20.0	1 / 1
Percentage of pregnancies resulting in triplets or more live births	0.8	0.5	0.6	0.0	0.0	0 / 1
Percentage of pregnancies resulting in live births	84.3	82.8	77.1	61.3	32.0	1 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	470	259	177	69	19	6
Number of transfers	450	245	163	63	18	5
Average number of embryos transferred	1.6	1.5	1.5	1.7	2.0	1.4
Percentage of embryos transferred resulting in implantation	49.1	40.9	32.5	23.4	16.7	0 / 7
Percentage of transfers resulting in singleton live births	37.3	36.3	25.8	28.6	5 / 18	0 / 5
Percentage of transfers resulting in triplets or more live births	0.0	0.4	0.0	0.0	0 / 18	0 / 5
Percentage of transfers resulting in live births	50.7	43.7	30.1	30.2	5 / 18	0 / 5
Percentage of transfers resulting in pregnancy	64.9	59.6	43.6	42.9	5 / 18	1 / 5
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	891		411			
Number of transfers	772		370			
Average number of embryos transferred	1.4		1.4			
Percentage of embryos transferred resulting in implantation	48.1		34.5			
Percentage of transfers resulting in singleton live births	42.0		28.1			
Percentage of transfers resulting in live births	50.3		34.3			
Percentage of transfers resulting in pregnancy	62.8		48.1			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Shady Grove Fertility Reproductive Science Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF MARYLAND TOWSON, MARYLAND

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	43%	Tubal factor	22%	Uterine factor	5%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	32%	Male factor	39%	
Used gestational carrier	0%			Diminished ovarian reserve	14%	Other factor	16%	
				Endometriosis	17%	Unknown factor	3%	
				Multiple Factors:				
				Female factors only				17%
				Female & male factors				23%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 338

Data verified by Santiago L. Padilla, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	95	56	57	26	10	3
Percentage of cancellations	6.3	12.5	31.6	23.1	2 / 10	0 / 3
Average number of embryos transferred	2.0	2.2	2.5	4.1	2.8	5.0
Percentage of embryos transferred resulting in implantation	37.9	31.4	14.4	15.4	0.0	0 / 15
Percentage of elective single embryo transfer (eSET)	2.4	4.3	0.0	0 / 19	0 / 6	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	29.5	21.4	10.5	15.4	0 / 10	0 / 3
Percentage of cycles resulting in triplets or more live births	0.0	1.8	0.0	3.8	0 / 10	0 / 3
Percentage of cycles resulting in live births	40.0	30.4	14.0	19.2	0 / 10	0 / 3
Percentage of cycles resulting in pregnancy	50.5	37.5	22.8	26.9	0 / 10	0 / 3
Outcomes per Transfer						
Number of transfers	86	48	39	19	8	3
Percentage of transfers resulting in singleton live births	32.6	25.0	15.4	4 / 19	0 / 8	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	2.1	0.0	1 / 19	0 / 8	0 / 3
Percentage of transfers resulting in live births	44.2	35.4	20.5	5 / 19	0 / 8	0 / 3
Percentage of transfers resulting in pregnancy	55.8	43.8	33.3	7 / 19	0 / 8	0 / 3
Outcomes per Pregnancy						
Number of pregnancies	48	21	13	7	0	0
Percentage of pregnancies resulting in singleton live births	58.3	57.1	6 / 13	4 / 7		
Percentage of pregnancies resulting in triplets or more live births	0.0	4.8	0 / 13	1 / 7		
Percentage of pregnancies resulting in live births	79.2	81.0	8 / 13	5 / 7		
Frozen Embryos from Nondonor Eggs						
Number of cycles	36	17	17	3	3	7
Number of transfers	32	16	15	3	2	5
Average number of embryos transferred	1.8	1.8	1.9	2.3	1.5	2.8
Percentage of embryos transferred resulting in implantation	27.6	44.8	20.7	2 / 7	0 / 3	0 / 14
Percentage of transfers resulting in singleton live births	28.1	3 / 16	5 / 15	0 / 3	0 / 2	0 / 5
Percentage of transfers resulting in triplets or more live births	3.1	1 / 16	0 / 15	0 / 3	0 / 2	0 / 5
Percentage of transfers resulting in live births	34.4	7 / 16	5 / 15	0 / 3	0 / 2	0 / 5
Percentage of transfers resulting in pregnancy	46.9	8 / 16	7 / 15	2 / 3	0 / 2	1 / 5
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			7		1	
Number of transfers			6		1	
Average number of embryos transferred			1.8		2.0	
Percentage of embryos transferred resulting in implantation			5 / 11		0 / 2	
Percentage of transfers resulting in singleton live births			3 / 6		0 / 1	
Percentage of transfers resulting in live births			3 / 6		0 / 1	
Percentage of transfers resulting in pregnancy			5 / 6		0 / 1	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Center of Maryland

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BRIGHAM AND WOMEN'S HOSPITAL CENTER FOR ASSISTED REPRODUCTIVE TECHNOLOGY BOSTON, MASSACHUSETTS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	36%	Tubal factor	11%	Uterine factor	4%	
Unstimulated	<1%	Used PGD	3%	Ovulatory dysfunction	11%	Male factor	27%	
Used gestational carrier	<1%			Diminished ovarian reserve	21%	Other factor	12%	
				Endometriosis	7%	Unknown factor	28%	
				Multiple Factors:				
				Female factors only				7%
				Female & male factors				11%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 1935

Data verified by Elizabeth S. Ginsburg, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	474	328	388	187	76	4
Percentage of cancellations	1.9	7.0	7.7	6.4	7.9	1 / 4
Average number of embryos transferred	1.8	2.2	2.7	4.0	4.8	6.0
Percentage of embryos transferred resulting in implantation	34.1	28.2	15.0	5.1	5.7	0 / 18
Percentage of elective single embryo transfer (eSET)	18.3	6.9	1.0	0.0	0.0	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.8	23.5	17.5	8.6	10.5	0 / 4
Percentage of cycles resulting in triplets or more live births	0.2	0.3	0.0	0.0	0.0	0 / 4
Percentage of cycles resulting in live births	38.8	33.2	21.9	9.6	13.2	0 / 4
Percentage of cycles resulting in pregnancy	46.6	40.9	31.2	20.3	23.7	0 / 4
Outcomes per Transfer						
Number of transfers	432	283	336	164	69	3
Percentage of transfers resulting in singleton live births	30.6	27.2	20.2	9.8	11.6	0 / 3
Percentage of transfers resulting in triplets or more live births	0.2	0.4	0.0	0.0	0.0	0 / 3
Percentage of transfers resulting in live births	42.6	38.5	25.3	11.0	14.5	0 / 3
Percentage of transfers resulting in pregnancy	51.2	47.3	36.0	23.2	26.1	0 / 3
Outcomes per Pregnancy						
Number of pregnancies	221	134	121	38	18	0
Percentage of pregnancies resulting in singleton live births	59.7	57.5	56.2	42.1	8 / 18	
Percentage of pregnancies resulting in triplets or more live births	0.5	0.7	0.0	0.0	0 / 18	
Percentage of pregnancies resulting in live births	83.3	81.3	70.2	47.4	10 / 18	
Frozen Embryos from Nondonor Eggs						
Number of cycles	153	99	83	19	4	5
Number of transfers	146	95	78	19	4	1
Average number of embryos transferred	2.1	2.4	2.8	3.1	5.0	3.0
Percentage of embryos transferred resulting in implantation	20.8	15.4	17.2	8.6	10.0	1 / 3
Percentage of transfers resulting in singleton live births	21.9	24.2	19.2	3 / 19	1 / 4	1 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 19	0 / 4	0 / 1
Percentage of transfers resulting in live births	31.5	28.4	24.4	3 / 19	1 / 4	1 / 1
Percentage of transfers resulting in pregnancy	40.4	38.9	41.0	6 / 19	1 / 4	1 / 1
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	66		49			
Number of transfers	61		46			
Average number of embryos transferred	2.0		2.3			
Percentage of embryos transferred resulting in implantation	47.5		26.4			
Percentage of transfers resulting in singleton live births	34.4		30.4			
Percentage of transfers resulting in live births	60.7		41.3			
Percentage of transfers resulting in pregnancy	63.9		47.8			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Brigham and Women's Hospital Center for Assisted Reproductive Technology

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 26 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MASSACHUSETTS GENERAL HOSPITAL FERTILITY CENTER BOSTON, MASSACHUSETTS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	45%	Tubal factor	13%	Uterine factor	3%	
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	14%	Male factor	38%	
Used gestational carrier	<1%			Diminished ovarian reserve	18%	Other factor	5%	
				Endometriosis	6%	Unknown factor	28%	
				Multiple Factors:				
				Female factors only				4%
				Female & male factors				16%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 809

Data verified by Thomas L. Toth, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	260	154	170	67	18	0
Percentage of cancellations	3.5	5.8	10.0	11.9	3 / 18	
Average number of embryos transferred	1.8	2.0	2.5	3.3	4.2	
Percentage of embryos transferred resulting in implantation	42.7	36.1	21.5	14.5	3.4	
Percentage of elective single embryo transfer (eSET)	11.8	4.8	0.0	0.0	0 / 14	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	31.9	31.8	20.6	16.4	1 / 18	
Percentage of cycles resulting in triplets or more live births	0.4	0.0	0.0	1.5	0 / 18	
Percentage of cycles resulting in live births	46.2	44.2	28.2	20.9	1 / 18	
Percentage of cycles resulting in pregnancy	54.2	50.0	32.9	29.9	2 / 18	
Outcomes per Transfer						
Number of transfers	232	136	144	58	14	0
Percentage of transfers resulting in singleton live births	35.8	36.0	24.3	19.0	1 / 14	
Percentage of transfers resulting in triplets or more live births	0.4	0.0	0.0	1.7	0 / 14	
Percentage of transfers resulting in live births	51.7	50.0	33.3	24.1	1 / 14	
Percentage of transfers resulting in pregnancy	60.8	56.6	38.9	34.5	2 / 14	
Outcomes per Pregnancy						
Number of pregnancies	141	77	56	20	2	0
Percentage of pregnancies resulting in singleton live births	58.9	63.6	62.5	55.0	1 / 2	
Percentage of pregnancies resulting in triplets or more live births	0.7	0.0	0.0	5.0	0 / 2	
Percentage of pregnancies resulting in live births	85.1	88.3	85.7	70.0	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	42	18	15	6	1	0
Number of transfers	40	18	15	6	1	0
Average number of embryos transferred	1.5	1.8	1.9	1.7	3.0	
Percentage of embryos transferred resulting in implantation	26.7	34.4	34.5	5 / 10	0 / 3	
Percentage of transfers resulting in singleton live births	20.0	6 / 18	4 / 15	2 / 6	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	1 / 18	0 / 15	0 / 6	0 / 1	
Percentage of transfers resulting in live births	25.0	7 / 18	5 / 15	3 / 6	0 / 1	
Percentage of transfers resulting in pregnancy	35.0	8 / 18	9 / 15	4 / 6	0 / 1	
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			46		12	
Number of transfers			44		11	
Average number of embryos transferred			1.8		1.7	
Percentage of embryos transferred resulting in implantation			46.3		7 / 19	
Percentage of transfers resulting in singleton live births			40.9		5 / 11	
Percentage of transfers resulting in live births			56.8		6 / 11	
Percentage of transfers resulting in pregnancy			61.4		6 / 11	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Massachusetts General Hospital Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 8 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REI DIVISION AT TUFTS MEDICAL CENTER BOSTON, MASSACHUSETTS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	31%	Tubal factor	10%	Uterine factor	0%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	10%	Male factor	26%
Used gestational carrier	0%			Diminished ovarian reserve	0%	Other factor	3%
				Endometriosis	8%	Unknown factor	50%
				Multiple Factors:			
						Female factors only	0%
						Female & male factors	7%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 136

Data verified by Sandra A. Carson, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	45	28	40	7	1	0
Percentage of cancellations	4.4	10.7	5.0	0 / 7	0 / 1	
Average number of embryos transferred	2.1	2.6	3.1	2.6	3.0	
Percentage of embryos transferred resulting in implantation	23.9	17.2	8.7	0 / 18	0 / 3	
Percentage of elective single embryo transfer (eSET)	4.9	0.0	2.9	0 / 5	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	28.9	14.3	17.5	0 / 7	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 7	0 / 1	
Percentage of cycles resulting in live births	35.6	25.0	20.0	0 / 7	0 / 1	
Percentage of cycles resulting in pregnancy	40.0	28.6	22.5	0 / 7	0 / 1	
Outcomes per Transfer						
Number of transfers	42	22	37	7	1	0
Percentage of transfers resulting in singleton live births	31.0	18.2	18.9	0 / 7	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 7	0 / 1	
Percentage of transfers resulting in live births	38.1	31.8	21.6	0 / 7	0 / 1	
Percentage of transfers resulting in pregnancy	42.9	36.4	24.3	0 / 7	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	18	8	9	0	0	0
Percentage of pregnancies resulting in singleton live births	13 / 18	4 / 8	7 / 9			
Percentage of pregnancies resulting in triplets or more live births	0 / 18	0 / 8	0 / 9			
Percentage of pregnancies resulting in live births	16 / 18	7 / 8	8 / 9			
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	5	6	0	0	0
Number of transfers	4	5	6	0	0	0
Average number of embryos transferred	2.0	2.0	2.0			
Percentage of embryos transferred resulting in implantation	1 / 8	1 / 10	1 / 12			
Percentage of transfers resulting in singleton live births	1 / 4	0 / 5	1 / 6			
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 5	0 / 6			
Percentage of transfers resulting in live births	1 / 4	0 / 5	1 / 6			
Percentage of transfers resulting in pregnancy	1 / 4	1 / 5	1 / 6			
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	0		0			
Number of transfers	0		0			
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: REI Division at Tufts Medical Center

Donor egg?	No	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY SOLUTIONS, PC DBA
 MASSACHUSETTS FERTILITY CENTER, LLC
 DEDHAM, MASSACHUSETTS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	40%	Tubal factor	21%	Uterine factor	11%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	15%	Male factor	25%
Used gestational carrier	0%			Diminished ovarian reserve	27%	Other factor	5%
				Endometriosis	8%	Unknown factor	7%
				Multiple Factors:			
						Female factors only	11%
						Female & male factors	6%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 362

Data verified by Ania Kowalik, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	118	61	64	50	5	0
Percentage of cancellations	10.2	9.8	4.7	20.0	0 / 5	
Average number of embryos transferred	1.8	2.1	2.4	2.8	2.4	
Percentage of embryos transferred resulting in implantation	33.5	23.9	16.4	4.2	0 / 12	
Percentage of elective single embryo transfer (eSET)	26.4	16.0	6.0	0.0	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.4	31.1	21.9	2.0	0 / 5	
Percentage of cycles resulting in triplets or more live births	1.7	0.0	0.0	0.0	0 / 5	
Percentage of cycles resulting in live births	32.2	32.8	23.4	2.0	0 / 5	
Percentage of cycles resulting in pregnancy	38.1	41.0	28.1	10.0	0 / 5	
Outcomes per Transfer						
Number of transfers	92	53	56	34	5	0
Percentage of transfers resulting in singleton live births	32.6	35.8	25.0	2.9	0 / 5	
Percentage of transfers resulting in triplets or more live births	2.2	0.0	0.0	0.0	0 / 5	
Percentage of transfers resulting in live births	41.3	37.7	26.8	2.9	0 / 5	
Percentage of transfers resulting in pregnancy	48.9	47.2	32.1	14.7	0 / 5	
Outcomes per Pregnancy						
Number of pregnancies	45	25	18	5	0	0
Percentage of pregnancies resulting in singleton live births	66.7	76.0	14 / 18	1 / 5		
Percentage of pregnancies resulting in triplets or more live births	4.4	0.0	0 / 18	0 / 5		
Percentage of pregnancies resulting in live births	84.4	80.0	15 / 18	1 / 5		
Frozen Embryos from Nondonor Eggs						
Number of cycles	32	8	10	1	1	0
Number of transfers	30	8	7	1	1	0
Average number of embryos transferred	1.8	1.9	2.3	2.0	4.0	
Percentage of embryos transferred resulting in implantation	14.5	1 / 15	0 / 16	0 / 2	0 / 4	
Percentage of transfers resulting in singleton live births	26.7	1 / 8	0 / 7	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 8	0 / 7	0 / 1	0 / 1	
Percentage of transfers resulting in live births	26.7	1 / 8	0 / 7	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	26.7	2 / 8	0 / 7	0 / 1	0 / 1	

All Ages Combined^f

Donor Eggs	Fresh Embryos	Frozen Embryos
Number of cycles	11	1
Number of transfers	10	1
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation	35.0	0 / 2
Percentage of transfers resulting in singleton live births	3 / 10	0 / 1
Percentage of transfers resulting in live births	5 / 10	0 / 1
Percentage of transfers resulting in pregnancy	6 / 10	0 / 1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Solutions, PC dba, Massachusetts Fertility Center, LLC					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE SCIENCE CENTER LEXINGTON, MASSACHUSETTS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	43%	Tubal factor	18%	Uterine factor	4%	
Unstimulated	<1%	Used PGD	1%	Ovulatory dysfunction	14%	Male factor	43%	
Used gestational carrier	<1%			Diminished ovarian reserve	17%	Other factor	7%	
				Endometriosis	7%	Unknown factor	18%	
				Multiple Factors:				
				Female factors only				6%
				Female & male factors				18%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 2636

Data verified by Samuel C. Pang, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	883	432	472	213	48	6
Percentage of cancellations	3.3	6.3	8.3	8.5	10.4	2 / 6
Average number of embryos transferred	1.6	1.8	2.4	3.0	3.5	3.3
Percentage of embryos transferred resulting in implantation	33.5	33.1	18.4	11.0	5.6	0 / 13
Percentage of elective single embryo transfer (eSET)	36.7	18.9	3.3	0.0	0.0	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	29.6	28.0	16.9	15.0	0.0	0 / 6
Percentage of cycles resulting in triplets or more live births	0.7	0.0	0.0	0.5	0.0	0 / 6
Percentage of cycles resulting in live births	35.1	35.0	21.6	16.9	0.0	0 / 6
Percentage of cycles resulting in pregnancy	40.9	41.4	28.8	23.9	10.4	0 / 6
Outcomes per Transfer						
Number of transfers	780	353	387	176	31	4
Percentage of transfers resulting in singleton live births	33.5	34.3	20.7	18.2	0.0	0 / 4
Percentage of transfers resulting in triplets or more live births	0.8	0.0	0.0	0.6	0.0	0 / 4
Percentage of transfers resulting in live births	39.7	42.8	26.4	20.5	0.0	0 / 4
Percentage of transfers resulting in pregnancy	46.3	50.7	35.1	29.0	16.1	0 / 4
Outcomes per Pregnancy						
Number of pregnancies	361	179	136	51	5	0
Percentage of pregnancies resulting in singleton live births	72.3	67.6	58.8	62.7	0 / 5	
Percentage of pregnancies resulting in triplets or more live births	1.7	0.0	0.0	2.0	0 / 5	
Percentage of pregnancies resulting in live births	85.9	84.4	75.0	70.6	0 / 5	
Frozen Embryos from Nondonor Eggs						
Number of cycles	233	94	77	25	10	1
Number of transfers	195	75	57	15	6	1
Average number of embryos transferred	1.5	1.5	1.6	1.9	1.3	2.0
Percentage of embryos transferred resulting in implantation	24.0	17.9	16.1	21.4	0 / 8	1 / 2
Percentage of transfers resulting in singleton live births	20.0	16.0	21.1	4 / 15	0 / 6	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 15	0 / 6	0 / 1
Percentage of transfers resulting in live births	25.6	20.0	21.1	4 / 15	0 / 6	0 / 1
Percentage of transfers resulting in pregnancy	33.8	24.0	24.6	7 / 15	0 / 6	1 / 1
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	85		57			
Number of transfers	73		46			
Average number of embryos transferred	1.6		1.3			
Percentage of embryos transferred resulting in implantation	44.7		31.0			
Percentage of transfers resulting in singleton live births	43.8		26.1			
Percentage of transfers resulting in live births	50.7		28.3			
Percentage of transfers resulting in pregnancy	61.6		39.1			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Science Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**FERTILITY CENTERS OF NEW ENGLAND, INC.
NEW ENGLAND CLINICS OF REPRODUCTIVE MEDICINE, INC.
READING, MASSACHUSETTS**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	46%	Tubal factor	14%	Uterine factor	9%
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	15%	Male factor	29%
Used gestational carrier	<1%			Diminished ovarian reserve	10%	Other factor	28%
				Endometriosis	8%	Unknown factor	16%
				Multiple Factors: Female factors only 11% Female & male factors 14%			

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 979

Data verified by R. Ian Hardy, MD, PhD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	352	156	154	77	33	0
Percentage of cancellations	2.8	7.1	8.4	9.1	6.1	
Average number of embryos transferred	1.8	1.9	1.9	2.3	2.3	
Percentage of embryos transferred resulting in implantation	34.8	25.5	22.3	9.0	0.0	
Percentage of elective single embryo transfer (eSET)	7.0	4.3	4.7	0.0	0.0	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	29.8	25.0	14.3	6.5	0.0	
Percentage of cycles resulting in triplets or more live births	0.3	0.0	0.0	0.0	0.0	
Percentage of cycles resulting in live births	37.5	30.1	20.8	7.8	0.0	
Percentage of cycles resulting in pregnancy	44.6	37.2	27.3	20.8	6.1	
Outcomes per Transfer						
Number of transfers	303	132	125	58	25	0
Percentage of transfers resulting in singleton live births	34.7	29.5	17.6	8.6	0.0	
Percentage of transfers resulting in triplets or more live births	0.3	0.0	0.0	0.0	0.0	
Percentage of transfers resulting in live births	43.6	35.6	25.6	10.3	0.0	
Percentage of transfers resulting in pregnancy	51.8	43.9	33.6	27.6	8.0	
Outcomes per Pregnancy						
Number of pregnancies	157	58	42	16	2	0
Percentage of pregnancies resulting in singleton live births	66.9	67.2	52.4	5 / 16	0 / 2	
Percentage of pregnancies resulting in triplets or more live births	0.6	0.0	0.0	0 / 16	0 / 2	
Percentage of pregnancies resulting in live births	84.1	81.0	76.2	6 / 16	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	58	40	28	14	8	3
Number of transfers	51	33	26	12	8	3
Average number of embryos transferred	1.8	1.6	1.8	2.0	1.9	2.0
Percentage of embryos transferred resulting in implantation	18.9	18.9	14.6	16.7	1 / 15	0 / 6
Percentage of transfers resulting in singleton live births	23.5	18.2	7.7	2 / 12	1 / 8	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 12	0 / 8	0 / 3
Percentage of transfers resulting in live births	25.5	21.2	11.5	3 / 12	1 / 8	0 / 3
Percentage of transfers resulting in pregnancy	35.3	33.3	19.2	4 / 12	1 / 8	0 / 3
All Ages Combined^f						
	Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of cycles		45		11		
Number of transfers		42		11		
Average number of embryos transferred		2.0		2.0		
Percentage of embryos transferred resulting in implantation		38.6		22.7		
Percentage of transfers resulting in singleton live births		47.6		4 / 11		
Percentage of transfers resulting in live births		59.5		4 / 11		
Percentage of transfers resulting in pregnancy		61.9		5 / 11		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Centers of New England, Inc., New England Clinics of Reproductive Medicine, Inc.

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 13 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BAYSTATE REPRODUCTIVE MEDICINE SPRINGFIELD, MASSACHUSETTS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE				Patient Diagnosis ^b				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	41%	Tubal factor	12%	Uterine factor	5%	Multiple Factors: Female factors only 6% Female & male factors 7%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	16%	Male factor	31%	
Used gestational carrier	0%			Diminished ovarian reserve	12%	Other factor	2%	
				Endometriosis	12%	Unknown factor	24%	

2011 ART SUCCESS RATES^{c,d} Number of cycles in table: ^e 490 Data verified by Kelly Lynch, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	143	67	59	34	8	0
Percentage of cancellations	4.9	17.9	11.9	8.8	2 / 8	
Average number of embryos transferred	1.4	1.9	2.6	3.6	4.6	
Percentage of embryos transferred resulting in implantation	34.8	26.7	21.6	7.6	8.7	
Percentage of elective single embryo transfer (eSET)	52.7	16.7	4.5	0.0	0 / 5	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	34.3	22.4	13.6	17.6	2 / 8	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 8	
Percentage of cycles resulting in live births	37.8	31.3	23.7	17.6	2 / 8	
Percentage of cycles resulting in pregnancy	42.0	34.3	33.9	26.5	3 / 8	
Outcomes per Transfer						
Number of transfers	129	54	49	29	5	0
Percentage of transfers resulting in singleton live births	38.0	27.8	16.3	20.7	2 / 5	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 5	
Percentage of transfers resulting in live births	41.9	38.9	28.6	20.7	2 / 5	
Percentage of transfers resulting in pregnancy	46.5	42.6	40.8	31.0	3 / 5	
Outcomes per Pregnancy						
Number of pregnancies	60	23	20	9	3	0
Percentage of pregnancies resulting in singleton live births	81.7	65.2	40.0	6 / 9	2 / 3	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 9	0 / 3	
Percentage of pregnancies resulting in live births	90.0	91.3	70.0	6 / 9	2 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	69	37	23	4	4	0
Number of transfers	64	34	20	4	2	0
Average number of embryos transferred	1.5	1.5	2.0	2.3	2.5	
Percentage of embryos transferred resulting in implantation	51.5	44.0	38.5	4 / 9	1 / 5	
Percentage of transfers resulting in singleton live births	32.8	20.6	40.0	2 / 4	1 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 4	0 / 2	
Percentage of transfers resulting in live births	50.0	35.3	50.0	2 / 4	1 / 2	
Percentage of transfers resulting in pregnancy	62.5	47.1	55.0	2 / 4	1 / 2	
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	21		21			
Number of transfers	19		18			
Average number of embryos transferred	1.5		1.7			
Percentage of embryos transferred resulting in implantation	21.4		53.3			
Percentage of transfers resulting in singleton live births	3 / 19		7 / 18			
Percentage of transfers resulting in live births	4 / 19		10 / 18			
Percentage of transfers resulting in pregnancy	6 / 19		11 / 18			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Baystate Reproductive Medicine					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CARDONE REPRODUCTIVE MEDICINE AND INFERTILITY STONEHAM, MASSACHUSETTS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	30%	Tubal factor	12%	Uterine factor	16%
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	10%	Male factor	15%
Used gestational carrier	6%			Diminished ovarian reserve	42%	Other factor	8%
				Endometriosis	5%	Unknown factor	11%
				Multiple Factors:			
						Female factors only	12%
						Female & male factors	6%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 220

Data verified by Vito R. Cardone, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	39	24	35	22	11	7
Percentage of cancellations	0.0	4.2	5.7	13.6	1 / 11	1 / 7
Average number of embryos transferred	1.9	2.2	2.0	2.8	3.0	2.7
Percentage of embryos transferred resulting in implantation	37.0	21.6	25.4	2.0	0 / 18	0 / 16
Percentage of elective single embryo transfer (eSET)	0.0	0.0	0.0	0 / 15	0 / 5	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	35.9	16.7	28.6	0.0	0 / 11	0 / 7
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 11	0 / 7
Percentage of cycles resulting in live births	46.2	25.0	34.3	0.0	0 / 11	0 / 7
Percentage of cycles resulting in pregnancy	61.5	41.7	34.3	13.6	0 / 11	0 / 7
Outcomes per Transfer						
Number of transfers	38	23	31	18	6	6
Percentage of transfers resulting in singleton live births	36.8	17.4	32.3	0 / 18	0 / 6	0 / 6
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 18	0 / 6	0 / 6
Percentage of transfers resulting in live births	47.4	26.1	38.7	0 / 18	0 / 6	0 / 6
Percentage of transfers resulting in pregnancy	63.2	43.5	38.7	3 / 18	0 / 6	0 / 6
Outcomes per Pregnancy						
Number of pregnancies	24	10	12	3	0	0
Percentage of pregnancies resulting in singleton live births	58.3	4 / 10	10 / 12	0 / 3		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 10	0 / 12	0 / 3		
Percentage of pregnancies resulting in live births	75.0	6 / 10	12 / 12	0 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	15	8	2	2	5	3
Number of transfers	13	8	2	2	5	3
Average number of embryos transferred	2.5	2.6	1.5	2.5	4.2	2.7
Percentage of embryos transferred resulting in implantation	12.1	23.8	0 / 3	0 / 5	14.3	0 / 8
Percentage of transfers resulting in singleton live births	3 / 13	5 / 8	0 / 2	0 / 2	2 / 5	0 / 3
Percentage of transfers resulting in triplets or more live births	0 / 13	0 / 8	0 / 2	0 / 2	0 / 5	0 / 3
Percentage of transfers resulting in live births	3 / 13	5 / 8	0 / 2	0 / 2	2 / 5	0 / 3
Percentage of transfers resulting in pregnancy	3 / 13	5 / 8	0 / 2	0 / 2	3 / 5	0 / 3
All Ages Combined^f						
Donor Eggs	Fresh Embryos			Frozen Embryos		
Number of cycles	30			17		
Number of transfers	25			15		
Average number of embryos transferred	2.0			2.7		
Percentage of embryos transferred resulting in implantation	32.0			12.5		
Percentage of transfers resulting in singleton live births	32.0			3 / 15		
Percentage of transfers resulting in live births	44.0			4 / 15		
Percentage of transfers resulting in pregnancy	52.0			4 / 15		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Cardone Reproductive Medicine and Infertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BOSTON IVF WALTHAM, MASSACHUSETTS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	39%	Tubal factor	8%	Uterine factor	2%	
Unstimulated	<1%	Used PGD	6%	Ovulatory dysfunction	10%	Male factor	26%	
Used gestational carrier	<1%			Diminished ovarian reserve	20%	Other factor	5%	
				Endometriosis	4%	Unknown factor	35%	
				Multiple Factors:				
				Female factors only				2%
				Female & male factors				7%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 3302

Data verified by Michael M. Alper, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	872	543	566	293	129	29
Percentage of cancellations	3.7	6.4	11.3	9.6	14.0	24.1
Average number of embryos transferred	1.8	2.1	2.6	3.5	3.5	4.5
Percentage of embryos transferred resulting in implantation	30.5	22.7	12.3	6.9	3.9	2.5
Percentage of elective single embryo transfer (eSET)	19.3	9.0	2.3	0.0	1.2	0 / 16
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	22.8	19.0	13.6	11.6	7.0	0.0
Percentage of cycles resulting in triplets or more live births	0.2	0.0	0.0	0.0	0.0	0.0
Percentage of cycles resulting in live births	32.9	26.3	17.3	13.3	7.0	0.0
Percentage of cycles resulting in pregnancy	38.9	33.3	23.1	20.8	10.9	6.9
Outcomes per Transfer						
Number of transfers	782	463	459	235	102	18
Percentage of transfers resulting in singleton live births	25.4	22.2	16.8	14.5	8.8	0 / 18
Percentage of transfers resulting in triplets or more live births	0.3	0.0	0.0	0.0	0.0	0 / 18
Percentage of transfers resulting in live births	36.7	30.9	21.4	16.6	8.8	0 / 18
Percentage of transfers resulting in pregnancy	43.4	39.1	28.5	26.0	13.7	2 / 18
Outcomes per Pregnancy						
Number of pregnancies	339	181	131	61	14	2
Percentage of pregnancies resulting in singleton live births	58.7	56.9	58.8	55.7	9 / 14	0 / 2
Percentage of pregnancies resulting in triplets or more live births	0.6	0.0	0.0	0.0	0 / 14	0 / 2
Percentage of pregnancies resulting in live births	84.7	79.0	74.8	63.9	9 / 14	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	295	153	105	39	6	4
Number of transfers	278	141	89	35	4	4
Average number of embryos transferred	1.9	2.0	2.2	2.7	2.3	2.5
Percentage of embryos transferred resulting in implantation	19.2	15.4	9.7	9.5	1 / 9	0 / 10
Percentage of transfers resulting in singleton live births	20.9	19.1	13.5	8.6	1 / 4	0 / 4
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 4	0 / 4
Percentage of transfers resulting in live births	26.3	22.7	16.9	14.3	1 / 4	0 / 4
Percentage of transfers resulting in pregnancy	34.2	26.2	24.7	31.4	1 / 4	1 / 4
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
	Number of cycles	139	129			
Number of transfers	136	125				
Average number of embryos transferred	1.9	1.9				
Percentage of embryos transferred resulting in implantation	36.0	20.9				
Percentage of transfers resulting in singleton live births	33.8	19.2				
Percentage of transfers resulting in live births	49.3	24.8				
Percentage of transfers resulting in pregnancy	54.4	32.0				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Boston IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 19 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE
UNIVERSITY OF MICHIGAN REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY
ANN ARBOR, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	64%	Tubal factor	17%	Uterine factor	6%	
Unstimulated	0%	Used PGD	7%	Ovulatory dysfunction	23%	Male factor	60%	
Used gestational carrier	<1%			Diminished ovarian reserve	42%	Other factor	7%	
				Endometriosis	13%	Unknown factor	<1%	
				Multiple Factors:				
				Female factors only				13%
				Female & male factors				43%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 164

Data verified by Senait Fisseha, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	64	19	16	8	6	0
Percentage of cancellations	7.8	2 / 19	2 / 16	2 / 8	2 / 6	
Average number of embryos transferred	1.9	2.1	2.2	2.6	2.3	
Percentage of embryos transferred resulting in implantation	33.9	40.0	22.6	3 / 13	0 / 7	
Percentage of elective single embryo transfer (eSET)	8.8	0 / 17	1 / 14	0 / 5	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.6	7 / 19	5 / 16	2 / 8	0 / 6	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 19	0 / 16	0 / 8	0 / 6	
Percentage of cycles resulting in live births	39.1	10 / 19	5 / 16	2 / 8	0 / 6	
Percentage of cycles resulting in pregnancy	46.9	11 / 19	6 / 16	3 / 8	0 / 6	
Outcomes per Transfer						
Number of transfers	58	17	14	5	3	0
Percentage of transfers resulting in singleton live births	29.3	7 / 17	5 / 14	2 / 5	0 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 17	0 / 14	0 / 5	0 / 3	
Percentage of transfers resulting in live births	43.1	10 / 17	5 / 14	2 / 5	0 / 3	
Percentage of transfers resulting in pregnancy	51.7	11 / 17	6 / 14	3 / 5	0 / 3	
Outcomes per Pregnancy						
Number of pregnancies	30	11	6	3	0	0
Percentage of pregnancies resulting in singleton live births	56.7	7 / 11	5 / 6	2 / 3		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 11	0 / 6	0 / 3		
Percentage of pregnancies resulting in live births	83.3	10 / 11	5 / 6	2 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	21	10	4	3	1	1
Number of transfers	21	10	4	3	1	1
Average number of embryos transferred	1.9	1.8	2.0	2.0	1.0	1.0
Percentage of embryos transferred resulting in implantation	20.5	6 / 18	0 / 8	0 / 6	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births	33.3	5 / 10	0 / 4	0 / 3	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 10	0 / 4	0 / 3	0 / 1	0 / 1
Percentage of transfers resulting in live births	33.3	5 / 10	0 / 4	0 / 3	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	42.9	6 / 10	0 / 4	0 / 3	0 / 1	0 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		10		1		
Number of transfers		9		1		
Average number of embryos transferred		1.9		2.0		
Percentage of embryos transferred resulting in implantation		11 / 17		2 / 2		
Percentage of transfers resulting in singleton live births		4 / 9		0 / 1		
Percentage of transfers resulting in live births		6 / 9		1 / 1		
Percentage of transfers resulting in pregnancy		7 / 9		1 / 1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Reproductive Medicine, University of Michigan Reproductive Endocrinology and Infertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 5 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE AND SURGERY, PC BIRMINGHAM, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	97%	Tubal factor	7%	Uterine factor	0%	
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	18%	Male factor	32%	
Used gestational carrier	0%			Diminished ovarian reserve	46%	Other factor	8%	
				Endometriosis	8%	Unknown factor	6%	
				Multiple Factors:				
				Female factors only				10%
				Female & male factors				13%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 143

Data verified by Michael S. Mersol-Barg, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	36	30	20	12	1	5
Percentage of cancellations	0.0	0.0	0.0	0 / 12	0 / 1	0 / 5
Average number of embryos transferred	1.9	1.9	2.1	2.1	2.0	1.5
Percentage of embryos transferred resulting in implantation	28.4	37.5	16.2	9.5	0 / 2	0 / 6
Percentage of elective single embryo transfer (eSET)	9.7	7.1	1 / 16	0 / 9	0 / 1	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.6	16.7	15.0	2 / 12	0 / 1	0 / 5
Percentage of cycles resulting in triplets or more live births	0.0	3.3	0.0	0 / 12	0 / 1	0 / 5
Percentage of cycles resulting in live births	41.7	26.7	15.0	2 / 12	0 / 1	0 / 5
Percentage of cycles resulting in pregnancy	41.7	43.3	30.0	2 / 12	0 / 1	0 / 5
Outcomes per Transfer						
Number of transfers	35	30	18	10	1	4
Percentage of transfers resulting in singleton live births	31.4	16.7	3 / 18	2 / 10	0 / 1	0 / 4
Percentage of transfers resulting in triplets or more live births	0.0	3.3	0 / 18	0 / 10	0 / 1	0 / 4
Percentage of transfers resulting in live births	42.9	26.7	3 / 18	2 / 10	0 / 1	0 / 4
Percentage of transfers resulting in pregnancy	42.9	43.3	6 / 18	2 / 10	0 / 1	0 / 4
Outcomes per Pregnancy						
Number of pregnancies	15	13	6	2	0	0
Percentage of pregnancies resulting in singleton live births	11 / 15	5 / 13	3 / 6	2 / 2		
Percentage of pregnancies resulting in triplets or more live births	0 / 15	1 / 13	0 / 6	0 / 2		
Percentage of pregnancies resulting in live births	15 / 15	8 / 13	3 / 6	2 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	12	3	1	3	0	0
Number of transfers	11	3	1	2	0	0
Average number of embryos transferred	1.5	1.7	1.0	1.5		
Percentage of embryos transferred resulting in implantation	2 / 16	0 / 5	0 / 1	0 / 3		
Percentage of transfers resulting in singleton live births	1 / 11	0 / 3	0 / 1	0 / 2		
Percentage of transfers resulting in triplets or more live births	0 / 11	0 / 3	0 / 1	0 / 2		
Percentage of transfers resulting in live births	1 / 11	0 / 3	0 / 1	0 / 2		
Percentage of transfers resulting in pregnancy	2 / 11	1 / 3	0 / 1	0 / 2		
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	9		11			
Number of transfers	9		10			
Average number of embryos transferred	1.6		1.7			
Percentage of embryos transferred resulting in implantation	5 / 14		2 / 17			
Percentage of transfers resulting in singleton live births	1 / 9		2 / 10			
Percentage of transfers resulting in live births	3 / 9		2 / 10			
Percentage of transfers resulting in pregnancy	3 / 9		2 / 10			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Reproductive Medicine and Surgery, PC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 6 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTIVE MEDICINE AND SURGERY, PC BLOOMFIELD HILLS, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	84%	Tubal factor	16%	Uterine factor	2%	
Unstimulated	0%	Used PGD	11%	Ovulatory dysfunction	9%	Male factor	59%	
Used gestational carrier	0%			Diminished ovarian reserve	29%	Other factor	18%	
				Endometriosis	21%	Unknown factor	6%	
				Multiple Factors:				
				Female factors only				18%
				Female & male factors				33%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 97

Data verified by Carole L. Kowalczyk, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	29	14	14	5	1	1
Percentage of cancellations	10.3	1 / 14	2 / 14	2 / 5	0 / 1	1 / 1
Average number of embryos transferred	2.2	2.3	2.1	2.3	2.0	
Percentage of embryos transferred resulting in implantation	23.1	29.6	33.3	1 / 7	0 / 2	
Percentage of elective single embryo transfer (eSET)	8.7	0 / 12	1 / 9	0 / 2	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	20.7	3 / 14	5 / 14	1 / 5	0 / 1	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0 / 14	0 / 14	0 / 5	0 / 1	0 / 1
Percentage of cycles resulting in live births	31.0	4 / 14	5 / 14	1 / 5	0 / 1	0 / 1
Percentage of cycles resulting in pregnancy	44.8	6 / 14	6 / 14	1 / 5	0 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	24	12	10	3	1	0
Percentage of transfers resulting in singleton live births	25.0	3 / 12	5 / 10	1 / 3	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 12	0 / 10	0 / 3	0 / 1	
Percentage of transfers resulting in live births	37.5	4 / 12	5 / 10	1 / 3	0 / 1	
Percentage of transfers resulting in pregnancy	54.2	6 / 12	6 / 10	1 / 3	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	13	6	6	1	0	0
Percentage of pregnancies resulting in singleton live births	6 / 13	3 / 6	5 / 6	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 13	0 / 6	0 / 6	0 / 1		
Percentage of pregnancies resulting in live births	9 / 13	4 / 6	5 / 6	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	9	12	2	3	0	1
Number of transfers	9	11	1	3	0	1
Average number of embryos transferred	1.7	1.9	1.0	1.7		2.0
Percentage of embryos transferred resulting in implantation	3 / 15	33.3	0 / 1	1 / 5		0 / 2
Percentage of transfers resulting in singleton live births	3 / 9	4 / 11	0 / 1	1 / 3		0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 9	0 / 11	0 / 1	0 / 3		0 / 1
Percentage of transfers resulting in live births	3 / 9	5 / 11	0 / 1	1 / 3		0 / 1
Percentage of transfers resulting in pregnancy	3 / 9	5 / 11	0 / 1	1 / 3		0 / 1
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Number of cycles		3		3		
Number of transfers		3		3		
Average number of embryos transferred		2.7		2.0		
Percentage of embryos transferred resulting in implantation		3 / 8		1 / 6		
Percentage of transfers resulting in singleton live births		2 / 3		1 / 3		
Percentage of transfers resulting in live births		2 / 3		1 / 3		
Percentage of transfers resulting in pregnancy		3 / 3		1 / 3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Reproductive Medicine and Surgery, PC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GAGO IVF BRIGHTON, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	49%	Tubal factor	29%	Uterine factor	12%	<i>Multiple Factors:</i> Female factors only 35% Female & male factors 26%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	17%	Male factor	32%	
Used gestational carrier	0%			Diminished ovarian reserve	51%	Other factor	17%	
				Endometriosis	23%	Unknown factor	7%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 87

Data verified by Laura A. Gago, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	28	10	12	6	3	0
Percentage of cancellations	0.0	0 / 10	0 / 12	0 / 6	1 / 3	
Average number of embryos transferred	2.1	2.1	2.5	2.0	5.0	
Percentage of embryos transferred resulting in implantation	46.2	28.6	14.8	1 / 10	0 / 5	
Percentage of elective single embryo transfer (eSET)	12.5	1 / 8	0 / 10	0 / 3	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	28.6	4 / 10	2 / 12	1 / 6	0 / 3	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 10	0 / 12	0 / 6	0 / 3	
Percentage of cycles resulting in live births	53.6	5 / 10	3 / 12	1 / 6	0 / 3	
Percentage of cycles resulting in pregnancy	64.3	5 / 10	3 / 12	1 / 6	0 / 3	
Outcomes per Transfer						
Number of transfers	25	10	11	5	1	0
Percentage of transfers resulting in singleton live births	32.0	4 / 10	2 / 11	1 / 5	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 10	0 / 11	0 / 5	0 / 1	
Percentage of transfers resulting in live births	60.0	5 / 10	3 / 11	1 / 5	0 / 1	
Percentage of transfers resulting in pregnancy	72.0	5 / 10	3 / 11	1 / 5	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	18	5	3	1	0	0
Percentage of pregnancies resulting in singleton live births	8 / 18	4 / 5	2 / 3	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 18	0 / 5	0 / 3	0 / 1		
Percentage of pregnancies resulting in live births	15 / 18	5 / 5	3 / 3	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	4	2	1	0	0
Number of transfers	6	4	2	1	0	0
Average number of embryos transferred	2.0	1.8	2.0	2.0		
Percentage of embryos transferred resulting in implantation	1 / 12	4 / 7	0 / 4	1 / 2		
Percentage of transfers resulting in singleton live births	1 / 6	2 / 4	0 / 2	1 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 4	0 / 2	0 / 1		
Percentage of transfers resulting in live births	1 / 6	2 / 4	0 / 2	1 / 1		
Percentage of transfers resulting in pregnancy	1 / 6	2 / 4	0 / 2	1 / 1		
All Ages Combined^f						
	Fresh Embryos			Frozen Embryos		
Number of cycles	10			5		
Number of transfers	10			5		
Average number of embryos transferred	2.1			2.0		
Percentage of embryos transferred resulting in implantation	57.1			1 / 10		
Percentage of transfers resulting in singleton live births	3 / 10			1 / 5		
Percentage of transfers resulting in live births	7 / 10			1 / 5		
Percentage of transfers resulting in pregnancy	7 / 10			1 / 5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Gago IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 4 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MICHIGAN COMPREHENSIVE FERTILITY CENTER DEARBORN, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	70%	Tubal factor	13%	Uterine factor	4%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	24%	Male factor	60%	
Used gestational carrier	<1%			Diminished ovarian reserve	30%	Other factor	6%	
				Endometriosis	17%	Unknown factor	6%	
				Multiple Factors:				
				Female factors only				11%
				Female & male factors				38%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 202

Data verified by David M. Magyar, DO

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	62	24	23	10	3	0
Percentage of cancellations	19.4	20.8	39.1	5 / 10	1 / 3	
Average number of embryos transferred	2.1	2.7	2.8	4.0	3.5	
Percentage of embryos transferred resulting in implantation	32.0	10.4	6.1	0 / 16	0 / 7	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 17	0 / 10	0 / 4	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.4	12.5	8.7	0 / 10	0 / 3	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 10	0 / 3	
Percentage of cycles resulting in live births	35.5	16.7	8.7	0 / 10	0 / 3	
Percentage of cycles resulting in pregnancy	40.3	16.7	8.7	0 / 10	0 / 3	
Outcomes per Transfer						
Number of transfers	49	18	12	4	2	0
Percentage of transfers resulting in singleton live births	34.7	3 / 18	2 / 12	0 / 4	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 18	0 / 12	0 / 4	0 / 2	
Percentage of transfers resulting in live births	44.9	4 / 18	2 / 12	0 / 4	0 / 2	
Percentage of transfers resulting in pregnancy	51.0	4 / 18	2 / 12	0 / 4	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	25	4	2	0	0	0
Percentage of pregnancies resulting in singleton live births	68.0	3 / 4	2 / 2			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 4	0 / 2			
Percentage of pregnancies resulting in live births	88.0	4 / 4	2 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	22	12	6	1	1	1
Number of transfers	20	8	6	1	0	1
Average number of embryos transferred	2.4	2.4	3.0	4.0		3.0
Percentage of embryos transferred resulting in implantation	8.3	0 / 19	1 / 18	0 / 4		0 / 3
Percentage of transfers resulting in singleton live births	10.0	0 / 8	1 / 6	0 / 1		0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 8	0 / 6	0 / 1		0 / 1
Percentage of transfers resulting in live births	15.0	0 / 8	1 / 6	0 / 1		0 / 1
Percentage of transfers resulting in pregnancy	15.0	0 / 8	1 / 6	0 / 1		0 / 1
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	22		15			
Number of transfers	22		13			
Average number of embryos transferred	2.0		2.1			
Percentage of embryos transferred resulting in implantation	23.3		14.8			
Percentage of transfers resulting in singleton live births	27.3		4 / 13			
Percentage of transfers resulting in live births	31.8		4 / 13			
Percentage of transfers resulting in pregnancy	40.9		4 / 13			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Michigan Comprehensive Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GRAND RAPIDS FERTILITY & IVF, PC GRAND RAPIDS, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	88%	Tubal factor	12%	Uterine factor	<1%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	5%	Male factor	50%
Used gestational carrier	0%			Diminished ovarian reserve	20%	Other factor	11%
				Endometriosis	14%	Unknown factor	14%
				Multiple Factors: Female factors only <1% Female & male factors 23%			

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 116

Data verified by Douglas C. Daly, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	43	9	5	2	0	0
Percentage of cancellations	9.3	2 / 9	0 / 5	1 / 2		
Average number of embryos transferred	2.2	2.8	3.5	3.0		
Percentage of embryos transferred resulting in implantation	11.9	5 / 17	2 / 14	0 / 3		
Percentage of elective single embryo transfer (eSET)	0.0	0 / 6	0 / 4	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	14.0	1 / 9	0 / 5	0 / 2		
Percentage of cycles resulting in triplets or more live births	0.0	0 / 9	0 / 5	0 / 2		
Percentage of cycles resulting in live births	16.3	2 / 9	1 / 5	0 / 2		
Percentage of cycles resulting in pregnancy	16.3	3 / 9	1 / 5	0 / 2		
Outcomes per Transfer						
Number of transfers	30	6	4	1	0	0
Percentage of transfers resulting in singleton live births	20.0	1 / 6	0 / 4	0 / 1		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 6	0 / 4	0 / 1		
Percentage of transfers resulting in live births	23.3	2 / 6	1 / 4	0 / 1		
Percentage of transfers resulting in pregnancy	23.3	3 / 6	1 / 4	0 / 1		
Outcomes per Pregnancy						
Number of pregnancies	7	3	1	0	0	0
Percentage of pregnancies resulting in singleton live births	6 / 7	1 / 3	0 / 1			
Percentage of pregnancies resulting in triplets or more live births	0 / 7	0 / 3	0 / 1			
Percentage of pregnancies resulting in live births	7 / 7	2 / 3	1 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	27	3	3	3	0	0
Number of transfers	27	3	2	3	0	0
Average number of embryos transferred	2.3	2.7	3.0	2.3		
Percentage of embryos transferred resulting in implantation	17.5	3 / 8	1 / 6	0 / 7		
Percentage of transfers resulting in singleton live births	25.9	3 / 3	0 / 2	0 / 3		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 3	0 / 2	0 / 3		
Percentage of transfers resulting in live births	33.3	3 / 3	0 / 2	0 / 3		
Percentage of transfers resulting in pregnancy	33.3	3 / 3	1 / 2	0 / 3		
All Ages Combined^f						
Donor Eggs	Fresh Embryos			Frozen Embryos		
Number of cycles	8			13		
Number of transfers	7			13		
Average number of embryos transferred	1.9			2.1		
Percentage of embryos transferred resulting in implantation	5 / 13			29.6		
Percentage of transfers resulting in singleton live births	3 / 7			4 / 13		
Percentage of transfers resulting in live births	4 / 7			5 / 13		
Percentage of transfers resulting in pregnancy	4 / 7			7 / 13		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Grand Rapids Fertility & IVF, PC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MICHIGAN REPRODUCTIVE & IVF CENTER, PC GRAND RAPIDS, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	>99%	With ICSI	84%	Tubal factor	21%	Uterine factor	2%	
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	14%	Male factor	73%	
Used gestational carrier	<1%			Diminished ovarian reserve	18%	Other factor	5%	
				Endometriosis	22%	Unknown factor	3%	
				Multiple Factors:				
				Female factors only				6%
				Female & male factors				40%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 899

Data verified by William G. Dodds, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	275	82	80	18	3	0
Percentage of cancellations	10.9	23.2	10.0	6 / 18	0 / 3	
Average number of embryos transferred	2.1	2.4	3.1	3.3	3.3	
Percentage of embryos transferred resulting in implantation	28.1	22.1	14.4	13.9	0 / 10	
Percentage of elective single embryo transfer (eSET)	0.4	0.0	1.5	0 / 11	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	21.5	13.4	16.3	1 / 18	0 / 3	
Percentage of cycles resulting in triplets or more live births	0.7	1.2	0.0	0 / 18	0 / 3	
Percentage of cycles resulting in live births	32.0	23.2	22.5	3 / 18	0 / 3	
Percentage of cycles resulting in pregnancy	41.1	28.0	33.8	3 / 18	0 / 3	
Outcomes per Transfer						
Number of transfers	236	60	71	11	3	0
Percentage of transfers resulting in singleton live births	25.0	18.3	18.3	1 / 11	0 / 3	
Percentage of transfers resulting in triplets or more live births	0.8	1.7	0.0	0 / 11	0 / 3	
Percentage of transfers resulting in live births	37.3	31.7	25.4	3 / 11	0 / 3	
Percentage of transfers resulting in pregnancy	47.9	38.3	38.0	3 / 11	0 / 3	
Outcomes per Pregnancy						
Number of pregnancies	113	23	27	3	0	0
Percentage of pregnancies resulting in singleton live births	52.2	47.8	48.1	1 / 3		
Percentage of pregnancies resulting in triplets or more live births	1.8	4.3	0.0	0 / 3		
Percentage of pregnancies resulting in live births	77.9	82.6	66.7	3 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	210	49	53	8	2	0
Number of transfers	207	48	51	8	1	0
Average number of embryos transferred	2.3	2.5	2.4	3.3	4.0	
Percentage of embryos transferred resulting in implantation	22.9	16.4	16.1	11.5	0 / 4	
Percentage of transfers resulting in singleton live births	29.5	22.9	23.5	2 / 8	0 / 1	
Percentage of transfers resulting in triplets or more live births	1.4	0.0	0.0	0 / 8	0 / 1	
Percentage of transfers resulting in live births	38.2	31.3	29.4	2 / 8	0 / 1	
Percentage of transfers resulting in pregnancy	44.9	33.3	39.2	2 / 8	0 / 1	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		38		81		
Number of transfers		34		80		
Average number of embryos transferred		2.0		2.2		
Percentage of embryos transferred resulting in implantation		42.0		21.2		
Percentage of transfers resulting in singleton live births		35.3		21.3		
Percentage of transfers resulting in live births		52.9		30.0		
Percentage of transfers resulting in pregnancy		67.6		41.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Michigan Reproductive & IVF Center, PC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 7 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF MICHIGAN ROCHESTER HILLS, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	>99%	With ICSI	90%	Tubal factor	15%	Uterine factor	13%	Multiple Factors: Female factors only 16% Female & male factors 24%
Unstimulated	2%	Used PGD	11%	Ovulatory dysfunction	23%	Male factor	39%	
Used gestational carrier	2%			Diminished ovarian reserve	32%	Other factor	16%	
				Endometriosis	13%	Unknown factor	3%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 948

Data verified by Mostafa I. Abuzeid, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	304	141	110	34	12	6
Percentage of cancellations	5.9	8.5	7.3	11.8	1 / 12	2 / 6
Average number of embryos transferred	2.1	2.2	2.3	2.7	2.6	3.7
Percentage of embryos transferred resulting in implantation	37.9	29.9	22.2	13.4	4.8	0 / 11
Percentage of elective single embryo transfer (eSET)	6.2	3.8	1.3	0.0	0 / 7	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.6	24.8	18.2	17.6	1 / 12	0 / 6
Percentage of cycles resulting in triplets or more live births	0.7	0.7	0.9	0.0	0 / 12	0 / 6
Percentage of cycles resulting in live births	40.8	32.6	25.5	20.6	1 / 12	0 / 6
Percentage of cycles resulting in pregnancy	50.0	41.1	31.8	23.5	1 / 12	0 / 6
Outcomes per Transfer						
Number of transfers	253	115	87	25	8	3
Percentage of transfers resulting in singleton live births	33.2	30.4	23.0	24.0	1 / 8	0 / 3
Percentage of transfers resulting in triplets or more live births	0.8	0.9	1.1	0.0	0 / 8	0 / 3
Percentage of transfers resulting in live births	49.0	40.0	32.2	28.0	1 / 8	0 / 3
Percentage of transfers resulting in pregnancy	60.1	50.4	40.2	32.0	1 / 8	0 / 3
Outcomes per Pregnancy						
Number of pregnancies	152	58	35	8	1	0
Percentage of pregnancies resulting in singleton live births	55.3	60.3	57.1	6 / 8	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	1.3	1.7	2.9	0 / 8	0 / 1	
Percentage of pregnancies resulting in live births	81.6	79.3	80.0	7 / 8	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	113	42	28	7	5	3
Number of transfers	102	37	26	6	4	2
Average number of embryos transferred	2.0	2.1	2.2	1.7	3.8	2.5
Percentage of embryos transferred resulting in implantation	33.2	33.3	24.6	1 / 10	1 / 15	0 / 5
Percentage of transfers resulting in singleton live births	31.4	35.1	38.5	1 / 6	0 / 4	0 / 2
Percentage of transfers resulting in triplets or more live births	1.0	0.0	0.0	0 / 6	0 / 4	0 / 2
Percentage of transfers resulting in live births	45.1	43.2	46.2	1 / 6	0 / 4	0 / 2
Percentage of transfers resulting in pregnancy	55.9	59.5	46.2	3 / 6	2 / 4	0 / 2
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	93		50			
Number of transfers	76		44			
Average number of embryos transferred	2.1		2.0			
Percentage of embryos transferred resulting in implantation	44.3		15.6			
Percentage of transfers resulting in singleton live births	28.9		11.4			
Percentage of transfers resulting in live births	55.3		15.9			
Percentage of transfers resulting in pregnancy	64.5		34.1			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: IVF Michigan

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 12 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WAYNE STATE UNIVERSITY PHYSICIAN GROUP SOUTHFIELD, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	91%	Tubal factor	17%	Uterine factor	5%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	15%	Male factor	45%	
Used gestational carrier	0%			Diminished ovarian reserve	19%	Other factor	17%	
				Endometriosis	18%	Unknown factor	15%	
				Multiple Factors:				
				Female factors only				12%
				Female & male factors				25%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 150

Data verified by Elizabeth E. Puscheck, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	67	18	12	8	3	0
Percentage of cancellations	6.0	3 / 18	2 / 12	1 / 8	0 / 3	
Average number of embryos transferred	2.2	2.8	3.1	3.9	2.7	
Percentage of embryos transferred resulting in implantation	36.3	18.2	19.4	3.7	0 / 8	
Percentage of elective single embryo transfer (eSET)	5.0	1 / 11	0 / 10	0 / 7	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	32.8	5 / 18	2 / 12	1 / 8	0 / 3	
Percentage of cycles resulting in triplets or more live births	1.5	0 / 18	1 / 12	0 / 8	0 / 3	
Percentage of cycles resulting in live births	46.3	5 / 18	3 / 12	1 / 8	0 / 3	
Percentage of cycles resulting in pregnancy	55.2	6 / 18	4 / 12	1 / 8	0 / 3	
Outcomes per Transfer						
Number of transfers	61	12	10	7	3	0
Percentage of transfers resulting in singleton live births	36.1	5 / 12	2 / 10	1 / 7	0 / 3	
Percentage of transfers resulting in triplets or more live births	1.6	0 / 12	1 / 10	0 / 7	0 / 3	
Percentage of transfers resulting in live births	50.8	5 / 12	3 / 10	1 / 7	0 / 3	
Percentage of transfers resulting in pregnancy	60.7	6 / 12	4 / 10	1 / 7	0 / 3	
Outcomes per Pregnancy						
Number of pregnancies	37	6	4	1	0	0
Percentage of pregnancies resulting in singleton live births	59.5	5 / 6	2 / 4	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	2.7	0 / 6	1 / 4	0 / 1		
Percentage of pregnancies resulting in live births	83.8	5 / 6	3 / 4	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	16	11	5	2	1	1
Number of transfers	16	11	4	2	1	1
Average number of embryos transferred	2.5	3.1	3.5	2.0	5.0	3.0
Percentage of embryos transferred resulting in implantation	25.0	17.6	2 / 14	0 / 4	0 / 5	0 / 3
Percentage of transfers resulting in singleton live births	6 / 16	2 / 11	1 / 4	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 16	0 / 11	0 / 4	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in live births	7 / 16	3 / 11	1 / 4	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	9 / 16	5 / 11	1 / 4	0 / 2	0 / 1	0 / 1
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Number of cycles		3		3		
Number of transfers		2		3		
Average number of embryos transferred		2.0		2.7		
Percentage of embryos transferred resulting in implantation		2 / 4		0 / 8		
Percentage of transfers resulting in singleton live births		0 / 2		0 / 3		
Percentage of transfers resulting in live births		1 / 2		0 / 3		
Percentage of transfers resulting in pregnancy		1 / 2		0 / 3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Wayne State University Physician Group

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HENRY FORD REPRODUCTIVE MEDICINE TROY, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	42%	Tubal factor	17%	Uterine factor	7%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	13%	Male factor	37%
Used gestational carrier	0%			Diminished ovarian reserve	6%	Other factor	26%
				Endometriosis	11%	Unknown factor	13%
				Multiple Factors: Female factors only 5% Female & male factors 23%			

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 82

Data verified by Kenneth Ginsburg, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	18	19	8	3	0	0
Percentage of cancellations	2 / 18	5 / 19	0 / 8	1 / 3		
Average number of embryos transferred	2.2	2.3	2.5	3.5		
Percentage of embryos transferred resulting in implantation	36.4	14.3	0 / 15	0 / 7		
Percentage of elective single embryo transfer (eSET)	0 / 14	0 / 12	0 / 5	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	3 / 18	4 / 19	0 / 8	0 / 3		
Percentage of cycles resulting in triplets or more live births	0 / 18	0 / 19	0 / 8	0 / 3		
Percentage of cycles resulting in live births	6 / 18	4 / 19	0 / 8	0 / 3		
Percentage of cycles resulting in pregnancy	8 / 18	4 / 19	1 / 8	0 / 3		
Outcomes per Transfer						
Number of transfers	15	12	6	2	0	0
Percentage of transfers resulting in singleton live births	3 / 15	4 / 12	0 / 6	0 / 2		
Percentage of transfers resulting in triplets or more live births	0 / 15	0 / 12	0 / 6	0 / 2		
Percentage of transfers resulting in live births	6 / 15	4 / 12	0 / 6	0 / 2		
Percentage of transfers resulting in pregnancy	8 / 15	4 / 12	1 / 6	0 / 2		
Outcomes per Pregnancy						
Number of pregnancies	8	4	1	0	0	0
Percentage of pregnancies resulting in singleton live births	3 / 8	4 / 4	0 / 1			
Percentage of pregnancies resulting in triplets or more live births	0 / 8	0 / 4	0 / 1			
Percentage of pregnancies resulting in live births	6 / 8	4 / 4	0 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	10	3	11	1	2	0
Number of transfers	10	3	11	1	2	0
Average number of embryos transferred	2.5	1.7	2.3	2.0	3.0	
Percentage of embryos transferred resulting in implantation	40.0	1 / 5	16.0	0 / 2	0 / 6	
Percentage of transfers resulting in singleton live births	4 / 10	1 / 3	0 / 11	0 / 1	0 / 2	
Percentage of transfers resulting in triplets or more live births	0 / 10	0 / 3	0 / 11	0 / 1	0 / 2	
Percentage of transfers resulting in live births	7 / 10	1 / 3	2 / 11	0 / 1	0 / 2	
Percentage of transfers resulting in pregnancy	7 / 10	1 / 3	2 / 11	0 / 1	0 / 2	
All Ages Combined^f						
Donor Eggs	Fresh Embryos			Frozen Embryos		
Number of cycles	3			4		
Number of transfers	1			4		
Average number of embryos transferred	2.0			2.0		
Percentage of embryos transferred resulting in implantation	0 / 2			2 / 8		
Percentage of transfers resulting in singleton live births	0 / 1			1 / 4		
Percentage of transfers resulting in live births	0 / 1			1 / 4		
Percentage of transfers resulting in pregnancy	0 / 1			2 / 4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Henry Ford Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**LUANA J. KYSELKA, MD, PC
TROY, MICHIGAN**

This clinic provided ART services during 2011 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2011 ART cycle data or the clinic's Medical Director did not approve the clinic's 2011 ART cycle data for inclusion in this report.

**BRENDA L. MOSKOVITZ, MD, PC
TROY, MICHIGAN**

This clinic provided ART services during 2011 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2011 ART cycle data or the clinic's Medical Director did not approve the clinic's 2011 ART cycle data for inclusion in this report.

REPRODUCTIVE MEDICINE ASSOCIATES OF MICHIGAN TROY, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	51%	Tubal factor	11%	Uterine factor	7%	Multiple Factors: Female factors only 12% Female & male factors 19%
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	19%	Male factor	38%	
Used gestational carrier	0%			Diminished ovarian reserve	14%	Other factor	19%	
				Endometriosis	13%	Unknown factor	11%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 352

Data verified by Brad T. Miller, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	151	42	28	17	7	1
Percentage of cancellations	2.6	4.8	10.7	5 / 17	3 / 7	0 / 1
Average number of embryos transferred	2.2	2.4	2.3	2.1	2.5	2.0
Percentage of embryos transferred resulting in implantation	39.8	25.5	18.5	32.0	1 / 10	0 / 2
Percentage of elective single embryo transfer (eSET)	8.3	5.3	0.0	1 / 10	0 / 3	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.8	19.0	25.0	2 / 17	1 / 7	0 / 1
Percentage of cycles resulting in triplets or more live births	1.3	4.8	0.0	1 / 17	0 / 7	0 / 1
Percentage of cycles resulting in live births	43.7	31.0	28.6	4 / 17	1 / 7	0 / 1
Percentage of cycles resulting in pregnancy	55.0	38.1	28.6	5 / 17	1 / 7	0 / 1
Outcomes per Transfer						
Number of transfers	139	39	23	12	4	1
Percentage of transfers resulting in singleton live births	30.2	20.5	30.4	2 / 12	1 / 4	0 / 1
Percentage of transfers resulting in triplets or more live births	1.4	5.1	0.0	1 / 12	0 / 4	0 / 1
Percentage of transfers resulting in live births	47.5	33.3	34.8	4 / 12	1 / 4	0 / 1
Percentage of transfers resulting in pregnancy	59.7	41.0	34.8	5 / 12	1 / 4	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	83	16	8	5	1	0
Percentage of pregnancies resulting in singleton live births	50.6	8 / 16	7 / 8	2 / 5	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	2.4	2 / 16	0 / 8	1 / 5	0 / 1	
Percentage of pregnancies resulting in live births	79.5	13 / 16	8 / 8	4 / 5	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	49	8	8	4	1	0
Number of transfers	42	8	8	4	0	0
Average number of embryos transferred	1.9	2.5	1.9	1.3		
Percentage of embryos transferred resulting in implantation	37.0	30.0	3 / 15	2 / 5		
Percentage of transfers resulting in singleton live births	33.3	3 / 8	2 / 8	2 / 4		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 8	0 / 8	0 / 4		
Percentage of transfers resulting in live births	42.9	4 / 8	2 / 8	2 / 4		
Percentage of transfers resulting in pregnancy	61.9	5 / 8	3 / 8	2 / 4		
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	27		9			
Number of transfers	26		8			
Average number of embryos transferred	2.2		1.9			
Percentage of embryos transferred resulting in implantation	56.1		5 / 15			
Percentage of transfers resulting in singleton live births	38.5		1 / 8			
Percentage of transfers resulting in live births	65.4		2 / 8			
Percentage of transfers resulting in pregnancy	80.8		5 / 8			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine Associates of Michigan

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 3 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MICHIGAN CENTER FOR FERTILITY AND WOMEN'S HEALTH, PLC WARREN, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	94%	Tubal factor	15%	Uterine factor	3%	Multiple Factors: Female factors only 4% Female & male factors 26%
Unstimulated	0%	Used PGD	11%	Ovulatory dysfunction	8%	Male factor	50%	
Used gestational carrier	<1%			Diminished ovarian reserve	37%	Other factor	7%	
				Endometriosis	6%	Unknown factor	8%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 158

Data verified by Carole L. Kowalczyk, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	61	21	15	10	2	0
Percentage of cancellations	3.3	14.3	1 / 15	0 / 10	0 / 2	
Average number of embryos transferred	2.0	2.1	2.2	3.0		
Percentage of embryos transferred resulting in implantation	36.8	22.9	20.7	7.4		
Percentage of elective single embryo transfer (eSET)	5.5	1 / 16	0 / 12	0 / 8		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	29.5	14.3	3 / 15	2 / 10	0 / 2	
Percentage of cycles resulting in triplets or more live births	1.6	0.0	0 / 15	0 / 10	0 / 2	
Percentage of cycles resulting in live births	44.3	14.3	4 / 15	2 / 10	0 / 2	
Percentage of cycles resulting in pregnancy	50.8	38.1	5 / 15	2 / 10	0 / 2	
Outcomes per Transfer						
Number of transfers	58	17	13	9	0	0
Percentage of transfers resulting in singleton live births	31.0	3 / 17	3 / 13	2 / 9		
Percentage of transfers resulting in triplets or more live births	1.7	0 / 17	0 / 13	0 / 9		
Percentage of transfers resulting in live births	46.6	3 / 17	4 / 13	2 / 9		
Percentage of transfers resulting in pregnancy	53.4	8 / 17	5 / 13	2 / 9		
Outcomes per Pregnancy						
Number of pregnancies	31	8	5	2	0	0
Percentage of pregnancies resulting in singleton live births	58.1	3 / 8	3 / 5	2 / 2		
Percentage of pregnancies resulting in triplets or more live births	3.2	0 / 8	0 / 5	0 / 2		
Percentage of pregnancies resulting in live births	87.1	3 / 8	4 / 5	2 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	16	7	2	1	4	1
Number of transfers	16	7	2	0	4	1
Average number of embryos transferred	1.9	1.7	2.0		1.8	2.0
Percentage of embryos transferred resulting in implantation	53.3	5 / 12	4 / 4		0 / 7	0 / 2
Percentage of transfers resulting in singleton live births	6 / 16	3 / 7	1 / 2		0 / 4	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 16	0 / 7	0 / 2		0 / 4	0 / 1
Percentage of transfers resulting in live births	9 / 16	3 / 7	2 / 2		0 / 4	0 / 1
Percentage of transfers resulting in pregnancy	12 / 16	5 / 7	2 / 2		0 / 4	0 / 1
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	14		4			
Number of transfers	14		4			
Average number of embryos transferred	1.9		1.8			
Percentage of embryos transferred resulting in implantation	74.1		3 / 7			
Percentage of transfers resulting in singleton live births	5 / 14		0 / 4			
Percentage of transfers resulting in live births	10 / 14		1 / 4			
Percentage of transfers resulting in pregnancy	11 / 14		2 / 4			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Michigan Center for Fertility and Women's Health, PLC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 4 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE MIDWEST CENTER FOR REPRODUCTIVE HEALTH, PA MAPLE GROVE, MINNESOTA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	34%	Tubal factor	12%	Uterine factor	2%	Multiple Factors: Female factors only 7% Female & male factors 20%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	46%	Male factor	39%	
Used gestational carrier	<1%			Diminished ovarian reserve	3%	Other factor	4%	
				Endometriosis	13%	Unknown factor	9%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 205

Data verified by Randle S. Corfman, MD, PhD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	79	36	8	1	2	0
Percentage of cancellations	2.5	2.8	1 / 8	1 / 1	0 / 2	
Average number of embryos transferred	1.9	1.8	2.0		1.5	
Percentage of embryos transferred resulting in implantation	53.4	47.5	1 / 14		0 / 3	
Percentage of elective single embryo transfer (eSET)	2.7	3.4	0 / 7		0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.3	30.6	1 / 8	0 / 1	0 / 2	
Percentage of cycles resulting in triplets or more live births	1.3	0.0	0 / 8	0 / 1	0 / 2	
Percentage of cycles resulting in live births	59.5	52.8	1 / 8	0 / 1	0 / 2	
Percentage of cycles resulting in pregnancy	60.8	52.8	3 / 8	0 / 1	0 / 2	
Outcomes per Transfer						
Number of transfers	75	33	7	0	2	0
Percentage of transfers resulting in singleton live births	26.7	33.3	1 / 7		0 / 2	
Percentage of transfers resulting in triplets or more live births	1.3	0.0	0 / 7		0 / 2	
Percentage of transfers resulting in live births	62.7	57.6	1 / 7		0 / 2	
Percentage of transfers resulting in pregnancy	64.0	57.6	3 / 7		0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	48	19	3	0	0	0
Percentage of pregnancies resulting in singleton live births	41.7	11 / 19	1 / 3			
Percentage of pregnancies resulting in triplets or more live births	2.1	0 / 19	0 / 3			
Percentage of pregnancies resulting in live births	97.9	19 / 19	1 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	30	9	5	0	0	0
Number of transfers	25	8	5	0	0	0
Average number of embryos transferred	1.7	1.4	1.8			
Percentage of embryos transferred resulting in implantation	31.0	3 / 11	0 / 9			
Percentage of transfers resulting in singleton live births	28.0	3 / 8	0 / 5			
Percentage of transfers resulting in triplets or more live births	0.0	0 / 8	0 / 5			
Percentage of transfers resulting in live births	40.0	3 / 8	0 / 5			
Percentage of transfers resulting in pregnancy	40.0	3 / 8	0 / 5			

All Ages Combined^f

Donor Eggs	Fresh Embryos	Frozen Embryos
Number of cycles	25	10
Number of transfers	22	10
Average number of embryos transferred	1.9	1.9
Percentage of embryos transferred resulting in implantation	51.2	4 / 19
Percentage of transfers resulting in singleton live births	36.4	4 / 10
Percentage of transfers resulting in live births	63.6	4 / 10
Percentage of transfers resulting in pregnancy	63.6	4 / 10

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Midwest Center for Reproductive Health, PA

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**CENTER FOR REPRODUCTIVE MEDICINE
ADVANCED REPRODUCTIVE TECHNOLOGIES
MINNEAPOLIS, MINNESOTA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	58%	Tubal factor	10%	Uterine factor	5%
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	15%	Male factor	37%
Used gestational carrier	1%			Diminished ovarian reserve	31%	Other factor	3%
				Endometriosis	10%	Unknown factor	14%
				Multiple Factors: Female factors only 7% Female & male factors 17%			

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 894

Data verified by Bruce F. Campbell, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	342	139	113	52	15	6
Percentage of cancellations	4.7	12.2	14.2	7.7	3 / 15	0 / 6
Average number of embryos transferred	1.8	2.0	2.0	2.4	2.5	2.5
Percentage of embryos transferred resulting in implantation	52.1	35.5	19.8	19.6	14.3	0 / 10
Percentage of elective single embryo transfer (eSET)	13.8	6.8	1.3	0.0	0 / 8	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	33.0	19.4	20.4	21.2	2 / 15	0 / 6
Percentage of cycles resulting in triplets or more live births	0.6	0.0	0.0	0.0	0 / 15	0 / 6
Percentage of cycles resulting in live births	53.5	35.3	22.1	25.0	3 / 15	0 / 6
Percentage of cycles resulting in pregnancy	58.8	41.0	35.4	32.7	3 / 15	1 / 6
Outcomes per Transfer						
Number of transfers	307	111	94	43	11	4
Percentage of transfers resulting in singleton live births	36.8	24.3	24.5	25.6	2 / 11	0 / 4
Percentage of transfers resulting in triplets or more live births	0.7	0.0	0.0	0.0	0 / 11	0 / 4
Percentage of transfers resulting in live births	59.6	44.1	26.6	30.2	3 / 11	0 / 4
Percentage of transfers resulting in pregnancy	65.5	51.4	42.6	39.5	3 / 11	1 / 4
Outcomes per Pregnancy						
Number of pregnancies	201	57	40	17	3	1
Percentage of pregnancies resulting in singleton live births	56.2	47.4	57.5	11 / 17	2 / 3	0 / 1
Percentage of pregnancies resulting in triplets or more live births	1.0	0.0	0.0	0 / 17	0 / 3	0 / 1
Percentage of pregnancies resulting in live births	91.0	86.0	62.5	13 / 17	3 / 3	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	58	26	15	5	2	0
Number of transfers	56	24	13	4	1	0
Average number of embryos transferred	1.9	1.8	1.5	1.3	2.0	
Percentage of embryos transferred resulting in implantation	30.8	39.5	9 / 19	1 / 5	1 / 2	
Percentage of transfers resulting in singleton live births	28.6	41.7	3 / 13	0 / 4	1 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 13	0 / 4	0 / 1	
Percentage of transfers resulting in live births	35.7	50.0	5 / 13	0 / 4	1 / 1	
Percentage of transfers resulting in pregnancy	50.0	58.3	8 / 13	1 / 4	1 / 1	
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	88		33			
Number of transfers	85		28			
Average number of embryos transferred	1.8		1.8			
Percentage of embryos transferred resulting in implantation	61.8		22.0			
Percentage of transfers resulting in singleton live births	38.8		25.0			
Percentage of transfers resulting in live births	65.9		32.1			
Percentage of transfers resulting in pregnancy	80.0		39.3			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Reproductive Medicine, Advanced Reproductive Technologies

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE CENTER MINNEAPOLIS, MINNESOTA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	78%	Tubal factor	21%	Uterine factor	6%	Multiple Factors: Female factors only 9% Female & male factors 26%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	19%	Male factor	61%	
Used gestational carrier	0%			Diminished ovarian reserve	8%	Other factor	3%	
				Endometriosis	16%	Unknown factor	6%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 330

Data verified by William R. Phipps, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	146	50	55	27	8	0
Percentage of cancellations	7.5	6.0	9.1	29.6	0 / 8	
Average number of embryos transferred	2.0	2.0	2.6	2.9	3.0	
Percentage of embryos transferred resulting in implantation	38.6	42.6	17.4	22.4	2 / 15	
Percentage of elective single embryo transfer (eSET)	4.0	2.4	0.0	0 / 16	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.1	30.0	25.5	7.4	1 / 8	
Percentage of cycles resulting in triplets or more live births	0.7	0.0	0.0	0.0	0 / 8	
Percentage of cycles resulting in live births	43.8	50.0	25.5	22.2	1 / 8	
Percentage of cycles resulting in pregnancy	50.0	60.0	36.4	29.6	3 / 8	
Outcomes per Transfer						
Number of transfers	130	46	45	17	5	0
Percentage of transfers resulting in singleton live births	33.8	32.6	31.1	2 / 17	1 / 5	
Percentage of transfers resulting in triplets or more live births	0.8	0.0	0.0	0 / 17	0 / 5	
Percentage of transfers resulting in live births	49.2	54.3	31.1	6 / 17	1 / 5	
Percentage of transfers resulting in pregnancy	56.2	65.2	44.4	8 / 17	3 / 5	
Outcomes per Pregnancy						
Number of pregnancies	73	30	20	8	3	0
Percentage of pregnancies resulting in singleton live births	60.3	50.0	70.0	2 / 8	1 / 3	
Percentage of pregnancies resulting in triplets or more live births	1.4	0.0	0.0	0 / 8	0 / 3	
Percentage of pregnancies resulting in live births	87.7	83.3	70.0	6 / 8	1 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	23	9	6	0	2	0
Number of transfers	18	9	5	0	1	0
Average number of embryos transferred	1.7	1.4	1.8		3.0	
Percentage of embryos transferred resulting in implantation	19.4	3 / 13	3 / 9		0 / 3	
Percentage of transfers resulting in singleton live births	4 / 18	3 / 9	2 / 5		0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 18	0 / 9	0 / 5		0 / 1	
Percentage of transfers resulting in live births	5 / 18	3 / 9	2 / 5		0 / 1	
Percentage of transfers resulting in pregnancy	5 / 18	3 / 9	3 / 5		0 / 1	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		4		0		
Number of transfers		4		0		
Average number of embryos transferred		2.0				
Percentage of embryos transferred resulting in implantation		2 / 8				
Percentage of transfers resulting in singleton live births		0 / 4				
Percentage of transfers resulting in live births		1 / 4				
Percentage of transfers resulting in pregnancy		1 / 4				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MAYO CLINIC ASSISTED REPRODUCTIVE TECHNOLOGIES ROCHESTER, MINNESOTA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	47%	Tubal factor	9%	Uterine factor	1%	
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	26%	Male factor	44%	
Used gestational carrier	0%			Diminished ovarian reserve	30%	Other factor	15%	
				Endometriosis	6%	Unknown factor	11%	
				Multiple Factors:				
				Female factors only				12%
				Female & male factors				25%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 296

Data verified by Charles C. Coddington, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	80	25	16	5	4	1
Percentage of cancellations	13.8	24.0	8 / 16	1 / 5	1 / 4	0 / 1
Average number of embryos transferred	2.0	2.6	2.4	3.5	4.0	4.0
Percentage of embryos transferred resulting in implantation	38.7	8.2	2 / 19	1 / 14	1 / 12	0 / 4
Percentage of elective single embryo transfer (eSET)	1.7	0 / 19	0 / 8	0 / 4	0 / 3	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	22.5	4.0	0 / 16	0 / 5	0 / 4	0 / 1
Percentage of cycles resulting in triplets or more live births	1.3	0.0	0 / 16	0 / 5	0 / 4	0 / 1
Percentage of cycles resulting in live births	35.0	8.0	1 / 16	0 / 5	0 / 4	0 / 1
Percentage of cycles resulting in pregnancy	42.5	16.0	3 / 16	1 / 5	1 / 4	0 / 1
Outcomes per Transfer						
Number of transfers	59	19	8	4	3	1
Percentage of transfers resulting in singleton live births	30.5	1 / 19	0 / 8	0 / 4	0 / 3	0 / 1
Percentage of transfers resulting in triplets or more live births	1.7	0 / 19	0 / 8	0 / 4	0 / 3	0 / 1
Percentage of transfers resulting in live births	47.5	2 / 19	1 / 8	0 / 4	0 / 3	0 / 1
Percentage of transfers resulting in pregnancy	57.6	4 / 19	3 / 8	1 / 4	1 / 3	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	34	4	3	1	1	0
Percentage of pregnancies resulting in singleton live births	52.9	1 / 4	0 / 3	0 / 1	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	2.9	0 / 4	0 / 3	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births	82.4	2 / 4	1 / 3	0 / 1	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	76	33	12	4	3	0
Number of transfers	71	26	8	4	3	0
Average number of embryos transferred	2.2	2.3	2.4	2.5	2.3	
Percentage of embryos transferred resulting in implantation	24.4	10.2	2 / 19	3 / 10	2 / 7	
Percentage of transfers resulting in singleton live births	25.4	11.5	1 / 8	1 / 4	1 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 8	0 / 4	0 / 3	
Percentage of transfers resulting in live births	36.6	15.4	1 / 8	2 / 4	1 / 3	
Percentage of transfers resulting in pregnancy	46.5	23.1	2 / 8	2 / 4	2 / 3	
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		5		32		
Number of transfers		2		28		
Average number of embryos transferred		2.0		2.0		
Percentage of embryos transferred resulting in implantation		2 / 4		26.8		
Percentage of transfers resulting in singleton live births		2 / 2		25.0		
Percentage of transfers resulting in live births		2 / 2		35.7		
Percentage of transfers resulting in pregnancy		2 / 2		50.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Mayo Clinic Assisted Reproductive Technologies					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 20 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE & INFERTILITY ASSOCIATES WOODBURY, MINNESOTA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	94%	Tubal factor	16%	Uterine factor	3%	
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	18%	Male factor	67%	
Used gestational carrier	3%			Diminished ovarian reserve	9%	Other factor	38%	
				Endometriosis	16%	Unknown factor	4%	
				Multiple Factors:				
				Female factors only				10%
				Female & male factors				46%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 527

Data verified by Jacques P. Stassart, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	180	55	49	20	3	1
Percentage of cancellations	1.1	3.6	6.1	5.0	2 / 3	1 / 1
Average number of embryos transferred	1.9	2.1	2.6	2.9	3.0	
Percentage of embryos transferred resulting in implantation	39.6	25.9	22.9	2.2	0 / 3	
Percentage of elective single embryo transfer (eSET)	10.9	6.4	0.0	0 / 13	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.6	30.9	20.4	5.0	0 / 3	0 / 1
Percentage of cycles resulting in triplets or more live births	0.6	0.0	4.1	0.0	0 / 3	0 / 1
Percentage of cycles resulting in live births	49.4	40.0	30.6	5.0	0 / 3	0 / 1
Percentage of cycles resulting in pregnancy	55.6	45.5	30.6	5.0	0 / 3	0 / 1
Outcomes per Transfer						
Number of transfers	175	51	42	16	1	0
Percentage of transfers resulting in singleton live births	31.4	33.3	23.8	1 / 16	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.6	0.0	4.8	0 / 16	0 / 1	
Percentage of transfers resulting in live births	50.9	43.1	35.7	1 / 16	0 / 1	
Percentage of transfers resulting in pregnancy	57.1	49.0	35.7	1 / 16	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	100	25	15	1	0	0
Percentage of pregnancies resulting in singleton live births	55.0	68.0	10 / 15	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	1.0	0.0	2 / 15	0 / 1		
Percentage of pregnancies resulting in live births	89.0	88.0	15 / 15	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	54	42	17	3	1	1
Number of transfers	54	38	15	3	1	1
Average number of embryos transferred	1.6	1.5	1.9	2.0	2.0	2.0
Percentage of embryos transferred resulting in implantation	29.1	22.4	35.7	1 / 6	0 / 2	0 / 2
Percentage of transfers resulting in singleton live births	37.0	28.9	5 / 15	1 / 3	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 15	0 / 3	0 / 1	0 / 1
Percentage of transfers resulting in live births	40.7	28.9	7 / 15	1 / 3	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	46.3	34.2	9 / 15	1 / 3	1 / 1	0 / 1
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	71		30			
Number of transfers	66		29			
Average number of embryos transferred	1.9		1.6			
Percentage of embryos transferred resulting in implantation	41.1		32.6			
Percentage of transfers resulting in singleton live births	31.8		27.6			
Percentage of transfers resulting in live births	48.5		31.0			
Percentage of transfers resulting in pregnancy	62.1		44.8			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine & Infertility Associates

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 2 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**MISSISSIPPI REPRODUCTIVE MEDICINE
FLOWOOD, MISSISSIPPI**

This clinic provided ART services during 2011 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2011 ART cycle data or the clinic's Medical Director did not approve the clinic's 2011 ART cycle data for inclusion in this report.

MISSISSIPPI FERTILITY INSTITUTE JACKSON, MISSISSIPPI

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	78%	Tubal factor	25%	Uterine factor	11%	
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	5%	Male factor	25%	
Used gestational carrier	0%			Diminished ovarian reserve	20%	Other factor	2%	
				Endometriosis	28%	Unknown factor	14%	
				Multiple Factors:				
				Female factors only				16%
				Female & male factors				11%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 167

Data verified by John D. Isaacs, Jr, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	66	31	17	10	1	0
Percentage of cancellations	3.0	9.7	4 / 17	4 / 10	0 / 1	
Average number of embryos transferred	2.2	2.2	2.4	2.0	4.0	
Percentage of embryos transferred resulting in implantation	30.7	25.0	7.7	1 / 8	0 / 4	
Percentage of elective single embryo transfer (eSET)	0.0	0.0	0 / 9	1 / 4	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.8	16.1	2 / 17	1 / 10	0 / 1	
Percentage of cycles resulting in triplets or more live births	3.0	0.0	0 / 17	0 / 10	0 / 1	
Percentage of cycles resulting in live births	40.9	29.0	2 / 17	1 / 10	0 / 1	
Percentage of cycles resulting in pregnancy	40.9	29.0	2 / 17	1 / 10	0 / 1	
Outcomes per Transfer						
Number of transfers	59	26	11	4	1	0
Percentage of transfers resulting in singleton live births	28.8	19.2	2 / 11	1 / 4	0 / 1	
Percentage of transfers resulting in triplets or more live births	3.4	0.0	0 / 11	0 / 4	0 / 1	
Percentage of transfers resulting in live births	45.8	34.6	2 / 11	1 / 4	0 / 1	
Percentage of transfers resulting in pregnancy	45.8	34.6	2 / 11	1 / 4	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	27	9	2	1	0	0
Percentage of pregnancies resulting in singleton live births	63.0	5 / 9	2 / 2	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	7.4	0 / 9	0 / 2	0 / 1		
Percentage of pregnancies resulting in live births	100.0	9 / 9	2 / 2	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	13	4	4	0	0	0
Number of transfers	13	3	4	0	0	0
Average number of embryos transferred	1.7	2.3	2.0			
Percentage of embryos transferred resulting in implantation	13.6	1 / 7	3 / 8			
Percentage of transfers resulting in singleton live births	1 / 13	1 / 3	0 / 4			
Percentage of transfers resulting in triplets or more live births	0 / 13	0 / 3	1 / 4			
Percentage of transfers resulting in live births	2 / 13	1 / 3	1 / 4			
Percentage of transfers resulting in pregnancy	2 / 13	1 / 3	1 / 4			
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Number of cycles		6		15		
Number of transfers		5		15		
Average number of embryos transferred		1.8		1.9		
Percentage of embryos transferred resulting in implantation		4 / 9		24.1		
Percentage of transfers resulting in singleton live births		2 / 5		5 / 15		
Percentage of transfers resulting in live births		3 / 5		5 / 15		
Percentage of transfers resulting in pregnancy		3 / 5		7 / 15		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Mississippi Fertility Institute

Donor egg?	Yes	Gestational carriers?	No	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF MISSISSIPPI MEDICAL CENTER JACKSON, MISSISSIPPI

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	67%	Tubal factor	42%	Uterine factor	25%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	8%	Male factor	17%	
Used gestational carrier	0%			Diminished ovarian reserve	25%	Other factor	8%	
				Endometriosis	17%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				25%
				Female & male factors				17%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 12

Data verified by William H. Cleland, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	2	1	0	0	0	0
Percentage of cancellations	0 / 2	0 / 1				
Average number of embryos transferred	2.0	3.0				
Percentage of embryos transferred resulting in implantation	0 / 4	0 / 3				
Percentage of elective single embryo transfer (eSET)	0 / 2	0 / 1				
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	0 / 2	0 / 1				
Percentage of cycles resulting in triplets or more live births	0 / 2	0 / 1				
Percentage of cycles resulting in live births	0 / 2	0 / 1				
Percentage of cycles resulting in pregnancy	0 / 2	0 / 1				
Outcomes per Transfer						
Number of transfers	2	1	0	0	0	0
Percentage of transfers resulting in singleton live births	0 / 2	0 / 1				
Percentage of transfers resulting in triplets or more live births	0 / 2	0 / 1				
Percentage of transfers resulting in live births	0 / 2	0 / 1				
Percentage of transfers resulting in pregnancy	0 / 2	0 / 1				
Outcomes per Pregnancy						
Number of pregnancies	0	0	0	0	0	0
Percentage of pregnancies resulting in singleton live births						
Percentage of pregnancies resulting in triplets or more live births						
Percentage of pregnancies resulting in live births						
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	2	0	0	0	0
Number of transfers	4	2	0	0	0	0
Average number of embryos transferred	1.8	1.5				
Percentage of embryos transferred resulting in implantation	2 / 7	0 / 3				
Percentage of transfers resulting in singleton live births	2 / 4	0 / 2				
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 2				
Percentage of transfers resulting in live births	2 / 4	0 / 2				
Percentage of transfers resulting in pregnancy	2 / 4	0 / 2				
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		0		3		
Number of transfers		0		3		
Average number of embryos transferred				2.0		
Percentage of embryos transferred resulting in implantation				0 / 6		
Percentage of transfers resulting in singleton live births				0 / 3		
Percentage of transfers resulting in live births				0 / 3		
Percentage of transfers resulting in pregnancy				0 / 3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2011. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**INFERTILITY CENTER OF ST. LOUIS
SHERMAN J. SILBER, MD
CHESTERFIELD, MISSOURI**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	95%	Tubal factor	7%	Uterine factor	6%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	20%	Male factor	35%
Used gestational carrier	<1%			Diminished ovarian reserve	40%	Other factor	6%
				Endometriosis	<1%	Unknown factor	10%
				Multiple Factors: Female factors only 10% Female & male factors 13%			

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 426

Data verified by Sherman J. Silber, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	90	20	13	2	0	0
Percentage of cancellations	5.6	0.0	0 / 13	0 / 2		
Average number of embryos transferred	2.0	2.0	2.0	2.0		
Percentage of embryos transferred resulting in implantation	24.0	25.0	20.0	1 / 4		
Percentage of elective single embryo transfer (eSET)	3.6	1 / 19	1 / 9	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.6	25.0	3 / 13	1 / 2		
Percentage of cycles resulting in triplets or more live births	0.0	5.0	0 / 13	0 / 2		
Percentage of cycles resulting in live births	33.3	35.0	3 / 13	1 / 2		
Percentage of cycles resulting in pregnancy	43.3	35.0	5 / 13	1 / 2		
Outcomes per Transfer						
Number of transfers	85	20	10	2	0	0
Percentage of transfers resulting in singleton live births	27.1	25.0	3 / 10	1 / 2		
Percentage of transfers resulting in triplets or more live births	0.0	5.0	0 / 10	0 / 2		
Percentage of transfers resulting in live births	35.3	35.0	3 / 10	1 / 2		
Percentage of transfers resulting in pregnancy	45.9	35.0	5 / 10	1 / 2		
Outcomes per Pregnancy						
Number of pregnancies	39	7	5	1	0	0
Percentage of pregnancies resulting in singleton live births	59.0	5 / 7	3 / 5	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0.0	1 / 7	0 / 5	0 / 1		
Percentage of pregnancies resulting in live births	76.9	7 / 7	3 / 5	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	124	41	37	25	27	8
Number of transfers	116	36	35	25	26	7
Average number of embryos transferred	2.0	2.0	2.1	2.5	2.3	1.9
Percentage of embryos transferred resulting in implantation	26.3	22.2	13.5	6.3	5.0	1 / 13
Percentage of transfers resulting in singleton live births	24.1	13.9	22.9	12.0	7.7	1 / 7
Percentage of transfers resulting in triplets or more live births	0.9	0.0	0.0	0.0	0.0	0 / 7
Percentage of transfers resulting in live births	35.3	25.0	22.9	12.0	7.7	1 / 7
Percentage of transfers resulting in pregnancy	44.8	38.9	40.0	20.0	11.5	1 / 7

All Ages Combined^f

Donor Eggs	Fresh Embryos	Frozen Embryos
Number of cycles	17	22
Number of transfers	16	19
Average number of embryos transferred	2.3	1.9
Percentage of embryos transferred resulting in implantation	27.0	22.2
Percentage of transfers resulting in singleton live births	3 / 16	3 / 19
Percentage of transfers resulting in live births	6 / 16	4 / 19
Percentage of transfers resulting in pregnancy	8 / 16	8 / 19

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Infertility Center of St. Louis, Sherman J. Silber, MD

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 332 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MID-MISSOURI REPRODUCTIVE MEDICINE AND SURGERY, INC. COLUMBIA, MISSOURI

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	71%	Tubal factor	22%	Uterine factor	4%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	34%	Male factor	52%	
Used gestational carrier	0%			Diminished ovarian reserve	33%	Other factor	7%	
				Endometriosis	31%	Unknown factor	1%	
				Multiple Factors:				
				Female factors only				23%
				Female & male factors				40%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 96

Data verified by Steven A. Brody, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	29	12	5	2	0	0
Percentage of cancellations	0.0	2 / 12	0 / 5	0 / 2		
Average number of embryos transferred	1.9	2.3	2.4	2.0		
Percentage of embryos transferred resulting in implantation	46.4	47.8	2 / 12	0 / 2		
Percentage of elective single embryo transfer (eSET)	13.8	0 / 10	0 / 5	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	37.9	1 / 12	1 / 5	0 / 2		
Percentage of cycles resulting in triplets or more live births	0.0	1 / 12	0 / 5	0 / 2		
Percentage of cycles resulting in live births	62.1	5 / 12	1 / 5	0 / 2		
Percentage of cycles resulting in pregnancy	62.1	6 / 12	2 / 5	1 / 2		
Outcomes per Transfer						
Number of transfers	29	10	5	1	0	0
Percentage of transfers resulting in singleton live births	37.9	1 / 10	1 / 5	0 / 1		
Percentage of transfers resulting in triplets or more live births	0.0	1 / 10	0 / 5	0 / 1		
Percentage of transfers resulting in live births	62.1	5 / 10	1 / 5	0 / 1		
Percentage of transfers resulting in pregnancy	62.1	6 / 10	2 / 5	1 / 1		
Outcomes per Pregnancy						
Number of pregnancies	18	6	2	1	0	0
Percentage of pregnancies resulting in singleton live births	11 / 18	1 / 6	1 / 2	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 18	1 / 6	0 / 2	0 / 1		
Percentage of pregnancies resulting in live births	18 / 18	5 / 6	1 / 2	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	18	2	2	0	0	2
Number of transfers	17	2	1	0	0	2
Average number of embryos transferred	2.1	1.5	1.0			2.0
Percentage of embryos transferred resulting in implantation	25.0	2 / 3	0 / 1			0 / 4
Percentage of transfers resulting in singleton live births	6 / 17	2 / 2	0 / 1			0 / 2
Percentage of transfers resulting in triplets or more live births	0 / 17	0 / 2	0 / 1			0 / 2
Percentage of transfers resulting in live births	7 / 17	2 / 2	0 / 1			0 / 2
Percentage of transfers resulting in pregnancy	9 / 17	2 / 2	0 / 1			0 / 2
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	14		10			
Number of transfers	13		9			
Average number of embryos transferred	1.6		2.1			
Percentage of embryos transferred resulting in implantation	33.3		1 / 19			
Percentage of transfers resulting in singleton live births	4 / 13		1 / 9			
Percentage of transfers resulting in live births	5 / 13		1 / 9			
Percentage of transfers resulting in pregnancy	6 / 13		1 / 9			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Mid-Missouri Reproductive Medicine and Surgery, Inc.

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MISSOURI CENTER FOR REPRODUCTIVE MEDICINE AND FERTILITY COLUMBIA, MISSOURI

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	55%	Tubal factor	33%	Uterine factor	4%	
Unstimulated	0%	Used PGD	5%	Ovulatory dysfunction	19%	Male factor	19%	
Used gestational carrier	0%			Diminished ovarian reserve	15%	Other factor	41%	
				Endometriosis	19%	Unknown factor	15%	
				Multiple Factors:				
				Female factors only				22%
				Female & male factors				15%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 27

Data verified by Mira Aubuchon, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	8	8	6	0	0	0
Percentage of cancellations	1 / 8	1 / 8	1 / 6			
Average number of embryos transferred	1.8	1.8	1.5			
Percentage of embryos transferred resulting in implantation	1 / 7	0 / 9	1 / 3			
Percentage of elective single embryo transfer (eSET)	0 / 3	0 / 3	1 / 2			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	1 / 8	0 / 8	1 / 6			
Percentage of cycles resulting in triplets or more live births	0 / 8	0 / 8	0 / 6			
Percentage of cycles resulting in live births	1 / 8	0 / 8	1 / 6			
Percentage of cycles resulting in pregnancy	1 / 8	0 / 8	1 / 6			
Outcomes per Transfer						
Number of transfers	4	5	2	0	0	0
Percentage of transfers resulting in singleton live births	1 / 4	0 / 5	1 / 2			
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 5	0 / 2			
Percentage of transfers resulting in live births	1 / 4	0 / 5	1 / 2			
Percentage of transfers resulting in pregnancy	1 / 4	0 / 5	1 / 2			
Outcomes per Pregnancy						
Number of pregnancies	1	0	1	0	0	0
Percentage of pregnancies resulting in singleton live births	1 / 1		1 / 1			
Percentage of pregnancies resulting in triplets or more live births	0 / 1		0 / 1			
Percentage of pregnancies resulting in live births	1 / 1		1 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	1	0	0	0	0
Number of transfers	1	1	0	0	0	0
Average number of embryos transferred	2.0	2.0				
Percentage of embryos transferred resulting in implantation	0 / 2	0 / 2				
Percentage of transfers resulting in singleton live births	0 / 1	0 / 1				
Percentage of transfers resulting in triplets or more live births	0 / 1	0 / 1				
Percentage of transfers resulting in live births	0 / 1	0 / 1				
Percentage of transfers resulting in pregnancy	0 / 1	0 / 1				
All Ages Combined^f						
Donor Eggs	Fresh Embryos			Frozen Embryos		
	Number of cycles	1		2		
Number of transfers	1		2			
Average number of embryos transferred	3.0		2.5			
Percentage of embryos transferred resulting in implantation	0 / 3		0 / 5			
Percentage of transfers resulting in singleton live births	0 / 1		0 / 2			
Percentage of transfers resulting in live births	0 / 1		0 / 2			
Percentage of transfers resulting in pregnancy	0 / 1		0 / 2			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Missouri Center for Reproductive Medicine and Fertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2011 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2011 ART cycle data or the clinic's Medical Director did not approve the clinic's 2011 ART cycle data for inclusion in this report.

MIDWEST WOMEN'S HEALTHCARE SPECIALISTS KANSAS CITY, MISSOURI

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	82%	Tubal factor	27%	Uterine factor	5%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	29%	Male factor	53%	
Used gestational carrier	0%			Diminished ovarian reserve	21%	Other factor	2%	
				Endometriosis	42%	Unknown factor	1%	
				Multiple Factors:				
				Female factors only				27%
				Female & male factors				38%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 89

Data verified by Gregory C. Starks, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	37	14	8	1	0	0
Percentage of cancellations	18.9	3 / 14	0 / 8	1 / 1		
Average number of embryos transferred	2.0	1.9	2.3			
Percentage of embryos transferred resulting in implantation	48.3	23.8	3 / 16			
Percentage of elective single embryo transfer (eSET)	0.0	0 / 10	0 / 7			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.0	1 / 14	1 / 8	0 / 1		
Percentage of cycles resulting in triplets or more live births	0.0	0 / 14	0 / 8	0 / 1		
Percentage of cycles resulting in live births	45.9	3 / 14	1 / 8	0 / 1		
Percentage of cycles resulting in pregnancy	51.4	4 / 14	4 / 8	0 / 1		
Outcomes per Transfer						
Number of transfers	30	11	7	0	0	0
Percentage of transfers resulting in singleton live births	33.3	1 / 11	1 / 7			
Percentage of transfers resulting in triplets or more live births	0.0	0 / 11	0 / 7			
Percentage of transfers resulting in live births	56.7	3 / 11	1 / 7			
Percentage of transfers resulting in pregnancy	63.3	4 / 11	4 / 7			
Outcomes per Pregnancy						
Number of pregnancies	19	4	4	0	0	0
Percentage of pregnancies resulting in singleton live births	10 / 19	1 / 4	1 / 4			
Percentage of pregnancies resulting in triplets or more live births	0 / 19	0 / 4	0 / 4			
Percentage of pregnancies resulting in live births	17 / 19	3 / 4	1 / 4			
Frozen Embryos from Nondonor Eggs						
Number of cycles	16	8	0	0	0	0
Number of transfers	14	8	0	0	0	0
Average number of embryos transferred	1.9	1.6				
Percentage of embryos transferred resulting in implantation	38.5	7 / 13				
Percentage of transfers resulting in singleton live births	3 / 14	4 / 8				
Percentage of transfers resulting in triplets or more live births	1 / 14	0 / 8				
Percentage of transfers resulting in live births	5 / 14	5 / 8				
Percentage of transfers resulting in pregnancy	9 / 14	5 / 8				
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
	Number of cycles	5	0			
	Number of transfers	3	0			
	Average number of embryos transferred	2.0				
	Percentage of embryos transferred resulting in implantation	6 / 6				
	Percentage of transfers resulting in singleton live births	0 / 3				
	Percentage of transfers resulting in pregnancy	3 / 3				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Midwest Women's Healthcare Specialists

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY PARTNERSHIP SAINT PETERS, MISSOURI

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	98%	Tubal factor	12%	Uterine factor	3%	Multiple Factors: Female factors only 6% Female & male factors 16%
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	21%	Male factor	31%	
Used gestational carrier	0%			Diminished ovarian reserve	32%	Other factor	6%	
				Endometriosis	7%	Unknown factor	14%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 146

Data verified by David E. Simckes, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	63	20	16	7	0	0
Percentage of cancellations	1.6	0.0	1 / 16	0 / 7		
Average number of embryos transferred	2.0	2.1	3.0	2.8		
Percentage of embryos transferred resulting in implantation	25.5	23.7	15.4	4 / 14		
Percentage of elective single embryo transfer (eSET)	0.0	0 / 18	0 / 13	0 / 4		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.4	25.0	6 / 16	1 / 7		
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 16	0 / 7		
Percentage of cycles resulting in live births	31.7	25.0	6 / 16	2 / 7		
Percentage of cycles resulting in pregnancy	36.5	40.0	6 / 16	3 / 7		
Outcomes per Transfer						
Number of transfers	55	18	13	5	0	0
Percentage of transfers resulting in singleton live births	29.1	5 / 18	6 / 13	1 / 5		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 18	0 / 13	0 / 5		
Percentage of transfers resulting in live births	36.4	5 / 18	6 / 13	2 / 5		
Percentage of transfers resulting in pregnancy	41.8	8 / 18	6 / 13	3 / 5		
Outcomes per Pregnancy						
Number of pregnancies	23	8	6	3	0	0
Percentage of pregnancies resulting in singleton live births	69.6	5 / 8	6 / 6	1 / 3		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 8	0 / 6	0 / 3		
Percentage of pregnancies resulting in live births	87.0	5 / 8	6 / 6	2 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	17	6	5	0	0	0
Number of transfers	16	6	5	0	0	0
Average number of embryos transferred	2.0	2.2	2.2			
Percentage of embryos transferred resulting in implantation	31.3	2 / 13	1 / 11			
Percentage of transfers resulting in singleton live births	6 / 16	2 / 6	1 / 5			
Percentage of transfers resulting in triplets or more live births	0 / 16	0 / 6	0 / 5			
Percentage of transfers resulting in live births	8 / 16	2 / 6	1 / 5			
Percentage of transfers resulting in pregnancy	9 / 16	3 / 6	2 / 5			
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	5		7			
Number of transfers	5		6			
Average number of embryos transferred	2.0		1.8			
Percentage of embryos transferred resulting in implantation	3 / 10		0 / 11			
Percentage of transfers resulting in singleton live births	1 / 5		0 / 6			
Percentage of transfers resulting in live births	2 / 5		0 / 6			
Percentage of transfers resulting in pregnancy	2 / 5		0 / 6			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Partnership

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 4 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER AT MISSOURI BAPTIST MEDICAL CENTER ST. LOUIS, MISSOURI

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	83%	Tubal factor	16%	Uterine factor	5%
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	30%	Male factor	65%
Used gestational carrier	0%			Diminished ovarian reserve	53%	Other factor	3%
				Endometriosis	21%	Unknown factor	1%
				Multiple Factors:			
						Female factors only	10%
						Female & male factors	52%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 98

Data verified by Anthony C. Pearlstone, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	45	21	10	2	0	0
Percentage of cancellations	11.1	9.5	2 / 10	0 / 2		
Average number of embryos transferred	1.9	2.1	2.2	1.5		
Percentage of embryos transferred resulting in implantation	43.1	42.4	1 / 13	0 / 3		
Percentage of elective single embryo transfer (eSET)	0.0	2 / 15	0 / 5	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	31.1	19.0	0 / 10	0 / 2		
Percentage of cycles resulting in triplets or more live births	0.0	4.8	0 / 10	0 / 2		
Percentage of cycles resulting in live births	48.9	38.1	0 / 10	0 / 2		
Percentage of cycles resulting in pregnancy	51.1	42.9	1 / 10	0 / 2		
Outcomes per Transfer						
Number of transfers	38	16	6	2	0	0
Percentage of transfers resulting in singleton live births	36.8	4 / 16	0 / 6	0 / 2		
Percentage of transfers resulting in triplets or more live births	0.0	1 / 16	0 / 6	0 / 2		
Percentage of transfers resulting in live births	57.9	8 / 16	0 / 6	0 / 2		
Percentage of transfers resulting in pregnancy	60.5	9 / 16	1 / 6	0 / 2		
Outcomes per Pregnancy						
Number of pregnancies	23	9	1	0	0	0
Percentage of pregnancies resulting in singleton live births	60.9	4 / 9	0 / 1			
Percentage of pregnancies resulting in triplets or more live births	0.0	1 / 9	0 / 1			
Percentage of pregnancies resulting in live births	95.7	8 / 9	0 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	3	2	1	0	0
Number of transfers	1	3	2	1	0	0
Average number of embryos transferred	3.0	2.3	2.5	1.0		
Percentage of embryos transferred resulting in implantation	0 / 3	0 / 7	0 / 5	0 / 1		
Percentage of transfers resulting in singleton live births	0 / 1	0 / 3	0 / 2	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 1	0 / 3	0 / 2	0 / 1		
Percentage of transfers resulting in live births	0 / 1	0 / 3	0 / 2	0 / 1		
Percentage of transfers resulting in pregnancy	0 / 1	0 / 3	0 / 2	0 / 1		
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		9		4		
Number of transfers		6		3		
Average number of embryos transferred		2.0		2.3		
Percentage of embryos transferred resulting in implantation		7 / 12		1 / 7		
Percentage of transfers resulting in singleton live births		3 / 6		1 / 3		
Percentage of transfers resulting in live births		4 / 6		1 / 3		
Percentage of transfers resulting in pregnancy		5 / 6		1 / 3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Center at Missouri Baptist Medical Center

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**THE INFERTILITY AND REPRODUCTIVE MEDICINE CENTER
AT WASHINGTON UNIVERSITY SCHOOL OF MEDICINE AND BARNES-JEWISH HOSPITAL
ST. LOUIS, MISSOURI**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE				Patient Diagnosis ^b				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	65%	Tubal factor	18%	Uterine factor	0%	Multiple Factors: Female factors only 8% Female & male factors 6%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	19%	Male factor	20%	
Used gestational carrier	<1%			Diminished ovarian reserve	28%	Other factor	7%	
				Endometriosis	8%	Unknown factor	16%	

2011 ART SUCCESS RATES^{c,d} Number of cycles in table: ^e 510 Data verified by Randall R. Odem, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	240	52	66	18	4	0
Percentage of cancellations	9.6	11.5	16.7	4 / 18	1 / 4	
Average number of embryos transferred	2.0	2.5	3.0	3.6	4.3	
Percentage of embryos transferred resulting in implantation	31.9	20.2	14.1	7.8	1 / 13	
Percentage of elective single embryo transfer (eSET)	2.0	0.0	0.0	0 / 13	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	32.5	25.0	10.6	2 / 18	0 / 4	
Percentage of cycles resulting in triplets or more live births	0.8	0.0	0.0	0 / 18	0 / 4	
Percentage of cycles resulting in live births	41.3	30.8	19.7	2 / 18	0 / 4	
Percentage of cycles resulting in pregnancy	46.3	36.5	24.2	3 / 18	1 / 4	
Outcomes per Transfer						
Number of transfers	211	41	55	14	3	0
Percentage of transfers resulting in singleton live births	37.0	31.7	12.7	2 / 14	0 / 3	
Percentage of transfers resulting in triplets or more live births	0.9	0.0	0.0	0 / 14	0 / 3	
Percentage of transfers resulting in live births	46.9	39.0	23.6	2 / 14	0 / 3	
Percentage of transfers resulting in pregnancy	52.6	46.3	29.1	3 / 14	1 / 3	
Outcomes per Pregnancy						
Number of pregnancies	111	19	16	3	1	0
Percentage of pregnancies resulting in singleton live births	70.3	13 / 19	7 / 16	2 / 3	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	1.8	0 / 19	0 / 16	0 / 3	0 / 1	
Percentage of pregnancies resulting in live births	89.2	16 / 19	13 / 16	2 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	43	19	10	5	1	1
Number of transfers	38	17	6	4	1	1
Average number of embryos transferred	1.8	1.9	2.5	2.0	3.0	1.0
Percentage of embryos transferred resulting in implantation	38.8	31.3	1 / 15	4 / 8	1 / 3	0 / 1
Percentage of transfers resulting in singleton live births	50.0	3 / 17	1 / 6	1 / 4	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	2.6	0 / 17	0 / 6	1 / 4	0 / 1	0 / 1
Percentage of transfers resulting in live births	55.3	6 / 17	1 / 6	2 / 4	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	57.9	7 / 17	1 / 6	2 / 4	1 / 1	0 / 1
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	35		16			
Number of transfers	31		14			
Average number of embryos transferred	1.9		1.8			
Percentage of embryos transferred resulting in implantation	37.3		32.0			
Percentage of transfers resulting in singleton live births	25.8		6 / 14			
Percentage of transfers resulting in live births	45.2		6 / 14			
Percentage of transfers resulting in pregnancy	51.6		8 / 14			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Infertility and Reproductive Medicine Center at Washington University School of Medicine and Barnes-Jewish Hospital

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 11 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**BILLINGS CLINIC
DEPARTMENT OF REPRODUCTIVE MEDICINE AND FERTILITY CARE
BILLINGS, MONTANA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	71%	Tubal factor	14%	Uterine factor	0%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	26%	Male factor	31%
Used gestational carrier	0%			Diminished ovarian reserve	10%	Other factor	10%
				Endometriosis	14%	Unknown factor	24%
				Multiple Factors:			
						Female factors only	10%
						Female & male factors	19%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 58

Data verified by Christopher P. Montville, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	31	15	5	1	0	0
Percentage of cancellations	3.2	2 / 15	2 / 5	0 / 1		
Average number of embryos transferred	1.8	2.2	3.0			
Percentage of embryos transferred resulting in implantation	42.3	31.0	1 / 9			
Percentage of elective single embryo transfer (eSET)	14.8	0 / 12	0 / 3			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	38.7	5 / 15	1 / 5	0 / 1		
Percentage of cycles resulting in triplets or more live births	0.0	0 / 15	0 / 5	0 / 1		
Percentage of cycles resulting in live births	51.6	7 / 15	1 / 5	0 / 1		
Percentage of cycles resulting in pregnancy	58.1	7 / 15	2 / 5	0 / 1		
Outcomes per Transfer						
Number of transfers	29	13	3	0	0	0
Percentage of transfers resulting in singleton live births	41.4	5 / 13	1 / 3			
Percentage of transfers resulting in triplets or more live births	0.0	0 / 13	0 / 3			
Percentage of transfers resulting in live births	55.2	7 / 13	1 / 3			
Percentage of transfers resulting in pregnancy	62.1	7 / 13	2 / 3			
Outcomes per Pregnancy						
Number of pregnancies	18	7	2	0	0	0
Percentage of pregnancies resulting in singleton live births	12 / 18	5 / 7	1 / 2			
Percentage of pregnancies resulting in triplets or more live births	0 / 18	0 / 7	0 / 2			
Percentage of pregnancies resulting in live births	16 / 18	7 / 7	1 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	3	1	1	0	0	0
Number of transfers	3	1	1	0	0	0
Average number of embryos transferred	2.0	2.0	1.0			
Percentage of embryos transferred resulting in implantation	0 / 6	0 / 2	0 / 1			
Percentage of transfers resulting in singleton live births	0 / 3	0 / 1	0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 3	0 / 1	0 / 1			
Percentage of transfers resulting in live births	0 / 3	0 / 1	0 / 1			
Percentage of transfers resulting in pregnancy	0 / 3	0 / 1	0 / 1			
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	0		1			
Number of transfers	0		1			
Average number of embryos transferred			1.0			
Percentage of embryos transferred resulting in implantation			0 / 1			
Percentage of transfers resulting in singleton live births			0 / 1			
Percentage of transfers resulting in live births			0 / 1			
Percentage of transfers resulting in pregnancy			0 / 1			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Billings Clinic, Department of Reproductive Medicine and Fertility Care

Donor egg?	No	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Pending
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HEARTLAND CENTER FOR REPRODUCTIVE MEDICINE, PC OMAHA, NEBRASKA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	56%	Tubal factor	18%	Uterine factor	3%	Multiple Factors: Female factors only 8% Female & male factors 30%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	5%	Male factor	52%	
Used gestational carrier	0%			Diminished ovarian reserve	39%	Other factor	3%	
				Endometriosis	12%	Unknown factor	8%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 215

Data verified by Victoria M. Maclin, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	98	24	28	4	2	1
Percentage of cancellations	6.1	8.3	14.3	1 / 4	0 / 2	0 / 1
Average number of embryos transferred	1.9	1.6	1.9	1.7		3.0
Percentage of embryos transferred resulting in implantation	37.5	34.8	21.1	1 / 5		0 / 3
Percentage of elective single embryo transfer (eSET)	0.0	0 / 9	1 / 15	0 / 2		0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.5	20.8	21.4	1 / 4	0 / 2	0 / 1
Percentage of cycles resulting in triplets or more live births	1.0	0.0	0.0	0 / 4	0 / 2	0 / 1
Percentage of cycles resulting in live births	35.7	20.8	25.0	1 / 4	0 / 2	0 / 1
Percentage of cycles resulting in pregnancy	41.8	29.2	28.6	2 / 4	0 / 2	0 / 1
Outcomes per Transfer						
Number of transfers	76	14	20	3	0	1
Percentage of transfers resulting in singleton live births	34.2	5 / 14	30.0	1 / 3		0 / 1
Percentage of transfers resulting in triplets or more live births	1.3	0 / 14	0.0	0 / 3		0 / 1
Percentage of transfers resulting in live births	46.1	5 / 14	35.0	1 / 3		0 / 1
Percentage of transfers resulting in pregnancy	53.9	7 / 14	40.0	2 / 3		0 / 1
Outcomes per Pregnancy						
Number of pregnancies	41	7	8	2	0	0
Percentage of pregnancies resulting in singleton live births	63.4	5 / 7	6 / 8	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	2.4	0 / 7	0 / 8	0 / 2		
Percentage of pregnancies resulting in live births	85.4	5 / 7	7 / 8	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	14	1	7	3	0	0
Number of transfers	14	1	6	3	0	0
Average number of embryos transferred	1.7	3.0	1.5	2.3		
Percentage of embryos transferred resulting in implantation	16.7	2 / 3	0 / 9	1 / 7		
Percentage of transfers resulting in singleton live births	2 / 14	0 / 1	0 / 6	1 / 3		
Percentage of transfers resulting in triplets or more live births	0 / 14	0 / 1	0 / 6	0 / 3		
Percentage of transfers resulting in live births	3 / 14	1 / 1	0 / 6	1 / 3		
Percentage of transfers resulting in pregnancy	3 / 14	1 / 1	0 / 6	1 / 3		
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	23		10			
Number of transfers	20		9			
Average number of embryos transferred	1.9		1.7			
Percentage of embryos transferred resulting in implantation	55.3		6 / 15			
Percentage of transfers resulting in singleton live births	40.0		5 / 9			
Percentage of transfers resulting in live births	70.0		5 / 9			
Percentage of transfers resulting in pregnancy	85.0		5 / 9			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Heartland Center for Reproductive Medicine, PC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEBRASKA METHODIST HOSPITAL REI OMAHA, NEBRASKA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	87%	Tubal factor	20%	Uterine factor	5%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	19%	Male factor	46%	
Used gestational carrier	<1%			Diminished ovarian reserve	7%	Other factor	24%	
				Endometriosis	17%	Unknown factor	7%	
				Multiple Factors:				
				Female factors only				16%
				Female & male factors				25%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 444

Data verified by Carolyn M. Doherty, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	172	52	35	12	0	0
Percentage of cancellations	8.7	9.6	31.4	3 / 12		
Average number of embryos transferred	2.1	2.6	3.2	4.1		
Percentage of embryos transferred resulting in implantation	27.8	17.4	10.4	5.4		
Percentage of elective single embryo transfer (eSET)	5.4	2.2	0.0	0 / 9		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.7	28.8	5.7	2 / 12		
Percentage of cycles resulting in triplets or more live births	0.6	0.0	0.0	0 / 12		
Percentage of cycles resulting in live births	34.9	34.6	11.4	2 / 12		
Percentage of cycles resulting in pregnancy	40.1	40.4	14.3	2 / 12		
Outcomes per Transfer						
Number of transfers	151	47	21	9	0	0
Percentage of transfers resulting in singleton live births	30.5	31.9	9.5	2 / 9		
Percentage of transfers resulting in triplets or more live births	0.7	0.0	0.0	0 / 9		
Percentage of transfers resulting in live births	39.7	38.3	19.0	2 / 9		
Percentage of transfers resulting in pregnancy	45.7	44.7	23.8	2 / 9		
Outcomes per Pregnancy						
Number of pregnancies	69	21	5	2	0	0
Percentage of pregnancies resulting in singleton live births	66.7	71.4	2 / 5	2 / 2		
Percentage of pregnancies resulting in triplets or more live births	1.4	0.0	0 / 5	0 / 2		
Percentage of pregnancies resulting in live births	87.0	85.7	4 / 5	2 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	96	23	17	5	1	2
Number of transfers	62	11	8	4	1	2
Average number of embryos transferred	1.8	1.9	1.4	2.3	1.0	4.0
Percentage of embryos transferred resulting in implantation	35.1	38.1	3 / 11	1 / 9	0 / 1	1 / 8
Percentage of transfers resulting in singleton live births	32.3	4 / 11	3 / 8	1 / 4	0 / 1	1 / 2
Percentage of transfers resulting in triplets or more live births	1.6	0 / 11	0 / 8	0 / 4	0 / 1	0 / 2
Percentage of transfers resulting in live births	41.9	5 / 11	3 / 8	1 / 4	0 / 1	1 / 2
Percentage of transfers resulting in pregnancy	54.8	6 / 11	4 / 8	2 / 4	0 / 1	1 / 2
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			18		11	
Number of transfers			17		6	
Average number of embryos transferred			2.1		2.3	
Percentage of embryos transferred resulting in implantation			16.7		6 / 14	
Percentage of transfers resulting in singleton live births			1 / 17		3 / 6	
Percentage of transfers resulting in live births			3 / 17		4 / 6	
Percentage of transfers resulting in pregnancy			4 / 17		5 / 6	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Nebraska Methodist Hospital REI

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF LAS VEGAS LAS VEGAS, NEVADA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	86%	Tubal factor	17%	Uterine factor	<1%	
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	5%	Male factor	42%	
Used gestational carrier	<1%			Diminished ovarian reserve	54%	Other factor	7%	
				Endometriosis	3%	Unknown factor	9%	
				Multiple Factors:				
				Female factors only				8%
				Female & male factors				25%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 569

Data verified by Bruce S. Shapiro, MD, PhD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	85	63	45	23	8	6
Percentage of cancellations	5.9	6.3	15.6	30.4	2 / 8	1 / 6
Average number of embryos transferred	1.7	1.8	1.8	2.0	1.8	2.0
Percentage of embryos transferred resulting in implantation	40.0	27.3	13.5	10.0	0 / 9	2 / 2
Percentage of elective single embryo transfer (eSET)	25.0	10.5	0 / 16	0 / 10	0 / 3	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	16.5	19.0	4.4	0.0	0 / 8	0 / 6
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 8	0 / 6
Percentage of cycles resulting in live births	27.1	23.8	6.7	0.0	0 / 8	0 / 6
Percentage of cycles resulting in pregnancy	32.9	27.0	13.3	4.3	0 / 8	1 / 6
Outcomes per Transfer						
Number of transfers	54	43	21	10	5	1
Percentage of transfers resulting in singleton live births	25.9	27.9	9.5	0 / 10	0 / 5	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 10	0 / 5	0 / 1
Percentage of transfers resulting in live births	42.6	34.9	14.3	0 / 10	0 / 5	0 / 1
Percentage of transfers resulting in pregnancy	51.9	39.5	28.6	1 / 10	0 / 5	1 / 1
Outcomes per Pregnancy						
Number of pregnancies	28	17	6	1	0	1
Percentage of pregnancies resulting in singleton live births	50.0	12 / 17	2 / 6	0 / 1		0 / 1
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 17	0 / 6	0 / 1		0 / 1
Percentage of pregnancies resulting in live births	82.1	15 / 17	3 / 6	0 / 1		0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	144	58	55	15	3	1
Number of transfers	124	45	48	8	2	0
Average number of embryos transferred	1.7	1.5	1.7	2.0	1.0	
Percentage of embryos transferred resulting in implantation	48.6	46.4	28.9	7 / 16	1 / 2	
Percentage of transfers resulting in singleton live births	39.5	35.6	31.3	3 / 8	1 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 8	0 / 2	
Percentage of transfers resulting in live births	56.5	48.9	31.3	4 / 8	1 / 2	
Percentage of transfers resulting in pregnancy	63.7	57.8	60.4	6 / 8	1 / 2	
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	36		27			
Number of transfers	29		23			
Average number of embryos transferred	1.7		1.5			
Percentage of embryos transferred resulting in implantation	64.0		68.6			
Percentage of transfers resulting in singleton live births	51.7		26.1			
Percentage of transfers resulting in live births	72.4		60.9			
Percentage of transfers resulting in pregnancy	79.3		69.6			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Center of Las Vegas

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 303 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**NEVADA FERTILITY C.A.R.E.S.
LAS VEGAS, NEVADA**

This clinic provided ART services during 2011 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2011 ART cycle data or the clinic's Medical Director did not approve the clinic's 2011 ART cycle data for inclusion in this report.

RED ROCK FERTILITY CENTER LAS VEGAS, NEVADA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	94%	Tubal factor	13%	Uterine factor	2%	
Unstimulated	2%	Used PGD	35%	Ovulatory dysfunction	11%	Male factor	22%	
Used gestational carrier	2%			Diminished ovarian reserve	26%	Other factor	4%	
				Endometriosis	5%	Unknown factor	23%	
				Multiple Factors:				
				Female factors only				3%
				Female & male factors				4%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 188

Data verified by Eva D. Littman, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	62	13	26	19	5	8
Percentage of cancellations	3.2	0 / 13	0.0	2 / 19	0 / 5	1 / 8
Average number of embryos transferred	2.4	2.6	3.0	3.4	2.8	1.0
Percentage of embryos transferred resulting in implantation	35.5	20.6	10.8	6.8	1 / 11	0 / 1
Percentage of elective single embryo transfer (eSET)	1.8	0 / 12	4.2	0 / 12	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	32.3	1 / 13	11.5	3 / 19	1 / 5	0 / 8
Percentage of cycles resulting in triplets or more live births	1.6	2 / 13	0.0	0 / 19	0 / 5	0 / 8
Percentage of cycles resulting in live births	48.4	3 / 13	19.2	3 / 19	1 / 5	0 / 8
Percentage of cycles resulting in pregnancy	50.0	3 / 13	23.1	3 / 19	1 / 5	0 / 8
Outcomes per Transfer						
Number of transfers	59	13	25	13	4	1
Percentage of transfers resulting in singleton live births	33.9	1 / 13	12.0	3 / 13	1 / 4	0 / 1
Percentage of transfers resulting in triplets or more live births	1.7	2 / 13	0.0	0 / 13	0 / 4	0 / 1
Percentage of transfers resulting in live births	50.8	3 / 13	20.0	3 / 13	1 / 4	0 / 1
Percentage of transfers resulting in pregnancy	52.5	3 / 13	24.0	3 / 13	1 / 4	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	31	3	6	3	1	0
Percentage of pregnancies resulting in singleton live births	64.5	1 / 3	3 / 6	3 / 3	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	3.2	2 / 3	0 / 6	0 / 3	0 / 1	
Percentage of pregnancies resulting in live births	96.8	3 / 3	5 / 6	3 / 3	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	20	6	8	2	0	0
Number of transfers	19	6	8	2	0	0
Average number of embryos transferred	2.1	2.5	2.0	2.0		
Percentage of embryos transferred resulting in implantation	35.9	4 / 15	4 / 16	1 / 4		
Percentage of transfers resulting in singleton live births	6 / 19	1 / 6	3 / 8	1 / 2		
Percentage of transfers resulting in triplets or more live births	1 / 19	0 / 6	0 / 8	0 / 2		
Percentage of transfers resulting in live births	9 / 19	2 / 6	3 / 8	1 / 2		
Percentage of transfers resulting in pregnancy	9 / 19	3 / 6	4 / 8	1 / 2		
All Ages Combined^f						
Donor Eggs	Fresh Embryos			Frozen Embryos		
Number of cycles	12			7		
Number of transfers	10			7		
Average number of embryos transferred	2.1			2.0		
Percentage of embryos transferred resulting in implantation	47.6			8 / 14		
Percentage of transfers resulting in singleton live births	3 / 10			5 / 7		
Percentage of transfers resulting in live births	5 / 10			5 / 7		
Percentage of transfers resulting in pregnancy	6 / 10			6 / 7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Red Rock Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 25 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2011 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2011 ART cycle data or the clinic's Medical Director did not approve the clinic's 2011 ART cycle data for inclusion in this report.

THE NEVADA CENTER FOR REPRODUCTIVE MEDICINE RENO, NEVADA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	78%	Tubal factor	17%	Uterine factor	19%	
Unstimulated	0%	Used PGD	10%	Ovulatory dysfunction	13%	Male factor	32%	
Used gestational carrier	3%			Diminished ovarian reserve	48%	Other factor	22%	
				Endometriosis	13%	Unknown factor	6%	
				Multiple Factors:				
				Female factors only				29%
				Female & male factors				24%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 254

Data verified by Russell A. Foulk, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	50	22	18	13	5	2
Percentage of cancellations	2.0	0.0	2 / 18	2 / 13	0 / 5	0 / 2
Average number of embryos transferred	2.0	2.0	2.1	2.1	2.6	1.0
Percentage of embryos transferred resulting in implantation	39.1	22.5	24.0	1 / 19	2 / 13	0 / 2
Percentage of elective single embryo transfer (eSET)	8.7	1 / 17	0 / 9	0 / 5	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	28.0	9.1	3 / 18	1 / 13	0 / 5	0 / 2
Percentage of cycles resulting in triplets or more live births	2.0	0.0	0 / 18	0 / 13	0 / 5	0 / 2
Percentage of cycles resulting in live births	44.0	22.7	3 / 18	1 / 13	0 / 5	0 / 2
Percentage of cycles resulting in pregnancy	44.0	22.7	5 / 18	2 / 13	2 / 5	0 / 2
Outcomes per Transfer						
Number of transfers	47	20	12	9	5	2
Percentage of transfers resulting in singleton live births	29.8	10.0	3 / 12	1 / 9	0 / 5	0 / 2
Percentage of transfers resulting in triplets or more live births	2.1	0.0	0 / 12	0 / 9	0 / 5	0 / 2
Percentage of transfers resulting in live births	46.8	25.0	3 / 12	1 / 9	0 / 5	0 / 2
Percentage of transfers resulting in pregnancy	46.8	25.0	5 / 12	2 / 9	2 / 5	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	22	5	5	2	2	0
Percentage of pregnancies resulting in singleton live births	63.6	2 / 5	3 / 5	1 / 2	0 / 2	
Percentage of pregnancies resulting in triplets or more live births	4.5	0 / 5	0 / 5	0 / 2	0 / 2	
Percentage of pregnancies resulting in live births	100.0	5 / 5	3 / 5	1 / 2	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	41	19	10	1	1	2
Number of transfers	41	18	10	1	1	2
Average number of embryos transferred	1.8	2.0	2.4	3.0	2.0	2.0
Percentage of embryos transferred resulting in implantation	25.7	38.9	29.2	0 / 3	1 / 2	1 / 4
Percentage of transfers resulting in singleton live births	29.3	8 / 18	5 / 10	0 / 1	0 / 1	1 / 2
Percentage of transfers resulting in triplets or more live births	0.0	1 / 18	0 / 10	0 / 1	0 / 1	0 / 2
Percentage of transfers resulting in live births	34.1	9 / 18	5 / 10	0 / 1	0 / 1	1 / 2
Percentage of transfers resulting in pregnancy	43.9	10 / 18	6 / 10	0 / 1	1 / 1	1 / 2
All Ages Combined^f						
Donor Eggs	Fresh Embryos			Frozen Embryos		
Number of cycles	28			42		
Number of transfers	26			42		
Average number of embryos transferred	2.0			2.1		
Percentage of embryos transferred resulting in implantation	52.9			29.5		
Percentage of transfers resulting in singleton live births	34.6			28.6		
Percentage of transfers resulting in live births	53.8			42.9		
Percentage of transfers resulting in pregnancy	69.2			42.9		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Nevada Center for Reproductive Medicine					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 9 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DARTMOUTH-HITCHCOCK MEDICAL CENTER LEBANON, NEW HAMPSHIRE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	48%	Tubal factor	13%	Uterine factor	2%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	6%	Male factor	36%	
Used gestational carrier	0%			Diminished ovarian reserve	19%	Other factor	5%	
				Endometriosis	3%	Unknown factor	29%	
				Multiple Factors:				
				Female factors only				1%
				Female & male factors				11%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 177

Data verified by Misty B. Porter, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	58	32	19	9	3	0
Percentage of cancellations	12.1	28.1	5 / 19	2 / 9	1 / 3	
Average number of embryos transferred	1.6	1.9	2.5	3.4	4.0	
Percentage of embryos transferred resulting in implantation	35.1	28.2	13.3	0.0	0 / 8	
Percentage of elective single embryo transfer (eSET)	32.6	2 / 19	0 / 12	0 / 6	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	22.4	25.0	3 / 19	0 / 9	0 / 3	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 19	0 / 9	0 / 3	
Percentage of cycles resulting in live births	31.0	25.0	3 / 19	0 / 9	0 / 3	
Percentage of cycles resulting in pregnancy	39.7	28.1	4 / 19	0 / 9	0 / 3	
Outcomes per Transfer						
Number of transfers	48	21	12	7	2	0
Percentage of transfers resulting in singleton live births	27.1	38.1	3 / 12	0 / 7	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 12	0 / 7	0 / 2	
Percentage of transfers resulting in live births	37.5	38.1	3 / 12	0 / 7	0 / 2	
Percentage of transfers resulting in pregnancy	47.9	42.9	4 / 12	0 / 7	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	23	9	4	0	0	0
Percentage of pregnancies resulting in singleton live births	56.5	8 / 9	3 / 4			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 9	0 / 4			
Percentage of pregnancies resulting in live births	78.3	8 / 9	3 / 4			
Frozen Embryos from Nondonor Eggs						
Number of cycles	19	15	3	3	1	0
Number of transfers	19	15	2	3	1	0
Average number of embryos transferred	1.8	1.7	4.0	2.3	3.0	
Percentage of embryos transferred resulting in implantation	2.9	28.0	1 / 8	2 / 7	0 / 3	
Percentage of transfers resulting in singleton live births	1 / 19	5 / 15	0 / 2	2 / 3	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 19	0 / 15	0 / 2	0 / 3	0 / 1	
Percentage of transfers resulting in live births	1 / 19	5 / 15	0 / 2	2 / 3	0 / 1	
Percentage of transfers resulting in pregnancy	2 / 19	7 / 15	1 / 2	2 / 3	0 / 1	
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
	Number of cycles	9	6			
Number of transfers	8	5				
Average number of embryos transferred	1.8	1.6				
Percentage of embryos transferred resulting in implantation	3 / 14	3 / 8				
Percentage of transfers resulting in singleton live births	3 / 8	0 / 5				
Percentage of transfers resulting in live births	3 / 8	1 / 5				
Percentage of transfers resulting in pregnancy	3 / 8	2 / 5				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Dartmouth-Hitchcock Medical Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHER INSTITUTE FOR REPRODUCTIVE MEDICINE-NEW JERSEY BEDMINSTER, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	85%	Tubal factor	6%	Uterine factor	5%	Multiple Factors: Female factors only 17% Female & male factors 13%
Unstimulated	<1%	Used PGD	27%	Ovulatory dysfunction	18%	Male factor	24%	
Used gestational carrier	0%			Diminished ovarian reserve	41%	Other factor	32%	
				Endometriosis	6%	Unknown factor	1%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 293

Data verified by Albert J. Peters, DO

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	79	52	55	31	9	8
Percentage of cancellations	8.9	13.5	5.5	19.4	2 / 9	2 / 8
Average number of embryos transferred	2.0	2.0	1.8	2.3	2.0	1.3
Percentage of embryos transferred resulting in implantation	34.1	39.7	11.1	11.1	0 / 14	0 / 4
Percentage of elective single embryo transfer (eSET)	8.2	6.1	11.5	0 / 12	0 / 5	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	17.7	17.3	7.3	9.7	0 / 9	0 / 8
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 9	0 / 8
Percentage of cycles resulting in live births	31.6	32.7	9.1	9.7	0 / 9	0 / 8
Percentage of cycles resulting in pregnancy	41.8	36.5	14.5	12.9	0 / 9	0 / 8
Outcomes per Transfer						
Number of transfers	66	36	39	16	7	3
Percentage of transfers resulting in singleton live births	21.2	25.0	10.3	3 / 16	0 / 7	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 16	0 / 7	0 / 3
Percentage of transfers resulting in live births	37.9	47.2	12.8	3 / 16	0 / 7	0 / 3
Percentage of transfers resulting in pregnancy	50.0	52.8	20.5	4 / 16	0 / 7	0 / 3
Outcomes per Pregnancy						
Number of pregnancies	33	19	8	4	0	0
Percentage of pregnancies resulting in singleton live births	42.4	9 / 19	4 / 8	3 / 4		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 19	0 / 8	0 / 4		
Percentage of pregnancies resulting in live births	75.8	17 / 19	5 / 8	3 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	9	15	7	3	3	1
Number of transfers	9	14	7	3	1	1
Average number of embryos transferred	2.0	1.9	1.4	2.0	3.0	2.0
Percentage of embryos transferred resulting in implantation	7 / 18	37.0	1 / 10	1 / 6	0 / 3	1 / 2
Percentage of transfers resulting in singleton live births	2 / 9	4 / 14	1 / 7	0 / 3	0 / 1	1 / 1
Percentage of transfers resulting in triplets or more live births	0 / 9	0 / 14	0 / 7	0 / 3	0 / 1	0 / 1
Percentage of transfers resulting in live births	3 / 9	6 / 14	1 / 7	0 / 3	0 / 1	1 / 1
Percentage of transfers resulting in pregnancy	5 / 9	8 / 14	2 / 7	1 / 3	0 / 1	1 / 1
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	12		9			
Number of transfers	11		8			
Average number of embryos transferred	1.9		2.0			
Percentage of embryos transferred resulting in implantation	52.4		3 / 16			
Percentage of transfers resulting in singleton live births	7 / 11		3 / 8			
Percentage of transfers resulting in live births	8 / 11		3 / 8			
Percentage of transfers resulting in pregnancy	9 / 11		4 / 8			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Sher Institute for Reproductive Medicine-New Jersey

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 5 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE SCIENCE CENTER OF NEW JERSEY EATONTOWN, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	42%	Tubal factor	23%	Uterine factor	2%	
Unstimulated	0%	Used PGD	7%	Ovulatory dysfunction	9%	Male factor	36%	
Used gestational carrier	<1%			Diminished ovarian reserve	46%	Other factor	3%	
				Endometriosis	25%	Unknown factor	3%	
				Multiple Factors:				
				Female factors only				18%
				Female & male factors				24%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 283

Data verified by William Ziegler, DO

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	102	58	41	24	3	0
Percentage of cancellations	4.9	17.2	12.2	0.0	2 / 3	
Average number of embryos transferred	2.0	2.4	2.7	3.2	2.0	
Percentage of embryos transferred resulting in implantation	34.4	30.3	12.6	4.1	0 / 2	
Percentage of elective single embryo transfer (eSET)	2.2	0.0	0.0	0.0	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	29.4	27.6	12.2	12.5	0 / 3	
Percentage of cycles resulting in triplets or more live births	1.0	0.0	0.0	0.0	0 / 3	
Percentage of cycles resulting in live births	39.2	37.9	17.1	12.5	0 / 3	
Percentage of cycles resulting in pregnancy	49.0	44.8	26.8	25.0	0 / 3	
Outcomes per Transfer						
Number of transfers	94	46	32	23	1	0
Percentage of transfers resulting in singleton live births	31.9	34.8	15.6	13.0	0 / 1	
Percentage of transfers resulting in triplets or more live births	1.1	0.0	0.0	0.0	0 / 1	
Percentage of transfers resulting in live births	42.6	47.8	21.9	13.0	0 / 1	
Percentage of transfers resulting in pregnancy	53.2	56.5	34.4	26.1	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	50	26	11	6	0	0
Percentage of pregnancies resulting in singleton live births	60.0	61.5	5 / 11	3 / 6		
Percentage of pregnancies resulting in triplets or more live births	2.0	0.0	0 / 11	0 / 6		
Percentage of pregnancies resulting in live births	80.0	84.6	7 / 11	3 / 6		
Frozen Embryos from Nondonor Eggs						
Number of cycles	10	6	4	0	1	0
Number of transfers	10	6	4	0	1	0
Average number of embryos transferred	2.1	2.0	2.3		2.0	
Percentage of embryos transferred resulting in implantation	14.3	3 / 12	2 / 9		0 / 2	
Percentage of transfers resulting in singleton live births	3 / 10	0 / 6	1 / 4		0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 10	0 / 6	0 / 4		0 / 1	
Percentage of transfers resulting in live births	3 / 10	1 / 6	1 / 4		0 / 1	
Percentage of transfers resulting in pregnancy	3 / 10	2 / 6	2 / 4		0 / 1	
All Ages Combined^f						
	Fresh Embryos			Frozen Embryos		
Number of cycles	23			11		
Number of transfers	21			11		
Average number of embryos transferred	2.1			2.2		
Percentage of embryos transferred resulting in implantation	34.1			4.2		
Percentage of transfers resulting in singleton live births	23.8			0 / 11		
Percentage of transfers resulting in live births	42.9			0 / 11		
Percentage of transfers resulting in pregnancy	57.1			1 / 11		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Science Center of New Jersey

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR ADVANCED REPRODUCTIVE MEDICINE & FERTILITY EDISON, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	61%	Tubal factor	13%	Uterine factor	0%	
Unstimulated	0%	Used PGD	6%	Ovulatory dysfunction	20%	Male factor	37%	
Used gestational carrier	0%			Diminished ovarian reserve	22%	Other factor	<1%	
				Endometriosis	6%	Unknown factor	15%	
				Multiple Factors:				
				Female factors only				2%
				Female & male factors				11%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 288

Data verified by Gregory H. Corsan, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	104	45	33	22	7	1
Percentage of cancellations	1.9	4.4	15.2	0.0	0 / 7	0 / 1
Average number of embryos transferred	1.9	2.2	2.8	3.6	2.2	1.0
Percentage of embryos transferred resulting in implantation	26.7	27.9	6.8	5.8	0 / 13	0 / 1
Percentage of elective single embryo transfer (eSET)	17.2	7.7	0.0	0 / 16	0 / 5	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	24.0	24.4	6.1	0.0	0 / 7	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 7	0 / 1
Percentage of cycles resulting in live births	32.7	33.3	6.1	4.5	0 / 7	0 / 1
Percentage of cycles resulting in pregnancy	36.5	40.0	15.2	18.2	1 / 7	0 / 1
Outcomes per Transfer						
Number of transfers	96	40	26	19	6	1
Percentage of transfers resulting in singleton live births	26.0	27.5	7.7	0 / 19	0 / 6	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 19	0 / 6	0 / 1
Percentage of transfers resulting in live births	35.4	37.5	7.7	1 / 19	0 / 6	0 / 1
Percentage of transfers resulting in pregnancy	39.6	45.0	19.2	4 / 19	1 / 6	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	38	18	5	4	1	0
Percentage of pregnancies resulting in singleton live births	65.8	11 / 18	2 / 5	0 / 4	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 18	0 / 5	0 / 4	0 / 1	
Percentage of pregnancies resulting in live births	89.5	15 / 18	2 / 5	1 / 4	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	44	9	4	0	2	1
Number of transfers	42	9	4	0	2	1
Average number of embryos transferred	2.0	1.6	2.0		2.0	2.0
Percentage of embryos transferred resulting in implantation	45.8	6 / 14	1 / 8		0 / 4	2 / 2
Percentage of transfers resulting in singleton live births	45.2	4 / 9	1 / 4		0 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 9	0 / 4		0 / 2	0 / 1
Percentage of transfers resulting in live births	57.1	4 / 9	1 / 4		0 / 2	1 / 1
Percentage of transfers resulting in pregnancy	69.0	5 / 9	2 / 4		0 / 2	1 / 1
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	10		6			
Number of transfers	10		6			
Average number of embryos transferred	1.7		2.0			
Percentage of embryos transferred resulting in implantation	12 / 17		7 / 12			
Percentage of transfers resulting in singleton live births	6 / 10		1 / 6			
Percentage of transfers resulting in live births	8 / 10		4 / 6			
Percentage of transfers resulting in pregnancy	8 / 10		4 / 6			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Advanced Reproductive Medicine & Fertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WOMEN'S FERTILITY CENTER ENGLEWOOD, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	80%	Tubal factor	17%	Uterine factor	4%	
Unstimulated	0%	Used PGD	9%	Ovulatory dysfunction	7%	Male factor	30%	
Used gestational carrier	0%			Diminished ovarian reserve	57%	Other factor	13%	
				Endometriosis	0%	Unknown factor	6%	
				Multiple Factors:				
				Female factors only				11%
				Female & male factors				23%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 70

Data verified by Philip R. Lesorgen, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	16	14	22	10	3	0
Percentage of cancellations	2 / 16	1 / 14	31.8	0 / 10	0 / 3	
Average number of embryos transferred	2.0	2.2	2.1	1.8	1.5	
Percentage of embryos transferred resulting in implantation	3.8	16.7	9.5	0 / 16	0 / 3	
Percentage of elective single embryo transfer (eSET)	0 / 12	1 / 8	0 / 7	0 / 5	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	1 / 16	0 / 14	9.1	0 / 10	0 / 3	
Percentage of cycles resulting in triplets or more live births	0 / 16	0 / 14	0.0	0 / 10	0 / 3	
Percentage of cycles resulting in live births	1 / 16	2 / 14	9.1	0 / 10	0 / 3	
Percentage of cycles resulting in pregnancy	3 / 16	3 / 14	9.1	0 / 10	0 / 3	
Outcomes per Transfer						
Number of transfers	13	11	10	9	2	0
Percentage of transfers resulting in singleton live births	1 / 13	0 / 11	2 / 10	0 / 9	0 / 2	
Percentage of transfers resulting in triplets or more live births	0 / 13	0 / 11	0 / 10	0 / 9	0 / 2	
Percentage of transfers resulting in live births	1 / 13	2 / 11	2 / 10	0 / 9	0 / 2	
Percentage of transfers resulting in pregnancy	3 / 13	3 / 11	2 / 10	0 / 9	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	3	3	2	0	0	0
Percentage of pregnancies resulting in singleton live births	1 / 3	0 / 3	2 / 2			
Percentage of pregnancies resulting in triplets or more live births	0 / 3	0 / 3	0 / 2			
Percentage of pregnancies resulting in live births	1 / 3	2 / 3	2 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	1	0	0	0	0
Number of transfers	4	1	0	0	0	0
Average number of embryos transferred	2.3	2.0				
Percentage of embryos transferred resulting in implantation	2 / 9	0 / 2				
Percentage of transfers resulting in singleton live births	0 / 4	0 / 1				
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 1				
Percentage of transfers resulting in live births	1 / 4	0 / 1				
Percentage of transfers resulting in pregnancy	1 / 4	0 / 1				
All Ages Combined^f						
	Fresh Embryos		Frozen Embryos			
Number of cycles	0		0			
Number of transfers	0		0			
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Women's Fertility Center

Donor egg?	No	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**NORTH HUDSON I.V.F.
CENTER FOR FERTILITY AND GYNECOLOGY
ENGLEWOOD CLIFFS, NEW JERSEY**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	90%	Tubal factor	9%	Uterine factor	12%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	3%	Male factor	27%	
Used gestational carrier	20%			Diminished ovarian reserve	73%	Other factor	6%	
				Endometriosis	6%	Unknown factor	3%	
				Multiple Factors:				
				Female factors only				12%
				Female & male factors				18%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 33

Data verified by Jane E. Miller, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	6	2	2	0	0	0
Percentage of cancellations	0 / 6	0 / 2	1 / 2			
Average number of embryos transferred	2.2	2.5	2.0			
Percentage of embryos transferred resulting in implantation	8 / 13	3 / 5	0 / 2			
Percentage of elective single embryo transfer (eSET)	0 / 5	0 / 2	0 / 1			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	2 / 6	1 / 2	0 / 2			
Percentage of cycles resulting in triplets or more live births	0 / 6	0 / 2	0 / 2			
Percentage of cycles resulting in live births	5 / 6	2 / 2	0 / 2			
Percentage of cycles resulting in pregnancy	5 / 6	2 / 2	0 / 2			
Outcomes per Transfer						
Number of transfers	6	2	1	0	0	0
Percentage of transfers resulting in singleton live births	2 / 6	1 / 2	0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 2	0 / 1			
Percentage of transfers resulting in live births	5 / 6	2 / 2	0 / 1			
Percentage of transfers resulting in pregnancy	5 / 6	2 / 2	0 / 1			
Outcomes per Pregnancy						
Number of pregnancies	5	2	0	0	0	0
Percentage of pregnancies resulting in singleton live births	2 / 5	1 / 2				
Percentage of pregnancies resulting in triplets or more live births	0 / 5	0 / 2				
Percentage of pregnancies resulting in live births	5 / 5	2 / 2				
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	1	1	1	0	0
Number of transfers	1	1	1	1	0	0
Average number of embryos transferred	2.0	2.0	3.0	3.0		
Percentage of embryos transferred resulting in implantation	1 / 2	0 / 2	0 / 3	0 / 3		
Percentage of transfers resulting in singleton live births	1 / 1	0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 1	0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in live births	1 / 1	0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in pregnancy	1 / 1	0 / 1	0 / 1	0 / 1		
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	5		14			
Number of transfers	4		11			
Average number of embryos transferred	2.5		2.8			
Percentage of embryos transferred resulting in implantation	6 / 10		16.1			
Percentage of transfers resulting in singleton live births	1 / 4		1 / 11			
Percentage of transfers resulting in live births	3 / 4		3 / 11			
Percentage of transfers resulting in pregnancy	3 / 4		3 / 11			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: North Hudson I.V.F., Center for Fertility and Gynecology

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 4 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DOUGLAS S. RABIN, MD FAIR LAWN, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	100%	Tubal factor	11%	Uterine factor	0%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	24%	Male factor	22%	
Used gestational carrier	0%			Diminished ovarian reserve	2%	Other factor	36%	
				Endometriosis	2%	Unknown factor	36%	
				Multiple Factors:				
				Female factors only				11%
				Female & male factors				22%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 55

Data verified by Douglas S. Rabin, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	10	4	8	1	2	5
Percentage of cancellations	0 / 10	0 / 4	0 / 8	0 / 1	0 / 2	0 / 5
Average number of embryos transferred	1.9	4.0	2.7	2.0	1.5	3.0
Percentage of embryos transferred resulting in implantation	5 / 17	0 / 8	0 / 16	0 / 2	0 / 3	0 / 12
Percentage of elective single embryo transfer (eSET)	5 / 9	0 / 2	0 / 4	0 / 1	0 / 1	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	3 / 10	0 / 4	0 / 8	0 / 1	0 / 2	0 / 5
Percentage of cycles resulting in triplets or more live births	0 / 10	0 / 4	0 / 8	0 / 1	0 / 2	0 / 5
Percentage of cycles resulting in live births	3 / 10	0 / 4	0 / 8	0 / 1	0 / 2	0 / 5
Percentage of cycles resulting in pregnancy	5 / 10	0 / 4	0 / 8	0 / 1	0 / 2	0 / 5
Outcomes per Transfer						
Number of transfers	9	2	6	1	2	4
Percentage of transfers resulting in singleton live births	3 / 9	0 / 2	0 / 6	0 / 1	0 / 2	0 / 4
Percentage of transfers resulting in triplets or more live births	0 / 9	0 / 2	0 / 6	0 / 1	0 / 2	0 / 4
Percentage of transfers resulting in live births	3 / 9	0 / 2	0 / 6	0 / 1	0 / 2	0 / 4
Percentage of transfers resulting in pregnancy	5 / 9	0 / 2	0 / 6	0 / 1	0 / 2	0 / 4
Outcomes per Pregnancy						
Number of pregnancies	5	0	0	0	0	0
Percentage of pregnancies resulting in singleton live births	3 / 5					
Percentage of pregnancies resulting in triplets or more live births	0 / 5					
Percentage of pregnancies resulting in live births	3 / 5					
Frozen Embryos from Nondonor Eggs						
Number of cycles	10	6	5	0	1	0
Number of transfers	10	6	5	0	1	0
Average number of embryos transferred	2.1	2.7	2.2		2.0	
Percentage of embryos transferred resulting in implantation	14.3	7 / 16	3 / 11		0 / 2	
Percentage of transfers resulting in singleton live births	1 / 10	1 / 6	1 / 5		0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 10	0 / 6	0 / 5		0 / 1	
Percentage of transfers resulting in live births	1 / 10	4 / 6	2 / 5		0 / 1	
Percentage of transfers resulting in pregnancy	2 / 10	4 / 6	2 / 5		0 / 1	
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			2		1	
Number of transfers			2		1	
Average number of embryos transferred			2.0		4.0	
Percentage of embryos transferred resulting in implantation			0 / 4		0 / 4	
Percentage of transfers resulting in singleton live births			0 / 2		0 / 1	
Percentage of transfers resulting in live births			0 / 2		0 / 1	
Percentage of transfers resulting in pregnancy			0 / 2		0 / 1	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Douglas S. Rabin, MD

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 3 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY REPRODUCTIVE ASSOCIATES, PC HASBROUCK HEIGHTS, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE				Patient Diagnosis ^b				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	95%	Tubal factor	17%	Uterine factor	9%	Multiple Factors: Female factors only 3% Female & male factors 48%
Unstimulated	2%	Used PGD	15%	Ovulatory dysfunction	15%	Male factor	80%	
Used gestational carrier	0%			Diminished ovarian reserve	17%	Other factor	12%	
				Endometriosis	5%	Unknown factor	6%	

2011 ART SUCCESS RATES^{c,d} Number of cycles in table: ^e 291 Data verified by Peter G. McGovern, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	110	59	42	35	14	2
Percentage of cancellations	0.0	0.0	2.4	0.0	0 / 14	0 / 2
Average number of embryos transferred	2.1	2.5	2.5	2.5	3.5	3.0
Percentage of embryos transferred resulting in implantation	29.5	24.3	14.9	9.5	2.6	0 / 3
Percentage of elective single embryo transfer (eSET)	0.0	0.0	0.0	0.0	0 / 10	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.4	28.8	16.7	20.0	0 / 14	0 / 2
Percentage of cycles resulting in triplets or more live births	1.8	0.0	0.0	0.0	0 / 14	0 / 2
Percentage of cycles resulting in live births	40.9	39.0	16.7	20.0	0 / 14	0 / 2
Percentage of cycles resulting in pregnancy	45.5	44.1	33.3	22.9	2 / 14	0 / 2
Outcomes per Transfer						
Number of transfers	106	55	38	30	11	1
Percentage of transfers resulting in singleton live births	27.4	30.9	18.4	23.3	0 / 11	0 / 1
Percentage of transfers resulting in triplets or more live births	1.9	0.0	0.0	0.0	0 / 11	0 / 1
Percentage of transfers resulting in live births	42.5	41.8	18.4	23.3	0 / 11	0 / 1
Percentage of transfers resulting in pregnancy	47.2	47.3	36.8	26.7	2 / 11	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	50	26	14	8	2	0
Percentage of pregnancies resulting in singleton live births	58.0	65.4	7 / 14	7 / 8	0 / 2	
Percentage of pregnancies resulting in triplets or more live births	4.0	0.0	0 / 14	0 / 8	0 / 2	
Percentage of pregnancies resulting in live births	90.0	88.5	7 / 14	7 / 8	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	10	7	4	1	2	0
Number of transfers	9	7	2	1	2	0
Average number of embryos transferred	2.7	2.6	2.0	2.0	2.0	
Percentage of embryos transferred resulting in implantation	29.2	1 / 18	2 / 4	0 / 2	0 / 4	
Percentage of transfers resulting in singleton live births	3 / 9	0 / 7	1 / 2	0 / 1	0 / 2	
Percentage of transfers resulting in triplets or more live births	0 / 9	0 / 7	0 / 2	0 / 1	0 / 2	
Percentage of transfers resulting in live births	4 / 9	0 / 7	1 / 2	0 / 1	0 / 2	
Percentage of transfers resulting in pregnancy	5 / 9	1 / 7	2 / 2	0 / 1	0 / 2	
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	5		0			
Number of transfers	4		0			
Average number of embryos transferred	2.3					
Percentage of embryos transferred resulting in implantation	5 / 9					
Percentage of transfers resulting in singleton live births	1 / 4					
Percentage of transfers resulting in live births	3 / 4					
Percentage of transfers resulting in pregnancy	4 / 4					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University Reproductive Associates, PC					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 9 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW JERSEY

SHORE INSTITUTE FOR REPRODUCTIVE MEDICINE LAKEWOOD, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	22%	Tubal factor	23%	Uterine factor	3%	Multiple Factors: Female factors only 5% Female & male factors 9%
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	11%	Male factor	31%	
Used gestational carrier	0%			Diminished ovarian reserve	23%	Other factor	<1%	
				Endometriosis	5%	Unknown factor	18%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 110

Data verified by Allen Morgan, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	55	13	11	10	1	0
Percentage of cancellations	20.0	5 / 13	3 / 11	4 / 10	0 / 1	
Average number of embryos transferred	2.5	2.3	2.8	2.6		
Percentage of embryos transferred resulting in implantation	35.9	8 / 18	27.3	0 / 13		
Percentage of elective single embryo transfer (eSET)	0.0	0 / 6	0 / 7	0 / 5		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	20.0	3 / 13	1 / 11	0 / 10	0 / 1	
Percentage of cycles resulting in triplets or more live births	3.6	0 / 13	0 / 11	0 / 10	0 / 1	
Percentage of cycles resulting in live births	38.2	5 / 13	3 / 11	0 / 10	0 / 1	
Percentage of cycles resulting in pregnancy	43.6	6 / 13	4 / 11	0 / 10	0 / 1	
Outcomes per Transfer						
Number of transfers	41	8	8	5	0	0
Percentage of transfers resulting in singleton live births	26.8	3 / 8	1 / 8	0 / 5		
Percentage of transfers resulting in triplets or more live births	4.9	0 / 8	0 / 8	0 / 5		
Percentage of transfers resulting in live births	51.2	5 / 8	3 / 8	0 / 5		
Percentage of transfers resulting in pregnancy	58.5	6 / 8	4 / 8	0 / 5		
Outcomes per Pregnancy						
Number of pregnancies	24	6	4	0	0	0
Percentage of pregnancies resulting in singleton live births	45.8	3 / 6	1 / 4			
Percentage of pregnancies resulting in triplets or more live births	8.3	0 / 6	0 / 4			
Percentage of pregnancies resulting in live births	87.5	5 / 6	3 / 4			
Frozen Embryos from Nondonor Eggs						
Number of cycles	8	0	1	0	0	0
Number of transfers	6	0	1	0	0	0
Average number of embryos transferred	2.7		3.0			
Percentage of embryos transferred resulting in implantation	1 / 16		0 / 3			
Percentage of transfers resulting in singleton live births	1 / 6		0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 6		0 / 1			
Percentage of transfers resulting in live births	1 / 6		0 / 1			
Percentage of transfers resulting in pregnancy	1 / 6		0 / 1			
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
	Number of cycles	3	8			
	Number of transfers	2	6			
	Average number of embryos transferred	2.0	2.5			
	Percentage of embryos transferred resulting in implantation	1 / 4	0 / 15			
	Percentage of transfers resulting in singleton live births	1 / 2	0 / 6			
	Percentage of transfers resulting in live births	1 / 2	0 / 6			
Percentage of transfers resulting in pregnancy	1 / 2	0 / 6				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Shore Institute for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**DELAWARE VALLEY OBGYN AND INFERTILITY GROUP
PRINCETON IVF
LAWRENCEVILLE, NEW JERSEY**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	60%	Tubal factor	28%	Uterine factor	0%	
Unstimulated	<1%	Used PGD	2%	Ovulatory dysfunction	45%	Male factor	50%	
Used gestational carrier	0%			Diminished ovarian reserve	22%	Other factor	10%	
				Endometriosis	1%	Unknown factor	7%	
				Multiple Factors:				
				Female factors only				16%
				Female & male factors				39%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 153

Data verified by Seth G. Derman, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	57	28	22	16	6	1
Percentage of cancellations	0.0	3.6	0.0	0 / 16	0 / 6	1 / 1
Average number of embryos transferred	2.1	2.7	3.1	3.1	3.0	
Percentage of embryos transferred resulting in implantation	26.2	13.0	12.1	10.6	0 / 15	
Percentage of elective single embryo transfer (eSET)	0.0	0.0	0.0	0 / 14	0 / 5	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	21.1	14.3	9.1	2 / 16	0 / 6	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 16	0 / 6	0 / 1
Percentage of cycles resulting in live births	33.3	17.9	13.6	3 / 16	0 / 6	0 / 1
Percentage of cycles resulting in pregnancy	40.4	28.6	36.4	4 / 16	0 / 6	0 / 1
Outcomes per Transfer						
Number of transfers	57	26	21	15	5	0
Percentage of transfers resulting in singleton live births	21.1	15.4	9.5	2 / 15	0 / 5	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 15	0 / 5	
Percentage of transfers resulting in live births	33.3	19.2	14.3	3 / 15	0 / 5	
Percentage of transfers resulting in pregnancy	40.4	30.8	38.1	4 / 15	0 / 5	
Outcomes per Pregnancy						
Number of pregnancies	23	8	8	4	0	0
Percentage of pregnancies resulting in singleton live births	52.2	4 / 8	2 / 8	2 / 4		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 8	0 / 8	0 / 4		
Percentage of pregnancies resulting in live births	82.6	5 / 8	3 / 8	3 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	8	0	3	1	5	1
Number of transfers	8	0	3	1	5	1
Average number of embryos transferred	1.9		3.3	2.0	2.4	2.0
Percentage of embryos transferred resulting in implantation	0 / 15		1 / 10	0 / 2	1 / 12	1 / 2
Percentage of transfers resulting in singleton live births	0 / 8		1 / 3	0 / 1	0 / 5	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 8		0 / 3	0 / 1	0 / 5	0 / 1
Percentage of transfers resulting in live births	0 / 8		1 / 3	0 / 1	0 / 5	0 / 1
Percentage of transfers resulting in pregnancy	0 / 8		1 / 3	0 / 1	1 / 5	1 / 1
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	4		1			
Number of transfers	4		1			
Average number of embryos transferred	2.3		2.0			
Percentage of embryos transferred resulting in implantation	5 / 9		0 / 2			
Percentage of transfers resulting in singleton live births	0 / 4		0 / 1			
Percentage of transfers resulting in live births	1 / 4		0 / 1			
Percentage of transfers resulting in pregnancy	3 / 4		0 / 1			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Delaware Valley OBGYN and Infertility Group, Princeton IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2011 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2011 ART cycle data or the clinic's Medical Director did not approve the clinic's 2011 ART cycle data for inclusion in this report.

EAST COAST INFERTILITY AND IVF LITTLE SILVER, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	66%	Tubal factor	9%	Uterine factor	3%	
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	10%	Male factor	39%	
Used gestational carrier	0%			Diminished ovarian reserve	33%	Other factor	14%	
				Endometriosis	28%	Unknown factor	2%	
				Multiple Factors:				
				Female factors only				10%
				Female & male factors				24%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 272

Data verified by Miguel Damien, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	69	49	40	20	21	4
Percentage of cancellations	4.3	6.1	7.5	5.0	0.0	0 / 4
Average number of embryos transferred	2.1	2.2	2.4	3.3	2.7	1.5
Percentage of embryos transferred resulting in implantation	35.6	19.0	19.7	3.3	4.7	0 / 3
Percentage of elective single embryo transfer (eSET)	0.0	0.0	0.0	0 / 16	0 / 11	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	17.4	16.3	10.0	10.0	0.0	0 / 4
Percentage of cycles resulting in triplets or more live births	4.3	0.0	0.0	0.0	0.0	0 / 4
Percentage of cycles resulting in live births	31.9	24.5	17.5	10.0	0.0	0 / 4
Percentage of cycles resulting in pregnancy	36.2	24.5	27.5	10.0	9.5	0 / 4
Outcomes per Transfer						
Number of transfers	56	38	32	18	16	2
Percentage of transfers resulting in singleton live births	21.4	21.1	12.5	2 / 18	0 / 16	0 / 2
Percentage of transfers resulting in triplets or more live births	5.4	0.0	0.0	0 / 18	0 / 16	0 / 2
Percentage of transfers resulting in live births	39.3	31.6	21.9	2 / 18	0 / 16	0 / 2
Percentage of transfers resulting in pregnancy	44.6	31.6	34.4	2 / 18	2 / 16	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	25	12	11	2	2	0
Percentage of pregnancies resulting in singleton live births	48.0	8 / 12	4 / 11	2 / 2	0 / 2	
Percentage of pregnancies resulting in triplets or more live births	12.0	0 / 12	0 / 11	0 / 2	0 / 2	
Percentage of pregnancies resulting in live births	88.0	12 / 12	7 / 11	2 / 2	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	22	10	3	1	1	0
Number of transfers	21	9	3	1	1	0
Average number of embryos transferred	2.2	2.0	2.3	1.0	2.0	
Percentage of embryos transferred resulting in implantation	34.0	5 / 18	3 / 7	0 / 1	0 / 2	
Percentage of transfers resulting in singleton live births	33.3	3 / 9	0 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 9	0 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in live births	47.6	3 / 9	0 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	52.4	4 / 9	2 / 3	0 / 1	0 / 1	
All Ages Combined^f						
Donor Eggs	Fresh Embryos			Frozen Embryos		
Number of cycles	17			15		
Number of transfers	16			15		
Average number of embryos transferred	2.0			1.9		
Percentage of embryos transferred resulting in implantation	56.3			41.4		
Percentage of transfers resulting in singleton live births	4 / 16			4 / 15		
Percentage of transfers resulting in live births	11 / 16			7 / 15		
Percentage of transfers resulting in pregnancy	11 / 16			9 / 15		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: East Coast Infertility and IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 5 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**INSTITUTE FOR REPRODUCTIVE MEDICINE AND SCIENCE
SAINT BARNABAS MEDICAL CENTER
LIVINGSTON, NEW JERSEY**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	55%	Tubal factor	14%	Uterine factor	7%	Multiple Factors: Female factors only 14% Female & male factors 12%
Unstimulated	0%	Used PGD	17%	Ovulatory dysfunction	7%	Male factor	19%	
Used gestational carrier	1%			Diminished ovarian reserve	51%	Other factor	7%	
				Endometriosis	5%	Unknown factor	17%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 777

Data verified by Margaret G. Garrisi, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	226	128	144	90	31	7
Percentage of cancellations	9.3	14.1	14.6	28.9	22.6	5 / 7
Average number of embryos transferred	1.7	1.8	2.5	2.7	3.0	4.5
Percentage of embryos transferred resulting in implantation	42.0	34.8	17.3	14.8	1.9	0 / 9
Percentage of elective single embryo transfer (eSET)	30.1	20.7	2.0	2.2	0 / 14	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	31.0	25.0	15.3	13.3	3.2	0 / 7
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	1.1	0.0	0 / 7
Percentage of cycles resulting in live births	41.6	32.8	18.1	15.6	3.2	0 / 7
Percentage of cycles resulting in pregnancy	47.8	42.2	31.9	20.0	3.2	0 / 7
Outcomes per Transfer						
Number of transfers	189	102	114	57	18	2
Percentage of transfers resulting in singleton live births	37.0	31.4	19.3	21.1	1 / 18	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	1.8	0 / 18	0 / 2
Percentage of transfers resulting in live births	49.7	41.2	22.8	24.6	1 / 18	0 / 2
Percentage of transfers resulting in pregnancy	57.1	52.9	40.4	31.6	1 / 18	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	108	54	46	18	1	0
Percentage of pregnancies resulting in singleton live births	64.8	59.3	47.8	12 / 18	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	1 / 18	0 / 1	
Percentage of pregnancies resulting in live births	87.0	77.8	56.5	14 / 18	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	45	21	15	2	1	1
Number of transfers	44	21	15	2	1	1
Average number of embryos transferred	1.6	1.5	1.8	3.0	1.0	4.0
Percentage of embryos transferred resulting in implantation	52.9	32.3	22.2	1 / 6	1 / 1	0 / 4
Percentage of transfers resulting in singleton live births	43.2	14.3	5 / 15	1 / 2	1 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 15	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in live births	59.1	28.6	5 / 15	1 / 2	1 / 1	0 / 1
Percentage of transfers resulting in pregnancy	65.9	42.9	6 / 15	1 / 2	1 / 1	0 / 1
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			45		21	
Number of transfers			44		21	
Average number of embryos transferred			1.8		1.9	
Percentage of embryos transferred resulting in implantation			35.1		35.9	
Percentage of transfers resulting in singleton live births			34.1		23.8	
Percentage of transfers resulting in live births			43.2		28.6	
Percentage of transfers resulting in pregnancy			47.7		57.1	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Institute for Reproductive Medicine and Science, Saint Barnabas Medical Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 28 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COOPER INSTITUTE FOR REPRODUCTIVE HORMONAL DISORDERS MARLTON, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	37%	Tubal factor	16%	Uterine factor	2%	
Unstimulated	3%	Used PGD	<1%	Ovulatory dysfunction	8%	Male factor	31%	
Used gestational carrier	<1%			Diminished ovarian reserve	51%	Other factor	5%	
				Endometriosis	5%	Unknown factor	10%	
				Multiple Factors:				
				Female factors only				11%
				Female & male factors				14%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 1172

Data verified by Jerome H. Check, MD, PhD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	208	106	176	137	77	70
Percentage of cancellations	19.2	24.5	30.7	35.0	44.2	37.1
Average number of embryos transferred	1.9	2.0	2.3	1.8	2.2	1.6
Percentage of embryos transferred resulting in implantation	33.9	26.3	24.2	5.9	6.2	0.0
Percentage of elective single embryo transfer (eSET)	4.8	1.9	0.0	0.0	0.0	0 / 10
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	18.8	17.0	15.3	5.1	2.6	0.0
Percentage of cycles resulting in triplets or more live births	0.5	0.9	0.0	0.0	0.0	0.0
Percentage of cycles resulting in live births	28.8	22.6	16.5	5.1	2.6	0.0
Percentage of cycles resulting in pregnancy	33.7	23.6	24.4	8.0	5.2	0.0
Outcomes per Transfer						
Number of transfers	142	65	92	65	29	22
Percentage of transfers resulting in singleton live births	27.5	27.7	29.3	10.8	6.9	0.0
Percentage of transfers resulting in triplets or more live births	0.7	1.5	0.0	0.0	0.0	0.0
Percentage of transfers resulting in live births	42.3	36.9	31.5	10.8	6.9	0.0
Percentage of transfers resulting in pregnancy	49.3	38.5	46.7	16.9	13.8	0.0
Outcomes per Pregnancy						
Number of pregnancies	70	25	43	11	4	0
Percentage of pregnancies resulting in singleton live births	55.7	72.0	62.8	7 / 11	2 / 4	
Percentage of pregnancies resulting in triplets or more live births	1.4	4.0	0.0	0 / 11	0 / 4	
Percentage of pregnancies resulting in live births	85.7	96.0	67.4	7 / 11	2 / 4	
Frozen Embryos from Nondonor Eggs						
Number of cycles	86	63	26	13	8	4
Number of transfers	73	51	25	8	8	2
Average number of embryos transferred	2.0	2.1	2.5	2.8	3.0	4.0
Percentage of embryos transferred resulting in implantation	32.4	17.0	19.4	4.5	4.2	1 / 8
Percentage of transfers resulting in singleton live births	30.1	21.6	20.0	0 / 8	1 / 8	1 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 8	0 / 8	0 / 2
Percentage of transfers resulting in live births	38.4	25.5	24.0	0 / 8	1 / 8	1 / 2
Percentage of transfers resulting in pregnancy	53.4	35.3	36.0	1 / 8	1 / 8	1 / 2
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	68		130			
Number of transfers	48		94			
Average number of embryos transferred	2.0		2.1			
Percentage of embryos transferred resulting in implantation	32.7		29.4			
Percentage of transfers resulting in singleton live births	29.2		22.3			
Percentage of transfers resulting in live births	43.8		36.2			
Percentage of transfers resulting in pregnancy	50.0		46.8			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Cooper Institute for Reproductive Hormonal Disorders

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DELAWARE VALLEY INSTITUTE OF FERTILITY AND GENETICS MARLTON, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	58%	Tubal factor	19%	Uterine factor	5%	
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	43%	Male factor	59%	
Used gestational carrier	0%			Diminished ovarian reserve	26%	Other factor	7%	
				Endometriosis	10%	Unknown factor	9%	
				Multiple Factors:				
				Female factors only				11%
				Female & male factors				50%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 183

Data verified by George S. Taliadouros, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	90	24	15	5	4	3
Percentage of cancellations	0.0	4.2	0 / 15	0 / 5	0 / 4	0 / 3
Average number of embryos transferred	1.9	2.3	2.9	3.0	3.8	3.0
Percentage of embryos transferred resulting in implantation	47.3	26.9	20.9	0 / 15	0 / 15	2 / 9
Percentage of elective single embryo transfer (eSET)	10.0	8.7	0 / 15	0 / 5	0 / 4	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	34.4	33.3	4 / 15	0 / 5	0 / 4	0 / 3
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 15	0 / 5	0 / 4	0 / 3
Percentage of cycles resulting in live births	55.6	41.7	5 / 15	0 / 5	0 / 4	1 / 3
Percentage of cycles resulting in pregnancy	58.9	45.8	6 / 15	0 / 5	0 / 4	1 / 3
Outcomes per Transfer						
Number of transfers	88	23	15	5	4	3
Percentage of transfers resulting in singleton live births	35.2	34.8	4 / 15	0 / 5	0 / 4	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 15	0 / 5	0 / 4	0 / 3
Percentage of transfers resulting in live births	56.8	43.5	5 / 15	0 / 5	0 / 4	1 / 3
Percentage of transfers resulting in pregnancy	60.2	47.8	6 / 15	0 / 5	0 / 4	1 / 3
Outcomes per Pregnancy						
Number of pregnancies	53	11	6	0	0	1
Percentage of pregnancies resulting in singleton live births	58.5	8 / 11	4 / 6			0 / 1
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 11	0 / 6			0 / 1
Percentage of pregnancies resulting in live births	94.3	10 / 11	5 / 6			1 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	12	5	5	3	0	0
Number of transfers	12	5	5	3	0	0
Average number of embryos transferred	2.0	1.6	1.4	3.3		
Percentage of embryos transferred resulting in implantation	16.7	3 / 8	1 / 7	0 / 10		
Percentage of transfers resulting in singleton live births	3 / 12	0 / 5	1 / 5	0 / 3		
Percentage of transfers resulting in triplets or more live births	0 / 12	0 / 5	0 / 5	0 / 3		
Percentage of transfers resulting in live births	3 / 12	1 / 5	1 / 5	0 / 3		
Percentage of transfers resulting in pregnancy	4 / 12	2 / 5	1 / 5	0 / 3		
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		15		2		
Number of transfers		15		2		
Average number of embryos transferred		1.8		2.0		
Percentage of embryos transferred resulting in implantation		59.3		1 / 4		
Percentage of transfers resulting in singleton live births		7 / 15		1 / 2		
Percentage of transfers resulting in live births		10 / 15		1 / 2		
Percentage of transfers resulting in pregnancy		11 / 15		1 / 2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Delaware Valley Institute of Fertility and Genetics

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTH JERSEY FERTILITY CENTER MARLTON, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	62%	Tubal factor	27%	Uterine factor	7%	
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	22%	Male factor	46%	
Used gestational carrier	<1%			Diminished ovarian reserve	35%	Other factor	19%	
				Endometriosis	14%	Unknown factor	7%	
				Multiple Factors:				
				Female factors only				23%
				Female & male factors				29%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 442

Data verified by Robert A. Skaf, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	170	76	39	40	12	2
Percentage of cancellations	5.3	6.6	7.7	7.5	1 / 12	1 / 2
Average number of embryos transferred	1.9	2.2	3.1	3.4	4.4	3.0
Percentage of embryos transferred resulting in implantation	33.7	26.2	16.8	3.3	4.2	0 / 3
Percentage of elective single embryo transfer (eSET)	11.3	1.5	0.0	0.0	0 / 11	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	21.2	14.5	12.8	2.5	2 / 12	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 12	0 / 2
Percentage of cycles resulting in live births	36.5	28.9	17.9	2.5	2 / 12	0 / 2
Percentage of cycles resulting in pregnancy	41.8	35.5	35.9	12.5	3 / 12	1 / 2
Outcomes per Transfer						
Number of transfers	156	68	33	35	11	1
Percentage of transfers resulting in singleton live births	23.1	16.2	15.2	2.9	2 / 11	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 11	0 / 1
Percentage of transfers resulting in live births	39.7	32.4	21.2	2.9	2 / 11	0 / 1
Percentage of transfers resulting in pregnancy	45.5	39.7	42.4	14.3	3 / 11	1 / 1
Outcomes per Pregnancy						
Number of pregnancies	71	27	14	5	3	1
Percentage of pregnancies resulting in singleton live births	50.7	40.7	5 / 14	1 / 5	2 / 3	0 / 1
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0 / 14	0 / 5	0 / 3	0 / 1
Percentage of pregnancies resulting in live births	87.3	81.5	7 / 14	1 / 5	2 / 3	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	42	19	7	0	0	0
Number of transfers	40	17	6	0	0	0
Average number of embryos transferred	2.0	1.9	2.2			
Percentage of embryos transferred resulting in implantation	24.4	15.6	1 / 13			
Percentage of transfers resulting in singleton live births	27.5	2 / 17	1 / 6			
Percentage of transfers resulting in triplets or more live births	0.0	0 / 17	0 / 6			
Percentage of transfers resulting in live births	37.5	3 / 17	1 / 6			
Percentage of transfers resulting in pregnancy	45.0	5 / 17	2 / 6			
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	25		10			
Number of transfers	22		9			
Average number of embryos transferred	2.0		1.7			
Percentage of embryos transferred resulting in implantation	48.8		2 / 15			
Percentage of transfers resulting in singleton live births	59.1		2 / 9			
Percentage of transfers resulting in live births	72.7		2 / 9			
Percentage of transfers resulting in pregnancy	77.3		3 / 9			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: South Jersey Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DIAMOND INSTITUTE FOR INFERTILITY MILLBURN, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	58%	Tubal factor	17%	Uterine factor	1%
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	11%	Male factor	19%
Used gestational carrier	0%			Diminished ovarian reserve	56%	Other factor	<1%
				Endometriosis	5%	Unknown factor	11%
				Multiple Factors:			
						Female factors only	7%
						Female & male factors	12%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 369

Data verified by Arie Birkenfeld, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	79	41	49	27	12	5
Percentage of cancellations	6.3	9.8	22.4	14.8	3 / 12	1 / 5
Average number of embryos transferred	1.9	2.2	2.5	2.9	3.1	1.8
Percentage of embryos transferred resulting in implantation	31.8	24.7	9.8	3.1	0.0	0 / 7
Percentage of elective single embryo transfer (eSET)	19.1	0.0	9.4	4.8	0 / 8	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	24.1	24.4	6.1	7.4	0 / 12	0 / 5
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 12	0 / 5
Percentage of cycles resulting in live births	35.4	26.8	8.2	7.4	0 / 12	0 / 5
Percentage of cycles resulting in pregnancy	40.5	36.6	18.4	14.8	0 / 12	0 / 5
Outcomes per Transfer						
Number of transfers	70	35	37	22	8	4
Percentage of transfers resulting in singleton live births	27.1	28.6	8.1	9.1	0 / 8	0 / 4
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 8	0 / 4
Percentage of transfers resulting in live births	40.0	31.4	10.8	9.1	0 / 8	0 / 4
Percentage of transfers resulting in pregnancy	45.7	42.9	24.3	18.2	0 / 8	0 / 4
Outcomes per Pregnancy						
Number of pregnancies	32	15	9	4	0	0
Percentage of pregnancies resulting in singleton live births	59.4	10 / 15	3 / 9	2 / 4		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 15	0 / 9	0 / 4		
Percentage of pregnancies resulting in live births	87.5	11 / 15	4 / 9	2 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	62	19	18	8	2	3
Number of transfers	57	18	17	8	1	3
Average number of embryos transferred	1.7	1.9	1.8	1.8	2.0	1.3
Percentage of embryos transferred resulting in implantation	38.9	26.5	33.3	3 / 14	0 / 2	0 / 4
Percentage of transfers resulting in singleton live births	22.8	6 / 18	1 / 17	1 / 8	0 / 1	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0 / 18	0 / 17	0 / 8	0 / 1	0 / 3
Percentage of transfers resulting in live births	38.6	7 / 18	4 / 17	1 / 8	0 / 1	0 / 3
Percentage of transfers resulting in pregnancy	47.4	9 / 18	7 / 17	3 / 8	0 / 1	0 / 3
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Number of cycles		19		25		
Number of transfers		18		22		
Average number of embryos transferred		1.9		1.7		
Percentage of embryos transferred resulting in implantation		25.7		34.2		
Percentage of transfers resulting in singleton live births		5 / 18		18.2		
Percentage of transfers resulting in live births		6 / 18		31.8		
Percentage of transfers resulting in pregnancy		9 / 18		50.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Diamond Institute for Infertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 21 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF NEW JERSEY MORRISTOWN, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	81%	Tubal factor	11%	Uterine factor	6%	
Unstimulated	0%	Used PGD	14%	Ovulatory dysfunction	23%	Male factor	51%	
Used gestational carrier	<1%			Diminished ovarian reserve	10%	Other factor	43%	
				Endometriosis	4%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				14%
				Female & male factors				34%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 2088

Data verified by Michael R. Drews, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	500	233	169	62	36	10
Percentage of cancellations	4.2	9.0	10.7	16.1	22.2	2 / 10
Average number of embryos transferred	1.8	1.7	1.8	1.8	2.2	2.0
Percentage of embryos transferred resulting in implantation	62.5	52.1	33.6	28.4	4.5	1 / 12
Percentage of elective single embryo transfer (eSET)	13.6	16.1	9.9	12.9	0 / 15	0 / 5
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	37.2	30.5	26.0	14.5	2.8	0 / 10
Percentage of cycles resulting in triplets or more live births	1.2	0.4	0.0	0.0	0.0	0 / 10
Percentage of cycles resulting in live births	64.4	46.4	33.7	19.4	2.8	0 / 10
Percentage of cycles resulting in pregnancy	71.4	58.4	42.6	37.1	11.1	1 / 10
Outcomes per Transfer						
Number of transfers	462	194	135	42	20	6
Percentage of transfers resulting in singleton live births	40.3	36.6	32.6	21.4	5.0	0 / 6
Percentage of transfers resulting in triplets or more live births	1.3	0.5	0.0	0.0	0.0	0 / 6
Percentage of transfers resulting in live births	69.7	55.7	42.2	28.6	5.0	0 / 6
Percentage of transfers resulting in pregnancy	77.3	70.1	53.3	54.8	20.0	1 / 6
Outcomes per Pregnancy						
Number of pregnancies	357	136	72	23	4	1
Percentage of pregnancies resulting in singleton live births	52.1	52.2	61.1	39.1	1 / 4	0 / 1
Percentage of pregnancies resulting in triplets or more live births	1.7	0.7	0.0	0.0	0 / 4	0 / 1
Percentage of pregnancies resulting in live births	90.2	79.4	79.2	52.2	1 / 4	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	364	214	181	58	14	6
Number of transfers	330	198	164	49	10	3
Average number of embryos transferred	1.7	1.5	1.4	1.4	1.4	1.7
Percentage of embryos transferred resulting in implantation	50.4	44.1	47.0	42.3	5 / 14	1 / 5
Percentage of transfers resulting in singleton live births	34.5	36.9	37.8	46.9	3 / 10	1 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 10	0 / 3
Percentage of transfers resulting in live births	52.4	47.5	47.6	51.0	3 / 10	1 / 3
Percentage of transfers resulting in pregnancy	70.9	62.1	64.0	63.3	7 / 10	1 / 3
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	99		142			
Number of transfers	94		132			
Average number of embryos transferred	1.9		1.7			
Percentage of embryos transferred resulting in implantation	65.7		35.5			
Percentage of transfers resulting in singleton live births	36.2		23.5			
Percentage of transfers resulting in live births	71.3		36.4			
Percentage of transfers resulting in pregnancy	87.2		54.5			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine Associates of New Jersey					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 1058 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

VALLEY HOSPITAL FERTILITY CENTER PARAMUS, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	36%	Tubal factor	14%	Uterine factor	10%	Multiple Factors: Female factors only 16% Female & male factors 16%
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	16%	Male factor	27%	
Used gestational carrier	5%			Diminished ovarian reserve	40%	Other factor	8%	
				Endometriosis	14%	Unknown factor	7%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 354

Data verified by Ali Nasser, MD, PhD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	92	75	55	44	16	2
Percentage of cancellations	5.4	10.7	7.3	25.0	5 / 16	0 / 2
Average number of embryos transferred	1.8	1.9	2.1	2.2	2.0	3.0
Percentage of embryos transferred resulting in implantation	43.9	34.9	24.0	16.7	0 / 14	0 / 6
Percentage of elective single embryo transfer (eSET)	14.3	1.8	2.3	0.0	0 / 6	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	35.9	18.7	27.3	18.2	0 / 16	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 16	0 / 2
Percentage of cycles resulting in live births	46.7	34.7	29.1	18.2	0 / 16	0 / 2
Percentage of cycles resulting in pregnancy	54.3	42.7	38.2	25.0	1 / 16	0 / 2
Outcomes per Transfer						
Number of transfers	86	66	49	33	7	2
Percentage of transfers resulting in singleton live births	38.4	21.2	30.6	24.2	0 / 7	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 7	0 / 2
Percentage of transfers resulting in live births	50.0	39.4	32.7	24.2	0 / 7	0 / 2
Percentage of transfers resulting in pregnancy	58.1	48.5	42.9	33.3	1 / 7	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	50	32	21	11	1	0
Percentage of pregnancies resulting in singleton live births	66.0	43.8	71.4	8 / 11	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 11	0 / 1	
Percentage of pregnancies resulting in live births	86.0	81.3	76.2	8 / 11	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	26	10	8	3	1	1
Number of transfers	26	10	8	3	1	1
Average number of embryos transferred	1.9	1.9	2.1	2.3	1.0	3.0
Percentage of embryos transferred resulting in implantation	28.0	8 / 19	1 / 17	1 / 7	1 / 1	0 / 3
Percentage of transfers resulting in singleton live births	30.8	5 / 10	1 / 8	1 / 3	1 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 10	0 / 8	0 / 3	0 / 1	0 / 1
Percentage of transfers resulting in live births	30.8	5 / 10	1 / 8	1 / 3	1 / 1	0 / 1
Percentage of transfers resulting in pregnancy	42.3	6 / 10	2 / 8	1 / 3	1 / 1	0 / 1
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			13		8	
Number of transfers			13		7	
Average number of embryos transferred			1.8		1.9	
Percentage of embryos transferred resulting in implantation			58.3		5 / 13	
Percentage of transfers resulting in singleton live births			2 / 13		3 / 7	
Percentage of transfers resulting in live births			6 / 13		4 / 7	
Percentage of transfers resulting in pregnancy			8 / 13		4 / 7	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Valley Hospital Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 27 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF NEW JERSEY SOMERSET, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	33%	Tubal factor	18%	Uterine factor	10%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	15%	Male factor	43%	
Used gestational carrier	2%			Diminished ovarian reserve	36%	Other factor	16%	
				Endometriosis	8%	Unknown factor	8%	
				Multiple Factors:				
				Female factors only				15%
				Female & male factors				27%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 657

Data verified by Michael C. Darder, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	235	111	74	50	10	2
Percentage of cancellations	3.0	7.2	13.5	8.0	1 / 10	0 / 2
Average number of embryos transferred	2.3	2.4	2.7	2.9	3.8	5.0
Percentage of embryos transferred resulting in implantation	31.3	27.0	18.2	10.9	0.0	0 / 10
Percentage of elective single embryo transfer (eSET)	1.4	1.1	1.9	0.0	0 / 8	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.8	26.1	16.2	12.0	0 / 10	0 / 2
Percentage of cycles resulting in triplets or more live births	0.4	0.0	0.0	0.0	0 / 10	0 / 2
Percentage of cycles resulting in live births	44.3	37.8	21.6	16.0	0 / 10	0 / 2
Percentage of cycles resulting in pregnancy	49.8	41.4	31.1	24.0	0 / 10	0 / 2
Outcomes per Transfer						
Number of transfers	222	95	57	41	8	2
Percentage of transfers resulting in singleton live births	28.4	30.5	21.1	14.6	0 / 8	0 / 2
Percentage of transfers resulting in triplets or more live births	0.5	0.0	0.0	0.0	0 / 8	0 / 2
Percentage of transfers resulting in live births	46.8	44.2	28.1	19.5	0 / 8	0 / 2
Percentage of transfers resulting in pregnancy	52.7	48.4	40.4	29.3	0 / 8	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	117	46	23	12	0	0
Percentage of pregnancies resulting in singleton live births	53.8	63.0	52.2	6 / 12		
Percentage of pregnancies resulting in triplets or more live births	0.9	0.0	0.0	0 / 12		
Percentage of pregnancies resulting in live births	88.9	91.3	69.6	8 / 12		
Frozen Embryos from Nondonor Eggs						
Number of cycles	18	10	4	2	2	0
Number of transfers	16	9	4	2	2	0
Average number of embryos transferred	2.0	1.8	2.0	1.0	3.5	
Percentage of embryos transferred resulting in implantation	59.4	9 / 16	4 / 8	0 / 2	0 / 7	
Percentage of transfers resulting in singleton live births	3 / 16	4 / 9	2 / 4	0 / 2	0 / 2	
Percentage of transfers resulting in triplets or more live births	0 / 16	0 / 9	0 / 4	0 / 2	0 / 2	
Percentage of transfers resulting in live births	9 / 16	5 / 9	2 / 4	0 / 2	0 / 2	
Percentage of transfers resulting in pregnancy	12 / 16	6 / 9	4 / 4	0 / 2	0 / 2	
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	109		30			
Number of transfers	104		29			
Average number of embryos transferred	2.0		2.0			
Percentage of embryos transferred resulting in implantation	61.9		40.4			
Percentage of transfers resulting in singleton live births	34.6		31.0			
Percentage of transfers resulting in live births	71.2		44.8			
Percentage of transfers resulting in pregnancy	79.8		55.2			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: IVF New Jersey

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 7 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DR. LOUIS R. MANARA VOORHEES, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	41%	Tubal factor	7%	Uterine factor	3%	Multiple Factors: Female factors only 4% Female & male factors 12%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	16%	Male factor	26%	
Used gestational carrier	0%			Diminished ovarian reserve	15%	Other factor	13%	
				Endometriosis	8%	Unknown factor	28%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 159

Data verified by Louis R. Manara, DO

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	46	36	24	17	3	0
Percentage of cancellations	15.2	16.7	4.2	5 / 17	0 / 3	
Average number of embryos transferred	2.3	2.2	2.7	3.0	3.0	
Percentage of embryos transferred resulting in implantation	21.3	26.9	7.0	6.1	0 / 9	
Percentage of elective single embryo transfer (eSET)	2.6	6.7	0.0	0 / 10	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	21.7	27.8	8.3	1 / 17	0 / 3	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 17	0 / 3	
Percentage of cycles resulting in live births	30.4	33.3	12.5	1 / 17	0 / 3	
Percentage of cycles resulting in pregnancy	32.6	41.7	12.5	1 / 17	0 / 3	
Outcomes per Transfer						
Number of transfers	39	30	21	11	3	0
Percentage of transfers resulting in singleton live births	25.6	33.3	9.5	1 / 11	0 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 11	0 / 3	
Percentage of transfers resulting in live births	35.9	40.0	14.3	1 / 11	0 / 3	
Percentage of transfers resulting in pregnancy	38.5	50.0	14.3	1 / 11	0 / 3	
Outcomes per Pregnancy						
Number of pregnancies	15	15	3	1	0	0
Percentage of pregnancies resulting in singleton live births	10 / 15	10 / 15	2 / 3	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 15	0 / 15	0 / 3	0 / 1		
Percentage of pregnancies resulting in live births	14 / 15	12 / 15	3 / 3	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	9	4	1	0	2
Number of transfers	7	9	4	1	0	2
Average number of embryos transferred	1.6	1.9	1.8	1.0		1.5
Percentage of embryos transferred resulting in implantation	2 / 11	6 / 17	0 / 7	0 / 1		0 / 3
Percentage of transfers resulting in singleton live births	2 / 7	3 / 9	0 / 4	0 / 1		0 / 2
Percentage of transfers resulting in triplets or more live births	0 / 7	0 / 9	0 / 4	0 / 1		0 / 2
Percentage of transfers resulting in live births	2 / 7	3 / 9	0 / 4	0 / 1		0 / 2
Percentage of transfers resulting in pregnancy	2 / 7	5 / 9	0 / 4	0 / 1		0 / 2
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		10		0		
Number of transfers		9		0		
Average number of embryos transferred		2.2				
Percentage of embryos transferred resulting in implantation		20.0				
Percentage of transfers resulting in singleton live births		2 / 9				
Percentage of transfers resulting in live births		3 / 9				
Percentage of transfers resulting in pregnancy		3 / 9				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Dr. Louis R. Manara

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTH JERSEY FERTILITY ASSOCIATES, LLC WAYNE, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	62%	Tubal factor	31%	Uterine factor	8%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	4%	Male factor	20%	
Used gestational carrier	0%			Diminished ovarian reserve	25%	Other factor	20%	
				Endometriosis	0%	Unknown factor	16%	
				Multiple Factors:				
				Female factors only				14%
				Female & male factors				8%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 95

Data verified by Mark X. Ransom, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	44	7	20	11	1	1
Percentage of cancellations	0.0	1 / 7	25.0	1 / 11	1 / 1	0 / 1
Average number of embryos transferred	1.9	2.2	2.8	3.1		3.0
Percentage of embryos transferred resulting in implantation	43.4	3 / 13	13.9	9.7		0 / 3
Percentage of elective single embryo transfer (eSET)	5.4	0 / 6	0 / 12	0 / 9		0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	31.8	3 / 7	10.0	2 / 11	0 / 1	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0 / 7	0.0	0 / 11	0 / 1	0 / 1
Percentage of cycles resulting in live births	43.2	3 / 7	15.0	2 / 11	0 / 1	0 / 1
Percentage of cycles resulting in pregnancy	59.1	3 / 7	20.0	2 / 11	0 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	40	6	13	10	0	1
Percentage of transfers resulting in singleton live births	35.0	3 / 6	2 / 13	2 / 10		0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 6	0 / 13	0 / 10		0 / 1
Percentage of transfers resulting in live births	47.5	3 / 6	3 / 13	2 / 10		0 / 1
Percentage of transfers resulting in pregnancy	65.0	3 / 6	4 / 13	2 / 10		0 / 1
Outcomes per Pregnancy						
Number of pregnancies	26	3	4	2	0	0
Percentage of pregnancies resulting in singleton live births	53.8	3 / 3	2 / 4	2 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 3	0 / 4	0 / 2		
Percentage of pregnancies resulting in live births	73.1	3 / 3	3 / 4	2 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	2	0	0	0	0
Number of transfers	3	2	0	0	0	0
Average number of embryos transferred	1.7	2.0				
Percentage of embryos transferred resulting in implantation	0 / 5	0 / 4				
Percentage of transfers resulting in singleton live births	0 / 3	0 / 2				
Percentage of transfers resulting in triplets or more live births	0 / 3	0 / 2				
Percentage of transfers resulting in live births	0 / 3	0 / 2				
Percentage of transfers resulting in pregnancy	0 / 3	0 / 2				
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	1		4			
Number of transfers	1		4			
Average number of embryos transferred	1.0		2.5			
Percentage of embryos transferred resulting in implantation	0 / 1		2 / 10			
Percentage of transfers resulting in singleton live births	0 / 1		0 / 4			
Percentage of transfers resulting in live births	0 / 1		1 / 4			
Percentage of transfers resulting in pregnancy	0 / 1		1 / 4			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: North Jersey Fertility Associates, LLC

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY INSTITUTE OF NEW JERSEY AND NEW YORK WESTWOOD, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	89%	Tubal factor	18%	Uterine factor	46%	
Unstimulated	0%	Used PGD	7%	Ovulatory dysfunction	36%	Male factor	50%	
Used gestational carrier	0%			Diminished ovarian reserve	44%	Other factor	34%	
				Endometriosis	13%	Unknown factor	<1%	
				Multiple Factors:				
				Female factors only				37%
				Female & male factors				43%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 231

Data verified by Daniel Navot, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	66	32	37	16	11	2
Percentage of cancellations	6.1	6.3	0.0	3 / 16	1 / 11	0 / 2
Average number of embryos transferred	2.3	2.4	2.9	3.5	3.7	2.0
Percentage of embryos transferred resulting in implantation	27.2	16.2	8.6	7.9	3.0	0 / 2
Percentage of elective single embryo transfer (eSET)	1.8	3.8	0.0	0 / 11	0 / 8	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	18.2	12.5	18.9	1 / 16	0 / 11	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 16	0 / 11	0 / 2
Percentage of cycles resulting in live births	36.4	21.9	18.9	1 / 16	0 / 11	0 / 2
Percentage of cycles resulting in pregnancy	39.4	25.0	21.6	3 / 16	1 / 11	0 / 2
Outcomes per Transfer						
Number of transfers	59	28	36	11	9	1
Percentage of transfers resulting in singleton live births	20.3	14.3	19.4	1 / 11	0 / 9	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 11	0 / 9	0 / 1
Percentage of transfers resulting in live births	40.7	25.0	19.4	1 / 11	0 / 9	0 / 1
Percentage of transfers resulting in pregnancy	44.1	28.6	22.2	3 / 11	1 / 9	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	26	8	8	3	1	0
Percentage of pregnancies resulting in singleton live births	46.2	4 / 8	7 / 8	1 / 3	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 8	0 / 8	0 / 3	0 / 1	
Percentage of pregnancies resulting in live births	92.3	7 / 8	7 / 8	1 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	25	4	5	1	0	0
Number of transfers	23	4	4	1	0	0
Average number of embryos transferred	2.6	2.8	2.3	3.0		
Percentage of embryos transferred resulting in implantation	10.2	3 / 11	0 / 9	0 / 3		
Percentage of transfers resulting in singleton live births	8.7	1 / 4	0 / 4	0 / 1		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 4	0 / 4	0 / 1		
Percentage of transfers resulting in live births	17.4	2 / 4	0 / 4	0 / 1		
Percentage of transfers resulting in pregnancy	17.4	3 / 4	0 / 4	0 / 1		
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		14		18		
Number of transfers		14		17		
Average number of embryos transferred		2.4		2.6		
Percentage of embryos transferred resulting in implantation		42.4		8.9		
Percentage of transfers resulting in singleton live births		6 / 14		3 / 17		
Percentage of transfers resulting in live births		9 / 14		3 / 17		
Percentage of transfers resulting in pregnancy		9 / 14		5 / 17		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Institute of New Jersey and New York

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 7 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE OF NEW MEXICO ALBUQUERQUE, NEW MEXICO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	84%	Tubal factor	11%	Uterine factor	16%	<i>Multiple Factors:</i> Female factors only 7% Female & male factors 60%
Unstimulated	0%	Used PGD	5%	Ovulatory dysfunction	11%	Male factor	70%	
Used gestational carrier	0%			Diminished ovarian reserve	25%	Other factor	52%	
				Endometriosis	6%	Unknown factor	2%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 219

Data verified by Douglas J. Thompson, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	72	33	22	8	4	0
Percentage of cancellations	8.3	9.1	9.1	1 / 8	1 / 4	
Average number of embryos transferred	1.9	2.1	2.9	3.1	3.3	
Percentage of embryos transferred resulting in implantation	52.0	36.7	21.8	22.7	0 / 10	
Percentage of elective single embryo transfer (eSET)	11.1	0.0	0 / 16	0 / 7	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	22.2	24.2	22.7	3 / 8	0 / 4	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 8	0 / 4	
Percentage of cycles resulting in live births	52.8	45.5	36.4	3 / 8	0 / 4	
Percentage of cycles resulting in pregnancy	55.6	45.5	40.9	3 / 8	1 / 4	
Outcomes per Transfer						
Number of transfers	65	29	19	7	3	0
Percentage of transfers resulting in singleton live births	24.6	27.6	5 / 19	3 / 7	0 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 19	0 / 7	0 / 3	
Percentage of transfers resulting in live births	58.5	51.7	8 / 19	3 / 7	0 / 3	
Percentage of transfers resulting in pregnancy	61.5	51.7	9 / 19	3 / 7	1 / 3	
Outcomes per Pregnancy						
Number of pregnancies	40	15	9	3	1	0
Percentage of pregnancies resulting in singleton live births	40.0	8 / 15	5 / 9	3 / 3	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 15	0 / 9	0 / 3	0 / 1	
Percentage of pregnancies resulting in live births	95.0	15 / 15	8 / 9	3 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	20	11	8	3	1	1
Number of transfers	20	10	8	2	1	1
Average number of embryos transferred	2.2	2.4	2.0	2.5	2.0	2.0
Percentage of embryos transferred resulting in implantation	25.6	37.5	4 / 16	0 / 5	0 / 2	1 / 2
Percentage of transfers resulting in singleton live births	25.0	4 / 10	2 / 8	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 10	0 / 8	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in live births	35.0	6 / 10	3 / 8	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	55.0	6 / 10	4 / 8	1 / 2	0 / 1	1 / 1
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	14		22			
Number of transfers	13		21			
Average number of embryos transferred	2.0		2.3			
Percentage of embryos transferred resulting in implantation	53.8		28.6			
Percentage of transfers resulting in singleton live births	4 / 13		33.3			
Percentage of transfers resulting in live births	8 / 13		47.6			
Percentage of transfers resulting in pregnancy	9 / 13		52.4			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Reproductive Medicine of New Mexico

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 7 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE FERTILITY INSTITUTE AT NEW YORK METHODIST HOSPITAL BROOKLYN, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	68%	Tubal factor	58%	Uterine factor	13%	
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	3%	Male factor	13%	
Used gestational carrier	0%			Diminished ovarian reserve	28%	Other factor	4%	
				Endometriosis	34%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				34%
				Female & male factors				8%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 363

Data verified by George D. Kofinas, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	40	51	75	49	51	6
Percentage of cancellations	12.5	25.5	30.7	28.6	37.3	2 / 6
Average number of embryos transferred	2.2	2.9	3.1	3.4	3.0	3.0
Percentage of embryos transferred resulting in implantation	25.3	26.7	15.9	8.0	0.0	0 / 9
Percentage of elective single embryo transfer (eSET)	24.2	3.2	0.0	0.0	0.0	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.0	25.5	16.0	6.1	0.0	0 / 6
Percentage of cycles resulting in triplets or more live births	2.5	0.0	0.0	0.0	0.0	0 / 6
Percentage of cycles resulting in live births	35.0	27.5	18.7	6.1	0.0	0 / 6
Percentage of cycles resulting in pregnancy	35.0	41.2	25.3	14.3	0.0	0 / 6
Outcomes per Transfer						
Number of transfers	34	35	47	29	29	3
Percentage of transfers resulting in singleton live births	29.4	37.1	25.5	10.3	0.0	0 / 3
Percentage of transfers resulting in triplets or more live births	2.9	0.0	0.0	0.0	0.0	0 / 3
Percentage of transfers resulting in live births	41.2	40.0	29.8	10.3	0.0	0 / 3
Percentage of transfers resulting in pregnancy	41.2	60.0	40.4	24.1	0.0	0 / 3
Outcomes per Pregnancy						
Number of pregnancies	14	21	19	7	0	0
Percentage of pregnancies resulting in singleton live births	10 / 14	61.9	12 / 19	3 / 7		
Percentage of pregnancies resulting in triplets or more live births	1 / 14	0.0	0 / 19	0 / 7		
Percentage of pregnancies resulting in live births	14 / 14	66.7	14 / 19	3 / 7		
Frozen Embryos from Nondonor Eggs						
Number of cycles	14	14	11	2	2	4
Number of transfers	14	14	11	2	2	4
Average number of embryos transferred	2.1	3.1	2.9	4.0	4.5	3.5
Percentage of embryos transferred resulting in implantation	44.8	23.3	12.5	1 / 8	2 / 9	3 / 14
Percentage of transfers resulting in singleton live births	6 / 14	4 / 14	4 / 11	1 / 2	1 / 2	0 / 4
Percentage of transfers resulting in triplets or more live births	0 / 14	0 / 14	0 / 11	0 / 2	0 / 2	0 / 4
Percentage of transfers resulting in live births	9 / 14	7 / 14	4 / 11	1 / 2	1 / 2	1 / 4
Percentage of transfers resulting in pregnancy	11 / 14	7 / 14	4 / 11	1 / 2	2 / 2	1 / 4
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			21		23	
Number of transfers			21		23	
Average number of embryos transferred			2.2		2.7	
Percentage of embryos transferred resulting in implantation			43.5		9.8	
Percentage of transfers resulting in singleton live births			47.6		13.0	
Percentage of transfers resulting in live births			61.9		17.4	
Percentage of transfers resulting in pregnancy			66.7		26.1	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Fertility Institute at New York Methodist Hospital

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 23 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GENESIS FERTILITY & REPRODUCTIVE MEDICINE BROOKLYN, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	54%	Tubal factor	17%	Uterine factor	<1%	
Unstimulated	<1%	Used PGD	5%	Ovulatory dysfunction	11%	Male factor	48%	
Used gestational carrier	0%			Diminished ovarian reserve	27%	Other factor	5%	
				Endometriosis	3%	Unknown factor	13%	
				Multiple Factors:				
				Female factors only				4%
				Female & male factors				18%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 495

Data verified by Richard V. Grazi, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	156	69	84	51	19	9
Percentage of cancellations	16.7	23.2	19.0	25.5	3 / 19	4 / 9
Average number of embryos transferred	2.0	2.5	2.8	3.6	3.1	4.8
Percentage of embryos transferred resulting in implantation	42.3	23.6	16.8	5.0	4.5	0 / 19
Percentage of elective single embryo transfer (eSET)	9.7	2.2	1.8	0.0	0 / 13	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.7	15.9	11.9	2.0	2 / 19	0 / 9
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 19	0 / 9
Percentage of cycles resulting in live births	39.1	23.2	16.7	2.0	2 / 19	0 / 9
Percentage of cycles resulting in pregnancy	43.6	29.0	22.6	11.8	2 / 19	0 / 9
Outcomes per Transfer						
Number of transfers	120	50	60	34	14	4
Percentage of transfers resulting in singleton live births	30.8	22.0	16.7	2.9	2 / 14	0 / 4
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 14	0 / 4
Percentage of transfers resulting in live births	50.8	32.0	23.3	2.9	2 / 14	0 / 4
Percentage of transfers resulting in pregnancy	56.7	40.0	31.7	17.6	2 / 14	0 / 4
Outcomes per Pregnancy						
Number of pregnancies	68	20	19	6	2	0
Percentage of pregnancies resulting in singleton live births	54.4	55.0	10 / 19	1 / 6	2 / 2	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0 / 19	0 / 6	0 / 2	
Percentage of pregnancies resulting in live births	89.7	80.0	14 / 19	1 / 6	2 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	41	13	7	5	1	1
Number of transfers	39	12	6	5	1	0
Average number of embryos transferred	2.1	2.2	2.3	2.4	2.0	
Percentage of embryos transferred resulting in implantation	33.3	11.5	5 / 14	2 / 12	0 / 2	
Percentage of transfers resulting in singleton live births	30.8	2 / 12	3 / 6	1 / 5	0 / 1	
Percentage of transfers resulting in triplets or more live births	2.6	0 / 12	0 / 6	0 / 5	0 / 1	
Percentage of transfers resulting in live births	38.5	2 / 12	3 / 6	1 / 5	0 / 1	
Percentage of transfers resulting in pregnancy	51.3	3 / 12	4 / 6	2 / 5	0 / 1	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		26		13		
Number of transfers		23		11		
Average number of embryos transferred		2.0		2.1		
Percentage of embryos transferred resulting in implantation		40.0		21.7		
Percentage of transfers resulting in singleton live births		39.1		3 / 11		
Percentage of transfers resulting in live births		52.2		4 / 11		
Percentage of transfers resulting in pregnancy		60.9		4 / 11		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Genesis Fertility & Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 2 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INFERTILITY & IVF MEDICAL ASSOCIATES OF WESTERN NEW YORK BUFFALO, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	63%	Tubal factor	26%	Uterine factor	0%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	12%	Male factor	36%
Used gestational carrier	0%			Diminished ovarian reserve	8%	Other factor	0%
				Endometriosis	13%	Unknown factor	16%
				Multiple Factors:			
						Female factors only	4%
						Female & male factors	6%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 337

Data verified by Michael W. Sullivan, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	153	82	42	13	3	0
Percentage of cancellations	11.1	14.6	14.3	2 / 13	1 / 3	
Average number of embryos transferred	2.2	2.6	3.0	3.3	2.5	
Percentage of embryos transferred resulting in implantation	26.7	20.2	13.5	8.3	0 / 5	
Percentage of elective single embryo transfer (eSET)	0.8	1.5	3.3	0 / 11	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	24.8	20.7	16.7	3 / 13	0 / 3	
Percentage of cycles resulting in triplets or more live births	1.3	0.0	2.4	0 / 13	0 / 3	
Percentage of cycles resulting in live births	34.0	29.3	21.4	3 / 13	0 / 3	
Percentage of cycles resulting in pregnancy	38.6	35.4	21.4	3 / 13	0 / 3	
Outcomes per Transfer						
Number of transfers	132	69	32	11	2	0
Percentage of transfers resulting in singleton live births	28.8	24.6	21.9	3 / 11	0 / 2	
Percentage of transfers resulting in triplets or more live births	1.5	0.0	3.1	0 / 11	0 / 2	
Percentage of transfers resulting in live births	39.4	34.8	28.1	3 / 11	0 / 2	
Percentage of transfers resulting in pregnancy	44.7	42.0	28.1	3 / 11	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	59	29	9	3	0	0
Percentage of pregnancies resulting in singleton live births	64.4	58.6	7 / 9	3 / 3		
Percentage of pregnancies resulting in triplets or more live births	3.4	0.0	1 / 9	0 / 3		
Percentage of pregnancies resulting in live births	88.1	82.8	9 / 9	3 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	23	7	3	1	0	0
Number of transfers	22	7	3	1	0	0
Average number of embryos transferred	2.1	1.7	2.3	2.0		
Percentage of embryos transferred resulting in implantation	15.2	4 / 12	2 / 7	0 / 2		
Percentage of transfers resulting in singleton live births	13.6	1 / 7	0 / 3	0 / 1		
Percentage of transfers resulting in triplets or more live births	0.0	1 / 7	0 / 3	0 / 1		
Percentage of transfers resulting in live births	18.2	2 / 7	1 / 3	0 / 1		
Percentage of transfers resulting in pregnancy	18.2	4 / 7	2 / 3	0 / 1		
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	8		2			
Number of transfers	6		2			
Average number of embryos transferred	2.2		2.5			
Percentage of embryos transferred resulting in implantation	4 / 13		0 / 5			
Percentage of transfers resulting in singleton live births	0 / 6		0 / 2			
Percentage of transfers resulting in live births	2 / 6		0 / 2			
Percentage of transfers resulting in pregnancy	2 / 6		0 / 2			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Infertility & IVF Medical Associates of Western New York

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HUDSON VALLEY FERTILITY, PLLC FISHKILL, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	95%	Tubal factor	16%	Uterine factor	11%	
Unstimulated	<1%	Used PGD	<1%	Ovulatory dysfunction	52%	Male factor	37%	
Used gestational carrier	0%			Diminished ovarian reserve	23%	Other factor	5%	
				Endometriosis	4%	Unknown factor	2%	
				Multiple Factors:				
				Female factors only				18%
				Female & male factors				26%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 180

Data verified by Daniel W. Levine, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	45	18	25	16	5	2
Percentage of cancellations	2.2	0 / 18	8.0	0 / 16	0 / 5	0 / 2
Average number of embryos transferred	2.1	2.5	2.6	2.5	1.0	3.0
Percentage of embryos transferred resulting in implantation	23.9	14.3	12.8	14.3	0 / 1	0 / 3
Percentage of elective single embryo transfer (eSET)	5.9	0 / 10	0 / 15	0 / 11		0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	17.8	2 / 18	4.0	2 / 16	0 / 5	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0 / 18	0.0	0 / 16	0 / 5	0 / 2
Percentage of cycles resulting in live births	24.4	2 / 18	8.0	3 / 16	0 / 5	0 / 2
Percentage of cycles resulting in pregnancy	28.9	4 / 18	16.0	5 / 16	0 / 5	0 / 2
Outcomes per Transfer						
Number of transfers	34	11	15	11	1	1
Percentage of transfers resulting in singleton live births	23.5	2 / 11	1 / 15	2 / 11	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 11	0 / 15	0 / 11	0 / 1	0 / 1
Percentage of transfers resulting in live births	32.4	2 / 11	2 / 15	3 / 11	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	38.2	4 / 11	4 / 15	5 / 11	0 / 1	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	13	4	4	5	0	0
Percentage of pregnancies resulting in singleton live births	8 / 13	2 / 4	1 / 4	2 / 5		
Percentage of pregnancies resulting in triplets or more live births	0 / 13	0 / 4	0 / 4	0 / 5		
Percentage of pregnancies resulting in live births	11 / 13	2 / 4	2 / 4	3 / 5		
Frozen Embryos from Nondonor Eggs						
Number of cycles	17	12	17	6	7	0
Number of transfers	16	11	15	6	7	0
Average number of embryos transferred	2.4	2.0	2.7	2.2	2.7	
Percentage of embryos transferred resulting in implantation	18.4	45.5	12.5	1 / 13	0 / 19	
Percentage of transfers resulting in singleton live births	6 / 16	3 / 11	1 / 15	1 / 6	0 / 7	
Percentage of transfers resulting in triplets or more live births	0 / 16	1 / 11	0 / 15	0 / 6	0 / 7	
Percentage of transfers resulting in live births	6 / 16	4 / 11	3 / 15	1 / 6	0 / 7	
Percentage of transfers resulting in pregnancy	7 / 16	7 / 11	3 / 15	1 / 6	0 / 7	
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	5		5			
Number of transfers	2		4			
Average number of embryos transferred	2.5		2.0			
Percentage of embryos transferred resulting in implantation	2 / 5		0 / 8			
Percentage of transfers resulting in singleton live births	0 / 2		0 / 4			
Percentage of transfers resulting in live births	1 / 2		0 / 4			
Percentage of transfers resulting in pregnancy	1 / 2		0 / 4			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Hudson Valley Fertility, PLLC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 24 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE NEW YORK FERTILITY CENTER FLUSHING, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	76%	Tubal factor	16%	Uterine factor	6%	Multiple Factors: Female factors only 5% Female & male factors 0%
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	7%	Male factor	12%	
Used gestational carrier	0%			Diminished ovarian reserve	2%	Other factor	34%	
				Endometriosis	9%	Unknown factor	20%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 199

Data verified by Tony Tsai, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	50	25	41	10	12	21
Percentage of cancellations	6.0	12.0	19.5	0 / 10	3 / 12	23.8
Average number of embryos transferred	3.0	2.5	3.8	1.8	2.6	3.6
Percentage of embryos transferred resulting in implantation	19.7	5.5	4.6	0 / 14	0.0	0.0
Percentage of elective single embryo transfer (eSET)	0.0	0 / 17	0.0	0 / 3	0 / 7	0 / 6
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	16.0	4.0	0.0	0 / 10	0 / 12	0.0
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 10	0 / 12	0.0
Percentage of cycles resulting in live births	26.0	4.0	2.4	0 / 10	0 / 12	0.0
Percentage of cycles resulting in pregnancy	40.0	20.0	9.8	0 / 10	0 / 12	0.0
Outcomes per Transfer						
Number of transfers	45	22	23	8	9	7
Percentage of transfers resulting in singleton live births	17.8	4.5	0.0	0 / 8	0 / 9	0 / 7
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 8	0 / 9	0 / 7
Percentage of transfers resulting in live births	28.9	4.5	4.3	0 / 8	0 / 9	0 / 7
Percentage of transfers resulting in pregnancy	44.4	22.7	17.4	0 / 8	0 / 9	0 / 7
Outcomes per Pregnancy						
Number of pregnancies	20	5	4	0	0	0
Percentage of pregnancies resulting in singleton live births	40.0	1 / 5	0 / 4			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 5	0 / 4			
Percentage of pregnancies resulting in live births	65.0	1 / 5	1 / 4			
Frozen Embryos from Nondonor Eggs						
Number of cycles	19	9	8	0	0	3
Number of transfers	17	8	6	0	0	3
Average number of embryos transferred	3.5	3.3	2.3			3.3
Percentage of embryos transferred resulting in implantation	6.8	7.7	0 / 14			0 / 10
Percentage of transfers resulting in singleton live births	0 / 17	0 / 8	0 / 6			0 / 3
Percentage of transfers resulting in triplets or more live births	0 / 17	0 / 8	0 / 6			0 / 3
Percentage of transfers resulting in live births	1 / 17	0 / 8	0 / 6			0 / 3
Percentage of transfers resulting in pregnancy	4 / 17	1 / 8	0 / 6			0 / 3
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			0		1	
Number of transfers			0		1	
Average number of embryos transferred					2.0	
Percentage of embryos transferred resulting in implantation					0 / 2	
Percentage of transfers resulting in singleton live births					0 / 1	
Percentage of transfers resulting in live births					0 / 1	
Percentage of transfers resulting in pregnancy					0 / 1	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The New York Fertility Center

Donor egg?	Yes	Gestational carriers?	No	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MONTEFIORE'S INSTITUTE FOR REPRODUCTIVE MEDICINE AND HEALTH HARTSDALE, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	68%	Tubal factor	26%	Uterine factor	8%	
Unstimulated	1%	Used PGD	2%	Ovulatory dysfunction	17%	Male factor	29%	
Used gestational carrier	0%			Diminished ovarian reserve	36%	Other factor	9%	
				Endometriosis	7%	Unknown factor	10%	
				Multiple Factors:				
				Female factors only				18%
				Female & male factors				16%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 188

Data verified by Harry J. Lieman, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	31	32	39	23	9	15
Percentage of cancellations	3.2	6.3	15.4	17.4	4 / 9	3 / 15
Average number of embryos transferred	2.0	2.4	2.7	3.5	2.2	3.4
Percentage of embryos transferred resulting in implantation	21.8	26.1	14.9	10.7	1 / 11	0.0
Percentage of elective single embryo transfer (eSET)	11.5	3.4	0.0	0 / 14	0 / 3	0 / 10
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	32.3	28.1	12.8	8.7	1 / 9	0 / 15
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 9	0 / 15
Percentage of cycles resulting in live births	35.5	37.5	17.9	13.0	1 / 9	0 / 15
Percentage of cycles resulting in pregnancy	35.5	43.8	28.2	13.0	1 / 9	1 / 15
Outcomes per Transfer						
Number of transfers	28	29	32	16	5	11
Percentage of transfers resulting in singleton live births	35.7	31.0	15.6	2 / 16	1 / 5	0 / 11
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 16	0 / 5	0 / 11
Percentage of transfers resulting in live births	39.3	41.4	21.9	3 / 16	1 / 5	0 / 11
Percentage of transfers resulting in pregnancy	39.3	48.3	34.4	3 / 16	1 / 5	1 / 11
Outcomes per Pregnancy						
Number of pregnancies	11	14	11	3	1	1
Percentage of pregnancies resulting in singleton live births	10 / 11	9 / 14	5 / 11	2 / 3	1 / 1	0 / 1
Percentage of pregnancies resulting in triplets or more live births	0 / 11	0 / 14	0 / 11	0 / 3	0 / 1	0 / 1
Percentage of pregnancies resulting in live births	11 / 11	12 / 14	7 / 11	3 / 3	1 / 1	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	10	7	3	4	2	0
Number of transfers	10	6	3	1	2	0
Average number of embryos transferred	1.7	1.8	2.0	2.0	2.0	
Percentage of embryos transferred resulting in implantation	4 / 17	0 / 11	0 / 6	0 / 2	2 / 4	
Percentage of transfers resulting in singleton live births	4 / 10	0 / 6	0 / 3	0 / 1	1 / 2	
Percentage of transfers resulting in triplets or more live births	0 / 10	0 / 6	0 / 3	0 / 1	0 / 2	
Percentage of transfers resulting in live births	4 / 10	0 / 6	0 / 3	0 / 1	1 / 2	
Percentage of transfers resulting in pregnancy	4 / 10	0 / 6	0 / 3	0 / 1	1 / 2	
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	6		7			
Number of transfers	4		6			
Average number of embryos transferred	2.3		2.0			
Percentage of embryos transferred resulting in implantation	6 / 9		0 / 12			
Percentage of transfers resulting in singleton live births	1 / 4		0 / 6			
Percentage of transfers resulting in live births	3 / 4		0 / 6			
Percentage of transfers resulting in pregnancy	3 / 4		0 / 6			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Montefiore's Institute for Reproductive Medicine and Health

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ALBANY IVF FERTILITY LOUDONVILLE, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	64%	Tubal factor	15%	Uterine factor	1%	
Unstimulated	<1%	Used PGD	<1%	Ovulatory dysfunction	11%	Male factor	29%	
Used gestational carrier	0%			Diminished ovarian reserve	59%	Other factor	2%	
				Endometriosis	7%	Unknown factor	11%	
				Multiple Factors:				
				Female factors only				15%
				Female & male factors				18%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 175

Data verified by Peter M. Horvath, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	65	31	30	6	6	0
Percentage of cancellations	10.8	16.1	13.3	0 / 6	1 / 6	
Average number of embryos transferred	2.0	2.3	3.0	3.4	2.8	
Percentage of embryos transferred resulting in implantation	33.9	38.9	17.6	1 / 17	0 / 11	
Percentage of elective single embryo transfer (eSET)	2.2	5.0	0.0	0 / 4	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	21.5	22.6	23.3	1 / 6	0 / 6	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 6	0 / 6	
Percentage of cycles resulting in live births	35.4	38.7	33.3	1 / 6	0 / 6	
Percentage of cycles resulting in pregnancy	38.5	48.4	40.0	1 / 6	0 / 6	
Outcomes per Transfer						
Number of transfers	54	24	25	5	4	0
Percentage of transfers resulting in singleton live births	25.9	29.2	28.0	1 / 5	0 / 4	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 5	0 / 4	
Percentage of transfers resulting in live births	42.6	50.0	40.0	1 / 5	0 / 4	
Percentage of transfers resulting in pregnancy	46.3	62.5	48.0	1 / 5	0 / 4	
Outcomes per Pregnancy						
Number of pregnancies	25	15	12	1	0	0
Percentage of pregnancies resulting in singleton live births	56.0	7 / 15	7 / 12	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 15	0 / 12	0 / 1		
Percentage of pregnancies resulting in live births	92.0	12 / 15	10 / 12	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	11	1	2	0	1	0
Number of transfers	11	1	2	0	1	0
Average number of embryos transferred	2.3	2.0	2.0		1.0	
Percentage of embryos transferred resulting in implantation	16.0	0 / 2	1 / 4		0 / 1	
Percentage of transfers resulting in singleton live births	2 / 11	0 / 1	1 / 2		0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 11	0 / 1	0 / 2		0 / 1	
Percentage of transfers resulting in live births	3 / 11	0 / 1	1 / 2		0 / 1	
Percentage of transfers resulting in pregnancy	3 / 11	0 / 1	1 / 2		0 / 1	
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Number of cycles		17		5		
Number of transfers		17		5		
Average number of embryos transferred		2.0		2.2		
Percentage of embryos transferred resulting in implantation		38.2		1 / 11		
Percentage of transfers resulting in singleton live births		4 / 17		1 / 5		
Percentage of transfers resulting in live births		8 / 17		1 / 5		
Percentage of transfers resulting in pregnancy		8 / 17		1 / 5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Albany IVF Fertility

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTH SHORE UNIVERSITY HOSPITAL CENTER FOR HUMAN REPRODUCTION MANHASSET, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	87%	Tubal factor	15%	Uterine factor	<1%	Multiple Factors: Female factors only 3% Female & male factors 9%
Unstimulated	0%	Used PGD	9%	Ovulatory dysfunction	13%	Male factor	29%	
Used gestational carrier	0%			Diminished ovarian reserve	20%	Other factor	9%	
				Endometriosis	7%	Unknown factor	20%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 726

Data verified by Avner Hershlag, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	196	111	104	49	15	1
Percentage of cancellations	5.6	5.4	15.4	6.1	0 / 15	1 / 1
Average number of embryos transferred	2.0	2.3	2.9	3.7	3.3	
Percentage of embryos transferred resulting in implantation	38.4	23.2	15.1	9.9	5.1	
Percentage of elective single embryo transfer (eSET)	9.2	4.4	0.0	0.0	0 / 9	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.0	31.5	17.3	26.5	2 / 15	0 / 1
Percentage of cycles resulting in triplets or more live births	1.5	0.0	1.0	0.0	0 / 15	0 / 1
Percentage of cycles resulting in live births	43.4	36.0	21.2	26.5	2 / 15	0 / 1
Percentage of cycles resulting in pregnancy	48.5	43.2	26.9	34.7	2 / 15	0 / 1
Outcomes per Transfer						
Number of transfers	178	99	83	44	12	0
Percentage of transfers resulting in singleton live births	28.7	35.4	21.7	29.5	2 / 12	
Percentage of transfers resulting in triplets or more live births	1.7	0.0	1.2	0.0	0 / 12	
Percentage of transfers resulting in live births	47.8	40.4	26.5	29.5	2 / 12	
Percentage of transfers resulting in pregnancy	53.4	48.5	33.7	38.6	2 / 12	
Outcomes per Pregnancy						
Number of pregnancies	95	48	28	17	2	0
Percentage of pregnancies resulting in singleton live births	53.7	72.9	64.3	13 / 17	2 / 2	
Percentage of pregnancies resulting in triplets or more live births	3.2	0.0	3.6	0 / 17	0 / 2	
Percentage of pregnancies resulting in live births	89.5	83.3	78.6	13 / 17	2 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	82	40	34	15	7	1
Number of transfers	82	39	34	15	7	1
Average number of embryos transferred	2.1	2.5	2.5	2.4	3.4	1.0
Percentage of embryos transferred resulting in implantation	24.1	11.3	15.5	0.0	8.3	1 / 1
Percentage of transfers resulting in singleton live births	30.5	17.9	29.4	0 / 15	1 / 7	1 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 15	0 / 7	0 / 1
Percentage of transfers resulting in live births	37.8	20.5	29.4	0 / 15	1 / 7	1 / 1
Percentage of transfers resulting in pregnancy	41.5	33.3	44.1	3 / 15	2 / 7	1 / 1
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	32		39			
Number of transfers	30		39			
Average number of embryos transferred	2.0		2.3			
Percentage of embryos transferred resulting in implantation	54.2		12.1			
Percentage of transfers resulting in singleton live births	26.7		17.9			
Percentage of transfers resulting in live births	60.0		23.1			
Percentage of transfers resulting in pregnancy	70.0		25.6			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: North Shore University Hospital, Center for Human Reproduction					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 12 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

LONG ISLAND IVF MELVILLE, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	82%	Tubal factor	19%	Uterine factor	2%
Unstimulated	0%	Used PGD	6%	Ovulatory dysfunction	5%	Male factor	31%
Used gestational carrier	<1%			Diminished ovarian reserve	19%	Other factor	4%
				Endometriosis	11%	Unknown factor	28%
				Multiple Factors:			
						Female factors only	6%
						Female & male factors	12%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 613

Data verified by Daniel Kenigsberg, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	119	75	88	44	24	9
Percentage of cancellations	2.5	12.0	8.0	9.1	33.3	3 / 9
Average number of embryos transferred	2.0	2.1	2.6	3.0	2.9	2.2
Percentage of embryos transferred resulting in implantation	41.3	36.7	23.2	15.3	5.0	0 / 13
Percentage of elective single embryo transfer (eSET)	6.6	8.8	1.5	0.0	0 / 13	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	33.6	26.7	14.8	15.9	0.0	0 / 9
Percentage of cycles resulting in triplets or more live births	0.0	1.3	0.0	0.0	0.0	0 / 9
Percentage of cycles resulting in live births	49.6	40.0	25.0	20.5	0.0	0 / 9
Percentage of cycles resulting in pregnancy	59.7	45.3	38.6	36.4	8.3	0 / 9
Outcomes per Transfer						
Number of transfers	112	60	74	39	14	6
Percentage of transfers resulting in singleton live births	35.7	33.3	17.6	17.9	0 / 14	0 / 6
Percentage of transfers resulting in triplets or more live births	0.0	1.7	0.0	0.0	0 / 14	0 / 6
Percentage of transfers resulting in live births	52.7	50.0	29.7	23.1	0 / 14	0 / 6
Percentage of transfers resulting in pregnancy	63.4	56.7	45.9	41.0	2 / 14	0 / 6
Outcomes per Pregnancy						
Number of pregnancies	71	34	34	16	2	0
Percentage of pregnancies resulting in singleton live births	56.3	58.8	38.2	7 / 16	0 / 2	
Percentage of pregnancies resulting in triplets or more live births	0.0	2.9	0.0	0 / 16	0 / 2	
Percentage of pregnancies resulting in live births	83.1	88.2	64.7	9 / 16	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	51	31	38	14	6	2
Number of transfers	50	30	38	14	6	2
Average number of embryos transferred	1.9	2.0	2.4	2.8	3.0	2.0
Percentage of embryos transferred resulting in implantation	28.4	30.5	13.3	12.8	1 / 18	1 / 4
Percentage of transfers resulting in singleton live births	34.0	40.0	15.8	1 / 14	1 / 6	1 / 2
Percentage of transfers resulting in triplets or more live births	2.0	0.0	0.0	0 / 14	0 / 6	0 / 2
Percentage of transfers resulting in live births	40.0	43.3	21.1	2 / 14	1 / 6	1 / 2
Percentage of transfers resulting in pregnancy	46.0	53.3	31.6	5 / 14	1 / 6	1 / 2

All Ages Combined^f

Donor Eggs	Fresh Embryos	Frozen Embryos
Number of cycles	57	55
Number of transfers	53	55
Average number of embryos transferred	2.0	1.9
Percentage of embryos transferred resulting in implantation	41.0	22.3
Percentage of transfers resulting in singleton live births	37.7	23.6
Percentage of transfers resulting in live births	54.7	30.9
Percentage of transfers resulting in pregnancy	62.3	38.2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Long Island IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 2 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE SPECIALISTS OF NEW YORK MINEOLA, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	47%	Tubal factor	15%	Uterine factor	5%	
Unstimulated	6%	Used PGD	4%	Ovulatory dysfunction	14%	Male factor	40%	
Used gestational carrier	<1%			Diminished ovarian reserve	15%	Other factor	29%	
				Endometriosis	6%	Unknown factor	16%	
				Multiple Factors:				
				Female factors only				13%
				Female & male factors				18%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 1339

Data verified by James Stelling, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	277	184	250	165	93	54
Percentage of cancellations	0.4	3.8	1.2	4.8	0.0	5.6
Average number of embryos transferred	1.8	1.9	2.4	3.1	2.9	2.4
Percentage of embryos transferred resulting in implantation	28.6	18.6	10.9	5.2	2.4	0.0
Percentage of elective single embryo transfer (eSET)	19.7	9.5	5.2	0.9	0.0	0.0
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	22.7	13.0	12.4	3.0	2.2	0.0
Percentage of cycles resulting in triplets or more live births	0.0	0.5	0.0	0.0	0.0	0.0
Percentage of cycles resulting in live births	31.8	17.9	14.8	4.8	2.2	0.0
Percentage of cycles resulting in pregnancy	38.6	25.5	22.4	10.3	6.5	0.0
Outcomes per Transfer						
Number of transfers	260	158	232	133	72	38
Percentage of transfers resulting in singleton live births	24.2	15.2	13.4	3.8	2.8	0.0
Percentage of transfers resulting in triplets or more live births	0.0	0.6	0.0	0.0	0.0	0.0
Percentage of transfers resulting in live births	33.8	20.9	15.9	6.0	2.8	0.0
Percentage of transfers resulting in pregnancy	41.2	29.7	24.1	12.8	8.3	0.0
Outcomes per Pregnancy						
Number of pregnancies	107	47	56	17	6	0
Percentage of pregnancies resulting in singleton live births	58.9	51.1	55.4	5 / 17	2 / 6	
Percentage of pregnancies resulting in triplets or more live births	0.0	2.1	0.0	0 / 17	0 / 6	
Percentage of pregnancies resulting in live births	82.2	70.2	66.1	8 / 17	2 / 6	
Frozen Embryos from Nondonor Eggs						
Number of cycles	138	55	58	14	4	3
Number of transfers	137	53	55	12	3	3
Average number of embryos transferred	1.6	1.7	1.5	2.0	1.3	2.0
Percentage of embryos transferred resulting in implantation	26.7	23.9	22.4	25.0	1 / 4	0 / 6
Percentage of transfers resulting in singleton live births	21.9	13.2	12.7	4 / 12	1 / 3	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 12	0 / 3	0 / 3
Percentage of transfers resulting in live births	27.0	18.9	16.4	5 / 12	1 / 3	0 / 3
Percentage of transfers resulting in pregnancy	38.0	41.5	29.1	5 / 12	1 / 3	0 / 3
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		23		21		
Number of transfers		21		21		
Average number of embryos transferred		2.0		1.9		
Percentage of embryos transferred resulting in implantation		36.6		15.4		
Percentage of transfers resulting in singleton live births		33.3		9.5		
Percentage of transfers resulting in live births		47.6		19.0		
Percentage of transfers resulting in pregnancy		57.1		28.6		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2011. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 52 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WESTCHESTER REPRODUCTIVE MEDICINE MT. KISCO, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	61%	Tubal factor	31%	Uterine factor	10%	
Unstimulated	0%	Used PGD	11%	Ovulatory dysfunction	14%	Male factor	59%	
Used gestational carrier	0%			Diminished ovarian reserve	28%	Other factor	10%	
				Endometriosis	10%	Unknown factor	3%	
				Multiple Factors:				
				Female factors only				14%
				Female & male factors				38%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 29

Data verified by Rachel A. Bennett, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	8	8	6	2	2	2
Percentage of cancellations	2 / 8	1 / 8	1 / 6	0 / 2	0 / 2	0 / 2
Average number of embryos transferred	2.0	2.3	2.2	3.5	2.0	5.0
Percentage of embryos transferred resulting in implantation	3 / 8	6 / 14	2 / 11	0 / 7	0 / 2	0 / 10
Percentage of elective single embryo transfer (eSET)	1 / 4	0 / 5	0 / 4	0 / 2	0 / 1	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	1 / 8	3 / 8	2 / 6	0 / 2	0 / 2	0 / 2
Percentage of cycles resulting in triplets or more live births	0 / 8	0 / 8	0 / 6	0 / 2	0 / 2	0 / 2
Percentage of cycles resulting in live births	2 / 8	4 / 8	2 / 6	0 / 2	0 / 2	0 / 2
Percentage of cycles resulting in pregnancy	2 / 8	5 / 8	2 / 6	2 / 2	0 / 2	0 / 2
Outcomes per Transfer						
Number of transfers	4	6	5	2	1	2
Percentage of transfers resulting in singleton live births	1 / 4	3 / 6	2 / 5	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 6	0 / 5	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in live births	2 / 4	4 / 6	2 / 5	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in pregnancy	2 / 4	5 / 6	2 / 5	2 / 2	0 / 1	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	2	5	2	2	0	0
Percentage of pregnancies resulting in singleton live births	1 / 2	3 / 5	2 / 2	0 / 2		
Percentage of pregnancies resulting in triplets or more live births	0 / 2	0 / 5	0 / 2	0 / 2		
Percentage of pregnancies resulting in live births	2 / 2	4 / 5	2 / 2	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	0	0	1	0	0
Number of transfers	0	0	0	1	0	0
Average number of embryos transferred				3.0		
Percentage of embryos transferred resulting in implantation				0 / 3		
Percentage of transfers resulting in singleton live births				0 / 1		
Percentage of transfers resulting in triplets or more live births				0 / 1		
Percentage of transfers resulting in live births				0 / 1		
Percentage of transfers resulting in pregnancy				0 / 1		

All Ages Combined^f

Donor Eggs	Fresh Embryos	Frozen Embryos
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation		
Percentage of transfers resulting in singleton live births		
Percentage of transfers resulting in live births		
Percentage of transfers resulting in pregnancy		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Westchester Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY SERVICES NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	86%	Tubal factor	22%	Uterine factor	<1%	Multiple Factors: Female factors only 3% Female & male factors 3%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	10%	Male factor	14%	
Used gestational carrier	0%			Diminished ovarian reserve	27%	Other factor	13%	
				Endometriosis	2%	Unknown factor	19%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 312

Data verified by Hugh D. Melnick, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	71	31	61	31	38	9
Percentage of cancellations	8.5	16.1	11.5	9.7	10.5	4 / 9
Average number of embryos transferred	2.4	2.3	3.0	2.9	3.2	4.0
Percentage of embryos transferred resulting in implantation	22.7	15.5	8.9	3.9	1.1	0 / 16
Percentage of elective single embryo transfer (eSET)	1.8	4.8	0.0	0.0	0.0	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	19.7	12.9	9.8	9.7	2.6	0 / 9
Percentage of cycles resulting in triplets or more live births	1.4	0.0	0.0	0.0	0.0	0 / 9
Percentage of cycles resulting in live births	25.4	19.4	13.1	9.7	2.6	0 / 9
Percentage of cycles resulting in pregnancy	29.6	25.8	18.0	12.9	5.3	0 / 9
Outcomes per Transfer						
Number of transfers	59	25	49	26	30	4
Percentage of transfers resulting in singleton live births	23.7	16.0	12.2	11.5	3.3	0 / 4
Percentage of transfers resulting in triplets or more live births	1.7	0.0	0.0	0.0	0.0	0 / 4
Percentage of transfers resulting in live births	30.5	24.0	16.3	11.5	3.3	0 / 4
Percentage of transfers resulting in pregnancy	35.6	32.0	22.4	15.4	6.7	0 / 4
Outcomes per Pregnancy						
Number of pregnancies	21	8	11	4	2	0
Percentage of pregnancies resulting in singleton live births	66.7	4 / 8	6 / 11	3 / 4	1 / 2	
Percentage of pregnancies resulting in triplets or more live births	4.8	0 / 8	0 / 11	0 / 4	0 / 2	
Percentage of pregnancies resulting in live births	85.7	6 / 8	8 / 11	3 / 4	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	13	4	5	2	0	1
Number of transfers	13	4	5	2	0	1
Average number of embryos transferred	2.1	3.3	2.6	1.5		2.0
Percentage of embryos transferred resulting in implantation	11.1	1 / 13	4 / 13	0 / 3		0 / 2
Percentage of transfers resulting in singleton live births	1 / 13	1 / 4	1 / 5	0 / 2		0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 13	0 / 4	0 / 5	0 / 2		0 / 1
Percentage of transfers resulting in live births	2 / 13	1 / 4	2 / 5	0 / 2		0 / 1
Percentage of transfers resulting in pregnancy	2 / 13	1 / 4	3 / 5	0 / 2		0 / 1
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	13		33			
Number of transfers	13		33			
Average number of embryos transferred	2.1		2.5			
Percentage of embryos transferred resulting in implantation	14.8		10.8			
Percentage of transfers resulting in singleton live births	4 / 13		9.1			
Percentage of transfers resulting in live births	4 / 13		18.2			
Percentage of transfers resulting in pregnancy	4 / 13		21.2			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Fertility Services

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 38 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

AMERICAN FERTILITY SERVICES, PC NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	39%	Tubal factor	12%	Uterine factor	<1%
Unstimulated	3%	Used PGD	2%	Ovulatory dysfunction	4%	Male factor	7%
Used gestational carrier	0%			Diminished ovarian reserve	34%	Other factor	13%
				Endometriosis	4%	Unknown factor	34%
				Multiple Factors:			
						Female factors only	7%
						Female & male factors	2%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 122

Data verified by Andrew Loucopoulos, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	23	15	25	18	6	2
Percentage of cancellations	13.0	2 / 15	4.0	3 / 18	5 / 6	2 / 2
Average number of embryos transferred	2.0	2.0	2.6	2.5	3.0	
Percentage of embryos transferred resulting in implantation	9.4	15.0	13.0	9.4	0 / 3	
Percentage of elective single embryo transfer (eSET)	1 / 15	1 / 8	0 / 15	0 / 10	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	13.0	3 / 15	20.0	2 / 18	0 / 6	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0 / 15	0.0	0 / 18	0 / 6	0 / 2
Percentage of cycles resulting in live births	13.0	3 / 15	20.0	2 / 18	0 / 6	0 / 2
Percentage of cycles resulting in pregnancy	13.0	3 / 15	20.0	5 / 18	1 / 6	0 / 2
Outcomes per Transfer						
Number of transfers	16	10	18	13	1	0
Percentage of transfers resulting in singleton live births	3 / 16	3 / 10	5 / 18	2 / 13	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 16	0 / 10	0 / 18	0 / 13	0 / 1	
Percentage of transfers resulting in live births	3 / 16	3 / 10	5 / 18	2 / 13	0 / 1	
Percentage of transfers resulting in pregnancy	3 / 16	3 / 10	5 / 18	5 / 13	1 / 1	
Outcomes per Pregnancy						
Number of pregnancies	3	3	5	5	1	0
Percentage of pregnancies resulting in singleton live births	3 / 3	3 / 3	5 / 5	2 / 5	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 3	0 / 3	0 / 5	0 / 5	0 / 1	
Percentage of pregnancies resulting in live births	3 / 3	3 / 3	5 / 5	2 / 5	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	3	4	3	1	1
Number of transfers	2	3	4	3	0	1
Average number of embryos transferred	1.5	1.7	1.3	2.3		4.0
Percentage of embryos transferred resulting in implantation	1 / 3	1 / 5	4 / 5	0 / 7		0 / 4
Percentage of transfers resulting in singleton live births	1 / 2	0 / 3	3 / 4	0 / 3		0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 2	0 / 3	0 / 4	0 / 3		0 / 1
Percentage of transfers resulting in live births	1 / 2	0 / 3	3 / 4	0 / 3		0 / 1
Percentage of transfers resulting in pregnancy	1 / 2	1 / 3	4 / 4	0 / 3		0 / 1
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			6		10	
Number of transfers			5		8	
Average number of embryos transferred			2.0		2.1	
Percentage of embryos transferred resulting in implantation			5 / 10		1 / 17	
Percentage of transfers resulting in singleton live births			3 / 5		1 / 8	
Percentage of transfers resulting in live births			4 / 5		1 / 8	
Percentage of transfers resulting in pregnancy			4 / 5		1 / 8	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2011. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 52 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BETH ISRAEL CENTER FOR INFERTILITY & REPRODUCTIVE HEALTH NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	78%	Tubal factor	26%	Uterine factor	11%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	15%	Male factor	56%	
Used gestational carrier	0%			Diminished ovarian reserve	34%	Other factor	0%	
				Endometriosis	4%	Unknown factor	7%	
				Multiple Factors:				
				Female factors only				12%
				Female & male factors				36%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 170

Data verified by Peter Chang, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	36	13	32	24	15	0
Percentage of cancellations	11.1	2 / 13	21.9	25.0	5 / 15	
Average number of embryos transferred	2.5	2.7	3.4	3.6	3.9	
Percentage of embryos transferred resulting in implantation	30.8	8.3	17.1	1.5	0.0	
Percentage of elective single embryo transfer (eSET)	0.0	1 / 9	9.5	0 / 18	0 / 9	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	19.4	0 / 13	21.9	0.0	0 / 15	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 13	0.0	0.0	0 / 15	
Percentage of cycles resulting in live births	36.1	1 / 13	28.1	0.0	0 / 15	
Percentage of cycles resulting in pregnancy	36.1	2 / 13	31.3	4.2	1 / 15	
Outcomes per Transfer						
Number of transfers	26	9	24	18	10	0
Percentage of transfers resulting in singleton live births	26.9	0 / 9	29.2	0 / 18	0 / 10	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 9	0.0	0 / 18	0 / 10	
Percentage of transfers resulting in live births	50.0	1 / 9	37.5	0 / 18	0 / 10	
Percentage of transfers resulting in pregnancy	50.0	2 / 9	41.7	1 / 18	1 / 10	
Outcomes per Pregnancy						
Number of pregnancies	13	2	10	1	1	0
Percentage of pregnancies resulting in singleton live births	7 / 13	0 / 2	7 / 10	0 / 1	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 13	0 / 2	0 / 10	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births	13 / 13	1 / 2	9 / 10	0 / 1	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	26	11	2	2	0	0
Number of transfers	26	11	1	2	0	0
Average number of embryos transferred	2.7	2.9	4.0	4.0		
Percentage of embryos transferred resulting in implantation	26.8	46.9	3 / 4	1 / 8		
Percentage of transfers resulting in singleton live births	30.8	6 / 11	1 / 1	1 / 2		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 11	0 / 1	0 / 2		
Percentage of transfers resulting in live births	42.3	9 / 11	1 / 1	1 / 2		
Percentage of transfers resulting in pregnancy	53.8	11 / 11	1 / 1	1 / 2		
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	7		2			
Number of transfers	7		2			
Average number of embryos transferred	2.0		3.0			
Percentage of embryos transferred resulting in implantation	5 / 14		3 / 6			
Percentage of transfers resulting in singleton live births	3 / 7		1 / 2			
Percentage of transfers resulting in live births	3 / 7		2 / 2			
Percentage of transfers resulting in pregnancy	4 / 7		2 / 2			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Beth Israel Center for Infertility & Reproductive Health

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**BROOKLYN/WESTSIDE FERTILITY CENTER
BROOKLYN FERTILITY CENTER
NEW YORK, NEW YORK**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	72%	Tubal factor	71%	Uterine factor	84%
Unstimulated	3%	Used PGD	0%	Ovulatory dysfunction	75%	Male factor	57%
Used gestational carrier	0%			Diminished ovarian reserve	2%	Other factor	0%
				Endometriosis	21%	Unknown factor	0%
				Multiple Factors: Female factors only 43% Female & male factors 57%			

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 44

Data verified by Dov B. Goldstein, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	10	6	7	4	5	0
Percentage of cancellations	1 / 10	1 / 6	1 / 7	1 / 4	1 / 5	
Average number of embryos transferred	1.8	1.5	1.5	2.5	2.5	
Percentage of embryos transferred resulting in implantation	2 / 16	2 / 6	0 / 6	0 / 5	0 / 5	
Percentage of elective single embryo transfer (eSET)	2 / 9	1 / 2	1 / 3	0 / 2	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	2 / 10	0 / 6	0 / 7	0 / 4	0 / 5	
Percentage of cycles resulting in triplets or more live births	0 / 10	0 / 6	0 / 7	0 / 4	0 / 5	
Percentage of cycles resulting in live births	2 / 10	1 / 6	0 / 7	0 / 4	0 / 5	
Percentage of cycles resulting in pregnancy	2 / 10	1 / 6	0 / 7	0 / 4	0 / 5	
Outcomes per Transfer						
Number of transfers	9	4	4	2	2	0
Percentage of transfers resulting in singleton live births	2 / 9	0 / 4	0 / 4	0 / 2	0 / 2	
Percentage of transfers resulting in triplets or more live births	0 / 9	0 / 4	0 / 4	0 / 2	0 / 2	
Percentage of transfers resulting in live births	2 / 9	1 / 4	0 / 4	0 / 2	0 / 2	
Percentage of transfers resulting in pregnancy	2 / 9	1 / 4	0 / 4	0 / 2	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	2	1	0	0	0	0
Percentage of pregnancies resulting in singleton live births	2 / 2	0 / 1				
Percentage of pregnancies resulting in triplets or more live births	0 / 2	0 / 1				
Percentage of pregnancies resulting in live births	2 / 2	1 / 1				
Frozen Embryos from Nondonor Eggs						
Number of cycles	8	3	0	1	0	0
Number of transfers	8	3	0	1	0	0
Average number of embryos transferred	2.1	2.0		5.0		
Percentage of embryos transferred resulting in implantation	0 / 17	0 / 6		0 / 5		
Percentage of transfers resulting in singleton live births	0 / 8	0 / 3		0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 8	0 / 3		0 / 1		
Percentage of transfers resulting in live births	0 / 8	0 / 3		0 / 1		
Percentage of transfers resulting in pregnancy	0 / 8	1 / 3		0 / 1		
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	0		0			
Number of transfers	0		0			
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Brooklyn/Westside Fertility Center, Brooklyn Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COLUMBIA UNIVERSITY CENTER FOR WOMEN'S REPRODUCTIVE CARE NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	56%	Tubal factor	8%	Uterine factor	1%	Multiple Factors: Female factors only 4% Female & male factors 14%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	7%	Male factor	33%	
Used gestational carrier	0%			Diminished ovarian reserve	50%	Other factor	7%	
				Endometriosis	2%	Unknown factor	10%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 1794

Data verified by Michael M. Guarnaccia, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	335	267	396	258	162	44
Percentage of cancellations	10.4	11.6	14.6	15.9	24.7	56.8
Average number of embryos transferred	1.9	2.1	2.4	2.9	3.2	2.5
Percentage of embryos transferred resulting in implantation	32.0	19.0	14.2	7.0	3.5	3.3
Percentage of elective single embryo transfer (eSET)	4.4	1.1	0.4	0.0	0.0	0 / 9
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	22.4	19.1	14.1	7.8	3.7	2.3
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0.0
Percentage of cycles resulting in live births	31.9	22.8	17.2	9.3	3.7	2.3
Percentage of cycles resulting in pregnancy	37.9	32.6	20.7	17.1	8.0	2.3
Outcomes per Transfer						
Number of transfers	255	207	263	176	81	12
Percentage of transfers resulting in singleton live births	29.4	24.6	21.3	11.4	7.4	1 / 12
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 12
Percentage of transfers resulting in live births	42.0	29.5	25.9	13.6	7.4	1 / 12
Percentage of transfers resulting in pregnancy	49.8	42.0	31.2	25.0	16.0	1 / 12
Outcomes per Pregnancy						
Number of pregnancies	127	87	82	44	13	1
Percentage of pregnancies resulting in singleton live births	59.1	58.6	68.3	45.5	6 / 13	1 / 1
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 13	0 / 1
Percentage of pregnancies resulting in live births	84.3	70.1	82.9	54.5	6 / 13	1 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	65	45	40	15	8	4
Number of transfers	65	40	38	13	8	3
Average number of embryos transferred	1.9	1.7	1.9	2.1	2.6	1.7
Percentage of embryos transferred resulting in implantation	28.1	30.9	26.0	11.1	9.5	1 / 5
Percentage of transfers resulting in singleton live births	33.8	40.0	21.1	3 / 13	1 / 8	1 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 13	0 / 8	0 / 3
Percentage of transfers resulting in live births	41.5	45.0	31.6	3 / 13	1 / 8	1 / 3
Percentage of transfers resulting in pregnancy	52.3	60.0	47.4	4 / 13	4 / 8	1 / 3
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	100		55			
Number of transfers	91		46			
Average number of embryos transferred	2.1		1.8			
Percentage of embryos transferred resulting in implantation	38.5		23.8			
Percentage of transfers resulting in singleton live births	34.1		21.7			
Percentage of transfers resulting in live births	51.6		30.4			
Percentage of transfers resulting in pregnancy	57.1		41.3			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Columbia University Center for Women's Reproductive Care

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 15 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CONTINUUM REPRODUCTIVE CENTER OF ST. LUKE'S ROOSEVELT HOSPITAL NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	78%	Tubal factor	14%	Uterine factor	4%	
Unstimulated	0%	Used PGD	5%	Ovulatory dysfunction	12%	Male factor	32%	
Used gestational carrier	0%			Diminished ovarian reserve	32%	Other factor	7%	
				Endometriosis	13%	Unknown factor	13%	
				Multiple Factors:				
				Female factors only				10%
				Female & male factors				15%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 466

Data verified by Martin Keltz, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	101	81	87	66	40	11
Percentage of cancellations	0.0	0.0	3.4	1.5	0.0	1 / 11
Average number of embryos transferred	2.2	2.5	2.9	2.8	3.2	2.7
Percentage of embryos transferred resulting in implantation	26.1	17.6	12.6	3.3	0.9	0 / 19
Percentage of elective single embryo transfer (eSET)	3.6	1.6	0.0	0.0	0.0	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	32.7	17.3	21.8	4.5	2.5	0 / 11
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 11
Percentage of cycles resulting in live births	40.6	25.9	25.3	4.5	2.5	0 / 11
Percentage of cycles resulting in pregnancy	45.5	32.1	31.0	12.1	2.5	0 / 11
Outcomes per Transfer						
Number of transfers	92	72	74	54	33	7
Percentage of transfers resulting in singleton live births	35.9	19.4	25.7	5.6	3.0	0 / 7
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 7
Percentage of transfers resulting in live births	44.6	29.2	29.7	5.6	3.0	0 / 7
Percentage of transfers resulting in pregnancy	50.0	36.1	36.5	14.8	3.0	0 / 7
Outcomes per Pregnancy						
Number of pregnancies	46	26	27	8	1	0
Percentage of pregnancies resulting in singleton live births	71.7	53.8	70.4	3 / 8	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 8	0 / 1	
Percentage of pregnancies resulting in live births	89.1	80.8	81.5	3 / 8	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	21	14	10	5	2	0
Number of transfers	20	14	10	5	2	0
Average number of embryos transferred	2.8	2.5	3.1	2.8	4.5	
Percentage of embryos transferred resulting in implantation	21.8	14.3	6.5	1 / 14	0 / 9	
Percentage of transfers resulting in singleton live births	25.0	1 / 14	1 / 10	0 / 5	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 14	0 / 10	0 / 5	0 / 2	
Percentage of transfers resulting in live births	40.0	3 / 14	1 / 10	0 / 5	0 / 2	
Percentage of transfers resulting in pregnancy	50.0	4 / 14	2 / 10	1 / 5	0 / 2	
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	20		8			
Number of transfers	18		8			
Average number of embryos transferred	2.1		2.6			
Percentage of embryos transferred resulting in implantation	28.9		14.3			
Percentage of transfers resulting in singleton live births	8 / 18		1 / 8			
Percentage of transfers resulting in live births	9 / 18		2 / 8			
Percentage of transfers resulting in pregnancy	11 / 18		2 / 8			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Continuum Reproductive Center of St. Luke's Roosevelt Hospital

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF NEW YORK NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	100%	Tubal factor	20%	Uterine factor	0%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	40%	Male factor	0%
Used gestational carrier	0%			Diminished ovarian reserve	0%	Other factor	0%
				Endometriosis	0%	Unknown factor	40%
				Multiple Factors:			
						Female factors only	0%
						Female & male factors	0%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 5

Data verified by Satwant K. Dhamoon, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	2	0	0	1	0	0
Percentage of cancellations	0 / 2			0 / 1		
Average number of embryos transferred	3.0			2.0		
Percentage of embryos transferred resulting in implantation	2 / 3			0 / 2		
Percentage of elective single embryo transfer (eSET)	0 / 1			0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	0 / 2			0 / 1		
Percentage of cycles resulting in triplets or more live births	0 / 2			0 / 1		
Percentage of cycles resulting in live births	1 / 2			0 / 1		
Percentage of cycles resulting in pregnancy	1 / 2			0 / 1		
Outcomes per Transfer						
Number of transfers	1	0	0	1	0	0
Percentage of transfers resulting in singleton live births	0 / 1			0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 1			0 / 1		
Percentage of transfers resulting in live births	1 / 1			0 / 1		
Percentage of transfers resulting in pregnancy	1 / 1			0 / 1		
Outcomes per Pregnancy						
Number of pregnancies	1	0	0	0	0	0
Percentage of pregnancies resulting in singleton live births	0 / 1					
Percentage of pregnancies resulting in triplets or more live births	0 / 1					
Percentage of pregnancies resulting in live births	1 / 1					
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	0	0	1	0	0
Number of transfers	1	0	0	1	0	0
Average number of embryos transferred	3.0			2.0		
Percentage of embryos transferred resulting in implantation	0 / 3			0 / 2		
Percentage of transfers resulting in singleton live births	0 / 1			0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 1			0 / 1		
Percentage of transfers resulting in live births	0 / 1			0 / 1		
Percentage of transfers resulting in pregnancy	0 / 1			0 / 1		
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		0		0		
Number of transfers		0		0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: IVF New York

Donor egg?	Yes	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MANHATTAN REPRODUCTIVE MEDICINE NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	94%	Tubal factor	100%	Uterine factor	4%
Unstimulated	2%	Used PGD	0%	Ovulatory dysfunction	4%	Male factor	98%
Used gestational carrier	0%			Diminished ovarian reserve	61%	Other factor	0%
				Endometriosis	5%	Unknown factor	0%
				Multiple Factors: Female factors only 2% Female & male factors 98%			

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 86

Data verified by Hanna Jesionowska, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	29	5	10	4	2	2
Percentage of cancellations	0.0	0/5	0/10	1/4	1/2	1/2
Average number of embryos transferred	3.1	3.2	3.7	3.7	1.0	3.0
Percentage of embryos transferred resulting in implantation	31.1	6/16	8.1	1/11	0/1	0/3
Percentage of elective single embryo transfer (eSET)	0.0	0/5	0/9	0/2		0/1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	17.2	1/5	2/10	1/4	0/2	0/2
Percentage of cycles resulting in triplets or more live births	0.0	0/5	0/10	0/4	0/2	0/2
Percentage of cycles resulting in live births	41.4	3/5	2/10	1/4	0/2	0/2
Percentage of cycles resulting in pregnancy	55.2	4/5	3/10	1/4	0/2	0/2
Outcomes per Transfer						
Number of transfers	29	5	10	3	1	1
Percentage of transfers resulting in singleton live births	17.2	1/5	2/10	1/3	0/1	0/1
Percentage of transfers resulting in triplets or more live births	0.0	0/5	0/10	0/3	0/1	0/1
Percentage of transfers resulting in live births	41.4	3/5	2/10	1/3	0/1	0/1
Percentage of transfers resulting in pregnancy	55.2	4/5	3/10	1/3	0/1	0/1
Outcomes per Pregnancy						
Number of pregnancies	16	4	3	1	0	0
Percentage of pregnancies resulting in singleton live births	5/16	1/4	2/3	1/1		
Percentage of pregnancies resulting in triplets or more live births	0/16	0/4	0/3	0/1		
Percentage of pregnancies resulting in live births	12/16	3/4	2/3	1/1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	1	0	0	0	0
Number of transfers	2	1	0	0	0	0
Average number of embryos transferred	4.0	4.0				
Percentage of embryos transferred resulting in implantation	0/8	1/4				
Percentage of transfers resulting in singleton live births	0/2	0/1				
Percentage of transfers resulting in triplets or more live births	0/2	0/1				
Percentage of transfers resulting in live births	0/2	0/1				
Percentage of transfers resulting in pregnancy	0/2	1/1				

All Ages Combined^f

Donor Eggs	Fresh Embryos	Frozen Embryos
Number of cycles	28	3
Number of transfers	28	3
Average number of embryos transferred	3.6	3.0
Percentage of embryos transferred resulting in implantation	31.0	1/9
Percentage of transfers resulting in singleton live births	14.3	1/3
Percentage of transfers resulting in live births	46.4	1/3
Percentage of transfers resulting in pregnancy	60.7	1/3

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Manhattan Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**MEDICAL OFFICES FOR HUMAN REPRODUCTION
CENTER FOR HUMAN REPRODUCTION (CHR)
NEW YORK, NEW YORK**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	70%	Tubal factor	16%	Uterine factor	4%
Unstimulated	<1%	Used PGD	12%	Ovulatory dysfunction	8%	Male factor	17%
Used gestational carrier	0%			Diminished ovarian reserve	64%	Other factor	23%
				Endometriosis	7%	Unknown factor	2%
				Multiple Factors: Female factors only 19% Female & male factors 15%			

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 440

Data verified by Norbert Gleicher, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	63	33	87	42	57	38
Percentage of cancellations	4.8	9.1	17.2	21.4	22.8	36.8
Average number of embryos transferred	2.2	2.0	2.6	2.6	2.8	2.7
Percentage of embryos transferred resulting in implantation	22.1	15.7	7.6	2.7	2.4	2.9
Percentage of elective single embryo transfer (eSET)	4.3	2 / 18	0.0	0.0	0.0	0 / 8
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	22.2	15.2	9.2	4.8	3.5	2.6
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0.0
Percentage of cycles resulting in live births	28.6	18.2	10.3	4.8	3.5	2.6
Percentage of cycles resulting in pregnancy	33.3	24.2	13.8	9.5	3.5	2.6
Outcomes per Transfer						
Number of transfers	52	25	56	29	29	13
Percentage of transfers resulting in singleton live births	26.9	20.0	14.3	6.9	6.9	1 / 13
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 13
Percentage of transfers resulting in live births	34.6	24.0	16.1	6.9	6.9	1 / 13
Percentage of transfers resulting in pregnancy	40.4	32.0	21.4	13.8	6.9	1 / 13
Outcomes per Pregnancy						
Number of pregnancies	21	8	12	4	2	1
Percentage of pregnancies resulting in singleton live births	66.7	5 / 8	8 / 12	2 / 4	2 / 2	1 / 1
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 8	0 / 12	0 / 4	0 / 2	0 / 1
Percentage of pregnancies resulting in live births	85.7	6 / 8	9 / 12	2 / 4	2 / 2	1 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	21	11	11	6	2	3
Number of transfers	21	9	10	6	2	3
Average number of embryos transferred	2.3	2.3	2.7	2.7	2.0	2.7
Percentage of embryos transferred resulting in implantation	14.6	14.3	3.7	3 / 16	0 / 4	1 / 8
Percentage of transfers resulting in singleton live births	19.0	3 / 9	1 / 10	1 / 6	0 / 2	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0 / 9	0 / 10	0 / 6	0 / 2	0 / 3
Percentage of transfers resulting in live births	23.8	3 / 9	1 / 10	2 / 6	0 / 2	0 / 3
Percentage of transfers resulting in pregnancy	38.1	3 / 9	1 / 10	2 / 6	0 / 2	1 / 3
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	42		24			
Number of transfers	39		24			
Average number of embryos transferred	2.1		2.5			
Percentage of embryos transferred resulting in implantation	30.0		24.6			
Percentage of transfers resulting in singleton live births	28.2		33.3			
Percentage of transfers resulting in live births	41.0		37.5			
Percentage of transfers resulting in pregnancy	46.2		50.0			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Medical Offices for Human Reproduction, Center for Human Reproduction (CHR)

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 39 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

METROPOLITAN REPRODUCTIVE MEDICINE, PC NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	44%	Tubal factor	5%	Uterine factor	0%	
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	27%	Male factor	46%	
Used gestational carrier	0%			Diminished ovarian reserve	19%	Other factor	8%	
				Endometriosis	0%	Unknown factor	24%	
				Multiple Factors:				
				Female factors only				0%
				Female & male factors				30%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 37

Data verified by Susan Lobel, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	8	4	6	4	2	3
Percentage of cancellations	1 / 8	0 / 4	2 / 6	1 / 4	0 / 2	0 / 3
Average number of embryos transferred	1.9	3.0	3.3	5.7	6.0	5.7
Percentage of embryos transferred resulting in implantation	5 / 13	1 / 9	5 / 13	2 / 17	1 / 12	0 / 17
Percentage of elective single embryo transfer (eSET)	0 / 6	0 / 3	0 / 4	0 / 3	0 / 2	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	4 / 8	0 / 4	1 / 6	0 / 4	1 / 2	0 / 3
Percentage of cycles resulting in triplets or more live births	0 / 8	0 / 4	0 / 6	0 / 4	0 / 2	0 / 3
Percentage of cycles resulting in live births	4 / 8	0 / 4	2 / 6	0 / 4	1 / 2	0 / 3
Percentage of cycles resulting in pregnancy	4 / 8	1 / 4	3 / 6	2 / 4	1 / 2	0 / 3
Outcomes per Transfer						
Number of transfers	7	3	4	3	2	3
Percentage of transfers resulting in singleton live births	4 / 7	0 / 3	1 / 4	0 / 3	1 / 2	0 / 3
Percentage of transfers resulting in triplets or more live births	0 / 7	0 / 3	0 / 4	0 / 3	0 / 2	0 / 3
Percentage of transfers resulting in live births	4 / 7	0 / 3	2 / 4	0 / 3	1 / 2	0 / 3
Percentage of transfers resulting in pregnancy	4 / 7	1 / 3	3 / 4	2 / 3	1 / 2	0 / 3
Outcomes per Pregnancy						
Number of pregnancies	4	1	3	2	1	0
Percentage of pregnancies resulting in singleton live births	4 / 4	0 / 1	1 / 3	0 / 2	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 4	0 / 1	0 / 3	0 / 2	0 / 1	
Percentage of pregnancies resulting in live births	4 / 4	0 / 1	2 / 3	0 / 2	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	1	1	0	0	0
Number of transfers	4	1	1	0	0	0
Average number of embryos transferred	1.8	3.0	1.0			
Percentage of embryos transferred resulting in implantation	0 / 7	0 / 3	0 / 1			
Percentage of transfers resulting in singleton live births	0 / 4	0 / 1	0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 1	0 / 1			
Percentage of transfers resulting in live births	0 / 4	0 / 1	0 / 1			
Percentage of transfers resulting in pregnancy	0 / 4	0 / 1	0 / 1			
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	2		1			
Number of transfers	2		1			
Average number of embryos transferred	2.5		3.0			
Percentage of embryos transferred resulting in implantation	3 / 5		2 / 3			
Percentage of transfers resulting in singleton live births	1 / 2		0 / 1			
Percentage of transfers resulting in live births	2 / 2		1 / 1			
Percentage of transfers resulting in pregnancy	2 / 2		1 / 1			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Metropolitan Reproductive Medicine, PC

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW HOPE FERTILITY CENTER NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	92%	Tubal factor	19%	Uterine factor	3%	Multiple Factors: Female factors only 10% Female & male factors 9%
Unstimulated	50%	Used PGD	3%	Ovulatory dysfunction	3%	Male factor	16%	
Used gestational carrier	<1%			Diminished ovarian reserve	61%	Other factor	9%	
				Endometriosis	5%	Unknown factor	6%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 1705

Data verified by John J. Zhang, MD, PhD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	88	74	81	76	86	94
Percentage of cancellations	1.1	0.0	1.2	1.3	1.2	2.1
Average number of embryos transferred	1.2	1.3	1.2	1.3	1.2	1.1
Percentage of embryos transferred resulting in implantation	40.2	33.3	25.0	27.4	10.0	3.7
Percentage of elective single embryo transfer (eSET)	60.0	36.7	51.7	19.0	30.8	6 / 16
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	34.1	20.3	14.8	13.2	4.7	0.0
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0.0
Percentage of cycles resulting in live births	35.2	25.7	14.8	13.2	4.7	0.0
Percentage of cycles resulting in pregnancy	39.8	33.8	28.4	26.3	11.6	5.3
Outcomes per Transfer						
Number of transfers	78	69	75	65	81	72
Percentage of transfers resulting in singleton live births	38.5	21.7	16.0	15.4	4.9	0.0
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0.0
Percentage of transfers resulting in live births	39.7	27.5	16.0	15.4	4.9	0.0
Percentage of transfers resulting in pregnancy	44.9	36.2	30.7	30.8	12.3	6.9
Outcomes per Pregnancy						
Number of pregnancies	35	25	23	20	10	5
Percentage of pregnancies resulting in singleton live births	85.7	60.0	52.2	50.0	4 / 10	0 / 5
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 10	0 / 5
Percentage of pregnancies resulting in live births	88.6	76.0	52.2	50.0	4 / 10	0 / 5
Frozen Embryos from Nondonor Eggs						
Number of cycles	279	178	200	134	111	179
Number of transfers	278	177	199	134	111	177
Average number of embryos transferred	1.2	1.2	1.1	1.1	1.2	1.2
Percentage of embryos transferred resulting in implantation	51.1	48.0	33.3	21.5	16.8	11.7
Percentage of transfers resulting in singleton live births	29.5	27.7	18.6	7.5	6.3	8.5
Percentage of transfers resulting in triplets or more live births	0.4	0.0	0.0	0.0	0.0	0.0
Percentage of transfers resulting in live births	35.3	32.8	20.1	8.2	9.0	9.6
Percentage of transfers resulting in pregnancy	52.2	48.6	34.7	25.4	18.9	13.6
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	16		109			
Number of transfers	4		97			
Average number of embryos transferred	1.8		1.2			
Percentage of embryos transferred resulting in implantation	5 / 7		49.1			
Percentage of transfers resulting in singleton live births	3 / 4		34.0			
Percentage of transfers resulting in live births	3 / 4		39.2			
Percentage of transfers resulting in pregnancy	4 / 4		53.6			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: New Hope Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 2516 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW YORK FERTILITY INSTITUTE NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	92%	Tubal factor	<1%	Uterine factor	2%	Multiple Factors: Female factors only 2% Female & male factors 2%
Unstimulated	1%	Used PGD	49%	Ovulatory dysfunction	5%	Male factor	13%	
Used gestational carrier	0%			Diminished ovarian reserve	27%	Other factor	12%	
				Endometriosis	13%	Unknown factor	31%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 121

Data verified by Majid Fateh, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	10	15	21	14	9	4
Percentage of cancellations	0 / 10	0 / 15	4.8	2 / 14	0 / 9	2 / 4
Average number of embryos transferred	3.4	3.3	2.9	3.0	1.8	2.0
Percentage of embryos transferred resulting in implantation	19.4	16.0	12.7	6.1	1 / 11	0 / 4
Percentage of elective single embryo transfer (eSET)	0 / 9	0 / 15	1 / 17	0 / 11	0 / 3	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	2 / 10	6 / 15	28.6	1 / 14	1 / 9	0 / 4
Percentage of cycles resulting in triplets or more live births	0 / 10	0 / 15	0.0	0 / 14	0 / 9	0 / 4
Percentage of cycles resulting in live births	3 / 10	7 / 15	28.6	1 / 14	1 / 9	0 / 4
Percentage of cycles resulting in pregnancy	5 / 10	7 / 15	33.3	2 / 14	1 / 9	0 / 4
Outcomes per Transfer						
Number of transfers	9	15	19	11	6	2
Percentage of transfers resulting in singleton live births	2 / 9	6 / 15	6 / 19	1 / 11	1 / 6	0 / 2
Percentage of transfers resulting in triplets or more live births	0 / 9	0 / 15	0 / 19	0 / 11	0 / 6	0 / 2
Percentage of transfers resulting in live births	3 / 9	7 / 15	6 / 19	1 / 11	1 / 6	0 / 2
Percentage of transfers resulting in pregnancy	5 / 9	7 / 15	7 / 19	2 / 11	1 / 6	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	5	7	7	2	1	0
Percentage of pregnancies resulting in singleton live births	2 / 5	6 / 7	6 / 7	1 / 2	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 5	0 / 7	0 / 7	0 / 2	0 / 1	
Percentage of pregnancies resulting in live births	3 / 5	7 / 7	6 / 7	1 / 2	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	2	4	2	2	2
Number of transfers	4	2	4	2	2	2
Average number of embryos transferred	2.5	4.0	2.0	3.0	3.0	1.5
Percentage of embryos transferred resulting in implantation	2 / 10	2 / 8	0 / 8	0 / 6	1 / 6	0 / 3
Percentage of transfers resulting in singleton live births	0 / 4	1 / 2	0 / 4	0 / 2	0 / 2	0 / 2
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 2	0 / 4	0 / 2	0 / 2	0 / 2
Percentage of transfers resulting in live births	1 / 4	1 / 2	0 / 4	0 / 2	0 / 2	0 / 2
Percentage of transfers resulting in pregnancy	1 / 4	1 / 2	0 / 4	0 / 2	1 / 2	0 / 2
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	5		27			
Number of transfers	5		27			
Average number of embryos transferred	3.2		3.1			
Percentage of embryos transferred resulting in implantation	4 / 16		17.9			
Percentage of transfers resulting in singleton live births	2 / 5		48.1			
Percentage of transfers resulting in live births	3 / 5		51.9			
Percentage of transfers resulting in pregnancy	3 / 5		51.9			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: New York Fertility Institute

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 21 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**NEW YORK FERTILITY SERVICES, PC
BATZOFIN FERTILITY SERVICES, PC
NEW YORK, NEW YORK**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	86%	Tubal factor	4%	Uterine factor	8%	Multiple Factors: Female factors only 9% Female & male factors 4%
Unstimulated	0%	Used PGD	6%	Ovulatory dysfunction	15%	Male factor	13%	
Used gestational carrier	7%			Diminished ovarian reserve	33%	Other factor	23%	
				Endometriosis	6%	Unknown factor	12%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 171

Data verified by Joel Batzofin, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	43	18	32	18	6	5
Percentage of cancellations	0.0	0 / 18	0.0	0 / 18	0 / 6	0 / 5
Average number of embryos transferred	2.1	2.2	2.5	2.3	3.0	3.2
Percentage of embryos transferred resulting in implantation	27.6	20.0	13.4	2.8	0 / 15	0 / 16
Percentage of elective single embryo transfer (eSET)	11.8	0 / 15	0.0	1 / 12	0 / 3	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	20.9	1 / 18	9.4	1 / 18	0 / 6	0 / 5
Percentage of cycles resulting in triplets or more live births	0.0	0 / 18	3.1	0 / 18	0 / 6	0 / 5
Percentage of cycles resulting in live births	32.6	3 / 18	15.6	1 / 18	0 / 6	0 / 5
Percentage of cycles resulting in pregnancy	34.9	4 / 18	15.6	1 / 18	0 / 6	0 / 5
Outcomes per Transfer						
Number of transfers	37	16	27	16	5	5
Percentage of transfers resulting in singleton live births	24.3	1 / 16	11.1	1 / 16	0 / 5	0 / 5
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	3.7	0 / 16	0 / 5	0 / 5
Percentage of transfers resulting in live births	37.8	3 / 16	18.5	1 / 16	0 / 5	0 / 5
Percentage of transfers resulting in pregnancy	40.5	4 / 16	18.5	1 / 16	0 / 5	0 / 5
Outcomes per Pregnancy						
Number of pregnancies	15	4	5	1	0	0
Percentage of pregnancies resulting in singleton live births	9 / 15	1 / 4	3 / 5	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 15	0 / 4	1 / 5	0 / 1		
Percentage of pregnancies resulting in live births	14 / 15	3 / 4	5 / 5	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	1	2	0	0	0
Number of transfers	6	1	2	0	0	0
Average number of embryos transferred	2.3	2.0	1.5			
Percentage of embryos transferred resulting in implantation	2 / 14	0 / 2	0 / 3			
Percentage of transfers resulting in singleton live births	2 / 6	0 / 1	0 / 2			
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 1	0 / 2			
Percentage of transfers resulting in live births	2 / 6	0 / 1	0 / 2			
Percentage of transfers resulting in pregnancy	2 / 6	0 / 1	0 / 2			
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	29		10			
Number of transfers	28		8			
Average number of embryos transferred	2.3		2.1			
Percentage of embryos transferred resulting in implantation	21.5		6 / 17			
Percentage of transfers resulting in singleton live births	17.9		1 / 8			
Percentage of transfers resulting in live births	32.1		3 / 8			
Percentage of transfers resulting in pregnancy	35.7		4 / 8			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: New York Fertility Services, PC, Batzofin Fertility Services, PC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 9 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEWAY MEDICAL NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	33%	Tubal factor	20%	Uterine factor	6%
Unstimulated	0%	Used PGD	5%	Ovulatory dysfunction	4%	Male factor	7%
Used gestational carrier	0%			Diminished ovarian reserve	26%	Other factor	6%
				Endometriosis	2%	Unknown factor	33%
				Multiple Factors:			
						Female factors only	2%
						Female & male factors	0%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 55

Data verified by Jesse Hade, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	9	7	9	10	6	1
Percentage of cancellations	0/9	1/7	0/9	3/10	1/6	0/1
Average number of embryos transferred	1.7	2.0	2.1	2.7	1.8	3.0
Percentage of embryos transferred resulting in implantation	8/15	3/12	3/19	2/16	2/9	0/3
Percentage of elective single embryo transfer (eSET)	1/7	1/5	0/6	0/5	0/2	0/1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	5/9	2/7	3/9	0/10	2/6	0/1
Percentage of cycles resulting in triplets or more live births	0/9	0/7	0/9	0/10	0/6	0/1
Percentage of cycles resulting in live births	6/9	2/7	3/9	1/10	2/6	0/1
Percentage of cycles resulting in pregnancy	7/9	2/7	3/9	1/10	2/6	0/1
Outcomes per Transfer						
Number of transfers	9	6	9	6	5	1
Percentage of transfers resulting in singleton live births	5/9	2/6	3/9	0/6	2/5	0/1
Percentage of transfers resulting in triplets or more live births	0/9	0/6	0/9	0/6	0/5	0/1
Percentage of transfers resulting in live births	6/9	2/6	3/9	1/6	2/5	0/1
Percentage of transfers resulting in pregnancy	7/9	2/6	3/9	1/6	2/5	0/1
Outcomes per Pregnancy						
Number of pregnancies	7	2	3	1	2	0
Percentage of pregnancies resulting in singleton live births	5/7	2/2	3/3	0/1	2/2	
Percentage of pregnancies resulting in triplets or more live births	0/7	0/2	0/3	0/1	0/2	
Percentage of pregnancies resulting in live births	6/7	2/2	3/3	1/1	2/2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	3	3	0	0	0
Number of transfers	1	3	3	0	0	0
Average number of embryos transferred	1.0	2.0	2.0			
Percentage of embryos transferred resulting in implantation	0/1	2/6	0/6			
Percentage of transfers resulting in singleton live births	0/1	0/3	0/3			
Percentage of transfers resulting in triplets or more live births	0/1	0/3	0/3			
Percentage of transfers resulting in live births	0/1	1/3	0/3			
Percentage of transfers resulting in pregnancy	0/1	2/3	1/3			
All Ages Combined^f						
	Fresh Embryos			Frozen Embryos		
Number of cycles	3			3		
Number of transfers	3			3		
Average number of embryos transferred	2.3			1.7		
Percentage of embryos transferred resulting in implantation	4/7			2/5		
Percentage of transfers resulting in singleton live births	2/3			2/3		
Percentage of transfers resulting in live births	3/3			2/3		
Percentage of transfers resulting in pregnancy	3/3			2/3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2011. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 52 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**NYU FERTILITY CENTER
NEW YORK UNIVERSITY SCHOOL OF MEDICINE
NEW YORK, NEW YORK**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE			
Type of ART and Procedural Factors ^a		Patient Diagnosis ^b	
IVF	100%	With ICSI	27%
Unstimulated	<1%	Used PGD	7%
Used gestational carrier	<1%		
		Tubal factor	9%
		Ovulatory dysfunction	9%
		Diminished ovarian reserve	20%
		Endometriosis	9%
		Uterine factor	12%
		Male factor	19%
		Other factor	49%
		Unknown factor	13%
		<i>Multiple Factors:</i>	
		Female factors only 24%	
		Female & male factors 11%	

2011 ART SUCCESS RATES^{c,d} Number of cycles in table:^e 1440 Data verified by James A. Grifo, MD, PhD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	233	178	256	205	133	45
Percentage of cancellations	8.2	9.0	18.0	23.9	21.8	42.2
Average number of embryos transferred	1.8	2.0	2.3	2.6	3.1	2.9
Percentage of embryos transferred resulting in implantation	34.8	30.0	17.8	11.2	7.5	1.6
Percentage of elective single embryo transfer (eSET)	18.3	9.4	2.7	0.0	0.0	0 / 17
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.9	28.7	16.4	8.3	8.3	0.0
Percentage of cycles resulting in triplets or more live births	0.0	0.6	0.0	0.0	0.0	0.0
Percentage of cycles resulting in live births	36.9	36.0	18.8	10.2	9.0	0.0
Percentage of cycles resulting in pregnancy	43.3	41.0	28.5	17.6	15.8	4.4
Outcomes per Transfer						
Number of transfers	200	154	199	139	96	22
Percentage of transfers resulting in singleton live births	32.5	33.1	21.1	12.2	11.5	0.0
Percentage of transfers resulting in triplets or more live births	0.0	0.6	0.0	0.0	0.0	0.0
Percentage of transfers resulting in live births	43.0	41.6	24.1	15.1	12.5	0.0
Percentage of transfers resulting in pregnancy	50.5	47.4	36.7	25.9	21.9	9.1
Outcomes per Pregnancy						
Number of pregnancies	101	73	73	36	21	2
Percentage of pregnancies resulting in singleton live births	64.4	69.9	57.5	47.2	52.4	0 / 2
Percentage of pregnancies resulting in triplets or more live births	0.0	1.4	0.0	0.0	0.0	0 / 2
Percentage of pregnancies resulting in live births	85.1	87.7	65.8	58.3	57.1	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	89	71	70	30	7	3
Number of transfers	83	65	63	29	7	3
Average number of embryos transferred	1.7	1.7	1.8	1.6	2.0	2.0
Percentage of embryos transferred resulting in implantation	33.3	35.4	27.0	15.2	5 / 14	6 / 6
Percentage of transfers resulting in singleton live births	36.1	33.8	19.0	24.1	3 / 7	2 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 7	0 / 3
Percentage of transfers resulting in live births	42.2	41.5	27.0	24.1	3 / 7	2 / 3
Percentage of transfers resulting in pregnancy	54.2	58.5	42.9	34.5	5 / 7	3 / 3
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	80		40			
Number of transfers	77		33			
Average number of embryos transferred	1.8		1.6			
Percentage of embryos transferred resulting in implantation	56.1		34.6			
Percentage of transfers resulting in singleton live births	39.0		33.3			
Percentage of transfers resulting in live births	61.0		36.4			
Percentage of transfers resulting in pregnancy	74.0		51.5			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: NYU Fertility Center, New York University School of Medicine					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 507 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

OFFICES FOR FERTILITY AND REPRODUCTIVE MEDICINE NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	98%	Tubal factor	18%	Uterine factor	12%	
Unstimulated	0%	Used PGD	23%	Ovulatory dysfunction	26%	Male factor	69%	
Used gestational carrier	4%			Diminished ovarian reserve	69%	Other factor	24%	
				Endometriosis	9%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				17%
				Female & male factors				68%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 104

Data verified by Cecilia Schmidt-Sarosi, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	14	6	10	10	6	2
Percentage of cancellations	0 / 14	0 / 6	0 / 10	0 / 10	0 / 6	0 / 2
Average number of embryos transferred	2.0	2.6	2.0	2.3	2.8	1.5
Percentage of embryos transferred resulting in implantation	10.7	3 / 13	5 / 16	2 / 16	1 / 14	0 / 3
Percentage of elective single embryo transfer (eSET)	0 / 11	0 / 5	0 / 6	0 / 6	0 / 3	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	3 / 14	1 / 6	2 / 10	1 / 10	0 / 6	0 / 2
Percentage of cycles resulting in triplets or more live births	0 / 14	0 / 6	0 / 10	0 / 10	0 / 6	0 / 2
Percentage of cycles resulting in live births	3 / 14	2 / 6	3 / 10	1 / 10	0 / 6	0 / 2
Percentage of cycles resulting in pregnancy	4 / 14	2 / 6	4 / 10	3 / 10	1 / 6	0 / 2
Outcomes per Transfer						
Number of transfers	14	5	8	7	5	2
Percentage of transfers resulting in singleton live births	3 / 14	1 / 5	2 / 8	1 / 7	0 / 5	0 / 2
Percentage of transfers resulting in triplets or more live births	0 / 14	0 / 5	0 / 8	0 / 7	0 / 5	0 / 2
Percentage of transfers resulting in live births	3 / 14	2 / 5	3 / 8	1 / 7	0 / 5	0 / 2
Percentage of transfers resulting in pregnancy	4 / 14	2 / 5	4 / 8	3 / 7	1 / 5	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	4	2	4	3	1	0
Percentage of pregnancies resulting in singleton live births	3 / 4	1 / 2	2 / 4	1 / 3	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 4	0 / 2	0 / 4	0 / 3	0 / 1	
Percentage of pregnancies resulting in live births	3 / 4	2 / 2	3 / 4	1 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	10	4	3	0	1
Number of transfers	4	9	4	2	0	1
Average number of embryos transferred	1.3	1.4	2.0	2.0		1.0
Percentage of embryos transferred resulting in implantation	0 / 5	3 / 13	2 / 8	1 / 4		0 / 1
Percentage of transfers resulting in singleton live births	0 / 4	3 / 9	1 / 4	0 / 2		0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 9	0 / 4	0 / 2		0 / 1
Percentage of transfers resulting in live births	0 / 4	3 / 9	1 / 4	0 / 2		0 / 1
Percentage of transfers resulting in pregnancy	1 / 4	4 / 9	2 / 4	1 / 2		0 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		14		20		
Number of transfers		13		20		
Average number of embryos transferred		1.8		1.9		
Percentage of embryos transferred resulting in implantation		37.5		18.9		
Percentage of transfers resulting in singleton live births		5 / 13		20.0		
Percentage of transfers resulting in live births		6 / 13		25.0		
Percentage of transfers resulting in pregnancy		6 / 13		35.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Offices for Fertility and Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 40 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF NEW YORK, LLP NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	58%	Tubal factor	12%	Uterine factor	3%	
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	11%	Male factor	24%	
Used gestational carrier	0%			Diminished ovarian reserve	23%	Other factor	9%	
				Endometriosis	6%	Unknown factor	20%	
				Multiple Factors:				
				Female factors only				3%
				Female & male factors				3%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 2000

Data verified by Lawrence Grunfeld, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	473	327	407	230	128	34
Percentage of cancellations	5.3	7.3	15.5	20.4	19.5	32.4
Average number of embryos transferred	2.2	2.4	3.0	3.2	3.5	2.8
Percentage of embryos transferred resulting in implantation	35.7	24.6	17.6	8.8	3.8	0.0
Percentage of elective single embryo transfer (eSET)	2.0	2.0	2.1	0.0	0.0	0 / 15
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	34.5	23.2	20.4	12.6	6.3	0.0
Percentage of cycles resulting in triplets or more live births	0.2	0.3	0.5	0.4	0.0	0.0
Percentage of cycles resulting in live births	49.9	32.4	25.8	14.3	7.0	0.0
Percentage of cycles resulting in pregnancy	54.8	39.1	33.2	19.6	11.7	2.9
Outcomes per Transfer						
Number of transfers	435	279	312	163	97	19
Percentage of transfers resulting in singleton live births	37.5	27.2	26.6	17.8	8.2	0 / 19
Percentage of transfers resulting in triplets or more live births	0.2	0.4	0.6	0.6	0.0	0 / 19
Percentage of transfers resulting in live births	54.3	38.0	33.7	20.2	9.3	0 / 19
Percentage of transfers resulting in pregnancy	59.5	45.9	43.3	27.6	15.5	1 / 19
Outcomes per Pregnancy						
Number of pregnancies	259	128	135	45	15	1
Percentage of pregnancies resulting in singleton live births	62.9	59.4	61.5	64.4	8 / 15	0 / 1
Percentage of pregnancies resulting in triplets or more live births	0.4	0.8	1.5	2.2	0 / 15	0 / 1
Percentage of pregnancies resulting in live births	91.1	82.8	77.8	73.3	9 / 15	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	97	49	49	8	3	2
Number of transfers	92	48	47	7	2	2
Average number of embryos transferred	2.2	1.9	2.2	2.1	1.0	2.0
Percentage of embryos transferred resulting in implantation	29.5	18.0	21.6	3 / 15	0 / 2	0 / 4
Percentage of transfers resulting in singleton live births	32.6	20.8	31.9	3 / 7	0 / 2	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 7	0 / 2	0 / 2
Percentage of transfers resulting in live births	45.7	22.9	36.2	3 / 7	0 / 2	0 / 2
Percentage of transfers resulting in pregnancy	53.3	35.4	40.4	3 / 7	0 / 2	0 / 2
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	154		39			
Number of transfers	151		36			
Average number of embryos transferred	2.2		1.9			
Percentage of embryos transferred resulting in implantation	38.8		15.9			
Percentage of transfers resulting in singleton live births	30.5		22.2			
Percentage of transfers resulting in live births	52.3		22.2			
Percentage of transfers resulting in pregnancy	63.6		36.1			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine Associates of New York, LLP

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 146 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**GEOFFREY SHER, MD, PC
NEW YORK, NEW YORK**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	84%	Tubal factor	2%	Uterine factor	<1%	Multiple Factors: Female factors only 4% Female & male factors 1%
Unstimulated	3%	Used PGD	13%	Ovulatory dysfunction	3%	Male factor	4%	
Used gestational carrier	0%			Diminished ovarian reserve	61%	Other factor	4%	
				Endometriosis	2%	Unknown factor	29%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 456

Data verified by Drew V. Tortoriello, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	83	60	67	68	35	16
Percentage of cancellations	3.6	8.3	10.4	11.8	25.7	7 / 16
Average number of embryos transferred	2.0	2.2	2.1	2.5	3.5	3.6
Percentage of embryos transferred resulting in implantation	51.0	30.4	19.6	9.6	6.8	1 / 18
Percentage of elective single embryo transfer (eSET)	9.0	2.6	0.0	0.0	0 / 15	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	32.5	20.0	10.4	10.3	2.9	0 / 16
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 16
Percentage of cycles resulting in live births	59.0	31.7	14.9	11.8	2.9	0 / 16
Percentage of cycles resulting in pregnancy	61.4	36.7	22.4	14.7	11.4	1 / 16
Outcomes per Transfer						
Number of transfers	75	47	46	45	17	5
Percentage of transfers resulting in singleton live births	36.0	25.5	15.2	15.6	1 / 17	0 / 5
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 17	0 / 5
Percentage of transfers resulting in live births	65.3	40.4	21.7	17.8	1 / 17	0 / 5
Percentage of transfers resulting in pregnancy	68.0	46.8	32.6	22.2	4 / 17	1 / 5
Outcomes per Pregnancy						
Number of pregnancies	51	22	15	10	4	1
Percentage of pregnancies resulting in singleton live births	52.9	54.5	7 / 15	7 / 10	1 / 4	0 / 1
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0 / 15	0 / 10	0 / 4	0 / 1
Percentage of pregnancies resulting in live births	96.1	86.4	10 / 15	8 / 10	1 / 4	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	23	13	20	14	7	2
Number of transfers	22	12	18	14	7	1
Average number of embryos transferred	2.2	1.6	1.8	2.4	2.3	1.0
Percentage of embryos transferred resulting in implantation	43.8	5 / 19	34.4	26.5	3 / 16	0 / 1
Percentage of transfers resulting in singleton live births	22.7	3 / 12	8 / 18	3 / 14	1 / 7	0 / 1
Percentage of transfers resulting in triplets or more live births	4.5	0 / 12	0 / 18	0 / 14	0 / 7	0 / 1
Percentage of transfers resulting in live births	50.0	3 / 12	9 / 18	3 / 14	1 / 7	0 / 1
Percentage of transfers resulting in pregnancy	59.1	5 / 12	10 / 18	6 / 14	3 / 7	0 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		26		22		
Number of transfers		24		20		
Average number of embryos transferred		2.0		1.9		
Percentage of embryos transferred resulting in implantation		62.5		48.6		
Percentage of transfers resulting in singleton live births		58.3		50.0		
Percentage of transfers resulting in live births		70.8		65.0		
Percentage of transfers resulting in pregnancy		87.5		75.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Geoffrey Sher, MD, PC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 146 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WEILL MEDICAL COLLEGE OF CORNELL UNIVERSITY
THE CENTER FOR REPRODUCTIVE MEDICINE AND INFERTILITY
NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	66%	Tubal factor	16%	Uterine factor	5%
Unstimulated	1%	Used PGD	4%	Ovulatory dysfunction	8%	Male factor	32%
Used gestational carrier	<1%			Diminished ovarian reserve	51%	Other factor	4%
				Endometriosis	13%	Unknown factor	8%
				Multiple Factors: Female factors only 16% Female & male factors 16%			

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 3263

Data verified by Zev Rosenwaks, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	633	530	642	482	247	77
Percentage of cancellations	7.1	9.8	14.3	19.9	23.1	42.9
Average number of embryos transferred	2.1	2.5	2.9	3.3	3.6	3.6
Percentage of embryos transferred resulting in implantation	30.4	22.2	17.3	9.5	3.8	1.5
Percentage of elective single embryo transfer (eSET)	4.5	2.1	1.1	0.6	0.0	0.0
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	28.1	19.1	20.4	12.0	5.3	0.0
Percentage of cycles resulting in triplets or more live births	0.0	0.2	0.0	0.0	0.0	0.0
Percentage of cycles resulting in live births	38.1	29.2	24.9	14.3	6.1	0.0
Percentage of cycles resulting in pregnancy	43.3	36.2	32.7	22.2	8.9	3.9
Outcomes per Transfer						
Number of transfers	548	462	507	370	177	36
Percentage of transfers resulting in singleton live births	32.5	21.9	25.8	15.7	7.3	0.0
Percentage of transfers resulting in triplets or more live births	0.0	0.2	0.0	0.0	0.0	0.0
Percentage of transfers resulting in live births	44.0	33.5	31.6	18.6	8.5	0.0
Percentage of transfers resulting in pregnancy	50.0	41.6	41.4	28.9	12.4	8.3
Outcomes per Pregnancy						
Number of pregnancies	274	192	210	107	22	3
Percentage of pregnancies resulting in singleton live births	65.0	52.6	62.4	54.2	59.1	0 / 3
Percentage of pregnancies resulting in triplets or more live births	0.0	0.5	0.0	0.0	0.0	0 / 3
Percentage of pregnancies resulting in live births	88.0	80.7	76.2	64.5	68.2	0 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	163	92	79	29	14	6
Number of transfers	141	84	69	27	11	4
Average number of embryos transferred	1.7	1.6	1.7	1.9	1.7	2.0
Percentage of embryos transferred resulting in implantation	32.9	30.6	28.2	7.8	1 / 19	0 / 8
Percentage of transfers resulting in singleton live births	28.4	39.3	31.9	7.4	1 / 11	0 / 4
Percentage of transfers resulting in triplets or more live births	0.0	0.0	1.4	0.0	0 / 11	0 / 4
Percentage of transfers resulting in live births	38.3	42.9	34.8	11.1	1 / 11	0 / 4
Percentage of transfers resulting in pregnancy	46.1	48.8	42.0	11.1	1 / 11	0 / 4
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	180		89			
Number of transfers	157		76			
Average number of embryos transferred	2.0		1.8			
Percentage of embryos transferred resulting in implantation	44.4		21.6			
Percentage of transfers resulting in singleton live births	35.0		26.3			
Percentage of transfers resulting in live births	55.4		30.3			
Percentage of transfers resulting in pregnancy	62.4		38.2			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Weill Medical College of Cornell University, The Center for Reproductive Medicine and Infertility					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 104 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

EAST COAST FERTILITY PLAINVIEW, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	56%	Tubal factor	18%	Uterine factor	2%	
Unstimulated	<1%	Used PGD	4%	Ovulatory dysfunction	15%	Male factor	32%	
Used gestational carrier	0%			Diminished ovarian reserve	24%	Other factor	15%	
				Endometriosis	9%	Unknown factor	14%	
				Multiple Factors:				
				Female factors only				10%
				Female & male factors				16%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 762

Data verified by David Kreiner, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	193	105	93	68	42	18
Percentage of cancellations	4.1	10.5	8.6	10.3	23.8	9 / 18
Average number of embryos transferred	1.6	1.9	2.5	2.7	3.1	2.6
Percentage of embryos transferred resulting in implantation	37.2	30.8	18.4	14.6	3.4	0.0
Percentage of elective single embryo transfer (eSET)	35.8	13.8	4.5	2.6	0.0	0 / 6
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	35.8	21.0	22.6	13.2	2.4	0 / 18
Percentage of cycles resulting in triplets or more live births	0.5	0.0	0.0	0.0	0.0	0 / 18
Percentage of cycles resulting in live births	40.4	27.6	26.9	14.7	2.4	0 / 18
Percentage of cycles resulting in pregnancy	50.3	37.1	31.2	23.5	4.8	0 / 18
Outcomes per Transfer						
Number of transfers	178	82	77	49	28	8
Percentage of transfers resulting in singleton live births	38.8	26.8	27.3	18.4	3.6	0 / 8
Percentage of transfers resulting in triplets or more live births	0.6	0.0	0.0	0.0	0.0	0 / 8
Percentage of transfers resulting in live births	43.8	35.4	32.5	20.4	3.6	0 / 8
Percentage of transfers resulting in pregnancy	54.5	47.6	37.7	32.7	7.1	0 / 8
Outcomes per Pregnancy						
Number of pregnancies	97	39	29	16	2	0
Percentage of pregnancies resulting in singleton live births	71.1	56.4	72.4	9 / 16	1 / 2	
Percentage of pregnancies resulting in triplets or more live births	1.0	0.0	0.0	0 / 16	0 / 2	
Percentage of pregnancies resulting in live births	80.4	74.4	86.2	10 / 16	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	95	45	29	6	9	6
Number of transfers	92	38	25	6	7	2
Average number of embryos transferred	1.7	1.7	1.9	1.7	1.9	1.0
Percentage of embryos transferred resulting in implantation	25.3	20.3	12.8	0 / 10	1 / 13	2 / 2
Percentage of transfers resulting in singleton live births	27.2	21.1	20.0	0 / 6	1 / 7	1 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 6	0 / 7	0 / 2
Percentage of transfers resulting in live births	31.5	23.7	20.0	0 / 6	1 / 7	1 / 2
Percentage of transfers resulting in pregnancy	39.1	28.9	24.0	0 / 6	1 / 7	2 / 2
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			34		19	
Number of transfers			33		18	
Average number of embryos transferred			1.7		1.4	
Percentage of embryos transferred resulting in implantation			40.4		28.0	
Percentage of transfers resulting in singleton live births			39.4		5 / 18	
Percentage of transfers resulting in live births			45.5		6 / 18	
Percentage of transfers resulting in pregnancy			57.6		6 / 18	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: East Coast Fertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 26 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ROCHESTER FERTILITY CARE, PC ROCHESTER, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	78%	Tubal factor	18%	Uterine factor	3%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	18%	Male factor	36%	
Used gestational carrier	0%			Diminished ovarian reserve	24%	Other factor	17%	
				Endometriosis	18%	Unknown factor	9%	
				Multiple Factors:				
				Female factors only				13%
				Female & male factors				21%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 126

Data verified by Rosalind A. Hayes, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	43	23	21	2	1	0
Percentage of cancellations	16.3	30.4	19.0	0 / 2	0 / 1	
Average number of embryos transferred	2.2	2.8	2.9	2.5	5.0	
Percentage of embryos transferred resulting in implantation	27.7	15.9	13.6	1 / 5	0 / 5	
Percentage of elective single embryo transfer (eSET)	3.4	0 / 14	0 / 14	0 / 2	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	11.6	21.7	14.3	1 / 2	0 / 1	
Percentage of cycles resulting in triplets or more live births	2.3	0.0	0.0	0 / 2	0 / 1	
Percentage of cycles resulting in live births	23.3	26.1	19.0	1 / 2	0 / 1	
Percentage of cycles resulting in pregnancy	25.6	26.1	23.8	1 / 2	0 / 1	
Outcomes per Transfer						
Number of transfers	29	16	15	2	1	0
Percentage of transfers resulting in singleton live births	17.2	5 / 16	3 / 15	1 / 2	0 / 1	
Percentage of transfers resulting in triplets or more live births	3.4	0 / 16	0 / 15	0 / 2	0 / 1	
Percentage of transfers resulting in live births	34.5	6 / 16	4 / 15	1 / 2	0 / 1	
Percentage of transfers resulting in pregnancy	37.9	6 / 16	5 / 15	1 / 2	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	11	6	5	1	0	0
Percentage of pregnancies resulting in singleton live births	5 / 11	5 / 6	3 / 5	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	1 / 11	0 / 6	0 / 5	0 / 1		
Percentage of pregnancies resulting in live births	10 / 11	6 / 6	4 / 5	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	10	3	1	0	1	0
Number of transfers	10	3	1	0	0	0
Average number of embryos transferred	2.1	1.7	1.0			
Percentage of embryos transferred resulting in implantation	23.8	0 / 5	0 / 1			
Percentage of transfers resulting in singleton live births	3 / 10	0 / 3	0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 10	0 / 3	0 / 1			
Percentage of transfers resulting in live births	4 / 10	0 / 3	0 / 1			
Percentage of transfers resulting in pregnancy	4 / 10	0 / 3	0 / 1			
All Ages Combined^f						
	Fresh Embryos			Frozen Embryos		
Number of cycles	11			10		
Number of transfers	10			8		
Average number of embryos transferred	2.3			2.1		
Percentage of embryos transferred resulting in implantation	26.1			4 / 17		
Percentage of transfers resulting in singleton live births	4 / 10			2 / 8		
Percentage of transfers resulting in live births	4 / 10			3 / 8		
Percentage of transfers resulting in pregnancy	6 / 10			3 / 8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Rochester Fertility Care, PC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

STRONG FERTILITY CENTER ROCHESTER, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	77%	Tubal factor	16%	Uterine factor	4%
Unstimulated	0%	Used PGD	5%	Ovulatory dysfunction	12%	Male factor	47%
Used gestational carrier	0%			Diminished ovarian reserve	16%	Other factor	16%
				Endometriosis	7%	Unknown factor	14%
				Multiple Factors:			
						Female factors only	9%
						Female & male factors	18%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 274

Data verified by John T. Queenan, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	87	36	33	15	3	0
Percentage of cancellations	10.3	8.3	24.2	2 / 15	0 / 3	
Average number of embryos transferred	2.2	2.7	3.0	3.1	4.3	
Percentage of embryos transferred resulting in implantation	26.4	32.2	9.7	5.0	0 / 13	
Percentage of elective single embryo transfer (eSET)	0.0	0.0	0.0	0 / 11	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	24.1	19.4	15.2	0 / 15	0 / 3	
Percentage of cycles resulting in triplets or more live births	2.3	0.0	0.0	0 / 15	0 / 3	
Percentage of cycles resulting in live births	34.5	44.4	18.2	0 / 15	0 / 3	
Percentage of cycles resulting in pregnancy	37.9	47.2	21.2	2 / 15	0 / 3	
Outcomes per Transfer						
Number of transfers	74	33	24	13	3	0
Percentage of transfers resulting in singleton live births	28.4	21.2	20.8	0 / 13	0 / 3	
Percentage of transfers resulting in triplets or more live births	2.7	0.0	0.0	0 / 13	0 / 3	
Percentage of transfers resulting in live births	40.5	48.5	25.0	0 / 13	0 / 3	
Percentage of transfers resulting in pregnancy	44.6	51.5	29.2	2 / 13	0 / 3	
Outcomes per Pregnancy						
Number of pregnancies	33	17	7	2	0	0
Percentage of pregnancies resulting in singleton live births	63.6	7 / 17	5 / 7	0 / 2		
Percentage of pregnancies resulting in triplets or more live births	6.1	0 / 17	0 / 7	0 / 2		
Percentage of pregnancies resulting in live births	90.9	16 / 17	6 / 7	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	26	16	3	5	1	2
Number of transfers	23	16	3	5	1	2
Average number of embryos transferred	1.9	1.8	2.0	2.6	5.0	1.5
Percentage of embryos transferred resulting in implantation	25.6	6.9	0 / 6	2 / 13	0 / 5	0 / 3
Percentage of transfers resulting in singleton live births	34.8	2 / 16	0 / 3	1 / 5	0 / 1	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0 / 3	0 / 5	0 / 1	0 / 2
Percentage of transfers resulting in live births	39.1	2 / 16	0 / 3	1 / 5	0 / 1	0 / 2
Percentage of transfers resulting in pregnancy	47.8	3 / 16	0 / 3	2 / 5	0 / 1	0 / 2
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			26		21	
Number of transfers			24		21	
Average number of embryos transferred			2.1		2.0	
Percentage of embryos transferred resulting in implantation			42.0		21.4	
Percentage of transfers resulting in singleton live births			20.8		23.8	
Percentage of transfers resulting in live births			50.0		28.6	
Percentage of transfers resulting in pregnancy			54.2		38.1	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Strong Fertility Center

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 4 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ISLAND REPRODUCTIVE SERVICES STATEN ISLAND, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE								
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	85%	Tubal factor	28%	Uterine factor	16%	Multiple Factors: Female factors only 19% Female & male factors 43%
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	23%	Male factor	55%	
Used gestational carrier	0%			Diminished ovarian reserve	44%	Other factor	10%	
				Endometriosis	9%	Unknown factor	1%	

2011 ART SUCCESS RATES ^{c,d}		Number of cycles in table: ^e 306						Data verified by Eric S. Knochenhauer, MD
Type of Cycle		Age of Woman						
		<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs								
Number of cycles		51	43	39	24	18	12	
Percentage of cancellations		5.9	9.3	15.4	16.7	2 / 18	6 / 12	
Average number of embryos transferred		1.9	2.2	2.6	3.0	3.2	1.5	
Percentage of embryos transferred resulting in implantation		27.4	23.5	15.5	11.9	2.4	0 / 6	
Percentage of elective single embryo transfer (eSET)		25.0	5.7	3.3	0.0	0 / 13	0 / 2	
Outcomes per Cycle								
Percentage of cycles resulting in singleton live births		19.6	18.6	20.5	12.5	1 / 18	0 / 12	
Percentage of cycles resulting in triplets or more live births		0.0	2.3	0.0	0.0	0 / 18	0 / 12	
Percentage of cycles resulting in live births		27.5	27.9	25.6	12.5	1 / 18	0 / 12	
Percentage of cycles resulting in pregnancy		39.2	32.6	28.2	25.0	1 / 18	0 / 12	
Outcomes per Transfer								
Number of transfers		45	37	32	20	13	4	
Percentage of transfers resulting in singleton live births		22.2	21.6	25.0	15.0	1 / 13	0 / 4	
Percentage of transfers resulting in triplets or more live births		0.0	2.7	0.0	0.0	0 / 13	0 / 4	
Percentage of transfers resulting in live births		31.1	32.4	31.3	15.0	1 / 13	0 / 4	
Percentage of transfers resulting in pregnancy		44.4	37.8	34.4	30.0	1 / 13	0 / 4	
Outcomes per Pregnancy								
Number of pregnancies		20	14	11	6	1	0	
Percentage of pregnancies resulting in singleton live births		50.0	8 / 14	8 / 11	3 / 6	1 / 1		
Percentage of pregnancies resulting in triplets or more live births		0.0	1 / 14	0 / 11	0 / 6	0 / 1		
Percentage of pregnancies resulting in live births		70.0	12 / 14	10 / 11	3 / 6	1 / 1		
Frozen Embryos from Nondonor Eggs								
Number of cycles		35	29	13	6	4	2	
Number of transfers		35	26	13	6	4	1	
Average number of embryos transferred		1.9	1.8	1.9	2.2	3.0	1.0	
Percentage of embryos transferred resulting in implantation		30.3	32.6	0.0	0 / 13	2 / 12	0 / 1	
Percentage of transfers resulting in singleton live births		14.3	34.6	0 / 13	0 / 6	1 / 4	0 / 1	
Percentage of transfers resulting in triplets or more live births		0.0	0.0	0 / 13	0 / 6	0 / 4	0 / 1	
Percentage of transfers resulting in live births		25.7	46.2	0 / 13	0 / 6	1 / 4	0 / 1	
Percentage of transfers resulting in pregnancy		48.6	46.2	1 / 13	0 / 6	2 / 4	0 / 1	
All Ages Combined^f								
Donor Eggs		Fresh Embryos			Frozen Embryos			
Number of cycles		11			19			
Number of transfers		9			19			
Average number of embryos transferred		1.9			1.9			
Percentage of embryos transferred resulting in implantation		6 / 17			37.8			
Percentage of transfers resulting in singleton live births		3 / 9			3 / 19			
Percentage of transfers resulting in live births		4 / 9			7 / 19			
Percentage of transfers resulting in pregnancy		5 / 9			10 / 19			

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Island Reproductive Services					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 14 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**GOLD COAST IVF
REPRODUCTIVE MEDICINE AND SURGERY CENTER
SYOSSET, NEW YORK**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	87%	Tubal factor	15%	Uterine factor	5%
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	17%	Male factor	36%
Used gestational carrier	0%			Diminished ovarian reserve	52%	Other factor	9%
				Endometriosis	8%	Unknown factor	7%
				Multiple Factors: Female factors only 15% Female & male factors 28%			

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 131

Data verified by Steven F. Palter, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	37	18	30	8	4	2
Percentage of cancellations	2.7	0 / 18	3.3	1 / 8	1 / 4	0 / 2
Average number of embryos transferred	2.2	2.8	3.3	2.7	4.3	5.5
Percentage of embryos transferred resulting in implantation	36.5	18.8	21.6	2 / 19	1 / 13	0 / 11
Percentage of elective single embryo transfer (eSET)	0.0	0 / 17	0.0	0 / 5	0 / 3	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	32.4	4 / 18	30.0	1 / 8	0 / 4	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0 / 18	3.3	0 / 8	0 / 4	0 / 2
Percentage of cycles resulting in live births	48.6	6 / 18	40.0	1 / 8	0 / 4	0 / 2
Percentage of cycles resulting in pregnancy	54.1	8 / 18	50.0	2 / 8	1 / 4	0 / 2
Outcomes per Transfer						
Number of transfers	34	17	29	7	3	2
Percentage of transfers resulting in singleton live births	35.3	4 / 17	31.0	1 / 7	0 / 3	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0 / 17	3.4	0 / 7	0 / 3	0 / 2
Percentage of transfers resulting in live births	52.9	6 / 17	41.4	1 / 7	0 / 3	0 / 2
Percentage of transfers resulting in pregnancy	58.8	8 / 17	51.7	2 / 7	1 / 3	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	20	8	15	2	1	0
Percentage of pregnancies resulting in singleton live births	60.0	4 / 8	9 / 15	1 / 2	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 8	1 / 15	0 / 2	0 / 1	
Percentage of pregnancies resulting in live births	90.0	6 / 8	12 / 15	1 / 2	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	4	2	0	0	0
Number of transfers	7	4	2	0	0	0
Average number of embryos transferred	2.1	2.3	2.5			
Percentage of embryos transferred resulting in implantation	6 / 15	4 / 9	0 / 5			
Percentage of transfers resulting in singleton live births	4 / 7	1 / 4	0 / 2			
Percentage of transfers resulting in triplets or more live births	0 / 7	0 / 4	0 / 2			
Percentage of transfers resulting in live births	5 / 7	2 / 4	0 / 2			
Percentage of transfers resulting in pregnancy	6 / 7	2 / 4	0 / 2			
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	14		5			
Number of transfers	14		5			
Average number of embryos transferred	2.1		2.2			
Percentage of embryos transferred resulting in implantation	43.3		6 / 11			
Percentage of transfers resulting in singleton live births	4 / 14		3 / 5			
Percentage of transfers resulting in live births	7 / 14		4 / 5			
Percentage of transfers resulting in pregnancy	8 / 14		5 / 5			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Gold Coast IVF, Reproductive Medicine and Surgery Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CNY FERTILITY CENTER SYRACUSE, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	88%	Tubal factor	23%	Uterine factor	12%	
Unstimulated	<1%	Used PGD	4%	Ovulatory dysfunction	15%	Male factor	29%	
Used gestational carrier	<1%			Diminished ovarian reserve	31%	Other factor	17%	
				Endometriosis	15%	Unknown factor	11%	
				Multiple Factors:				
				Female factors only				23%
				Female & male factors				17%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 2295

Data verified by Robert J. Kiltz, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	734	313	357	202	59	51
Percentage of cancellations	5.2	9.3	11.5	11.4	8.5	21.6
Average number of embryos transferred	2.3	2.7	3.1	3.2	2.6	2.5
Percentage of embryos transferred resulting in implantation	26.3	20.8	10.0	5.1	2.2	0.0
Percentage of elective single embryo transfer (eSET)	4.8	3.0	0.0	0.8	0.0	0 / 17
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.4	19.5	10.4	5.9	0.0	0.0
Percentage of cycles resulting in triplets or more live births	0.5	1.6	0.8	0.0	0.0	0.0
Percentage of cycles resulting in live births	34.7	26.5	13.7	6.9	1.7	0.0
Percentage of cycles resulting in pregnancy	41.4	33.9	20.4	11.4	1.7	0.0
Outcomes per Transfer						
Number of transfers	660	257	279	140	36	24
Percentage of transfers resulting in singleton live births	26.1	23.7	13.3	8.6	0.0	0.0
Percentage of transfers resulting in triplets or more live births	0.6	1.9	1.1	0.0	0.0	0.0
Percentage of transfers resulting in live births	38.6	32.3	17.6	10.0	2.8	0.0
Percentage of transfers resulting in pregnancy	46.1	41.2	26.2	16.4	2.8	0.0
Outcomes per Pregnancy						
Number of pregnancies	304	106	73	23	1	0
Percentage of pregnancies resulting in singleton live births	56.6	57.5	50.7	52.2	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	1.3	4.7	4.1	0.0	0 / 1	
Percentage of pregnancies resulting in live births	83.9	78.3	67.1	60.9	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	155	53	69	10	3	3
Number of transfers	155	53	69	10	3	3
Average number of embryos transferred	2.1	2.0	2.3	1.8	1.7	2.3
Percentage of embryos transferred resulting in implantation	15.4	10.5	6.4	4 / 18	0 / 5	0 / 7
Percentage of transfers resulting in singleton live births	18.1	15.1	11.6	4 / 10	0 / 3	0 / 3
Percentage of transfers resulting in triplets or more live births	0.6	0.0	0.0	0 / 10	0 / 3	0 / 3
Percentage of transfers resulting in live births	23.2	15.1	11.6	4 / 10	0 / 3	0 / 3
Percentage of transfers resulting in pregnancy	27.7	20.8	17.4	4 / 10	0 / 3	0 / 3
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		217		69		
Number of transfers		183		68		
Average number of embryos transferred		2.5		2.3		
Percentage of embryos transferred resulting in implantation		30.3		12.3		
Percentage of transfers resulting in singleton live births		26.2		20.6		
Percentage of transfers resulting in live births		42.1		23.5		
Percentage of transfers resulting in pregnancy		53.6		26.5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: CNY Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 21 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY IVF
SUNY UPSTATE MEDICAL UNIVERSITY
SYRACUSE, NEW YORK**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	92%	Tubal factor	14%	Uterine factor	0%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	14%	Male factor	50%
Used gestational carrier	0%			Diminished ovarian reserve	36%	Other factor	29%
				Endometriosis	7%	Unknown factor	14%
				Multiple Factors: Female factors only 14% Female & male factors 43%			

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 14

Data verified by Shawky Z. Badawy, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	6	3	4	0	0	0
Percentage of cancellations	0 / 6	1 / 3	0 / 4			
Average number of embryos transferred	3.0	2.5	2.0			
Percentage of embryos transferred resulting in implantation	0 / 15	1 / 5	0 / 6			
Percentage of elective single embryo transfer (eSET)	0 / 5	0 / 2	0 / 2			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	0 / 6	0 / 3	0 / 4			
Percentage of cycles resulting in triplets or more live births	0 / 6	0 / 3	0 / 4			
Percentage of cycles resulting in live births	0 / 6	0 / 3	0 / 4			
Percentage of cycles resulting in pregnancy	0 / 6	1 / 3	0 / 4			
Outcomes per Transfer						
Number of transfers	5	2	4	0	0	0
Percentage of transfers resulting in singleton live births	0 / 5	0 / 2	0 / 4			
Percentage of transfers resulting in triplets or more live births	0 / 5	0 / 2	0 / 4			
Percentage of transfers resulting in live births	0 / 5	0 / 2	0 / 4			
Percentage of transfers resulting in pregnancy	0 / 5	1 / 2	0 / 4			
Outcomes per Pregnancy						
Number of pregnancies	0	1	0	0	0	0
Percentage of pregnancies resulting in singleton live births		0 / 1				
Percentage of pregnancies resulting in triplets or more live births		0 / 1				
Percentage of pregnancies resulting in live births		0 / 1				
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	0	0	0	0	0
Number of transfers	1	0	0	0	0	0
Average number of embryos transferred	4.0					
Percentage of embryos transferred resulting in implantation	0 / 4					
Percentage of transfers resulting in singleton live births	0 / 1					
Percentage of transfers resulting in triplets or more live births	0 / 1					
Percentage of transfers resulting in live births	0 / 1					
Percentage of transfers resulting in pregnancy	0 / 1					

All Ages Combined^f

Donor Eggs	Fresh Embryos	Frozen Embryos
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation		
Percentage of transfers resulting in singleton live births		
Percentage of transfers resulting in live births		
Percentage of transfers resulting in pregnancy		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University IVF, SUNY Upstate Medical University					
Donor egg?	No	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WESTCHESTER FERTILITY AND REPRODUCTIVE ENDOCRINOLOGY WHITE PLAINS, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	74%	Tubal factor	33%	Uterine factor	27%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	14%	Male factor	31%	
Used gestational carrier	0%			Diminished ovarian reserve	75%	Other factor	3%	
				Endometriosis	13%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				44%
				Female & male factors				26%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 106

Data verified by Michael B. Blotner, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	26	11	13	29	8	5
Percentage of cancellations	3.8	1 / 11	3 / 13	31.0	2 / 8	4 / 5
Average number of embryos transferred	2.2	1.9	2.3	2.7	2.0	2.0
Percentage of embryos transferred resulting in implantation	34.1	10 / 17	17.4	7.0	0 / 6	0 / 2
Percentage of elective single embryo transfer (eSET)	10.0	1 / 8	0 / 9	0 / 16	0 / 3	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.9	4 / 11	1 / 13	10.3	0 / 8	0 / 5
Percentage of cycles resulting in triplets or more live births	0.0	0 / 11	0 / 13	0.0	0 / 8	0 / 5
Percentage of cycles resulting in live births	34.6	5 / 11	1 / 13	10.3	0 / 8	0 / 5
Percentage of cycles resulting in pregnancy	50.0	6 / 11	2 / 13	10.3	0 / 8	0 / 5
Outcomes per Transfer						
Number of transfers	20	9	10	16	3	1
Percentage of transfers resulting in singleton live births	35.0	4 / 9	1 / 10	3 / 16	0 / 3	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 9	0 / 10	0 / 16	0 / 3	0 / 1
Percentage of transfers resulting in live births	45.0	5 / 9	1 / 10	3 / 16	0 / 3	0 / 1
Percentage of transfers resulting in pregnancy	65.0	6 / 9	2 / 10	3 / 16	0 / 3	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	13	6	2	3	0	0
Percentage of pregnancies resulting in singleton live births	7 / 13	4 / 6	1 / 2	3 / 3		
Percentage of pregnancies resulting in triplets or more live births	0 / 13	0 / 6	0 / 2	0 / 3		
Percentage of pregnancies resulting in live births	9 / 13	5 / 6	1 / 2	3 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	2	7	1	0	0
Number of transfers	2	2	4	1	0	0
Average number of embryos transferred	2.0	2.0	1.8	2.0		
Percentage of embryos transferred resulting in implantation	2 / 4	1 / 4	2 / 7	0 / 2		
Percentage of transfers resulting in singleton live births	0 / 2	1 / 2	0 / 4	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 2	0 / 2	0 / 4	0 / 1		
Percentage of transfers resulting in live births	0 / 2	1 / 2	0 / 4	0 / 1		
Percentage of transfers resulting in pregnancy	1 / 2	1 / 2	1 / 4	0 / 1		
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	2		0			
Number of transfers	2		0			
Average number of embryos transferred	2.0					
Percentage of embryos transferred resulting in implantation	1 / 4					
Percentage of transfers resulting in singleton live births	1 / 2					
Percentage of transfers resulting in live births	1 / 2					
Percentage of transfers resulting in pregnancy	1 / 2					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Westchester Fertility and Reproductive Endocrinology

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 3 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTH CAROLINA CENTER FOR REPRODUCTIVE MEDICINE THE TALBERT FERTILITY INSTITUTE CARY, NORTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	97%	Tubal factor	14%	Uterine factor	29%
Unstimulated	0%	Used PGD	5%	Ovulatory dysfunction	16%	Male factor	54%
Used gestational carrier	4%			Diminished ovarian reserve	47%	Other factor	11%
				Endometriosis	8%	Unknown factor	2%
				Multiple Factors: Female factors only 16% Female & male factors 45%			

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 265

Data verified by Sameh K. Toma, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	82	36	26	6	2	1
Percentage of cancellations	3.7	0.0	0.0	0 / 6	0 / 2	0 / 1
Average number of embryos transferred	2.5	2.9	3.4	3.8	4.0	1.0
Percentage of embryos transferred resulting in implantation	21.7	11.3	7.1	3 / 15	0 / 4	0 / 1
Percentage of elective single embryo transfer (eSET)	1.4	0.0	0.0	0 / 4	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	28.0	13.9	11.5	1 / 6	0 / 2	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 6	0 / 2	0 / 1
Percentage of cycles resulting in live births	36.6	22.2	11.5	2 / 6	0 / 2	0 / 1
Percentage of cycles resulting in pregnancy	42.7	27.8	23.1	2 / 6	0 / 2	0 / 1
Outcomes per Transfer						
Number of transfers	74	34	25	4	1	1
Percentage of transfers resulting in singleton live births	31.1	14.7	12.0	1 / 4	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in live births	40.5	23.5	12.0	2 / 4	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	47.3	29.4	24.0	2 / 4	0 / 1	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	35	10	6	2	0	0
Percentage of pregnancies resulting in singleton live births	65.7	5 / 10	3 / 6	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 10	0 / 6	0 / 2		
Percentage of pregnancies resulting in live births	85.7	8 / 10	3 / 6	2 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	17	12	4	0	2	1
Number of transfers	17	10	4	0	2	0
Average number of embryos transferred	2.6	2.9	1.8		4.5	
Percentage of embryos transferred resulting in implantation	13.3	6.9	2 / 7		1 / 9	
Percentage of transfers resulting in singleton live births	4 / 17	2 / 10	0 / 4		1 / 2	
Percentage of transfers resulting in triplets or more live births	0 / 17	0 / 10	0 / 4		0 / 2	
Percentage of transfers resulting in live births	5 / 17	2 / 10	1 / 4		1 / 2	
Percentage of transfers resulting in pregnancy	6 / 17	6 / 10	1 / 4		1 / 2	
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Number of cycles		45		31		
Number of transfers		43		29		
Average number of embryos transferred		2.4		2.3		
Percentage of embryos transferred resulting in implantation		34.0		13.6		
Percentage of transfers resulting in singleton live births		30.2		13.8		
Percentage of transfers resulting in live births		53.5		17.2		
Percentage of transfers resulting in pregnancy		62.8		31.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: North Carolina Center for Reproductive Medicine, The Talbert Fertility Institute

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY OF NORTH CAROLINA A.R.T. CLINIC
CHAPEL HILL, NORTH CAROLINA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE				Patient Diagnosis ^b				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	65%	Tubal factor	17%	Uterine factor	4%	Multiple Factors: Female factors only 4% Female & male factors 10%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	16%	Male factor	33%	
Used gestational carrier	<1%			Diminished ovarian reserve	15%	Other factor	2%	
				Endometriosis	5%	Unknown factor	25%	

2011 ART SUCCESS RATES^{c,d} Number of cycles in table:^e 195 Data verified by Jennifer E. Mersereau, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	71	37	10	5	1	0
Percentage of cancellations	2.8	0.0	1 / 10	0 / 5	1 / 1	
Average number of embryos transferred	1.8	2.3	3.2	3.2		
Percentage of embryos transferred resulting in implantation	27.9	16.0	20.7	0 / 16		
Percentage of elective single embryo transfer (eSET)	14.3	0.0	0 / 9	1 / 5		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	22.5	13.5	2 / 10	0 / 5	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 10	0 / 5	0 / 1	
Percentage of cycles resulting in live births	31.0	21.6	4 / 10	0 / 5	0 / 1	
Percentage of cycles resulting in pregnancy	39.4	29.7	4 / 10	0 / 5	0 / 1	
Outcomes per Transfer						
Number of transfers	67	36	9	5	0	0
Percentage of transfers resulting in singleton live births	23.9	13.9	2 / 9	0 / 5		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 9	0 / 5		
Percentage of transfers resulting in live births	32.8	22.2	4 / 9	0 / 5		
Percentage of transfers resulting in pregnancy	41.8	30.6	4 / 9	0 / 5		
Outcomes per Pregnancy						
Number of pregnancies	28	11	4	0	0	0
Percentage of pregnancies resulting in singleton live births	57.1	5 / 11	2 / 4			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 11	0 / 4			
Percentage of pregnancies resulting in live births	78.6	8 / 11	4 / 4			
Frozen Embryos from Nondonor Eggs						
Number of cycles	25	11	7	3	0	0
Number of transfers	24	11	7	3	0	0
Average number of embryos transferred	1.5	1.8	1.9	3.3		
Percentage of embryos transferred resulting in implantation	29.7	10.0	4 / 13	0 / 10		
Percentage of transfers resulting in singleton live births	20.8	0 / 11	2 / 7	0 / 3		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 11	0 / 7	0 / 3		
Percentage of transfers resulting in live births	33.3	1 / 11	3 / 7	0 / 3		
Percentage of transfers resulting in pregnancy	33.3	3 / 11	4 / 7	0 / 3		
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
	Number of cycles	17	8			
Number of transfers	16	8				
Average number of embryos transferred	2.0	1.3				
Percentage of embryos transferred resulting in implantation	25.0	1 / 10				
Percentage of transfers resulting in singleton live births	3 / 16	1 / 8				
Percentage of transfers resulting in live births	4 / 16	1 / 8				
Percentage of transfers resulting in pregnancy	11 / 16	1 / 8				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University of North Carolina A.R.T. Clinic					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 12 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INSTITUTE FOR ASSISTED REPRODUCTION CHARLOTTE, NORTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	87%	Tubal factor	12%	Uterine factor	4%
Unstimulated	<1%	Used PGD	2%	Ovulatory dysfunction	19%	Male factor	25%
Used gestational carrier	2%			Diminished ovarian reserve	21%	Other factor	14%
				Endometriosis	10%	Unknown factor	13%
				Multiple Factors:			
						Female factors only	9%
						Female & male factors	10%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 871

Data verified by Jack L. Crain, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	284	110	103	55	13	6
Percentage of cancellations	7.4	9.1	12.6	21.8	2 / 13	3 / 6
Average number of embryos transferred	1.9	2.1	2.2	2.4	2.8	
Percentage of embryos transferred resulting in implantation	37.3	25.3	19.6	14.5	0 / 14	
Percentage of elective single embryo transfer (eSET)	13.7	4.2	1.6	0.0	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	19.4	20.0	15.5	9.1	0 / 13	0 / 6
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 13	0 / 6
Percentage of cycles resulting in live births	29.9	27.3	19.4	9.1	0 / 13	0 / 6
Percentage of cycles resulting in pregnancy	33.8	32.7	35.0	16.4	0 / 13	0 / 6
Outcomes per Transfer						
Number of transfers	188	78	69	26	5	0
Percentage of transfers resulting in singleton live births	29.3	28.2	23.2	19.2	0 / 5	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 5	
Percentage of transfers resulting in live births	45.2	38.5	29.0	19.2	0 / 5	
Percentage of transfers resulting in pregnancy	51.1	46.2	52.2	34.6	0 / 5	
Outcomes per Pregnancy						
Number of pregnancies	96	36	36	9	0	0
Percentage of pregnancies resulting in singleton live births	57.3	61.1	44.4	5 / 9		
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 9		
Percentage of pregnancies resulting in live births	88.5	83.3	55.6	5 / 9		
Frozen Embryos from Nondonor Eggs						
Number of cycles	116	56	47	12	0	4
Number of transfers	111	53	43	12	0	4
Average number of embryos transferred	1.8	1.8	1.9	2.1		2.0
Percentage of embryos transferred resulting in implantation	54.0	49.5	24.4	36.0		0 / 8
Percentage of transfers resulting in singleton live births	32.4	34.0	23.3	6 / 12		0 / 4
Percentage of transfers resulting in triplets or more live births	0.9	0.0	0.0	0 / 12		0 / 4
Percentage of transfers resulting in live births	58.6	54.7	30.2	7 / 12		0 / 4
Percentage of transfers resulting in pregnancy	72.1	62.3	51.2	8 / 12		0 / 4
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Number of cycles		44		21		
Number of transfers		35		20		
Average number of embryos transferred		1.9		1.9		
Percentage of embryos transferred resulting in implantation		53.8		39.5		
Percentage of transfers resulting in singleton live births		25.7		35.0		
Percentage of transfers resulting in live births		57.1		50.0		
Percentage of transfers resulting in pregnancy		74.3		55.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Institute for Assisted Reproduction

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PROGRAM FOR ASSISTED REPRODUCTION, CAROLINAS MEDICAL CENTER CHARLOTTE, NORTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	82%	Tubal factor	15%	Uterine factor	<1%	
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	28%	Male factor	35%	
Used gestational carrier	0%			Diminished ovarian reserve	30%	Other factor	10%	
				Endometriosis	13%	Unknown factor	6%	
				Multiple Factors:				
				Female factors only				13%
				Female & male factors				21%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 221

Data verified by Bradley S. Hurst, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	75	34	28	9	0	0
Percentage of cancellations	1.3	0.0	10.7	1 / 9		
Average number of embryos transferred	1.9	2.0	2.6	3.4		
Percentage of embryos transferred resulting in implantation	43.9	30.9	31.7	16.7		
Percentage of elective single embryo transfer (eSET)	10.6	6.1	4.3	0 / 5		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	29.3	41.2	25.0	1 / 9		
Percentage of cycles resulting in triplets or more live births	1.3	0.0	0.0	0 / 9		
Percentage of cycles resulting in live births	48.0	47.1	35.7	2 / 9		
Percentage of cycles resulting in pregnancy	56.0	58.8	50.0	4 / 9		
Outcomes per Transfer						
Number of transfers	71	34	23	7	0	0
Percentage of transfers resulting in singleton live births	31.0	41.2	30.4	1 / 7		
Percentage of transfers resulting in triplets or more live births	1.4	0.0	0.0	0 / 7		
Percentage of transfers resulting in live births	50.7	47.1	43.5	2 / 7		
Percentage of transfers resulting in pregnancy	59.2	58.8	60.9	4 / 7		
Outcomes per Pregnancy						
Number of pregnancies	42	20	14	4	0	0
Percentage of pregnancies resulting in singleton live births	52.4	70.0	7 / 14	1 / 4		
Percentage of pregnancies resulting in triplets or more live births	2.4	0.0	0 / 14	0 / 4		
Percentage of pregnancies resulting in live births	85.7	80.0	10 / 14	2 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	27	17	3	5	1	0
Number of transfers	24	15	3	4	0	0
Average number of embryos transferred	1.9	2.0	1.0	3.0		
Percentage of embryos transferred resulting in implantation	41.3	36.7	3 / 3	3 / 12		
Percentage of transfers resulting in singleton live births	37.5	4 / 15	3 / 3	3 / 4		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 15	0 / 3	0 / 4		
Percentage of transfers resulting in live births	54.2	7 / 15	3 / 3	3 / 4		
Percentage of transfers resulting in pregnancy	58.3	10 / 15	3 / 3	3 / 4		
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	15		7			
Number of transfers	15		5			
Average number of embryos transferred	2.1		2.4			
Percentage of embryos transferred resulting in implantation	40.6		3 / 12			
Percentage of transfers resulting in singleton live births	7 / 15		3 / 5			
Percentage of transfers resulting in live births	9 / 15		3 / 5			
Percentage of transfers resulting in pregnancy	10 / 15		3 / 5			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Program for Assisted Reproduction, Carolinas Medical Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 32 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DUKE FERTILITY CENTER DUKE UNIVERSITY MEDICAL CENTER DURHAM, NORTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	70%	Tubal factor	11%	Uterine factor	6%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	19%	Male factor	42%
Used gestational carrier	<1%			Diminished ovarian reserve	31%	Other factor	5%
				Endometriosis	11%	Unknown factor	9%
				Multiple Factors:			
				Female factors only 10%			
				Female & male factors 20%			

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 327

Data verified by Suheil J. Muasher, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	91	45	39	20	6	0
Percentage of cancellations	8.8	4.4	23.1	10.0	2 / 6	
Average number of embryos transferred	1.9	2.1	2.3	2.4	3.0	
Percentage of embryos transferred resulting in implantation	34.4	34.6	14.3	12.2	0 / 12	
Percentage of elective single embryo transfer (eSET)	2.7	2.7	4.2	0 / 11	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.4	35.6	7.7	25.0	0 / 6	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 6	
Percentage of cycles resulting in live births	39.6	42.2	12.8	25.0	0 / 6	
Percentage of cycles resulting in pregnancy	50.5	53.3	20.5	35.0	1 / 6	
Outcomes per Transfer						
Number of transfers	80	38	27	17	4	0
Percentage of transfers resulting in singleton live births	30.0	42.1	11.1	5 / 17	0 / 4	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 17	0 / 4	
Percentage of transfers resulting in live births	45.0	50.0	18.5	5 / 17	0 / 4	
Percentage of transfers resulting in pregnancy	57.5	63.2	29.6	7 / 17	1 / 4	
Outcomes per Pregnancy						
Number of pregnancies	46	24	8	7	1	0
Percentage of pregnancies resulting in singleton live births	52.2	66.7	3 / 8	5 / 7	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0 / 8	0 / 7	0 / 1	
Percentage of pregnancies resulting in live births	78.3	79.2	5 / 8	5 / 7	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	36	30	18	5	0	0
Number of transfers	35	29	18	5	0	0
Average number of embryos transferred	1.9	2.3	2.4	3.0		
Percentage of embryos transferred resulting in implantation	27.3	13.6	18.2	1 / 15		
Percentage of transfers resulting in singleton live births	42.9	24.1	7 / 18	1 / 5		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 18	0 / 5		
Percentage of transfers resulting in live births	45.7	27.6	7 / 18	1 / 5		
Percentage of transfers resulting in pregnancy	45.7	31.0	10 / 18	2 / 5		
All Ages Combined^f						
	Fresh Embryos			Frozen Embryos		
Number of cycles	21			16		
Number of transfers	19			14		
Average number of embryos transferred	1.9			1.8		
Percentage of embryos transferred resulting in implantation	55.6			40.0		
Percentage of transfers resulting in singleton live births	7 / 19			7 / 14		
Percentage of transfers resulting in live births	13 / 19			8 / 14		
Percentage of transfers resulting in pregnancy	16 / 19			8 / 14		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2011. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 52 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WOMACK ARMY MEDICAL CENTER REI CLINIC FORT BRAGG, NORTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	61%	Tubal factor	26%	Uterine factor	12%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	17%	Male factor	22%	
Used gestational carrier	0%			Diminished ovarian reserve	15%	Other factor	0%	
				Endometriosis	22%	Unknown factor	12%	
				Multiple Factors:				
				Female factors only				13%
				Female & male factors				10%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 78

Data verified by Jason Parker, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	25	22	20	8	0	0
Percentage of cancellations	0.0	4.5	10.0	1 / 8		
Average number of embryos transferred	2.0	2.2	2.8	3.3		
Percentage of embryos transferred resulting in implantation	26.0	17.4	13.7	17.4		
Percentage of elective single embryo transfer (eSET)	0.0	0.0	0 / 18	0 / 7		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	36.0	27.3	30.0	2 / 8		
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 8		
Percentage of cycles resulting in live births	44.0	31.8	30.0	3 / 8		
Percentage of cycles resulting in pregnancy	44.0	31.8	30.0	3 / 8		
Outcomes per Transfer						
Number of transfers	25	21	18	7	0	0
Percentage of transfers resulting in singleton live births	36.0	28.6	6 / 18	2 / 7		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 18	0 / 7		
Percentage of transfers resulting in live births	44.0	33.3	6 / 18	3 / 7		
Percentage of transfers resulting in pregnancy	44.0	33.3	6 / 18	3 / 7		
Outcomes per Pregnancy						
Number of pregnancies	11	7	6	3	0	0
Percentage of pregnancies resulting in singleton live births	9 / 11	6 / 7	6 / 6	2 / 3		
Percentage of pregnancies resulting in triplets or more live births	0 / 11	0 / 7	0 / 6	0 / 3		
Percentage of pregnancies resulting in live births	11 / 11	7 / 7	6 / 6	3 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	1	0	1	0	0
Number of transfers	1	1	0	1	0	0
Average number of embryos transferred	2.0	3.0		2.0		
Percentage of embryos transferred resulting in implantation	2 / 2	0 / 3		1 / 2		
Percentage of transfers resulting in singleton live births	0 / 1	0 / 1		1 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 1	0 / 1		0 / 1		
Percentage of transfers resulting in live births	1 / 1	0 / 1		1 / 1		
Percentage of transfers resulting in pregnancy	1 / 1	0 / 1		1 / 1		
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		0		0		
Number of transfers		0		0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Womack Army Medical Center REI Clinic

Donor egg?	No	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	No			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

EAST CAROLINA UNIVERSITY GREENVILLE, NORTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	58%	Tubal factor	25%	Uterine factor	8%
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	14%	Male factor	34%
Used gestational carrier	0%			Diminished ovarian reserve	41%	Other factor	11%
				Endometriosis	21%	Unknown factor	9%
				Multiple Factors:			
						Female factors only	25%
						Female & male factors	21%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 102

Data verified by Clifford C. Hayslip, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	47	14	12	0	0	0
Percentage of cancellations	4.3	0 / 14	1 / 12			
Average number of embryos transferred	2.0	2.2	2.5			
Percentage of embryos transferred resulting in implantation	25.3	37.9	7.1			
Percentage of elective single embryo transfer (eSET)	4.8	0 / 10	0 / 9			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	31.9	3 / 14	2 / 12			
Percentage of cycles resulting in triplets or more live births	2.1	0 / 14	0 / 12			
Percentage of cycles resulting in live births	36.2	6 / 14	2 / 12			
Percentage of cycles resulting in pregnancy	38.3	9 / 14	2 / 12			
Outcomes per Transfer						
Number of transfers	45	13	11	0	0	0
Percentage of transfers resulting in singleton live births	33.3	3 / 13	2 / 11			
Percentage of transfers resulting in triplets or more live births	2.2	0 / 13	0 / 11			
Percentage of transfers resulting in live births	37.8	6 / 13	2 / 11			
Percentage of transfers resulting in pregnancy	40.0	9 / 13	2 / 11			
Outcomes per Pregnancy						
Number of pregnancies	18	9	2	0	0	0
Percentage of pregnancies resulting in singleton live births	15 / 18	3 / 9	2 / 2			
Percentage of pregnancies resulting in triplets or more live births	1 / 18	0 / 9	0 / 2			
Percentage of pregnancies resulting in live births	17 / 18	6 / 9	2 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	6	2	1	1	2
Number of transfers	6	6	2	1	1	2
Average number of embryos transferred	1.3	1.8	2.5	1.0	2.0	3.0
Percentage of embryos transferred resulting in implantation	7 / 8	5 / 11	1 / 5	0 / 1	2 / 2	0 / 6
Percentage of transfers resulting in singleton live births	2 / 6	4 / 6	1 / 2	0 / 1	0 / 1	0 / 2
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 6	0 / 2	0 / 1	0 / 1	0 / 2
Percentage of transfers resulting in live births	3 / 6	4 / 6	1 / 2	0 / 1	1 / 1	0 / 2
Percentage of transfers resulting in pregnancy	5 / 6	5 / 6	1 / 2	0 / 1	1 / 1	0 / 2
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Number of cycles		8		3		
Number of transfers		8		3		
Average number of embryos transferred		2.1		1.7		
Percentage of embryos transferred resulting in implantation		8 / 17		1 / 5		
Percentage of transfers resulting in singleton live births		4 / 8		1 / 3		
Percentage of transfers resulting in live births		5 / 8		1 / 3		
Percentage of transfers resulting in pregnancy		6 / 8		2 / 3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: East Carolina University					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**PREMIER FERTILITY CENTER
HIGH POINT REGIONAL HEALTH SYSTEM
HIGH POINT, NORTH CAROLINA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE				Patient Diagnosis ^b				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	76%	Tubal factor	16%	Uterine factor	1%	Multiple Factors: Female factors only 10% Female & male factors 34%
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	24%	Male factor	56%	
Used gestational carrier	0%			Diminished ovarian reserve	28%	Other factor	3%	
				Endometriosis	10%	Unknown factor	8%	

2011 ART SUCCESS RATES^{c,d} Number of cycles in table: ^e 90 Data verified by Jeffrey L. Deaton, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	34	14	7	3	0	0
Percentage of cancellations	8.8	4 / 14	1 / 7	1 / 3		
Average number of embryos transferred	1.7	2.0	2.0	2.0		
Percentage of embryos transferred resulting in implantation	46.7	6 / 18	4 / 10	0 / 4		
Percentage of elective single embryo transfer (eSET)	24.0	0 / 8	0 / 5	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	47.1	1 / 14	2 / 7	0 / 3		
Percentage of cycles resulting in triplets or more live births	0.0	0 / 14	0 / 7	0 / 3		
Percentage of cycles resulting in live births	52.9	3 / 14	3 / 7	0 / 3		
Percentage of cycles resulting in pregnancy	55.9	4 / 14	3 / 7	0 / 3		
Outcomes per Transfer						
Number of transfers	26	9	5	2	0	0
Percentage of transfers resulting in singleton live births	61.5	1 / 9	2 / 5	0 / 2		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 9	0 / 5	0 / 2		
Percentage of transfers resulting in live births	69.2	3 / 9	3 / 5	0 / 2		
Percentage of transfers resulting in pregnancy	73.1	4 / 9	3 / 5	0 / 2		
Outcomes per Pregnancy						
Number of pregnancies	19	4	3	0	0	0
Percentage of pregnancies resulting in singleton live births	16 / 19	1 / 4	2 / 3			
Percentage of pregnancies resulting in triplets or more live births	0 / 19	0 / 4	0 / 3			
Percentage of pregnancies resulting in live births	18 / 19	3 / 4	3 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	18	6	5	1	0	0
Number of transfers	18	5	3	1	0	0
Average number of embryos transferred	1.4	1.4	1.3	2.0		
Percentage of embryos transferred resulting in implantation	46.2	2 / 7	1 / 4	0 / 2		
Percentage of transfers resulting in singleton live births	9 / 18	2 / 5	1 / 3	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 18	0 / 5	0 / 3	0 / 1		
Percentage of transfers resulting in live births	10 / 18	2 / 5	1 / 3	0 / 1		
Percentage of transfers resulting in pregnancy	13 / 18	3 / 5	1 / 3	0 / 1		
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	1		1			
Number of transfers	1		1			
Average number of embryos transferred	1.0		1.0			
Percentage of embryos transferred resulting in implantation	1 / 1		1 / 1			
Percentage of transfers resulting in singleton live births	1 / 1		1 / 1			
Percentage of transfers resulting in live births	1 / 1		1 / 1			
Percentage of transfers resulting in pregnancy	1 / 1		1 / 1			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Premier Fertility Center, High Point Regional Health System					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 2 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTIVE CONCEPTS HUNTERVILLE, NORTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	94%	Tubal factor	15%	Uterine factor	5%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	21%	Male factor	47%
Used gestational carrier	0%			Diminished ovarian reserve	39%	Other factor	0%
				Endometriosis	5%	Unknown factor	5%
				Multiple Factors:			
						Female factors only	8%
						Female & male factors	25%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 75

Data verified by Mark L. Jutras, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	17	18	8	6	0	0
Percentage of cancellations	0 / 17	0 / 18	1 / 8	0 / 6		
Average number of embryos transferred	1.7	1.7	1.7	2.5		
Percentage of embryos transferred resulting in implantation	33.3	63.0	2 / 10	1 / 10		
Percentage of elective single embryo transfer (eSET)	2 / 11	4 / 13	0 / 3	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	4 / 17	6 / 18	2 / 8	0 / 6		
Percentage of cycles resulting in triplets or more live births	0 / 17	0 / 18	0 / 8	0 / 6		
Percentage of cycles resulting in live births	6 / 17	11 / 18	2 / 8	0 / 6		
Percentage of cycles resulting in pregnancy	6 / 17	13 / 18	2 / 8	1 / 6		
Outcomes per Transfer						
Number of transfers	14	16	6	4	0	0
Percentage of transfers resulting in singleton live births	4 / 14	6 / 16	2 / 6	0 / 4		
Percentage of transfers resulting in triplets or more live births	0 / 14	0 / 16	0 / 6	0 / 4		
Percentage of transfers resulting in live births	6 / 14	11 / 16	2 / 6	0 / 4		
Percentage of transfers resulting in pregnancy	6 / 14	13 / 16	2 / 6	1 / 4		
Outcomes per Pregnancy						
Number of pregnancies	6	13	2	1	0	0
Percentage of pregnancies resulting in singleton live births	4 / 6	6 / 13	2 / 2	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 6	0 / 13	0 / 2	0 / 1		
Percentage of pregnancies resulting in live births	6 / 6	11 / 13	2 / 2	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	6	3	1	0	0
Number of transfers	6	6	3	1	0	0
Average number of embryos transferred	1.3	1.5	2.0	2.0		
Percentage of embryos transferred resulting in implantation	5 / 8	3 / 9	2 / 6	0 / 2		
Percentage of transfers resulting in singleton live births	3 / 6	3 / 6	1 / 3	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 6	0 / 3	0 / 1		
Percentage of transfers resulting in live births	4 / 6	3 / 6	1 / 3	0 / 1		
Percentage of transfers resulting in pregnancy	4 / 6	3 / 6	2 / 3	0 / 1		
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			5		4	
Number of transfers			5		4	
Average number of embryos transferred			2.0		1.5	
Percentage of embryos transferred resulting in implantation			2 / 10		4 / 6	
Percentage of transfers resulting in singleton live births			1 / 5		2 / 4	
Percentage of transfers resulting in live births			1 / 5		3 / 4	
Percentage of transfers resulting in pregnancy			2 / 5		3 / 4	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Reproductive Concepts

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CAROLINA CONCEPTIONS, PA RALEIGH, NORTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	86%	Tubal factor	13%	Uterine factor	8%	
Unstimulated	0%	Used PGD	5%	Ovulatory dysfunction	17%	Male factor	37%	
Used gestational carrier	3%			Diminished ovarian reserve	37%	Other factor	7%	
				Endometriosis	7%	Unknown factor	13%	
				Multiple Factors:				
				Female factors only				11%
				Female & male factors				22%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 581

Data verified by William R. Meyer, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	219	89	62	31	1	1
Percentage of cancellations	6.8	6.7	12.9	16.1	0 / 1	1 / 1
Average number of embryos transferred	2.0	2.4	3.0	3.4	3.0	
Percentage of embryos transferred resulting in implantation	42.1	29.1	20.1	7.3	0 / 3	
Percentage of elective single embryo transfer (eSET)	6.1	2.7	0.0	0 / 19	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	34.2	30.3	21.0	6.5	0 / 1	0 / 1
Percentage of cycles resulting in triplets or more live births	0.5	3.4	0.0	0.0	0 / 1	0 / 1
Percentage of cycles resulting in live births	49.3	38.2	29.0	9.7	0 / 1	0 / 1
Percentage of cycles resulting in pregnancy	54.3	43.8	35.5	16.1	0 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	194	77	52	24	1	0
Percentage of transfers resulting in singleton live births	38.7	35.1	25.0	8.3	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.5	3.9	0.0	0.0	0 / 1	
Percentage of transfers resulting in live births	55.7	44.2	34.6	12.5	0 / 1	
Percentage of transfers resulting in pregnancy	61.3	50.6	42.3	20.8	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	119	39	22	5	0	0
Percentage of pregnancies resulting in singleton live births	63.0	69.2	59.1	2 / 5		
Percentage of pregnancies resulting in triplets or more live births	0.8	7.7	0.0	0 / 5		
Percentage of pregnancies resulting in live births	90.8	87.2	81.8	3 / 5		
Frozen Embryos from Nondonor Eggs						
Number of cycles	57	17	21	1	0	1
Number of transfers	55	17	20	1	0	1
Average number of embryos transferred	2.1	2.4	2.1	2.0		2.0
Percentage of embryos transferred resulting in implantation	32.2	20.0	14.3	1 / 2		0 / 2
Percentage of transfers resulting in singleton live births	23.6	4 / 17	25.0	0 / 1		0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 17	0.0	0 / 1		0 / 1
Percentage of transfers resulting in live births	41.8	4 / 17	25.0	0 / 1		0 / 1
Percentage of transfers resulting in pregnancy	47.3	6 / 17	30.0	1 / 1		0 / 1
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	57		24			
Number of transfers	56		23			
Average number of embryos transferred	1.9		2.0			
Percentage of embryos transferred resulting in implantation	53.2		23.4			
Percentage of transfers resulting in singleton live births	32.1		26.1			
Percentage of transfers resulting in live births	57.1		34.8			
Percentage of transfers resulting in pregnancy	67.9		39.1			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Carolina Conceptions, PA

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 3 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WAKE FOREST UNIVERSITY CENTER FOR REPRODUCTIVE MEDICINE WINSTON-SALEM, NORTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	72%	Tubal factor	13%	Uterine factor	2%	
Unstimulated	<1%	Used PGD	2%	Ovulatory dysfunction	20%	Male factor	38%	
Used gestational carrier	0%			Diminished ovarian reserve	18%	Other factor	6%	
				Endometriosis	20%	Unknown factor	15%	
				Multiple Factors:				
				Female factors only				11%
				Female & male factors				18%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 316

Data verified by Tamer M. Yalcinkaya, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	107	54	42	9	4	0
Percentage of cancellations	3.7	9.3	11.9	1 / 9	1 / 4	
Average number of embryos transferred	1.9	2.0	2.8	3.7	4.0	
Percentage of embryos transferred resulting in implantation	52.1	41.7	27.6	11.5	0 / 8	
Percentage of elective single embryo transfer (eSET)	18.1	11.1	0.0	0 / 7	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	39.3	35.2	35.7	2 / 9	0 / 4	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 9	0 / 4	
Percentage of cycles resulting in live births	59.8	50.0	38.1	2 / 9	0 / 4	
Percentage of cycles resulting in pregnancy	65.4	57.4	57.1	3 / 9	0 / 4	
Outcomes per Transfer						
Number of transfers	99	47	37	7	2	0
Percentage of transfers resulting in singleton live births	42.4	40.4	40.5	2 / 7	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 7	0 / 2	
Percentage of transfers resulting in live births	64.6	57.4	43.2	2 / 7	0 / 2	
Percentage of transfers resulting in pregnancy	70.7	66.0	64.9	3 / 7	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	70	31	24	3	0	0
Percentage of pregnancies resulting in singleton live births	60.0	61.3	62.5	2 / 3		
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 3		
Percentage of pregnancies resulting in live births	91.4	87.1	66.7	2 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	35	24	12	4	0	0
Number of transfers	32	23	11	4	0	0
Average number of embryos transferred	1.8	2.3	2.1	2.5		
Percentage of embryos transferred resulting in implantation	37.3	22.2	17.4	3 / 10		
Percentage of transfers resulting in singleton live births	31.3	21.7	1 / 11	1 / 4		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 11	0 / 4		
Percentage of transfers resulting in live births	43.8	26.1	2 / 11	2 / 4		
Percentage of transfers resulting in pregnancy	56.3	43.5	4 / 11	2 / 4		
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			18		7	
Number of transfers			16		5	
Average number of embryos transferred			1.8		2.0	
Percentage of embryos transferred resulting in implantation			75.9		0 / 10	
Percentage of transfers resulting in singleton live births			4 / 16		0 / 5	
Percentage of transfers resulting in live births			12 / 16		0 / 5	
Percentage of transfers resulting in pregnancy			14 / 16		2 / 5	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Wake Forest University Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 6 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SANFORD REPRODUCTIVE MEDICINE INSTITUTE FARGO, NORTH DAKOTA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	86%	Tubal factor	17%	Uterine factor	4%	
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	36%	Male factor	56%	
Used gestational carrier	<1%			Diminished ovarian reserve	14%	Other factor	9%	
				Endometriosis	8%	Unknown factor	5%	
				Multiple Factors:				
				Female factors only				12%
				Female & male factors				27%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 212

Data verified by Steffen P. Christensen, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	95	20	12	4	0	0
Percentage of cancellations	15.8	0.0	1 / 12	0 / 4		
Average number of embryos transferred	2.1	2.3	2.8	3.0		
Percentage of embryos transferred resulting in implantation	44.2	41.9	13.6	1 / 9		
Percentage of elective single embryo transfer (eSET)	0.0	0 / 19	1 / 8	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.4	30.0	1 / 12	1 / 4		
Percentage of cycles resulting in triplets or more live births	2.1	0.0	0 / 12	0 / 4		
Percentage of cycles resulting in live births	43.2	50.0	2 / 12	1 / 4		
Percentage of cycles resulting in pregnancy	48.4	55.0	2 / 12	1 / 4		
Outcomes per Transfer						
Number of transfers	73	19	8	3	0	0
Percentage of transfers resulting in singleton live births	35.6	6 / 19	1 / 8	1 / 3		
Percentage of transfers resulting in triplets or more live births	2.7	0 / 19	0 / 8	0 / 3		
Percentage of transfers resulting in live births	56.2	10 / 19	2 / 8	1 / 3		
Percentage of transfers resulting in pregnancy	63.0	11 / 19	2 / 8	1 / 3		
Outcomes per Pregnancy						
Number of pregnancies	46	11	2	1	0	0
Percentage of pregnancies resulting in singleton live births	56.5	6 / 11	1 / 2	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	4.3	0 / 11	0 / 2	0 / 1		
Percentage of pregnancies resulting in live births	89.1	10 / 11	2 / 2	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	50	12	7	3	0	0
Number of transfers	47	10	6	2	0	0
Average number of embryos transferred	2.4	2.8	2.8	2.0		
Percentage of embryos transferred resulting in implantation	8.0	10.7	5 / 17	0 / 4		
Percentage of transfers resulting in singleton live births	10.6	3 / 10	2 / 6	0 / 2		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 10	0 / 6	0 / 2		
Percentage of transfers resulting in live births	14.9	3 / 10	3 / 6	0 / 2		
Percentage of transfers resulting in pregnancy	17.0	4 / 10	5 / 6	0 / 2		
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	5		4			
Number of transfers	4		3			
Average number of embryos transferred	1.8		2.7			
Percentage of embryos transferred resulting in implantation	6 / 7		1 / 8			
Percentage of transfers resulting in singleton live births	2 / 4		1 / 3			
Percentage of transfers resulting in live births	4 / 4		1 / 3			
Percentage of transfers resulting in pregnancy	4 / 4		1 / 3			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Sanford Reproductive Medicine Institute

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY UNLIMITED, INC.
NORTHEASTERN OHIO FERTILITY CENTER
AKRON, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	41%	Tubal factor	11%	Uterine factor	0%	
Unstimulated	5%	Used PGD	18%	Ovulatory dysfunction	13%	Male factor	38%	
Used gestational carrier	5%			Diminished ovarian reserve	28%	Other factor	30%	
				Endometriosis	21%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				21%
				Female & male factors				13%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 47

Data verified by Nicholas J. Spirtos, DO

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	8	10	4	0	0	0
Percentage of cancellations	0 / 8	0 / 10	0 / 4			
Average number of embryos transferred	2.7	2.2	3.0			
Percentage of embryos transferred resulting in implantation	3 / 16	0.0	0 / 6			
Percentage of elective single embryo transfer (eSET)	0 / 6	0 / 6	0 / 2			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	1 / 8	0 / 10	0 / 4			
Percentage of cycles resulting in triplets or more live births	0 / 8	0 / 10	0 / 4			
Percentage of cycles resulting in live births	2 / 8	0 / 10	0 / 4			
Percentage of cycles resulting in pregnancy	2 / 8	0 / 10	0 / 4			
Outcomes per Transfer						
Number of transfers	6	9	2	0	0	0
Percentage of transfers resulting in singleton live births	1 / 6	0 / 9	0 / 2			
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 9	0 / 2			
Percentage of transfers resulting in live births	2 / 6	0 / 9	0 / 2			
Percentage of transfers resulting in pregnancy	2 / 6	0 / 9	0 / 2			
Outcomes per Pregnancy						
Number of pregnancies	2	0	0	0	0	0
Percentage of pregnancies resulting in singleton live births	1 / 2					
Percentage of pregnancies resulting in triplets or more live births	0 / 2					
Percentage of pregnancies resulting in live births	2 / 2					
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	1	2	1	1	0
Number of transfers	5	1	2	1	1	0
Average number of embryos transferred	2.4	2.0	1.5	4.0	3.0	
Percentage of embryos transferred resulting in implantation	1 / 12	0 / 2	0 / 3	0 / 4	0 / 3	
Percentage of transfers resulting in singleton live births	1 / 5	0 / 1	0 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 5	0 / 1	0 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in live births	1 / 5	0 / 1	0 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	1 / 5	0 / 1	0 / 2	0 / 1	0 / 1	
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	12		3			
Number of transfers	11		3			
Average number of embryos transferred	2.2		2.3			
Percentage of embryos transferred resulting in implantation	25.0		1 / 7			
Percentage of transfers resulting in singleton live births	2 / 11		0 / 3			
Percentage of transfers resulting in live births	3 / 11		0 / 3			
Percentage of transfers resulting in pregnancy	4 / 11		1 / 3			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Unlimited, Inc., Northeastern Ohio Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE GYNECOLOGY AKRON, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	74%	Tubal factor	22%	Uterine factor	14%	
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	15%	Male factor	61%	
Used gestational carrier	2%			Diminished ovarian reserve	31%	Other factor	4%	
				Endometriosis	29%	Unknown factor	4%	
				Multiple Factors:				
				Female factors only				16%
				Female & male factors				43%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 325

Data verified by Richard W. Moretuzzo, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	131	52	18	13	4	1
Percentage of cancellations	4.6	5.8	1 / 18	0 / 13	0 / 4	0 / 1
Average number of embryos transferred	2.3	2.4	2.5	3.2	2.0	2.0
Percentage of embryos transferred resulting in implantation	26.1	15.7	18.2	16.7	0 / 8	0 / 2
Percentage of elective single embryo transfer (eSET)	1.7	0.0	0 / 12	0 / 12	0 / 2	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.2	19.2	2 / 18	2 / 13	0 / 4	0 / 1
Percentage of cycles resulting in triplets or more live births	0.8	0.0	1 / 18	0 / 13	0 / 4	0 / 1
Percentage of cycles resulting in live births	38.2	23.1	3 / 18	3 / 13	0 / 4	0 / 1
Percentage of cycles resulting in pregnancy	42.0	28.8	4 / 18	5 / 13	0 / 4	0 / 1
Outcomes per Transfer						
Number of transfers	121	47	13	13	4	1
Percentage of transfers resulting in singleton live births	27.3	21.3	2 / 13	2 / 13	0 / 4	0 / 1
Percentage of transfers resulting in triplets or more live births	0.8	0.0	1 / 13	0 / 13	0 / 4	0 / 1
Percentage of transfers resulting in live births	41.3	25.5	3 / 13	3 / 13	0 / 4	0 / 1
Percentage of transfers resulting in pregnancy	45.5	31.9	4 / 13	5 / 13	0 / 4	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	55	15	4	5	0	0
Percentage of pregnancies resulting in singleton live births	60.0	10 / 15	2 / 4	2 / 5		
Percentage of pregnancies resulting in triplets or more live births	1.8	0 / 15	1 / 4	0 / 5		
Percentage of pregnancies resulting in live births	90.9	12 / 15	3 / 4	3 / 5		
Frozen Embryos from Nondonor Eggs						
Number of cycles	39	19	2	3	1	0
Number of transfers	37	18	2	3	1	0
Average number of embryos transferred	2.4	2.6	3.0	2.7	6.0	
Percentage of embryos transferred resulting in implantation	29.5	26.1	2 / 6	2 / 8	0 / 6	
Percentage of transfers resulting in singleton live births	43.2	6 / 18	2 / 2	1 / 3	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 18	0 / 2	0 / 3	0 / 1	
Percentage of transfers resulting in live births	51.4	8 / 18	2 / 2	1 / 3	0 / 1	
Percentage of transfers resulting in pregnancy	64.9	9 / 18	2 / 2	3 / 3	1 / 1	
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	23		19			
Number of transfers	23		18			
Average number of embryos transferred	2.1		2.4			
Percentage of embryos transferred resulting in implantation	50.0		18.2			
Percentage of transfers resulting in singleton live births	43.5		5 / 18			
Percentage of transfers resulting in live births	60.9		5 / 18			
Percentage of transfers resulting in pregnancy	65.2		8 / 18			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Gynecology

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 4 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BETHESDA CENTER FOR REPRODUCTIVE HEALTH & FERTILITY CINCINNATI, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	58%	Tubal factor	14%	Uterine factor	2%
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	12%	Male factor	26%
Used gestational carrier	2%			Diminished ovarian reserve	39%	Other factor	6%
				Endometriosis	5%	Unknown factor	16%
				Multiple Factors:			
						Female factors only	8%
						Female & male factors	9%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 330

Data verified by Glen E. Hofmann, MD, PhD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	108	36	44	7	6	2
Percentage of cancellations	17.6	19.4	15.9	2 / 7	1 / 6	0 / 2
Average number of embryos transferred	2.0	2.1	2.4	2.2	2.8	3.0
Percentage of embryos transferred resulting in implantation	35.1	25.8	15.7	2 / 11	1 / 11	0 / 6
Percentage of elective single embryo transfer (eSET)	1.2	7.1	0.0	0 / 4	0 / 4	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.9	8.3	18.2	2 / 7	0 / 6	0 / 2
Percentage of cycles resulting in triplets or more live births	0.9	0.0	0.0	0 / 7	0 / 6	0 / 2
Percentage of cycles resulting in live births	38.9	22.2	22.7	2 / 7	0 / 6	0 / 2
Percentage of cycles resulting in pregnancy	44.4	38.9	34.1	2 / 7	1 / 6	0 / 2
Outcomes per Transfer						
Number of transfers	86	29	37	5	4	2
Percentage of transfers resulting in singleton live births	32.6	10.3	21.6	2 / 5	0 / 4	0 / 2
Percentage of transfers resulting in triplets or more live births	1.2	0.0	0.0	0 / 5	0 / 4	0 / 2
Percentage of transfers resulting in live births	48.8	27.6	27.0	2 / 5	0 / 4	0 / 2
Percentage of transfers resulting in pregnancy	55.8	48.3	40.5	2 / 5	1 / 4	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	48	14	15	2	1	0
Percentage of pregnancies resulting in singleton live births	58.3	3 / 14	8 / 15	2 / 2	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	2.1	0 / 14	0 / 15	0 / 2	0 / 1	
Percentage of pregnancies resulting in live births	87.5	8 / 14	10 / 15	2 / 2	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	31	17	11	5	7	0
Number of transfers	29	15	10	3	6	0
Average number of embryos transferred	2.0	1.7	1.9	1.7	2.0	
Percentage of embryos transferred resulting in implantation	37.9	38.5	0 / 19	1 / 5	2 / 12	
Percentage of transfers resulting in singleton live births	24.1	6 / 15	0 / 10	1 / 3	0 / 6	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 15	0 / 10	0 / 3	0 / 6	
Percentage of transfers resulting in live births	44.8	8 / 15	0 / 10	1 / 3	1 / 6	
Percentage of transfers resulting in pregnancy	62.1	9 / 15	1 / 10	1 / 3	1 / 6	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		23		33		
Number of transfers		21		32		
Average number of embryos transferred		2.0		1.8		
Percentage of embryos transferred resulting in implantation		66.7		32.2		
Percentage of transfers resulting in singleton live births		33.3		34.4		
Percentage of transfers resulting in live births		71.4		46.9		
Percentage of transfers resulting in pregnancy		81.0		56.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Bethesda Center for Reproductive Health & Fertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE HEALTH CINCINNATI, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	>99%	With ICSI	41%	Tubal factor	18%	Uterine factor	6%
Unstimulated	2%	Used PGD	<1%	Ovulatory dysfunction	17%	Male factor	40%
Used gestational carrier	3%			Diminished ovarian reserve	30%	Other factor	14%
				Endometriosis	13%	Unknown factor	4%
				Multiple Factors: Female factors only 11% Female & male factors 26%			

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 234

Data verified by Krystene B. DiPaola, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	75	30	15	10	1	1
Percentage of cancellations	10.7	10.0	1 / 15	1 / 10	0 / 1	0 / 1
Average number of embryos transferred	2.0	2.4	2.3	2.5	1.0	
Percentage of embryos transferred resulting in implantation	18.5	11.3	10.7	5.0	0 / 1	
Percentage of elective single embryo transfer (eSET)	0.0	0.0	0 / 10	0 / 5		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	13.3	20.0	1 / 15	1 / 10	0 / 1	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 15	0 / 10	0 / 1	0 / 1
Percentage of cycles resulting in live births	21.3	20.0	2 / 15	1 / 10	0 / 1	0 / 1
Percentage of cycles resulting in pregnancy	24.0	20.0	2 / 15	1 / 10	0 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	61	22	12	8	1	0
Percentage of transfers resulting in singleton live births	16.4	27.3	1 / 12	1 / 8	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 12	0 / 8	0 / 1	
Percentage of transfers resulting in live births	26.2	27.3	2 / 12	1 / 8	0 / 1	
Percentage of transfers resulting in pregnancy	29.5	27.3	2 / 12	1 / 8	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	18	6	2	1	0	0
Percentage of pregnancies resulting in singleton live births	10 / 18	6 / 6	1 / 2	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 18	0 / 6	0 / 2	0 / 1		
Percentage of pregnancies resulting in live births	16 / 18	6 / 6	2 / 2	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	22	12	8	1	0	0
Number of transfers	21	11	8	1	0	0
Average number of embryos transferred	2.1	1.8	2.0	2.0		
Percentage of embryos transferred resulting in implantation	8.9	20.0	2 / 16	0 / 2		
Percentage of transfers resulting in singleton live births	14.3	2 / 11	0 / 8	0 / 1		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 11	0 / 8	0 / 1		
Percentage of transfers resulting in live births	14.3	3 / 11	1 / 8	0 / 1		
Percentage of transfers resulting in pregnancy	28.6	3 / 11	1 / 8	0 / 1		
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	41		18			
Number of transfers	37		15			
Average number of embryos transferred	1.9		1.9			
Percentage of embryos transferred resulting in implantation	22.2		7.1			
Percentage of transfers resulting in singleton live births	18.9		2 / 15			
Percentage of transfers resulting in live births	27.0		2 / 15			
Percentage of transfers resulting in pregnancy	29.7		2 / 15			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Reproductive Health

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 3 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INSTITUTE FOR REPRODUCTIVE HEALTH CINCINNATI, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	61%	Tubal factor	17%	Uterine factor	10%	
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	28%	Male factor	39%	
Used gestational carrier	<1%			Diminished ovarian reserve	22%	Other factor	9%	
				Endometriosis	22%	Unknown factor	6%	
				Multiple Factors:				
				Female factors only				21%
				Female & male factors				23%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 933

Data verified by Sherif G. Awadalla, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	455	130	85	22	12	2
Percentage of cancellations	6.2	10.0	12.9	13.6	1 / 12	0 / 2
Average number of embryos transferred	2.1	2.4	2.8	3.0	2.6	1.5
Percentage of embryos transferred resulting in implantation	32.4	27.8	19.9	7.4	3.4	0 / 3
Percentage of elective single embryo transfer (eSET)	1.9	1.9	0.0	0 / 16	0 / 9	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	21.3	23.1	24.7	9.1	1 / 12	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0.8	1.2	0.0	0 / 12	0 / 2
Percentage of cycles resulting in live births	40.0	36.2	31.8	13.6	1 / 12	0 / 2
Percentage of cycles resulting in pregnancy	44.4	40.8	36.5	18.2	1 / 12	1 / 2
Outcomes per Transfer						
Number of transfers	419	115	71	18	11	2
Percentage of transfers resulting in singleton live births	23.2	26.1	29.6	2 / 18	1 / 11	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.9	1.4	0 / 18	0 / 11	0 / 2
Percentage of transfers resulting in live births	43.4	40.9	38.0	3 / 18	1 / 11	0 / 2
Percentage of transfers resulting in pregnancy	48.2	46.1	43.7	4 / 18	1 / 11	1 / 2
Outcomes per Pregnancy						
Number of pregnancies	202	53	31	4	1	1
Percentage of pregnancies resulting in singleton live births	48.0	56.6	67.7	2 / 4	1 / 1	0 / 1
Percentage of pregnancies resulting in triplets or more live births	0.0	1.9	3.2	0 / 4	0 / 1	0 / 1
Percentage of pregnancies resulting in live births	90.1	88.7	87.1	3 / 4	1 / 1	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	97	38	12	5	0	1
Number of transfers	93	38	12	4	0	1
Average number of embryos transferred	2.1	1.9	2.3	2.5		2.0
Percentage of embryos transferred resulting in implantation	27.7	21.6	14.8	1 / 10		0 / 2
Percentage of transfers resulting in singleton live births	30.1	15.8	3 / 12	0 / 4		0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	2.6	0 / 12	0 / 4		0 / 1
Percentage of transfers resulting in live births	40.9	26.3	3 / 12	0 / 4		0 / 1
Percentage of transfers resulting in pregnancy	45.2	28.9	3 / 12	1 / 4		0 / 1
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	51		23			
Number of transfers	48		23			
Average number of embryos transferred	2.1		2.1			
Percentage of embryos transferred resulting in implantation	42.6		18.8			
Percentage of transfers resulting in singleton live births	37.5		21.7			
Percentage of transfers resulting in live births	56.3		26.1			
Percentage of transfers resulting in pregnancy	62.5		30.4			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Institute for Reproductive Health

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 6 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CLEVELAND CLINIC FERTILITY CENTER CLEVELAND, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	79%	Tubal factor	14%	Uterine factor	2%	
Unstimulated	<1%	Used PGD	2%	Ovulatory dysfunction	19%	Male factor	47%	
Used gestational carrier	0%			Diminished ovarian reserve	25%	Other factor	10%	
				Endometriosis	12%	Unknown factor	12%	
				Multiple Factors:				
				Female factors only				10%
				Female & male factors				23%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 801

Data verified by Cynthia Austin, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	208	101	95	50	14	2
Percentage of cancellations	16.3	14.9	26.3	34.0	7 / 14	0 / 2
Average number of embryos transferred	2.0	2.4	2.7	2.8	3.1	2.5
Percentage of embryos transferred resulting in implantation	32.9	32.3	16.0	11.3	0.0	0 / 5
Percentage of elective single embryo transfer (eSET)	11.1	1.2	0.0	0.0	0 / 7	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	24.5	41.6	11.6	12.0	0 / 14	0 / 2
Percentage of cycles resulting in triplets or more live births	1.0	0.0	1.1	0.0	0 / 14	0 / 2
Percentage of cycles resulting in live births	37.0	50.5	17.9	14.0	0 / 14	0 / 2
Percentage of cycles resulting in pregnancy	40.4	53.5	23.2	14.0	0 / 14	0 / 2
Outcomes per Transfer						
Number of transfers	172	84	68	29	7	2
Percentage of transfers resulting in singleton live births	29.7	50.0	16.2	20.7	0 / 7	0 / 2
Percentage of transfers resulting in triplets or more live births	1.2	0.0	1.5	0.0	0 / 7	0 / 2
Percentage of transfers resulting in live births	44.8	60.7	25.0	24.1	0 / 7	0 / 2
Percentage of transfers resulting in pregnancy	48.8	64.3	32.4	24.1	0 / 7	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	84	54	22	7	0	0
Percentage of pregnancies resulting in singleton live births	60.7	77.8	50.0	6 / 7		
Percentage of pregnancies resulting in triplets or more live births	2.4	0.0	4.5	0 / 7		
Percentage of pregnancies resulting in live births	91.7	94.4	77.3	7 / 7		
Frozen Embryos from Nondonor Eggs						
Number of cycles	119	63	45	24	11	0
Number of transfers	93	51	41	21	7	0
Average number of embryos transferred	1.7	1.8	2.0	2.0	1.9	
Percentage of embryos transferred resulting in implantation	35.2	23.4	35.0	27.9	1 / 13	
Percentage of transfers resulting in singleton live births	34.4	33.3	29.3	23.8	1 / 7	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 7	
Percentage of transfers resulting in live births	40.9	37.3	39.0	28.6	1 / 7	
Percentage of transfers resulting in pregnancy	49.5	47.1	58.5	47.6	1 / 7	
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	31		38			
Number of transfers	26		30			
Average number of embryos transferred	1.8		1.8			
Percentage of embryos transferred resulting in implantation	27.1		33.3			
Percentage of transfers resulting in singleton live births	34.6		33.3			
Percentage of transfers resulting in live births	42.3		43.3			
Percentage of transfers resulting in pregnancy	42.3		43.3			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Cleveland Clinic Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 16 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

OHIO REPRODUCTIVE MEDICINE COLUMBUS, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	46%	Tubal factor	22%	Uterine factor	3%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	7%	Male factor	33%
Used gestational carrier	2%			Diminished ovarian reserve	24%	Other factor	3%
				Endometriosis	9%	Unknown factor	18%
				Multiple Factors:			
						Female factors only	8%
						Female & male factors	9%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 547

Data verified by Grant Schmidt, MD, PhD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	216	79	81	33	12	4
Percentage of cancellations	8.8	6.3	13.6	3.0	1 / 12	2 / 4
Average number of embryos transferred	2.0	2.3	2.8	2.8	3.3	3.5
Percentage of embryos transferred resulting in implantation	41.2	28.7	15.0	9.4	0.0	0 / 7
Percentage of elective single embryo transfer (eSET)	8.4	3.0	0.0	0.0	0 / 9	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.8	38.0	16.0	9.1	0 / 12	0 / 4
Percentage of cycles resulting in triplets or more live births	0.0	0.0	1.2	0.0	0 / 12	0 / 4
Percentage of cycles resulting in live births	47.2	44.3	21.0	12.1	0 / 12	0 / 4
Percentage of cycles resulting in pregnancy	56.5	51.9	27.2	24.2	0 / 12	0 / 4
Outcomes per Transfer						
Number of transfers	190	71	68	30	11	2
Percentage of transfers resulting in singleton live births	31.6	42.3	19.1	10.0	0 / 11	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	1.5	0.0	0 / 11	0 / 2
Percentage of transfers resulting in live births	53.7	49.3	25.0	13.3	0 / 11	0 / 2
Percentage of transfers resulting in pregnancy	64.2	57.7	32.4	26.7	0 / 11	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	122	41	22	8	0	0
Percentage of pregnancies resulting in singleton live births	49.2	73.2	59.1	3 / 8		
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	4.5	0 / 8		
Percentage of pregnancies resulting in live births	83.6	85.4	77.3	4 / 8		
Frozen Embryos from Nondonor Eggs						
Number of cycles	27	22	12	1	2	1
Number of transfers	24	18	12	1	1	0
Average number of embryos transferred	1.9	2.2	1.6	2.0	1.0	
Percentage of embryos transferred resulting in implantation	21.7	27.5	5 / 19	0 / 2	1 / 1	
Percentage of transfers resulting in singleton live births	25.0	4 / 18	5 / 12	0 / 1	1 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 18	0 / 12	0 / 1	0 / 1	
Percentage of transfers resulting in live births	29.2	5 / 18	5 / 12	0 / 1	1 / 1	
Percentage of transfers resulting in pregnancy	37.5	8 / 18	5 / 12	0 / 1	1 / 1	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		35		22		
Number of transfers		35		21		
Average number of embryos transferred		2.0		1.9		
Percentage of embryos transferred resulting in implantation		43.5		17.5		
Percentage of transfers resulting in singleton live births		20.0		9.5		
Percentage of transfers resulting in live births		51.4		19.0		
Percentage of transfers resulting in pregnancy		54.3		23.8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Ohio Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 2 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WRIGHT STATE PHYSICIANS WOMEN'S HEALTH CARE DAYTON, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	33%	Tubal factor	0%	Uterine factor	0%	Multiple Factors: Female factors only 0% Female & male factors 0%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	0%	Male factor	0%	
Used gestational carrier	0%			Diminished ovarian reserve	0%	Other factor	0%	
				Endometriosis	0%	Unknown factor	100%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 3

Data verified by Lawrence S. Amesse, MD, PhD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	2	1	0	0	0	0
Percentage of cancellations	0 / 2	0 / 1				
Average number of embryos transferred	2.5	3.0				
Percentage of embryos transferred resulting in implantation	1 / 5	0 / 3				
Percentage of elective single embryo transfer (eSET)	0 / 2	0 / 1				
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	1 / 2	0 / 1				
Percentage of cycles resulting in triplets or more live births	0 / 2	0 / 1				
Percentage of cycles resulting in live births	1 / 2	0 / 1				
Percentage of cycles resulting in pregnancy	1 / 2	0 / 1				
Outcomes per Transfer						
Number of transfers	2	1	0	0	0	0
Percentage of transfers resulting in singleton live births	1 / 2	0 / 1				
Percentage of transfers resulting in triplets or more live births	0 / 2	0 / 1				
Percentage of transfers resulting in live births	1 / 2	0 / 1				
Percentage of transfers resulting in pregnancy	1 / 2	0 / 1				
Outcomes per Pregnancy						
Number of pregnancies	1	0	0	0	0	0
Percentage of pregnancies resulting in singleton live births	1 / 1					
Percentage of pregnancies resulting in triplets or more live births	0 / 1					
Percentage of pregnancies resulting in live births	1 / 1					
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	0	0	0	0	0
Number of transfers	0	0	0	0	0	0
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in triplets or more live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
	Number of cycles	0	0			
Number of transfers	0	0				
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Wright State Physicians Women's Health Care

Donor egg?	No	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	No	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

KETTERING REPRODUCTIVE MEDICINE KETTERING, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	55%	Tubal factor	8%	Uterine factor	1%	Multiple Factors: Female factors only 5% Female & male factors 17%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	10%	Male factor	48%	
Used gestational carrier	<1%			Diminished ovarian reserve	28%	Other factor	12%	
				Endometriosis	10%	Unknown factor	5%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 157

Data verified by Jeremy M. Groll, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	72	22	10	3	4	0
Percentage of cancellations	8.3	13.6	0 / 10	1 / 3	1 / 4	
Average number of embryos transferred	1.9	2.1	2.3	2.5	3.0	
Percentage of embryos transferred resulting in implantation	51.3	38.2	21.7	1 / 5	0 / 6	
Percentage of elective single embryo transfer (eSET)	10.2	1 / 15	0 / 10	0 / 2	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	33.3	27.3	3 / 10	1 / 3	0 / 4	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 10	0 / 3	0 / 4	
Percentage of cycles resulting in live births	50.0	40.9	3 / 10	1 / 3	0 / 4	
Percentage of cycles resulting in pregnancy	61.1	45.5	3 / 10	1 / 3	0 / 4	
Outcomes per Transfer						
Number of transfers	60	16	10	2	2	0
Percentage of transfers resulting in singleton live births	40.0	6 / 16	3 / 10	1 / 2	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0 / 10	0 / 2	0 / 2	
Percentage of transfers resulting in live births	60.0	9 / 16	3 / 10	1 / 2	0 / 2	
Percentage of transfers resulting in pregnancy	73.3	10 / 16	3 / 10	1 / 2	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	44	10	3	1	0	0
Percentage of pregnancies resulting in singleton live births	54.5	6 / 10	3 / 3	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 10	0 / 3	0 / 1		
Percentage of pregnancies resulting in live births	81.8	9 / 10	3 / 3	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	25	4	3	0	0	0
Number of transfers	25	4	3	0	0	0
Average number of embryos transferred	1.6	1.8	2.3			
Percentage of embryos transferred resulting in implantation	29.3	1 / 7	1 / 7			
Percentage of transfers resulting in singleton live births	36.0	0 / 4	1 / 3			
Percentage of transfers resulting in triplets or more live births	0.0	0 / 4	0 / 3			
Percentage of transfers resulting in live births	40.0	0 / 4	1 / 3			
Percentage of transfers resulting in pregnancy	44.0	1 / 4	1 / 3			
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	8		6			
Number of transfers	7		6			
Average number of embryos transferred	2.0		1.8			
Percentage of embryos transferred resulting in implantation	8 / 14		2 / 11			
Percentage of transfers resulting in singleton live births	1 / 7		1 / 6			
Percentage of transfers resulting in live births	4 / 7		1 / 6			
Percentage of transfers resulting in pregnancy	6 / 7		2 / 6			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Kettering Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF NORTHWESTERN OHIO TOLEDO, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	44%	Tubal factor	28%	Uterine factor	2%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	20%	Male factor	52%	
Used gestational carrier	0%			Diminished ovarian reserve	33%	Other factor	5%	
				Endometriosis	8%	Unknown factor	<1%	
				Multiple Factors:				
				Female factors only				18%
				Female & male factors				25%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 113

Data verified by Joseph V. Karnitis, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	40	14	8	5	1	0
Percentage of cancellations	15.0	4 / 14	2 / 8	0 / 5	1 / 1	
Average number of embryos transferred	2.4	2.8	2.3	3.2		
Percentage of embryos transferred resulting in implantation	31.5	24.0	1 / 14	3 / 16		
Percentage of elective single embryo transfer (eSET)	0.0	0 / 9	0 / 6	0 / 5		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	20.0	2 / 14	1 / 8	1 / 5	0 / 1	
Percentage of cycles resulting in triplets or more live births	2.5	0 / 14	0 / 8	0 / 5	0 / 1	
Percentage of cycles resulting in live births	32.5	3 / 14	1 / 8	2 / 5	0 / 1	
Percentage of cycles resulting in pregnancy	40.0	3 / 14	1 / 8	2 / 5	0 / 1	
Outcomes per Transfer						
Number of transfers	31	9	6	5	0	0
Percentage of transfers resulting in singleton live births	25.8	2 / 9	1 / 6	1 / 5		
Percentage of transfers resulting in triplets or more live births	3.2	0 / 9	0 / 6	0 / 5		
Percentage of transfers resulting in live births	41.9	3 / 9	1 / 6	2 / 5		
Percentage of transfers resulting in pregnancy	51.6	3 / 9	1 / 6	2 / 5		
Outcomes per Pregnancy						
Number of pregnancies	16	3	1	2	0	0
Percentage of pregnancies resulting in singleton live births	8 / 16	2 / 3	1 / 1	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	1 / 16	0 / 3	0 / 1	0 / 2		
Percentage of pregnancies resulting in live births	13 / 16	3 / 3	1 / 1	2 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	20	3	7	3	0	0
Number of transfers	13	3	4	1	0	0
Average number of embryos transferred	2.5	1.7	1.5	2.0		
Percentage of embryos transferred resulting in implantation	9.4	1 / 5	1 / 6	0 / 2		
Percentage of transfers resulting in singleton live births	2 / 13	1 / 3	1 / 4	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 13	0 / 3	0 / 4	0 / 1		
Percentage of transfers resulting in live births	2 / 13	1 / 3	1 / 4	0 / 1		
Percentage of transfers resulting in pregnancy	3 / 13	1 / 3	1 / 4	0 / 1		
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		9		3		
Number of transfers		7		2		
Average number of embryos transferred		2.0		2.0		
Percentage of embryos transferred resulting in implantation		6 / 14		0 / 4		
Percentage of transfers resulting in singleton live births		4 / 7		0 / 2		
Percentage of transfers resulting in live births		4 / 7		0 / 2		
Percentage of transfers resulting in pregnancy		4 / 7		1 / 2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Center of Northwestern Ohio

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE GYNECOLOGY, INC. WESTERVILLE, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	74%	Tubal factor	10%	Uterine factor	7%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	17%	Male factor	49%	
Used gestational carrier	0%			Diminished ovarian reserve	15%	Other factor	5%	
				Endometriosis	23%	Unknown factor	11%	
				Multiple Factors:				
				Female factors only				10%
				Female & male factors				23%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 138

Data verified by Richard Moretuzzo, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	76	14	23	8	0	0
Percentage of cancellations	5.3	0 / 14	4.3	2 / 8		
Average number of embryos transferred	2.1	2.2	2.2	2.8		
Percentage of embryos transferred resulting in implantation	27.5	29.0	14.3	4 / 17		
Percentage of elective single embryo transfer (eSET)	1.4	0 / 14	0 / 17	0 / 6		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	17.1	6 / 14	13.0	3 / 8		
Percentage of cycles resulting in triplets or more live births	0.0	0 / 14	0.0	0 / 8		
Percentage of cycles resulting in live births	31.6	6 / 14	17.4	3 / 8		
Percentage of cycles resulting in pregnancy	36.8	7 / 14	21.7	4 / 8		
Outcomes per Transfer						
Number of transfers	72	14	19	6	0	0
Percentage of transfers resulting in singleton live births	18.1	6 / 14	3 / 19	3 / 6		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 14	0 / 19	0 / 6		
Percentage of transfers resulting in live births	33.3	6 / 14	4 / 19	3 / 6		
Percentage of transfers resulting in pregnancy	38.9	7 / 14	5 / 19	4 / 6		
Outcomes per Pregnancy						
Number of pregnancies	28	7	5	4	0	0
Percentage of pregnancies resulting in singleton live births	46.4	6 / 7	3 / 5	3 / 4		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 7	0 / 5	0 / 4		
Percentage of pregnancies resulting in live births	85.7	6 / 7	4 / 5	3 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	11	3	2	1	0	0
Number of transfers	11	3	2	1	0	0
Average number of embryos transferred	1.8	2.3	2.5	3.0		
Percentage of embryos transferred resulting in implantation	30.0	1 / 7	2 / 5	1 / 3		
Percentage of transfers resulting in singleton live births	1 / 11	1 / 3	2 / 2	1 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 11	0 / 3	0 / 2	0 / 1		
Percentage of transfers resulting in live births	3 / 11	1 / 3	2 / 2	1 / 1		
Percentage of transfers resulting in pregnancy	4 / 11	1 / 3	2 / 2	1 / 1		
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		0		0		
Number of transfers		0		0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Gynecology, Inc.

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HENRY G. BENNETT, JR., FERTILITY INSTITUTE OKLAHOMA CITY, OKLAHOMA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	48%	Tubal factor	25%	Uterine factor	<1%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	24%	Male factor	43%	
Used gestational carrier	0%			Diminished ovarian reserve	15%	Other factor	8%	
				Endometriosis	16%	Unknown factor	7%	
				Multiple Factors:				
				Female factors only				12%
				Female & male factors				20%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 275

Data verified by Eli Reshef, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	125	38	32	8	1	0
Percentage of cancellations	1.6	5.3	9.4	1 / 8	0 / 1	
Average number of embryos transferred	2.0	2.2	2.4	2.8	1.0	
Percentage of embryos transferred resulting in implantation	45.6	31.6	26.9	1 / 17	0 / 1	
Percentage of elective single embryo transfer (eSET)	0.0	0.0	0.0	0 / 6		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.4	23.7	31.3	0 / 8	0 / 1	
Percentage of cycles resulting in triplets or more live births	1.6	2.6	6.3	0 / 8	0 / 1	
Percentage of cycles resulting in live births	54.4	39.5	37.5	0 / 8	0 / 1	
Percentage of cycles resulting in pregnancy	62.4	47.4	46.9	2 / 8	0 / 1	
Outcomes per Transfer						
Number of transfers	120	34	28	6	1	0
Percentage of transfers resulting in singleton live births	31.7	26.5	35.7	0 / 6	0 / 1	
Percentage of transfers resulting in triplets or more live births	1.7	2.9	7.1	0 / 6	0 / 1	
Percentage of transfers resulting in live births	56.7	44.1	42.9	0 / 6	0 / 1	
Percentage of transfers resulting in pregnancy	65.0	52.9	53.6	2 / 6	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	78	18	15	2	0	0
Percentage of pregnancies resulting in singleton live births	48.7	9 / 18	10 / 15	0 / 2		
Percentage of pregnancies resulting in triplets or more live births	2.6	1 / 18	2 / 15	0 / 2		
Percentage of pregnancies resulting in live births	87.2	15 / 18	12 / 15	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	21	6	4	6	2	3
Number of transfers	19	5	4	5	2	3
Average number of embryos transferred	2.0	2.2	2.3	1.8	3.0	2.0
Percentage of embryos transferred resulting in implantation	10.5	0 / 11	1 / 9	2 / 9	0 / 6	1 / 6
Percentage of transfers resulting in singleton live births	4 / 19	0 / 5	0 / 4	1 / 5	0 / 2	1 / 3
Percentage of transfers resulting in triplets or more live births	0 / 19	0 / 5	0 / 4	0 / 5	0 / 2	0 / 3
Percentage of transfers resulting in live births	4 / 19	0 / 5	0 / 4	1 / 5	0 / 2	1 / 3
Percentage of transfers resulting in pregnancy	4 / 19	0 / 5	1 / 4	2 / 5	0 / 2	1 / 3
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	20		9			
Number of transfers	20		8			
Average number of embryos transferred	2.2		2.6			
Percentage of embryos transferred resulting in implantation	20.9		9.5			
Percentage of transfers resulting in singleton live births	30.0		1 / 8			
Percentage of transfers resulting in live births	35.0		1 / 8			
Percentage of transfers resulting in pregnancy	50.0		3 / 8			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Henry G. Bennett, Jr., Fertility Institute

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DEACONESS CENTER FOR REPRODUCTIVE HEALTH OKLAHOMA CITY, OKLAHOMA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	84%	Tubal factor	17%	Uterine factor	0%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	2%	Male factor	49%
Used gestational carrier	0%			Diminished ovarian reserve	34%	Other factor	22%
				Endometriosis	0%	Unknown factor	0%
				Multiple Factors:			
						Female factors only	7%
						Female & male factors	17%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 41

Data verified by Gilbert G. Haas, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	22	3	0	0	0	0
Percentage of cancellations	18.2	0 / 3				
Average number of embryos transferred	2.1	2.3				
Percentage of embryos transferred resulting in implantation	27.0	3 / 7				
Percentage of elective single embryo transfer (eSET)	1 / 18	0 / 3				
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	18.2	2 / 3				
Percentage of cycles resulting in triplets or more live births	0.0	0 / 3				
Percentage of cycles resulting in live births	27.3	2 / 3				
Percentage of cycles resulting in pregnancy	36.4	2 / 3				
Outcomes per Transfer						
Number of transfers	18	3	0	0	0	0
Percentage of transfers resulting in singleton live births	4 / 18	2 / 3				
Percentage of transfers resulting in triplets or more live births	0 / 18	0 / 3				
Percentage of transfers resulting in live births	6 / 18	2 / 3				
Percentage of transfers resulting in pregnancy	8 / 18	2 / 3				
Outcomes per Pregnancy						
Number of pregnancies	8	2	0	0	0	0
Percentage of pregnancies resulting in singleton live births	4 / 8	2 / 2				
Percentage of pregnancies resulting in triplets or more live births	0 / 8	0 / 2				
Percentage of pregnancies resulting in live births	6 / 8	2 / 2				
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	1	1	0	0	0
Number of transfers	7	1	1	0	0	0
Average number of embryos transferred	1.7	2.0	2.0			
Percentage of embryos transferred resulting in implantation	3 / 12	0 / 2	0 / 2			
Percentage of transfers resulting in singleton live births	2 / 7	0 / 1	0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 7	0 / 1	0 / 1			
Percentage of transfers resulting in live births	2 / 7	0 / 1	0 / 1			
Percentage of transfers resulting in pregnancy	2 / 7	1 / 1	1 / 1			
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	5		2			
Number of transfers	5		2			
Average number of embryos transferred	1.6		2.0			
Percentage of embryos transferred resulting in implantation	2 / 8		0 / 4			
Percentage of transfers resulting in singleton live births	0 / 5		0 / 2			
Percentage of transfers resulting in live births	0 / 5		0 / 2			
Percentage of transfers resulting in pregnancy	2 / 5		0 / 2			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Deaconess Center for Reproductive Health

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

OU PHYSICIANS REPRODUCTIVE MEDICINE OKLAHOMA CITY, OKLAHOMA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	95%	Tubal factor	22%	Uterine factor	2%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	24%	Male factor	43%	
Used gestational carrier	2%			Diminished ovarian reserve	6%	Other factor	27%	
				Endometriosis	11%	Unknown factor	8%	
				Multiple Factors:				
				Female factors only				15%
				Female & male factors				26%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 137

Data verified by Karl R. Hansen, MD, PhD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	56	19	12	4	0	4
Percentage of cancellations	3.6	1 / 19	0 / 12	1 / 4		1 / 4
Average number of embryos transferred	1.9	2.2	2.7	3.7		4.0
Percentage of embryos transferred resulting in implantation	48.1	22.5	37.5	0 / 11		1 / 12
Percentage of elective single embryo transfer (eSET)	9.3	1 / 18	0 / 11	0 / 3		0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.4	4 / 19	4 / 12	0 / 4		1 / 4
Percentage of cycles resulting in triplets or more live births	1.8	0 / 19	0 / 12	0 / 4		0 / 4
Percentage of cycles resulting in live births	55.4	6 / 19	6 / 12	0 / 4		1 / 4
Percentage of cycles resulting in pregnancy	60.7	6 / 19	9 / 12	0 / 4		2 / 4
Outcomes per Transfer						
Number of transfers	54	18	12	3	0	3
Percentage of transfers resulting in singleton live births	31.5	4 / 18	4 / 12	0 / 3		1 / 3
Percentage of transfers resulting in triplets or more live births	1.9	0 / 18	0 / 12	0 / 3		0 / 3
Percentage of transfers resulting in live births	57.4	6 / 18	6 / 12	0 / 3		1 / 3
Percentage of transfers resulting in pregnancy	63.0	6 / 18	9 / 12	0 / 3		2 / 3
Outcomes per Pregnancy						
Number of pregnancies	34	6	9	0	0	2
Percentage of pregnancies resulting in singleton live births	50.0	4 / 6	4 / 9			1 / 2
Percentage of pregnancies resulting in triplets or more live births	2.9	0 / 6	0 / 9			0 / 2
Percentage of pregnancies resulting in live births	91.2	6 / 6	6 / 9			1 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	17	8	3	1	0	0
Number of transfers	16	7	3	1	0	0
Average number of embryos transferred	1.9	2.6	1.7	2.0		
Percentage of embryos transferred resulting in implantation	46.7	3 / 18	1 / 5	0 / 2		
Percentage of transfers resulting in singleton live births	3 / 16	2 / 7	1 / 3	0 / 1		
Percentage of transfers resulting in triplets or more live births	1 / 16	0 / 7	0 / 3	0 / 1		
Percentage of transfers resulting in live births	6 / 16	2 / 7	1 / 3	0 / 1		
Percentage of transfers resulting in pregnancy	10 / 16	3 / 7	1 / 3	0 / 1		
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	7		6			
Number of transfers	7		6			
Average number of embryos transferred	2.1		2.0			
Percentage of embryos transferred resulting in implantation	7 / 15		2 / 12			
Percentage of transfers resulting in singleton live births	2 / 7		2 / 6			
Percentage of transfers resulting in live births	4 / 7		2 / 6			
Percentage of transfers resulting in pregnancy	4 / 7		2 / 6			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: OU Physicians Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

TULSA FERTILITY CENTER TULSA, OKLAHOMA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	63%	Tubal factor	18%	Uterine factor	<1%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	20%	Male factor	46%	
Used gestational carrier	0%			Diminished ovarian reserve	9%	Other factor	15%	
				Endometriosis	16%	Unknown factor	9%	
				Multiple Factors:				
				Female factors only				10%
				Female & male factors				20%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 296

Data verified by Stanley G. Prough, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	126	35	25	10	2	4
Percentage of cancellations	3.2	11.4	16.0	2 / 10	0 / 2	1 / 4
Average number of embryos transferred	1.9	1.8	1.8	1.9		2.3
Percentage of embryos transferred resulting in implantation	36.2	14.6	9.1	2 / 13		0 / 7
Percentage of elective single embryo transfer (eSET)	4.5	4.8	1 / 13	0 / 5		0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.4	14.3	12.0	2 / 10	0 / 2	0 / 4
Percentage of cycles resulting in triplets or more live births	1.6	0.0	0.0	0 / 10	0 / 2	0 / 4
Percentage of cycles resulting in live births	38.1	17.1	12.0	2 / 10	0 / 2	0 / 4
Percentage of cycles resulting in pregnancy	43.7	20.0	16.0	2 / 10	0 / 2	0 / 4
Outcomes per Transfer						
Number of transfers	99	27	18	7	0	3
Percentage of transfers resulting in singleton live births	32.3	18.5	3 / 18	2 / 7		0 / 3
Percentage of transfers resulting in triplets or more live births	2.0	0.0	0 / 18	0 / 7		0 / 3
Percentage of transfers resulting in live births	48.5	22.2	3 / 18	2 / 7		0 / 3
Percentage of transfers resulting in pregnancy	55.6	25.9	4 / 18	2 / 7		0 / 3
Outcomes per Pregnancy						
Number of pregnancies	55	7	4	2	0	0
Percentage of pregnancies resulting in singleton live births	58.2	5 / 7	3 / 4	2 / 2		
Percentage of pregnancies resulting in triplets or more live births	3.6	0 / 7	0 / 4	0 / 2		
Percentage of pregnancies resulting in live births	87.3	6 / 7	3 / 4	2 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	50	10	6	3	0	3
Number of transfers	47	8	6	3	0	3
Average number of embryos transferred	1.9	2.0	2.2	2.0		2.0
Percentage of embryos transferred resulting in implantation	47.3	5 / 16	1 / 13	1 / 6		0 / 6
Percentage of transfers resulting in singleton live births	27.7	5 / 8	1 / 6	0 / 3		0 / 3
Percentage of transfers resulting in triplets or more live births	2.1	0 / 8	0 / 6	0 / 3		0 / 3
Percentage of transfers resulting in live births	55.3	5 / 8	1 / 6	0 / 3		0 / 3
Percentage of transfers resulting in pregnancy	68.1	5 / 8	1 / 6	2 / 3		1 / 3
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	12		10			
Number of transfers	11		10			
Average number of embryos transferred	2.0		1.9			
Percentage of embryos transferred resulting in implantation	40.9		2 / 19			
Percentage of transfers resulting in singleton live births	2 / 11		2 / 10			
Percentage of transfers resulting in live births	5 / 11		2 / 10			
Percentage of transfers resulting in pregnancy	7 / 11		3 / 10			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Tulsa Fertility Center

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF OREGON EUGENE, OREGON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	86%	Tubal factor	15%	Uterine factor	10%	Multiple Factors: Female factors only 24% Female & male factors 19%
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	15%	Male factor	32%	
Used gestational carrier	4%			Diminished ovarian reserve	41%	Other factor	25%	
				Endometriosis	3%	Unknown factor	8%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 122

Data verified by Douglas J. Austin, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	29	13	9	4	0	1
Percentage of cancellations	3.4	1 / 13	0 / 9	0 / 4		0 / 1
Average number of embryos transferred	2.6	2.5	4.1	3.5		1.0
Percentage of embryos transferred resulting in implantation	29.7	30.0	18.9	0 / 14		0 / 1
Percentage of elective single embryo transfer (eSET)	3.6	0 / 11	0 / 9	0 / 4		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	24.1	5 / 13	3 / 9	0 / 4		0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0 / 13	0 / 9	0 / 4		0 / 1
Percentage of cycles resulting in live births	41.4	7 / 13	3 / 9	0 / 4		0 / 1
Percentage of cycles resulting in pregnancy	51.7	7 / 13	4 / 9	0 / 4		0 / 1
Outcomes per Transfer						
Number of transfers	28	12	9	4	0	1
Percentage of transfers resulting in singleton live births	25.0	5 / 12	3 / 9	0 / 4		0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 12	0 / 9	0 / 4		0 / 1
Percentage of transfers resulting in live births	42.9	7 / 12	3 / 9	0 / 4		0 / 1
Percentage of transfers resulting in pregnancy	53.6	7 / 12	4 / 9	0 / 4		0 / 1
Outcomes per Pregnancy						
Number of pregnancies	15	7	4	0	0	0
Percentage of pregnancies resulting in singleton live births	7 / 15	5 / 7	3 / 4			
Percentage of pregnancies resulting in triplets or more live births	0 / 15	0 / 7	0 / 4			
Percentage of pregnancies resulting in live births	12 / 15	7 / 7	3 / 4			
Frozen Embryos from Nondonor Eggs						
Number of cycles	17	7	3	3	3	0
Number of transfers	16	7	3	3	3	0
Average number of embryos transferred	2.4	2.3	2.7	2.7	2.7	
Percentage of embryos transferred resulting in implantation	15.8	2 / 16	0 / 8	0 / 8	0 / 8	
Percentage of transfers resulting in singleton live births	2 / 16	2 / 7	0 / 3	0 / 3	0 / 3	
Percentage of transfers resulting in triplets or more live births	0 / 16	0 / 7	0 / 3	0 / 3	0 / 3	
Percentage of transfers resulting in live births	3 / 16	2 / 7	0 / 3	0 / 3	0 / 3	
Percentage of transfers resulting in pregnancy	4 / 16	2 / 7	0 / 3	0 / 3	0 / 3	

All Ages Combined^f

Donor Eggs	Fresh Embryos	Frozen Embryos
Number of cycles	16	17
Number of transfers	16	17
Average number of embryos transferred	2.3	2.8
Percentage of embryos transferred resulting in implantation	27.8	18.8
Percentage of transfers resulting in singleton live births	6 / 16	9 / 17
Percentage of transfers resulting in live births	7 / 16	9 / 17
Percentage of transfers resulting in pregnancy	8 / 16	9 / 17

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Center of Oregon

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTHWEST FERTILITY CENTER PORTLAND, OREGON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	48%	Tubal factor	26%	Uterine factor	4%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	9%	Male factor	41%	
Used gestational carrier	5%			Diminished ovarian reserve	27%	Other factor	7%	
				Endometriosis	22%	Unknown factor	2%	
				Multiple Factors:				
				Female factors only				15%
				Female & male factors				22%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 121

Data verified by Eugene M. Stoelk, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	35	12	9	4	4	0
Percentage of cancellations	8.6	3 / 12	1 / 9	0 / 4	1 / 4	
Average number of embryos transferred	2.1	2.3	2.9	3.0	5.0	
Percentage of embryos transferred resulting in implantation	44.4	28.6	30.4	1 / 12	1 / 15	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 8	1 / 8	0 / 4	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	20.0	2 / 12	6 / 9	1 / 4	0 / 4	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 12	0 / 9	0 / 4	0 / 4	
Percentage of cycles resulting in live births	48.6	4 / 12	6 / 9	1 / 4	0 / 4	
Percentage of cycles resulting in pregnancy	48.6	4 / 12	6 / 9	1 / 4	1 / 4	
Outcomes per Transfer						
Number of transfers	30	9	8	4	3	0
Percentage of transfers resulting in singleton live births	23.3	2 / 9	6 / 8	1 / 4	0 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 9	0 / 8	0 / 4	0 / 3	
Percentage of transfers resulting in live births	56.7	4 / 9	6 / 8	1 / 4	0 / 3	
Percentage of transfers resulting in pregnancy	56.7	4 / 9	6 / 8	1 / 4	1 / 3	
Outcomes per Pregnancy						
Number of pregnancies	17	4	6	1	1	0
Percentage of pregnancies resulting in singleton live births	7 / 17	2 / 4	6 / 6	1 / 1	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 17	0 / 4	0 / 6	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births	17 / 17	4 / 4	6 / 6	1 / 1	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	17	7	3	0	1	0
Number of transfers	17	7	3	0	1	0
Average number of embryos transferred	2.1	2.1	2.3		3.0	
Percentage of embryos transferred resulting in implantation	22.2	4 / 15	0 / 7		0 / 3	
Percentage of transfers resulting in singleton live births	6 / 17	1 / 7	0 / 3		0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 17	0 / 7	0 / 3		0 / 1	
Percentage of transfers resulting in live births	7 / 17	2 / 7	0 / 3		0 / 1	
Percentage of transfers resulting in pregnancy	7 / 17	2 / 7	0 / 3		0 / 1	
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Number of cycles		16		13		
Number of transfers		16		13		
Average number of embryos transferred		2.1		2.2		
Percentage of embryos transferred resulting in implantation		45.5		3.4		
Percentage of transfers resulting in singleton live births		5 / 16		1 / 13		
Percentage of transfers resulting in live births		9 / 16		1 / 13		
Percentage of transfers resulting in pregnancy		11 / 16		1 / 13		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Northwest Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

OREGON REPRODUCTIVE MEDICINE PORTLAND, OREGON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	69%	Tubal factor	9%	Uterine factor	4%
Unstimulated	<1%	Used PGD	4%	Ovulatory dysfunction	11%	Male factor	26%
Used gestational carrier	<1%			Diminished ovarian reserve	36%	Other factor	8%
				Endometriosis	9%	Unknown factor	15%
				Multiple Factors:			
						Female factors only	7%
						Female & male factors	9%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 685

Data verified by Robert K. Matteri, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	171	100	67	35	7	0
Percentage of cancellations	4.7	12.0	9.0	11.4	0 / 7	
Average number of embryos transferred	1.9	2.0	2.0	2.5	3.8	
Percentage of embryos transferred resulting in implantation	57.5	46.3	38.5	21.1	0 / 19	
Percentage of elective single embryo transfer (eSET)	9.3	6.4	4.9	0.0	0 / 5	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	34.5	37.0	25.4	14.3	0 / 7	
Percentage of cycles resulting in triplets or more live births	0.6	0.0	0.0	0.0	0 / 7	
Percentage of cycles resulting in live births	58.5	51.0	35.8	20.0	0 / 7	
Percentage of cycles resulting in pregnancy	66.1	56.0	40.3	25.7	0 / 7	
Outcomes per Transfer						
Number of transfers	148	82	47	28	5	0
Percentage of transfers resulting in singleton live births	39.9	45.1	36.2	17.9	0 / 5	
Percentage of transfers resulting in triplets or more live births	0.7	0.0	0.0	0.0	0 / 5	
Percentage of transfers resulting in live births	67.6	62.2	51.1	25.0	0 / 5	
Percentage of transfers resulting in pregnancy	76.4	68.3	57.4	32.1	0 / 5	
Outcomes per Pregnancy						
Number of pregnancies	113	56	27	9	0	0
Percentage of pregnancies resulting in singleton live births	52.2	66.1	63.0	5 / 9		
Percentage of pregnancies resulting in triplets or more live births	0.9	0.0	0.0	0 / 9		
Percentage of pregnancies resulting in live births	88.5	91.1	88.9	7 / 9		
Frozen Embryos from Nondonor Eggs						
Number of cycles	49	46	30	13	3	0
Number of transfers	47	43	27	11	3	0
Average number of embryos transferred	1.6	1.7	1.6	1.5	1.3	
Percentage of embryos transferred resulting in implantation	51.9	43.8	45.2	6 / 17	2 / 4	
Percentage of transfers resulting in singleton live births	42.6	41.9	44.4	6 / 11	1 / 3	
Percentage of transfers resulting in triplets or more live births	2.1	2.3	3.7	0 / 11	0 / 3	
Percentage of transfers resulting in live births	59.6	53.5	55.6	6 / 11	1 / 3	
Percentage of transfers resulting in pregnancy	61.7	58.1	59.3	7 / 11	2 / 3	
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	115		49			
Number of transfers	106		45			
Average number of embryos transferred	1.7		1.8			
Percentage of embryos transferred resulting in implantation	75.4		39.2			
Percentage of transfers resulting in singleton live births	34.9		40.0			
Percentage of transfers resulting in live births	74.5		48.9			
Percentage of transfers resulting in pregnancy	84.0		55.6			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Oregon Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 76 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY FERTILITY CONSULTANTS
OREGON HEALTH & SCIENCE UNIVERSITY
PORTLAND, OREGON**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	77%	Tubal factor	13%	Uterine factor	1%
Unstimulated	<1%	Used PGD	4%	Ovulatory dysfunction	14%	Male factor	44%
Used gestational carrier	2%			Diminished ovarian reserve	27%	Other factor	18%
				Endometriosis	7%	Unknown factor	8%
				Multiple Factors: Female factors only 7% Female & male factors 21%			

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 415

Data verified by Phillip E. Patton, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	88	55	48	26	17	1
Percentage of cancellations	5.7	10.9	20.8	26.9	4 / 17	0 / 1
Average number of embryos transferred	2.2	2.2	2.8	3.1	3.5	3.0
Percentage of embryos transferred resulting in implantation	33.0	27.7	13.4	6.8	2.4	0 / 3
Percentage of elective single embryo transfer (eSET)	2.5	2.2	5.9	0 / 18	0 / 11	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.7	25.5	8.3	7.7	1 / 17	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 17	0 / 1
Percentage of cycles resulting in live births	42.0	34.5	12.5	7.7	1 / 17	0 / 1
Percentage of cycles resulting in pregnancy	53.4	38.2	18.8	19.2	1 / 17	0 / 1
Outcomes per Transfer						
Number of transfers	80	46	35	19	12	1
Percentage of transfers resulting in singleton live births	33.8	30.4	11.4	2 / 19	1 / 12	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 19	0 / 12	0 / 1
Percentage of transfers resulting in live births	46.3	41.3	17.1	2 / 19	1 / 12	0 / 1
Percentage of transfers resulting in pregnancy	58.8	45.7	25.7	5 / 19	1 / 12	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	47	21	9	5	1	0
Percentage of pregnancies resulting in singleton live births	57.4	66.7	4 / 9	2 / 5	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0 / 9	0 / 5	0 / 1	
Percentage of pregnancies resulting in live births	78.7	90.5	6 / 9	2 / 5	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	53	32	39	6	4	1
Number of transfers	51	30	34	6	4	1
Average number of embryos transferred	2.0	2.0	2.1	3.0	2.3	3.0
Percentage of embryos transferred resulting in implantation	22.1	16.7	16.7	4 / 18	1 / 9	0 / 3
Percentage of transfers resulting in singleton live births	31.4	26.7	20.6	2 / 6	1 / 4	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	2.9	0 / 6	0 / 4	0 / 1
Percentage of transfers resulting in live births	37.3	30.0	23.5	3 / 6	1 / 4	0 / 1
Percentage of transfers resulting in pregnancy	43.1	30.0	29.4	3 / 6	1 / 4	0 / 1
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			16		29	
Number of transfers			15		28	
Average number of embryos transferred			1.9		2.3	
Percentage of embryos transferred resulting in implantation			75.0		9.5	
Percentage of transfers resulting in singleton live births			8 / 15		14.3	
Percentage of transfers resulting in live births			13 / 15		17.9	
Percentage of transfers resulting in pregnancy			13 / 15		21.4	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University Fertility Consultants, Oregon Health & Science University

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 4 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**ABINGTON REPRODUCTIVE MEDICINE, ABINGTON IVF AND GENETICS
TOLL CENTER FOR REPRODUCTIVE SCIENCES
ABINGTON, PENNSYLVANIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	76%	Tubal factor	13%	Uterine factor	4%
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	11%	Male factor	34%
Used gestational carrier	<1%			Diminished ovarian reserve	27%	Other factor	39%
				Endometriosis	10%	Unknown factor	3%
				Multiple Factors: Female factors only 16% Female & male factors 20%			

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 485

Data verified by Stephen G. Somkuti, MD, PhD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	126	74	94	35	19	2
Percentage of cancellations	4.8	9.5	14.9	17.1	0 / 19	0 / 2
Average number of embryos transferred	2.0	2.4	3.1	3.2	3.7	4.0
Percentage of embryos transferred resulting in implantation	32.2	24.7	16.4	5.7	0.0	0 / 8
Percentage of elective single embryo transfer (eSET)	4.9	1.8	0.0	0.0	0 / 14	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	29.4	17.6	8.5	11.4	0 / 19	0 / 2
Percentage of cycles resulting in triplets or more live births	0.8	1.4	1.1	0.0	0 / 19	0 / 2
Percentage of cycles resulting in live births	39.7	28.4	17.0	11.4	0 / 19	0 / 2
Percentage of cycles resulting in pregnancy	44.4	36.5	27.7	17.1	0 / 19	0 / 2
Outcomes per Transfer						
Number of transfers	109	62	72	27	15	2
Percentage of transfers resulting in singleton live births	33.9	21.0	11.1	14.8	0 / 15	0 / 2
Percentage of transfers resulting in triplets or more live births	0.9	1.6	1.4	0.0	0 / 15	0 / 2
Percentage of transfers resulting in live births	45.9	33.9	22.2	14.8	0 / 15	0 / 2
Percentage of transfers resulting in pregnancy	51.4	43.5	36.1	22.2	0 / 15	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	56	27	26	6	0	0
Percentage of pregnancies resulting in singleton live births	66.1	48.1	30.8	4 / 6		
Percentage of pregnancies resulting in triplets or more live births	1.8	3.7	3.8	0 / 6		
Percentage of pregnancies resulting in live births	89.3	77.8	61.5	4 / 6		
Frozen Embryos from Nondonor Eggs						
Number of cycles	62	15	15	4	1	2
Number of transfers	61	15	15	4	1	2
Average number of embryos transferred	2.1	2.3	2.5	3.8	2.0	1.5
Percentage of embryos transferred resulting in implantation	11.5	11.4	8.1	0 / 15	0 / 2	1 / 3
Percentage of transfers resulting in singleton live births	14.8	2 / 15	2 / 15	0 / 4	0 / 1	1 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0 / 15	0 / 15	0 / 4	0 / 1	0 / 2
Percentage of transfers resulting in live births	16.4	2 / 15	2 / 15	0 / 4	0 / 1	1 / 2
Percentage of transfers resulting in pregnancy	32.8	4 / 15	4 / 15	0 / 4	0 / 1	1 / 2
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	17		19			
Number of transfers	16		18			
Average number of embryos transferred	1.9		1.9			
Percentage of embryos transferred resulting in implantation	20.0		8.6			
Percentage of transfers resulting in singleton live births	4 / 16		3 / 18			
Percentage of transfers resulting in live births	4 / 16		3 / 18			
Percentage of transfers resulting in pregnancy	5 / 16		3 / 18			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Abington Reproductive Medicine, Abington IVF and Genetics, Toll Center for Reproductive Sciences

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 4 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INFERTILITY SOLUTIONS, PC ALLENTOWN, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	91%	Tubal factor	19%	Uterine factor	8%	
Unstimulated	8%	Used PGD	3%	Ovulatory dysfunction	27%	Male factor	42%	
Used gestational carrier	0%			Diminished ovarian reserve	35%	Other factor	4%	
				Endometriosis	23%	Unknown factor	4%	
				Multiple Factors:				
				Female factors only				21%
				Female & male factors				30%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 122

Data verified by Bruce I. Rose, MD, PhD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	61	24	9	10	2	1
Percentage of cancellations	4.9	4.2	2 / 9	0 / 10	0 / 2	0 / 1
Average number of embryos transferred	2.1	2.3	1.0	1.3	2.0	3.0
Percentage of embryos transferred resulting in implantation	20.5	10.4	0 / 5	0 / 9	1 / 4	0 / 3
Percentage of elective single embryo transfer (eSET)	0.0	0 / 16		0 / 2	0 / 1	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	19.7	12.5	0 / 9	0 / 10	1 / 2	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 9	0 / 10	0 / 2	0 / 1
Percentage of cycles resulting in live births	27.9	16.7	0 / 9	0 / 10	1 / 2	0 / 1
Percentage of cycles resulting in pregnancy	32.8	20.8	0 / 9	0 / 10	1 / 2	1 / 1
Outcomes per Transfer						
Number of transfers	57	21	5	7	2	1
Percentage of transfers resulting in singleton live births	21.1	14.3	0 / 5	0 / 7	1 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 5	0 / 7	0 / 2	0 / 1
Percentage of transfers resulting in live births	29.8	19.0	0 / 5	0 / 7	1 / 2	0 / 1
Percentage of transfers resulting in pregnancy	35.1	23.8	0 / 5	0 / 7	1 / 2	1 / 1
Outcomes per Pregnancy						
Number of pregnancies	20	5	0	0	1	1
Percentage of pregnancies resulting in singleton live births	60.0	3 / 5			1 / 1	0 / 1
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 5			0 / 1	0 / 1
Percentage of pregnancies resulting in live births	85.0	4 / 5			1 / 1	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	7	2	0	0	0
Number of transfers	2	7	2	0	0	0
Average number of embryos transferred	2.5	2.7	2.5			
Percentage of embryos transferred resulting in implantation	0 / 5	3 / 19	0 / 5			
Percentage of transfers resulting in singleton live births	0 / 2	1 / 7	0 / 2			
Percentage of transfers resulting in triplets or more live births	0 / 2	0 / 7	0 / 2			
Percentage of transfers resulting in live births	0 / 2	2 / 7	0 / 2			
Percentage of transfers resulting in pregnancy	0 / 2	2 / 7	0 / 2			
All Ages Combined^f						
	Fresh Embryos		Frozen Embryos			
Number of cycles	1		3			
Number of transfers	1		3			
Average number of embryos transferred	2.0		2.7			
Percentage of embryos transferred resulting in implantation	1 / 2		0 / 8			
Percentage of transfers resulting in singleton live births	0 / 1		0 / 3			
Percentage of transfers resulting in live births	0 / 1		0 / 3			
Percentage of transfers resulting in pregnancy	1 / 1		0 / 3			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Infertility Solutions, PC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF PENNSYLVANIA ALLENTOWN, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	83%	Tubal factor	9%	Uterine factor	7%	
Unstimulated	0%	Used PGD	8%	Ovulatory dysfunction	20%	Male factor	58%	
Used gestational carrier	0%			Diminished ovarian reserve	10%	Other factor	29%	
				Endometriosis	6%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				10%
				Female & male factors				27%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 128

Data verified by Wendy J. Schillings, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	52	20	11	4	2	1
Percentage of cancellations	3.8	15.0	2 / 11	0 / 4	1 / 2	0 / 1
Average number of embryos transferred	1.9	1.8	1.8	1.5	2.0	1.0
Percentage of embryos transferred resulting in implantation	63.5	58.1	3 / 14	0 / 3	1 / 2	0 / 1
Percentage of elective single embryo transfer (eSET)	4.8	1 / 15	1 / 7	0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	32.7	35.0	1 / 11	0 / 4	0 / 2	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	5.0	0 / 11	0 / 4	0 / 2	0 / 1
Percentage of cycles resulting in live births	63.5	60.0	1 / 11	0 / 4	0 / 2	0 / 1
Percentage of cycles resulting in pregnancy	76.9	60.0	3 / 11	0 / 4	1 / 2	0 / 1
Outcomes per Transfer						
Number of transfers	45	17	8	2	1	1
Percentage of transfers resulting in singleton live births	37.8	7 / 17	1 / 8	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	1 / 17	0 / 8	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in live births	73.3	12 / 17	1 / 8	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	88.9	12 / 17	3 / 8	0 / 2	1 / 1	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	40	12	3	0	1	0
Percentage of pregnancies resulting in singleton live births	42.5	7 / 12	1 / 3		0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	1 / 12	0 / 3		0 / 1	
Percentage of pregnancies resulting in live births	82.5	12 / 12	1 / 3		0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	19	9	3	0	0	0
Number of transfers	18	6	2	0	0	0
Average number of embryos transferred	1.7	1.8	1.5			
Percentage of embryos transferred resulting in implantation	63.3	6 / 11	1 / 3			
Percentage of transfers resulting in singleton live births	8 / 18	3 / 6	1 / 2			
Percentage of transfers resulting in triplets or more live births	0 / 18	0 / 6	0 / 2			
Percentage of transfers resulting in live births	13 / 18	3 / 6	1 / 2			
Percentage of transfers resulting in pregnancy	15 / 18	4 / 6	2 / 2			
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
	Number of cycles	2	5			
Number of transfers	2	4				
Average number of embryos transferred	2.0	2.0				
Percentage of embryos transferred resulting in implantation	4 / 4	2 / 8				
Percentage of transfers resulting in singleton live births	0 / 2	2 / 4				
Percentage of transfers resulting in live births	2 / 2	2 / 4				
Percentage of transfers resulting in pregnancy	2 / 2	2 / 4				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine Associates of Pennsylvania

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 58 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FAMILY FERTILITY CENTER BETHLEHEM, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	74%	Tubal factor	13%	Uterine factor	0%
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	12%	Male factor	57%
Used gestational carrier	1%			Diminished ovarian reserve	40%	Other factor	14%
				Endometriosis	8%	Unknown factor	5%
				Multiple Factors: Female factors only 10% Female & male factors 34%			

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 93

Data verified by H. Christina Lee, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	44	13	6	3	3	0
Percentage of cancellations	2.3	0 / 13	1 / 6	0 / 3	0 / 3	
Average number of embryos transferred	2.0	2.3	2.0	3.0	3.0	
Percentage of embryos transferred resulting in implantation	38.6	56.7	0 / 8	0 / 9	1 / 9	
Percentage of elective single embryo transfer (eSET)	7.9	0 / 11	0 / 3	0 / 3	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	31.8	5 / 13	0 / 6	0 / 3	1 / 3	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 13	0 / 6	0 / 3	0 / 3	
Percentage of cycles resulting in live births	52.3	10 / 13	0 / 6	0 / 3	1 / 3	
Percentage of cycles resulting in pregnancy	52.3	10 / 13	0 / 6	0 / 3	1 / 3	
Outcomes per Transfer						
Number of transfers	41	13	4	3	3	0
Percentage of transfers resulting in singleton live births	34.1	5 / 13	0 / 4	0 / 3	1 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 13	0 / 4	0 / 3	0 / 3	
Percentage of transfers resulting in live births	56.1	10 / 13	0 / 4	0 / 3	1 / 3	
Percentage of transfers resulting in pregnancy	56.1	10 / 13	0 / 4	0 / 3	1 / 3	
Outcomes per Pregnancy						
Number of pregnancies	23	10	0	0	1	0
Percentage of pregnancies resulting in singleton live births	60.9	5 / 10			1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 10			0 / 1	
Percentage of pregnancies resulting in live births	100.0	10 / 10			1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	2	4	1	0	0
Number of transfers	6	2	4	1	0	0
Average number of embryos transferred	1.8	1.5	2.0	1.0		
Percentage of embryos transferred resulting in implantation	2 / 11	2 / 3	2 / 8	1 / 1		
Percentage of transfers resulting in singleton live births	2 / 6	0 / 2	1 / 4	1 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 2	0 / 4	0 / 1		
Percentage of transfers resulting in live births	2 / 6	1 / 2	1 / 4	1 / 1		
Percentage of transfers resulting in pregnancy	2 / 6	1 / 2	2 / 4	1 / 1		
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Number of cycles		8		3		
Number of transfers		8		3		
Average number of embryos transferred		2.0		1.3		
Percentage of embryos transferred resulting in implantation		13 / 16		0 / 4		
Percentage of transfers resulting in singleton live births		2 / 8		0 / 3		
Percentage of transfers resulting in live births		7 / 8		0 / 3		
Percentage of transfers resulting in pregnancy		7 / 8		0 / 3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Family Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MAIN LINE FERTILITY AND REPRODUCTIVE MEDICINE BRYN MAWR, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	50%	Tubal factor	15%	Uterine factor	2%	
Unstimulated	2%	Used PGD	11%	Ovulatory dysfunction	17%	Male factor	21%	
Used gestational carrier	1%			Diminished ovarian reserve	38%	Other factor	12%	
				Endometriosis	7%	Unknown factor	18%	
				Multiple Factors:				
				Female factors only				15%
				Female & male factors				11%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 833

Data verified by Michael J. Glassner, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	236	127	128	66	17	6
Percentage of cancellations	2.1	2.4	2.3	1.5	1 / 17	1 / 6
Average number of embryos transferred	2.3	2.4	2.9	3.4	3.2	2.5
Percentage of embryos transferred resulting in implantation	35.0	20.9	14.7	5.0	6.3	0 / 5
Percentage of elective single embryo transfer (eSET)	5.0	4.4	2.1	0.0	0 / 9	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	33.9	22.0	19.5	6.1	0 / 17	0 / 6
Percentage of cycles resulting in triplets or more live births	0.4	0.0	0.0	0.0	0 / 17	0 / 6
Percentage of cycles resulting in live births	47.0	28.3	21.1	7.6	1 / 17	0 / 6
Percentage of cycles resulting in pregnancy	54.7	37.0	32.8	15.2	1 / 17	0 / 6
Outcomes per Transfer						
Number of transfers	206	102	106	48	10	2
Percentage of transfers resulting in singleton live births	38.8	27.5	23.6	8.3	0 / 10	0 / 2
Percentage of transfers resulting in triplets or more live births	0.5	0.0	0.0	0.0	0 / 10	0 / 2
Percentage of transfers resulting in live births	53.9	35.3	25.5	10.4	1 / 10	0 / 2
Percentage of transfers resulting in pregnancy	62.6	46.1	39.6	20.8	1 / 10	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	129	47	42	10	1	0
Percentage of pregnancies resulting in singleton live births	62.0	59.6	59.5	4 / 10	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.8	0.0	0.0	0 / 10	0 / 1	
Percentage of pregnancies resulting in live births	86.0	76.6	64.3	5 / 10	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	61	38	21	6	4	0
Number of transfers	59	35	20	6	4	0
Average number of embryos transferred	1.8	2.0	2.0	1.7	2.3	
Percentage of embryos transferred resulting in implantation	29.2	32.9	12.5	1 / 10	3 / 9	
Percentage of transfers resulting in singleton live births	35.6	37.1	10.0	1 / 6	0 / 4	
Percentage of transfers resulting in triplets or more live births	0.0	2.9	0.0	0 / 6	1 / 4	
Percentage of transfers resulting in live births	39.0	45.7	10.0	1 / 6	1 / 4	
Percentage of transfers resulting in pregnancy	47.5	57.1	40.0	1 / 6	1 / 4	
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		69		54		
Number of transfers		65		50		
Average number of embryos transferred		2.1		1.9		
Percentage of embryos transferred resulting in implantation		38.1		28.9		
Percentage of transfers resulting in singleton live births		32.3		34.0		
Percentage of transfers resulting in live births		49.2		42.0		
Percentage of transfers resulting in pregnancy		64.6		44.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Main Line Fertility and Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 56 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GEISINGER MEDICAL CENTER FERTILITY PROGRAM DANVILLE, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	89%	Tubal factor	11%	Uterine factor	7%
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	11%	Male factor	26%
Used gestational carrier	0%			Diminished ovarian reserve	24%	Other factor	19%
				Endometriosis	6%	Unknown factor	13%
				Multiple Factors:			
						Female factors only	7%
						Female & male factors	8%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 133

Data verified by Jennifer Gell, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	38	16	16	9	0	0
Percentage of cancellations	7.9	1 / 16	2 / 16	2 / 9		
Average number of embryos transferred	1.9	2.3	2.6	2.3		
Percentage of embryos transferred resulting in implantation	21.7	25.0	22.6	2 / 14		
Percentage of elective single embryo transfer (eSET)	9.7	0 / 12	0 / 11	0 / 4		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	18.4	3 / 16	4 / 16	2 / 9		
Percentage of cycles resulting in triplets or more live births	0.0	1 / 16	0 / 16	0 / 9		
Percentage of cycles resulting in live births	23.7	4 / 16	4 / 16	2 / 9		
Percentage of cycles resulting in pregnancy	31.6	6 / 16	7 / 16	2 / 9		
Outcomes per Transfer						
Number of transfers	32	14	12	6	0	0
Percentage of transfers resulting in singleton live births	21.9	3 / 14	4 / 12	2 / 6		
Percentage of transfers resulting in triplets or more live births	0.0	1 / 14	0 / 12	0 / 6		
Percentage of transfers resulting in live births	28.1	4 / 14	4 / 12	2 / 6		
Percentage of transfers resulting in pregnancy	37.5	6 / 14	7 / 12	2 / 6		
Outcomes per Pregnancy						
Number of pregnancies	12	6	7	2	0	0
Percentage of pregnancies resulting in singleton live births	7 / 12	3 / 6	4 / 7	2 / 2		
Percentage of pregnancies resulting in triplets or more live births	0 / 12	1 / 6	0 / 7	0 / 2		
Percentage of pregnancies resulting in live births	9 / 12	4 / 6	4 / 7	2 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	21	7	2	2	2	1
Number of transfers	19	5	2	1	2	1
Average number of embryos transferred	1.7	1.8	1.5	2.0	2.0	2.0
Percentage of embryos transferred resulting in implantation	34.4	3 / 9	0 / 3	1 / 2	0 / 4	0 / 2
Percentage of transfers resulting in singleton live births	7 / 19	3 / 5	0 / 2	1 / 1	0 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 19	0 / 5	0 / 2	0 / 1	0 / 2	0 / 1
Percentage of transfers resulting in live births	8 / 19	3 / 5	0 / 2	1 / 1	0 / 2	0 / 1
Percentage of transfers resulting in pregnancy	9 / 19	3 / 5	0 / 2	1 / 1	0 / 2	0 / 1
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		9		10		
Number of transfers		8		10		
Average number of embryos transferred		2.0		1.9		
Percentage of embryos transferred resulting in implantation		6 / 16		4 / 19		
Percentage of transfers resulting in singleton live births		1 / 8		2 / 10		
Percentage of transfers resulting in live births		3 / 8		2 / 10		
Percentage of transfers resulting in pregnancy		4 / 8		5 / 10		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Geisinger Medical Center Fertility Program

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2011 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2011 ART cycle data or the clinic's Medical Director did not approve the clinic's 2011 ART cycle data for inclusion in this report.

**PENN STATE MILTON S. HERSHEY MEDICAL CENTER
HERSHEY, PENNSYLVANIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	69%	Tubal factor	14%	Uterine factor	8%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	20%	Male factor	39%	
Used gestational carrier	1%			Diminished ovarian reserve	2%	Other factor	2%	
				Endometriosis	4%	Unknown factor	27%	
				Multiple Factors:				
				Female factors only				5%
				Female & male factors				9%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 101

Data verified by William C. Dodson, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	35	26	10	4	0	0
Percentage of cancellations	14.3	26.9	1 / 10	0 / 4		
Average number of embryos transferred	1.9	2.1	2.0	3.0		
Percentage of embryos transferred resulting in implantation	31.5	8.1	3 / 12	1 / 12		
Percentage of elective single embryo transfer (eSET)	0.0	1 / 16	0 / 4	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	34.3	11.5	1 / 10	1 / 4		
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 10	0 / 4		
Percentage of cycles resulting in live births	40.0	11.5	1 / 10	1 / 4		
Percentage of cycles resulting in pregnancy	42.9	19.2	2 / 10	1 / 4		
Outcomes per Transfer						
Number of transfers	28	18	6	4	0	0
Percentage of transfers resulting in singleton live births	42.9	3 / 18	1 / 6	1 / 4		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 18	0 / 6	0 / 4		
Percentage of transfers resulting in live births	50.0	3 / 18	1 / 6	1 / 4		
Percentage of transfers resulting in pregnancy	53.6	5 / 18	2 / 6	1 / 4		
Outcomes per Pregnancy						
Number of pregnancies	15	5	2	1	0	0
Percentage of pregnancies resulting in singleton live births	12 / 15	3 / 5	1 / 2	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 15	0 / 5	0 / 2	0 / 1		
Percentage of pregnancies resulting in live births	14 / 15	3 / 5	1 / 2	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	11	8	1	0	0	0
Number of transfers	10	8	1	0	0	0
Average number of embryos transferred	2.6	2.5	3.0			
Percentage of embryos transferred resulting in implantation	19.2	25.0	0 / 3			
Percentage of transfers resulting in singleton live births	3 / 10	3 / 8	0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 10	0 / 8	0 / 1			
Percentage of transfers resulting in live births	4 / 10	4 / 8	0 / 1			
Percentage of transfers resulting in pregnancy	4 / 10	4 / 8	0 / 1			
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	1		5			
Number of transfers	1		5			
Average number of embryos transferred	2.0		1.8			
Percentage of embryos transferred resulting in implantation	0 / 2		0 / 9			
Percentage of transfers resulting in singleton live births	0 / 1		0 / 5			
Percentage of transfers resulting in live births	0 / 1		0 / 5			
Percentage of transfers resulting in pregnancy	0 / 1		0 / 5			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Penn State Milton S. Hershey Medical Center

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 2 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF PHILADELPHIA KING OF PRUSSIA, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	67%	Tubal factor	18%	Uterine factor	2%	
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	15%	Male factor	33%	
Used gestational carrier	0%			Diminished ovarian reserve	26%	Other factor	8%	
				Endometriosis	8%	Unknown factor	15%	
				Multiple Factors:				
				Female factors only				11%
				Female & male factors				11%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 454

Data verified by Arthur J. Castelbaum, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	154	56	72	26	17	6
Percentage of cancellations	11.7	8.9	9.7	23.1	5 / 17	3 / 6
Average number of embryos transferred	2.0	2.2	2.7	3.1	2.7	2.5
Percentage of embryos transferred resulting in implantation	38.6	22.7	19.0	6.4	3.7	0 / 5
Percentage of elective single embryo transfer (eSET)	2.7	2.6	0.0	1 / 14	0 / 8	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.6	21.4	16.7	7.7	1 / 17	0 / 6
Percentage of cycles resulting in triplets or more live births	0.6	0.0	1.4	0.0	0 / 17	0 / 6
Percentage of cycles resulting in live births	39.6	26.8	26.4	7.7	1 / 17	0 / 6
Percentage of cycles resulting in pregnancy	46.1	39.3	30.6	15.4	1 / 17	0 / 6
Outcomes per Transfer						
Number of transfers	125	45	62	15	10	2
Percentage of transfers resulting in singleton live births	32.8	26.7	19.4	2 / 15	1 / 10	0 / 2
Percentage of transfers resulting in triplets or more live births	0.8	0.0	1.6	0 / 15	0 / 10	0 / 2
Percentage of transfers resulting in live births	48.8	33.3	30.6	2 / 15	1 / 10	0 / 2
Percentage of transfers resulting in pregnancy	56.8	48.9	35.5	4 / 15	1 / 10	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	71	22	22	4	1	0
Percentage of pregnancies resulting in singleton live births	57.7	54.5	54.5	2 / 4	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	1.4	0.0	4.5	0 / 4	0 / 1	
Percentage of pregnancies resulting in live births	85.9	68.2	86.4	2 / 4	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	44	20	11	7	0	1
Number of transfers	42	18	11	6	0	1
Average number of embryos transferred	1.6	1.8	2.0	2.0		3.0
Percentage of embryos transferred resulting in implantation	14.9	33.3	0.0	3 / 12		0 / 3
Percentage of transfers resulting in singleton live births	19.0	9 / 18	0 / 11	2 / 6		0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 18	0 / 11	0 / 6		0 / 1
Percentage of transfers resulting in live births	19.0	10 / 18	0 / 11	2 / 6		0 / 1
Percentage of transfers resulting in pregnancy	31.0	10 / 18	0 / 11	4 / 6		1 / 1
All Ages Combined^f						
Donor Eggs	Fresh Embryos			Frozen Embryos		
Number of cycles	22			18		
Number of transfers	19			17		
Average number of embryos transferred	1.9			1.9		
Percentage of embryos transferred resulting in implantation	36.1			25.0		
Percentage of transfers resulting in singleton live births	4 / 19			3 / 17		
Percentage of transfers resulting in live births	7 / 19			4 / 17		
Percentage of transfers resulting in pregnancy	9 / 19			7 / 17		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2011. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 52 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY AND GYNECOLOGY ASSOCIATES PHILADELPHIA, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	45%	Tubal factor	20%	Uterine factor	6%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	16%	Male factor	24%	
Used gestational carrier	0%			Diminished ovarian reserve	55%	Other factor	2%	
				Endometriosis	12%	Unknown factor	4%	
				Multiple Factors:				
				Female factors only				18%
				Female & male factors				20%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 51

Data verified by Leonore C. Huppert, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	11	8	4	4	2	2
Percentage of cancellations	1 / 11	0 / 8	0 / 4	1 / 4	0 / 2	0 / 2
Average number of embryos transferred	2.3	3.0	3.3	3.7	4.0	2.5
Percentage of embryos transferred resulting in implantation	52.4	29.2	3 / 10	1 / 11	1 / 4	0 / 5
Percentage of elective single embryo transfer (eSET)	0 / 9	0 / 8	0 / 3	0 / 3	0 / 1	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	6 / 11	2 / 8	1 / 4	0 / 4	1 / 2	0 / 2
Percentage of cycles resulting in triplets or more live births	0 / 11	0 / 8	0 / 4	0 / 4	0 / 2	0 / 2
Percentage of cycles resulting in live births	8 / 11	4 / 8	2 / 4	0 / 4	1 / 2	0 / 2
Percentage of cycles resulting in pregnancy	8 / 11	4 / 8	2 / 4	1 / 4	1 / 2	0 / 2
Outcomes per Transfer						
Number of transfers	9	8	3	3	1	2
Percentage of transfers resulting in singleton live births	6 / 9	2 / 8	1 / 3	0 / 3	1 / 1	0 / 2
Percentage of transfers resulting in triplets or more live births	0 / 9	0 / 8	0 / 3	0 / 3	0 / 1	0 / 2
Percentage of transfers resulting in live births	8 / 9	4 / 8	2 / 3	0 / 3	1 / 1	0 / 2
Percentage of transfers resulting in pregnancy	8 / 9	4 / 8	2 / 3	1 / 3	1 / 1	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	8	4	2	1	1	0
Percentage of pregnancies resulting in singleton live births	6 / 8	2 / 4	1 / 2	0 / 1	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 8	0 / 4	0 / 2	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births	8 / 8	4 / 4	2 / 2	0 / 1	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	4	2	1	0	0
Number of transfers	4	4	2	1	0	0
Average number of embryos transferred	2.0	2.5	3.0	4.0		
Percentage of embryos transferred resulting in implantation	2 / 8	3 / 10	0 / 6	1 / 4		
Percentage of transfers resulting in singleton live births	2 / 4	3 / 4	0 / 2	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 4	0 / 2	0 / 1		
Percentage of transfers resulting in live births	2 / 4	3 / 4	0 / 2	0 / 1		
Percentage of transfers resulting in pregnancy	2 / 4	3 / 4	0 / 2	1 / 1		
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	3		5			
Number of transfers	2		4			
Average number of embryos transferred	2.0		2.3			
Percentage of embryos transferred resulting in implantation	2 / 4		2 / 9			
Percentage of transfers resulting in singleton live births	2 / 2		0 / 4			
Percentage of transfers resulting in live births	2 / 2		1 / 4			
Percentage of transfers resulting in pregnancy	2 / 2		2 / 4			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility and Gynecology Associates

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

JEFFERSON IVF PHILADELPHIA, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	55%	Tubal factor	13%	Uterine factor	7%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	47%	Male factor	67%
Used gestational carrier	0%			Diminished ovarian reserve	0%	Other factor	20%
				Endometriosis	0%	Unknown factor	0%
				Multiple Factors:			
						Female factors only	0%
						Female & male factors	47%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 15

Data verified by Gregory T. Fossum, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	2	6	2	0	1	0
Percentage of cancellations	0 / 2	2 / 6	0 / 2		1 / 1	
Average number of embryos transferred	2.0	2.5	3.5			
Percentage of embryos transferred resulting in implantation	2 / 4	8 / 10	0 / 7			
Percentage of elective single embryo transfer (eSET)	0 / 2	0 / 4	0 / 2			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	0 / 2	1 / 6	0 / 2		0 / 1	
Percentage of cycles resulting in triplets or more live births	0 / 2	2 / 6	0 / 2		0 / 1	
Percentage of cycles resulting in live births	1 / 2	3 / 6	0 / 2		0 / 1	
Percentage of cycles resulting in pregnancy	1 / 2	4 / 6	0 / 2		0 / 1	
Outcomes per Transfer						
Number of transfers	2	4	2	0	0	0
Percentage of transfers resulting in singleton live births	0 / 2	1 / 4	0 / 2			
Percentage of transfers resulting in triplets or more live births	0 / 2	2 / 4	0 / 2			
Percentage of transfers resulting in live births	1 / 2	3 / 4	0 / 2			
Percentage of transfers resulting in pregnancy	1 / 2	4 / 4	0 / 2			
Outcomes per Pregnancy						
Number of pregnancies	1	4	0	0	0	0
Percentage of pregnancies resulting in singleton live births	0 / 1	1 / 4				
Percentage of pregnancies resulting in triplets or more live births	0 / 1	2 / 4				
Percentage of pregnancies resulting in live births	1 / 1	3 / 4				
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	0	0	0	0	0
Number of transfers	1	0	0	0	0	0
Average number of embryos transferred	3.0					
Percentage of embryos transferred resulting in implantation	0 / 3					
Percentage of transfers resulting in singleton live births	0 / 1					
Percentage of transfers resulting in triplets or more live births	0 / 1					
Percentage of transfers resulting in live births	0 / 1					
Percentage of transfers resulting in pregnancy	0 / 1					
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		1		2		
Number of transfers		0		2		
Average number of embryos transferred				2.0		
Percentage of embryos transferred resulting in implantation				0 / 4		
Percentage of transfers resulting in singleton live births				0 / 2		
Percentage of transfers resulting in live births				0 / 2		
Percentage of transfers resulting in pregnancy				0 / 2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Jefferson IVF

Donor egg?	Yes	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOCIETY HILL REPRODUCTIVE MEDICINE PHILADELPHIA, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	58%	Tubal factor	16%	Uterine factor	16%	
Unstimulated	3%	Used PGD	0%	Ovulatory dysfunction	9%	Male factor	42%	
Used gestational carrier	3%			Diminished ovarian reserve	44%	Other factor	16%	
				Endometriosis	33%	Unknown factor	9%	
				Multiple Factors:				
				Female factors only				21%
				Female & male factors				40%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 43

Data verified by Maureen P. Kelly, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	12	4	10	0	5	0
Percentage of cancellations	0 / 12	0 / 4	1 / 10		1 / 5	
Average number of embryos transferred	2.2	1.8	2.4		1.5	
Percentage of embryos transferred resulting in implantation	30.8	3 / 7	1 / 19		0 / 6	
Percentage of elective single embryo transfer (eSET)	0 / 12	0 / 3	0 / 7		0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	8 / 12	1 / 4	0 / 10		0 / 5	
Percentage of cycles resulting in triplets or more live births	0 / 12	0 / 4	0 / 10		0 / 5	
Percentage of cycles resulting in live births	8 / 12	2 / 4	0 / 10		0 / 5	
Percentage of cycles resulting in pregnancy	8 / 12	2 / 4	2 / 10		0 / 5	
Outcomes per Transfer						
Number of transfers	12	4	8	0	4	0
Percentage of transfers resulting in singleton live births	8 / 12	1 / 4	0 / 8		0 / 4	
Percentage of transfers resulting in triplets or more live births	0 / 12	0 / 4	0 / 8		0 / 4	
Percentage of transfers resulting in live births	8 / 12	2 / 4	0 / 8		0 / 4	
Percentage of transfers resulting in pregnancy	8 / 12	2 / 4	2 / 8		0 / 4	
Outcomes per Pregnancy						
Number of pregnancies	8	2	2	0	0	0
Percentage of pregnancies resulting in singleton live births	8 / 8	1 / 2	0 / 2			
Percentage of pregnancies resulting in triplets or more live births	0 / 8	0 / 2	0 / 2			
Percentage of pregnancies resulting in live births	8 / 8	2 / 2	0 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	2	1	0	0	0
Number of transfers	5	1	1	0	0	0
Average number of embryos transferred	2.0	3.0	2.0			
Percentage of embryos transferred resulting in implantation	3 / 10	1 / 3	0 / 2			
Percentage of transfers resulting in singleton live births	1 / 5	1 / 1	0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 5	0 / 1	0 / 1			
Percentage of transfers resulting in live births	1 / 5	1 / 1	0 / 1			
Percentage of transfers resulting in pregnancy	4 / 5	1 / 1	0 / 1			
All Ages Combined^f						
	Fresh Embryos		Frozen Embryos			
Number of cycles	2		2			
Number of transfers	2		2			
Average number of embryos transferred	2.0		2.0			
Percentage of embryos transferred resulting in implantation	2 / 4		1 / 4			
Percentage of transfers resulting in singleton live births	1 / 2		1 / 2			
Percentage of transfers resulting in live births	1 / 2		1 / 2			
Percentage of transfers resulting in pregnancy	2 / 2		2 / 2			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Society Hill Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY OF PENNSYLVANIA
PENN FERTILITY CARE
PHILADELPHIA, PENNSYLVANIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	26%	Tubal factor	20%	Uterine factor	12%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	11%	Male factor	31%	
Used gestational carrier	2%			Diminished ovarian reserve	29%	Other factor	28%	
				Endometriosis	11%	Unknown factor	12%	
				Multiple Factors:				
				Female factors only				28%
				Female & male factors				15%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 524

Data verified by Anuja Dokras, MD, PhD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	143	85	110	44	20	1
Percentage of cancellations	6.3	16.5	15.5	11.4	10.0	1 / 1
Average number of embryos transferred	1.8	2.1	2.2	2.6	2.8	
Percentage of embryos transferred resulting in implantation	30.5	21.6	13.7	6.8	4.5	
Percentage of elective single embryo transfer (eSET)	12.5	1.8	3.3	0.0	0 / 12	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.2	15.3	12.7	4.5	5.0	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 1
Percentage of cycles resulting in live births	32.9	23.5	15.5	6.8	5.0	0 / 1
Percentage of cycles resulting in pregnancy	40.6	30.6	21.8	15.9	10.0	0 / 1
Outcomes per Transfer						
Number of transfers	118	66	80	34	16	0
Percentage of transfers resulting in singleton live births	30.5	19.7	17.5	5.9	1 / 16	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 16	
Percentage of transfers resulting in live births	39.8	30.3	21.3	8.8	1 / 16	
Percentage of transfers resulting in pregnancy	49.2	39.4	30.0	20.6	2 / 16	
Outcomes per Pregnancy						
Number of pregnancies	58	26	24	7	2	0
Percentage of pregnancies resulting in singleton live births	62.1	50.0	58.3	2 / 7	1 / 2	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 7	0 / 2	
Percentage of pregnancies resulting in live births	81.0	76.9	70.8	3 / 7	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	35	11	9	3	1	1
Number of transfers	26	11	8	3	0	1
Average number of embryos transferred	2.1	2.4	2.6	3.0		3.0
Percentage of embryos transferred resulting in implantation	24.1	19.2	23.8	0 / 9		0 / 3
Percentage of transfers resulting in singleton live births	26.9	5 / 11	3 / 8	0 / 3		0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 11	0 / 8	0 / 3		0 / 1
Percentage of transfers resulting in live births	34.6	5 / 11	4 / 8	0 / 3		0 / 1
Percentage of transfers resulting in pregnancy	38.5	5 / 11	4 / 8	0 / 3		0 / 1
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	32		29			
Number of transfers	29		26			
Average number of embryos transferred	1.7		2.0			
Percentage of embryos transferred resulting in implantation	46.9		31.4			
Percentage of transfers resulting in singleton live births	31.0		34.6			
Percentage of transfers resulting in live births	44.8		42.3			
Percentage of transfers resulting in pregnancy	62.1		53.8			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University of Pennsylvania, Penn Fertility Care

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 42 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

JONES INSTITUTE AT WEST PENN ALLEGHENY HEALTH SYSTEM PITTSBURGH, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	53%	Tubal factor	14%	Uterine factor	3%	
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	9%	Male factor	50%	
Used gestational carrier	2%			Diminished ovarian reserve	27%	Other factor	24%	
				Endometriosis	10%	Unknown factor	8%	
				Multiple Factors:				
				Female factors only				16%
				Female & male factors				25%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 133

Data verified by Scott W. Kauma, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	48	22	5	6	2	0
Percentage of cancellations	16.7	27.3	1 / 5	2 / 6	1 / 2	
Average number of embryos transferred	2.1	2.5	2.3	3.3	3.0	
Percentage of embryos transferred resulting in implantation	35.0	25.0	4 / 9	1 / 10	0 / 3	
Percentage of elective single embryo transfer (eSET)	2.6	0 / 16	0 / 4	0 / 3	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.1	31.8	2 / 5	1 / 6	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 5	0 / 6	0 / 2	
Percentage of cycles resulting in live births	41.7	36.4	3 / 5	1 / 6	0 / 2	
Percentage of cycles resulting in pregnancy	43.8	40.9	3 / 5	1 / 6	0 / 2	
Outcomes per Transfer						
Number of transfers	39	16	4	3	1	0
Percentage of transfers resulting in singleton live births	33.3	7 / 16	2 / 4	1 / 3	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0 / 4	0 / 3	0 / 1	
Percentage of transfers resulting in live births	51.3	8 / 16	3 / 4	1 / 3	0 / 1	
Percentage of transfers resulting in pregnancy	53.8	9 / 16	3 / 4	1 / 3	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	21	9	3	1	0	0
Percentage of pregnancies resulting in singleton live births	61.9	7 / 9	2 / 3	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 9	0 / 3	0 / 1		
Percentage of pregnancies resulting in live births	95.2	8 / 9	3 / 3	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	15	7	2	0	3	0
Number of transfers	14	7	2	0	2	0
Average number of embryos transferred	2.1	2.1	2.5		2.0	
Percentage of embryos transferred resulting in implantation	3.3	1 / 15	2 / 5		0 / 4	
Percentage of transfers resulting in singleton live births	1 / 14	1 / 7	0 / 2		0 / 2	
Percentage of transfers resulting in triplets or more live births	0 / 14	0 / 7	0 / 2		0 / 2	
Percentage of transfers resulting in live births	1 / 14	1 / 7	0 / 2		0 / 2	
Percentage of transfers resulting in pregnancy	4 / 14	1 / 7	2 / 2		0 / 2	
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Number of cycles		18		5		
Number of transfers		12		5		
Average number of embryos transferred		2.2		2.2		
Percentage of embryos transferred resulting in implantation		34.6		2 / 11		
Percentage of transfers resulting in singleton live births		1 / 12		2 / 5		
Percentage of transfers resulting in live births		4 / 12		2 / 5		
Percentage of transfers resulting in pregnancy		7 / 12		2 / 5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Jones Institute at West Penn Allegheny Health System

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE HEALTH SPECIALISTS, INC. PITTSBURGH, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	68%	Tubal factor	9%	Uterine factor	2%	
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	8%	Male factor	43%	
Used gestational carrier	<1%			Diminished ovarian reserve	7%	Other factor	6%	
				Endometriosis	10%	Unknown factor	26%	
				Multiple Factors:				
				Female factors only				3%
				Female & male factors				8%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 295

Data verified by Judith L. Albert, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	107	39	40	12	4	0
Percentage of cancellations	3.7	5.1	2.5	1 / 12	0 / 4	
Average number of embryos transferred	1.7	1.9	2.4	2.0	2.7	
Percentage of embryos transferred resulting in implantation	45.1	20.0	21.2	20.0	0 / 8	
Percentage of elective single embryo transfer (eSET)	24.1	13.8	2.9	0 / 7	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	34.6	30.8	20.0	4 / 12	0 / 4	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	2.5	0 / 12	0 / 4	
Percentage of cycles resulting in live births	50.5	30.8	30.0	4 / 12	0 / 4	
Percentage of cycles resulting in pregnancy	55.1	38.5	37.5	4 / 12	0 / 4	
Outcomes per Transfer						
Number of transfers	95	35	36	10	3	0
Percentage of transfers resulting in singleton live births	38.9	34.3	22.2	4 / 10	0 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	2.8	0 / 10	0 / 3	
Percentage of transfers resulting in live births	56.8	34.3	33.3	4 / 10	0 / 3	
Percentage of transfers resulting in pregnancy	62.1	42.9	41.7	4 / 10	0 / 3	
Outcomes per Pregnancy						
Number of pregnancies	59	15	15	4	0	0
Percentage of pregnancies resulting in singleton live births	62.7	12 / 15	8 / 15	4 / 4		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 15	1 / 15	0 / 4		
Percentage of pregnancies resulting in live births	91.5	12 / 15	12 / 15	4 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	37	15	14	3	2	3
Number of transfers	36	13	14	3	1	3
Average number of embryos transferred	1.5	1.3	1.4	1.7	3.0	3.0
Percentage of embryos transferred resulting in implantation	34.5	5 / 17	6 / 19	0 / 5	2 / 3	0 / 9
Percentage of transfers resulting in singleton live births	41.7	4 / 13	6 / 14	0 / 3	0 / 1	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0 / 13	0 / 14	0 / 3	0 / 1	0 / 3
Percentage of transfers resulting in live births	47.2	4 / 13	6 / 14	0 / 3	1 / 1	0 / 3
Percentage of transfers resulting in pregnancy	55.6	7 / 13	6 / 14	1 / 3	1 / 1	0 / 3
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	14		5			
Number of transfers	14		5			
Average number of embryos transferred	1.8		1.6			
Percentage of embryos transferred resulting in implantation	48.0		1 / 8			
Percentage of transfers resulting in singleton live births	8 / 14		1 / 5			
Percentage of transfers resulting in live births	10 / 14		1 / 5			
Percentage of transfers resulting in pregnancy	11 / 14		1 / 5			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Health Specialists, Inc.

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 2 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY OF PITTSBURGH PHYSICIANS
CENTER FOR FERTILITY AND REPRODUCTIVE ENDOCRINOLOGY
PITTSBURGH, PENNSYLVANIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	58%	Tubal factor	9%	Uterine factor	4%
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	7%	Male factor	31%
Used gestational carrier	0%			Diminished ovarian reserve	53%	Other factor	25%
				Endometriosis	9%	Unknown factor	5%
				Multiple Factors: Female factors only 15% Female & male factors 19%			

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 623

Data verified by Anthony N. Wakim, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	142	63	51	31	2	0
Percentage of cancellations	3.5	3.2	5.9	22.6	1 / 2	
Average number of embryos transferred	1.9	2.2	2.5	2.7		
Percentage of embryos transferred resulting in implantation	17.0	19.3	18.5	7.9		
Percentage of elective single embryo transfer (eSET)	13.2	7.5	0.0	0.0		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	17.6	20.6	17.6	6.5	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	1.6	0.0	0.0	0 / 2	
Percentage of cycles resulting in live births	19.0	25.4	23.5	6.5	0 / 2	
Percentage of cycles resulting in pregnancy	28.2	31.7	29.4	12.9	0 / 2	
Outcomes per Transfer						
Number of transfers	118	54	43	23	0	0
Percentage of transfers resulting in singleton live births	21.2	24.1	20.9	8.7		
Percentage of transfers resulting in triplets or more live births	0.0	1.9	0.0	0.0		
Percentage of transfers resulting in live births	22.9	29.6	27.9	8.7		
Percentage of transfers resulting in pregnancy	33.9	37.0	34.9	17.4		
Outcomes per Pregnancy						
Number of pregnancies	40	20	15	4	0	0
Percentage of pregnancies resulting in singleton live births	62.5	65.0	9 / 15	2 / 4		
Percentage of pregnancies resulting in triplets or more live births	0.0	5.0	0 / 15	0 / 4		
Percentage of pregnancies resulting in live births	67.5	80.0	12 / 15	2 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	149	49	27	13	5	1
Number of transfers	125	38	22	10	5	1
Average number of embryos transferred	2.1	2.2	2.4	2.2	1.6	3.0
Percentage of embryos transferred resulting in implantation	18.1	14.5	7.5	18.2	1 / 8	0 / 3
Percentage of transfers resulting in singleton live births	22.4	21.1	18.2	2 / 10	1 / 5	0 / 1
Percentage of transfers resulting in triplets or more live births	1.6	0.0	0.0	0 / 10	0 / 5	0 / 1
Percentage of transfers resulting in live births	28.0	21.1	18.2	2 / 10	1 / 5	0 / 1
Percentage of transfers resulting in pregnancy	33.6	28.9	22.7	4 / 10	1 / 5	0 / 1
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	37		53			
Number of transfers	32		39			
Average number of embryos transferred	1.8		1.8			
Percentage of embryos transferred resulting in implantation	35.7		29.2			
Percentage of transfers resulting in singleton live births	40.6		30.8			
Percentage of transfers resulting in live births	50.0		38.5			
Percentage of transfers resulting in pregnancy	50.0		43.6			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University of Pittsburgh Physicians, Center for Fertility and Reproductive Endocrinology					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 2 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE ENDOCRINOLOGY AND FERTILITY CENTER UPLAND, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	53%	Tubal factor	32%	Uterine factor	8%	
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	20%	Male factor	31%	
Used gestational carrier	0%			Diminished ovarian reserve	7%	Other factor	32%	
				Endometriosis	16%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				21%
				Female & male factors				20%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 248

Data verified by Albert El-Roeiy, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	87	31	39	18	7	2
Percentage of cancellations	16.1	16.1	7.7	1 / 18	0 / 7	2 / 2
Average number of embryos transferred	2.1	2.5	2.7	2.6	3.0	
Percentage of embryos transferred resulting in implantation	29.7	22.2	6.3	3.4	1 / 9	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 14	0.0	0 / 8	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	10.3	16.1	5.1	1 / 18	1 / 7	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 18	0 / 7	0 / 2
Percentage of cycles resulting in live births	19.5	22.6	7.7	1 / 18	1 / 7	0 / 2
Percentage of cycles resulting in pregnancy	21.8	25.8	10.3	1 / 18	1 / 7	0 / 2
Outcomes per Transfer						
Number of transfers	47	18	30	11	3	0
Percentage of transfers resulting in singleton live births	19.1	5 / 18	6.7	1 / 11	1 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 18	0.0	0 / 11	0 / 3	
Percentage of transfers resulting in live births	36.2	7 / 18	10.0	1 / 11	1 / 3	
Percentage of transfers resulting in pregnancy	40.4	8 / 18	13.3	1 / 11	1 / 3	
Outcomes per Pregnancy						
Number of pregnancies	19	8	4	1	1	0
Percentage of pregnancies resulting in singleton live births	9 / 19	5 / 8	2 / 4	1 / 1	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 19	0 / 8	0 / 4	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births	17 / 19	7 / 8	3 / 4	1 / 1	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	33	7	4	3	0	0
Number of transfers	30	7	4	3	0	0
Average number of embryos transferred	2.4	2.0	3.0	3.7		
Percentage of embryos transferred resulting in implantation	14.1	6 / 14	2 / 12	0 / 11		
Percentage of transfers resulting in singleton live births	16.7	4 / 7	2 / 4	0 / 3		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 7	0 / 4	0 / 3		
Percentage of transfers resulting in live births	20.0	5 / 7	2 / 4	0 / 3		
Percentage of transfers resulting in pregnancy	26.7	5 / 7	2 / 4	0 / 3		
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	11		6			
Number of transfers	6		4			
Average number of embryos transferred	2.7		2.3			
Percentage of embryos transferred resulting in implantation	2 / 16		0 / 9			
Percentage of transfers resulting in singleton live births	0 / 6		0 / 4			
Percentage of transfers resulting in live births	1 / 6		0 / 4			
Percentage of transfers resulting in pregnancy	1 / 6		0 / 4			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Endocrinology and Fertility Center

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE SCIENCE INSTITUTE OF SUBURBAN PHILADELPHIA WAYNE, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	64%	Tubal factor	11%	Uterine factor	3%
Unstimulated	0%	Used PGD	8%	Ovulatory dysfunction	39%	Male factor	24%
Used gestational carrier	1%			Diminished ovarian reserve	40%	Other factor	4%
				Endometriosis	6%	Unknown factor	3%
				Multiple Factors:			
						Female factors only	9%
						Female & male factors	15%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 151

Data verified by Abraham K. Munabi, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	42	24	20	3	4	3
Percentage of cancellations	2.4	8.3	15.0	0 / 3	1 / 4	0 / 3
Average number of embryos transferred	2.0	2.0	2.1	2.5	3.0	4.0
Percentage of embryos transferred resulting in implantation	32.0	27.9	12.9	1 / 5	0 / 9	0 / 12
Percentage of elective single embryo transfer (eSET)	5.7	9.5	0 / 10	0 / 2	0 / 3	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	28.6	16.7	10.0	1 / 3	0 / 4	0 / 3
Percentage of cycles resulting in triplets or more live births	2.4	0.0	0.0	0 / 3	0 / 4	0 / 3
Percentage of cycles resulting in live births	38.1	33.3	15.0	1 / 3	0 / 4	0 / 3
Percentage of cycles resulting in pregnancy	50.0	37.5	15.0	1 / 3	0 / 4	0 / 3
Outcomes per Transfer						
Number of transfers	37	22	15	2	3	3
Percentage of transfers resulting in singleton live births	32.4	18.2	2 / 15	1 / 2	0 / 3	0 / 3
Percentage of transfers resulting in triplets or more live births	2.7	0.0	0 / 15	0 / 2	0 / 3	0 / 3
Percentage of transfers resulting in live births	43.2	36.4	3 / 15	1 / 2	0 / 3	0 / 3
Percentage of transfers resulting in pregnancy	56.8	40.9	3 / 15	1 / 2	0 / 3	0 / 3
Outcomes per Pregnancy						
Number of pregnancies	21	9	3	1	0	0
Percentage of pregnancies resulting in singleton live births	57.1	4 / 9	2 / 3	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	4.8	0 / 9	0 / 3	0 / 1		
Percentage of pregnancies resulting in live births	76.2	8 / 9	3 / 3	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	16	12	0	1	1	0
Number of transfers	16	11	0	1	1	0
Average number of embryos transferred	1.4	1.5		1.0	1.0	
Percentage of embryos transferred resulting in implantation	27.3	6 / 17		0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births	3 / 16	2 / 11		0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 16	0 / 11		0 / 1	0 / 1	
Percentage of transfers resulting in live births	4 / 16	4 / 11		0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	5 / 16	4 / 11		0 / 1	0 / 1	
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Number of cycles		15		10		
Number of transfers		14		10		
Average number of embryos transferred		2.1		1.8		
Percentage of embryos transferred resulting in implantation		31.0		4 / 18		
Percentage of transfers resulting in singleton live births		6 / 14		2 / 10		
Percentage of transfers resulting in live births		7 / 14		3 / 10		
Percentage of transfers resulting in pregnancy		7 / 14		4 / 10		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2011. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 52 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WOMEN'S CLINIC, LTD. WEST READING, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	68%	Tubal factor	24%	Uterine factor	8%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	35%	Male factor	72%
Used gestational carrier	0%			Diminished ovarian reserve	28%	Other factor	16%
				Endometriosis	32%	Unknown factor	1%
				Multiple Factors:			
						Female factors only	18%
						Female & male factors	60%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 74

Data verified by Vincent A. Pellegrini, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	45	11	7	2	3	0
Percentage of cancellations	31.1	2 / 11	2 / 7	0 / 2	2 / 3	
Average number of embryos transferred	2.3	2.1	3.2	2.5	1.0	
Percentage of embryos transferred resulting in implantation	28.6	1 / 15	3 / 16	0 / 5	0 / 1	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 6	0 / 5	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.7	1 / 11	2 / 7	0 / 2	0 / 3	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 11	0 / 7	0 / 2	0 / 3	
Percentage of cycles resulting in live births	33.3	1 / 11	2 / 7	0 / 2	0 / 3	
Percentage of cycles resulting in pregnancy	35.6	2 / 11	3 / 7	0 / 2	0 / 3	
Outcomes per Transfer						
Number of transfers	31	7	5	2	1	0
Percentage of transfers resulting in singleton live births	38.7	1 / 7	2 / 5	0 / 2	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 7	0 / 5	0 / 2	0 / 1	
Percentage of transfers resulting in live births	48.4	1 / 7	2 / 5	0 / 2	0 / 1	
Percentage of transfers resulting in pregnancy	51.6	2 / 7	3 / 5	0 / 2	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	16	2	3	0	0	0
Percentage of pregnancies resulting in singleton live births	12 / 16	1 / 2	2 / 3			
Percentage of pregnancies resulting in triplets or more live births	0 / 16	0 / 2	0 / 3			
Percentage of pregnancies resulting in live births	15 / 16	1 / 2	2 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	3	2	1	0	0	0
Number of transfers	3	2	1	0	0	0
Average number of embryos transferred	2.0	1.5	2.0			
Percentage of embryos transferred resulting in implantation	2 / 6	1 / 3	1 / 2			
Percentage of transfers resulting in singleton live births	1 / 3	1 / 2	1 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 3	0 / 2	0 / 1			
Percentage of transfers resulting in live births	1 / 3	1 / 2	1 / 1			
Percentage of transfers resulting in pregnancy	2 / 3	1 / 2	1 / 1			
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		0		0		
Number of transfers		0		0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Women's Clinic, Ltd.

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE FERTILITY CENTER, LLC YORK, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	87%	Tubal factor	2%	Uterine factor	0%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	<1%	Male factor	28%	
Used gestational carrier	0%			Diminished ovarian reserve	21%	Other factor	0%	
				Endometriosis	0%	Unknown factor	50%	
				Multiple Factors:				
				Female factors only				0%
				Female & male factors				2%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 102

Data verified by Robert B. Filer, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	47	11	12	0	0	0
Percentage of cancellations	0.0	0 / 11	0 / 12			
Average number of embryos transferred	2.2	2.8	2.6			
Percentage of embryos transferred resulting in implantation	17.2	8.0	17.4			
Percentage of elective single embryo transfer (eSET)	2.8	0 / 8	0 / 8			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	19.1	2 / 11	1 / 12			
Percentage of cycles resulting in triplets or more live births	0.0	0 / 11	0 / 12			
Percentage of cycles resulting in live births	25.5	2 / 11	2 / 12			
Percentage of cycles resulting in pregnancy	27.7	2 / 11	3 / 12			
Outcomes per Transfer						
Number of transfers	42	9	9	0	0	0
Percentage of transfers resulting in singleton live births	21.4	2 / 9	1 / 9			
Percentage of transfers resulting in triplets or more live births	0.0	0 / 9	0 / 9			
Percentage of transfers resulting in live births	28.6	2 / 9	2 / 9			
Percentage of transfers resulting in pregnancy	31.0	2 / 9	3 / 9			
Outcomes per Pregnancy						
Number of pregnancies	13	2	3	0	0	0
Percentage of pregnancies resulting in singleton live births	9 / 13	2 / 2	1 / 3			
Percentage of pregnancies resulting in triplets or more live births	0 / 13	0 / 2	0 / 3			
Percentage of pregnancies resulting in live births	12 / 13	2 / 2	2 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	5	0	0	0	0
Number of transfers	5	5	0	0	0	0
Average number of embryos transferred	1.6	1.8				
Percentage of embryos transferred resulting in implantation	3 / 8	3 / 9				
Percentage of transfers resulting in singleton live births	3 / 5	1 / 5				
Percentage of transfers resulting in triplets or more live births	0 / 5	0 / 5				
Percentage of transfers resulting in live births	3 / 5	2 / 5				
Percentage of transfers resulting in pregnancy	3 / 5	2 / 5				
All Ages Combined^f						
	Fresh Embryos		Frozen Embryos			
Number of cycles	8		12			
Number of transfers	7		12			
Average number of embryos transferred	2.0		2.3			
Percentage of embryos transferred resulting in implantation	3 / 14		28.6			
Percentage of transfers resulting in singleton live births	0 / 7		5 / 12			
Percentage of transfers resulting in live births	1 / 7		6 / 12			
Percentage of transfers resulting in pregnancy	2 / 7		6 / 12			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Fertility Center, LLC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**PEDRO J. BEAUCHAMP, MD
BAYAMON, PUERTO RICO**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	66%	Tubal factor	33%	Uterine factor	8%	Multiple Factors: Female factors only 20% Female & male factors 42%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	22%	Male factor	57%	
Used gestational carrier	0%			Diminished ovarian reserve	4%	Other factor	32%	
				Endometriosis	38%	Unknown factor	3%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 153

Data verified by Pedro J. Beauchamp, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	51	36	26	18	2	3
Percentage of cancellations	7.8	13.9	15.4	2 / 18	0 / 2	2 / 3
Average number of embryos transferred	2.1	2.1	2.7	2.6	3.5	
Percentage of embryos transferred resulting in implantation	34.0	27.0	8.8	2.6	0 / 7	
Percentage of elective single embryo transfer (eSET)	0.0	0.0	0.0	0 / 12	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	31.4	11.1	15.4	0 / 18	0 / 2	0 / 3
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 18	0 / 2	0 / 3
Percentage of cycles resulting in live births	41.2	27.8	15.4	0 / 18	0 / 2	0 / 3
Percentage of cycles resulting in pregnancy	58.8	41.7	30.8	2 / 18	0 / 2	0 / 3
Outcomes per Transfer						
Number of transfers	46	30	21	15	2	0
Percentage of transfers resulting in singleton live births	34.8	13.3	19.0	0 / 15	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 15	0 / 2	
Percentage of transfers resulting in live births	45.7	33.3	19.0	0 / 15	0 / 2	
Percentage of transfers resulting in pregnancy	65.2	50.0	38.1	2 / 15	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	30	15	8	2	0	0
Percentage of pregnancies resulting in singleton live births	53.3	4 / 15	4 / 8	0 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 15	0 / 8	0 / 2		
Percentage of pregnancies resulting in live births	70.0	10 / 15	4 / 8	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	0	2	0	0	1
Number of transfers	4	0	2	0	0	1
Average number of embryos transferred	3.0		3.5			1.0
Percentage of embryos transferred resulting in implantation	0 / 12		0 / 7			0 / 1
Percentage of transfers resulting in singleton live births	0 / 4		0 / 2			0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 4		0 / 2			0 / 1
Percentage of transfers resulting in live births	0 / 4		0 / 2			0 / 1
Percentage of transfers resulting in pregnancy	0 / 4		0 / 2			0 / 1
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	7		2			
Number of transfers	7		2			
Average number of embryos transferred	2.4		2.5			
Percentage of embryos transferred resulting in implantation	8 / 17		0 / 5			
Percentage of transfers resulting in singleton live births	1 / 7		0 / 2			
Percentage of transfers resulting in live births	4 / 7		0 / 2			
Percentage of transfers resulting in pregnancy	4 / 7		0 / 2			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Pedro J. Beauchamp, MD					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CLINICA DE FERTILIDAD HIMA-SAN PABLO CAGUAS, PUERTO RICO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	62%	Tubal factor	33%	Uterine factor	0%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	5%	Male factor	33%	
Used gestational carrier	0%			Diminished ovarian reserve	10%	Other factor	0%	
				Endometriosis	19%	Unknown factor	14%	
				Multiple Factors:				
				Female factors only				2%
				Female & male factors				12%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 42

Data verified by Jose R. Cruz, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	15	9	8	4	1	0
Percentage of cancellations	0 / 15	0 / 9	0 / 8	0 / 4	0 / 1	
Average number of embryos transferred	2.2	2.2	2.6	3.0	1.0	
Percentage of embryos transferred resulting in implantation	57.6	20.0	28.6	2 / 12	0 / 1	
Percentage of elective single embryo transfer (eSET)	1 / 15	1 / 7	0 / 6	0 / 4		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	7 / 15	4 / 9	3 / 8	2 / 4	0 / 1	
Percentage of cycles resulting in triplets or more live births	1 / 15	0 / 9	0 / 8	0 / 4	0 / 1	
Percentage of cycles resulting in live births	10 / 15	4 / 9	4 / 8	2 / 4	0 / 1	
Percentage of cycles resulting in pregnancy	13 / 15	4 / 9	4 / 8	2 / 4	0 / 1	
Outcomes per Transfer						
Number of transfers	15	9	8	4	1	0
Percentage of transfers resulting in singleton live births	7 / 15	4 / 9	3 / 8	2 / 4	0 / 1	
Percentage of transfers resulting in triplets or more live births	1 / 15	0 / 9	0 / 8	0 / 4	0 / 1	
Percentage of transfers resulting in live births	10 / 15	4 / 9	4 / 8	2 / 4	0 / 1	
Percentage of transfers resulting in pregnancy	13 / 15	4 / 9	4 / 8	2 / 4	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	13	4	4	2	0	0
Percentage of pregnancies resulting in singleton live births	7 / 13	4 / 4	3 / 4	2 / 2		
Percentage of pregnancies resulting in triplets or more live births	1 / 13	0 / 4	0 / 4	0 / 2		
Percentage of pregnancies resulting in live births	10 / 13	4 / 4	4 / 4	2 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	0	0	0	0	0
Number of transfers	1	0	0	0	0	0
Average number of embryos transferred	1.0					
Percentage of embryos transferred resulting in implantation	1 / 1					
Percentage of transfers resulting in singleton live births	1 / 1					
Percentage of transfers resulting in triplets or more live births	0 / 1					
Percentage of transfers resulting in live births	1 / 1					
Percentage of transfers resulting in pregnancy	1 / 1					

All Ages Combined^f

Donor Eggs	Fresh Embryos	Frozen Embryos
Number of cycles	3	1
Number of transfers	3	1
Average number of embryos transferred	2.3	2.0
Percentage of embryos transferred resulting in implantation	4 / 7	0 / 2
Percentage of transfers resulting in singleton live births	1 / 3	0 / 1
Percentage of transfers resulting in live births	2 / 3	0 / 1
Percentage of transfers resulting in pregnancy	3 / 3	0 / 1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Clinica de Fertilidad HIMA-San Pablo

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GREFI
GYNECOLOGY, REPRODUCTIVE ENDOCRINOLOGY & FERTILITY INSTITUTE
SANTURCE, PUERTO RICO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE				Patient Diagnosis ^b			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	58%	Tubal factor	33%	Uterine factor	0%
Unstimulated	0%	Used PGD	21%	Ovulatory dysfunction	7%	Male factor	41%
Used gestational carrier	0%			Diminished ovarian reserve	9%	Other factor	30%
				Endometriosis	11%	Unknown factor	2%
				Multiple Factors: Female factors only 2% Female & male factors 24%			

2011 ART SUCCESS RATES^{c,d} Number of cycles in table: ^e 46 Data verified by Rosa Ileana Cruz, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	11	8	8	4	2	0
Percentage of cancellations	0 / 11	0 / 8	0 / 8	0 / 4	0 / 2	
Average number of embryos transferred	2.5	3.0	2.3	3.0	4.0	
Percentage of embryos transferred resulting in implantation	40.0	19.0	1 / 14	2 / 12	0 / 4	
Percentage of elective single embryo transfer (eSET)	0 / 9	0 / 6	0 / 5	0 / 4	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	3 / 11	1 / 8	1 / 8	0 / 4	0 / 2	
Percentage of cycles resulting in triplets or more live births	1 / 11	0 / 8	0 / 8	0 / 4	0 / 2	
Percentage of cycles resulting in live births	5 / 11	2 / 8	1 / 8	0 / 4	0 / 2	
Percentage of cycles resulting in pregnancy	6 / 11	2 / 8	1 / 8	1 / 4	0 / 2	
Outcomes per Transfer						
Number of transfers	10	7	6	4	1	0
Percentage of transfers resulting in singleton live births	3 / 10	1 / 7	1 / 6	0 / 4	0 / 1	
Percentage of transfers resulting in triplets or more live births	1 / 10	0 / 7	0 / 6	0 / 4	0 / 1	
Percentage of transfers resulting in live births	5 / 10	2 / 7	1 / 6	0 / 4	0 / 1	
Percentage of transfers resulting in pregnancy	6 / 10	2 / 7	1 / 6	1 / 4	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	6	2	1	1	0	0
Percentage of pregnancies resulting in singleton live births	3 / 6	1 / 2	1 / 1	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	1 / 6	0 / 2	0 / 1	0 / 1		
Percentage of pregnancies resulting in live births	5 / 6	2 / 2	1 / 1	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	0	1	2	1	0
Number of transfers	1	0	1	1	1	0
Average number of embryos transferred	2.0		4.0	2.0	3.0	
Percentage of embryos transferred resulting in implantation	2 / 2		0 / 4	0 / 2	1 / 3	
Percentage of transfers resulting in singleton live births	1 / 1		0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 1		0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in live births	1 / 1		0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	1 / 1		0 / 1	0 / 1	1 / 1	
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	7		0			
Number of transfers	7		0			
Average number of embryos transferred	2.3					
Percentage of embryos transferred resulting in implantation	2 / 16					
Percentage of transfers resulting in singleton live births	1 / 7					
Percentage of transfers resulting in live births	1 / 7					
Percentage of transfers resulting in pregnancy	2 / 7					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: GREFI, Gynecology, Reproductive Endocrinology & Fertility Institute					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WOMEN AND INFANTS' DIVISION OF REPRODUCTIVE MEDICINE AND INFERTILITY PROVIDENCE, RHODE ISLAND

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	59%	Tubal factor	12%	Uterine factor	2%	
Unstimulated	3%	Used PGD	3%	Ovulatory dysfunction	11%	Male factor	27%	
Used gestational carrier	0%			Diminished ovarian reserve	5%	Other factor	6%	
				Endometriosis	5%	Unknown factor	43%	
				Multiple Factors:				
				Female factors only				3%
				Female & male factors				7%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 666

Data verified by Sandra A. Carson, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	265	108	110	60	11	0
Percentage of cancellations	4.9	5.6	10.0	11.7	1 / 11	
Average number of embryos transferred	2.1	2.3	2.6	3.8	4.0	
Percentage of embryos transferred resulting in implantation	20.5	20.4	16.9	5.2	0.0	
Percentage of elective single embryo transfer (eSET)	5.0	2.2	0.0	0.0	0 / 7	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	17.0	23.1	10.9	11.7	0 / 11	
Percentage of cycles resulting in triplets or more live births	0.4	0.0	0.0	0.0	0 / 11	
Percentage of cycles resulting in live births	25.7	29.6	18.2	11.7	0 / 11	
Percentage of cycles resulting in pregnancy	29.8	37.0	26.4	15.0	0 / 11	
Outcomes per Transfer						
Number of transfers	234	95	87	46	8	0
Percentage of transfers resulting in singleton live births	19.2	26.3	13.8	15.2	0 / 8	
Percentage of transfers resulting in triplets or more live births	0.4	0.0	0.0	0.0	0 / 8	
Percentage of transfers resulting in live births	29.1	33.7	23.0	15.2	0 / 8	
Percentage of transfers resulting in pregnancy	33.8	42.1	33.3	19.6	0 / 8	
Outcomes per Pregnancy						
Number of pregnancies	79	40	29	9	0	0
Percentage of pregnancies resulting in singleton live births	57.0	62.5	41.4	7 / 9		
Percentage of pregnancies resulting in triplets or more live births	1.3	0.0	0.0	0 / 9		
Percentage of pregnancies resulting in live births	86.1	80.0	69.0	7 / 9		
Frozen Embryos from Nondonor Eggs						
Number of cycles	33	14	16	8	4	3
Number of transfers	32	14	15	7	3	3
Average number of embryos transferred	1.9	1.5	2.1	2.1	2.0	1.7
Percentage of embryos transferred resulting in implantation	19.4	19.0	16.1	1 / 15	0 / 6	1 / 5
Percentage of transfers resulting in singleton live births	18.8	1 / 14	3 / 15	1 / 7	0 / 3	1 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0 / 14	0 / 15	0 / 7	0 / 3	0 / 3
Percentage of transfers resulting in live births	28.1	2 / 14	4 / 15	1 / 7	0 / 3	1 / 3
Percentage of transfers resulting in pregnancy	28.1	3 / 14	7 / 15	2 / 7	0 / 3	1 / 3
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			28		6	
Number of transfers			26		6	
Average number of embryos transferred			1.9		1.3	
Percentage of embryos transferred resulting in implantation			28.6		0 / 8	
Percentage of transfers resulting in singleton live births			26.9		0 / 6	
Percentage of transfers resulting in live births			38.5		0 / 6	
Percentage of transfers resulting in pregnancy			46.2		0 / 6	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2011. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 52 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PIEDMONT REPRODUCTIVE ENDOCRINOLOGY GROUP, PA GREENVILLE, SOUTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	96%	Tubal factor	14%	Uterine factor	4%	Multiple Factors: Female factors only 11% Female & male factors 37%
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	26%	Male factor	52%	
Used gestational carrier	3%			Diminished ovarian reserve	26%	Other factor	18%	
				Endometriosis	11%	Unknown factor	3%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 237

Data verified by John E. Nichols, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	78	50	22	4	0	0
Percentage of cancellations	1.3	8.0	0.0	0 / 4		
Average number of embryos transferred	2.0	2.1	2.7	2.8		
Percentage of embryos transferred resulting in implantation	40.0	36.2	18.3	1 / 11		
Percentage of elective single embryo transfer (eSET)	9.7	4.8	0.0	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	42.3	36.0	27.3	1 / 4		
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 4		
Percentage of cycles resulting in live births	53.8	48.0	36.4	1 / 4		
Percentage of cycles resulting in pregnancy	56.4	50.0	40.9	1 / 4		
Outcomes per Transfer						
Number of transfers	73	44	22	4	0	0
Percentage of transfers resulting in singleton live births	45.2	40.9	27.3	1 / 4		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 4		
Percentage of transfers resulting in live births	57.5	54.5	36.4	1 / 4		
Percentage of transfers resulting in pregnancy	60.3	56.8	40.9	1 / 4		
Outcomes per Pregnancy						
Number of pregnancies	44	25	9	1	0	0
Percentage of pregnancies resulting in singleton live births	75.0	72.0	6 / 9	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0 / 9	0 / 1		
Percentage of pregnancies resulting in live births	95.5	96.0	8 / 9	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	26	13	5	5	1	0
Number of transfers	26	11	5	5	1	0
Average number of embryos transferred	2.0	1.9	2.2	2.0	3.0	
Percentage of embryos transferred resulting in implantation	28.8	9.5	2 / 11	2 / 10	0 / 3	
Percentage of transfers resulting in singleton live births	30.8	2 / 11	2 / 5	2 / 5	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 11	0 / 5	0 / 5	0 / 1	
Percentage of transfers resulting in live births	38.5	2 / 11	2 / 5	2 / 5	0 / 1	
Percentage of transfers resulting in pregnancy	46.2	2 / 11	2 / 5	2 / 5	0 / 1	
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			18		15	
Number of transfers			15		14	
Average number of embryos transferred			2.0		2.2	
Percentage of embryos transferred resulting in implantation			36.7		19.4	
Percentage of transfers resulting in singleton live births			7 / 15		4 / 14	
Percentage of transfers resulting in live births			7 / 15		5 / 14	
Percentage of transfers resulting in pregnancy			10 / 15		5 / 14	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Piedmont Reproductive Endocrinology Group, PA

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY MEDICAL GROUP, DEPARTMENT OF OBSTETRICS AND GYNECOLOGY
REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY
GREENVILLE, SOUTH CAROLINA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	81%	Tubal factor	16%	Uterine factor	8%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	34%	Male factor	48%	
Used gestational carrier	0%			Diminished ovarian reserve	8%	Other factor	5%	
				Endometriosis	44%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				16%
				Female & male factors				34%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 134

Data verified by Paul B. Miller, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	49	15	17	7	2	0
Percentage of cancellations	10.2	2 / 15	2 / 17	1 / 7	2 / 2	
Average number of embryos transferred	2.1	2.3	2.9	3.0		
Percentage of embryos transferred resulting in implantation	28.4	12.0	15.9	0 / 15		
Percentage of elective single embryo transfer (eSET)	2.6	1 / 11	0 / 14	0 / 4		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.6	2 / 15	2 / 17	0 / 7	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 15	0 / 17	0 / 7	0 / 2	
Percentage of cycles resulting in live births	36.7	2 / 15	3 / 17	0 / 7	0 / 2	
Percentage of cycles resulting in pregnancy	40.8	3 / 15	5 / 17	0 / 7	0 / 2	
Outcomes per Transfer						
Number of transfers	39	11	15	5	0	0
Percentage of transfers resulting in singleton live births	38.5	2 / 11	2 / 15	0 / 5		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 11	0 / 15	0 / 5		
Percentage of transfers resulting in live births	46.2	2 / 11	3 / 15	0 / 5		
Percentage of transfers resulting in pregnancy	51.3	3 / 11	5 / 15	0 / 5		
Outcomes per Pregnancy						
Number of pregnancies	20	3	5	0	0	0
Percentage of pregnancies resulting in singleton live births	75.0	2 / 3	2 / 5			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 3	0 / 5			
Percentage of pregnancies resulting in live births	90.0	2 / 3	3 / 5			
Frozen Embryos from Nondonor Eggs						
Number of cycles	18	11	4	3	1	0
Number of transfers	16	11	4	3	1	0
Average number of embryos transferred	1.8	2.0	2.3	2.7	2.0	
Percentage of embryos transferred resulting in implantation	21.4	27.3	1 / 9	2 / 8	1 / 2	
Percentage of transfers resulting in singleton live births	2 / 16	4 / 11	0 / 4	2 / 3	1 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 16	0 / 11	0 / 4	0 / 3	0 / 1	
Percentage of transfers resulting in live births	4 / 16	5 / 11	0 / 4	2 / 3	1 / 1	
Percentage of transfers resulting in pregnancy	4 / 16	5 / 11	1 / 4	2 / 3	1 / 1	
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			6		1	
Number of transfers			6		1	
Average number of embryos transferred			2.2		4.0	
Percentage of embryos transferred resulting in implantation			2 / 13		1 / 4	
Percentage of transfers resulting in singleton live births			0 / 6		1 / 1	
Percentage of transfers resulting in live births			1 / 6		1 / 1	
Percentage of transfers resulting in pregnancy			1 / 6		1 / 1	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2011. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 52 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTHEASTERN FERTILITY CENTER, PA MOUNT PLEASANT, SOUTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	63%	Tubal factor	14%	Uterine factor	4%
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	12%	Male factor	29%
Used gestational carrier	<1%			Diminished ovarian reserve	41%	Other factor	3%
				Endometriosis	6%	Unknown factor	15%
				Multiple Factors: Female factors only 7% Female & male factors 14%			

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 484

Data verified by Grant W. Patton, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	164	62	36	15	2	0
Percentage of cancellations	10.4	9.7	19.4	0 / 15	0 / 2	
Average number of embryos transferred	1.9	2.1	2.4	2.9	3.5	
Percentage of embryos transferred resulting in implantation	42.8	32.7	27.5	12.2	0 / 7	
Percentage of elective single embryo transfer (eSET)	6.1	0.0	0.0	0 / 14	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.8	25.8	33.3	2 / 15	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.6	3.2	0.0	0 / 15	0 / 2	
Percentage of cycles resulting in live births	46.3	37.1	36.1	2 / 15	0 / 2	
Percentage of cycles resulting in pregnancy	51.2	41.9	50.0	5 / 15	0 / 2	
Outcomes per Transfer						
Number of transfers	139	54	29	14	2	0
Percentage of transfers resulting in singleton live births	31.7	29.6	41.4	2 / 14	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.7	3.7	0.0	0 / 14	0 / 2	
Percentage of transfers resulting in live births	54.7	42.6	44.8	2 / 14	0 / 2	
Percentage of transfers resulting in pregnancy	60.4	48.1	62.1	5 / 14	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	84	26	18	5	0	0
Percentage of pregnancies resulting in singleton live births	52.4	61.5	12 / 18	2 / 5		
Percentage of pregnancies resulting in triplets or more live births	1.2	7.7	0 / 18	0 / 5		
Percentage of pregnancies resulting in live births	90.5	88.5	13 / 18	2 / 5		
Frozen Embryos from Nondonor Eggs						
Number of cycles	56	29	17	6	1	0
Number of transfers	56	29	17	6	1	0
Average number of embryos transferred	1.8	1.6	1.6	1.7	2.0	
Percentage of embryos transferred resulting in implantation	42.4	28.9	28.6	1 / 10	0 / 2	
Percentage of transfers resulting in singleton live births	37.5	31.0	4 / 17	1 / 6	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 17	0 / 6	0 / 1	
Percentage of transfers resulting in live births	53.6	34.5	5 / 17	1 / 6	0 / 1	
Percentage of transfers resulting in pregnancy	58.9	51.7	8 / 17	1 / 6	1 / 1	
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	63		33			
Number of transfers	56		30			
Average number of embryos transferred	1.9		1.8			
Percentage of embryos transferred resulting in implantation	47.2		27.8			
Percentage of transfers resulting in singleton live births	32.1		16.7			
Percentage of transfers resulting in live births	53.6		26.7			
Percentage of transfers resulting in pregnancy	64.3		43.3			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Southeastern Fertility Center, PA

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 11 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY & REPRODUCTIVE ENDOCRINOLOGY WEST COLUMBIA, SOUTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	97%	Tubal factor	13%	Uterine factor	<1%
Unstimulated	1%	Used PGD	3%	Ovulatory dysfunction	17%	Male factor	28%
Used gestational carrier	1%			Diminished ovarian reserve	27%	Other factor	9%
				Endometriosis	9%	Unknown factor	9%
				Multiple Factors:			
						Female factors only	7%
						Female & male factors	5%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 247

Data verified by Gail F. Whitman-Elia, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	93	24	36	9	9	1
Percentage of cancellations	1.1	0.0	8.3	1 / 9	0 / 9	0 / 1
Average number of embryos transferred	2.1	2.3	2.8	3.6	2.4	
Percentage of embryos transferred resulting in implantation	31.8	26.4	18.4	13.8	1 / 17	
Percentage of elective single embryo transfer (eSET)	0.0	0.0	0.0	0 / 6	0 / 5	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	33.3	20.8	11.1	1 / 9	0 / 9	0 / 1
Percentage of cycles resulting in triplets or more live births	1.1	0.0	2.8	0 / 9	0 / 9	0 / 1
Percentage of cycles resulting in live births	47.3	29.2	16.7	1 / 9	0 / 9	0 / 1
Percentage of cycles resulting in pregnancy	51.6	45.8	30.6	3 / 9	1 / 9	0 / 1
Outcomes per Transfer						
Number of transfers	92	23	31	8	7	0
Percentage of transfers resulting in singleton live births	33.7	21.7	12.9	1 / 8	0 / 7	
Percentage of transfers resulting in triplets or more live births	1.1	0.0	3.2	0 / 8	0 / 7	
Percentage of transfers resulting in live births	47.8	30.4	19.4	1 / 8	0 / 7	
Percentage of transfers resulting in pregnancy	52.2	47.8	35.5	3 / 8	1 / 7	
Outcomes per Pregnancy						
Number of pregnancies	48	11	11	3	1	0
Percentage of pregnancies resulting in singleton live births	64.6	5 / 11	4 / 11	1 / 3	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	2.1	0 / 11	1 / 11	0 / 3	0 / 1	
Percentage of pregnancies resulting in live births	91.7	7 / 11	6 / 11	1 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	31	12	12	1	0	1
Number of transfers	31	12	12	1	0	1
Average number of embryos transferred	2.4	1.9	2.4	2.0		2.0
Percentage of embryos transferred resulting in implantation	32.4	8.7	13.8	2 / 2		0 / 2
Percentage of transfers resulting in singleton live births	22.6	1 / 12	0 / 12	0 / 1		0 / 1
Percentage of transfers resulting in triplets or more live births	3.2	0 / 12	0 / 12	0 / 1		0 / 1
Percentage of transfers resulting in live births	38.7	1 / 12	2 / 12	1 / 1		0 / 1
Percentage of transfers resulting in pregnancy	58.1	2 / 12	2 / 12	1 / 1		0 / 1
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Number of cycles		9		9		
Number of transfers		8		9		
Average number of embryos transferred		2.0		2.2		
Percentage of embryos transferred resulting in implantation		4 / 16		25.0		
Percentage of transfers resulting in singleton live births		4 / 8		1 / 9		
Percentage of transfers resulting in live births		4 / 8		3 / 9		
Percentage of transfers resulting in pregnancy		5 / 8		3 / 9		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Fertility & Reproductive Endocrinology

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 8 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SANFORD WOMEN'S HEALTH SIOUX FALLS, SOUTH DAKOTA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	53%	Tubal factor	15%	Uterine factor	1%	Multiple Factors: Female factors only 15% Female & male factors 33%
Unstimulated	0%	Used PGD	5%	Ovulatory dysfunction	17%	Male factor	52%	
Used gestational carrier	2%			Diminished ovarian reserve	16%	Other factor	39%	
				Endometriosis	13%	Unknown factor	6%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 255

Data verified by Keith A. Hansen, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	130	20	23	2	0	0
Percentage of cancellations	9.2	15.0	8.7	0 / 2		
Average number of embryos transferred	1.8	2.2	2.3	3.5		
Percentage of embryos transferred resulting in implantation	34.2	29.7	20.4	0 / 7		
Percentage of elective single embryo transfer (eSET)	29.9	0 / 15	1 / 18	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	36.2	30.0	30.4	0 / 2		
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 2		
Percentage of cycles resulting in live births	41.5	40.0	34.8	0 / 2		
Percentage of cycles resulting in pregnancy	52.3	45.0	43.5	0 / 2		
Outcomes per Transfer						
Number of transfers	110	17	21	2	0	0
Percentage of transfers resulting in singleton live births	42.7	6 / 17	33.3	0 / 2		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 17	0.0	0 / 2		
Percentage of transfers resulting in live births	49.1	8 / 17	38.1	0 / 2		
Percentage of transfers resulting in pregnancy	61.8	9 / 17	47.6	0 / 2		
Outcomes per Pregnancy						
Number of pregnancies	68	9	10	0	0	0
Percentage of pregnancies resulting in singleton live births	69.1	6 / 9	7 / 10			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 9	0 / 10			
Percentage of pregnancies resulting in live births	79.4	8 / 9	8 / 10			
Frozen Embryos from Nondonor Eggs						
Number of cycles	56	9	6	1	1	2
Number of transfers	53	8	6	1	1	2
Average number of embryos transferred	2.1	1.6	2.0	3.0	2.0	2.0
Percentage of embryos transferred resulting in implantation	10.9	2 / 13	0 / 12	0 / 3	0 / 2	0 / 4
Percentage of transfers resulting in singleton live births	13.2	1 / 8	0 / 6	0 / 1	0 / 1	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0 / 8	0 / 6	0 / 1	0 / 1	0 / 2
Percentage of transfers resulting in live births	17.0	1 / 8	0 / 6	0 / 1	0 / 1	0 / 2
Percentage of transfers resulting in pregnancy	30.2	2 / 8	0 / 6	0 / 1	0 / 1	0 / 2
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		4		1		
Number of transfers		4		1		
Average number of embryos transferred		1.8		1.0		
Percentage of embryos transferred resulting in implantation		3 / 7		1 / 1		
Percentage of transfers resulting in singleton live births		3 / 4		1 / 1		
Percentage of transfers resulting in live births		3 / 4		1 / 1		
Percentage of transfers resulting in pregnancy		3 / 4		1 / 1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Sanford Women's Health

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 2 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER, LLC CHATTANOOGA, TENNESSEE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	87%	Tubal factor	10%	Uterine factor	2%
Unstimulated	2%	Used PGD	4%	Ovulatory dysfunction	15%	Male factor	40%
Used gestational carrier	2%			Diminished ovarian reserve	20%	Other factor	9%
				Endometriosis	7%	Unknown factor	12%
				Multiple Factors:			
						Female factors only	5%
						Female & male factors	9%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 129

Data verified by Barry W. Donesky, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	32	7	2	3	2	0
Percentage of cancellations	3.1	0 / 7	0 / 2	1 / 3	0 / 2	
Average number of embryos transferred	1.9	2.0	1.5	1.5	2.0	
Percentage of embryos transferred resulting in implantation	26.0	2 / 12	1 / 3	0 / 3	0 / 4	
Percentage of elective single embryo transfer (eSET)	7.7	0 / 6	0 / 1	1 / 2	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	12.5	1 / 7	1 / 2	0 / 3	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 7	0 / 2	0 / 3	0 / 2	
Percentage of cycles resulting in live births	25.0	1 / 7	1 / 2	0 / 3	0 / 2	
Percentage of cycles resulting in pregnancy	28.1	2 / 7	1 / 2	0 / 3	0 / 2	
Outcomes per Transfer						
Number of transfers	26	6	2	2	2	0
Percentage of transfers resulting in singleton live births	15.4	1 / 6	1 / 2	0 / 2	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 6	0 / 2	0 / 2	0 / 2	
Percentage of transfers resulting in live births	30.8	1 / 6	1 / 2	0 / 2	0 / 2	
Percentage of transfers resulting in pregnancy	34.6	2 / 6	1 / 2	0 / 2	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	9	2	1	0	0	0
Percentage of pregnancies resulting in singleton live births	4 / 9	1 / 2	1 / 1			
Percentage of pregnancies resulting in triplets or more live births	0 / 9	0 / 2	0 / 1			
Percentage of pregnancies resulting in live births	8 / 9	1 / 2	1 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	35	7	11	5	0	0
Number of transfers	35	7	11	5	0	0
Average number of embryos transferred	1.8	1.6	2.1	1.8		
Percentage of embryos transferred resulting in implantation	23.8	3 / 11	26.1	2 / 9		
Percentage of transfers resulting in singleton live births	31.4	3 / 7	4 / 11	0 / 5		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 7	0 / 11	0 / 5		
Percentage of transfers resulting in live births	34.3	3 / 7	5 / 11	1 / 5		
Percentage of transfers resulting in pregnancy	40.0	4 / 7	5 / 11	1 / 5		

All Ages Combined^f

Donor Eggs	Fresh Embryos	Frozen Embryos
Number of cycles	13	12
Number of transfers	12	12
Average number of embryos transferred	1.9	1.7
Percentage of embryos transferred resulting in implantation	43.5	45.0
Percentage of transfers resulting in singleton live births	2 / 12	6 / 12
Percentage of transfers resulting in live births	6 / 12	7 / 12
Percentage of transfers resulting in pregnancy	6 / 12	7 / 12

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Center, LLC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Pending
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 15 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

TENNESSEE REPRODUCTIVE MEDICINE CHATTANOOGA, TENNESSEE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	81%	Tubal factor	23%	Uterine factor	<1%
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	30%	Male factor	19%
Used gestational carrier	2%			Diminished ovarian reserve	6%	Other factor	23%
				Endometriosis	22%	Unknown factor	10%
				Multiple Factors:			
						Female factors only	20%
						Female & male factors	9%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 114

Data verified by Ringland S. Murray, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	58	15	10	1	0	0
Percentage of cancellations	3.4	0 / 15	0 / 10	0 / 1		
Average number of embryos transferred	1.9	2.2	2.8	4.0		
Percentage of embryos transferred resulting in implantation	40.6	17.2	16.0	2 / 4		
Percentage of elective single embryo transfer (eSET)	18.0	0 / 13	0 / 9	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	36.2	5 / 15	1 / 10	0 / 1		
Percentage of cycles resulting in triplets or more live births	1.7	0 / 15	0 / 10	0 / 1		
Percentage of cycles resulting in live births	50.0	5 / 15	2 / 10	1 / 1		
Percentage of cycles resulting in pregnancy	53.4	5 / 15	2 / 10	1 / 1		
Outcomes per Transfer						
Number of transfers	53	13	9	1	0	0
Percentage of transfers resulting in singleton live births	39.6	5 / 13	1 / 9	0 / 1		
Percentage of transfers resulting in triplets or more live births	1.9	0 / 13	0 / 9	0 / 1		
Percentage of transfers resulting in live births	54.7	5 / 13	2 / 9	1 / 1		
Percentage of transfers resulting in pregnancy	58.5	5 / 13	2 / 9	1 / 1		
Outcomes per Pregnancy						
Number of pregnancies	31	5	2	1	0	0
Percentage of pregnancies resulting in singleton live births	67.7	5 / 5	1 / 2	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	3.2	0 / 5	0 / 2	0 / 1		
Percentage of pregnancies resulting in live births	93.5	5 / 5	2 / 2	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	18	5	3	0	0	0
Number of transfers	18	5	3	0	0	0
Average number of embryos transferred	1.7	1.8	2.0			
Percentage of embryos transferred resulting in implantation	22.6	2 / 9	0 / 6			
Percentage of transfers resulting in singleton live births	6 / 18	1 / 5	0 / 3			
Percentage of transfers resulting in triplets or more live births	0 / 18	0 / 5	0 / 3			
Percentage of transfers resulting in live births	6 / 18	1 / 5	0 / 3			
Percentage of transfers resulting in pregnancy	8 / 18	2 / 5	0 / 3			
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	2		2			
Number of transfers	2		1			
Average number of embryos transferred	2.0		1.0			
Percentage of embryos transferred resulting in implantation	4 / 4		0 / 1			
Percentage of transfers resulting in singleton live births	0 / 2		0 / 1			
Percentage of transfers resulting in live births	2 / 2		0 / 1			
Percentage of transfers resulting in pregnancy	2 / 2		0 / 1			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Tennessee Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 4 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

QUILLEN FERTILITY AND WOMEN'S SERVICES JOHNSON CITY, TENNESSEE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	62%	Tubal factor	9%	Uterine factor	7%	
Unstimulated	2%	Used PGD	2%	Ovulatory dysfunction	21%	Male factor	28%	
Used gestational carrier	2%			Diminished ovarian reserve	19%	Other factor	6%	
				Endometriosis	17%	Unknown factor	16%	
				Multiple Factors:				
				Female factors only				11%
				Female & male factors				10%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 88

Data verified by Norman A. Assad, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	43	9	10	0	1	0
Percentage of cancellations	11.6	1 / 9	1 / 10		0 / 1	
Average number of embryos transferred	2.0	2.0	2.3		2.0	
Percentage of embryos transferred resulting in implantation	32.9	4 / 16	1 / 18		0 / 2	
Percentage of elective single embryo transfer (eSET)	2.7	0 / 8	0 / 6		0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	16.3	2 / 9	1 / 10		0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 9	0 / 10		0 / 1	
Percentage of cycles resulting in live births	32.6	2 / 9	1 / 10		0 / 1	
Percentage of cycles resulting in pregnancy	48.8	4 / 9	3 / 10		0 / 1	
Outcomes per Transfer						
Number of transfers	38	8	8	0	1	0
Percentage of transfers resulting in singleton live births	18.4	2 / 8	1 / 8		0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 8	0 / 8		0 / 1	
Percentage of transfers resulting in live births	36.8	2 / 8	1 / 8		0 / 1	
Percentage of transfers resulting in pregnancy	55.3	4 / 8	3 / 8		0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	21	4	3	0	0	0
Percentage of pregnancies resulting in singleton live births	33.3	2 / 4	1 / 3			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 4	0 / 3			
Percentage of pregnancies resulting in live births	66.7	2 / 4	1 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	12	5	5	0	0	0
Number of transfers	10	5	2	0	0	0
Average number of embryos transferred	1.2	1.8	1.0			
Percentage of embryos transferred resulting in implantation	4 / 12	2 / 9	0 / 2			
Percentage of transfers resulting in singleton live births	2 / 10	2 / 5	0 / 2			
Percentage of transfers resulting in triplets or more live births	0 / 10	0 / 5	0 / 2			
Percentage of transfers resulting in live births	3 / 10	2 / 5	0 / 2			
Percentage of transfers resulting in pregnancy	3 / 10	2 / 5	0 / 2			
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	2		1			
Number of transfers	2		1			
Average number of embryos transferred	2.0		2.0			
Percentage of embryos transferred resulting in implantation	0 / 4		0 / 2			
Percentage of transfers resulting in singleton live births	0 / 2		0 / 1			
Percentage of transfers resulting in live births	0 / 2		0 / 1			
Percentage of transfers resulting in pregnancy	1 / 2		0 / 1			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Quillen Fertility and Women's Services

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

EAST TENNESSEE IVF AND ANDROLOGY CENTER KNOXVILLE, TENNESSEE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	26%	Tubal factor	22%	Uterine factor	9%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	26%	Male factor	30%	
Used gestational carrier	0%			Diminished ovarian reserve	22%	Other factor	0%	
				Endometriosis	30%	Unknown factor	9%	
				Multiple Factors:				
				Female factors only				26%
				Female & male factors				17%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 23

Data verified by Gayla Harris, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	12	8	2	1	0	0
Percentage of cancellations	0 / 12	0 / 8	0 / 2	0 / 1		
Average number of embryos transferred	2.0	1.8	2.0	2.0		
Percentage of embryos transferred resulting in implantation	29.2	2 / 14	1 / 4	0 / 2		
Percentage of elective single embryo transfer (eSET)	0 / 12	0 / 6	0 / 2	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	5 / 12	2 / 8	1 / 2	0 / 1		
Percentage of cycles resulting in triplets or more live births	0 / 12	0 / 8	0 / 2	0 / 1		
Percentage of cycles resulting in live births	6 / 12	2 / 8	1 / 2	0 / 1		
Percentage of cycles resulting in pregnancy	6 / 12	2 / 8	1 / 2	0 / 1		
Outcomes per Transfer						
Number of transfers	12	8	2	1	0	0
Percentage of transfers resulting in singleton live births	5 / 12	2 / 8	1 / 2	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 12	0 / 8	0 / 2	0 / 1		
Percentage of transfers resulting in live births	6 / 12	2 / 8	1 / 2	0 / 1		
Percentage of transfers resulting in pregnancy	6 / 12	2 / 8	1 / 2	0 / 1		
Outcomes per Pregnancy						
Number of pregnancies	6	2	1	0	0	0
Percentage of pregnancies resulting in singleton live births	5 / 6	2 / 2	1 / 1			
Percentage of pregnancies resulting in triplets or more live births	0 / 6	0 / 2	0 / 1			
Percentage of pregnancies resulting in live births	6 / 6	2 / 2	1 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	0	0	0	0	0
Number of transfers	0	0	0	0	0	0
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in triplets or more live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						
All Ages Combined^f						
	Fresh Embryos		Frozen Embryos			
Donor Eggs						
Number of cycles	0		0			
Number of transfers	0		0			
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: East Tennessee IVF and Andrology Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTHEASTERN FERTILITY CENTER KNOXVILLE, TENNESSEE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	57%	Tubal factor	3%	Uterine factor	0%
Unstimulated	5%	Used PGD	0%	Ovulatory dysfunction	5%	Male factor	47%
Used gestational carrier	0%			Diminished ovarian reserve	20%	Other factor	14%
				Endometriosis	18%	Unknown factor	18%
				Multiple Factors: Female factors only 5% Female & male factors 16%			

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 148

Data verified by Jeffrey A. Keenan, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	13	5	1	2	0	0
Percentage of cancellations	1 / 13	0 / 5	0 / 1	0 / 2		
Average number of embryos transferred	2.0	2.4	3.0	4.0		
Percentage of embryos transferred resulting in implantation	18.2	2 / 12	0 / 3	2 / 8		
Percentage of elective single embryo transfer (eSET)	0 / 10	0 / 5	0 / 1	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	0 / 13	2 / 5	0 / 1	1 / 2		
Percentage of cycles resulting in triplets or more live births	0 / 13	0 / 5	0 / 1	0 / 2		
Percentage of cycles resulting in live births	1 / 13	2 / 5	0 / 1	1 / 2		
Percentage of cycles resulting in pregnancy	2 / 13	2 / 5	0 / 1	1 / 2		
Outcomes per Transfer						
Number of transfers	11	5	1	2	0	0
Percentage of transfers resulting in singleton live births	0 / 11	2 / 5	0 / 1	1 / 2		
Percentage of transfers resulting in triplets or more live births	0 / 11	0 / 5	0 / 1	0 / 2		
Percentage of transfers resulting in live births	1 / 11	2 / 5	0 / 1	1 / 2		
Percentage of transfers resulting in pregnancy	2 / 11	2 / 5	0 / 1	1 / 2		
Outcomes per Pregnancy						
Number of pregnancies	2	2	0	1	0	0
Percentage of pregnancies resulting in singleton live births	0 / 2	2 / 2		1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 2	0 / 2		0 / 1		
Percentage of pregnancies resulting in live births	1 / 2	2 / 2		1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	14	3	1	0	0	0
Number of transfers	12	2	1	0	0	0
Average number of embryos transferred	2.1	2.0	3.0			
Percentage of embryos transferred resulting in implantation	12.0	0 / 4	0 / 3			
Percentage of transfers resulting in singleton live births	1 / 12	0 / 2	0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 12	0 / 2	0 / 1			
Percentage of transfers resulting in live births	2 / 12	0 / 2	0 / 1			
Percentage of transfers resulting in pregnancy	2 / 12	0 / 2	0 / 1			
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	0		109			
Number of transfers	0		108			
Average number of embryos transferred			2.6			
Percentage of embryos transferred resulting in implantation			22.5			
Percentage of transfers resulting in singleton live births			30.6			
Percentage of transfers resulting in live births			40.7			
Percentage of transfers resulting in pregnancy			52.8			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Southeastern Fertility Center

Donor egg?	No	Gestational carriers?	No	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	No			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

KUTTEH KE FERTILITY ASSOCIATES OF MEMPHIS, PLLC MEMPHIS, TENNESSEE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	62%	Tubal factor	26%	Uterine factor	9%
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	23%	Male factor	38%
Used gestational carrier	0%			Diminished ovarian reserve	21%	Other factor	11%
				Endometriosis	16%	Unknown factor	6%
				Multiple Factors:			
						Female factors only	18%
						Female & male factors	22%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 277

Data verified by Raymond W. Ke, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	109	46	27	3	1	0
Percentage of cancellations	1.8	6.5	3.7	0 / 3	0 / 1	
Average number of embryos transferred	2.0	1.9	2.2	2.7	1.0	
Percentage of embryos transferred resulting in implantation	30.5	31.6	14.5	0 / 8	0 / 1	
Percentage of elective single embryo transfer (eSET)	7.3	10.3	0.0	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	19.3	32.6	11.1	0 / 3	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 3	0 / 1	
Percentage of cycles resulting in live births	35.8	39.1	11.1	0 / 3	0 / 1	
Percentage of cycles resulting in pregnancy	38.5	47.8	22.2	1 / 3	0 / 1	
Outcomes per Transfer						
Number of transfers	98	42	25	3	1	0
Percentage of transfers resulting in singleton live births	21.4	35.7	12.0	0 / 3	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 3	0 / 1	
Percentage of transfers resulting in live births	39.8	42.9	12.0	0 / 3	0 / 1	
Percentage of transfers resulting in pregnancy	42.9	52.4	24.0	1 / 3	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	42	22	6	1	0	0
Percentage of pregnancies resulting in singleton live births	50.0	68.2	3 / 6	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0 / 6	0 / 1		
Percentage of pregnancies resulting in live births	92.9	81.8	3 / 6	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	45	13	9	3	1	0
Number of transfers	42	11	8	2	1	0
Average number of embryos transferred	1.7	1.8	1.9	2.0	2.0	
Percentage of embryos transferred resulting in implantation	35.6	40.0	1 / 15	0 / 4	0 / 2	
Percentage of transfers resulting in singleton live births	31.0	2 / 11	1 / 8	0 / 2	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 11	0 / 8	0 / 2	0 / 1	
Percentage of transfers resulting in live births	42.9	5 / 11	1 / 8	0 / 2	0 / 1	
Percentage of transfers resulting in pregnancy	45.2	5 / 11	2 / 8	0 / 2	0 / 1	
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Number of cycles		12		8		
Number of transfers		12		8		
Average number of embryos transferred		2.1		1.5		
Percentage of embryos transferred resulting in implantation		48.0		3 / 12		
Percentage of transfers resulting in singleton live births		5 / 12		3 / 8		
Percentage of transfers resulting in live births		8 / 12		3 / 8		
Percentage of transfers resulting in pregnancy		9 / 12		3 / 8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Kutteh Ke Fertility Associates of Memphis, PLLC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 2 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE CENTER FOR REPRODUCTIVE HEALTH NASHVILLE, TENNESSEE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	88%	Tubal factor	13%	Uterine factor	<1%	
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	54%	Male factor	71%	
Used gestational carrier	1%			Diminished ovarian reserve	31%	Other factor	2%	
				Endometriosis	8%	Unknown factor	3%	
				Multiple Factors:				
				Female factors only				7%
				Female & male factors				60%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 117

Data verified by Jaime M. Vasquez, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	40	15	11	3	0	0
Percentage of cancellations	5.0	2 / 15	0 / 11	1 / 3		
Average number of embryos transferred	2.6	2.7	3.2	3.5		
Percentage of embryos transferred resulting in implantation	9.4	8.6	9.4	0 / 7		
Percentage of elective single embryo transfer (eSET)	2.8	0 / 12	0 / 10	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	10.0	1 / 15	1 / 11	0 / 3		
Percentage of cycles resulting in triplets or more live births	2.5	0 / 15	0 / 11	0 / 3		
Percentage of cycles resulting in live births	15.0	1 / 15	2 / 11	0 / 3		
Percentage of cycles resulting in pregnancy	17.5	2 / 15	2 / 11	0 / 3		
Outcomes per Transfer						
Number of transfers	37	13	10	2	0	0
Percentage of transfers resulting in singleton live births	10.8	1 / 13	1 / 10	0 / 2		
Percentage of transfers resulting in triplets or more live births	2.7	0 / 13	0 / 10	0 / 2		
Percentage of transfers resulting in live births	16.2	1 / 13	2 / 10	0 / 2		
Percentage of transfers resulting in pregnancy	18.9	2 / 13	2 / 10	0 / 2		
Outcomes per Pregnancy						
Number of pregnancies	7	2	2	0	0	0
Percentage of pregnancies resulting in singleton live births	4 / 7	1 / 2	1 / 2			
Percentage of pregnancies resulting in triplets or more live births	1 / 7	0 / 2	0 / 2			
Percentage of pregnancies resulting in live births	6 / 7	1 / 2	2 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	17	7	3	1	0	4
Number of transfers	16	7	3	1	0	4
Average number of embryos transferred	3.1	2.7	3.0	3.0		3.0
Percentage of embryos transferred resulting in implantation	8.2	1 / 19	0 / 9	0 / 3		2 / 12
Percentage of transfers resulting in singleton live births	3 / 16	1 / 7	0 / 3	0 / 1		2 / 4
Percentage of transfers resulting in triplets or more live births	0 / 16	0 / 7	0 / 3	0 / 1		0 / 4
Percentage of transfers resulting in live births	3 / 16	1 / 7	0 / 3	0 / 1		2 / 4
Percentage of transfers resulting in pregnancy	5 / 16	1 / 7	0 / 3	0 / 1		2 / 4
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Number of cycles		9		7		
Number of transfers		7		7		
Average number of embryos transferred		2.7		2.9		
Percentage of embryos transferred resulting in implantation		4 / 19		20.0		
Percentage of transfers resulting in singleton live births		4 / 7		1 / 7		
Percentage of transfers resulting in live births		4 / 7		2 / 7		
Percentage of transfers resulting in pregnancy		5 / 7		3 / 7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Center for Reproductive Health

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NASHVILLE FERTILITY CENTER NASHVILLE, TENNESSEE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	74%	Tubal factor	22%	Uterine factor	13%	Multiple Factors: Female factors only 29% Female & male factors 32%
Unstimulated	0%	Used PGD	14%	Ovulatory dysfunction	20%	Male factor	44%	
Used gestational carrier	1%			Diminished ovarian reserve	38%	Other factor	31%	
				Endometriosis	25%	Unknown factor	2%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 462

Data verified by George A. Hill, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	138	65	59	19	7	0
Percentage of cancellations	12.3	16.9	25.4	5 / 19	5 / 7	
Average number of embryos transferred	1.8	2.3	2.5	3.5	2.0	
Percentage of embryos transferred resulting in implantation	36.8	19.3	19.8	2.6	0 / 4	
Percentage of elective single embryo transfer (eSET)	27.1	2.0	2.7	0 / 11	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	31.2	16.9	18.6	0 / 19	0 / 7	
Percentage of cycles resulting in triplets or more live births	0.7	0.0	0.0	0 / 19	0 / 7	
Percentage of cycles resulting in live births	40.6	24.6	23.7	0 / 19	0 / 7	
Percentage of cycles resulting in pregnancy	45.7	29.2	30.5	2 / 19	0 / 7	
Outcomes per Transfer						
Number of transfers	114	51	42	11	2	0
Percentage of transfers resulting in singleton live births	37.7	21.6	26.2	0 / 11	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.9	0.0	0.0	0 / 11	0 / 2	
Percentage of transfers resulting in live births	49.1	31.4	33.3	0 / 11	0 / 2	
Percentage of transfers resulting in pregnancy	55.3	37.3	42.9	2 / 11	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	63	19	18	2	0	0
Percentage of pregnancies resulting in singleton live births	68.3	11 / 19	11 / 18	0 / 2		
Percentage of pregnancies resulting in triplets or more live births	1.6	0 / 19	0 / 18	0 / 2		
Percentage of pregnancies resulting in live births	88.9	16 / 19	14 / 18	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	70	26	19	4	1	1
Number of transfers	66	25	16	3	1	1
Average number of embryos transferred	2.0	2.0	2.0	2.0	2.0	3.0
Percentage of embryos transferred resulting in implantation	38.9	21.6	25.0	0 / 6	0 / 2	0 / 3
Percentage of transfers resulting in singleton live births	36.4	36.0	6 / 16	0 / 3	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	1.5	0.0	0 / 16	0 / 3	0 / 1	0 / 1
Percentage of transfers resulting in live births	51.5	40.0	7 / 16	0 / 3	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	59.1	40.0	8 / 16	0 / 3	0 / 1	0 / 1
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	12		41			
Number of transfers	11		31			
Average number of embryos transferred	1.6		2.0			
Percentage of embryos transferred resulting in implantation	7 / 18		43.5			
Percentage of transfers resulting in singleton live births	0 / 11		51.6			
Percentage of transfers resulting in live births	2 / 11		58.1			
Percentage of transfers resulting in pregnancy	5 / 11		64.5			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Nashville Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 7 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

AUSTIN FERTILITY AND REPRODUCTIVE MEDICINE-WESTLAKE IVF AUSTIN, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	85%	Tubal factor	15%	Uterine factor	11%	Multiple Factors: Female factors only 15% Female & male factors 7%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	15%	Male factor	30%	
Used gestational carrier	0%			Diminished ovarian reserve	4%	Other factor	19%	
				Endometriosis	19%	Unknown factor	15%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 27

Data verified by Shahryar K. Kavoussi, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	8	7	8	3	0	0
Percentage of cancellations	0 / 8	1 / 7	0 / 8	0 / 3		
Average number of embryos transferred	2.7	2.7	3.1	3.3		
Percentage of embryos transferred resulting in implantation	3 / 16	1 / 16	13.6	0 / 10		
Percentage of elective single embryo transfer (eSET)	0 / 6	0 / 6	0 / 7	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	3 / 8	1 / 7	3 / 8	0 / 3		
Percentage of cycles resulting in triplets or more live births	0 / 8	0 / 7	0 / 8	0 / 3		
Percentage of cycles resulting in live births	3 / 8	1 / 7	3 / 8	0 / 3		
Percentage of cycles resulting in pregnancy	4 / 8	1 / 7	5 / 8	0 / 3		
Outcomes per Transfer						
Number of transfers	6	6	7	3	0	0
Percentage of transfers resulting in singleton live births	3 / 6	1 / 6	3 / 7	0 / 3		
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 6	0 / 7	0 / 3		
Percentage of transfers resulting in live births	3 / 6	1 / 6	3 / 7	0 / 3		
Percentage of transfers resulting in pregnancy	4 / 6	1 / 6	5 / 7	0 / 3		
Outcomes per Pregnancy						
Number of pregnancies	4	1	5	0	0	0
Percentage of pregnancies resulting in singleton live births	3 / 4	1 / 1	3 / 5			
Percentage of pregnancies resulting in triplets or more live births	0 / 4	0 / 1	0 / 5			
Percentage of pregnancies resulting in live births	3 / 4	1 / 1	3 / 5			
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	0	0	0	0	0
Number of transfers	1	0	0	0	0	0
Average number of embryos transferred	2.0					
Percentage of embryos transferred resulting in implantation	1 / 2					
Percentage of transfers resulting in singleton live births	1 / 1					
Percentage of transfers resulting in triplets or more live births	0 / 1					
Percentage of transfers resulting in live births	1 / 1					
Percentage of transfers resulting in pregnancy	1 / 1					

All Ages Combined^f

Donor Eggs	Fresh Embryos	Frozen Embryos
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation		
Percentage of transfers resulting in singleton live births		
Percentage of transfers resulting in live births		
Percentage of transfers resulting in pregnancy		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Austin Fertility and Reproductive Medicine-Westlake IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Pending
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

AUSTIN FERTILITY INSTITUTE, PA AUSTIN, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	92%	Tubal factor	10%	Uterine factor	1%	Multiple Factors: Female factors only 2% Female & male factors 33%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	30%	Male factor	62%	
Used gestational carrier	0%			Diminished ovarian reserve	15%	Other factor	7%	
				Endometriosis	11%	Unknown factor	0%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 93

Data verified by Kenneth K. Moghadam, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	33	14	15	2	2	0
Percentage of cancellations	3.0	0 / 14	2 / 15	0 / 2	0 / 2	
Average number of embryos transferred	2.1	2.1	2.7	2.5	3.0	
Percentage of embryos transferred resulting in implantation	39.3	22.2	23.3	0 / 5	0 / 6	
Percentage of elective single embryo transfer (eSET)	7.1	1 / 13	0 / 10	0 / 2	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	39.4	2 / 14	2 / 15	0 / 2	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 14	0 / 15	0 / 2	0 / 2	
Percentage of cycles resulting in live births	54.5	3 / 14	3 / 15	0 / 2	0 / 2	
Percentage of cycles resulting in pregnancy	54.5	6 / 14	6 / 15	0 / 2	0 / 2	
Outcomes per Transfer						
Number of transfers	29	13	11	2	2	0
Percentage of transfers resulting in singleton live births	44.8	2 / 13	2 / 11	0 / 2	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 13	0 / 11	0 / 2	0 / 2	
Percentage of transfers resulting in live births	62.1	3 / 13	3 / 11	0 / 2	0 / 2	
Percentage of transfers resulting in pregnancy	62.1	6 / 13	6 / 11	0 / 2	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	18	6	6	0	0	0
Percentage of pregnancies resulting in singleton live births	13 / 18	2 / 6	2 / 6			
Percentage of pregnancies resulting in triplets or more live births	0 / 18	0 / 6	0 / 6			
Percentage of pregnancies resulting in live births	18 / 18	3 / 6	3 / 6			
Frozen Embryos from Nondonor Eggs						
Number of cycles	9	3	3	1	0	0
Number of transfers	8	3	2	1	0	0
Average number of embryos transferred	2.3	2.7	3.0	4.0		
Percentage of embryos transferred resulting in implantation	5 / 18	0 / 8	1 / 6	2 / 4		
Percentage of transfers resulting in singleton live births	3 / 8	0 / 3	1 / 2	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 8	0 / 3	0 / 2	0 / 1		
Percentage of transfers resulting in live births	3 / 8	0 / 3	1 / 2	1 / 1		
Percentage of transfers resulting in pregnancy	5 / 8	0 / 3	1 / 2	1 / 1		
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	9		2			
Number of transfers	9		2			
Average number of embryos transferred	1.9		2.5			
Percentage of embryos transferred resulting in implantation	10 / 17		4 / 5			
Percentage of transfers resulting in singleton live births	5 / 9		2 / 2			
Percentage of transfers resulting in live births	6 / 9		2 / 2			
Percentage of transfers resulting in pregnancy	8 / 9		2 / 2			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Austin Fertility Institute, PA

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

TEXAS FERTILITY CENTER
DRS. VAUGHN, SILVERBERG, HANSARD AND BURGER
AUSTIN, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	59%	Tubal factor	11%	Uterine factor	17%	
Unstimulated	0%	Used PGD	6%	Ovulatory dysfunction	15%	Male factor	27%	
Used gestational carrier	<1%			Diminished ovarian reserve	18%	Other factor	28%	
				Endometriosis	26%	Unknown factor	8%	
				Multiple Factors:				
				Female factors only				24%
				Female & male factors				15%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 899

Data verified by Kaylen Silverberg, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	253	128	138	54	19	4
Percentage of cancellations	9.9	8.6	16.7	18.5	2 / 19	1 / 4
Average number of embryos transferred	1.9	2.2	2.9	3.3	3.1	1.5
Percentage of embryos transferred resulting in implantation	36.0	24.6	18.4	8.7	0.0	1 / 3
Percentage of elective single embryo transfer (eSET)	17.2	5.9	0.0	0.0	0 / 13	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	24.9	21.9	16.7	9.3	0 / 19	1 / 4
Percentage of cycles resulting in triplets or more live births	0.8	0.8	0.7	0.0	0 / 19	0 / 4
Percentage of cycles resulting in live births	38.7	28.1	25.4	13.0	0 / 19	1 / 4
Percentage of cycles resulting in pregnancy	44.3	35.2	29.0	16.7	0 / 19	1 / 4
Outcomes per Transfer						
Number of transfers	216	108	106	38	16	2
Percentage of transfers resulting in singleton live births	29.2	25.9	21.7	13.2	0 / 16	1 / 2
Percentage of transfers resulting in triplets or more live births	0.9	0.9	0.9	0.0	0 / 16	0 / 2
Percentage of transfers resulting in live births	45.4	33.3	33.0	18.4	0 / 16	1 / 2
Percentage of transfers resulting in pregnancy	51.9	41.7	37.7	23.7	0 / 16	1 / 2
Outcomes per Pregnancy						
Number of pregnancies	112	45	40	9	0	1
Percentage of pregnancies resulting in singleton live births	56.3	62.2	57.5	5 / 9		1 / 1
Percentage of pregnancies resulting in triplets or more live births	1.8	2.2	2.5	0 / 9		0 / 1
Percentage of pregnancies resulting in live births	87.5	80.0	87.5	7 / 9		1 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	92	50	36	8	5	1
Number of transfers	81	43	33	5	2	1
Average number of embryos transferred	1.6	1.5	1.8	2.6	2.0	1.0
Percentage of embryos transferred resulting in implantation	39.1	48.4	31.0	3 / 13	0 / 4	0 / 1
Percentage of transfers resulting in singleton live births	30.9	32.6	33.3	2 / 5	0 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	2.3	0.0	0 / 5	0 / 2	0 / 1
Percentage of transfers resulting in live births	44.4	46.5	36.4	2 / 5	0 / 2	0 / 1
Percentage of transfers resulting in pregnancy	55.6	55.8	45.5	3 / 5	0 / 2	0 / 1
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	73		38			
Number of transfers	68		33			
Average number of embryos transferred	1.9		1.5			
Percentage of embryos transferred resulting in implantation	42.1		36.0			
Percentage of transfers resulting in singleton live births	33.8		36.4			
Percentage of transfers resulting in live births	50.0		42.4			
Percentage of transfers resulting in pregnancy	66.2		51.5			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Texas Fertility Center, Drs. Vaughn, Silverberg, Hansard and Burger

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 15 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**DR. JEFFREY YOUNGKIN
AUSTIN FERTILITY CENTER
AUSTIN, TEXAS**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	33%	Tubal factor	12%	Uterine factor	6%	Multiple Factors: Female factors only 12% Female & male factors 6%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	12%	Male factor	18%	
Used gestational carrier	0%			Diminished ovarian reserve	0%	Other factor	6%	
				Endometriosis	41%	Unknown factor	24%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 17

Data verified by Jeffrey T. Youngkin, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	1	4	7	0	0	0
Percentage of cancellations	0 / 1	1 / 4	1 / 7			
Average number of embryos transferred	2.0	2.7	3.0			
Percentage of embryos transferred resulting in implantation	2 / 2	3 / 8	1 / 18			
Percentage of elective single embryo transfer (eSET)	0 / 1	0 / 3	0 / 6			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	0 / 1	0 / 4	0 / 7			
Percentage of cycles resulting in triplets or more live births	0 / 1	1 / 4	0 / 7			
Percentage of cycles resulting in live births	1 / 1	1 / 4	0 / 7			
Percentage of cycles resulting in pregnancy	1 / 1	1 / 4	2 / 7			
Outcomes per Transfer						
Number of transfers	1	3	6	0	0	0
Percentage of transfers resulting in singleton live births	0 / 1	0 / 3	0 / 6			
Percentage of transfers resulting in triplets or more live births	0 / 1	1 / 3	0 / 6			
Percentage of transfers resulting in live births	1 / 1	1 / 3	0 / 6			
Percentage of transfers resulting in pregnancy	1 / 1	1 / 3	2 / 6			
Outcomes per Pregnancy						
Number of pregnancies	1	1	2	0	0	0
Percentage of pregnancies resulting in singleton live births	0 / 1	0 / 1	0 / 2			
Percentage of pregnancies resulting in triplets or more live births	0 / 1	1 / 1	0 / 2			
Percentage of pregnancies resulting in live births	1 / 1	1 / 1	0 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	3	1	0	0	0
Number of transfers	1	3	1	0	0	0
Average number of embryos transferred	2.0	1.3	1.0			
Percentage of embryos transferred resulting in implantation	2 / 2	0 / 4	1 / 1			
Percentage of transfers resulting in singleton live births	1 / 1	0 / 3	1 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 1	0 / 3	0 / 1			
Percentage of transfers resulting in live births	1 / 1	0 / 3	1 / 1			
Percentage of transfers resulting in pregnancy	1 / 1	1 / 3	1 / 1			
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
	Number of cycles	0	0			
	Number of transfers	0	0			
	Average number of embryos transferred					
	Percentage of embryos transferred resulting in implantation					
	Percentage of transfers resulting in singleton live births					
	Percentage of transfers resulting in pregnancy					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Dr. Jeffrey Youngkin, Austin Fertility Center

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR ASSISTED REPRODUCTION BEDFORD, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	67%	Tubal factor	18%	Uterine factor	3%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	15%	Male factor	40%	
Used gestational carrier	2%			Diminished ovarian reserve	32%	Other factor	16%	
				Endometriosis	5%	Unknown factor	6%	
				Multiple Factors:				
				Female factors only				10%
				Female & male factors				24%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 560

Data verified by Kevin J. Doody, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	147	70	66	37	13	1
Percentage of cancellations	2.0	7.1	9.1	10.8	2 / 13	0 / 1
Average number of embryos transferred	1.8	1.9	2.1	2.4	1.9	1.0
Percentage of embryos transferred resulting in implantation	40.2	37.3	12.5	15.6	9.5	0 / 1
Percentage of elective single embryo transfer (eSET)	17.2	5.9	2.1	4.3	0 / 7	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.8	17.1	10.6	13.5	2 / 13	0 / 1
Percentage of cycles resulting in triplets or more live births	0.7	0.0	0.0	0.0	0 / 13	0 / 1
Percentage of cycles resulting in live births	41.5	34.3	12.1	16.2	2 / 13	0 / 1
Percentage of cycles resulting in pregnancy	47.6	41.4	22.7	27.0	2 / 13	0 / 1
Outcomes per Transfer						
Number of transfers	135	59	53	27	11	1
Percentage of transfers resulting in singleton live births	25.9	20.3	13.2	18.5	2 / 11	0 / 1
Percentage of transfers resulting in triplets or more live births	0.7	0.0	0.0	0.0	0 / 11	0 / 1
Percentage of transfers resulting in live births	45.2	40.7	15.1	22.2	2 / 11	0 / 1
Percentage of transfers resulting in pregnancy	51.9	49.2	28.3	37.0	2 / 11	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	70	29	15	10	2	0
Percentage of pregnancies resulting in singleton live births	50.0	41.4	7 / 15	5 / 10	2 / 2	
Percentage of pregnancies resulting in triplets or more live births	1.4	0.0	0 / 15	0 / 10	0 / 2	
Percentage of pregnancies resulting in live births	87.1	82.8	8 / 15	6 / 10	2 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	72	42	21	9	3	1
Number of transfers	70	41	21	9	3	1
Average number of embryos transferred	1.7	1.8	1.9	2.4	2.3	2.0
Percentage of embryos transferred resulting in implantation	36.1	26.4	33.3	9.1	1 / 7	1 / 2
Percentage of transfers resulting in singleton live births	28.6	26.8	42.9	1 / 9	1 / 3	1 / 1
Percentage of transfers resulting in triplets or more live births	1.4	0.0	0.0	0 / 9	0 / 3	0 / 1
Percentage of transfers resulting in live births	38.6	36.6	42.9	1 / 9	1 / 3	1 / 1
Percentage of transfers resulting in pregnancy	50.0	41.5	66.7	3 / 9	1 / 3	1 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		26		52		
Number of transfers		25		52		
Average number of embryos transferred		1.9		1.9		
Percentage of embryos transferred resulting in implantation		56.5		40.4		
Percentage of transfers resulting in singleton live births		24.0		19.2		
Percentage of transfers resulting in live births		60.0		40.4		
Percentage of transfers resulting in pregnancy		72.0		53.8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Assisted Reproduction

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**TRINITY InVITRO FERTILIZATION PROGRAM
CARROLLTON, TEXAS**

This clinic provided ART services during 2011 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2011 ART cycle data or the clinic's Medical Director did not approve the clinic's 2011 ART cycle data for inclusion in this report.

DALLAS-FORT WORTH FERTILITY ASSOCIATES DALLAS, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	41%	Tubal factor	14%	Uterine factor	8%	
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	28%	Male factor	39%	
Used gestational carrier	1%			Diminished ovarian reserve	44%	Other factor	8%	
				Endometriosis	12%	Unknown factor	6%	
				Multiple Factors:				
				Female factors only				18%
				Female & male factors				29%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 552

Data verified by Samuel J. Chantilis, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	159	75	97	33	10	1
Percentage of cancellations	8.8	17.3	16.5	36.4	2 / 10	1 / 1
Average number of embryos transferred	1.9	2.2	2.3	3.5	3.0	
Percentage of embryos transferred resulting in implantation	39.2	25.4	20.2	15.9	4.2	
Percentage of elective single embryo transfer (eSET)	8.5	1.6	0.0	0 / 17	0 / 8	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.9	29.3	19.6	9.1	1 / 10	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 10	0 / 1
Percentage of cycles resulting in live births	39.0	36.0	25.8	12.1	1 / 10	0 / 1
Percentage of cycles resulting in pregnancy	45.9	44.0	33.0	21.2	2 / 10	0 / 1
Outcomes per Transfer						
Number of transfers	139	62	76	18	8	0
Percentage of transfers resulting in singleton live births	27.3	35.5	25.0	3 / 18	1 / 8	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 18	0 / 8	
Percentage of transfers resulting in live births	44.6	43.5	32.9	4 / 18	1 / 8	
Percentage of transfers resulting in pregnancy	52.5	53.2	42.1	7 / 18	2 / 8	
Outcomes per Pregnancy						
Number of pregnancies	73	33	32	7	2	0
Percentage of pregnancies resulting in singleton live births	52.1	66.7	59.4	3 / 7	1 / 2	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 7	0 / 2	
Percentage of pregnancies resulting in live births	84.9	81.8	78.1	4 / 7	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	46	14	8	6	1	1
Number of transfers	45	14	7	5	1	1
Average number of embryos transferred	1.8	1.6	2.0	1.6	1.0	1.0
Percentage of embryos transferred resulting in implantation	43.8	26.1	2 / 14	3 / 8	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births	35.6	2 / 14	2 / 7	1 / 5	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	2.2	0 / 14	0 / 7	0 / 5	0 / 1	0 / 1
Percentage of transfers resulting in live births	51.1	4 / 14	2 / 7	2 / 5	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	55.6	5 / 14	3 / 7	2 / 5	0 / 1	0 / 1
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	74		27			
Number of transfers	69		27			
Average number of embryos transferred	1.9		1.8			
Percentage of embryos transferred resulting in implantation	62.3		25.0			
Percentage of transfers resulting in singleton live births	29.0		29.6			
Percentage of transfers resulting in live births	68.1		33.3			
Percentage of transfers resulting in pregnancy	73.9		44.4			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Dallas-Fort Worth Fertility Associates

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 18 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY AND ADVANCED REPRODUCTIVE MEDICINE DALLAS, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	79%	Tubal factor	8%	Uterine factor	8%	
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	22%	Male factor	47%	
Used gestational carrier	0%			Diminished ovarian reserve	30%	Other factor	6%	
				Endometriosis	6%	Unknown factor	3%	
				Multiple Factors:				
				Female factors only				8%
				Female & male factors				21%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 73

Data verified by Orhan Bukulmez, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	32	8	8	1	3	0
Percentage of cancellations	3.1	0 / 8	0 / 8	0 / 1	1 / 3	
Average number of embryos transferred	1.8	2.3	2.3	2.0	3.0	
Percentage of embryos transferred resulting in implantation	17.6	3 / 18	4 / 18	0 / 2	0 / 6	
Percentage of elective single embryo transfer (eSET)	14.8	0 / 8	0 / 8	0 / 1	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	21.9	3 / 8	1 / 8	0 / 1	0 / 3	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 8	0 / 8	0 / 1	0 / 3	
Percentage of cycles resulting in live births	25.0	3 / 8	2 / 8	0 / 1	0 / 3	
Percentage of cycles resulting in pregnancy	25.0	3 / 8	2 / 8	0 / 1	0 / 3	
Outcomes per Transfer						
Number of transfers	28	8	8	1	2	0
Percentage of transfers resulting in singleton live births	25.0	3 / 8	1 / 8	0 / 1	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 8	0 / 8	0 / 1	0 / 2	
Percentage of transfers resulting in live births	28.6	3 / 8	2 / 8	0 / 1	0 / 2	
Percentage of transfers resulting in pregnancy	28.6	3 / 8	2 / 8	0 / 1	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	8	3	2	0	0	0
Percentage of pregnancies resulting in singleton live births	7 / 8	3 / 3	1 / 2			
Percentage of pregnancies resulting in triplets or more live births	0 / 8	0 / 3	0 / 2			
Percentage of pregnancies resulting in live births	8 / 8	3 / 3	2 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	14	3	2	1	0	1
Number of transfers	14	3	1	1	0	1
Average number of embryos transferred	1.6	1.7	2.0	3.0		2.0
Percentage of embryos transferred resulting in implantation	45.5	1 / 5	2 / 2	1 / 3		0 / 2
Percentage of transfers resulting in singleton live births	5 / 14	1 / 3	0 / 1	0 / 1		0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 14	0 / 3	0 / 1	0 / 1		0 / 1
Percentage of transfers resulting in live births	7 / 14	1 / 3	1 / 1	0 / 1		0 / 1
Percentage of transfers resulting in pregnancy	8 / 14	1 / 3	1 / 1	1 / 1		0 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		0		0		
Number of transfers		0		0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility and Advanced Reproductive Medicine

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 4 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF DALLAS DALLAS, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	86%	Tubal factor	20%	Uterine factor	6%	Multiple Factors: Female factors only 15% Female & male factors 27%
Unstimulated	0%	Used PGD	10%	Ovulatory dysfunction	6%	Male factor	48%	
Used gestational carrier	0%			Diminished ovarian reserve	22%	Other factor	15%	
				Endometriosis	28%	Unknown factor	3%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 113

Data verified by J. Michael Putman, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	35	11	8	6	3	0
Percentage of cancellations	0.0	1 / 11	0 / 8	0 / 6	0 / 3	
Average number of embryos transferred	2.0	2.1	2.9	3.0	2.7	
Percentage of embryos transferred resulting in implantation	38.8	23.8	30.4	1 / 15	0 / 8	
Percentage of elective single embryo transfer (eSET)	9.7	1 / 9	0 / 8	0 / 4	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	37.1	3 / 11	2 / 8	1 / 6	0 / 3	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 11	1 / 8	0 / 6	0 / 3	
Percentage of cycles resulting in live births	48.6	3 / 11	3 / 8	1 / 6	0 / 3	
Percentage of cycles resulting in pregnancy	65.7	4 / 11	5 / 8	1 / 6	0 / 3	
Outcomes per Transfer						
Number of transfers	34	10	8	5	3	0
Percentage of transfers resulting in singleton live births	38.2	3 / 10	2 / 8	1 / 5	0 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 10	1 / 8	0 / 5	0 / 3	
Percentage of transfers resulting in live births	50.0	3 / 10	3 / 8	1 / 5	0 / 3	
Percentage of transfers resulting in pregnancy	67.6	4 / 10	5 / 8	1 / 5	0 / 3	
Outcomes per Pregnancy						
Number of pregnancies	23	4	5	1	0	0
Percentage of pregnancies resulting in singleton live births	56.5	3 / 4	2 / 5	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 4	1 / 5	0 / 1		
Percentage of pregnancies resulting in live births	73.9	3 / 4	3 / 5	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	18	10	5	5	1	2
Number of transfers	18	10	5	5	1	2
Average number of embryos transferred	2.2	2.2	2.0	2.4	2.0	6.0
Percentage of embryos transferred resulting in implantation	38.5	27.3	7 / 10	4 / 12	0 / 2	0 / 12
Percentage of transfers resulting in singleton live births	6 / 18	4 / 10	2 / 5	2 / 5	0 / 1	0 / 2
Percentage of transfers resulting in triplets or more live births	1 / 18	0 / 10	1 / 5	0 / 5	0 / 1	0 / 2
Percentage of transfers resulting in live births	9 / 18	5 / 10	4 / 5	3 / 5	0 / 1	0 / 2
Percentage of transfers resulting in pregnancy	11 / 18	7 / 10	4 / 5	4 / 5	0 / 1	0 / 2
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		4		5		
Number of transfers		4		5		
Average number of embryos transferred		2.0		2.2		
Percentage of embryos transferred resulting in implantation		4 / 8		4 / 11		
Percentage of transfers resulting in singleton live births		2 / 4		1 / 5		
Percentage of transfers resulting in live births		3 / 4		2 / 5		
Percentage of transfers resulting in pregnancy		3 / 4		3 / 5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Center of Dallas

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 23 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF INSTITUTE DALLAS, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	52%	Tubal factor	32%	Uterine factor	4%
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	24%	Male factor	32%
Used gestational carrier	0%			Diminished ovarian reserve	60%	Other factor	0%
				Endometriosis	0%	Unknown factor	0%
				Multiple Factors: Female factors only 16% Female & male factors 32%			

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 25

Data verified by Noel Peng, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	12	2	5	5	0	1
Percentage of cancellations	1 / 12	0 / 2	0 / 5	2 / 5		1 / 1
Average number of embryos transferred	2.0	2.0	2.0	1.7		
Percentage of embryos transferred resulting in implantation	59.1	1 / 2	5 / 8	0 / 5		
Percentage of elective single embryo transfer (eSET)	0 / 10	0 / 1	0 / 2	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	6 / 12	1 / 2	1 / 5	0 / 5		0 / 1
Percentage of cycles resulting in triplets or more live births	0 / 12	0 / 2	1 / 5	0 / 5		0 / 1
Percentage of cycles resulting in live births	9 / 12	1 / 2	2 / 5	0 / 5		0 / 1
Percentage of cycles resulting in pregnancy	11 / 12	1 / 2	4 / 5	0 / 5		0 / 1
Outcomes per Transfer						
Number of transfers	11	1	4	3	0	0
Percentage of transfers resulting in singleton live births	6 / 11	1 / 1	1 / 4	0 / 3		
Percentage of transfers resulting in triplets or more live births	0 / 11	0 / 1	1 / 4	0 / 3		
Percentage of transfers resulting in live births	9 / 11	1 / 1	2 / 4	0 / 3		
Percentage of transfers resulting in pregnancy	11 / 11	1 / 1	4 / 4	0 / 3		
Outcomes per Pregnancy						
Number of pregnancies	11	1	4	0	0	0
Percentage of pregnancies resulting in singleton live births	6 / 11	1 / 1	1 / 4			
Percentage of pregnancies resulting in triplets or more live births	0 / 11	0 / 1	1 / 4			
Percentage of pregnancies resulting in live births	9 / 11	1 / 1	2 / 4			
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	0	0	0	0	0
Number of transfers	0	0	0	0	0	0
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in triplets or more live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

All Ages Combined^f

Donor Eggs	Fresh Embryos	Frozen Embryos
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation		
Percentage of transfers resulting in singleton live births		
Percentage of transfers resulting in live births		
Percentage of transfers resulting in pregnancy		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: IVF Institute

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 2 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCED FERTILITY CENTER DALLAS, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	65%	Tubal factor	20%	Uterine factor	4%	Multiple Factors: Female factors only 13% Female & male factors 0%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	27%	Male factor	7%	
Used gestational carrier	0%			Diminished ovarian reserve	48%	Other factor	2%	
				Endometriosis	5%	Unknown factor	0%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 56

Data verified by Anil B. Pinto, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	21	13	6	2	0	1
Percentage of cancellations	4.8	0 / 13	1 / 6	0 / 2		0 / 1
Average number of embryos transferred	2.2	2.2	2.4	2.0		3.0
Percentage of embryos transferred resulting in implantation	30.2	38.5	6 / 12	2 / 4		1 / 3
Percentage of elective single embryo transfer (eSET)	0.0	0 / 12	0 / 5	0 / 2		0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	61.9	5 / 13	4 / 6	0 / 2		1 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0 / 13	0 / 6	0 / 2		0 / 1
Percentage of cycles resulting in live births	61.9	7 / 13	5 / 6	1 / 2		1 / 1
Percentage of cycles resulting in pregnancy	61.9	7 / 13	5 / 6	1 / 2		1 / 1
Outcomes per Transfer						
Number of transfers	20	12	5	2	0	1
Percentage of transfers resulting in singleton live births	65.0	5 / 12	4 / 5	0 / 2		1 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 12	0 / 5	0 / 2		0 / 1
Percentage of transfers resulting in live births	65.0	7 / 12	5 / 5	1 / 2		1 / 1
Percentage of transfers resulting in pregnancy	65.0	7 / 12	5 / 5	1 / 2		1 / 1
Outcomes per Pregnancy						
Number of pregnancies	13	7	5	1	0	1
Percentage of pregnancies resulting in singleton live births	13 / 13	5 / 7	4 / 5	0 / 1		1 / 1
Percentage of pregnancies resulting in triplets or more live births	0 / 13	0 / 7	0 / 5	0 / 1		0 / 1
Percentage of pregnancies resulting in live births	13 / 13	7 / 7	5 / 5	1 / 1		1 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	2	1	1	0	0
Number of transfers	4	1	1	1	0	0
Average number of embryos transferred	2.0	2.0	3.0	2.0		
Percentage of embryos transferred resulting in implantation	4 / 8	1 / 2	0 / 3	0 / 2		
Percentage of transfers resulting in singleton live births	4 / 4	1 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in live births	4 / 4	1 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in pregnancy	4 / 4	1 / 1	0 / 1	0 / 1		
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			2		3	
Number of transfers			2		3	
Average number of embryos transferred			2.0		2.0	
Percentage of embryos transferred resulting in implantation			1 / 4		3 / 6	
Percentage of transfers resulting in singleton live births			1 / 2		3 / 3	
Percentage of transfers resulting in live births			1 / 2		3 / 3	
Percentage of transfers resulting in pregnancy			1 / 2		3 / 3	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: ReproMed Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 5 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHER INSTITUTE FOR REPRODUCTIVE MEDICINE-DALLAS DALLAS, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	90%	Tubal factor	17%	Uterine factor	7%	
Unstimulated	2%	Used PGD	39%	Ovulatory dysfunction	6%	Male factor	19%	
Used gestational carrier	<1%			Diminished ovarian reserve	44%	Other factor	23%	
				Endometriosis	3%	Unknown factor	9%	
				Multiple Factors:				
				Female factors only				12%
				Female & male factors				10%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 302

Data verified by Walid Saleh, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	118	39	34	6	11	5
Percentage of cancellations	2.5	0.0	11.8	0 / 6	1 / 11	1 / 5
Average number of embryos transferred	2.0	1.9	2.0	1.7	1.0	2.5
Percentage of embryos transferred resulting in implantation	44.9	46.7	25.6	0 / 5	1 / 3	0 / 5
Percentage of elective single embryo transfer (eSET)	7.7	14.3	1 / 15	0 / 2		0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.3	28.2	8.8	0 / 6	1 / 11	0 / 5
Percentage of cycles resulting in triplets or more live births	1.7	2.6	0.0	0 / 6	0 / 11	0 / 5
Percentage of cycles resulting in live births	45.8	43.6	14.7	0 / 6	1 / 11	0 / 5
Percentage of cycles resulting in pregnancy	53.4	51.3	26.5	0 / 6	1 / 11	0 / 5
Outcomes per Transfer						
Number of transfers	99	32	20	3	3	2
Percentage of transfers resulting in singleton live births	31.3	34.4	15.0	0 / 3	1 / 3	0 / 2
Percentage of transfers resulting in triplets or more live births	2.0	3.1	0.0	0 / 3	0 / 3	0 / 2
Percentage of transfers resulting in live births	54.5	53.1	25.0	0 / 3	1 / 3	0 / 2
Percentage of transfers resulting in pregnancy	63.6	62.5	45.0	0 / 3	1 / 3	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	63	20	9	0	1	0
Percentage of pregnancies resulting in singleton live births	49.2	55.0	3 / 9		1 / 1	
Percentage of pregnancies resulting in triplets or more live births	3.2	5.0	0 / 9		0 / 1	
Percentage of pregnancies resulting in live births	85.7	85.0	5 / 9		1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	19	12	7	2	1	2
Number of transfers	17	12	7	1	1	0
Average number of embryos transferred	1.9	2.1	1.9	3.0	1.0	
Percentage of embryos transferred resulting in implantation	50.0	28.0	3 / 13	0 / 3	0 / 1	
Percentage of transfers resulting in singleton live births	4 / 17	3 / 12	2 / 7	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 17	0 / 12	0 / 7	0 / 1	0 / 1	
Percentage of transfers resulting in live births	9 / 17	3 / 12	2 / 7	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	12 / 17	7 / 12	3 / 7	0 / 1	0 / 1	
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	33		13			
Number of transfers	27		12			
Average number of embryos transferred	2.0		2.1			
Percentage of embryos transferred resulting in implantation	47.3		32.0			
Percentage of transfers resulting in singleton live births	33.3		4 / 12			
Percentage of transfers resulting in live births	55.6		5 / 12			
Percentage of transfers resulting in pregnancy	70.4		6 / 12			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Sher Institute for Reproductive Medicine-Dallas

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 12 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

TEXAS CENTER FOR REPRODUCTIVE HEALTH DALLAS, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	94%	Tubal factor	6%	Uterine factor	18%	
Unstimulated	0%	Used PGD	7%	Ovulatory dysfunction	18%	Male factor	40%	
Used gestational carrier	7%			Diminished ovarian reserve	28%	Other factor	32%	
				Endometriosis	10%	Unknown factor	4%	
				Multiple Factors:				
				Female factors only				28%
				Female & male factors				24%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 50

Data verified by Samuel P. Marynick, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	14	8	5	2	1	1
Percentage of cancellations	1 / 14	1 / 8	0 / 5	0 / 2	0 / 1	0 / 1
Average number of embryos transferred	2.0	2.0	2.4	2.0	1.0	4.0
Percentage of embryos transferred resulting in implantation	61.5	9 / 14	5 / 12	0 / 2	0 / 1	0 / 4
Percentage of elective single embryo transfer (eSET)	0 / 13	0 / 6	0 / 4	0 / 1		0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	5 / 14	3 / 8	1 / 5	0 / 2	0 / 1	0 / 1
Percentage of cycles resulting in triplets or more live births	0 / 14	0 / 8	1 / 5	0 / 2	0 / 1	0 / 1
Percentage of cycles resulting in live births	10 / 14	5 / 8	2 / 5	0 / 2	0 / 1	0 / 1
Percentage of cycles resulting in pregnancy	11 / 14	6 / 8	3 / 5	0 / 2	0 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	13	7	5	1	1	1
Percentage of transfers resulting in singleton live births	5 / 13	3 / 7	1 / 5	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 13	0 / 7	1 / 5	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in live births	10 / 13	5 / 7	2 / 5	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	11 / 13	6 / 7	3 / 5	0 / 1	0 / 1	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	11	6	3	0	0	0
Percentage of pregnancies resulting in singleton live births	5 / 11	3 / 6	1 / 3			
Percentage of pregnancies resulting in triplets or more live births	0 / 11	0 / 6	1 / 3			
Percentage of pregnancies resulting in live births	10 / 11	5 / 6	2 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	3	1	1	1	0	0
Number of transfers	3	1	1	1	0	0
Average number of embryos transferred	2.0	2.0	2.0	2.0		
Percentage of embryos transferred resulting in implantation	1 / 6	2 / 2	1 / 2	1 / 2		
Percentage of transfers resulting in singleton live births	1 / 3	0 / 1	0 / 1	1 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 3	0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in live births	1 / 3	1 / 1	0 / 1	1 / 1		
Percentage of transfers resulting in pregnancy	1 / 3	1 / 1	1 / 1	1 / 1		

All Ages Combined^f

Donor Eggs	Fresh Embryos	Frozen Embryos
Number of cycles	6	7
Number of transfers	6	7
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation	3 / 12	4 / 14
Percentage of transfers resulting in singleton live births	3 / 6	4 / 7
Percentage of transfers resulting in live births	3 / 6	4 / 7
Percentage of transfers resulting in pregnancy	3 / 6	4 / 7

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Texas Center for Reproductive Health

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 4 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE WOMEN'S PLACE DeSOTO, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	44%	Tubal factor	44%	Uterine factor	0%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	11%	Male factor	44%
Used gestational carrier	0%			Diminished ovarian reserve	11%	Other factor	11%
				Endometriosis	0%	Unknown factor	11%
				Multiple Factors:			
						Female factors only	11%
						Female & male factors	22%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 9

Data verified by Lisa A. King, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	7	1	0	1	0	0
Percentage of cancellations	1 / 7	0 / 1		0 / 1		
Average number of embryos transferred	1.8	2.0				
Percentage of embryos transferred resulting in implantation	4 / 9	2 / 2				
Percentage of elective single embryo transfer (eSET)	0 / 4	0 / 1				
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	2 / 7	0 / 1		0 / 1		
Percentage of cycles resulting in triplets or more live births	0 / 7	0 / 1		0 / 1		
Percentage of cycles resulting in live births	3 / 7	1 / 1		0 / 1		
Percentage of cycles resulting in pregnancy	3 / 7	1 / 1		0 / 1		
Outcomes per Transfer						
Number of transfers	5	1	0	0	0	0
Percentage of transfers resulting in singleton live births	2 / 5	0 / 1				
Percentage of transfers resulting in triplets or more live births	0 / 5	0 / 1				
Percentage of transfers resulting in live births	3 / 5	1 / 1				
Percentage of transfers resulting in pregnancy	3 / 5	1 / 1				
Outcomes per Pregnancy						
Number of pregnancies	3	1	0	0	0	0
Percentage of pregnancies resulting in singleton live births	2 / 3	0 / 1				
Percentage of pregnancies resulting in triplets or more live births	0 / 3	0 / 1				
Percentage of pregnancies resulting in live births	3 / 3	1 / 1				
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	0	0	0	0	0
Number of transfers	0	0	0	0	0	0
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in triplets or more live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						
All Ages Combined^f						
	Fresh Embryos		Frozen Embryos			
Donor Eggs						
Number of cycles	0		0			
Number of transfers	0		0			
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Women's Place

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY FERTILITY CENTER DICKINSON, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	32%	Tubal factor	31%	Uterine factor	17%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	31%	Male factor	35%
Used gestational carrier	5%			Diminished ovarian reserve	7%	Other factor	17%
				Endometriosis	10%	Unknown factor	17%
				Multiple Factors: Female factors only 14% Female & male factors 24%			

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 29

Data verified by John Y. Phelps, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	15	6	1	0	0	0
Percentage of cancellations	0 / 15	0 / 6	0 / 1			
Average number of embryos transferred	2.7	2.7	2.0			
Percentage of embryos transferred resulting in implantation	40.0	4 / 16	0 / 2			
Percentage of elective single embryo transfer (eSET)	0 / 15	0 / 6	0 / 1			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	5 / 15	2 / 6	0 / 1			
Percentage of cycles resulting in triplets or more live births	0 / 15	0 / 6	0 / 1			
Percentage of cycles resulting in live births	9 / 15	3 / 6	0 / 1			
Percentage of cycles resulting in pregnancy	10 / 15	3 / 6	0 / 1			
Outcomes per Transfer						
Number of transfers	15	6	1	0	0	0
Percentage of transfers resulting in singleton live births	5 / 15	2 / 6	0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 15	0 / 6	0 / 1			
Percentage of transfers resulting in live births	9 / 15	3 / 6	0 / 1			
Percentage of transfers resulting in pregnancy	10 / 15	3 / 6	0 / 1			
Outcomes per Pregnancy						
Number of pregnancies	10	3	0	0	0	0
Percentage of pregnancies resulting in singleton live births	5 / 10	2 / 3				
Percentage of pregnancies resulting in triplets or more live births	0 / 10	0 / 3				
Percentage of pregnancies resulting in live births	9 / 10	3 / 3				
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	1	0	0	0	0
Number of transfers	5	1	0	0	0	0
Average number of embryos transferred	2.2	1.0				
Percentage of embryos transferred resulting in implantation	1 / 11	0 / 1				
Percentage of transfers resulting in singleton live births	1 / 5	0 / 1				
Percentage of transfers resulting in triplets or more live births	0 / 5	0 / 1				
Percentage of transfers resulting in live births	1 / 5	0 / 1				
Percentage of transfers resulting in pregnancy	1 / 5	0 / 1				
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
	Number of cycles	1	0			
	Number of transfers	1	0			
	Average number of embryos transferred	2.0				
	Percentage of embryos transferred resulting in implantation	1 / 2				
	Percentage of transfers resulting in singleton live births	1 / 1				
	Percentage of transfers resulting in live births	1 / 1				
	Percentage of transfers resulting in pregnancy	1 / 1				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTHWEST CENTER FOR REPRODUCTIVE HEALTH, PA EL PASO, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	94%	Tubal factor	27%	Uterine factor	6%	<i>Multiple Factors:</i> Female factors only 21% Female & male factors 33%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	22%	Male factor	43%	
Used gestational carrier	2%			Diminished ovarian reserve	27%	Other factor	6%	
				Endometriosis	33%	Unknown factor	5%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 107

Data verified by Luis S. Noble, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	18	10	10	6	2	0
Percentage of cancellations	1 / 18	0 / 10	0 / 10	1 / 6	1 / 2	
Average number of embryos transferred	1.8	2.3	2.4	2.4	2.0	
Percentage of embryos transferred resulting in implantation	42.9	38.1	27.3	0 / 12	0 / 2	
Percentage of elective single embryo transfer (eSET)	3 / 15	0 / 8	0 / 9	0 / 4	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	9 / 18	1 / 10	4 / 10	0 / 6	0 / 2	
Percentage of cycles resulting in triplets or more live births	0 / 18	1 / 10	0 / 10	0 / 6	0 / 2	
Percentage of cycles resulting in live births	10 / 18	3 / 10	5 / 10	0 / 6	0 / 2	
Percentage of cycles resulting in pregnancy	10 / 18	4 / 10	6 / 10	0 / 6	0 / 2	
Outcomes per Transfer						
Number of transfers	16	9	9	5	1	0
Percentage of transfers resulting in singleton live births	9 / 16	1 / 9	4 / 9	0 / 5	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 16	1 / 9	0 / 9	0 / 5	0 / 1	
Percentage of transfers resulting in live births	10 / 16	3 / 9	5 / 9	0 / 5	0 / 1	
Percentage of transfers resulting in pregnancy	10 / 16	4 / 9	6 / 9	0 / 5	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	10	4	6	0	0	0
Percentage of pregnancies resulting in singleton live births	9 / 10	1 / 4	4 / 6			
Percentage of pregnancies resulting in triplets or more live births	0 / 10	1 / 4	0 / 6			
Percentage of pregnancies resulting in live births	10 / 10	3 / 4	5 / 6			
Frozen Embryos from Nondonor Eggs						
Number of cycles	22	12	7	1	0	1
Number of transfers	21	12	7	1	0	1
Average number of embryos transferred	2.0	1.9	1.7	3.0		2.0
Percentage of embryos transferred resulting in implantation	35.7	39.1	5 / 12	0 / 3		2 / 2
Percentage of transfers resulting in singleton live births	28.6	4 / 12	0 / 7	0 / 1		0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 12	1 / 7	0 / 1		0 / 1
Percentage of transfers resulting in live births	38.1	6 / 12	1 / 7	0 / 1		1 / 1
Percentage of transfers resulting in pregnancy	61.9	8 / 12	2 / 7	0 / 1		1 / 1
All Ages Combined^f						
	Fresh Embryos			Frozen Embryos		
Number of cycles	11			7		
Number of transfers	11			7		
Average number of embryos transferred	1.8			2.3		
Percentage of embryos transferred resulting in implantation	75.0			5 / 16		
Percentage of transfers resulting in singleton live births	4 / 11			3 / 7		
Percentage of transfers resulting in live births	8 / 11			4 / 7		
Percentage of transfers resulting in pregnancy	8 / 11			5 / 7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Southwest Center for Reproductive Health, PA

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 17 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FORT WORTH FERTILITY, PA FORT WORTH, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	90%	Tubal factor	12%	Uterine factor	<1%
Unstimulated	0%	Used PGD	8%	Ovulatory dysfunction	11%	Male factor	38%
Used gestational carrier	<1%			Diminished ovarian reserve	34%	Other factor	15%
				Endometriosis	4%	Unknown factor	11%
				Multiple Factors:			
						Female factors only	9%
						Female & male factors	15%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 324

Data verified by Robert A. Kaufmann, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	121	66	41	16	4	1
Percentage of cancellations	2.5	1.5	2.4	0 / 16	0 / 4	0 / 1
Average number of embryos transferred	1.9	2.0	2.4	1.8	3.0	2.0
Percentage of embryos transferred resulting in implantation	34.1	24.3	17.1	8.7	1 / 6	0 / 2
Percentage of elective single embryo transfer (eSET)	12.1	2.2	0.0	0 / 9	0 / 2	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	24.8	22.7	12.2	1 / 16	0 / 4	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	1.5	0.0	0 / 16	0 / 4	0 / 1
Percentage of cycles resulting in live births	39.7	27.3	17.1	1 / 16	0 / 4	0 / 1
Percentage of cycles resulting in pregnancy	44.6	30.3	29.3	2 / 16	1 / 4	0 / 1
Outcomes per Transfer						
Number of transfers	109	53	32	13	2	1
Percentage of transfers resulting in singleton live births	27.5	28.3	15.6	1 / 13	0 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	1.9	0.0	0 / 13	0 / 2	0 / 1
Percentage of transfers resulting in live births	44.0	34.0	21.9	1 / 13	0 / 2	0 / 1
Percentage of transfers resulting in pregnancy	49.5	37.7	37.5	2 / 13	1 / 2	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	54	20	12	2	1	0
Percentage of pregnancies resulting in singleton live births	55.6	75.0	5 / 12	1 / 2	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	5.0	0 / 12	0 / 2	0 / 1	
Percentage of pregnancies resulting in live births	88.9	90.0	7 / 12	1 / 2	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	27	18	3	1	1	1
Number of transfers	27	18	3	1	1	1
Average number of embryos transferred	1.7	1.6	1.3	2.0	3.0	1.0
Percentage of embryos transferred resulting in implantation	48.9	27.6	1 / 4	0 / 2	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births	37.0	7 / 18	0 / 3	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 18	0 / 3	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in live births	55.6	7 / 18	0 / 3	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	63.0	8 / 18	1 / 3	0 / 1	0 / 1	0 / 1
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			15		9	
Number of transfers			11		9	
Average number of embryos transferred			1.9		1.6	
Percentage of embryos transferred resulting in implantation			42.9		6 / 14	
Percentage of transfers resulting in singleton live births			5 / 11		2 / 9	
Percentage of transfers resulting in live births			7 / 11		4 / 9	
Percentage of transfers resulting in pregnancy			7 / 11		4 / 9	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fort Worth Fertility, PA

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 3 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2011 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2011 ART cycle data or the clinic's Medical Director did not approve the clinic's 2011 ART cycle data for inclusion in this report.

DALLAS IVF FRISCO, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	53%	Tubal factor	12%	Uterine factor	1%
Unstimulated	0%	Used PGD	5%	Ovulatory dysfunction	14%	Male factor	46%
Used gestational carrier	1%			Diminished ovarian reserve	23%	Other factor	7%
				Endometriosis	2%	Unknown factor	11%
				Multiple Factors: Female factors only 2% Female & male factors 11%			

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 371

Data verified by Brian D. Barnett, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	152	70	39	23	9	0
Percentage of cancellations	5.3	4.3	5.1	13.0	2 / 9	
Average number of embryos transferred	2.0	2.2	2.8	3.1	3.5	
Percentage of embryos transferred resulting in implantation	40.0	33.1	22.8	10.3	0.0	
Percentage of elective single embryo transfer (eSET)	7.3	4.7	0.0	0 / 17	0 / 6	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	22.4	24.3	25.6	17.4	0 / 9	
Percentage of cycles resulting in triplets or more live births	0.0	1.4	0.0	0.0	0 / 9	
Percentage of cycles resulting in live births	44.7	35.7	38.5	17.4	0 / 9	
Percentage of cycles resulting in pregnancy	49.3	48.6	38.5	21.7	0 / 9	
Outcomes per Transfer						
Number of transfers	141	66	36	19	6	0
Percentage of transfers resulting in singleton live births	24.1	25.8	27.8	4 / 19	0 / 6	
Percentage of transfers resulting in triplets or more live births	0.0	1.5	0.0	0 / 19	0 / 6	
Percentage of transfers resulting in live births	48.2	37.9	41.7	4 / 19	0 / 6	
Percentage of transfers resulting in pregnancy	53.2	51.5	41.7	5 / 19	0 / 6	
Outcomes per Pregnancy						
Number of pregnancies	75	34	15	5	0	0
Percentage of pregnancies resulting in singleton live births	45.3	50.0	10 / 15	4 / 5		
Percentage of pregnancies resulting in triplets or more live births	0.0	2.9	0 / 15	0 / 5		
Percentage of pregnancies resulting in live births	90.7	73.5	15 / 15	4 / 5		
Frozen Embryos from Nondonor Eggs						
Number of cycles	27	14	9	2	1	0
Number of transfers	24	12	9	1	1	0
Average number of embryos transferred	1.7	1.5	1.4	1.0	1.0	
Percentage of embryos transferred resulting in implantation	12.5	4 / 18	2 / 13	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births	20.8	4 / 12	2 / 9	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 12	0 / 9	0 / 1	0 / 1	
Percentage of transfers resulting in live births	20.8	4 / 12	2 / 9	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	25.0	6 / 12	4 / 9	0 / 1	0 / 1	
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	19		6			
Number of transfers	16		5			
Average number of embryos transferred	2.0		2.0			
Percentage of embryos transferred resulting in implantation	75.0		4 / 10			
Percentage of transfers resulting in singleton live births	7 / 16		2 / 5			
Percentage of transfers resulting in live births	15 / 16		2 / 5			
Percentage of transfers resulting in pregnancy	15 / 16		4 / 5			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Dallas IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 3 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY SPECIALISTS OF TEXAS, PLLC FRISCO, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	55%	Tubal factor	15%	Uterine factor	2%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	20%	Male factor	44%	
Used gestational carrier	2%			Diminished ovarian reserve	20%	Other factor	2%	
				Endometriosis	2%	Unknown factor	11%	
				Multiple Factors:				
				Female factors only				2%
				Female & male factors				13%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 178

Data verified by Jerald S. Goldstein, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	88	21	32	6	3	2
Percentage of cancellations	5.7	0.0	12.5	1 / 6	0 / 3	1 / 2
Average number of embryos transferred	2.0	2.1	2.5	2.6	3.3	
Percentage of embryos transferred resulting in implantation	40.0	48.8	29.0	1 / 13	0 / 10	
Percentage of elective single embryo transfer (eSET)	2.5	0 / 18	8.0	0 / 3	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.3	42.9	40.6	1 / 6	0 / 3	0 / 2
Percentage of cycles resulting in triplets or more live births	1.1	0.0	0.0	0 / 6	0 / 3	0 / 2
Percentage of cycles resulting in live births	47.7	52.4	46.9	1 / 6	0 / 3	0 / 2
Percentage of cycles resulting in pregnancy	52.3	66.7	53.1	2 / 6	0 / 3	0 / 2
Outcomes per Transfer						
Number of transfers	81	20	28	5	3	0
Percentage of transfers resulting in singleton live births	29.6	45.0	46.4	1 / 5	0 / 3	
Percentage of transfers resulting in triplets or more live births	1.2	0.0	0.0	0 / 5	0 / 3	
Percentage of transfers resulting in live births	51.9	55.0	53.6	1 / 5	0 / 3	
Percentage of transfers resulting in pregnancy	56.8	70.0	60.7	2 / 5	0 / 3	
Outcomes per Pregnancy						
Number of pregnancies	46	14	17	2	0	0
Percentage of pregnancies resulting in singleton live births	52.2	9 / 14	13 / 17	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	2.2	0 / 14	0 / 17	0 / 2		
Percentage of pregnancies resulting in live births	91.3	11 / 14	15 / 17	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	2	0	0	0	0
Number of transfers	6	2	0	0	0	0
Average number of embryos transferred	1.8	2.0				
Percentage of embryos transferred resulting in implantation	8 / 11	3 / 4				
Percentage of transfers resulting in singleton live births	2 / 6	1 / 2				
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 2				
Percentage of transfers resulting in live births	4 / 6	2 / 2				
Percentage of transfers resulting in pregnancy	4 / 6	2 / 2				
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	17		1			
Number of transfers	14		1			
Average number of embryos transferred	2.0		2.0			
Percentage of embryos transferred resulting in implantation	71.4		2 / 2			
Percentage of transfers resulting in singleton live births	2 / 14		1 / 1			
Percentage of transfers resulting in live births	10 / 14		1 / 1			
Percentage of transfers resulting in pregnancy	11 / 14		1 / 1			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Specialists of Texas, PLLC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 5 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FRISCO INSTITUTE FOR REPRODUCTIVE MEDICINE FRISCO, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	59%	Tubal factor	16%	Uterine factor	7%	Multiple Factors: Female factors only 11% Female & male factors 49%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	35%	Male factor	56%	
Used gestational carrier	0%			Diminished ovarian reserve	47%	Other factor	11%	
				Endometriosis	16%	Unknown factor	4%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 55

Data verified by Rinku V. Mehta, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	19	5	8	4	4	1
Percentage of cancellations	0 / 19	0 / 5	0 / 8	0 / 4	0 / 4	0 / 1
Average number of embryos transferred	1.7	2.2	2.7	3.3	1.5	3.0
Percentage of embryos transferred resulting in implantation	39.4	4 / 11	3 / 16	1 / 13	0 / 3	0 / 3
Percentage of elective single embryo transfer (eSET)	8 / 19	1 / 5	0 / 6	0 / 3	0 / 1	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	9 / 19	3 / 5	1 / 8	0 / 4	0 / 4	0 / 1
Percentage of cycles resulting in triplets or more live births	0 / 19	0 / 5	0 / 8	0 / 4	0 / 4	0 / 1
Percentage of cycles resulting in live births	10 / 19	3 / 5	2 / 8	0 / 4	0 / 4	0 / 1
Percentage of cycles resulting in pregnancy	12 / 19	4 / 5	2 / 8	1 / 4	0 / 4	1 / 1
Outcomes per Transfer						
Number of transfers	19	5	6	4	2	1
Percentage of transfers resulting in singleton live births	9 / 19	3 / 5	1 / 6	0 / 4	0 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 19	0 / 5	0 / 6	0 / 4	0 / 2	0 / 1
Percentage of transfers resulting in live births	10 / 19	3 / 5	2 / 6	0 / 4	0 / 2	0 / 1
Percentage of transfers resulting in pregnancy	12 / 19	4 / 5	2 / 6	1 / 4	0 / 2	1 / 1
Outcomes per Pregnancy						
Number of pregnancies	12	4	2	1	0	1
Percentage of pregnancies resulting in singleton live births	9 / 12	3 / 4	1 / 2	0 / 1		0 / 1
Percentage of pregnancies resulting in triplets or more live births	0 / 12	0 / 4	0 / 2	0 / 1		0 / 1
Percentage of pregnancies resulting in live births	10 / 12	3 / 4	2 / 2	0 / 1		0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	5	2	1	1	0
Number of transfers	5	5	2	1	1	0
Average number of embryos transferred	1.4	2.4	2.5	1.0	1.0	
Percentage of embryos transferred resulting in implantation	1 / 7	2 / 12	2 / 5	1 / 1	1 / 1	
Percentage of transfers resulting in singleton live births	0 / 5	2 / 5	2 / 2	1 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 5	0 / 5	0 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in live births	0 / 5	2 / 5	2 / 2	1 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	1 / 5	2 / 5	2 / 2	1 / 1	1 / 1	
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	0		0			
Number of transfers	0		0			
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Frisco Institute for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 5 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY CENTER OF TEXAS HOUSTON, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	91%	Tubal factor	26%	Uterine factor	7%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	35%	Male factor	31%
Used gestational carrier	1%			Diminished ovarian reserve	23%	Other factor	36%
				Endometriosis	21%	Unknown factor	2%
				Multiple Factors:			
						Female factors only	32%
						Female & male factors	26%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 168

Data verified by Michael A. Allon, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	49	19	18	4	0	0
Percentage of cancellations	2.0	1 / 19	1 / 18	1 / 4		
Average number of embryos transferred	2.3	2.7	2.6	2.5		
Percentage of embryos transferred resulting in implantation	31.1	20.9	24.4	0 / 5		
Percentage of elective single embryo transfer (eSET)	2.2	0 / 15	0 / 16	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	34.7	8 / 19	1 / 18	0 / 4		
Percentage of cycles resulting in triplets or more live births	0.0	0 / 19	1 / 18	0 / 4		
Percentage of cycles resulting in live births	49.0	8 / 19	3 / 18	0 / 4		
Percentage of cycles resulting in pregnancy	57.1	9 / 19	6 / 18	0 / 4		
Outcomes per Transfer						
Number of transfers	46	16	16	2	0	0
Percentage of transfers resulting in singleton live births	37.0	8 / 16	1 / 16	0 / 2		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	1 / 16	0 / 2		
Percentage of transfers resulting in live births	52.2	8 / 16	3 / 16	0 / 2		
Percentage of transfers resulting in pregnancy	60.9	9 / 16	6 / 16	0 / 2		
Outcomes per Pregnancy						
Number of pregnancies	28	9	6	0	0	0
Percentage of pregnancies resulting in singleton live births	60.7	8 / 9	1 / 6			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 9	1 / 6			
Percentage of pregnancies resulting in live births	85.7	8 / 9	3 / 6			
Frozen Embryos from Nondonor Eggs						
Number of cycles	29	11	5	3	3	1
Number of transfers	29	11	5	3	3	1
Average number of embryos transferred	2.1	2.3	2.6	2.3	2.7	4.0
Percentage of embryos transferred resulting in implantation	32.3	20.0	1 / 13	0 / 7	0 / 8	0 / 4
Percentage of transfers resulting in singleton live births	31.0	3 / 11	1 / 5	0 / 3	0 / 3	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 11	0 / 5	0 / 3	0 / 3	0 / 1
Percentage of transfers resulting in live births	48.3	4 / 11	1 / 5	0 / 3	0 / 3	0 / 1
Percentage of transfers resulting in pregnancy	55.2	5 / 11	3 / 5	0 / 3	0 / 3	0 / 1
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	10		16			
Number of transfers	10		16			
Average number of embryos transferred	2.2		2.2			
Percentage of embryos transferred resulting in implantation	54.5		37.1			
Percentage of transfers resulting in singleton live births	2 / 10		4 / 16			
Percentage of transfers resulting in live births	6 / 10		8 / 16			
Percentage of transfers resulting in pregnancy	7 / 10		9 / 16			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Fertility Center of Texas

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 67 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BAYLOR FAMILY FERTILITY PROGRAM HOUSTON, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	84%	Tubal factor	13%	Uterine factor	3%
Unstimulated	0%	Used PGD	5%	Ovulatory dysfunction	20%	Male factor	38%
Used gestational carrier	0%			Diminished ovarian reserve	13%	Other factor	9%
				Endometriosis	5%	Unknown factor	16%
				Multiple Factors:			
						Female factors only	5%
						Female & male factors	10%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 112

Data verified by William E. Gibbons, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	37	16	13	7	2	0
Percentage of cancellations	16.2	1 / 16	2 / 13	2 / 7	0 / 2	
Average number of embryos transferred	1.8	2.5	2.7	2.8	4.0	
Percentage of embryos transferred resulting in implantation	33.3	28.9	3.7	1 / 14	0 / 8	
Percentage of elective single embryo transfer (eSET)	39.1	0 / 14	0 / 9	0 / 5	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	13.5	4 / 16	0 / 13	1 / 7	0 / 2	
Percentage of cycles resulting in triplets or more live births	5.4	0 / 16	0 / 13	0 / 7	0 / 2	
Percentage of cycles resulting in live births	24.3	6 / 16	0 / 13	1 / 7	0 / 2	
Percentage of cycles resulting in pregnancy	27.0	8 / 16	1 / 13	1 / 7	0 / 2	
Outcomes per Transfer						
Number of transfers	27	15	10	5	2	0
Percentage of transfers resulting in singleton live births	18.5	4 / 15	0 / 10	1 / 5	0 / 2	
Percentage of transfers resulting in triplets or more live births	7.4	0 / 15	0 / 10	0 / 5	0 / 2	
Percentage of transfers resulting in live births	33.3	6 / 15	0 / 10	1 / 5	0 / 2	
Percentage of transfers resulting in pregnancy	37.0	8 / 15	1 / 10	1 / 5	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	10	8	1	1	0	0
Percentage of pregnancies resulting in singleton live births	5 / 10	4 / 8	0 / 1	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	2 / 10	0 / 8	0 / 1	0 / 1		
Percentage of pregnancies resulting in live births	9 / 10	6 / 8	0 / 1	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	17	7	5	0	1	0
Number of transfers	11	6	5	0	1	0
Average number of embryos transferred	2.1	1.8	2.0		2.0	
Percentage of embryos transferred resulting in implantation	4.3	0 / 11	3 / 10		0 / 2	
Percentage of transfers resulting in singleton live births	0 / 11	0 / 6	1 / 5		0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 11	0 / 6	0 / 5		0 / 1	
Percentage of transfers resulting in live births	0 / 11	0 / 6	1 / 5		0 / 1	
Percentage of transfers resulting in pregnancy	1 / 11	0 / 6	2 / 5		1 / 1	
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	3		4			
Number of transfers	2		3			
Average number of embryos transferred	2.5		2.0			
Percentage of embryos transferred resulting in implantation	2 / 5		1 / 6			
Percentage of transfers resulting in singleton live births	0 / 2		1 / 3			
Percentage of transfers resulting in live births	1 / 2		1 / 3			
Percentage of transfers resulting in pregnancy	1 / 2		1 / 3			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Baylor Family Fertility Program

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 5 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2011 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2011 ART cycle data or the clinic's Medical Director did not approve the clinic's 2011 ART cycle data for inclusion in this report.

FERTILITY SPECIALISTS OF HOUSTON HOUSTON, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	85%	Tubal factor	17%	Uterine factor	5%	
Unstimulated	0%	Used PGD	20%	Ovulatory dysfunction	19%	Male factor	38%	
Used gestational carrier	<1%			Diminished ovarian reserve	41%	Other factor	15%	
				Endometriosis	21%	Unknown factor	3%	
				Multiple Factors:				
				Female factors only				20%
				Female & male factors				25%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 691

Data verified by George M. Grunert, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	199	115	105	26	16	8
Percentage of cancellations	11.1	15.7	16.2	26.9	1 / 16	1 / 8
Average number of embryos transferred	2.0	2.0	2.2	2.6	2.8	2.3
Percentage of embryos transferred resulting in implantation	39.4	22.4	13.2	12.2	2.9	0 / 7
Percentage of elective single embryo transfer (eSET)	6.5	9.2	3.5	0 / 14	0 / 10	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.1	21.7	9.5	19.2	1 / 16	0 / 8
Percentage of cycles resulting in triplets or more live births	1.0	0.0	1.0	0.0	0 / 16	0 / 8
Percentage of cycles resulting in live births	38.7	23.5	12.4	19.2	1 / 16	0 / 8
Percentage of cycles resulting in pregnancy	44.7	30.4	16.2	26.9	2 / 16	0 / 8
Outcomes per Transfer						
Number of transfers	162	82	69	16	12	3
Percentage of transfers resulting in singleton live births	28.4	30.5	14.5	5 / 16	1 / 12	0 / 3
Percentage of transfers resulting in triplets or more live births	1.2	0.0	1.4	0 / 16	0 / 12	0 / 3
Percentage of transfers resulting in live births	47.5	32.9	18.8	5 / 16	1 / 12	0 / 3
Percentage of transfers resulting in pregnancy	54.9	42.7	24.6	7 / 16	2 / 12	0 / 3
Outcomes per Pregnancy						
Number of pregnancies	89	35	17	7	2	0
Percentage of pregnancies resulting in singleton live births	51.7	71.4	10 / 17	5 / 7	1 / 2	
Percentage of pregnancies resulting in triplets or more live births	2.2	0.0	1 / 17	0 / 7	0 / 2	
Percentage of pregnancies resulting in live births	86.5	77.1	13 / 17	5 / 7	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	76	33	20	8	7	3
Number of transfers	75	33	19	8	7	3
Average number of embryos transferred	2.0	1.7	1.9	1.8	1.9	1.7
Percentage of embryos transferred resulting in implantation	30.3	23.6	27.0	2 / 14	1 / 13	0 / 5
Percentage of transfers resulting in singleton live births	29.3	21.2	7 / 19	1 / 8	0 / 7	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 19	0 / 8	0 / 7	0 / 3
Percentage of transfers resulting in live births	41.3	27.3	7 / 19	1 / 8	0 / 7	0 / 3
Percentage of transfers resulting in pregnancy	57.3	42.4	8 / 19	2 / 8	1 / 7	0 / 3
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			57		18	
Number of transfers			53		18	
Average number of embryos transferred			2.0		1.9	
Percentage of embryos transferred resulting in implantation			57.7		29.4	
Percentage of transfers resulting in singleton live births			35.8		7 / 18	
Percentage of transfers resulting in live births			66.0		8 / 18	
Percentage of transfers resulting in pregnancy			73.6		9 / 18	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Specialists of Houston

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 9 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HOUSTON FERTILITY INSTITUTE HOUSTON, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	>99%	With ICSI	94%	Tubal factor	17%	Uterine factor	20%	
Unstimulated	0%	Used PGD	6%	Ovulatory dysfunction	9%	Male factor	26%	
Used gestational carrier	<1%			Diminished ovarian reserve	47%	Other factor	15%	
				Endometriosis	7%	Unknown factor	10%	
				Multiple Factors:				
				Female factors only				26%
				Female & male factors				14%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 1431

Data verified by Ghassan F. Haddad, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	370	176	154	66	16	1
Percentage of cancellations	3.0	5.1	6.5	7.6	3 / 16	0 / 1
Average number of embryos transferred	1.9	1.9	1.9	2.3	2.4	2.0
Percentage of embryos transferred resulting in implantation	49.2	38.3	28.3	11.4	3.8	0 / 2
Percentage of elective single embryo transfer (eSET)	7.1	8.1	4.4	2.1	0 / 10	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	31.6	30.1	20.8	9.1	0 / 16	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 16	0 / 1
Percentage of cycles resulting in live births	54.9	43.2	27.9	12.1	0 / 16	0 / 1
Percentage of cycles resulting in pregnancy	63.2	48.9	37.7	21.2	1 / 16	0 / 1
Outcomes per Transfer						
Number of transfers	340	146	130	53	11	1
Percentage of transfers resulting in singleton live births	34.4	36.3	24.6	11.3	0 / 11	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 11	0 / 1
Percentage of transfers resulting in live births	59.7	52.1	33.1	15.1	0 / 11	0 / 1
Percentage of transfers resulting in pregnancy	68.8	58.9	44.6	26.4	1 / 11	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	234	86	58	14	1	0
Percentage of pregnancies resulting in singleton live births	50.0	61.6	55.2	6 / 14	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 14	0 / 1	
Percentage of pregnancies resulting in live births	86.8	88.4	74.1	8 / 14	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	181	93	60	16	5	3
Number of transfers	167	86	55	12	5	1
Average number of embryos transferred	1.8	1.9	1.9	1.9	2.0	1.0
Percentage of embryos transferred resulting in implantation	45.8	37.4	17.3	8.7	1 / 10	0 / 1
Percentage of transfers resulting in singleton live births	37.7	41.9	12.7	1 / 12	1 / 5	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 12	0 / 5	0 / 1
Percentage of transfers resulting in live births	52.7	50.0	18.2	1 / 12	1 / 5	0 / 1
Percentage of transfers resulting in pregnancy	65.3	62.8	40.0	3 / 12	2 / 5	0 / 1
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	139		151			
Number of transfers	137		132			
Average number of embryos transferred	1.9		1.8			
Percentage of embryos transferred resulting in implantation	50.0		37.7			
Percentage of transfers resulting in singleton live births	43.1		25.8			
Percentage of transfers resulting in live births	62.0		41.7			
Percentage of transfers resulting in pregnancy	75.2		56.1			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2011. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 52 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HOUSTON INFERTILITY CLINIC
SONJA KRISTIENSEN, MD
HOUSTON, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	68%	Tubal factor	16%	Uterine factor	1%
Unstimulated	0%	Used PGD	13%	Ovulatory dysfunction	2%	Male factor	47%
Used gestational carrier	3%			Diminished ovarian reserve	26%	Other factor	21%
				Endometriosis	0%	Unknown factor	10%
				Multiple Factors: Female factors only 3% Female & male factors 20%			

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 155

Data verified by Sonja B. Kristiansen, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	48	28	17	19	10	6
Percentage of cancellations	6.3	0.0	6 / 17	7 / 19	5 / 10	3 / 6
Average number of embryos transferred	2.4	2.3	2.4	2.0	1.5	1.0
Percentage of embryos transferred resulting in implantation	36.2	25.0	23.1	20.8	2 / 6	0 / 1
Percentage of elective single embryo transfer (eSET)	0.0	4.5	1 / 10	0 / 9	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	29.2	32.1	5 / 17	5 / 19	2 / 10	0 / 6
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 17	0 / 19	0 / 10	0 / 6
Percentage of cycles resulting in live births	45.8	35.7	5 / 17	5 / 19	2 / 10	0 / 6
Percentage of cycles resulting in pregnancy	52.1	42.9	6 / 17	5 / 19	2 / 10	0 / 6
Outcomes per Transfer						
Number of transfers	40	26	11	12	4	1
Percentage of transfers resulting in singleton live births	35.0	34.6	5 / 11	5 / 12	2 / 4	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 11	0 / 12	0 / 4	0 / 1
Percentage of transfers resulting in live births	55.0	38.5	5 / 11	5 / 12	2 / 4	0 / 1
Percentage of transfers resulting in pregnancy	62.5	46.2	6 / 11	5 / 12	2 / 4	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	25	12	6	5	2	0
Percentage of pregnancies resulting in singleton live births	56.0	9 / 12	5 / 6	5 / 5	2 / 2	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 12	0 / 6	0 / 5	0 / 2	
Percentage of pregnancies resulting in live births	88.0	10 / 12	5 / 6	5 / 5	2 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	11	4	4	0	0	0
Number of transfers	11	4	3	0	0	0
Average number of embryos transferred	2.0	1.5	1.7			
Percentage of embryos transferred resulting in implantation	22.7	1 / 6	4 / 5			
Percentage of transfers resulting in singleton live births	5 / 11	1 / 4	1 / 3			
Percentage of transfers resulting in triplets or more live births	0 / 11	0 / 4	0 / 3			
Percentage of transfers resulting in live births	5 / 11	1 / 4	2 / 3			
Percentage of transfers resulting in pregnancy	5 / 11	1 / 4	3 / 3			
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	8		0			
Number of transfers	7		0			
Average number of embryos transferred	2.4					
Percentage of embryos transferred resulting in implantation	9 / 17					
Percentage of transfers resulting in singleton live births	2 / 7					
Percentage of transfers resulting in live births	5 / 7					
Percentage of transfers resulting in pregnancy	5 / 7					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Houston Infertility Clinic, Sonja Kristiansen, MD

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HOUSTON IVF HOUSTON, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	96%	Tubal factor	10%	Uterine factor	5%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	9%	Male factor	16%	
Used gestational carrier	3%			Diminished ovarian reserve	50%	Other factor	6%	
				Endometriosis	7%	Unknown factor	16%	
				Multiple Factors:				
				Female factors only				13%
				Female & male factors				5%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 563

Data verified by Timothy N. Hickman, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	184	81	89	30	18	2
Percentage of cancellations	0.0	2.5	7.9	0.0	2 / 18	0 / 2
Average number of embryos transferred	2.0	2.2	2.8	3.1	3.5	2.5
Percentage of embryos transferred resulting in implantation	42.7	25.7	17.0	12.1	6.7	0 / 5
Percentage of elective single embryo transfer (eSET)	2.9	1.4	0.0	0.0	0 / 10	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	29.9	22.2	24.7	20.0	1 / 18	0 / 2
Percentage of cycles resulting in triplets or more live births	1.1	0.0	0.0	0.0	0 / 18	0 / 2
Percentage of cycles resulting in live births	52.7	35.8	30.3	26.7	1 / 18	0 / 2
Percentage of cycles resulting in pregnancy	56.0	42.0	36.0	26.7	4 / 18	0 / 2
Outcomes per Transfer						
Number of transfers	180	76	81	29	13	2
Percentage of transfers resulting in singleton live births	30.6	23.7	27.2	20.7	1 / 13	0 / 2
Percentage of transfers resulting in triplets or more live births	1.1	0.0	0.0	0.0	0 / 13	0 / 2
Percentage of transfers resulting in live births	53.9	38.2	33.3	27.6	1 / 13	0 / 2
Percentage of transfers resulting in pregnancy	57.2	44.7	39.5	27.6	4 / 13	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	103	34	32	8	4	0
Percentage of pregnancies resulting in singleton live births	53.4	52.9	68.8	6 / 8	1 / 4	
Percentage of pregnancies resulting in triplets or more live births	1.9	0.0	0.0	0 / 8	0 / 4	
Percentage of pregnancies resulting in live births	94.2	85.3	84.4	8 / 8	1 / 4	
Frozen Embryos from Nondonor Eggs						
Number of cycles	47	26	23	5	3	0
Number of transfers	47	25	23	5	3	0
Average number of embryos transferred	1.9	1.8	1.9	2.0	2.7	
Percentage of embryos transferred resulting in implantation	25.3	26.7	15.9	1 / 10	1 / 8	
Percentage of transfers resulting in singleton live births	29.8	28.0	26.1	1 / 5	0 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	4.0	0.0	0 / 5	0 / 3	
Percentage of transfers resulting in live births	38.3	36.0	26.1	1 / 5	0 / 3	
Percentage of transfers resulting in pregnancy	51.1	44.0	30.4	1 / 5	1 / 3	
All Ages Combined^f						
Donor Eggs	Fresh Embryos			Frozen Embryos		
Number of cycles	37			18		
Number of transfers	36			18		
Average number of embryos transferred	1.9			1.9		
Percentage of embryos transferred resulting in implantation	45.6			37.1		
Percentage of transfers resulting in singleton live births	27.8			8 / 18		
Percentage of transfers resulting in live births	52.8			10 / 18		
Percentage of transfers resulting in pregnancy	66.7			10 / 18		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Houston IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 37 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**NORTH HOUSTON CENTER FOR REPRODUCTIVE MEDICINE, PA
(NHCRM)
HOUSTON, TEXAS**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	70%	Tubal factor	6%	Uterine factor	3%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	56%	Male factor	36%
Used gestational carrier	0%			Diminished ovarian reserve	14%	Other factor	14%
				Endometriosis	18%	Unknown factor	9%
				Multiple Factors: Female factors only 23% Female & male factors 29%			

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 80

Data verified by Dorothy J. Roach, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	36	5	12	1	2	0
Percentage of cancellations	2.8	0 / 5	1 / 12	0 / 1	0 / 2	
Average number of embryos transferred	1.9	2.4	1.9	2.0	2.0	
Percentage of embryos transferred resulting in implantation	61.5	2 / 12	7 / 19	0 / 2	0 / 4	
Percentage of elective single embryo transfer (eSET)	3.2	0 / 5	0 / 8	0 / 1	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	33.3	2 / 5	5 / 12	0 / 1	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 5	0 / 12	0 / 1	0 / 2	
Percentage of cycles resulting in live births	61.1	2 / 5	6 / 12	0 / 1	0 / 2	
Percentage of cycles resulting in pregnancy	75.0	2 / 5	6 / 12	0 / 1	0 / 2	
Outcomes per Transfer						
Number of transfers	34	5	10	1	2	0
Percentage of transfers resulting in singleton live births	35.3	2 / 5	5 / 10	0 / 1	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 5	0 / 10	0 / 1	0 / 2	
Percentage of transfers resulting in live births	64.7	2 / 5	6 / 10	0 / 1	0 / 2	
Percentage of transfers resulting in pregnancy	79.4	2 / 5	6 / 10	0 / 1	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	27	2	6	0	0	0
Percentage of pregnancies resulting in singleton live births	44.4	2 / 2	5 / 6			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 2	0 / 6			
Percentage of pregnancies resulting in live births	81.5	2 / 2	6 / 6			
Frozen Embryos from Nondonor Eggs						
Number of cycles	13	5	3	0	0	0
Number of transfers	13	5	3	0	0	0
Average number of embryos transferred	1.8	2.0	1.3			
Percentage of embryos transferred resulting in implantation	16.7	4 / 10	1 / 4			
Percentage of transfers resulting in singleton live births	2 / 13	3 / 5	1 / 3			
Percentage of transfers resulting in triplets or more live births	0 / 13	0 / 5	0 / 3			
Percentage of transfers resulting in live births	3 / 13	3 / 5	1 / 3			
Percentage of transfers resulting in pregnancy	3 / 13	3 / 5	1 / 3			

All Ages Combined^f

Donor Eggs	Fresh Embryos	Frozen Embryos
Number of cycles	3	0
Number of transfers	3	0
Average number of embryos transferred	1.7	
Percentage of embryos transferred resulting in implantation	6 / 5	
Percentage of transfers resulting in singleton live births	1 / 3	
Percentage of transfers resulting in live births	1 / 3	
Percentage of transfers resulting in pregnancy	3 / 3	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: North Houston Center for Reproductive Medicine, PA, (NHCRM)					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTIVE CARE CENTER OF IRVING IRVING, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	61%	Tubal factor	22%	Uterine factor	4%	
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	13%	Male factor	38%	
Used gestational carrier	<1%			Diminished ovarian reserve	32%	Other factor	5%	
				Endometriosis	10%	Unknown factor	13%	
				Multiple Factors:				
				Female factors only				14%
				Female & male factors				18%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 359

Data verified by Sy Q. Le, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	123	43	36	9	5	0
Percentage of cancellations	4.1	4.7	2.8	3 / 9	1 / 5	
Average number of embryos transferred	1.9	1.9	1.9	2.5	2.0	
Percentage of embryos transferred resulting in implantation	42.1	34.2	27.1	1 / 15	0 / 8	
Percentage of elective single embryo transfer (eSET)	8.8	8.8	10.7	0 / 6	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	35.8	39.5	13.9	1 / 9	0 / 5	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 9	0 / 5	
Percentage of cycles resulting in live births	52.8	46.5	25.0	1 / 9	0 / 5	
Percentage of cycles resulting in pregnancy	59.3	53.5	36.1	2 / 9	0 / 5	
Outcomes per Transfer						
Number of transfers	115	38	31	6	4	0
Percentage of transfers resulting in singleton live births	38.3	44.7	16.1	1 / 6	0 / 4	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 6	0 / 4	
Percentage of transfers resulting in live births	56.5	52.6	29.0	1 / 6	0 / 4	
Percentage of transfers resulting in pregnancy	63.5	60.5	41.9	2 / 6	0 / 4	
Outcomes per Pregnancy						
Number of pregnancies	73	23	13	2	0	0
Percentage of pregnancies resulting in singleton live births	60.3	73.9	5 / 13	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0 / 13	0 / 2		
Percentage of pregnancies resulting in live births	89.0	87.0	9 / 13	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	53	28	19	7	2	1
Number of transfers	53	28	19	7	2	1
Average number of embryos transferred	1.8	1.8	1.7	1.6	2.0	2.0
Percentage of embryos transferred resulting in implantation	41.5	18.4	24.2	3 / 11	1 / 4	0 / 2
Percentage of transfers resulting in singleton live births	30.2	25.0	6 / 19	2 / 7	0 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 19	0 / 7	0 / 2	0 / 1
Percentage of transfers resulting in live births	50.9	28.6	7 / 19	2 / 7	0 / 2	0 / 1
Percentage of transfers resulting in pregnancy	52.8	42.9	7 / 19	3 / 7	1 / 2	0 / 1
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		21		12		
Number of transfers		20		12		
Average number of embryos transferred		1.9		1.9		
Percentage of embryos transferred resulting in implantation		67.6		17.4		
Percentage of transfers resulting in singleton live births		30.0		3 / 12		
Percentage of transfers resulting in live births		70.0		3 / 12		
Percentage of transfers resulting in pregnancy		75.0		6 / 12		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: IVFMD, Advanced Reproductive Care Center of Irving

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 13 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WILFORD HALL MEDICAL CENTER LACKLAND AFB, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	57%	Tubal factor	29%	Uterine factor	11%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	15%	Male factor	60%	
Used gestational carrier	0%			Diminished ovarian reserve	16%	Other factor	3%	
				Endometriosis	15%	Unknown factor	4%	
				Multiple Factors:				
				Female factors only				11%
				Female & male factors				32%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 94

Data verified by Matthew G. Retzlaff, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	60	18	16	0	0	0
Percentage of cancellations	1.7	0 / 18	1 / 16			
Average number of embryos transferred	2.0	2.2	2.3			
Percentage of embryos transferred resulting in implantation	36.8	26.3	33.3			
Percentage of elective single embryo transfer (eSET)	1.8	0 / 17	0 / 12			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.0	4 / 18	4 / 16			
Percentage of cycles resulting in triplets or more live births	0.0	0 / 18	0 / 16			
Percentage of cycles resulting in live births	45.0	7 / 18	5 / 16			
Percentage of cycles resulting in pregnancy	48.3	7 / 18	7 / 16			
Outcomes per Transfer						
Number of transfers	56	17	13	0	0	0
Percentage of transfers resulting in singleton live births	26.8	4 / 17	4 / 13			
Percentage of transfers resulting in triplets or more live births	0.0	0 / 17	0 / 13			
Percentage of transfers resulting in live births	48.2	7 / 17	5 / 13			
Percentage of transfers resulting in pregnancy	51.8	7 / 17	7 / 13			
Outcomes per Pregnancy						
Number of pregnancies	29	7	7	0	0	0
Percentage of pregnancies resulting in singleton live births	51.7	4 / 7	4 / 7			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 7	0 / 7			
Percentage of pregnancies resulting in live births	93.1	7 / 7	5 / 7			
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	0	0	0	0	0
Number of transfers	0	0	0	0	0	0
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in triplets or more live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

All Ages Combined^f

Donor Eggs	Fresh Embryos	Frozen Embryos
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation		
Percentage of transfers resulting in singleton live births		
Percentage of transfers resulting in live births		
Percentage of transfers resulting in pregnancy		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Brooke Army Medical Center

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**CENTER OF FERTILITY AND REPRODUCTIVE SURGERY
TEXAS TECH HEALTH SCIENCES CENTER
LUBBOCK, TEXAS**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	92%	Tubal factor	7%	Uterine factor	7%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	19%	Male factor	44%	
Used gestational carrier	0%			Diminished ovarian reserve	3%	Other factor	53%	
				Endometriosis	27%	Unknown factor	3%	
				Multiple Factors:				
				Female factors only				22%
				Female & male factors				35%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 68

Data verified by Jennifer L. Phy, DO

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	25	15	9	3	0	0
Percentage of cancellations	8.0	1 / 15	1 / 9	0 / 3		
Average number of embryos transferred	2.3	2.6	2.8	3.7		
Percentage of embryos transferred resulting in implantation	20.8	16.7	4.5	2 / 11		
Percentage of elective single embryo transfer (eSET)	4.3	0 / 13	0 / 7	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	12.0	2 / 15	1 / 9	1 / 3		
Percentage of cycles resulting in triplets or more live births	0.0	0 / 15	0 / 9	0 / 3		
Percentage of cycles resulting in live births	28.0	4 / 15	1 / 9	1 / 3		
Percentage of cycles resulting in pregnancy	28.0	5 / 15	1 / 9	1 / 3		
Outcomes per Transfer						
Number of transfers	23	14	8	3	0	0
Percentage of transfers resulting in singleton live births	13.0	2 / 14	1 / 8	1 / 3		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 14	0 / 8	0 / 3		
Percentage of transfers resulting in live births	30.4	4 / 14	1 / 8	1 / 3		
Percentage of transfers resulting in pregnancy	30.4	5 / 14	1 / 8	1 / 3		
Outcomes per Pregnancy						
Number of pregnancies	7	5	1	1	0	0
Percentage of pregnancies resulting in singleton live births	3 / 7	2 / 5	1 / 1	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 7	0 / 5	0 / 1	0 / 1		
Percentage of pregnancies resulting in live births	7 / 7	4 / 5	1 / 1	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	9	3	2	0	0	0
Number of transfers	7	2	2	0	0	0
Average number of embryos transferred	2.3	1.5	3.0			
Percentage of embryos transferred resulting in implantation	4 / 14	1 / 3	0 / 6			
Percentage of transfers resulting in singleton live births	2 / 7	1 / 2	0 / 2			
Percentage of transfers resulting in triplets or more live births	0 / 7	0 / 2	0 / 2			
Percentage of transfers resulting in live births	3 / 7	1 / 2	0 / 2			
Percentage of transfers resulting in pregnancy	3 / 7	1 / 2	0 / 2			
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	0		2			
Number of transfers	0		2			
Average number of embryos transferred			2.5			
Percentage of embryos transferred resulting in implantation			2 / 5			
Percentage of transfers resulting in singleton live births			2 / 2			
Percentage of transfers resulting in live births			2 / 2			
Percentage of transfers resulting in pregnancy			2 / 2			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center of Fertility and Reproductive Surgery, Texas Tech Health Sciences Center					
Donor egg?	No	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE CENTRE FOR REPRODUCTIVE MEDICINE LUBBOCK, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	17%	Tubal factor	35%	Uterine factor	14%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	30%	Male factor	39%	
Used gestational carrier	1%			Diminished ovarian reserve	30%	Other factor	38%	
				Endometriosis	26%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				42%
				Female & male factors				30%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 89

Data verified by Janelle O. Dorsett, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	42	8	12	6	2	0
Percentage of cancellations	0.0	1 / 8	2 / 12	3 / 6	0 / 2	
Average number of embryos transferred	1.7	1.7	1.9	2.0	3.0	
Percentage of embryos transferred resulting in implantation	62.9	5 / 10	4 / 15	0 / 4	0 / 6	
Percentage of elective single embryo transfer (eSET)	13.8	0 / 4	0 / 7	0 / 1	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	28.6	3 / 8	2 / 12	0 / 6	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 8	0 / 12	0 / 6	0 / 2	
Percentage of cycles resulting in live births	59.5	4 / 8	3 / 12	0 / 6	0 / 2	
Percentage of cycles resulting in pregnancy	61.9	4 / 8	3 / 12	0 / 6	0 / 2	
Outcomes per Transfer						
Number of transfers	37	6	8	2	2	0
Percentage of transfers resulting in singleton live births	32.4	3 / 6	2 / 8	0 / 2	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 6	0 / 8	0 / 2	0 / 2	
Percentage of transfers resulting in live births	67.6	4 / 6	3 / 8	0 / 2	0 / 2	
Percentage of transfers resulting in pregnancy	70.3	4 / 6	3 / 8	0 / 2	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	26	4	3	0	0	0
Percentage of pregnancies resulting in singleton live births	46.2	3 / 4	2 / 3			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 4	0 / 3			
Percentage of pregnancies resulting in live births	96.2	4 / 4	3 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	2	3	0	0	0
Number of transfers	4	2	3	0	0	0
Average number of embryos transferred	2.0	2.0	1.3			
Percentage of embryos transferred resulting in implantation	7 / 8	1 / 4	0 / 4			
Percentage of transfers resulting in singleton live births	0 / 4	1 / 2	0 / 3			
Percentage of transfers resulting in triplets or more live births	1 / 4	0 / 2	0 / 3			
Percentage of transfers resulting in live births	3 / 4	1 / 2	0 / 3			
Percentage of transfers resulting in pregnancy	3 / 4	1 / 2	0 / 3			
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Number of cycles		6		3		
Number of transfers		4		3		
Average number of embryos transferred		1.8		3.0		
Percentage of embryos transferred resulting in implantation		2 / 7		4 / 9		
Percentage of transfers resulting in singleton live births		2 / 4		2 / 3		
Percentage of transfers resulting in live births		2 / 4		3 / 3		
Percentage of transfers resulting in pregnancy		2 / 4		3 / 3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Centre for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE INSTITUTE OF SOUTH TEXAS McALLEN, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	89%	Tubal factor	39%	Uterine factor	31%	
Unstimulated	<1%	Used PGD	0%	Ovulatory dysfunction	20%	Male factor	48%	
Used gestational carrier	2%			Diminished ovarian reserve	22%	Other factor	13%	
				Endometriosis	12%	Unknown factor	2%	
				Multiple Factors:				
				Female factors only				24%
				Female & male factors				31%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 223

Data verified by Esteban O. Brown, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	107	40	24	17	6	1
Percentage of cancellations	7.5	12.5	0.0	1 / 17	1 / 6	0 / 1
Average number of embryos transferred	2.6	2.7	2.7	2.6	3.0	1.0
Percentage of embryos transferred resulting in implantation	37.8	31.3	12.7	7.1	1 / 15	0 / 1
Percentage of elective single embryo transfer (eSET)	1.1	0.0	0.0	0 / 14	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.1	32.5	16.7	1 / 17	1 / 6	0 / 1
Percentage of cycles resulting in triplets or more live births	3.7	0.0	0.0	0 / 17	0 / 6	0 / 1
Percentage of cycles resulting in live births	46.7	42.5	20.8	1 / 17	1 / 6	0 / 1
Percentage of cycles resulting in pregnancy	53.3	50.0	37.5	3 / 17	1 / 6	0 / 1
Outcomes per Transfer						
Number of transfers	97	31	23	16	5	1
Percentage of transfers resulting in singleton live births	29.9	41.9	17.4	1 / 16	1 / 5	0 / 1
Percentage of transfers resulting in triplets or more live births	4.1	0.0	0.0	0 / 16	0 / 5	0 / 1
Percentage of transfers resulting in live births	51.5	54.8	21.7	1 / 16	1 / 5	0 / 1
Percentage of transfers resulting in pregnancy	58.8	64.5	39.1	3 / 16	1 / 5	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	57	20	9	3	1	0
Percentage of pregnancies resulting in singleton live births	50.9	65.0	4 / 9	1 / 3	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	7.0	0.0	0 / 9	0 / 3	0 / 1	
Percentage of pregnancies resulting in live births	87.7	85.0	5 / 9	1 / 3	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	16	1	3	0	2	0
Number of transfers	15	1	2	0	1	0
Average number of embryos transferred	2.6	2.0	2.0		3.0	
Percentage of embryos transferred resulting in implantation	28.2	0 / 2	0 / 4		0 / 3	
Percentage of transfers resulting in singleton live births	3 / 15	0 / 1	0 / 2		0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 15	0 / 1	0 / 2		0 / 1	
Percentage of transfers resulting in live births	5 / 15	0 / 1	0 / 2		0 / 1	
Percentage of transfers resulting in pregnancy	6 / 15	0 / 1	0 / 2		0 / 1	
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	6		0			
Number of transfers	5		0			
Average number of embryos transferred	2.4					
Percentage of embryos transferred resulting in implantation	5 / 12					
Percentage of transfers resulting in singleton live births	1 / 5					
Percentage of transfers resulting in live births	3 / 5					
Percentage of transfers resulting in pregnancy	3 / 5					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Institute of South Texas

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PRESBYTERIAN HOSPITAL PLANO ARTS PLANO, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	31%	Tubal factor	9%	Uterine factor	11%	
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	49%	Male factor	32%	
Used gestational carrier	0%			Diminished ovarian reserve	28%	Other factor	12%	
				Endometriosis	17%	Unknown factor	2%	
				Multiple Factors:				
				Female factors only				23%
				Female & male factors				25%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 451

Data verified by Alfred J. Rodriguez, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	156	72	59	26	14	9
Percentage of cancellations	5.1	5.6	10.2	15.4	3 / 14	1 / 9
Average number of embryos transferred	2.2	2.4	2.9	3.1	2.9	3.0
Percentage of embryos transferred resulting in implantation	35.7	25.6	23.1	4.3	6.9	0 / 15
Percentage of elective single embryo transfer (eSET)	4.9	3.0	0.0	0 / 19	0 / 9	0 / 5
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	19.9	31.9	13.6	0.0	1 / 14	0 / 9
Percentage of cycles resulting in triplets or more live births	1.3	1.4	1.7	0.0	0 / 14	0 / 9
Percentage of cycles resulting in live births	43.6	41.7	27.1	3.8	1 / 14	0 / 9
Percentage of cycles resulting in pregnancy	47.4	47.2	37.3	15.4	2 / 14	0 / 9
Outcomes per Transfer						
Number of transfers	146	67	51	22	10	5
Percentage of transfers resulting in singleton live births	21.2	34.3	15.7	0.0	1 / 10	0 / 5
Percentage of transfers resulting in triplets or more live births	1.4	1.5	2.0	0.0	0 / 10	0 / 5
Percentage of transfers resulting in live births	46.6	44.8	31.4	4.5	1 / 10	0 / 5
Percentage of transfers resulting in pregnancy	50.7	50.7	43.1	18.2	2 / 10	0 / 5
Outcomes per Pregnancy						
Number of pregnancies	74	34	22	4	2	0
Percentage of pregnancies resulting in singleton live births	41.9	67.6	36.4	0 / 4	1 / 2	
Percentage of pregnancies resulting in triplets or more live births	2.7	2.9	4.5	0 / 4	0 / 2	
Percentage of pregnancies resulting in live births	91.9	88.2	72.7	1 / 4	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	38	16	18	4	4	5
Number of transfers	38	16	18	3	4	4
Average number of embryos transferred	1.9	1.7	1.6	1.0	1.3	2.0
Percentage of embryos transferred resulting in implantation	28.8	25.9	32.1	1 / 3	0 / 5	2 / 8
Percentage of transfers resulting in singleton live births	21.1	3 / 16	6 / 18	1 / 3	0 / 4	1 / 4
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0 / 18	0 / 3	0 / 4	0 / 4
Percentage of transfers resulting in live births	36.8	5 / 16	6 / 18	1 / 3	0 / 4	1 / 4
Percentage of transfers resulting in pregnancy	39.5	5 / 16	7 / 18	1 / 3	0 / 4	2 / 4
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			23		7	
Number of transfers			21		6	
Average number of embryos transferred			1.9		1.7	
Percentage of embryos transferred resulting in implantation			57.5		3 / 10	
Percentage of transfers resulting in singleton live births			19.0		2 / 6	
Percentage of transfers resulting in live births			61.9		2 / 6	
Percentage of transfers resulting in pregnancy			61.9		3 / 6	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Presbyterian Hospital Plano ARTS

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 14 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF SAN ANTONIO SAN ANTONIO, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	66%	Tubal factor	26%	Uterine factor	7%	
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	16%	Male factor	39%	
Used gestational carrier	1%			Diminished ovarian reserve	19%	Other factor	7%	
				Endometriosis	14%	Unknown factor	11%	
				Multiple Factors:				
				Female factors only				13%
				Female & male factors				21%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 475

Data verified by Joseph E. Martin, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	149	59	53	27	11	1
Percentage of cancellations	2.7	15.3	13.2	18.5	3 / 11	0 / 1
Average number of embryos transferred	2.0	2.0	2.7	2.9	3.2	2.0
Percentage of embryos transferred resulting in implantation	45.8	48.0	23.7	9.1	3 / 19	0 / 2
Percentage of elective single embryo transfer (eSET)	1.4	0.0	0.0	0 / 18	0 / 6	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	33.6	22.0	20.8	11.1	1 / 11	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	3.4	0.0	0.0	0 / 11	0 / 1
Percentage of cycles resulting in live births	53.7	40.7	28.3	11.1	1 / 11	0 / 1
Percentage of cycles resulting in pregnancy	65.1	52.5	39.6	11.1	3 / 11	0 / 1
Outcomes per Transfer						
Number of transfers	140	49	44	19	6	1
Percentage of transfers resulting in singleton live births	35.7	26.5	25.0	3 / 19	1 / 6	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	4.1	0.0	0 / 19	0 / 6	0 / 1
Percentage of transfers resulting in live births	57.1	49.0	34.1	3 / 19	1 / 6	0 / 1
Percentage of transfers resulting in pregnancy	69.3	63.3	47.7	3 / 19	3 / 6	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	97	31	21	3	3	0
Percentage of pregnancies resulting in singleton live births	51.5	41.9	52.4	3 / 3	1 / 3	
Percentage of pregnancies resulting in triplets or more live births	0.0	6.5	0.0	0 / 3	0 / 3	
Percentage of pregnancies resulting in live births	82.5	77.4	71.4	3 / 3	1 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	66	20	32	5	0	1
Number of transfers	65	20	32	5	0	1
Average number of embryos transferred	1.8	1.9	1.6	1.8		2.0
Percentage of embryos transferred resulting in implantation	37.8	31.6	30.8	3 / 9		0 / 2
Percentage of transfers resulting in singleton live births	30.8	25.0	25.0	3 / 5		0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 5		0 / 1
Percentage of transfers resulting in live births	43.1	35.0	28.1	3 / 5		0 / 1
Percentage of transfers resulting in pregnancy	56.9	50.0	40.6	4 / 5		0 / 1
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	36		15			
Number of transfers	35		15			
Average number of embryos transferred	2.1		1.7			
Percentage of embryos transferred resulting in implantation	38.9		44.0			
Percentage of transfers resulting in singleton live births	37.1		9 / 15			
Percentage of transfers resulting in live births	57.1		10 / 15			
Percentage of transfers resulting in pregnancy	62.9		10 / 15			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Center of San Antonio

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 4 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2011 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2011 ART cycle data or the clinic's Medical Director did not approve the clinic's 2011 ART cycle data for inclusion in this report.

**INSTITUTE FOR WOMEN'S HEALTH
ADVANCED FERTILITY LABORATORY
SAN ANTONIO, TEXAS**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	64%	Tubal factor	20%	Uterine factor	5%	
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	45%	Male factor	48%	
Used gestational carrier	4%			Diminished ovarian reserve	22%	Other factor	7%	
				Endometriosis	12%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				25%
				Female & male factors				25%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 60

Data verified by Joseph R. Garza, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	19	13	6	4	3	2
Percentage of cancellations	3 / 19	1 / 13	1 / 6	1 / 4	0 / 3	0 / 2
Average number of embryos transferred	2.0	2.4	2.6	2.7	4.0	2.5
Percentage of embryos transferred resulting in implantation	23.1	15.4	1 / 13	0 / 8	0 / 8	0 / 5
Percentage of elective single embryo transfer (eSET)	0 / 12	0 / 11	0 / 5	0 / 3	0 / 2	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	1 / 19	1 / 13	1 / 6	0 / 4	0 / 3	0 / 2
Percentage of cycles resulting in triplets or more live births	0 / 19	0 / 13	0 / 6	0 / 4	0 / 3	0 / 2
Percentage of cycles resulting in live births	3 / 19	2 / 13	1 / 6	0 / 4	0 / 3	0 / 2
Percentage of cycles resulting in pregnancy	4 / 19	3 / 13	1 / 6	0 / 4	0 / 3	0 / 2
Outcomes per Transfer						
Number of transfers	13	11	5	3	2	2
Percentage of transfers resulting in singleton live births	1 / 13	1 / 11	1 / 5	0 / 3	0 / 2	0 / 2
Percentage of transfers resulting in triplets or more live births	0 / 13	0 / 11	0 / 5	0 / 3	0 / 2	0 / 2
Percentage of transfers resulting in live births	3 / 13	2 / 11	1 / 5	0 / 3	0 / 2	0 / 2
Percentage of transfers resulting in pregnancy	4 / 13	3 / 11	1 / 5	0 / 3	0 / 2	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	4	3	1	0	0	0
Percentage of pregnancies resulting in singleton live births	1 / 4	1 / 3	1 / 1			
Percentage of pregnancies resulting in triplets or more live births	0 / 4	0 / 3	0 / 1			
Percentage of pregnancies resulting in live births	3 / 4	2 / 3	1 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	1	4	1	0	0
Number of transfers	5	1	4	1	0	0
Average number of embryos transferred	2.2	2.0	2.8	2.0		
Percentage of embryos transferred resulting in implantation	0 / 11	0 / 2	0 / 11	1 / 2		
Percentage of transfers resulting in singleton live births	0 / 5	0 / 1	0 / 4	1 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 5	0 / 1	0 / 4	0 / 1		
Percentage of transfers resulting in live births	0 / 5	0 / 1	0 / 4	1 / 1		
Percentage of transfers resulting in pregnancy	0 / 5	0 / 1	0 / 4	1 / 1		
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	1		1			
Number of transfers	1		1			
Average number of embryos transferred	1.0		1.0			
Percentage of embryos transferred resulting in implantation	0 / 1		0 / 1			
Percentage of transfers resulting in singleton live births	0 / 1		0 / 1			
Percentage of transfers resulting in live births	0 / 1		0 / 1			
Percentage of transfers resulting in pregnancy	0 / 1		0 / 1			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Institute for Women's Health, Advanced Fertility Laboratory

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PERINATAL AND FERTILITY SPECIALISTS SAN ANTONIO, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	83%	Tubal factor	29%	Uterine factor	4%	Multiple Factors: Female factors only 18% Female & male factors 4%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	29%	Male factor	4%	
Used gestational carrier	0%			Diminished ovarian reserve	29%	Other factor	0%	
				Endometriosis	25%	Unknown factor	11%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 28

Data verified by Gerard M. Honoré, MD, PhD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	8	2	6	5	1	2
Percentage of cancellations	1 / 8	0 / 2	0 / 6	1 / 5	1 / 1	0 / 2
Average number of embryos transferred	2.3	2.5	3.0	3.3		3.0
Percentage of embryos transferred resulting in implantation	1 / 16	0 / 5	2 / 18	0 / 10		0 / 3
Percentage of elective single embryo transfer (eSET)	0 / 7	0 / 2	0 / 6	0 / 2		0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	1 / 8	0 / 2	0 / 6	0 / 5	0 / 1	0 / 2
Percentage of cycles resulting in triplets or more live births	0 / 8	0 / 2	0 / 6	0 / 5	0 / 1	0 / 2
Percentage of cycles resulting in live births	1 / 8	0 / 2	1 / 6	0 / 5	0 / 1	0 / 2
Percentage of cycles resulting in pregnancy	2 / 8	0 / 2	1 / 6	0 / 5	0 / 1	0 / 2
Outcomes per Transfer						
Number of transfers	7	2	6	3	0	1
Percentage of transfers resulting in singleton live births	1 / 7	0 / 2	0 / 6	0 / 3		0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 7	0 / 2	0 / 6	0 / 3		0 / 1
Percentage of transfers resulting in live births	1 / 7	0 / 2	1 / 6	0 / 3		0 / 1
Percentage of transfers resulting in pregnancy	2 / 7	0 / 2	1 / 6	0 / 3		0 / 1
Outcomes per Pregnancy						
Number of pregnancies	2	0	1	0	0	0
Percentage of pregnancies resulting in singleton live births	1 / 2		0 / 1			
Percentage of pregnancies resulting in triplets or more live births	0 / 2		0 / 1			
Percentage of pregnancies resulting in live births	1 / 2		1 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	2	1	0	0	0
Number of transfers	0	2	1	0	0	0
Average number of embryos transferred		3.5	1.0			
Percentage of embryos transferred resulting in implantation		0 / 7	0 / 1			
Percentage of transfers resulting in singleton live births		0 / 2	0 / 1			
Percentage of transfers resulting in triplets or more live births		0 / 2	0 / 1			
Percentage of transfers resulting in live births		0 / 2	0 / 1			
Percentage of transfers resulting in pregnancy		0 / 2	0 / 1			
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	1		0			
Number of transfers	1		0			
Average number of embryos transferred	2.0					
Percentage of embryos transferred resulting in implantation	0 / 2					
Percentage of transfers resulting in singleton live births	0 / 1					
Percentage of transfers resulting in live births	0 / 1					
Percentage of transfers resulting in pregnancy	0 / 1					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Perinatal and Fertility Specialists

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF TEXAS, PA SAN ANTONIO, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	85%	Tubal factor	16%	Uterine factor	3%	Multiple Factors: Female factors only 8% Female & male factors 24%
Unstimulated	0%	Used PGD	11%	Ovulatory dysfunction	33%	Male factor	55%	
Used gestational carrier	1%			Diminished ovarian reserve	3%	Other factor	5%	
				Endometriosis	10%	Unknown factor	8%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 409

Data verified by Francisco Arredondo, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	172	54	41	20	4	0
Percentage of cancellations	12.8	11.1	19.5	15.0	2 / 4	
Average number of embryos transferred	1.8	2.0	2.4	2.4	2.0	
Percentage of embryos transferred resulting in implantation	45.0	33.8	32.8	15.4	0 / 2	
Percentage of elective single embryo transfer (eSET)	13.8	2.7	0.0	1 / 13	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.0	18.5	29.3	15.0	0 / 4	
Percentage of cycles resulting in triplets or more live births	0.6	0.0	0.0	0.0	0 / 4	
Percentage of cycles resulting in live births	39.5	31.5	36.6	20.0	0 / 4	
Percentage of cycles resulting in pregnancy	42.4	35.2	41.5	25.0	0 / 4	
Outcomes per Transfer						
Number of transfers	126	41	28	16	1	0
Percentage of transfers resulting in singleton live births	34.1	24.4	42.9	3 / 16	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.8	0.0	0.0	0 / 16	0 / 1	
Percentage of transfers resulting in live births	54.0	41.5	53.6	4 / 16	0 / 1	
Percentage of transfers resulting in pregnancy	57.9	46.3	60.7	5 / 16	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	73	19	17	5	0	0
Percentage of pregnancies resulting in singleton live births	58.9	10 / 19	12 / 17	3 / 5		
Percentage of pregnancies resulting in triplets or more live births	1.4	0 / 19	0 / 17	0 / 5		
Percentage of pregnancies resulting in live births	93.2	17 / 19	15 / 17	4 / 5		
Frozen Embryos from Nondonor Eggs						
Number of cycles	42	17	10	4	0	0
Number of transfers	38	15	9	4	0	0
Average number of embryos transferred	1.7	1.7	1.6	1.5		
Percentage of embryos transferred resulting in implantation	47.6	32.0	2 / 14	3 / 6		
Percentage of transfers resulting in singleton live births	42.1	5 / 15	2 / 9	1 / 4		
Percentage of transfers resulting in triplets or more live births	2.6	0 / 15	0 / 9	0 / 4		
Percentage of transfers resulting in live births	52.6	6 / 15	2 / 9	2 / 4		
Percentage of transfers resulting in pregnancy	60.5	7 / 15	2 / 9	2 / 4		
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	33		12			
Number of transfers	26		12			
Average number of embryos transferred	1.9		1.8			
Percentage of embryos transferred resulting in implantation	59.2		28.6			
Percentage of transfers resulting in singleton live births	38.5		2 / 12			
Percentage of transfers resulting in live births	69.2		2 / 12			
Percentage of transfers resulting in pregnancy	73.1		5 / 12			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine Associates of Texas, PA

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 3 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UT MEDICINE WOMEN'S HEALTH CENTER SAN ANTONIO, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	19%	Tubal factor	17%	Uterine factor	7%	Multiple Factors: Female factors only 4% Female & male factors 9%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	15%	Male factor	15%	
Used gestational carrier	0%			Diminished ovarian reserve	20%	Other factor	2%	
				Endometriosis	12%	Unknown factor	26%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 91

Data verified by Robert G. Brzyski, MD, PhD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	20	15	12	12	2	1
Percentage of cancellations	0.0	1 / 15	0 / 12	0 / 12	1 / 2	0 / 1
Average number of embryos transferred	2.1	2.0	2.8	3.8		1.0
Percentage of embryos transferred resulting in implantation	26.3	29.2	15.2	7.1		0 / 1
Percentage of elective single embryo transfer (eSET)	0 / 16	0 / 10	0 / 11	0 / 11		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.0	5 / 15	1 / 12	2 / 12	0 / 2	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0 / 15	0 / 12	0 / 12	0 / 2	0 / 1
Percentage of cycles resulting in live births	40.0	6 / 15	2 / 12	2 / 12	0 / 2	0 / 1
Percentage of cycles resulting in pregnancy	45.0	6 / 15	3 / 12	4 / 12	0 / 2	0 / 1
Outcomes per Transfer						
Number of transfers	18	12	12	11	0	1
Percentage of transfers resulting in singleton live births	6 / 18	5 / 12	1 / 12	2 / 11		0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 18	0 / 12	0 / 12	0 / 11		0 / 1
Percentage of transfers resulting in live births	8 / 18	6 / 12	2 / 12	2 / 11		0 / 1
Percentage of transfers resulting in pregnancy	9 / 18	6 / 12	3 / 12	4 / 11		0 / 1
Outcomes per Pregnancy						
Number of pregnancies	9	6	3	4	0	0
Percentage of pregnancies resulting in singleton live births	6 / 9	5 / 6	1 / 3	2 / 4		
Percentage of pregnancies resulting in triplets or more live births	0 / 9	0 / 6	0 / 3	0 / 4		
Percentage of pregnancies resulting in live births	8 / 9	6 / 6	2 / 3	2 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	6	7	4	0	1
Number of transfers	5	6	7	4	0	0
Average number of embryos transferred	1.8	2.2	1.3	2.5		
Percentage of embryos transferred resulting in implantation	1 / 9	2 / 13	1 / 9	0 / 10		
Percentage of transfers resulting in singleton live births	1 / 5	2 / 6	0 / 7	0 / 4		
Percentage of transfers resulting in triplets or more live births	0 / 5	0 / 6	0 / 7	0 / 4		
Percentage of transfers resulting in live births	1 / 5	2 / 6	0 / 7	0 / 4		
Percentage of transfers resulting in pregnancy	1 / 5	2 / 6	1 / 7	0 / 4		
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
	Number of cycles	3	3			
Number of transfers	2	2				
Average number of embryos transferred	2.0	1.5				
Percentage of embryos transferred resulting in implantation	0 / 4	0 / 3				
Percentage of transfers resulting in singleton live births	0 / 2	0 / 2				
Percentage of transfers resulting in live births	0 / 2	0 / 2				
Percentage of transfers resulting in pregnancy	0 / 2	0 / 2				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: UT Medicine Women's Health Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SCOTT AND WHITE HEALTHCARE TEMPLE, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	60%	Tubal factor	28%	Uterine factor	1%	Multiple Factors: Female factors only 9% Female & male factors 8%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	1%	Male factor	36%	
Used gestational carrier	2%			Diminished ovarian reserve	10%	Other factor	3%	
				Endometriosis	17%	Unknown factor	22%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 78

Data verified by Thomas J. Wincek, MD, PhD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	39	3	8	3	2	0
Percentage of cancellations	5.1	2 / 3	2 / 8	1 / 3	0 / 2	
Average number of embryos transferred	2.1	2.0	2.5	2.5	3.0	
Percentage of embryos transferred resulting in implantation	41.8	0 / 2	3 / 15	1 / 5	0 / 6	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 1	0 / 6	0 / 2	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	35.9	0 / 3	0 / 8	0 / 3	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 3	0 / 8	0 / 3	0 / 2	
Percentage of cycles resulting in live births	53.8	0 / 3	1 / 8	0 / 3	0 / 2	
Percentage of cycles resulting in pregnancy	53.8	0 / 3	2 / 8	1 / 3	0 / 2	
Outcomes per Transfer						
Number of transfers	37	1	6	2	2	0
Percentage of transfers resulting in singleton live births	37.8	0 / 1	0 / 6	0 / 2	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 1	0 / 6	0 / 2	0 / 2	
Percentage of transfers resulting in live births	56.8	0 / 1	1 / 6	0 / 2	0 / 2	
Percentage of transfers resulting in pregnancy	56.8	0 / 1	2 / 6	1 / 2	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	21	0	2	1	0	0
Percentage of pregnancies resulting in singleton live births	66.7		0 / 2	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0.0		0 / 2	0 / 1		
Percentage of pregnancies resulting in live births	100.0		1 / 2	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	8	6	4	0	1	0
Number of transfers	8	6	4	0	1	0
Average number of embryos transferred	2.3	2.2	1.8		2.0	
Percentage of embryos transferred resulting in implantation	6 / 18	5 / 13	1 / 7		0 / 2	
Percentage of transfers resulting in singleton live births	4 / 8	4 / 6	1 / 4		0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 8	0 / 6	0 / 4		0 / 1	
Percentage of transfers resulting in live births	5 / 8	4 / 6	1 / 4		0 / 1	
Percentage of transfers resulting in pregnancy	5 / 8	4 / 6	1 / 4		0 / 1	
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	1		3			
Number of transfers	1		3			
Average number of embryos transferred	2.0		1.7			
Percentage of embryos transferred resulting in implantation	1 / 2		3 / 5			
Percentage of transfers resulting in singleton live births	1 / 1		1 / 3			
Percentage of transfers resulting in live births	1 / 1		2 / 3			
Percentage of transfers resulting in pregnancy	1 / 1		2 / 3			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Scott and White Healthcare

Donor egg?	No	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER OF REPRODUCTIVE MEDICINE (CORM) WEBSTER, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	65%	Tubal factor	15%	Uterine factor	6%	Multiple Factors: Female factors only <1% Female & male factors <1%
Unstimulated	5%	Used PGD	3%	Ovulatory dysfunction	26%	Male factor	21%	
Used gestational carrier	4%			Diminished ovarian reserve	18%	Other factor	6%	
				Endometriosis	6%	Unknown factor	2%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 343

Data verified by Vicki L. Schnell, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	103	54	30	13	2	0
Percentage of cancellations	6.8	9.3	6.7	3 / 13	0 / 2	
Average number of embryos transferred	1.9	2.0	2.2	2.4	2.5	
Percentage of embryos transferred resulting in implantation	33.5	24.4	17.9	1 / 19	2 / 5	
Percentage of elective single embryo transfer (eSET)	7.4	2.3	0.0	0 / 8	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.3	20.4	23.3	1 / 13	2 / 2	
Percentage of cycles resulting in triplets or more live births	1.0	0.0	0.0	0 / 13	0 / 2	
Percentage of cycles resulting in live births	37.9	27.8	23.3	1 / 13	2 / 2	
Percentage of cycles resulting in pregnancy	45.6	31.5	30.0	1 / 13	2 / 2	
Outcomes per Transfer						
Number of transfers	96	46	26	8	2	0
Percentage of transfers resulting in singleton live births	25.0	23.9	26.9	1 / 8	2 / 2	
Percentage of transfers resulting in triplets or more live births	1.0	0.0	0.0	0 / 8	0 / 2	
Percentage of transfers resulting in live births	40.6	32.6	26.9	1 / 8	2 / 2	
Percentage of transfers resulting in pregnancy	49.0	37.0	34.6	1 / 8	2 / 2	
Outcomes per Pregnancy						
Number of pregnancies	47	17	9	1	2	0
Percentage of pregnancies resulting in singleton live births	51.1	11 / 17	7 / 9	1 / 1	2 / 2	
Percentage of pregnancies resulting in triplets or more live births	2.1	0 / 17	0 / 9	0 / 1	0 / 2	
Percentage of pregnancies resulting in live births	83.0	15 / 17	7 / 9	1 / 1	2 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	48	32	19	3	0	0
Number of transfers	42	32	16	3	0	0
Average number of embryos transferred	2.1	1.9	2.2	1.7		
Percentage of embryos transferred resulting in implantation	28.1	28.3	20.0	1 / 5		
Percentage of transfers resulting in singleton live births	23.8	28.1	4 / 16	1 / 3		
Percentage of transfers resulting in triplets or more live births	2.4	0.0	0 / 16	0 / 3		
Percentage of transfers resulting in live births	35.7	37.5	5 / 16	1 / 3		
Percentage of transfers resulting in pregnancy	57.1	46.9	6 / 16	1 / 3		
All Ages Combined^f						
Donor Eggs	Fresh Embryos			Frozen Embryos		
Number of cycles	21			18		
Number of transfers	19			18		
Average number of embryos transferred	1.7			2.2		
Percentage of embryos transferred resulting in implantation	57.6			35.9		
Percentage of transfers resulting in singleton live births	4 / 19			5 / 18		
Percentage of transfers resulting in live births	9 / 19			9 / 18		
Percentage of transfers resulting in pregnancy	11 / 19			11 / 18		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center of Reproductive Medicine (CORM)

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UTAH FERTILITY CENTER PLEASANT GROVE, UTAH

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	60%	Tubal factor	18%	Uterine factor	3%
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	20%	Male factor	39%
Used gestational carrier	3%			Diminished ovarian reserve	32%	Other factor	7%
				Endometriosis	27%	Unknown factor	3%
				Multiple Factors: Female factors only 20% Female & male factors 19%			

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 219

Data verified by Russell A. Foulk, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	124	17	15	2	1	0
Percentage of cancellations	1.6	0 / 17	1 / 15	0 / 2	0 / 1	
Average number of embryos transferred	2.1	2.5	2.8	3.0	4.0	
Percentage of embryos transferred resulting in implantation	47.1	29.7	24.2	1 / 6	1 / 4	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 14	0 / 11	0 / 2	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	35.5	4 / 17	2 / 15	0 / 2	0 / 1	
Percentage of cycles resulting in triplets or more live births	2.4	1 / 17	0 / 15	0 / 2	0 / 1	
Percentage of cycles resulting in live births	57.3	7 / 17	5 / 15	0 / 2	0 / 1	
Percentage of cycles resulting in pregnancy	64.5	7 / 17	5 / 15	1 / 2	1 / 1	
Outcomes per Transfer						
Number of transfers	115	15	12	2	1	0
Percentage of transfers resulting in singleton live births	38.3	4 / 15	2 / 12	0 / 2	0 / 1	
Percentage of transfers resulting in triplets or more live births	2.6	1 / 15	0 / 12	0 / 2	0 / 1	
Percentage of transfers resulting in live births	61.7	7 / 15	5 / 12	0 / 2	0 / 1	
Percentage of transfers resulting in pregnancy	69.6	7 / 15	5 / 12	1 / 2	1 / 1	
Outcomes per Pregnancy						
Number of pregnancies	80	7	5	1	1	0
Percentage of pregnancies resulting in singleton live births	55.0	4 / 7	2 / 5	0 / 1	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	3.8	1 / 7	0 / 5	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births	88.8	7 / 7	5 / 5	0 / 1	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	27	4	4	2	3	0
Number of transfers	23	2	4	2	2	0
Average number of embryos transferred	1.7	2.0	2.0	2.5	2.5	
Percentage of embryos transferred resulting in implantation	48.7	2 / 4	4 / 8	4 / 5	2 / 5	
Percentage of transfers resulting in singleton live births	52.2	0 / 2	0 / 4	0 / 2	2 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 2	0 / 4	0 / 2	0 / 2	
Percentage of transfers resulting in live births	65.2	1 / 2	0 / 4	1 / 2	2 / 2	
Percentage of transfers resulting in pregnancy	65.2	1 / 2	2 / 4	2 / 2	2 / 2	
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	12		8			
Number of transfers	12		5			
Average number of embryos transferred	2.3		2.2			
Percentage of embryos transferred resulting in implantation	33.3		3 / 11			
Percentage of transfers resulting in singleton live births	7 / 12		1 / 5			
Percentage of transfers resulting in live births	8 / 12		2 / 5			
Percentage of transfers resulting in pregnancy	10 / 12		2 / 5			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Utah Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 11 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

EAST BAY FERTILITY CENTER PROVO, UTAH

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	88%	Tubal factor	23%	Uterine factor	7%	Multiple Factors: Female factors only 1% Female & male factors 11%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	23%	Male factor	51%	
Used gestational carrier	0%			Diminished ovarian reserve	11%	Other factor	0%	
				Endometriosis	0%	Unknown factor	0%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 71

Data verified by Glen Andrew, DO

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	43	10	8	2	2	0
Percentage of cancellations	14.0	0 / 10	1 / 8	1 / 2	0 / 2	
Average number of embryos transferred	2.3	2.4	2.4	4.0	2.5	
Percentage of embryos transferred resulting in implantation	46.3	29.2	2 / 17	1 / 4	0 / 5	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 9	0 / 6	0 / 1	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.2	4 / 10	2 / 8	1 / 2	0 / 2	
Percentage of cycles resulting in triplets or more live births	2.3	0 / 10	0 / 8	0 / 2	0 / 2	
Percentage of cycles resulting in live births	55.8	5 / 10	2 / 8	1 / 2	0 / 2	
Percentage of cycles resulting in pregnancy	55.8	6 / 10	2 / 8	1 / 2	0 / 2	
Outcomes per Transfer						
Number of transfers	36	10	7	1	2	0
Percentage of transfers resulting in singleton live births	36.1	4 / 10	2 / 7	1 / 1	0 / 2	
Percentage of transfers resulting in triplets or more live births	2.8	0 / 10	0 / 7	0 / 1	0 / 2	
Percentage of transfers resulting in live births	66.7	5 / 10	2 / 7	1 / 1	0 / 2	
Percentage of transfers resulting in pregnancy	66.7	6 / 10	2 / 7	1 / 1	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	24	6	2	1	0	0
Percentage of pregnancies resulting in singleton live births	54.2	4 / 6	2 / 2	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	4.2	0 / 6	0 / 2	0 / 1		
Percentage of pregnancies resulting in live births	100.0	5 / 6	2 / 2	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	3	3	0	0	0	0
Number of transfers	3	3	0	0	0	0
Average number of embryos transferred	2.7	2.7				
Percentage of embryos transferred resulting in implantation	2 / 8	2 / 8				
Percentage of transfers resulting in singleton live births	0 / 3	2 / 3				
Percentage of transfers resulting in triplets or more live births	0 / 3	0 / 3				
Percentage of transfers resulting in live births	1 / 3	2 / 3				
Percentage of transfers resulting in pregnancy	1 / 3	2 / 3				

All Ages Combined^f

Donor Eggs	Fresh Embryos	Frozen Embryos
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation		
Percentage of transfers resulting in singleton live births		
Percentage of transfers resulting in live births		
Percentage of transfers resulting in pregnancy		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: East Bay Fertility Center

Donor egg?	No	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	No			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UTAH CENTER FOR REPRODUCTIVE MEDICINE SALT LAKE CITY, UTAH

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE				Patient Diagnosis ^b				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	52%	Tubal factor	10%	Uterine factor	3%	Multiple Factors: Female factors only 5% Female & male factors 22%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	15%	Male factor	51%	
Used gestational carrier	<1%			Diminished ovarian reserve	22%	Other factor	6%	
				Endometriosis	12%	Unknown factor	11%	

2011 ART SUCCESS RATES^{c,d} Number of cycles in table: ^e 430 Data verified by Ahmad O. Hammoud, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	198	49	36	9	5	0
Percentage of cancellations	14.1	12.2	25.0	2 / 9	3 / 5	
Average number of embryos transferred	2.0	2.3	2.5	2.7	3.5	
Percentage of embryos transferred resulting in implantation	43.4	32.3	30.6	2 / 16	0 / 7	
Percentage of elective single embryo transfer (eSET)	5.6	0.0	0.0	0 / 6	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	24.2	24.5	16.7	0 / 9	0 / 5	
Percentage of cycles resulting in triplets or more live births	1.0	0.0	2.8	0 / 9	0 / 5	
Percentage of cycles resulting in live births	44.9	38.8	27.8	0 / 9	0 / 5	
Percentage of cycles resulting in pregnancy	52.0	44.9	41.7	1 / 9	0 / 5	
Outcomes per Transfer						
Number of transfers	164	42	25	6	2	0
Percentage of transfers resulting in singleton live births	29.3	28.6	24.0	0 / 6	0 / 2	
Percentage of transfers resulting in triplets or more live births	1.2	0.0	4.0	0 / 6	0 / 2	
Percentage of transfers resulting in live births	54.3	45.2	40.0	0 / 6	0 / 2	
Percentage of transfers resulting in pregnancy	62.8	52.4	60.0	1 / 6	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	103	22	15	1	0	0
Percentage of pregnancies resulting in singleton live births	46.6	54.5	6 / 15	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	1.9	0.0	1 / 15	0 / 1		
Percentage of pregnancies resulting in live births	86.4	86.4	10 / 15	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	55	19	12	3	2	2
Number of transfers	53	19	11	2	1	2
Average number of embryos transferred	2.2	2.2	2.2	3.0	2.0	2.5
Percentage of embryos transferred resulting in implantation	16.5	7.1	4.2	0 / 6	2 / 2	0 / 5
Percentage of transfers resulting in singleton live births	24.5	3 / 19	1 / 11	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0 / 19	0 / 11	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in live births	26.4	3 / 19	1 / 11	0 / 2	1 / 1	0 / 2
Percentage of transfers resulting in pregnancy	37.7	6 / 19	1 / 11	1 / 2	1 / 1	0 / 2
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	26		14			
Number of transfers	25		14			
Average number of embryos transferred	1.8		2.2			
Percentage of embryos transferred resulting in implantation	46.7		25.8			
Percentage of transfers resulting in singleton live births	28.0		3 / 14			
Percentage of transfers resulting in live births	56.0		5 / 14			
Percentage of transfers resulting in pregnancy	72.0		7 / 14			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Utah Center for Reproductive Medicine					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE CARE CENTER SANDY, UTAH

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	57%	Tubal factor	11%	Uterine factor	5%
Unstimulated	0%	Used PGD	6%	Ovulatory dysfunction	23%	Male factor	54%
Used gestational carrier	<1%			Diminished ovarian reserve	18%	Other factor	7%
				Endometriosis	19%	Unknown factor	3%
				Multiple Factors:			
						Female factors only	9%
						Female & male factors	28%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 512

Data verified by Keith L. Blauer, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	234	62	42	11	2	0
Percentage of cancellations	7.3	9.7	2.4	1 / 11	0 / 2	
Average number of embryos transferred	2.1	2.1	2.2	2.2	3.0	
Percentage of embryos transferred resulting in implantation	32.7	35.6	15.3	0.0	1 / 6	
Percentage of elective single embryo transfer (eSET)	5.7	2.2	6.1	0 / 8	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.1	22.6	9.5	0 / 11	1 / 2	
Percentage of cycles resulting in triplets or more live births	0.4	1.6	0.0	0 / 11	0 / 2	
Percentage of cycles resulting in live births	38.5	37.1	16.7	0 / 11	1 / 2	
Percentage of cycles resulting in pregnancy	42.3	43.5	23.8	0 / 11	1 / 2	
Outcomes per Transfer						
Number of transfers	202	49	38	9	2	0
Percentage of transfers resulting in singleton live births	26.7	28.6	10.5	0 / 9	1 / 2	
Percentage of transfers resulting in triplets or more live births	0.5	2.0	0.0	0 / 9	0 / 2	
Percentage of transfers resulting in live births	44.6	46.9	18.4	0 / 9	1 / 2	
Percentage of transfers resulting in pregnancy	49.0	55.1	26.3	0 / 9	1 / 2	
Outcomes per Pregnancy						
Number of pregnancies	99	27	10	0	1	0
Percentage of pregnancies resulting in singleton live births	54.5	51.9	4 / 10		1 / 1	
Percentage of pregnancies resulting in triplets or more live births	1.0	3.7	0 / 10		0 / 1	
Percentage of pregnancies resulting in live births	90.9	85.2	7 / 10		1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	88	20	11	5	0	5
Number of transfers	79	18	10	5	0	5
Average number of embryos transferred	1.8	1.6	1.8	2.0		2.0
Percentage of embryos transferred resulting in implantation	18.0	28.6	1 / 18	0 / 10		3 / 10
Percentage of transfers resulting in singleton live births	15.2	3 / 18	1 / 10	0 / 5		0 / 5
Percentage of transfers resulting in triplets or more live births	0.0	0 / 18	0 / 10	0 / 5		1 / 5
Percentage of transfers resulting in live births	21.5	5 / 18	1 / 10	0 / 5		1 / 5
Percentage of transfers resulting in pregnancy	24.1	6 / 18	1 / 10	0 / 5		2 / 5
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Number of cycles		27		5		
Number of transfers		26		5		
Average number of embryos transferred		2.0		1.8		
Percentage of embryos transferred resulting in implantation		37.3		3 / 9		
Percentage of transfers resulting in singleton live births		30.8		1 / 5		
Percentage of transfers resulting in live births		46.2		1 / 5		
Percentage of transfers resulting in pregnancy		61.5		2 / 5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Care Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

VERMONT CENTER FOR REPRODUCTIVE MEDICINE BURLINGTON, VERMONT

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	71%	Tubal factor	7%	Uterine factor	3%	Multiple Factors: Female factors only 2% Female & male factors 11%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	4%	Male factor	43%	
Used gestational carrier	0%			Diminished ovarian reserve	24%	Other factor	10%	
				Endometriosis	5%	Unknown factor	17%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 149

Data verified by Peter R. Casson, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	48	33	27	7	2	0
Percentage of cancellations	10.4	21.2	18.5	0 / 7	1 / 2	
Average number of embryos transferred	1.8	2.1	2.7	3.0	3.0	
Percentage of embryos transferred resulting in implantation	45.9	24.5	15.7	9.5	0 / 3	
Percentage of elective single embryo transfer (eSET)	14.3	9.1	0 / 18	0 / 7	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.0	15.2	14.8	2 / 7	0 / 2	
Percentage of cycles resulting in triplets or more live births	2.1	0.0	0.0	0 / 7	0 / 2	
Percentage of cycles resulting in live births	43.8	24.2	14.8	2 / 7	0 / 2	
Percentage of cycles resulting in pregnancy	47.9	30.3	25.9	2 / 7	0 / 2	
Outcomes per Transfer						
Number of transfers	41	23	19	7	1	0
Percentage of transfers resulting in singleton live births	29.3	21.7	4 / 19	2 / 7	0 / 1	
Percentage of transfers resulting in triplets or more live births	2.4	0.0	0 / 19	0 / 7	0 / 1	
Percentage of transfers resulting in live births	51.2	34.8	4 / 19	2 / 7	0 / 1	
Percentage of transfers resulting in pregnancy	56.1	43.5	7 / 19	2 / 7	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	23	10	7	2	0	0
Percentage of pregnancies resulting in singleton live births	52.2	5 / 10	4 / 7	2 / 2		
Percentage of pregnancies resulting in triplets or more live births	4.3	0 / 10	0 / 7	0 / 2		
Percentage of pregnancies resulting in live births	91.3	8 / 10	4 / 7	2 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	3	2	2	1	1
Number of transfers	5	3	2	2	1	1
Average number of embryos transferred	1.4	1.7	1.0	2.5	2.0	2.0
Percentage of embryos transferred resulting in implantation	2 / 7	0 / 5	0 / 2	0 / 5	0 / 2	0 / 2
Percentage of transfers resulting in singleton live births	1 / 5	0 / 3	0 / 2	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 5	0 / 3	0 / 2	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in live births	1 / 5	0 / 3	0 / 2	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	2 / 5	0 / 3	0 / 2	0 / 2	0 / 1	0 / 1
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	15		3			
Number of transfers	13		2			
Average number of embryos transferred	1.8		1.0			
Percentage of embryos transferred resulting in implantation	25.0		0 / 2			
Percentage of transfers resulting in singleton live births	4 / 13		0 / 2			
Percentage of transfers resulting in live births	5 / 13		0 / 2			
Percentage of transfers resulting in pregnancy	5 / 13		0 / 2			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Vermont Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WASHINGTON FERTILITY CENTER ANNANDALE, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	31%	Tubal factor	20%	Uterine factor	0%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	14%	Male factor	34%
Used gestational carrier	0%			Diminished ovarian reserve	33%	Other factor	1%
				Endometriosis	6%	Unknown factor	10%
				Multiple Factors: Female factors only 0% Female & male factors 19%			

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 70

Data verified by Pierre Asmar, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	19	10	15	6	0	1
Percentage of cancellations	0 / 19	1 / 10	1 / 15	1 / 6		0 / 1
Average number of embryos transferred	1.8	2.9	2.2	3.4		4.0
Percentage of embryos transferred resulting in implantation	22.2	10.0	19.4	0 / 17		0 / 4
Percentage of elective single embryo transfer (eSET)	1 / 13	0 / 7	0 / 12	0 / 5		0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	5 / 19	2 / 10	1 / 15	0 / 6		0 / 1
Percentage of cycles resulting in triplets or more live births	0 / 19	0 / 10	0 / 15	0 / 6		0 / 1
Percentage of cycles resulting in live births	5 / 19	2 / 10	3 / 15	0 / 6		0 / 1
Percentage of cycles resulting in pregnancy	6 / 19	2 / 10	5 / 15	1 / 6		0 / 1
Outcomes per Transfer						
Number of transfers	15	7	14	5	0	1
Percentage of transfers resulting in singleton live births	5 / 15	2 / 7	1 / 14	0 / 5		0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 15	0 / 7	0 / 14	0 / 5		0 / 1
Percentage of transfers resulting in live births	5 / 15	2 / 7	3 / 14	0 / 5		0 / 1
Percentage of transfers resulting in pregnancy	6 / 15	2 / 7	5 / 14	1 / 5		0 / 1
Outcomes per Pregnancy						
Number of pregnancies	6	2	5	1	0	0
Percentage of pregnancies resulting in singleton live births	5 / 6	2 / 2	1 / 5	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 6	0 / 2	0 / 5	0 / 1		
Percentage of pregnancies resulting in live births	5 / 6	2 / 2	3 / 5	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	0	1	0	0	0
Number of transfers	2	0	1	0	0	0
Average number of embryos transferred	2.5		1.0			
Percentage of embryos transferred resulting in implantation	0 / 5		0 / 1			
Percentage of transfers resulting in singleton live births	0 / 2		0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 2		0 / 1			
Percentage of transfers resulting in live births	0 / 2		0 / 1			
Percentage of transfers resulting in pregnancy	0 / 2		0 / 1			
All Ages Combined^f						
	Fresh Embryos			Frozen Embryos		
Number of cycles	15			1		
Number of transfers	12			1		
Average number of embryos transferred	2.0			3.0		
Percentage of embryos transferred resulting in implantation	62.5			1 / 3		
Percentage of transfers resulting in singleton live births	3 / 12			1 / 1		
Percentage of transfers resulting in live births	8 / 12			1 / 1		
Percentage of transfers resulting in pregnancy	9 / 12			1 / 1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Washington Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DOMINION FERTILITY AND ENDOCRINOLOGY ARLINGTON, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	61%	Tubal factor	17%	Uterine factor	4%	
Unstimulated	71%	Used PGD	<1%	Ovulatory dysfunction	7%	Male factor	45%	
Used gestational carrier	<1%			Diminished ovarian reserve	36%	Other factor	34%	
				Endometriosis	1%	Unknown factor	10%	
				Multiple Factors:				
				Female factors only				16%
				Female & male factors				31%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 998

Data verified by Michael DiMattina, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	260	181	210	79	42	38
Percentage of cancellations	17.7	24.9	22.4	21.5	21.4	44.7
Average number of embryos transferred	1.2	1.5	1.5	2.2	1.7	1.7
Percentage of embryos transferred resulting in implantation	28.2	22.8	19.0	9.9	10.0	1 / 15
Percentage of elective single embryo transfer (eSET)	54.0	5.9	3.3	0 / 15	0 / 6	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	13.1	8.8	8.1	6.3	7.1	2.6
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0.0
Percentage of cycles resulting in live births	14.2	10.5	8.6	6.3	7.1	2.6
Percentage of cycles resulting in pregnancy	16.2	14.4	12.4	13.9	9.5	5.3
Outcomes per Transfer						
Number of transfers	126	76	89	32	18	9
Percentage of transfers resulting in singleton live births	27.0	21.1	19.1	15.6	3 / 18	1 / 9
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 18	0 / 9
Percentage of transfers resulting in live births	29.4	25.0	20.2	15.6	3 / 18	1 / 9
Percentage of transfers resulting in pregnancy	33.3	34.2	29.2	34.4	4 / 18	2 / 9
Outcomes per Pregnancy						
Number of pregnancies	42	26	26	11	4	2
Percentage of pregnancies resulting in singleton live births	81.0	61.5	65.4	5 / 11	3 / 4	1 / 2
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 11	0 / 4	0 / 2
Percentage of pregnancies resulting in live births	88.1	73.1	69.2	5 / 11	3 / 4	1 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	57	35	24	2	2	2
Number of transfers	57	33	20	2	2	2
Average number of embryos transferred	1.5	1.5	1.7	1.5	3.0	1.0
Percentage of embryos transferred resulting in implantation	27.1	20.8	5.9	0 / 3	0 / 6	0 / 2
Percentage of transfers resulting in singleton live births	24.6	21.2	10.0	0 / 2	0 / 2	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 2	0 / 2	0 / 2
Percentage of transfers resulting in live births	29.8	24.2	10.0	0 / 2	0 / 2	0 / 2
Percentage of transfers resulting in pregnancy	33.3	30.3	15.0	1 / 2	0 / 2	0 / 2
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	25		41			
Number of transfers	21		37			
Average number of embryos transferred	1.3		1.3			
Percentage of embryos transferred resulting in implantation	33.3		30.6			
Percentage of transfers resulting in singleton live births	28.6		29.7			
Percentage of transfers resulting in live births	33.3		35.1			
Percentage of transfers resulting in pregnancy	42.9		43.2			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Dominion Fertility and Endocrinology

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 6 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE AND SURGERY CENTER OF VIRGINIA, PLC CHARLOTTESVILLE, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	55%	Tubal factor	20%	Uterine factor	7%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	17%	Male factor	44%	
Used gestational carrier	0%			Diminished ovarian reserve	23%	Other factor	9%	
				Endometriosis	20%	Unknown factor	9%	
				Multiple Factors:				
				Female factors only				18%
				Female & male factors				20%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 269

Data verified by Christopher D. Williams, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	87	43	31	8	1	0
Percentage of cancellations	3.4	7.0	9.7	1 / 8	0 / 1	
Average number of embryos transferred	2.1	2.6	3.2	4.0		
Percentage of embryos transferred resulting in implantation	30.6	22.3	16.1	3.6		
Percentage of elective single embryo transfer (eSET)	2.4	0.0	0.0	0 / 7		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	31.0	16.3	22.6	0 / 8	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	2.3	0.0	0 / 8	0 / 1	
Percentage of cycles resulting in live births	43.7	27.9	29.0	0 / 8	0 / 1	
Percentage of cycles resulting in pregnancy	46.0	37.2	35.5	2 / 8	0 / 1	
Outcomes per Transfer						
Number of transfers	84	40	27	7	0	0
Percentage of transfers resulting in singleton live births	32.1	17.5	25.9	0 / 7		
Percentage of transfers resulting in triplets or more live births	0.0	2.5	0.0	0 / 7		
Percentage of transfers resulting in live births	45.2	30.0	33.3	0 / 7		
Percentage of transfers resulting in pregnancy	47.6	40.0	40.7	2 / 7		
Outcomes per Pregnancy						
Number of pregnancies	40	16	11	2	0	0
Percentage of pregnancies resulting in singleton live births	67.5	7 / 16	7 / 11	0 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	1 / 16	0 / 11	0 / 2		
Percentage of pregnancies resulting in live births	95.0	12 / 16	9 / 11	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	38	17	2	2	1	0
Number of transfers	37	17	1	2	1	0
Average number of embryos transferred	1.9	2.1	2.0	2.5	3.0	
Percentage of embryos transferred resulting in implantation	15.3	11.4	0 / 2	0 / 5	0 / 3	
Percentage of transfers resulting in singleton live births	18.9	4 / 17	0 / 1	0 / 2	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 17	0 / 1	0 / 2	0 / 1	
Percentage of transfers resulting in live births	18.9	4 / 17	0 / 1	0 / 2	0 / 1	
Percentage of transfers resulting in pregnancy	32.4	4 / 17	0 / 1	0 / 2	1 / 1	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		25		14		
Number of transfers		25		11		
Average number of embryos transferred		2.0		1.9		
Percentage of embryos transferred resulting in implantation		44.0		19.0		
Percentage of transfers resulting in singleton live births		36.0		2 / 11		
Percentage of transfers resulting in live births		52.0		3 / 11		
Percentage of transfers resulting in pregnancy		68.0		3 / 11		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine and Surgery Center of Virginia, PLC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GENETICS & IVF INSTITUTE FAIRFAX, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	77%	Tubal factor	11%	Uterine factor	5%
Unstimulated	0%	Used PGD	30%	Ovulatory dysfunction	6%	Male factor	36%
Used gestational carrier	0%			Diminished ovarian reserve	51%	Other factor	25%
				Endometriosis	5%	Unknown factor	4%
				Multiple Factors: Female factors only 10% Female & male factors 24%			

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 587

Data verified by Laurence C. Udoff, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	86	70	72	22	14	5
Percentage of cancellations	1.2	1.4	4.2	4.5	0 / 14	1 / 5
Average number of embryos transferred	1.9	1.8	2.3	2.4	3.5	3.0
Percentage of embryos transferred resulting in implantation	29.9	16.7	14.0	8.8	4.3	0 / 9
Percentage of elective single embryo transfer (eSET)	15.6	17.9	5.6	0 / 11	0 / 13	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	20.9	15.7	13.9	0.0	1 / 14	0 / 5
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 14	0 / 5
Percentage of cycles resulting in live births	29.1	17.1	16.7	0.0	1 / 14	0 / 5
Percentage of cycles resulting in pregnancy	36.0	21.4	23.6	18.2	3 / 14	0 / 5
Outcomes per Transfer						
Number of transfers	70	50	59	14	13	3
Percentage of transfers resulting in singleton live births	25.7	22.0	16.9	0 / 14	1 / 13	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 14	0 / 13	0 / 3
Percentage of transfers resulting in live births	35.7	24.0	20.3	0 / 14	1 / 13	0 / 3
Percentage of transfers resulting in pregnancy	44.3	30.0	28.8	4 / 14	3 / 13	0 / 3
Outcomes per Pregnancy						
Number of pregnancies	31	15	17	4	3	0
Percentage of pregnancies resulting in singleton live births	58.1	11 / 15	10 / 17	0 / 4	1 / 3	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 15	0 / 17	0 / 4	0 / 3	
Percentage of pregnancies resulting in live births	80.6	12 / 15	12 / 17	0 / 4	1 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	32	18	18	7	2	0
Number of transfers	31	17	16	7	2	0
Average number of embryos transferred	1.6	1.5	1.6	1.7	2.5	
Percentage of embryos transferred resulting in implantation	40.0	38.5	34.6	2 / 12	0 / 5	
Percentage of transfers resulting in singleton live births	25.8	5 / 17	2 / 16	2 / 7	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 17	0 / 16	0 / 7	0 / 2	
Percentage of transfers resulting in live births	41.9	6 / 17	5 / 16	2 / 7	0 / 2	
Percentage of transfers resulting in pregnancy	51.6	7 / 17	7 / 16	3 / 7	0 / 2	
All Ages Combined^f						
Donor Eggs	Fresh Embryos			Frozen Embryos		
Number of cycles	141			100		
Number of transfers	134			89		
Average number of embryos transferred	1.9			1.7		
Percentage of embryos transferred resulting in implantation	47.2			26.0		
Percentage of transfers resulting in singleton live births	38.8			28.1		
Percentage of transfers resulting in live births	56.7			33.7		
Percentage of transfers resulting in pregnancy	72.4			41.6		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Genetics & IVF Institute

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE MUASHER CENTER FOR FERTILITY AND IVF FAIRFAX, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	69%	Tubal factor	19%	Uterine factor	5%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	7%	Male factor	30%	
Used gestational carrier	0%			Diminished ovarian reserve	15%	Other factor	12%	
				Endometriosis	4%	Unknown factor	26%	
				Multiple Factors:				
				Female factors only				6%
				Female & male factors				11%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 188

Data verified by Nancy Durso, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	58	39	48	24	7	0
Percentage of cancellations	3.4	7.7	6.3	0.0	1 / 7	
Average number of embryos transferred	2.0	2.1	2.6	2.2	2.2	
Percentage of embryos transferred resulting in implantation	24.0	24.3	6.9	0.0	0 / 11	
Percentage of elective single embryo transfer (eSET)	0.0	0.0	0.0	0 / 15	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	22.4	25.6	10.4	0.0	0 / 7	
Percentage of cycles resulting in triplets or more live births	1.7	0.0	0.0	0.0	0 / 7	
Percentage of cycles resulting in live births	31.0	33.3	12.5	0.0	0 / 7	
Percentage of cycles resulting in pregnancy	37.9	33.3	22.9	0.0	1 / 7	
Outcomes per Transfer						
Number of transfers	51	33	39	21	5	0
Percentage of transfers resulting in singleton live births	25.5	30.3	12.8	0.0	0 / 5	
Percentage of transfers resulting in triplets or more live births	2.0	0.0	0.0	0.0	0 / 5	
Percentage of transfers resulting in live births	35.3	39.4	15.4	0.0	0 / 5	
Percentage of transfers resulting in pregnancy	43.1	39.4	28.2	0.0	1 / 5	
Outcomes per Pregnancy						
Number of pregnancies	22	13	11	0	1	0
Percentage of pregnancies resulting in singleton live births	59.1	10 / 13	5 / 11		0 / 1	
Percentage of pregnancies resulting in triplets or more live births	4.5	0 / 13	0 / 11		0 / 1	
Percentage of pregnancies resulting in live births	81.8	13 / 13	6 / 11		0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	3	2	1	1	0
Number of transfers	0	3	2	1	1	0
Average number of embryos transferred		2.0	3.0	2.0	3.0	
Percentage of embryos transferred resulting in implantation		0 / 6	1 / 6	0 / 2	0 / 3	
Percentage of transfers resulting in singleton live births		0 / 3	1 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births		0 / 3	0 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in live births		0 / 3	1 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy		0 / 3	1 / 2	0 / 1	0 / 1	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		2		3		
Number of transfers		2		3		
Average number of embryos transferred		2.0		2.0		
Percentage of embryos transferred resulting in implantation		0 / 4		2 / 6		
Percentage of transfers resulting in singleton live births		0 / 2		0 / 3		
Percentage of transfers resulting in live births		0 / 2		1 / 3		
Percentage of transfers resulting in pregnancy		1 / 2		1 / 3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Partners for Fertility and IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

JONES INSTITUTE FOR REPRODUCTIVE MEDICINE NORFOLK, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	85%	Tubal factor	25%	Uterine factor	13%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	21%	Male factor	33%	
Used gestational carrier	<1%			Diminished ovarian reserve	29%	Other factor	11%	
				Endometriosis	12%	Unknown factor	8%	
				Multiple Factors:				
				Female factors only				22%
				Female & male factors				19%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 405

Data verified by Laurel A. Stadtmauer, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	103	62	55	26	7	1
Percentage of cancellations	5.8	8.1	16.4	7.7	2 / 7	0 / 1
Average number of embryos transferred	2.0	2.1	2.1	2.3	2.6	
Percentage of embryos transferred resulting in implantation	28.7	27.3	19.1	15.4	0 / 13	
Percentage of elective single embryo transfer (eSET)	3.4	0.0	0.0	0.0	0 / 5	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.2	14.5	16.4	11.5	0 / 7	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 7	0 / 1
Percentage of cycles resulting in live births	36.9	27.4	21.8	11.5	0 / 7	0 / 1
Percentage of cycles resulting in pregnancy	37.9	35.5	27.3	26.9	0 / 7	0 / 1
Outcomes per Transfer						
Number of transfers	93	53	44	23	5	0
Percentage of transfers resulting in singleton live births	28.0	17.0	20.5	13.0	0 / 5	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 5	
Percentage of transfers resulting in live births	40.9	32.1	27.3	13.0	0 / 5	
Percentage of transfers resulting in pregnancy	41.9	41.5	34.1	30.4	0 / 5	
Outcomes per Pregnancy						
Number of pregnancies	39	22	15	7	0	0
Percentage of pregnancies resulting in singleton live births	66.7	40.9	9 / 15	3 / 7		
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0 / 15	0 / 7		
Percentage of pregnancies resulting in live births	97.4	77.3	12 / 15	3 / 7		
Frozen Embryos from Nondonor Eggs						
Number of cycles	44	26	16	10	5	1
Number of transfers	43	25	15	9	5	1
Average number of embryos transferred	2.2	2.4	2.7	2.3	2.8	3.0
Percentage of embryos transferred resulting in implantation	18.9	31.7	14.6	4.8	0 / 14	0 / 3
Percentage of transfers resulting in singleton live births	16.3	36.0	5 / 15	0 / 9	0 / 5	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 15	0 / 9	0 / 5	0 / 1
Percentage of transfers resulting in live births	20.9	44.0	5 / 15	0 / 9	0 / 5	0 / 1
Percentage of transfers resulting in pregnancy	30.2	52.0	6 / 15	1 / 9	0 / 5	0 / 1
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	21		28			
Number of transfers	19		28			
Average number of embryos transferred	2.1		2.2			
Percentage of embryos transferred resulting in implantation	56.4		9.8			
Percentage of transfers resulting in singleton live births	7 / 19		3.6			
Percentage of transfers resulting in live births	11 / 19		3.6			
Percentage of transfers resulting in pregnancy	15 / 19		21.4			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Jones Institute for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 3 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

VIRGINIA CENTER FOR REPRODUCTIVE MEDICINE RESTON, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	98%	Tubal factor	19%	Uterine factor	11%	Multiple Factors: Female factors only 12% Female & male factors 64%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	11%	Male factor	76%	
Used gestational carrier	2%			Diminished ovarian reserve	55%	Other factor	20%	
				Endometriosis	9%	Unknown factor	<1%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 176

Data verified by Fady I. Sharara, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	46	33	42	21	7	2
Percentage of cancellations	0.0	3.0	0.0	4.8	0 / 7	0 / 2
Average number of embryos transferred	1.8	2.1	2.5	2.2	2.3	2.0
Percentage of embryos transferred resulting in implantation	36.3	36.4	24.3	9.8	3 / 14	0 / 4
Percentage of elective single embryo transfer (eSET)	8.8	7.1	0.0	0 / 14	0 / 6	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	32.6	30.3	28.6	9.5	2 / 7	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 7	0 / 2
Percentage of cycles resulting in live births	43.5	48.5	33.3	9.5	2 / 7	0 / 2
Percentage of cycles resulting in pregnancy	54.3	48.5	45.2	28.6	4 / 7	0 / 2
Outcomes per Transfer						
Number of transfers	45	32	42	19	6	2
Percentage of transfers resulting in singleton live births	33.3	31.3	28.6	2 / 19	2 / 6	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 19	0 / 6	0 / 2
Percentage of transfers resulting in live births	44.4	50.0	33.3	2 / 19	2 / 6	0 / 2
Percentage of transfers resulting in pregnancy	55.6	50.0	45.2	6 / 19	4 / 6	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	25	16	19	6	4	0
Percentage of pregnancies resulting in singleton live births	60.0	10 / 16	12 / 19	2 / 6	2 / 4	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 16	0 / 19	0 / 6	0 / 4	
Percentage of pregnancies resulting in live births	80.0	16 / 16	14 / 19	2 / 6	2 / 4	
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	1	1	0	0	0
Number of transfers	2	1	1	0	0	0
Average number of embryos transferred	1.5	2.0	2.0			
Percentage of embryos transferred resulting in implantation	3 / 3	1 / 2	1 / 2			
Percentage of transfers resulting in singleton live births	1 / 2	0 / 1	0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 2	0 / 1	0 / 1			
Percentage of transfers resulting in live births	1 / 2	0 / 1	0 / 1			
Percentage of transfers resulting in pregnancy	2 / 2	1 / 1	1 / 1			
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			19		2	
Number of transfers			18		1	
Average number of embryos transferred			2.0		2.0	
Percentage of embryos transferred resulting in implantation			63.9		0 / 2	
Percentage of transfers resulting in singleton live births			10 / 18		0 / 1	
Percentage of transfers resulting in live births			14 / 18		0 / 1	
Percentage of transfers resulting in pregnancy			16 / 18		0 / 1	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Virginia Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 2 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY INSTITUTE OF VIRGINIA RICHMOND, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	81%	Tubal factor	11%	Uterine factor	3%	Multiple Factors: Female factors only 3% Female & male factors 7%
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	16%	Male factor	33%	
Used gestational carrier	3%			Diminished ovarian reserve	14%	Other factor	3%	
				Endometriosis	11%	Unknown factor	18%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 271

Data verified by Kenneth A. Steingold, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	82	42	22	14	1	0
Percentage of cancellations	6.1	11.9	22.7	5 / 14	0 / 1	
Average number of embryos transferred	2.0	2.3	2.9	3.1	1.0	
Percentage of embryos transferred resulting in implantation	34.2	33.3	10.2	7.1	0 / 1	
Percentage of elective single embryo transfer (eSET)	12.3	0.0	0 / 17	0 / 9		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	34.1	28.6	22.7	2 / 14	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 14	0 / 1	
Percentage of cycles resulting in live births	45.1	45.2	22.7	2 / 14	0 / 1	
Percentage of cycles resulting in pregnancy	48.8	50.0	22.7	2 / 14	0 / 1	
Outcomes per Transfer						
Number of transfers	73	36	17	9	1	0
Percentage of transfers resulting in singleton live births	38.4	33.3	5 / 17	2 / 9	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 17	0 / 9	0 / 1	
Percentage of transfers resulting in live births	50.7	52.8	5 / 17	2 / 9	0 / 1	
Percentage of transfers resulting in pregnancy	54.8	58.3	5 / 17	2 / 9	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	40	21	5	2	0	0
Percentage of pregnancies resulting in singleton live births	70.0	57.1	5 / 5	2 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0 / 5	0 / 2		
Percentage of pregnancies resulting in live births	92.5	90.5	5 / 5	2 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	52	25	15	2	0	0
Number of transfers	52	25	15	2	0	0
Average number of embryos transferred	2.0	1.9	2.3	4.0		
Percentage of embryos transferred resulting in implantation	35.2	29.2	17.6	3 / 8		
Percentage of transfers resulting in singleton live births	38.5	36.0	4 / 15	1 / 2		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 15	0 / 2		
Percentage of transfers resulting in live births	50.0	44.0	4 / 15	2 / 2		
Percentage of transfers resulting in pregnancy	61.5	52.0	8 / 15	2 / 2		
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	9		7			
Number of transfers	9		7			
Average number of embryos transferred	2.0		2.1			
Percentage of embryos transferred resulting in implantation	9 / 18		2 / 15			
Percentage of transfers resulting in singleton live births	2 / 9		0 / 7			
Percentage of transfers resulting in live births	5 / 9		1 / 7			
Percentage of transfers resulting in pregnancy	6 / 9		1 / 7			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Institute of Virginia

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

LIFESOURCE FERTILITY CENTER RICHMOND, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	85%	Tubal factor	19%	Uterine factor	30%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	18%	Male factor	84%	
Used gestational carrier	0%			Diminished ovarian reserve	24%	Other factor	1%	
				Endometriosis	20%	Unknown factor	1%	
				Multiple Factors:				
				Female factors only				10%
				Female & male factors				56%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 91

Data verified by Joseph G. Gianfortoni, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	22	17	5	1	2	0
Percentage of cancellations	13.6	1 / 17	0 / 5	0 / 1	0 / 2	
Average number of embryos transferred	1.6	1.7	3.0	3.0	2.0	
Percentage of embryos transferred resulting in implantation	55.2	45.5	4 / 15	2 / 3	0 / 4	
Percentage of elective single embryo transfer (eSET)	6 / 17	5 / 13	0 / 5	0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	31.8	3 / 17	2 / 5	0 / 1	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 17	0 / 5	0 / 1	0 / 2	
Percentage of cycles resulting in live births	45.5	5 / 17	3 / 5	1 / 1	0 / 2	
Percentage of cycles resulting in pregnancy	50.0	7 / 17	3 / 5	1 / 1	0 / 2	
Outcomes per Transfer						
Number of transfers	18	13	5	1	2	0
Percentage of transfers resulting in singleton live births	7 / 18	3 / 13	2 / 5	0 / 1	0 / 2	
Percentage of transfers resulting in triplets or more live births	0 / 18	0 / 13	0 / 5	0 / 1	0 / 2	
Percentage of transfers resulting in live births	10 / 18	5 / 13	3 / 5	1 / 1	0 / 2	
Percentage of transfers resulting in pregnancy	11 / 18	7 / 13	3 / 5	1 / 1	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	11	7	3	1	0	0
Percentage of pregnancies resulting in singleton live births	7 / 11	3 / 7	2 / 3	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 11	0 / 7	0 / 3	0 / 1		
Percentage of pregnancies resulting in live births	10 / 11	5 / 7	3 / 3	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	20	15	0	0	1	0
Number of transfers	20	14	0	0	1	0
Average number of embryos transferred	1.7	1.4			4.0	
Percentage of embryos transferred resulting in implantation	47.1	40.0			2 / 4	
Percentage of transfers resulting in singleton live births	40.0	4 / 14			0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 14			0 / 1	
Percentage of transfers resulting in live births	50.0	5 / 14			1 / 1	
Percentage of transfers resulting in pregnancy	60.0	7 / 14			1 / 1	
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	4		4			
Number of transfers	4		4			
Average number of embryos transferred	1.5		2.0			
Percentage of embryos transferred resulting in implantation	5 / 6		0 / 8			
Percentage of transfers resulting in singleton live births	1 / 4		0 / 4			
Percentage of transfers resulting in live births	2 / 4		0 / 4			
Percentage of transfers resulting in pregnancy	3 / 4		0 / 4			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: LifeSource Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE RICHMOND CENTER FOR FERTILITY AND ENDOCRINOLOGY RICHMOND, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	77%	Tubal factor	12%	Uterine factor	6%	Multiple Factors: Female factors only 9% Female & male factors 29%
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	18%	Male factor	63%	
Used gestational carrier	0%			Diminished ovarian reserve	23%	Other factor	8%	
				Endometriosis	7%	Unknown factor	5%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 141

Data verified by George F. Tidey, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	41	12	19	5	0	0
Percentage of cancellations	2.4	0 / 12	3 / 19	1 / 5		
Average number of embryos transferred	2.1	2.1	2.7	3.8		
Percentage of embryos transferred resulting in implantation	37.9	52.2	12.5	0 / 15		
Percentage of elective single embryo transfer (eSET)	3.1	1 / 11	0 / 11	0 / 4		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.8	6 / 12	2 / 19	0 / 5		
Percentage of cycles resulting in triplets or more live births	0.0	0 / 12	0 / 19	0 / 5		
Percentage of cycles resulting in live births	41.5	9 / 12	3 / 19	0 / 5		
Percentage of cycles resulting in pregnancy	41.5	9 / 12	4 / 19	1 / 5		
Outcomes per Transfer						
Number of transfers	32	11	12	4	0	0
Percentage of transfers resulting in singleton live births	34.4	6 / 11	2 / 12	0 / 4		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 11	0 / 12	0 / 4		
Percentage of transfers resulting in live births	53.1	9 / 11	3 / 12	0 / 4		
Percentage of transfers resulting in pregnancy	53.1	9 / 11	4 / 12	1 / 4		
Outcomes per Pregnancy						
Number of pregnancies	17	9	4	1	0	0
Percentage of pregnancies resulting in singleton live births	11 / 17	6 / 9	2 / 4	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 17	0 / 9	0 / 4	0 / 1		
Percentage of pregnancies resulting in live births	17 / 17	9 / 9	3 / 4	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	22	9	11	1	0	0
Number of transfers	22	9	9	1	0	0
Average number of embryos transferred	1.9	2.1	2.1	4.0		
Percentage of embryos transferred resulting in implantation	39.0	1 / 19	2 / 19	0 / 4		
Percentage of transfers resulting in singleton live births	9.1	1 / 9	2 / 9	0 / 1		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 9	0 / 9	0 / 1		
Percentage of transfers resulting in live births	36.4	1 / 9	2 / 9	0 / 1		
Percentage of transfers resulting in pregnancy	50.0	3 / 9	5 / 9	0 / 1		
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		6		15		
Number of transfers		6		13		
Average number of embryos transferred		1.7		2.0		
Percentage of embryos transferred resulting in implantation		3 / 10		46.2		
Percentage of transfers resulting in singleton live births		2 / 6		4 / 13		
Percentage of transfers resulting in live births		2 / 6		7 / 13		
Percentage of transfers resulting in pregnancy		3 / 6		9 / 13		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2011. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 52 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY CENTER FOR ADVANCED REPRODUCTIVE MEDICINE RICHMOND, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	88%	Tubal factor	31%	Uterine factor	0%	
Unstimulated	0%	Used PGD	13%	Ovulatory dysfunction	38%	Male factor	38%	
Used gestational carrier	0%			Diminished ovarian reserve	31%	Other factor	38%	
				Endometriosis	0%	Unknown factor	6%	
				Multiple Factors:				
				Female factors only				19%
				Female & male factors				38%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 16

Data verified by Richard S. Lucidi, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	4	2	1	1	0	0
Percentage of cancellations	0 / 4	0 / 2	0 / 1	0 / 1		
Average number of embryos transferred	1.8	2.0	3.0	5.0		
Percentage of embryos transferred resulting in implantation	5 / 7	0 / 2	0 / 3	0 / 5		
Percentage of elective single embryo transfer (eSET)	1 / 4	0 / 1	0 / 1	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	2 / 4	0 / 2	0 / 1	0 / 1		
Percentage of cycles resulting in triplets or more live births	0 / 4	0 / 2	0 / 1	0 / 1		
Percentage of cycles resulting in live births	3 / 4	0 / 2	0 / 1	0 / 1		
Percentage of cycles resulting in pregnancy	4 / 4	0 / 2	0 / 1	0 / 1		
Outcomes per Transfer						
Number of transfers	4	1	1	1	0	0
Percentage of transfers resulting in singleton live births	2 / 4	0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in live births	3 / 4	0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in pregnancy	4 / 4	0 / 1	0 / 1	0 / 1		
Outcomes per Pregnancy						
Number of pregnancies	4	0	0	0	0	0
Percentage of pregnancies resulting in singleton live births	2 / 4					
Percentage of pregnancies resulting in triplets or more live births	0 / 4					
Percentage of pregnancies resulting in live births	3 / 4					
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	2	0	0	0	0
Number of transfers	2	2	0	0	0	0
Average number of embryos transferred	1.5	2.0				
Percentage of embryos transferred resulting in implantation	1 / 3	1 / 4				
Percentage of transfers resulting in singleton live births	1 / 2	0 / 2				
Percentage of transfers resulting in triplets or more live births	0 / 2	0 / 2				
Percentage of transfers resulting in live births	1 / 2	0 / 2				
Percentage of transfers resulting in pregnancy	1 / 2	1 / 2				
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		1		0		
Number of transfers		1		0		
Average number of embryos transferred		1.0				
Percentage of embryos transferred resulting in implantation		0 / 1				
Percentage of transfers resulting in singleton live births		0 / 1				
Percentage of transfers resulting in live births		0 / 1				
Percentage of transfers resulting in pregnancy		0 / 1				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University Center for Advanced Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 3 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**THE BEACH CENTER FOR INFERTILITY, ENDOCRINOLOGY AND IVF
VIRGINIA BEACH, VIRGINIA**

This clinic provided ART services during 2011 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2011 ART cycle data or the clinic's Medical Director did not approve the clinic's 2011 ART cycle data for inclusion in this report.

THE NEW HOPE CENTER FOR REPRODUCTIVE MEDICINE VIRGINIA BEACH, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	85%	Tubal factor	26%	Uterine factor	10%	
Unstimulated	2%	Used PGD	10%	Ovulatory dysfunction	25%	Male factor	31%	
Used gestational carrier	3%			Diminished ovarian reserve	38%	Other factor	5%	
				Endometriosis	15%	Unknown factor	3%	
				Multiple Factors:				
				Female factors only				23%
				Female & male factors				20%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 257

Data verified by Robin L. Poe-Zeigler, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	85	33	22	6	3	1
Percentage of cancellations	1.2	3.0	9.1	0 / 6	1 / 3	1 / 1
Average number of embryos transferred	1.9	2.2	2.4	2.3	3.0	
Percentage of embryos transferred resulting in implantation	38.6	23.9	31.6	2 / 9	1 / 3	
Percentage of elective single embryo transfer (eSET)	5.8	7.4	0 / 14	0 / 4	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	22.4	15.2	18.2	2 / 6	1 / 3	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	3.0	4.5	0 / 6	0 / 3	0 / 1
Percentage of cycles resulting in live births	40.0	24.2	27.3	2 / 6	1 / 3	0 / 1
Percentage of cycles resulting in pregnancy	47.1	36.4	31.8	2 / 6	1 / 3	0 / 1
Outcomes per Transfer						
Number of transfers	74	30	16	4	1	0
Percentage of transfers resulting in singleton live births	25.7	16.7	4 / 16	2 / 4	1 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	3.3	1 / 16	0 / 4	0 / 1	
Percentage of transfers resulting in live births	45.9	26.7	6 / 16	2 / 4	1 / 1	
Percentage of transfers resulting in pregnancy	54.1	40.0	7 / 16	2 / 4	1 / 1	
Outcomes per Pregnancy						
Number of pregnancies	40	12	7	2	1	0
Percentage of pregnancies resulting in singleton live births	47.5	5 / 12	4 / 7	2 / 2	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	1 / 12	1 / 7	0 / 2	0 / 1	
Percentage of pregnancies resulting in live births	85.0	8 / 12	6 / 7	2 / 2	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	35	11	6	2	0	1
Number of transfers	34	7	6	2	0	1
Average number of embryos transferred	1.9	2.1	2.0	3.0		2.0
Percentage of embryos transferred resulting in implantation	27.3	4 / 15	4 / 12	0 / 6		0 / 2
Percentage of transfers resulting in singleton live births	26.5	2 / 7	0 / 6	0 / 2		0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 7	0 / 6	0 / 2		0 / 1
Percentage of transfers resulting in live births	32.4	2 / 7	1 / 6	0 / 2		0 / 1
Percentage of transfers resulting in pregnancy	50.0	3 / 7	4 / 6	1 / 2		0 / 1
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	19		33			
Number of transfers	19		32			
Average number of embryos transferred	2.2		2.0			
Percentage of embryos transferred resulting in implantation	39.0		30.8			
Percentage of transfers resulting in singleton live births	7 / 19		18.8			
Percentage of transfers resulting in live births	10 / 19		37.5			
Percentage of transfers resulting in pregnancy	12 / 19		50.0			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The New Hope Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 7 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FRANCISCO M. IRIANNI, MD WINCHESTER, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	60%	Tubal factor	25%	Uterine factor	0%
Unstimulated	0%	Used PGD	7%	Ovulatory dysfunction	10%	Male factor	45%
Used gestational carrier	0%			Diminished ovarian reserve	35%	Other factor	0%
				Endometriosis	5%	Unknown factor	20%
				Multiple Factors: Female factors only 0% Female & male factors 35%			

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 20

Data verified by Francisco M. Irianni, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	8	4	1	2	0	0
Percentage of cancellations	1 / 8	0 / 4	0 / 1	1 / 2		
Average number of embryos transferred	2.2	2.3	1.0			
Percentage of embryos transferred resulting in implantation	5 / 13	5 / 9	0 / 1			
Percentage of elective single embryo transfer (eSET)	0 / 6	0 / 3				
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	1 / 8	1 / 4	0 / 1	0 / 2		
Percentage of cycles resulting in triplets or more live births	0 / 8	1 / 4	0 / 1	0 / 2		
Percentage of cycles resulting in live births	3 / 8	2 / 4	0 / 1	0 / 2		
Percentage of cycles resulting in pregnancy	4 / 8	3 / 4	0 / 1	0 / 2		
Outcomes per Transfer						
Number of transfers	6	4	1	0	0	0
Percentage of transfers resulting in singleton live births	1 / 6	1 / 4	0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 6	1 / 4	0 / 1			
Percentage of transfers resulting in live births	3 / 6	2 / 4	0 / 1			
Percentage of transfers resulting in pregnancy	4 / 6	3 / 4	0 / 1			
Outcomes per Pregnancy						
Number of pregnancies	4	3	0	0	0	0
Percentage of pregnancies resulting in singleton live births	1 / 4	1 / 3				
Percentage of pregnancies resulting in triplets or more live births	0 / 4	1 / 3				
Percentage of pregnancies resulting in live births	3 / 4	2 / 3				
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	1	0	0	0	0
Number of transfers	2	1	0	0	0	0
Average number of embryos transferred	2.0	2.0				
Percentage of embryos transferred resulting in implantation	0 / 4	0 / 2				
Percentage of transfers resulting in singleton live births	0 / 2	0 / 1				
Percentage of transfers resulting in triplets or more live births	0 / 2	0 / 1				
Percentage of transfers resulting in live births	0 / 2	0 / 1				
Percentage of transfers resulting in pregnancy	0 / 2	0 / 1				
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	2		0			
Number of transfers	2		0			
Average number of embryos transferred	2.0					
Percentage of embryos transferred resulting in implantation	3 / 4					
Percentage of transfers resulting in singleton live births	1 / 2					
Percentage of transfers resulting in live births	2 / 2					
Percentage of transfers resulting in pregnancy	2 / 2					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Francisco M. Irianni, MD

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

OVERLAKE REPRODUCTIVE HEALTH, INC., PS BELLEVUE, WASHINGTON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	47%	Tubal factor	64%	Uterine factor	0%	
Unstimulated	0%	Used PGD	14%	Ovulatory dysfunction	59%	Male factor	50%	
Used gestational carrier	0%			Diminished ovarian reserve	78%	Other factor	<1%	
				Endometriosis	7%	Unknown factor	1%	
				Multiple Factors:				
				Female factors only				42%
				Female & male factors				48%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 139

Data verified by Kevin M. Johnson, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	44	20	26	3	5	3
Percentage of cancellations	2.3	5.0	7.7	0 / 3	0 / 5	2 / 3
Average number of embryos transferred	2.0	2.3	3.1	3.5	1.8	5.0
Percentage of embryos transferred resulting in implantation	37.2	36.1	22.4	0 / 7	0 / 7	0 / 5
Percentage of elective single embryo transfer (eSET)	8.3	0 / 12	0 / 17	0 / 2	0 / 2	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	20.5	40.0	11.5	0 / 3	0 / 5	0 / 3
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 3	0 / 5	0 / 3
Percentage of cycles resulting in live births	34.1	45.0	23.1	0 / 3	0 / 5	0 / 3
Percentage of cycles resulting in pregnancy	45.5	50.0	34.6	0 / 3	0 / 5	0 / 3
Outcomes per Transfer						
Number of transfers	40	16	19	2	4	1
Percentage of transfers resulting in singleton live births	22.5	8 / 16	3 / 19	0 / 2	0 / 4	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0 / 19	0 / 2	0 / 4	0 / 1
Percentage of transfers resulting in live births	37.5	9 / 16	6 / 19	0 / 2	0 / 4	0 / 1
Percentage of transfers resulting in pregnancy	50.0	10 / 16	9 / 19	0 / 2	0 / 4	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	20	10	9	0	0	0
Percentage of pregnancies resulting in singleton live births	45.0	8 / 10	3 / 9			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 10	0 / 9			
Percentage of pregnancies resulting in live births	75.0	9 / 10	6 / 9			
Frozen Embryos from Nondonor Eggs						
Number of cycles	16	2	4	0	0	0
Number of transfers	14	1	4	0	0	0
Average number of embryos transferred	1.8	1.0	1.8			
Percentage of embryos transferred resulting in implantation	44.0	1 / 1	0 / 7			
Percentage of transfers resulting in singleton live births	6 / 14	1 / 1	0 / 4			
Percentage of transfers resulting in triplets or more live births	0 / 14	0 / 1	0 / 4			
Percentage of transfers resulting in live births	8 / 14	1 / 1	0 / 4			
Percentage of transfers resulting in pregnancy	8 / 14	1 / 1	0 / 4			
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	9		7			
Number of transfers	9		6			
Average number of embryos transferred	1.9		1.8			
Percentage of embryos transferred resulting in implantation	9 / 17		3 / 11			
Percentage of transfers resulting in singleton live births	4 / 9		2 / 6			
Percentage of transfers resulting in live births	6 / 9		2 / 6			
Percentage of transfers resulting in pregnancy	7 / 9		3 / 6			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Overlake Reproductive Health, Inc., PS

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WASHINGTON CENTER FOR REPRODUCTIVE MEDICINE BELLEVUE, WASHINGTON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	72%	Tubal factor	9%	Uterine factor	4%	Multiple Factors: Female factors only 9% Female & male factors 3%
Unstimulated	0%	Used PGD	63%	Ovulatory dysfunction	2%	Male factor	16%	
Used gestational carrier	0%			Diminished ovarian reserve	24%	Other factor	52%	
				Endometriosis	2%	Unknown factor	4%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 153

Data verified by James I. Kustin, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	53	21	21	3	2	0
Percentage of cancellations	0.0	0.0	0.0	0 / 3	1 / 2	
Average number of embryos transferred	2.0	2.3	1.9	4.0	4.0	
Percentage of embryos transferred resulting in implantation	41.8	34.9	7.4	2 / 8	0 / 4	
Percentage of elective single embryo transfer (eSET)	5.0	0 / 15	0 / 9	0 / 2	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	20.8	33.3	0.0	1 / 3	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 3	0 / 2	
Percentage of cycles resulting in live births	37.7	42.9	4.8	1 / 3	0 / 2	
Percentage of cycles resulting in pregnancy	45.3	57.1	4.8	2 / 3	0 / 2	
Outcomes per Transfer						
Number of transfers	46	19	14	2	1	0
Percentage of transfers resulting in singleton live births	23.9	7 / 19	0 / 14	1 / 2	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 19	0 / 14	0 / 2	0 / 1	
Percentage of transfers resulting in live births	43.5	9 / 19	1 / 14	1 / 2	0 / 1	
Percentage of transfers resulting in pregnancy	52.2	12 / 19	1 / 14	2 / 2	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	24	12	1	2	0	0
Percentage of pregnancies resulting in singleton live births	45.8	7 / 12	0 / 1	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 12	0 / 1	0 / 2		
Percentage of pregnancies resulting in live births	83.3	9 / 12	1 / 1	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	15	7	4	1	0	0
Number of transfers	15	6	3	1	0	0
Average number of embryos transferred	2.3	2.2	2.0	2.0		
Percentage of embryos transferred resulting in implantation	42.9	2 / 13	0 / 6	0 / 2		
Percentage of transfers resulting in singleton live births	5 / 15	2 / 6	0 / 3	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 15	0 / 6	0 / 3	0 / 1		
Percentage of transfers resulting in live births	8 / 15	2 / 6	0 / 3	0 / 1		
Percentage of transfers resulting in pregnancy	10 / 15	2 / 6	0 / 3	0 / 1		
All Ages Combined^f						
Donor Eggs	Fresh Embryos			Frozen Embryos		
Number of cycles	17			9		
Number of transfers	13			9		
Average number of embryos transferred	2.2			2.2		
Percentage of embryos transferred resulting in implantation	53.6			25.0		
Percentage of transfers resulting in singleton live births	3 / 13			3 / 9		
Percentage of transfers resulting in live births	8 / 13			3 / 9		
Percentage of transfers resulting in pregnancy	9 / 13			4 / 9		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Washington Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BELLINGHAM IVF & FERTILITY CARE BELLINGHAM, WASHINGTON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	91%	Tubal factor	7%	Uterine factor	4%	Multiple Factors: Female factors only 6% Female & male factors 33%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	24%	Male factor	58%	
Used gestational carrier	0%			Diminished ovarian reserve	22%	Other factor	16%	
				Endometriosis	7%	Unknown factor	4%	

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 86

Data verified by Emmett Branigan, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	19	13	8	2	0	1
Percentage of cancellations	0 / 19	0 / 13	0 / 8	1 / 2		0 / 1
Average number of embryos transferred	2.1	2.2	2.5	2.0		1.0
Percentage of embryos transferred resulting in implantation	38.9	12.5	5.0	1 / 2		0 / 1
Percentage of elective single embryo transfer (eSET)	0 / 17	0 / 11	0 / 8	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	8 / 19	3 / 13	1 / 8	1 / 2		0 / 1
Percentage of cycles resulting in triplets or more live births	0 / 19	0 / 13	0 / 8	0 / 2		0 / 1
Percentage of cycles resulting in live births	11 / 19	3 / 13	1 / 8	1 / 2		0 / 1
Percentage of cycles resulting in pregnancy	12 / 19	4 / 13	1 / 8	1 / 2		0 / 1
Outcomes per Transfer						
Number of transfers	17	11	8	1	0	1
Percentage of transfers resulting in singleton live births	8 / 17	3 / 11	1 / 8	1 / 1		0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 17	0 / 11	0 / 8	0 / 1		0 / 1
Percentage of transfers resulting in live births	11 / 17	3 / 11	1 / 8	1 / 1		0 / 1
Percentage of transfers resulting in pregnancy	12 / 17	4 / 11	1 / 8	1 / 1		0 / 1
Outcomes per Pregnancy						
Number of pregnancies	12	4	1	1	0	0
Percentage of pregnancies resulting in singleton live births	8 / 12	3 / 4	1 / 1	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 12	0 / 4	0 / 1	0 / 1		
Percentage of pregnancies resulting in live births	11 / 12	3 / 4	1 / 1	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	12	6	3	0	0
Number of transfers	7	12	6	3	0	0
Average number of embryos transferred	2.3	2.0	2.3	2.3		
Percentage of embryos transferred resulting in implantation	2 / 16	16.7	0 / 14	0 / 7		
Percentage of transfers resulting in singleton live births	2 / 7	4 / 12	0 / 6	0 / 3		
Percentage of transfers resulting in triplets or more live births	0 / 7	0 / 12	0 / 6	0 / 3		
Percentage of transfers resulting in live births	2 / 7	4 / 12	0 / 6	0 / 3		
Percentage of transfers resulting in pregnancy	3 / 7	4 / 12	0 / 6	0 / 3		
All Ages Combined^f						
Donor Eggs	Fresh Embryos			Frozen Embryos		
Number of cycles	11			4		
Number of transfers	11			4		
Average number of embryos transferred	2.0			2.0		
Percentage of embryos transferred resulting in implantation	45.5			0 / 8		
Percentage of transfers resulting in singleton live births	6 / 11			0 / 4		
Percentage of transfers resulting in live births	8 / 11			0 / 4		
Percentage of transfers resulting in pregnancy	10 / 11			0 / 4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Bellingham IVF & Fertility Care

Donor egg?	Yes	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

OLYMPIA WOMEN'S HEALTH OLYMPIA, WASHINGTON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	0%	Tubal factor	15%	Uterine factor	0%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	5%	Male factor	0%
Used gestational carrier	0%			Diminished ovarian reserve	8%	Other factor	0%
				Endometriosis	31%	Unknown factor	42%
				Multiple Factors:			
						Female factors only	0%
						Female & male factors	0%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 65

Data verified by James F. Moruzzi, MD, PhD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	32	4	10	2	1	1
Percentage of cancellations	6.3	0 / 4	0 / 10	0 / 2	0 / 1	0 / 1
Average number of embryos transferred	1.9	1.8	2.4	2.0	2.0	2.0
Percentage of embryos transferred resulting in implantation	36.4	1 / 7	20.8	2 / 4	1 / 2	0 / 2
Percentage of elective single embryo transfer (eSET)	4.2	0 / 3	0 / 10	0 / 2	0 / 1	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.0	1 / 4	2 / 10	0 / 2	1 / 1	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0 / 4	0 / 10	0 / 2	0 / 1	0 / 1
Percentage of cycles resulting in live births	40.6	1 / 4	3 / 10	1 / 2	1 / 1	0 / 1
Percentage of cycles resulting in pregnancy	43.8	1 / 4	3 / 10	1 / 2	1 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	29	4	10	2	1	1
Percentage of transfers resulting in singleton live births	27.6	1 / 4	2 / 10	0 / 2	1 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 4	0 / 10	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in live births	44.8	1 / 4	3 / 10	1 / 2	1 / 1	0 / 1
Percentage of transfers resulting in pregnancy	48.3	1 / 4	3 / 10	1 / 2	1 / 1	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	14	1	3	1	1	0
Percentage of pregnancies resulting in singleton live births	8 / 14	1 / 1	2 / 3	0 / 1	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 14	0 / 1	0 / 3	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births	13 / 14	1 / 1	3 / 3	1 / 1	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	9	0	4	1	0	1
Number of transfers	9	0	4	1	0	1
Average number of embryos transferred	1.8		1.8	2.0		2.0
Percentage of embryos transferred resulting in implantation	3 / 16		1 / 7	1 / 2		1 / 2
Percentage of transfers resulting in singleton live births	3 / 9		1 / 4	1 / 1		1 / 1
Percentage of transfers resulting in triplets or more live births	0 / 9		0 / 4	0 / 1		0 / 1
Percentage of transfers resulting in live births	3 / 9		1 / 4	1 / 1		1 / 1
Percentage of transfers resulting in pregnancy	3 / 9		1 / 4	1 / 1		1 / 1
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	0		0			
Number of transfers	0		0			
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Olympia Women's Health

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PACIFIC NORTHWEST FERTILITY AND IVF SPECIALISTS SEATTLE, WASHINGTON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	94%	Tubal factor	3%	Uterine factor	3%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	6%	Male factor	26%
Used gestational carrier	<1%			Diminished ovarian reserve	43%	Other factor	26%
				Endometriosis	7%	Unknown factor	6%
				Multiple Factors: Female factors only 6% Female & male factors 11%			

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 649

Data verified by Lorna A. Marshall, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	81	44	59	29	13	3
Percentage of cancellations	2.5	4.5	6.8	0.0	1 / 13	0 / 3
Average number of embryos transferred	1.8	1.8	2.5	3.3	4.8	4.3
Percentage of embryos transferred resulting in implantation	35.7	33.3	22.1	8.2	1.7	0 / 13
Percentage of elective single embryo transfer (eSET)	23.7	25.0	0.0	0.0	0 / 12	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.9	22.7	23.7	13.8	1 / 13	0 / 3
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	3.4	0 / 13	0 / 3
Percentage of cycles resulting in live births	40.7	34.1	32.2	17.2	1 / 13	0 / 3
Percentage of cycles resulting in pregnancy	50.6	36.4	39.0	17.2	1 / 13	0 / 3
Outcomes per Transfer						
Number of transfers	78	39	54	29	12	3
Percentage of transfers resulting in singleton live births	32.1	25.6	25.9	13.8	1 / 12	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	3.4	0 / 12	0 / 3
Percentage of transfers resulting in live births	42.3	38.5	35.2	17.2	1 / 12	0 / 3
Percentage of transfers resulting in pregnancy	52.6	41.0	42.6	17.2	1 / 12	0 / 3
Outcomes per Pregnancy						
Number of pregnancies	41	16	23	5	1	0
Percentage of pregnancies resulting in singleton live births	61.0	10 / 16	60.9	4 / 5	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 16	0.0	1 / 5	0 / 1	
Percentage of pregnancies resulting in live births	80.5	15 / 16	82.6	5 / 5	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	79	61	54	24	1	2
Number of transfers	69	51	46	20	1	2
Average number of embryos transferred	1.7	1.7	1.8	1.6	2.0	1.0
Percentage of embryos transferred resulting in implantation	50.9	43.7	31.7	28.1	2 / 2	0 / 2
Percentage of transfers resulting in singleton live births	30.4	25.5	34.8	20.0	1 / 1	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	5.0	0 / 1	0 / 2
Percentage of transfers resulting in live births	52.2	41.2	43.5	25.0	1 / 1	0 / 2
Percentage of transfers resulting in pregnancy	63.8	58.8	47.8	30.0	1 / 1	0 / 2
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	71		128			
Number of transfers	67		122			
Average number of embryos transferred	1.5		1.5			
Percentage of embryos transferred resulting in implantation	67.6		43.9			
Percentage of transfers resulting in singleton live births	47.8		38.5			
Percentage of transfers resulting in live births	67.2		49.2			
Percentage of transfers resulting in pregnancy	76.1		58.2			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Pacific Northwest Fertility and IVF Specialists

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 50 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**SEATTLE REPRODUCTIVE MEDICINE
INTEGRATED AMERICA
SEATTLE, WASHINGTON**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	64%	Tubal factor	12%	Uterine factor	4%	
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	13%	Male factor	34%	
Used gestational carrier	<1%			Diminished ovarian reserve	34%	Other factor	9%	
				Endometriosis	10%	Unknown factor	11%	
				Multiple Factors:				
				Female factors only				9%
				Female & male factors				14%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 1720

Data verified by Lynn B. Davis, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	444	191	257	111	30	4
Percentage of cancellations	5.4	6.8	11.7	19.8	13.3	1 / 4
Average number of embryos transferred	1.6	1.8	2.2	2.7	2.9	2.7
Percentage of embryos transferred resulting in implantation	40.1	34.9	18.4	13.8	9.5	0 / 8
Percentage of elective single embryo transfer (eSET)	37.5	27.2	4.6	0.0	0.0	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	32.9	30.4	17.9	14.4	10.0	0 / 4
Percentage of cycles resulting in triplets or more live births	0.2	0.0	0.4	0.0	0.0	0 / 4
Percentage of cycles resulting in live births	41.9	37.7	21.8	17.1	13.3	0 / 4
Percentage of cycles resulting in pregnancy	46.2	46.1	29.6	23.4	23.3	0 / 4
Outcomes per Transfer						
Number of transfers	390	169	210	82	22	3
Percentage of transfers resulting in singleton live births	37.4	34.3	21.9	19.5	13.6	0 / 3
Percentage of transfers resulting in triplets or more live births	0.3	0.0	0.5	0.0	0.0	0 / 3
Percentage of transfers resulting in live births	47.7	42.6	26.7	23.2	18.2	0 / 3
Percentage of transfers resulting in pregnancy	52.6	52.1	36.2	31.7	31.8	0 / 3
Outcomes per Pregnancy						
Number of pregnancies	205	88	76	26	7	0
Percentage of pregnancies resulting in singleton live births	71.2	65.9	60.5	61.5	3 / 7	
Percentage of pregnancies resulting in triplets or more live births	0.5	0.0	1.3	0.0	0 / 7	
Percentage of pregnancies resulting in live births	90.7	81.8	73.7	73.1	4 / 7	
Frozen Embryos from Nondonor Eggs						
Number of cycles	168	78	73	23	5	5
Number of transfers	150	63	57	19	3	5
Average number of embryos transferred	1.6	1.5	1.4	1.5	2.3	1.4
Percentage of embryos transferred resulting in implantation	33.2	31.3	27.8	10.7	1 / 7	0 / 7
Percentage of transfers resulting in singleton live births	31.3	34.9	35.1	3 / 19	0 / 3	0 / 5
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 19	0 / 3	0 / 5
Percentage of transfers resulting in live births	39.3	38.1	35.1	3 / 19	0 / 3	0 / 5
Percentage of transfers resulting in pregnancy	46.0	46.0	40.4	4 / 19	1 / 3	0 / 5
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
	Number of cycles	234	97			
Number of transfers	217	88				
Average number of embryos transferred	1.6	1.8				
Percentage of embryos transferred resulting in implantation	54.5	27.9				
Percentage of transfers resulting in singleton live births	45.2	23.9				
Percentage of transfers resulting in live births	61.8	31.8				
Percentage of transfers resulting in pregnancy	71.0	46.6				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Seattle Reproductive Medicine, Integrated America

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY REPRODUCTIVE CARE
UNIVERSITY OF WASHINGTON
SEATTLE, WASHINGTON**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	87%	Tubal factor	7%	Uterine factor	0%	
Unstimulated	0%	Used PGD	11%	Ovulatory dysfunction	7%	Male factor	30%	
Used gestational carrier	0%			Diminished ovarian reserve	33%	Other factor	12%	
				Endometriosis	5%	Unknown factor	14%	
				Multiple Factors:				
				Female factors only				0%
				Female & male factors				7%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 43

Data verified by Paul W. Zarutskie, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	19	4	11	3	0	1
Percentage of cancellations	4 / 19	0 / 4	1 / 11	0 / 3		0 / 1
Average number of embryos transferred	1.8	1.7	2.4	2.0		
Percentage of embryos transferred resulting in implantation	38.1	1 / 5	1 / 19	2 / 6		
Percentage of elective single embryo transfer (eSET)	3 / 11	1 / 3	0 / 7	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	4 / 19	1 / 4	0 / 11	0 / 3		0 / 1
Percentage of cycles resulting in triplets or more live births	0 / 19	0 / 4	0 / 11	0 / 3		0 / 1
Percentage of cycles resulting in live births	6 / 19	1 / 4	0 / 11	1 / 3		0 / 1
Percentage of cycles resulting in pregnancy	7 / 19	1 / 4	1 / 11	1 / 3		0 / 1
Outcomes per Transfer						
Number of transfers	12	3	8	3	0	0
Percentage of transfers resulting in singleton live births	4 / 12	1 / 3	0 / 8	0 / 3		
Percentage of transfers resulting in triplets or more live births	0 / 12	0 / 3	0 / 8	0 / 3		
Percentage of transfers resulting in live births	6 / 12	1 / 3	0 / 8	1 / 3		
Percentage of transfers resulting in pregnancy	7 / 12	1 / 3	1 / 8	1 / 3		
Outcomes per Pregnancy						
Number of pregnancies	7	1	1	1	0	0
Percentage of pregnancies resulting in singleton live births	4 / 7	1 / 1	0 / 1	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 7	0 / 1	0 / 1	0 / 1		
Percentage of pregnancies resulting in live births	6 / 7	1 / 1	0 / 1	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	2	1	0	0	0
Number of transfers	1	1	1	0	0	0
Average number of embryos transferred	2.0	2.0	2.0			
Percentage of embryos transferred resulting in implantation	1 / 2	0 / 2	0 / 2			
Percentage of transfers resulting in singleton live births	1 / 1	0 / 1	0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 1	0 / 1	0 / 1			
Percentage of transfers resulting in live births	1 / 1	0 / 1	0 / 1			
Percentage of transfers resulting in pregnancy	1 / 1	0 / 1	0 / 1			

All Ages Combined^f

Donor Eggs	Fresh Embryos	Frozen Embryos
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation		
Percentage of transfers resulting in singleton live births		
Percentage of transfers resulting in live births		
Percentage of transfers resulting in pregnancy		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University Reproductive Care, University of Washington					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 3 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE CENTER FOR REPRODUCTIVE HEALTH SPOKANE, WASHINGTON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	100%	Tubal factor	9%	Uterine factor	1%	
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	16%	Male factor	69%	
Used gestational carrier	0%			Diminished ovarian reserve	21%	Other factor	20%	
				Endometriosis	10%	Unknown factor	4%	
				Multiple Factors:				
				Female factors only				10%
				Female & male factors				28%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 199

Data verified by Edwin Robins, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	38	5	1	1	0	0
Percentage of cancellations	0.0	0 / 5	0 / 1	0 / 1		
Average number of embryos transferred	1.9	1.8	2.0	3.0		
Percentage of embryos transferred resulting in implantation	68.1	8 / 9	2 / 2	2 / 3		
Percentage of elective single embryo transfer (eSET)	10.8	1 / 5	0 / 1	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	42.1	2 / 5	0 / 1	0 / 1		
Percentage of cycles resulting in triplets or more live births	0.0	1 / 5	0 / 1	0 / 1		
Percentage of cycles resulting in live births	78.9	4 / 5	1 / 1	1 / 1		
Percentage of cycles resulting in pregnancy	84.2	4 / 5	1 / 1	1 / 1		
Outcomes per Transfer						
Number of transfers	38	5	1	1	0	0
Percentage of transfers resulting in singleton live births	42.1	2 / 5	0 / 1	0 / 1		
Percentage of transfers resulting in triplets or more live births	0.0	1 / 5	0 / 1	0 / 1		
Percentage of transfers resulting in live births	78.9	4 / 5	1 / 1	1 / 1		
Percentage of transfers resulting in pregnancy	84.2	4 / 5	1 / 1	1 / 1		
Outcomes per Pregnancy						
Number of pregnancies	32	4	1	1	0	0
Percentage of pregnancies resulting in singleton live births	50.0	2 / 4	0 / 1	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0.0	1 / 4	0 / 1	0 / 1		
Percentage of pregnancies resulting in live births	93.8	4 / 4	1 / 1	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	69	39	22	2	1	0
Number of transfers	69	39	22	2	1	0
Average number of embryos transferred	1.9	1.8	1.6	1.5	2.0	
Percentage of embryos transferred resulting in implantation	29.9	21.1	40.0	1 / 3	1 / 2	
Percentage of transfers resulting in singleton live births	27.5	20.5	31.8	1 / 2	1 / 1	
Percentage of transfers resulting in triplets or more live births	1.4	0.0	0.0	0 / 2	0 / 1	
Percentage of transfers resulting in live births	39.1	25.6	31.8	1 / 2	1 / 1	
Percentage of transfers resulting in pregnancy	49.3	41.0	50.0	1 / 2	1 / 1	
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Number of cycles		8		13		
Number of transfers		6		13		
Average number of embryos transferred		1.8		1.8		
Percentage of embryos transferred resulting in implantation		8 / 11		30.4		
Percentage of transfers resulting in singleton live births		2 / 6		2 / 13		
Percentage of transfers resulting in live births		5 / 6		4 / 13		
Percentage of transfers resulting in pregnancy		5 / 6		5 / 13		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Center for Reproductive Health

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 127 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GYFT CLINIC, PLLC TACOMA, WASHINGTON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	54%	Tubal factor	25%	Uterine factor	2%
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	12%	Male factor	45%
Used gestational carrier	0%			Diminished ovarian reserve	22%	Other factor	2%
				Endometriosis	14%	Unknown factor	12%
				Multiple Factors:			
						Female factors only	12%
						Female & male factors	16%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 49

Data verified by Robert Z. McLees, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	14	11	7	1	2	0
Percentage of cancellations	0 / 14	2 / 11	0 / 7	0 / 1	0 / 2	
Average number of embryos transferred	2.2	3.6	4.2	4.0	3.0	
Percentage of embryos transferred resulting in implantation	32.3	18.8	12.0	0 / 4	0 / 6	
Percentage of elective single embryo transfer (eSET)	0 / 14	0 / 9	0 / 6	0 / 1	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	2 / 14	5 / 11	1 / 7	0 / 1	0 / 2	
Percentage of cycles resulting in triplets or more live births	0 / 14	0 / 11	0 / 7	0 / 1	0 / 2	
Percentage of cycles resulting in live births	5 / 14	5 / 11	1 / 7	0 / 1	0 / 2	
Percentage of cycles resulting in pregnancy	6 / 14	5 / 11	3 / 7	0 / 1	0 / 2	
Outcomes per Transfer						
Number of transfers	14	9	6	1	2	0
Percentage of transfers resulting in singleton live births	2 / 14	5 / 9	1 / 6	0 / 1	0 / 2	
Percentage of transfers resulting in triplets or more live births	0 / 14	0 / 9	0 / 6	0 / 1	0 / 2	
Percentage of transfers resulting in live births	5 / 14	5 / 9	1 / 6	0 / 1	0 / 2	
Percentage of transfers resulting in pregnancy	6 / 14	5 / 9	3 / 6	0 / 1	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	6	5	3	0	0	0
Percentage of pregnancies resulting in singleton live births	2 / 6	5 / 5	1 / 3			
Percentage of pregnancies resulting in triplets or more live births	0 / 6	0 / 5	0 / 3			
Percentage of pregnancies resulting in live births	5 / 6	5 / 5	1 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	2	2	1	0	0
Number of transfers	5	2	2	1	0	0
Average number of embryos transferred	2.4	2.0	2.5	2.0		
Percentage of embryos transferred resulting in implantation	2 / 12	3 / 4	1 / 5	0 / 2		
Percentage of transfers resulting in singleton live births	1 / 5	0 / 2	1 / 2	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 5	1 / 2	0 / 2	0 / 1		
Percentage of transfers resulting in live births	1 / 5	1 / 2	1 / 2	0 / 1		
Percentage of transfers resulting in pregnancy	2 / 5	1 / 2	1 / 2	0 / 1		
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		2		2		
Number of transfers		2		2		
Average number of embryos transferred		2.5		2.5		
Percentage of embryos transferred resulting in implantation		1 / 5		0 / 5		
Percentage of transfers resulting in singleton live births		1 / 2		0 / 2		
Percentage of transfers resulting in live births		1 / 2		0 / 2		
Percentage of transfers resulting in pregnancy		1 / 2		0 / 2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2011. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 52 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MADIGAN ARMY MEDICAL CENTER TACOMA, WASHINGTON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	64%	Tubal factor	26%	Uterine factor	6%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	8%	Male factor	48%
Used gestational carrier	0%			Diminished ovarian reserve	23%	Other factor	4%
				Endometriosis	9%	Unknown factor	8%
				Multiple Factors:			
						Female factors only	5%
						Female & male factors	24%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 131

Data verified by Greg E. Chow, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	47	26	27	16	1	0
Percentage of cancellations	12.8	15.4	33.3	4 / 16	0 / 1	
Average number of embryos transferred	1.8	1.9	2.2	2.6	1.0	
Percentage of embryos transferred resulting in implantation	43.1	30.0	18.4	16.1	2 / 1	
Percentage of elective single embryo transfer (eSET)	19.4	2 / 17	1 / 16	0 / 8		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.5	34.6	14.8	4 / 16	1 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 16	0 / 1	
Percentage of cycles resulting in live births	42.6	38.5	14.8	4 / 16	1 / 1	
Percentage of cycles resulting in pregnancy	51.1	46.2	22.2	4 / 16	1 / 1	
Outcomes per Transfer						
Number of transfers	40	21	17	12	1	0
Percentage of transfers resulting in singleton live births	30.0	42.9	4 / 17	4 / 12	1 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 17	0 / 12	0 / 1	
Percentage of transfers resulting in live births	50.0	47.6	4 / 17	4 / 12	1 / 1	
Percentage of transfers resulting in pregnancy	60.0	57.1	6 / 17	4 / 12	1 / 1	
Outcomes per Pregnancy						
Number of pregnancies	24	12	6	4	1	0
Percentage of pregnancies resulting in singleton live births	50.0	9 / 12	4 / 6	4 / 4	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 12	0 / 6	0 / 4	0 / 1	
Percentage of pregnancies resulting in live births	83.3	10 / 12	4 / 6	4 / 4	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	2	1	4	0	1
Number of transfers	6	2	1	3	0	1
Average number of embryos transferred	2.2	2.5	2.0	2.3		2.0
Percentage of embryos transferred resulting in implantation	3 / 13	1 / 5	0 / 2	3 / 7		0 / 2
Percentage of transfers resulting in singleton live births	3 / 6	1 / 2	0 / 1	1 / 3		0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 2	0 / 1	0 / 3		0 / 1
Percentage of transfers resulting in live births	3 / 6	1 / 2	0 / 1	2 / 3		0 / 1
Percentage of transfers resulting in pregnancy	3 / 6	1 / 2	1 / 1	2 / 3		0 / 1
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	0		0			
Number of transfers	0		0			
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Madigan Army Medical Center

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WEST VIRGINIA UNIVERSITY FERTILITY CENTER CHARLESTON, WEST VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	41%	Tubal factor	20%	Uterine factor	0%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	26%	Male factor	26%
Used gestational carrier	0%			Diminished ovarian reserve	34%	Other factor	0%
				Endometriosis	0%	Unknown factor	9%
				Multiple Factors:			
						Female factors only	3%
						Female & male factors	11%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 35

Data verified by Pickens A. Gantt, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	14	4	2	2	0	0
Percentage of cancellations	0 / 14	0 / 4	0 / 2	0 / 2		
Average number of embryos transferred	2.4	2.7	3.5	3.0		
Percentage of embryos transferred resulting in implantation	27.6	0 / 8	0 / 7	0 / 3		
Percentage of elective single embryo transfer (eSET)	0 / 12	0 / 3	0 / 2	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	4 / 14	0 / 4	0 / 2	0 / 2		
Percentage of cycles resulting in triplets or more live births	0 / 14	0 / 4	0 / 2	0 / 2		
Percentage of cycles resulting in live births	5 / 14	0 / 4	0 / 2	0 / 2		
Percentage of cycles resulting in pregnancy	7 / 14	0 / 4	0 / 2	0 / 2		
Outcomes per Transfer						
Number of transfers	12	3	2	1	0	0
Percentage of transfers resulting in singleton live births	4 / 12	0 / 3	0 / 2	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 12	0 / 3	0 / 2	0 / 1		
Percentage of transfers resulting in live births	5 / 12	0 / 3	0 / 2	0 / 1		
Percentage of transfers resulting in pregnancy	7 / 12	0 / 3	0 / 2	0 / 1		
Outcomes per Pregnancy						
Number of pregnancies	7	0	0	0	0	0
Percentage of pregnancies resulting in singleton live births	4 / 7					
Percentage of pregnancies resulting in triplets or more live births	0 / 7					
Percentage of pregnancies resulting in live births	5 / 7					
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	5	0	0	0	0
Number of transfers	6	5	0	0	0	0
Average number of embryos transferred	2.3	3.0				
Percentage of embryos transferred resulting in implantation	3 / 14	1 / 5				
Percentage of transfers resulting in singleton live births	3 / 6	1 / 5				
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 5				
Percentage of transfers resulting in live births	3 / 6	1 / 5				
Percentage of transfers resulting in pregnancy	3 / 6	1 / 5				
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
	Number of cycles	2	0			
	Number of transfers	2	0			
	Average number of embryos transferred	2.5				
	Percentage of embryos transferred resulting in implantation	3 / 5				
	Percentage of transfers resulting in singleton live births	1 / 2				
	Percentage of transfers resulting in live births	2 / 2				
Percentage of transfers resulting in pregnancy	2 / 2					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: West Virginia University Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**CABELL HUNTINGTON HOSPITAL
CENTER FOR ADVANCED REPRODUCTIVE MEDICINE
HUNTINGTON, WEST VIRGINIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	27%	Tubal factor	31%	Uterine factor	0%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	23%	Male factor	35%
Used gestational carrier	5%			Diminished ovarian reserve	0%	Other factor	15%
				Endometriosis	8%	Unknown factor	0%
				Multiple Factors:			
						Female factors only	4%
						Female & male factors	8%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 26

Data verified by William N. Burns, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	14	7	1	0	0	0
Percentage of cancellations	0 / 14	0 / 7	0 / 1			
Average number of embryos transferred	2.6	3.0	4.0			
Percentage of embryos transferred resulting in implantation	17.6	4 / 18	1 / 4			
Percentage of elective single embryo transfer (eSET)	0 / 12	0 / 6	0 / 1			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	4 / 14	1 / 7	0 / 1			
Percentage of cycles resulting in triplets or more live births	0 / 14	0 / 7	0 / 1			
Percentage of cycles resulting in live births	5 / 14	2 / 7	0 / 1			
Percentage of cycles resulting in pregnancy	5 / 14	3 / 7	1 / 1			
Outcomes per Transfer						
Number of transfers	13	6	1	0	0	0
Percentage of transfers resulting in singleton live births	4 / 13	1 / 6	0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 13	0 / 6	0 / 1			
Percentage of transfers resulting in live births	5 / 13	2 / 6	0 / 1			
Percentage of transfers resulting in pregnancy	5 / 13	3 / 6	1 / 1			
Outcomes per Pregnancy						
Number of pregnancies	5	3	1	0	0	0
Percentage of pregnancies resulting in singleton live births	4 / 5	1 / 3	0 / 1			
Percentage of pregnancies resulting in triplets or more live births	0 / 5	0 / 3	0 / 1			
Percentage of pregnancies resulting in live births	5 / 5	2 / 3	0 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	3	0	1	0	0	0
Number of transfers	3	0	1	0	0	0
Average number of embryos transferred	1.7		1.0			
Percentage of embryos transferred resulting in implantation	2 / 5		0 / 1			
Percentage of transfers resulting in singleton live births	1 / 3		0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 3		0 / 1			
Percentage of transfers resulting in live births	1 / 3		0 / 1			
Percentage of transfers resulting in pregnancy	2 / 3		0 / 1			
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	0		0			
Number of transfers	0		0			
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Cabell Huntington Hospital, Center for Advanced Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WEST VIRGINIA UNIVERSITY CENTER FOR REPRODUCTIVE MEDICINE MORGANTOWN, WEST VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	53%	Tubal factor	31%	Uterine factor	3%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	23%	Male factor	68%	
Used gestational carrier	0%			Diminished ovarian reserve	44%	Other factor	15%	
				Endometriosis	31%	Unknown factor	3%	
				Multiple Factors:				
				Female factors only				16%
				Female & male factors				65%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 62

Data verified by Roger C. Toffle, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	22	18	8	6	1	0
Percentage of cancellations	31.8	7 / 18	2 / 8	1 / 6	1 / 1	
Average number of embryos transferred	2.1	2.2	2.0	2.5		
Percentage of embryos transferred resulting in implantation	43.3	30.0	0 / 10	0 / 5		
Percentage of elective single embryo transfer (eSET)	0 / 13	0 / 8	0 / 4	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	18.2	2 / 18	0 / 8	0 / 6	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 18	0 / 8	0 / 6	0 / 1	
Percentage of cycles resulting in live births	36.4	4 / 18	0 / 8	0 / 6	0 / 1	
Percentage of cycles resulting in pregnancy	36.4	4 / 18	0 / 8	0 / 6	0 / 1	
Outcomes per Transfer						
Number of transfers	14	9	5	2	0	0
Percentage of transfers resulting in singleton live births	4 / 14	2 / 9	0 / 5	0 / 2		
Percentage of transfers resulting in triplets or more live births	0 / 14	0 / 9	0 / 5	0 / 2		
Percentage of transfers resulting in live births	8 / 14	4 / 9	0 / 5	0 / 2		
Percentage of transfers resulting in pregnancy	8 / 14	4 / 9	0 / 5	0 / 2		
Outcomes per Pregnancy						
Number of pregnancies	8	4	0	0	0	0
Percentage of pregnancies resulting in singleton live births	4 / 8	2 / 4				
Percentage of pregnancies resulting in triplets or more live births	0 / 8	0 / 4				
Percentage of pregnancies resulting in live births	8 / 8	4 / 4				
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	1	2	0	0	0
Number of transfers	3	1	2	0	0	0
Average number of embryos transferred	2.3	2.0	3.0			
Percentage of embryos transferred resulting in implantation	0 / 7	0 / 2	2 / 6			
Percentage of transfers resulting in singleton live births	0 / 3	0 / 1	0 / 2			
Percentage of transfers resulting in triplets or more live births	0 / 3	0 / 1	0 / 2			
Percentage of transfers resulting in live births	0 / 3	0 / 1	1 / 2			
Percentage of transfers resulting in pregnancy	0 / 3	0 / 1	1 / 2			

All Ages Combined^f

Donor Eggs	Fresh Embryos	Frozen Embryos
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation		
Percentage of transfers resulting in singleton live births		
Percentage of transfers resulting in live births		
Percentage of transfers resulting in pregnancy		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: West Virginia University Center for Reproductive Medicine

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

AURORA FERTILITY SERVICES-GREEN BAY
THE WOMEN'S CENTER AT AURORA BAYCARE MEDICAL CENTER
GREEN BAY, WISCONSIN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	98%	Tubal factor	16%	Uterine factor	12%	
Unstimulated	0%	Used PGD	6%	Ovulatory dysfunction	16%	Male factor	89%	
Used gestational carrier	<1%			Diminished ovarian reserve	9%	Other factor	19%	
				Endometriosis	5%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				2%
				Female & male factors				50%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 151

Data verified by Ellen C. Hayes, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	56	29	14	4	2	0
Percentage of cancellations	1.8	0.0	0 / 14	0 / 4	1 / 2	
Average number of embryos transferred	2.0	2.1	1.9	1.8	1.0	
Percentage of embryos transferred resulting in implantation	47.2	37.7	14.3	0 / 7	1 / 1	
Percentage of elective single embryo transfer (eSET)	3.8	4.2	1 / 10	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.8	34.5	2 / 14	0 / 4	1 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 14	0 / 4	0 / 2	
Percentage of cycles resulting in live births	51.8	41.4	2 / 14	0 / 4	1 / 2	
Percentage of cycles resulting in pregnancy	57.1	48.3	3 / 14	0 / 4	1 / 2	
Outcomes per Transfer						
Number of transfers	54	25	11	4	1	0
Percentage of transfers resulting in singleton live births	27.8	40.0	2 / 11	0 / 4	1 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 11	0 / 4	0 / 1	
Percentage of transfers resulting in live births	53.7	48.0	2 / 11	0 / 4	1 / 1	
Percentage of transfers resulting in pregnancy	59.3	56.0	3 / 11	0 / 4	1 / 1	
Outcomes per Pregnancy						
Number of pregnancies	32	14	3	0	1	0
Percentage of pregnancies resulting in singleton live births	46.9	10 / 14	2 / 3		1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 14	0 / 3		0 / 1	
Percentage of pregnancies resulting in live births	90.6	12 / 14	2 / 3		1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	27	9	4	1	0	0
Number of transfers	24	9	4	1	0	0
Average number of embryos transferred	2.1	2.0	1.3	1.0		
Percentage of embryos transferred resulting in implantation	32.0	2 / 18	1 / 5	0 / 1		
Percentage of transfers resulting in singleton live births	50.0	1 / 9	1 / 4	0 / 1		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 9	0 / 4	0 / 1		
Percentage of transfers resulting in live births	50.0	1 / 9	1 / 4	0 / 1		
Percentage of transfers resulting in pregnancy	58.3	2 / 9	1 / 4	0 / 1		
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Number of cycles		3		2		
Number of transfers		3		2		
Average number of embryos transferred		2.0		3.0		
Percentage of embryos transferred resulting in implantation		2 / 6		0 / 6		
Percentage of transfers resulting in singleton live births		2 / 3		0 / 2		
Percentage of transfers resulting in live births		2 / 3		0 / 2		
Percentage of transfers resulting in pregnancy		2 / 3		0 / 2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2011. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 52 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GUNDERSEN LUTHERAN FERTILITY CENTER LA CROSSE, WISCONSIN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	89%	Tubal factor	18%	Uterine factor	20%
Unstimulated	0%	Used PGD	15%	Ovulatory dysfunction	27%	Male factor	51%
Used gestational carrier	4%			Diminished ovarian reserve	20%	Other factor	31%
				Endometriosis	39%	Unknown factor	0%
				Multiple Factors:			
						Female factors only	28%
						Female & male factors	39%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 71

Data verified by Catherine R. Ryan, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	27	6	13	1	0	0
Percentage of cancellations	0.0	1 / 6	3 / 13	0 / 1		
Average number of embryos transferred	1.7	2.3	2.1	3.0		
Percentage of embryos transferred resulting in implantation	32.5	3 / 9	2 / 17	0 / 3		
Percentage of elective single embryo transfer (eSET)	33.3	0 / 4	0 / 4	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	29.6	0 / 6	2 / 13	0 / 1		
Percentage of cycles resulting in triplets or more live births	0.0	0 / 6	0 / 13	0 / 1		
Percentage of cycles resulting in live births	37.0	1 / 6	2 / 13	0 / 1		
Percentage of cycles resulting in pregnancy	37.0	1 / 6	2 / 13	0 / 1		
Outcomes per Transfer						
Number of transfers	23	4	8	1	0	0
Percentage of transfers resulting in singleton live births	34.8	0 / 4	2 / 8	0 / 1		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 4	0 / 8	0 / 1		
Percentage of transfers resulting in live births	43.5	1 / 4	2 / 8	0 / 1		
Percentage of transfers resulting in pregnancy	43.5	1 / 4	2 / 8	0 / 1		
Outcomes per Pregnancy						
Number of pregnancies	10	1	2	0	0	0
Percentage of pregnancies resulting in singleton live births	8 / 10	0 / 1	2 / 2			
Percentage of pregnancies resulting in triplets or more live births	0 / 10	0 / 1	0 / 2			
Percentage of pregnancies resulting in live births	10 / 10	1 / 1	2 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	15	2	0	0	0	0
Number of transfers	14	2	0	0	0	0
Average number of embryos transferred	2.3	2.0				
Percentage of embryos transferred resulting in implantation	21.9	0 / 4				
Percentage of transfers resulting in singleton live births	3 / 14	0 / 2				
Percentage of transfers resulting in triplets or more live births	0 / 14	0 / 2				
Percentage of transfers resulting in live births	5 / 14	0 / 2				
Percentage of transfers resulting in pregnancy	6 / 14	0 / 2				
All Ages Combined^f						
	Fresh Embryos		Frozen Embryos			
Number of cycles	4		3			
Number of transfers	2		3			
Average number of embryos transferred	1.0		1.7			
Percentage of embryos transferred resulting in implantation	1 / 2		0 / 5			
Percentage of transfers resulting in singleton live births	1 / 2		0 / 3			
Percentage of transfers resulting in live births	1 / 2		0 / 3			
Percentage of transfers resulting in pregnancy	1 / 2		0 / 3			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2011. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 52 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF WISCONSIN-GENERATIONS FERTILITY CARE MIDDLETON, WISCONSIN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	61%	Tubal factor	10%	Uterine factor	5%
Unstimulated	0%	Used PGD	5%	Ovulatory dysfunction	19%	Male factor	57%
Used gestational carrier	0%			Diminished ovarian reserve	7%	Other factor	8%
				Endometriosis	7%	Unknown factor	14%
				Multiple Factors:			
						Female factors only	5%
						Female & male factors	19%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 108

Data verified by Dan I. Lebovic, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	60	13	10	3	0	0
Percentage of cancellations	8.3	3 / 13	3 / 10	0 / 3		
Average number of embryos transferred	1.7	2.2	2.5	2.3		
Percentage of embryos transferred resulting in implantation	36.2	31.8	3 / 15	3 / 7		
Percentage of elective single embryo transfer (eSET)	30.2	0 / 10	0 / 6	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.0	5 / 13	1 / 10	0 / 3		
Percentage of cycles resulting in triplets or more live births	0.0	0 / 13	0 / 10	0 / 3		
Percentage of cycles resulting in live births	41.7	6 / 13	2 / 10	1 / 3		
Percentage of cycles resulting in pregnancy	48.3	6 / 13	2 / 10	2 / 3		
Outcomes per Transfer						
Number of transfers	54	10	6	3	0	0
Percentage of transfers resulting in singleton live births	33.3	5 / 10	1 / 6	0 / 3		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 10	0 / 6	0 / 3		
Percentage of transfers resulting in live births	46.3	6 / 10	2 / 6	1 / 3		
Percentage of transfers resulting in pregnancy	53.7	6 / 10	2 / 6	2 / 3		
Outcomes per Pregnancy						
Number of pregnancies	29	6	2	2	0	0
Percentage of pregnancies resulting in singleton live births	62.1	5 / 6	1 / 2	0 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 6	0 / 2	0 / 2		
Percentage of pregnancies resulting in live births	86.2	6 / 6	2 / 2	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	15	3	3	0	0	0
Number of transfers	15	3	3	0	0	0
Average number of embryos transferred	2.1	2.3	2.0			
Percentage of embryos transferred resulting in implantation	18.8	1 / 7	1 / 6			
Percentage of transfers resulting in singleton live births	2 / 15	1 / 3	1 / 3			
Percentage of transfers resulting in triplets or more live births	0 / 15	0 / 3	0 / 3			
Percentage of transfers resulting in live births	3 / 15	1 / 3	1 / 3			
Percentage of transfers resulting in pregnancy	5 / 15	1 / 3	1 / 3			
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		0		1		
Number of transfers		0		1		
Average number of embryos transferred				1.0		
Percentage of embryos transferred resulting in implantation				0 / 1		
Percentage of transfers resulting in singleton live births				0 / 1		
Percentage of transfers resulting in live births				0 / 1		
Percentage of transfers resulting in pregnancy				0 / 1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University of Wisconsin-Generations Fertility Care

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WISCONSIN FERTILITY INSTITUTE MIDDLETON, WISCONSIN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	82%	Tubal factor	8%	Uterine factor	5%	
Unstimulated	2%	Used PGD	10%	Ovulatory dysfunction	16%	Male factor	29%	
Used gestational carrier	3%			Diminished ovarian reserve	46%	Other factor	11%	
				Endometriosis	4%	Unknown factor	8%	
				Multiple Factors:				
				Female factors only				7%
				Female & male factors				20%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 256

Data verified by David L. Olive, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	58	18	26	15	2	0
Percentage of cancellations	8.6	0 / 18	15.4	6 / 15	0 / 2	
Average number of embryos transferred	2.4	2.9	2.4	3.3	6.5	
Percentage of embryos transferred resulting in implantation	17.9	15.2	22.7	3.3	0 / 13	
Percentage of elective single embryo transfer (eSET)	2.2	1 / 16	0 / 14	0 / 8	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	19.0	3 / 18	7.7	1 / 15	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 18	0.0	0 / 15	0 / 2	
Percentage of cycles resulting in live births	22.4	4 / 18	19.2	1 / 15	0 / 2	
Percentage of cycles resulting in pregnancy	32.8	4 / 18	30.8	1 / 15	0 / 2	
Outcomes per Transfer						
Number of transfers	45	16	18	9	2	0
Percentage of transfers resulting in singleton live births	24.4	3 / 16	2 / 18	1 / 9	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0 / 18	0 / 9	0 / 2	
Percentage of transfers resulting in live births	28.9	4 / 16	5 / 18	1 / 9	0 / 2	
Percentage of transfers resulting in pregnancy	42.2	4 / 16	8 / 18	1 / 9	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	19	4	8	1	0	0
Percentage of pregnancies resulting in singleton live births	11 / 19	3 / 4	2 / 8	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 19	0 / 4	0 / 8	0 / 1		
Percentage of pregnancies resulting in live births	13 / 19	4 / 4	5 / 8	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	41	15	12	4	0	2
Number of transfers	39	15	12	4	0	2
Average number of embryos transferred	2.4	2.1	1.8	2.3		4.0
Percentage of embryos transferred resulting in implantation	16.8	18.8	9.1	0 / 9		0 / 8
Percentage of transfers resulting in singleton live births	20.5	0 / 15	2 / 12	0 / 4		0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0 / 15	0 / 12	0 / 4		0 / 2
Percentage of transfers resulting in live births	28.2	2 / 15	2 / 12	0 / 4		0 / 2
Percentage of transfers resulting in pregnancy	35.9	3 / 15	2 / 12	0 / 4		0 / 2
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		29		34		
Number of transfers		24		31		
Average number of embryos transferred		2.1		2.1		
Percentage of embryos transferred resulting in implantation		49.0		3.0		
Percentage of transfers resulting in singleton live births		25.0		6.5		
Percentage of transfers resulting in live births		45.8		6.5		
Percentage of transfers resulting in pregnancy		66.7		6.5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Wisconsin Fertility Institute

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 3 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**FROEDTERT & MEDICAL COLLEGE OF WISCONSIN
REPRODUCTIVE MEDICINE CENTER
MILWAUKEE, WISCONSIN**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	95%	Tubal factor	13%	Uterine factor	2%
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	19%	Male factor	42%
Used gestational carrier	0%			Diminished ovarian reserve	28%	Other factor	3%
				Endometriosis	3%	Unknown factor	15%
				Multiple Factors:			
						Female factors only	10%
						Female & male factors	15%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 313

Data verified by Estil Strawn, Jr., MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	114	36	39	12	2	0
Percentage of cancellations	3.5	5.6	7.7	0 / 12	0 / 2	
Average number of embryos transferred	1.6	1.9	2.3	2.9	3.5	
Percentage of embryos transferred resulting in implantation	36.8	27.6	20.8	9.4	1 / 7	
Percentage of elective single embryo transfer (eSET)	35.8	17.9	0.0	0 / 10	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	36.0	27.8	10.3	3 / 12	1 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	2.6	0 / 12	0 / 2	
Percentage of cycles resulting in live births	42.1	33.3	20.5	3 / 12	1 / 2	
Percentage of cycles resulting in pregnancy	45.6	36.1	25.6	3 / 12	1 / 2	
Outcomes per Transfer						
Number of transfers	99	31	33	11	2	0
Percentage of transfers resulting in singleton live births	41.4	32.3	12.1	3 / 11	1 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	3.0	0 / 11	0 / 2	
Percentage of transfers resulting in live births	48.5	38.7	24.2	3 / 11	1 / 2	
Percentage of transfers resulting in pregnancy	52.5	41.9	30.3	3 / 11	1 / 2	
Outcomes per Pregnancy						
Number of pregnancies	52	13	10	3	1	0
Percentage of pregnancies resulting in singleton live births	78.8	10 / 13	4 / 10	3 / 3	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 13	1 / 10	0 / 3	0 / 1	
Percentage of pregnancies resulting in live births	92.3	12 / 13	8 / 10	3 / 3	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	47	19	12	1	2	0
Number of transfers	41	18	10	1	2	0
Average number of embryos transferred	1.9	2.0	2.1	2.0	2.0	
Percentage of embryos transferred resulting in implantation	32.1	36.1	28.6	0 / 2	1 / 4	
Percentage of transfers resulting in singleton live births	26.8	3 / 18	3 / 10	0 / 1	1 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 18	0 / 10	0 / 1	0 / 2	
Percentage of transfers resulting in live births	36.6	6 / 18	4 / 10	0 / 1	1 / 2	
Percentage of transfers resulting in pregnancy	46.3	10 / 18	5 / 10	0 / 1	1 / 2	
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	20		9			
Number of transfers	19		9			
Average number of embryos transferred	1.5		1.9			
Percentage of embryos transferred resulting in implantation	34.5		3 / 17			
Percentage of transfers resulting in singleton live births	7 / 19		3 / 9			
Percentage of transfers resulting in live births	8 / 19		3 / 9			
Percentage of transfers resulting in pregnancy	9 / 19		3 / 9			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Froedtert & Medical College of Wisconsin, Reproductive Medicine Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number excludes 3 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**REPRODUCTIVE SPECIALTY CENTER
IVF COLUMBIA
MILWAUKEE, WISCONSIN**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	61%	Tubal factor	18%	Uterine factor	12%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	0%	Male factor	72%
Used gestational carrier	0%			Diminished ovarian reserve	23%	Other factor	0%
				Endometriosis	23%	Unknown factor	4%
				Multiple Factors: Female factors only 9% Female & male factors 32%			

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table: ^e 57

Data verified by Grace M. Janik, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	14	10	9	3	2	0
Percentage of cancellations	0 / 14	0 / 10	2 / 9	1 / 3	0 / 2	
Average number of embryos transferred	2.1	2.1	1.8	3.0	4.0	
Percentage of embryos transferred resulting in implantation	36.0	23.8	2 / 7	0 / 6	0 / 4	
Percentage of elective single embryo transfer (eSET)	1 / 12	0 / 9	0 / 3	0 / 2	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	3 / 14	3 / 10	0 / 9	0 / 3	0 / 2	
Percentage of cycles resulting in triplets or more live births	0 / 14	0 / 10	0 / 9	0 / 3	0 / 2	
Percentage of cycles resulting in live births	5 / 14	4 / 10	0 / 9	0 / 3	0 / 2	
Percentage of cycles resulting in pregnancy	7 / 14	5 / 10	1 / 9	0 / 3	0 / 2	
Outcomes per Transfer						
Number of transfers	12	10	4	2	1	0
Percentage of transfers resulting in singleton live births	3 / 12	3 / 10	0 / 4	0 / 2	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 12	0 / 10	0 / 4	0 / 2	0 / 1	
Percentage of transfers resulting in live births	5 / 12	4 / 10	0 / 4	0 / 2	0 / 1	
Percentage of transfers resulting in pregnancy	7 / 12	5 / 10	1 / 4	0 / 2	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	7	5	1	0	0	0
Percentage of pregnancies resulting in singleton live births	3 / 7	3 / 5	0 / 1			
Percentage of pregnancies resulting in triplets or more live births	0 / 7	0 / 5	0 / 1			
Percentage of pregnancies resulting in live births	5 / 7	4 / 5	0 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	9	5	1	0	0
Number of transfers	2	8	5	1	0	0
Average number of embryos transferred	2.5	1.8	2.6	3.0		
Percentage of embryos transferred resulting in implantation	2 / 5	3 / 14	4 / 13	2 / 3		
Percentage of transfers resulting in singleton live births	2 / 2	3 / 8	1 / 5	1 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 2	0 / 8	0 / 5	0 / 1		
Percentage of transfers resulting in live births	2 / 2	3 / 8	2 / 5	1 / 1		
Percentage of transfers resulting in pregnancy	2 / 2	3 / 8	2 / 5	1 / 1		
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			2		0	
Number of transfers			1		0	
Average number of embryos transferred			1.0			
Percentage of embryos transferred resulting in implantation			1 / 1			
Percentage of transfers resulting in singleton live births			1 / 1			
Percentage of transfers resulting in live births			1 / 1			
Percentage of transfers resulting in pregnancy			1 / 1			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Specialty Center, IVF Columbia

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

AURORA HEALTH CARE-AURORA FERTILITY SERVICES, WEST ALLIS WEST ALLIS, WISCONSIN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	92%	Tubal factor	16%	Uterine factor	7%	
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	21%	Male factor	69%	
Used gestational carrier	0%			Diminished ovarian reserve	39%	Other factor	22%	
				Endometriosis	7%	Unknown factor	5%	
				Multiple Factors:				
				Female factors only				12%
				Female & male factors				57%

2011 ART SUCCESS RATES^{c,d}

Number of cycles in table:^e 152

Data verified by Ellen C. Hayes, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	57	21	23	9	3	0
Percentage of cancellations	3.5	0.0	17.4	2 / 9	0 / 3	
Average number of embryos transferred	2.0	2.3	2.2	2.2	2.7	
Percentage of embryos transferred resulting in implantation	47.1	35.6	11.4	3 / 11	0 / 8	
Percentage of elective single embryo transfer (eSET)	0.0	0.0	0 / 13	0 / 3	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	24.6	47.6	13.0	1 / 9	0 / 3	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 9	0 / 3	
Percentage of cycles resulting in live births	49.1	52.4	13.0	2 / 9	0 / 3	
Percentage of cycles resulting in pregnancy	56.1	61.9	26.1	2 / 9	0 / 3	
Outcomes per Transfer						
Number of transfers	50	20	16	5	3	0
Percentage of transfers resulting in singleton live births	28.0	50.0	3 / 16	1 / 5	0 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 16	0 / 5	0 / 3	
Percentage of transfers resulting in live births	56.0	55.0	3 / 16	2 / 5	0 / 3	
Percentage of transfers resulting in pregnancy	64.0	65.0	6 / 16	2 / 5	0 / 3	
Outcomes per Pregnancy						
Number of pregnancies	32	13	6	2	0	0
Percentage of pregnancies resulting in singleton live births	43.8	10 / 13	3 / 6	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 13	0 / 6	0 / 2		
Percentage of pregnancies resulting in live births	87.5	11 / 13	3 / 6	2 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	13	3	8	3	1	0
Number of transfers	11	3	7	3	0	0
Average number of embryos transferred	1.8	2.0	1.9	1.7		
Percentage of embryos transferred resulting in implantation	35.0	2 / 6	2 / 13	0 / 5		
Percentage of transfers resulting in singleton live births	3 / 11	0 / 3	0 / 7	0 / 3		
Percentage of transfers resulting in triplets or more live births	0 / 11	0 / 3	0 / 7	0 / 3		
Percentage of transfers resulting in live births	4 / 11	1 / 3	0 / 7	0 / 3		
Percentage of transfers resulting in pregnancy	7 / 11	2 / 3	2 / 7	0 / 3		
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Number of cycles		10		1		
Number of transfers		10		1		
Average number of embryos transferred		1.9		2.0		
Percentage of embryos transferred resulting in implantation		10 / 19		0 / 2		
Percentage of transfers resulting in singleton live births		3 / 10		0 / 1		
Percentage of transfers resulting in live births		5 / 10		0 / 1		
Percentage of transfers resulting in pregnancy		6 / 10		0 / 1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2011. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.


^e Number excludes 52 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

2011

Appendix A

Technical Notes



APPENDIX A: TECHNICAL NOTES

Validation of 2011 ART Data

Site visits to assisted reproductive technology (ART) clinics for validation of 2011 ART data were conducted during April through June 2013. For validation of 2011 data, 35 of the 451 reporting clinics were randomly selected after taking into consideration the number of ART procedures performed at each clinic, some cycle and clinic characteristics, and whether the clinic had been selected before. During each validation visit, ART data reported by the clinic to the Centers for Disease Control and Prevention were compared with information documented in medical records.


For each clinic, the fully validated sample included up to 40 ART cycles resulting in pregnancy and up to 20 ART cycles not resulting in pregnancy. In total, 2,059 ART cycles performed in 2011 across the 35 clinics were randomly selected for full validation, along with 191 embryo banking cycles. The full validation included review of 1,324 cycles for which a pregnancy was reported, of which 393 were multiple-fetus pregnancies. In addition, among patients whose cycles were validated, we verified the number of ART cycles performed during 2011. For each of these patients, we compared the total number of ART cycles reported with the total number of ART cycles included in the medical record. If unreported cycles were identified in selected medical records, up to 10 of these cycles were also selected for partial validation.

Findings and discrepancy rates from the 2011 validation visits will be available later this year.

2011

Appendix B

Glossary of Terms



APPENDIX B: GLOSSARY OF TERMS

Adverse outcome. A pregnancy that does not result in a live birth. The adverse outcomes reported for ART procedures are miscarriages, induced abortions, and stillbirths.

American Society for Reproductive Medicine (ASRM). Professional society whose affiliate organization, the Society for Assisted Reproductive Technology (SART), is composed of clinics and programs that provide ART.

ART (assisted reproductive technology). All treatments or procedures that involve surgically removing eggs from a woman's ovaries and combining the eggs with sperm to help a woman become pregnant. The types of ART are in vitro fertilization (IVF), gamete intrafallopian transfer (GIFT), and zygote intrafallopian transfer (ZIFT).

ART cycle. A process in which (1) an ART procedure is performed, (2) a woman has undergone ovarian stimulation or monitoring with the intent of having an ART procedure, or (3) frozen embryos have been thawed with the intent of transferring them to a woman. A cycle begins when a woman begins taking fertility drugs or having her ovaries monitored for follicle production.

Canceled cycle. An ART cycle in which ovarian stimulation was performed but was stopped before eggs were retrieved or, in the case of frozen embryo cycles, before embryos were transferred. Cycles are canceled for many reasons: eggs may not develop, the patient may become ill, or the patient may choose to stop treatment.

Combination cycle. A cycle that uses more than one ART procedure. Combination cycles usually involve IVF plus either GIFT or ZIFT.

Cryopreservation. The practice of freezing extra embryos from a patient's ART cycle for potential future use.

Diminished ovarian reserve. This diagnosis means that the ability of the ovary to produce eggs is reduced. Reasons include congenital, medical, or surgical causes or advanced age.

Donor egg cycle. An embryo is formed from the egg of one woman (the donor) and then transferred to another woman (the recipient). The donor relinquishes all parental rights to any resulting offspring.

Donor embryo. An embryo that is donated by a patient who previously underwent ART treatment and had extra embryos available.

Ectopic pregnancy. A pregnancy in which the fertilized egg implants in a location outside of the uterus—usually in the fallopian tube, the ovary, or the abdominal cavity. Ectopic pregnancy is a dangerous condition that must receive prompt medical treatment.

Egg. A female reproductive cell, also called an oocyte or ovum.

Egg retrieval (also called oocyte retrieval). A procedure to collect the eggs contained in the ovarian follicles.

Egg transfer (also called oocyte transfer). The transfer of retrieved eggs into a woman's fallopian tubes through laparoscopy. This procedure is used only in GIFT.

Embryo. An egg that has been fertilized by a sperm and has undergone one or more divisions.

Embryo transfer. Placement of embryos into a woman's uterus through the cervix after IVF: in ZIFT, the embryos are placed in a woman's fallopian tube.

Endometriosis. A medical condition that involves the presence of tissue similar to the uterine lining in abnormal locations. This condition can affect both fertilization of the egg and embryo implantation.

eSET (elective single-embryo transfer). Elective single-embryo transfer is a procedure in which one embryo, selected from a larger number of available embryos, is placed in the uterus or fallopian tube. The embryo selected for eSET might be from a previous IVF cycle (i.e., cryopreserved embryos [frozen]) or from the current fresh IVF cycle that yielded more than one embryo. The remaining embryos may be set aside for future use or cryopreservation.

Fertility Clinic Success Rate and Certification Act of 1992 (FCSRCA). Law passed by the United States Congress in 1992 requiring all clinics performing ART in the United States to annually report their success rate data to the Centers for Disease Control and Prevention.

Fertilization. The penetration of the egg by the sperm and the resulting combining of genetic material that develops into an embryo.

Fetus. The unborn offspring from the eighth week after conception to the moment of birth.

Follicle. A structure in the ovaries that contains a developing egg.

Fresh eggs, sperm, or embryos. Eggs, sperm, or embryos that have not been frozen. Fresh embryos, however, may have been conceived using either fresh or frozen sperm.

Frozen embryo cycle. An ART cycle in which frozen (cryopreserved) embryos are thawed and transferred to the woman.

Gamete. A reproductive cell, either a sperm or an egg.

Gestation. The period of time from conception to birth.

Gestational carrier (also called a gestational surrogate). A woman who gestates, or carries, an embryo that was formed from the egg of another woman. The gestational carrier usually has a contractual obligation to return the infant to its intended parents.

Gestational sac. A fluid-filled structure that develops within the uterus early in pregnancy. In a normal pregnancy, a gestational sac contains a developing fetus.

GIFT (gamete intrafallopian transfer). An ART procedure that involves removing eggs from the woman's ovary, combining them with sperm, and using a laparoscope to place the unfertilized eggs and sperm into the woman's fallopian tube through small incisions in her abdomen.

ICSI (intracytoplasmic sperm injection). A procedure in which a single sperm is injected directly into an egg; this procedure is commonly used to overcome male infertility problems.

Implantation rate. A measurement of ART success when the ART cycle results in an intrauterine clinical pregnancy, defined as the larger of either the number of maximum fetal hearts by ultrasound or maximum infants born, including live births and stillbirths, out of the total number of embryos transferred.

Induced or therapeutic abortion. A surgical or other medical procedure used to end a pregnancy.

IUI (intrauterine insemination). A medical procedure that involves placing sperm into a woman's uterus to facilitate fertilization. IUI is not considered an ART procedure because it does not involve the manipulation of eggs.

IVF (in vitro fertilization). An ART procedure that involves removing eggs from a woman's ovaries and fertilizing them outside her body. The resulting embryos are then transferred into a woman's uterus through the cervix.

Laparoscopy. A surgical procedure in which a fiber-optic instrument (a laparoscope) is inserted through a small incision in the abdomen to view the inside of the pelvis.

Live birth. The delivery of one or more infants with any signs of life.

Male factor. Any cause of infertility due to low sperm count or problems with sperm function that makes it difficult for a sperm to fertilize an egg under normal conditions.

Miscarriage (also called spontaneous abortion). A pregnancy ending in the spontaneous loss of the embryo or fetus before 20 weeks of gestation, or before 18 weeks from the date of transfer if the pregnancy was achieved using ART.

Multifetal pregnancy reduction. A procedure used to decrease the number of fetuses a woman carries and improve the chances that the remaining fetuses will develop into healthy infants. Multifetal reductions that occur naturally are referred to as spontaneous reductions.

Multiple factors, female and male. A diagnostic category used when one or more female cause and male factor infertility are diagnosed.

Multiple factors, female only. A diagnostic category used when more than one female cause of infertility is diagnosed.

Multiple-fetus pregnancy. A pregnancy with two or more fetuses, determined by the number of fetal hearts observed on an ultrasound performed early in pregnancy (usually in the first trimester).

Multiple-infant birth. A pregnancy that results in the birth of more than one infant.

NASS (National ART Surveillance System). Web-based data collection system used by all ART clinics to report data for each ART procedure to CDC.

Oocyte. The female reproductive cell, also called an egg.

Oocyte/Embryo banking cycle. An ART cycle started with the intention of cryopreserving (freezing) all resulting oocytes/embryos for potential future use.

Other causes of infertility. These include immunological problems, chromosomal abnormalities, cancer chemotherapy, and serious illnesses.

Ovarian monitoring. The use of ultrasound and/or blood or urine tests to monitor follicle development and hormone production.

Ovarian stimulation. The use of drugs (oral or injected) to stimulate the ovaries to develop follicles and eggs.

Ovulatory dysfunction. A diagnostic category used when a woman's ovaries are not producing eggs normally. It includes polycystic ovary syndrome and multiple ovarian cysts.

PGD (preimplantation genetic diagnosis).

A technique combining advances in molecular genetics and ART. PGD allows physicians to identify various genetic diseases in the embryo (fertilized egg with several divisions) prior to implantation, that is, before the pregnancy is established. It is of special value for those who are at risk of having children with serious genetic problems.

Pregnancy (clinical). A pregnancy documented by ultrasound that shows a gestational sac in the uterus. For ART data collection purposes, pregnancy is defined as a clinical pregnancy rather than a chemical pregnancy (i.e., a positive pregnancy test).

Singleton. A single live-born infant.

Society for Assisted Reproductive Technology (SART). An affiliate of ASRM composed of clinics and programs that provide ART.

Sperm. The male reproductive cell.

Spontaneous abortion. See Miscarriage.

Stillbirth. The birth of an infant that shows no sign of life after 20 or more weeks of gestation, or 18 or more weeks from the date of transfer if the pregnancy was achieved using ART.

Stimulated cycle. An ART cycle in which a woman receives oral or injected fertility drugs to stimulate her ovaries to produce more follicles.

Thawed embryo cycle. Same as frozen embryo cycle.

Tubal factor. A diagnostic category used when the woman's fallopian tubes are blocked or damaged, making it difficult for the egg to be fertilized or for an embryo to travel to the uterus.

Ultrasound. A technique used in ART for visualizing the follicles in the ovaries, the gestational sac, or the fetus.

Unexplained cause of infertility. A diagnostic category used when no cause of infertility is found in either the woman or the man.

Unstimulated cycle. An ART cycle in which the woman does not receive drugs to stimulate her ovaries to produce more follicles. Instead, follicles develop naturally.


Uterine factor. A structural or functional disorder of the uterus that results in reduced fertility.

ZIFT (zygote intrafallopian transfer). An ART procedure in which eggs are collected from a woman's ovary and fertilized outside her body. A laparoscope is then used to place the resulting zygote (fertilized egg) into the woman's fallopian tube through a small incision in her abdomen.

2011

Appendix C

ART Clinics



APPENDIX C: ART CLINICS

Reporting ART Clinics for 2011, by State

If the clinic name has changed since 2011, the current name is listed in italics directly under the 2011 name. If the clinic location has changed since 2011, the clinic is listed alphabetically by the current city and state.

Clinic names preceded by the § symbol have reorganized or closed since 2011. Reorganization is defined as a change in ownership or affiliation or a change in at least two of the three key staff positions (practice director, medical director, or laboratory director). Contact the NASS Help Desk for current clinic information at 1-888-650-0822 or nass@westat.com.

Explanation of abbreviations for accrediting agencies used throughout this list:

CAP/ASRM = College of American Pathologists/American Society for Reproductive Medicine, Reproductive Laboratory Accreditation Program

The Joint Commission = Formerly the Joint Commission on Accreditation of Healthcare Organizations (JCAHO)

NYSTB = New York State Tissue Bank Program

PLEASE NOTE that the Centers for Disease Control and Prevention (CDC) does not oversee any of these accreditation programs. For further information on how to contact accrediting organizations directly, see page 23.

ALABAMA

Alabama Fertility Specialists
2700 Hwy 280, Suite 370
Birmingham AL 35223
Telephone: (205) 874-0000; Fax: (205) 874-7021
Lab Name: Alabama Fertility Specialists Laboratory
Accreditation: CAP/ASRM

ART Fertility Program of Alabama
2006 Brookwood Medical Center Dr, Suite 508
Birmingham AL 35209
Telephone: (205) 870-9784; Fax: (205) 870-0698
Lab Name: ART Fertility Program of Alabama IVF/
Andrology Laboratory
Accreditation: CAP/ASRM

University of Alabama at Birmingham
Women and Infants Center-OB/GYN
1700 6th Ave South, 9th Floor
Birmingham AL 35233
Telephone: (205) 996-3130; Fax: (205) 996-3164
Lab Name: University of Alabama at Birmingham
Gamete Biology Laboratory
Accreditation: CAP/ASRM

Huntsville Reproductive Medicine, PC
185 Chateau Dr, Suite 301
Huntsville AL 35801
Telephone: (256) 213-2229; Fax: (256) 213-9978
Lab Name: Huntsville Reproductive Medicine, PC
Accreditation: None

Center for Reproductive Medicine
3 Mobile Infirmiry Cir, Suite 213
Mobile AL 36607
Telephone: (251) 438-4200; Fax: (251) 438-4211
Lab Name: Center for
Reproductive Medicine-Alabama
Accreditation: CAP/ASRM

University of South Alabama IVF and ART Program
Reproductive Endocrinology and Infertility Division
251 Cox St, Suite 100
Mobile AL 36604
Telephone: (251) 415-1491; Fax: (251) 415-1552
Lab Name: University of South Alabama IVF &
Andrology Laboratory
Accreditation: CAP/ASRM

ALASKA

John Nels Anderson, MD
265 N. Binkley St
Soldotna AK 99669
Telephone: (907) 262-4161; Fax: (907) 262-1545
Lab Name: Peninsula Medical Center,
John Nels Anderson, MD
Accreditation: None

ARIZONA

Troché Fertility Centers
17612 N. 59th Ave, Suite 100
Glendale AZ 85308
Telephone: (602) 993-8636; Fax: (602) 993-2528
Lab Name: West Valley Fertility Center
ART Laboratory
Accreditation: CAP/ASRM

Arizona Reproductive Medicine Specialists
1701 E. Thomas Rd, Bldg 1, Suite 101
Phoenix AZ 85016
Telephone: (602) 343-2767; Fax: (602) 343-2766
Lab Name: Arizona Reproductive Medicine
Specialists Laboratory
Accreditation: CAP/ASRM

Southwest Fertility Center
3125 N. 32nd St, Suite 200
Phoenix AZ 85018
Telephone: (602) 956-7481; Fax: (602) 956-7591
Lab Name: Southwest Fertility Center Laboratory
Accreditation: CAP/ASRM

Advanced Fertility Care
9819 N. 95th St, Suite 105
Scottsdale AZ 85258
Telephone: (480) 874-2229; Fax: (480) 874-2231
Lab Name: Arizona Advanced
Reproductive Laboratory
Accreditation: CAP/ASRM

Arizona Associates for Reproductive Health
8573 E. Princess Dr, Suite 101
Scottsdale AZ 85255
Telephone: (480) 946-9900; Fax: (480) 946-9914
Lab Name: Arizona Associates for Reproductive
Health ART Laboratories
Accreditation: CAP/ASRM

Arizona Center for Fertility Studies
8997 E. Desert Cove Ave, 2nd Floor
Scottsdale AZ 85260
Telephone: (480) 860-4792; Fax: (480) 860-6819
Lab Name: Arizona Center for Fertility
Studies Laboratory
Accreditation: CAP/ASRM

IVF Phoenix
9817 N. 95th St, Bldg I, Suite 105
Scottsdale AZ 85258
Telephone: (602) 765-2229; Fax: (602) 493-6641
Lab Name: IVF Phoenix Laboratory
Accreditation: CAP/ASRM

Fertility Treatment Center
2155 E. Conference Dr, Suite 115
Tempe AZ 85284
Telephone: (480) 831-2445; Fax: (480) 897-1283
Lab Name: Fertility Treatment Center
ART Laboratory
Accreditation: CAP/ASRM

Arizona Center for Reproductive Endocrinology
and Infertility
5190 E. Farness Dr, Suite 114
Tucson AZ 85712
Telephone: (520) 326-0001; Fax: (520) 326-7451
Lab Name: Arizona Center for Reproductive
Endocrinology and Infertility Laboratory
Accreditation: CAP/ASRM

Reproductive Health Center
4518 E. Camp Lowell Dr
Tucson AZ 85712
Telephone: (520) 733-0083; Fax: (520) 733-0771
Lab Name: Reproductive Health Center
Accreditation: The Joint Commission

ARKANSAS

Arkansas Fertility Center
Little Rock Fertility Center
9101 Kanis Rd, Suite 300
Little Rock AR 72205
Telephone: (501) 801-1200; Fax: (501) 801-1207
Lab Name: Arkansas Fertility and Gynecology,
Arkansas Fertility Center
Accreditation: CAP/ASRM

CALIFORNIA

LifeStart Fertility Center
29525 Canwood St, Suite 220
Agoura Hills CA 91301
Telephone: (818) 889-4532; Fax: (818) 889-4536
Lab Name: ART Reproductive Center
Accreditation: CAP/ASRM

Alta Bates In Vitro Fertilization Program
2999 Regent St, Suite 101A
Berkeley CA 94705
Telephone: (510) 649-0440; Fax: (510) 649-8700
Lab Name: Alta Bates Summit Medical Center, Alta
Bates IVF Program Laboratory
Accreditation: CAP/ASRM

California Center for Reproductive Health
Beverly Hills Reproductive Fertility Center
9301 Wilshire Blvd, Suite 313
Beverly Hills CA 90210
Telephone: (310) 550-1951; Fax: (310) 550-1971
Lab Name: In Vitrotech Labs, Inc.
Accreditation: CAP/ASRM

Center for Reproductive Health & Gynecology
(CRH&G)
99 N. La Cienega Blvd, Suite 109
Beverly Hills CA 90211
Telephone: (310) 360-7584; Fax: (310) 360-9827
Lab Name: Center for Reproductive Health
& Gynecology
Accreditation: CAP/ASRM

Southern California Reproductive Center
450 N. Roxbury Dr, Suite 500
Beverly Hills CA 90210
Telephone: (310) 277-2393; Fax: (310) 274-5112
Lab Name: ART Reproductive Center
Accreditation: CAP/ASRM

§West Coast IVF Clinic, Inc.
9730 Wilshire Blvd
Beverly Hills CA 90210
Telephone: (310) 279-3400; Fax: None
Contact the NASS Help Desk for current
clinic information.

Fertility Care of Orange County
203 N. Brea Blvd, Suite 100
Brea CA 92821
Telephone: (714) 256-0777; Fax: (714) 256-0105
Lab Name: Southern California Institute for
Reproductive Sciences Laboratory
Accreditation: CAP/ASRM
Lab Name: Huntington Reproductive Center
Fertility Laboratory
Accreditation: CAP/ASRM
Lab Name: Acacio Fertility Center IVF Laboratories
Accreditation: CAP/ASRM

Central California IVF Program
Women's Specialty and Fertility Center
722 Medical Center Dr East, Suite 105
Clovis CA 93611
Telephone: (559) 299-7700; Fax: (559) 297-9679
Lab Name: Community Medical Center-Clovis
Accreditation: The Joint Commission

California IVF: Davis Fertility Center, Inc.
California IVF Fertility Center, Inc.
1550 Drew Ave, Suite 100
Davis CA 95618
Telephone: (530) 771-0177; Fax: (530) 771-0135
Lab Name: California IVF: Davis Fertility Center, Inc.
Accreditation: None

California Center for Reproductive Medicine
477 N. El Camino Real, Suite C208
Encinitas CA 92024
Telephone: (760) 274-2000; Fax: (760) 274-2006
Lab Name: California Center for Reproductive
Sciences Laboratory
Accreditation: CAP/ASRM

The Fertility Institutes-Los Angeles,
New York, Guadalajara
16030 Ventura Blvd, Suite 404
Encino CA 91436
Telephone: (818) 728-4600; Fax: (818) 728-4616
Lab Name: The Fertility Institutes IVF Laboratory
Accreditation: CAP/ASRM

HRC Fertility-Encino
15503 Ventura Blvd, Suite 200
Encino CA 91436
Telephone: (818) 788-7288; Fax: (818) 788-5988
Lab Name: Huntington Reproductive Center
IVF Laboratory
Accreditation: CAP/ASRM

Zouves Fertility Center
1241 E. Hillsdale Blvd, Suite 100
Foster City CA 94404
Telephone: (650) 378-1000; Fax: (650) 577-1128
Lab Name: Zouves Fertility Center
Accreditation: CAP/ASRM

West Coast Fertility Centers
11160 Warner Ave, Suite 411
Fountain Valley CA 92708
Telephone: (714) 513-1399; Fax: (714) 513-1393
Lab Name: West Coast Fertility Centers Laboratory
Accreditation: CAP/ASRM, NYSTB

Xpert Fertility Care of California
Minh N. Ho, MD, FACOG
11180 Warner Ave, Suite 465
Fountain Valley CA 92708
Telephone: (714) 429-5848; Fax: (714) 429-5878
Lab Name: University Fertility Center Laboratory
Accreditation: The Joint Commission

Kaiser Permanente Center for Reproductive Health
39141 Civic Center Dr, Suite 350
Fremont CA 94538
Telephone: (510) 248-6900; Fax: (510) 248-6981
Lab Name: Kaiser Permanente Center for
Reproductive Health
Accreditation: CAP/ASRM

CARE Fertility
1500 E. Chevy Chase Dr, Suite 450
Glendale CA 91206
Telephone: (818) 230-7778; Fax: (818) 484-2424
Lab Name: Care Fertility Laboratory
Accreditation: CAP/ASRM

Coastal Fertility Medical Center, Inc.
15500 Sand Canyon Ave, Suite 100
Irvine CA 92618
Telephone: (949) 726-0600; Fax: (949) 726-0601
Lab Name: Coastal Fertility Medical Center, Inc.,
Reproductive Specialty Laboratories, Inc.
Accreditation: CAP/ASRM

Fertility Center of Southern California
2192 Martin St, Suite 110
Irvine CA 92612
Telephone: (949) 955-0072; Fax: (949) 955-0077
Lab Name: Southern California Institute for
Reproductive Sciences Laboratory
Accreditation: CAP/ASRM

Life IVF Center
Frank D. Yelian, MD, PC
3500 Barranca Pkwy, Suite 300
Irvine CA 92606
Telephone: (949) 788-1133; Fax: (949) 788-1136
Lab Name: Life IVF Center
Accreditation: None

Reproductive Partners-UCSD Regional
Fertility Center
9850 Genesee Ave, Suite 800
La Jolla CA 92037
Telephone: (858) 552-9177; Fax: (858) 552-9188
Lab Name: Reproductive Partners Medical Group,
Inc. Laboratory-La Jolla
Accreditation: CAP/ASRM

Reproductive Sciences Center
4150 Regents Park Row, Suite 280
La Jolla CA 92037
Telephone: (858) 625-0125; Fax: (858) 625-0131
Lab Name: Reproductive Science Center
IVF Laboratory
Accreditation: CAP/ASRM

For current information for HRC Fertility-Orange
County, see Newport Beach, CA

Acacio Fertility Center
27882 Forbes Rd, Suite 200
Laguna Niguel CA 92677
Telephone: (949) 249-9200; Fax: (949) 249-9203
Lab Name: Acacio Fertility Center IVF Laboratories
Accreditation: CAP/ASRM

Loma Linda University Center for Fertility and IVF
Department of Gynecology and Obstetrics
11370 Anderson St, Suite 3950
Loma Linda CA 92354
Telephone: (909) 558-2851; Fax: (909) 558-2450
Lab Name: Loma Linda University Health Care
Fertility Science Laboratory
Accreditation: CAP/ASRM

California Fertility Partners
11818 Wilshire Blvd, Suite 300
Los Angeles CA 90025
Telephone: (310) 828-4008; Fax: (310) 828-3310
Lab Name: California Fertility Partners Reproductive
Technology Laboratory
Accreditation: CAP/ASRM

Cedars Sinai Medical Center
Center for Fertility and Reproductive Medicine
444 S. San Vicente Blvd, Suite 1002
Los Angeles CA 90048
Telephone: (310) 423-9964; Fax: (310) 423-9777
Lab Name: ART Reproductive Center
Accreditation: CAP/ASRM

CHA Fertility Center
5455 Wilshire Blvd, Suite 1904
Los Angeles CA 90036
Telephone: (323) 525-3377; Fax: (323) 525-3376
Lab Name: CHA Fertility Center Laboratory
Accreditation: CAP/ASRM

Pacific Fertility Center-Los Angeles
10921 Wilshire Blvd, Suite 700
Los Angeles CA 90024
Telephone: (310) 209-7700; Fax: (310) 209-7799
Lab Name: Pacific Fertility Center-Los Angeles
Accreditation: CAP/ASRM

UCLA Fertility Center
Department of Obstetrics and Gynecology
200 Medical Plaza, Suite 430
Los Angeles CA 90095
Telephone: (310) 825-9500; Fax: (310) 206-9731
Lab Name: ART Reproductive Center
Accreditation: CAP/ASRM

USC Reproductive Endocrinology and Infertility
1127 Wilshire Blvd, Suite 1400
Los Angeles CA 90017
Telephone: (213) 975-9990; Fax: (213) 975-9997
Lab Name: USC Fertility ART Laboratory
Accreditation: CAP/ASRM

The Fertility and Gynecology Center
Monterey Bay IVF Program
9833 Blue Larkspur Ln
Monterey CA 93940
Telephone: (831) 649-4483; Fax: (831) 649-9010
Lab Name: Fertility and Gynecology Center
Accreditation: CAP/ASRM

Nova In Vitro Fertilization
2500 Hospital Dr, Bldg #7
Mountain View CA 94040
Telephone: (650) 325-6682; Fax: (650) 968-6682
Lab Name: Nova In Vitro Fertilization Laboratory
Accreditation: CAP/ASRM

HRC Fertility-Orange County
500 Superior Ave, Suite 210
Newport Beach CA 92663
Telephone: (949) 287-5600; Fax: (626) 585-1603
Lab Name: Huntington Reproductive Center
Fertility Laboratory
Accreditation: CAP/ASRM

Newport Fertility Center
Mark Kan, MD
20072 S.W. Birch St, Suite 230
Newport Beach CA 92660
Telephone: (949) 222-1290; Fax: (949) 222-1289
Lab Name: Southern California Institute for
Reproductive Sciences Laboratory
Accreditation: CAP/ASRM

Reproductive Specialty Medical Center
1441 Avocado Ave, Suite 203
Newport Beach CA 92660
Telephone: (949) 640-7200; Fax: (949) 720-0203
Lab Name: Reproductive Specialty Medical Center
Accreditation: The Joint Commission

Southern California Center for
Reproductive Medicine
361 Hospital Rd, Suite 333
Newport Beach CA 92663
Telephone: (949) 642-8727; Fax: (949) 642-5413
Lab Name: Southern California Institute for
Reproductive Sciences Laboratory
Accreditation: CAP/ASRM

Lane Fertility Institute
101 Rowland Way, Suite 305
Novato CA 94945
Telephone: (415) 893-0391; Fax: (415) 892-4455
Lab Name: Lane Fertility Institute
Accreditation: None

IVF-Orange Surgery Center
431 S. Batavia St, Suite 102
Orange CA 92868
Telephone: (714) 771-7800; Fax: (714) 289-9900
Lab Name: IVF-Orange Surgery Center
Accreditation: None

Bay In Vitro Fertilization Center for
Reproductive Medicine
1681 El Camino Real
Palo Alto CA 94306
Telephone: (650) 322-0500; Fax: (650) 322-5404
Lab Name: Bay IVF Center for Reproductive
Medicine-Bay IVF Laboratory
Accreditation: CAP/ASRM

Palo Alto Medical Foundation
Reproductive Endocrinology & Fertility
795 El Camino Real
Palo Alto CA 94301
Telephone: (650) 853-2200; Fax: (650) 853-2237
Lab Name: Fertility & Reproductive Health Institute
IVF Laboratory
Accreditation: CAP/ASRM
Lab Name: Reproductive Science Center of the San
Francisco Bay Area Laboratory
Accreditation: CAP/ASRM

Stanford Fertility and Reproductive Medicine Center
Stanford University Department of Gynecology
and Obstetrics
900 Welch Rd, Suite 350
Palo Alto CA 94304
Telephone: (650) 736-4036; Fax: (650) 725-4463
Lab Name: Stanford University Hospitals and Clinics
IVF Laboratory
Accreditation: CAP/ASRM, The Joint Commission

HRC Fertility-Pasadena
333 S. Arroyo Pkwy, 3rd Floor
Pasadena CA 91105
Telephone: (626) 440-9161; Fax: (626) 585-1603
Lab Name: Huntington Reproductive Center
Gamete Laboratory
Accreditation: CAP/ASRM

For current information for Palo Alto Medical
Foundation, see Palo Alto, CA

Reproductive Partners-Redondo Beach
510 N. Prospect Ave, Suite 202
Redondo Beach CA 90277
Telephone: (310) 318-3010; Fax: (310) 798-7304
Lab Name: Reproductive Partners Medical
Group, Inc.-Redondo Beach
Accreditation: CAP/ASRM

Northern California Fertility Medical Center
1130 Conroy Ln, Suite 100
Roseville CA 95661
Telephone: (916) 773-2229; Fax: (916) 773-8391
Lab Name: Northern California Fertility Medical
Center Laboratory
Accreditation: CAP/ASRM

Kaiser Permanente Center for
Reproductive Health-Sacramento
1650 Response Rd, Suite 1A
Sacramento CA 95815
Telephone: (916) 614-5145; Fax: (916) 614-5045
Lab Name: Kaiser Permanente Center for
Reproductive Health-Sacramento
Accreditation: CAP/ASRM

Fertility Specialists Medical Group
8010 Frost St, Plaza Level
San Diego CA 92123
Telephone: (858) 505-5500; Fax: (858) 505-5555
Lab Name: Fertility Specialists Medical
Group Laboratory
Accreditation: CAP/ASRM

NTC Infertility Clinic
NMCS D Infertility
Department of Obstetrics and Gynecology
34800 Bob Wilson Dr
San Diego CA 92134
Telephone: (619) 532-5363; Fax: (619) 532-5448
Lab Name: Reproductive Partners Medical Group,
Inc. Laboratory-La Jolla
Accreditation: CAP/ASRM
Lab Name: SDFC IVF & Andrology Laboratories
Accreditation: CAP/ASRM

Laurel Fertility Care
1700 California St, Suite 570
San Francisco CA 94109
Telephone: (415) 673-9199; Fax: (415) 673-8796
Lab Name: Laurel Fertility Care Laboratory
Accreditation: CAP/ASRM

Pacific Fertility Center
55 Francisco St, Suite 500
San Francisco CA 94133
Telephone: (415) 834-3000; Fax: (415) 834-3080
Lab Name: Pacific Fertility Center IVF Laboratory
Accreditation: CAP/ASRM

UCSF Center for Reproductive Health
2356 Sutter St, 7th Floor
San Francisco CA 94115
Telephone: (415) 353-3040; Fax: (415) 353-7744
Lab Name: University of California, San Francisco
Center for Reproductive Health Laboratory
Accreditation: CAP/ASRM, The Joint Commission

Fertility Physicians of Northern California
2581 Samaritan Dr, Suite 302
San Jose CA 95124
Telephone: (408) 356-5000; Fax: (408) 355-1665
Lab Name: Fertility & Reproductive Health Institute
IVF Laboratory
Accreditation: CAP/ASRM

Reproductive Science Center of the San Francisco
Bay Area
3160 Crow Canyon Rd, Suite 150
San Ramon CA 94583
Telephone: (925) 867-1800; Fax: (925) 275-3862
Lab Name: Reproductive Science Center of the San
Francisco Bay Area Laboratory
Accreditation: CAP/ASRM

Santa Barbara Fertility Center
536 E. Arrellaga St, Suite 201
Santa Barbara CA 93103
Telephone: (805) 965-3400; Fax: (805) 965-1222
Lab Name: Santa Monica Fertility Assisted
Reproduction Laboratory
Accreditation: CAP/ASRM
Lab Name: Fertility and Surgical Associates of
California IVF Laboratory
Accreditation: CAP/ASRM

Parker-Rosenman-Rodi Gynecology and Infertility
Medical Group
1450 Tenth St, Suite 404
Santa Monica CA 90401
Telephone: (310) 451-8144; Fax: (310) 451-3414
Lab Name: Pacific Fertility Center-Los Angeles
Accreditation: CAP/ASRM
Lab Name: Santa Monica Fertility Assisted
Reproduction Laboratory
Accreditation: CAP/ASRM

Santa Monica Fertility
2825 Santa Monica Blvd, Suite 100
Santa Monica CA 90404
Telephone: (310) 566-1470; Fax: (310) 566-1485
Lab Name: Santa Monica Fertility Assisted
Reproduction Laboratory
Accreditation: CAP/ASRM

Advanced Fertility Associates Medical Group, Inc.
1111 Sonoma Ave, Suite 214
Santa Rosa CA 95405
Telephone: (707) 575-5831; Fax: (707) 575-4379
Lab Name: Advanced Fertility Associates Medical
Group, Inc., Laboratory
Accreditation: CAP/ASRM

Valley Center for Reproductive Health
Tina Koopersmith, MD
13320 Riverside Dr, Suite 220
Sherman Oaks CA 91423
Telephone: (818) 986-1648; Fax: (818) 986-1653
Lab Name: ART Reproductive Center
Accreditation: CAP/ASRM
Lab Name: Huntington Reproductive Center
IVF Laboratory
Accreditation: CAP/ASRM

Garfield Fertility Center
1151 El Centro St, Suite A
South Pasadena CA 91030
Telephone: (626) 403-1888; Fax: (626) 403-2188
Lab Name: Huntington Reproductive Center
Gamete Laboratory
Accreditation: CAP/ASRM

The Center for Fertility and Gynecology
Vermesh Center for Fertility
18370 Burbank Blvd, Suite 301
Tarzana CA 91356
Telephone: (818) 881-9800; Fax: (818) 881-1857
Lab Name: A.R.T. Medical Group, Inc. Laboratory
Accreditation: CAP/ASRM

Tree of Life Center for Fertility
Snunit Ben-Ozer, MD
18370 Burbank Blvd, Suite 511
Tarzana CA 91356
Telephone: (818) 344-8522; Fax: (818) 344-8521
Lab Name: ART Reproductive Center
Accreditation: CAP/ASRM

Fertility and Surgical Associates of California
325 Rolling Oaks Dr, Suite 110
Thousand Oaks CA 91361
Telephone: (805) 778-1122; Fax: (805) 778-0855
Lab Name: Fertility and Surgical Associates of
California IVF Laboratory
Accreditation: CAP/ASRM

Pacific Reproductive Center
3720 Lomita Blvd, Suite 200
Torrance CA 90505
Telephone: (310) 376-7000; Fax: (310) 373-0319
Lab Name: Pacific Reproductive Center-Torrance
Accreditation: CAP/ASRM

University Fertility Center
23550 Hawthorne Blvd, Suite 210
Torrance CA 90505
Telephone: (310) 378-7445; Fax: (310) 378-7427
Lab Name: University Fertility Center Laboratory
Accreditation: The Joint Commission

Reproductive Partners-Westminster
13950 Milton Ave, Suite 100
Westminster CA 92683
Telephone: (714) 702-3000; Fax: (714) 702-3039
Lab Name: Reproductive Partners Medical Group-
Westminster, IVF & Andrology Laboratory
Accreditation: CAP/ASRM
Lab Name: Reproductive Partners Medical Group,
Inc.-Redondo Beach
Accreditation: CAP/ASRM

COLORADO

Advanced Reproductive Medicine
University of Colorado
Anschutz Outpatient Pavilion
1635 Aurora Ct, Suite 3400
Aurora CO 80045
Telephone: (720) 848-1690; Fax: (720) 848-1678
Lab Name: University of Colorado Hospital IVF
Clinical Laboratory
Accreditation: CAP/ASRM, The Joint Commission

Reproductive Medicine & Fertility Center
265 Parkside Dr, Suite 200
Colorado Springs CO 80910
Telephone: (719) 475-2229; Fax: (719) 475-2227
Lab Name: Reproductive Medicine and Fertility
Center Laboratory
Accreditation: CAP/ASRM

Eric H. Silverstein, MD, Professional LLC dba
The Fertility Center of Colorado
6160 Tutt Blvd, Suite 210
Colorado Springs CO 80923
Telephone: (719) 636-0080; Fax: (719) 636-3030
Lab Name: The Fertility Center of
Colorado Laboratory
Accreditation: CAP/ASRM

Colorado Reproductive Endocrinology
4600 E. Hale Pkwy, Suite 350
Denver CO 80220
Telephone: (303) 321-7115; Fax: (303) 321-9519
Lab Name: Colorado Reproductive
Endocrinology Laboratory
Accreditation: CAP/ASRM

Rocky Mountain Center for Reproductive Medicine
1080 E. Elizabeth St
Fort Collins CO 80524
Telephone: (970) 493-6353; Fax: (970) 493-6366
Lab Name: Rocky Mountain Center for
Reproductive Medicine
IVF/Embryology Laboratory
Accreditation: CAP/ASRM

Conceptions Reproductive Associates
271 W. County Line Rd
Littleton CO 80129
Telephone: (303) 794-0045; Fax: (303) 794-2054
Lab Name: Conceptions Reproductive Associates
Accreditation: CAP/ASRM

Colorado Center for Reproductive Medicine
10290 RidgeGate Cir
Lone Tree CO 80124
Telephone: (303) 788-8300; Fax: (303) 788-8310
Lab Name: Fertility Laboratories of Colorado
Accreditation: CAP/ASRM

Rocky Mountain Fertility Center, PC
9235 Crown Crest Blvd, Suite 250
Parker CO 80138
Telephone: (303) 999-3877; Fax: (303) 999-3878
Lab Name: Rocky Mountain Fertility Laboratory
Accreditation: CAP/ASRM

CONNECTICUT

Connecticut Fertility Associates
4920 Main St, Suite 301
Bridgeport CT 06606
Telephone: (203) 373-1200; Fax: (203) 365-6516
Lab Name: Connecticut Fertility
Associates Laboratory
Accreditation: CAP/ASRM

The Center for Advanced Reproductive Services at
the University of Connecticut Health Center
Dowling South Bldg
263 Farmington Ave, Suite 330
Farmington CT 06030
Telephone: (860) 679-4580; Fax: (860) 679-1499
Lab Name: University of Connecticut Health Center,
Laboratory at the Center for Advanced
Reproductive Services
Accreditation: CAP/ASRM

Greenwich Fertility and IVF Center, PC
55 Holly Hill Ln, Suite 270
Greenwich CT 06830
Telephone: (203) 863-2990; Fax: (203) 863-2980
Lab Name: Greenwich Fertility Center, PC
Accreditation: NYSTB

Yale Fertility Center
150 Sargent Dr, 2nd Floor
New Haven CT 06511
Telephone: (203) 785-4708; Fax: (203) 764-5911
Lab Name: Yale University School of Medicine, Yale
Fertility Center IVF Laboratory
Accreditation: CAP/ASRM

Reproductive Medicine Associates of Connecticut
10 Glover Ave
Norwalk CT 06850
Telephone: (203) 750-7400; Fax: (203) 846-9579
Lab Name: Reproductive Medicine Associates of
Connecticut Embryology Laboratory
Accreditation: CAP/ASRM

New England Fertility Institute
1275 Summer St, Suite 201
Stamford CT 06905
Telephone: (203) 325-3200; Fax: (203) 323-3130
Lab Name: New England Fertility Institute,
ART-IVF Laboratory
Accreditation: CAP/ASRM

The Stamford Hospital
30 Shelburne Rd
Stamford CT 06904
Telephone: (203) 276-7559; Fax: (203) 276-7259
Lab Name: New England Fertility Institute,
ART-IVF Laboratory
Accreditation: CAP/ASRM

Women's Fertility Center
1290 Summer St, Suite 2500
Stamford CT 06905
Telephone: (203) 286-6810; Fax: (203) 286-6811
Lab Name: New England Fertility Institute,
ART-IVF Laboratory
Accreditation: CAP/ASRM
Lab Name: Westchester IVF
Accreditation: NYSTB

Park Avenue Fertility and Reproductive Medicine
5520 Park Ave, Suite 103
Trumbull CT 06611
Telephone: (203) 372-6700; Fax: (203) 372-6706
Lab Name: Park Avenue Fertility and
Reproductive Medicine
Accreditation: None

DELAWARE

Delaware Institute for Reproductive Medicine, PA
Medical Arts Pavilion 1
4745 Ogleton-Stanton Rd, Suite 111
Newark DE 19713
Telephone: (302) 738-4600; Fax: (302) 738-3508
Lab Name: Delaware Institute for
Reproductive Medicine
Accreditation: CAP/ASRM

Reproductive Associates of Delaware
Medical Arts Pavilion 2
4735 Ogleton-Stanton Rd, Suite 3217
Newark DE 19713
Telephone: (302) 623-4242; Fax: (302) 623-4241
Lab Name: Reproductive Associates of
Delaware Laboratory
Accreditation: CAP/ASRM

DISTRICT OF COLUMBIA

For current information for The A.R.T. Institute of
Washington, Inc., see Bethesda, MD

Columbia Fertility Associates
2440 M St N.W., Suite 401
Washington DC 20037
Telephone: (202) 293-6567; Fax: (202) 778-6190
Lab Name: Columbia Fertility Associates IVF
Center Laboratory
Accreditation: The Joint Commission

The George Washington University Medical
Faculty Associates
Fertility and IVF Center
2150 Pennsylvania Ave N.W., Suite 6-300
Washington DC 20037
Telephone: (202) 741-2520; Fax: (202) 741-2519
Lab Name: Medical Faculty
Associates, Inc. Laboratory
Accreditation: CAP/ASRM

James A. Simon, MD, PC
1850 M St N.W., Suite 450
Washington DC 20036
Telephone: (202) 293-1000; Fax: (202) 463-6150
Lab Name: Columbia Fertility Associates IVF
Center Laboratory
Accreditation: The Joint Commission

FLORIDA

BocaFertility
875 Meadows Rd, Suite 334
Boca Raton FL 33486
Telephone: (561) 368-5500; Fax: (561) 368-4793
Lab Name: BocaFertility IVF Laboratory
Accreditation: CAP/ASRM

Palm Beach Fertility Center
7015 Beracasa Way, Suite 201
Boca Raton FL 33433
Telephone: (561) 477-7728; Fax: (561) 477-7035
Lab Name: Palm Beach Fertility Center Laboratory
Accreditation: The Joint Commission

Advanced Reproductive Care Center
10301 Hagen Ranch Rd, Suite 6
Boynton Beach FL 33437
Telephone: (561) 736-6006; Fax: (561) 736-5788
Lab Name: Advanced Reproductive Care Center, PA
Accreditation: The Joint Commission

Florida Fertility Institute
2454 N. McMullen Booth Rd, Suite 601
Clearwater FL 33759
Telephone: (727) 796-7705; Fax: (727) 796-8764
Lab Name: Florida Fertility Institute
Accreditation: The Joint Commission

Infertility and Reproductive Medicine of
South Broward
9900 Stirling Rd, Suite 300
Cooper City FL 33024
Telephone: (954) 432-2228; Fax: (954) 432-7277
Lab Name: Infertility and Reproductive Medicine of
South Broward
Accreditation: None

Southwest Florida Fertility Center, PA
15730 New Hampshire Ct, Unit 101
Fort Myers FL 33908
Telephone: (239) 561-3430; Fax: (239) 561-6980
Lab Name: Southwest Florida Fertility Center, PA
Accreditation: The Joint Commission

Specialists in Reproductive Medicine
and Surgery, PA
12611 World Plaza Ln, Bldg 53
Fort Myers FL 33907
Telephone: (239) 275-8118; Fax: (239) 275-5914
Lab Name: Specialists in Reproductive Medicine
and Surgery, PA
Accreditation: The Joint Commission

University of Florida Women's Health at
Magnolia Parke
*University of Florida & Shands Reproductive
Medicine at Springhill*
Women's Health at Springhill
4037 NW 86th Terrace
Gainesville FL 32606
Telephone: (352) 265-6200; Fax: (352) 265-9103
Lab Name: Shands at the University of Florida IVF
and Andrology Laboratory
Accreditation: CAP/ASRM

Assisted Fertility Program of North Florida
3627 University Blvd South, Suite 450
Jacksonville FL 32216
Telephone: (904) 398-1473; Fax: (904) 399-3436
Lab Name: Assisted Fertility Program Laboratory
Accreditation: CAP/ASRM

Brown Fertility Associates
14810 Old Saint Augustine Rd, Suite 201
Jacksonville FL 32258
Telephone: (904) 260-0352; Fax: (904) 260-0353
Lab Name: Assisted Fertility Program Laboratory
Accreditation: CAP/ASRM

Florida Institute for Reproductive Medicine
Baptist Medical Center Pavilion
836 Prudential Dr, Suite 902
Jacksonville FL 32207
Telephone: (904) 399-5620; Fax: (904) 399-5645
Lab Name: Florida Institute for Reproductive
Medicine IVF Laboratory
Accreditation: CAP/ASRM

Jacksonville Center for Reproductive Medicine
7051 Southpoint Pkwy, Suite 200
Jacksonville FL 32216
Telephone: (904) 493-2229; Fax: (904) 396-4546
Lab Name: North Florida Reproductive
Biology Laboratory
Accreditation: CAP/ASRM

Center for Natural IVF
600 Heritage Dr, Suite 200
Jupiter FL 33458
Telephone: (561) 354-1525; Fax: (561) 354-1526
Lab Name: IVF Florida Reproductive
Associates Laboratory
Accreditation: CAP/ASRM

IVF Florida
2960 N. State Rd 7, Suite 300
Margate FL 33063
Telephone: (954) 247-6200; Fax: (954) 247-6296
Lab Name: IVF Florida Reproductive
Associates Laboratory
Accreditation: CAP/ASRM

§Palmetto Fertility Center of South Florida
2960 N. State Rd 7, Suite 300
Margate FL 33063
Telephone: (954) 247-6200; Fax: (305) 558-0806
Contact the NASS Help Desk for current
clinic information.

Viera Fertility Center
Fertility and Reproductive Medicine Center
for Women
3160 Alzante Circle
Melbourne FL 32940
Telephone: (321) 751-4673; Fax: (321) 751-4567
Lab Name: Viera Fertility Center
Accreditation: The Joint Commission

Fertility & IVF Center of Miami, Inc.
8950 N. Kendall Dr, Suite 103
Miami FL 33176
Telephone: (305) 596-4013; Fax: (305) 596-4557
Lab Name: Fertility & IVF Center of Miami Assisted
Reproduction Laboratory
Accreditation: CAP/ASRM

University of Miami Infertility Center
1400 N.W. 12th Ave, Suite 5
Miami FL 33136
Telephone: (305) 243-8642; Fax: (305) 324-0363
Lab Name: University of Miami Infertility Center
Accreditation: CAP/ASRM

For current information for Palmetto Fertility Center
of South Florida, see Margate, FL

Center for Reproductive Medicine, PA
3435 Pinehurst Ave
Orlando FL 32804
Telephone: (407) 740-0909; Fax: (407) 740-7262
Lab Name: Center for Reproductive Medicine-
Florida, IVF Laboratory
Accreditation: CAP/ASRM

New Leaders in Infertility & Endocrinology, LLC
4400 Bayou Blvd, Suite 36
Pensacola FL 32503
Telephone: (850) 857-3733; Fax: (850) 512-1301
Lab Name: New LIFE Laboratory
Accreditation: CAP/ASRM

Fertility & Genetics
201 N. Pine Island Rd, 2nd Floor
Plantation FL 33324
Telephone: (954) 584-2273; Fax: (954) 587-9630
Lab Name: LIFE Laboratories
Accreditation: The Joint Commission

Fertility Center and Applied Genetics of Florida, Inc.
6050 Cattleridge Blvd, Suite 103
Sarasota FL 34232
Telephone: (941) 342-1568; Fax: (941) 342-8296
Lab Name: Fertility Center & Applied Genetics of Florida, Inc.
Accreditation: None

South Florida Institute for Reproductive Medicine
7300 S.W. 62nd Pl, 4th Floor
South Miami FL 33143
Telephone: (305) 662-7901; Fax: (305) 662-7910
Lab Name: South Florida Institute for Reproductive Medicine Laboratory-South Miami
Accreditation: CAP/ASRM
Lab Name: South Florida Institute for Reproductive Medicine Laboratory-Jupiter
Accreditation: None

Reproductive Health Associates, PA
2919 Swann Ave, Suite 307
Tampa FL 33609
Telephone: (813) 872-0018; Fax: (813) 876-1149
Lab Name: Bill Clark
Accreditation: None

\$The Reproductive Medicine Group
5245 E. Fletcher Ave
Tampa FL 33617
Telephone: (813) 676-8844; Fax: (813) 676-8815
Contact the NASS Help Desk for current clinic information.

University of South Florida IVF
2 Tampa General Cir, 6th Floor
Tampa FL 33606
Telephone: (813) 259-0962; Fax: (813) 259-0882
Lab Name: University of South Florida IVF
Accreditation: None

F.I.R.S.T.
Florida Institute for Reproductive Sciences and Technologies
2300 N. Commerce Pkwy, Suite 313
Weston FL 33326
Telephone: (954) 217-3456; Fax: (954) 217-3462
Lab Name: Florida Institute for Reproductive Sciences & Technologies
Accreditation: The Joint Commission

Fertility Center of Assisted Reproduction & Endocrinology
5931 Brick Ct
Winter Park FL 32792
Telephone: (407) 672-1106; Fax: (407) 678-2790
Lab Name: Fertility Center of Assisted Reproduction & Endocrinology Laboratory
Accreditation: CAP/ASRM

GEORGIA

Atlanta Center for Reproductive Medicine
5909 Peachtree Dunwoody Rd, Suite 720
Atlanta GA 30328
Telephone: (770) 928-2276; Fax: (770) 592-2092
Lab Name: Atlanta Center for Reproductive Medicine Laboratory
Accreditation: CAP/ASRM

Emory Reproductive Center
550 Peachtree St, Suite 1800
Atlanta GA 30308
Telephone: (404) 686-3401; Fax: (404) 686-4956
Lab Name: Emory University, Emory Reproductive Center
Accreditation: CAP/ASRM

Georgia Reproductive Specialists, LLC
5445 Meridian Mark Rd, Suite 270
Atlanta GA 30342
Telephone: (404) 843-2229; Fax: (404) 843-0812
Lab Name: Georgia Reproductive Specialists
Accreditation: The Joint Commission

For current information for Reproductive Biology Associates, see Sandy Springs, GA

Reproductive Medicine and Infertility Associates
810 Chafee Ave
Augusta GA 30904
Telephone: (706) 722-4434; Fax: (706) 722-9647
Lab Name: MCGH/PPG Reproductive Laboratories, LLC
Accreditation: CAP/ASRM

Servy Institute for Reproductive Endocrinology
Servy Massey Fertility Institute
Servy Institute for Reproductive Endocrinology
812 Chafee Ave
Augusta GA 30904
Telephone: (706) 724-0228; Fax: (706) 722-2387
Lab Name: MCGH/PPG Reproductive Laboratories, LLC
Accreditation: CAP/ASRM

Columbus Center for Reproductive Endocrinology
and Infertility, LLC
2323 Whittlesey Rd
Columbus GA 31909
Telephone: (706) 653-6344; Fax: (706) 653-8933
Lab Name: Columbus Center for Reproductive
Endocrinology & Infertility Laboratory
Accreditation: CAP/ASRM

Central Georgia Fertility Institute
4075 Elnora Dr
Macon GA 31210
Telephone: (478) 757-7888; Fax: (478) 757-7887
Lab Name: Central Georgia Fertility Institute
Accreditation: The Joint Commission

Reproductive Biology Associates
1100 Johnson Ferry Rd N.E., Suite 200
Sandy Springs GA 30342
Telephone: (404) 843-3064; Fax: (404) 256-1528
Lab Name: Reproductive Biology Associates
IVF Laboratory
Accreditation: CAP/ASRM

The Georgia Center for Reproductive Medicine
5354 Reynolds St, Suite 510
Savannah GA 31405
Telephone: (912) 352-8588; Fax: (912) 352-8893
Lab Name: The Georgia Center for
Reproductive Medicine
Accreditation: CAP/ASRM

HAWAII

Advanced Reproductive Center of Hawaii
1319 Punahou St, Suite 520
Honolulu HI 96826
Telephone: (808) 949-6611; Fax: (808) 949-6610
Lab Name: Pacific IVF Institute Laboratory
Accreditation: CAP/ASRM, The Joint Commission

Advanced Reproductive Medicine & Gynecology of
Hawaii, Inc.
1401 South Beretania St, Suite 250
Honolulu HI 96814
Telephone: (808) 545-2800; Fax: (808) 262-3744
Lab Name: Fertility Institute of Hawaii Laboratory
Accreditation: CAP/ASRM

IVF Hawaii
1329 Lusitana St, Suite 607
Honolulu HI 96813
Telephone: (808) 538-6655; Fax: (808) 537-5500
Lab Name: IVF Hawaii Laboratory
Accreditation: CAP/ASRM

Pacific In Vitro Fertilization Institute
Kapi`olani Medical Center for Women and Children
1319 Punahou St, Suite 980
Honolulu HI 96826
Telephone: (808) 946-2226; Fax: (808) 943-1563
Lab Name: Pacific IVF Institute Laboratory
Accreditation: CAP/ASRM, The Joint Commission

Tripler Army Medical Center IVF Institute
Department of OB/GYN
1 Jarrett White Rd
Tripler AMC HI 96859
Telephone: (808) 433-5954; Fax: (808) 433-1552
Lab Name: Pacific IVF Institute Laboratory
Accreditation: CAP/ASRM, The Joint Commission

IDAHO

Idaho Center for Reproductive Medicine
111 Main St, Suite 100
Boise ID 83702
Telephone: (208) 342-5900; Fax: (208) 342-2088
Lab Name: Idaho Reproductive Labs, Inc.
Accreditation: The Joint Commission

ILLINOIS

Rush-Copley Center for Reproductive Health
Rush-Copley Medical Center
2020 Ogden Ave, Suite 250
Aurora IL 60504
Telephone: (630) 978-6254; Fax: (630) 499-2487
Lab Name: Rush-Copley Medical Center
Accreditation: The Joint Commission

Martin S. Balin, MD, PhD
2825 N. Halsted St
Chicago IL 60657
Telephone: (800) 241-7133; Fax: (765) 838-2318
Lab Name: Reproductive Genetics Institute IVF
Accreditation: CAP/ASRM

Center for Reproductive Medicine & Fertility
The University of Chicago
333 S. Desplaines St, Suite 201
Chicago IL 60661
Telephone: (773) 702-6642; Fax: (773) 702-5848
Lab Name: Center for Reproductive Medicine &
Fertility Laboratory
Accreditation: CAP/ASRM

Institute for Human Reproduction (IHR)
2825 N. Halsted St
Chicago IL 60657
Telephone: (773) 472-4949; Fax: (773) 935-3691
Lab Name: Reproductive Genetics Institute IVF
Accreditation: CAP/ASRM

Northwestern University
675 N. St. Clair St, Suite 14-219
Chicago IL 60611
Telephone: (312) 695-1364; Fax: (312) 695-4924
Lab Name: Northwestern Medical Faculty
Foundation, Inc., IVF & Andrology Laboratories
Accreditation: CAP/ASRM

River North IVF-Fertility Centers of Illinois
900 N. Kingsbury, Suite RW6
Chicago IL 60610
Telephone: (847) 729-2188; Fax: (847) 724-1649
Lab Name: Fertility Centers of Illinois, River North
IVF Center
Accreditation: CAP/ASRM

University of Illinois at Chicago IVF Program
1801 W. Taylor St, Suite 4A
Chicago IL 60612
Telephone: (312) 996-9820; Fax: (312) 355-3161
Lab Name: University of Illinois at Chicago
IVF Program
Accreditation: CAP/ASRM

Women's Health Consultants
1725 W. Harrison St, Suite 408E
Chicago IL 60612
Telephone: (312) 997-2229; Fax: (312) 997-2229
Lab Name: Reproductive Genetics Institute IVF
Accreditation: CAP/ASRM
Lab Name: Rush Center for Advanced Reproductive
Care Andrology Laboratory
Accreditation: The Joint Commission

Center for Reproductive Health/Joliet IVF
2246 Weber Rd
Crest Hill IL 60403
Telephone: (815) 725-4161; Fax: (815) 725-4341
Lab Name: Center for Reproductive Health, SC,
Joliet IVF, LLC
Accreditation: CAP/ASRM

Midwest Fertility Center
4333 Main St
Downers Grove IL 60515
Telephone: (630) 810-0212; Fax: (630) 810-1027
Lab Name: Midwest Fertility Center, ART Laboratory
of Midwest Fertility Center
Accreditation: CAP/ASRM

Advanced Fertility Center of Chicago
30 Tower Ct, Suite F
Gurnee IL 60031
Telephone: (847) 662-1818; Fax: (847) 662-3001
Lab Name: Advanced Fertility Center of
Chicago Laboratory
Accreditation: CAP/ASRM

Chicago Infertility Associates, Ltd.
Alexian Brother's Hospital Pavilion
1515 W. Lake St, Suite 208
Hanover Park IL 60133
Telephone: (630) 540-9317; Fax: (630) 540-2262
Lab Name: Reproductive Genetics Institute IVF
Accreditation: CAP/ASRM
Lab Name: Advanced Institute for Infertility
Accreditation: None

Highland Park IVF Center
767 Park Ave West, B400
Highland Park IL 60035
Telephone: (847) 266-3535; Fax: (847) 266-8838
Lab Name: Gamete Resources
Accreditation: The Joint Commission

Hinsdale Center for Reproduction
121 N. Elm St
Hinsdale IL 60521
Telephone: (630) 856-3535; Fax: (630) 856-3545
Lab Name: Hinsdale Center for
Reproduction Laboratory
Accreditation: CAP/ASRM

Reena Jabamoni, MD, SC
1585 N. Barrington Rd, Bldg 2, Suite 401
Hoffman Estates IL 60169
Telephone: (847) 843-7090; Fax: (847) 843-0584
Lab Name: Fertility Centers of Illinois, River North
IVF Center
Accreditation: CAP/ASRM

Karande and Associates, SC dba
InVia Fertility Specialists
1585 N. Barrington Rd, Suite 406
Hoffman Estates IL 60194
Telephone: (847) 884-8884; Fax: (847) 884-8093
Lab Name: InVia Fertility Laboratory
Accreditation: CAP/ASRM

Reproductive Health Specialists, Ltd.
1515 Essington Rd
Joliet IL 60435
Telephone: (815) 730-1100; Fax: (815) 730-1066
Lab Name: Reproductive Health Specialists, Ltd.,
IVF/Andrology Laboratory
Accreditation: CAP/ASRM

The Advanced IVF Institute
Charles E. Miller, MD & Associates
The Advanced IVF Institute
Charles E. Miller, MD, SC & Associates
120 Osler Dr, Suite 100
Naperville IL 60540
Telephone: (630) 428-2229; Fax: (630) 428-0336
Lab Name: Charles E. Miller, MD, SC, Laboratory
Accreditation: CAP/ASRM

IVF1
636 Raymond Dr, Suite 303
Naperville IL 60563
Telephone: (630) 357-6540; Fax: (630) 357-6435
Lab Name: Reproductive Genetics Institute IVF
Accreditation: CAP/ASRM

§Oak Brook Fertility Center
2425 W. 22nd St, Suite 102
Oak Brook IL 60523
Telephone: (630) 954-0054; Fax: (630) 954-0064
Contact the NASS Help Desk for current
clinic information.

Daniel Rostein, MD
2208 Midwest Rd, Suite 102
Oak Brook IL 60523
Telephone: (630) 472-9100; Fax: (630) 472-9101
Lab Name: Reproductive Genetics Institute IVF
Accreditation: CAP/ASRM

Reproductive Health and Fertility Center
973 Featherstone Rd, Suite 100
Rockford IL 61107
Telephone: (815) 986-3737; Fax: (815) 986-3734
Lab Name: Reproductive Health and Fertility
Center Laboratory
Accreditation: CAP/ASRM

Chicago IVF
5225 Old Orchard Rd, Suite 24a
Skokie IL 60077
Telephone: (866) 483-2446; Fax: (708) 403-5272
Lab Name: Advanced Reproductive Health Centers,
Ltd. IVF Laboratory
Accreditation: CAP/ASRM

North Shore Fertility, SC
4250 Dempster St
Skokie IL 60076
Telephone: (847) 763-8850; Fax: (847) 763-8851
Lab Name: North Shore Fertility, SC, IVF Laboratory
Accreditation: CAP/ASRM

Southern Illinois University School of Medicine
Fertility and IVF Center
751 N. Rutledge St, Suite 0100
Springfield IL 62702
Telephone: (217) 545-2229; Fax: (217) 545-3119
Lab Name: SIU Fertility and IVF Center Laboratory
Accreditation: CAP/ASRM

Seth Levrant, MD, PC
Partners in Reproductive Health
16345 S. Harlem Ave, Suite 1W
Tinley Park IL 60477
Telephone: (708) 532-7017; Fax: (708) 845-5287
Lab Name: Seth Levrant, MD, PC, In-Vitro Lab
Accreditation: CAP/ASRM

INDIANA

For current information for American Health
Network-reproductive medicine, see
Indianapolis, IN

For current information for Jarrett Fertility Group,
see Indianapolis, IN

Midwest Fertility Specialists
12188-A N. Meridian St, Suite 250
Carmel IN 46032
Telephone: (317) 571-1637; Fax: (317) 571-9483
Lab Name: Midwest Fertility Specialists
Accreditation: The Joint Commission

Advanced Reproduction Institute, LLC
Advanced Fertility Group
1222 Professional Blvd
Evansville IN 47714
Telephone: (812) 469-4920; Fax: (812) 469-4930
Lab Name: Advanced Reproduction Institute, LLC
Accreditation: The Joint Commission

Advanced Fertility Group
201 N. Pennsylvania Pkwy, Suite 205
Indianapolis IN 46280
Telephone: (317) 817-1300; Fax: (317) 817-1306
Lab Name: Center for Reproductive Biology of
Indiana, LLC
Accreditation: The Joint Commission

American Health Network-reproductive medicine
10610 N. Pennsylvania St, Suite 100
Indianapolis IN 46280
Telephone: (317) 580-4493; Fax: (317) 587-7056
Lab Name: Heartland Laboratories
Accreditation: CAP/ASRM

Community Reproductive Endocrinology
7250 Clearvista Dr, Suite 365
Indianapolis IN 46256
Telephone: (317) 621-0600; Fax: (317) 621-0610
Lab Name: Assisted Fertility Services
Accreditation: The Joint Commission

Family Beginnings, PC
8435 Clearvista Pl, Suite 104
Indianapolis IN 46256
Telephone: (317) 595-3665; Fax: (317) 595-3666
Lab Name: Family Beginnings, PC
Accreditation: CAP/ASRM

Indiana University Hospital
550 N. University Blvd, Room 2440
Indianapolis IN 46202
Telephone: (317) 944-4057; Fax: (317) 944-0869
Lab Name: Center for Reproductive Biology of
Indiana, LLC
Accreditation: The Joint Commission

Jarrett Fertility Group
John C. Jarrett II, MD AHN Reproductive Medicine
16010 North Pennsylvania St, Suite 101
Indianapolis IN 46280
Telephone: (317) 575-6565; Fax: (317) 575-6575
Lab Name: Heartland Laboratories
Accreditation: CAP/ASRM

Reproductive Care of Indiana
201 Pennsylvania Pkwy, Suite 205
Indianapolis IN 46280
Telephone: (317) 506-8095; Fax: (317) 817-1810
Lab Name: Center for Reproductive Biology of
Indiana, LLC
Accreditation: The Joint Commission

Women's Specialty Health Centers, PC
9660 E. 146th St, Suite 300
Noblesville IN 46060
Telephone: (317) 774-1200; Fax: (317) 774-1222
Lab Name: Follas Center for Reproductive
Medicine Laboratory
Accreditation: CAP/ASRM

IOWA

Mid-Iowa Fertility, PC
1371 N.W. 121st St
Clive IA 50325
Telephone: (515) 222-3060; Fax: (515) 222-9563
Lab Name: Mid-Iowa Fertility, PC, Main Laboratory
Accreditation: CAP/ASRM

University of Iowa Hospitals and Clinics
Center for Advanced Reproductive Care
Department of Obstetrics and Gynecology
Pomerantz Family Pavilion
200 Hawkins Dr
Iowa City IA 52242
Telephone: (319) 356-8483; Fax: (319) 353-6659
Lab Name: University of Iowa Hospital and Clinics
IVF & Reproductive Testing
Accreditation: CAP/ASRM

KANSAS

Midwest Reproductive Center, PA
20375 W. 151st St, Bldg 1, Suite 403
Olathe KS 66061
Telephone: (913) 780-4300; Fax: (913) 780-4250
Lab Name: Midwest Reproductive
Center Laboratory
Accreditation: CAP/ASRM

Center for Advanced Reproductive Medicine
10777 Nall Ave, Suite 200
Overland Park KS 66211
Telephone: (913) 588-6272; Fax: (913) 588-6258
Lab Name: University of Kansas Medical Center
Embryology Laboratory
Accreditation: CAP/ASRM

Reproductive Resource Center of
Greater Kansas City
12200 W. 106th St, Suite 120
Overland Park KS 66215
Telephone: (913) 894-2323; Fax: (913) 894-0841
Lab Name: Reproductive Resource Center
IVF Laboratory
Accreditation: CAP/ASRM

Reproductive Medicine & Infertility
Shawnee Mission Medical Center
8901 W. 74th Street, Suite 269
Shawnee Mission KS 66204
Telephone: (913) 432-7161; Fax: (913) 432-6158
Lab Name: Shawnee Mission Medical Center,
Reproductive Medicine & Infertility
Accreditation: CAP/ASRM

The Center for Reproductive Medicine
9300 E. 29th St North, Suite 102
Wichita KS 67226
Telephone: (316) 687-2112; Fax: (316) 687-1260
Lab Name: The Center for Reproductive Medicine,
CRM Laboratories
Accreditation: CAP/ASRM

KENTUCKY

Bluegrass Fertility Center
1760 Nicholasville Rd, Suite 501
Lexington KY 40503
Telephone: (859) 260-1515; Fax: (859) 260-1425
Lab Name: Bluegrass Fertility Center Laboratory
Accreditation: CAP/ASRM

University of Kentucky
125 E. Maxwell St, Suite 140
Lexington KY 40508
Telephone: (859) 323-0005; Fax: (859) 323-0790
Lab Name: Bluegrass Fertility Center Laboratory
Accreditation: CAP/ASRM

Fertility and Endocrine Associates
Louisville Reproductive Center
4121 Dutchman's Ln, Suites 414 and 416
Louisville KY 40207
Telephone: (502) 897-2144; Fax: (502) 897-1773
Lab Name: Louisville Reproductive Center
Embryology Laboratory
Accreditation: CAP/ASRM

§University OB/GYN Associates Fertility Center
401 East Chestnut St, Suite 410
Louisville KY 40202
Telephone: (502) 588-4400; Fax: (502) 588-4315
Contact the NASS Help Desk for current
clinic information.

LOUISIANA

A Woman's Center for Reproductive Medicine
500 Rue de La Vie, Suite 510
Baton Rouge LA 70817
Telephone: (225) 926-6886; Fax: (225) 922-3730
Lab Name: A Woman's Center for
Reproductive Medicine
Accreditation: CAP/ASRM

Fertility and Women's Health Center of Louisiana
206 East Farrel Rd
Lafayette LA 70508
Telephone: (337) 989-8795; Fax: (337) 989-9728
Lab Name: Fertility and Women's Health Center
of Louisiana
Accreditation: The Joint Commission

The Fertility Institute of New Orleans
4770 S. I-10 Service Road West, Suite 201
Metairie LA 70001
Telephone: (985) 892-7621; Fax: (985) 892-9245
Lab Name: Fertility Institute of New
Orleans Laboratory
Accreditation: CAP/ASRM

§Center for Fertility and Reproductive Health
2401 Greenwood Rd
Shreveport LA 71103
Telephone: (318) 212-8270; Fax: (318) 212-8230
Contact the NASS Help Desk for current
clinic information.

MARYLAND

Center for ART at Union Memorial Hospital
Center for ART at Medstar Union Memorial Hospital
33rd St Professional Bldg
201 E. University Pkwy, Suite 464
Baltimore MD 21218
Telephone: (410) 554-2308; Fax: (410) 554-2091
Lab Name: Union Memorial Hospital, Center for
ART at Union Memorial Hospital
Accreditation: CAP/ASRM

Shady Grove Fertility RSC at GBMC
6569 N. Charles St, Suite 406
Baltimore MD 21204
Telephone: (410) 512-8300; Fax: (410) 512-8390
Lab Name: Shady Grove Fertility Reproductive
Science Center Andrology Center
Accreditation: CAP/ASRM

The A.R.T. Institute of Washington, Inc.
Walter Reed Army Medical Center
The A.R.T. Institute of Washington, Inc.
Walter Reed National Military Medical Center
8901 Wisconsin Ave, Bldg 10, Rm 2104
Bethesda MD 20889
Telephone: (301) 400-2151; Fax: (301) 400-1800
Lab Name: The A.R.T. Institute of Washington,
Inc. Laboratory
Accreditation: CAP/ASRM

Endrika Hinton, MD
10751 Falls Rd, Suite 302
Lutherville MD 21093
Telephone: (410) 616-7777; Fax: (410) 616-7767
Lab Name: Johns Hopkins Health System
Corporation, Johns Hopkins IVF ART Laboratories
Accreditation: CAP/ASRM

Johns Hopkins Fertility Center
10753 Falls Rd, Suite 335
Lutherville MD 21093
Telephone: (410) 847-3650; Fax: (410) 583-2792
Lab Name: Johns Hopkins Health System
Corporation, Johns Hopkins IVF ART Laboratories
Accreditation: CAP/ASRM

Shady Grove Fertility Reproductive Science Center
15001 Shady Grove Rd, Suite 400
Rockville MD 20850
Telephone: (301) 340-1188; Fax: (301) 340-1612
Lab Name: Shady Grove Fertility Reproductive
Science Center
Accreditation: The Joint Commission

Fertility Center of Maryland
110 West Rd, Suite 102
Towson MD 21204
Telephone: (410) 296-6400; Fax: (410) 296-6405
Lab Name: Fertility Center of Maryland, Inc.
Accreditation: The Joint Commission

MASSACHUSETTS

Brigham and Women's Hospital Center for Assisted
Reproductive Technology
Brigham and Women's Hospital
75 Francis St
Boston MA 02115
Telephone: (617) 732-5570; Fax: (617) 975-0825
Lab Name: Brigham and Women's Hospital, Center
for Assisted Reproduction
Accreditation: CAP/ASRM, The Joint Commission

Massachusetts General Hospital Fertility Center
32 Fruit St, Yawkey 10A
Boston MA 02114
Telephone: (617) 726-8868; Fax: (617) 724-8882
Lab Name: Massachusetts General Hospital,
Vincent IVF Unit Laboratory
Accreditation: CAP/ASRM

REI Division at Tufts Medical Center
North Building, Mezzanine Level
800 Washington St
Boston MA 02111
Telephone: (617) 636-0053; Fax: (401) 277-3638
Lab Name: REI Division at Tufts Medical
Center Laboratory
Accreditation: CAP/ASRM

Fertility Solutions, PC dba
Massachusetts Fertility Center, LLC
45 Stergis Way
Dedham MA 02026
Telephone: (781) 326-2451; Fax: (781) 329-2684
Lab Name: Massachusetts Fertility Center-Fertility
Solutions Laboratory
Accreditation: CAP/ASRM

Reproductive Science Center
1 Forbes Rd
Lexington MA 02421
Telephone: (781) 674-1200; Fax: (781) 674-2442
Lab Name: The Reproductive Science Center
Accreditation: CAP/ASRM

Fertility Centers of New England, Inc.
New England Clinics of Reproductive Medicine, Inc.
20 Pond Meadow Dr, Suite 207
Reading MA 01867
Telephone: (781) 942-7000; Fax: (781) 942-7200
Lab Name: New England Clinic of Reproductive
Medicine, Inc. Laboratory
Accreditation: CAP/ASRM

Baystate Reproductive Medicine
Chestnut Surgical Center
759 Chestnut St
Springfield MA 01199
Telephone: (413) 794-1950; Fax: (413) 794-1857
Lab Name: Baystate Medical Center, Reproductive
Biology Laboratory
Accreditation: CAP/ASRM

Cardone Reproductive Medicine and Infertility
2 Main St, Suite 150
Stoneham MA 02180
Telephone: (781) 438-9600; Fax: (781) 438-9601
Lab Name: Boston IVF, Inc.
Accreditation: CAP/ASRM

Boston IVF
130 Second Ave
Waltham MA 02451
Telephone: (781) 434-6400; Fax: (781) 434-6464
Lab Name: Boston IVF, Inc.
Accreditation: CAP/ASRM
Lab Name: Boston IVF, The Maine Center Laboratory
Accreditation: CAP/ASRM

MICHIGAN

Center for Reproductive Medicine
University of Michigan Reproductive Endocrinology
and Infertility
475 Market Pl, Suite B
Ann Arbor MI 48108
Telephone: (734) 763-4323; Fax: (734) 763-7682
Lab Name: University of Michigan, Assisted
Reproductive Technologies Laboratories
Accreditation: CAP/ASRM

Center for Reproductive Medicine and Surgery, PC
300 Park St, Suite 460
Birmingham MI 48009
Telephone: (248) 593-6990; Fax: (248) 593-5925
Lab Name: SMART Labs, LLC
Accreditation: CAP/ASRM

Advanced Reproductive Medicine and Surgery, PC
4190 Telegraph Rd, Suite 1500
Bloomfield Hills MI 48302
Telephone: (248) 203-0900; Fax: (248) 203-0902
Lab Name: Michigan Center for Fertility, Michigan
Center IVF, PLLC, Laboratory
Accreditation: CAP/ASRM
Lab Name: Reproductive Medicine Associates of
Michigan Laboratory
Accreditation: CAP/ASRM

Gago IVF
2250 Genoa Business Park Dr, Suite 100
Brighton MI 48114
Telephone: (810) 227-3232; Fax: (810) 227-3237
Lab Name: Reproductive Medicine Associates of
Michigan Laboratory
Accreditation: CAP/ASRM

Michigan Comprehensive Fertility Center
18181 Oakwood Blvd, Suite 109
Dearborn MI 48124
Telephone: (313) 299-6650; Fax: (313) 299-6658
Lab Name: Michigan Comprehensive Fertility
Center Laboratory
Accreditation: The Joint Commission

Grand Rapids Fertility & IVF, PC
555 Midtowne St N.E., Suite 300
Grand Rapids MI 49503
Telephone: (616) 774-2030; Fax: (616) 774-2053
Lab Name: Grand Rapids Fertility & IVF,
PC, Laboratory
Accreditation: CAP/ASRM

Michigan Reproductive & IVF Center, PC
3230 Eagle Park Dr N.E., Suite 100
Grand Rapids MI 49525
Telephone: (616) 988-2229; Fax: (616) 988-2009
Lab Name: Michigan Reproductive & IVF Center, PC
Accreditation: The Joint Commission

IVF Michigan
3950 S. Rochester Rd, Suite 2300
Rochester Hills MI 48307
Telephone: (248) 844-8845; Fax: (248) 844-9039
Lab Name: IVF Michigan, IVF/Andrology Laboratory
Accreditation: CAP/ASRM

Wayne State University Physician Group
University Women's Care
26400 W. 12 Mile Rd, Suite 140
Southfield MI 48034
Telephone: (248) 352-8200; Fax: (248) 356-8255
Lab Name: University Physician Group,
Reproductive Laboratory
Accreditation: CAP/ASRM

Henry Ford Reproductive Medicine
1500 W. Big Beaver, Suite 105
Troy MI 48084
Telephone: (248) 637-4050; Fax: (248) 637-0115
Lab Name: Henry Ford Health System,
Reproductive Medicine
Accreditation: CAP/ASRM

Reproductive Medicine Associates of Michigan
130 Town Center Dr, Suite 106
Troy MI 48084
Telephone: (248) 619-3100; Fax: (248) 619-9031
Lab Name: Reproductive Medicine Associates of
Michigan Laboratory
Accreditation: CAP/ASRM

Michigan Center for Fertility and
Women's Health, PLC
4700 Thirteen Mile Rd
Warren MI 48092
Telephone: (586) 576-0431; Fax: (586) 576-0924
Lab Name: Michigan Center for Fertility, Michigan
Center IVF, PLLC, Laboratory
Accreditation: CAP/ASRM

MINNESOTA

The Midwest Center for Reproductive Health, PA
Arbor Lakes Medical Bldg
12000 Elm Creek Blvd North, Suite 350
Maple Grove MN 55369
Telephone: (763) 494-7700; Fax: (763) 494-7706
Lab Name: Midwest Center for Reproductive
Health, Assisted Reproductive Technology
Accreditation: CAP/ASRM

Center for Reproductive Medicine
Advanced Reproductive Technologies
2828 Chicago Ave South, Suite 400
Minneapolis MN 55407
Telephone: (612) 863-5390; Fax: (612) 863-2697
Lab Name: Center for Reproductive Medicine
Embryology Laboratory
Accreditation: CAP/ASRM

Reproductive Medicine Center
606 24th Ave South, Suite 500
Minneapolis MN 55454
Telephone: (612) 372-7050; Fax: (612) 372-7040
Lab Name: University of Minnesota Physicians,
Reproductive Medicine Center Laboratory
Accreditation: CAP/ASRM

Mayo Clinic Assisted Reproductive Technologies
Charlton Bldg, 200 First St S.W., 3rd Floor, Desk 3A
Rochester MN 55905
Telephone: (507) 266-3995; Fax: (507) 284-1774
Lab Name: Mayo Clinic Fertility Testing Laboratory
Accreditation: CAP/ASRM

Reproductive Medicine & Infertility Associates
Woodbury Medical Arts Bldg
2101 Woodwinds Dr, Suite 100
Woodbury MN 55125
Telephone: (651) 222-6050; Fax: (651) 222-5975
Lab Name: Reproductive Medicine & Infertility
Associates, Reproductive
Biology Laboratory-Woodbury
Accreditation: CAP/ASRM
Lab Name: Reproductive Medicine & Infertility
Associates, Biology Laboratory
Accreditation: CAP/ASRM

MISSISSIPPI

Mississippi Fertility Institute
501 Marshall St, Suite 600
Jackson MS 39202
Telephone: (601) 948-3874; Fax: (601) 326-1501
Lab Name: Mississippi Fertility Institute
Accreditation: The Joint Commission

§University of Mississippi Medical Center
IVF Program, Department of Ob/Gyn
2500 N. State St
Jackson MS 39216
Telephone: (601) 984-5330; Fax: (601) 984-6759
Contact the NASS Help Desk for current
clinic information.

MISSOURI

Infertility Center of St. Louis
Sherman J. Silber, MD
224 S. Woods Mill Rd, Suite 730
Chesterfield MO 63017
Telephone: (314) 576-1400; Fax: (314) 576-1442
Lab Name: St. Luke's Hospital Assisted
Reproductive Technology Laboratory
Accreditation: CAP/ASRM

Mid-Missouri Reproductive Medicine
and Surgery, Inc.
1506 E. Broadway, Suite 220
Columbia MO 65201
Telephone: (573) 443-4511; Fax: (573) 443-7860
Lab Name: Mid-Missouri Reproductive Medicine
and Surgery, Inc., Laboratory
Accreditation: CAP/ASRM

Missouri Center for Reproductive Medicine
and Fertility
Department of Obstetrics, Gynecology and
Women's Health
500 N. Keene St, Suite 203
Columbia MO 65201
Telephone: (573) 499-6071; Fax: (573) 499-6065
Lab Name: University of Missouri, Missouri Center
for Reproductive Medicine and Fertility-ART Lab
Accreditation: CAP/ASRM

Midwest Women's Healthcare Specialists
6400 Prospect, Suite 598
Kansas City MO 64132
Telephone: (816) 444-6888; Fax: (816) 444-8430
Lab Name: Research Medical Center IVF Laboratory
Accreditation: CAP/ASRM

Fertility Partnership
5401 Veterans Memorial Pkwy, Suite 201
Saint Peters MO 63376
Telephone: (636) 441-7770; Fax: (636) 441-7775
Lab Name: Fertility Partnership Laboratory
Accreditation: None

Fertility Center at Missouri Baptist Medical Center
3009 N. Ballas Rd, Suite 258C
St. Louis MO 63131
Telephone: (314) 996-7900; Fax: (314) 996-7910
Lab Name: The Fertility Center at Missouri Baptist
Medical Center
Accreditation: CAP/ASRM

The Infertility and Reproductive Medicine Center
at Washington University School of Medicine and
Barnes-Jewish Hospital
Barnes-Jewish Hospital, North Campus
4444 Forest Park Ave, Suite 3100
St. Louis MO 63108
Telephone: (314) 286-2400; Fax: (314) 286-2455
Lab Name: Barnes-Jewish Hospital, Infertility &
Reproductive Medicine
Accreditation: CAP/ASRM

MONTANA

Billings Clinic
Department of Reproductive Medicine and
Fertility Care
801 N. 29th St
Billings MT 59101
Telephone: (406) 238-2904; Fax: (406) 238-2806
Lab Name: Billings Clinic
Accreditation: CAP/ASRM (Pend)

NEBRASKA

Heartland Center for Reproductive Medicine, PC
7308 S. 142nd St
Omaha NE 68138
Telephone: (402) 717-4200; Fax: (402) 717-4230
Lab Name: Heartland Center for Reproductive
Medicine, PC, Laboratory
Accreditation: CAP/ASRM

Nebraska Methodist Hospital REI
717 N. 190th Plaza, Suite 2500
Omaha NE 68022
Telephone: (402) 815-1915; Fax: (402) 815-1065
Lab Name: Methodist Women's Hospital,
Andrology/Embryology Laboratory
Accreditation: CAP/ASRM

NEVADA

Fertility Center of Las Vegas
8851 W. Sahara Ave, Suite 100
Las Vegas NV 89117
Telephone: (702) 254-1777; Fax: (702) 254-1213
Lab Name: Fertility Center of Las Vegas Laboratory
Accreditation: CAP/ASRM

Red Rock Fertility Center
6420 Medical Center St, Suite 100
Las Vegas NV 89148
Telephone: (702) 262-0079; Fax: (702) 685-6910
Lab Name: Red Rock Fertility Center Laboratory
Accreditation: CAP/ASRM

The Nevada Center for Reproductive Medicine
645 Sierra Rose Dr, Suite 205
Reno NV 89511
Telephone: (775) 828-1200; Fax: (775) 828-1785
Lab Name: The Nevada Center for
Reproductive Medicine
Accreditation: The Joint Commission

NEW HAMPSHIRE

Dartmouth-Hitchcock Medical Center
1 Medical Center Dr
Lebanon NH 03756
Telephone: (603) 653-9240; Fax: (603) 650-0905
Lab Name: Dartmouth-Hitchcock Medical Center,
Mary Hitchcock Reproductive
Sciences Laboratory
Accreditation: CAP/ASRM

NEW JERSEY

Sher Institute for Reproductive
Medicine-New Jersey
171 State Route 173, Suite 301
Asbury NJ 08802
Telephone: (908) 781-0666; Fax: (908) 238-5197
Lab Name: Sher Institute for Reproductive
Medicine-New Jersey
Accreditation: CAP/ASRM

Reproductive Medicine Associates of New Jersey
140 Allen Road
Basking Ridge NJ 07920
Telephone: (973) 971-4600; Fax: (973) 290-8370
Lab Name: Reproductive Medicine Associates of
New Jersey Embryology Laboratory
Accreditation: CAP/ASRM

For current information for Sher Institute for
Reproductive Medicine-New Jersey, see
Asbury NJ

Reproductive Science Center of New Jersey
234 Industrial Way West, Suite A104
Eatontown NJ 07724
Telephone: (732) 918-2500; Fax: (732) 918-2504
Lab Name: Reproductive Science Center of New
Jersey Laboratory
Accreditation: CAP/ASRM

Center for Advanced Reproductive
Medicine & Fertility
Four Ethel Rd, Suite 405A
Edison NJ 08817
Telephone: (732) 339-9300; Fax: (732) 339-9400
Lab Name: Center for Advanced Reproductive
Medicine & Fertility
Accreditation: The Joint Commission

Women's Fertility Center
106 Grand Ave, Suite 400
Englewood NJ 07631
Telephone: (201) 569-6979; Fax: (201) 569-0269
Lab Name: Fertility Institute of New Jersey and New
York IVF Laboratory
Accreditation: CAP/ASRM

North Hudson I.V.F.
Center for Fertility and Gynecology
385 Sylvan Ave
Englewood Cliffs NJ 07632
Telephone: (201) 871-1999; Fax: (201) 871-1031
Lab Name: North Hudson IVF Center Laboratory
Accreditation: CAP/ASRM

Douglas S. Rabin, MD
33-00 Broadway, Suite 303
Fair Lawn NJ 07410
Telephone: (201) 703-9555; Fax: (201) 475-5678
Lab Name: Gramercy Fertility Services
Accreditation: The Joint Commission (Pend), NYSTB

University Reproductive Associates, PC
214 Terrace Ave
Hasbrouck Heights NJ 07604
Telephone: (201) 288-6330; Fax: (201) 288-6331
Lab Name: University Reproductive Associates,
PC, Laboratories
Accreditation: CAP/ASRM

Shore Institute for Reproductive Medicine
475 Route 70, Suite 201
Lakewood NJ 08701
Telephone: (732) 363-4777; Fax: (732) 363-2004
Lab Name: Shore Area IVF Laboratories, PC
Accreditation: CAP/ASRM

Delaware Valley OBGYN and Infertility Group
Princeton IVF
2 Princess Rd, Suite C
Lawrenceville NJ 08648
Telephone: (609) 896-0777; Fax: (609) 896-3266
Lab Name: Delaware Valley OBGYN and Infertility
Group, Princeton IVF
Accreditation: CAP/ASRM

East Coast Infertility and IVF
200 White Rd, Suite 214
Little Silver NJ 07739
Telephone: (732) 758-6511; Fax: (732) 758-0148
Lab Name: East Coast Infertility and IVF Laboratory
Accreditation: CAP/ASRM

Institute for Reproductive Medicine and Science
Saint Barnabas Medical Center
94 Old Short Hills Rd, East Wing, Suite 403
Livingston NJ 07039
Telephone: (973) 322-8286; Fax: (973) 322-8890
Lab Name: Institute for Reproductive Medicine and
Science at Saint Barnabas Medical Center
Accreditation: CAP/ASRM

Cooper Institute for Reproductive
Hormonal Disorders
8002 Lincoln Dr West
Marlton NJ 08053
Telephone: (856) 751-5575; Fax: (856) 751-7289
Lab Name: Cooper Institute for Reproductive
Hormonal Disorders
Accreditation: CAP/ASRM

Delaware Valley Institute of Fertility and Genetics
6000 Sagemore Dr, Suite 6102
Marlton NJ 08053
Telephone: (856) 988-0072; Fax: (856) 988-0056
Lab Name: Delaware Valley Institute of Fertility and
Genetics Reproductive Laboratories
Accreditation: CAP/ASRM

South Jersey Fertility Center
400 Lippincott Dr, Suite 130
Marlton NJ 08053
Telephone: (856) 596-2233; Fax: (856) 596-2411
Lab Name: South Jersey Fertility Center
Accreditation: The Joint Commission

Diamond Institute for Infertility
89 Millburn Ave
Millburn NJ 07041
Telephone: (973) 761-5600; Fax: (973) 761-5100
Lab Name: Diamond Institute for Infertility,
IVF Laboratory
Accreditation: CAP/ASRM

For current information for Reproductive Medicine
Associates of New Jersey, see Basking Ridge, NJ

Valley Hospital Fertility Center
1 Valley Health Plaza
Paramus NJ 07652
Telephone: (201) 634-5400; Fax: (201) 634-5506
Lab Name: Valley Hospital Fertility
Center Laboratory
Accreditation: CAP/ASRM

IVF New Jersey
81 Veronica Ave
Somerset NJ 08873
Telephone: (732) 220-9060; Fax: (732) 545-1164
Lab Name: IVF New Jersey Embryology Laboratory
Accreditation: CAP/ASRM

Dr. Louis R. Manara
200A Route 73
Voorhees NJ 08043
Telephone: (856) 767-0009; Fax: (856) 767-0990
Lab Name: Center for Reproductive Medicine and
Fertility Embryology Laboratory
Accreditation: CAP/ASRM

North Jersey Fertility Associates, LLC
57 Willowbrook Blvd, Suite 301
Wayne NJ 07470
Telephone: (973) 754-4055; Fax: (973) 754-4058
Lab Name: North Jersey Fertility Associates,
LLC, Laboratory
Accreditation: CAP/ASRM

Fertility Institute of New Jersey and New York
400 Old Hook Rd, Suite 2-3
Westwood NJ 07675
Telephone: (201) 666-4200; Fax: (201) 666-2262
Lab Name: Fertility Institute of New Jersey and
New York IVF Laboratory
Accreditation: CAP/ASRM

NEW MEXICO

Center for Reproductive Medicine of New Mexico
Presbyterian Professional Bldg
201 Cedar St S.E., Suite S1-20
Albuquerque NM 87106
Telephone: (505) 247-3333; Fax: (505) 224-7476
Lab Name: Center for Reproductive Medicine of
New Mexico, In Vitro Fertilization and Andrology
Accreditation: CAP/ASRM

NEW YORK

The Fertility Institute at New York
Methodist Hospital
506 Sixth St, KP4
Brooklyn NY 11215
Telephone: (718) 780-5065; Fax: (718) 780-5085
Lab Name: The Fertility Institute at New York
Methodist Hospital
Accreditation: NYSTB

Genesis Fertility & Reproductive Medicine
1355 84th St
Brooklyn NY 11228
Telephone: (718) 283-8600; Fax: (718) 283-6580
Lab Name: Genesis Fertility &
Reproductive Medicine
Accreditation: NYSTB

Infertility & IVF Medical Associates of
Western New York
4510 Main St
Buffalo NY 14226
Telephone: (716) 839-3057; Fax: (716) 839-1477
Lab Name: Infertility & IVF Medical Associates of
Western New York
Accreditation: NYSTB

Hudson Valley Fertility, PLLC
400 Westage Business Center Dr, Suite 109
Fishkill NY 12524
Telephone: (845) 765-0125; Fax: (845) 765-0128
Lab Name: Hudson Valley Fertility
Accreditation: NYSTB

The New York Fertility Center
42-31 Colden St, Suite 202
Flushing NY 11355
Telephone: (718) 261-9068; Fax: (718) 261-9067
Lab Name: The New York Fertility Center
Accreditation: NYSTB

Montefiore's Institute for Reproductive Medicine
and Health
141 S. Central Ave, Suite 201
Hartsdale NY 10530
Telephone: (914) 997-1060; Fax: (914) 997-1099
Lab Name: Institute for Reproductive Medicine and
Health of Montefiore Medical Center
Accreditation: CAP/ASRM, NYSTB

Albany IVF Fertility
399 Albany Shaker Rd
Loudonville NY 12211
Telephone: (518) 434-9759; Fax: (518) 436-9822
Lab Name: Albany IVF
Accreditation: NYSTB

North Shore University Hospital
Center for Human Reproduction
300 Community Dr
Manhasset NY 11030
Telephone: (516) 562-2229; Fax: (516) 562-1710
Lab Name: North Shore University Hospital Center
for Human Reproduction
Accreditation: CAP/ASRM, NYSTB

Long Island IVF
8 Corporate Center Dr, Suite 101
Melville NY 11747
Telephone: (631) 881-5337; Fax: (631) 752-0654
Lab Name: Long Island IVF Laboratory
Accreditation: CAP/ASRM, NYSTB

§Reproductive Specialists of New York
200 Old Country Rd, Suite 330
Mineola NY 11501
Telephone: (516) 739-2100; Fax: (516) 739-2179
Contact the NASS Help Desk for current
clinic information.

Westchester Reproductive Medicine
344 E. Main St, Suite 403
Mt. Kisco NY 10549
Telephone: (914) 218-8955; Fax: (914) 218-8956
Lab Name: American Fertility Services, PC, dba
Neway Medical
Accreditation: NYSTB

Advanced Fertility Services
1625 Third Ave
New York NY 10128
Telephone: (212) 369-8700; Fax: (212) 722-5587
Lab Name: Advanced Fertility Services, PC
Accreditation: NYSTB

§American Fertility Services, PC
115 E. 57th St, Suite 500
New York NY 10022
Telephone: (212) 750-3330; Fax: (646) 462-3353
Contact the NASS Help Desk for current
clinic information.

Beth Israel Center for Infertility &
Reproductive Health
10 Union Square East, Suite 2E
New York NY 10003
Telephone: (212) 844-8587; Fax: (212) 844-6184
Lab Name: Gramercy Fertility Services
Accreditation: The Joint Commission (Pend), NYSTB

Brooklyn/Westside Fertility Center
Brooklyn Fertility Center
55 Central Park West, Suite 1C
New York NY 10023
Telephone: (212) 721-4545; Fax: (212) 721-4598
Lab Name: Brooklyn Westside Fertility Center
Accreditation: NYSTB

Columbia University Center for Women's
Reproductive Care
1790 Broadway, 2nd Floor
New York NY 10019
Telephone: (646) 756-3874; Fax: (646) 756-8283
Lab Name: Center for Women's Reproductive Care
at Columbia University
Accreditation: NYSTB

Continuum Reproductive Center
of St. Luke's Roosevelt Hospital
425 W. 59th St, Suite 5A
New York NY 10019
Telephone: (212) 523-7751; Fax: (212) 523-8348
Lab Name: Continuum Reproductive Center
Accreditation: NYSTB

IVF New York
230 Central Park South, Suite 1F
New York NY 10019
Telephone: (212) 582-4094; Fax: (212) 246-3430
Lab Name: IVF New York
Accreditation: NYSTB

Manhattan Reproductive Medicine
159 E. 74th St, Suite 1C
New York NY 10021
Telephone: (212) 794-0080; Fax: (212) 794-0066
Lab Name: Manhattan Reproductive Medicine
Accreditation: The Joint Commission, NYSTB

Medical Offices for Human Reproduction
Center for Human Reproduction (CHR)
21 E. 69th St
New York NY 10021
Telephone: (212) 994-4400; Fax: (212) 994-4499
Lab Name: Medical Offices for Human
Reproduction-New York
Accreditation: NYSTB

Metropolitan Reproductive Medicine, PC
422 W. End Ave
New York NY 10024
Telephone: (212) 580-2252; Fax: (212) 580-2258
Lab Name: American Fertility Services, PC, dba
Neway Medical
Accreditation: NYSTB

New Hope Fertility Center
784 Park Ave
New York NY 10021
Telephone: (212) 517-7676; Fax: (212) 396-0600
Lab Name: New Hope Fertility Center
Accreditation: NYSTB

New York Fertility Institute
1016 5th Ave
New York NY 10028
Telephone: (212) 734-5555; Fax: (212) 734-6059
Lab Name: New York Fertility Institute
Reproductive Laboratory
Accreditation: CAP/ASRM, NYSTB

New York Fertility Services, PC
Batzofin Fertility Services, PC
16 E. 40th St, 2nd Floor
New York NY 10016
Telephone: (212) 679-2289; Fax: (212) 679-2288
Lab Name: Batzofin Fertility Services, PC
Accreditation: The Joint Commission (Pend), NYSTB

§Neway Medical
115 East 57th St, Suite 500
New York NY 10022
Telephone: (212) 750-3330; Fax: (646) 462-3353
Contact the NASS Help Desk for current
clinic information.

NYU Fertility Center
New York University School of Medicine
660 First Ave, 5th Floor
New York NY 10016
Telephone: (212) 263-8990; Fax: (212) 263-7853
Lab Name: NYU Fertility Center Andrology &
Endocrinology Laboratory
Accreditation: NYSTB

Offices for Fertility and Reproductive Medicine
51 E. 67th St
New York NY 10065
Telephone: (212) 535-5350; Fax: (212) 535-5080
Lab Name: Offices for Fertility and Reproductive
Medicine, PC
Accreditation: NYSTB

Reproductive Medicine Associates
of New York, LLP
635 Madison Ave, 10th Floor
New York NY 10022
Telephone: (212) 756-5777; Fax: (212) 756-5770
Lab Name: Reproductive Medicine Associates of
New York, LLP
Accreditation: NYSTB

Geoffrey Sher, MD, PC
425 5th Ave, 3rd Floor
New York NY 10016
Telephone: (646) 792-7476; Fax: (646) 274-0600
Lab Name: Sher Institute for
Reproductive Medicine-NYC
Accreditation: CAP/ASRM, The Joint
Commission, NYSTB

Weill Medical College of Cornell University
The Center for Reproductive Medicine and Infertility
1305 York Ave, 6th Floor
New York NY 10021
Telephone: (646) 962-2764; Fax: (646) 962-0359
Lab Name: Weill Medical College of Cornell
University Infertility Laboratory
Accreditation: NYSTB

East Coast Fertility
1074 Old Country Rd
Plainview NY 11803
Telephone: (516) 939-2229; Fax: (516) 939-2252
Lab Name: East Coast Fertility
Accreditation: NYSTB

Rochester Fertility Care, PC
1561 Long Pond Rd, Suite 410
Rochester NY 14626
Telephone: (585) 453-7760; Fax: (585) 453-7771
Lab Name: Rochester Fertility Care
Accreditation: NYSTB

Strong Fertility Center
500 Red Creek Dr, Suite 220
Rochester NY 14623
Telephone: (585) 487-3378; Fax: (585) 334-8998
Lab Name: Strong Fertility Center
Accreditation: NYSTB

Island Reproductive Services
1110 South Ave, Suite 305
Staten Island NY 10314
Telephone: (718) 761-6000; Fax: (718) 761-6066
Lab Name: Reproductive Center of Central
New Jersey
Accreditation: The Joint Commission

Gold Coast IVF
Reproductive Medicine and Surgery Center
243 Jericho Turnpike
Syosset NY 11791
Telephone: (516) 682-8900; Fax: (516) 682-8901
Lab Name: North Shore University Hospital Center
for Human Reproduction
Accreditation: CAP/ASRM, NYSTB
Lab Name: Connecticut Fertility
Associates Laboratory
Accreditation: CAP/ASRM

CNY Fertility Center
195 Intrepid Ln
Syracuse NY 13205
Telephone: (315) 469-8700; Fax: (315) 469-6789
Lab Name: CNY Fertility Center-Latham
Accreditation: NYSTB (Pend)
Lab Name: CNY Fertility Center-Syracuse
Accreditation: NYSTB

University IVF
SUNY Upstate Medical University
725 Irving Ave, Suite 214
Syracuse NY 13210
Telephone: (315) 464-3928; Fax: (315) 464-4615
Lab Name: University IVF, SUNY Upstate
Medical University
Accreditation: NYSTB

Westchester Fertility and
Reproductive Endocrinology
136 S. Broadway, Suite 100
White Plains NY 10605
Telephone: (914) 949-6677; Fax: (914) 949-5758
Lab Name: Westchester IVF
Accreditation: NYSTB

NORTH CAROLINA

North Carolina Center for Reproductive Medicine
The Talbert Fertility Institute
400 Ashville Ave, Suite 200
Cary NC 27511
Telephone: (919) 233-1680; Fax: (919) 233-1685
Lab Name: North Carolina Center for Reproductive
Medicine, North Carolina
Reproductive Laboratories
Accreditation: CAP/ASRM

University of North Carolina A.R.T. Clinic
UNC School of Medicine, Department of OB/GYN
CB#7570
Chapel Hill NC 27599
Telephone: (919) 966-1150; Fax: (919) 966-1259
Lab Name: UNC Hospitals, Reproductive
Endocrinology & Fertility Laboratory
Accreditation: CAP/ASRM

Institute for Assisted Reproduction
1524 E. Morehead St
Charlotte NC 28207
Telephone: (704) 343-3400; Fax: (704) 343-3428
Lab Name: Reproductive Endocrine Associates of
Charlotte, Institute for Assisted Reproduction
Accreditation: CAP/ASRM

Program for Assisted Reproduction, Carolinas
Medical Center
Carolinas Medical Center Women's Institute
1025 Morehead Medical Dr, Suite 500
Charlotte NC 28204
Telephone: (704) 355-3153; Fax: (704) 355-9322
Lab Name: Carolinas Medical Center Andrology
and ART Laboratories
Accreditation: CAP/ASRM

SDuke Fertility Center
Duke University Medical Center
5704 Fayetteville Rd
Durham NC 27713
Telephone: (919) 572-4673; Fax: (919) 484-0461
Contact the NASS Help Desk for current
clinic information.

Womack Army Medical Center REI Clinic
2817 Reilly Rd
Fort Bragg NC 28310
Telephone: (910) 907-6161; Fax: (910) 907-7825
Lab Name: NCIVF
Accreditation: None

East Carolina University
ECU Women's Physicians, 2160 Herbert Ct
Greenville NC 27834
Telephone: (252) 744-3849; Fax: (252) 744-2016
Lab Name: ECU Women's Physicians ART/
Andrology Laboratory
Accreditation: CAP/ASRM

Premier Fertility Center
High Point Regional Health System
2783 NC Hwy 68, Suite 104
High Point NC 27265
Telephone: (336) 841-7070; Fax: (336) 841-7077
Lab Name: Premier Fertility Center Laboratory
Accreditation: CAP/ASRM

Advanced Reproductive Concepts
9800 W. Kinsey Ave, Suite 160
Huntersville NC 28078
Telephone: (704) 947-9000; Fax: (704) 992-1900
Lab Name: Advanced Reproductive Concepts,
PLLC Laboratory
Accreditation: CAP/ASRM

Carolina Conceptions, PA
2601 Lake Dr, Suite 301
Raleigh NC 27607
Telephone: (919) 782-5911; Fax: (919) 861-6400
Lab Name: Carolina Conceptions Embryology/
Andrology Laboratory
Accreditation: CAP/ASRM

Wake Forest University Center for
Reproductive Medicine
CompRehab Plaza, 131 Miller St, 2nd Floor
Winston-Salem NC 27103
Telephone: (336) 716-6476; Fax: (336) 716-0194
Lab Name: Wake Forest University School of
Medicine, Center for Reproductive Medicine
Accreditation: CAP/ASRM

NORTH DAKOTA

Sanford Reproductive Medicine Institute
1111 Harwood Dr South, Suite 743
Fargo ND 58122
Telephone: (701) 234-2700; Fax: (701) 234-2783
Lab Name: Sanford Health, Reproductive
Medicine Laboratory
Accreditation: CAP/ASRM

OHIO

Fertility Unlimited, Inc.
Northeastern Ohio Fertility Center
468 E. Market St
Akron OH 44304
Telephone: (330) 376-2300; Fax: (330) 376-4807
Lab Name: Fertility Unlimited, Inc., In Vitro
Fertilization Laboratory
Accreditation: The Joint Commission

Reproductive Gynecology
95 Arch St, Suite 250
Akron OH 44304
Telephone: (330) 375-7722; Fax: (330) 375-3986
Lab Name: Reproductive Gynecology
Laboratories, LLC
Accreditation: CAP/ASRM

Bethesda Center for Reproductive Health & Fertility
Bethesda Hospital
10506 Montgomery Rd, Suite 303
Cincinnati OH 45242
Telephone: (513) 865-1675; Fax: (513) 865-1676
Lab Name: Reproductive Studies Laboratory
Accreditation: The Joint Commission

Center for Reproductive Health
2123 Auburn Ave, Suite A44
Cincinnati OH 45219
Telephone: (513) 585-2355; Fax: (513) 585-0808
Lab Name: The Christ Hospital, Center for
Reproductive Studies
Accreditation: The Joint Commission

Institute for Reproductive Health
3805 Edwards Rd, Suite 450
Cincinnati OH 45209
Telephone: (513) 924-5550; Fax: (513) 924-5549
Lab Name: The Christ Hospital, Center for
Reproductive Studies
Accreditation: The Joint Commission
Lab Name: Institute for Reproductive Health
ART Laboratory
Accreditation: CAP/ASRM

Cleveland Clinic Fertility Center
26900 Cedar Rd, Suite 220 South
Cleveland OH 44122
Telephone: (216) 839-3150; Fax: (216) 839-3195
Lab Name: Cleveland Clinic Foundation
Fertility Center
Accreditation: CAP/ASRM

Ohio Reproductive Medicine
4830 E. Knightsbridge Blvd
Columbus OH 43214
Telephone: (614) 451-2280; Fax: (614) 451-4352
Lab Name: Reproductive Diagnostics Inc.
Accreditation: CAP/ASRM

Wright State Physicians Women's Health Care
One Wyoming St, Suite 4130
Dayton OH 45409
Telephone: (937) 208-6801; Fax: (937) 208-2030
Lab Name: Kettering Medical Center Reproductive
Medicine Laboratory
Accreditation: CAP/ASRM

Kettering Reproductive Medicine
3533 Southern Blvd, Suite 4100
Kettering OH 45429
Telephone: (937) 395-8444; Fax: (937) 395-8450
Lab Name: Kettering Medical Center Reproductive
Medicine Laboratory
Accreditation: CAP/ASRM

Fertility Center of Northwestern Ohio
2142 N. Cove Blvd
Toledo OH 43606
Telephone: (419) 291-8835; Fax: (419) 479-6005
Lab Name: The Toledo Hospital, The Fertility Center
of NW Ohio
Accreditation: CAP/ASRM

Reproductive Gynecology, Inc.
540 N. Cleveland Ave, Suite 100
Westerville OH 43082
Telephone: (614) 895-3333; Fax: (614) 895-3338
Lab Name: Reproductive Gynecology
Laboratories, LLC
Accreditation: CAP/ASRM

OKLAHOMA

Henry G. Bennett, Jr., Fertility Institute
3433 N.W. 56th St, Suite 200
Oklahoma City OK 73112
Telephone: (405) 949-6060; Fax: (405) 949-6872
Lab Name: Integris Baptist Medical Center, Bennett
Fertility Institute Reproductive Services
Accreditation: CAP/ASRM, The Joint Commission

Deaconess Center for Reproductive Health
5401 N. Portland Ave, Suite 510
Oklahoma City OK 73112
Telephone: (405) 604-6470; Fax: (405) 604-6471
Lab Name: OU Physicians, Department of OB/GYN
ART Laboratory
Accreditation: CAP/ASRM

OU Physicians Reproductive Medicine
1000 N. Lincoln Blvd, Suite 300
Oklahoma City OK 73104
Telephone: (405) 271-1616; Fax: (405) 271-9222
Lab Name: OU Physicians, Department of OB/GYN
ART Laboratory
Accreditation: CAP/ASRM

Tulsa Fertility Center
115 E. 15th St
Tulsa OK 74119
Telephone: (918) 584-2870; Fax: (918) 587-3602
Lab Name: Tulsa Fertility Center Laboratory
Accreditation: CAP/ASRM

OREGON

Fertility Center of Oregon
590 Country Club Pkwy, Suite A
Eugene OR 97401
Telephone: (541) 683-1559; Fax: (541) 683-1709
Lab Name: Fertility Center of Oregon
Embryology Laboratory
Accreditation: None

Northwest Fertility Center
1750 S.W. Harbor Way, Suite 200
Portland OR 97201
Telephone: (503) 227-7799; Fax: (503) 227-5452
Lab Name: Northwest Fertility Center, Northwest
Reproductive Technologies
Accreditation: CAP/ASRM

Oregon Reproductive Medicine
2222 N.W. Lovejoy St, Suite 304
Portland OR 97210
Telephone: (503) 274-4994; Fax: (503) 274-4946
Lab Name: The Reproductive Medicine Laboratory
Accreditation: The Joint Commission

University Fertility Consultants
Oregon Health & Science University
OHSU Center for Health & Healing
3303 S.W. Bond Ave, 10th Floor
Portland OR 97239
Telephone: (503) 418-4500; Fax: (503) 418-3757
Lab Name: Oregon Health & Science
University, Andrology/Embryology
Accreditation: CAP/ASRM

PENNSYLVANIA

Abington Reproductive Medicine, Abington IVF
and Genetics
Toll Center for Reproductive Sciences
Arches Bldg, 1200 Old York Rd, 2nd Floor
Abington PA 19001
Telephone: (215) 887-2010; Fax: (215) 481-7550
Lab Name: Abington Reproductive Medicine,
Abington IVF & Genetics
Accreditation: CAP/ASRM

Infertility Solutions, PC
1275 S. Cedar Crest Blvd, Suite 3
Allentown PA 18103
Telephone: (610) 776-1217; Fax: (610) 776-4149
Lab Name: Infertility Solutions, PC
Accreditation: The Joint Commission

Reproductive Medicine Associates of Pennsylvania
1401 N. Cedar Crest Blvd, Suite 200
Allentown PA 18104
Telephone: (610) 820-6888; Fax: (610) 820-6818
Lab Name: Reproductive Medicine Associates of
New Jersey Embryology Laboratory
Accreditation: CAP/ASRM

Family Fertility Center
95 Highland Ave, Suite 100
Bethlehem PA 18017
Telephone: (610) 868-8600; Fax: (610) 868-8700
Lab Name: Family Fertility Center
Accreditation: CAP/ASRM

Main Line Fertility and Reproductive Medicine
130 S. Bryn Mawr Ave, Suite 1000, D Wing,
Ground Floor
Bryn Mawr PA 19010
Telephone: (484) 337-8959; Fax: (484) 337-8979
Lab Name: Main Line Fertility Center Laboratory
Accreditation: CAP/ASRM

Geisinger Medical Center Fertility Program
100 N. Academy Ave
Danville PA 17822
Telephone: (570) 271-5620; Fax: (570) 271-5629
Lab Name: Geisinger Medical Center ART/
Andrology Laboratory
Accreditation: CAP/ASRM

Penn State Milton S. Hershey Medical Center
500 University Dr, H103
Hershey PA 17033
Telephone: (717) 531-8478; Fax: (717) 531-6286
Lab Name: Penn State Milton S. Hershey
Medical Center
Accreditation: The Joint Commission

§Reproductive Medicine Associates of Philadelphia
625 Clark Ave, Suite 17B
King Of Prussia PA 19406
Telephone: (215) 654-1544; Fax: (215) 654-1543
Contact the NASS Help Desk for current
clinic information.

Fertility and Gynecology Associates
Pine Bldg East, 800 Spruce St
Philadelphia PA 19107
Telephone: (215) 706-4090; Fax: (215) 706-4072
Lab Name: Abington Reproductive Medicine,
Abington IVF & Genetics
Accreditation: CAP/ASRM

Jefferson IVF
834 Chestnut St, Suite 300
Philadelphia PA 19107
Telephone: (215) 955-5000; Fax: (215) 955-7258
Lab Name: Main Line Fertility Center Laboratory
Accreditation: CAP/ASRM

Society Hill Reproductive Medicine
822 Pine St, Suite 4B
Philadelphia PA 19107
Telephone: (215) 829-8110; Fax: (215) 829-8119
Lab Name: Valley Forge Surgical Center, LP
Accreditation: CAP/ASRM, The Joint Commission

University of Pennsylvania
Penn Fertility Care
3701 Market St, Suite 730
Philadelphia PA 19104
Telephone: (215) 662-6560; Fax: (215) 349-5512
Lab Name: University of Pennsylvania In Vitro
Fertilization Program, Laboratory for
Assisted Reproduction
Accreditation: CAP/ASRM

Jones Institute at West Penn Allegheny
Health System
4815 Liberty Ave, Suite 330
Pittsburgh PA 15224
Telephone: (412) 578-5588; Fax: (412) 605-6544
Lab Name: Jones Institute at West Penn Allegheny
Health System, AGH Outpatient Surgery Center
Accreditation: CAP/ASRM

Reproductive Health Specialists, Inc.
419 Rodi Rd
Pittsburgh PA 15235
Telephone: (412) 731-8000; Fax: (412) 731-8399
Lab Name: Reproductive Health Specialists, Inc.
Accreditation: CAP/ASRM

University of Pittsburgh Physicians
Center for Fertility and Reproductive Endocrinology
Magee Womens Hospital
300 Halket St, Suite 5150
Pittsburgh PA 15213
Telephone: (412) 641-1600; Fax: (412) 641-7453
Lab Name: Center for Fertility and Reproductive
Endocrinology IVF Laboratory
Accreditation: CAP/ASRM

Reproductive Endocrinology and Fertility Center
Crozer-Chester Medical Center
Ambulatory Care Pavilion
1 Medical Center Blvd, Suite 531
Upland PA 19013
Telephone: (610) 447-2727; Fax: (610) 447-6549
Lab Name: Health Access Network,
Andrology/IVF Laboratory
Accreditation: CAP/ASRM

§Reproductive Science Institute of
Suburban Philadelphia
945 Chesterbrook Blvd
Wayne PA 19087
Telephone: (610) 981-6000; Fax: (610) 964-0536
Contact the NASS Help Desk for current
clinic information.

Women's Clinic, Ltd.
301 S. 7th Ave, Suite 245
West Reading PA 19611
Telephone: (610) 374-2214; Fax: (610) 685-5264
Lab Name: Fertility Medical Labs, Ltd.
Accreditation: CAP/ASRM

The Fertility Center, LLC
130 Leader Heights Rd
York PA 17403
Telephone: (717) 747-3099; Fax: (717) 747-3214
Lab Name: The Fertility Center, LLC, Laboratory
Accreditation: None

PUERTO RICO

Pedro J. Beauchamp, MD
Dr. Arturo Cadilla Bldg
100 Paseo San Pablo, Suite 503
Bayamon PR 00959
Telephone: (787) 798-0100; Fax: (787) 740-7250
Lab Name: Dr. Pedro J. Beauchamp Fertility
Center Laboratory
Accreditation: The Joint Commission

Clinica de Fertilidad HIMA-San Pablo
Ave Muñoz Rivera, A-1, Suite 303
Caguas PR 00726
Telephone: (787) 704-3434; Fax: (787) 961-4546
Lab Name: Clinica de Fertilidad HIMA-San Pablo
Accreditation: None

GREFI
Gynecology, Reproductive Endocrinology &
Fertility Institute
First Bank Bldg
1519 Ave Ponce de Leon, Suite 705
Santurce PR 00910
Telephone: (787) 721-3544; Fax: (787) 848-0979
Lab Name: GREFI Laboratory-Ponce
Accreditation: CAP/ASRM

RHODE ISLAND

§Women and Infants' Division of Reproductive
Medicine and Infertility
90 Plain St
Providence RI 02903
Telephone: (401) 453-7500; Fax: (401) 277-3638
Contact the NASS Help Desk for current
clinic information.

SOUTH CAROLINA

Piedmont Reproductive Endocrinology Group, PA
17 Caledon Ct, Suite C
Greenville SC 29615
Telephone: (864) 232-7734; Fax: (864) 232-7099
Lab Name: Piedmont Reproductive Endocrinology
Group, PA, Embryology Laboratory
Accreditation: CAP/ASRM

§University Medical Group, Department of
Obstetrics and Gynecology
Reproductive Endocrinology and Infertility
890 W. Faris Rd, Suite 470
Greenville SC 29605
Telephone: (864) 455-1675; Fax: (864) 455-3095
Contact the NASS Help Desk for current
clinic information.

Southeastern Fertility Center, PA
1375 Hospital Dr
Mount Pleasant SC 29464
Telephone: (843) 881-3900; Fax: (843) 881-4729
Lab Name: Southeastern Fertility Center
Embryology Laboratory
Accreditation: CAP/ASRM

Advanced Fertility & Reproductive Endocrinology
2324 Sunset Blvd
West Columbia SC 29169
Telephone: (803) 939-1515; Fax: (803) 939-0977
Lab Name: Advanced Fertility & Reproductive
Endocrinology Laboratory
Accreditation: CAP/ASRM

SOUTH DAKOTA

Sanford Women's Health
1500 W. 22nd St, MB3, Suite 102B
Sioux Falls SD 57105
Telephone: (605) 328-8800; Fax: (605) 328-8831
Lab Name: Sanford Women's Health Advanced
Reproductive Laboratory
Accreditation: CAP/ASRM

TENNESSEE

Fertility Center, LLC
7407 Ziegler Rd
Chattanooga TN 37421
Telephone: (423) 899-0500; Fax: (423) 899-2411
Lab Name: Fertility Center, LLC
Accreditation: The Joint Commission (Pend)

Tennessee Reproductive Medicine
6031 Shallowford Rd, Suite 101
Chattanooga TN 37421
Telephone: (423) 876-2229; Fax: (423) 643-0699
Lab Name: Tennessee Reproductive Laboratory
Accreditation: CAP/ASRM

Quillen Fertility and Women's Services
110 Corporate Dr, Suite 140
Johnson City TN 37604
Telephone: (423) 439-7246; Fax: (423) 282-4698
Lab Name: ETSU Physicians and Associates, Quillen
Fertility & Women's Services Laboratory
Accreditation: CAP/ASRM

East Tennessee IVF and Andrology Center
9301 Park West Blvd, Bldg A, Suite 301
Knoxville TN 37923
Telephone: (865) 249-7031; Fax: (865) 588-4510
Lab Name: East Tennessee IVF/Fertility and
Andrology Center
Accreditation: None

Southeastern Fertility Center
11126 Kingston Pike
Knoxville TN 37934
Telephone: (865) 777-0088; Fax: (865) 777-2015
Lab Name: Southeastern Fertility Center
Accreditation: None

Kutteh Ke Fertility Associates of Memphis, PLLC
80 Humphreys Center, Suite 307
Memphis TN 38120
Telephone: (901) 747-2229; Fax: (901) 747-4446
Lab Name: Memphis Fertility Laboratory, PC
Accreditation: CAP/ASRM

The Center for Reproductive Health
2410 Patterson St, Suite 401
Nashville TN 37203
Telephone: (615) 321-8899; Fax: (615) 321-8877
Lab Name: Fertility Laboratories of Nashville. Inc.
Accreditation: CAP/ASRM

Nashville Fertility Center
345 23rd Ave North, Suite 401
Nashville TN 37203
Telephone: (615) 321-4740; Fax: (615) 320-0240
Lab Name: Reproductive Specialty Laboratory of
Middle Tennessee, LLC
Accreditation: CAP/ASRM

TEXAS

Austin Fertility and Reproductive Medicine-
Westlake IVF
300 Beardsley Lane, Bldg B, Suite 200
Austin TX 78746
Telephone: (512) 444-1414; Fax: (512) 579-2720
Lab Name: Westlake IVF Laboratory
Accreditation: CAP/ASRM (Pend)

Austin Fertility Institute, PA
2200 Park Bend Dr, Bldg 1, Suite 402
Austin TX 78758
Telephone: (512) 339-4234; Fax: (512) 339-4237
Lab Name: New Austin Health, LLC Laboratory
Accreditation: CAP/ASRM

Texas Fertility Center
Drs. Vaughn, Silverberg, Hansard and Burger
6500 N. Mopac Expressway, Bldg 1, Suite 1200
Austin TX 78731
Telephone: (512) 451-0149; Fax: (512) 451-0977
Lab Name: Texas Fertility Center, Austin IVF, LP
Accreditation: CAP/ASRM, The Joint Commission

Dr. Jeffrey Youngkin
Austin Fertility Center
805 E. 32nd St, Suite 201
Austin TX 78705
Telephone: (512) 478-3188; Fax: (512) 478-5092
Lab Name: Texas Fertility Center, Austin IVF, LP
Accreditation: CAP/ASRM, The Joint Commission

Center for Assisted Reproduction
1701 Park Place Ave
Bedford TX 76022
Telephone: (817) 540-1157; Fax: (817) 267-0522
Lab Name: Center for Assisted Reproduction
IVF Laboratory
Accreditation: CAP/ASRM

Dallas-Fort Worth Fertility Associates
5477 Glen Lakes Dr, Suite 200
Dallas TX 75231
Telephone: (214) 363-5965; Fax: (214) 363-0639
Lab Name: Dallas Fertility Center Laboratory
Accreditation: CAP/ASRM

Fertility and Advanced Reproductive Medicine
1801 Inwood Rd, 6th Floor
Dallas TX 75390
Telephone: (214) 645-3858; Fax: (214) 645-3855
Lab Name: Fertility and Advanced Reproductive
Medicine Laboratory
Accreditation: CAP/ASRM

Fertility Center of Dallas
3900 Junius St, Suite 610
Dallas TX 75246
Telephone: (972) 884-5700; Fax: (972) 884-5709
Lab Name: Fertility Center of Dallas Laboratory
Accreditation: CAP/ASRM

IVF Institute
7777 Forest Ln, Suite C-108
Dallas TX 75230
Telephone: (972) 566-6868; Fax: (972) 566-6860
Lab Name: Texas Health Resources Presbyterian
Hospital of Dallas, ARTS Program
Accreditation: CAP/ASRM
Lab Name: Fertility Specialists of Texas Laboratory
Accreditation: CAP/ASRM

ReproMed Fertility Center
3800 San Jacinto Ave
Dallas TX 75204
Telephone: (214) 827-8777; Fax: (214) 827-8622
Lab Name: Vivere Dallas Surgical
Center-Fertility Laboratory
Accreditation: CAP/ASRM

Sher Institute for Reproductive Medicine-Dallas
7777 Forest Ln, Suite C638
Dallas TX 75230
Telephone: (972) 566-6686; Fax: (972) 566-6670
Lab Name: Sher Institute for
Reproductive Medicine-Dallas
Accreditation: CAP/ASRM

Texas Center for Reproductive Health
Barnett Tower, 3600 Gaston Ave, Suite 504
Dallas TX 75246
Telephone: (214) 821-2274; Fax: (214) 821-2373
Lab Name: Texas Center for Reproductive Health
Accreditation: CAP/ASRM

The Women's Place
950 Scotland Dr
DeSoto TX 75115
Telephone: (972) 709-9777; Fax: (972) 709-8300
Lab Name: Texas Health Fort
Worth-ARTS Laboratory
Accreditation: CAP/ASRM
Lab Name: North Texas Fertility Center
Accreditation: None

University Fertility Center
1804 FM 646 West, Suite N
Dickinson TX 77539
Telephone: (281) 335-1942; Fax: (281) 335-0882
Lab Name: UTMB at Galveston-Assisted
Reproductive Technologies Laboratory
Accreditation: CAP/ASRM

Southwest Center for Reproductive Health, PA
700 S. Mesa Hills
El Paso TX 79912
Telephone: (915) 842-9998; Fax: (915) 842-9972
Lab Name: Southwest Center for Reproductive
Health, PA
Accreditation: None

Wilford Hall Medical Center
Brooke Army Medical Center
Department of Obstetrics & Gynecology
3551 Roger Brooke Dr
Fort Sam Houston TX 78234
Telephone: (210) 916-6305; Fax: (210) 916-6350
Lab Name: BAMC IVF Laboratory
Accreditation: CAP/ASRM

Fort Worth Fertility, PA
1800 Mistletoe Blvd
Fort Worth TX 76104
Telephone: (817) 348-8145; Fax: (817) 348-8264
Lab Name: Texas Reproductive Center Laboratory
Accreditation: CAP/ASRM

Dallas IVF
2840 Legacy Dr, Suite 100
Frisco TX 75034
Telephone: (214) 297-0027; Fax: (214) 297-0035
Lab Name: Dallas IVF Laboratory
Accreditation: CAP/ASRM

Fertility Specialists of Texas, PLLC
5757 Warren Pkwy, Suite 300
Frisco TX 75034
Telephone: (214) 618-2044; Fax: (214) 618-7838
Lab Name: Fertility Specialists of Texas Laboratory
Accreditation: CAP/ASRM

Frisco Institute for Reproductive Medicine
8380 Warren Pkwy, Suite 201
Frisco TX 75034
Telephone: (972) 377-2625; Fax: (972) 377-2667
Lab Name: Frisco IVF Laboratory
Accreditation: CAP/ASRM

Advanced Fertility Center of Texas
10901 Katy Freeway
Houston TX 77079
Telephone: (713) 467-4488; Fax: (713) 467-9499
Lab Name: Center for Women's Medicine In Vitro
Fertilization Laboratory
Accreditation: CAP/ASRM

Baylor Family Fertility Program
Texas Children's Pavilion for Women
6651 Main St, Suite F320
Houston TX 77030
Telephone: (832) 826-1463; Fax: (832) 825-9413
Lab Name: Obstetrical and Gynecological
Associates Laboratories
Accreditation: CAP/ASRM

Fertility Specialists of Houston
7900 Fannin St, Suite 3100
Houston TX 77054
Telephone: (713) 512-7914; Fax: (713) 512-7853
Lab Name: Obstetrical and Gynecological
Associates Laboratories
Accreditation: CAP/ASRM

§Houston Fertility Institute
2500 Fondren Rd, Suite 350
Houston TX 77063
Telephone: (281) 554-5111; Fax: (281) 554-5115
Contact the NASS Help Desk for current
clinic information.

Houston Infertility Clinic
Sonja Kristiansen, MD
9055 Katy Freeway, Suite 450
Houston TX 77024
Telephone: (713) 862-6181; Fax: (713) 464-2810
Lab Name: Houston Infertility Clinic
Accreditation: CAP/ASRM

Houston IVF
929 Gessner Rd, Suite 2300
Houston TX 77024
Telephone: (713) 465-1211; Fax: (713) 550-1475
Lab Name: Houston IVF Laboratory
Accreditation: CAP/ASRM

For current information for North Houston Center
for Reproductive Medicine, PA, see The
Woodlands, TX

Advanced Reproductive Care Center of Irving
IVFMD
Advanced Reproductive Care Center of Irving
7501 Las Colinas Blvd, Suite 200A
Irving TX 75063
Telephone: (972) 506-9986; Fax: (972) 506-0044
Lab Name: Advanced Reproductive Care Center of
Irving, Advanced Reproductive Laboratory, LP
Accreditation: CAP/ASRM

For current information for Wilford Hall Medical
Center, see Fort Sam Houston, TX

Center of Fertility and Reproductive Surgery
Texas Tech Health Sciences Center
3502 9th St, Suite G10
Lubbock TX 79415
Telephone: (806) 743-4256; Fax: (806) 743-4462
Lab Name: Texas Tech University Health Sciences
Center IVF Laboratory
Accreditation: CAP/ASRM

The Centre for Reproductive Medicine
3405 22nd St, Suite 300
Lubbock TX 79410
Telephone: (806) 788-1212; Fax: (806) 788-1253
Lab Name: The Centre for Reproductive
Medicine Laboratory
Accreditation: CAP/ASRM

Reproductive Institute of South Texas
110 E. Savannah, Bldg B, Suite 103
McAllen TX 78503
Telephone: (956) 687-2693; Fax: (956) 687-2829
Lab Name: Reproductive Institute of South
Texas Laboratory
Accreditation: CAP/ASRM

Presbyterian Hospital Plano ARTS
6300 W. Parker Rd, MOB-2, Suite G26
Plano TX 75093
Telephone: (972) 981-3325; Fax: (972) 981-3336
Lab Name: Texas Health Presbyterian Hospital of
Plano, Assisted Reproduction
Technologies Laboratory
Accreditation: CAP/ASRM, The Joint Commission

Fertility Center of San Antonio
4499 Medical Dr, Suite 200
San Antonio TX 78229
Telephone: (210) 692-0577; Fax: (210) 692-1210
Lab Name: Fertility Center of San Antonio, Inc.
Accreditation: CAP/ASRM

Institute for Women's Health
Advanced Fertility Laboratory
502 Madison Oak Dr, Suite 230
San Antonio TX 78258
Telephone: (210) 616-0680; Fax: (210) 616-0684
Lab Name: Stone Oak Fertility, LLC, Laboratory
Accreditation: None

Perinatal and Fertility Specialists
502 Madison Oak Dr, Suite 210
San Antonio TX 78258
Telephone: (210) 481-3000; Fax: (210) 481-3222
Lab Name: Stone Oak Fertility, LLC, Laboratory
Accreditation: None

Reproductive Medicine Associates of Texas, PA
19296 Stone Oak Pkwy
San Antonio TX 78258
Telephone: (210) 337-8453; Fax: (210) 337-8452
Lab Name: Reproductive Medicine Associates of
Texas, PA, Laboratory
Accreditation: None

UT Medicine Women's Health Center
8300 Floyd Curl Dr, 5th Floor
San Antonio TX 78229
Telephone: (210) 450-9500; Fax: (210) 450-6028
Lab Name: University of Texas Medicine Women's
Health Center, Reproductive Endocrinology
Fertility Laboratory
Accreditation: CAP/ASRM

Scott and White Healthcare
2401 S. 31st St
Temple TX 76508
Telephone: (254) 724-2738; Fax: (254) 724-1046
Lab Name: Scott and White Healthcare
Accreditation: None

North Houston Center for Reproductive
Medicine, PA (NHCRM)
111 Vision Park, Suite 110
The Woodlands TX 77384
Telephone: (281) 444-4784; Fax: (281) 444-0429
Lab Name: North Houston Fertility Laboratory, Inc.
Accreditation: CAP/ASRM

Center of Reproductive Medicine (CORM)
1015 Medical Center Blvd, Suite 2100
Webster TX 77598
Telephone: (281) 332-0073; Fax: (281) 332-1860
Lab Name: Center of Reproductive
Medicine Laboratory
Accreditation: CAP/ASRM

UTAH

Utah Fertility Center
1988 West 930 North, Suite B
Pleasant Grove UT 84062
Telephone: (801) 492-9200; Fax: (801) 492-3764
Lab Name: Utah Fertility Center
Accreditation: The Joint Commission

East Bay Fertility Center
746 East 1910 South, Suite 1
Provo UT 84606
Telephone: (801) 377-0580; Fax: (801) 375-5582
Lab Name: East Bay Fertility Center
Accreditation: None

Utah Center for Reproductive Medicine
675 Arapeen Dr, Suite 205
Salt Lake City UT 84108
Telephone: (801) 581-4838; Fax: (801) 585-2231
Lab Name: University of Utah School of Medicine
Andrology/Embryology Laboratory
Accreditation: CAP/ASRM

Reproductive Care Center
10150 Petunia Way
Sandy UT 84092
Telephone: (801) 878-8888; Fax: (801) 878-8890
Lab Name: Reproductive Care Center Andrology
and Embryology Laboratory
Accreditation: CAP/ASRM

VERMONT

Vermont Center for Reproductive Medicine
FAHC-Reproductive Endocrinology & Infertility
111 Colchester Ave, ACC MP-4
Burlington VT 05401
Telephone: (802) 847-0986; Fax: (802) 847-0111
Lab Name: Fletcher Allen Health Care, Vermont
Center for Reproductive Medicine
Accreditation: CAP/ASRM

VIRGINIA

Washington Fertility Center
4316 Evergreen Ln
Annandale VA 22003
Telephone: (703) 658-3100; Fax: (703) 658-3103
Lab Name: Washington Fertility Center
Reproductive Laboratories
Accreditation: CAP/ASRM

Dominion Fertility and Endocrinology
46 S. Glebe Rd, Suite 301
Arlington VA 22204
Telephone: (703) 920-3890; Fax: (703) 892-6037
Lab Name: Dominion Fertility and Endocrinology
Main Laboratory
Accreditation: CAP/ASRM

Reproductive Medicine and Surgery
Center of Virginia, PLC
595 Martha Jefferson Dr, Suite 390
Charlottesville VA 22911
Telephone: (434) 654-8520; Fax: (434) 654-8521
Lab Name: Martha Jefferson Reproductive
Technology Laboratory
Accreditation: The Joint Commission

Genetics & IVF Institute
3015 Williams Dr
Fairfax VA 22031
Telephone: (703) 698-7355; Fax: (703) 204-4617
Lab Name: Genetics & IVF Institute
Embryology Laboratory
Accreditation: CAP/ASRM

The Muasher Center for Fertility and IVF
Partners for Fertility and IVF
8501 Arlington Blvd, Suite 500
Fairfax VA 22031
Telephone: (703) 876-6311; Fax: (703) 876-6317
Lab Name: The Muasher Center for Fertility and
IVF Laboratory
Accreditation: CAP/ASRM

Jones Institute for Reproductive Medicine
601 Colley Ave, Suite 251
Norfolk VA 23507
Telephone: (757) 446-7116; Fax: (757) 446-8998
Lab Name: Jones Institute for Reproductive
Medicine Embryology Laboratory
Accreditation: CAP/ASRM

Virginia Center for Reproductive Medicine
11150 Sunset Hills Rd, Suite 100
Reston VA 20190
Telephone: (703) 437-7722; Fax: (703) 437-0066
Lab Name: Virginia Center for
Reproductive Medicine
Accreditation: CAP/ASRM

Fertility Institute of Virginia
10710 Midlothian Turnpike, Suite 331
Richmond VA 23235
Telephone: (804) 379-9000; Fax: (804) 379-9031
Lab Name: Virginia IVF and Andrology Center
Accreditation: CAP/ASRM

LifeSource Fertility Center
7603 Forest Ave, Suite 204
Richmond VA 23229
Telephone: (804) 673-2273; Fax: (804) 285-3109
Lab Name: Virginia IVF and Andrology Center
Accreditation: CAP/ASRM

§The Richmond Center for Fertility
and Endocrinology
Courtyard Office Bldg, 7603 Forest Ave, Suite 301
Richmond VA 23229
Telephone: (804) 285-9700; Fax: (804) 285-9745
Contact the NASS Help Desk for current
clinic information.

University Center for Advanced
Reproductive Medicine
Stony Point Women's Health
9000 Stony Point Pkwy
Richmond VA 23235
Telephone: (804) 327-8820; Fax: (804) 237-6637
Lab Name: Virginia IVF and Andrology Center
Accreditation: CAP/ASRM

The New Hope Center for Reproductive Medicine
1181 First Colonial Rd, Suite 100
Virginia Beach VA 23454
Telephone: (757) 496-5370; Fax: (757) 481-3354
Lab Name: The New Hope Center for Reproductive
Medicine Laboratory
Accreditation: CAP/ASRM

Francisco M. Irianni, MD
1820 W. Plaza Dr
Winchester VA 22601
Telephone: (540) 662-6092; Fax: (540) 667-2476
Lab Name: Medical Faculty Associates,
Inc. Laboratory
Accreditation: CAP/ASRM

WASHINGTON

Overlake Reproductive Health, Inc., PS
11232 NE 15th St, Suite 201
Bellevue WA 98004
Telephone: (425) 646-4700; Fax: (425) 646-1076
Lab Name: Overlake Reproductive Health
Laboratory, LLC
Accreditation: The Joint Commission

Washington Center for Reproductive Medicine
1370 116th Ave N.E., Suite 100
Bellevue WA 98004
Telephone: (425) 462-6100; Fax: (425) 635-0742
Lab Name: Eastside Fertility Laboratory
Accreditation: CAP/ASRM

Bellingham IVF & Fertility Care
2980 Squalicum Pkwy, Suite 103
Bellingham WA 98225
Telephone: (360) 715-8124; Fax: (360) 715-8126
Lab Name: Bellingham IVF
Accreditation: None

Olympia Women's Health
403 E. Black Hills Ln N.W.
Olympia WA 98502
Telephone: (360) 786-1515; Fax: (360) 754-7476
Lab Name: Olympia Women's Health
Accreditation: The Joint Commission

Pacific Northwest Fertility and IVF Specialists
1101 Madison Ave, Suite 1050
Seattle WA 98104
Telephone: (206) 515-0000; Fax: (206) 515-0001
Lab Name: Pacific Northwest Fertility and IVF
Specialists Laboratory
Accreditation: CAP/ASRM

Seattle Reproductive Medicine
Integramed America
1505 Westlake Ave North, Suite 400
Seattle WA 98109
Telephone: (206) 301-5000; Fax: (206) 285-1119
Lab Name: Seattle Reproductive Medicine,
SRM Laboratory
Accreditation: CAP/ASRM

University Reproductive Care
University of Washington
4245 Roosevelt Way N.E.
Seattle WA 98105
Telephone: (206) 598-4225; Fax: (206) 598-8722
Lab Name: University Reproductive Care Laboratory
Accreditation: CAP/ASRM

The Center for Reproductive Health
508 W. 6th Ave, Suite 500
Spokane WA 99204
Telephone: (509) 462-7070; Fax: (509) 462-7071
Lab Name: Center for Reproductive Health
Accreditation: The Joint Commission

§GYFT Clinic, PLLC
2201 S. 19th St, Suite 101
Tacoma WA 98405
Telephone: (206) 475-5433; Fax: (206) 473-6715
Contact the NASS Help Desk for current
clinic information.

Madigan Army Medical Center
9040A Fitzsimmons Ave
Tacoma WA 98431
Telephone: (253) 968-3783; Fax: (253) 968-5295
Lab Name: Seattle Reproductive Medicine,
SRM Laboratory
Accreditation: CAP/ASRM

WEST VIRGINIA

West Virginia University Fertility Center
830 Pennsylvania Ave, Suite 205
Charleston WV 25302
Telephone: (304) 388-2863; Fax: (304) 388-2866
Lab Name: West Virginia University Fertility Center
Accreditation: None

Cabell Huntington Hospital
Center for Advanced Reproductive Medicine
1340 Hal Greer Blvd
Huntington WV 25701
Telephone: (304) 526-2652; Fax: (304) 526-2292
Lab Name: Cabell Huntington Hospital, Center for
Advanced Reproductive Medicine
Accreditation: The Joint Commission

West Virginia University Center for
Reproductive Medicine
1322 Pineview Dr, Suite 2
Morgantown WV 26505
Telephone: (304) 598-3100; Fax: (304) 598-8301
Lab Name: West Virginia University, Department of
OB GYN, Center for Reproductive
Medicine Laboratory
Accreditation: CAP/ASRM

WISCONSIN

§Aurora Fertility Services-Green Bay
The Women's Center at Aurora BayCare
Medical Center
2845 Greenbrier Rd, Suite 350
Green Bay WI 54308
Telephone: (920) 288-8500; Fax: (920) 288-8570
Contact the NASS Help Desk for current
clinic information.

For current information for Gundersen Lutheran
Fertility Center, see Onalaska, WI

University of Wisconsin-Generations Fertility Care
2365 Deming Way
Middleton WI 53562
Telephone: (608) 824-6160; Fax: (608) 827-3040
Lab Name: University of Wisconsin Medical
Foundation, Generations Fertility Care
Accreditation: CAP/ASRM

Wisconsin Fertility Institute
3146 Deming Way
Middleton WI 53562
Telephone: (608) 824-0075; Fax: (608) 829-0748
Lab Name: Wisconsin Fertility Institute Laboratory
Accreditation: CAP/ASRM

Froedtert & Medical College of Wisconsin
Reproductive Medicine Center
9200 W. Wisconsin Ave, Floor 5P
Milwaukee WI 53226
Telephone: (414) 805-7370; Fax: (414) 805-7240
Lab Name: Froedtert Hospital Reproductive
Medicine Center Laboratory
Accreditation: CAP/ASRM

Reproductive Specialty Center
IVF Columbia
2350 N. Lake Dr, Suite 504
Milwaukee WI 53211
Telephone: (414) 289-9668; Fax: (414) 289-0974
Lab Name: Reproductive Specialty Center,
IVF Columbia
Accreditation: CAP/ASRM

§Gundersen Lutheran Fertility Center
3111 Gundersen Dr, 4th Floor
Onalaska WI 54650
Telephone: (608) 775-2576; Fax: (608) 775-2993
Contact the NASS Help Desk for current
clinic information.

§Aurora Health Care-Aurora Fertility Services,
West Allis
West Allis Memorial Hospital
8901 W. Lincoln Ave, 2nd Floor
West Allis WI 53227
Telephone: (414) 329-4300; Fax: (414) 329-4399
Contact the NASS Help Desk for current
clinic information.

Nonreporting ART Clinics for 2011, by State

The clinics listed below provided ART services and were in operation as of January 1, 2011 and accordingly were required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act passed by the U.S. Congress. These clinics either failed to submit data or did not provide verification by the clinic medical director that the tabulated success rates were correct, as required for publication.

Consumers who are aware of a clinic that was in operation in 2011 but is not included in this report's lists of either reporting or nonreporting clinics are encouraged to contact us with the complete name, mailing address, and telephone number of the clinic, by e-mail at cdcinfo@cdc.gov (Subject: ART) or by regular mail at CDC, ATTN: ART Surveillance and Research Team; 4770 Buford Highway, N.E.; Mail Stop F-74; Atlanta GA 30341-3717. Providing this information will help ensure that clinics that should be in the report will be included in upcoming years.

Clinic names preceded by the † symbol have closed since January 1, 2011.

†East Bay Fertility Center
4000 Dublin Blvd, Suite 330
Dublin CA 94568
Telephone: (925) 828-9235; Fax: (925) 828-9240

Kathleen Kornafel, MD, PhD
1560 E. Chevy Chase Dr, Suite 200
Glendale CA 91206
Telephone: (818) 242-9933; Fax: (818) 242-9937

Hope IVF and Fertility Center
2500 Alton Pkwy, Suite 201
Irvine CA 92606
Telephone: (949) 387-3888; Fax: (949) 387-3907

Reproductive Fertility Center-OC
16300 Sand Canyon Ave, Suite 901
Irvine CA 92618
Telephone: (949) 453-8600; Fax: (949) 453-8601

La Jolla IVF
9850 Genesee Ave, Suite 610
La Jolla CA 92037
Telephone: (858) 558-2221; Fax: (858) 558-2263

Northridge Center for Reproductive Medicine
18546 Roscoe Blvd, Suite 240
Northridge CA 91324
Telephone: (818) 886-0600; Fax: (818) 701-8100

†Sher Institute for
Reproductive Medicine-Sacramento
2288 Auburn Blvd, Suite 204
Sacramento CA 95821
Telephone: (916) 568-2125; Fax: (916) 567-1360

†The University of California-Davis
Assisted Reproductive Technology Program
2521 Stockton Blvd, Suite 4200
Sacramento CA 95817
Telephone: (916) 734-6106; Fax: (916) 734-6150

San Diego Fertility Center
(SDFC)
11515 El Camino Real, Suite 100
San Diego CA 92130
Telephone: (858) 794-6363; Fax: (858) 794-6360

Williams OB/GYN
1334 W. Covina Blvd, Suite 102
San Dimas CA 91773
Telephone: (909) 599-8677; Fax: (909) 592-0999

Alex Steinleitner, MD
35 Casa St, Suite 260
San Luis Obispo CA 93405
Telephone: (805) 543-2228; Fax: (805) 269-0226

Center for Reproductive Medicine
18944 N. Dale Mabry Hwy, Suite 101
Lutz FL 33548
Telephone: (813) 386-0618; Fax: (813) 386-0623

Hawaii Reproductive Center
1132 Bishop St, Suite 1110
Honolulu HI 96813
Telephone: (808) 537-1164; Fax: (808) 537-1174

Sher Institute for Reproductive
Medicine-Central Illinois
5401 N. Knoxville Ave, Suite 102
Peoria IL 61614
Telephone: (309) 689-0411; Fax: (309) 689-0784

Reproductive Endocrinology Associates, SC
340 W. Miller St
Springfield IL 62702
Telephone: (217) 523-4700; Fax: (217) 523-9025

Siu Ng-Wagner, MD
9333 Sprinklewood Ln
Potomac MD 20854
Telephone: (301) 838-9711; Fax: (301) 838-9712

Center for Reproductive Medicine
9711 Medical Center Dr, Suite 214
Rockville MD 20850
Telephone: (301) 424-1904; Fax: (301) 424-1902

Luana J. Kyselka, MD, PC
2877 Crooks Rd, Suite D
Troy MI 48084
Telephone: (248) 643-6634; Fax: (248) 643-7165

Brenda L. Moskovitz, MD, PC
415 E. Maple Rd, Suite 101
Troy MI 48083
Telephone: (248) 524-1001; Fax: (248) 528-2533

Mississippi Reproductive Medicine
1040 River Oaks Dr, Suite 202
Flowood MS 39232
Telephone: (601) 936-3650; Fax: (866) 491-0274

Sher Institute for Reproductive Medicine-St. Louis
555 N. New Ballas Rd, Suite 150
Creve Coeur MO 63141
Telephone: (314) 983-9000; Fax: (314) 983-9023

Nevada Fertility C.A.R.E.S.
653 Town Center Dr, Suite 206
Las Vegas NV 89144
Telephone: (702) 341-6616; Fax: (702) 341-6617

Sher Institute for Reproductive Medicine-Las Vegas
5320 S. Rainbow Blvd, Suite 300
Las Vegas NV 89118
Telephone: (702) 892-9696; Fax: (702) 892-9666

†Princeton Center for Infertility &
Reproductive Medicine
3131 Princeton Pike, Bldg 6, Suite 100
Lawrenceville NJ 08648
Telephone: (609) 895-1114; Fax: (609) 895-1196

†Advanced Center for Infertility and
Reproductive Medicine, RPC
2708 Commerce Dr, Suite 100
Harrisburg PA 17110
Telephone: (717) 545-9300; Fax: (717) 540-3700

Trinity InVitro Fertilization Program
Baylor Medical Center Plaza I
4323 N. Josey Ln, Suite 206
Carrollton TX 75010
Telephone: (972) 394-3699; Fax: (972) 394-6517

Office of Frank DeLeon, MD
1300 W. Terrell Ave, Suite 320
Fort Worth TX 76104
Telephone: (817) 735-2300; Fax: (817) 882-8653

Cooper Institute for Advanced
Reproductive Medicine
7500 Beechnut St, Suite 308
Houston TX 77074
Telephone: (713) 771-9771; Fax: (713) 771-9773


Fertility Concepts
4499 Medical Dr, Suite 380
San Antonio TX 78229
Telephone: (210) 614-3303; Fax: (210) 615-1052

The Beach Center for Infertility, Endocrinology
and IVF
844 First Colonial Rd, Suite 202
Virginia Beach VA 23451
Telephone: (757) 428-0002; Fax: (757) 428-4555

2011

Appendix D

National Consumer Organizations



APPENDIX D: NATIONAL CONSUMER ORGANIZATIONS

The following national consumer organizations offer support to people experiencing infertility:

The American Fertility Association
315 Madison Ave, Suite 901
New York NY 10017
Telephone: (888) 917-3777
info@theafa.org
<http://www.theafa.org>

RESOLVE: The National Infertility Association
1760 Old Meadow Rd, Suite 500
McLean VA 22102
Telephone: (703) 556-7172; Fax: (703) 506-3266
info@resolve.org
<http://www.resolve.org>

Womenshealth.gov
Office on Women's Health
U.S. Department of Health and Human Services
200 Independence Ave, S.W., Room 712E
Washington DC 20201
Telephone: (202) 690-7650; Fax: (202) 205-2631
<http://www.womenshealth.gov>



U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES
Centers for Disease Control and Prevention