ALABAMA FERTILITY SPECIALISTS
BIRMINGHAM, ALABAMA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Michael P. Steinkampf, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	43%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	16%	Uterine factor	6%	*Multiple Factors:*	
Ovulatory dysfunction	25%	Male factor	46%	Female factors only	15%
Diminished ovarian reserve	19%	Other factor	16%	Female & male factors	31%
Endometriosis	28%	Unknown factor	4%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 81 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	33	12	2	3	1	0
Percentage of cancellations	9.1	2 / 12	1 / 2	2 / 3	0 / 1	
Average number of embryos transferred	2.2	2.2	1.0	5.0	4.0	
Percentage of embryos transferred resulting in implantation	34.4	22.7	0 / 1	1 / 5	0 / 4	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 8		0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.3	5 / 12	0 / 2	1 / 3	0 / 1	
Percentage of cycles resulting in triplets or more live births	3.0	0 / 12	0 / 2	0 / 3	0 / 1	
Percentage of cycles resulting in live births	42.4	5 / 12	0 / 2	1 / 3	0 / 1	
Percentage of cycles resulting in pregnancy	48.5	5 / 12	0 / 2	1 / 3	0 / 1	
Outcomes per Transfer						
Number of transfers	29	10	1	1	1	0
Percentage of transfers resulting in singleton live births	34.5	5 / 10	0 / 1	1 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	3.4	0 / 10	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in live births	48.3	5 / 10	0 / 1	1 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	55.2	5 / 10	0 / 1	1 / 1	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	16	5	0	1	0	0
Percentage of pregnancies resulting in singleton live births	10 / 16	5 / 5		1 / 1		
Percentage of pregnancies resulting in triplets or more live births	1 / 16	0 / 5		0 / 1		
Percentage of pregnancies resulting in live births	14 / 16	5 / 5		1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	12	3	2	0	0	0
Number of transfers	12	3	1	0	0	0
Estimated average number of transfers per retrieval	2.0	3.0				
Average number of embryos transferred	2.2	2.0	2.0			
Percentage of embryos transferred resulting in implantation	26.9	1 / 6	0 / 2			
Percentage of transfers resulting in singleton live births	3 / 12	1 / 3	0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 12	0 / 3	0 / 1			
Percentage of transfers resulting in live births	4 / 12	1 / 3	0 / 1			
Percentage of transfers resulting in pregnancy	6 / 12	1 / 3	0 / 1			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	6	7
Number of transfers	6	7
Average number of embryos transferred	2.2	1.9
Percentage of embryos transferred resulting in implantation	3 / 13	4 / 13
Percentage of transfers resulting in singleton live births	2 / 6	1 / 7
Percentage of transfers resulting in live births	2 / 6	2 / 7
Percentage of transfers resulting in pregnancy	3 / 6	2 / 7

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Alabama Fertility Specialists

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ART FERTILITY PROGRAM OF ALABAMA
BIRMINGHAM, ALABAMA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Michael C. Allemand, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	81%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	1%		

Patient Diagnosis[b]

Tubal factor	28%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	19%	Male factor	63%	Female factors only	19%
Diminished ovarian reserve	21%	Other factor	71%	Female & male factors	55%
Endometriosis	21%	Unknown factor	4%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 346 (includes 7 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	131	44	39	5	4	0
Percentage of cancellations	12.2	18.2	20.5	0 / 5	1 / 4	
Average number of embryos transferred	2.0	1.8	2.4	3.4	3.3	
Percentage of embryos transferred resulting in implantation	30.3	22.4	15.5	3 / 17	0 / 10	
Percentage of elective single embryo transfer (eSET)	5.3	0.0	0.0	0 / 5	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	17.6	13.6	7.7	1 / 5	0 / 4	
Percentage of cycles resulting in triplets or more live births	0.8	0.0	0.0	0 / 5	0 / 4	
Percentage of cycles resulting in live births	28.2	18.2	12.8	2 / 5	0 / 4	
Percentage of cycles resulting in pregnancy	34.4	25.0	20.5	2 / 5	0 / 4	
Outcomes per Transfer						
Number of transfers	99	32	29	5	3	0
Percentage of transfers resulting in singleton live births	23.2	18.8	10.3	1 / 5	0 / 3	
Percentage of transfers resulting in triplets or more live births	1.0	0.0	0.0	0 / 5	0 / 3	
Percentage of transfers resulting in live births	37.4	25.0	17.2	2 / 5	0 / 3	
Percentage of transfers resulting in pregnancy	45.5	34.4	27.6	2 / 5	0 / 3	
Outcomes per Pregnancy						
Number of pregnancies	45	11	8	2	0	0
Percentage of pregnancies resulting in singleton live births	51.1	6 / 11	3 / 8	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	2.2	0 / 11	0 / 8	0 / 2		
Percentage of pregnancies resulting in live births	82.2	8 / 11	5 / 8	2 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	32	9	12	2	0	0
Number of transfers	30	7	8	2	0	0
Estimated average number of transfers per retrieval	1.4	3.5	1.6			
Average number of embryos transferred	1.8	1.7	1.8	1.0		
Percentage of embryos transferred resulting in implantation	24.5	4 / 12	2 / 14	0 / 2		
Percentage of transfers resulting in singleton live births	36.7	2 / 7	1 / 8	0 / 2		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 7	0 / 8	0 / 2		
Percentage of transfers resulting in live births	40.0	3 / 7	1 / 8	0 / 2		
Percentage of transfers resulting in pregnancy	43.3	4 / 7	2 / 8	0 / 2		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	26	35
Number of transfers	23	26
Average number of embryos transferred	1.8	2.0
Percentage of embryos transferred resulting in implantation	36.6	15.1
Percentage of transfers resulting in singleton live births	21.7	19.2
Percentage of transfers resulting in live births	43.5	19.2
Percentage of transfers resulting in pregnancy	43.5	38.5

CURRENT CLINIC SERVICES AND PROFILE

Current Name: ART Fertility Program of Alabama

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF ALABAMA AT BIRMINGHAM
BIRMINGHAM, ALABAMA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Gordon W. Bates, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	73%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	23%	Uterine factor	1%	*Multiple Factors:*	
Ovulatory dysfunction	16%	Male factor	39%	Female factors only	13%
Diminished ovarian reserve	34%	Other factor	8%	Female & male factors	18%
Endometriosis	13%	Unknown factor	7%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 97 (includes 4 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	39	14	1	5	0	0
Percentage of cancellations	2.6	2 / 14	0 / 1	1 / 5		
Average number of embryos transferred	2.0	2.4	2.0	2.5		
Percentage of embryos transferred resulting in implantation	45.2	26.9	1 / 2	3 / 10		
Percentage of elective single embryo transfer (eSET)	0.0	0 / 11	0 / 1	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	48.7	3 / 14	1 / 1	1 / 5		
Percentage of cycles resulting in triplets or more live births	0.0	0 / 14	0 / 1	0 / 5		
Percentage of cycles resulting in live births	61.5	5 / 14	1 / 1	1 / 5		
Percentage of cycles resulting in pregnancy	66.7	5 / 14	1 / 1	3 / 5		
Outcomes per Transfer						
Number of transfers	37	11	1	4	0	0
Percentage of transfers resulting in singleton live births	51.4	3 / 11	1 / 1	1 / 4		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 11	0 / 1	0 / 4		
Percentage of transfers resulting in live births	64.9	5 / 11	1 / 1	1 / 4		
Percentage of transfers resulting in pregnancy	70.3	5 / 11	1 / 1	3 / 4		
Outcomes per Pregnancy						
Number of pregnancies	26	5	1	3	0	0
Percentage of pregnancies resulting in singleton live births	73.1	3 / 5	1 / 1	1 / 3		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 5	0 / 1	0 / 3		
Percentage of pregnancies resulting in live births	92.3	5 / 5	1 / 1	1 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	13	5	3	0	0	0
Number of transfers	13	5	3	0	0	0
Estimated average number of transfers per retrieval	1.4	2.5	1.0			
Average number of embryos transferred	2.1	1.8	2.0			
Percentage of embryos transferred resulting in implantation	25.9	2 / 9	0 / 6			
Percentage of transfers resulting in singleton live births	3 / 13	0 / 5	0 / 3			
Percentage of transfers resulting in triplets or more live births	1 / 13	0 / 5	0 / 3			
Percentage of transfers resulting in live births	4 / 13	1 / 5	0 / 3			
Percentage of transfers resulting in pregnancy	5 / 13	1 / 5	0 / 3			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	7	6
Number of transfers	6	6
Average number of embryos transferred	1.5	2.2
Percentage of embryos transferred resulting in implantation	6 / 9	5 / 13
Percentage of transfers resulting in singleton live births	3 / 6	2 / 6
Percentage of transfers resulting in live births	4 / 6	3 / 6
Percentage of transfers resulting in pregnancy	4 / 6	3 / 6

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University of Alabama at Birmingham

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HUNTSVILLE REPRODUCTIVE MEDICINE, PC
HUNTSVILLE, ALABAMA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Andrew J. Harper, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	85%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	31%	Uterine factor	6%	*Multiple Factors:*	
Ovulatory dysfunction	21%	Male factor	38%	Female factors only	32%
Diminished ovarian reserve	39%	Other factor	12%	Female & male factors	29%
Endometriosis	11%	Unknown factor	3%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 128 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	60	15	18	9	1	0
Percentage of cancellations	3.3	1 / 15	1 / 18	1 / 9	0 / 1	
Average number of embryos transferred	2.1	2.4	3.0	3.3	4.0	
Percentage of embryos transferred resulting in implantation	40.9	47.1	10.4	4.3	0 / 4	
Percentage of elective single embryo transfer (eSET)	12.7	1 / 14	0 / 16	0 / 6	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	38.3	7 / 15	2 / 18	0 / 9	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 15	0 / 18	0 / 9	0 / 1	
Percentage of cycles resulting in live births	53.3	10 / 15	3 / 18	0 / 9	0 / 1	
Percentage of cycles resulting in pregnancy	58.3	11 / 15	4 / 18	1 / 9	0 / 1	
Outcomes per Transfer						
Number of transfers	56	14	16	7	1	0
Percentage of transfers resulting in singleton live births	41.1	7 / 14	2 / 16	0 / 7	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 14	0 / 16	0 / 7	0 / 1	
Percentage of transfers resulting in live births	57.1	10 / 14	3 / 16	0 / 7	0 / 1	
Percentage of transfers resulting in pregnancy	62.5	11 / 14	4 / 16	1 / 7	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	35	11	4	1	0	0
Percentage of pregnancies resulting in singleton live births	65.7	7 / 11	2 / 4	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 11	0 / 4	0 / 1		
Percentage of pregnancies resulting in live births	91.4	10 / 11	3 / 4	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	12	4	1	1	0	0
Number of transfers	12	4	1	1	0	0
Estimated average number of transfers per retrieval	1.7		0.5			
Average number of embryos transferred	1.9	1.0	1.0	2.0		
Percentage of embryos transferred resulting in implantation	13.0	0 / 4	0 / 1	0 / 2		
Percentage of transfers resulting in singleton live births	3 / 12	0 / 4	0 / 1	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 12	0 / 4	0 / 1	0 / 1		
Percentage of transfers resulting in live births	3 / 12	0 / 4	0 / 1	0 / 1		
Percentage of transfers resulting in pregnancy	3 / 12	1 / 4	0 / 1	1 / 1		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	5	1
Number of transfers	5	1
Average number of embryos transferred	1.6	1.0
Percentage of embryos transferred resulting in implantation	3 / 8	1 / 1
Percentage of transfers resulting in singleton live births	1 / 5	1 / 1
Percentage of transfers resulting in live births	1 / 5	1 / 1
Percentage of transfers resulting in pregnancy	2 / 5	1 / 1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Huntsville Reproductive Medicine, PC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE
MOBILE, ALABAMA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by George T. Koulianos, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	86%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	4%		

Patient Diagnosis[b]

Tubal factor	26%	Uterine factor	<1%	*Multiple Factors:*	
Ovulatory dysfunction	10%	Male factor	31%	Female factors only	14%
Diminished ovarian reserve	20%	Other factor	12%	Female & male factors	9%
Endometriosis	23%	Unknown factor	0%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 210 (includes 3 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	81	31	18	13	2	0
Percentage of cancellations	6.2	16.1	5 / 18	2 / 13	0 / 2	
Average number of embryos transferred	2.0	2.1	2.9	3.2	5.0	
Percentage of embryos transferred resulting in implantation	37.5	24.1	17.1	0.0	0 / 10	
Percentage of elective single embryo transfer (eSET)	4.2	0.0	0 / 12	0 / 9	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.2	12.9	2 / 18	0 / 13	0 / 2	
Percentage of cycles resulting in triplets or more live births	1.2	0.0	0 / 18	0 / 13	0 / 2	
Percentage of cycles resulting in live births	43.2	22.6	3 / 18	0 / 13	0 / 2	
Percentage of cycles resulting in pregnancy	50.6	29.0	4 / 18	1 / 13	1 / 2	
Outcomes per Transfer						
Number of transfers	76	26	12	11	2	0
Percentage of transfers resulting in singleton live births	28.9	15.4	2 / 12	0 / 11	0 / 2	
Percentage of transfers resulting in triplets or more live births	1.3	0.0	0 / 12	0 / 11	0 / 2	
Percentage of transfers resulting in live births	46.1	26.9	3 / 12	0 / 11	0 / 2	
Percentage of transfers resulting in pregnancy	53.9	34.6	4 / 12	1 / 11	1 / 2	
Outcomes per Pregnancy						
Number of pregnancies	41	9	4	1	1	0
Percentage of pregnancies resulting in singleton live births	53.7	4 / 9	2 / 4	0 / 1	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	2.4	0 / 9	0 / 4	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births	85.4	7 / 9	3 / 4	0 / 1	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	17	9	5	0	1	0
Number of transfers	14	8	4	0	1	0
Estimated average number of transfers per retrieval	1.3	1.3				
Average number of embryos transferred	1.9	1.6	2.8		1.0	
Percentage of embryos transferred resulting in implantation	14.8	1 / 13	3 / 11		1 / 1	
Percentage of transfers resulting in singleton live births	4 / 14	1 / 8	1 / 4		1 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 14	0 / 8	0 / 4		0 / 1	
Percentage of transfers resulting in live births	4 / 14	1 / 8	2 / 4		1 / 1	
Percentage of transfers resulting in pregnancy	4 / 14	2 / 8	2 / 4		1 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	18	12
Number of transfers	18	12
Average number of embryos transferred	2.1	2.2
Percentage of embryos transferred resulting in implantation	29.7	23.1
Percentage of transfers resulting in singleton live births	6 / 18	2 / 12
Percentage of transfers resulting in live births	8 / 18	3 / 12
Percentage of transfers resulting in pregnancy	9 / 18	6 / 12

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF SOUTH ALABAMA IVF AND ART PROGRAM
MOBILE, ALABAMA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Botros M. Rizk, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	94%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	36%	Uterine factor	36%	*Multiple Factors:*	
Ovulatory dysfunction	57%	Male factor	46%	Female factors only	41%
Diminished ovarian reserve	30%	Other factor	5%	Female & male factors	46%
Endometriosis	27%	Unknown factor	0%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 45 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	28	3	2	2	0	0
Percentage of cancellations	3.6	0 / 3	1 / 2	0 / 2		
Average number of embryos transferred	2.4	1.5	3.0	1.5		
Percentage of embryos transferred resulting in implantation	16.9	0 / 3	1 / 3	0 / 3		
Percentage of elective single embryo transfer (eSET)	0.0	0 / 1	0 / 1	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	28.6	0 / 3	0 / 2	0 / 2		
Percentage of cycles resulting in triplets or more live births	0.0	0 / 3	0 / 2	0 / 2		
Percentage of cycles resulting in live births	28.6	0 / 3	0 / 2	0 / 2		
Percentage of cycles resulting in pregnancy	32.1	0 / 3	1 / 2	0 / 2		
Outcomes per Transfer						
Number of transfers	27	2	1	2	0	0
Percentage of transfers resulting in singleton live births	29.6	0 / 2	0 / 1	0 / 2		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 2	0 / 1	0 / 2		
Percentage of transfers resulting in live births	29.6	0 / 2	0 / 1	0 / 2		
Percentage of transfers resulting in pregnancy	33.3	0 / 2	1 / 1	0 / 2		
Outcomes per Pregnancy						
Number of pregnancies	9	0	1	0	0	0
Percentage of pregnancies resulting in singleton live births	8 / 9		0 / 1			
Percentage of pregnancies resulting in triplets or more live births	0 / 9		0 / 1			
Percentage of pregnancies resulting in live births	8 / 9		0 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	9	0	0	0	0	0
Number of transfers	6	0	0	0	0	0
Estimated average number of transfers per retrieval	1.0					
Average number of embryos transferred	3.0					
Percentage of embryos transferred resulting in implantation	2 / 18					
Percentage of transfers resulting in singleton live births	2 / 6					
Percentage of transfers resulting in triplets or more live births	0 / 6					
Percentage of transfers resulting in live births	2 / 6					
Percentage of transfers resulting in pregnancy	2 / 6					

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation		
Percentage of transfers resulting in singleton live births		
Percentage of transfers resulting in live births		
Percentage of transfers resulting in pregnancy		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University of South Alabama IVF and ART Program

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PENINSULA MEDICAL CENTER
JOHN NELS ANDERSON, MD
SOLDOTNA, ALASKA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by John N. Anderson, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	59%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	24%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	25%	Male factor	52%	Female factors only	12%
Diminished ovarian reserve	19%	Other factor	19%	Female & male factors	38%
Endometriosis	8%	Unknown factor	11%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 85 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	34	9	12	5	1	3
Percentage of cancellations	0.0	0 / 9	0 / 12	0 / 5	0 / 1	0 / 3
Average number of embryos transferred	2.7	2.6	2.8	3.0	1.0	2.5
Percentage of embryos transferred resulting in implantation	8.0	21.7	8.0	0 / 9	0 / 1	0 / 5
Percentage of elective single embryo transfer (eSET)	0.0	0 / 9	0 / 9	0 / 3		0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	8.8	1 / 9	2 / 12	0 / 5	0 / 1	0 / 3
Percentage of cycles resulting in triplets or more live births	0.0	0 / 9	0 / 12	0 / 5	0 / 1	0 / 3
Percentage of cycles resulting in live births	14.7	3 / 9	2 / 12	0 / 5	0 / 1	0 / 3
Percentage of cycles resulting in pregnancy	14.7	3 / 9	2 / 12	0 / 5	0 / 1	0 / 3
Outcomes per Transfer						
Number of transfers	32	9	9	3	1	2
Percentage of transfers resulting in singleton live births	9.4	1 / 9	2 / 9	0 / 3	0 / 1	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0 / 9	0 / 9	0 / 3	0 / 1	0 / 2
Percentage of transfers resulting in live births	15.6	3 / 9	2 / 9	0 / 3	0 / 1	0 / 2
Percentage of transfers resulting in pregnancy	15.6	3 / 9	2 / 9	0 / 3	0 / 1	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	5	3	2	0	0	0
Percentage of pregnancies resulting in singleton live births	3 / 5	1 / 3	2 / 2			
Percentage of pregnancies resulting in triplets or more live births	0 / 5	0 / 3	0 / 2			
Percentage of pregnancies resulting in live births	5 / 5	3 / 3	2 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	13	3	2	0	0	0
Number of transfers	13	3	2	0	0	0
Estimated average number of transfers per retrieval	1.1	3.0	1.0			
Average number of embryos transferred	2.3	2.0	1.5			
Percentage of embryos transferred resulting in implantation	3.3	0 / 6	0 / 3			
Percentage of transfers resulting in singleton live births	1 / 13	0 / 3	0 / 2			
Percentage of transfers resulting in triplets or more live births	0 / 13	0 / 3	0 / 2			
Percentage of transfers resulting in live births	1 / 13	0 / 3	0 / 2			
Percentage of transfers resulting in pregnancy	3 / 13	0 / 3	0 / 2			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	3	0
Number of transfers	2	0
Average number of embryos transferred	2.5	
Percentage of embryos transferred resulting in implantation	0 / 5	
Percentage of transfers resulting in singleton live births	0 / 2	
Percentage of transfers resulting in live births	0 / 2	
Percentage of transfers resulting in pregnancy	0 / 2	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Peninsula Medical Center, John Nels Anderson, MD

Donor egg?	No	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	No			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

TROCHÉ FERTILITY CENTERS
GLENDALE, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Vladimir Troché, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	93%
Unstimulated	0%	Used PGD	8%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	17%	Uterine factor	<1%	*Multiple Factors:*	
Ovulatory dysfunction	16%	Male factor	62%	Female factors only	8%
Diminished ovarian reserve	26%	Other factor	10%	Female & male factors	29%
Endometriosis	6%	Unknown factor	2%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 205 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	63	36	19	12	3	0
Percentage of cancellations	4.8	5.6	2 / 19	3 / 12	0 / 3	
Average number of embryos transferred	2.0	2.3	3.2	4.1	2.3	
Percentage of embryos transferred resulting in implantation	34.8	18.7	25.5	10.8	0 / 7	
Percentage of elective single embryo transfer (eSET)	12.7	6.5	1 / 17	0 / 9	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.8	19.4	6 / 19	2 / 12	0 / 3	
Percentage of cycles resulting in triplets or more live births	0.0	2.8	0 / 19	0 / 12	0 / 3	
Percentage of cycles resulting in live births	39.7	25.0	8 / 19	3 / 12	0 / 3	
Percentage of cycles resulting in pregnancy	44.4	33.3	8 / 19	3 / 12	0 / 3	
Outcomes per Transfer						
Number of transfers	57	33	17	9	3	0
Percentage of transfers resulting in singleton live births	26.3	21.2	6 / 17	2 / 9	0 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	3.0	0 / 17	0 / 9	0 / 3	
Percentage of transfers resulting in live births	43.9	27.3	8 / 17	3 / 9	0 / 3	
Percentage of transfers resulting in pregnancy	49.1	36.4	8 / 17	3 / 9	0 / 3	
Outcomes per Pregnancy						
Number of pregnancies	28	12	8	3	0	0
Percentage of pregnancies resulting in singleton live births	53.6	7 / 12	6 / 8	2 / 3		
Percentage of pregnancies resulting in triplets or more live births	0.0	1 / 12	0 / 8	0 / 3		
Percentage of pregnancies resulting in live births	89.3	9 / 12	8 / 8	3 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	24	21	7	0	1	2
Number of transfers	22	18	7	0	1	2
Estimated average number of transfers per retrieval	1.7	2.3	1.4			
Average number of embryos transferred	1.7	1.8	2.3		1.0	1.5
Percentage of embryos transferred resulting in implantation	26.3	25.0	3 / 16		0 / 1	0 / 3
Percentage of transfers resulting in singleton live births	27.3	6 / 18	0 / 7		0 / 1	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0 / 18	0 / 7		0 / 1	0 / 2
Percentage of transfers resulting in live births	27.3	7 / 18	0 / 7		0 / 1	0 / 2
Percentage of transfers resulting in pregnancy	36.4	7 / 18	3 / 7		0 / 1	0 / 2

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	10	7
Number of transfers	10	6
Average number of embryos transferred	1.7	2.5
Percentage of embryos transferred resulting in implantation	5 / 17	1 / 15
Percentage of transfers resulting in singleton live births	5 / 10	1 / 6
Percentage of transfers resulting in live births	5 / 10	1 / 6
Percentage of transfers resulting in pregnancy	5 / 10	1 / 6

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Troché Fertility Centers

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ARIZONA REPRODUCTIVE MEDICINE SPECIALISTS
PHOENIX, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Drew V. Moffitt, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	70%
Unstimulated	0%	Used PGD	4%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	15%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	19%	Male factor	58%	Female factors only	11%
Diminished ovarian reserve	48%	Other factor	8%	Female & male factors	41%
Endometriosis	9%	Unknown factor	3%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 354 (includes 34 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	67	25	27	14	3	2
Percentage of cancellations	7.5	12.0	18.5	1 / 14	0 / 3	0 / 2
Average number of embryos transferred	2.0	2.1	2.0	2.1	2.0	4.0
Percentage of embryos transferred resulting in implantation	20.8	13.2	14.7	8.0	0 / 2	0 / 4
Percentage of elective single embryo transfer (eSET)	8.8	2 / 16	0 / 13	0 / 10	0 / 1	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.9	12.0	14.8	1 / 14	0 / 3	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 14	0 / 3	0 / 2
Percentage of cycles resulting in live births	26.9	12.0	14.8	1 / 14	0 / 3	0 / 2
Percentage of cycles resulting in pregnancy	32.8	20.0	22.2	3 / 14	0 / 3	0 / 2
Outcomes per Transfer						
Number of transfers	59	18	17	12	1	1
Percentage of transfers resulting in singleton live births	27.1	3 / 18	4 / 17	1 / 12	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 18	0 / 17	0 / 12	0 / 1	0 / 1
Percentage of transfers resulting in live births	30.5	3 / 18	4 / 17	1 / 12	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	37.3	5 / 18	6 / 17	3 / 12	0 / 1	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	22	5	6	3	0	0
Percentage of pregnancies resulting in singleton live births	72.7	3 / 5	4 / 6	1 / 3		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 5	0 / 6	0 / 3		
Percentage of pregnancies resulting in live births	81.8	3 / 5	4 / 6	1 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	77	27	25	8	2	1
Number of transfers	75	23	21	8	2	0
Estimated average number of transfers per retrieval	1.7	2.6	3.5	1.0	1.0	
Average number of embryos transferred	1.6	1.7	1.9	1.9	1.0	
Percentage of embryos transferred resulting in implantation	24.0	23.7	35.0	0 / 15	0 / 2	
Percentage of transfers resulting in singleton live births	18.7	13.0	19.0	0 / 8	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 8	0 / 2	
Percentage of transfers resulting in live births	25.3	26.1	38.1	0 / 8	0 / 2	
Percentage of transfers resulting in pregnancy	36.0	30.4	42.9	0 / 8	0 / 2	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	13	29
Number of transfers	12	22
Average number of embryos transferred	1.7	1.6
Percentage of embryos transferred resulting in implantation	55.0	19.4
Percentage of transfers resulting in singleton live births	2 / 12	9.1
Percentage of transfers resulting in live births	6 / 12	18.2
Percentage of transfers resulting in pregnancy	7 / 12	27.3

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Arizona Reproductive Medicine Specialists

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTHWEST FERTILITY CENTER
PHOENIX, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Sujatha Gunnala, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	57%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	22%	Uterine factor	9%	*Multiple Factors:*	
Ovulatory dysfunction	8%	Male factor	48%	Female factors only	9%
Diminished ovarian reserve	31%	Other factor	9%	Female & male factors	28%
Endometriosis	17%	Unknown factor	6%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 85 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	46	13	3	4	2	0
Percentage of cancellations	4.3	1 / 13	1 / 3	0 / 4	0 / 2	
Average number of embryos transferred	1.7	2.0	2.5	3.0	3.0	
Percentage of embryos transferred resulting in implantation	27.3	1 / 16	2 / 5	0 / 9	0 / 6	
Percentage of elective single embryo transfer (eSET)	15.6	1 / 8	0 / 2	0 / 3	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	21.7	1 / 13	1 / 3	0 / 4	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 13	0 / 3	0 / 4	0 / 2	
Percentage of cycles resulting in live births	28.3	1 / 13	1 / 3	0 / 4	0 / 2	
Percentage of cycles resulting in pregnancy	32.6	2 / 13	2 / 3	0 / 4	0 / 2	
Outcomes per Transfer						
Number of transfers	39	8	2	3	2	0
Percentage of transfers resulting in singleton live births	25.6	1 / 8	1 / 2	0 / 3	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 8	0 / 2	0 / 3	0 / 2	
Percentage of transfers resulting in live births	33.3	1 / 8	1 / 2	0 / 3	0 / 2	
Percentage of transfers resulting in pregnancy	38.5	2 / 8	2 / 2	0 / 3	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	15	2	2	0	0	0
Percentage of pregnancies resulting in singleton live births	10 / 15	1 / 2	1 / 2			
Percentage of pregnancies resulting in triplets or more live births	0 / 15	0 / 2	0 / 2			
Percentage of pregnancies resulting in live births	13 / 15	1 / 2	1 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	2	0	1	0	0
Number of transfers	7	2	0	1	0	0
Estimated average number of transfers per retrieval	1.2	2.0		1.0		
Average number of embryos transferred	1.9	2.0		2.0		
Percentage of embryos transferred resulting in implantation	4 / 13	1 / 4		0 / 2		
Percentage of transfers resulting in singleton live births	2 / 7	1 / 2		0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 7	0 / 2		0 / 1		
Percentage of transfers resulting in live births	3 / 7	1 / 2		0 / 1		
Percentage of transfers resulting in pregnancy	3 / 7	1 / 2		0 / 1		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	3	4
Number of transfers	3	4
Average number of embryos transferred	1.7	2.0
Percentage of embryos transferred resulting in implantation	1 / 5	5 / 8
Percentage of transfers resulting in singleton live births	1 / 3	2 / 4
Percentage of transfers resulting in live births	1 / 3	3 / 4
Percentage of transfers resulting in pregnancy	1 / 3	3 / 4

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Southwest Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY CARE
SCOTTSDALE, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Frederick W. Larsen, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	58%
Unstimulated	0%	Used PGD	1%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	23%	Uterine factor	8%	*Multiple Factors:*	
Ovulatory dysfunction	12%	Male factor	49%	Female factors only	15%
Diminished ovarian reserve	40%	Other factor	3%	Female & male factors	30%
Endometriosis	12%	Unknown factor	8%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 239 (includes 3 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	77	46	21	11	5	0
Percentage of cancellations	11.7	10.9	28.6	1 / 11	2 / 5	
Average number of embryos transferred	1.7	1.9	2.5	2.3	3.3	
Percentage of embryos transferred resulting in implantation	43.4	39.7	28.1	13.0	0 / 10	
Percentage of elective single embryo transfer (eSET)	28.1	21.6	0 / 12	0 / 9	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	33.8	39.1	9.5	0 / 11	0 / 5	
Percentage of cycles resulting in triplets or more live births	0.0	2.2	0.0	0 / 11	0 / 5	
Percentage of cycles resulting in live births	45.5	45.7	14.3	1 / 11	0 / 5	
Percentage of cycles resulting in pregnancy	51.9	50.0	28.6	2 / 11	0 / 5	
Outcomes per Transfer						
Number of transfers	66	39	13	10	3	0
Percentage of transfers resulting in singleton live births	39.4	46.2	2 / 13	0 / 10	0 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	2.6	0 / 13	0 / 10	0 / 3	
Percentage of transfers resulting in live births	53.0	53.8	3 / 13	1 / 10	0 / 3	
Percentage of transfers resulting in pregnancy	60.6	59.0	6 / 13	2 / 10	0 / 3	
Outcomes per Pregnancy						
Number of pregnancies	40	23	6	2	0	0
Percentage of pregnancies resulting in singleton live births	65.0	78.3	2 / 6	0 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	4.3	0 / 6	0 / 2		
Percentage of pregnancies resulting in live births	87.5	91.3	3 / 6	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	27	6	3	0	1	0
Number of transfers	24	6	2	0	1	0
Estimated average number of transfers per retrieval	2.0	1.2	2.0		1.0	
Average number of embryos transferred	1.8	1.5	2.0		2.0	
Percentage of embryos transferred resulting in implantation	44.2	5 / 9	0 / 4		0 / 2	
Percentage of transfers resulting in singleton live births	33.3	1 / 6	0 / 2		0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 6	0 / 2		0 / 1	
Percentage of transfers resulting in live births	54.2	2 / 6	0 / 2		0 / 1	
Percentage of transfers resulting in pregnancy	58.3	3 / 6	0 / 2		0 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	26	13
Number of transfers	21	13
Average number of embryos transferred	1.5	1.5
Percentage of embryos transferred resulting in implantation	51.6	40.0
Percentage of transfers resulting in singleton live births	28.6	4 / 13
Percentage of transfers resulting in live births	38.1	5 / 13
Percentage of transfers resulting in pregnancy	71.4	7 / 13

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Fertility Care

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ARIZONA ASSOCIATES FOR REPRODUCTIVE HEALTH
SCOTTSDALE, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Ketan S. Patel, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	72%
Unstimulated	0%	Used PGD	4%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	5%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	8%	Male factor	40%	Female factors only	4%
Diminished ovarian reserve	39%	Other factor	6%	Female & male factors	18%
Endometriosis	3%	Unknown factor	17%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 257 (includes 18 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	92	30	35	11	5	0
Percentage of cancellations	8.7	10.0	17.1	1 / 11	1 / 5	
Average number of embryos transferred	1.9	1.7	2.4	2.7	3.0	
Percentage of embryos transferred resulting in implantation	41.4	40.0	31.4	8.3	0 / 12	
Percentage of elective single embryo transfer (eSET)	7.8	21.7	0 / 18	0 / 7	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.2	33.3	22.9	0 / 11	0 / 5	
Percentage of cycles resulting in triplets or more live births	1.1	0.0	0.0	0 / 11	0 / 5	
Percentage of cycles resulting in live births	43.5	43.3	28.6	0 / 11	0 / 5	
Percentage of cycles resulting in pregnancy	48.9	46.7	34.3	2 / 11	1 / 5	
Outcomes per Transfer						
Number of transfers	82	26	21	9	4	0
Percentage of transfers resulting in singleton live births	30.5	38.5	38.1	0 / 9	0 / 4	
Percentage of transfers resulting in triplets or more live births	1.2	0.0	0.0	0 / 9	0 / 4	
Percentage of transfers resulting in live births	48.8	50.0	47.6	0 / 9	0 / 4	
Percentage of transfers resulting in pregnancy	54.9	53.8	57.1	2 / 9	1 / 4	
Outcomes per Pregnancy						
Number of pregnancies	45	14	12	2	1	0
Percentage of pregnancies resulting in singleton live births	55.6	10 / 14	8 / 12	0 / 2	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	2.2	0 / 14	0 / 12	0 / 2	0 / 1	
Percentage of pregnancies resulting in live births	88.9	13 / 14	10 / 12	0 / 2	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	27	9	10	3	0	1
Number of transfers	27	9	10	3	0	1
Estimated average number of transfers per retrieval	1.6	3.0	1.0	1.5		
Average number of embryos transferred	1.8	1.7	1.7	1.3		2.0
Percentage of embryos transferred resulting in implantation	53.1	7 / 15	6 / 17	1 / 4		0 / 2
Percentage of transfers resulting in singleton live births	48.1	5 / 9	3 / 10	1 / 3		0 / 1
Percentage of transfers resulting in triplets or more live births	3.7	0 / 9	0 / 10	0 / 3		0 / 1
Percentage of transfers resulting in live births	66.7	6 / 9	3 / 10	1 / 3		0 / 1
Percentage of transfers resulting in pregnancy	70.4	6 / 9	6 / 10	1 / 3		0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	10	6
Number of transfers	10	6
Average number of embryos transferred	1.8	2.2
Percentage of embryos transferred resulting in implantation	12 / 18	3 / 13
Percentage of transfers resulting in singleton live births	4 / 10	0 / 6
Percentage of transfers resulting in live births	8 / 10	1 / 6
Percentage of transfers resulting in pregnancy	8 / 10	2 / 6

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Arizona Associates for Reproductive Health

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ARIZONA CENTER FOR FERTILITY STUDIES
SCOTTSDALE, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Jay S. Nemiro, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	85%
Unstimulated	0%	Used PGD	10%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	9%	Uterine factor	27%	*Multiple Factors:*	
Ovulatory dysfunction	12%	Male factor	22%	Female factors only	21%
Diminished ovarian reserve	31%	Other factor	30%	Female & male factors	13%
Endometriosis	8%	Unknown factor	3%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 197 (includes 77 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	11	4	0	4	1	0
Percentage of cancellations	1 / 11	0 / 4		1 / 4	1 / 1	
Average number of embryos transferred	2.0	2.8		1.5		
Percentage of embryos transferred resulting in implantation	50.0	3 / 11		0 / 3		
Percentage of elective single embryo transfer (eSET)	0 / 9	0 / 4		0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	2 / 11	2 / 4		0 / 4	0 / 1	
Percentage of cycles resulting in triplets or more live births	1 / 11	0 / 4		0 / 4	0 / 1	
Percentage of cycles resulting in live births	5 / 11	2 / 4		0 / 4	0 / 1	
Percentage of cycles resulting in pregnancy	5 / 11	2 / 4		0 / 4	0 / 1	
Outcomes per Transfer						
Number of transfers	10	4	0	2	0	0
Percentage of transfers resulting in singleton live births	2 / 10	2 / 4		0 / 2		
Percentage of transfers resulting in triplets or more live births	1 / 10	0 / 4		0 / 2		
Percentage of transfers resulting in live births	5 / 10	2 / 4		0 / 2		
Percentage of transfers resulting in pregnancy	5 / 10	2 / 4		0 / 2		
Outcomes per Pregnancy						
Number of pregnancies	5	2	0	0	0	0
Percentage of pregnancies resulting in singleton live births	2 / 5	2 / 2				
Percentage of pregnancies resulting in triplets or more live births	1 / 5	0 / 2				
Percentage of pregnancies resulting in live births	5 / 5	2 / 2				
Frozen Embryos from Nondonor Eggs						
Number of cycles	28	15	6	6	2	1
Number of transfers	28	12	5	5	2	0
Estimated average number of transfers per retrieval	0.8	0.9	0.4	0.6	0.3	0.0
Average number of embryos transferred	1.8	1.8	1.6	1.6	1.5	
Percentage of embryos transferred resulting in implantation	43.1	33.3	2 / 8	6 / 8	2 / 3	
Percentage of transfers resulting in singleton live births	25.0	2 / 12	2 / 5	3 / 5	2 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 12	0 / 5	0 / 5	0 / 2	
Percentage of transfers resulting in live births	42.9	4 / 12	2 / 5	4 / 5	2 / 2	
Percentage of transfers resulting in pregnancy	53.6	4 / 12	2 / 5	4 / 5	2 / 2	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	18	24
Number of transfers	7	20
Average number of embryos transferred	1.9	2.0
Percentage of embryos transferred resulting in implantation	4 / 13	35.0
Percentage of transfers resulting in singleton live births	4 / 7	40.0
Percentage of transfers resulting in live births	4 / 7	50.0
Percentage of transfers resulting in pregnancy	4 / 7	55.0

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Arizona Center for Fertility Studies

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2012 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2012 ART cycle data or the clinic's Medical Director did not approve the clinic's 2012 ART cycle data for inclusion in this report.

IVF PHOENIX
SCOTTSDALE, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by John L. Couvaras, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	93%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	21%	Uterine factor	13%	*Multiple Factors:*	
Ovulatory dysfunction	12%	Male factor	25%	Female factors only	3%
Diminished ovarian reserve	17%	Other factor	8%	Female & male factors	11%
Endometriosis	1%	Unknown factor	15%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 104 (includes 29 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	21	6	6	8	0	1
Percentage of cancellations	4.8	0 / 6	0 / 6	1 / 8		1 / 1
Average number of embryos transferred	2.1	2.0	2.0	2.5		
Percentage of embryos transferred resulting in implantation	34.5	3 / 10	0 / 8	0 / 5		
Percentage of elective single embryo transfer (eSET)	0 / 14	1 / 5	0 / 4	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	19.0	3 / 6	0 / 6	0 / 8		0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0 / 6	0 / 6	0 / 8		0 / 1
Percentage of cycles resulting in live births	33.3	3 / 6	0 / 6	0 / 8		0 / 1
Percentage of cycles resulting in pregnancy	38.1	3 / 6	0 / 6	0 / 8		0 / 1
Outcomes per Transfer						
Number of transfers	14	5	4	2	0	0
Percentage of transfers resulting in singleton live births	4 / 14	3 / 5	0 / 4	0 / 2		
Percentage of transfers resulting in triplets or more live births	0 / 14	0 / 5	0 / 4	0 / 2		
Percentage of transfers resulting in live births	7 / 14	3 / 5	0 / 4	0 / 2		
Percentage of transfers resulting in pregnancy	8 / 14	3 / 5	0 / 4	0 / 2		
Outcomes per Pregnancy						
Number of pregnancies	8	3	0	0	0	0
Percentage of pregnancies resulting in singleton live births	4 / 8	3 / 3				
Percentage of pregnancies resulting in triplets or more live births	0 / 8	0 / 3				
Percentage of pregnancies resulting in live births	7 / 8	3 / 3				
Frozen Embryos from Nondonor Eggs						
Number of cycles	12	6	3	4	2	0
Number of transfers	11	6	3	4	2	0
Estimated average number of transfers per retrieval	0.3	3.0	1.5	1.0		
Average number of embryos transferred	1.6	1.5	1.3	2.0	2.5	
Percentage of embryos transferred resulting in implantation	3 / 18	5 / 9	0 / 4	1 / 8	0 / 5	
Percentage of transfers resulting in singleton live births	2 / 11	3 / 6	0 / 3	1 / 4	0 / 2	
Percentage of transfers resulting in triplets or more live births	0 / 11	0 / 6	0 / 3	0 / 4	0 / 2	
Percentage of transfers resulting in live births	2 / 11	3 / 6	0 / 3	1 / 4	0 / 2	
Percentage of transfers resulting in pregnancy	2 / 11	3 / 6	0 / 3	1 / 4	0 / 2	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	4	2
Number of transfers	4	2
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation	3 / 8	0 / 4
Percentage of transfers resulting in singleton live births	1 / 4	0 / 2
Percentage of transfers resulting in live births	2 / 4	0 / 2
Percentage of transfers resulting in pregnancy	3 / 4	0 / 2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: IVF Phoenix

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY TREATMENT CENTER
TEMPE, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by H. Randall Craig, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	97%
Unstimulated	<1%	Used PGD	2%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	5%	Uterine factor	<1%	*Multiple Factors:*	
Ovulatory dysfunction	38%	Male factor	5%	Female factors only	<1%
Diminished ovarian reserve	20%	Other factor	3%	Female & male factors	1%
Endometriosis	3%	Unknown factor	27%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 459 (includes 24 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	107	44	50	35	22	1
Percentage of cancellations	0.0	0.0	0.0	0.0	0.0	0 / 1
Average number of embryos transferred	2.0	2.5	2.3	2.3	2.4	4.0
Percentage of embryos transferred resulting in implantation	32.0	22.7	15.4	6.7	6.5	0 / 4
Percentage of elective single embryo transfer (eSET)	3.3	0.0	3.4	1 / 17	0 / 10	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	17.8	11.4	14.0	8.6	0.0	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 1
Percentage of cycles resulting in live births	22.4	15.9	16.0	8.6	0.0	0 / 1
Percentage of cycles resulting in pregnancy	34.6	25.0	24.0	11.4	4.5	0 / 1
Outcomes per Transfer						
Number of transfers	63	26	34	20	13	1
Percentage of transfers resulting in singleton live births	30.2	19.2	20.6	15.0	0 / 13	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 13	0 / 1
Percentage of transfers resulting in live births	38.1	26.9	23.5	15.0	0 / 13	0 / 1
Percentage of transfers resulting in pregnancy	58.7	42.3	35.3	20.0	1 / 13	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	37	11	12	4	1	0
Percentage of pregnancies resulting in singleton live births	51.4	5 / 11	7 / 12	3 / 4	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 11	0 / 12	0 / 4	0 / 1	
Percentage of pregnancies resulting in live births	64.9	7 / 11	8 / 12	3 / 4	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	53	26	26	17	4	0
Number of transfers	53	26	26	17	4	0
Estimated average number of transfers per retrieval	1.2	1.4	1.3	0.8	0.7	
Average number of embryos transferred	2.1	2.2	2.3	2.4	2.8	
Percentage of embryos transferred resulting in implantation	47.3	46.6	31.7	14.6	0 / 11	
Percentage of transfers resulting in singleton live births	28.3	30.8	15.4	4 / 17	0 / 4	
Percentage of transfers resulting in triplets or more live births	1.9	3.8	0.0	0 / 17	0 / 4	
Percentage of transfers resulting in live births	47.2	46.2	30.8	4 / 17	0 / 4	
Percentage of transfers resulting in pregnancy	71.7	69.2	42.3	7 / 17	0 / 4	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	23	27
Number of transfers	16	27
Average number of embryos transferred	1.8	2.3
Percentage of embryos transferred resulting in implantation	55.2	19.4
Percentage of transfers resulting in singleton live births	8 / 16	22.2
Percentage of transfers resulting in live births	11 / 16	25.9
Percentage of transfers resulting in pregnancy	12 / 16	44.4

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Treatment Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 1 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ARIZONA CENTER FOR REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY
TUCSON, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Timothy J. Gelety, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	48%
Unstimulated	0%	Used PGD	1%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	11%	Uterine factor	13%	*Multiple Factors:*	
Ovulatory dysfunction	10%	Male factor	17%	Female factors only	20%
Diminished ovarian reserve	8%	Other factor	1%	Female & male factors	6%
Endometriosis	68%	Unknown factor	0%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 301 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	88	28	37	16	5	7
Percentage of cancellations	1.1	0.0	2.7	0 / 16	0 / 5	0 / 7
Average number of embryos transferred	2.6	2.9	3.2	3.8	2.8	2.3
Percentage of embryos transferred resulting in implantation	35.2	22.8	18.2	3.5	1 / 14	2 / 16
Percentage of elective single embryo transfer (eSET)	1.2	0.0	0.0	0 / 14	0 / 3	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	42.0	50.0	18.9	0 / 16	1 / 5	0 / 7
Percentage of cycles resulting in triplets or more live births	2.3	0.0	0.0	0 / 16	0 / 5	0 / 7
Percentage of cycles resulting in live births	55.7	50.0	27.0	0 / 16	1 / 5	0 / 7
Percentage of cycles resulting in pregnancy	67.0	60.7	40.5	2 / 16	1 / 5	2 / 7
Outcomes per Transfer						
Number of transfers	86	27	31	15	5	7
Percentage of transfers resulting in singleton live births	43.0	51.9	22.6	0 / 15	1 / 5	0 / 7
Percentage of transfers resulting in triplets or more live births	2.3	0.0	0.0	0 / 15	0 / 5	0 / 7
Percentage of transfers resulting in live births	57.0	51.9	32.3	0 / 15	1 / 5	0 / 7
Percentage of transfers resulting in pregnancy	68.6	63.0	48.4	2 / 15	1 / 5	2 / 7
Outcomes per Pregnancy						
Number of pregnancies	59	17	15	2	1	2
Percentage of pregnancies resulting in singleton live births	62.7	14 / 17	7 / 15	0 / 2	1 / 1	0 / 2
Percentage of pregnancies resulting in triplets or more live births	3.4	0 / 17	0 / 15	0 / 2	0 / 1	0 / 2
Percentage of pregnancies resulting in live births	83.1	14 / 17	10 / 15	0 / 2	1 / 1	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	67	18	7	3	0	2
Number of transfers	66	18	7	3	0	2
Estimated average number of transfers per retrieval	2.8	3.6	2.3	1.5		
Average number of embryos transferred	2.9	3.3	3.4	4.0		3.5
Percentage of embryos transferred resulting in implantation	12.1	10.2	8.3	1 / 12		1 / 7
Percentage of transfers resulting in singleton live births	19.7	2 / 18	2 / 7	0 / 3		1 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0 / 18	0 / 7	0 / 3		0 / 2
Percentage of transfers resulting in live births	22.7	3 / 18	2 / 7	0 / 3		1 / 2
Percentage of transfers resulting in pregnancy	30.3	5 / 18	3 / 7	1 / 3		1 / 2

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	12	11
Number of transfers	10	11
Average number of embryos transferred	2.5	2.8
Percentage of embryos transferred resulting in implantation	24.0	16.1
Percentage of transfers resulting in singleton live births	2 / 10	0 / 11
Percentage of transfers resulting in live births	4 / 10	1 / 11
Percentage of transfers resulting in pregnancy	4 / 10	2 / 11

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Arizona Center for Reproductive Endocrinology and Infertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE HEALTH CENTER
TUCSON, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Scot M. Hutchison, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	83%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	20%	Uterine factor	10%	*Multiple Factors:*	
Ovulatory dysfunction	17%	Male factor	54%	Female factors only	9%
Diminished ovarian reserve	11%	Other factor	8%	Female & male factors	30%
Endometriosis	19%	Unknown factor	7%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 332 (includes 89 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	23	18	16	4	2	0
Percentage of cancellations	4.3	3 / 18	6 / 16	1 / 4	0 / 2	
Average number of embryos transferred	1.6	1.8	1.8	2.0	1.5	
Percentage of embryos transferred resulting in implantation	50.0	21.7	4 / 14	1 / 4	0 / 3	
Percentage of elective single embryo transfer (eSET)	7 / 18	2 / 12	1 / 7	0 / 2	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	47.8	3 / 18	3 / 16	0 / 4	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 18	0 / 16	0 / 4	0 / 2	
Percentage of cycles resulting in live births	56.5	4 / 18	3 / 16	0 / 4	0 / 2	
Percentage of cycles resulting in pregnancy	56.5	4 / 18	4 / 16	1 / 4	0 / 2	
Outcomes per Transfer						
Number of transfers	19	13	8	2	2	0
Percentage of transfers resulting in singleton live births	11 / 19	3 / 13	3 / 8	0 / 2	0 / 2	
Percentage of transfers resulting in triplets or more live births	0 / 19	0 / 13	0 / 8	0 / 2	0 / 2	
Percentage of transfers resulting in live births	13 / 19	4 / 13	3 / 8	0 / 2	0 / 2	
Percentage of transfers resulting in pregnancy	13 / 19	4 / 13	4 / 8	1 / 2	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	13	4	4	1	0	0
Percentage of pregnancies resulting in singleton live births	11 / 13	3 / 4	3 / 4	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 13	0 / 4	0 / 4	0 / 1		
Percentage of pregnancies resulting in live births	13 / 13	4 / 4	3 / 4	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	85	32	15	8	3	3
Number of transfers	85	31	14	8	3	3
Estimated average number of transfers per retrieval	1.5	1.5	0.9	1.6		1.5
Average number of embryos transferred	1.4	1.3	1.4	1.8	1.0	2.0
Percentage of embryos transferred resulting in implantation	47.0	22.0	10.0	1 / 14	0 / 3	0 / 6
Percentage of transfers resulting in singleton live births	40.0	19.4	2 / 14	1 / 8	0 / 3	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 14	0 / 8	0 / 3	0 / 3
Percentage of transfers resulting in live births	47.1	22.6	2 / 14	1 / 8	0 / 3	0 / 3
Percentage of transfers resulting in pregnancy	57.6	32.3	3 / 14	1 / 8	0 / 3	0 / 3

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	13	21
Number of transfers	12	21
Average number of embryos transferred	1.3	1.2
Percentage of embryos transferred resulting in implantation	5 / 15	16.0
Percentage of transfers resulting in singleton live births	5 / 12	19.0
Percentage of transfers resulting in live births	5 / 12	19.0
Percentage of transfers resulting in pregnancy	5 / 12	33.3

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Health Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ARKANSAS FERTILITY CENTER
LITTLE ROCK, ARKANSAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Dean M. Moutos, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	46%
Unstimulated	0%	Used PGD	<1%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	26%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	16%	Male factor	26%	Female factors only	12%
Diminished ovarian reserve	34%	Other factor	2%	Female & male factors	17%
Endometriosis	10%	Unknown factor	15%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 336 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	127	47	37	8	1	0
Percentage of cancellations	7.1	21.3	10.8	0 / 8	0 / 1	
Average number of embryos transferred	1.8	2.0	2.2	2.6	2.0	
Percentage of embryos transferred resulting in implantation	40.6	26.9	19.0	2 / 18	0 / 2	
Percentage of elective single embryo transfer (eSET)	18.2	3.4	0.0	0 / 7	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	29.1	12.8	21.6	0 / 8	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 8	0 / 1	
Percentage of cycles resulting in live births	42.5	21.3	27.0	0 / 8	0 / 1	
Percentage of cycles resulting in pregnancy	48.0	29.8	27.0	2 / 8	0 / 1	
Outcomes per Transfer						
Number of transfers	111	34	29	7	1	0
Percentage of transfers resulting in singleton live births	33.3	17.6	27.6	0 / 7	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 7	0 / 1	
Percentage of transfers resulting in live births	48.6	29.4	34.5	0 / 7	0 / 1	
Percentage of transfers resulting in pregnancy	55.0	41.2	34.5	2 / 7	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	61	14	10	2	0	0
Percentage of pregnancies resulting in singleton live births	60.7	6 / 14	8 / 10	0 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 14	0 / 10	0 / 2		
Percentage of pregnancies resulting in live births	88.5	10 / 14	10 / 10	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	61	14	8	4	2	1
Number of transfers	59	13	7	3	2	1
Estimated average number of transfers per retrieval	3.5	3.3	0.7			
Average number of embryos transferred	1.7	1.8	1.3	2.0	1.5	2.0
Percentage of embryos transferred resulting in implantation	21.4	29.2	1 / 9	0 / 6	1 / 3	0 / 2
Percentage of transfers resulting in singleton live births	23.7	4 / 13	0 / 7	0 / 3	1 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 13	0 / 7	0 / 3	0 / 2	0 / 1
Percentage of transfers resulting in live births	27.1	5 / 13	0 / 7	0 / 3	1 / 2	0 / 1
Percentage of transfers resulting in pregnancy	35.6	7 / 13	1 / 7	1 / 3	1 / 2	0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	9	17
Number of transfers	7	17
Average number of embryos transferred	1.7	1.9
Percentage of embryos transferred resulting in implantation	7 / 12	24.2
Percentage of transfers resulting in singleton live births	3 / 7	5 / 17
Percentage of transfers resulting in live births	4 / 7	6 / 17
Percentage of transfers resulting in pregnancy	5 / 7	7 / 17

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Arkansas Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

LIFESTART FERTILITY CENTER
AGOURA HILLS, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Anita P. Singh, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	25%
Unstimulated	0%	Used PGD	17%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	6%	Uterine factor	13%	*Multiple Factors:*	
Ovulatory dysfunction	13%	Male factor	38%	Female factors only	13%
Diminished ovarian reserve	69%	Other factor	0%	Female & male factors	25%
Endometriosis	13%	Unknown factor	0%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 16 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	2	2	3	2	2	1
Percentage of cancellations	0 / 2	0 / 2	1 / 3	0 / 2	0 / 2	0 / 1
Average number of embryos transferred	1.5	2.5	3.0	3.0	2.0	
Percentage of embryos transferred resulting in implantation	0 / 3	0 / 5	2 / 6	0 / 3	0 / 2	
Percentage of elective single embryo transfer (eSET)	1 / 2	0 / 2	0 / 2	0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	0 / 2	0 / 2	0 / 3	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in triplets or more live births	0 / 2	0 / 2	0 / 3	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in live births	0 / 2	0 / 2	1 / 3	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in pregnancy	0 / 2	1 / 2	1 / 3	0 / 2	0 / 2	0 / 1
Outcomes per Transfer						
Number of transfers	2	2	2	1	1	0
Percentage of transfers resulting in singleton live births	0 / 2	0 / 2	0 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 2	0 / 2	0 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in live births	0 / 2	0 / 2	1 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	0 / 2	1 / 2	1 / 2	0 / 1	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	0	1	1	0	0	0
Percentage of pregnancies resulting in singleton live births		0 / 1	0 / 1			
Percentage of pregnancies resulting in triplets or more live births		0 / 1	0 / 1			
Percentage of pregnancies resulting in live births		0 / 1	1 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	0	0	0	0	0
Number of transfers	2	0	0	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred	1.5					
Percentage of embryos transferred resulting in implantation	0 / 3					
Percentage of transfers resulting in singleton live births	0 / 2					
Percentage of transfers resulting in triplets or more live births	0 / 2					
Percentage of transfers resulting in live births	0 / 2					
Percentage of transfers resulting in pregnancy	0 / 2					

	All Ages Combined[f]	
Donor Eggs	**Fresh Embryos**	**Frozen Embryos**
Number of cycles	1	1
Number of transfers	1	1
Average number of embryos transferred	1.0	2.0
Percentage of embryos transferred resulting in implantation	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births	0 / 1	0 / 1
Percentage of transfers resulting in live births	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	0 / 1	0 / 1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: LifeStart Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ALTA BATES IN VITRO FERTILIZATION PROGRAM
BERKELEY, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Ryszard J. Chetkowski, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	92%
Unstimulated	0%	Used PGD	2%
Used gestational carrier	8%		

Patient Diagnosis[b]

Tubal factor	11%	Uterine factor	9%	*Multiple Factors:*	
Ovulatory dysfunction	7%	Male factor	23%	Female factors only	11%
Diminished ovarian reserve	59%	Other factor	8%	Female & male factors	12%
Endometriosis	2%	Unknown factor	6%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 121 (includes 11 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	7	13	13	7	3	5
Percentage of cancellations	0 / 7	0 / 13	1 / 13	0 / 7	0 / 3	1 / 5
Average number of embryos transferred	2.3	2.4	2.2	3.7	5.0	6.3
Percentage of embryos transferred resulting in implantation	4 / 16	23.1	18.2	15.4	2 / 15	0 / 19
Percentage of elective single embryo transfer (eSET)	0 / 7	0 / 11	0 / 7	0 / 7	0 / 3	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	2 / 7	2 / 13	1 / 13	1 / 7	2 / 3	0 / 5
Percentage of cycles resulting in triplets or more live births	0 / 7	0 / 13	0 / 13	0 / 7	0 / 3	0 / 5
Percentage of cycles resulting in live births	3 / 7	3 / 13	2 / 13	1 / 7	2 / 3	0 / 5
Percentage of cycles resulting in pregnancy	3 / 7	5 / 13	3 / 13	2 / 7	2 / 3	0 / 5
Outcomes per Transfer						
Number of transfers	7	11	10	7	3	3
Percentage of transfers resulting in singleton live births	2 / 7	2 / 11	1 / 10	1 / 7	2 / 3	0 / 3
Percentage of transfers resulting in triplets or more live births	0 / 7	0 / 11	0 / 10	0 / 7	0 / 3	0 / 3
Percentage of transfers resulting in live births	3 / 7	3 / 11	2 / 10	1 / 7	2 / 3	0 / 3
Percentage of transfers resulting in pregnancy	3 / 7	5 / 11	3 / 10	2 / 7	2 / 3	0 / 3
Outcomes per Pregnancy						
Number of pregnancies	3	5	3	2	2	0
Percentage of pregnancies resulting in singleton live births	2 / 3	2 / 5	1 / 3	1 / 2	2 / 2	
Percentage of pregnancies resulting in triplets or more live births	0 / 3	0 / 5	0 / 3	0 / 2	0 / 2	
Percentage of pregnancies resulting in live births	3 / 3	3 / 5	2 / 3	1 / 2	2 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	7	7	4	1	0
Number of transfers	5	7	7	3	1	0
Estimated average number of transfers per retrieval	0.8	1.8	1.4			
Average number of embryos transferred	1.8	1.6	2.3	2.0	4.0	
Percentage of embryos transferred resulting in implantation	6 / 9	4 / 11	1 / 16	0 / 6	1 / 4	
Percentage of transfers resulting in singleton live births	4 / 5	1 / 7	1 / 7	0 / 3	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 5	0 / 7	0 / 7	0 / 3	0 / 1	
Percentage of transfers resulting in live births	4 / 5	2 / 7	1 / 7	0 / 3	0 / 1	
Percentage of transfers resulting in pregnancy	5 / 5	3 / 7	1 / 7	1 / 3	1 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	19	19
Number of transfers	18	17
Average number of embryos transferred	1.8	1.8
Percentage of embryos transferred resulting in implantation	63.6	22.6
Percentage of transfers resulting in singleton live births	5 / 18	7 / 17
Percentage of transfers resulting in live births	12 / 18	7 / 17
Percentage of transfers resulting in pregnancy	12 / 18	7 / 17

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Alta Bates In Vitro Fertilization Program

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CALIFORNIA CENTER FOR REPRODUCTIVE HEALTH
BEVERLY HILLS REPRODUCTIVE FERTILITY CENTER
BEVERLY HILLS, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Eliran Mor, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	97%
Unstimulated	1%	Used PGD	5%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	14%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	6%	Male factor	28%	Female factors only	10%
Diminished ovarian reserve	50%	Other factor	14%	Female & male factors	15%
Endometriosis	7%	Unknown factor	4%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 347 (includes 27 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	88	53	42	33	26	12
Percentage of cancellations	1.1	0.0	0.0	0.0	0.0	0 / 12
Average number of embryos transferred	2.8	2.9	3.1	3.3	3.8	2.4
Percentage of embryos transferred resulting in implantation	32.8	24.0	14.7	12.4	3.2	1 / 19
Percentage of elective single embryo transfer (eSET)	0.0	0.0	0.0	0.0	0.0	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.3	32.1	26.2	18.2	7.7	1 / 12
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 12
Percentage of cycles resulting in live births	51.1	41.5	31.0	21.2	7.7	1 / 12
Percentage of cycles resulting in pregnancy	62.5	56.6	47.6	36.4	19.2	1 / 12
Outcomes per Transfer						
Number of transfers	86	53	42	32	25	8
Percentage of transfers resulting in singleton live births	27.9	32.1	26.2	18.8	8.0	1 / 8
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 8
Percentage of transfers resulting in live births	52.3	41.5	31.0	21.9	8.0	1 / 8
Percentage of transfers resulting in pregnancy	64.0	56.6	47.6	37.5	20.0	1 / 8
Outcomes per Pregnancy						
Number of pregnancies	55	30	20	12	5	1
Percentage of pregnancies resulting in singleton live births	43.6	56.7	55.0	6 / 12	2 / 5	1 / 1
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 12	0 / 5	0 / 1
Percentage of pregnancies resulting in live births	81.8	73.3	65.0	7 / 12	2 / 5	1 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	15	13	7	4	0	2
Number of transfers	15	13	7	4	0	2
Estimated average number of transfers per retrieval	1.4	0.6	1.0	1.3	0.0	1.0
Average number of embryos transferred	2.7	3.3	2.9	2.8		6.0
Percentage of embryos transferred resulting in implantation	32.5	16.3	25.0	1 / 11		0 / 12
Percentage of transfers resulting in singleton live births	7 / 15	6 / 13	3 / 7	1 / 4		0 / 2
Percentage of transfers resulting in triplets or more live births	0 / 15	0 / 13	0 / 7	0 / 4		0 / 2
Percentage of transfers resulting in live births	8 / 15	6 / 13	3 / 7	1 / 4		0 / 2
Percentage of transfers resulting in pregnancy	10 / 15	8 / 13	4 / 7	1 / 4		0 / 2

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	21	4
Number of transfers	21	4
Average number of embryos transferred	2.3	2.8
Percentage of embryos transferred resulting in implantation	42.9	1 / 11
Percentage of transfers resulting in singleton live births	38.1	1 / 4
Percentage of transfers resulting in live births	47.6	1 / 4
Percentage of transfers resulting in pregnancy	71.4	1 / 4

CURRENT CLINIC SERVICES AND PROFILE

Current Name: California Center for Reproductive Health, Beverly Hills Reproductive Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE HEALTH & GYNECOLOGY (CRH&G) BEVERLY HILLS, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Sam Najmabadi, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	60%
Unstimulated	<1%	Used PGD	35%
Used gestational carrier	4%		

Patient Diagnosis[b]

Tubal factor	15%	Uterine factor	<1%	*Multiple Factors:*	
Ovulatory dysfunction	2%	Male factor	54%	Female factors only	14%
Diminished ovarian reserve	41%	Other factor	36%	Female & male factors	36%
Endometriosis	6%	Unknown factor	3%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 173 (includes 29 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	19	26	27	26	9	6
Percentage of cancellations	2 / 19	3.8	14.8	23.1	2 / 9	3 / 6
Average number of embryos transferred	2.1	2.0	2.0	1.8	1.7	3.0
Percentage of embryos transferred resulting in implantation	54.5	43.2	42.5	36.7	4 / 10	0 / 3
Percentage of elective single embryo transfer (eSET)	0 / 14	2 / 17	2 / 16	0 / 10	0 / 2	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	7 / 19	38.5	25.9	15.4	2 / 9	0 / 6
Percentage of cycles resulting in triplets or more live births	0 / 19	0.0	0.0	0.0	0 / 9	0 / 6
Percentage of cycles resulting in live births	12 / 19	50.0	29.6	15.4	3 / 9	0 / 6
Percentage of cycles resulting in pregnancy	12 / 19	50.0	44.4	34.6	3 / 9	0 / 6
Outcomes per Transfer						
Number of transfers	16	22	20	17	6	1
Percentage of transfers resulting in singleton live births	7 / 16	45.5	35.0	4 / 17	2 / 6	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 16	0.0	0.0	0 / 17	0 / 6	0 / 1
Percentage of transfers resulting in live births	12 / 16	59.1	40.0	4 / 17	3 / 6	0 / 1
Percentage of transfers resulting in pregnancy	12 / 16	59.1	60.0	9 / 17	3 / 6	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	12	13	12	9	3	0
Percentage of pregnancies resulting in singleton live births	7 / 12	10 / 13	7 / 12	4 / 9	2 / 3	
Percentage of pregnancies resulting in triplets or more live births	0 / 12	0 / 13	0 / 12	0 / 9	0 / 3	
Percentage of pregnancies resulting in live births	12 / 12	13 / 13	8 / 12	4 / 9	3 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	8	0	2	0	0
Number of transfers	6	7	0	2	0	0
Estimated average number of transfers per retrieval	0.5	1.2	0.0	0.7	0.0	0.0
Average number of embryos transferred	2.7	2.6		2.0		
Percentage of embryos transferred resulting in implantation	7 / 16	7 / 18		0 / 4		
Percentage of transfers resulting in singleton live births	0 / 6	4 / 7		0 / 2		
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 7		0 / 2		
Percentage of transfers resulting in live births	3 / 6	5 / 7		0 / 2		
Percentage of transfers resulting in pregnancy	4 / 6	5 / 7		0 / 2		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	7	8
Number of transfers	7	7
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation	8 / 14	7 / 14
Percentage of transfers resulting in singleton live births	4 / 7	4 / 7
Percentage of transfers resulting in live births	5 / 7	4 / 7
Percentage of transfers resulting in pregnancy	5 / 7	5 / 7

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Reproductive Health & Gynecology, (CRH&G)

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTHERN CALIFORNIA REPRODUCTIVE CENTER
BEVERLY HILLS, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Mark W. Surrey, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	50%
Unstimulated	0%	Used PGD	31%
Used gestational carrier	3%		

Patient Diagnosis[b]

Tubal factor	4%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	6%	Male factor	26%	Female factors only	6%
Diminished ovarian reserve	33%	Other factor	30%	Female & male factors	9%
Endometriosis	5%	Unknown factor	10%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 611 (includes 64 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	78	64	99	47	38	7
Percentage of cancellations	1.3	0.0	5.1	4.3	7.9	1 / 7
Average number of embryos transferred	1.8	1.7	2.2	2.4	2.5	2.8
Percentage of embryos transferred resulting in implantation	50.5	41.5	30.8	13.8	12.7	0 / 14
Percentage of elective single embryo transfer (eSET)	22.7	26.3	7.3	4.3	1 / 18	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	34.6	23.4	25.3	14.9	18.4	0 / 7
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 7
Percentage of cycles resulting in live births	44.9	32.8	29.3	17.0	18.4	0 / 7
Percentage of cycles resulting in pregnancy	48.7	39.1	34.3	21.3	21.1	0 / 7
Outcomes per Transfer						
Number of transfers	55	47	66	33	25	5
Percentage of transfers resulting in singleton live births	49.1	31.9	37.9	21.2	28.0	0 / 5
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 5
Percentage of transfers resulting in live births	63.6	44.7	43.9	24.2	28.0	0 / 5
Percentage of transfers resulting in pregnancy	69.1	53.2	51.5	30.3	32.0	0 / 5
Outcomes per Pregnancy						
Number of pregnancies	38	25	34	10	8	0
Percentage of pregnancies resulting in singleton live births	71.1	60.0	73.5	7 / 10	7 / 8	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 10	0 / 8	
Percentage of pregnancies resulting in live births	92.1	84.0	85.3	8 / 10	7 / 8	
Frozen Embryos from Nondonor Eggs						
Number of cycles	46	28	26	6	6	2
Number of transfers	45	28	25	6	6	2
Estimated average number of transfers per retrieval	2.6	1.0	0.6	0.8	0.8	1.0
Average number of embryos transferred	1.8	1.5	1.7	1.8	2.2	1.5
Percentage of embryos transferred resulting in implantation	41.8	56.1	41.9	4 / 11	2 / 13	0 / 3
Percentage of transfers resulting in singleton live births	40.0	46.4	28.0	2 / 6	2 / 6	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 6	0 / 6	0 / 2
Percentage of transfers resulting in live births	51.1	50.0	40.0	3 / 6	2 / 6	0 / 2
Percentage of transfers resulting in pregnancy	60.0	57.1	64.0	3 / 6	2 / 6	0 / 2

	All Ages Combined[f]	
Donor Eggs	**Fresh Embryos**	**Frozen Embryos**
Number of cycles	54	46
Number of transfers	51	45
Average number of embryos transferred	1.5	1.6
Percentage of embryos transferred resulting in implantation	46.1	48.6
Percentage of transfers resulting in singleton live births	43.1	35.6
Percentage of transfers resulting in live births	51.0	48.9
Percentage of transfers resulting in pregnancy	54.9	57.8

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Southern California Reproductive Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CARE OF ORANGE COUNTY
BREA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by C. Terence Lee, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	79%
Unstimulated	0%	Used PGD	5%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	8%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	6%	Male factor	25%	Female factors only	3%
Diminished ovarian reserve	30%	Other factor	6%	Female & male factors	5%
Endometriosis	3%	Unknown factor	28%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 130 (includes 21 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	18	16	17	6	5	0
Percentage of cancellations	2 / 18	3 / 16	2 / 17	3 / 6	2 / 5	
Average number of embryos transferred	2.2	2.1	2.6	3.3	2.0	
Percentage of embryos transferred resulting in implantation	44.8	23.8	32.4	1 / 10	0 / 2	
Percentage of elective single embryo transfer (eSET)	1 / 13	1 / 9	0 / 12	0 / 3	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	2 / 18	5 / 16	4 / 17	1 / 6	0 / 5	
Percentage of cycles resulting in triplets or more live births	0 / 18	0 / 16	0 / 17	0 / 6	0 / 5	
Percentage of cycles resulting in live births	7 / 18	5 / 16	7 / 17	1 / 6	0 / 5	
Percentage of cycles resulting in pregnancy	8 / 18	5 / 16	8 / 17	1 / 6	0 / 5	
Outcomes per Transfer						
Number of transfers	13	10	13	3	1	0
Percentage of transfers resulting in singleton live births	2 / 13	5 / 10	4 / 13	1 / 3	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 13	0 / 10	0 / 13	0 / 3	0 / 1	
Percentage of transfers resulting in live births	7 / 13	5 / 10	7 / 13	1 / 3	0 / 1	
Percentage of transfers resulting in pregnancy	8 / 13	5 / 10	8 / 13	1 / 3	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	8	5	8	1	0	0
Percentage of pregnancies resulting in singleton live births	2 / 8	5 / 5	4 / 8	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 8	0 / 5	0 / 8	0 / 1		
Percentage of pregnancies resulting in live births	7 / 8	5 / 5	7 / 8	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	11	14	10	1	0	0
Number of transfers	11	12	10	1	0	0
Estimated average number of transfers per retrieval	1.2	1.2	1.3	0.3		0.0
Average number of embryos transferred	1.6	1.8	2.2	2.0		
Percentage of embryos transferred resulting in implantation	9 / 18	59.1	54.5	0 / 2		
Percentage of transfers resulting in singleton live births	6 / 11	4 / 12	5 / 10	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 11	1 / 12	0 / 10	0 / 1		
Percentage of transfers resulting in live births	7 / 11	6 / 12	6 / 10	0 / 1		
Percentage of transfers resulting in pregnancy	7 / 11	8 / 12	9 / 10	0 / 1		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	1	10
Number of transfers	1	7
Average number of embryos transferred	1.0	1.7
Percentage of embryos transferred resulting in implantation	1 / 1	5 / 12
Percentage of transfers resulting in singleton live births	1 / 1	0 / 7
Percentage of transfers resulting in live births	1 / 1	2 / 7
Percentage of transfers resulting in pregnancy	1 / 1	3 / 7

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Care of Orange County

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTRAL CALIFORNIA IVF PROGRAM
WOMEN'S SPECIALTY AND FERTILITY CENTER
CLOVIS, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by H. Michael Synn, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	74%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	16%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	19%	Male factor	37%	Female factors only	3%
Diminished ovarian reserve	41%	Other factor	<1%	Female & male factors	22%
Endometriosis	5%	Unknown factor	6%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 205 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	58	39	23	5	8	3
Percentage of cancellations	5.2	10.3	26.1	1 / 5	3 / 8	1 / 3
Average number of embryos transferred	2.2	2.2	2.4	2.7	1.8	2.0
Percentage of embryos transferred resulting in implantation	36.6	26.0	15.4	0 / 8	0 / 9	0 / 4
Percentage of elective single embryo transfer (eSET)	0.0	0.0	0 / 13	0 / 3	0 / 3	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	19.0	23.1	21.7	0 / 5	0 / 8	0 / 3
Percentage of cycles resulting in triplets or more live births	1.7	0.0	0.0	0 / 5	0 / 8	0 / 3
Percentage of cycles resulting in live births	41.4	30.8	21.7	0 / 5	0 / 8	0 / 3
Percentage of cycles resulting in pregnancy	44.8	38.5	26.1	0 / 5	2 / 8	0 / 3
Outcomes per Transfer						
Number of transfers	52	35	16	3	5	2
Percentage of transfers resulting in singleton live births	21.2	25.7	5 / 16	0 / 3	0 / 5	0 / 2
Percentage of transfers resulting in triplets or more live births	1.9	0.0	0 / 16	0 / 3	0 / 5	0 / 2
Percentage of transfers resulting in live births	46.2	34.3	5 / 16	0 / 3	0 / 5	0 / 2
Percentage of transfers resulting in pregnancy	50.0	42.9	6 / 16	0 / 3	2 / 5	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	26	15	6	0	2	0
Percentage of pregnancies resulting in singleton live births	42.3	9 / 15	5 / 6		0 / 2	
Percentage of pregnancies resulting in triplets or more live births	3.8	0 / 15	0 / 6		0 / 2	
Percentage of pregnancies resulting in live births	92.3	12 / 15	5 / 6		0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	29	12	6	1	1	0
Number of transfers	29	11	5	1	1	0
Estimated average number of transfers per retrieval	2.2	2.8	5.0	0.5		
Average number of embryos transferred	2.1	2.2	2.0	2.0	2.0	
Percentage of embryos transferred resulting in implantation	24.2	16.7	5 / 10	0 / 2	0 / 2	
Percentage of transfers resulting in singleton live births	27.6	2 / 11	1 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 11	0 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in live births	34.5	3 / 11	3 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	41.4	3 / 11	3 / 5	0 / 1	0 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	14	5
Number of transfers	10	5
Average number of embryos transferred	2.1	2.2
Percentage of embryos transferred resulting in implantation	38.1	2 / 11
Percentage of transfers resulting in singleton live births	4 / 10	2 / 5
Percentage of transfers resulting in live births	6 / 10	2 / 5
Percentage of transfers resulting in pregnancy	7 / 10	2 / 5

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Central California IVF Program, Women's Specialty and Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CALIFORNIA IVF FERTILITY CENTER, INC.
DAVIS, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Ernest J. Zeringue, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	59%
Unstimulated	0%	Used PGD	5%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	7%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	10%	Male factor	48%	Female factors only	8%
Diminished ovarian reserve	22%	Other factor	29%	Female & male factors	25%
Endometriosis	5%	Unknown factor	10%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 525 (includes 19 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	84	41	32	13	5	2
Percentage of cancellations	2.4	4.9	12.5	0 / 13	1 / 5	0 / 2
Average number of embryos transferred	2.1	2.3	2.3	2.8	2.5	3.0
Percentage of embryos transferred resulting in implantation	31.6	25.9	8.3	3.6	1 / 10	0 / 3
Percentage of elective single embryo transfer (eSET)	1.4	5.4	0.0	0 / 9	0 / 3	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	22.6	26.8	9.4	0 / 13	0 / 5	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 13	0 / 5	0 / 2
Percentage of cycles resulting in live births	35.7	31.7	9.4	0 / 13	0 / 5	0 / 2
Percentage of cycles resulting in pregnancy	42.9	41.5	15.6	1 / 13	1 / 5	0 / 2
Outcomes per Transfer						
Number of transfers	73	37	26	10	4	1
Percentage of transfers resulting in singleton live births	26.0	29.7	11.5	0 / 10	0 / 4	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 10	0 / 4	0 / 1
Percentage of transfers resulting in live births	41.1	35.1	11.5	0 / 10	0 / 4	0 / 1
Percentage of transfers resulting in pregnancy	49.3	45.9	19.2	1 / 10	1 / 4	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	36	17	5	1	1	0
Percentage of pregnancies resulting in singleton live births	52.8	11 / 17	3 / 5	0 / 1	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 17	0 / 5	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births	83.3	13 / 17	3 / 5	0 / 1	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	45	18	10	5	0	2
Number of transfers	43	16	10	5	0	2
Estimated average number of transfers per retrieval	1.9	1.1	5.0	1.3	0.0	1.0
Average number of embryos transferred	2.0	2.1	2.0	2.8		2.0
Percentage of embryos transferred resulting in implantation	29.8	20.6	20.0	1 / 14		0 / 4
Percentage of transfers resulting in singleton live births	27.9	5 / 16	2 / 10	1 / 5		0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0 / 10	0 / 5		0 / 2
Percentage of transfers resulting in live births	39.5	5 / 16	2 / 10	1 / 5		0 / 2
Percentage of transfers resulting in pregnancy	51.2	7 / 16	3 / 10	1 / 5		0 / 2

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	157	92
Number of transfers	155	91
Average number of embryos transferred	1.9	1.9
Percentage of embryos transferred resulting in implantation	53.6	23.6
Percentage of transfers resulting in singleton live births	36.8	27.5
Percentage of transfers resulting in live births	61.3	33.0
Percentage of transfers resulting in pregnancy	75.5	42.9

CURRENT CLINIC SERVICES AND PROFILE

Current Name: California IVF Fertility Center, Inc.

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CALIFORNIA CENTER FOR REPRODUCTIVE MEDICINE
ENCINITAS, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Lori L. Arnold, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	94%
Unstimulated	0%	Used PGD	19%
Used gestational carrier	6%		

Patient Diagnosis[b]

Tubal factor	7%	Uterine factor	16%	*Multiple Factors:*	
Ovulatory dysfunction	7%	Male factor	36%	Female factors only	9%
Diminished ovarian reserve	49%	Other factor	28%	Female & male factors	26%
Endometriosis	4%	Unknown factor	3%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 91 (includes 15 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	12	12	2	4	1	1
Percentage of cancellations	0 / 12	0 / 12	0 / 2	2 / 4	0 / 1	0 / 1
Average number of embryos transferred	2.3	2.0	2.5	3.0	3.0	2.0
Percentage of embryos transferred resulting in implantation	25.0	33.3	1 / 5	0 / 3	0 / 3	0 / 2
Percentage of elective single embryo transfer (eSET)	0 / 12	2 / 11	0 / 2	0 / 1	0 / 1	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	4 / 12	3 / 12	1 / 2	0 / 4	0 / 1	0 / 1
Percentage of cycles resulting in triplets or more live births	0 / 12	0 / 12	0 / 2	0 / 4	0 / 1	0 / 1
Percentage of cycles resulting in live births	5 / 12	5 / 12	1 / 2	0 / 4	0 / 1	0 / 1
Percentage of cycles resulting in pregnancy	6 / 12	7 / 12	1 / 2	0 / 4	0 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	12	12	2	1	1	1
Percentage of transfers resulting in singleton live births	4 / 12	3 / 12	1 / 2	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 12	0 / 12	0 / 2	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in live births	5 / 12	5 / 12	1 / 2	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	6 / 12	7 / 12	1 / 2	0 / 1	0 / 1	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	6	7	1	0	0	0
Percentage of pregnancies resulting in singleton live births	4 / 6	3 / 7	1 / 1			
Percentage of pregnancies resulting in triplets or more live births	0 / 6	0 / 7	0 / 1			
Percentage of pregnancies resulting in live births	5 / 6	5 / 7	1 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	8	3	1	2	1	0
Number of transfers	8	3	1	2	1	0
Estimated average number of transfers per retrieval	1.3	3.0	0.5	0.3	1.0	0.0
Average number of embryos transferred	2.1	2.7	2.0	1.5	3.0	
Percentage of embryos transferred resulting in implantation	5 / 17	4 / 8	0 / 2	2 / 3	0 / 3	
Percentage of transfers resulting in singleton live births	2 / 8	2 / 3	0 / 1	2 / 2	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 8	0 / 3	0 / 1	0 / 2	0 / 1	
Percentage of transfers resulting in live births	3 / 8	2 / 3	0 / 1	2 / 2	0 / 1	
Percentage of transfers resulting in pregnancy	5 / 8	2 / 3	0 / 1	2 / 2	0 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	19	10
Number of transfers	19	10
Average number of embryos transferred	2.4	2.7
Percentage of embryos transferred resulting in implantation	43.5	40.7
Percentage of transfers resulting in singleton live births	4 / 19	6 / 10
Percentage of transfers resulting in live births	10 / 19	8 / 10
Percentage of transfers resulting in pregnancy	12 / 19	9 / 10

CURRENT CLINIC SERVICES AND PROFILE

Current Name: California Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE FERTILITY INSTITUTES-LOS ANGELES, NEW YORK, GUADALAJARA
ENCINO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Jeffrey Steinberg, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	95%
Unstimulated	0%	Used PGD	70%
Used gestational carrier	6%		

Patient Diagnosis[b]

Tubal factor	2%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	<1%	Male factor	6%	Female factors only	7%
Diminished ovarian reserve	15%	Other factor	84%	Female & male factors	4%
Endometriosis	2%	Unknown factor	<1%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 185 (includes 21 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	44	30	23	11	0	1
Percentage of cancellations	2.3	0.0	0.0	0 / 11		1 / 1
Average number of embryos transferred	1.7	1.7	2.1	1.7		
Percentage of embryos transferred resulting in implantation	31.8	17.4	15.4	1 / 12		
Percentage of elective single embryo transfer (eSET)	18.8	2 / 19	0 / 15	0 / 4		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.0	16.7	13.0	1 / 11		0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 11		0 / 1
Percentage of cycles resulting in live births	31.8	16.7	13.0	1 / 11		0 / 1
Percentage of cycles resulting in pregnancy	38.6	16.7	21.7	1 / 11		0 / 1
Outcomes per Transfer						
Number of transfers	39	27	19	7	0	0
Percentage of transfers resulting in singleton live births	28.2	18.5	3 / 19	1 / 7		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 19	0 / 7		
Percentage of transfers resulting in live births	35.9	18.5	3 / 19	1 / 7		
Percentage of transfers resulting in pregnancy	43.6	18.5	5 / 19	1 / 7		
Outcomes per Pregnancy						
Number of pregnancies	17	5	5	1	0	0
Percentage of pregnancies resulting in singleton live births	11 / 17	5 / 5	3 / 5	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 17	0 / 5	0 / 5	0 / 1		
Percentage of pregnancies resulting in live births	14 / 17	5 / 5	3 / 5	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	5	1	0	1	2
Number of transfers	6	5	1	0	1	2
Estimated average number of transfers per retrieval	0.7	1.0	0.3	0.0		
Average number of embryos transferred	1.7	2.0	2.0		2.0	2.0
Percentage of embryos transferred resulting in implantation	4 / 10	3 / 10	0 / 2		1 / 2	0 / 4
Percentage of transfers resulting in singleton live births	1 / 6	2 / 5	0 / 1		1 / 1	0 / 2
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 5	0 / 1		0 / 1	0 / 2
Percentage of transfers resulting in live births	2 / 6	2 / 5	0 / 1		1 / 1	0 / 2
Percentage of transfers resulting in pregnancy	3 / 6	2 / 5	0 / 1		1 / 1	0 / 2

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	32	8
Number of transfers	31	8
Average number of embryos transferred	1.8	2.1
Percentage of embryos transferred resulting in implantation	32.1	5 / 17
Percentage of transfers resulting in singleton live births	16.1	3 / 8
Percentage of transfers resulting in live births	25.8	3 / 8
Percentage of transfers resulting in pregnancy	41.9	4 / 8

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Fertility Institutes-Los Angeles, New York, Guadalajara

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HRC FERTILITY-ENCINO
ENCINO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Michael A. Feinman, MD

Type of ART and Procedural Factors[a]

IVF	>99%	With ICSI	70%
Unstimulated	0%	Used PGD	10%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	3%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	6%	Male factor	41%	Female factors only	<1%
Diminished ovarian reserve	0%	Other factor	46%	Female & male factors	7%
Endometriosis	2%	Unknown factor	8%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 423 (includes 3 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	71	34	60	40	19	8
Percentage of cancellations	8.5	14.7	21.7	12.5	6 / 19	2 / 8
Average number of embryos transferred	1.9	2.2	2.8	3.1	3.4	3.0
Percentage of embryos transferred resulting in implantation	57.1	36.9	26.2	11.9	2.3	1 / 18
Percentage of elective single embryo transfer (eSET)	11.5	0.0	0.0	0.0	0 / 10	0 / 5
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	52.1	32.4	33.3	17.5	0 / 19	1 / 8
Percentage of cycles resulting in triplets or more live births	1.4	0.0	0.0	0.0	0 / 19	0 / 8
Percentage of cycles resulting in live births	71.8	50.0	40.0	20.0	0 / 19	1 / 8
Percentage of cycles resulting in pregnancy	78.9	61.8	45.0	30.0	3 / 19	1 / 8
Outcomes per Transfer						
Number of transfers	65	29	47	35	13	6
Percentage of transfers resulting in singleton live births	56.9	37.9	42.6	20.0	0 / 13	1 / 6
Percentage of transfers resulting in triplets or more live births	1.5	0.0	0.0	0.0	0 / 13	0 / 6
Percentage of transfers resulting in live births	78.5	58.6	51.1	22.9	0 / 13	1 / 6
Percentage of transfers resulting in pregnancy	86.2	72.4	57.4	34.3	3 / 13	1 / 6
Outcomes per Pregnancy						
Number of pregnancies	56	21	27	12	3	1
Percentage of pregnancies resulting in singleton live births	66.1	52.4	74.1	7 / 12	0 / 3	1 / 1
Percentage of pregnancies resulting in triplets or more live births	1.8	0.0	0.0	0 / 12	0 / 3	0 / 1
Percentage of pregnancies resulting in live births	91.1	81.0	88.9	8 / 12	0 / 3	1 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	18	12	20	15	9	9
Number of transfers	18	12	18	14	9	9
Estimated average number of transfers per retrieval	1.6	6.0	3.0	2.8	4.5	
Average number of embryos transferred	2.0	2.3	2.1	2.6	2.4	1.8
Percentage of embryos transferred resulting in implantation	69.4	40.7	32.4	21.6	13.6	9 / 16
Percentage of transfers resulting in singleton live births	7 / 18	9 / 12	5 / 18	7 / 14	3 / 9	5 / 9
Percentage of transfers resulting in triplets or more live births	0 / 18	0 / 12	0 / 18	0 / 14	0 / 9	0 / 9
Percentage of transfers resulting in live births	14 / 18	10 / 12	8 / 18	7 / 14	3 / 9	7 / 9
Percentage of transfers resulting in pregnancy	15 / 18	10 / 12	11 / 18	10 / 14	3 / 9	8 / 9

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	99	6
Number of transfers	81	6
Average number of embryos transferred	1.9	2.8
Percentage of embryos transferred resulting in implantation	59.2	5 / 17
Percentage of transfers resulting in singleton live births	48.1	3 / 6
Percentage of transfers resulting in live births	71.6	4 / 6
Percentage of transfers resulting in pregnancy	87.7	5 / 6

CURRENT CLINIC SERVICES AND PROFILE

Current Name: HRC Fertility-Encino

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ZOUVES FERTILITY CENTER
FOSTER CITY, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Christo Zouves, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	94%
Unstimulated	0%	Used PGD	50%
Used gestational carrier	7%		

Patient Diagnosis[b]

Tubal factor	8%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	18%	Male factor	26%	Female factors only	11%
Diminished ovarian reserve	31%	Other factor	12%	Female & male factors	12%
Endometriosis	20%	Unknown factor	6%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 640 (includes 163 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	49	54	51	35	12	3
Percentage of cancellations	4.1	0.0	0.0	5.7	2 / 12	0 / 3
Average number of embryos transferred	2.4	2.3	2.5	2.8	1.4	2.5
Percentage of embryos transferred resulting in implantation	21.6	19.2	12.1	2.9	0 / 11	0 / 5
Percentage of elective single embryo transfer (eSET)	2.4	4.4	0.0	0.0	0 / 2	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	14.3	24.1	25.5	2.9	0 / 12	0 / 3
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 12	0 / 3
Percentage of cycles resulting in live births	28.6	31.5	25.5	2.9	0 / 12	0 / 3
Percentage of cycles resulting in pregnancy	28.6	35.2	29.4	5.7	0 / 12	0 / 3
Outcomes per Transfer						
Number of transfers	43	52	46	24	8	2
Percentage of transfers resulting in singleton live births	16.3	25.0	28.3	4.2	0 / 8	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 8	0 / 2
Percentage of transfers resulting in live births	32.6	32.7	28.3	4.2	0 / 8	0 / 2
Percentage of transfers resulting in pregnancy	32.6	36.5	32.6	8.3	0 / 8	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	14	19	15	2	0	0
Percentage of pregnancies resulting in singleton live births	7 / 14	13 / 19	13 / 15	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	0 / 14	0 / 19	0 / 15	0 / 2		
Percentage of pregnancies resulting in live births	14 / 14	17 / 19	13 / 15	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	64	37	22	10	2	1
Number of transfers	64	37	22	10	2	1
Estimated average number of transfers per retrieval	1.3	0.9	0.4	0.3	0.1	0.2
Average number of embryos transferred	2.0	2.0	1.9	1.7	2.0	4.0
Percentage of embryos transferred resulting in implantation	36.9	29.7	23.8	3 / 17	2 / 4	0 / 4
Percentage of transfers resulting in singleton live births	35.9	35.1	18.2	1 / 10	0 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	1.6	0.0	0.0	0 / 10	0 / 2	0 / 1
Percentage of transfers resulting in live births	51.6	40.5	31.8	1 / 10	1 / 2	0 / 1
Percentage of transfers resulting in pregnancy	60.9	48.6	40.9	4 / 10	1 / 2	0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	64	73
Number of transfers	63	73
Average number of embryos transferred	2.0	1.9
Percentage of embryos transferred resulting in implantation	46.0	25.5
Percentage of transfers resulting in singleton live births	33.3	26.0
Percentage of transfers resulting in live births	57.1	34.2
Percentage of transfers resulting in pregnancy	63.5	43.8

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Zouves Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WEST COAST FERTILITY CENTERS
FOUNTAIN VALLEY, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by David G. Diaz, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	96%
Unstimulated	3%	Used PGD	27%
Used gestational carrier	1%		

Patient Diagnosis[b]

Tubal factor	27%	Uterine factor	10%	*Multiple Factors:*	
Ovulatory dysfunction	15%	Male factor	41%	Female factors only	29%
Diminished ovarian reserve	38%	Other factor	25%	Female & male factors	24%
Endometriosis	8%	Unknown factor	3%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 189 (includes 43 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	24	19	17	7	2	1
Percentage of cancellations	4.2	0 / 19	0 / 17	0 / 7	0 / 2	1 / 1
Average number of embryos transferred	1.7	1.9	2.0	1.5		
Percentage of embryos transferred resulting in implantation	37.1	25.0	31.3	0 / 3		
Percentage of elective single embryo transfer (eSET)	30.0	1 / 16	0 / 13	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.0	5 / 19	3 / 17	0 / 7	0 / 2	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0 / 19	0 / 17	0 / 7	0 / 2	0 / 1
Percentage of cycles resulting in live births	33.3	6 / 19	4 / 17	0 / 7	0 / 2	0 / 1
Percentage of cycles resulting in pregnancy	50.0	7 / 19	7 / 17	0 / 7	0 / 2	0 / 1
Outcomes per Transfer						
Number of transfers	21	19	16	2	0	0
Percentage of transfers resulting in singleton live births	28.6	5 / 19	3 / 16	0 / 2		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 19	0 / 16	0 / 2		
Percentage of transfers resulting in live births	38.1	6 / 19	4 / 16	0 / 2		
Percentage of transfers resulting in pregnancy	57.1	7 / 19	7 / 16	0 / 2		
Outcomes per Pregnancy						
Number of pregnancies	12	7	7	0	0	0
Percentage of pregnancies resulting in singleton live births	6 / 12	5 / 7	3 / 7			
Percentage of pregnancies resulting in triplets or more live births	0 / 12	0 / 7	0 / 7			
Percentage of pregnancies resulting in live births	8 / 12	6 / 7	4 / 7			
Frozen Embryos from Nondonor Eggs						
Number of cycles	30	17	8	2	1	0
Number of transfers	30	16	8	2	1	0
Estimated average number of transfers per retrieval	1.3	0.8	0.9	2.0	1.0	0.0
Average number of embryos transferred	1.9	1.8	1.6	2.0	2.0	
Percentage of embryos transferred resulting in implantation	35.1	34.5	2 / 13	0 / 4	0 / 2	
Percentage of transfers resulting in singleton live births	23.3	3 / 16	2 / 8	0 / 2	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0 / 8	0 / 2	0 / 1	
Percentage of transfers resulting in live births	36.7	6 / 16	2 / 8	0 / 2	0 / 1	
Percentage of transfers resulting in pregnancy	60.0	7 / 16	2 / 8	0 / 2	0 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	5	13
Number of transfers	4	11
Average number of embryos transferred	1.5	1.6
Percentage of embryos transferred resulting in implantation	2 / 6	5 / 18
Percentage of transfers resulting in singleton live births	2 / 4	1 / 11
Percentage of transfers resulting in live births	2 / 4	2 / 11
Percentage of transfers resulting in pregnancy	2 / 4	4 / 11

CURRENT CLINIC SERVICES AND PROFILE

Current Name: West Coast Fertility Centers

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

XPERT FERTILITY CARE OF CALIFORNIA
MINH N. HO, MD, FACOG
FOUNTAIN VALLEY, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Minh N. Ho, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	48%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	4%		

Patient Diagnosis[b]

Tubal factor	9%	Uterine factor	21%	*Multiple Factors:*	
Ovulatory dysfunction	29%	Male factor	41%	Female factors only	9%
Diminished ovarian reserve	35%	Other factor	0%	Female & male factors	35%
Endometriosis	3%	Unknown factor	12%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 34 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	6	8	6	4	1	0
Percentage of cancellations	0 / 6	0 / 8	0 / 6	0 / 4	0 / 1	
Average number of embryos transferred	2.3	2.4	3.3	3.0	3.0	
Percentage of embryos transferred resulting in implantation	10 / 14	5 / 19	30.0	0 / 12	0 / 3	
Percentage of elective single embryo transfer (eSET)	0 / 6	1 / 7	0 / 6	0 / 4	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	0 / 6	5 / 8	2 / 6	0 / 4	0 / 1	
Percentage of cycles resulting in triplets or more live births	0 / 6	0 / 8	0 / 6	0 / 4	0 / 1	
Percentage of cycles resulting in live births	3 / 6	5 / 8	3 / 6	0 / 4	0 / 1	
Percentage of cycles resulting in pregnancy	5 / 6	5 / 8	4 / 6	0 / 4	0 / 1	
Outcomes per Transfer						
Number of transfers	6	8	6	4	1	0
Percentage of transfers resulting in singleton live births	0 / 6	5 / 8	2 / 6	0 / 4	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 8	0 / 6	0 / 4	0 / 1	
Percentage of transfers resulting in live births	3 / 6	5 / 8	3 / 6	0 / 4	0 / 1	
Percentage of transfers resulting in pregnancy	5 / 6	5 / 8	4 / 6	0 / 4	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	5	5	4	0	0	0
Percentage of pregnancies resulting in singleton live births	0 / 5	5 / 5	2 / 4			
Percentage of pregnancies resulting in triplets or more live births	0 / 5	0 / 5	0 / 4			
Percentage of pregnancies resulting in live births	3 / 5	5 / 5	3 / 4			
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	1	2	0	0	0
Number of transfers	4	1	2	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred	3.0	4.0	2.5			
Percentage of embryos transferred resulting in implantation	5 / 12	0 / 4	1 / 5			
Percentage of transfers resulting in singleton live births	1 / 4	0 / 1	1 / 2			
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 1	0 / 2			
Percentage of transfers resulting in live births	3 / 4	0 / 1	1 / 2			
Percentage of transfers resulting in pregnancy	3 / 4	0 / 1	1 / 2			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	1	1
Number of transfers	1	1
Average number of embryos transferred	2.0	4.0
Percentage of embryos transferred resulting in implantation	1 / 2	1 / 4
Percentage of transfers resulting in singleton live births	1 / 1	0 / 1
Percentage of transfers resulting in live births	1 / 1	0 / 1
Percentage of transfers resulting in pregnancy	1 / 1	1 / 1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Xpert Fertility Care of California, Minh N. Ho, MD, FACOG

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

KAISER PERMANENTE CENTER FOR REPRODUCTIVE HEALTH
FREMONT, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Lisa Farah-Eways, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	76%
Unstimulated	0%	Used PGD	<1%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	7%	Uterine factor	6%	*Multiple Factors:*	
Ovulatory dysfunction	11%	Male factor	46%	Female factors only	6%
Diminished ovarian reserve	54%	Other factor	4%	Female & male factors	29%
Endometriosis	3%	Unknown factor	5%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 862 (includes 15 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	173	132	138	80	16	14
Percentage of cancellations	5.2	9.1	11.6	18.8	3 / 16	6 / 14
Average number of embryos transferred	1.9	2.2	2.9	3.6	3.5	3.3
Percentage of embryos transferred resulting in implantation	52.5	32.5	19.6	6.3	2.6	20.0
Percentage of elective single embryo transfer (eSET)	11.0	6.9	2.9	1.8	0 / 10	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	37.0	33.3	23.2	8.8	1 / 16	3 / 14
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 16	0 / 14
Percentage of cycles resulting in live births	60.1	40.2	29.0	11.3	1 / 16	3 / 14
Percentage of cycles resulting in pregnancy	65.3	48.5	39.9	17.5	2 / 16	3 / 14
Outcomes per Transfer						
Number of transfers	157	107	113	62	11	6
Percentage of transfers resulting in singleton live births	40.8	41.1	28.3	11.3	1 / 11	3 / 6
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 11	0 / 6
Percentage of transfers resulting in live births	66.2	49.5	35.4	14.5	1 / 11	3 / 6
Percentage of transfers resulting in pregnancy	72.0	59.8	48.7	22.6	2 / 11	3 / 6
Outcomes per Pregnancy						
Number of pregnancies	113	64	55	14	2	3
Percentage of pregnancies resulting in singleton live births	56.6	68.8	58.2	7 / 14	1 / 2	3 / 3
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 14	0 / 2	0 / 3
Percentage of pregnancies resulting in live births	92.0	82.8	72.7	9 / 14	1 / 2	3 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	84	61	58	21	10	6
Number of transfers	81	60	54	19	10	6
Estimated average number of transfers per retrieval	2.8	2.1	2.8	2.4	10.0	
Average number of embryos transferred	1.8	1.7	2.0	2.4	2.2	2.0
Percentage of embryos transferred resulting in implantation	41.5	37.0	34.3	24.4	22.7	3 / 12
Percentage of transfers resulting in singleton live births	33.3	45.0	37.0	5 / 19	2 / 10	1 / 6
Percentage of transfers resulting in triplets or more live births	1.2	0.0	0.0	0 / 19	0 / 10	0 / 6
Percentage of transfers resulting in live births	49.4	50.0	42.6	6 / 19	3 / 10	1 / 6
Percentage of transfers resulting in pregnancy	56.8	60.0	59.3	9 / 19	4 / 10	3 / 6

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	36	18
Number of transfers	34	17
Average number of embryos transferred	1.8	1.9
Percentage of embryos transferred resulting in implantation	59.0	18.8
Percentage of transfers resulting in singleton live births	47.1	4 / 17
Percentage of transfers resulting in live births	67.6	5 / 17
Percentage of transfers resulting in pregnancy	85.3	5 / 17

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Kaiser Permanente Center for Reproductive Health

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CARE FERTILITY
GLENDALE, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Rudy Quintero, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	85%
Unstimulated	4%	Used PGD	5%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	17%	Uterine factor	6%	*Multiple Factors:*	
Ovulatory dysfunction	13%	Male factor	14%	Female factors only	12%
Diminished ovarian reserve	28%	Other factor	18%	Female & male factors	4%
Endometriosis	3%	Unknown factor	18%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 340 (includes 14 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	79	51	22	24	9	10
Percentage of cancellations	3.8	9.8	0.0	0.0	1 / 9	1 / 10
Average number of embryos transferred	2.1	2.5	2.5	3.1	3.0	2.3
Percentage of embryos transferred resulting in implantation	26.2	12.7	16.0	8.2	0 / 15	0 / 7
Percentage of elective single embryo transfer (eSET)	12.5	3.7	1 / 17	1 / 14	0 / 4	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	19.0	13.7	9.1	4.2	0 / 9	0 / 10
Percentage of cycles resulting in triplets or more live births	1.3	0.0	0.0	0.0	0 / 9	0 / 10
Percentage of cycles resulting in live births	27.8	13.7	18.2	4.2	0 / 9	0 / 10
Percentage of cycles resulting in pregnancy	34.2	17.6	22.7	20.8	1 / 9	0 / 10
Outcomes per Transfer						
Number of transfers	59	31	20	16	5	3
Percentage of transfers resulting in singleton live births	25.4	22.6	10.0	1 / 16	0 / 5	0 / 3
Percentage of transfers resulting in triplets or more live births	1.7	0.0	0.0	0 / 16	0 / 5	0 / 3
Percentage of transfers resulting in live births	37.3	22.6	20.0	1 / 16	0 / 5	0 / 3
Percentage of transfers resulting in pregnancy	45.8	29.0	25.0	5 / 16	1 / 5	0 / 3
Outcomes per Pregnancy						
Number of pregnancies	27	9	5	5	1	0
Percentage of pregnancies resulting in singleton live births	55.6	7 / 9	2 / 5	1 / 5	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	3.7	0 / 9	0 / 5	0 / 5	0 / 1	
Percentage of pregnancies resulting in live births	81.5	7 / 9	4 / 5	1 / 5	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	51	27	4	14	6	0
Number of transfers	48	25	4	11	6	0
Estimated average number of transfers per retrieval	1.5	1.0	1.0	1.6	1.2	0.0
Average number of embryos transferred	2.1	2.2	2.3	2.3	3.3	
Percentage of embryos transferred resulting in implantation	18.4	18.5	3 / 9	28.0	20.0	
Percentage of transfers resulting in singleton live births	16.7	24.0	0 / 4	2 / 11	0 / 6	
Percentage of transfers resulting in triplets or more live births	2.1	0.0	0 / 4	0 / 11	0 / 6	
Percentage of transfers resulting in live births	25.0	28.0	0 / 4	4 / 11	1 / 6	
Percentage of transfers resulting in pregnancy	41.7	32.0	1 / 4	5 / 11	2 / 6	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	14	15
Number of transfers	10	14
Average number of embryos transferred	1.9	1.7
Percentage of embryos transferred resulting in implantation	5 / 19	12.5
Percentage of transfers resulting in singleton live births	4 / 10	2 / 14
Percentage of transfers resulting in live births	4 / 10	2 / 14
Percentage of transfers resulting in pregnancy	6 / 10	4 / 14

CURRENT CLINIC SERVICES AND PROFILE

Current Name: CARE Fertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

KATHLEEN KORNAFEL, MD, PHD
GLENDALE, CALIFORNIA

This clinic provided ART services during 2012 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2012 ART cycle data or the clinic's Medical Director did not approve the clinic's 2012 ART cycle data for inclusion in this report.

MARIN FERTILITY CENTER
GREENBRAE, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Peter S. Uzelac, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	68%
Unstimulated	6%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	5%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	2%	Male factor	49%	Female factors only	5%
Diminished ovarian reserve	59%	Other factor	0%	Female & male factors	20%
Endometriosis	5%	Unknown factor	3%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 62 (includes 3 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	11	13	9	12	5	0
Percentage of cancellations	0 / 11	1 / 13	0 / 9	1 / 12	0 / 5	
Average number of embryos transferred	1.6	2.2	2.4	2.5	3.7	
Percentage of embryos transferred resulting in implantation	6 / 18	22.7	18.2	0.0	1 / 11	
Percentage of elective single embryo transfer (eSET)	3 / 10	0 / 9	0 / 8	0 / 6	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	6 / 11	1 / 13	0 / 9	0 / 12	1 / 5	
Percentage of cycles resulting in triplets or more live births	0 / 11	0 / 13	0 / 9	0 / 12	0 / 5	
Percentage of cycles resulting in live births	6 / 11	2 / 13	2 / 9	0 / 12	1 / 5	
Percentage of cycles resulting in pregnancy	7 / 11	3 / 13	3 / 9	1 / 12	1 / 5	
Outcomes per Transfer						
Number of transfers	11	10	9	8	3	0
Percentage of transfers resulting in singleton live births	6 / 11	1 / 10	0 / 9	0 / 8	1 / 3	
Percentage of transfers resulting in triplets or more live births	0 / 11	0 / 10	0 / 9	0 / 8	0 / 3	
Percentage of transfers resulting in live births	6 / 11	2 / 10	2 / 9	0 / 8	1 / 3	
Percentage of transfers resulting in pregnancy	7 / 11	3 / 10	3 / 9	1 / 8	1 / 3	
Outcomes per Pregnancy						
Number of pregnancies	7	3	3	1	1	0
Percentage of pregnancies resulting in singleton live births	6 / 7	1 / 3	0 / 3	0 / 1	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 7	0 / 3	0 / 3	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births	6 / 7	2 / 3	2 / 3	0 / 1	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	2	0	0	0	0
Number of transfers	2	2	0	0	0	0
Estimated average number of transfers per retrieval	1.0	0.7	0.0	0.0		
Average number of embryos transferred	2.0	2.0				
Percentage of embryos transferred resulting in implantation	2 / 4	0 / 4				
Percentage of transfers resulting in singleton live births	1 / 2	0 / 2				
Percentage of transfers resulting in triplets or more live births	0 / 2	0 / 2				
Percentage of transfers resulting in live births	1 / 2	0 / 2				
Percentage of transfers resulting in pregnancy	2 / 2	0 / 2				

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	4	1
Number of transfers	4	1
Average number of embryos transferred	1.5	2.0
Percentage of embryos transferred resulting in implantation	4 / 6	0 / 2
Percentage of transfers resulting in singleton live births	2 / 4	0 / 1
Percentage of transfers resulting in live births	3 / 4	0 / 1
Percentage of transfers resulting in pregnancy	3 / 4	0 / 1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Marin Fertility Center

Donor egg?	No	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 1 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

AMERICAN REPRODUCTIVE CENTERS
IRVINE, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Maher Abdallah, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	97%
Unstimulated	0%	Used PGD	48%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	5%	Uterine factor	1%	*Multiple Factors:*	
Ovulatory dysfunction	8%	Male factor	35%	Female factors only	4%
Diminished ovarian reserve	55%	Other factor	4%	Female & male factors	16%
Endometriosis	3%	Unknown factor	9%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 75 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	30	14	9	9	2	0
Percentage of cancellations	0.0	0 / 14	0 / 9	0 / 9	0 / 2	
Average number of embryos transferred	1.8	1.7	1.8	1.5	1.5	
Percentage of embryos transferred resulting in implantation	50.0	25.0	5 / 16	3 / 12	0 / 3	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 8	0 / 7	0 / 3	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	33.3	2 / 14	4 / 9	1 / 9	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 14	0 / 9	0 / 9	0 / 2	
Percentage of cycles resulting in live births	53.3	3 / 14	4 / 9	1 / 9	0 / 2	
Percentage of cycles resulting in pregnancy	70.0	4 / 14	5 / 9	3 / 9	0 / 2	
Outcomes per Transfer						
Number of transfers	30	12	9	8	2	0
Percentage of transfers resulting in singleton live births	33.3	2 / 12	4 / 9	1 / 8	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 12	0 / 9	0 / 8	0 / 2	
Percentage of transfers resulting in live births	53.3	3 / 12	4 / 9	1 / 8	0 / 2	
Percentage of transfers resulting in pregnancy	70.0	4 / 12	5 / 9	3 / 8	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	21	4	5	3	0	0
Percentage of pregnancies resulting in singleton live births	47.6	2 / 4	4 / 5	1 / 3		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 4	0 / 5	0 / 3		
Percentage of pregnancies resulting in live births	76.2	3 / 4	4 / 5	1 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	0	0	0	1	0
Number of transfers	1	0	0	0	1	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred	2.0				2.0	
Percentage of embryos transferred resulting in implantation	0 / 2				0 / 2	
Percentage of transfers resulting in singleton live births	0 / 1				0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 1				0 / 1	
Percentage of transfers resulting in live births	0 / 1				0 / 1	
Percentage of transfers resulting in pregnancy	0 / 1				0 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	9	0
Number of transfers	9	0
Average number of embryos transferred	2.0	
Percentage of embryos transferred resulting in implantation	12 / 18	
Percentage of transfers resulting in singleton live births	4 / 9	
Percentage of transfers resulting in live births	7 / 9	
Percentage of transfers resulting in pregnancy	8 / 9	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: American Reproductive Centers-Costa Mesa

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COASTAL FERTILITY MEDICAL CENTER, INC.
IRVINE, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Lawrence B. Werlin, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	94%
Unstimulated	<1%	Used PGD	12%
Used gestational carrier	3%		

Patient Diagnosis[b]

Tubal factor	8%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	4%	Male factor	21%	Female factors only	12%
Diminished ovarian reserve	37%	Other factor	15%	Female & male factors	4%
Endometriosis	8%	Unknown factor	17%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 236 (includes 46 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	38	28	20	14	0	1
Percentage of cancellations	0.0	7.1	10.0	0 / 14		0 / 1
Average number of embryos transferred	2.2	2.8	2.5	2.3		
Percentage of embryos transferred resulting in implantation	25.6	18.5	9.3	0 / 16		
Percentage of elective single embryo transfer (eSET)	0.0	0 / 18	1 / 14	0 / 4		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	18.4	14.3	20.0	0 / 14		0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	3.6	0.0	0 / 14		0 / 1
Percentage of cycles resulting in live births	34.2	17.9	20.0	0 / 14		0 / 1
Percentage of cycles resulting in pregnancy	44.7	25.0	20.0	0 / 14		0 / 1
Outcomes per Transfer						
Number of transfers	37	19	17	7	0	0
Percentage of transfers resulting in singleton live births	18.9	4 / 19	4 / 17	0 / 7		
Percentage of transfers resulting in triplets or more live births	0.0	1 / 19	0 / 17	0 / 7		
Percentage of transfers resulting in live births	35.1	5 / 19	4 / 17	0 / 7		
Percentage of transfers resulting in pregnancy	45.9	7 / 19	4 / 17	0 / 7		
Outcomes per Pregnancy						
Number of pregnancies	17	7	4	0	0	0
Percentage of pregnancies resulting in singleton live births	7 / 17	4 / 7	4 / 4			
Percentage of pregnancies resulting in triplets or more live births	0 / 17	1 / 7	0 / 4			
Percentage of pregnancies resulting in live births	13 / 17	5 / 7	4 / 4			
Frozen Embryos from Nondonor Eggs						
Number of cycles	22	12	11	4	0	0
Number of transfers	22	10	11	3	0	0
Estimated average number of transfers per retrieval	1.8	1.0	0.6	0.2	0.0	
Average number of embryos transferred	2.8	2.7	2.5	3.7		
Percentage of embryos transferred resulting in implantation	30.6	22.2	17.9	0 / 11		
Percentage of transfers resulting in singleton live births	31.8	1 / 10	3 / 11	0 / 3		
Percentage of transfers resulting in triplets or more live births	4.5	0 / 10	0 / 11	0 / 3		
Percentage of transfers resulting in live births	50.0	3 / 10	4 / 11	0 / 3		
Percentage of transfers resulting in pregnancy	72.7	4 / 10	4 / 11	0 / 3		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	25	15
Number of transfers	24	15
Average number of embryos transferred	2.1	2.5
Percentage of embryos transferred resulting in implantation	42.0	18.4
Percentage of transfers resulting in singleton live births	33.3	4 / 15
Percentage of transfers resulting in live births	58.3	5 / 15
Percentage of transfers resulting in pregnancy	58.3	7 / 15

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Coastal Fertility Medical Center, Inc.

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF SOUTHERN CALIFORNIA
IRVINE, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Ilene E. Hatch, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	93%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	1%		

Patient Diagnosis[b]

Tubal factor	11%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	16%	Male factor	31%	Female factors only	11%
Diminished ovarian reserve	43%	Other factor	11%	Female & male factors	17%
Endometriosis	10%	Unknown factor	8%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 151 (includes 18 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	24	18	13	9	7	2
Percentage of cancellations	0.0	2 / 18	0 / 13	2 / 9	0 / 7	0 / 2
Average number of embryos transferred	2.0	2.4	2.5	3.1	4.0	4.0
Percentage of embryos transferred resulting in implantation	45.5	36.8	18.2	4.5	0.0	0 / 8
Percentage of elective single embryo transfer (eSET)	13.6	0 / 16	0 / 13	0 / 6	0 / 6	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	37.5	6 / 18	6 / 13	1 / 9	0 / 7	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0 / 18	0 / 13	0 / 9	0 / 7	0 / 2
Percentage of cycles resulting in live births	58.3	10 / 18	6 / 13	1 / 9	0 / 7	0 / 2
Percentage of cycles resulting in pregnancy	58.3	11 / 18	8 / 13	2 / 9	0 / 7	0 / 2
Outcomes per Transfer						
Number of transfers	22	16	13	7	6	2
Percentage of transfers resulting in singleton live births	40.9	6 / 16	6 / 13	1 / 7	0 / 6	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0 / 13	0 / 7	0 / 6	0 / 2
Percentage of transfers resulting in live births	63.6	10 / 16	6 / 13	1 / 7	0 / 6	0 / 2
Percentage of transfers resulting in pregnancy	63.6	11 / 16	8 / 13	2 / 7	0 / 6	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	14	11	8	2	0	0
Percentage of pregnancies resulting in singleton live births	9 / 14	6 / 11	6 / 8	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	0 / 14	0 / 11	0 / 8	0 / 2		
Percentage of pregnancies resulting in live births	14 / 14	10 / 11	6 / 8	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	13	8	2	2	0
Number of transfers	7	13	7	2	1	0
Estimated average number of transfers per retrieval	2.3	4.3	1.2	0.3	0.2	0.0
Average number of embryos transferred	2.0	1.6	1.9	1.5	2.0	
Percentage of embryos transferred resulting in implantation	10 / 14	42.9	4 / 13	1 / 3	0 / 2	
Percentage of transfers resulting in singleton live births	3 / 7	4 / 13	2 / 7	1 / 2	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 7	0 / 13	0 / 7	0 / 2	0 / 1	
Percentage of transfers resulting in live births	6 / 7	6 / 13	3 / 7	1 / 2	0 / 1	
Percentage of transfers resulting in pregnancy	7 / 7	7 / 13	5 / 7	1 / 2	0 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	12	16
Number of transfers	12	15
Average number of embryos transferred	2.0	1.9
Percentage of embryos transferred resulting in implantation	66.7	51.7
Percentage of transfers resulting in singleton live births	4 / 12	7 / 15
Percentage of transfers resulting in live births	9 / 12	9 / 15
Percentage of transfers resulting in pregnancy	10 / 12	13 / 15

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Center of Southern California

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2012 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2012 ART cycle data or the clinic's Medical Director did not approve the clinic's 2012 ART cycle data for inclusion in this report.

LIFE IVF CENTER
IRVINE, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Frank D. Yelian, MD, PhD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	99%
Unstimulated	79%	Used PGD	7%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	16%	Uterine factor	7%	*Multiple Factors:*	
Ovulatory dysfunction	4%	Male factor	20%	Female factors only	19%
Diminished ovarian reserve	28%	Other factor	32%	Female & male factors	9%
Endometriosis	16%	Unknown factor	10%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 1,737 (includes 1,111 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	25	24	30	30	31	19
Percentage of cancellations	0.0	4.2	0.0	0.0	0.0	0 / 19
Average number of embryos transferred	1.3	1.4	1.3	1.2	1.3	1.4
Percentage of embryos transferred resulting in implantation	40.6	40.6	17.5	5.4	10.3	0.0
Percentage of elective single embryo transfer (eSET)	5 / 12	7 / 16	2 / 12	2 / 9	1 / 9	2 / 10
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	32.0	33.3	16.7	6.7	6.5	0 / 19
Percentage of cycles resulting in triplets or more live births	4.0	0.0	0.0	0.0	0.0	0 / 19
Percentage of cycles resulting in live births	40.0	41.7	16.7	6.7	6.5	0 / 19
Percentage of cycles resulting in pregnancy	40.0	50.0	30.0	6.7	16.1	0 / 19
Outcomes per Transfer						
Number of transfers	25	23	30	30	31	19
Percentage of transfers resulting in singleton live births	32.0	34.8	16.7	6.7	6.5	0 / 19
Percentage of transfers resulting in triplets or more live births	4.0	0.0	0.0	0.0	0.0	0 / 19
Percentage of transfers resulting in live births	40.0	43.5	16.7	6.7	6.5	0 / 19
Percentage of transfers resulting in pregnancy	40.0	52.2	30.0	6.7	16.1	0 / 19
Outcomes per Pregnancy						
Number of pregnancies	10	12	9	2	5	0
Percentage of pregnancies resulting in singleton live births	8 / 10	8 / 12	5 / 9	2 / 2	2 / 5	
Percentage of pregnancies resulting in triplets or more live births	1 / 10	0 / 12	0 / 9	0 / 2	0 / 5	
Percentage of pregnancies resulting in live births	10 / 10	10 / 12	5 / 9	2 / 2	2 / 5	
Frozen Embryos from Nondonor Eggs						
Number of cycles	70	77	95	72	61	62
Number of transfers	67	74	94	71	56	61
Estimated average number of transfers per retrieval	0.6	0.5	0.5	0.3	0.3	0.3
Average number of embryos transferred	1.3	1.1	1.3	1.3	1.3	1.4
Percentage of embryos transferred resulting in implantation	52.9	47.6	35.5	18.0	4.1	4.8
Percentage of transfers resulting in singleton live births	38.8	32.4	24.5	12.7	3.6	1.6
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0.0
Percentage of transfers resulting in live births	47.8	36.5	29.8	12.7	3.6	1.6
Percentage of transfers resulting in pregnancy	65.7	52.7	45.7	29.6	10.7	8.2

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	0	30
Number of transfers	0	28
Average number of embryos transferred		1.4
Percentage of embryos transferred resulting in implantation		53.8
Percentage of transfers resulting in singleton live births		42.9
Percentage of transfers resulting in live births		53.6
Percentage of transfers resulting in pregnancy		67.9

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Life IVF Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE FERTILITY CENTER-OC
IRVINE, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by James Lin, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	95%
Unstimulated	<1%	Used PGD	18%
Used gestational carrier	1%		

Patient Diagnosis[b]

Tubal factor	7%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	3%	Male factor	22%	Female factors only	6%
Diminished ovarian reserve	36%	Other factor	24%	Female & male factors	8%
Endometriosis	3%	Unknown factor	16%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 616 (includes 15 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	168	83	95	45	31	6
Percentage of cancellations	0.6	2.4	2.1	2.2	16.1	0 / 6
Average number of embryos transferred	2.2	2.5	2.8	2.9	2.8	2.7
Percentage of embryos transferred resulting in implantation	35.4	24.6	14.8	7.5	0.0	0 / 16
Percentage of elective single embryo transfer (eSET)	8.4	2.7	1.3	0.0	0 / 19	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	33.3	21.7	23.2	6.7	0.0	0 / 6
Percentage of cycles resulting in triplets or more live births	1.2	0.0	0.0	0.0	0.0	0 / 6
Percentage of cycles resulting in live births	47.0	36.1	25.3	8.9	0.0	0 / 6
Percentage of cycles resulting in pregnancy	53.6	39.8	30.5	15.6	0.0	0 / 6
Outcomes per Transfer						
Number of transfers	161	78	83	37	23	6
Percentage of transfers resulting in singleton live births	34.8	23.1	26.5	8.1	0.0	0 / 6
Percentage of transfers resulting in triplets or more live births	1.2	0.0	0.0	0.0	0.0	0 / 6
Percentage of transfers resulting in live births	49.1	38.5	28.9	10.8	0.0	0 / 6
Percentage of transfers resulting in pregnancy	55.9	42.3	34.9	18.9	0.0	0 / 6
Outcomes per Pregnancy						
Number of pregnancies	90	33	29	7	0	0
Percentage of pregnancies resulting in singleton live births	62.2	54.5	75.9	3 / 7		
Percentage of pregnancies resulting in triplets or more live births	2.2	0.0	0.0	0 / 7		
Percentage of pregnancies resulting in live births	87.8	90.9	82.8	4 / 7		
Frozen Embryos from Nondonor Eggs						
Number of cycles	39	21	10	2	1	0
Number of transfers	38	20	7	2	1	0
Estimated average number of transfers per retrieval	1.7	1.4	1.0	0.5	1.0	0.0
Average number of embryos transferred	2.3	2.7	2.3	3.0	3.0	
Percentage of embryos transferred resulting in implantation	15.9	13.2	3 / 16	2 / 6	0 / 3	
Percentage of transfers resulting in singleton live births	21.1	25.0	2 / 7	0 / 2	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 7	0 / 2	0 / 1	
Percentage of transfers resulting in live births	28.9	25.0	2 / 7	1 / 2	0 / 1	
Percentage of transfers resulting in pregnancy	31.6	40.0	2 / 7	1 / 2	0 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	62	38
Number of transfers	57	37
Average number of embryos transferred	2.1	2.5
Percentage of embryos transferred resulting in implantation	49.2	12.8
Percentage of transfers resulting in singleton live births	42.1	21.6
Percentage of transfers resulting in live births	59.6	27.0
Percentage of transfers resulting in pregnancy	66.7	29.7

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Fertility Center-OC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

LA JOLLA IVF
LA JOLLA, CALIFORNIA

This clinic provided ART services during 2012 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2012 ART cycle data or the clinic's Medical Director did not approve the clinic's 2012 ART cycle data for inclusion in this report.

REPRODUCTIVE PARTNERS-UCSD REGIONAL FERTILITY CENTER
LA JOLLA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by V. Gabriel Garzo, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	80%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	5%	Uterine factor	6%	*Multiple Factors:*	
Ovulatory dysfunction	12%	Male factor	31%	Female factors only	7%
Diminished ovarian reserve	28%	Other factor	16%	Female & male factors	8%
Endometriosis	8%	Unknown factor	9%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 831 (includes 233 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	96	74	48	36	11	3
Percentage of cancellations	8.3	17.6	29.2	27.8	4 / 11	0 / 3
Average number of embryos transferred	1.5	1.6	2.1	2.5	2.8	
Percentage of embryos transferred resulting in implantation	53.6	36.3	30.0	25.6	0 / 11	
Percentage of elective single embryo transfer (eSET)	50.0	38.3	12.5	0 / 16	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	32.3	24.3	18.8	19.4	0 / 11	0 / 3
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 11	0 / 3
Percentage of cycles resulting in live births	38.5	29.7	20.8	22.2	0 / 11	0 / 3
Percentage of cycles resulting in pregnancy	49.0	37.8	27.1	27.8	0 / 11	0 / 3
Outcomes per Transfer						
Number of transfers	66	50	24	17	4	0
Percentage of transfers resulting in singleton live births	47.0	36.0	37.5	7 / 17	0 / 4	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 17	0 / 4	
Percentage of transfers resulting in live births	56.1	44.0	41.7	8 / 17	0 / 4	
Percentage of transfers resulting in pregnancy	71.2	56.0	54.2	10 / 17	0 / 4	
Outcomes per Pregnancy						
Number of pregnancies	47	28	13	10	0	0
Percentage of pregnancies resulting in singleton live births	66.0	64.3	9 / 13	7 / 10		
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0 / 13	0 / 10		
Percentage of pregnancies resulting in live births	78.7	78.6	10 / 13	8 / 10		
Frozen Embryos from Nondonor Eggs						
Number of cycles	104	69	34	29	16	8
Number of transfers	93	51	25	23	10	2
Estimated average number of transfers per retrieval	1.1	0.8	0.4	0.4	0.4	0.5
Average number of embryos transferred	1.4	1.5	1.9	2.2	2.1	3.5
Percentage of embryos transferred resulting in implantation	52.0	38.7	36.2	18.0	14.3	0 / 7
Percentage of transfers resulting in singleton live births	39.8	33.3	24.0	13.0	2 / 10	0 / 2
Percentage of transfers resulting in triplets or more live births	1.1	0.0	0.0	0.0	0 / 10	0 / 2
Percentage of transfers resulting in live births	46.2	37.3	36.0	17.4	2 / 10	0 / 2
Percentage of transfers resulting in pregnancy	68.8	58.8	56.0	39.1	3 / 10	0 / 2

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	33	37
Number of transfers	26	28
Average number of embryos transferred	1.2	1.6
Percentage of embryos transferred resulting in implantation	75.0	37.0
Percentage of transfers resulting in singleton live births	57.7	39.3
Percentage of transfers resulting in live births	69.2	50.0
Percentage of transfers resulting in pregnancy	88.5	57.1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Partners-UCSD Regional Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE SCIENCES CENTER
LA JOLLA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Samuel H. Wood, MD, PhD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	87%
Unstimulated	0%	Used PGD	32%
Used gestational carrier	8%		

Patient Diagnosis[b]

Tubal factor	7%	Uterine factor	14%	*Multiple Factors:*	
Ovulatory dysfunction	9%	Male factor	42%	Female factors only	21%
Diminished ovarian reserve	56%	Other factor	28%	Female & male factors	32%
Endometriosis	5%	Unknown factor	1%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 102 (includes 13 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	19	8	3	6	1	1
Percentage of cancellations	1 / 19	1 / 8	0 / 3	0 / 6	0 / 1	0 / 1
Average number of embryos transferred	1.7	2.0	2.0	2.8	4.0	5.0
Percentage of embryos transferred resulting in implantation	40.7	8 / 14	3 / 6	3 / 14	1 / 4	0 / 5
Percentage of elective single embryo transfer (eSET)	5 / 16	1 / 7	0 / 2	0 / 5	0 / 1	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	7 / 19	3 / 8	2 / 3	0 / 6	1 / 1	0 / 1
Percentage of cycles resulting in triplets or more live births	0 / 19	0 / 8	0 / 3	0 / 6	0 / 1	0 / 1
Percentage of cycles resulting in live births	7 / 19	5 / 8	2 / 3	0 / 6	1 / 1	0 / 1
Percentage of cycles resulting in pregnancy	10 / 19	6 / 8	2 / 3	4 / 6	1 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	16	7	3	5	1	1
Percentage of transfers resulting in singleton live births	7 / 16	3 / 7	2 / 3	0 / 5	1 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 16	0 / 7	0 / 3	0 / 5	0 / 1	0 / 1
Percentage of transfers resulting in live births	7 / 16	5 / 7	2 / 3	0 / 5	1 / 1	0 / 1
Percentage of transfers resulting in pregnancy	10 / 16	6 / 7	2 / 3	4 / 5	1 / 1	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	10	6	2	4	1	0
Percentage of pregnancies resulting in singleton live births	7 / 10	3 / 6	2 / 2	0 / 4	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 10	0 / 6	0 / 2	0 / 4	0 / 1	
Percentage of pregnancies resulting in live births	7 / 10	5 / 6	2 / 2	0 / 4	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	2	5	2	1	0
Number of transfers	5	2	5	2	1	0
Estimated average number of transfers per retrieval	0.7	2.0	0.8	1.0	1.0	
Average number of embryos transferred	2.0	2.5	2.0	4.0	4.0	
Percentage of embryos transferred resulting in implantation	5 / 10	1 / 5	3 / 10	1 / 8	0 / 4	
Percentage of transfers resulting in singleton live births	1 / 5	0 / 2	0 / 5	1 / 2	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 5	0 / 2	0 / 5	0 / 2	0 / 1	
Percentage of transfers resulting in live births	2 / 5	0 / 2	0 / 5	1 / 2	0 / 1	
Percentage of transfers resulting in pregnancy	3 / 5	1 / 2	2 / 5	1 / 2	0 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	18	18
Number of transfers	17	18
Average number of embryos transferred	2.0	2.7
Percentage of embryos transferred resulting in implantation	50.0	25.0
Percentage of transfers resulting in singleton live births	7 / 17	2 / 18
Percentage of transfers resulting in live births	12 / 17	5 / 18
Percentage of transfers resulting in pregnancy	12 / 17	8 / 18

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Sciences Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ACACIO FERTILITY CENTER
LAGUNA NIGUEL, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Brian D. Acacio, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	86%
Unstimulated	<1%	Used PGD	23%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	16%	Uterine factor	16%	*Multiple Factors:*	
Ovulatory dysfunction	5%	Male factor	36%	Female factors only	22%
Diminished ovarian reserve	25%	Other factor	57%	Female & male factors	28%
Endometriosis	12%	Unknown factor	<1%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 351 (includes 12 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	73	53	41	41	24	11
Percentage of cancellations	5.5	17.0	19.5	12.2	12.5	2 / 11
Average number of embryos transferred	2.2	2.3	2.7	2.8	2.9	3.4
Percentage of embryos transferred resulting in implantation	24.1	10.0	23.9	10.8	6.5	0.0
Percentage of elective single embryo transfer (eSET)	3.4	5.1	9.1	11.1	2 / 15	0 / 8
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	21.9	17.0	22.0	12.2	4.2	0 / 11
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 11
Percentage of cycles resulting in live births	30.1	17.0	29.3	14.6	8.3	0 / 11
Percentage of cycles resulting in pregnancy	34.2	17.0	31.7	24.4	8.3	1 / 11
Outcomes per Transfer						
Number of transfers	61	43	25	30	16	8
Percentage of transfers resulting in singleton live births	26.2	20.9	36.0	16.7	1 / 16	0 / 8
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 16	0 / 8
Percentage of transfers resulting in live births	36.1	20.9	48.0	20.0	2 / 16	0 / 8
Percentage of transfers resulting in pregnancy	41.0	20.9	52.0	33.3	2 / 16	1 / 8
Outcomes per Pregnancy						
Number of pregnancies	25	9	13	10	2	1
Percentage of pregnancies resulting in singleton live births	64.0	9 / 9	9 / 13	5 / 10	1 / 2	0 / 1
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 9	0 / 13	0 / 10	0 / 2	0 / 1
Percentage of pregnancies resulting in live births	88.0	9 / 9	12 / 13	6 / 10	2 / 2	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	24	11	12	5	0	2
Number of transfers	24	11	12	5	0	2
Estimated average number of transfers per retrieval	1.3	1.2	2.0	1.3		2.0
Average number of embryos transferred	2.1	2.2	2.4	1.4		1.0
Percentage of embryos transferred resulting in implantation	32.0	29.2	24.1	1 / 7		0 / 2
Percentage of transfers resulting in singleton live births	29.2	5 / 11	5 / 12	1 / 5		0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0 / 11	0 / 12	0 / 5		0 / 2
Percentage of transfers resulting in live births	45.8	6 / 11	5 / 12	1 / 5		0 / 2
Percentage of transfers resulting in pregnancy	50.0	6 / 11	7 / 12	2 / 5		0 / 2

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	33	9
Number of transfers	30	8
Average number of embryos transferred	2.2	2.9
Percentage of embryos transferred resulting in implantation	53.8	26.1
Percentage of transfers resulting in singleton live births	26.7	4 / 8
Percentage of transfers resulting in live births	66.7	5 / 8
Percentage of transfers resulting in pregnancy	73.3	6 / 8

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Acacio Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

LOMA LINDA UNIVERSITY CENTER FOR FERTILITY AND IVF
LOMA LINDA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by John D. Jacobson, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	88%
Unstimulated	<1%	Used PGD	6%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	21%	Uterine factor	10%	*Multiple Factors:*	
Ovulatory dysfunction	24%	Male factor	41%	Female factors only	22%
Diminished ovarian reserve	46%	Other factor	7%	Female & male factors	30%
Endometriosis	11%	Unknown factor	6%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 220 (includes 6 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	73	33	31	15	1	3
Percentage of cancellations	8.2	6.1	16.1	3 / 15	0 / 1	0 / 3
Average number of embryos transferred	2.1	2.5	3.0	3.3	4.0	1.0
Percentage of embryos transferred resulting in implantation	36.4	23.1	21.9	8.3	0 / 4	0 / 1
Percentage of elective single embryo transfer (eSET)	4.7	0.0	4.5	0 / 9	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.1	33.3	25.8	1 / 15	0 / 1	0 / 3
Percentage of cycles resulting in triplets or more live births	1.4	0.0	0.0	0 / 15	0 / 1	0 / 3
Percentage of cycles resulting in live births	46.6	42.4	32.3	1 / 15	0 / 1	0 / 3
Percentage of cycles resulting in pregnancy	56.2	45.5	41.9	4 / 15	0 / 1	0 / 3
Outcomes per Transfer						
Number of transfers	66	31	24	11	1	1
Percentage of transfers resulting in singleton live births	33.3	35.5	33.3	1 / 11	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	1.5	0.0	0.0	0 / 11	0 / 1	0 / 1
Percentage of transfers resulting in live births	51.5	45.2	41.7	1 / 11	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	62.1	48.4	54.2	4 / 11	0 / 1	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	41	15	13	4	0	0
Percentage of pregnancies resulting in singleton live births	53.7	11 / 15	8 / 13	1 / 4		
Percentage of pregnancies resulting in triplets or more live births	2.4	0 / 15	0 / 13	0 / 4		
Percentage of pregnancies resulting in live births	82.9	14 / 15	10 / 13	1 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	22	9	9	1	1	0
Number of transfers	21	9	8	1	1	0
Estimated average number of transfers per retrieval	1.4	1.3	1.3			
Average number of embryos transferred	2.5	2.7	3.1	5.0	1.0	
Percentage of embryos transferred resulting in implantation	28.3	16.7	8.0	0 / 5	0 / 1	
Percentage of transfers resulting in singleton live births	38.1	1 / 9	1 / 8	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	1 / 9	0 / 8	0 / 1	0 / 1	
Percentage of transfers resulting in live births	47.6	2 / 9	1 / 8	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	47.6	3 / 9	2 / 8	0 / 1	0 / 1	

	All Ages Combined[f]	
Donor Eggs	**Fresh Embryos**	**Frozen Embryos**
Number of cycles	6	10
Number of transfers	5	10
Average number of embryos transferred	2.0	2.9
Percentage of embryos transferred resulting in implantation	7 / 10	41.4
Percentage of transfers resulting in singleton live births	3 / 5	1 / 10
Percentage of transfers resulting in live births	5 / 5	5 / 10
Percentage of transfers resulting in pregnancy	5 / 5	6 / 10

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Loma Linda University Center for Fertility and IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CALIFORNIA FERTILITY PARTNERS
LOS ANGELES, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Richard P. Marrs, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	76%
Unstimulated	<1%	Used PGD	5%
Used gestational carrier	16%		

Patient Diagnosis[b]

Tubal factor	10%	Uterine factor	31%	*Multiple Factors:*	
Ovulatory dysfunction	5%	Male factor	33%	Female factors only	28%
Diminished ovarian reserve	61%	Other factor	20%	Female & male factors	27%
Endometriosis	8%	Unknown factor	2%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 860 (includes 109 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	50	69	77	91	82	35
Percentage of cancellations	6.0	18.8	11.7	22.0	34.1	40.0
Average number of embryos transferred	2.1	2.5	3.0	3.6	3.4	3.5
Percentage of embryos transferred resulting in implantation	39.6	30.7	12.2	8.5	4.8	3.0
Percentage of elective single embryo transfer (eSET)	11.4	0.0	1.6	0.0	0.0	0 / 17
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	34.0	29.0	15.6	11.0	1.2	0.0
Percentage of cycles resulting in triplets or more live births	2.0	0.0	0.0	0.0	0.0	0.0
Percentage of cycles resulting in live births	50.0	40.6	19.5	13.2	1.2	0.0
Percentage of cycles resulting in pregnancy	56.0	52.2	27.3	25.3	11.0	11.4
Outcomes per Transfer						
Number of transfers	45	55	64	62	49	19
Percentage of transfers resulting in singleton live births	37.8	36.4	18.8	16.1	2.0	0 / 19
Percentage of transfers resulting in triplets or more live births	2.2	0.0	0.0	0.0	0.0	0 / 19
Percentage of transfers resulting in live births	55.6	50.9	23.4	19.4	2.0	0 / 19
Percentage of transfers resulting in pregnancy	62.2	65.5	32.8	37.1	18.4	4 / 19
Outcomes per Pregnancy						
Number of pregnancies	28	36	21	23	9	4
Percentage of pregnancies resulting in singleton live births	60.7	55.6	57.1	43.5	1 / 9	0 / 4
Percentage of pregnancies resulting in triplets or more live births	3.6	0.0	0.0	0.0	0 / 9	0 / 4
Percentage of pregnancies resulting in live births	89.3	77.8	71.4	52.2	1 / 9	0 / 4
Frozen Embryos from Nondonor Eggs						
Number of cycles	19	21	21	12	9	8
Number of transfers	14	17	16	10	8	7
Estimated average number of transfers per retrieval	0.5	0.6	0.4	0.3	0.5	0.9
Average number of embryos transferred	2.1	2.3	2.8	3.4	3.4	3.1
Percentage of embryos transferred resulting in implantation	31.0	20.5	22.7	11.8	0.0	13.6
Percentage of transfers resulting in singleton live births	4 / 14	7 / 17	3 / 16	1 / 10	0 / 8	0 / 7
Percentage of transfers resulting in triplets or more live births	0 / 14	0 / 17	1 / 16	0 / 10	0 / 8	0 / 7
Percentage of transfers resulting in live births	6 / 14	7 / 17	5 / 16	2 / 10	0 / 8	1 / 7
Percentage of transfers resulting in pregnancy	7 / 14	8 / 17	6 / 16	2 / 10	2 / 8	1 / 7

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	155	102
Number of transfers	148	91
Average number of embryos transferred	1.8	2.0
Percentage of embryos transferred resulting in implantation	47.6	37.1
Percentage of transfers resulting in singleton live births	38.5	33.0
Percentage of transfers resulting in live births	58.1	49.5
Percentage of transfers resulting in pregnancy	65.5	58.2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: California Fertility Partners

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CEDARS SINAI MEDICAL CENTER
CENTER FOR FERTILITY AND REPRODUCTIVE MEDICINE
LOS ANGELES, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Margareta D. Pisarska, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	56%
Unstimulated	0%	Used PGD	17%
Used gestational carrier	7%		

Patient Diagnosis[b]

Tubal factor	19%	Uterine factor	19%	*Multiple Factors:*	
Ovulatory dysfunction	8%	Male factor	46%	Female factors only	20%
Diminished ovarian reserve	35%	Other factor	20%	Female & male factors	28%
Endometriosis	6%	Unknown factor	5%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 73 (includes 8 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	11	9	12	9	0	0
Percentage of cancellations	0 / 11	0 / 9	0 / 12	2 / 9		
Average number of embryos transferred	1.4	1.8	2.0	2.3		
Percentage of embryos transferred resulting in implantation	4 / 13	2 / 14	8.3	1 / 14		
Percentage of elective single embryo transfer (eSET)	5 / 9	2 / 7	1 / 9	0 / 5		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	4 / 11	2 / 9	2 / 12	1 / 9		
Percentage of cycles resulting in triplets or more live births	0 / 11	0 / 9	0 / 12	0 / 9		
Percentage of cycles resulting in live births	4 / 11	2 / 9	2 / 12	1 / 9		
Percentage of cycles resulting in pregnancy	4 / 11	2 / 9	2 / 12	2 / 9		
Outcomes per Transfer						
Number of transfers	9	8	12	6	0	0
Percentage of transfers resulting in singleton live births	4 / 9	2 / 8	2 / 12	1 / 6		
Percentage of transfers resulting in triplets or more live births	0 / 9	0 / 8	0 / 12	0 / 6		
Percentage of transfers resulting in live births	4 / 9	2 / 8	2 / 12	1 / 6		
Percentage of transfers resulting in pregnancy	4 / 9	2 / 8	2 / 12	2 / 6		
Outcomes per Pregnancy						
Number of pregnancies	4	2	2	2	0	0
Percentage of pregnancies resulting in singleton live births	4 / 4	2 / 2	2 / 2	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	0 / 4	0 / 2	0 / 2	0 / 2		
Percentage of pregnancies resulting in live births	4 / 4	2 / 2	2 / 2	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	10	1	1	1	0
Number of transfers	5	8	1	1	1	0
Estimated average number of transfers per retrieval	1.3	1.1	1.0	1.0		
Average number of embryos transferred	1.4	1.8	1.0	2.0	4.0	
Percentage of embryos transferred resulting in implantation	0 / 7	6 / 14	0 / 1	0 / 2	0 / 4	
Percentage of transfers resulting in singleton live births	0 / 5	3 / 8	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 5	0 / 8	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in live births	0 / 5	4 / 8	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	0 / 5	4 / 8	0 / 1	1 / 1	0 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	5	1
Number of transfers	3	1
Average number of embryos transferred	1.7	2.0
Percentage of embryos transferred resulting in implantation	2 / 5	0 / 2
Percentage of transfers resulting in singleton live births	1 / 3	0 / 1
Percentage of transfers resulting in live births	1 / 3	0 / 1
Percentage of transfers resulting in pregnancy	1 / 3	1 / 1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Cedars Sinai Medical Center, Center for Fertility and Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CHA FERTILITY CENTER
LOS ANGELES, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Vicken P. Sepilian, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	96%
Unstimulated	0%	Used PGD	21%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	2%	Uterine factor	1%	*Multiple Factors:*	
Ovulatory dysfunction	5%	Male factor	16%	Female factors only	1%
Diminished ovarian reserve	60%	Other factor	10%	Female & male factors	4%
Endometriosis	1%	Unknown factor	10%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 398 (includes 48 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	40	29	25	15	10	3
Percentage of cancellations	0.0	0.0	0.0	0 / 15	1 / 10	0 / 3
Average number of embryos transferred	2.2	2.2	2.5	2.2	3.1	3.0
Percentage of embryos transferred resulting in implantation	40.0	29.5	27.3	16.1	4.5	0 / 6
Percentage of elective single embryo transfer (eSET)	5.1	4.0	0 / 18	0 / 11	0 / 6	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	35.0	31.0	20.0	2 / 15	0 / 10	0 / 3
Percentage of cycles resulting in triplets or more live births	2.5	0.0	0.0	0 / 15	0 / 10	0 / 3
Percentage of cycles resulting in live births	50.0	44.8	36.0	3 / 15	0 / 10	0 / 3
Percentage of cycles resulting in pregnancy	62.5	51.7	44.0	4 / 15	1 / 10	0 / 3
Outcomes per Transfer						
Number of transfers	39	28	22	14	7	2
Percentage of transfers resulting in singleton live births	35.9	32.1	22.7	2 / 14	0 / 7	0 / 2
Percentage of transfers resulting in triplets or more live births	2.6	0.0	0.0	0 / 14	0 / 7	0 / 2
Percentage of transfers resulting in live births	51.3	46.4	40.9	3 / 14	0 / 7	0 / 2
Percentage of transfers resulting in pregnancy	64.1	53.6	50.0	4 / 14	1 / 7	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	25	15	11	4	1	0
Percentage of pregnancies resulting in singleton live births	56.0	9 / 15	5 / 11	2 / 4	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	4.0	0 / 15	0 / 11	0 / 4	0 / 1	
Percentage of pregnancies resulting in live births	80.0	13 / 15	9 / 11	3 / 4	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	36	9	4	2	3	1
Number of transfers	35	9	4	2	3	1
Estimated average number of transfers per retrieval	1.4	1.1	2.0	1.0	0.8	0.1
Average number of embryos transferred	2.0	1.9	1.8	2.0	3.0	2.0
Percentage of embryos transferred resulting in implantation	38.0	7 / 17	3 / 7	1 / 4	3 / 9	0 / 2
Percentage of transfers resulting in singleton live births	28.6	3 / 9	1 / 4	0 / 2	1 / 3	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 9	0 / 4	0 / 2	0 / 3	0 / 1
Percentage of transfers resulting in live births	34.3	4 / 9	2 / 4	0 / 2	1 / 3	0 / 1
Percentage of transfers resulting in pregnancy	60.0	6 / 9	2 / 4	1 / 2	2 / 3	0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	90	83
Number of transfers	85	78
Average number of embryos transferred	2.0	2.1
Percentage of embryos transferred resulting in implantation	46.7	38.2
Percentage of transfers resulting in singleton live births	40.0	33.3
Percentage of transfers resulting in live births	61.2	51.3
Percentage of transfers resulting in pregnancy	70.6	62.8

CURRENT CLINIC SERVICES AND PROFILE

Current Name: CHA Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PACIFIC FERTILITY CENTER-LOS ANGELES
LOS ANGELES, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Vicken Sahakian, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	91%
Unstimulated	0%	Used PGD	6%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	14%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	11%	Male factor	33%	Female factors only	7%
Diminished ovarian reserve	21%	Other factor	40%	Female & male factors	21%
Endometriosis	2%	Unknown factor	12%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 351 (includes 7 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	61	52	52	46	20	4
Percentage of cancellations	1.6	1.9	0.0	0.0	0.0	0 / 4
Average number of embryos transferred	1.9	2.2	2.6	2.3	2.8	2.3
Percentage of embryos transferred resulting in implantation	33.0	32.7	22.6	17.9	2.2	2 / 7
Percentage of elective single embryo transfer (eSET)	6.1	0.0	7.0	0.0	0 / 13	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	39.3	26.9	17.3	13.0	5.0	0 / 4
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 4
Percentage of cycles resulting in live births	45.9	40.4	30.8	17.4	5.0	1 / 4
Percentage of cycles resulting in pregnancy	50.8	48.1	40.4	28.3	10.0	1 / 4
Outcomes per Transfer						
Number of transfers	56	49	47	34	16	3
Percentage of transfers resulting in singleton live births	42.9	28.6	19.1	17.6	1 / 16	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 16	0 / 3
Percentage of transfers resulting in live births	50.0	42.9	34.0	23.5	1 / 16	1 / 3
Percentage of transfers resulting in pregnancy	55.4	51.0	44.7	38.2	2 / 16	1 / 3
Outcomes per Pregnancy						
Number of pregnancies	31	25	21	13	2	1
Percentage of pregnancies resulting in singleton live births	77.4	56.0	42.9	6 / 13	1 / 2	0 / 1
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 13	0 / 2	0 / 1
Percentage of pregnancies resulting in live births	90.3	84.0	76.2	8 / 13	1 / 2	1 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	13	8	5	4	1	5
Number of transfers	13	8	4	4	1	5
Estimated average number of transfers per retrieval	1.6	1.3	0.8	0.7	1.0	5.0
Average number of embryos transferred	2.2	2.0	1.5	3.0	1.0	1.8
Percentage of embryos transferred resulting in implantation	21.4	4 / 16	2 / 6	1 / 12	0 / 1	1 / 9
Percentage of transfers resulting in singleton live births	3 / 13	4 / 8	2 / 4	1 / 4	0 / 1	1 / 5
Percentage of transfers resulting in triplets or more live births	0 / 13	0 / 8	0 / 4	0 / 4	0 / 1	0 / 5
Percentage of transfers resulting in live births	4 / 13	4 / 8	2 / 4	1 / 4	0 / 1	1 / 5
Percentage of transfers resulting in pregnancy	5 / 13	4 / 8	2 / 4	1 / 4	0 / 1	1 / 5

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	58	15
Number of transfers	52	15
Average number of embryos transferred	1.9	1.9
Percentage of embryos transferred resulting in implantation	56.1	35.7
Percentage of transfers resulting in singleton live births	46.2	8 / 15
Percentage of transfers resulting in live births	67.3	9 / 15
Percentage of transfers resulting in pregnancy	73.1	9 / 15

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Pacific Fertility Center-Los Angeles

Donor egg?	No	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UCLA FERTILITY CENTER
LOS ANGELES, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by T.C. Jackson Wu, MD, PhD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	63%
Unstimulated	0%	Used PGD	8%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	7%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	6%	Male factor	25%	Female factors only	5%
Diminished ovarian reserve	9%	Other factor	45%	Female & male factors	10%
Endometriosis	8%	Unknown factor	10%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 187 (includes 13 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	31	37	21	23	11	1
Percentage of cancellations	0.0	2.7	4.8	4.3	0 / 11	0 / 1
Average number of embryos transferred	1.5	1.7	1.9	2.4	3.0	4.0
Percentage of embryos transferred resulting in implantation	50.0	28.8	38.9	18.2	0.0	0 / 4
Percentage of elective single embryo transfer (eSET)	50.0	30.8	4 / 17	1 / 17	0 / 8	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	41.9	24.3	19.0	34.8	0 / 11	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 11	0 / 1
Percentage of cycles resulting in live births	51.6	32.4	33.3	34.8	0 / 11	0 / 1
Percentage of cycles resulting in pregnancy	51.6	32.4	42.9	34.8	0 / 11	0 / 1
Outcomes per Transfer						
Number of transfers	27	31	19	18	9	1
Percentage of transfers resulting in singleton live births	48.1	29.0	4 / 19	8 / 18	0 / 9	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 19	0 / 18	0 / 9	0 / 1
Percentage of transfers resulting in live births	59.3	38.7	7 / 19	8 / 18	0 / 9	0 / 1
Percentage of transfers resulting in pregnancy	59.3	38.7	9 / 19	8 / 18	0 / 9	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	16	12	9	8	0	0
Percentage of pregnancies resulting in singleton live births	13 / 16	9 / 12	4 / 9	8 / 8		
Percentage of pregnancies resulting in triplets or more live births	0 / 16	0 / 12	0 / 9	0 / 8		
Percentage of pregnancies resulting in live births	16 / 16	12 / 12	7 / 9	8 / 8		
Frozen Embryos from Nondonor Eggs						
Number of cycles	17	8	5	1	5	1
Number of transfers	17	8	5	1	5	1
Estimated average number of transfers per retrieval	2.4	0.5	0.6	1.0		
Average number of embryos transferred	1.4	1.6	1.6	3.0	2.2	1.0
Percentage of embryos transferred resulting in implantation	25.0	3 / 13	1 / 8	0 / 3	0 / 11	0 / 1
Percentage of transfers resulting in singleton live births	6 / 17	3 / 8	1 / 5	0 / 1	0 / 5	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 17	0 / 8	0 / 5	0 / 1	0 / 5	0 / 1
Percentage of transfers resulting in live births	6 / 17	3 / 8	1 / 5	0 / 1	0 / 5	0 / 1
Percentage of transfers resulting in pregnancy	9 / 17	5 / 8	1 / 5	1 / 1	0 / 5	0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	6	7
Number of transfers	4	7
Average number of embryos transferred	1.3	1.4
Percentage of embryos transferred resulting in implantation	3 / 5	5 / 10
Percentage of transfers resulting in singleton live births	3 / 4	2 / 7
Percentage of transfers resulting in live births	3 / 4	3 / 7
Percentage of transfers resulting in pregnancy	3 / 4	3 / 7

CURRENT CLINIC SERVICES AND PROFILE

Current Name: UCLA Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

USC REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY
LOS ANGELES, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Richard J. Paulson, MD

Type of ART and Procedural Factors[a]

IVF	98%	With ICSI	73%
Unstimulated	2%	Used PGD	3%
Used gestational carrier	4%		

Patient Diagnosis[b]

Tubal factor	14%	Uterine factor	12%	*Multiple Factors:*	
Ovulatory dysfunction	12%	Male factor	50%	Female factors only	14%
Diminished ovarian reserve	64%	Other factor	7%	Female & male factors	41%
Endometriosis	10%	Unknown factor	3%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 523 (includes 87 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	58	34	73	56	30	6
Percentage of cancellations	6.9	2.9	11.0	7.1	6.7	0 / 6
Average number of embryos transferred	1.9	2.6	2.9	4.0	4.8	2.0
Percentage of embryos transferred resulting in implantation	27.7	26.5	17.6	9.6	2.3	0 / 10
Percentage of elective single embryo transfer (eSET)	8.3	3.2	3.6	0.0	0.0	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	34.5	35.3	23.3	16.1	6.7	0 / 6
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 6
Percentage of cycles resulting in live births	37.9	44.1	28.8	17.9	6.7	0 / 6
Percentage of cycles resulting in pregnancy	43.1	52.9	39.7	33.9	13.3	0 / 6
Outcomes per Transfer						
Number of transfers	53	32	61	47	27	5
Percentage of transfers resulting in singleton live births	37.7	37.5	27.9	19.1	7.4	0 / 5
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 5
Percentage of transfers resulting in live births	41.5	46.9	34.4	21.3	7.4	0 / 5
Percentage of transfers resulting in pregnancy	47.2	56.3	47.5	40.4	14.8	0 / 5
Outcomes per Pregnancy						
Number of pregnancies	25	18	29	19	4	0
Percentage of pregnancies resulting in singleton live births	80.0	12 / 18	58.6	9 / 19	2 / 4	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 18	0.0	0 / 19	0 / 4	
Percentage of pregnancies resulting in live births	88.0	15 / 18	72.4	10 / 19	2 / 4	
Frozen Embryos from Nondonor Eggs						
Number of cycles	24	27	36	14	12	3
Number of transfers	24	27	36	14	12	3
Estimated average number of transfers per retrieval	0.7	0.9	1.0	0.9	0.7	1.0
Average number of embryos transferred	1.9	2.1	2.8	3.0	4.3	3.0
Percentage of embryos transferred resulting in implantation	31.1	12.3	9.9	19.0	5.8	0 / 9
Percentage of transfers resulting in singleton live births	25.0	25.9	19.4	4 / 14	3 / 12	0 / 3
Percentage of transfers resulting in triplets or more live births	4.2	0.0	0.0	0 / 14	0 / 12	0 / 3
Percentage of transfers resulting in live births	33.3	25.9	19.4	4 / 14	3 / 12	0 / 3
Percentage of transfers resulting in pregnancy	33.3	25.9	36.1	6 / 14	3 / 12	0 / 3

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	31	32
Number of transfers	29	32
Average number of embryos transferred	2.0	2.1
Percentage of embryos transferred resulting in implantation	43.9	13.4
Percentage of transfers resulting in singleton live births	31.0	9.4
Percentage of transfers resulting in live births	48.3	12.5
Percentage of transfers resulting in pregnancy	65.5	25.0

CURRENT CLINIC SERVICES AND PROFILE

Current Name: USC Reproductive Endocrinology and Infertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CARE FOR THE BAY AREA
LOS GATOS, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Karen J. Purcell, MD, PhD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	55%
Unstimulated	3%	Used PGD	3%
Used gestational carrier	3%		

Patient Diagnosis[b]

Tubal factor	3%	Uterine factor	30%	*Multiple Factors:*	
Ovulatory dysfunction	14%	Male factor	51%	Female factors only	5%
Diminished ovarian reserve	27%	Other factor	3%	Female & male factors	32%
Endometriosis	8%	Unknown factor	22%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 44 (includes 7 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	13	7	1	8	1	1
Percentage of cancellations	0 / 13	0 / 7	0 / 1	1 / 8	0 / 1	0 / 1
Average number of embryos transferred	1.5	1.9	2.0	3.2	3.0	
Percentage of embryos transferred resulting in implantation	7 / 12	5 / 13	0 / 2	1 / 19	0 / 3	
Percentage of elective single embryo transfer (eSET)	4 / 8	1 / 6	0 / 1	0 / 5	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	6 / 13	1 / 7	0 / 1	1 / 8	0 / 1	0 / 1
Percentage of cycles resulting in triplets or more live births	0 / 13	0 / 7	0 / 1	0 / 8	0 / 1	0 / 1
Percentage of cycles resulting in live births	6 / 13	3 / 7	0 / 1	1 / 8	0 / 1	0 / 1
Percentage of cycles resulting in pregnancy	7 / 13	3 / 7	0 / 1	3 / 8	0 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	8	7	1	6	1	0
Percentage of transfers resulting in singleton live births	6 / 8	1 / 7	0 / 1	1 / 6	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 8	0 / 7	0 / 1	0 / 6	0 / 1	
Percentage of transfers resulting in live births	6 / 8	3 / 7	0 / 1	1 / 6	0 / 1	
Percentage of transfers resulting in pregnancy	7 / 8	3 / 7	0 / 1	3 / 6	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	7	3	0	3	0	0
Percentage of pregnancies resulting in singleton live births	6 / 7	1 / 3		1 / 3		
Percentage of pregnancies resulting in triplets or more live births	0 / 7	0 / 3		0 / 3		
Percentage of pregnancies resulting in live births	6 / 7	3 / 3		1 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	3	1	1	1	0	0
Number of transfers	3	1	1	1	0	0
Estimated average number of transfers per retrieval	3.0	0.3	0.3		0.0	
Average number of embryos transferred	1.7	1.0	2.0	1.0		
Percentage of embryos transferred resulting in implantation	1 / 5	0 / 1	0 / 2	0 / 1		
Percentage of transfers resulting in singleton live births	1 / 3	0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 3	0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in live births	1 / 3	0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in pregnancy	1 / 3	0 / 1	0 / 1	0 / 1		

	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Donor Eggs		
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation		
Percentage of transfers resulting in singleton live births		
Percentage of transfers resulting in live births		
Percentage of transfers resulting in pregnancy		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: CARE for the Bay Area

Donor egg?	No	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE FERTILITY AND GYNECOLOGY CENTER
MONTEREY BAY IVF PROGRAM
MONTEREY, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Edward J. Ramirez, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	68%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	18%	Uterine factor	1%	*Multiple Factors:*	
Ovulatory dysfunction	28%	Male factor	43%	Female factors only	7%
Diminished ovarian reserve	16%	Other factor	31%	Female & male factors	27%
Endometriosis	1%	Unknown factor	0%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 82 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	21	15	12	5	5	1
Percentage of cancellations	0.0	0 / 15	4 / 12	2 / 5	2 / 5	0 / 1
Average number of embryos transferred	2.2	2.4	3.0	3.0	2.0	
Percentage of embryos transferred resulting in implantation	20.0	9.1	3 / 18	0 / 9	0 / 6	
Percentage of elective single embryo transfer (eSET)	0 / 18	0 / 13	0 / 5	0 / 2	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	9.5	1 / 15	3 / 12	0 / 5	0 / 5	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0 / 15	0 / 12	0 / 5	0 / 5	0 / 1
Percentage of cycles resulting in live births	23.8	1 / 15	3 / 12	0 / 5	0 / 5	0 / 1
Percentage of cycles resulting in pregnancy	33.3	2 / 15	3 / 12	0 / 5	0 / 5	0 / 1
Outcomes per Transfer						
Number of transfers	18	14	6	3	3	0
Percentage of transfers resulting in singleton live births	2 / 18	1 / 14	3 / 6	0 / 3	0 / 3	
Percentage of transfers resulting in triplets or more live births	0 / 18	0 / 14	0 / 6	0 / 3	0 / 3	
Percentage of transfers resulting in live births	5 / 18	1 / 14	3 / 6	0 / 3	0 / 3	
Percentage of transfers resulting in pregnancy	7 / 18	2 / 14	3 / 6	0 / 3	0 / 3	
Outcomes per Pregnancy						
Number of pregnancies	7	2	3	0	0	0
Percentage of pregnancies resulting in singleton live births	2 / 7	1 / 2	3 / 3			
Percentage of pregnancies resulting in triplets or more live births	0 / 7	0 / 2	0 / 3			
Percentage of pregnancies resulting in live births	5 / 7	1 / 2	3 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	8	2	0	2	1	1
Number of transfers	8	2	0	2	1	1
Estimated average number of transfers per retrieval	4.0					
Average number of embryos transferred	2.1	1.0		3.0	1.0	3.0
Percentage of embryos transferred resulting in implantation	3 / 17	1 / 2		1 / 6	0 / 1	0 / 3
Percentage of transfers resulting in singleton live births	3 / 8	1 / 2		1 / 2	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 8	0 / 2		0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in live births	3 / 8	1 / 2		1 / 2	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	5 / 8	1 / 2		1 / 2	0 / 1	0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	8	1
Number of transfers	4	1
Average number of embryos transferred	2.0	1.0
Percentage of embryos transferred resulting in implantation	3 / 8	0 / 1
Percentage of transfers resulting in singleton live births	1 / 4	0 / 1
Percentage of transfers resulting in live births	2 / 4	0 / 1
Percentage of transfers resulting in pregnancy	2 / 4	0 / 1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Fertility and Gynecology Center, Monterey Bay IVF Program

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NOVA IN VITRO FERTILIZATION
MOUNTAIN VIEW, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Richard J. Schmidt, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	26%
Unstimulated	0%	Used PGD	10%
Used gestational carrier	1%		

Patient Diagnosis[b]

Tubal factor	14%	Uterine factor	6%	*Multiple Factors:*	
Ovulatory dysfunction	12%	Male factor	15%	Female factors only	10%
Diminished ovarian reserve	39%	Other factor	11%	Female & male factors	2%
Endometriosis	8%	Unknown factor	9%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 349 (includes 46 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	65	37	51	22	17	4
Percentage of cancellations	0.0	0.0	2.0	9.1	2 / 17	0 / 4
Average number of embryos transferred	2.0	2.1	2.8	3.6	2.9	4.5
Percentage of embryos transferred resulting in implantation	32.3	29.9	20.8	13.2	2.5	2 / 18
Percentage of elective single embryo transfer (eSET)	16.9	11.4	15.6	0 / 15	0 / 11	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	29.2	43.2	27.5	13.6	0 / 17	1 / 4
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 17	0 / 4
Percentage of cycles resulting in live births	43.1	51.4	33.3	18.2	0 / 17	1 / 4
Percentage of cycles resulting in pregnancy	53.8	56.8	41.2	31.8	1 / 17	1 / 4
Outcomes per Transfer						
Number of transfers	65	37	47	19	14	4
Percentage of transfers resulting in singleton live births	29.2	43.2	29.8	3 / 19	0 / 14	1 / 4
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 19	0 / 14	0 / 4
Percentage of transfers resulting in live births	43.1	51.4	36.2	4 / 19	0 / 14	1 / 4
Percentage of transfers resulting in pregnancy	53.8	56.8	44.7	7 / 19	1 / 14	1 / 4
Outcomes per Pregnancy						
Number of pregnancies	35	21	21	7	1	1
Percentage of pregnancies resulting in singleton live births	54.3	76.2	66.7	3 / 7	0 / 1	1 / 1
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 7	0 / 1	0 / 1
Percentage of pregnancies resulting in live births	80.0	90.5	81.0	4 / 7	0 / 1	1 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	41	31	15	7	3	1
Number of transfers	41	31	15	7	3	1
Estimated average number of transfers per retrieval	1.2	1.5	0.8	0.5	0.5	0.2
Average number of embryos transferred	2.1	2.0	2.4	4.1	4.3	6.0
Percentage of embryos transferred resulting in implantation	25.9	11.1	19.4	6.9	1 / 13	0 / 6
Percentage of transfers resulting in singleton live births	31.7	16.1	3 / 15	2 / 7	1 / 3	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 15	0 / 7	0 / 3	0 / 1
Percentage of transfers resulting in live births	39.0	19.4	4 / 15	2 / 7	1 / 3	0 / 1
Percentage of transfers resulting in pregnancy	46.3	19.4	5 / 15	3 / 7	1 / 3	1 / 1

	All Ages Combined[f]	
Donor Eggs	**Fresh Embryos**	**Frozen Embryos**
Number of cycles	5	4
Number of transfers	5	4
Average number of embryos transferred	2.0	1.5
Percentage of embryos transferred resulting in implantation	5 / 10	3 / 6
Percentage of transfers resulting in singleton live births	2 / 5	1 / 4
Percentage of transfers resulting in live births	3 / 5	2 / 4
Percentage of transfers resulting in pregnancy	4 / 5	2 / 4

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Nova In Vitro Fertilization

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HRC FERTILITY-ORANGE COUNTY
NEWPORT BEACH, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Daniel A. Potter, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	76%
Unstimulated	0%	Used PGD	36%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	4%	Uterine factor	1%	*Multiple Factors:*	
Ovulatory dysfunction	6%	Male factor	29%	Female factors only	<1%
Diminished ovarian reserve	7%	Other factor	44%	Female & male factors	5%
Endometriosis	5%	Unknown factor	9%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 505 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	149	71	71	29	17	10
Percentage of cancellations	9.4	16.9	29.6	44.8	10 / 17	6 / 10
Average number of embryos transferred	1.6	1.6	2.0	2.1	3.1	2.3
Percentage of embryos transferred resulting in implantation	53.0	44.3	39.8	14.7	0.0	0 / 9
Percentage of elective single embryo transfer (eSET)	33.3	28.6	4.9	0 / 8	0 / 6	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	47.0	39.4	26.8	10.3	0 / 17	0 / 10
Percentage of cycles resulting in triplets or more live births	0.7	0.0	0.0	0.0	0 / 17	0 / 10
Percentage of cycles resulting in live births	58.4	49.3	38.0	10.3	0 / 17	0 / 10
Percentage of cycles resulting in pregnancy	61.1	52.1	45.1	20.7	0 / 17	0 / 10
Outcomes per Transfer						
Number of transfers	134	59	50	16	7	4
Percentage of transfers resulting in singleton live births	52.2	47.5	38.0	3 / 16	0 / 7	0 / 4
Percentage of transfers resulting in triplets or more live births	0.7	0.0	0.0	0 / 16	0 / 7	0 / 4
Percentage of transfers resulting in live births	64.9	59.3	54.0	3 / 16	0 / 7	0 / 4
Percentage of transfers resulting in pregnancy	67.9	62.7	64.0	6 / 16	0 / 7	0 / 4
Outcomes per Pregnancy						
Number of pregnancies	91	37	32	6	0	0
Percentage of pregnancies resulting in singleton live births	76.9	75.7	59.4	3 / 6		
Percentage of pregnancies resulting in triplets or more live births	1.1	0.0	0.0	0 / 6		
Percentage of pregnancies resulting in live births	95.6	94.6	84.4	3 / 6		
Frozen Embryos from Nondonor Eggs						
Number of cycles	53	22	18	9	6	6
Number of transfers	51	22	17	9	6	6
Estimated average number of transfers per retrieval	2.8	4.4	4.3	4.5	6.0	
Average number of embryos transferred	1.6	1.6	1.8	1.3	1.8	1.8
Percentage of embryos transferred resulting in implantation	45.0	42.9	33.3	3 / 12	4 / 11	4 / 11
Percentage of transfers resulting in singleton live births	37.3	45.5	3 / 17	3 / 9	3 / 6	3 / 6
Percentage of transfers resulting in triplets or more live births	0.0	0.0	1 / 17	0 / 9	0 / 6	0 / 6
Percentage of transfers resulting in live births	51.0	54.5	5 / 17	3 / 9	3 / 6	3 / 6
Percentage of transfers resulting in pregnancy	56.9	63.6	9 / 17	4 / 9	3 / 6	4 / 6

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	39	4
Number of transfers	36	4
Average number of embryos transferred	1.8	2.5
Percentage of embryos transferred resulting in implantation	61.9	0 / 10
Percentage of transfers resulting in singleton live births	50.0	0 / 4
Percentage of transfers resulting in live births	75.0	0 / 4
Percentage of transfers resulting in pregnancy	80.6	0 / 4

CURRENT CLINIC SERVICES AND PROFILE

Current Name: HRC Fertility-Orange County

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2012 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2012 ART cycle data or the clinic's Medical Director did not approve the clinic's 2012 ART cycle data for inclusion in this report.

REPRODUCTIVE SPECIALTY MEDICAL CENTER
NEWPORT BEACH, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Beth A. Ary, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	65%
Unstimulated	0%	Used PGD	29%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	8%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	18%	Male factor	29%	Female factors only	3%
Diminished ovarian reserve	52%	Other factor	3%	Female & male factors	16%
Endometriosis	7%	Unknown factor	3%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 62 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	12	4	10	6	2	0
Percentage of cancellations	0 / 12	1 / 4	0 / 10	0 / 6	0 / 2	
Average number of embryos transferred	2.4	2.5	2.3	3.0	3.0	
Percentage of embryos transferred resulting in implantation	7.7	1 / 5	0 / 16	0 / 12	0 / 6	
Percentage of elective single embryo transfer (eSET)	0 / 9	0 / 2	0 / 4	0 / 3	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	2 / 12	1 / 4	0 / 10	0 / 6	0 / 2	
Percentage of cycles resulting in triplets or more live births	0 / 12	0 / 4	0 / 10	0 / 6	0 / 2	
Percentage of cycles resulting in live births	2 / 12	1 / 4	0 / 10	0 / 6	0 / 2	
Percentage of cycles resulting in pregnancy	2 / 12	1 / 4	0 / 10	0 / 6	0 / 2	
Outcomes per Transfer						
Number of transfers	11	2	7	4	2	0
Percentage of transfers resulting in singleton live births	2 / 11	1 / 2	0 / 7	0 / 4	0 / 2	
Percentage of transfers resulting in triplets or more live births	0 / 11	0 / 2	0 / 7	0 / 4	0 / 2	
Percentage of transfers resulting in live births	2 / 11	1 / 2	0 / 7	0 / 4	0 / 2	
Percentage of transfers resulting in pregnancy	2 / 11	1 / 2	0 / 7	0 / 4	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	2	1	0	0	0	0
Percentage of pregnancies resulting in singleton live births	2 / 2	1 / 1				
Percentage of pregnancies resulting in triplets or more live births	0 / 2	0 / 1				
Percentage of pregnancies resulting in live births	2 / 2	1 / 1				
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	3	0	1	0	0
Number of transfers	6	3	0	1	0	0
Estimated average number of transfers per retrieval	6.0					
Average number of embryos transferred	2.0	2.3		1.0		
Percentage of embryos transferred resulting in implantation	2 / 12	0 / 7		1 / 1		
Percentage of transfers resulting in singleton live births	2 / 6	0 / 3		1 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 3		0 / 1		
Percentage of transfers resulting in live births	2 / 6	0 / 3		1 / 1		
Percentage of transfers resulting in pregnancy	2 / 6	0 / 3		1 / 1		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	14	4
Number of transfers	13	4
Average number of embryos transferred	2.7	2.0
Percentage of embryos transferred resulting in implantation	42.9	2 / 8
Percentage of transfers resulting in singleton live births	4 / 13	0 / 4
Percentage of transfers resulting in live births	8 / 13	1 / 4
Percentage of transfers resulting in pregnancy	9 / 13	1 / 4

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Specialty Medical Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTHERN CALIFORNIA CENTER FOR REPRODUCTIVE MEDICINE
NEWPORT BEACH, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Robert E. Anderson, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	90%
Unstimulated	0%	Used PGD	20%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	13%	Uterine factor	8%	*Multiple Factors:*	
Ovulatory dysfunction	8%	Male factor	34%	Female factors only	23%
Diminished ovarian reserve	21%	Other factor	39%	Female & male factors	16%
Endometriosis	16%	Unknown factor	10%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 428 (includes 107 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	48	30	27	22	11	0
Percentage of cancellations	4.2	10.0	7.4	13.6	4 / 11	
Average number of embryos transferred	1.9	2.0	2.3	2.1	2.0	
Percentage of embryos transferred resulting in implantation	39.1	27.5	15.1	14.8	1 / 6	
Percentage of elective single embryo transfer (eSET)	9.1	8.3	14.3	0 / 9	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	31.3	30.0	18.5	4.5	1 / 11	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 11	
Percentage of cycles resulting in live births	45.8	36.7	22.2	9.1	1 / 11	
Percentage of cycles resulting in pregnancy	54.2	43.3	33.3	18.2	1 / 11	
Outcomes per Transfer						
Number of transfers	45	26	23	13	3	0
Percentage of transfers resulting in singleton live births	33.3	34.6	21.7	1 / 13	1 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 13	0 / 3	
Percentage of transfers resulting in live births	48.9	42.3	26.1	2 / 13	1 / 3	
Percentage of transfers resulting in pregnancy	57.8	50.0	39.1	4 / 13	1 / 3	
Outcomes per Pregnancy						
Number of pregnancies	26	13	9	4	1	0
Percentage of pregnancies resulting in singleton live births	57.7	9 / 13	5 / 9	1 / 4	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 13	0 / 9	0 / 4	0 / 1	
Percentage of pregnancies resulting in live births	84.6	11 / 13	6 / 9	2 / 4	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	57	38	22	19	3	2
Number of transfers	53	33	22	16	2	1
Estimated average number of transfers per retrieval	1.2	1.0	0.7	1.1	0.2	0.5
Average number of embryos transferred	1.7	1.8	1.7	1.6	1.5	1.0
Percentage of embryos transferred resulting in implantation	59.1	58.6	35.1	28.0	2 / 3	0 / 1
Percentage of transfers resulting in singleton live births	41.5	42.4	45.5	5 / 16	1 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 16	0 / 2	0 / 1
Percentage of transfers resulting in live births	66.0	66.7	50.0	5 / 16	1 / 2	0 / 1
Percentage of transfers resulting in pregnancy	79.2	78.8	50.0	8 / 16	2 / 2	0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	20	22
Number of transfers	20	22
Average number of embryos transferred	1.7	2.0
Percentage of embryos transferred resulting in implantation	67.6	58.1
Percentage of transfers resulting in singleton live births	45.0	40.9
Percentage of transfers resulting in live births	70.0	68.2
Percentage of transfers resulting in pregnancy	85.0	72.7

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Southern California Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTHRIDGE CENTER FOR REPRODUCTIVE MEDICINE
NORTHRIDGE, CALIFORNIA

This clinic provided ART services during 2012 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2012 ART cycle data or the clinic's Medical Director did not approve the clinic's 2012 ART cycle data for inclusion in this report.

LANE FERTILITY INSTITUTE
NOVATO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Danielle E. Lane, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	98%
Unstimulated	0%	Used PGD	7%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	5%	Uterine factor	1%	*Multiple Factors:*	
Ovulatory dysfunction	2%	Male factor	17%	Female factors only	5%
Diminished ovarian reserve	46%	Other factor	7%	Female & male factors	4%
Endometriosis	9%	Unknown factor	22%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 101 (includes 16 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	13	9	14	14	5	0
Percentage of cancellations	0 / 13	0 / 9	0 / 14	1 / 14	0 / 5	
Average number of embryos transferred	2.2	2.4	3.2	3.5	3.2	
Percentage of embryos transferred resulting in implantation	57.1	13.6	14.3	6.7	0 / 16	
Percentage of elective single embryo transfer (eSET)	0 / 12	1 / 9	1 / 11	0 / 11	1 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	3 / 13	3 / 9	3 / 14	3 / 14	0 / 5	
Percentage of cycles resulting in triplets or more live births	0 / 13	0 / 9	0 / 14	0 / 14	0 / 5	
Percentage of cycles resulting in live births	9 / 13	3 / 9	4 / 14	3 / 14	0 / 5	
Percentage of cycles resulting in pregnancy	10 / 13	3 / 9	5 / 14	3 / 14	1 / 5	
Outcomes per Transfer						
Number of transfers	13	9	11	13	5	0
Percentage of transfers resulting in singleton live births	3 / 13	3 / 9	3 / 11	3 / 13	0 / 5	
Percentage of transfers resulting in triplets or more live births	0 / 13	0 / 9	0 / 11	0 / 13	0 / 5	
Percentage of transfers resulting in live births	9 / 13	3 / 9	4 / 11	3 / 13	0 / 5	
Percentage of transfers resulting in pregnancy	10 / 13	3 / 9	5 / 11	3 / 13	1 / 5	
Outcomes per Pregnancy						
Number of pregnancies	10	3	5	3	1	0
Percentage of pregnancies resulting in singleton live births	3 / 10	3 / 3	3 / 5	3 / 3	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 10	0 / 3	0 / 5	0 / 3	0 / 1	
Percentage of pregnancies resulting in live births	9 / 10	3 / 3	4 / 5	3 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	4	9	3	0	1
Number of transfers	1	4	9	3	0	1
Estimated average number of transfers per retrieval	0.3	0.7	1.3	1.0		0.5
Average number of embryos transferred	2.0	2.3	1.9	4.3		2.0
Percentage of embryos transferred resulting in implantation	1 / 2	3 / 9	4 / 17	2 / 13		0 / 2
Percentage of transfers resulting in singleton live births	1 / 1	3 / 4	3 / 9	0 / 3		0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 1	0 / 4	0 / 9	0 / 3		0 / 1
Percentage of transfers resulting in live births	1 / 1	3 / 4	3 / 9	0 / 3		0 / 1
Percentage of transfers resulting in pregnancy	1 / 1	3 / 4	5 / 9	2 / 3		0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	7	5
Number of transfers	6	5
Average number of embryos transferred	2.3	2.2
Percentage of embryos transferred resulting in implantation	7 / 14	5 / 11
Percentage of transfers resulting in singleton live births	2 / 6	0 / 5
Percentage of transfers resulting in live births	4 / 6	2 / 5
Percentage of transfers resulting in pregnancy	5 / 6	3 / 5

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Lane Fertility Institute

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF-ORANGE SURGERY CENTER
ORANGE, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Darush L. Mohyi, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	100%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	25%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	0%	Male factor	19%	Female factors only	0%
Diminished ovarian reserve	6%	Other factor	25%	Female & male factors	0%
Endometriosis	19%	Unknown factor	6%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 16 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	3	2	3	2	0	0
Percentage of cancellations	0 / 3	0 / 2	0 / 3	0 / 2		
Average number of embryos transferred	4.3	3.0	3.0	5.0		
Percentage of embryos transferred resulting in implantation	1 / 13	0 / 3	0 / 9	0 / 10		
Percentage of elective single embryo transfer (eSET)	0 / 3	0 / 1	0 / 3	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	1 / 3	0 / 2	0 / 3	0 / 2		
Percentage of cycles resulting in triplets or more live births	0 / 3	0 / 2	0 / 3	0 / 2		
Percentage of cycles resulting in live births	1 / 3	0 / 2	0 / 3	0 / 2		
Percentage of cycles resulting in pregnancy	1 / 3	0 / 2	0 / 3	0 / 2		
Outcomes per Transfer						
Number of transfers	3	1	3	2	0	0
Percentage of transfers resulting in singleton live births	1 / 3	0 / 1	0 / 3	0 / 2		
Percentage of transfers resulting in triplets or more live births	0 / 3	0 / 1	0 / 3	0 / 2		
Percentage of transfers resulting in live births	1 / 3	0 / 1	0 / 3	0 / 2		
Percentage of transfers resulting in pregnancy	1 / 3	0 / 1	0 / 3	0 / 2		
Outcomes per Pregnancy						
Number of pregnancies	1	0	0	0	0	0
Percentage of pregnancies resulting in singleton live births	1 / 1					
Percentage of pregnancies resulting in triplets or more live births	0 / 1					
Percentage of pregnancies resulting in live births	1 / 1					
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	0	0	1	0	0
Number of transfers	1	0	0	1	0	0
Estimated average number of transfers per retrieval	1.0			0.5		
Average number of embryos transferred	8.0			4.0		
Percentage of embryos transferred resulting in implantation	0 / 8			0 / 4		
Percentage of transfers resulting in singleton live births	0 / 1			0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 1			0 / 1		
Percentage of transfers resulting in live births	0 / 1			0 / 1		
Percentage of transfers resulting in pregnancy	0 / 1			0 / 1		

	All Ages Combined[f]	
Donor Eggs	**Fresh Embryos**	**Frozen Embryos**
Number of cycles	3	1
Number of transfers	3	1
Average number of embryos transferred	3.0	5.0
Percentage of embryos transferred resulting in implantation	0 / 9	0 / 5
Percentage of transfers resulting in singleton live births	0 / 3	0 / 1
Percentage of transfers resulting in live births	0 / 3	0 / 1
Percentage of transfers resulting in pregnancy	0 / 3	0 / 1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: IVF-Orange Surgery Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

AMERICAN REPRODUCTIVE CENTERS-PALM SPRINGS
PALM SPRINGS, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Maher Abdallah, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	100%
Unstimulated	0%	Used PGD	28%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	12%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	14%	Male factor	38%	Female factors only	8%
Diminished ovarian reserve	54%	Other factor	0%	Female & male factors	20%
Endometriosis	10%	Unknown factor	4%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 50 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	25	8	11	0	3	0
Percentage of cancellations	0.0	0 / 8	0 / 11		0 / 3	
Average number of embryos transferred	2.0	2.3	2.1		1.0	
Percentage of embryos transferred resulting in implantation	42.9	8 / 18	21.7		1 / 3	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 8	0 / 7			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	24.0	2 / 8	3 / 11		0 / 3	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 8	0 / 11		0 / 3	
Percentage of cycles resulting in live births	44.0	5 / 8	3 / 11		0 / 3	
Percentage of cycles resulting in pregnancy	60.0	6 / 8	6 / 11		1 / 3	
Outcomes per Transfer						
Number of transfers	25	8	11	0	3	0
Percentage of transfers resulting in singleton live births	24.0	2 / 8	3 / 11		0 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 8	0 / 11		0 / 3	
Percentage of transfers resulting in live births	44.0	5 / 8	3 / 11		0 / 3	
Percentage of transfers resulting in pregnancy	60.0	6 / 8	6 / 11		1 / 3	
Outcomes per Pregnancy						
Number of pregnancies	15	6	6	0	1	0
Percentage of pregnancies resulting in singleton live births	6 / 15	2 / 6	3 / 6		0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 15	0 / 6	0 / 6		0 / 1	
Percentage of pregnancies resulting in live births	11 / 15	5 / 6	3 / 6		0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	0	0	0	0	0
Number of transfers	0	0	0	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in triplets or more live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

	All Ages Combined[f]	
Donor Eggs	**Fresh Embryos**	**Frozen Embryos**
Number of cycles	3	0
Number of transfers	3	0
Average number of embryos transferred	2.0	
Percentage of embryos transferred resulting in implantation	3 / 6	
Percentage of transfers resulting in singleton live births	3 / 3	
Percentage of transfers resulting in live births	3 / 3	
Percentage of transfers resulting in pregnancy	3 / 3	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: American Reproductive Centers-Palm Springs

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BAY IN VITRO FERTILIZATION CENTER FOR REPRODUCTIVE MEDICINE
PALO ALTO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Francis Polansky, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	59%
Unstimulated	0%	Used PGD	9%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	17%	Uterine factor	6%	*Multiple Factors:*	
Ovulatory dysfunction	25%	Male factor	34%	Female factors only	16%
Diminished ovarian reserve	48%	Other factor	6%	Female & male factors	22%
Endometriosis	<1%	Unknown factor	3%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 146 (includes 4 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	39	24	29	21	4	1
Percentage of cancellations	5.1	4.2	10.3	9.5	1 / 4	0 / 1
Average number of embryos transferred	2.3	2.5	3.0	3.5	4.0	2.0
Percentage of embryos transferred resulting in implantation	16.7	30.4	7.7	1.7	1 / 12	0 / 2
Percentage of elective single embryo transfer (eSET)	6.1	0.0	4.0	0 / 16	0 / 3	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.1	16.7	3.4	4.8	1 / 4	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	4.2	0.0	0.0	0 / 4	0 / 1
Percentage of cycles resulting in live births	28.2	41.7	10.3	4.8	1 / 4	0 / 1
Percentage of cycles resulting in pregnancy	35.9	50.0	13.8	4.8	2 / 4	0 / 1
Outcomes per Transfer						
Number of transfers	36	22	26	17	3	1
Percentage of transfers resulting in singleton live births	25.0	18.2	3.8	1 / 17	1 / 3	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	4.5	0.0	0 / 17	0 / 3	0 / 1
Percentage of transfers resulting in live births	30.6	45.5	11.5	1 / 17	1 / 3	0 / 1
Percentage of transfers resulting in pregnancy	38.9	54.5	15.4	1 / 17	2 / 3	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	14	12	4	1	2	0
Percentage of pregnancies resulting in singleton live births	9 / 14	4 / 12	1 / 4	1 / 1	1 / 2	
Percentage of pregnancies resulting in triplets or more live births	0 / 14	1 / 12	0 / 4	0 / 1	0 / 2	
Percentage of pregnancies resulting in live births	11 / 14	10 / 12	3 / 4	1 / 1	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	3	3	0	0	0
Number of transfers	5	3	3	0	0	0
Estimated average number of transfers per retrieval	1.0	1.5	3.0	0.0	0.0	
Average number of embryos transferred	2.6	2.3	3.0			
Percentage of embryos transferred resulting in implantation	2 / 13	2 / 7	2 / 9			
Percentage of transfers resulting in singleton live births	1 / 5	0 / 3	0 / 3			
Percentage of transfers resulting in triplets or more live births	0 / 5	0 / 3	0 / 3			
Percentage of transfers resulting in live births	1 / 5	1 / 3	1 / 3			
Percentage of transfers resulting in pregnancy	2 / 5	1 / 3	1 / 3			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	10	3
Number of transfers	10	3
Average number of embryos transferred	2.2	2.0
Percentage of embryos transferred resulting in implantation	22.7	2 / 6
Percentage of transfers resulting in singleton live births	3 / 10	2 / 3
Percentage of transfers resulting in live births	4 / 10	2 / 3
Percentage of transfers resulting in pregnancy	4 / 10	2 / 3

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Bay In Vitro Fertilization Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PALO ALTO MEDICAL FOUNDATION
REPRODUCTIVE ENDOCRINOLOGY & FERTILITY
PALO ALTO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Salli I. Tazuke, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	66%
Unstimulated	0%	Used PGD	2%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	14%	Uterine factor	6%	*Multiple Factors:*	
Ovulatory dysfunction	18%	Male factor	21%	Female factors only	13%
Diminished ovarian reserve	19%	Other factor	11%	Female & male factors	8%
Endometriosis	10%	Unknown factor	25%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 186 (includes 13 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	37	32	27	15	13	2
Percentage of cancellations	16.2	6.3	3.7	2 / 15	3 / 13	0 / 2
Average number of embryos transferred	2.1	2.1	3.0	3.5	3.0	
Percentage of embryos transferred resulting in implantation	36.2	21.3	7.6	5.1	11.1	
Percentage of elective single embryo transfer (eSET)	19.2	11.1	0.0	0 / 10	0 / 7	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	37.8	15.6	11.1	0 / 15	2 / 13	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 15	0 / 13	0 / 2
Percentage of cycles resulting in live births	43.2	25.0	11.1	0 / 15	2 / 13	0 / 2
Percentage of cycles resulting in pregnancy	48.6	31.3	29.6	3 / 15	3 / 13	0 / 2
Outcomes per Transfer						
Number of transfers	28	29	26	11	9	0
Percentage of transfers resulting in singleton live births	50.0	17.2	11.5	0 / 11	2 / 9	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 11	0 / 9	
Percentage of transfers resulting in live births	57.1	27.6	11.5	0 / 11	2 / 9	
Percentage of transfers resulting in pregnancy	64.3	34.5	30.8	3 / 11	3 / 9	
Outcomes per Pregnancy						
Number of pregnancies	18	10	8	3	3	0
Percentage of pregnancies resulting in singleton live births	14 / 18	5 / 10	3 / 8	0 / 3	2 / 3	
Percentage of pregnancies resulting in triplets or more live births	0 / 18	0 / 10	0 / 8	0 / 3	0 / 3	
Percentage of pregnancies resulting in live births	16 / 18	8 / 10	3 / 8	0 / 3	2 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	12	14	20	1	0	0
Number of transfers	12	14	20	1	0	0
Estimated average number of transfers per retrieval	1.5	2.3	4.0	0.5		
Average number of embryos transferred	1.5	1.6	1.6	3.0		
Percentage of embryos transferred resulting in implantation	6 / 18	21.7	21.9	0 / 3		
Percentage of transfers resulting in singleton live births	4 / 12	3 / 14	15.0	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 12	0 / 14	0.0	0 / 1		
Percentage of transfers resulting in live births	5 / 12	4 / 14	20.0	0 / 1		
Percentage of transfers resulting in pregnancy	6 / 12	5 / 14	25.0	0 / 1		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation		
Percentage of transfers resulting in singleton live births		
Percentage of transfers resulting in live births		
Percentage of transfers resulting in pregnancy		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Palo Alto Medical Foundation, Reproductive Endocrinology & Fertility

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

STANFORD FERTILITY AND REPRODUCTIVE MEDICINE CENTER
STANFORD UNIVERSITY DEPARTMENT OF GYNECOLOGY AND OBSTETRICS
PALO ALTO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Valerie Baker, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	50%
Unstimulated	<1%	Used PGD	9%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	14%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	12%	Male factor	57%	Female factors only	7%
Diminished ovarian reserve	46%	Other factor	10%	Female & male factors	44%
Endometriosis	9%	Unknown factor	9%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 857 (includes 109 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	108	101	146	67	35	9
Percentage of cancellations	2.8	9.9	14.4	14.9	17.1	2 / 9
Average number of embryos transferred	2.2	2.1	2.8	3.2	3.6	3.5
Percentage of embryos transferred resulting in implantation	23.5	17.1	12.8	4.8	1.1	1 / 14
Percentage of elective single embryo transfer (eSET)	22.0	15.8	4.0	0.0	4.2	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.6	20.8	16.4	7.5	0.0	1 / 9
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 9
Percentage of cycles resulting in live births	37.0	23.8	19.9	7.5	0.0	1 / 9
Percentage of cycles resulting in pregnancy	39.8	28.7	28.8	16.4	2.9	1 / 9
Outcomes per Transfer						
Number of transfers	96	83	107	52	25	4
Percentage of transfers resulting in singleton live births	34.4	25.3	22.4	9.6	0.0	1 / 4
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 4
Percentage of transfers resulting in live births	41.7	28.9	27.1	9.6	0.0	1 / 4
Percentage of transfers resulting in pregnancy	44.8	34.9	39.3	21.2	4.0	1 / 4
Outcomes per Pregnancy						
Number of pregnancies	43	29	42	11	1	1
Percentage of pregnancies resulting in singleton live births	76.7	72.4	57.1	5 / 11	0 / 1	1 / 1
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 11	0 / 1	0 / 1
Percentage of pregnancies resulting in live births	93.0	82.8	69.0	5 / 11	0 / 1	1 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	62	55	43	17	7	3
Number of transfers	50	46	34	13	5	0
Estimated average number of transfers per retrieval	1.0	1.0	0.7	0.5	0.5	0.0
Average number of embryos transferred	1.4	1.4	1.6	1.5	1.4	
Percentage of embryos transferred resulting in implantation	35.2	30.3	40.0	5.0	0 / 7	
Percentage of transfers resulting in singleton live births	32.0	32.6	32.4	1 / 13	0 / 5	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 13	0 / 5	
Percentage of transfers resulting in live births	40.0	34.8	44.1	1 / 13	0 / 5	
Percentage of transfers resulting in pregnancy	46.0	43.5	52.9	1 / 13	1 / 5	

	All Ages Combined[f]	
Donor Eggs	**Fresh Embryos**	**Frozen Embryos**
Number of cycles	35	60
Number of transfers	32	56
Average number of embryos transferred	1.7	1.5
Percentage of embryos transferred resulting in implantation	58.5	31.4
Percentage of transfers resulting in singleton live births	34.4	30.4
Percentage of transfers resulting in live births	56.3	39.3
Percentage of transfers resulting in pregnancy	65.6	41.1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Stanford Fertility and Reproductive Medicine Center, Stanford University Department of Gynecology and Obstetrics

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HRC FERTILITY-PASADENA
PASADENA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Bradford A. Kolb, MD

Type of ART and Procedural Factors[a]

IVF	>99%	With ICSI	64%
Unstimulated	0%	Used PGD	8%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	1%	Uterine factor	<1%	*Multiple Factors:*	
Ovulatory dysfunction	6%	Male factor	26%	Female factors only	<1%
Diminished ovarian reserve	4%	Other factor	52%	Female & male factors	3%
Endometriosis	3%	Unknown factor	11%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 598 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	121	66	74	45	17	5
Percentage of cancellations	30.6	15.2	41.9	46.7	14 / 17	1 / 5
Average number of embryos transferred	2.2	2.4	2.3	3.2	1.7	3.5
Percentage of embryos transferred resulting in implantation	37.0	39.7	26.8	11.0	0 / 5	0 / 14
Percentage of elective single embryo transfer (eSET)	6.5	9.1	0.0	0 / 19	0 / 1	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.6	25.8	14.9	11.1	0 / 17	0 / 5
Percentage of cycles resulting in triplets or more live births	2.5	0.0	1.4	0.0	0 / 17	0 / 5
Percentage of cycles resulting in live births	38.0	50.0	23.0	11.1	0 / 17	0 / 5
Percentage of cycles resulting in pregnancy	43.0	51.5	28.4	17.8	0 / 17	0 / 5
Outcomes per Transfer						
Number of transfers	84	55	43	23	3	4
Percentage of transfers resulting in singleton live births	36.9	30.9	25.6	21.7	0 / 3	0 / 4
Percentage of transfers resulting in triplets or more live births	3.6	0.0	2.3	0.0	0 / 3	0 / 4
Percentage of transfers resulting in live births	54.8	60.0	39.5	21.7	0 / 3	0 / 4
Percentage of transfers resulting in pregnancy	61.9	61.8	48.8	34.8	0 / 3	0 / 4
Outcomes per Pregnancy						
Number of pregnancies	52	34	21	8	0	0
Percentage of pregnancies resulting in singleton live births	59.6	50.0	52.4	5 / 8		
Percentage of pregnancies resulting in triplets or more live births	5.8	0.0	4.8	0 / 8		
Percentage of pregnancies resulting in live births	88.5	97.1	81.0	5 / 8		
Frozen Embryos from Nondonor Eggs						
Number of cycles	59	16	22	11	11	17
Number of transfers	55	16	19	9	11	15
Estimated average number of transfers per retrieval	3.9	3.2	2.7	9.0	11.0	
Average number of embryos transferred	2.2	2.4	2.5	2.2	2.3	1.9
Percentage of embryos transferred resulting in implantation	22.7	39.5	23.4	5.0	24.0	27.6
Percentage of transfers resulting in singleton live births	29.1	7 / 16	4 / 19	1 / 9	3 / 11	5 / 15
Percentage of transfers resulting in triplets or more live births	1.8	0 / 16	0 / 19	0 / 9	1 / 11	0 / 15
Percentage of transfers resulting in live births	38.2	10 / 16	7 / 19	1 / 9	4 / 11	6 / 15
Percentage of transfers resulting in pregnancy	43.6	10 / 16	9 / 19	2 / 9	4 / 11	8 / 15

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	134	0
Number of transfers	112	0
Average number of embryos transferred	2.0	
Percentage of embryos transferred resulting in implantation	47.3	
Percentage of transfers resulting in singleton live births	42.0	
Percentage of transfers resulting in live births	61.6	
Percentage of transfers resulting in pregnancy	70.5	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: HRC Fertility-Pasadena

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE PARTNERS-REDONDO BEACH
REDONDO BEACH, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Bill Yee, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	60%
Unstimulated	<1%	Used PGD	1%
Used gestational carrier	1%		

Patient Diagnosis[b]

Tubal factor	8%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	4%	Male factor	16%	Female factors only	4%
Diminished ovarian reserve	21%	Other factor	36%	Female & male factors	4%
Endometriosis	4%	Unknown factor	18%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 1,189 (includes 264 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	134	128	135	112	64	15
Percentage of cancellations	6.0	10.2	10.4	17.9	35.9	8 / 15
Average number of embryos transferred	1.7	1.9	2.3	2.9	3.5	3.3
Percentage of embryos transferred resulting in implantation	42.4	30.3	24.6	10.5	6.0	0.0
Percentage of elective single embryo transfer (eSET)	29.9	16.7	6.1	2.6	0.0	0 / 5
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	41.8	22.7	23.7	10.7	6.3	0 / 15
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 15
Percentage of cycles resulting in live births	51.5	32.8	30.4	13.4	6.3	0 / 15
Percentage of cycles resulting in pregnancy	55.2	41.4	38.5	26.8	14.1	0 / 15
Outcomes per Transfer						
Number of transfers	122	109	108	86	38	6
Percentage of transfers resulting in singleton live births	45.9	26.6	29.6	14.0	10.5	0 / 6
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 6
Percentage of transfers resulting in live births	56.6	38.5	38.0	17.4	10.5	0 / 6
Percentage of transfers resulting in pregnancy	60.7	48.6	48.1	34.9	23.7	0 / 6
Outcomes per Pregnancy						
Number of pregnancies	74	53	52	30	9	0
Percentage of pregnancies resulting in singleton live births	75.7	54.7	61.5	40.0	4 / 9	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 9	
Percentage of pregnancies resulting in live births	93.2	79.2	78.8	50.0	4 / 9	
Frozen Embryos from Nondonor Eggs						
Number of cycles	63	69	72	27	25	6
Number of transfers	56	63	64	23	22	4
Estimated average number of transfers per retrieval	0.9	0.7	0.7	0.4	0.4	0.2
Average number of embryos transferred	1.6	1.7	1.9	2.3	2.5	2.3
Percentage of embryos transferred resulting in implantation	41.3	35.2	19.7	17.0	10.7	2 / 9
Percentage of transfers resulting in singleton live births	37.5	30.2	23.4	39.1	4.5	2 / 4
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 4
Percentage of transfers resulting in live births	50.0	41.3	25.0	39.1	4.5	2 / 4
Percentage of transfers resulting in pregnancy	62.5	52.4	40.6	39.1	31.8	2 / 4

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	34	41
Number of transfers	33	36
Average number of embryos transferred	1.6	1.8
Percentage of embryos transferred resulting in implantation	54.7	22.2
Percentage of transfers resulting in singleton live births	36.4	30.6
Percentage of transfers resulting in live births	60.6	33.3
Percentage of transfers resulting in pregnancy	60.6	41.7

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Partners-Redondo Beach

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTHERN CALIFORNIA FERTILITY MEDICAL CENTER
ROSEVILLE, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Carlos E. Soto-Albors, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	74%
Unstimulated	0%	Used PGD	6%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	19%	Uterine factor	8%	*Multiple Factors:*	
Ovulatory dysfunction	19%	Male factor	56%	Female factors only	17%
Diminished ovarian reserve	31%	Other factor	28%	Female & male factors	41%
Endometriosis	13%	Unknown factor	3%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 568 (includes 21 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	134	57	66	31	16	6
Percentage of cancellations	5.2	3.5	9.1	6.5	4 / 16	0 / 6
Average number of embryos transferred	2.1	2.1	2.6	2.5	2.3	3.3
Percentage of embryos transferred resulting in implantation	33.1	26.0	20.6	8.3	0 / 18	0.0
Percentage of elective single embryo transfer (eSET)	3.5	4.5	2.2	0 / 19	0 / 7	0 / 5
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	29.9	28.1	18.2	6.5	0 / 16	0 / 6
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 16	0 / 6
Percentage of cycles resulting in live births	41.8	33.3	25.8	6.5	0 / 16	0 / 6
Percentage of cycles resulting in pregnancy	46.3	36.8	36.4	16.1	0 / 16	1 / 6
Outcomes per Transfer						
Number of transfers	119	47	52	24	8	6
Percentage of transfers resulting in singleton live births	33.6	34.0	23.1	8.3	0 / 8	0 / 6
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 8	0 / 6
Percentage of transfers resulting in live births	47.1	40.4	32.7	8.3	0 / 8	0 / 6
Percentage of transfers resulting in pregnancy	52.1	44.7	46.2	20.8	0 / 8	1 / 6
Outcomes per Pregnancy						
Number of pregnancies	62	21	24	5	0	1
Percentage of pregnancies resulting in singleton live births	64.5	76.2	50.0	2 / 5		0 / 1
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 5		0 / 1
Percentage of pregnancies resulting in live births	90.3	90.5	70.8	2 / 5		0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	68	51	26	9	2	2
Number of transfers	59	44	22	9	1	2
Estimated average number of transfers per retrieval	2.0	2.1	2.0	1.5	0.5	2.0
Average number of embryos transferred	2.0	2.0	1.5	1.8	1.0	2.5
Percentage of embryos transferred resulting in implantation	51.3	28.7	44.1	5 / 16	0 / 1	1 / 5
Percentage of transfers resulting in singleton live births	39.0	20.5	18.2	2 / 9	0 / 1	0 / 2
Percentage of transfers resulting in triplets or more live births	1.7	0.0	0.0	0 / 9	0 / 1	0 / 2
Percentage of transfers resulting in live births	64.4	36.4	40.9	3 / 9	0 / 1	0 / 2
Percentage of transfers resulting in pregnancy	67.8	47.7	45.5	4 / 9	0 / 1	1 / 2

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	44	35
Number of transfers	40	30
Average number of embryos transferred	1.9	1.8
Percentage of embryos transferred resulting in implantation	57.3	39.6
Percentage of transfers resulting in singleton live births	42.5	23.3
Percentage of transfers resulting in live births	67.5	40.0
Percentage of transfers resulting in pregnancy	77.5	53.3

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Northern California Fertility Medical Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

KAISER PERMANENTE CENTER FOR REPRODUCTIVE HEALTH-SACRAMENTO
SACRAMENTO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Kenneth Vu, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	74%
Unstimulated	1%	Used PGD	9%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	13%	Uterine factor	1%	*Multiple Factors:*	
Ovulatory dysfunction	14%	Male factor	47%	Female factors only	4%
Diminished ovarian reserve	26%	Other factor	3%	Female & male factors	14%
Endometriosis	5%	Unknown factor	11%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 285 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	85	46	28	20	8	0
Percentage of cancellations	2.4	4.3	0.0	5.0	0 / 8	
Average number of embryos transferred	1.9	2.3	2.9	2.9	3.6	
Percentage of embryos transferred resulting in implantation	42.4	23.8	30.7	12.5	8.0	
Percentage of elective single embryo transfer (eSET)	23.7	4.8	3.8	0 / 17	0 / 5	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	38.8	30.4	28.6	25.0	1 / 8	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	3.6	0.0	0 / 8	
Percentage of cycles resulting in live births	50.6	37.0	42.9	25.0	1 / 8	
Percentage of cycles resulting in pregnancy	57.6	41.3	60.7	35.0	1 / 8	
Outcomes per Transfer						
Number of transfers	76	44	26	19	7	0
Percentage of transfers resulting in singleton live births	43.4	31.8	30.8	5 / 19	1 / 7	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	3.8	0 / 19	0 / 7	
Percentage of transfers resulting in live births	56.6	38.6	46.2	5 / 19	1 / 7	
Percentage of transfers resulting in pregnancy	64.5	43.2	65.4	7 / 19	1 / 7	
Outcomes per Pregnancy						
Number of pregnancies	49	19	17	7	1	0
Percentage of pregnancies resulting in singleton live births	67.3	14 / 19	8 / 17	5 / 7	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 19	1 / 17	0 / 7	0 / 1	
Percentage of pregnancies resulting in live births	87.8	17 / 19	12 / 17	5 / 7	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	39	17	11	4	0	0
Number of transfers	39	17	11	4	0	0
Estimated average number of transfers per retrieval	1.6	1.7	3.7	2.0		
Average number of embryos transferred	1.7	1.9	1.8	2.3		
Percentage of embryos transferred resulting in implantation	40.3	25.0	50.0	3 / 9		
Percentage of transfers resulting in singleton live births	28.2	4 / 17	4 / 11	0 / 4		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 17	0 / 11	0 / 4		
Percentage of transfers resulting in live births	41.0	4 / 17	6 / 11	1 / 4		
Percentage of transfers resulting in pregnancy	48.7	6 / 17	7 / 11	3 / 4		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	14	13
Number of transfers	12	13
Average number of embryos transferred	1.7	1.7
Percentage of embryos transferred resulting in implantation	25.0	40.9
Percentage of transfers resulting in singleton live births	3 / 12	5 / 13
Percentage of transfers resulting in live births	4 / 12	7 / 13
Percentage of transfers resulting in pregnancy	4 / 12	7 / 13

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2012. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY SPECIALISTS MEDICAL GROUP
SAN DIEGO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Arlene J. Morales, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	84%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	8%	Uterine factor	10%	*Multiple Factors:*	
Ovulatory dysfunction	15%	Male factor	66%	Female factors only	7%
Diminished ovarian reserve	41%	Other factor	7%	Female & male factors	37%
Endometriosis	5%	Unknown factor	2%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 300 (includes 58 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	45	34	23	11	0	1
Percentage of cancellations	8.9	17.6	26.1	0 / 11		0 / 1
Average number of embryos transferred	1.3	2.1	2.4	2.4		4.0
Percentage of embryos transferred resulting in implantation	50.0	18.9	23.5	12.5		0 / 4
Percentage of elective single embryo transfer (eSET)	67.6	16.7	0 / 11	0 / 9		0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	33.3	26.5	13.0	0 / 11		0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 11		0 / 1
Percentage of cycles resulting in live births	40.0	26.5	21.7	1 / 11		0 / 1
Percentage of cycles resulting in pregnancy	44.4	32.4	21.7	2 / 11		0 / 1
Outcomes per Transfer						
Number of transfers	37	25	14	10	0	1
Percentage of transfers resulting in singleton live births	40.5	36.0	3 / 14	0 / 10		0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 14	0 / 10		0 / 1
Percentage of transfers resulting in live births	48.6	36.0	5 / 14	1 / 10		0 / 1
Percentage of transfers resulting in pregnancy	54.1	44.0	5 / 14	2 / 10		0 / 1
Outcomes per Pregnancy						
Number of pregnancies	20	11	5	2	0	0
Percentage of pregnancies resulting in singleton live births	75.0	9 / 11	3 / 5	0 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 11	0 / 5	0 / 2		
Percentage of pregnancies resulting in live births	90.0	9 / 11	5 / 5	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	53	20	17	6	0	0
Number of transfers	50	19	16	5	0	0
Estimated average number of transfers per retrieval	1.5	1.0	1.0	0.5		0.0
Average number of embryos transferred	1.9	1.8	2.1	2.6		
Percentage of embryos transferred resulting in implantation	39.4	23.5	17.6	1 / 13		
Percentage of transfers resulting in singleton live births	44.0	5 / 19	4 / 16	0 / 5		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 19	0 / 16	0 / 5		
Percentage of transfers resulting in live births	54.0	6 / 19	4 / 16	0 / 5		
Percentage of transfers resulting in pregnancy	68.0	7 / 19	4 / 16	2 / 5		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	20	12
Number of transfers	20	12
Average number of embryos transferred	1.6	1.9
Percentage of embryos transferred resulting in implantation	45.2	30.4
Percentage of transfers resulting in singleton live births	45.0	6 / 12
Percentage of transfers resulting in live births	55.0	6 / 12
Percentage of transfers resulting in pregnancy	60.0	7 / 12

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Specialists Medical Group

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NTC INFERTILITY CLINIC
SAN DIEGO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Larry R. Laufer, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	94%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	31%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	13%	Male factor	28%	Female factors only	1%
Diminished ovarian reserve	5%	Other factor	9%	Female & male factors	7%
Endometriosis	<1%	Unknown factor	23%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 205 (includes 9 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	64	20	15	5	0	0
Percentage of cancellations	4.7	0.0	2 / 15	0 / 5		
Average number of embryos transferred	1.9	2.0	2.1	2.0		
Percentage of embryos transferred resulting in implantation	42.9	27.8	33.3	2 / 10		
Percentage of elective single embryo transfer (eSET)	8.5	0 / 18	0 / 10	0 / 4		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	15.6	15.0	1 / 15	1 / 5		
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 15	0 / 5		
Percentage of cycles resulting in live births	31.3	25.0	2 / 15	1 / 5		
Percentage of cycles resulting in pregnancy	46.9	40.0	5 / 15	2 / 5		
Outcomes per Transfer						
Number of transfers	48	18	10	5	0	0
Percentage of transfers resulting in singleton live births	20.8	3 / 18	1 / 10	1 / 5		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 18	0 / 10	0 / 5		
Percentage of transfers resulting in live births	41.7	5 / 18	2 / 10	1 / 5		
Percentage of transfers resulting in pregnancy	62.5	8 / 18	5 / 10	2 / 5		
Outcomes per Pregnancy						
Number of pregnancies	30	8	5	2	0	0
Percentage of pregnancies resulting in singleton live births	33.3	3 / 8	1 / 5	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 8	0 / 5	0 / 2		
Percentage of pregnancies resulting in live births	66.7	5 / 8	2 / 5	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	46	29	4	2	2	0
Number of transfers	46	29	4	2	2	0
Estimated average number of transfers per retrieval	2.2	4.1	4.0	2.0		
Average number of embryos transferred	1.9	1.9	2.0	2.5	2.0	
Percentage of embryos transferred resulting in implantation	40.2	27.3	1 / 8	1 / 5	0 / 4	
Percentage of transfers resulting in singleton live births	28.3	27.6	0 / 4	1 / 2	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 4	0 / 2	0 / 2	
Percentage of transfers resulting in live births	47.8	37.9	0 / 4	1 / 2	0 / 2	
Percentage of transfers resulting in pregnancy	54.3	48.3	1 / 4	1 / 2	0 / 2	

	All Ages Combined[f]	
Donor Eggs	**Fresh Embryos**	**Frozen Embryos**
Number of cycles	6	3
Number of transfers	4	3
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation	1 / 8	2 / 6
Percentage of transfers resulting in singleton live births	1 / 4	0 / 3
Percentage of transfers resulting in live births	1 / 4	1 / 3
Percentage of transfers resulting in pregnancy	2 / 4	1 / 3

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Naval Medical Center San Diego Infertility Clinic

Donor egg?	No	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SAN DIEGO FERTILITY CENTER (SDFC)
SAN DIEGO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by William P. Hummel, MD

Type of ART and Procedural Factors[a]

IVF	>99%	With ICSI	92%
Unstimulated	1%	Used PGD	5%
Used gestational carrier	1%		

Patient Diagnosis[b]

Tubal factor	7%	Uterine factor	8%	*Multiple Factors:*	
Ovulatory dysfunction	5%	Male factor	35%	Female factors only	10%
Diminished ovarian reserve	57%	Other factor	6%	Female & male factors	17%
Endometriosis	6%	Unknown factor	6%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 765 (includes 49 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	100	61	57	38	25	2
Percentage of cancellations	4.0	6.6	3.5	10.5	20.0	0 / 2
Average number of embryos transferred	2.2	2.2	2.5	2.8	2.8	4.0
Percentage of embryos transferred resulting in implantation	37.6	17.4	11.6	11.4	3.6	0 / 8
Percentage of elective single embryo transfer (eSET)	3.3	7.5	4.2	0.0	0 / 18	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.0	16.4	17.5	18.4	4.0	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 2
Percentage of cycles resulting in live births	45.0	21.3	19.3	18.4	4.0	0 / 2
Percentage of cycles resulting in pregnancy	52.0	29.5	22.8	28.9	12.0	1 / 2
Outcomes per Transfer						
Number of transfers	93	55	52	31	20	2
Percentage of transfers resulting in singleton live births	24.7	18.2	19.2	22.6	5.0	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 2
Percentage of transfers resulting in live births	48.4	23.6	21.2	22.6	5.0	0 / 2
Percentage of transfers resulting in pregnancy	55.9	32.7	25.0	35.5	15.0	1 / 2
Outcomes per Pregnancy						
Number of pregnancies	52	18	13	11	3	1
Percentage of pregnancies resulting in singleton live births	44.2	10 / 18	10 / 13	7 / 11	1 / 3	0 / 1
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 18	0 / 13	0 / 11	0 / 3	0 / 1
Percentage of pregnancies resulting in live births	86.5	13 / 18	11 / 13	7 / 11	1 / 3	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	37	33	35	5	7	1
Number of transfers	37	32	34	5	7	1
Estimated average number of transfers per retrieval	1.5	1.5	1.1	0.5	1.0	0.2
Average number of embryos transferred	2.1	2.0	2.0	2.4	1.7	2.0
Percentage of embryos transferred resulting in implantation	19.2	18.8	19.1	2 / 12	0 / 12	0 / 2
Percentage of transfers resulting in singleton live births	21.6	25.0	26.5	0 / 5	0 / 7	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 5	0 / 7	0 / 1
Percentage of transfers resulting in live births	27.0	31.3	29.4	0 / 5	0 / 7	0 / 1
Percentage of transfers resulting in pregnancy	35.1	34.4	38.2	2 / 5	0 / 7	0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	187	128
Number of transfers	184	123
Average number of embryos transferred	2.0	2.1
Percentage of embryos transferred resulting in implantation	60.4	29.5
Percentage of transfers resulting in singleton live births	37.5	34.1
Percentage of transfers resulting in live births	72.3	45.5
Percentage of transfers resulting in pregnancy	82.1	56.9

CURRENT CLINIC SERVICES AND PROFILE

Current Name: San Diego Fertility Center (SDFC)

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WILLIAMS OB/GYN ASSOCIATES
SAN DIMAS, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Richard Williams, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	87%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	7%		

Patient Diagnosis[b]

Tubal factor	5%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	0%	Male factor	14%	Female factors only	0%
Diminished ovarian reserve	0%	Other factor	10%	Female & male factors	0%
Endometriosis	0%	Unknown factor	67%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 21 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	4	4	1	3	2	1
Percentage of cancellations	0 / 4	0 / 4	0 / 1	0 / 3	0 / 2	0 / 1
Average number of embryos transferred	1.8	2.5		4.3	3.5	2.0
Percentage of embryos transferred resulting in implantation	3 / 7	0 / 10		1 / 13	0 / 7	0 / 2
Percentage of elective single embryo transfer (eSET)	0 / 2	0 / 3		0 / 3	0 / 2	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	1 / 4	0 / 4	0 / 1	1 / 3	0 / 2	0 / 1
Percentage of cycles resulting in triplets or more live births	0 / 4	0 / 4	0 / 1	0 / 3	0 / 2	0 / 1
Percentage of cycles resulting in live births	1 / 4	0 / 4	0 / 1	1 / 3	0 / 2	0 / 1
Percentage of cycles resulting in pregnancy	2 / 4	0 / 4	0 / 1	1 / 3	0 / 2	0 / 1
Outcomes per Transfer						
Number of transfers	4	4	0	3	2	1
Percentage of transfers resulting in singleton live births	1 / 4	0 / 4		1 / 3	0 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 4		0 / 3	0 / 2	0 / 1
Percentage of transfers resulting in live births	1 / 4	0 / 4		1 / 3	0 / 2	0 / 1
Percentage of transfers resulting in pregnancy	2 / 4	0 / 4		1 / 3	0 / 2	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	2	0	0	1	0	0
Percentage of pregnancies resulting in singleton live births	1 / 2			1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 2			0 / 1		
Percentage of pregnancies resulting in live births	1 / 2			1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	0	0	1	1	0
Number of transfers	1	0	0	1	0	0
Estimated average number of transfers per retrieval				1.0		
Average number of embryos transferred	3.0			2.0		
Percentage of embryos transferred resulting in implantation	2 / 3			0 / 2		
Percentage of transfers resulting in singleton live births	0 / 1			0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 1			0 / 1		
Percentage of transfers resulting in live births	1 / 1			0 / 1		
Percentage of transfers resulting in pregnancy	1 / 1			0 / 1		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	2	1
Number of transfers	2	0
Average number of embryos transferred	2.5	
Percentage of embryos transferred resulting in implantation	1 / 5	
Percentage of transfers resulting in singleton live births	1 / 2	
Percentage of transfers resulting in live births	1 / 2	
Percentage of transfers resulting in pregnancy	1 / 2	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Williams OB/GYN Associates

Donor egg?	No	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

LAUREL FERTILITY CARE
SAN FRANCISCO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Collin B. Smikle, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	83%
Unstimulated	0%	Used PGD	19%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	12%	Uterine factor	8%	*Multiple Factors:*	
Ovulatory dysfunction	12%	Male factor	30%	Female factors only	7%
Diminished ovarian reserve	35%	Other factor	6%	Female & male factors	15%
Endometriosis	4%	Unknown factor	19%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 190 (includes 19 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	44	22	24	15	13	1
Percentage of cancellations	0.0	0.0	8.3	0 / 15	3 / 13	0 / 1
Average number of embryos transferred	1.9	2.0	2.1	3.2	3.7	
Percentage of embryos transferred resulting in implantation	42.6	28.2	30.0	14.6	6.1	
Percentage of elective single embryo transfer (eSET)	15.2	2 / 18	0 / 14	1 / 11	0 / 9	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	36.4	36.4	29.2	0 / 15	1 / 13	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 15	0 / 13	0 / 1
Percentage of cycles resulting in live births	45.5	40.9	33.3	1 / 15	1 / 13	0 / 1
Percentage of cycles resulting in pregnancy	52.3	45.5	45.8	5 / 15	2 / 13	0 / 1
Outcomes per Transfer						
Number of transfers	36	20	19	13	9	0
Percentage of transfers resulting in singleton live births	44.4	40.0	7 / 19	0 / 13	1 / 9	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 19	0 / 13	0 / 9	
Percentage of transfers resulting in live births	55.6	45.0	8 / 19	1 / 13	1 / 9	
Percentage of transfers resulting in pregnancy	63.9	50.0	11 / 19	5 / 13	2 / 9	
Outcomes per Pregnancy						
Number of pregnancies	23	10	11	5	2	0
Percentage of pregnancies resulting in singleton live births	69.6	8 / 10	7 / 11	0 / 5	1 / 2	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 10	0 / 11	0 / 5	0 / 2	
Percentage of pregnancies resulting in live births	87.0	9 / 10	8 / 11	1 / 5	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	12	8	4	5	2	4
Number of transfers	12	8	4	5	2	4
Estimated average number of transfers per retrieval	1.5	2.7	0.7	0.5	0.4	
Average number of embryos transferred	1.9	2.1	2.3	1.8	2.5	2.3
Percentage of embryos transferred resulting in implantation	60.9	4 / 17	2 / 9	3 / 9	2 / 5	4 / 9
Percentage of transfers resulting in singleton live births	6 / 12	3 / 8	1 / 4	2 / 5	0 / 2	1 / 4
Percentage of transfers resulting in triplets or more live births	0 / 12	0 / 8	0 / 4	0 / 5	0 / 2	0 / 4
Percentage of transfers resulting in live births	9 / 12	3 / 8	1 / 4	2 / 5	0 / 2	2 / 4
Percentage of transfers resulting in pregnancy	10 / 12	4 / 8	2 / 4	3 / 5	2 / 2	2 / 4

	All Ages Combined[f]	
Donor Eggs	**Fresh Embryos**	**Frozen Embryos**
Number of cycles	12	5
Number of transfers	11	5
Average number of embryos transferred	1.5	2.2
Percentage of embryos transferred resulting in implantation	10 / 17	5 / 11
Percentage of transfers resulting in singleton live births	6 / 11	4 / 5
Percentage of transfers resulting in live births	6 / 11	4 / 5
Percentage of transfers resulting in pregnancy	8 / 11	4 / 5

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Laurel Fertility Care

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PACIFIC FERTILITY CENTER
SAN FRANCISCO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Philip E. Chenette, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	40%
Unstimulated	<1%	Used PGD	1%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	6%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	7%	Male factor	26%	Female factors only	11%
Diminished ovarian reserve	47%	Other factor	24%	Female & male factors	15%
Endometriosis	7%	Unknown factor	6%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 1,416 (includes 260 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	113	103	140	82	42	8
Percentage of cancellations	13.3	15.5	18.6	28.0	52.4	4 / 8
Average number of embryos transferred	1.7	2.1	2.7	3.2	4.2	6.0
Percentage of embryos transferred resulting in implantation	31.2	24.7	17.7	9.2	2.8	1 / 18
Percentage of elective single embryo transfer (eSET)	42.7	17.3	4.8	0.0	0 / 15	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.1	20.4	14.3	9.8	0.0	1 / 8
Percentage of cycles resulting in triplets or more live births	0.0	1.0	0.0	0.0	0.0	0 / 8
Percentage of cycles resulting in live births	32.7	25.2	17.1	11.0	2.4	1 / 8
Percentage of cycles resulting in pregnancy	38.1	34.0	28.6	17.1	2.4	1 / 8
Outcomes per Transfer						
Number of transfers	92	82	111	54	18	3
Percentage of transfers resulting in singleton live births	37.0	25.6	18.0	14.8	0 / 18	1 / 3
Percentage of transfers resulting in triplets or more live births	0.0	1.2	0.0	0.0	0 / 18	0 / 3
Percentage of transfers resulting in live births	40.2	31.7	21.6	16.7	1 / 18	1 / 3
Percentage of transfers resulting in pregnancy	46.7	42.7	36.0	25.9	1 / 18	1 / 3
Outcomes per Pregnancy						
Number of pregnancies	43	35	40	14	1	1
Percentage of pregnancies resulting in singleton live births	79.1	60.0	50.0	8 / 14	0 / 1	1 / 1
Percentage of pregnancies resulting in triplets or more live births	0.0	2.9	0.0	0 / 14	0 / 1	0 / 1
Percentage of pregnancies resulting in live births	86.0	74.3	60.0	9 / 14	1 / 1	1 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	93	93	74	51	18	22
Number of transfers	86	78	64	42	16	18
Estimated average number of transfers per retrieval	1.6	0.9	0.6	0.9	0.5	1.5
Average number of embryos transferred	1.3	1.4	1.6	1.7	1.4	1.8
Percentage of embryos transferred resulting in implantation	54.5	55.6	49.5	23.9	21.7	28.1
Percentage of transfers resulting in singleton live births	34.9	51.3	43.8	28.6	4 / 16	6 / 18
Percentage of transfers resulting in triplets or more live births	1.2	1.3	0.0	0.0	0 / 16	0 / 18
Percentage of transfers resulting in live births	50.0	60.3	53.1	31.0	4 / 16	7 / 18
Percentage of transfers resulting in pregnancy	55.8	66.7	64.1	45.2	4 / 16	7 / 18

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	122	195
Number of transfers	116	177
Average number of embryos transferred	1.3	1.3
Percentage of embryos transferred resulting in implantation	54.1	31.5
Percentage of transfers resulting in singleton live births	44.8	27.7
Percentage of transfers resulting in live births	51.7	31.6
Percentage of transfers resulting in pregnancy	61.2	45.2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Pacific Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UCSF CENTER FOR REPRODUCTIVE HEALTH
SAN FRANCISCO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Marcelle I. Cedars, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	64%
Unstimulated	<1%	Used PGD	2%
Used gestational carrier	1%		

Patient Diagnosis[b]

Tubal factor	8%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	6%	Male factor	28%	Female factors only	8%
Diminished ovarian reserve	40%	Other factor	8%	Female & male factors	14%
Endometriosis	5%	Unknown factor	24%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 1,328 (includes 185 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	126	130	156	117	50	12
Percentage of cancellations	11.1	17.7	18.6	21.4	18.0	6 / 12
Average number of embryos transferred	1.6	2.0	2.7	3.8	4.6	5.0
Percentage of embryos transferred resulting in implantation	41.4	30.1	14.2	9.5	1.2	0.0
Percentage of elective single embryo transfer (eSET)	40.4	13.5	4.1	0.0	2.9	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.2	23.8	17.9	14.5	2.0	0 / 12
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 12
Percentage of cycles resulting in live births	38.1	31.5	19.2	16.2	2.0	0 / 12
Percentage of cycles resulting in pregnancy	42.1	37.7	27.6	28.2	12.0	0 / 12
Outcomes per Transfer						
Number of transfers	96	93	109	85	37	5
Percentage of transfers resulting in singleton live births	39.6	33.3	25.7	20.0	2.7	0 / 5
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 5
Percentage of transfers resulting in live births	50.0	44.1	27.5	22.4	2.7	0 / 5
Percentage of transfers resulting in pregnancy	55.2	52.7	39.4	38.8	16.2	0 / 5
Outcomes per Pregnancy						
Number of pregnancies	53	49	43	33	6	0
Percentage of pregnancies resulting in singleton live births	71.7	63.3	65.1	51.5	1 / 6	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 6	
Percentage of pregnancies resulting in live births	90.6	83.7	69.8	57.6	1 / 6	
Frozen Embryos from Nondonor Eggs						
Number of cycles	90	99	94	52	37	6
Number of transfers	78	94	88	52	31	6
Estimated average number of transfers per retrieval	1.0	1.3	0.9	1.4	1.0	1.0
Average number of embryos transferred	1.5	1.7	2.3	2.9	3.1	3.5
Percentage of embryos transferred resulting in implantation	42.1	28.0	23.1	12.8	8.2	14.3
Percentage of transfers resulting in singleton live births	47.4	33.0	21.6	19.2	12.9	2 / 6
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 6
Percentage of transfers resulting in live births	52.6	37.2	33.0	25.0	16.1	2 / 6
Percentage of transfers resulting in pregnancy	56.4	44.7	44.3	40.4	29.0	3 / 6

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	87	87
Number of transfers	75	78
Average number of embryos transferred	1.4	1.7
Percentage of embryos transferred resulting in implantation	69.5	29.8
Percentage of transfers resulting in singleton live births	53.3	33.3
Percentage of transfers resulting in live births	70.7	38.5
Percentage of transfers resulting in pregnancy	80.0	51.3

CURRENT CLINIC SERVICES AND PROFILE

Current Name: UCSF Center for Reproductive Health

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY PHYSICIANS OF NORTHERN CALIFORNIA
SAN JOSE, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by G. David Adamson, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	71%
Unstimulated	<1%	Used PGD	5%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	14%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	10%	Male factor	47%	Female factors only	12%
Diminished ovarian reserve	46%	Other factor	14%	Female & male factors	29%
Endometriosis	8%	Unknown factor	7%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 552 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	90	82	61	40	37	11
Percentage of cancellations	5.6	3.7	11.5	7.5	18.9	0 / 11
Average number of embryos transferred	1.8	1.9	2.6	3.2	3.3	3.7
Percentage of embryos transferred resulting in implantation	34.2	30.9	12.6	9.9	2.4	3.0
Percentage of elective single embryo transfer (eSET)	13.2	17.1	0.0	0.0	0.0	0 / 9
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	34.4	36.6	19.7	15.0	5.4	1 / 11
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 11
Percentage of cycles resulting in live births	42.2	43.9	23.0	17.5	5.4	1 / 11
Percentage of cycles resulting in pregnancy	50.0	47.6	37.7	37.5	16.2	2 / 11
Outcomes per Transfer						
Number of transfers	80	75	51	35	26	9
Percentage of transfers resulting in singleton live births	38.8	40.0	23.5	17.1	7.7	1 / 9
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 9
Percentage of transfers resulting in live births	47.5	48.0	27.5	20.0	7.7	1 / 9
Percentage of transfers resulting in pregnancy	56.3	52.0	45.1	42.9	23.1	2 / 9
Outcomes per Pregnancy						
Number of pregnancies	45	39	23	15	6	2
Percentage of pregnancies resulting in singleton live births	68.9	76.9	52.2	6 / 15	2 / 6	1 / 2
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 15	0 / 6	0 / 2
Percentage of pregnancies resulting in live births	84.4	92.3	60.9	7 / 15	2 / 6	1 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	59	46	41	12	6	0
Number of transfers	58	45	41	11	6	0
Estimated average number of transfers per retrieval	2.4	4.1	2.9	11.0	2.0	
Average number of embryos transferred	1.8	1.7	1.9	2.4	2.3	
Percentage of embryos transferred resulting in implantation	23.5	28.2	16.9	7.7	0 / 14	
Percentage of transfers resulting in singleton live births	31.0	20.0	17.1	2 / 11	0 / 6	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 11	0 / 6	
Percentage of transfers resulting in live births	36.2	33.3	24.4	2 / 11	0 / 6	
Percentage of transfers resulting in pregnancy	37.9	37.8	31.7	2 / 11	0 / 6	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	24	42
Number of transfers	24	42
Average number of embryos transferred	1.7	1.7
Percentage of embryos transferred resulting in implantation	43.9	20.8
Percentage of transfers resulting in singleton live births	41.7	19.0
Percentage of transfers resulting in live births	54.2	26.2
Percentage of transfers resulting in pregnancy	66.7	35.7

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Physicians of Northern California

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2012 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2012 ART cycle data or the clinic's Medical Director did not approve the clinic's 2012 ART cycle data for inclusion in this report.

DR. AIMEE EYVAZZADEH
SAN RAMON, CALIFORNIA

This clinic provided ART services during 2012 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2012 ART cycle data or the clinic's Medical Director did not approve the clinic's 2012 ART cycle data for inclusion in this report.

REPRODUCTIVE SCIENCE CENTER OF THE SAN FRANCISCO BAY AREA
SAN RAMON, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Louis N. Weckstein, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	67%
Unstimulated	0%	Used PGD	7%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	13%	Uterine factor	8%	*Multiple Factors:*	
Ovulatory dysfunction	13%	Male factor	32%	Female factors only	16%
Diminished ovarian reserve	40%	Other factor	15%	Female & male factors	20%
Endometriosis	7%	Unknown factor	12%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 1,139 (includes 11 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	211	134	142	62	28	2
Percentage of cancellations	5.2	10.4	9.9	19.4	17.9	0 / 2
Average number of embryos transferred	1.6	2.0	2.5	3.0	3.5	4.0
Percentage of embryos transferred resulting in implantation	45.6	32.0	21.4	18.3	6.3	0 / 8
Percentage of elective single embryo transfer (eSET)	39.7	25.0	4.0	2.4	0.0	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	29.9	26.1	21.1	16.1	3.6	0 / 2
Percentage of cycles resulting in triplets or more live births	0.9	1.5	0.0	0.0	0.0	0 / 2
Percentage of cycles resulting in live births	42.7	32.8	25.4	19.4	7.1	0 / 2
Percentage of cycles resulting in pregnancy	50.7	38.1	34.5	37.1	21.4	0 / 2
Outcomes per Transfer						
Number of transfers	181	102	106	43	23	2
Percentage of transfers resulting in singleton live births	34.8	34.3	28.3	23.3	4.3	0 / 2
Percentage of transfers resulting in triplets or more live births	1.1	2.0	0.0	0.0	0.0	0 / 2
Percentage of transfers resulting in live births	49.7	43.1	34.0	27.9	8.7	0 / 2
Percentage of transfers resulting in pregnancy	59.1	50.0	46.2	53.5	26.1	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	107	51	49	23	6	0
Percentage of pregnancies resulting in singleton live births	58.9	68.6	61.2	43.5	1 / 6	
Percentage of pregnancies resulting in triplets or more live births	1.9	3.9	0.0	0.0	0 / 6	
Percentage of pregnancies resulting in live births	84.1	86.3	73.5	52.2	2 / 6	
Frozen Embryos from Nondonor Eggs						
Number of cycles	133	85	65	27	17	6
Number of transfers	122	75	60	24	13	5
Estimated average number of transfers per retrieval	2.3	1.9	2.1	1.6	4.3	
Average number of embryos transferred	1.6	1.7	1.7	1.9	1.7	1.6
Percentage of embryos transferred resulting in implantation	41.5	30.8	29.8	22.2	4.5	2 / 8
Percentage of transfers resulting in singleton live births	38.5	32.0	35.0	29.2	1 / 13	1 / 5
Percentage of transfers resulting in triplets or more live births	0.0	1.3	0.0	0.0	0 / 13	0 / 5
Percentage of transfers resulting in live births	46.7	37.3	38.3	33.3	1 / 13	1 / 5
Percentage of transfers resulting in pregnancy	58.2	46.7	51.7	37.5	3 / 13	2 / 5

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	101	115
Number of transfers	96	96
Average number of embryos transferred	1.5	1.6
Percentage of embryos transferred resulting in implantation	62.9	27.4
Percentage of transfers resulting in singleton live births	47.9	29.2
Percentage of transfers resulting in live births	65.6	32.3
Percentage of transfers resulting in pregnancy	74.0	43.8

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Science Center of the San Francisco Bay Area

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SANTA BARBARA FERTILITY CENTER
SANTA BARBARA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by René B. Allen, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	83%
Unstimulated	2%	Used PGD	4%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	10%	Uterine factor	6%	*Multiple Factors:*	
Ovulatory dysfunction	9%	Male factor	30%	Female factors only	3%
Diminished ovarian reserve	30%	Other factor	9%	Female & male factors	10%
Endometriosis	8%	Unknown factor	21%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 99 (includes 9 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	18	10	11	9	9	0
Percentage of cancellations	0 / 18	3 / 10	1 / 11	2 / 9	1 / 9	
Average number of embryos transferred	2.1	2.5	3.1	3.1	4.0	
Percentage of embryos transferred resulting in implantation	35.3	1 / 15	12.9	9.1	0.0	
Percentage of elective single embryo transfer (eSET)	1 / 16	0 / 6	0 / 10	0 / 6	0 / 5	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	6 / 18	1 / 10	2 / 11	1 / 9	0 / 9	
Percentage of cycles resulting in triplets or more live births	0 / 18	0 / 10	0 / 11	0 / 9	0 / 9	
Percentage of cycles resulting in live births	9 / 18	1 / 10	3 / 11	1 / 9	0 / 9	
Percentage of cycles resulting in pregnancy	9 / 18	1 / 10	3 / 11	2 / 9	0 / 9	
Outcomes per Transfer						
Number of transfers	16	6	10	7	5	0
Percentage of transfers resulting in singleton live births	6 / 16	1 / 6	2 / 10	1 / 7	0 / 5	
Percentage of transfers resulting in triplets or more live births	0 / 16	0 / 6	0 / 10	0 / 7	0 / 5	
Percentage of transfers resulting in live births	9 / 16	1 / 6	3 / 10	1 / 7	0 / 5	
Percentage of transfers resulting in pregnancy	9 / 16	1 / 6	3 / 10	2 / 7	0 / 5	
Outcomes per Pregnancy						
Number of pregnancies	9	1	3	2	0	0
Percentage of pregnancies resulting in singleton live births	6 / 9	1 / 1	2 / 3	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	0 / 9	0 / 1	0 / 3	0 / 2		
Percentage of pregnancies resulting in live births	9 / 9	1 / 1	3 / 3	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	9	7	4	1	0	0
Number of transfers	8	7	4	1	0	0
Estimated average number of transfers per retrieval	1.0	2.3	0.8			
Average number of embryos transferred	1.8	2.1	2.0	1.0		
Percentage of embryos transferred resulting in implantation	5 / 14	4 / 15	1 / 8	1 / 1		
Percentage of transfers resulting in singleton live births	0 / 8	2 / 7	1 / 4	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 8	0 / 7	0 / 4	0 / 1		
Percentage of transfers resulting in live births	2 / 8	3 / 7	1 / 4	0 / 1		
Percentage of transfers resulting in pregnancy	4 / 8	3 / 7	1 / 4	1 / 1		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	8	4
Number of transfers	8	4
Average number of embryos transferred	3.0	2.0
Percentage of embryos transferred resulting in implantation	8.3	4 / 8
Percentage of transfers resulting in singleton live births	2 / 8	2 / 4
Percentage of transfers resulting in live births	2 / 8	3 / 4
Percentage of transfers resulting in pregnancy	2 / 8	3 / 4

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Santa Barbara Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PARKER-ROSENMAN-RODI GYNECOLOGY AND INFERTILITY MEDICAL GROUP
SANTA MONICA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Ingrid A. Rodi, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	77%
Unstimulated	5%	Used PGD	14%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	3%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	19%	Male factor	51%	Female factors only	14%
Diminished ovarian reserve	57%	Other factor	8%	Female & male factors	30%
Endometriosis	0%	Unknown factor	0%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 49 (includes 12 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	5	5	7	3	1	1
Percentage of cancellations	0 / 5	1 / 5	2 / 7	1 / 3	0 / 1	0 / 1
Average number of embryos transferred	2.0	2.3	1.8	2.0	3.0	2.0
Percentage of embryos transferred resulting in implantation	1 / 4	1 / 7	2 / 9	1 / 2	0 / 3	0 / 2
Percentage of elective single embryo transfer (eSET)	0 / 2	0 / 3	2 / 5	0 / 1	0 / 1	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	1 / 5	1 / 5	2 / 7	1 / 3	0 / 1	0 / 1
Percentage of cycles resulting in triplets or more live births	0 / 5	0 / 5	0 / 7	0 / 3	0 / 1	0 / 1
Percentage of cycles resulting in live births	1 / 5	1 / 5	2 / 7	1 / 3	0 / 1	0 / 1
Percentage of cycles resulting in pregnancy	1 / 5	1 / 5	3 / 7	1 / 3	0 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	2	3	5	1	1	1
Percentage of transfers resulting in singleton live births	1 / 2	1 / 3	2 / 5	1 / 1	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 2	0 / 3	0 / 5	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in live births	1 / 2	1 / 3	2 / 5	1 / 1	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	1 / 2	1 / 3	3 / 5	1 / 1	0 / 1	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	1	1	3	1	0	0
Percentage of pregnancies resulting in singleton live births	1 / 1	1 / 1	2 / 3	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 1	0 / 1	0 / 3	0 / 1		
Percentage of pregnancies resulting in live births	1 / 1	1 / 1	2 / 3	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	2	4	0	0	0
Number of transfers	2	2	2	0	0	0
Estimated average number of transfers per retrieval	0.7	0.3	0.5			
Average number of embryos transferred	1.5	1.5	2.0			
Percentage of embryos transferred resulting in implantation	3 / 3	0 / 3	0 / 4			
Percentage of transfers resulting in singleton live births	1 / 2	0 / 2	0 / 2			
Percentage of transfers resulting in triplets or more live births	0 / 2	0 / 2	0 / 2			
Percentage of transfers resulting in live births	2 / 2	0 / 2	0 / 2			
Percentage of transfers resulting in pregnancy	2 / 2	0 / 2	0 / 2			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	1	6
Number of transfers	1	4
Average number of embryos transferred	2.0	1.5
Percentage of embryos transferred resulting in implantation	1 / 2	2 / 6
Percentage of transfers resulting in singleton live births	1 / 1	2 / 4
Percentage of transfers resulting in live births	1 / 1	2 / 4
Percentage of transfers resulting in pregnancy	1 / 1	2 / 4

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Santa Monica UCLA GYN Subspecialties Group

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SANTA MONICA FERTILITY
SANTA MONICA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by John K. Jain, MD

Type of ART and Procedural Factors[a]

IVF	86%	With ICSI	94%
Unstimulated	2%	Used PGD	31%
Used gestational carrier	6%		

Patient Diagnosis[b]

Tubal factor	4%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	2%	Male factor	3%	Female factors only	11%
Diminished ovarian reserve	75%	Other factor	25%	Female & male factors	2%
Endometriosis	2%	Unknown factor	2%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 205 (includes 82 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	11	8	9	9	10	2
Percentage of cancellations	0 / 11	0 / 8	0 / 9	0 / 9	1 / 10	0 / 2
Average number of embryos transferred	1.3	1.6	2.3	3.1	5.3	2.0
Percentage of embryos transferred resulting in implantation	4 / 13	3 / 13	0 / 16	16.0	2.7	0 / 2
Percentage of elective single embryo transfer (eSET)	5 / 8	2 / 7	0 / 4	1 / 6	0 / 7	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	3 / 11	1 / 8	0 / 9	2 / 9	0 / 10	0 / 2
Percentage of cycles resulting in triplets or more live births	0 / 11	0 / 8	0 / 9	0 / 9	0 / 10	0 / 2
Percentage of cycles resulting in live births	3 / 11	1 / 8	0 / 9	2 / 9	0 / 10	0 / 2
Percentage of cycles resulting in pregnancy	5 / 11	3 / 8	1 / 9	4 / 9	1 / 10	0 / 2
Outcomes per Transfer						
Number of transfers	11	8	8	8	8	1
Percentage of transfers resulting in singleton live births	3 / 11	1 / 8	0 / 8	2 / 8	0 / 8	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 11	0 / 8	0 / 8	0 / 8	0 / 8	0 / 1
Percentage of transfers resulting in live births	3 / 11	1 / 8	0 / 8	2 / 8	0 / 8	0 / 1
Percentage of transfers resulting in pregnancy	5 / 11	3 / 8	1 / 8	4 / 8	1 / 8	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	5	3	1	4	1	0
Percentage of pregnancies resulting in singleton live births	3 / 5	1 / 3	0 / 1	2 / 4	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 5	0 / 3	0 / 1	0 / 4	0 / 1	
Percentage of pregnancies resulting in live births	3 / 5	1 / 3	0 / 1	2 / 4	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	8	2	3	1	4	1
Number of transfers	8	2	3	1	4	1
Estimated average number of transfers per retrieval	0.5	0.1	0.1	0.1	0.3	0.3
Average number of embryos transferred	1.6	1.5	2.0	3.0	2.0	3.0
Percentage of embryos transferred resulting in implantation	4 / 13	2 / 3	0 / 6	0 / 3	1 / 8	1 / 3
Percentage of transfers resulting in singleton live births	4 / 8	0 / 2	0 / 3	0 / 1	1 / 4	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 8	0 / 2	0 / 3	0 / 1	0 / 4	0 / 1
Percentage of transfers resulting in live births	4 / 8	1 / 2	0 / 3	0 / 1	1 / 4	0 / 1
Percentage of transfers resulting in pregnancy	4 / 8	1 / 2	0 / 3	1 / 1	1 / 4	1 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	33	22
Number of transfers	32	22
Average number of embryos transferred	1.5	1.3
Percentage of embryos transferred resulting in implantation	59.6	31.0
Percentage of transfers resulting in singleton live births	43.8	36.4
Percentage of transfers resulting in live births	59.4	36.4
Percentage of transfers resulting in pregnancy	71.9	40.9

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Santa Monica Fertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY ASSOCIATES MEDICAL GROUP, INC.
SANTA ROSA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Jennifer V. Ratcliffe, MD, PhD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	80%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	22%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	10%	Male factor	25%	Female factors only	16%
Diminished ovarian reserve	36%	Other factor	11%	Female & male factors	12%
Endometriosis	10%	Unknown factor	18%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 223 (includes 33 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	39	18	30	7	10	1
Percentage of cancellations	5.1	0 / 18	23.3	1 / 7	3 / 10	0 / 1
Average number of embryos transferred	1.9	2.7	2.5	2.8	3.0	3.0
Percentage of embryos transferred resulting in implantation	46.2	30.2	10.0	1 / 14	0 / 18	0 / 3
Percentage of elective single embryo transfer (eSET)	11.8	0 / 16	0 / 18	0 / 4	0 / 5	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.1	4 / 18	10.0	1 / 7	0 / 10	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0 / 18	0.0	0 / 7	0 / 10	0 / 1
Percentage of cycles resulting in live births	43.6	7 / 18	10.0	1 / 7	0 / 10	0 / 1
Percentage of cycles resulting in pregnancy	48.7	10 / 18	13.3	1 / 7	1 / 10	1 / 1
Outcomes per Transfer						
Number of transfers	34	16	20	5	6	1
Percentage of transfers resulting in singleton live births	26.5	4 / 16	15.0	1 / 5	0 / 6	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0.0	0 / 5	0 / 6	0 / 1
Percentage of transfers resulting in live births	50.0	7 / 16	15.0	1 / 5	0 / 6	0 / 1
Percentage of transfers resulting in pregnancy	55.9	10 / 16	20.0	1 / 5	1 / 6	1 / 1
Outcomes per Pregnancy						
Number of pregnancies	19	10	4	1	1	1
Percentage of pregnancies resulting in singleton live births	9 / 19	4 / 10	3 / 4	1 / 1	0 / 1	0 / 1
Percentage of pregnancies resulting in triplets or more live births	0 / 19	0 / 10	0 / 4	0 / 1	0 / 1	0 / 1
Percentage of pregnancies resulting in live births	17 / 19	7 / 10	3 / 4	1 / 1	0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	21	11	11	5	1	1
Number of transfers	21	11	10	5	1	1
Estimated average number of transfers per retrieval	1.2	0.9	1.4	0.8	0.2	0.3
Average number of embryos transferred	1.7	1.7	2.5	2.4	1.0	1.0
Percentage of embryos transferred resulting in implantation	41.7	6 / 19	24.0	4 / 12	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births	23.8	2 / 11	2 / 10	2 / 5	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	4.8	0 / 11	0 / 10	0 / 5	0 / 1	0 / 1
Percentage of transfers resulting in live births	42.9	4 / 11	4 / 10	3 / 5	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	57.1	4 / 11	5 / 10	3 / 5	0 / 1	0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	13	22
Number of transfers	12	21
Average number of embryos transferred	1.9	1.7
Percentage of embryos transferred resulting in implantation	56.5	34.3
Percentage of transfers resulting in singleton live births	3 / 12	19.0
Percentage of transfers resulting in live births	7 / 12	33.3
Percentage of transfers resulting in pregnancy	8 / 12	47.6

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Fertility Associates Medical Group, Inc.

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

VALLEY CENTER FOR REPRODUCTIVE HEALTH
TINA KOOPERSMITH, MD
SHERMAN OAKS, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Tina B. Koopersmith, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	59%
Unstimulated	0%	Used PGD	9%
Used gestational carrier	5%		

Patient Diagnosis[b]

Tubal factor	18%	Uterine factor	9%	*Multiple Factors:*	
Ovulatory dysfunction	21%	Male factor	32%	Female factors only	21%
Diminished ovarian reserve	24%	Other factor	15%	Female & male factors	15%
Endometriosis	3%	Unknown factor	18%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 37 (includes 3 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	7	8	4	1	2	0
Percentage of cancellations	0 / 7	0 / 8	0 / 4	0 / 1	0 / 2	
Average number of embryos transferred	1.7	2.1	3.0	2.0	4.0	
Percentage of embryos transferred resulting in implantation	3 / 10	3 / 15	2 / 9	0 / 2	0 / 4	
Percentage of elective single embryo transfer (eSET)	2 / 6	1 / 7	0 / 3	0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	2 / 7	2 / 8	1 / 4	0 / 1	0 / 2	
Percentage of cycles resulting in triplets or more live births	0 / 7	0 / 8	0 / 4	0 / 1	0 / 2	
Percentage of cycles resulting in live births	2 / 7	2 / 8	1 / 4	0 / 1	0 / 2	
Percentage of cycles resulting in pregnancy	3 / 7	3 / 8	1 / 4	0 / 1	0 / 2	
Outcomes per Transfer						
Number of transfers	6	7	3	1	1	0
Percentage of transfers resulting in singleton live births	2 / 6	2 / 7	1 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 7	0 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in live births	2 / 6	2 / 7	1 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	3 / 6	3 / 7	1 / 3	0 / 1	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	3	3	1	0	0	0
Percentage of pregnancies resulting in singleton live births	2 / 3	2 / 3	1 / 1			
Percentage of pregnancies resulting in triplets or more live births	0 / 3	0 / 3	0 / 1			
Percentage of pregnancies resulting in live births	2 / 3	2 / 3	1 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	3	2	1	1	0	0
Number of transfers	3	2	1	1	0	0
Estimated average number of transfers per retrieval	1.0	0.7			0.0	
Average number of embryos transferred	2.0	2.0	1.0	3.0		
Percentage of embryos transferred resulting in implantation	2 / 6	1 / 4	0 / 1	0 / 3		
Percentage of transfers resulting in singleton live births	2 / 3	1 / 2	0 / 1	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 3	0 / 2	0 / 1	0 / 1		
Percentage of transfers resulting in live births	2 / 3	1 / 2	0 / 1	0 / 1		
Percentage of transfers resulting in pregnancy	2 / 3	1 / 2	0 / 1	0 / 1		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	2	3
Number of transfers	2	3
Average number of embryos transferred	1.5	2.0
Percentage of embryos transferred resulting in implantation	1 / 3	0 / 6
Percentage of transfers resulting in singleton live births	0 / 2	0 / 3
Percentage of transfers resulting in live births	0 / 2	0 / 3
Percentage of transfers resulting in pregnancy	1 / 2	0 / 3

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Valley Center for Reproductive Health, Tina Koopersmith, MD

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GARFIELD FERTILITY CENTER
SOUTH PASADENA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Brian C. Su, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	62%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	23%	Uterine factor	15%	*Multiple Factors:*	
Ovulatory dysfunction	19%	Male factor	38%	Female factors only	28%
Diminished ovarian reserve	45%	Other factor	0%	Female & male factors	21%
Endometriosis	15%	Unknown factor	0%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 47 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	13	6	6	4	6	2
Percentage of cancellations	1 / 13	0 / 6	0 / 6	0 / 4	0 / 6	0 / 2
Average number of embryos transferred	2.0	2.0	2.8	2.0	2.6	3.0
Percentage of embryos transferred resulting in implantation	36.4	5 / 10	4 / 11	0 / 8	1 / 13	0 / 6
Percentage of elective single embryo transfer (eSET)	0 / 11	0 / 5	0 / 4	0 / 2	0 / 4	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	6 / 13	3 / 6	1 / 6	0 / 4	0 / 6	0 / 2
Percentage of cycles resulting in triplets or more live births	0 / 13	0 / 6	0 / 6	0 / 4	0 / 6	0 / 2
Percentage of cycles resulting in live births	7 / 13	4 / 6	2 / 6	0 / 4	0 / 6	0 / 2
Percentage of cycles resulting in pregnancy	8 / 13	4 / 6	2 / 6	0 / 4	2 / 6	0 / 2
Outcomes per Transfer						
Number of transfers	11	5	4	4	5	2
Percentage of transfers resulting in singleton live births	6 / 11	3 / 5	1 / 4	0 / 4	0 / 5	0 / 2
Percentage of transfers resulting in triplets or more live births	0 / 11	0 / 5	0 / 4	0 / 4	0 / 5	0 / 2
Percentage of transfers resulting in live births	7 / 11	4 / 5	2 / 4	0 / 4	0 / 5	0 / 2
Percentage of transfers resulting in pregnancy	8 / 11	4 / 5	2 / 4	0 / 4	2 / 5	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	8	4	2	0	2	0
Percentage of pregnancies resulting in singleton live births	6 / 8	3 / 4	1 / 2		0 / 2	
Percentage of pregnancies resulting in triplets or more live births	0 / 8	0 / 4	0 / 2		0 / 2	
Percentage of pregnancies resulting in live births	7 / 8	4 / 4	2 / 2		0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	2	2	0	1	0
Number of transfers	0	2	2	0	1	0
Estimated average number of transfers per retrieval		2.0	1.0			
Average number of embryos transferred		2.0	2.0		3.0	
Percentage of embryos transferred resulting in implantation		0 / 4	2 / 4		0 / 3	
Percentage of transfers resulting in singleton live births		0 / 2	1 / 2		0 / 1	
Percentage of transfers resulting in triplets or more live births		0 / 2	0 / 2		0 / 1	
Percentage of transfers resulting in live births		0 / 2	1 / 2		0 / 1	
Percentage of transfers resulting in pregnancy		1 / 2	2 / 2		0 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	3	2
Number of transfers	3	2
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation	3 / 6	4 / 4
Percentage of transfers resulting in singleton live births	1 / 3	2 / 2
Percentage of transfers resulting in live births	2 / 3	2 / 2
Percentage of transfers resulting in pregnancy	2 / 3	2 / 2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Garfield Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE CENTER FOR FERTILITY AND GYNECOLOGY
VERMESH CENTER FOR FERTILITY
TARZANA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Michael Vermesh, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	92%
Unstimulated	4%	Used PGD	11%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	11%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	2%	Male factor	21%	Female factors only	9%
Diminished ovarian reserve	50%	Other factor	20%	Female & male factors	9%
Endometriosis	2%	Unknown factor	10%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 304 (includes 75 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	30	13	33	36	14	6
Percentage of cancellations	6.7	1 / 13	3.0	2.8	1 / 14	1 / 6
Average number of embryos transferred	1.9	2.4	3.2	3.3	2.3	1.5
Percentage of embryos transferred resulting in implantation	53.7	13.8	11.9	7.8	6.7	0 / 6
Percentage of elective single embryo transfer (eSET)	11.1	0 / 10	3.3	0.0	0 / 11	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.3	2 / 13	21.2	13.9	1 / 14	0 / 6
Percentage of cycles resulting in triplets or more live births	3.3	0 / 13	0.0	0.0	0 / 14	0 / 6
Percentage of cycles resulting in live births	56.7	3 / 13	24.2	16.7	1 / 14	0 / 6
Percentage of cycles resulting in pregnancy	63.3	5 / 13	42.4	30.6	3 / 14	0 / 6
Outcomes per Transfer						
Number of transfers	28	12	32	35	13	4
Percentage of transfers resulting in singleton live births	25.0	2 / 12	21.9	14.3	1 / 13	0 / 4
Percentage of transfers resulting in triplets or more live births	3.6	0 / 12	0.0	0.0	0 / 13	0 / 4
Percentage of transfers resulting in live births	60.7	3 / 12	25.0	17.1	1 / 13	0 / 4
Percentage of transfers resulting in pregnancy	67.9	5 / 12	43.8	31.4	3 / 13	0 / 4
Outcomes per Pregnancy						
Number of pregnancies	19	5	14	11	3	0
Percentage of pregnancies resulting in singleton live births	7 / 19	2 / 5	7 / 14	5 / 11	1 / 3	
Percentage of pregnancies resulting in triplets or more live births	1 / 19	0 / 5	0 / 14	0 / 11	0 / 3	
Percentage of pregnancies resulting in live births	17 / 19	3 / 5	8 / 14	6 / 11	1 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	11	10	7	8	2	1
Number of transfers	11	10	7	7	2	1
Estimated average number of transfers per retrieval	0.9	0.8	0.4	0.2	0.7	0.1
Average number of embryos transferred	1.9	2.4	2.4	3.6	2.0	1.0
Percentage of embryos transferred resulting in implantation	71.4	37.5	6 / 17	8.0	0 / 4	1 / 1
Percentage of transfers resulting in singleton live births	2 / 11	4 / 10	4 / 7	1 / 7	0 / 2	1 / 1
Percentage of transfers resulting in triplets or more live births	0 / 11	0 / 10	0 / 7	0 / 7	0 / 2	0 / 1
Percentage of transfers resulting in live births	6 / 11	6 / 10	4 / 7	1 / 7	0 / 2	1 / 1
Percentage of transfers resulting in pregnancy	9 / 11	6 / 10	5 / 7	2 / 7	1 / 2	1 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	36	22
Number of transfers	36	22
Average number of embryos transferred	1.9	1.9
Percentage of embryos transferred resulting in implantation	62.7	45.2
Percentage of transfers resulting in singleton live births	36.1	31.8
Percentage of transfers resulting in live births	72.2	59.1
Percentage of transfers resulting in pregnancy	77.8	59.1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Center for Fertility and Gynecology, Vermesh Center for Fertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

TREE OF LIFE CENTER FOR FERTILITY
SNUNIT BEN-OZER, MD
TARZANA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Snunit Ben-Ozer, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	59%
Unstimulated	0%	Used PGD	5%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	14%	Uterine factor	24%	*Multiple Factors:*	
Ovulatory dysfunction	10%	Male factor	35%	Female factors only	21%
Diminished ovarian reserve	45%	Other factor	17%	Female & male factors	24%
Endometriosis	3%	Unknown factor	14%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 43 (includes 14 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	7	8	4	1	2	0
Percentage of cancellations	1 / 7	0 / 8	0 / 4	0 / 1	0 / 2	
Average number of embryos transferred	1.7	2.1	2.0		3.0	
Percentage of embryos transferred resulting in implantation	4 / 10	5 / 17	2 / 8		0 / 6	
Percentage of elective single embryo transfer (eSET)	0 / 4	0 / 8	1 / 4		0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	2 / 7	3 / 8	1 / 4	0 / 1	0 / 2	
Percentage of cycles resulting in triplets or more live births	0 / 7	0 / 8	0 / 4	0 / 1	0 / 2	
Percentage of cycles resulting in live births	3 / 7	4 / 8	1 / 4	0 / 1	0 / 2	
Percentage of cycles resulting in pregnancy	3 / 7	4 / 8	3 / 4	0 / 1	0 / 2	
Outcomes per Transfer						
Number of transfers	6	8	4	0	2	0
Percentage of transfers resulting in singleton live births	2 / 6	3 / 8	1 / 4		0 / 2	
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 8	0 / 4		0 / 2	
Percentage of transfers resulting in live births	3 / 6	4 / 8	1 / 4		0 / 2	
Percentage of transfers resulting in pregnancy	3 / 6	4 / 8	3 / 4		0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	3	4	3	0	0	0
Percentage of pregnancies resulting in singleton live births	2 / 3	3 / 4	1 / 3			
Percentage of pregnancies resulting in triplets or more live births	0 / 3	0 / 4	0 / 3			
Percentage of pregnancies resulting in live births	3 / 3	4 / 4	1 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	0	0	0	0	1
Number of transfers	2	0	0	0	0	1
Estimated average number of transfers per retrieval	0.5	0.0	0.0	0.0	0.0	1.0
Average number of embryos transferred	2.5					2.0
Percentage of embryos transferred resulting in implantation	3 / 5					0 / 2
Percentage of transfers resulting in singleton live births	1 / 2					0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 2					0 / 1
Percentage of transfers resulting in live births	2 / 2					0 / 1
Percentage of transfers resulting in pregnancy	2 / 2					0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	3	1
Number of transfers	3	1
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation	5 / 6	2 / 2
Percentage of transfers resulting in singleton live births	1 / 3	0 / 1
Percentage of transfers resulting in live births	3 / 3	1 / 1
Percentage of transfers resulting in pregnancy	3 / 3	1 / 1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Tree of Life Center for Fertility, Snunit Ben-Ozer, MD

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY AND SURGICAL ASSOCIATES OF CALIFORNIA
THOUSAND OAKS, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Gary Hubert, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	91%
Unstimulated	0%	Used PGD	16%
Used gestational carrier	4%		

Patient Diagnosis[b]

Tubal factor	10%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	11%	Male factor	22%	Female factors only	2%
Diminished ovarian reserve	48%	Other factor	9%	Female & male factors	8%
Endometriosis	3%	Unknown factor	4%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 937 (includes 238 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	90	50	63	48	20	3
Percentage of cancellations	2.2	0.0	0.0	2.1	0.0	0 / 3
Average number of embryos transferred	1.8	1.9	2.6	3.1	3.2	4.0
Percentage of embryos transferred resulting in implantation	37.5	25.8	14.8	16.3	1.6	0 / 12
Percentage of elective single embryo transfer (eSET)	20.7	20.4	3.8	4.9	0 / 15	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.7	26.0	22.2	27.1	5.0	0 / 3
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 3
Percentage of cycles resulting in live births	43.3	34.0	25.4	31.3	5.0	0 / 3
Percentage of cycles resulting in pregnancy	50.0	42.0	31.7	41.7	5.0	0 / 3
Outcomes per Transfer						
Number of transfers	88	50	63	47	20	3
Percentage of transfers resulting in singleton live births	27.3	26.0	22.2	27.7	5.0	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 3
Percentage of transfers resulting in live births	44.3	34.0	25.4	31.9	5.0	0 / 3
Percentage of transfers resulting in pregnancy	51.1	42.0	31.7	42.6	5.0	0 / 3
Outcomes per Pregnancy						
Number of pregnancies	45	21	20	20	1	0
Percentage of pregnancies resulting in singleton live births	53.3	61.9	70.0	65.0	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 1	
Percentage of pregnancies resulting in live births	86.7	81.0	80.0	75.0	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	97	53	34	9	6	3
Number of transfers	97	53	34	9	6	3
Estimated average number of transfers per retrieval	1.3	1.1	0.4	0.2	0.2	0.2
Average number of embryos transferred	1.9	2.0	2.3	2.2	1.8	2.3
Percentage of embryos transferred resulting in implantation	33.2	21.5	27.8	25.0	0 / 11	1 / 7
Percentage of transfers resulting in singleton live births	33.0	18.9	38.2	4 / 9	0 / 6	1 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 9	0 / 6	0 / 3
Percentage of transfers resulting in live births	44.3	26.4	47.1	4 / 9	0 / 6	1 / 3
Percentage of transfers resulting in pregnancy	60.8	49.1	58.8	5 / 9	0 / 6	1 / 3

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	101	122
Number of transfers	101	122
Average number of embryos transferred	1.8	2.1
Percentage of embryos transferred resulting in implantation	56.0	27.3
Percentage of transfers resulting in singleton live births	41.6	21.3
Percentage of transfers resulting in live births	66.3	35.2
Percentage of transfers resulting in pregnancy	73.3	47.5

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility and Surgical Associates of California

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PACIFIC REPRODUCTIVE CENTER
TORRANCE, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Rifaat Salem, MD, PhD

Type of ART and Procedural Factors[a]

IVF	>99%	With ICSI	99%
Unstimulated	2%	Used PGD	11%
Used gestational carrier	1%		

Patient Diagnosis[b]

Tubal factor	17%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	17%	Male factor	48%	Female factors only	9%
Diminished ovarian reserve	19%	Other factor	15%	Female & male factors	21%
Endometriosis	11%	Unknown factor	2%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 301 (includes 8 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	116	50	49	25	5	2
Percentage of cancellations	0.0	0.0	0.0	0.0	0 / 5	0 / 2
Average number of embryos transferred	2.0	2.2	2.8	2.6	2.0	2.5
Percentage of embryos transferred resulting in implantation	37.1	32.1	19.7	17.7	0 / 10	0 / 5
Percentage of elective single embryo transfer (eSET)	1.8	0.0	0.0	0.0	0 / 3	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	37.9	32.0	20.4	16.0	0 / 5	0 / 2
Percentage of cycles resulting in triplets or more live births	0.9	0.0	2.0	0.0	0 / 5	0 / 2
Percentage of cycles resulting in live births	52.6	42.0	32.7	20.0	0 / 5	0 / 2
Percentage of cycles resulting in pregnancy	58.6	56.0	38.8	32.0	0 / 5	0 / 2
Outcomes per Transfer						
Number of transfers	115	50	49	24	5	2
Percentage of transfers resulting in singleton live births	38.3	32.0	20.4	16.7	0 / 5	0 / 2
Percentage of transfers resulting in triplets or more live births	0.9	0.0	2.0	0.0	0 / 5	0 / 2
Percentage of transfers resulting in live births	53.0	42.0	32.7	20.8	0 / 5	0 / 2
Percentage of transfers resulting in pregnancy	59.1	56.0	38.8	33.3	0 / 5	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	68	28	19	8	0	0
Percentage of pregnancies resulting in singleton live births	64.7	57.1	10 / 19	4 / 8		
Percentage of pregnancies resulting in triplets or more live births	1.5	0.0	1 / 19	0 / 8		
Percentage of pregnancies resulting in live births	89.7	75.0	16 / 19	5 / 8		
Frozen Embryos from Nondonor Eggs						
Number of cycles	12	11	4	3	0	1
Number of transfers	12	11	4	3	0	1
Estimated average number of transfers per retrieval	2.0	2.8	2.0		0.0	
Average number of embryos transferred	2.3	2.4	2.8	3.0		2.0
Percentage of embryos transferred resulting in implantation	21.4	23.1	0 / 11	1 / 9		2 / 2
Percentage of transfers resulting in singleton live births	4 / 12	2 / 11	0 / 4	0 / 3		0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 12	0 / 11	0 / 4	0 / 3		0 / 1
Percentage of transfers resulting in live births	5 / 12	4 / 11	0 / 4	0 / 3		1 / 1
Percentage of transfers resulting in pregnancy	5 / 12	4 / 11	0 / 4	1 / 3		1 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	14	1
Number of transfers	14	1
Average number of embryos transferred	2.1	1.0
Percentage of embryos transferred resulting in implantation	37.9	0 / 1
Percentage of transfers resulting in singleton live births	2 / 14	0 / 1
Percentage of transfers resulting in live births	6 / 14	0 / 1
Percentage of transfers resulting in pregnancy	7 / 14	0 / 1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Pacific Reproductive Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY FERTILITY CENTER
TORRANCE, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Omid A. Khorram, MD, PhD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	63%
Unstimulated	0%	Used PGD	6%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	24%	Uterine factor	1%	*Multiple Factors:*	
Ovulatory dysfunction	7%	Male factor	24%	Female factors only	<1%
Diminished ovarian reserve	7%	Other factor	13%	Female & male factors	2%
Endometriosis	3%	Unknown factor	24%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 216 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	63	31	34	13	4	0
Percentage of cancellations	3.2	9.7	5.9	1 / 13	0 / 4	
Average number of embryos transferred	2.4	2.4	2.8	3.6	1.8	
Percentage of embryos transferred resulting in implantation	28.5	32.3	14.9	11.6	0 / 7	
Percentage of elective single embryo transfer (eSET)	0.0	3.7	0.0	0 / 12	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	20.6	29.0	17.6	3 / 13	0 / 4	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 13	0 / 4	
Percentage of cycles resulting in live births	31.7	45.2	20.6	3 / 13	0 / 4	
Percentage of cycles resulting in pregnancy	47.6	51.6	35.3	5 / 13	0 / 4	
Outcomes per Transfer						
Number of transfers	60	27	31	12	4	0
Percentage of transfers resulting in singleton live births	21.7	33.3	19.4	3 / 12	0 / 4	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 12	0 / 4	
Percentage of transfers resulting in live births	33.3	51.9	22.6	3 / 12	0 / 4	
Percentage of transfers resulting in pregnancy	50.0	59.3	38.7	5 / 12	0 / 4	
Outcomes per Pregnancy						
Number of pregnancies	30	16	12	5	0	0
Percentage of pregnancies resulting in singleton live births	43.3	9 / 16	6 / 12	3 / 5		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 16	0 / 12	0 / 5		
Percentage of pregnancies resulting in live births	66.7	14 / 16	7 / 12	3 / 5		
Frozen Embryos from Nondonor Eggs						
Number of cycles	23	11	13	3	2	0
Number of transfers	22	11	13	3	2	0
Estimated average number of transfers per retrieval	1.5	5.5	1.3		2.0	
Average number of embryos transferred	3.0	3.0	3.3	3.7	2.5	
Percentage of embryos transferred resulting in implantation	31.7	15.2	20.0	2 / 11	1 / 5	
Percentage of transfers resulting in singleton live births	18.2	0 / 11	1 / 13	1 / 3	1 / 2	
Percentage of transfers resulting in triplets or more live births	4.5	0 / 11	0 / 13	0 / 3	0 / 2	
Percentage of transfers resulting in live births	50.0	2 / 11	3 / 13	1 / 3	1 / 2	
Percentage of transfers resulting in pregnancy	50.0	3 / 11	5 / 13	2 / 3	1 / 2	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	12	7
Number of transfers	11	7
Average number of embryos transferred	2.2	3.0
Percentage of embryos transferred resulting in implantation	29.2	38.1
Percentage of transfers resulting in singleton live births	2 / 11	2 / 7
Percentage of transfers resulting in live births	4 / 11	3 / 7
Percentage of transfers resulting in pregnancy	5 / 11	4 / 7

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTIVE MEDICINE
UNIVERSITY OF COLORADO
AURORA, COLORADO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Ruben J. Alvero, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	57%
Unstimulated	0%	Used PGD	1%
Used gestational carrier	1%		

Patient Diagnosis[b]

Tubal factor	11%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	12%	Male factor	40%	Female factors only	6%
Diminished ovarian reserve	39%	Other factor	10%	Female & male factors	16%
Endometriosis	3%	Unknown factor	5%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 149 (includes 18 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	37	28	8	1	0	2
Percentage of cancellations	8.1	17.9	1 / 8	0 / 1		0 / 2
Average number of embryos transferred	1.9	2.3	2.6	4.0		3.5
Percentage of embryos transferred resulting in implantation	37.1	22.6	1 / 18	0 / 4		0 / 7
Percentage of elective single embryo transfer (eSET)	15.2	9.1	0 / 7	0 / 1		0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	18.9	28.6	0 / 8	0 / 1		0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 8	0 / 1		0 / 2
Percentage of cycles resulting in live births	40.5	28.6	0 / 8	0 / 1		0 / 2
Percentage of cycles resulting in pregnancy	45.9	32.1	2 / 8	0 / 1		0 / 2
Outcomes per Transfer						
Number of transfers	33	23	7	1	0	2
Percentage of transfers resulting in singleton live births	21.2	34.8	0 / 7	0 / 1		0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 7	0 / 1		0 / 2
Percentage of transfers resulting in live births	45.5	34.8	0 / 7	0 / 1		0 / 2
Percentage of transfers resulting in pregnancy	51.5	39.1	2 / 7	0 / 1		0 / 2
Outcomes per Pregnancy						
Number of pregnancies	17	9	2	0	0	0
Percentage of pregnancies resulting in singleton live births	7 / 17	8 / 9	0 / 2			
Percentage of pregnancies resulting in triplets or more live births	0 / 17	0 / 9	0 / 2			
Percentage of pregnancies resulting in live births	15 / 17	8 / 9	0 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	20	6	5	0	1	0
Number of transfers	20	6	5	0	1	0
Estimated average number of transfers per retrieval	1.2	0.7	0.8			0.0
Average number of embryos transferred	1.6	1.8	2.0		2.0	
Percentage of embryos transferred resulting in implantation	22.6	2 / 11	1 / 10		0 / 2	
Percentage of transfers resulting in singleton live births	25.0	0 / 6	1 / 5		0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 6	0 / 5		0 / 1	
Percentage of transfers resulting in live births	30.0	1 / 6	1 / 5		0 / 1	
Percentage of transfers resulting in pregnancy	35.0	2 / 6	1 / 5		0 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	15	8
Number of transfers	15	8
Average number of embryos transferred	1.9	1.9
Percentage of embryos transferred resulting in implantation	51.7	8 / 15
Percentage of transfers resulting in singleton live births	6 / 15	3 / 8
Percentage of transfers resulting in live births	9 / 15	5 / 8
Percentage of transfers resulting in pregnancy	11 / 15	6 / 8

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Reproductive Medicine, University of Colorado

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE & FERTILITY CENTER
COLORADO SPRINGS, COLORADO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Paul C. Magarelli, MD, PhD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	92%
Unstimulated	0%	Used PGD	6%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	19%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	12%	Male factor	76%	Female factors only	<1%
Diminished ovarian reserve	19%	Other factor	11%	Female & male factors	38%
Endometriosis	<1%	Unknown factor	2%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 137 (includes 8 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	41	22	17	1	1	0
Percentage of cancellations	4.9	9.1	3 / 17	0 / 1	0 / 1	
Average number of embryos transferred	2.5	2.7	2.8	2.0	4.0	
Percentage of embryos transferred resulting in implantation	37.7	23.5	16.1	1 / 2	0 / 4	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 19	0 / 10	0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	24.4	13.6	3 / 17	1 / 1	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 17	0 / 1	0 / 1	
Percentage of cycles resulting in live births	43.9	22.7	3 / 17	1 / 1	0 / 1	
Percentage of cycles resulting in pregnancy	43.9	40.9	5 / 17	1 / 1	0 / 1	
Outcomes per Transfer						
Number of transfers	28	19	11	1	1	0
Percentage of transfers resulting in singleton live births	35.7	3 / 19	3 / 11	1 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 19	0 / 11	0 / 1	0 / 1	
Percentage of transfers resulting in live births	64.3	5 / 19	3 / 11	1 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	64.3	9 / 19	5 / 11	1 / 1	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	18	9	5	1	0	0
Percentage of pregnancies resulting in singleton live births	10 / 18	3 / 9	3 / 5	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 18	0 / 9	0 / 5	0 / 1		
Percentage of pregnancies resulting in live births	18 / 18	5 / 9	3 / 5	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	20	3	1	0	0	0
Number of transfers	18	2	1	0	0	0
Estimated average number of transfers per retrieval	1.6	0.5	0.5	0.0		
Average number of embryos transferred	2.3	1.5	3.0			
Percentage of embryos transferred resulting in implantation	26.8	0 / 3	0 / 3			
Percentage of transfers resulting in singleton live births	3 / 18	0 / 2	0 / 1			
Percentage of transfers resulting in triplets or more live births	1 / 18	0 / 2	0 / 1			
Percentage of transfers resulting in live births	6 / 18	0 / 2	0 / 1			
Percentage of transfers resulting in pregnancy	9 / 18	1 / 2	0 / 1			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	12	11
Number of transfers	9	11
Average number of embryos transferred	2.3	2.2
Percentage of embryos transferred resulting in implantation	23.8	16.7
Percentage of transfers resulting in singleton live births	5 / 9	1 / 11
Percentage of transfers resulting in live births	5 / 9	2 / 11
Percentage of transfers resulting in pregnancy	6 / 9	4 / 11

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine & Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ERIC H. SILVERSTEIN, MD, PROFESSIONAL LLC DBA THE FERTILITY CENTER OF COLORADO COLORADO SPRINGS, COLORADO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Eric H. Silverstein, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	81%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	20%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	27%	Male factor	31%	Female factors only	19%
Diminished ovarian reserve	41%	Other factor	10%	Female & male factors	20%
Endometriosis	9%	Unknown factor	1%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 70 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	18	5	9	5	0	0
Percentage of cancellations	2 / 18	0 / 5	0 / 9	0 / 5		
Average number of embryos transferred	1.5	2.0	1.8	2.5		
Percentage of embryos transferred resulting in implantation	38.1	3 / 10	2 / 14	2 / 10		
Percentage of elective single embryo transfer (eSET)	5 / 12	1 / 5	1 / 7	0 / 4		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	6 / 18	1 / 5	0 / 9	2 / 5		
Percentage of cycles resulting in triplets or more live births	0 / 18	0 / 5	0 / 9	0 / 5		
Percentage of cycles resulting in live births	7 / 18	2 / 5	0 / 9	2 / 5		
Percentage of cycles resulting in pregnancy	7 / 18	2 / 5	1 / 9	2 / 5		
Outcomes per Transfer						
Number of transfers	14	5	8	4	0	0
Percentage of transfers resulting in singleton live births	6 / 14	1 / 5	0 / 8	2 / 4		
Percentage of transfers resulting in triplets or more live births	0 / 14	0 / 5	0 / 8	0 / 4		
Percentage of transfers resulting in live births	7 / 14	2 / 5	0 / 8	2 / 4		
Percentage of transfers resulting in pregnancy	7 / 14	2 / 5	1 / 8	2 / 4		
Outcomes per Pregnancy						
Number of pregnancies	7	2	1	2	0	0
Percentage of pregnancies resulting in singleton live births	6 / 7	1 / 2	0 / 1	2 / 2		
Percentage of pregnancies resulting in triplets or more live births	0 / 7	0 / 2	0 / 1	0 / 2		
Percentage of pregnancies resulting in live births	7 / 7	2 / 2	0 / 1	2 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	9	3	6	0	0	0
Number of transfers	9	3	6	0	0	0
Estimated average number of transfers per retrieval	3.0	1.5	1.2			
Average number of embryos transferred	1.7	2.3	2.0			
Percentage of embryos transferred resulting in implantation	3 / 15	1 / 7	0 / 12			
Percentage of transfers resulting in singleton live births	2 / 9	1 / 3	0 / 6			
Percentage of transfers resulting in triplets or more live births	0 / 9	0 / 3	0 / 6			
Percentage of transfers resulting in live births	2 / 9	1 / 3	0 / 6			
Percentage of transfers resulting in pregnancy	3 / 9	1 / 3	1 / 6			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	6	9
Number of transfers	5	9
Average number of embryos transferred	1.4	1.8
Percentage of embryos transferred resulting in implantation	4 / 7	4 / 16
Percentage of transfers resulting in singleton live births	2 / 5	3 / 9
Percentage of transfers resulting in live births	3 / 5	3 / 9
Percentage of transfers resulting in pregnancy	3 / 5	5 / 9

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Eric H. Silverstein, MD, Professional LLC dba, The Fertility Center of Colorado

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COLORADO REPRODUCTIVE ENDOCRINOLOGY
DENVER, COLORADO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Susan W. Trout, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	28%
Unstimulated	0%	Used PGD	2%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	10%	Uterine factor	7%	*Multiple Factors:*	
Ovulatory dysfunction	16%	Male factor	11%	Female factors only	8%
Diminished ovarian reserve	34%	Other factor	4%	Female & male factors	5%
Endometriosis	6%	Unknown factor	26%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 108 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	21	15	8	9	0	0
Percentage of cancellations	0.0	1 / 15	4 / 8	2 / 9		
Average number of embryos transferred	1.9	2.1	2.5	2.8		
Percentage of embryos transferred resulting in implantation	14.3	11.1	0 / 10	1 / 17		
Percentage of elective single embryo transfer (eSET)	1 / 17	1 / 10	0 / 4	0 / 5		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	19.0	2 / 15	0 / 8	0 / 9		
Percentage of cycles resulting in triplets or more live births	0.0	0 / 15	0 / 8	0 / 9		
Percentage of cycles resulting in live births	19.0	2 / 15	0 / 8	0 / 9		
Percentage of cycles resulting in pregnancy	23.8	6 / 15	0 / 8	1 / 9		
Outcomes per Transfer						
Number of transfers	18	13	4	6	0	0
Percentage of transfers resulting in singleton live births	4 / 18	2 / 13	0 / 4	0 / 6		
Percentage of transfers resulting in triplets or more live births	0 / 18	0 / 13	0 / 4	0 / 6		
Percentage of transfers resulting in live births	4 / 18	2 / 13	0 / 4	0 / 6		
Percentage of transfers resulting in pregnancy	5 / 18	6 / 13	0 / 4	1 / 6		
Outcomes per Pregnancy						
Number of pregnancies	5	6	0	1	0	0
Percentage of pregnancies resulting in singleton live births	4 / 5	2 / 6		0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 5	0 / 6		0 / 1		
Percentage of pregnancies resulting in live births	4 / 5	2 / 6		0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	19	7	5	2	0	1
Number of transfers	15	7	5	1	0	0
Estimated average number of transfers per retrieval	2.1	1.8	1.3			
Average number of embryos transferred	2.0	2.3	2.4	2.0		
Percentage of embryos transferred resulting in implantation	26.7	3 / 16	4 / 12	0 / 2		
Percentage of transfers resulting in singleton live births	2 / 15	3 / 7	2 / 5	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 15	0 / 7	0 / 5	0 / 1		
Percentage of transfers resulting in live births	5 / 15	3 / 7	3 / 5	0 / 1		
Percentage of transfers resulting in pregnancy	7 / 15	3 / 7	3 / 5	0 / 1		

	All Ages Combined[f]	
Donor Eggs	**Fresh Embryos**	**Frozen Embryos**
Number of cycles	8	13
Number of transfers	6	9
Average number of embryos transferred	1.8	1.9
Percentage of embryos transferred resulting in implantation	3 / 11	5 / 17
Percentage of transfers resulting in singleton live births	1 / 6	1 / 9
Percentage of transfers resulting in live births	1 / 6	3 / 9
Percentage of transfers resulting in pregnancy	3 / 6	3 / 9

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Colorado Reproductive Endocrinology

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ROCKY MOUNTAIN CENTER FOR REPRODUCTIVE MEDICINE
FORT COLLINS, COLORADO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Kevin E. Bachus, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	100%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	27%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	15%	Male factor	37%	Female factors only	12%
Diminished ovarian reserve	25%	Other factor	0%	Female & male factors	12%
Endometriosis	8%	Unknown factor	12%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 52 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	18	4	1	0	0	0
Percentage of cancellations	0 / 18	0 / 4	0 / 1			
Average number of embryos transferred	2.1	2.8	3.0			
Percentage of embryos transferred resulting in implantation	31.6	2 / 11	1 / 3			
Percentage of elective single embryo transfer (eSET)	0 / 18	0 / 4	0 / 1			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	5 / 18	2 / 4	1 / 1			
Percentage of cycles resulting in triplets or more live births	0 / 18	0 / 4	0 / 1			
Percentage of cycles resulting in live births	8 / 18	2 / 4	1 / 1			
Percentage of cycles resulting in pregnancy	10 / 18	2 / 4	1 / 1			
Outcomes per Transfer						
Number of transfers	18	4	1	0	0	0
Percentage of transfers resulting in singleton live births	5 / 18	2 / 4	1 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 18	0 / 4	0 / 1			
Percentage of transfers resulting in live births	8 / 18	2 / 4	1 / 1			
Percentage of transfers resulting in pregnancy	10 / 18	2 / 4	1 / 1			
Outcomes per Pregnancy						
Number of pregnancies	10	2	1	0	0	0
Percentage of pregnancies resulting in singleton live births	5 / 10	2 / 2	1 / 1			
Percentage of pregnancies resulting in triplets or more live births	0 / 10	0 / 2	0 / 1			
Percentage of pregnancies resulting in live births	8 / 10	2 / 2	1 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	9	4	1	0	1	0
Number of transfers	9	4	1	0	1	0
Estimated average number of transfers per retrieval	1.0	4.0				
Average number of embryos transferred	2.4	2.8	2.0		1.0	
Percentage of embryos transferred resulting in implantation	18.2	2 / 11	0 / 2		1 / 1	
Percentage of transfers resulting in singleton live births	4 / 9	2 / 4	0 / 1		0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 9	0 / 4	0 / 1		0 / 1	
Percentage of transfers resulting in live births	4 / 9	2 / 4	0 / 1		0 / 1	
Percentage of transfers resulting in pregnancy	5 / 9	2 / 4	0 / 1		1 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	6	8
Number of transfers	6	8
Average number of embryos transferred	2.5	2.5
Percentage of embryos transferred resulting in implantation	8 / 15	20.0
Percentage of transfers resulting in singleton live births	2 / 6	0 / 8
Percentage of transfers resulting in live births	4 / 6	0 / 8
Percentage of transfers resulting in pregnancy	6 / 6	2 / 8

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Rocky Mountain Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CONCEPTIONS REPRODUCTIVE ASSOCIATES
LITTLETON, COLORADO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Mark R. Bush, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	96%
Unstimulated	0%	Used PGD	<1%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	9%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	11%	Male factor	53%	Female factors only	6%
Diminished ovarian reserve	58%	Other factor	9%	Female & male factors	38%
Endometriosis	3%	Unknown factor	5%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 597 (includes 199 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	90	25	11	4	2	0
Percentage of cancellations	1.1	4.0	0 / 11	0 / 4	0 / 2	
Average number of embryos transferred	1.6	1.8	1.6	1.8	2.0	
Percentage of embryos transferred resulting in implantation	58.6	56.3	6 / 18	1 / 7	0 / 4	
Percentage of elective single embryo transfer (eSET)	32.4	2 / 16	3 / 10	0 / 2	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	35.6	36.0	5 / 11	1 / 4	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 11	0 / 4	0 / 2	
Percentage of cycles resulting in live births	57.8	44.0	5 / 11	1 / 4	0 / 2	
Percentage of cycles resulting in pregnancy	61.1	52.0	6 / 11	1 / 4	0 / 2	
Outcomes per Transfer						
Number of transfers	80	18	11	4	2	0
Percentage of transfers resulting in singleton live births	40.0	9 / 18	5 / 11	1 / 4	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 18	0 / 11	0 / 4	0 / 2	
Percentage of transfers resulting in live births	65.0	11 / 18	5 / 11	1 / 4	0 / 2	
Percentage of transfers resulting in pregnancy	68.8	13 / 18	6 / 11	1 / 4	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	55	13	6	1	0	0
Percentage of pregnancies resulting in singleton live births	58.2	9 / 13	5 / 6	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 13	0 / 6	0 / 1		
Percentage of pregnancies resulting in live births	94.5	11 / 13	5 / 6	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	72	46	35	5	5	1
Number of transfers	72	46	35	5	5	1
Estimated average number of transfers per retrieval	0.9	1.0	0.7	0.2	0.4	1.0
Average number of embryos transferred	1.6	1.5	1.4	1.8	1.6	2.0
Percentage of embryos transferred resulting in implantation	70.5	64.7	54.0	6 / 9	3 / 8	0 / 2
Percentage of transfers resulting in singleton live births	50.0	41.3	54.3	1 / 5	3 / 5	0 / 1
Percentage of transfers resulting in triplets or more live births	1.4	2.2	0.0	0 / 5	0 / 5	0 / 1
Percentage of transfers resulting in live births	76.4	63.0	60.0	3 / 5	3 / 5	0 / 1
Percentage of transfers resulting in pregnancy	80.6	67.4	77.1	3 / 5	3 / 5	0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	52	50
Number of transfers	45	50
Average number of embryos transferred	1.8	1.4
Percentage of embryos transferred resulting in implantation	69.6	56.9
Percentage of transfers resulting in singleton live births	20.0	52.0
Percentage of transfers resulting in live births	66.7	62.0
Percentage of transfers resulting in pregnancy	75.6	70.0

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Conceptions Reproductive Associates

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COLORADO CENTER FOR REPRODUCTIVE MEDICINE
LONE TREE, COLORADO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by William B. Schoolcraft, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	91%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	5%	Uterine factor	11%	*Multiple Factors:*	
Ovulatory dysfunction	11%	Male factor	25%	Female factors only	29%
Diminished ovarian reserve	56%	Other factor	30%	Female & male factors	16%
Endometriosis	10%	Unknown factor	11%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 3,015 (includes 1,523 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	136	61	51	6	17	0
Percentage of cancellations	2.2	1.6	5.9	0 / 6	1 / 17	
Average number of embryos transferred	1.8	2.0	2.3	2.4	3.1	
Percentage of embryos transferred resulting in implantation	52.7	38.7	26.1	1 / 12	2.0	
Percentage of elective single embryo transfer (eSET)	19.5	8.5	2.3	0 / 4	0 / 16	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	39.0	27.9	29.4	1 / 6	1 / 17	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 6	0 / 17	
Percentage of cycles resulting in live births	60.3	45.9	39.2	1 / 6	1 / 17	
Percentage of cycles resulting in pregnancy	69.9	57.4	41.2	1 / 6	1 / 17	
Outcomes per Transfer						
Number of transfers	133	60	48	5	16	0
Percentage of transfers resulting in singleton live births	39.8	28.3	31.3	1 / 5	1 / 16	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 5	0 / 16	
Percentage of transfers resulting in live births	61.7	46.7	41.7	1 / 5	1 / 16	
Percentage of transfers resulting in pregnancy	71.4	58.3	43.8	1 / 5	1 / 16	
Outcomes per Pregnancy						
Number of pregnancies	95	35	21	1	1	0
Percentage of pregnancies resulting in singleton live births	55.8	48.6	71.4	1 / 1	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births	86.3	80.0	95.2	1 / 1	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	303	233	253	114	64	15
Number of transfers	303	233	251	114	62	12
Estimated average number of transfers per retrieval	0.8	0.8	0.6	0.4	0.4	0.3
Average number of embryos transferred	1.7	1.7	1.7	1.5	1.9	1.6
Percentage of embryos transferred resulting in implantation	63.6	59.6	50.7	45.7	37.4	8 / 18
Percentage of transfers resulting in singleton live births	43.2	41.2	37.5	32.5	29.0	4 / 12
Percentage of transfers resulting in triplets or more live births	0.3	0.4	0.4	0.0	0.0	0 / 12
Percentage of transfers resulting in live births	69.3	62.7	57.0	44.7	41.9	6 / 12
Percentage of transfers resulting in pregnancy	78.5	73.4	69.3	61.4	53.2	6 / 12

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	107	132
Number of transfers	106	131
Average number of embryos transferred	1.6	1.8
Percentage of embryos transferred resulting in implantation	74.9	55.7
Percentage of transfers resulting in singleton live births	57.5	36.6
Percentage of transfers resulting in live births	83.0	60.3
Percentage of transfers resulting in pregnancy	91.5	74.0

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Colorado Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ROCKY MOUNTAIN FERTILITY CENTER, PC
PARKER, COLORADO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Deborah L. Smith, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	87%
Unstimulated	0%	Used PGD	4%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	14%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	18%	Male factor	30%	Female factors only	11%
Diminished ovarian reserve	61%	Other factor	8%	Female & male factors	21%
Endometriosis	3%	Unknown factor	3%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 137 (includes 11 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	49	22	18	4	3	0
Percentage of cancellations	6.1	4.5	2 / 18	1 / 4	0 / 3	
Average number of embryos transferred	2.0	2.2	2.1	2.7	3.3	
Percentage of embryos transferred resulting in implantation	45.7	39.0	19.4	2 / 8	0 / 10	
Percentage of elective single embryo transfer (eSET)	8.9	2 / 19	1 / 12	0 / 3	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	44.9	45.5	2 / 18	0 / 4	0 / 3	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 18	0 / 4	0 / 3	
Percentage of cycles resulting in live births	59.2	50.0	4 / 18	0 / 4	0 / 3	
Percentage of cycles resulting in pregnancy	63.3	59.1	5 / 18	2 / 4	0 / 3	
Outcomes per Transfer						
Number of transfers	45	19	15	3	3	0
Percentage of transfers resulting in singleton live births	48.9	10 / 19	2 / 15	0 / 3	0 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 19	0 / 15	0 / 3	0 / 3	
Percentage of transfers resulting in live births	64.4	11 / 19	4 / 15	0 / 3	0 / 3	
Percentage of transfers resulting in pregnancy	68.9	13 / 19	5 / 15	2 / 3	0 / 3	
Outcomes per Pregnancy						
Number of pregnancies	31	13	5	2	0	0
Percentage of pregnancies resulting in singleton live births	71.0	10 / 13	2 / 5	0 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 13	0 / 5	0 / 2		
Percentage of pregnancies resulting in live births	93.5	11 / 13	4 / 5	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	11	2	4	1	0	0
Number of transfers	11	2	4	1	0	0
Estimated average number of transfers per retrieval	1.4	0.7	1.3			
Average number of embryos transferred	1.8	2.0	1.5	2.0		
Percentage of embryos transferred resulting in implantation	35.0	2 / 4	2 / 6	0 / 2		
Percentage of transfers resulting in singleton live births	3 / 11	2 / 2	1 / 4	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 11	0 / 2	0 / 4	0 / 1		
Percentage of transfers resulting in live births	5 / 11	2 / 2	1 / 4	0 / 1		
Percentage of transfers resulting in pregnancy	5 / 11	2 / 2	2 / 4	0 / 1		

	All Ages Combined[f]	
Donor Eggs	**Fresh Embryos**	**Frozen Embryos**
Number of cycles	10	2
Number of transfers	10	2
Average number of embryos transferred	1.8	2.5
Percentage of embryos transferred resulting in implantation	10 / 18	0 / 5
Percentage of transfers resulting in singleton live births	6 / 10	0 / 2
Percentage of transfers resulting in live births	6 / 10	0 / 2
Percentage of transfers resulting in pregnancy	8 / 10	0 / 2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Rocky Mountain Fertility Center, PC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CONNECTICUT FERTILITY ASSOCIATES
BRIDGEPORT, CONNECTICUT

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Michael B. Doyle, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	35%
Unstimulated	1%	Used PGD	11%
Used gestational carrier	12%		

Patient Diagnosis[b]

Tubal factor	5%	Uterine factor	15%	*Multiple Factors:*	
Ovulatory dysfunction	2%	Male factor	11%	Female factors only	12%
Diminished ovarian reserve	31%	Other factor	38%	Female & male factors	4%
Endometriosis	3%	Unknown factor	10%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 353 (includes 43 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	26	13	34	14	5	2
Percentage of cancellations	0.0	1 / 13	5.9	2 / 14	0 / 5	1 / 2
Average number of embryos transferred	2.3	2.2	2.7	2.7	2.8	
Percentage of embryos transferred resulting in implantation	33.9	38.5	10.8	12.5	0 / 11	
Percentage of elective single embryo transfer (eSET)	7.7	1 / 11	0.0	0 / 11	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	42.3	3 / 13	8.8	3 / 14	0 / 5	0 / 2
Percentage of cycles resulting in triplets or more live births	3.8	0 / 13	0.0	0 / 14	0 / 5	0 / 2
Percentage of cycles resulting in live births	53.8	6 / 13	14.7	3 / 14	0 / 5	0 / 2
Percentage of cycles resulting in pregnancy	65.4	7 / 13	20.6	5 / 14	0 / 5	0 / 2
Outcomes per Transfer						
Number of transfers	26	12	27	12	4	0
Percentage of transfers resulting in singleton live births	42.3	3 / 12	11.1	3 / 12	0 / 4	
Percentage of transfers resulting in triplets or more live births	3.8	0 / 12	0.0	0 / 12	0 / 4	
Percentage of transfers resulting in live births	53.8	6 / 12	18.5	3 / 12	0 / 4	
Percentage of transfers resulting in pregnancy	65.4	7 / 12	25.9	5 / 12	0 / 4	
Outcomes per Pregnancy						
Number of pregnancies	17	7	7	5	0	0
Percentage of pregnancies resulting in singleton live births	11 / 17	3 / 7	3 / 7	3 / 5		
Percentage of pregnancies resulting in triplets or more live births	1 / 17	0 / 7	0 / 7	0 / 5		
Percentage of pregnancies resulting in live births	14 / 17	6 / 7	5 / 7	3 / 5		
Frozen Embryos from Nondonor Eggs						
Number of cycles	19	6	11	1	0	2
Number of transfers	19	6	11	1	0	2
Estimated average number of transfers per retrieval	1.5	0.5	0.6	0.3	0.0	0.3
Average number of embryos transferred	2.5	2.0	2.2	2.0		2.5
Percentage of embryos transferred resulting in implantation	21.3	3 / 12	16.7	1 / 2		1 / 5
Percentage of transfers resulting in singleton live births	4 / 19	1 / 6	2 / 11	1 / 1		1 / 2
Percentage of transfers resulting in triplets or more live births	0 / 19	0 / 6	0 / 11	0 / 1		0 / 2
Percentage of transfers resulting in live births	6 / 19	2 / 6	2 / 11	1 / 1		1 / 2
Percentage of transfers resulting in pregnancy	6 / 19	2 / 6	5 / 11	1 / 1		1 / 2

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	93	84
Number of transfers	91	84
Average number of embryos transferred	2.0	2.2
Percentage of embryos transferred resulting in implantation	50.8	19.8
Percentage of transfers resulting in singleton live births	36.3	22.6
Percentage of transfers resulting in live births	60.4	27.4
Percentage of transfers resulting in pregnancy	72.5	39.3

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Connecticut Fertility Associates

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE CENTER FOR ADVANCED REPRODUCTIVE SERVICES AT THE UNIVERSITY OF CONNECTICUT HEALTH CENTER FARMINGTON, CONNECTICUT

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by John C. Nulsen, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	76%
Unstimulated	0%	Used PGD	5%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	12%	Uterine factor	6%	*Multiple Factors:*	
Ovulatory dysfunction	15%	Male factor	37%	Female factors only	12%
Diminished ovarian reserve	7%	Other factor	29%	Female & male factors	19%
Endometriosis	13%	Unknown factor	15%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 1,218 (includes 10 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	411	190	180	113	67	9
Percentage of cancellations	8.3	16.8	26.7	16.8	32.8	3 / 9
Average number of embryos transferred	1.8	1.8	2.4	3.2	3.4	4.2
Percentage of embryos transferred resulting in implantation	37.3	24.9	27.8	8.7	4.1	0.0
Percentage of elective single embryo transfer (eSET)	21.0	11.2	3.1	0.0	0.0	0 / 6
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	29.4	24.2	17.2	9.7	4.5	0 / 9
Percentage of cycles resulting in triplets or more live births	0.5	0.0	0.0	0.0	0.0	0 / 9
Percentage of cycles resulting in live births	38.7	25.8	26.7	12.4	4.5	0 / 9
Percentage of cycles resulting in pregnancy	44.3	32.1	32.2	20.4	11.9	0 / 9
Outcomes per Transfer						
Number of transfers	350	137	114	75	36	6
Percentage of transfers resulting in singleton live births	34.6	33.6	27.2	14.7	8.3	0 / 6
Percentage of transfers resulting in triplets or more live births	0.6	0.0	0.0	0.0	0.0	0 / 6
Percentage of transfers resulting in live births	45.4	35.8	42.1	18.7	8.3	0 / 6
Percentage of transfers resulting in pregnancy	52.0	44.5	50.9	30.7	22.2	0 / 6
Outcomes per Pregnancy						
Number of pregnancies	182	61	58	23	8	0
Percentage of pregnancies resulting in singleton live births	66.5	75.4	53.4	47.8	3 / 8	
Percentage of pregnancies resulting in triplets or more live births	1.1	0.0	0.0	0.0	0 / 8	
Percentage of pregnancies resulting in live births	87.4	80.3	82.8	60.9	3 / 8	
Frozen Embryos from Nondonor Eggs						
Number of cycles	101	45	37	8	4	4
Number of transfers	97	40	34	8	4	3
Estimated average number of transfers per retrieval	1.7	3.6	2.1	8.0	1.0	
Average number of embryos transferred	1.5	1.6	1.8	2.3	2.3	1.7
Percentage of embryos transferred resulting in implantation	39.3	38.1	28.3	5 / 18	3 / 9	1 / 5
Percentage of transfers resulting in singleton live births	36.1	50.0	17.6	0 / 8	1 / 4	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 8	0 / 4	0 / 3
Percentage of transfers resulting in live births	44.3	55.0	29.4	1 / 8	2 / 4	0 / 3
Percentage of transfers resulting in pregnancy	55.7	60.0	38.2	4 / 8	2 / 4	1 / 3

	All Ages Combined[f]	
Donor Eggs	**Fresh Embryos**	**Frozen Embryos**
Number of cycles	18	21
Number of transfers	18	20
Average number of embryos transferred	1.8	1.6
Percentage of embryos transferred resulting in implantation	54.5	34.4
Percentage of transfers resulting in singleton live births	7 / 18	25.0
Percentage of transfers resulting in live births	12 / 18	35.0
Percentage of transfers resulting in pregnancy	13 / 18	45.0

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Center for Advanced Reproductive Services at the University of Connecticut Health Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GREENWICH FERTILITY AND IVF CENTER, PC
GREENWICH, CONNECTICUT

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Barry R. Witt, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	31%
Unstimulated	0%	Used PGD	4%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	11%	Uterine factor	1%	*Multiple Factors:*	
Ovulatory dysfunction	5%	Male factor	29%	Female factors only	6%
Diminished ovarian reserve	39%	Other factor	4%	Female & male factors	12%
Endometriosis	5%	Unknown factor	25%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 212 (includes 5 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	48	38	39	22	13	6
Percentage of cancellations	8.3	10.5	12.8	4.5	4 / 13	2 / 6
Average number of embryos transferred	1.8	1.9	2.2	2.8	3.0	2.7
Percentage of embryos transferred resulting in implantation	34.6	35.0	19.4	10.7	3.7	0 / 8
Percentage of elective single embryo transfer (eSET)	20.5	3.3	3.4	0.0	0 / 8	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	29.2	23.7	23.1	22.7	1 / 13	0 / 6
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 13	0 / 6
Percentage of cycles resulting in live births	41.7	36.8	25.6	22.7	1 / 13	0 / 6
Percentage of cycles resulting in pregnancy	50.0	52.6	33.3	27.3	1 / 13	0 / 6
Outcomes per Transfer						
Number of transfers	43	31	33	20	9	3
Percentage of transfers resulting in singleton live births	32.6	29.0	27.3	25.0	1 / 9	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 9	0 / 3
Percentage of transfers resulting in live births	46.5	45.2	30.3	25.0	1 / 9	0 / 3
Percentage of transfers resulting in pregnancy	55.8	64.5	39.4	30.0	1 / 9	0 / 3
Outcomes per Pregnancy						
Number of pregnancies	24	20	13	6	1	0
Percentage of pregnancies resulting in singleton live births	58.3	45.0	9 / 13	5 / 6	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0 / 13	0 / 6	0 / 1	
Percentage of pregnancies resulting in live births	83.3	70.0	10 / 13	5 / 6	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	14	14	4	5	2	0
Number of transfers	11	13	4	3	1	0
Estimated average number of transfers per retrieval	5.5	2.2	1.3	0.5	1.0	
Average number of embryos transferred	1.9	1.8	1.8	2.3	2.0	
Percentage of embryos transferred resulting in implantation	52.4	25.0	4 / 7	3 / 7	0 / 2	
Percentage of transfers resulting in singleton live births	5 / 11	4 / 13	1 / 4	1 / 3	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 11	0 / 13	0 / 4	0 / 3	0 / 1	
Percentage of transfers resulting in live births	7 / 11	5 / 13	2 / 4	2 / 3	0 / 1	
Percentage of transfers resulting in pregnancy	8 / 11	5 / 13	3 / 4	2 / 3	0 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	0	2
Number of transfers	0	2
Average number of embryos transferred		1.0
Percentage of embryos transferred resulting in implantation		0 / 2
Percentage of transfers resulting in singleton live births		0 / 2
Percentage of transfers resulting in live births		0 / 2
Percentage of transfers resulting in pregnancy		0 / 2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Greenwich Fertility and IVF Center, PC

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

YALE FERTILITY CENTER
NEW HAVEN, CONNECTICUT

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Pasquale Patrizio, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	79%
Unstimulated	<1%	Used PGD	4%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	10%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	7%	Male factor	22%	Female factors only	12%
Diminished ovarian reserve	20%	Other factor	40%	Female & male factors	9%
Endometriosis	7%	Unknown factor	14%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 513 (includes 26 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	145	94	79	40	18	11
Percentage of cancellations	3.4	9.6	13.9	25.0	4 / 18	4 / 11
Average number of embryos transferred	2.1	2.2	2.3	2.5	2.5	2.7
Percentage of embryos transferred resulting in implantation	22.6	20.6	9.8	6.3	0.0	0 / 16
Percentage of elective single embryo transfer (eSET)	4.5	1.5	2.0	0.0	0 / 8	0 / 5
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.4	17.0	11.4	7.5	0 / 18	0 / 11
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 18	0 / 11
Percentage of cycles resulting in live births	29.0	22.3	13.9	7.5	0 / 18	0 / 11
Percentage of cycles resulting in pregnancy	33.1	30.9	21.5	12.5	0 / 18	0 / 11
Outcomes per Transfer						
Number of transfers	120	72	62	26	10	6
Percentage of transfers resulting in singleton live births	28.3	22.2	14.5	11.5	0 / 10	0 / 6
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 10	0 / 6
Percentage of transfers resulting in live births	35.0	29.2	17.7	11.5	0 / 10	0 / 6
Percentage of transfers resulting in pregnancy	40.0	40.3	27.4	19.2	0 / 10	0 / 6
Outcomes per Pregnancy						
Number of pregnancies	48	29	17	5	0	0
Percentage of pregnancies resulting in singleton live births	70.8	55.2	9 / 17	3 / 5		
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0 / 17	0 / 5		
Percentage of pregnancies resulting in live births	87.5	72.4	11 / 17	3 / 5		
Frozen Embryos from Nondonor Eggs						
Number of cycles	19	12	7	4	5	4
Number of transfers	16	10	6	4	4	3
Estimated average number of transfers per retrieval	0.5	0.8	2.0	0.8	1.3	
Average number of embryos transferred	1.7	2.0	1.5	2.0	2.5	2.0
Percentage of embryos transferred resulting in implantation	11.1	5.0	1 / 9	0 / 8	0 / 10	0 / 6
Percentage of transfers resulting in singleton live births	2 / 16	1 / 10	1 / 6	0 / 4	0 / 4	0 / 3
Percentage of transfers resulting in triplets or more live births	0 / 16	0 / 10	0 / 6	0 / 4	0 / 4	0 / 3
Percentage of transfers resulting in live births	2 / 16	1 / 10	1 / 6	0 / 4	0 / 4	0 / 3
Percentage of transfers resulting in pregnancy	3 / 16	1 / 10	2 / 6	0 / 4	0 / 4	0 / 3

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	34	15
Number of transfers	27	14
Average number of embryos transferred	1.9	1.6
Percentage of embryos transferred resulting in implantation	52.9	8.7
Percentage of transfers resulting in singleton live births	29.6	2 / 14
Percentage of transfers resulting in live births	55.6	2 / 14
Percentage of transfers resulting in pregnancy	70.4	3 / 14

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Yale Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF CONNECTICUT
NORWALK, CONNECTICUT

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Mark P. Leondires, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	75%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	10%	Uterine factor	9%	*Multiple Factors:*	
Ovulatory dysfunction	24%	Male factor	26%	Female factors only	18%
Diminished ovarian reserve	25%	Other factor	21%	Female & male factors	13%
Endometriosis	4%	Unknown factor	17%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 920 (includes 229 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	160	91	68	51	12	4
Percentage of cancellations	2.5	6.6	10.3	17.6	2 / 12	0 / 4
Average number of embryos transferred	1.7	1.8	2.1	2.5	3.2	3.0
Percentage of embryos transferred resulting in implantation	45.6	40.2	30.2	16.1	2 / 19	0 / 9
Percentage of elective single embryo transfer (eSET)	26.2	10.8	2.8	0.0	0 / 5	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	24.4	28.6	17.6	9.8	1 / 12	0 / 4
Percentage of cycles resulting in triplets or more live births	1.3	0.0	0.0	0.0	0 / 12	0 / 4
Percentage of cycles resulting in live births	36.9	40.7	20.6	15.7	1 / 12	0 / 4
Percentage of cycles resulting in pregnancy	48.1	47.3	32.4	23.5	3 / 12	0 / 4
Outcomes per Transfer						
Number of transfers	133	72	41	35	6	3
Percentage of transfers resulting in singleton live births	29.3	36.1	29.3	14.3	1 / 6	0 / 3
Percentage of transfers resulting in triplets or more live births	1.5	0.0	0.0	0.0	0 / 6	0 / 3
Percentage of transfers resulting in live births	44.4	51.4	34.1	22.9	1 / 6	0 / 3
Percentage of transfers resulting in pregnancy	57.9	59.7	53.7	34.3	3 / 6	0 / 3
Outcomes per Pregnancy						
Number of pregnancies	77	43	22	12	3	0
Percentage of pregnancies resulting in singleton live births	50.6	60.5	54.5	5 / 12	1 / 3	
Percentage of pregnancies resulting in triplets or more live births	2.6	0.0	0.0	0 / 12	0 / 3	
Percentage of pregnancies resulting in live births	76.6	86.0	63.6	8 / 12	1 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	104	66	51	17	5	0
Number of transfers	92	56	46	14	5	0
Estimated average number of transfers per retrieval	1.0	0.8	0.6	0.3	0.2	0.0
Average number of embryos transferred	1.7	1.6	1.8	1.6	1.6	
Percentage of embryos transferred resulting in implantation	48.7	45.6	37.8	34.8	5 / 8	
Percentage of transfers resulting in singleton live births	42.4	44.6	34.8	4 / 14	2 / 5	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 14	0 / 5	
Percentage of transfers resulting in live births	56.5	53.6	50.0	6 / 14	3 / 5	
Percentage of transfers resulting in pregnancy	64.1	64.3	52.2	7 / 14	4 / 5	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	33	29
Number of transfers	29	26
Average number of embryos transferred	1.8	1.6
Percentage of embryos transferred resulting in implantation	66.0	41.5
Percentage of transfers resulting in singleton live births	37.9	26.9
Percentage of transfers resulting in live births	69.0	46.2
Percentage of transfers resulting in pregnancy	75.9	46.2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine Associates of Connecticut

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW ENGLAND FERTILITY INSTITUTE
STAMFORD, CONNECTICUT

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Gad Lavy, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	82%
Unstimulated	<1%	Used PGD	4%
Used gestational carrier	4%		

Patient Diagnosis[b]

Tubal factor	7%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	7%	Male factor	18%	Female factors only	9%
Diminished ovarian reserve	44%	Other factor	23%	Female & male factors	8%
Endometriosis	1%	Unknown factor	16%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 335 (includes 36 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	32	18	31	26	21	15
Percentage of cancellations	0.0	2 / 18	9.7	15.4	28.6	6 / 15
Average number of embryos transferred	2.3	2.7	2.7	2.4	2.6	3.7
Percentage of embryos transferred resulting in implantation	28.0	7.5	7.4	7.8	2.7	0.0
Percentage of elective single embryo transfer (eSET)	3.2	0 / 15	0.0	0 / 17	0 / 9	0 / 6
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	21.9	1 / 18	6.5	0.0	4.8	0 / 15
Percentage of cycles resulting in triplets or more live births	0.0	0 / 18	0.0	0.0	0.0	0 / 15
Percentage of cycles resulting in live births	34.4	2 / 18	9.7	7.7	4.8	0 / 15
Percentage of cycles resulting in pregnancy	56.3	2 / 18	22.6	11.5	9.5	1 / 15
Outcomes per Transfer						
Number of transfers	32	15	25	21	14	7
Percentage of transfers resulting in singleton live births	21.9	1 / 15	8.0	0.0	1 / 14	0 / 7
Percentage of transfers resulting in triplets or more live births	0.0	0 / 15	0.0	0.0	0 / 14	0 / 7
Percentage of transfers resulting in live births	34.4	2 / 15	12.0	9.5	1 / 14	0 / 7
Percentage of transfers resulting in pregnancy	56.3	2 / 15	28.0	14.3	2 / 14	1 / 7
Outcomes per Pregnancy						
Number of pregnancies	18	2	7	3	2	1
Percentage of pregnancies resulting in singleton live births	7 / 18	1 / 2	2 / 7	0 / 3	1 / 2	0 / 1
Percentage of pregnancies resulting in triplets or more live births	0 / 18	0 / 2	0 / 7	0 / 3	0 / 2	0 / 1
Percentage of pregnancies resulting in live births	11 / 18	2 / 2	3 / 7	2 / 3	1 / 2	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	20	8	19	2	0	9
Number of transfers	20	8	18	2	0	9
Estimated average number of transfers per retrieval	1.8	1.0	1.3	0.3	0.0	1.3
Average number of embryos transferred	2.2	1.6	2.4	3.0		2.3
Percentage of embryos transferred resulting in implantation	20.5	3 / 13	11.6	0 / 6		0.0
Percentage of transfers resulting in singleton live births	30.0	1 / 8	2 / 18	0 / 2		0 / 9
Percentage of transfers resulting in triplets or more live births	0.0	0 / 8	0 / 18	0 / 2		0 / 9
Percentage of transfers resulting in live births	35.0	1 / 8	3 / 18	0 / 2		0 / 9
Percentage of transfers resulting in pregnancy	45.0	3 / 8	7 / 18	0 / 2		0 / 9

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	50	48
Number of transfers	48	48
Average number of embryos transferred	2.0	2.2
Percentage of embryos transferred resulting in implantation	41.2	23.6
Percentage of transfers resulting in singleton live births	31.3	25.0
Percentage of transfers resulting in live births	47.9	31.3
Percentage of transfers resulting in pregnancy	62.5	43.8

CURRENT CLINIC SERVICES AND PROFILE

Current Name: New England Fertility Institute

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE STAMFORD HOSPITAL
STAMFORD, CONNECTICUT

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Frances W. Ginsburg, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	50%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	33%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	42%	Male factor	25%	Female factors only	17%
Diminished ovarian reserve	8%	Other factor	17%	Female & male factors	25%
Endometriosis	8%	Unknown factor	8%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 12 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	4	2	2	0	0	0
Percentage of cancellations	1 / 4	1 / 2	1 / 2			
Average number of embryos transferred	2.0	2.0	2.0			
Percentage of embryos transferred resulting in implantation	4 / 6	0 / 2	1 / 2			
Percentage of elective single embryo transfer (eSET)	0 / 3	0 / 1	0 / 1			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	0 / 4	0 / 2	1 / 2			
Percentage of cycles resulting in triplets or more live births	0 / 4	0 / 2	0 / 2			
Percentage of cycles resulting in live births	2 / 4	0 / 2	1 / 2			
Percentage of cycles resulting in pregnancy	2 / 4	1 / 2	1 / 2			
Outcomes per Transfer						
Number of transfers	3	1	1	0	0	0
Percentage of transfers resulting in singleton live births	0 / 3	0 / 1	1 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 3	0 / 1	0 / 1			
Percentage of transfers resulting in live births	2 / 3	0 / 1	1 / 1			
Percentage of transfers resulting in pregnancy	2 / 3	1 / 1	1 / 1			
Outcomes per Pregnancy						
Number of pregnancies	2	1	1	0	0	0
Percentage of pregnancies resulting in singleton live births	0 / 2	0 / 1	1 / 1			
Percentage of pregnancies resulting in triplets or more live births	0 / 2	0 / 1	0 / 1			
Percentage of pregnancies resulting in live births	2 / 2	0 / 1	1 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	1	3	0	0	0
Number of transfers	0	1	2	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred		2.0	2.0			
Percentage of embryos transferred resulting in implantation		1 / 2	2 / 4			
Percentage of transfers resulting in singleton live births		1 / 1	1 / 2			
Percentage of transfers resulting in triplets or more live births		0 / 1	0 / 2			
Percentage of transfers resulting in live births		1 / 1	1 / 2			
Percentage of transfers resulting in pregnancy		1 / 1	1 / 2			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation		
Percentage of transfers resulting in singleton live births		
Percentage of transfers resulting in live births		
Percentage of transfers resulting in pregnancy		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Stamford Hospital

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WOMEN'S FERTILITY CENTER
STAMFORD, CONNECTICUT

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Nora Miller, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	88%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	20%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	0%	Male factor	27%	Female factors only	8%
Diminished ovarian reserve	51%	Other factor	6%	Female & male factors	22%
Endometriosis	0%	Unknown factor	29%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 49 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	17	3	15	3	2	1
Percentage of cancellations	0 / 17	0 / 3	1 / 15	1 / 3	0 / 2	0 / 1
Average number of embryos transferred	2.1	2.0	2.7	4.5	1.0	
Percentage of embryos transferred resulting in implantation	22.2	1 / 6	7.9	0 / 9	0 / 2	
Percentage of elective single embryo transfer (eSET)	0 / 16	0 / 3	0 / 13	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	1 / 17	0 / 3	1 / 15	0 / 3	0 / 2	0 / 1
Percentage of cycles resulting in triplets or more live births	0 / 17	0 / 3	0 / 15	0 / 3	0 / 2	0 / 1
Percentage of cycles resulting in live births	3 / 17	0 / 3	1 / 15	0 / 3	0 / 2	0 / 1
Percentage of cycles resulting in pregnancy	4 / 17	1 / 3	3 / 15	0 / 3	0 / 2	0 / 1
Outcomes per Transfer						
Number of transfers	17	3	14	2	2	0
Percentage of transfers resulting in singleton live births	1 / 17	0 / 3	1 / 14	0 / 2	0 / 2	
Percentage of transfers resulting in triplets or more live births	0 / 17	0 / 3	0 / 14	0 / 2	0 / 2	
Percentage of transfers resulting in live births	3 / 17	0 / 3	1 / 14	0 / 2	0 / 2	
Percentage of transfers resulting in pregnancy	4 / 17	1 / 3	3 / 14	0 / 2	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	4	1	3	0	0	0
Percentage of pregnancies resulting in singleton live births	1 / 4	0 / 1	1 / 3			
Percentage of pregnancies resulting in triplets or more live births	0 / 4	0 / 1	0 / 3			
Percentage of pregnancies resulting in live births	3 / 4	0 / 1	1 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	3	3	0	0	0	0
Number of transfers	3	3	0	0	0	0
Estimated average number of transfers per retrieval	1.5	3.0				
Average number of embryos transferred	2.3	2.7				
Percentage of embryos transferred resulting in implantation	1 / 7	1 / 8				
Percentage of transfers resulting in singleton live births	1 / 3	1 / 3				
Percentage of transfers resulting in triplets or more live births	0 / 3	0 / 3				
Percentage of transfers resulting in live births	1 / 3	1 / 3				
Percentage of transfers resulting in pregnancy	2 / 3	1 / 3				

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	0	2
Number of transfers	0	2
Average number of embryos transferred		2.0
Percentage of embryos transferred resulting in implantation		1 / 4
Percentage of transfers resulting in singleton live births		1 / 2
Percentage of transfers resulting in live births		1 / 2
Percentage of transfers resulting in pregnancy		1 / 2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Women's Fertility Center

Donor egg?	No	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	No	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PARK AVENUE FERTILITY AND REPRODUCTIVE MEDICINE
TRUMBULL, CONNECTICUT

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Andrew J. Levi, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	85%
Unstimulated	0%	Used PGD	10%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	9%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	5%	Male factor	18%	Female factors only	2%
Diminished ovarian reserve	29%	Other factor	9%	Female & male factors	6%
Endometriosis	1%	Unknown factor	35%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 176 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	53	30	28	13	10	8
Percentage of cancellations	0.0	3.3	10.7	2 / 13	7 / 10	6 / 8
Average number of embryos transferred	2.0	1.6	2.4	3.0	2.5	4.0
Percentage of embryos transferred resulting in implantation	28.9	28.6	1.9	7.4	1 / 5	0 / 8
Percentage of elective single embryo transfer (eSET)	10.9	25.0	1 / 17	0 / 7	0 / 2	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	24.5	16.7	3.6	0 / 13	1 / 10	0 / 8
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 13	0 / 10	0 / 8
Percentage of cycles resulting in live births	34.0	26.7	3.6	0 / 13	1 / 10	0 / 8
Percentage of cycles resulting in pregnancy	37.7	30.0	3.6	2 / 13	1 / 10	0 / 8
Outcomes per Transfer						
Number of transfers	48	26	22	9	2	2
Percentage of transfers resulting in singleton live births	27.1	19.2	4.5	0 / 9	1 / 2	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 9	0 / 2	0 / 2
Percentage of transfers resulting in live births	37.5	30.8	4.5	0 / 9	1 / 2	0 / 2
Percentage of transfers resulting in pregnancy	41.7	34.6	4.5	2 / 9	1 / 2	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	20	9	1	2	1	0
Percentage of pregnancies resulting in singleton live births	65.0	5 / 9	1 / 1	0 / 2	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 9	0 / 1	0 / 2	0 / 1	
Percentage of pregnancies resulting in live births	90.0	8 / 9	1 / 1	0 / 2	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	9	6	1	1	0	0
Number of transfers	9	6	1	1	0	0
Estimated average number of transfers per retrieval	4.5	1.5		0.5		
Average number of embryos transferred	1.8	1.5	2.0	6.0		
Percentage of embryos transferred resulting in implantation	5 / 16	3 / 9	1 / 2	0 / 6		
Percentage of transfers resulting in singleton live births	4 / 9	0 / 6	1 / 1	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 9	0 / 6	0 / 1	0 / 1		
Percentage of transfers resulting in live births	4 / 9	1 / 6	1 / 1	0 / 1		
Percentage of transfers resulting in pregnancy	5 / 9	2 / 6	1 / 1	0 / 1		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	8	8
Number of transfers	8	8
Average number of embryos transferred	1.8	1.8
Percentage of embryos transferred resulting in implantation	7 / 14	1 / 14
Percentage of transfers resulting in singleton live births	2 / 8	1 / 8
Percentage of transfers resulting in live births	4 / 8	1 / 8
Percentage of transfers resulting in pregnancy	5 / 8	1 / 8

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Park Avenue Fertility and Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DELAWARE INSTITUTE FOR REPRODUCTIVE MEDICINE, PA
NEWARK, DELAWARE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Jeffrey B. Russell, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	91%
Unstimulated	<1%	Used PGD	5%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	41%	Uterine factor	8%	*Multiple Factors:*	
Ovulatory dysfunction	7%	Male factor	20%	Female factors only	20%
Diminished ovarian reserve	14%	Other factor	3%	Female & male factors	2%
Endometriosis	29%	Unknown factor	2%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 206 (includes 3 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	66	16	17	10	3	0
Percentage of cancellations	7.6	1 / 16	1 / 17	3 / 10	0 / 3	
Average number of embryos transferred	1.6	1.4	2.1	2.3	3.0	
Percentage of embryos transferred resulting in implantation	30.9	3 / 13	2 / 15	2 / 7	0 / 3	
Percentage of elective single embryo transfer (eSET)	35.5	5 / 8	0 / 7	0 / 3	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	19.7	3 / 16	1 / 17	2 / 10	0 / 3	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 16	0 / 17	0 / 10	0 / 3	
Percentage of cycles resulting in live births	22.7	3 / 16	1 / 17	2 / 10	0 / 3	
Percentage of cycles resulting in pregnancy	24.2	4 / 16	2 / 17	2 / 10	0 / 3	
Outcomes per Transfer						
Number of transfers	34	9	7	3	1	0
Percentage of transfers resulting in singleton live births	38.2	3 / 9	1 / 7	2 / 3	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 9	0 / 7	0 / 3	0 / 1	
Percentage of transfers resulting in live births	44.1	3 / 9	1 / 7	2 / 3	0 / 1	
Percentage of transfers resulting in pregnancy	47.1	4 / 9	2 / 7	2 / 3	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	16	4	2	2	0	0
Percentage of pregnancies resulting in singleton live births	13 / 16	3 / 4	1 / 2	2 / 2		
Percentage of pregnancies resulting in triplets or more live births	0 / 16	0 / 4	0 / 2	0 / 2		
Percentage of pregnancies resulting in live births	15 / 16	3 / 4	1 / 2	2 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	41	11	8	1	0	0
Number of transfers	28	8	5	0	0	0
Estimated average number of transfers per retrieval	1.3	1.1	1.7			
Average number of embryos transferred	1.9	1.8	1.8			
Percentage of embryos transferred resulting in implantation	24.1	3 / 14	1 / 9			
Percentage of transfers resulting in singleton live births	25.0	3 / 8	0 / 5			
Percentage of transfers resulting in triplets or more live births	0.0	0 / 8	0 / 5			
Percentage of transfers resulting in live births	32.1	3 / 8	0 / 5			
Percentage of transfers resulting in pregnancy	39.3	3 / 8	1 / 5			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	4	26
Number of transfers	2	18
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation	1 / 4	33.3
Percentage of transfers resulting in singleton live births	1 / 2	6 / 18
Percentage of transfers resulting in live births	1 / 2	8 / 18
Percentage of transfers resulting in pregnancy	1 / 2	10 / 18

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Delaware Institute for Reproductive Medicine, PA

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE ASSOCIATES OF DELAWARE
NEWARK, DELAWARE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Ronald F. Feinberg, MD, PhD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	83%
Unstimulated	0%	Used PGD	9%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	31%	Uterine factor	21%	*Multiple Factors:*	
Ovulatory dysfunction	18%	Male factor	40%	Female factors only	38%
Diminished ovarian reserve	27%	Other factor	14%	Female & male factors	30%
Endometriosis	51%	Unknown factor	<1%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 487 (includes 65 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	94	37	21	9	1	0
Percentage of cancellations	9.6	18.9	28.6	5 / 9	0 / 1	
Average number of embryos transferred	1.2	1.3	1.5	1.7		
Percentage of embryos transferred resulting in implantation	53.7	33.3	13.6	0 / 5		
Percentage of elective single embryo transfer (eSET)	83.8	72.7	5 / 12	1 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	38.3	24.3	9.5	0 / 9	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 9	0 / 1	
Percentage of cycles resulting in live births	41.5	24.3	9.5	0 / 9	0 / 1	
Percentage of cycles resulting in pregnancy	45.7	27.0	19.0	0 / 9	0 / 1	
Outcomes per Transfer						
Number of transfers	71	24	15	3	0	0
Percentage of transfers resulting in singleton live births	50.7	37.5	2 / 15	0 / 3		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 15	0 / 3		
Percentage of transfers resulting in live births	54.9	37.5	2 / 15	0 / 3		
Percentage of transfers resulting in pregnancy	60.6	41.7	4 / 15	0 / 3		
Outcomes per Pregnancy						
Number of pregnancies	43	10	4	0	0	0
Percentage of pregnancies resulting in singleton live births	83.7	9 / 10	2 / 4			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 10	0 / 4			
Percentage of pregnancies resulting in live births	90.7	9 / 10	2 / 4			
Frozen Embryos from Nondonor Eggs						
Number of cycles	123	55	29	12	6	0
Number of transfers	107	50	26	12	6	0
Estimated average number of transfers per retrieval	1.9	2.8	1.4	0.9	0.8	
Average number of embryos transferred	1.1	1.2	1.2	1.2	1.3	
Percentage of embryos transferred resulting in implantation	64.1	53.4	60.0	6 / 14	2 / 8	
Percentage of transfers resulting in singleton live births	57.9	44.0	57.7	5 / 12	2 / 6	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 12	0 / 6	
Percentage of transfers resulting in live births	58.9	48.0	61.5	5 / 12	2 / 6	
Percentage of transfers resulting in pregnancy	67.3	58.0	73.1	6 / 12	2 / 6	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	2	33
Number of transfers	2	31
Average number of embryos transferred	1.0	1.2
Percentage of embryos transferred resulting in implantation	1 / 2	33.3
Percentage of transfers resulting in singleton live births	1 / 2	32.3
Percentage of transfers resulting in live births	1 / 2	32.3
Percentage of transfers resulting in pregnancy	1 / 2	38.7

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Associates of Delaware

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE A.R.T. INSTITUTE OF WASHINGTON, INC.
WALTER REED ARMY MEDICAL CENTER
WASHINGTON, DISTRICT OF COLUMBIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by James Segars, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	82%
Unstimulated	0%	Used PGD	<1%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	27%	Uterine factor	<1%	*Multiple Factors:*	
Ovulatory dysfunction	13%	Male factor	41%	Female factors only	4%
Diminished ovarian reserve	7%	Other factor	1%	Female & male factors	13%
Endometriosis	7%	Unknown factor	22%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 525 (includes 3 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	218	99	98	32	0	0
Percentage of cancellations	3.7	5.1	5.1	6.3		
Average number of embryos transferred	1.5	1.7	2.2	2.5		
Percentage of embryos transferred resulting in implantation	40.4	37.1	19.5	24.6		
Percentage of elective single embryo transfer (eSET)	31.6	16.2	1.3	0.0		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	36.2	28.3	20.4	21.9		
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0		
Percentage of cycles resulting in live births	44.0	35.4	23.5	28.1		
Percentage of cycles resulting in pregnancy	49.1	45.5	35.7	40.6		
Outcomes per Transfer						
Number of transfers	203	87	87	28	0	0
Percentage of transfers resulting in singleton live births	38.9	32.2	23.0	25.0		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0		
Percentage of transfers resulting in live births	47.3	40.2	26.4	32.1		
Percentage of transfers resulting in pregnancy	52.7	51.7	40.2	46.4		
Outcomes per Pregnancy						
Number of pregnancies	107	45	35	13	0	0
Percentage of pregnancies resulting in singleton live births	73.8	62.2	57.1	7 / 13		
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 13		
Percentage of pregnancies resulting in live births	89.7	77.8	65.7	9 / 13		
Frozen Embryos from Nondonor Eggs						
Number of cycles	46	18	8	0	2	1
Number of transfers	45	16	8	0	1	1
Estimated average number of transfers per retrieval	2.0	2.3	2.7	0.0		
Average number of embryos transferred	1.4	1.9	1.8		2.0	1.0
Percentage of embryos transferred resulting in implantation	32.8	20.0	3 / 14		0 / 2	0 / 1
Percentage of transfers resulting in singleton live births	31.1	0 / 16	0 / 8		0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0 / 8		0 / 1	0 / 1
Percentage of transfers resulting in live births	35.6	3 / 16	1 / 8		0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	53.3	4 / 16	3 / 8		0 / 1	0 / 1

	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Donor Eggs		
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation		
Percentage of transfers resulting in singleton live births		
Percentage of transfers resulting in live births		
Percentage of transfers resulting in pregnancy		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The A.R.T. Institute of Washington, Inc., Walter Reed National Military Medical Center

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COLUMBIA FERTILITY ASSOCIATES
WASHINGTON, DISTRICT OF COLUMBIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Safa Rifka, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	59%
Unstimulated	4%	Used PGD	5%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	5%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	10%	Male factor	34%	Female factors only	5%
Diminished ovarian reserve	18%	Other factor	32%	Female & male factors	18%
Endometriosis	3%	Unknown factor	22%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 710 (includes 27 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	119	96	119	101	64	40
Percentage of cancellations	7.6	10.4	11.8	20.8	20.3	15.0
Average number of embryos transferred	1.8	1.9	1.9	2.1	2.5	2.5
Percentage of embryos transferred resulting in implantation	26.6	20.5	15.6	5.1	3.5	3.4
Percentage of elective single embryo transfer (eSET)	21.8	7.1	7.9	2.0	0.0	0 / 16
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	21.8	18.8	12.6	4.0	6.3	2.5
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0.0
Percentage of cycles resulting in live births	28.6	22.9	14.3	5.0	6.3	2.5
Percentage of cycles resulting in pregnancy	31.9	28.1	18.5	5.9	6.3	5.0
Outcomes per Transfer						
Number of transfers	98	76	89	64	46	24
Percentage of transfers resulting in singleton live births	26.5	23.7	16.9	6.3	8.7	4.2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0.0
Percentage of transfers resulting in live births	34.7	28.9	19.1	7.8	8.7	4.2
Percentage of transfers resulting in pregnancy	38.8	35.5	24.7	9.4	8.7	8.3
Outcomes per Pregnancy						
Number of pregnancies	38	27	22	6	4	2
Percentage of pregnancies resulting in singleton live births	68.4	66.7	68.2	4 / 6	4 / 4	1 / 2
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 6	0 / 4	0 / 2
Percentage of pregnancies resulting in live births	89.5	81.5	77.3	5 / 6	4 / 4	1 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	29	13	26	13	6	5
Number of transfers	27	13	25	12	4	4
Estimated average number of transfers per retrieval	1.0	0.8	0.9	0.9	4.0	4.0
Average number of embryos transferred	1.7	1.8	1.8	1.8	1.5	2.0
Percentage of embryos transferred resulting in implantation	15.6	26.1	22.7	9.5	1 / 6	0 / 8
Percentage of transfers resulting in singleton live births	3.7	2 / 13	24.0	2 / 12	1 / 4	0 / 4
Percentage of transfers resulting in triplets or more live births	0.0	0 / 13	0.0	0 / 12	0 / 4	0 / 4
Percentage of transfers resulting in live births	3.7	3 / 13	32.0	2 / 12	1 / 4	0 / 4
Percentage of transfers resulting in pregnancy	25.9	5 / 13	32.0	2 / 12	1 / 4	0 / 4

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	37	15
Number of transfers	33	15
Average number of embryos transferred	1.8	1.7
Percentage of embryos transferred resulting in implantation	31.7	15.4
Percentage of transfers resulting in singleton live births	27.3	1 / 15
Percentage of transfers resulting in live births	42.4	1 / 15
Percentage of transfers resulting in pregnancy	42.4	4 / 15

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Columbia Fertility Associates

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE GEORGE WASHINGTON UNIVERSITY MEDICAL FACULTY ASSOCIATES
WASHINGTON, DISTRICT OF COLUMBIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by David Frankfurter, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	85%
Unstimulated	10%	Used PGD	9%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	3%	Uterine factor	<1%	*Multiple Factors:*	
Ovulatory dysfunction	2%	Male factor	17%	Female factors only	1%
Diminished ovarian reserve	8%	Other factor	6%	Female & male factors	3%
Endometriosis	1%	Unknown factor	67%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 507 (includes 25 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	76	74	81	78	34	5
Percentage of cancellations	2.6	10.8	4.9	5.1	8.8	1 / 5
Average number of embryos transferred	1.6	1.6	2.2	2.4	2.3	2.8
Percentage of embryos transferred resulting in implantation	28.6	14.6	18.9	5.4	2.0	0 / 11
Percentage of elective single embryo transfer (eSET)	43.4	25.7	4.5	2.6	0 / 13	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	28.9	9.5	14.8	5.1	2.9	0 / 5
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 5
Percentage of cycles resulting in live births	31.6	9.5	17.3	5.1	2.9	0 / 5
Percentage of cycles resulting in pregnancy	36.8	16.2	28.4	9.0	2.9	0 / 5
Outcomes per Transfer						
Number of transfers	63	50	60	53	22	4
Percentage of transfers resulting in singleton live births	34.9	14.0	20.0	7.5	4.5	0 / 4
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 4
Percentage of transfers resulting in live births	38.1	14.0	23.3	7.5	4.5	0 / 4
Percentage of transfers resulting in pregnancy	44.4	24.0	38.3	13.2	4.5	0 / 4
Outcomes per Pregnancy						
Number of pregnancies	28	12	23	7	1	0
Percentage of pregnancies resulting in singleton live births	78.6	7 / 12	52.2	4 / 7	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 12	0.0	0 / 7	0 / 1	
Percentage of pregnancies resulting in live births	85.7	7 / 12	60.9	4 / 7	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	31	32	20	12	5	3
Number of transfers	27	28	16	11	5	3
Estimated average number of transfers per retrieval	1.0	1.4	1.0	1.6	0.7	1.0
Average number of embryos transferred	1.7	1.9	2.3	2.4	2.2	3.0
Percentage of embryos transferred resulting in implantation	30.2	19.2	18.9	7.7	0 / 11	0 / 9
Percentage of transfers resulting in singleton live births	14.8	25.0	3 / 16	1 / 11	0 / 5	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 16	0 / 11	0 / 5	0 / 3
Percentage of transfers resulting in live births	29.6	28.6	4 / 16	1 / 11	0 / 5	0 / 3
Percentage of transfers resulting in pregnancy	37.0	32.1	5 / 16	3 / 11	0 / 5	0 / 3

	All Ages Combined[f]	
Donor Eggs	**Fresh Embryos**	**Frozen Embryos**
Number of cycles	17	14
Number of transfers	16	13
Average number of embryos transferred	1.4	2.1
Percentage of embryos transferred resulting in implantation	40.9	11.1
Percentage of transfers resulting in singleton live births	8 / 16	3 / 13
Percentage of transfers resulting in live births	8 / 16	3 / 13
Percentage of transfers resulting in pregnancy	9 / 16	4 / 13

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2012. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

JAMES A. SIMON, MD, PC
WASHINGTON, DISTRICT OF COLUMBIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by James A. Simon, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	100%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	0%	Uterine factor	33%	*Multiple Factors:*	
Ovulatory dysfunction	0%	Male factor	67%	Female factors only	0%
Diminished ovarian reserve	0%	Other factor	0%	Female & male factors	33%
Endometriosis	0%	Unknown factor	33%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 3 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	0	0	1	0	0	0
Percentage of cancellations			0 / 1			
Average number of embryos transferred			1.0			
Percentage of embryos transferred resulting in implantation			0 / 1			
Percentage of elective single embryo transfer (eSET)						
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births			0 / 1			
Percentage of cycles resulting in triplets or more live births			0 / 1			
Percentage of cycles resulting in live births			0 / 1			
Percentage of cycles resulting in pregnancy			0 / 1			
Outcomes per Transfer						
Number of transfers	0	0	1	0	0	0
Percentage of transfers resulting in singleton live births			0 / 1			
Percentage of transfers resulting in triplets or more live births			0 / 1			
Percentage of transfers resulting in live births			0 / 1			
Percentage of transfers resulting in pregnancy			0 / 1			
Outcomes per Pregnancy						
Number of pregnancies	0	0	0	0	0	0
Percentage of pregnancies resulting in singleton live births						
Percentage of pregnancies resulting in triplets or more live births						
Percentage of pregnancies resulting in live births						
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	1	0	0	1	0
Number of transfers	0	1	0	0	1	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred		1.0			2.0	
Percentage of embryos transferred resulting in implantation		1 / 1			0 / 2	
Percentage of transfers resulting in singleton live births		1 / 1			0 / 1	
Percentage of transfers resulting in triplets or more live births		0 / 1			0 / 1	
Percentage of transfers resulting in live births		1 / 1			0 / 1	
Percentage of transfers resulting in pregnancy		1 / 1			0 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation		
Percentage of transfers resulting in singleton live births		
Percentage of transfers resulting in live births		
Percentage of transfers resulting in pregnancy		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: James A. Simon, MD, PC

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BOCAFERTILITY
BOCA RATON, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Maurice (Moshe) R. Peress, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	62%
Unstimulated	0%	Used PGD	6%
Used gestational carrier	4%		

Patient Diagnosis[b]

Tubal factor	12%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	5%	Male factor	24%	Female factors only	7%
Diminished ovarian reserve	51%	Other factor	13%	Female & male factors	9%
Endometriosis	6%	Unknown factor	2%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 109 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	28	16	22	9	3	0
Percentage of cancellations	7.1	0 / 16	4.5	2 / 9	0 / 3	
Average number of embryos transferred	1.9	1.5	1.9	2.1	1.5	
Percentage of embryos transferred resulting in implantation	36.4	42.9	13.5	1 / 15	0 / 3	
Percentage of elective single embryo transfer (eSET)	4.5	4 / 11	0 / 15	0 / 6	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	17.9	3 / 16	9.1	1 / 9	0 / 3	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 16	0.0	0 / 9	0 / 3	
Percentage of cycles resulting in live births	32.1	4 / 16	9.1	1 / 9	0 / 3	
Percentage of cycles resulting in pregnancy	35.7	7 / 16	27.3	1 / 9	0 / 3	
Outcomes per Transfer						
Number of transfers	23	14	19	7	2	0
Percentage of transfers resulting in singleton live births	21.7	3 / 14	2 / 19	1 / 7	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 14	0 / 19	0 / 7	0 / 2	
Percentage of transfers resulting in live births	39.1	4 / 14	2 / 19	1 / 7	0 / 2	
Percentage of transfers resulting in pregnancy	43.5	7 / 14	6 / 19	1 / 7	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	10	7	6	1	0	0
Percentage of pregnancies resulting in singleton live births	5 / 10	3 / 7	2 / 6	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 10	0 / 7	0 / 6	0 / 1		
Percentage of pregnancies resulting in live births	9 / 10	4 / 7	2 / 6	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	3	4	4	2	0	0
Number of transfers	3	4	4	2	0	0
Estimated average number of transfers per retrieval	1.0	1.3	1.3	1.0		
Average number of embryos transferred	1.0	1.8	2.0	2.0		
Percentage of embryos transferred resulting in implantation	0 / 2	4 / 7	4 / 8	2 / 4		
Percentage of transfers resulting in singleton live births	0 / 3	2 / 4	2 / 4	1 / 2		
Percentage of transfers resulting in triplets or more live births	0 / 3	0 / 4	0 / 4	0 / 2		
Percentage of transfers resulting in live births	0 / 3	3 / 4	3 / 4	1 / 2		
Percentage of transfers resulting in pregnancy	0 / 3	3 / 4	4 / 4	1 / 2		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	15	3
Number of transfers	13	3
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation	46.2	3 / 6
Percentage of transfers resulting in singleton live births	5 / 13	3 / 3
Percentage of transfers resulting in live births	7 / 13	3 / 3
Percentage of transfers resulting in pregnancy	10 / 13	3 / 3

CURRENT CLINIC SERVICES AND PROFILE

Current Name: BocaFertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PALM BEACH FERTILITY CENTER
BOCA RATON, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Mark S. Denker, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	89%
Unstimulated	0%	Used PGD	11%
Used gestational carrier	4%		

Patient Diagnosis[b]

Tubal factor	12%	Uterine factor	11%	*Multiple Factors:*	
Ovulatory dysfunction	13%	Male factor	62%	Female factors only	12%
Diminished ovarian reserve	63%	Other factor	8%	Female & male factors	52%
Endometriosis	19%	Unknown factor	<1%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 114 (includes 3 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	40	12	13	3	2	2
Percentage of cancellations	12.5	2 / 12	1 / 13	0 / 3	0 / 2	0 / 2
Average number of embryos transferred	1.9	2.4	1.8	1.7	1.0	2.0
Percentage of embryos transferred resulting in implantation	32.1	4 / 19	0.0	2 / 5	0 / 1	0 / 4
Percentage of elective single embryo transfer (eSET)	8.7	0 / 7	0 / 8	0 / 2		0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.5	2 / 12	0 / 13	0 / 3	0 / 2	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0 / 12	0 / 13	0 / 3	0 / 2	0 / 2
Percentage of cycles resulting in live births	32.5	3 / 12	0 / 13	1 / 3	0 / 2	0 / 2
Percentage of cycles resulting in pregnancy	37.5	3 / 12	0 / 13	1 / 3	0 / 2	0 / 2
Outcomes per Transfer						
Number of transfers	30	8	11	3	1	2
Percentage of transfers resulting in singleton live births	36.7	2 / 8	0 / 11	0 / 3	0 / 1	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0 / 8	0 / 11	0 / 3	0 / 1	0 / 2
Percentage of transfers resulting in live births	43.3	3 / 8	0 / 11	1 / 3	0 / 1	0 / 2
Percentage of transfers resulting in pregnancy	50.0	3 / 8	0 / 11	1 / 3	0 / 1	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	15	3	0	1	0	0
Percentage of pregnancies resulting in singleton live births	11 / 15	2 / 3		0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 15	0 / 3		0 / 1		
Percentage of pregnancies resulting in live births	13 / 15	3 / 3		1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	3	1	1	0	0	1
Number of transfers	3	1	0	0	0	1
Estimated average number of transfers per retrieval	1.0	1.0	0.0		0.0	1.0
Average number of embryos transferred	2.0	2.0				2.0
Percentage of embryos transferred resulting in implantation	2 / 6	0 / 2				0 / 2
Percentage of transfers resulting in singleton live births	2 / 3	0 / 1				0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 3	0 / 1				0 / 1
Percentage of transfers resulting in live births	2 / 3	0 / 1				0 / 1
Percentage of transfers resulting in pregnancy	2 / 3	0 / 1				1 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	24	9
Number of transfers	21	6
Average number of embryos transferred	2.0	1.7
Percentage of embryos transferred resulting in implantation	36.6	0 / 10
Percentage of transfers resulting in singleton live births	28.6	0 / 6
Percentage of transfers resulting in live births	47.6	0 / 6
Percentage of transfers resulting in pregnancy	47.6	0 / 6

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Palm Beach Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTIVE CARE CENTER
BOYNTON BEACH, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Tibor Polcz, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	25%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	31%	Uterine factor	8%	*Multiple Factors:*	
Ovulatory dysfunction	8%	Male factor	23%	Female factors only	8%
Diminished ovarian reserve	46%	Other factor	0%	Female & male factors	15%
Endometriosis	0%	Unknown factor	8%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 13 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	4	1	2	1	0	0
Percentage of cancellations	0 / 4	0 / 1	0 / 2	0 / 1		
Average number of embryos transferred	2.0	2.0	2.5	2.0		
Percentage of embryos transferred resulting in implantation	4 / 8	2 / 2	2 / 5	0 / 2		
Percentage of elective single embryo transfer (eSET)	0 / 4	0 / 1	0 / 2	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	0 / 4	0 / 1	1 / 2	0 / 1		
Percentage of cycles resulting in triplets or more live births	0 / 4	0 / 1	0 / 2	0 / 1		
Percentage of cycles resulting in live births	2 / 4	1 / 1	1 / 2	0 / 1		
Percentage of cycles resulting in pregnancy	3 / 4	1 / 1	1 / 2	0 / 1		
Outcomes per Transfer						
Number of transfers	4	1	2	1	0	0
Percentage of transfers resulting in singleton live births	0 / 4	0 / 1	1 / 2	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 1	0 / 2	0 / 1		
Percentage of transfers resulting in live births	2 / 4	1 / 1	1 / 2	0 / 1		
Percentage of transfers resulting in pregnancy	3 / 4	1 / 1	1 / 2	0 / 1		
Outcomes per Pregnancy						
Number of pregnancies	3	1	1	0	0	0
Percentage of pregnancies resulting in singleton live births	0 / 3	0 / 1	1 / 1			
Percentage of pregnancies resulting in triplets or more live births	0 / 3	0 / 1	0 / 1			
Percentage of pregnancies resulting in live births	2 / 3	1 / 1	1 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	0	1	0	0	0
Number of transfers	0	0	1	0	0	0
Estimated average number of transfers per retrieval			1.0			
Average number of embryos transferred			1.0			
Percentage of embryos transferred resulting in implantation			0 / 1			
Percentage of transfers resulting in singleton live births			0 / 1			
Percentage of transfers resulting in triplets or more live births			0 / 1			
Percentage of transfers resulting in live births			0 / 1			
Percentage of transfers resulting in pregnancy			0 / 1			

	All Ages Combined[f]	
Donor Eggs	**Fresh Embryos**	**Frozen Embryos**
Number of cycles	1	3
Number of transfers	1	3
Average number of embryos transferred	1.0	2.0
Percentage of embryos transferred resulting in implantation	0 / 1	3 / 6
Percentage of transfers resulting in singleton live births	0 / 1	1 / 3
Percentage of transfers resulting in live births	0 / 1	2 / 3
Percentage of transfers resulting in pregnancy	0 / 1	2 / 3

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Reproductive Care Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FLORIDA FERTILITY INSTITUTE
CLEARWATER, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Mark D. Sanchez, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	77%
Unstimulated	0%	Used PGD	7%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	24%	Uterine factor	7%	*Multiple Factors:*	
Ovulatory dysfunction	17%	Male factor	43%	Female factors only	14%
Diminished ovarian reserve	34%	Other factor	18%	Female & male factors	30%
Endometriosis	15%	Unknown factor	5%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 133 (includes 8 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	48	15	8	11	3	0
Percentage of cancellations	4.2	1 / 15	1 / 8	1 / 11	0 / 3	
Average number of embryos transferred	2.4	2.7	3.2	2.6	4.0	
Percentage of embryos transferred resulting in implantation	23.4	23.7	4 / 19	4.3	0 / 12	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 12	0 / 6	0 / 8	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.0	4 / 15	1 / 8	1 / 11	0 / 3	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 15	1 / 8	0 / 11	0 / 3	
Percentage of cycles resulting in live births	37.5	5 / 15	2 / 8	1 / 11	0 / 3	
Percentage of cycles resulting in pregnancy	39.6	6 / 15	2 / 8	2 / 11	0 / 3	
Outcomes per Transfer						
Number of transfers	45	14	6	9	3	0
Percentage of transfers resulting in singleton live births	26.7	4 / 14	1 / 6	1 / 9	0 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 14	1 / 6	0 / 9	0 / 3	
Percentage of transfers resulting in live births	40.0	5 / 14	2 / 6	1 / 9	0 / 3	
Percentage of transfers resulting in pregnancy	42.2	6 / 14	2 / 6	2 / 9	0 / 3	
Outcomes per Pregnancy						
Number of pregnancies	19	6	2	2	0	0
Percentage of pregnancies resulting in singleton live births	12 / 19	4 / 6	1 / 2	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	0 / 19	0 / 6	1 / 2	0 / 2		
Percentage of pregnancies resulting in live births	18 / 19	5 / 6	2 / 2	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	13	3	0	2	0	0
Number of transfers	13	3	0	2	0	0
Estimated average number of transfers per retrieval	1.6	1.0		1.0	0.0	
Average number of embryos transferred	2.7	2.7		2.5		
Percentage of embryos transferred resulting in implantation	25.7	1 / 8		2 / 5		
Percentage of transfers resulting in singleton live births	1 / 13	1 / 3		1 / 2		
Percentage of transfers resulting in triplets or more live births	0 / 13	0 / 3		0 / 2		
Percentage of transfers resulting in live births	5 / 13	1 / 3		1 / 2		
Percentage of transfers resulting in pregnancy	5 / 13	1 / 3		2 / 2		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	12	10
Number of transfers	12	9
Average number of embryos transferred	2.3	2.6
Percentage of embryos transferred resulting in implantation	40.7	13.0
Percentage of transfers resulting in singleton live births	2 / 12	1 / 9
Percentage of transfers resulting in live births	6 / 12	1 / 9
Percentage of transfers resulting in pregnancy	7 / 12	3 / 9

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Florida Fertility Institute

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INFERTILITY AND REPRODUCTIVE MEDICINE OF SOUTH BROWARD
COOPER CITY, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Kenneth Gelman, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	79%
Unstimulated	0%	Used PGD	11%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	22%	Uterine factor	9%	*Multiple Factors:*	
Ovulatory dysfunction	22%	Male factor	22%	Female factors only	13%
Diminished ovarian reserve	30%	Other factor	9%	Female & male factors	17%
Endometriosis	9%	Unknown factor	13%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 23 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	10	2	5	1	1	0
Percentage of cancellations	0 / 10	0 / 2	1 / 5	0 / 1	0 / 1	
Average number of embryos transferred	2.1	2.0	2.3	2.0	2.0	
Percentage of embryos transferred resulting in implantation	38.1	4 / 4	0 / 7	2 / 2	0 / 2	
Percentage of elective single embryo transfer (eSET)	0 / 9	0 / 2	0 / 3	0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	3 / 10	0 / 2	0 / 5	0 / 1	0 / 1	
Percentage of cycles resulting in triplets or more live births	0 / 10	0 / 2	0 / 5	0 / 1	0 / 1	
Percentage of cycles resulting in live births	5 / 10	2 / 2	0 / 5	1 / 1	0 / 1	
Percentage of cycles resulting in pregnancy	5 / 10	2 / 2	1 / 5	1 / 1	0 / 1	
Outcomes per Transfer						
Number of transfers	10	2	3	1	1	0
Percentage of transfers resulting in singleton live births	3 / 10	0 / 2	0 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 10	0 / 2	0 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in live births	5 / 10	2 / 2	0 / 3	1 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	5 / 10	2 / 2	1 / 3	1 / 1	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	5	2	1	1	0	0
Percentage of pregnancies resulting in singleton live births	3 / 5	0 / 2	0 / 1	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 5	0 / 2	0 / 1	0 / 1		
Percentage of pregnancies resulting in live births	5 / 5	2 / 2	0 / 1	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	2	0	0	0	0
Number of transfers	2	2	0	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred	2.0	2.5				
Percentage of embryos transferred resulting in implantation	3 / 4	2 / 5				
Percentage of transfers resulting in singleton live births	1 / 2	0 / 2				
Percentage of transfers resulting in triplets or more live births	0 / 2	0 / 2				
Percentage of transfers resulting in live births	2 / 2	0 / 2				
Percentage of transfers resulting in pregnancy	2 / 2	1 / 2				

	All Ages Combined[f]	
Donor Eggs	**Fresh Embryos**	**Frozen Embryos**
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation		
Percentage of transfers resulting in singleton live births		
Percentage of transfers resulting in live births		
Percentage of transfers resulting in pregnancy		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Infertility and Reproductive Medicine of South Broward

Donor egg?	No	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTHWEST FLORIDA FERTILITY CENTER, PA
FORT MYERS, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Jacob L. Glock, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	28%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	6%		

Patient Diagnosis[b]

Tubal factor	22%	Uterine factor	13%	*Multiple Factors:*	
Ovulatory dysfunction	13%	Male factor	30%	Female factors only	4%
Diminished ovarian reserve	22%	Other factor	0%	Female & male factors	17%
Endometriosis	17%	Unknown factor	13%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 23 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	9	4	3	1	0	1
Percentage of cancellations	0 / 9	0 / 4	0 / 3	0 / 1		0 / 1
Average number of embryos transferred	2.8	3.0	2.7			
Percentage of embryos transferred resulting in implantation	36.0	3 / 12	1 / 8			
Percentage of elective single embryo transfer (eSET)	0 / 9	0 / 4	0 / 3			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	0 / 9	1 / 4	1 / 3	0 / 1		0 / 1
Percentage of cycles resulting in triplets or more live births	1 / 9	0 / 4	0 / 3	0 / 1		0 / 1
Percentage of cycles resulting in live births	4 / 9	2 / 4	1 / 3	0 / 1		0 / 1
Percentage of cycles resulting in pregnancy	4 / 9	2 / 4	1 / 3	0 / 1		0 / 1
Outcomes per Transfer						
Number of transfers	9	4	3	0	0	0
Percentage of transfers resulting in singleton live births	0 / 9	1 / 4	1 / 3			
Percentage of transfers resulting in triplets or more live births	1 / 9	0 / 4	0 / 3			
Percentage of transfers resulting in live births	4 / 9	2 / 4	1 / 3			
Percentage of transfers resulting in pregnancy	4 / 9	2 / 4	1 / 3			
Outcomes per Pregnancy						
Number of pregnancies	4	2	1	0	0	0
Percentage of pregnancies resulting in singleton live births	0 / 4	1 / 2	1 / 1			
Percentage of pregnancies resulting in triplets or more live births	1 / 4	0 / 2	0 / 1			
Percentage of pregnancies resulting in live births	4 / 4	2 / 2	1 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	2	0	0	0	0
Number of transfers	1	2	0	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred	3.0	3.0				
Percentage of embryos transferred resulting in implantation	0 / 3	0 / 6				
Percentage of transfers resulting in singleton live births	0 / 1	0 / 2				
Percentage of transfers resulting in triplets or more live births	0 / 1	0 / 2				
Percentage of transfers resulting in live births	0 / 1	0 / 2				
Percentage of transfers resulting in pregnancy	0 / 1	0 / 2				

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	0	2
Number of transfers	0	2
Average number of embryos transferred		3.0
Percentage of embryos transferred resulting in implantation		3 / 6
Percentage of transfers resulting in singleton live births		1 / 2
Percentage of transfers resulting in live births		2 / 2
Percentage of transfers resulting in pregnancy		2 / 2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Southwest Florida Fertility Center, PA

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SPECIALISTS IN REPRODUCTIVE MEDICINE AND SURGERY, PA
CRAIG R. SWEET, MD
FORT MYERS, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Craig R. Sweet, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	69%
Unstimulated	0%	Used PGD	7%
Used gestational carrier	3%		

Patient Diagnosis[b]

Tubal factor	21%	Uterine factor	<1%	*Multiple Factors:*	
Ovulatory dysfunction	16%	Male factor	21%	Female factors only	23%
Diminished ovarian reserve	50%	Other factor	12%	Female & male factors	15%
Endometriosis	23%	Unknown factor	0%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 127 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	35	24	10	4	1	0
Percentage of cancellations	5.7	0.0	4 / 10	0 / 4	0 / 1	
Average number of embryos transferred	2.0	2.7	2.7	2.3	2.0	
Percentage of embryos transferred resulting in implantation	33.9	11.9	3 / 16	1 / 9	0 / 2	
Percentage of elective single embryo transfer (eSET)	10.7	4.8	0 / 6	0 / 3	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.7	12.5	1 / 10	1 / 4	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 10	0 / 4	0 / 1	
Percentage of cycles resulting in live births	40.0	16.7	1 / 10	1 / 4	0 / 1	
Percentage of cycles resulting in pregnancy	42.9	29.2	3 / 10	1 / 4	0 / 1	
Outcomes per Transfer						
Number of transfers	29	22	6	4	1	0
Percentage of transfers resulting in singleton live births	31.0	13.6	1 / 6	1 / 4	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 6	0 / 4	0 / 1	
Percentage of transfers resulting in live births	48.3	18.2	1 / 6	1 / 4	0 / 1	
Percentage of transfers resulting in pregnancy	51.7	31.8	3 / 6	1 / 4	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	15	7	3	1	0	0
Percentage of pregnancies resulting in singleton live births	9 / 15	3 / 7	1 / 3	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 15	0 / 7	0 / 3	0 / 1		
Percentage of pregnancies resulting in live births	14 / 15	4 / 7	1 / 3	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	6	0	1	0	0
Number of transfers	5	4	0	1	0	0
Estimated average number of transfers per retrieval	1.3	1.3				
Average number of embryos transferred	3.0	2.8		3.0		
Percentage of embryos transferred resulting in implantation	5 / 15	0 / 11		0 / 3		
Percentage of transfers resulting in singleton live births	2 / 5	0 / 4		0 / 1		
Percentage of transfers resulting in triplets or more live births	1 / 5	0 / 4		0 / 1		
Percentage of transfers resulting in live births	3 / 5	0 / 4		0 / 1		
Percentage of transfers resulting in pregnancy	3 / 5	0 / 4		0 / 1		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	16	23
Number of transfers	12	19
Average number of embryos transferred	2.2	3.0
Percentage of embryos transferred resulting in implantation	30.8	19.3
Percentage of transfers resulting in singleton live births	6 / 12	6 / 19
Percentage of transfers resulting in live births	7 / 12	7 / 19
Percentage of transfers resulting in pregnancy	7 / 12	9 / 19

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Specialists in Reproductive Medicine and Surgery, PA, Craig R. Sweet, MD

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF FLORIDA WOMEN'S HEALTH AT MAGNOLIA PARKE
GAINESVILLE, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Alice Rhoton-Vlasak, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	63%
Unstimulated	2%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	11%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	12%	Male factor	40%	Female factors only	17%
Diminished ovarian reserve	24%	Other factor	38%	Female & male factors	26%
Endometriosis	25%	Unknown factor	3%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 81 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	31	10	9	8	1	0
Percentage of cancellations	6.5	1 / 10	2 / 9	2 / 8	1 / 1	
Average number of embryos transferred	1.7	1.9	2.6	3.5		
Percentage of embryos transferred resulting in implantation	51.0	4 / 17	1 / 18	19.0		
Percentage of elective single embryo transfer (eSET)	25.0	0 / 7	0 / 7	0 / 6		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	35.5	3 / 10	1 / 9	1 / 8	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 10	0 / 9	0 / 8	0 / 1	
Percentage of cycles resulting in live births	51.6	3 / 10	1 / 9	1 / 8	0 / 1	
Percentage of cycles resulting in pregnancy	61.3	4 / 10	1 / 9	3 / 8	0 / 1	
Outcomes per Transfer						
Number of transfers	29	9	7	6	0	0
Percentage of transfers resulting in singleton live births	37.9	3 / 9	1 / 7	1 / 6		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 9	0 / 7	0 / 6		
Percentage of transfers resulting in live births	55.2	3 / 9	1 / 7	1 / 6		
Percentage of transfers resulting in pregnancy	65.5	4 / 9	1 / 7	3 / 6		
Outcomes per Pregnancy						
Number of pregnancies	19	4	1	3	0	0
Percentage of pregnancies resulting in singleton live births	11 / 19	3 / 4	1 / 1	1 / 3		
Percentage of pregnancies resulting in triplets or more live births	0 / 19	0 / 4	0 / 1	0 / 3		
Percentage of pregnancies resulting in live births	16 / 19	3 / 4	1 / 1	1 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	2	0	0	2	0
Number of transfers	5	2	0	0	2	0
Estimated average number of transfers per retrieval	2.5	1.0				
Average number of embryos transferred	1.4	1.5			2.0	
Percentage of embryos transferred resulting in implantation	2 / 7	2 / 3			0 / 4	
Percentage of transfers resulting in singleton live births	2 / 5	1 / 2			0 / 2	
Percentage of transfers resulting in triplets or more live births	0 / 5	0 / 2			0 / 2	
Percentage of transfers resulting in live births	2 / 5	1 / 2			0 / 2	
Percentage of transfers resulting in pregnancy	2 / 5	2 / 2			0 / 2	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	12	1
Number of transfers	9	1
Average number of embryos transferred	1.3	1.0
Percentage of embryos transferred resulting in implantation	8 / 12	1 / 1
Percentage of transfers resulting in singleton live births	6 / 9	1 / 1
Percentage of transfers resulting in live births	6 / 9	1 / 1
Percentage of transfers resulting in pregnancy	7 / 9	1 / 1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University of Florida Reproductive Medicine at Springhill

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ASSISTED FERTILITY PROGRAM OF NORTH FLORIDA
JACKSONVILLE, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Marwan M. Shaykh, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	65%
Unstimulated	0%	Used PGD	4%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	21%	Uterine factor	6%	*Multiple Factors:*	
Ovulatory dysfunction	19%	Male factor	29%	Female factors only	19%
Diminished ovarian reserve	19%	Other factor	15%	Female & male factors	13%
Endometriosis	15%	Unknown factor	10%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 68 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	31	14	4	1	0	2
Percentage of cancellations	3.2	1 / 14	0 / 4	0 / 1		0 / 2
Average number of embryos transferred	2.0	2.7	4.0	1.0		1.0
Percentage of embryos transferred resulting in implantation	16.9	11.4	1 / 16	0 / 1		0 / 1
Percentage of elective single embryo transfer (eSET)	0.0	0 / 11	0 / 4			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	12.9	1 / 14	0 / 4	0 / 1		0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0 / 14	0 / 4	0 / 1		0 / 2
Percentage of cycles resulting in live births	19.4	2 / 14	0 / 4	0 / 1		0 / 2
Percentage of cycles resulting in pregnancy	29.0	3 / 14	1 / 4	0 / 1		0 / 2
Outcomes per Transfer						
Number of transfers	29	13	4	1	0	1
Percentage of transfers resulting in singleton live births	13.8	1 / 13	0 / 4	0 / 1		0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 13	0 / 4	0 / 1		0 / 1
Percentage of transfers resulting in live births	20.7	2 / 13	0 / 4	0 / 1		0 / 1
Percentage of transfers resulting in pregnancy	31.0	3 / 13	1 / 4	0 / 1		0 / 1
Outcomes per Pregnancy						
Number of pregnancies	9	3	1	0	0	0
Percentage of pregnancies resulting in singleton live births	4 / 9	1 / 3	0 / 1			
Percentage of pregnancies resulting in triplets or more live births	0 / 9	0 / 3	0 / 1			
Percentage of pregnancies resulting in live births	6 / 9	2 / 3	0 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	1	0	0	0	0
Number of transfers	2	1	0	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred	2.0	2.0				
Percentage of embryos transferred resulting in implantation	0 / 4	1 / 2				
Percentage of transfers resulting in singleton live births	0 / 2	0 / 1				
Percentage of transfers resulting in triplets or more live births	0 / 2	0 / 1				
Percentage of transfers resulting in live births	0 / 2	0 / 1				
Percentage of transfers resulting in pregnancy	0 / 2	1 / 1				

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	9	4
Number of transfers	9	4
Average number of embryos transferred	1.9	1.5
Percentage of embryos transferred resulting in implantation	5 / 17	1 / 6
Percentage of transfers resulting in singleton live births	3 / 9	1 / 4
Percentage of transfers resulting in live births	4 / 9	1 / 4
Percentage of transfers resulting in pregnancy	4 / 9	1 / 4

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Assisted Fertility Program of North Florida

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BROWN FERTILITY
JACKSONVILLE, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Samuel E. Brown, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	82%
Unstimulated	0%	Used PGD	<1%
Used gestational carrier	3%		

Patient Diagnosis[b]

Tubal factor	9%	Uterine factor	9%	*Multiple Factors:*	
Ovulatory dysfunction	19%	Male factor	31%	Female factors only	15%
Diminished ovarian reserve	17%	Other factor	17%	Female & male factors	16%
Endometriosis	30%	Unknown factor	4%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 184 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	75	23	32	6	4	2
Percentage of cancellations	1.3	0.0	9.4	0 / 6	2 / 4	0 / 2
Average number of embryos transferred	1.9	2.2	2.4	2.2	2.5	4.5
Percentage of embryos transferred resulting in implantation	31.9	30.0	17.6	0 / 11	2 / 5	0 / 9
Percentage of elective single embryo transfer (eSET)	17.1	13.0	0.0	0 / 4	0 / 2	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	24.0	17.4	21.9	0 / 6	0 / 4	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 6	0 / 4	0 / 2
Percentage of cycles resulting in live births	33.3	30.4	25.0	0 / 6	1 / 4	0 / 2
Percentage of cycles resulting in pregnancy	49.3	52.2	34.4	0 / 6	1 / 4	0 / 2
Outcomes per Transfer						
Number of transfers	71	23	28	5	2	2
Percentage of transfers resulting in singleton live births	25.4	17.4	25.0	0 / 5	0 / 2	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 5	0 / 2	0 / 2
Percentage of transfers resulting in live births	35.2	30.4	28.6	0 / 5	1 / 2	0 / 2
Percentage of transfers resulting in pregnancy	52.1	52.2	39.3	0 / 5	1 / 2	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	37	12	11	0	1	0
Percentage of pregnancies resulting in singleton live births	48.6	4 / 12	7 / 11		0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 12	0 / 11		0 / 1	
Percentage of pregnancies resulting in live births	67.6	7 / 12	8 / 11		1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	12	2	5	1	0	0
Number of transfers	12	2	5	1	0	0
Estimated average number of transfers per retrieval	1.1	1.0	1.3	1.0		
Average number of embryos transferred	1.9	2.0	2.4	2.0		
Percentage of embryos transferred resulting in implantation	34.8	0 / 4	4 / 12	0 / 2		
Percentage of transfers resulting in singleton live births	2 / 12	0 / 2	1 / 5	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 12	0 / 2	0 / 5	0 / 1		
Percentage of transfers resulting in live births	3 / 12	0 / 2	1 / 5	0 / 1		
Percentage of transfers resulting in pregnancy	7 / 12	0 / 2	3 / 5	0 / 1		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	22	0
Number of transfers	20	0
Average number of embryos transferred	2.0	
Percentage of embryos transferred resulting in implantation	43.6	
Percentage of transfers resulting in singleton live births	35.0	
Percentage of transfers resulting in live births	60.0	
Percentage of transfers resulting in pregnancy	75.0	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Brown Fertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FLORIDA INSTITUTE FOR REPRODUCTIVE MEDICINE
JACKSONVILLE, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Kevin L. Winslow, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	90%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	17%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	18%	Male factor	60%	Female factors only	11%
Diminished ovarian reserve	29%	Other factor	6%	Female & male factors	34%
Endometriosis	15%	Unknown factor	4%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 801 (includes 14 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	230	77	72	21	11	4
Percentage of cancellations	1.7	7.8	2.8	4.8	1 / 11	0 / 4
Average number of embryos transferred	2.0	2.2	2.3	2.9	2.6	3.0
Percentage of embryos transferred resulting in implantation	34.4	31.7	19.7	15.2	0.0	0 / 12
Percentage of elective single embryo transfer (eSET)	8.6	4.8	1.9	1 / 16	0 / 7	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.7	20.8	27.8	19.0	0 / 11	0 / 4
Percentage of cycles resulting in triplets or more live births	0.9	0.0	0.0	0.0	0 / 11	0 / 4
Percentage of cycles resulting in live births	38.3	35.1	29.2	23.8	0 / 11	0 / 4
Percentage of cycles resulting in pregnancy	44.3	42.9	30.6	28.6	0 / 11	1 / 4
Outcomes per Transfer						
Number of transfers	201	67	57	16	10	4
Percentage of transfers resulting in singleton live births	29.4	23.9	35.1	4 / 16	0 / 10	0 / 4
Percentage of transfers resulting in triplets or more live births	1.0	0.0	0.0	0 / 16	0 / 10	0 / 4
Percentage of transfers resulting in live births	43.8	40.3	36.8	5 / 16	0 / 10	0 / 4
Percentage of transfers resulting in pregnancy	50.7	49.3	38.6	6 / 16	0 / 10	1 / 4
Outcomes per Pregnancy						
Number of pregnancies	102	33	22	6	0	1
Percentage of pregnancies resulting in singleton live births	57.8	48.5	90.9	4 / 6		0 / 1
Percentage of pregnancies resulting in triplets or more live births	2.0	0.0	0.0	0 / 6		0 / 1
Percentage of pregnancies resulting in live births	86.3	81.8	95.5	5 / 6		0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	145	52	40	8	2	6
Number of transfers	143	51	39	8	2	6
Estimated average number of transfers per retrieval	1.9	2.7	1.8	2.0		
Average number of embryos transferred	1.8	1.8	1.9	2.4	2.5	3.0
Percentage of embryos transferred resulting in implantation	28.7	27.8	6.6	4 / 19	0 / 5	0 / 18
Percentage of transfers resulting in singleton live births	28.7	27.5	10.3	1 / 8	0 / 2	0 / 6
Percentage of transfers resulting in triplets or more live births	0.0	2.0	0.0	0 / 8	0 / 2	0 / 6
Percentage of transfers resulting in live births	36.4	35.3	10.3	2 / 8	0 / 2	0 / 6
Percentage of transfers resulting in pregnancy	44.1	41.2	10.3	3 / 8	0 / 2	0 / 6

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	54	65
Number of transfers	53	65
Average number of embryos transferred	1.9	1.9
Percentage of embryos transferred resulting in implantation	42.7	29.0
Percentage of transfers resulting in singleton live births	30.2	24.6
Percentage of transfers resulting in live births	49.1	33.8
Percentage of transfers resulting in pregnancy	60.4	46.2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Florida Institute for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

JACKSONVILLE CENTER FOR REPRODUCTIVE MEDICINE
JACKSONVILLE, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Michael D. Fox, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	26%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	6%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	14%	Male factor	11%	Female factors only	<1%
Diminished ovarian reserve	23%	Other factor	5%	Female & male factors	<1%
Endometriosis	40%	Unknown factor	0%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 314 (includes 3 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	91	57	37	10	6	1
Percentage of cancellations	3.3	1.8	5.4	1 / 10	2 / 6	0 / 1
Average number of embryos transferred	1.9	2.0	2.2	2.0	1.3	2.0
Percentage of embryos transferred resulting in implantation	29.6	22.0	13.2	0 / 16	0 / 4	0 / 2
Percentage of elective single embryo transfer (eSET)	6.8	5.0	0.0	0 / 6	0 / 1	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	31.9	19.3	16.2	0 / 10	0 / 6	0 / 1
Percentage of cycles resulting in triplets or more live births	1.1	0.0	0.0	0 / 10	0 / 6	0 / 1
Percentage of cycles resulting in live births	37.4	26.3	18.9	0 / 10	0 / 6	0 / 1
Percentage of cycles resulting in pregnancy	41.8	36.8	21.6	0 / 10	0 / 6	0 / 1
Outcomes per Transfer						
Number of transfers	79	50	31	8	3	1
Percentage of transfers resulting in singleton live births	36.7	22.0	19.4	0 / 8	0 / 3	0 / 1
Percentage of transfers resulting in triplets or more live births	1.3	0.0	0.0	0 / 8	0 / 3	0 / 1
Percentage of transfers resulting in live births	43.0	30.0	22.6	0 / 8	0 / 3	0 / 1
Percentage of transfers resulting in pregnancy	48.1	42.0	25.8	0 / 8	0 / 3	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	38	21	8	0	0	0
Percentage of pregnancies resulting in singleton live births	76.3	52.4	6 / 8			
Percentage of pregnancies resulting in triplets or more live births	2.6	0.0	0 / 8			
Percentage of pregnancies resulting in live births	89.5	71.4	7 / 8			
Frozen Embryos from Nondonor Eggs						
Number of cycles	44	16	8	3	0	0
Number of transfers	41	15	8	3	0	0
Estimated average number of transfers per retrieval	2.2	1.5	2.0	1.5		
Average number of embryos transferred	1.9	1.5	2.1	2.0		
Percentage of embryos transferred resulting in implantation	11.8	8.7	2 / 17	1 / 6		
Percentage of transfers resulting in singleton live births	19.5	0 / 15	0 / 8	0 / 3		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 15	0 / 8	0 / 3		
Percentage of transfers resulting in live births	19.5	1 / 15	1 / 8	0 / 3		
Percentage of transfers resulting in pregnancy	26.8	1 / 15	1 / 8	1 / 3		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	16	22
Number of transfers	15	20
Average number of embryos transferred	1.9	1.7
Percentage of embryos transferred resulting in implantation	44.8	3.0
Percentage of transfers resulting in singleton live births	4 / 15	0.0
Percentage of transfers resulting in live births	8 / 15	0.0
Percentage of transfers resulting in pregnancy	12 / 15	15.0

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Jacksonville Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR NATURAL IVF
JUPITER, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Gene Manko, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	46%
Unstimulated	8%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	14%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	7%	Male factor	18%	Female factors only	21%
Diminished ovarian reserve	71%	Other factor	14%	Female & male factors	18%
Endometriosis	14%	Unknown factor	0%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 50 (includes 22 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	3	1	7	10	2	1
Percentage of cancellations	1 / 3	0 / 1	2 / 7	4 / 10	1 / 2	0 / 1
Average number of embryos transferred	1.0		1.0			
Percentage of embryos transferred resulting in implantation	0 / 1		0 / 1			
Percentage of elective single embryo transfer (eSET)						
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	0 / 3	0 / 1	0 / 7	0 / 10	0 / 2	0 / 1
Percentage of cycles resulting in triplets or more live births	0 / 3	0 / 1	0 / 7	0 / 10	0 / 2	0 / 1
Percentage of cycles resulting in live births	0 / 3	0 / 1	0 / 7	0 / 10	0 / 2	0 / 1
Percentage of cycles resulting in pregnancy	0 / 3	0 / 1	0 / 7	0 / 10	0 / 2	0 / 1
Outcomes per Transfer						
Number of transfers	1	0	1	0	0	0
Percentage of transfers resulting in singleton live births	0 / 1		0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 1		0 / 1			
Percentage of transfers resulting in live births	0 / 1		0 / 1			
Percentage of transfers resulting in pregnancy	0 / 1		0 / 1			
Outcomes per Pregnancy						
Number of pregnancies	0	0	0	0	0	0
Percentage of pregnancies resulting in singleton live births						
Percentage of pregnancies resulting in triplets or more live births						
Percentage of pregnancies resulting in live births						
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	1	0	1	1	0
Number of transfers	1	1	0	0	1	0
Estimated average number of transfers per retrieval		0.5	0.0	0.0	0.1	0.0
Average number of embryos transferred	2.0	1.0			1.0	
Percentage of embryos transferred resulting in implantation	0 / 2	0 / 1			0 / 1	
Percentage of transfers resulting in singleton live births	0 / 1	0 / 1			0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 1	0 / 1			0 / 1	
Percentage of transfers resulting in live births	0 / 1	0 / 1			0 / 1	
Percentage of transfers resulting in pregnancy	0 / 1	0 / 1			0 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation		
Percentage of transfers resulting in singleton live births		
Percentage of transfers resulting in live births		
Percentage of transfers resulting in pregnancy		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Natural IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2012 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2012 ART cycle data or the clinic's Medical Director did not approve the clinic's 2012 ART cycle data for inclusion in this report.

IVF FLORIDA
MARGATE, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by David I. Hoffman, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	75%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	17%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	12%	Male factor	37%	Female factors only	7%
Diminished ovarian reserve	29%	Other factor	9%	Female & male factors	14%
Endometriosis	8%	Unknown factor	9%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 1,062 (includes 12 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	263	161	166	77	37	5
Percentage of cancellations	4.9	7.5	15.1	10.4	13.5	0 / 5
Average number of embryos transferred	1.7	2.0	2.4	3.2	3.9	3.3
Percentage of embryos transferred resulting in implantation	33.5	23.4	15.6	5.5	1.9	0 / 10
Percentage of elective single embryo transfer (eSET)	23.9	8.3	1.7	0.0	0.0	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.0	23.0	12.7	11.7	0.0	0 / 5
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 5
Percentage of cycles resulting in live births	35.0	28.0	17.5	11.7	0.0	0 / 5
Percentage of cycles resulting in pregnancy	41.4	32.9	26.5	15.6	10.8	0 / 5
Outcomes per Transfer						
Number of transfers	224	131	127	62	27	3
Percentage of transfers resulting in singleton live births	31.7	28.2	16.5	14.5	0.0	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 3
Percentage of transfers resulting in live births	41.1	34.4	22.8	14.5	0.0	0 / 3
Percentage of transfers resulting in pregnancy	48.7	40.5	34.6	19.4	14.8	0 / 3
Outcomes per Pregnancy						
Number of pregnancies	109	53	44	12	4	0
Percentage of pregnancies resulting in singleton live births	65.1	69.8	47.7	9 / 12	0 / 4	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 12	0 / 4	
Percentage of pregnancies resulting in live births	84.4	84.9	65.9	9 / 12	0 / 4	
Frozen Embryos from Nondonor Eggs						
Number of cycles	107	47	42	22	10	8
Number of transfers	104	45	41	21	9	7
Estimated average number of transfers per retrieval	1.6	1.6	2.0	4.2	9.0	
Average number of embryos transferred	1.6	1.5	1.7	1.8	2.2	1.7
Percentage of embryos transferred resulting in implantation	27.8	39.1	27.5	26.3	15.0	2 / 12
Percentage of transfers resulting in singleton live births	29.8	37.8	31.7	28.6	1 / 9	0 / 7
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 9	0 / 7
Percentage of transfers resulting in live births	35.6	46.7	36.6	33.3	1 / 9	1 / 7
Percentage of transfers resulting in pregnancy	45.2	51.1	43.9	42.9	2 / 9	1 / 7

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	72	33
Number of transfers	63	32
Average number of embryos transferred	1.5	1.7
Percentage of embryos transferred resulting in implantation	45.3	29.1
Percentage of transfers resulting in singleton live births	36.5	31.3
Percentage of transfers resulting in live births	46.0	40.6
Percentage of transfers resulting in pregnancy	63.5	59.4

CURRENT CLINIC SERVICES AND PROFILE

Current Name: IVF Florida

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

VIERA FERTILITY CENTER
FERTILITY AND REPRODUCTIVE MEDICINE CENTER FOR WOMEN
MELBOURNE, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Diran Chamoun, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	35%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	3%		

Patient Diagnosis[b]

Tubal factor	29%	Uterine factor	12%	*Multiple Factors:*	
Ovulatory dysfunction	22%	Male factor	42%	Female factors only	22%
Diminished ovarian reserve	34%	Other factor	5%	Female & male factors	20%
Endometriosis	2%	Unknown factor	5%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 41 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	16	6	6	3	4	2
Percentage of cancellations	2 / 16	0 / 6	0 / 6	0 / 3	2 / 4	0 / 2
Average number of embryos transferred	1.8	2.0	2.6	3.5	1.0	1.0
Percentage of embryos transferred resulting in implantation	31.8	1 / 6	1 / 13	1 / 7	0 / 1	0 / 2
Percentage of elective single embryo transfer (eSET)	0 / 10	0 / 3	0 / 4	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	4 / 16	1 / 6	1 / 6	0 / 3	0 / 4	0 / 2
Percentage of cycles resulting in triplets or more live births	0 / 16	0 / 6	0 / 6	0 / 3	0 / 4	0 / 2
Percentage of cycles resulting in live births	5 / 16	1 / 6	1 / 6	0 / 3	0 / 4	0 / 2
Percentage of cycles resulting in pregnancy	5 / 16	1 / 6	1 / 6	1 / 3	0 / 4	0 / 2
Outcomes per Transfer						
Number of transfers	12	3	5	2	1	2
Percentage of transfers resulting in singleton live births	4 / 12	1 / 3	1 / 5	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in triplets or more live births	0 / 12	0 / 3	0 / 5	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in live births	5 / 12	1 / 3	1 / 5	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in pregnancy	5 / 12	1 / 3	1 / 5	1 / 2	0 / 1	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	5	1	1	1	0	0
Percentage of pregnancies resulting in singleton live births	4 / 5	1 / 1	1 / 1	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 5	0 / 1	0 / 1	0 / 1		
Percentage of pregnancies resulting in live births	5 / 5	1 / 1	1 / 1	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	1	0	0	0	0
Number of transfers	0	1	0	0	0	0
Estimated average number of transfers per retrieval		1.0				
Average number of embryos transferred		3.0				
Percentage of embryos transferred resulting in implantation		3 / 3				
Percentage of transfers resulting in singleton live births		0 / 1				
Percentage of transfers resulting in triplets or more live births		0 / 1				
Percentage of transfers resulting in live births		1 / 1				
Percentage of transfers resulting in pregnancy		1 / 1				

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	2	1
Number of transfers	2	1
Average number of embryos transferred	2.0	3.0
Percentage of embryos transferred resulting in implantation	2 / 4	2 / 3
Percentage of transfers resulting in singleton live births	1 / 2	1 / 1
Percentage of transfers resulting in live births	1 / 2	1 / 1
Percentage of transfers resulting in pregnancy	2 / 2	1 / 1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Viera Fertility Center, Fertility and Reproductive Medicine Center for Women

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY & IVF CENTER OF MIAMI, INC.
MIAMI, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Michael H. Jacobs, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	85%
Unstimulated	0%	Used PGD	7%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	17%	Uterine factor	13%	*Multiple Factors:*	
Ovulatory dysfunction	16%	Male factor	37%	Female factors only	30%
Diminished ovarian reserve	52%	Other factor	33%	Female & male factors	27%
Endometriosis	12%	Unknown factor	2%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 425 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	78	70	97	29	7	10
Percentage of cancellations	6.4	8.6	14.4	31.0	1 / 7	5 / 10
Average number of embryos transferred	2.0	2.2	2.1	2.5	1.8	3.3
Percentage of embryos transferred resulting in implantation	41.7	35.1	21.3	16.3	1 / 9	0 / 13
Percentage of elective single embryo transfer (eSET)	9.7	0.0	3.1	0 / 17	0 / 4	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.9	21.4	21.6	0.0	1 / 7	0 / 10
Percentage of cycles resulting in triplets or more live births	1.3	0.0	0.0	0.0	0 / 7	0 / 10
Percentage of cycles resulting in live births	38.5	31.4	23.7	3.4	1 / 7	0 / 10
Percentage of cycles resulting in pregnancy	42.3	38.6	28.9	17.2	1 / 7	0 / 10
Outcomes per Transfer						
Number of transfers	64	53	77	17	5	4
Percentage of transfers resulting in singleton live births	32.8	28.3	27.3	0 / 17	1 / 5	0 / 4
Percentage of transfers resulting in triplets or more live births	1.6	0.0	0.0	0 / 17	0 / 5	0 / 4
Percentage of transfers resulting in live births	46.9	41.5	29.9	1 / 17	1 / 5	0 / 4
Percentage of transfers resulting in pregnancy	51.6	50.9	36.4	5 / 17	1 / 5	0 / 4
Outcomes per Pregnancy						
Number of pregnancies	33	27	28	5	1	0
Percentage of pregnancies resulting in singleton live births	63.6	55.6	75.0	0 / 5	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	3.0	0.0	0.0	0 / 5	0 / 1	
Percentage of pregnancies resulting in live births	90.9	81.5	82.1	1 / 5	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	33	22	17	13	3	6
Number of transfers	32	21	16	13	3	6
Estimated average number of transfers per retrieval	2.1	2.3	1.3	3.3		3.0
Average number of embryos transferred	1.8	2.0	2.1	1.8	2.0	2.0
Percentage of embryos transferred resulting in implantation	39.7	33.3	26.5	20.8	0 / 6	7 / 12
Percentage of transfers resulting in singleton live births	34.4	33.3	3 / 16	3 / 13	0 / 3	1 / 6
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 16	0 / 13	0 / 3	0 / 6
Percentage of transfers resulting in live births	46.9	42.9	5 / 16	4 / 13	0 / 3	4 / 6
Percentage of transfers resulting in pregnancy	53.1	47.6	7 / 16	4 / 13	0 / 3	4 / 6

	All Ages Combined[f]	
Donor Eggs	**Fresh Embryos**	**Frozen Embryos**
Number of cycles	38	2
Number of transfers	31	2
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation	60.7	0 / 4
Percentage of transfers resulting in singleton live births	32.3	0 / 2
Percentage of transfers resulting in live births	64.5	0 / 2
Percentage of transfers resulting in pregnancy	77.4	0 / 2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility & IVF Center of Miami, Inc.

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF MIAMI INFERTILITY CENTER
MIAMI, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by George R. Attia, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	64%
Unstimulated	0%	Used PGD	4%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	19%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	6%	Male factor	36%	Female factors only	13%
Diminished ovarian reserve	39%	Other factor	13%	Female & male factors	16%
Endometriosis	6%	Unknown factor	11%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 165 (includes 3 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	43	33	28	18	2	0
Percentage of cancellations	4.7	9.1	28.6	2 / 18	1 / 2	
Average number of embryos transferred	2.2	2.3	2.3	2.8	2.0	
Percentage of embryos transferred resulting in implantation	32.6	33.9	20.9	6.7	0 / 2	
Percentage of elective single embryo transfer (eSET)	2.8	0.0	0 / 16	0 / 16	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.6	21.2	17.9	2 / 18	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 18	0 / 2	
Percentage of cycles resulting in live births	41.9	36.4	25.0	2 / 18	0 / 2	
Percentage of cycles resulting in pregnancy	46.5	48.5	25.0	3 / 18	0 / 2	
Outcomes per Transfer						
Number of transfers	39	27	19	16	1	0
Percentage of transfers resulting in singleton live births	28.2	25.9	5 / 19	2 / 16	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 19	0 / 16	0 / 1	
Percentage of transfers resulting in live births	46.2	44.4	7 / 19	2 / 16	0 / 1	
Percentage of transfers resulting in pregnancy	51.3	59.3	7 / 19	3 / 16	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	20	16	7	3	0	0
Percentage of pregnancies resulting in singleton live births	55.0	7 / 16	5 / 7	2 / 3		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 16	0 / 7	0 / 3		
Percentage of pregnancies resulting in live births	90.0	12 / 16	7 / 7	2 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	14	7	6	3	1	0
Number of transfers	13	7	5	2	1	0
Estimated average number of transfers per retrieval	1.9	2.3	1.7	2.0		
Average number of embryos transferred	2.0	2.1	2.4	2.0	2.0	
Percentage of embryos transferred resulting in implantation	23.1	2 / 15	1 / 12	0 / 4	0 / 2	
Percentage of transfers resulting in singleton live births	3 / 13	1 / 7	1 / 5	0 / 2	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 13	0 / 7	0 / 5	0 / 2	0 / 1	
Percentage of transfers resulting in live births	3 / 13	1 / 7	1 / 5	0 / 2	0 / 1	
Percentage of transfers resulting in pregnancy	7 / 13	2 / 7	1 / 5	0 / 2	0 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	6	1
Number of transfers	6	1
Average number of embryos transferred	1.8	4.0
Percentage of embryos transferred resulting in implantation	5 / 11	0 / 4
Percentage of transfers resulting in singleton live births	2 / 6	0 / 1
Percentage of transfers resulting in live births	3 / 6	0 / 1
Percentage of transfers resulting in pregnancy	4 / 6	0 / 1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University of Miami Infertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2012 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2012 ART cycle data or the clinic's Medical Director did not approve the clinic's 2012 ART cycle data for inclusion in this report.

CENTER FOR REPRODUCTIVE MEDICINE, PA
ORLANDO, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Randall A. Loy, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	58%
Unstimulated	<1%	Used PGD	2%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	11%	Uterine factor	6%	*Multiple Factors:*	
Ovulatory dysfunction	37%	Male factor	25%	Female factors only	11%
Diminished ovarian reserve	20%	Other factor	9%	Female & male factors	15%
Endometriosis	17%	Unknown factor	3%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 802 (includes 85 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	196	95	78	39	14	2
Percentage of cancellations	11.2	16.8	17.9	30.8	5 / 14	0 / 2
Average number of embryos transferred	1.6	1.7	2.3	2.5	3.3	2.0
Percentage of embryos transferred resulting in implantation	40.7	29.4	21.4	10.5	3.8	0 / 4
Percentage of elective single embryo transfer (eSET)	31.0	23.3	6.7	0 / 19	0 / 7	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.6	22.1	12.8	5.1	1 / 14	0 / 2
Percentage of cycles resulting in triplets or more live births	0.5	0.0	0.0	0.0	0 / 14	0 / 2
Percentage of cycles resulting in live births	37.8	27.4	19.2	7.7	1 / 14	0 / 2
Percentage of cycles resulting in pregnancy	45.4	36.8	29.5	17.9	2 / 14	0 / 2
Outcomes per Transfer						
Number of transfers	164	75	52	23	8	2
Percentage of transfers resulting in singleton live births	32.9	28.0	19.2	8.7	1 / 8	0 / 2
Percentage of transfers resulting in triplets or more live births	0.6	0.0	0.0	0.0	0 / 8	0 / 2
Percentage of transfers resulting in live births	45.1	34.7	28.8	13.0	1 / 8	0 / 2
Percentage of transfers resulting in pregnancy	54.3	46.7	44.2	30.4	2 / 8	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	89	35	23	7	2	0
Percentage of pregnancies resulting in singleton live births	60.7	60.0	43.5	2 / 7	1 / 2	
Percentage of pregnancies resulting in triplets or more live births	1.1	0.0	0.0	0 / 7	0 / 2	
Percentage of pregnancies resulting in live births	83.1	74.3	65.2	3 / 7	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	95	47	51	13	5	4
Number of transfers	79	40	38	10	5	4
Estimated average number of transfers per retrieval	1.6	1.5	1.2	0.6	0.7	
Average number of embryos transferred	1.7	1.8	1.8	1.4	1.2	2.0
Percentage of embryos transferred resulting in implantation	42.3	23.6	25.7	2 / 14	3 / 6	3 / 8
Percentage of transfers resulting in singleton live births	40.5	35.0	28.9	2 / 10	1 / 5	1 / 4
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 10	0 / 5	0 / 4
Percentage of transfers resulting in live births	55.7	37.5	31.6	2 / 10	2 / 5	2 / 4
Percentage of transfers resulting in pregnancy	60.8	50.0	44.7	2 / 10	2 / 5	2 / 4

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	36	42
Number of transfers	29	36
Average number of embryos transferred	1.7	1.8
Percentage of embryos transferred resulting in implantation	27.1	15.6
Percentage of transfers resulting in singleton live births	27.6	22.2
Percentage of transfers resulting in live births	27.6	25.0
Percentage of transfers resulting in pregnancy	48.3	41.7

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Reproductive Medicine, PA

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE INSTITUTE
ORLANDO, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Fernando L. Gomez, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	45%
Unstimulated	0%	Used PGD	18%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	38%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	52%	Male factor	24%	Female factors only	45%
Diminished ovarian reserve	50%	Other factor	14%	Female & male factors	24%
Endometriosis	14%	Unknown factor	0%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 42 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	16	6	8	8	2	0
Percentage of cancellations	1 / 16	0 / 6	0 / 8	1 / 8	0 / 2	
Average number of embryos transferred	1.8	1.6	2.1	1.6	3.0	
Percentage of embryos transferred resulting in implantation	34.8	5 / 8	4 / 15	0 / 8	0 / 6	
Percentage of elective single embryo transfer (eSET)	1 / 11	0 / 3	0 / 7	0 / 2	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	0 / 16	4 / 6	2 / 8	0 / 8	0 / 2	
Percentage of cycles resulting in triplets or more live births	0 / 16	0 / 6	0 / 8	0 / 8	0 / 2	
Percentage of cycles resulting in live births	3 / 16	4 / 6	3 / 8	0 / 8	0 / 2	
Percentage of cycles resulting in pregnancy	6 / 16	4 / 6	4 / 8	0 / 8	0 / 2	
Outcomes per Transfer						
Number of transfers	13	5	7	5	2	0
Percentage of transfers resulting in singleton live births	0 / 13	4 / 5	2 / 7	0 / 5	0 / 2	
Percentage of transfers resulting in triplets or more live births	0 / 13	0 / 5	0 / 7	0 / 5	0 / 2	
Percentage of transfers resulting in live births	3 / 13	4 / 5	3 / 7	0 / 5	0 / 2	
Percentage of transfers resulting in pregnancy	6 / 13	4 / 5	4 / 7	0 / 5	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	6	4	4	0	0	0
Percentage of pregnancies resulting in singleton live births	0 / 6	4 / 4	2 / 4			
Percentage of pregnancies resulting in triplets or more live births	0 / 6	0 / 4	0 / 4			
Percentage of pregnancies resulting in live births	3 / 6	4 / 4	3 / 4			
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	0	0	0	0	0
Number of transfers	0	0	0	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in triplets or more live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

	All Ages Combined[f]	
Donor Eggs	**Fresh Embryos**	**Frozen Embryos**
Number of cycles	1	1
Number of transfers	1	1
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation	0 / 2	0 / 2
Percentage of transfers resulting in singleton live births	0 / 1	0 / 1
Percentage of transfers resulting in live births	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	0 / 1	0 / 1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine Institute

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW LEADERS IN INFERTILITY & ENDOCRINOLOGY, LLC
PENSACOLA, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Barry A. Ripps, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	88%
Unstimulated	0%	Used PGD	1%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	25%	Uterine factor	1%	*Multiple Factors:*	
Ovulatory dysfunction	12%	Male factor	29%	Female factors only	14%
Diminished ovarian reserve	36%	Other factor	2%	Female & male factors	13%
Endometriosis	21%	Unknown factor	5%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 187 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	95	37	20	13	4	1
Percentage of cancellations	11.6	8.1	15.0	0 / 13	0 / 4	0 / 1
Average number of embryos transferred	1.9	2.1	2.2	2.6	2.0	
Percentage of embryos transferred resulting in implantation	41.2	20.8	16.1	7.7	1 / 6	
Percentage of elective single embryo transfer (eSET)	7.3	0 / 19	0 / 11	0 / 7	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	28.4	18.9	5.0	2 / 13	1 / 4	0 / 1
Percentage of cycles resulting in triplets or more live births	1.1	0.0	5.0	0 / 13	0 / 4	0 / 1
Percentage of cycles resulting in live births	37.9	18.9	10.0	2 / 13	1 / 4	0 / 1
Percentage of cycles resulting in pregnancy	44.2	29.7	15.0	2 / 13	2 / 4	0 / 1
Outcomes per Transfer						
Number of transfers	69	25	14	10	3	0
Percentage of transfers resulting in singleton live births	39.1	28.0	1 / 14	2 / 10	1 / 3	
Percentage of transfers resulting in triplets or more live births	1.4	0.0	1 / 14	0 / 10	0 / 3	
Percentage of transfers resulting in live births	52.2	28.0	2 / 14	2 / 10	1 / 3	
Percentage of transfers resulting in pregnancy	60.9	44.0	3 / 14	2 / 10	2 / 3	
Outcomes per Pregnancy						
Number of pregnancies	42	11	3	2	2	0
Percentage of pregnancies resulting in singleton live births	64.3	7 / 11	1 / 3	2 / 2	1 / 2	
Percentage of pregnancies resulting in triplets or more live births	2.4	0 / 11	1 / 3	0 / 2	0 / 2	
Percentage of pregnancies resulting in live births	85.7	7 / 11	2 / 3	2 / 2	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	9	4	2	0	0	0
Number of transfers	7	4	2	0	0	0
Estimated average number of transfers per retrieval	1.8	1.3	0.7			
Average number of embryos transferred	1.9	1.8	2.0			
Percentage of embryos transferred resulting in implantation	4 / 13	0 / 7	0 / 4			
Percentage of transfers resulting in singleton live births	3 / 7	0 / 4	0 / 2			
Percentage of transfers resulting in triplets or more live births	0 / 7	0 / 4	0 / 2			
Percentage of transfers resulting in live births	3 / 7	0 / 4	0 / 2			
Percentage of transfers resulting in pregnancy	5 / 7	1 / 4	0 / 2			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	0	2
Number of transfers	0	2
Average number of embryos transferred		2.0
Percentage of embryos transferred resulting in implantation		0 / 4
Percentage of transfers resulting in singleton live births		0 / 2
Percentage of transfers resulting in live births		0 / 2
Percentage of transfers resulting in pregnancy		0 / 2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: New Leaders in Infertility & Endocrinology, LLC

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY & GENETICS
PLANTATION, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Mick Abaé, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	72%
Unstimulated	0%	Used PGD	<1%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	21%	Uterine factor	16%	*Multiple Factors:*	
Ovulatory dysfunction	8%	Male factor	75%	Female factors only	10%
Diminished ovarian reserve	55%	Other factor	19%	Female & male factors	67%
Endometriosis	14%	Unknown factor	<1%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 206 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	61	34	38	27	3	0
Percentage of cancellations	4.9	5.9	2.6	11.1	1 / 3	
Average number of embryos transferred	2.1	2.5	3.1	3.1	3.0	
Percentage of embryos transferred resulting in implantation	33.7	21.5	16.9	6.5	0 / 3	
Percentage of elective single embryo transfer (eSET)	2.4	4.0	0.0	0 / 17	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	24.6	8.8	26.3	11.1	0 / 3	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 3	
Percentage of cycles resulting in live births	32.8	14.7	26.3	11.1	0 / 3	
Percentage of cycles resulting in pregnancy	41.0	32.4	28.9	14.8	0 / 3	
Outcomes per Transfer						
Number of transfers	45	26	27	20	1	0
Percentage of transfers resulting in singleton live births	33.3	11.5	37.0	15.0	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 1	
Percentage of transfers resulting in live births	44.4	19.2	37.0	15.0	0 / 1	
Percentage of transfers resulting in pregnancy	55.6	42.3	40.7	20.0	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	25	11	11	4	0	0
Percentage of pregnancies resulting in singleton live births	60.0	3 / 11	10 / 11	3 / 4		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 11	0 / 11	0 / 4		
Percentage of pregnancies resulting in live births	80.0	5 / 11	10 / 11	3 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	10	5	2	1	1	0
Number of transfers	10	5	2	1	1	0
Estimated average number of transfers per retrieval	1.0	1.3				
Average number of embryos transferred	2.5	2.0	2.5	3.0	3.0	
Percentage of embryos transferred resulting in implantation	0.0	3 / 10	0 / 5	0 / 3	0 / 3	
Percentage of transfers resulting in singleton live births	0 / 10	1 / 5	0 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 10	0 / 5	0 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in live births	0 / 10	1 / 5	0 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	0 / 10	2 / 5	0 / 2	0 / 1	0 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	19	5
Number of transfers	18	5
Average number of embryos transferred	2.1	2.4
Percentage of embryos transferred resulting in implantation	28.9	2 / 12
Percentage of transfers resulting in singleton live births	5 / 18	2 / 5
Percentage of transfers resulting in live births	7 / 18	2 / 5
Percentage of transfers resulting in pregnancy	8 / 18	2 / 5

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility & Genetics

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER AND APPLIED GENETICS OF FLORIDA, INC.
SARASOTA, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Julio E. Pabon, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	81%
Unstimulated	0%	Used PGD	25%
Used gestational carrier	8%		

Patient Diagnosis[b]

Tubal factor	5%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	7%	Male factor	47%	Female factors only	8%
Diminished ovarian reserve	35%	Other factor	22%	Female & male factors	17%
Endometriosis	5%	Unknown factor	2%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 143 (includes 27 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	30	23	10	4	0	0
Percentage of cancellations	10.0	17.4	1 / 10	1 / 4		
Average number of embryos transferred	2.0	2.2	2.5	2.7		
Percentage of embryos transferred resulting in implantation	36.2	30.0	0 / 15	1 / 8		
Percentage of elective single embryo transfer (eSET)	0 / 19	0 / 16	0 / 5	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.0	39.1	0 / 10	1 / 4		
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 10	0 / 4		
Percentage of cycles resulting in live births	36.7	39.1	0 / 10	1 / 4		
Percentage of cycles resulting in pregnancy	43.3	52.2	0 / 10	1 / 4		
Outcomes per Transfer						
Number of transfers	24	18	6	3	0	0
Percentage of transfers resulting in singleton live births	37.5	9 / 18	0 / 6	1 / 3		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 18	0 / 6	0 / 3		
Percentage of transfers resulting in live births	45.8	9 / 18	0 / 6	1 / 3		
Percentage of transfers resulting in pregnancy	54.2	12 / 18	0 / 6	1 / 3		
Outcomes per Pregnancy						
Number of pregnancies	13	12	0	1	0	0
Percentage of pregnancies resulting in singleton live births	9 / 13	9 / 12		1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 13	0 / 12		0 / 1		
Percentage of pregnancies resulting in live births	11 / 13	9 / 12		1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	17	6	1	0	0	0
Number of transfers	17	6	1	0	0	0
Estimated average number of transfers per retrieval	0.8	0.8	1.0	0.0		0.0
Average number of embryos transferred	1.9	1.8	2.0			
Percentage of embryos transferred resulting in implantation	42.4	5 / 11	1 / 2			
Percentage of transfers resulting in singleton live births	8 / 17	5 / 6	1 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 17	0 / 6	0 / 1			
Percentage of transfers resulting in live births	11 / 17	5 / 6	1 / 1			
Percentage of transfers resulting in pregnancy	11 / 17	5 / 6	1 / 1			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	14	11
Number of transfers	14	11
Average number of embryos transferred	1.6	2.1
Percentage of embryos transferred resulting in implantation	60.9	13.0
Percentage of transfers resulting in singleton live births	6 / 14	3 / 11
Percentage of transfers resulting in live births	10 / 14	3 / 11
Percentage of transfers resulting in pregnancy	11 / 14	5 / 11

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Center and Applied Genetics of Florida, Inc.

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTH FLORIDA INSTITUTE FOR REPRODUCTIVE MEDICINE
SOUTH MIAMI, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Juergen Eisermann, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	66%
Unstimulated	0%	Used PGD	9%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	17%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	10%	Male factor	56%	Female factors only	11%
Diminished ovarian reserve	13%	Other factor	48%	Female & male factors	40%
Endometriosis	12%	Unknown factor	3%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 919 (includes 30 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	219	187	153	93	19	2
Percentage of cancellations	5.0	15.5	23.5	21.5	1 / 19	1 / 2
Average number of embryos transferred	1.8	1.8	1.9	2.1	2.2	2.0
Percentage of embryos transferred resulting in implantation	52.3	39.3	22.8	21.2	17.9	0 / 2
Percentage of elective single embryo transfer (eSET)	16.8	7.0	2.7	0.0	0 / 8	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	29.2	26.7	13.7	10.8	3 / 19	0 / 2
Percentage of cycles resulting in triplets or more live births	1.8	0.0	0.0	1.1	0 / 19	0 / 2
Percentage of cycles resulting in live births	48.4	38.5	17.0	12.9	3 / 19	0 / 2
Percentage of cycles resulting in pregnancy	54.8	42.8	18.3	19.4	4 / 19	0 / 2
Outcomes per Transfer						
Number of transfers	182	146	90	48	13	1
Percentage of transfers resulting in singleton live births	35.2	34.2	23.3	20.8	3 / 13	0 / 1
Percentage of transfers resulting in triplets or more live births	2.2	0.0	0.0	2.1	0 / 13	0 / 1
Percentage of transfers resulting in live births	58.2	49.3	28.9	25.0	3 / 13	0 / 1
Percentage of transfers resulting in pregnancy	65.9	54.8	31.1	37.5	4 / 13	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	120	80	28	18	4	0
Percentage of pregnancies resulting in singleton live births	53.3	62.5	75.0	10 / 18	3 / 4	
Percentage of pregnancies resulting in triplets or more live births	3.3	0.0	0.0	1 / 18	0 / 4	
Percentage of pregnancies resulting in live births	88.3	90.0	92.9	12 / 18	3 / 4	
Frozen Embryos from Nondonor Eggs						
Number of cycles	48	37	28	13	0	1
Number of transfers	46	36	25	13	0	1
Estimated average number of transfers per retrieval	1.8	1.1	1.5	0.9	0.0	
Average number of embryos transferred	1.8	1.7	2.0	1.8		2.0
Percentage of embryos transferred resulting in implantation	38.8	32.3	22.4	30.4		1 / 2
Percentage of transfers resulting in singleton live births	45.7	25.0	32.0	5 / 13		1 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 13		0 / 1
Percentage of transfers resulting in live births	54.3	36.1	36.0	5 / 13		1 / 1
Percentage of transfers resulting in pregnancy	58.7	44.4	40.0	7 / 13		1 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	55	34
Number of transfers	50	32
Average number of embryos transferred	1.9	1.8
Percentage of embryos transferred resulting in implantation	73.1	44.6
Percentage of transfers resulting in singleton live births	36.0	43.8
Percentage of transfers resulting in live births	82.0	56.3
Percentage of transfers resulting in pregnancy	84.0	59.4

CURRENT CLINIC SERVICES AND PROFILE

Current Name: South Florida Institute for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE HEALTH ASSOCIATES, PA
CATHERINE COWART, MD, FACOG
TAMPA, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Catherine L. Cowart, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	74%
Unstimulated	0%	Used PGD	5%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	38%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	10%	Male factor	86%	Female factors only	0%
Diminished ovarian reserve	14%	Other factor	0%	Female & male factors	38%
Endometriosis	0%	Unknown factor	0%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 21 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	10	5	3	1	0	0
Percentage of cancellations	1 / 10	2 / 5	0 / 3	1 / 1		
Average number of embryos transferred	2.1	2.3	2.7			
Percentage of embryos transferred resulting in implantation	3 / 19	3 / 7	3 / 8			
Percentage of elective single embryo transfer (eSET)	0 / 9	0 / 3	0 / 3			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	3 / 10	1 / 5	1 / 3	0 / 1		
Percentage of cycles resulting in triplets or more live births	0 / 10	0 / 5	0 / 3	0 / 1		
Percentage of cycles resulting in live births	3 / 10	2 / 5	2 / 3	0 / 1		
Percentage of cycles resulting in pregnancy	3 / 10	2 / 5	2 / 3	0 / 1		
Outcomes per Transfer						
Number of transfers	9	3	3	0	0	0
Percentage of transfers resulting in singleton live births	3 / 9	1 / 3	1 / 3			
Percentage of transfers resulting in triplets or more live births	0 / 9	0 / 3	0 / 3			
Percentage of transfers resulting in live births	3 / 9	2 / 3	2 / 3			
Percentage of transfers resulting in pregnancy	3 / 9	2 / 3	2 / 3			
Outcomes per Pregnancy						
Number of pregnancies	3	2	2	0	0	0
Percentage of pregnancies resulting in singleton live births	3 / 3	1 / 2	1 / 2			
Percentage of pregnancies resulting in triplets or more live births	0 / 3	0 / 2	0 / 2			
Percentage of pregnancies resulting in live births	3 / 3	2 / 2	2 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	1	0	0	0	0
Number of transfers	0	0	0	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in triplets or more live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	1	0
Number of transfers	1	0
Average number of embryos transferred	2.0	
Percentage of embryos transferred resulting in implantation	1 / 2	
Percentage of transfers resulting in singleton live births	1 / 1	
Percentage of transfers resulting in live births	1 / 1	
Percentage of transfers resulting in pregnancy	1 / 1	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Health Associates, PA, Catherine Cowart, MD, FACOG

Donor egg?	Yes	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE REPRODUCTIVE MEDICINE GROUP
TAMPA, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Timothy Yeko, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	46%
Unstimulated	0%	Used PGD	1%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	20%	Uterine factor	1%	*Multiple Factors:*	
Ovulatory dysfunction	7%	Male factor	37%	Female factors only	6%
Diminished ovarian reserve	16%	Other factor	4%	Female & male factors	11%
Endometriosis	12%	Unknown factor	21%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 597 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	202	103	89	29	7	0
Percentage of cancellations	5.4	7.8	7.9	6.9	1 / 7	
Average number of embryos transferred	1.8	2.0	2.6	2.7	3.2	
Percentage of embryos transferred resulting in implantation	39.2	33.0	21.6	8.7	1 / 19	
Percentage of elective single embryo transfer (eSET)	14.7	5.1	0.0	0.0	0 / 5	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	34.7	19.4	28.1	6.9	1 / 7	
Percentage of cycles resulting in triplets or more live births	1.5	1.0	0.0	0.0	0 / 7	
Percentage of cycles resulting in live births	44.6	33.0	34.8	10.3	1 / 7	
Percentage of cycles resulting in pregnancy	50.5	39.8	39.3	17.2	1 / 7	
Outcomes per Transfer						
Number of transfers	179	87	73	26	6	0
Percentage of transfers resulting in singleton live births	39.1	23.0	34.2	7.7	1 / 6	
Percentage of transfers resulting in triplets or more live births	1.7	1.1	0.0	0.0	0 / 6	
Percentage of transfers resulting in live births	50.3	39.1	42.5	11.5	1 / 6	
Percentage of transfers resulting in pregnancy	57.0	47.1	47.9	19.2	1 / 6	
Outcomes per Pregnancy						
Number of pregnancies	102	41	35	5	1	0
Percentage of pregnancies resulting in singleton live births	68.6	48.8	71.4	2 / 5	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	2.9	2.4	0.0	0 / 5	0 / 1	
Percentage of pregnancies resulting in live births	88.2	82.9	88.6	3 / 5	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	33	24	11	3	1	0
Number of transfers	32	23	9	3	0	0
Estimated average number of transfers per retrieval	2.7	2.3	2.3			
Average number of embryos transferred	1.6	1.5	1.9	1.7		
Percentage of embryos transferred resulting in implantation	33.3	57.1	2 / 17	2 / 5		
Percentage of transfers resulting in singleton live births	37.5	39.1	1 / 9	1 / 3		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 9	0 / 3		
Percentage of transfers resulting in live births	40.6	52.2	1 / 9	1 / 3		
Percentage of transfers resulting in pregnancy	50.0	73.9	2 / 9	2 / 3		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	71	23
Number of transfers	63	23
Average number of embryos transferred	1.7	1.6
Percentage of embryos transferred resulting in implantation	41.3	48.6
Percentage of transfers resulting in singleton live births	39.7	30.4
Percentage of transfers resulting in live births	49.2	47.8
Percentage of transfers resulting in pregnancy	61.9	60.9

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2012. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF SOUTH FLORIDA IVF
TAMPA, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Shayne Plosker, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	45%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	25%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	14%	Male factor	26%	Female factors only	12%
Diminished ovarian reserve	30%	Other factor	11%	Female & male factors	14%
Endometriosis	9%	Unknown factor	11%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 237 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	59	31	35	13	8	4
Percentage of cancellations	6.8	12.9	14.3	4 / 13	2 / 8	1 / 4
Average number of embryos transferred	1.8	2.4	2.9	3.3	2.3	1.5
Percentage of embryos transferred resulting in implantation	24.7	24.2	18.4	0.0	2 / 14	0 / 3
Percentage of elective single embryo transfer (eSET)	16.3	0.0	3.3	0 / 6	0 / 4	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.5	29.0	17.1	0 / 13	1 / 8	0 / 4
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 13	0 / 8	0 / 4
Percentage of cycles resulting in live births	32.2	38.7	22.9	0 / 13	1 / 8	0 / 4
Percentage of cycles resulting in pregnancy	35.6	38.7	40.0	0 / 13	1 / 8	0 / 4
Outcomes per Transfer						
Number of transfers	50	26	30	7	6	2
Percentage of transfers resulting in singleton live births	36.0	34.6	20.0	0 / 7	1 / 6	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 7	0 / 6	0 / 2
Percentage of transfers resulting in live births	38.0	46.2	26.7	0 / 7	1 / 6	0 / 2
Percentage of transfers resulting in pregnancy	42.0	46.2	46.7	0 / 7	1 / 6	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	21	12	14	0	1	0
Percentage of pregnancies resulting in singleton live births	85.7	9 / 12	6 / 14		1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 12	0 / 14		0 / 1	
Percentage of pregnancies resulting in live births	90.5	12 / 12	8 / 14		1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	22	13	11	3	0	0
Number of transfers	20	11	10	3	0	0
Estimated average number of transfers per retrieval	2.5	11.0	2.0			
Average number of embryos transferred	1.8	1.6	2.0	2.3		
Percentage of embryos transferred resulting in implantation	38.9	3 / 18	0.0	2 / 7		
Percentage of transfers resulting in singleton live births	20.0	2 / 11	0 / 10	2 / 3		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 11	0 / 10	0 / 3		
Percentage of transfers resulting in live births	45.0	2 / 11	0 / 10	2 / 3		
Percentage of transfers resulting in pregnancy	45.0	3 / 11	0 / 10	3 / 3		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	22	15
Number of transfers	17	12
Average number of embryos transferred	1.8	1.9
Percentage of embryos transferred resulting in implantation	38.7	26.1
Percentage of transfers resulting in singleton live births	6 / 17	1 / 12
Percentage of transfers resulting in live births	8 / 17	3 / 12
Percentage of transfers resulting in pregnancy	8 / 17	5 / 12

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University of South Florida IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

F.I.R.S.T.
FLORIDA INSTITUTE FOR REPRODUCTIVE SCIENCES AND TECHNOLOGIES
WESTON, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Minna R. Selub, MD

Type of ART and Procedural Factors[a]

IVF	97%	With ICSI	79%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	6%		

Patient Diagnosis[b]

Tubal factor	25%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	10%	Male factor	27%	Female factors only	23%
Diminished ovarian reserve	86%	Other factor	4%	Female & male factors	22%
Endometriosis	7%	Unknown factor	1%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 73 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	8	13	8	4	0	1
Percentage of cancellations	0 / 8	1 / 13	0 / 8	0 / 4		0 / 1
Average number of embryos transferred	2.4	2.9	2.1	2.3		1.0
Percentage of embryos transferred resulting in implantation	0 / 17	4.3	1 / 17	1 / 9		0 / 1
Percentage of elective single embryo transfer (eSET)	0 / 6	0 / 8	0 / 6	0 / 4		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	0 / 8	1 / 13	1 / 8	0 / 4		0 / 1
Percentage of cycles resulting in triplets or more live births	0 / 8	0 / 13	0 / 8	0 / 4		0 / 1
Percentage of cycles resulting in live births	0 / 8	1 / 13	1 / 8	0 / 4		0 / 1
Percentage of cycles resulting in pregnancy	0 / 8	1 / 13	1 / 8	1 / 4		0 / 1
Outcomes per Transfer						
Number of transfers	7	8	8	4	0	1
Percentage of transfers resulting in singleton live births	0 / 7	1 / 8	1 / 8	0 / 4		0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 7	0 / 8	0 / 8	0 / 4		0 / 1
Percentage of transfers resulting in live births	0 / 7	1 / 8	1 / 8	0 / 4		0 / 1
Percentage of transfers resulting in pregnancy	0 / 7	1 / 8	1 / 8	1 / 4		0 / 1
Outcomes per Pregnancy						
Number of pregnancies	0	1	1	1	0	0
Percentage of pregnancies resulting in singleton live births		1 / 1	1 / 1	0 / 1		
Percentage of pregnancies resulting in triplets or more live births		0 / 1	0 / 1	0 / 1		
Percentage of pregnancies resulting in live births		1 / 1	1 / 1	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	0	0	0	0	0
Number of transfers	0	0	0	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in triplets or more live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

	All Ages Combined[f]	
Donor Eggs	**Fresh Embryos**	**Frozen Embryos**
Number of cycles	35	4
Number of transfers	33	4
Average number of embryos transferred	2.5	2.5
Percentage of embryos transferred resulting in implantation	8.3	0 / 10
Percentage of transfers resulting in singleton live births	15.2	0 / 4
Percentage of transfers resulting in live births	15.2	0 / 4
Percentage of transfers resulting in pregnancy	24.2	0 / 4

CURRENT CLINIC SERVICES AND PROFILE

Current Name: F.I.R.S.T., Florida Institute for Reproductive Sciences and Technologies

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF ASSISTED REPRODUCTION & ENDOCRINOLOGY
WINTER PARK, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Mark P. Trolice, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	68%
Unstimulated	0%	Used PGD	6%
Used gestational carrier	3%		

Patient Diagnosis[b]

Tubal factor	13%	Uterine factor	6%	*Multiple Factors:*	
Ovulatory dysfunction	14%	Male factor	27%	Female factors only	11%
Diminished ovarian reserve	54%	Other factor	4%	Female & male factors	19%
Endometriosis	5%	Unknown factor	9%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 166 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	53	29	17	12	1	2
Percentage of cancellations	1.9	3.4	1 / 17	2 / 12	0 / 1	1 / 2
Average number of embryos transferred	2.0	2.4	2.6	3.2	5.0	1.0
Percentage of embryos transferred resulting in implantation	39.8	25.9	31.0	12.5	0 / 5	0 / 1
Percentage of elective single embryo transfer (eSET)	5.3	0.0	0 / 9	0 / 9	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	34.0	24.1	2 / 17	1 / 12	0 / 1	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 17	1 / 12	0 / 1	0 / 2
Percentage of cycles resulting in live births	43.4	37.9	4 / 17	2 / 12	0 / 1	0 / 2
Percentage of cycles resulting in pregnancy	47.2	44.8	6 / 17	2 / 12	0 / 1	0 / 2
Outcomes per Transfer						
Number of transfers	42	24	11	10	1	1
Percentage of transfers resulting in singleton live births	42.9	29.2	2 / 11	1 / 10	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 11	1 / 10	0 / 1	0 / 1
Percentage of transfers resulting in live births	54.8	45.8	4 / 11	2 / 10	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	59.5	54.2	6 / 11	2 / 10	0 / 1	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	25	13	6	2	0	0
Percentage of pregnancies resulting in singleton live births	72.0	7 / 13	2 / 6	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 13	0 / 6	1 / 2		
Percentage of pregnancies resulting in live births	92.0	11 / 13	4 / 6	2 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	16	9	1	3	0	0
Number of transfers	14	9	1	3	0	0
Estimated average number of transfers per retrieval	1.3	1.8	1.0	3.0		
Average number of embryos transferred	2.1	2.2	3.0	2.0		
Percentage of embryos transferred resulting in implantation	26.7	40.0	0 / 3	1 / 6		
Percentage of transfers resulting in singleton live births	3 / 14	4 / 9	0 / 1	1 / 3		
Percentage of transfers resulting in triplets or more live births	0 / 14	0 / 9	0 / 1	0 / 3		
Percentage of transfers resulting in live births	4 / 14	5 / 9	0 / 1	1 / 3		
Percentage of transfers resulting in pregnancy	8 / 14	6 / 9	0 / 1	1 / 3		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	16	6
Number of transfers	14	6
Average number of embryos transferred	1.9	1.8
Percentage of embryos transferred resulting in implantation	57.7	1 / 11
Percentage of transfers resulting in singleton live births	5 / 14	1 / 6
Percentage of transfers resulting in live births	9 / 14	1 / 6
Percentage of transfers resulting in pregnancy	11 / 14	2 / 6

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Center of Assisted Reproduction & Endocrinology

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ATLANTA CENTER FOR REPRODUCTIVE MEDICINE
ATLANTA, GEORGIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by James P. Toner, MD, PhD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	73%
Unstimulated	<1%	Used PGD	3%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	13%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	17%	Male factor	20%	Female factors only	13%
Diminished ovarian reserve	31%	Other factor	12%	Female & male factors	10%
Endometriosis	10%	Unknown factor	15%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 818 (includes 81 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	244	119	90	39	16	0
Percentage of cancellations	7.8	8.4	2.2	7.7	6 / 16	
Average number of embryos transferred	2.0	2.2	2.7	2.9	2.7	
Percentage of embryos transferred resulting in implantation	50.5	29.2	18.9	10.4	0.0	
Percentage of elective single embryo transfer (eSET)	11.2	5.3	0.0	0.0	0 / 7	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	29.9	26.9	18.9	20.5	0 / 16	
Percentage of cycles resulting in triplets or more live births	2.0	1.7	0.0	0.0	0 / 16	
Percentage of cycles resulting in live births	50.8	38.7	26.7	20.5	0 / 16	
Percentage of cycles resulting in pregnancy	57.0	43.7	36.7	25.6	0 / 16	
Outcomes per Transfer						
Number of transfers	215	104	83	33	9	0
Percentage of transfers resulting in singleton live births	34.0	30.8	20.5	24.2	0 / 9	
Percentage of transfers resulting in triplets or more live births	2.3	1.9	0.0	0.0	0 / 9	
Percentage of transfers resulting in live births	57.7	44.2	28.9	24.2	0 / 9	
Percentage of transfers resulting in pregnancy	64.7	50.0	39.8	30.3	0 / 9	
Outcomes per Pregnancy						
Number of pregnancies	139	52	33	10	0	0
Percentage of pregnancies resulting in singleton live births	52.5	61.5	51.5	8 / 10		
Percentage of pregnancies resulting in triplets or more live births	3.6	3.8	0.0	0 / 10		
Percentage of pregnancies resulting in live births	89.2	88.5	72.7	8 / 10		
Frozen Embryos from Nondonor Eggs						
Number of cycles	87	36	28	5	1	2
Number of transfers	83	35	27	5	1	2
Estimated average number of transfers per retrieval	1.2	1.1	1.1	0.5	0.5	
Average number of embryos transferred	1.6	1.8	2.0	1.6	2.0	2.0
Percentage of embryos transferred resulting in implantation	41.7	34.9	24.5	3 / 8	1 / 2	0 / 4
Percentage of transfers resulting in singleton live births	36.1	25.7	29.6	3 / 5	1 / 1	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 5	0 / 1	0 / 2
Percentage of transfers resulting in live births	44.6	40.0	33.3	3 / 5	1 / 1	0 / 2
Percentage of transfers resulting in pregnancy	53.0	45.7	40.7	3 / 5	1 / 1	0 / 2

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	47	23
Number of transfers	44	22
Average number of embryos transferred	1.9	1.6
Percentage of embryos transferred resulting in implantation	54.2	36.1
Percentage of transfers resulting in singleton live births	36.4	36.4
Percentage of transfers resulting in live births	65.9	36.4
Percentage of transfers resulting in pregnancy	70.5	45.5

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Atlanta Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

EMORY REPRODUCTIVE CENTER
ATLANTA, GEORGIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Donna R. Session, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	81%
Unstimulated	0%	Used PGD	<1%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	30%	Uterine factor	20%	*Multiple Factors:*	
Ovulatory dysfunction	17%	Male factor	29%	Female factors only	23%
Diminished ovarian reserve	30%	Other factor	1%	Female & male factors	17%
Endometriosis	11%	Unknown factor	15%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 278 (includes 11 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	77	51	46	17	4	2
Percentage of cancellations	3.9	11.8	28.3	3 / 17	0 / 4	0 / 2
Average number of embryos transferred	1.9	2.2	3.1	3.7	5.0	4.0
Percentage of embryos transferred resulting in implantation	49.3	34.7	23.5	9.6	0.0	0 / 8
Percentage of elective single embryo transfer (eSET)	9.9	7.0	0.0	0 / 13	0 / 4	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	42.9	41.2	21.7	4 / 17	0 / 4	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 17	0 / 4	0 / 2
Percentage of cycles resulting in live births	62.3	52.9	28.3	4 / 17	0 / 4	0 / 2
Percentage of cycles resulting in pregnancy	68.8	52.9	37.0	5 / 17	0 / 4	0 / 2
Outcomes per Transfer						
Number of transfers	72	43	32	14	4	2
Percentage of transfers resulting in singleton live births	45.8	48.8	31.3	4 / 14	0 / 4	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 14	0 / 4	0 / 2
Percentage of transfers resulting in live births	66.7	62.8	40.6	4 / 14	0 / 4	0 / 2
Percentage of transfers resulting in pregnancy	73.6	62.8	53.1	5 / 14	0 / 4	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	53	27	17	5	0	0
Percentage of pregnancies resulting in singleton live births	62.3	77.8	10 / 17	4 / 5		
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0 / 17	0 / 5		
Percentage of pregnancies resulting in live births	90.6	100.0	13 / 17	4 / 5		
Frozen Embryos from Nondonor Eggs						
Number of cycles	32	12	8	2	0	1
Number of transfers	32	12	8	2	0	1
Estimated average number of transfers per retrieval	1.4	2.4	1.6		0.0	
Average number of embryos transferred	2.0	2.5	2.5	2.5		3.0
Percentage of embryos transferred resulting in implantation	25.4	36.7	25.0	2 / 5		0 / 3
Percentage of transfers resulting in singleton live births	31.3	2 / 12	5 / 8	2 / 2		0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 12	0 / 8	0 / 2		0 / 1
Percentage of transfers resulting in live births	37.5	5 / 12	5 / 8	2 / 2		0 / 1
Percentage of transfers resulting in pregnancy	46.9	7 / 12	6 / 8	2 / 2		0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	10	5
Number of transfers	10	3
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation	60.0	3 / 6
Percentage of transfers resulting in singleton live births	1 / 10	3 / 3
Percentage of transfers resulting in live births	5 / 10	3 / 3
Percentage of transfers resulting in pregnancy	6 / 10	3 / 3

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Emory Reproductive Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GEORGIA REPRODUCTIVE SPECIALISTS, LLC
ATLANTA, GEORGIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Mark Perloe, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	54%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	15%	Uterine factor	<1%	*Multiple Factors:*	
Ovulatory dysfunction	20%	Male factor	34%	Female factors only	14%
Diminished ovarian reserve	25%	Other factor	15%	Female & male factors	18%
Endometriosis	11%	Unknown factor	14%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 423 (includes 36 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	92	44	46	11	0	0
Percentage of cancellations	9.8	11.4	8.7	3 / 11		
Average number of embryos transferred	2.1	2.3	2.8	2.7		
Percentage of embryos transferred resulting in implantation	33.5	19.8	17.6	3 / 19		
Percentage of elective single embryo transfer (eSET)	8.0	5.6	0.0	0 / 7		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.0	13.6	15.2	1 / 11		
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 11		
Percentage of cycles resulting in live births	39.1	22.7	19.6	2 / 11		
Percentage of cycles resulting in pregnancy	42.4	29.5	32.6	2 / 11		
Outcomes per Transfer						
Number of transfers	76	38	38	7	0	0
Percentage of transfers resulting in singleton live births	30.3	15.8	18.4	1 / 7		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 7		
Percentage of transfers resulting in live births	47.4	26.3	23.7	2 / 7		
Percentage of transfers resulting in pregnancy	51.3	34.2	39.5	2 / 7		
Outcomes per Pregnancy						
Number of pregnancies	39	13	15	2	0	0
Percentage of pregnancies resulting in singleton live births	59.0	6 / 13	7 / 15	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 13	0 / 15	0 / 2		
Percentage of pregnancies resulting in live births	92.3	10 / 13	9 / 15	2 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	83	33	29	10	4	0
Number of transfers	72	30	24	9	2	0
Estimated average number of transfers per retrieval	2.1	1.4	3.0	2.3		
Average number of embryos transferred	1.8	1.7	1.8	1.9	2.0	
Percentage of embryos transferred resulting in implantation	21.5	21.2	33.3	4 / 17	2 / 4	
Percentage of transfers resulting in singleton live births	19.4	26.7	25.0	2 / 9	2 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 9	0 / 2	
Percentage of transfers resulting in live births	25.0	30.0	33.3	2 / 9	2 / 2	
Percentage of transfers resulting in pregnancy	34.7	33.3	50.0	3 / 9	2 / 2	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	22	13
Number of transfers	19	13
Average number of embryos transferred	2.1	1.8
Percentage of embryos transferred resulting in implantation	27.5	26.1
Percentage of transfers resulting in singleton live births	5 / 19	1 / 13
Percentage of transfers resulting in live births	7 / 19	3 / 13
Percentage of transfers resulting in pregnancy	12 / 19	4 / 13

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Georgia Reproductive Specialists, LLC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE AND INFERTILITY ASSOCIATES
AUGUSTA, GEORGIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Lawrence C. Layman, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	47%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	22%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	7%	Male factor	27%	Female factors only	0%
Diminished ovarian reserve	27%	Other factor	2%	Female & male factors	5%
Endometriosis	10%	Unknown factor	10%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 41 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	19	4	2	4	1	0
Percentage of cancellations	1 / 19	0 / 4	0 / 2	1 / 4	0 / 1	
Average number of embryos transferred	2.0	2.3	2.0	2.3	5.0	
Percentage of embryos transferred resulting in implantation	44.4	5 / 9	1 / 4	0 / 7	0 / 5	
Percentage of elective single embryo transfer (eSET)	0 / 17	0 / 4	0 / 1	0 / 3	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	8 / 19	3 / 4	1 / 2	0 / 4	0 / 1	
Percentage of cycles resulting in triplets or more live births	0 / 19	0 / 4	0 / 2	0 / 4	0 / 1	
Percentage of cycles resulting in live births	11 / 19	4 / 4	1 / 2	0 / 4	0 / 1	
Percentage of cycles resulting in pregnancy	13 / 19	4 / 4	1 / 2	0 / 4	0 / 1	
Outcomes per Transfer						
Number of transfers	18	4	2	3	1	0
Percentage of transfers resulting in singleton live births	8 / 18	3 / 4	1 / 2	0 / 3	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 18	0 / 4	0 / 2	0 / 3	0 / 1	
Percentage of transfers resulting in live births	11 / 18	4 / 4	1 / 2	0 / 3	0 / 1	
Percentage of transfers resulting in pregnancy	13 / 18	4 / 4	1 / 2	0 / 3	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	13	4	1	0	0	0
Percentage of pregnancies resulting in singleton live births	8 / 13	3 / 4	1 / 1			
Percentage of pregnancies resulting in triplets or more live births	0 / 13	0 / 4	0 / 1			
Percentage of pregnancies resulting in live births	11 / 13	4 / 4	1 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	0	1	0	0	0
Number of transfers	4	0	1	0	0	0
Estimated average number of transfers per retrieval	4.0					
Average number of embryos transferred	1.8		1.0			
Percentage of embryos transferred resulting in implantation	4 / 7		0 / 1			
Percentage of transfers resulting in singleton live births	2 / 4		0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 4		0 / 1			
Percentage of transfers resulting in live births	3 / 4		0 / 1			
Percentage of transfers resulting in pregnancy	3 / 4		0 / 1			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	1	3
Number of transfers	1	2
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation	0 / 2	1 / 4
Percentage of transfers resulting in singleton live births	0 / 1	0 / 2
Percentage of transfers resulting in live births	0 / 1	0 / 2
Percentage of transfers resulting in pregnancy	0 / 1	1 / 2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine and Infertility Associates

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SERVY INSTITUTE FOR REPRODUCTIVE ENDOCRINOLOGY
AUGUSTA, GEORGIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Edouard Servy, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	49%
Unstimulated	0%	Used PGD	4%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	24%	Uterine factor	11%	*Multiple Factors:*	
Ovulatory dysfunction	7%	Male factor	32%	Female factors only	12%
Diminished ovarian reserve	26%	Other factor	11%	Female & male factors	14%
Endometriosis	9%	Unknown factor	12%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 250 (includes 3 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	90	45	32	24	6	3
Percentage of cancellations	13.3	13.3	15.6	20.8	2 / 6	1 / 3
Average number of embryos transferred	1.9	2.2	2.5	2.9	3.0	5.0
Percentage of embryos transferred resulting in implantation	36.9	16.5	13.6	2.1	1 / 12	0 / 5
Percentage of elective single embryo transfer (eSET)	9.1	0.0	0.0	1 / 14	0 / 4	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	20.0	8.9	15.6	0.0	0 / 6	0 / 3
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 6	0 / 3
Percentage of cycles resulting in live births	28.9	13.3	18.8	0.0	0 / 6	0 / 3
Percentage of cycles resulting in pregnancy	40.0	24.4	21.9	4.2	1 / 6	0 / 3
Outcomes per Transfer						
Number of transfers	69	36	24	16	4	1
Percentage of transfers resulting in singleton live births	26.1	11.1	20.8	0 / 16	0 / 4	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 16	0 / 4	0 / 1
Percentage of transfers resulting in live births	37.7	16.7	25.0	0 / 16	0 / 4	0 / 1
Percentage of transfers resulting in pregnancy	52.2	30.6	29.2	1 / 16	1 / 4	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	36	11	7	1	1	0
Percentage of pregnancies resulting in singleton live births	50.0	4 / 11	5 / 7	0 / 1	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 11	0 / 7	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births	72.2	6 / 11	6 / 7	0 / 1	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	17	9	4	4	0	0
Number of transfers	16	9	4	4	0	0
Estimated average number of transfers per retrieval	1.6	1.0	1.3	0.8		
Average number of embryos transferred	1.9	2.2	2.3	2.3		
Percentage of embryos transferred resulting in implantation	36.7	0.0	1 / 9	2 / 9		
Percentage of transfers resulting in singleton live births	3 / 16	0 / 9	1 / 4	1 / 4		
Percentage of transfers resulting in triplets or more live births	0 / 16	0 / 9	0 / 4	0 / 4		
Percentage of transfers resulting in live births	5 / 16	0 / 9	1 / 4	1 / 4		
Percentage of transfers resulting in pregnancy	9 / 16	0 / 9	1 / 4	1 / 4		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	8	5
Number of transfers	7	5
Average number of embryos transferred	2.1	1.8
Percentage of embryos transferred resulting in implantation	2 / 15	7 / 9
Percentage of transfers resulting in singleton live births	0 / 7	2 / 5
Percentage of transfers resulting in live births	1 / 7	4 / 5
Percentage of transfers resulting in pregnancy	1 / 7	4 / 5

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Servy Massey Fertility Institute, Servy Institute for Reproductive Endocrinology

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COLUMBUS CENTER FOR REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY, LLC
COLUMBUS, GEORGIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Prakash J. Thiruppathi, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	93%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	39%	Uterine factor	18%	*Multiple Factors:*	
Ovulatory dysfunction	80%	Male factor	59%	Female factors only	32%
Diminished ovarian reserve	9%	Other factor	0%	Female & male factors	54%
Endometriosis	25%	Unknown factor	0%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 99 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	45	16	7	1	0	0
Percentage of cancellations	4.4	3 / 16	0 / 7	0 / 1		
Average number of embryos transferred	2.4	2.5	2.4	1.0		
Percentage of embryos transferred resulting in implantation	41.2	40.0	1 / 17	0 / 1		
Percentage of elective single embryo transfer (eSET)	0.0	0 / 10	0 / 6			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	22.2	2 / 16	1 / 7	0 / 1		
Percentage of cycles resulting in triplets or more live births	2.2	1 / 16	0 / 7	0 / 1		
Percentage of cycles resulting in live births	42.2	5 / 16	1 / 7	0 / 1		
Percentage of cycles resulting in pregnancy	46.7	7 / 16	1 / 7	0 / 1		
Outcomes per Transfer						
Number of transfers	35	12	7	1	0	0
Percentage of transfers resulting in singleton live births	28.6	2 / 12	1 / 7	0 / 1		
Percentage of transfers resulting in triplets or more live births	2.9	1 / 12	0 / 7	0 / 1		
Percentage of transfers resulting in live births	54.3	5 / 12	1 / 7	0 / 1		
Percentage of transfers resulting in pregnancy	60.0	7 / 12	1 / 7	0 / 1		
Outcomes per Pregnancy						
Number of pregnancies	21	7	1	0	0	0
Percentage of pregnancies resulting in singleton live births	47.6	2 / 7	1 / 1			
Percentage of pregnancies resulting in triplets or more live births	4.8	1 / 7	0 / 1			
Percentage of pregnancies resulting in live births	90.5	5 / 7	1 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	14	4	3	0	0	0
Number of transfers	14	4	3	0	0	0
Estimated average number of transfers per retrieval	2.0	4.0				
Average number of embryos transferred	2.1	2.0	1.3			
Percentage of embryos transferred resulting in implantation	56.7	3 / 8	0 / 4			
Percentage of transfers resulting in singleton live births	4 / 14	0 / 4	0 / 3			
Percentage of transfers resulting in triplets or more live births	0 / 14	0 / 4	0 / 3			
Percentage of transfers resulting in live births	10 / 14	1 / 4	0 / 3			
Percentage of transfers resulting in pregnancy	11 / 14	2 / 4	0 / 3			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	4	4
Number of transfers	4	4
Average number of embryos transferred	2.3	2.8
Percentage of embryos transferred resulting in implantation	4 / 9	3 / 11
Percentage of transfers resulting in singleton live births	2 / 4	2 / 4
Percentage of transfers resulting in live births	3 / 4	2 / 4
Percentage of transfers resulting in pregnancy	3 / 4	3 / 4

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Columbus Center for Reproductive Endocrinology and Infertility, LLC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2012 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2012 ART cycle data or the clinic's Medical Director did not approve the clinic's 2012 ART cycle data for inclusion in this report.

REPRODUCTIVE BIOLOGY ASSOCIATES
SANDY SPRINGS, GEORGIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Daniel Shapiro, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	93%
Unstimulated	0%	Used PGD	5%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	11%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	16%	Male factor	30%	Female factors only	18%
Diminished ovarian reserve	49%	Other factor	17%	Female & male factors	18%
Endometriosis	9%	Unknown factor	7%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 1,145 (includes 131 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	191	120	67	41	17	5
Percentage of cancellations	4.2	5.0	4.5	12.2	4 / 17	0 / 5
Average number of embryos transferred	1.6	1.8	2.3	2.9	3.2	2.4
Percentage of embryos transferred resulting in implantation	38.6	25.4	14.7	10.9	15.6	0 / 12
Percentage of elective single embryo transfer (eSET)	48.0	29.0	16.4	3.4	0 / 7	0 / 5
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	32.5	30.8	16.4	17.1	2 / 17	0 / 5
Percentage of cycles resulting in triplets or more live births	0.5	0.8	0.0	0.0	0 / 17	0 / 5
Percentage of cycles resulting in live births	41.9	35.0	20.9	17.1	3 / 17	0 / 5
Percentage of cycles resulting in pregnancy	46.6	42.5	26.9	24.4	3 / 17	0 / 5
Outcomes per Transfer						
Number of transfers	177	111	63	32	10	5
Percentage of transfers resulting in singleton live births	35.0	33.3	17.5	21.9	2 / 10	0 / 5
Percentage of transfers resulting in triplets or more live births	0.6	0.9	0.0	0.0	0 / 10	0 / 5
Percentage of transfers resulting in live births	45.2	37.8	22.2	21.9	3 / 10	0 / 5
Percentage of transfers resulting in pregnancy	50.3	45.9	28.6	31.3	3 / 10	0 / 5
Outcomes per Pregnancy						
Number of pregnancies	89	51	18	10	3	0
Percentage of pregnancies resulting in singleton live births	69.7	72.5	11 / 18	7 / 10	2 / 3	
Percentage of pregnancies resulting in triplets or more live births	1.1	2.0	0 / 18	0 / 10	0 / 3	
Percentage of pregnancies resulting in live births	89.9	82.4	14 / 18	7 / 10	3 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	175	117	79	31	6	6
Number of transfers	175	117	78	31	6	6
Estimated average number of transfers per retrieval	1.8	1.7	2.0	1.6	1.5	1.2
Average number of embryos transferred	1.6	1.6	1.9	1.7	2.5	2.5
Percentage of embryos transferred resulting in implantation	42.9	38.8	31.5	23.1	1 / 15	3 / 15
Percentage of transfers resulting in singleton live births	38.9	34.2	32.1	35.5	1 / 6	0 / 6
Percentage of transfers resulting in triplets or more live births	1.1	0.0	1.3	0.0	0 / 6	0 / 6
Percentage of transfers resulting in live births	49.1	46.2	43.6	35.5	1 / 6	1 / 6
Percentage of transfers resulting in pregnancy	63.4	54.7	57.7	48.4	2 / 6	1 / 6

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	10	149
Number of transfers	10	149
Average number of embryos transferred	1.3	1.4
Percentage of embryos transferred resulting in implantation	8 / 13	35.9
Percentage of transfers resulting in singleton live births	8 / 10	30.2
Percentage of transfers resulting in live births	8 / 10	36.9
Percentage of transfers resulting in pregnancy	9 / 10	47.0

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Biology Associates

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE GEORGIA CENTER FOR REPRODUCTIVE MEDICINE
SAVANNAH, GEORGIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Patrick L. Blohm, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	74%
Unstimulated	0%	Used PGD	1%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	19%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	19%	Male factor	63%	Female factors only	7%
Diminished ovarian reserve	28%	Other factor	2%	Female & male factors	37%
Endometriosis	13%	Unknown factor	2%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 148 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	60	20	12	5	1	0
Percentage of cancellations	5.0	15.0	1 / 12	1 / 5	0 / 1	
Average number of embryos transferred	2.0	2.1	2.1	2.5	4.0	
Percentage of embryos transferred resulting in implantation	45.1	50.0	26.1	1 / 10	0 / 4	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 17	0 / 11	0 / 3	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	43.3	25.0	3 / 12	1 / 5	0 / 1	
Percentage of cycles resulting in triplets or more live births	1.7	5.0	0 / 12	0 / 5	0 / 1	
Percentage of cycles resulting in live births	61.7	50.0	4 / 12	1 / 5	0 / 1	
Percentage of cycles resulting in pregnancy	63.3	55.0	5 / 12	1 / 5	0 / 1	
Outcomes per Transfer						
Number of transfers	56	17	11	4	1	0
Percentage of transfers resulting in singleton live births	46.4	5 / 17	3 / 11	1 / 4	0 / 1	
Percentage of transfers resulting in triplets or more live births	1.8	1 / 17	0 / 11	0 / 4	0 / 1	
Percentage of transfers resulting in live births	66.1	10 / 17	4 / 11	1 / 4	0 / 1	
Percentage of transfers resulting in pregnancy	67.9	11 / 17	5 / 11	1 / 4	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	38	11	5	1	0	0
Percentage of pregnancies resulting in singleton live births	68.4	5 / 11	3 / 5	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	2.6	1 / 11	0 / 5	0 / 1		
Percentage of pregnancies resulting in live births	97.4	10 / 11	4 / 5	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	24	12	2	1	4	0
Number of transfers	23	12	2	1	4	0
Estimated average number of transfers per retrieval	2.9	6.0	2.0	1.0		
Average number of embryos transferred	1.8	2.0	2.5	1.0	1.5	
Percentage of embryos transferred resulting in implantation	31.0	25.0	1 / 5	0 / 1	2 / 6	
Percentage of transfers resulting in singleton live births	39.1	5 / 12	1 / 2	0 / 1	1 / 4	
Percentage of transfers resulting in triplets or more live births	4.3	0 / 12	0 / 2	0 / 1	0 / 4	
Percentage of transfers resulting in live births	43.5	5 / 12	1 / 2	0 / 1	1 / 4	
Percentage of transfers resulting in pregnancy	52.2	7 / 12	1 / 2	0 / 1	2 / 4	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	5	2
Number of transfers	5	2
Average number of embryos transferred	2.0	2.5
Percentage of embryos transferred resulting in implantation	2 / 10	1 / 5
Percentage of transfers resulting in singleton live births	2 / 5	0 / 2
Percentage of transfers resulting in live births	2 / 5	0 / 2
Percentage of transfers resulting in pregnancy	3 / 5	1 / 2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Georgia Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTIVE CENTER OF HAWAII
HONOLULU, HAWAII

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Christopher T. Huang, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	81%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	17%	Uterine factor	<1%	*Multiple Factors:*	
Ovulatory dysfunction	<1%	Male factor	91%	Female factors only	2%
Diminished ovarian reserve	47%	Other factor	2%	Female & male factors	63%
Endometriosis	7%	Unknown factor	<1%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 161 (includes 27 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	25	15	25	18	8	9
Percentage of cancellations	4.0	2 / 15	12.0	1 / 18	0 / 8	5 / 9
Average number of embryos transferred	2.0	2.5	2.9	3.9	4.9	2.0
Percentage of embryos transferred resulting in implantation	44.7	15.6	13.3	1.6	5.1	0 / 8
Percentage of elective single embryo transfer (eSET)	13.0	0 / 13	0 / 18	0 / 14	0 / 8	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	16.0	4 / 15	16.0	1 / 18	1 / 8	0 / 9
Percentage of cycles resulting in triplets or more live births	4.0	0 / 15	0.0	0 / 18	0 / 8	0 / 9
Percentage of cycles resulting in live births	48.0	4 / 15	20.0	1 / 18	1 / 8	0 / 9
Percentage of cycles resulting in pregnancy	48.0	5 / 15	20.0	1 / 18	2 / 8	0 / 9
Outcomes per Transfer						
Number of transfers	24	13	21	16	8	4
Percentage of transfers resulting in singleton live births	16.7	4 / 13	19.0	1 / 16	1 / 8	0 / 4
Percentage of transfers resulting in triplets or more live births	4.2	0 / 13	0.0	0 / 16	0 / 8	0 / 4
Percentage of transfers resulting in live births	50.0	4 / 13	23.8	1 / 16	1 / 8	0 / 4
Percentage of transfers resulting in pregnancy	50.0	5 / 13	23.8	1 / 16	2 / 8	0 / 4
Outcomes per Pregnancy						
Number of pregnancies	12	5	5	1	2	0
Percentage of pregnancies resulting in singleton live births	4 / 12	4 / 5	4 / 5	1 / 1	1 / 2	
Percentage of pregnancies resulting in triplets or more live births	1 / 12	0 / 5	0 / 5	0 / 1	0 / 2	
Percentage of pregnancies resulting in live births	12 / 12	4 / 5	5 / 5	1 / 1	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	10	7	5	3	0	0
Number of transfers	7	7	5	3	0	0
Estimated average number of transfers per retrieval	0.9	1.8	0.5	0.3	0.0	0.0
Average number of embryos transferred	2.3	2.4	2.0	2.3		
Percentage of embryos transferred resulting in implantation	6 / 16	8 / 17	2 / 10	0 / 7		
Percentage of transfers resulting in singleton live births	1 / 7	1 / 7	2 / 5	0 / 3		
Percentage of transfers resulting in triplets or more live births	0 / 7	0 / 7	0 / 5	0 / 3		
Percentage of transfers resulting in live births	2 / 7	3 / 7	2 / 5	0 / 3		
Percentage of transfers resulting in pregnancy	3 / 7	5 / 7	2 / 5	0 / 3		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	8	1
Number of transfers	8	1
Average number of embryos transferred	2.1	3.0
Percentage of embryos transferred resulting in implantation	7 / 17	3 / 3
Percentage of transfers resulting in singleton live births	1 / 8	0 / 1
Percentage of transfers resulting in live births	4 / 8	1 / 1
Percentage of transfers resulting in pregnancy	4 / 8	1 / 1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Reproductive Center of Hawaii

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTIVE MEDICINE & GYNECOLOGY OF HAWAII, INC.
HONOLULU, HAWAII

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by John L. Frattarelli, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	89%
Unstimulated	0%	Used PGD	<1%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	7%	Uterine factor	6%	*Multiple Factors:*	
Ovulatory dysfunction	11%	Male factor	98%	Female factors only	0%
Diminished ovarian reserve	16%	Other factor	2%	Female & male factors	45%
Endometriosis	11%	Unknown factor	0%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 264 (includes 64 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	36	36	27	17	5	2
Percentage of cancellations	2.8	11.1	3.7	5 / 17	0 / 5	2 / 2
Average number of embryos transferred	2.1	2.4	2.6	2.7	4.0	
Percentage of embryos transferred resulting in implantation	31.4	26.0	20.9	12.5	0 / 16	
Percentage of elective single embryo transfer (eSET)	6.1	0.0	4.0	0 / 11	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	36.1	33.3	18.5	2 / 17	0 / 5	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 17	0 / 5	0 / 2
Percentage of cycles resulting in live births	44.4	41.7	25.9	3 / 17	0 / 5	0 / 2
Percentage of cycles resulting in pregnancy	52.8	44.4	48.1	3 / 17	0 / 5	0 / 2
Outcomes per Transfer						
Number of transfers	33	31	26	12	4	0
Percentage of transfers resulting in singleton live births	39.4	38.7	19.2	2 / 12	0 / 4	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 12	0 / 4	
Percentage of transfers resulting in live births	48.5	48.4	26.9	3 / 12	0 / 4	
Percentage of transfers resulting in pregnancy	57.6	51.6	50.0	3 / 12	0 / 4	
Outcomes per Pregnancy						
Number of pregnancies	19	16	13	3	0	0
Percentage of pregnancies resulting in singleton live births	13 / 19	12 / 16	5 / 13	2 / 3		
Percentage of pregnancies resulting in triplets or more live births	0 / 19	0 / 16	0 / 13	0 / 3		
Percentage of pregnancies resulting in live births	16 / 19	15 / 16	7 / 13	3 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	22	10	13	7	5	2
Number of transfers	22	10	13	6	5	2
Estimated average number of transfers per retrieval	1.0	1.7	1.2	0.8	0.4	0.2
Average number of embryos transferred	1.8	1.8	1.9	1.8	1.6	2.0
Percentage of embryos transferred resulting in implantation	55.0	6 / 18	28.0	9 / 11	4 / 8	1 / 4
Percentage of transfers resulting in singleton live births	31.8	6 / 10	5 / 13	1 / 6	2 / 5	1 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0 / 10	0 / 13	0 / 6	0 / 5	0 / 2
Percentage of transfers resulting in live births	63.6	6 / 10	6 / 13	4 / 6	2 / 5	1 / 2
Percentage of transfers resulting in pregnancy	77.3	7 / 10	8 / 13	4 / 6	3 / 5	2 / 2

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	6	12
Number of transfers	4	12
Average number of embryos transferred	2.0	1.9
Percentage of embryos transferred resulting in implantation	2 / 8	39.1
Percentage of transfers resulting in singleton live births	2 / 4	5 / 12
Percentage of transfers resulting in live births	2 / 4	7 / 12
Percentage of transfers resulting in pregnancy	2 / 4	9 / 12

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Reproductive Medicine & Gynecology of Hawaii, Inc.

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2012 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2012 ART cycle data or the clinic's Medical Director did not approve the clinic's 2012 ART cycle data for inclusion in this report.

IVF HAWAII
HONOLULU, HAWAII

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Benton Chun, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	84%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	37%	Uterine factor	<1%	*Multiple Factors:*	
Ovulatory dysfunction	18%	Male factor	55%	Female factors only	36%
Diminished ovarian reserve	35%	Other factor	17%	Female & male factors	43%
Endometriosis	61%	Unknown factor	0%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 115 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	17	20	26	9	8	3
Percentage of cancellations	0 / 17	20.0	26.9	2 / 9	0 / 8	0 / 3
Average number of embryos transferred	1.4	1.9	3.2	3.6	3.8	4.0
Percentage of embryos transferred resulting in implantation	10 / 18	43.5	19.3	0 / 18	3.3	1 / 12
Percentage of elective single embryo transfer (eSET)	7 / 12	3 / 12	0 / 17	0 / 5	0 / 6	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	8 / 17	20.0	15.4	0 / 9	1 / 8	0 / 3
Percentage of cycles resulting in triplets or more live births	0 / 17	0.0	0.0	0 / 9	0 / 8	0 / 3
Percentage of cycles resulting in live births	8 / 17	35.0	23.1	0 / 9	1 / 8	0 / 3
Percentage of cycles resulting in pregnancy	9 / 17	40.0	26.9	1 / 9	1 / 8	1 / 3
Outcomes per Transfer						
Number of transfers	13	12	18	5	8	3
Percentage of transfers resulting in singleton live births	8 / 13	4 / 12	4 / 18	0 / 5	1 / 8	0 / 3
Percentage of transfers resulting in triplets or more live births	0 / 13	0 / 12	0 / 18	0 / 5	0 / 8	0 / 3
Percentage of transfers resulting in live births	8 / 13	7 / 12	6 / 18	0 / 5	1 / 8	0 / 3
Percentage of transfers resulting in pregnancy	9 / 13	8 / 12	7 / 18	1 / 5	1 / 8	1 / 3
Outcomes per Pregnancy						
Number of pregnancies	9	8	7	1	1	1
Percentage of pregnancies resulting in singleton live births	8 / 9	4 / 8	4 / 7	0 / 1	1 / 1	0 / 1
Percentage of pregnancies resulting in triplets or more live births	0 / 9	0 / 8	0 / 7	0 / 1	0 / 1	0 / 1
Percentage of pregnancies resulting in live births	8 / 9	7 / 8	6 / 7	0 / 1	1 / 1	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	11	5	5	2	0	0
Number of transfers	10	5	4	2	0	0
Estimated average number of transfers per retrieval	3.3	1.7		2.0		
Average number of embryos transferred	1.6	1.8	3.0	2.0		
Percentage of embryos transferred resulting in implantation	3 / 16	4 / 9	3 / 12	0 / 4		
Percentage of transfers resulting in singleton live births	3 / 10	2 / 5	0 / 4	0 / 2		
Percentage of transfers resulting in triplets or more live births	0 / 10	0 / 5	0 / 4	0 / 2		
Percentage of transfers resulting in live births	3 / 10	3 / 5	1 / 4	0 / 2		
Percentage of transfers resulting in pregnancy	3 / 10	3 / 5	1 / 4	0 / 2		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	8	1
Number of transfers	6	1
Average number of embryos transferred	1.8	2.0
Percentage of embryos transferred resulting in implantation	3 / 11	1 / 2
Percentage of transfers resulting in singleton live births	3 / 6	1 / 1
Percentage of transfers resulting in live births	3 / 6	1 / 1
Percentage of transfers resulting in pregnancy	3 / 6	1 / 1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: IVF Hawaii

Donor egg?	Yes	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PACIFIC IN VITRO FERTILIZATION INSTITUTE
HONOLULU, HAWAII

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Thomas S. Kosasa, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	77%
Unstimulated	0%	Used PGD	2%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	16%	Uterine factor	<1%	*Multiple Factors:*	
Ovulatory dysfunction	6%	Male factor	39%	Female factors only	9%
Diminished ovarian reserve	40%	Other factor	7%	Female & male factors	25%
Endometriosis	33%	Unknown factor	1%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 476 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	62	51	48	34	21	13
Percentage of cancellations	8.1	13.7	8.3	35.3	9.5	3 / 13
Average number of embryos transferred	2.3	2.3	3.3	3.7	3.4	4.2
Percentage of embryos transferred resulting in implantation	27.8	27.7	7.1	5.6	9.8	4.0
Percentage of elective single embryo transfer (eSET)	2.2	5.6	0.0	0 / 18	0 / 16	0 / 6
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	16.1	23.5	16.7	5.9	14.3	0 / 13
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 13
Percentage of cycles resulting in live births	29.0	29.4	16.7	5.9	19.0	0 / 13
Percentage of cycles resulting in pregnancy	35.5	35.3	22.9	11.8	23.8	1 / 13
Outcomes per Transfer						
Number of transfers	46	36	38	19	18	6
Percentage of transfers resulting in singleton live births	21.7	33.3	21.1	2 / 19	3 / 18	0 / 6
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 19	0 / 18	0 / 6
Percentage of transfers resulting in live births	39.1	41.7	21.1	2 / 19	4 / 18	0 / 6
Percentage of transfers resulting in pregnancy	47.8	50.0	28.9	4 / 19	5 / 18	1 / 6
Outcomes per Pregnancy						
Number of pregnancies	22	18	11	4	5	1
Percentage of pregnancies resulting in singleton live births	45.5	12 / 18	8 / 11	2 / 4	3 / 5	0 / 1
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 18	0 / 11	0 / 4	0 / 5	0 / 1
Percentage of pregnancies resulting in live births	81.8	15 / 18	8 / 11	2 / 4	4 / 5	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	23	23	15	5	3	2
Number of transfers	22	22	15	4	3	2
Estimated average number of transfers per retrieval	2.2	2.8	3.0	2.0	3.0	2.0
Average number of embryos transferred	2.3	2.1	2.5	2.3	2.0	4.0
Percentage of embryos transferred resulting in implantation	37.3	40.4	21.6	1 / 9	2 / 6	2 / 8
Percentage of transfers resulting in singleton live births	36.4	18.2	4 / 15	0 / 4	1 / 3	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 15	0 / 4	0 / 3	0 / 2
Percentage of transfers resulting in live births	50.0	50.0	5 / 15	0 / 4	1 / 3	1 / 2
Percentage of transfers resulting in pregnancy	63.6	59.1	8 / 15	2 / 4	2 / 3	1 / 2

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	97	79
Number of transfers	92	69
Average number of embryos transferred	2.0	1.9
Percentage of embryos transferred resulting in implantation	44.3	30.1
Percentage of transfers resulting in singleton live births	30.4	29.0
Percentage of transfers resulting in live births	53.3	37.7
Percentage of transfers resulting in pregnancy	60.9	47.8

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Pacific In Vitro Fertilization Institute

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

TRIPLER ARMY MEDICAL CENTER IVF INSTITUTE
TRIPLER AMC, HAWAII

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Nia Middleton, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	89%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	34%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	21%	Male factor	61%	Female factors only	5%
Diminished ovarian reserve	13%	Other factor	3%	Female & male factors	40%
Endometriosis	8%	Unknown factor	5%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 39 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	11	10	3	3	0	0
Percentage of cancellations	0 / 11	1 / 10	0 / 3	1 / 3		
Average number of embryos transferred	2.2	2.1	2.7	2.5		
Percentage of embryos transferred resulting in implantation	41.7	10 / 17	0 / 8	0 / 5		
Percentage of elective single embryo transfer (eSET)	0 / 11	0 / 7	0 / 3	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	5 / 11	3 / 10	0 / 3	0 / 3		
Percentage of cycles resulting in triplets or more live births	0 / 11	0 / 10	0 / 3	0 / 3		
Percentage of cycles resulting in live births	7 / 11	6 / 10	0 / 3	0 / 3		
Percentage of cycles resulting in pregnancy	7 / 11	6 / 10	0 / 3	0 / 3		
Outcomes per Transfer						
Number of transfers	11	8	3	2	0	0
Percentage of transfers resulting in singleton live births	5 / 11	3 / 8	0 / 3	0 / 2		
Percentage of transfers resulting in triplets or more live births	0 / 11	0 / 8	0 / 3	0 / 2		
Percentage of transfers resulting in live births	7 / 11	6 / 8	0 / 3	0 / 2		
Percentage of transfers resulting in pregnancy	7 / 11	6 / 8	0 / 3	0 / 2		
Outcomes per Pregnancy						
Number of pregnancies	7	6	0	0	0	0
Percentage of pregnancies resulting in singleton live births	5 / 7	3 / 6				
Percentage of pregnancies resulting in triplets or more live births	0 / 7	0 / 6				
Percentage of pregnancies resulting in live births	7 / 7	6 / 6				
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	1	0	1	1	0
Number of transfers	7	1	0	1	1	0
Estimated average number of transfers per retrieval		1.0				
Average number of embryos transferred	2.0	3.0		3.0	2.0	
Percentage of embryos transferred resulting in implantation	6 / 14	0 / 3		1 / 3	0 / 2	
Percentage of transfers resulting in singleton live births	0 / 7	0 / 1		1 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 7	0 / 1		0 / 1	0 / 1	
Percentage of transfers resulting in live births	3 / 7	0 / 1		1 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	5 / 7	0 / 1		1 / 1	0 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	0	1
Number of transfers	0	1
Average number of embryos transferred		2.0
Percentage of embryos transferred resulting in implantation		2 / 2
Percentage of transfers resulting in singleton live births		0 / 1
Percentage of transfers resulting in live births		1 / 1
Percentage of transfers resulting in pregnancy		1 / 1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Tripler Army Medical Center IVF Institute

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.