

IDAHO CENTER FOR REPRODUCTIVE MEDICINE BOISE, IDAHO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Cristin C. Slater, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	64%	Tubal factor	15%	Uterine factor	5%
Unstimulated	0%	Used PGD	6%	Ovulatory dysfunction	17%	Male factor	32%
Used gestational carrier	10%			Diminished ovarian reserve	34%	Other factor	17%
				Endometriosis	10%	Unknown factor	4%
				<i>Multiple Factors:</i> Female factors only 17% Female & male factors 15%			

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 366 (includes 21 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	111	27	14	10	3	0	
Percentage of cancellations	2.7	0.0	2 / 14	0 / 10	0 / 3		
Average number of embryos transferred	2.1	2.4	2.7	3.1	1.7		
Percentage of embryos transferred resulting in implantation	38.7	21.1	21.9	19.4	0 / 5		
Percentage of elective single embryo transfer (eSET)	2.0	0.0	0 / 10	0 / 8	0 / 2		
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	21.6	33.3	3 / 14	3 / 10	0 / 3		
Percentage of cycles resulting in triplets or more live births	2.7	0.0	0 / 14	0 / 10	0 / 3		
Percentage of cycles resulting in live births	43.2	33.3	4 / 14	4 / 10	0 / 3		
Percentage of cycles resulting in pregnancy	48.6	37.0	4 / 14	4 / 10	0 / 3		
Outcomes per Transfer							
Number of transfers	103	24	12	10	3	0	
Percentage of transfers resulting in singleton live births	23.3	37.5	3 / 12	3 / 10	0 / 3		
Percentage of transfers resulting in triplets or more live births	2.9	0.0	0 / 12	0 / 10	0 / 3		
Percentage of transfers resulting in live births	46.6	37.5	4 / 12	4 / 10	0 / 3		
Percentage of transfers resulting in pregnancy	52.4	41.7	4 / 12	4 / 10	0 / 3		
Outcomes per Pregnancy							
Number of pregnancies	54	10	4	4	0	0	
Percentage of pregnancies resulting in singleton live births	44.4	9 / 10	3 / 4	3 / 4			
Percentage of pregnancies resulting in triplets or more live births	5.6	0 / 10	0 / 4	0 / 4			
Percentage of pregnancies resulting in live births	88.9	9 / 10	4 / 4	4 / 4			
Frozen Embryos from Nondonor Eggs							
Number of cycles	46	13	16	3	0	4	
Number of transfers	46	13	15	3	0	3	
Estimated average number of transfers per retrieval	1.5	1.4	3.0	3.0	0.0	1.5	
Average number of embryos transferred	2.2	1.8	2.3	2.7		1.3	
Percentage of embryos transferred resulting in implantation	42.0	25.0	32.4	2 / 8		2 / 4	
Percentage of transfers resulting in singleton live births	26.1	2 / 13	8 / 15	0 / 3		0 / 3	
Percentage of transfers resulting in triplets or more live births	4.3	0 / 13	0 / 15	0 / 3		0 / 3	
Percentage of transfers resulting in live births	50.0	4 / 13	9 / 15	1 / 3		1 / 3	
Percentage of transfers resulting in pregnancy	56.5	7 / 13	10 / 15	1 / 3		1 / 3	
All Ages Combined^f							
Donor Eggs		Fresh Embryos		Frozen Embryos			
Number of cycles		40		58			
Number of transfers		38		55			
Average number of embryos transferred		1.9		2.1			
Percentage of embryos transferred resulting in implantation		62.5		47.0			
Percentage of transfers resulting in singleton live births		28.9		27.3			
Percentage of transfers resulting in live births		65.8		56.4			
Percentage of transfers resulting in pregnancy		76.3		61.8			

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Idaho Center for Reproductive Medicine					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

RUSH-COPLEY CENTER FOR REPRODUCTIVE HEALTH AURORA, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Zvi Binor, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	83%	Tubal factor	5%	Uterine factor	3%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	11%	Male factor	10%
Used gestational carrier	0%			Diminished ovarian reserve	20%	Other factor	57%
				Endometriosis	13%	Unknown factor	<1%
				<i>Multiple Factors:</i> Female factors only 16% Female & male factors 4%			

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 115 (includes 0 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	55	14	7	10	7	5	
Percentage of cancellations	9.1	1 / 14	1 / 7	3 / 10	4 / 7	0 / 5	
Average number of embryos transferred	2.2	2.2	2.0	2.2	2.7	2.0	
Percentage of embryos transferred resulting in implantation	30.5	19.2	0 / 10	3 / 13	0 / 8	0 / 10	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 11	0 / 4	0 / 6	0 / 3	0 / 4	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	20.0	2 / 14	0 / 7	2 / 10	0 / 7	0 / 5	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 14	0 / 7	0 / 10	0 / 7	0 / 5	
Percentage of cycles resulting in live births	30.9	3 / 14	0 / 7	2 / 10	0 / 7	0 / 5	
Percentage of cycles resulting in pregnancy	36.4	3 / 14	0 / 7	3 / 10	0 / 7	0 / 5	
Outcomes per Transfer							
Number of transfers	44	12	5	6	3	5	
Percentage of transfers resulting in singleton live births	25.0	2 / 12	0 / 5	2 / 6	0 / 3	0 / 5	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 12	0 / 5	0 / 6	0 / 3	0 / 5	
Percentage of transfers resulting in live births	38.6	3 / 12	0 / 5	2 / 6	0 / 3	0 / 5	
Percentage of transfers resulting in pregnancy	45.5	3 / 12	0 / 5	3 / 6	0 / 3	0 / 5	
Outcomes per Pregnancy							
Number of pregnancies	20	3	0	3	0	0	
Percentage of pregnancies resulting in singleton live births	55.0	2 / 3		2 / 3			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 3		0 / 3			
Percentage of pregnancies resulting in live births	85.0	3 / 3		2 / 3			
Frozen Embryos from Nondonor Eggs							
Number of cycles	9	1	1	0	0	0	
Number of transfers	9	1	1	0	0	0	
Estimated average number of transfers per retrieval	1.8	1.0					
Average number of embryos transferred	1.9	2.0	2.0				
Percentage of embryos transferred resulting in implantation	1 / 17	0 / 2	0 / 2				
Percentage of transfers resulting in singleton live births	1 / 9	0 / 1	0 / 1				
Percentage of transfers resulting in triplets or more live births	0 / 9	0 / 1	0 / 1				
Percentage of transfers resulting in live births	1 / 9	0 / 1	0 / 1				
Percentage of transfers resulting in pregnancy	1 / 9	0 / 1	0 / 1				
All Ages Combined^f							
Donor Eggs		Fresh Embryos		Frozen Embryos			
Number of cycles		6		0			
Number of transfers		6		0			
Average number of embryos transferred		2.3					
Percentage of embryos transferred resulting in implantation		1 / 14					
Percentage of transfers resulting in singleton live births		1 / 6					
Percentage of transfers resulting in live births		1 / 6					
Percentage of transfers resulting in pregnancy		1 / 6					

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Rush-Copley Center for Reproductive Health					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2012 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2012 ART cycle data or the clinic's Medical Director did not approve the clinic's 2012 ART cycle data for inclusion in this report.

**CENTER FOR REPRODUCTIVE MEDICINE & FERTILITY
THE UNIVERSITY OF CHICAGO
CHICAGO, ILLINOIS**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Helen Kim, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	49%	Tubal factor	19%	Uterine factor	6%	
Unstimulated	0%	Used PGD	13%	Ovulatory dysfunction	17%	Male factor	24%	
Used gestational carrier	0%			Diminished ovarian reserve	26%	Other factor	19%	
				Endometriosis	4%	Unknown factor	17%	
				Multiple Factors:				
				Female factors only				14%
				Female & male factors				14%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 241 (includes 9 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	58	31	22	14	9	0
Percentage of cancellations	6.9	9.7	36.4	4 / 14	5 / 9	
Average number of embryos transferred	1.7	2.2	2.3	2.7	2.0	
Percentage of embryos transferred resulting in implantation	38.3	36.7	14.8	3 / 19	0 / 8	
Percentage of elective single embryo transfer (eSET)	23.3	4.5	0 / 10	1 / 6	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	31.0	22.6	13.6	1 / 14	0 / 9	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 14	0 / 9	
Percentage of cycles resulting in live births	37.9	38.7	13.6	1 / 14	0 / 9	
Percentage of cycles resulting in pregnancy	43.1	41.9	27.3	3 / 14	0 / 9	
Outcomes per Transfer						
Number of transfers	47	22	12	7	4	0
Percentage of transfers resulting in singleton live births	38.3	31.8	3 / 12	1 / 7	0 / 4	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 12	0 / 7	0 / 4	
Percentage of transfers resulting in live births	46.8	54.5	3 / 12	1 / 7	0 / 4	
Percentage of transfers resulting in pregnancy	53.2	59.1	6 / 12	3 / 7	0 / 4	
Outcomes per Pregnancy						
Number of pregnancies	25	13	6	3	0	0
Percentage of pregnancies resulting in singleton live births	72.0	7 / 13	3 / 6	1 / 3		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 13	0 / 6	0 / 3		
Percentage of pregnancies resulting in live births	88.0	12 / 13	3 / 6	1 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	33	19	14	4	0	0
Number of transfers	32	16	12	4	0	0
Estimated average number of transfers per retrieval	1.9	4.0	1.5	1.3	0.0	
Average number of embryos transferred	1.8	1.9	1.9	1.8		
Percentage of embryos transferred resulting in implantation	35.7	10.0	17.4	2 / 7		
Percentage of transfers resulting in singleton live births	28.1	1 / 16	1 / 12	2 / 4		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0 / 12	0 / 4		
Percentage of transfers resulting in live births	40.6	1 / 16	2 / 12	2 / 4		
Percentage of transfers resulting in pregnancy	46.9	4 / 16	5 / 12	2 / 4		
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		10		18		
Number of transfers		9		16		
Average number of embryos transferred		1.3		1.6		
Percentage of embryos transferred resulting in implantation		7 / 12		19.2		
Percentage of transfers resulting in singleton live births		3 / 9		5 / 16		
Percentage of transfers resulting in live births		4 / 9		5 / 16		
Percentage of transfers resulting in pregnancy		6 / 9		6 / 16		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Reproductive Medicine & Fertility, The University of Chicago

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INSTITUTE FOR HUMAN REPRODUCTION (IHR) CHICAGO, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Ilan Tur-Kaspa, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	77%	Tubal factor	12%	Uterine factor	4%
Unstimulated	0%	Used PGD	22%	Ovulatory dysfunction	14%	Male factor	43%
Used gestational carrier	<1%			Diminished ovarian reserve	38%	Other factor	25%
				Endometriosis	5%	Unknown factor	3%
				<i>Multiple Factors:</i> Female factors only 10% Female & male factors 27%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 300 (includes 40 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	50	24	43	19	4	3
Percentage of cancellations	4.0	4.2	9.3	0 / 19	0 / 4	0 / 3
Average number of embryos transferred	1.9	1.7	2.1	2.1	4.0	1.0
Percentage of embryos transferred resulting in implantation	47.5	36.4	27.6	13.3	0 / 8	0 / 1
Percentage of elective single embryo transfer (eSET)	15.0	6 / 18	17.4	1 / 11	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	28.0	20.8	18.6	4 / 19	0 / 4	0 / 3
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 19	0 / 4	0 / 3
Percentage of cycles resulting in live births	48.0	29.2	23.3	4 / 19	0 / 4	0 / 3
Percentage of cycles resulting in pregnancy	52.0	41.7	27.9	4 / 19	0 / 4	0 / 3
Outcomes per Transfer						
Number of transfers	42	20	28	14	2	1
Percentage of transfers resulting in singleton live births	33.3	25.0	28.6	4 / 14	0 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 14	0 / 2	0 / 1
Percentage of transfers resulting in live births	57.1	35.0	35.7	4 / 14	0 / 2	0 / 1
Percentage of transfers resulting in pregnancy	61.9	50.0	42.9	4 / 14	0 / 2	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	26	10	12	4	0	0
Percentage of pregnancies resulting in singleton live births	53.8	5 / 10	8 / 12	4 / 4		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 10	0 / 12	0 / 4		
Percentage of pregnancies resulting in live births	92.3	7 / 10	10 / 12	4 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	38	15	23	10	6	3
Number of transfers	37	15	23	10	6	3
Estimated average number of transfers per retrieval	1.5	2.1	1.4	0.9	1.5	3.0
Average number of embryos transferred	1.5	1.3	1.4	1.4	1.2	2.0
Percentage of embryos transferred resulting in implantation	50.9	8 / 19	21.2	3 / 14	4 / 7	4 / 6
Percentage of transfers resulting in singleton live births	37.8	8 / 15	13.0	3 / 10	2 / 6	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0 / 15	0.0	0 / 10	0 / 6	0 / 3
Percentage of transfers resulting in live births	54.1	8 / 15	17.4	3 / 10	3 / 6	2 / 3
Percentage of transfers resulting in pregnancy	56.8	8 / 15	26.1	3 / 10	3 / 6	2 / 3
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		12		10		
Number of transfers		12		2		
Average number of embryos transferred		1.7		2.0		
Percentage of embryos transferred resulting in implantation		60.0		2 / 4		
Percentage of transfers resulting in singleton live births		8 / 12		0 / 2		
Percentage of transfers resulting in live births		10 / 12		1 / 2		
Percentage of transfers resulting in pregnancy		10 / 12		1 / 2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Institute for Human Reproduction (IHR)					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTHWESTERN UNIVERSITY CHICAGO, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Edmond Confino, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	84%	Tubal factor	10%	Uterine factor	5%	
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	11%	Male factor	34%	
Used gestational carrier	<1%			Diminished ovarian reserve	41%	Other factor	4%	
				Endometriosis	5%	Unknown factor	18%	
				Multiple Factors:				
				Female factors only				6%
				Female & male factors				18%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 784 (includes 59 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	142	131	150	84	26	5
Percentage of cancellations	2.1	6.9	10.7	9.5	15.4	2 / 5
Average number of embryos transferred	1.8	1.9	2.2	2.4	3.1	2.3
Percentage of embryos transferred resulting in implantation	41.1	28.1	10.9	4.1	13.8	0 / 7
Percentage of elective single embryo transfer (eSET)	20.6	4.8	6.5	1.7	0 / 18	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	40.1	25.2	11.3	4.8	11.5	0 / 5
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 5
Percentage of cycles resulting in live births	51.4	32.1	13.3	4.8	11.5	0 / 5
Percentage of cycles resulting in pregnancy	58.5	38.2	18.0	9.5	26.9	0 / 5
Outcomes per Transfer						
Number of transfers	137	118	124	71	19	3
Percentage of transfers resulting in singleton live births	41.6	28.0	13.7	5.6	3 / 19	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 19	0 / 3
Percentage of transfers resulting in live births	53.3	35.6	16.1	5.6	3 / 19	0 / 3
Percentage of transfers resulting in pregnancy	60.6	42.4	21.8	11.3	7 / 19	0 / 3
Outcomes per Pregnancy						
Number of pregnancies	83	50	27	8	7	0
Percentage of pregnancies resulting in singleton live births	68.7	66.0	63.0	4 / 8	3 / 7	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 8	0 / 7	
Percentage of pregnancies resulting in live births	88.0	84.0	74.1	4 / 8	3 / 7	
Frozen Embryos from Nondonor Eggs						
Number of cycles	35	38	31	14	4	4
Number of transfers	35	33	30	12	3	4
Estimated average number of transfers per retrieval	0.6	1.2	1.2	1.3	3.0	1.3
Average number of embryos transferred	1.9	2.2	2.2	2.1	2.7	2.5
Percentage of embryos transferred resulting in implantation	16.7	15.3	12.1	12.0	2 / 8	1 / 10
Percentage of transfers resulting in singleton live births	25.7	6.1	13.3	2 / 12	0 / 3	1 / 4
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 12	0 / 3	0 / 4
Percentage of transfers resulting in live births	25.7	18.2	20.0	2 / 12	1 / 3	1 / 4
Percentage of transfers resulting in pregnancy	34.3	21.2	26.7	4 / 12	1 / 3	1 / 4
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		23		38		
Number of transfers		21		35		
Average number of embryos transferred		1.9		2.1		
Percentage of embryos transferred resulting in implantation		30.0		16.7		
Percentage of transfers resulting in singleton live births		33.3		22.9		
Percentage of transfers resulting in live births		42.9		25.7		
Percentage of transfers resulting in pregnancy		47.6		31.4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Northwestern University

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

RIVER NORTH IVF-FERTILITY CENTERS OF ILLINOIS CHICAGO, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Angeline Beltsos, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	78%	Tubal factor	6%	Uterine factor	3%	
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	20%	Male factor	24%	
Used gestational carrier	<1%			Diminished ovarian reserve	25%	Other factor	12%	
				Endometriosis	4%	Unknown factor	24%	
				Multiple Factors:				
				Female factors only				7%
				Female & male factors				9%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 2,081 (includes 122 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	534	260	252	142	90	14
Percentage of cancellations	14.0	21.9	23.0	27.5	40.0	3 / 14
Average number of embryos transferred	1.7	1.9	2.2	2.6	2.9	3.0
Percentage of embryos transferred resulting in implantation	41.2	28.8	20.6	13.4	6.5	0.0
Percentage of elective single embryo transfer (eSET)	32.2	14.0	5.3	1.3	0.0	0 / 8
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	31.8	20.4	16.3	9.9	5.6	0 / 14
Percentage of cycles resulting in triplets or more live births	0.4	0.0	0.4	0.0	0.0	0 / 14
Percentage of cycles resulting in live births	40.3	26.9	20.6	11.3	5.6	0 / 14
Percentage of cycles resulting in pregnancy	45.9	32.7	27.4	21.1	13.3	1 / 14
Outcomes per Transfer						
Number of transfers	427	189	179	92	47	10
Percentage of transfers resulting in singleton live births	39.8	28.0	22.9	15.2	10.6	0 / 10
Percentage of transfers resulting in triplets or more live births	0.5	0.0	0.6	0.0	0.0	0 / 10
Percentage of transfers resulting in live births	50.4	37.0	29.1	17.4	10.6	0 / 10
Percentage of transfers resulting in pregnancy	57.4	45.0	38.5	32.6	25.5	1 / 10
Outcomes per Pregnancy						
Number of pregnancies	245	85	69	30	12	1
Percentage of pregnancies resulting in singleton live births	69.4	62.4	59.4	46.7	5 / 12	0 / 1
Percentage of pregnancies resulting in triplets or more live births	0.8	0.0	1.4	0.0	0 / 12	0 / 1
Percentage of pregnancies resulting in live births	87.8	82.4	75.4	53.3	5 / 12	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	229	129	92	36	18	11
Number of transfers	212	122	84	35	17	9
Estimated average number of transfers per retrieval	1.7	1.8	1.5	1.5	1.5	0.8
Average number of embryos transferred	1.7	1.6	1.8	1.8	1.6	1.3
Percentage of embryos transferred resulting in implantation	41.6	32.2	33.6	19.4	25.9	1 / 12
Percentage of transfers resulting in singleton live births	43.4	33.6	38.1	20.0	2 / 17	1 / 9
Percentage of transfers resulting in triplets or more live births	0.0	0.0	1.2	0.0	0 / 17	0 / 9
Percentage of transfers resulting in live births	52.8	41.0	44.0	22.9	3 / 17	1 / 9
Percentage of transfers resulting in pregnancy	61.3	45.1	56.0	37.1	8 / 17	1 / 9
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		64		88		
Number of transfers		58		71		
Average number of embryos transferred		1.8		1.8		
Percentage of embryos transferred resulting in implantation		49.5		36.2		
Percentage of transfers resulting in singleton live births		44.8		29.6		
Percentage of transfers resulting in live births		58.6		42.3		
Percentage of transfers resulting in pregnancy		70.7		50.7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: River North IVF-Fertility Centers of Illinois					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF ILLINOIS AT CHICAGO IVF PROGRAM CHICAGO, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Humberto Scoccia, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	47%	Tubal factor	28%	Uterine factor	2%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	13%	Male factor	28%
Used gestational carrier	0%			Diminished ovarian reserve	31%	Other factor	12%
				Endometriosis	12%	Unknown factor	11%
				<i>Multiple Factors:</i> Female factors only 13% Female & male factors 16%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 129 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	22	17	37	17	1	1
Percentage of cancellations	9.1	3 / 17	27.0	5 / 17	0 / 1	1 / 1
Average number of embryos transferred	1.7	1.9	2.4	3.1	2.0	
Percentage of embryos transferred resulting in implantation	29.4	12.0	17.2	13.5	1 / 2	
Percentage of elective single embryo transfer (eSET)	6 / 18	2 / 13	0.0	0 / 9	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.3	3 / 17	8.1	4 / 17	1 / 1	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0 / 17	2.7	0 / 17	0 / 1	0 / 1
Percentage of cycles resulting in live births	31.8	3 / 17	13.5	4 / 17	1 / 1	0 / 1
Percentage of cycles resulting in pregnancy	40.9	4 / 17	24.3	5 / 17	1 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	20	13	24	12	1	0
Percentage of transfers resulting in singleton live births	30.0	3 / 13	12.5	4 / 12	1 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 13	4.2	0 / 12	0 / 1	
Percentage of transfers resulting in live births	35.0	3 / 13	20.8	4 / 12	1 / 1	
Percentage of transfers resulting in pregnancy	45.0	4 / 13	37.5	5 / 12	1 / 1	
Outcomes per Pregnancy						
Number of pregnancies	9	4	9	5	1	0
Percentage of pregnancies resulting in singleton live births	6 / 9	3 / 4	3 / 9	4 / 5	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 9	0 / 4	1 / 9	0 / 5	0 / 1	
Percentage of pregnancies resulting in live births	7 / 9	3 / 4	5 / 9	4 / 5	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	10	8	3	2	1	0
Number of transfers	8	8	3	1	1	0
Estimated average number of transfers per retrieval	2.0	2.0	3.0		0.5	
Average number of embryos transferred	1.5	1.4	2.0	3.0	2.0	
Percentage of embryos transferred resulting in implantation	5 / 12	2 / 11	2 / 6	0 / 3	0 / 2	
Percentage of transfers resulting in singleton live births	3 / 8	1 / 8	2 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 8	0 / 8	0 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in live births	4 / 8	1 / 8	2 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	4 / 8	4 / 8	2 / 3	0 / 1	0 / 1	
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		5		5		
Number of transfers		4		5		
Average number of embryos transferred		1.3		1.6		
Percentage of embryos transferred resulting in implantation		3 / 5		0 / 8		
Percentage of transfers resulting in singleton live births		3 / 4		0 / 5		
Percentage of transfers resulting in live births		3 / 4		0 / 5		
Percentage of transfers resulting in pregnancy		4 / 4		0 / 5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University of Illinois at Chicago IVF Program					
Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WOMEN'S HEALTH CONSULTANTS CHICAGO, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Mary W. Molo, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	>99%	With ICSI	91%	Tubal factor	21%	Uterine factor	26%	
Unstimulated	0%	Used PGD	6%	Ovulatory dysfunction	26%	Male factor	49%	
Used gestational carrier	3%			Diminished ovarian reserve	41%	Other factor	22%	
				Endometriosis	16%	Unknown factor	2%	
				Multiple Factors:				
				Female factors only				34%
				Female & male factors				35%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 176 (includes 10 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		54	29	15	9	9	7
Percentage of cancellations		0.0	3.4	1 / 15	2 / 9	0 / 9	1 / 7
Average number of embryos transferred		2.0	2.2	1.9	2.4	3.2	1.8
Percentage of embryos transferred resulting in implantation		20.6	17.0	29.6	3 / 12	1 / 19	0 / 7
Percentage of elective single embryo transfer (eSET)		9.1	0.0	2 / 11	0 / 4	0 / 5	0 / 1
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		20.4	17.2	2 / 15	2 / 9	0 / 9	0 / 7
Percentage of cycles resulting in triplets or more live births		0.0	0.0	0 / 15	0 / 9	0 / 9	0 / 7
Percentage of cycles resulting in live births		25.9	20.7	3 / 15	2 / 9	0 / 9	0 / 7
Percentage of cycles resulting in pregnancy		33.3	27.6	5 / 15	3 / 9	1 / 9	0 / 7
Outcomes per Transfer							
Number of transfers		50	24	14	5	6	4
Percentage of transfers resulting in singleton live births		22.0	20.8	2 / 14	2 / 5	0 / 6	0 / 4
Percentage of transfers resulting in triplets or more live births		0.0	0.0	0 / 14	0 / 5	0 / 6	0 / 4
Percentage of transfers resulting in live births		28.0	25.0	3 / 14	2 / 5	0 / 6	0 / 4
Percentage of transfers resulting in pregnancy		36.0	33.3	5 / 14	3 / 5	1 / 6	0 / 4
Outcomes per Pregnancy							
Number of pregnancies		18	8	5	3	1	0
Percentage of pregnancies resulting in singleton live births		11 / 18	5 / 8	2 / 5	2 / 3	0 / 1	
Percentage of pregnancies resulting in triplets or more live births		0 / 18	0 / 8	0 / 5	0 / 3	0 / 1	
Percentage of pregnancies resulting in live births		14 / 18	6 / 8	3 / 5	2 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs							
Number of cycles		17	8	4	2	1	1
Number of transfers		16	8	4	1	1	1
Estimated average number of transfers per retrieval		1.6	0.9	4.0			
Average number of embryos transferred		2.4	2.1	2.3	3.0	1.0	3.0
Percentage of embryos transferred resulting in implantation		10.5	3 / 17	1 / 9	0 / 3	0 / 1	0 / 3
Percentage of transfers resulting in singleton live births		3 / 16	0 / 8	1 / 4	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births		0 / 16	0 / 8	0 / 4	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in live births		3 / 16	1 / 8	1 / 4	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy		4 / 16	2 / 8	1 / 4	0 / 1	0 / 1	0 / 1
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		9			1		
Number of transfers		8			1		
Average number of embryos transferred		1.8			3.0		
Percentage of embryos transferred resulting in implantation		7 / 14			0 / 3		
Percentage of transfers resulting in singleton live births		3 / 8			0 / 1		
Percentage of transfers resulting in live births		4 / 8			0 / 1		
Percentage of transfers resulting in pregnancy		5 / 8			0 / 1		

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Women's Health Consultants					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE HEALTH/JOLIET IVF CREST HILL, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Scott Springer, DO

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	85%	Tubal factor	6%	Uterine factor	0%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	11%	Male factor	30%	
Used gestational carrier	0%			Diminished ovarian reserve	29%	Other factor	3%	
				Endometriosis	5%	Unknown factor	24%	
				Multiple Factors:				
				Female factors only				<1%
				Female & male factors				7%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 132 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	68	19	13	7	0	0
Percentage of cancellations	5.9	2 / 19	1 / 13	1 / 7		
Average number of embryos transferred	2.0	2.1	2.7	2.2		
Percentage of embryos transferred resulting in implantation	37.8	16.1	16.7	0 / 11		
Percentage of elective single embryo transfer (eSET)	1.8	1 / 15	0 / 11	0 / 4		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	22.1	3 / 19	3 / 13	0 / 7		
Percentage of cycles resulting in triplets or more live births	0.0	0 / 19	0 / 13	0 / 7		
Percentage of cycles resulting in live births	41.2	4 / 19	3 / 13	0 / 7		
Percentage of cycles resulting in pregnancy	50.0	6 / 19	4 / 13	0 / 7		
Outcomes per Transfer						
Number of transfers	63	15	11	5	0	0
Percentage of transfers resulting in singleton live births	23.8	3 / 15	3 / 11	0 / 5		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 15	0 / 11	0 / 5		
Percentage of transfers resulting in live births	44.4	4 / 15	3 / 11	0 / 5		
Percentage of transfers resulting in pregnancy	54.0	6 / 15	4 / 11	0 / 5		
Outcomes per Pregnancy						
Number of pregnancies	34	6	4	0	0	0
Percentage of pregnancies resulting in singleton live births	44.1	3 / 6	3 / 4			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 6	0 / 4			
Percentage of pregnancies resulting in live births	82.4	4 / 6	3 / 4			
Frozen Embryos from Nondonor Eggs						
Number of cycles	15	2	3	0	0	1
Number of transfers	15	2	3	0	0	1
Estimated average number of transfers per retrieval	1.5	0.7				
Average number of embryos transferred	1.9	2.5	1.7			3.0
Percentage of embryos transferred resulting in implantation	10.7	0 / 5	0 / 5			0 / 3
Percentage of transfers resulting in singleton live births	1 / 15	0 / 2	0 / 3			0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 15	0 / 2	0 / 3			0 / 1
Percentage of transfers resulting in live births	2 / 15	0 / 2	0 / 3			0 / 1
Percentage of transfers resulting in pregnancy	2 / 15	0 / 2	0 / 3			0 / 1
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		3		1		
Number of transfers		3		1		
Average number of embryos transferred		2.0		2.0		
Percentage of embryos transferred resulting in implantation		5 / 6		1 / 2		
Percentage of transfers resulting in singleton live births		1 / 3		0 / 1		
Percentage of transfers resulting in live births		3 / 3		0 / 1		
Percentage of transfers resulting in pregnancy		3 / 3		1 / 1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Reproductive Health/Joliet IVF					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MIDWEST FERTILITY CENTER DOWNERS GROVE, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Amos E. Madanes, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	>99%	With ICSI	43%	Tubal factor	21%	Uterine factor	0%
Unstimulated	0%	Used PGD	6%	Ovulatory dysfunction	21%	Male factor	28%
Used gestational carrier	0%			Diminished ovarian reserve	25%	Other factor	10%
				Endometriosis	15%	Unknown factor	4%
				<i>Multiple Factors:</i> Female factors only 7% Female & male factors 14%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 155 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	59	15	24	9	7	0
Percentage of cancellations	11.9	2 / 15	16.7	1 / 9	3 / 7	
Average number of embryos transferred	2.1	2.8	2.8	3.8	3.0	
Percentage of embryos transferred resulting in implantation	34.9	11.1	9.1	0.0	0 / 12	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 13	5.0	0 / 8	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	16.9	2 / 15	20.8	0 / 9	0 / 7	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 15	0.0	0 / 9	0 / 7	
Percentage of cycles resulting in live births	35.6	2 / 15	20.8	0 / 9	0 / 7	
Percentage of cycles resulting in pregnancy	40.7	4 / 15	20.8	0 / 9	0 / 7	
Outcomes per Transfer						
Number of transfers	51	13	20	8	4	0
Percentage of transfers resulting in singleton live births	19.6	2 / 13	25.0	0 / 8	0 / 4	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 13	0.0	0 / 8	0 / 4	
Percentage of transfers resulting in live births	41.2	2 / 13	25.0	0 / 8	0 / 4	
Percentage of transfers resulting in pregnancy	47.1	4 / 13	25.0	0 / 8	0 / 4	
Outcomes per Pregnancy						
Number of pregnancies	24	4	5	0	0	0
Percentage of pregnancies resulting in singleton live births	41.7	2 / 4	5 / 5			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 4	0 / 5			
Percentage of pregnancies resulting in live births	87.5	2 / 4	5 / 5			
Frozen Embryos from Nondonor Eggs						
Number of cycles	12	7	5	2	1	2
Number of transfers	11	7	5	2	1	2
Estimated average number of transfers per retrieval	2.2	3.5	2.5			
Average number of embryos transferred	2.1	2.0	2.2	2.5	2.0	2.0
Percentage of embryos transferred resulting in implantation	8.7	7 / 14	2 / 11	0 / 5	0 / 2	2 / 4
Percentage of transfers resulting in singleton live births	1 / 11	4 / 7	2 / 5	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in triplets or more live births	0 / 11	0 / 7	0 / 5	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in live births	1 / 11	4 / 7	2 / 5	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in pregnancy	3 / 11	6 / 7	2 / 5	0 / 2	0 / 1	1 / 2
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		12		0		
Number of transfers		7		0		
Average number of embryos transferred		2.1				
Percentage of embryos transferred resulting in implantation		2 / 15				
Percentage of transfers resulting in singleton live births		1 / 7				
Percentage of transfers resulting in live births		1 / 7				
Percentage of transfers resulting in pregnancy		2 / 7				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Midwest Fertility Center					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY CENTER OF CHICAGO GURNEE, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Richard P. Sherbahn, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	74%	Tubal factor	9%	Uterine factor	2%	Multiple Factors: Female factors only 8% Female & male factors 11%
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	10%	Male factor	31%	
Used gestational carrier	0%			Diminished ovarian reserve	37%	Other factor	6%	
				Endometriosis	9%	Unknown factor	17%	

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 644 (includes 9 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	239	79	61	19	8	2
Percentage of cancellations	3.3	6.3	9.8	5 / 19	1 / 8	0 / 2
Average number of embryos transferred	1.9	2.1	2.5	2.9	2.8	4.5
Percentage of embryos transferred resulting in implantation	47.1	34.7	33.3	22.0	1 / 14	1 / 9
Percentage of elective single embryo transfer (eSET)	9.2	7.4	2.1	0 / 13	0 / 4	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	32.2	40.5	31.1	3 / 19	1 / 8	1 / 2
Percentage of cycles resulting in triplets or more live births	0.8	0.0	0.0	0 / 19	0 / 8	0 / 2
Percentage of cycles resulting in live births	53.1	50.6	41.0	5 / 19	1 / 8	1 / 2
Percentage of cycles resulting in pregnancy	62.3	54.4	50.8	7 / 19	1 / 8	1 / 2
Outcomes per Transfer						
Number of transfers	224	73	51	14	5	2
Percentage of transfers resulting in singleton live births	34.4	43.8	37.3	3 / 14	1 / 5	1 / 2
Percentage of transfers resulting in triplets or more live births	0.9	0.0	0.0	0 / 14	0 / 5	0 / 2
Percentage of transfers resulting in live births	56.7	54.8	49.0	5 / 14	1 / 5	1 / 2
Percentage of transfers resulting in pregnancy	66.5	58.9	60.8	7 / 14	1 / 5	1 / 2
Outcomes per Pregnancy						
Number of pregnancies	149	43	31	7	1	1
Percentage of pregnancies resulting in singleton live births	51.7	74.4	61.3	3 / 7	1 / 1	1 / 1
Percentage of pregnancies resulting in triplets or more live births	1.3	0.0	0.0	0 / 7	0 / 1	0 / 1
Percentage of pregnancies resulting in live births	85.2	93.0	80.6	5 / 7	1 / 1	1 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	61	14	17	2	2	0
Number of transfers	61	14	17	2	2	0
Estimated average number of transfers per retrieval	1.4	1.6	3.4	0.7	2.0	
Average number of embryos transferred	1.5	1.6	1.6	1.5	2.5	
Percentage of embryos transferred resulting in implantation	57.4	77.3	51.9	1 / 3	1 / 5	
Percentage of transfers resulting in singleton live births	45.9	7 / 14	7 / 17	1 / 2	1 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 14	0 / 17	0 / 2	0 / 2	
Percentage of transfers resulting in live births	59.0	12 / 14	10 / 17	1 / 2	1 / 2	
Percentage of transfers resulting in pregnancy	73.8	12 / 14	11 / 17	1 / 2	1 / 2	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		97		34		
Number of transfers		93		33		
Average number of embryos transferred		1.7		1.5		
Percentage of embryos transferred resulting in implantation		77.2		51.0		
Percentage of transfers resulting in singleton live births		40.9		36.4		
Percentage of transfers resulting in live births		81.7		54.5		
Percentage of transfers resulting in pregnancy		88.2		60.6		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Fertility Center of Chicago

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CHICAGO INFERTILITY ASSOCIATES, LTD. HANOVER PARK, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Ketan Jobanputra, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	90%	Tubal factor	29%	Uterine factor	10%	
Unstimulated	0%	Used PGD	5%	Ovulatory dysfunction	14%	Male factor	19%	
Used gestational carrier	0%			Diminished ovarian reserve	14%	Other factor	0%	
				Endometriosis	14%	Unknown factor	33%	
				Multiple Factors:				
				Female factors only				19%
				Female & male factors				10%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 21 (includes 0 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		10	4	2	1	3	0
Percentage of cancellations		0 / 10	0 / 4	0 / 2	0 / 1	0 / 3	
Average number of embryos transferred		2.7	2.5	4.0	5.0	4.5	
Percentage of embryos transferred resulting in implantation		12.5	0 / 10	0 / 8	0 / 5	1 / 9	
Percentage of elective single embryo transfer (eSET)		0 / 8	0 / 3	0 / 2	0 / 1	0 / 2	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		3 / 10	0 / 4	0 / 2	0 / 1	1 / 3	
Percentage of cycles resulting in triplets or more live births		0 / 10	0 / 4	0 / 2	0 / 1	0 / 3	
Percentage of cycles resulting in live births		3 / 10	0 / 4	0 / 2	0 / 1	1 / 3	
Percentage of cycles resulting in pregnancy		3 / 10	0 / 4	0 / 2	0 / 1	1 / 3	
Outcomes per Transfer							
Number of transfers		9	4	2	1	2	0
Percentage of transfers resulting in singleton live births		3 / 9	0 / 4	0 / 2	0 / 1	1 / 2	
Percentage of transfers resulting in triplets or more live births		0 / 9	0 / 4	0 / 2	0 / 1	0 / 2	
Percentage of transfers resulting in live births		3 / 9	0 / 4	0 / 2	0 / 1	1 / 2	
Percentage of transfers resulting in pregnancy		3 / 9	0 / 4	0 / 2	0 / 1	1 / 2	
Outcomes per Pregnancy							
Number of pregnancies		3	0	0	0	1	0
Percentage of pregnancies resulting in singleton live births		3 / 3				1 / 1	
Percentage of pregnancies resulting in triplets or more live births		0 / 3				0 / 1	
Percentage of pregnancies resulting in live births		3 / 3				1 / 1	
Frozen Embryos from Nondonor Eggs							
Number of cycles		0	0	0	1	0	0
Number of transfers		0	0	0	1	0	0
Estimated average number of transfers per retrieval							
Average number of embryos transferred					1.0		
Percentage of embryos transferred resulting in implantation					0 / 1		
Percentage of transfers resulting in singleton live births					0 / 1		
Percentage of transfers resulting in triplets or more live births					0 / 1		
Percentage of transfers resulting in live births					0 / 1		
Percentage of transfers resulting in pregnancy					0 / 1		
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		0			0		
Number of transfers		0			0		
Average number of embryos transferred							
Percentage of embryos transferred resulting in implantation							
Percentage of transfers resulting in singleton live births							
Percentage of transfers resulting in live births							
Percentage of transfers resulting in pregnancy							

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Chicago Infertility Associates, Ltd.					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HIGHLAND PARK IVF CENTER HIGHLAND PARK, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Edward L. Marut, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	82%	Tubal factor	4%	Uterine factor	3%	
Unstimulated	<1%	Used PGD	3%	Ovulatory dysfunction	13%	Male factor	19%	
Used gestational carrier	2%			Diminished ovarian reserve	45%	Other factor	39%	
				Endometriosis	3%	Unknown factor	18%	
				Multiple Factors:				
				Female factors only				28%
				Female & male factors				9%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 2,533 (includes 347 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	410	267	264	185	86	14
Percentage of cancellations	6.8	13.1	19.3	19.5	34.9	5 / 14
Average number of embryos transferred	1.9	2.0	2.2	2.4	2.5	2.2
Percentage of embryos transferred resulting in implantation	39.8	26.0	16.9	7.7	7.1	0.0
Percentage of elective single embryo transfer (eSET)	19.1	11.3	3.1	7.8	0.0	0 / 5
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.2	18.7	15.9	5.4	3.5	0 / 14
Percentage of cycles resulting in triplets or more live births	1.2	0.0	0.0	0.0	0.0	0 / 14
Percentage of cycles resulting in live births	37.8	26.6	17.8	6.5	3.5	0 / 14
Percentage of cycles resulting in pregnancy	46.3	31.5	22.3	11.4	8.1	0 / 14
Outcomes per Transfer						
Number of transfers	352	211	191	126	45	9
Percentage of transfers resulting in singleton live births	27.0	23.7	22.0	7.9	6.7	0 / 9
Percentage of transfers resulting in triplets or more live births	1.4	0.0	0.0	0.0	0.0	0 / 9
Percentage of transfers resulting in live births	44.0	33.6	24.6	9.5	6.7	0 / 9
Percentage of transfers resulting in pregnancy	54.0	39.8	30.9	16.7	15.6	0 / 9
Outcomes per Pregnancy						
Number of pregnancies	190	84	59	21	7	0
Percentage of pregnancies resulting in singleton live births	50.0	59.5	71.2	47.6	3 / 7	
Percentage of pregnancies resulting in triplets or more live births	2.6	0.0	0.0	0.0	0 / 7	
Percentage of pregnancies resulting in live births	81.6	84.5	79.7	57.1	3 / 7	
Frozen Embryos from Nondonor Eggs						
Number of cycles	254	171	113	52	16	5
Number of transfers	240	155	103	46	12	5
Estimated average number of transfers per retrieval	1.5	1.2	0.8	0.6	0.5	0.3
Average number of embryos transferred	1.6	1.6	1.6	1.7	1.7	2.6
Percentage of embryos transferred resulting in implantation	32.9	34.3	29.4	25.0	10.0	0 / 13
Percentage of transfers resulting in singleton live births	32.9	36.1	28.2	21.7	2 / 12	0 / 5
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 12	0 / 5
Percentage of transfers resulting in live births	40.8	43.2	32.0	28.3	2 / 12	0 / 5
Percentage of transfers resulting in pregnancy	51.3	48.4	40.8	43.5	2 / 12	0 / 5
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		139		210		
Number of transfers		121		194		
Average number of embryos transferred		1.9		1.7		
Percentage of embryos transferred resulting in implantation		50.9		29.5		
Percentage of transfers resulting in singleton live births		33.1		25.3		
Percentage of transfers resulting in live births		59.5		34.0		
Percentage of transfers resulting in pregnancy		71.9		42.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Highland Park IVF Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HINSDALE CENTER FOR REPRODUCTION HINSDALE, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Michael J. Hickey, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	64%	Tubal factor	7%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 0% Female & male factors 23%
Unstimulated	0%	Used PGD	7%	Ovulatory dysfunction	12%	Male factor	62%	
Used gestational carrier	0%			Diminished ovarian reserve	24%	Other factor	8%	
				Endometriosis	4%	Unknown factor	4%	

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 100 (includes 4 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	34	10	12	5	0	0
Percentage of cancellations	20.6	4 / 10	3 / 12	4 / 5		
Average number of embryos transferred	2.1	2.8	2.6			
Percentage of embryos transferred resulting in implantation	24.4	3 / 14	3 / 18			
Percentage of elective single embryo transfer (eSET)	0 / 18	0 / 5	0 / 5			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	14.7	0 / 10	1 / 12	0 / 5		
Percentage of cycles resulting in triplets or more live births	0.0	0 / 10	0 / 12	0 / 5		
Percentage of cycles resulting in live births	20.6	1 / 10	2 / 12	0 / 5		
Percentage of cycles resulting in pregnancy	20.6	2 / 10	2 / 12	0 / 5		
Outcomes per Transfer						
Number of transfers	20	5	7	0	0	0
Percentage of transfers resulting in singleton live births	25.0	0 / 5	1 / 7			
Percentage of transfers resulting in triplets or more live births	0.0	0 / 5	0 / 7			
Percentage of transfers resulting in live births	35.0	1 / 5	2 / 7			
Percentage of transfers resulting in pregnancy	35.0	2 / 5	2 / 7			
Outcomes per Pregnancy						
Number of pregnancies	7	2	2	0	0	0
Percentage of pregnancies resulting in singleton live births	5 / 7	0 / 2	1 / 2			
Percentage of pregnancies resulting in triplets or more live births	0 / 7	0 / 2	0 / 2			
Percentage of pregnancies resulting in live births	7 / 7	1 / 2	2 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	16	11	6	0	1	1
Number of transfers	16	10	4	0	1	1
Estimated average number of transfers per retrieval	1.2	2.0	1.3			1.0
Average number of embryos transferred	2.4	2.1	2.8		2.0	3.0
Percentage of embryos transferred resulting in implantation	7.9	9.5	2 / 11		0 / 2	0 / 3
Percentage of transfers resulting in singleton live births	3 / 16	0 / 10	0 / 4		0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 16	0 / 10	0 / 4		0 / 1	0 / 1
Percentage of transfers resulting in live births	3 / 16	1 / 10	1 / 4		0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	4 / 16	1 / 10	1 / 4		0 / 1	0 / 1
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		0		0		
Number of transfers		0		0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Hinsdale Center for Reproduction

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REENA JABAMONI, MD, SC HOFFMAN ESTATES, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Reena Jabamoni, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	82%	Tubal factor	2%	Uterine factor	2%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	48%	Male factor	17%	
Used gestational carrier	0%			Diminished ovarian reserve	23%	Other factor	19%	
				Endometriosis	6%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				6%
				Female & male factors				10%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 57 (includes 5 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	19	4	7	6	1	1
Percentage of cancellations	3 / 19	0 / 4	0 / 7	0 / 6	0 / 1	1 / 1
Average number of embryos transferred	1.9	2.0	2.6	2.3		
Percentage of embryos transferred resulting in implantation	44.0	2 / 8	2 / 18	0 / 9		
Percentage of elective single embryo transfer (eSET)	3 / 13	0 / 3	0 / 6	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	6 / 19	2 / 4	1 / 7	0 / 6	0 / 1	0 / 1
Percentage of cycles resulting in triplets or more live births	0 / 19	0 / 4	0 / 7	0 / 6	0 / 1	0 / 1
Percentage of cycles resulting in live births	8 / 19	2 / 4	1 / 7	0 / 6	0 / 1	0 / 1
Percentage of cycles resulting in pregnancy	8 / 19	2 / 4	2 / 7	0 / 6	0 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	13	4	7	4	0	0
Percentage of transfers resulting in singleton live births	6 / 13	2 / 4	1 / 7	0 / 4		
Percentage of transfers resulting in triplets or more live births	0 / 13	0 / 4	0 / 7	0 / 4		
Percentage of transfers resulting in live births	8 / 13	2 / 4	1 / 7	0 / 4		
Percentage of transfers resulting in pregnancy	8 / 13	2 / 4	2 / 7	0 / 4		
Outcomes per Pregnancy						
Number of pregnancies	8	2	2	0	0	0
Percentage of pregnancies resulting in singleton live births	6 / 8	2 / 2	1 / 2			
Percentage of pregnancies resulting in triplets or more live births	0 / 8	0 / 2	0 / 2			
Percentage of pregnancies resulting in live births	8 / 8	2 / 2	1 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	8	3	2	0	0	1
Number of transfers	8	3	2	0	0	1
Estimated average number of transfers per retrieval	1.1	3.0	2.0			
Average number of embryos transferred	1.5	1.7	1.5			1.0
Percentage of embryos transferred resulting in implantation	3 / 12	3 / 5	2 / 3			0 / 1
Percentage of transfers resulting in singleton live births	2 / 8	1 / 3	1 / 2			0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 8	0 / 3	0 / 2			0 / 1
Percentage of transfers resulting in live births	2 / 8	2 / 3	1 / 2			0 / 1
Percentage of transfers resulting in pregnancy	3 / 8	3 / 3	1 / 2			0 / 1
All Ages Combined^f						
	Fresh Embryos		Frozen Embryos			
Number of cycles	0		0			
Number of transfers	0		0			
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reena Jabamoni, MD, SC					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**KARANDE AND ASSOCIATES, SC DBA
InVIA FERTILITY SPECIALISTS
HOFFMAN ESTATES, ILLINOIS**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Vishvanath C. Karande, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	66%	Tubal factor	8%	Uterine factor	3%	Multiple Factors: Female factors only 1% Female & male factors 8%
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	12%	Male factor	23%	
Used gestational carrier	0%			Diminished ovarian reserve	24%	Other factor	1%	
				Endometriosis	7%	Unknown factor	33%	

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 621 (includes 28 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	222	96	64	38	11	2	
Percentage of cancellations	10.4	13.5	20.3	13.2	0 / 11	0 / 2	
Average number of embryos transferred	1.9	2.0	2.6	2.8	3.8	1.0	
Percentage of embryos transferred resulting in implantation	34.6	22.9	12.0	9.3	3.3	0 / 1	
Percentage of elective single embryo transfer (eSET)	4.6	0.0	0.0	0.0	0 / 7		
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	24.3	15.6	14.1	15.8	1 / 11	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.5	0.0	0.0	0.0	0 / 11	0 / 2	
Percentage of cycles resulting in live births	38.7	25.0	17.2	15.8	1 / 11	0 / 2	
Percentage of cycles resulting in pregnancy	41.9	28.1	20.3	21.1	1 / 11	0 / 2	
Outcomes per Transfer							
Number of transfers	197	80	48	31	8	1	
Percentage of transfers resulting in singleton live births	27.4	18.8	18.8	19.4	1 / 8	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.5	0.0	0.0	0.0	0 / 8	0 / 1	
Percentage of transfers resulting in live births	43.7	30.0	22.9	19.4	1 / 8	0 / 1	
Percentage of transfers resulting in pregnancy	47.2	33.8	27.1	25.8	1 / 8	0 / 1	
Outcomes per Pregnancy							
Number of pregnancies	93	27	13	8	1	0	
Percentage of pregnancies resulting in singleton live births	58.1	55.6	9 / 13	6 / 8	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	1.1	0.0	0 / 13	0 / 8	0 / 1		
Percentage of pregnancies resulting in live births	92.5	88.9	11 / 13	6 / 8	1 / 1		
Frozen Embryos from Nondonor Eggs							
Number of cycles	55	19	11	5	0	2	
Number of transfers	42	15	10	3	0	0	
Estimated average number of transfers per retrieval	1.3	0.9	2.5	3.0		0.0	
Average number of embryos transferred	1.5	1.6	1.7	1.0			
Percentage of embryos transferred resulting in implantation	42.2	39.1	8 / 17	1 / 3			
Percentage of transfers resulting in singleton live births	54.8	4 / 15	4 / 10	1 / 3			
Percentage of transfers resulting in triplets or more live births	0.0	1 / 15	0 / 10	0 / 3			
Percentage of transfers resulting in live births	54.8	6 / 15	4 / 10	1 / 3			
Percentage of transfers resulting in pregnancy	57.1	6 / 15	5 / 10	1 / 3			
All Ages Combined^f							
Donor Eggs		Fresh Embryos		Frozen Embryos			
Number of cycles		31		37			
Number of transfers		30		30			
Average number of embryos transferred		1.8		1.5			
Percentage of embryos transferred resulting in implantation		50.9		59.1			
Percentage of transfers resulting in singleton live births		30.0		46.7			
Percentage of transfers resulting in live births		53.3		63.3			
Percentage of transfers resulting in pregnancy		66.7		66.7			

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Karande and Associates, SC dba, InVia Fertility Specialists					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE HEALTH SPECIALISTS, LTD. JOLIET, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Marek W. Piekos, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	84%	Tubal factor	23%	Uterine factor	14%	
Unstimulated	2%	Used PGD	3%	Ovulatory dysfunction	30%	Male factor	37%	
Used gestational carrier	2%			Diminished ovarian reserve	13%	Other factor	10%	
				Endometriosis	16%	Unknown factor	1%	
				Multiple Factors:				
				Female factors only				19%
				Female & male factors				23%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 85 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	30	12	12	6	1	1
Percentage of cancellations	10.0	0 / 12	2 / 12	2 / 6	1 / 1	0 / 1
Average number of embryos transferred	2.2	2.6	2.3	3.0		
Percentage of embryos transferred resulting in implantation	40.4	10.3	13.0	0 / 12		
Percentage of elective single embryo transfer (eSET)	0.0	0 / 10	0 / 10	0 / 4		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	10.0	1 / 12	1 / 12	0 / 6	0 / 1	0 / 1
Percentage of cycles resulting in triplets or more live births	3.3	0 / 12	0 / 12	0 / 6	0 / 1	0 / 1
Percentage of cycles resulting in live births	40.0	2 / 12	1 / 12	0 / 6	0 / 1	0 / 1
Percentage of cycles resulting in pregnancy	43.3	2 / 12	3 / 12	0 / 6	0 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	26	11	10	4	0	0
Percentage of transfers resulting in singleton live births	11.5	1 / 11	1 / 10	0 / 4		
Percentage of transfers resulting in triplets or more live births	3.8	0 / 11	0 / 10	0 / 4		
Percentage of transfers resulting in live births	46.2	2 / 11	1 / 10	0 / 4		
Percentage of transfers resulting in pregnancy	50.0	2 / 11	3 / 10	0 / 4		
Outcomes per Pregnancy						
Number of pregnancies	13	2	3	0	0	0
Percentage of pregnancies resulting in singleton live births	3 / 13	1 / 2	1 / 3			
Percentage of pregnancies resulting in triplets or more live births	1 / 13	0 / 2	0 / 3			
Percentage of pregnancies resulting in live births	12 / 13	2 / 2	1 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	8	5	1	4	0	0
Number of transfers	7	5	1	4	0	0
Estimated average number of transfers per retrieval	2.3	1.3		4.0		
Average number of embryos transferred	2.4	2.2	1.0	2.3		
Percentage of embryos transferred resulting in implantation	3 / 17	3 / 11	0 / 1	2 / 9		
Percentage of transfers resulting in singleton live births	2 / 7	1 / 5	0 / 1	0 / 4		
Percentage of transfers resulting in triplets or more live births	0 / 7	0 / 5	0 / 1	0 / 4		
Percentage of transfers resulting in live births	2 / 7	1 / 5	0 / 1	1 / 4		
Percentage of transfers resulting in pregnancy	2 / 7	2 / 5	0 / 1	1 / 4		
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		0		4		
Number of transfers		0		4		
Average number of embryos transferred				2.3		
Percentage of embryos transferred resulting in implantation				1 / 9		
Percentage of transfers resulting in singleton live births				1 / 4		
Percentage of transfers resulting in live births				1 / 4		
Percentage of transfers resulting in pregnancy				1 / 4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Health Specialists, Ltd.

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE ADVANCED IVF INSTITUTE
CHARLES E. MILLER, MD & ASSOCIATES
NAPERVILLE, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Charles E. Miller, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	78%	Tubal factor	5%	Uterine factor	12%	<i>Multiple Factors:</i> Female factors only 9% Female & male factors 20%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	11%	Male factor	36%	
Used gestational carrier	<1%			Diminished ovarian reserve	42%	Other factor	4%	
				Endometriosis	8%	Unknown factor	16%	

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 481 (includes 5 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	119	93	80	48	12	11
Percentage of cancellations	7.6	18.3	21.3	18.8	5 / 12	2 / 11
Average number of embryos transferred	1.9	2.3	2.7	2.8	2.2	3.9
Percentage of embryos transferred resulting in implantation	36.8	24.5	19.3	6.8	1 / 11	0.0
Percentage of elective single embryo transfer (eSET)	1.4	3.4	0.0	0 / 19	0 / 3	0 / 6
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	24.4	21.5	16.3	4.2	0 / 12	0 / 11
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 12	0 / 11
Percentage of cycles resulting in live births	32.8	25.8	20.0	4.2	0 / 12	0 / 11
Percentage of cycles resulting in pregnancy	38.7	32.3	23.8	12.5	1 / 12	0 / 11
Outcomes per Transfer						
Number of transfers	85	65	54	26	5	7
Percentage of transfers resulting in singleton live births	34.1	30.8	24.1	7.7	0 / 5	0 / 7
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 5	0 / 7
Percentage of transfers resulting in live births	45.9	36.9	29.6	7.7	0 / 5	0 / 7
Percentage of transfers resulting in pregnancy	54.1	46.2	35.2	23.1	1 / 5	0 / 7
Outcomes per Pregnancy						
Number of pregnancies	46	30	19	6	1	0
Percentage of pregnancies resulting in singleton live births	63.0	66.7	13 / 19	2 / 6	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0 / 19	0 / 6	0 / 1	
Percentage of pregnancies resulting in live births	84.8	80.0	16 / 19	2 / 6	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	45	25	10	9	1	1
Number of transfers	41	24	10	8	1	1
Estimated average number of transfers per retrieval	1.6	2.0	1.7	1.6		1.0
Average number of embryos transferred	1.9	2.1	2.3	1.9	2.0	1.0
Percentage of embryos transferred resulting in implantation	39.2	35.3	26.1	1 / 15	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births	39.0	37.5	2 / 10	1 / 8	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 10	0 / 8	0 / 1	0 / 1
Percentage of transfers resulting in live births	51.2	50.0	4 / 10	1 / 8	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	58.5	62.5	5 / 10	1 / 8	0 / 1	0 / 1
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
	Number of cycles	18	4			
Number of transfers	15	3				
Average number of embryos transferred	2.0	1.7				
Percentage of embryos transferred resulting in implantation	46.7	2 / 5				
Percentage of transfers resulting in singleton live births	3 / 15	0 / 3				
Percentage of transfers resulting in live births	8 / 15	1 / 3				
Percentage of transfers resulting in pregnancy	9 / 15	1 / 3				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Advanced IVF Institute, Charles E. Miller, MD, SC & Associates					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	<i>(See Appendix C for details.)</i>			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF1 NAPERVILLE, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Randy S. Morris, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	86%	Tubal factor	14%	Uterine factor	8%
Unstimulated	<1%	Used PGD	34%	Ovulatory dysfunction	12%	Male factor	33%
Used gestational carrier	<1%			Diminished ovarian reserve	40%	Other factor	10%
				Endometriosis	6%	Unknown factor	11%
				<i>Multiple Factors:</i> Female factors only 13% Female & male factors 17%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 473 (includes 9 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	111	41	37	29	12	3
Percentage of cancellations	8.1	4.9	10.8	20.7	3 / 12	1 / 3
Average number of embryos transferred	1.9	1.9	2.6	2.5	2.0	1.5
Percentage of embryos transferred resulting in implantation	29.9	17.5	21.2	20.0	0 / 6	0 / 3
Percentage of elective single embryo transfer (eSET)	9.1	7.7	15.0	2 / 10	1 / 3	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	21.6	14.6	16.2	6.9	0 / 12	0 / 3
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 12	0 / 3
Percentage of cycles resulting in live births	30.6	19.5	21.6	10.3	0 / 12	0 / 3
Percentage of cycles resulting in pregnancy	36.9	19.5	24.3	17.2	0 / 12	0 / 3
Outcomes per Transfer						
Number of transfers	93	30	20	12	3	2
Percentage of transfers resulting in singleton live births	25.8	20.0	30.0	2 / 12	0 / 3	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 12	0 / 3	0 / 2
Percentage of transfers resulting in live births	36.6	26.7	40.0	3 / 12	0 / 3	0 / 2
Percentage of transfers resulting in pregnancy	44.1	26.7	45.0	5 / 12	0 / 3	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	41	8	9	5	0	0
Percentage of pregnancies resulting in singleton live births	58.5	6 / 8	6 / 9	2 / 5		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 8	0 / 9	0 / 5		
Percentage of pregnancies resulting in live births	82.9	8 / 8	8 / 9	3 / 5		
Frozen Embryos from Nondonor Eggs						
Number of cycles	63	30	19	16	3	0
Number of transfers	61	28	17	11	3	0
Estimated average number of transfers per retrieval	1.6	1.2	2.4	1.0	0.8	
Average number of embryos transferred	1.8	1.8	1.8	1.8	1.7	
Percentage of embryos transferred resulting in implantation	30.4	22.0	19.4	15.0	0 / 5	
Percentage of transfers resulting in singleton live births	36.1	35.7	4 / 17	3 / 11	0 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 17	0 / 11	0 / 3	
Percentage of transfers resulting in live births	44.3	35.7	5 / 17	3 / 11	0 / 3	
Percentage of transfers resulting in pregnancy	55.7	39.3	8 / 17	5 / 11	1 / 3	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		38		62		
Number of transfers		33		49		
Average number of embryos transferred		1.9		1.9		
Percentage of embryos transferred resulting in implantation		44.4		19.1		
Percentage of transfers resulting in singleton live births		24.2		18.4		
Percentage of transfers resulting in live births		48.5		26.5		
Percentage of transfers resulting in pregnancy		60.6		36.7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: IVF1					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE INSTITUTE OAK BROOK, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by W. Paul Dmowski, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	80%	Tubal factor	8%	Uterine factor	3%	
Unstimulated	0%	Used PGD	9%	Ovulatory dysfunction	23%	Male factor	21%	
Used gestational carrier	<1%			Diminished ovarian reserve	32%	Other factor	20%	
				Endometriosis	8%	Unknown factor	7%	
				Multiple Factors:				
				Female factors only				9%
				Female & male factors				11%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 783 (includes 16 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	210	99	97	63	21	6
Percentage of cancellations	7.6	14.1	12.4	17.5	14.3	0 / 6
Average number of embryos transferred	1.8	1.9	2.0	2.4	2.6	2.2
Percentage of embryos transferred resulting in implantation	35.2	32.8	20.6	12.3	0.0	0 / 11
Percentage of elective single embryo transfer (eSET)	13.8	11.1	9.8	6.9	0 / 7	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	19.5	18.2	14.4	7.9	0.0	0 / 6
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 6
Percentage of cycles resulting in live births	28.6	25.3	17.5	9.5	0.0	0 / 6
Percentage of cycles resulting in pregnancy	32.4	35.4	21.6	14.3	0.0	0 / 6
Outcomes per Transfer						
Number of transfers	133	67	64	34	9	5
Percentage of transfers resulting in singleton live births	30.8	26.9	21.9	14.7	0 / 9	0 / 5
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 9	0 / 5
Percentage of transfers resulting in live births	45.1	37.3	26.6	17.6	0 / 9	0 / 5
Percentage of transfers resulting in pregnancy	51.1	52.2	32.8	26.5	0 / 9	0 / 5
Outcomes per Pregnancy						
Number of pregnancies	68	35	21	9	0	0
Percentage of pregnancies resulting in singleton live births	60.3	51.4	66.7	5 / 9		
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 9		
Percentage of pregnancies resulting in live births	88.2	71.4	81.0	6 / 9		
Frozen Embryos from Nondonor Eggs						
Number of cycles	114	42	39	5	2	0
Number of transfers	108	37	32	5	2	0
Estimated average number of transfers per retrieval	1.9	1.9	1.9	1.0	0.7	
Average number of embryos transferred	1.8	1.9	1.9	2.2	2.5	
Percentage of embryos transferred resulting in implantation	32.2	27.1	29.0	4 / 11	0 / 5	
Percentage of transfers resulting in singleton live births	31.5	24.3	12.5	3 / 5	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	3.1	0 / 5	0 / 2	
Percentage of transfers resulting in live births	38.9	29.7	31.3	3 / 5	0 / 2	
Percentage of transfers resulting in pregnancy	49.1	45.9	43.8	4 / 5	0 / 2	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		31		38		
Number of transfers		26		35		
Average number of embryos transferred		1.8		1.9		
Percentage of embryos transferred resulting in implantation		43.5		38.8		
Percentage of transfers resulting in singleton live births		50.0		31.4		
Percentage of transfers resulting in live births		57.7		42.9		
Percentage of transfers resulting in pregnancy		65.4		51.4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine Institute					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DANIEL ROSTEIN, MD, SC OAK BROOK, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Daniel A. Rostein, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	50%	Tubal factor	13%	Uterine factor	0%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	0%	Male factor	0%	
Used gestational carrier	0%			Diminished ovarian reserve	13%	Other factor	88%	
				Endometriosis	0%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				13%
				Female & male factors				0%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 8 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	0	0	1	1	0	0
Percentage of cancellations			0 / 1	0 / 1		
Average number of embryos transferred			3.0	3.0		
Percentage of embryos transferred resulting in implantation			0 / 3	0 / 3		
Percentage of elective single embryo transfer (eSET)			0 / 1	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births			0 / 1	0 / 1		
Percentage of cycles resulting in triplets or more live births			0 / 1	0 / 1		
Percentage of cycles resulting in live births			0 / 1	0 / 1		
Percentage of cycles resulting in pregnancy			0 / 1	0 / 1		
Outcomes per Transfer						
Number of transfers	0	0	1	1	0	0
Percentage of transfers resulting in singleton live births			0 / 1	0 / 1		
Percentage of transfers resulting in triplets or more live births			0 / 1	0 / 1		
Percentage of transfers resulting in live births			0 / 1	0 / 1		
Percentage of transfers resulting in pregnancy			0 / 1	0 / 1		
Outcomes per Pregnancy						
Number of pregnancies	0	0	0	0	0	0
Percentage of pregnancies resulting in singleton live births						
Percentage of pregnancies resulting in triplets or more live births						
Percentage of pregnancies resulting in live births						
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	1	2	0	0	1
Number of transfers	0	1	2	0	0	1
Estimated average number of transfers per retrieval						
Average number of embryos transferred		2.0	2.0			3.0
Percentage of embryos transferred resulting in implantation		2 / 2	1 / 4			0 / 3
Percentage of transfers resulting in singleton live births		0 / 1	1 / 2			0 / 1
Percentage of transfers resulting in triplets or more live births		0 / 1	0 / 2			0 / 1
Percentage of transfers resulting in live births		1 / 1	1 / 2			0 / 1
Percentage of transfers resulting in pregnancy		1 / 1	1 / 2			0 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		2		0		
Number of transfers		2		0		
Average number of embryos transferred		2.5				
Percentage of embryos transferred resulting in implantation		1 / 5				
Percentage of transfers resulting in singleton live births		0 / 2				
Percentage of transfers resulting in live births		0 / 2				
Percentage of transfers resulting in pregnancy		1 / 2				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Daniel Rostein, MD, SC					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2012 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2012 ART cycle data or the clinic's Medical Director did not approve the clinic's 2012 ART cycle data for inclusion in this report.

REPRODUCTIVE HEALTH AND FERTILITY CENTER ROCKFORD, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Chiravudh Sawetawan, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	89%	Tubal factor	31%	Uterine factor	8%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	36%	Male factor	41%	
Used gestational carrier	0%			Diminished ovarian reserve	9%	Other factor	28%	
				Endometriosis	33%	Unknown factor	3%	
				Multiple Factors:				
				Female factors only				25%
				Female & male factors				31%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 144 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	49	13	11	4	1	0
Percentage of cancellations	10.2	0 / 13	0 / 11	1 / 4	1 / 1	
Average number of embryos transferred	2.1	2.2	2.6	2.0		
Percentage of embryos transferred resulting in implantation	20.5	15.4	26.1	1 / 6		
Percentage of elective single embryo transfer (eSET)	7.9	0 / 12	0 / 9	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	16.3	2 / 13	3 / 11	1 / 4	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 13	0 / 11	0 / 4	0 / 1	
Percentage of cycles resulting in live births	22.4	3 / 13	4 / 11	1 / 4	0 / 1	
Percentage of cycles resulting in pregnancy	28.6	3 / 13	5 / 11	1 / 4	0 / 1	
Outcomes per Transfer						
Number of transfers	41	12	9	3	0	0
Percentage of transfers resulting in singleton live births	19.5	2 / 12	3 / 9	1 / 3		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 12	0 / 9	0 / 3		
Percentage of transfers resulting in live births	26.8	3 / 12	4 / 9	1 / 3		
Percentage of transfers resulting in pregnancy	34.1	3 / 12	5 / 9	1 / 3		
Outcomes per Pregnancy						
Number of pregnancies	14	3	5	1	0	0
Percentage of pregnancies resulting in singleton live births	8 / 14	2 / 3	3 / 5	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 14	0 / 3	0 / 5	0 / 1		
Percentage of pregnancies resulting in live births	11 / 14	3 / 3	4 / 5	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	30	10	4	0	0	0
Number of transfers	28	10	4	0	0	0
Estimated average number of transfers per retrieval	4.0	1.7				
Average number of embryos transferred	2.3	2.3	2.3			
Percentage of embryos transferred resulting in implantation	10.8	17.4	0 / 9			
Percentage of transfers resulting in singleton live births	25.0	3 / 10	0 / 4			
Percentage of transfers resulting in triplets or more live births	0.0	0 / 10	0 / 4			
Percentage of transfers resulting in live births	25.0	3 / 10	0 / 4			
Percentage of transfers resulting in pregnancy	32.1	5 / 10	0 / 4			
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	12		10			
Number of transfers	12		8			
Average number of embryos transferred	1.7		2.1			
Percentage of embryos transferred resulting in implantation	55.0		2 / 17			
Percentage of transfers resulting in singleton live births	6 / 12		0 / 8			
Percentage of transfers resulting in live births	8 / 12		0 / 8			
Percentage of transfers resulting in pregnancy	8 / 12		1 / 8			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Health and Fertility Center					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CHICAGO IVF SKOKIE, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Joel G. Brasch, MD			
Type of ART and Procedural Factors^a				Patient Diagnosis^b			
IVF	100%	With ICSI	86%	Tubal factor	21%	Uterine factor	7%
Unstimulated	<1%	Used PGD	3%	Ovulatory dysfunction	18%	Male factor	32%
Used gestational carrier	0%			Diminished ovarian reserve	42%	Other factor	3%
				Endometriosis	8%	Unknown factor	15%
				<i>Multiple Factors:</i> Female factors only 16% Female & male factors 22%			

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 598 (includes 10 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	191	72	82	33	26	15	
Percentage of cancellations	3.1	18.1	11.0	6.1	19.2	4 / 15	
Average number of embryos transferred	2.0	2.2	2.5	2.7	2.6	3.0	
Percentage of embryos transferred resulting in implantation	27.1	17.9	11.3	5.1	4.3	0 / 18	
Percentage of elective single embryo transfer (eSET)	6.0	2.1	0.0	0.0	0 / 15	0 / 3	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	22.5	19.4	18.3	12.1	3.8	0 / 15	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 15	
Percentage of cycles resulting in live births	30.4	22.2	19.5	12.1	3.8	0 / 15	
Percentage of cycles resulting in pregnancy	37.2	23.6	22.0	24.2	7.7	0 / 15	
Outcomes per Transfer							
Number of transfers	179	54	67	29	18	6	
Percentage of transfers resulting in singleton live births	24.0	25.9	22.4	13.8	1 / 18	0 / 6	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 18	0 / 6	
Percentage of transfers resulting in live births	32.4	29.6	23.9	13.8	1 / 18	0 / 6	
Percentage of transfers resulting in pregnancy	39.7	31.5	26.9	27.6	2 / 18	0 / 6	
Outcomes per Pregnancy							
Number of pregnancies	71	17	18	8	2	0	
Percentage of pregnancies resulting in singleton live births	60.6	14 / 17	15 / 18	4 / 8	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 17	0 / 18	0 / 8	0 / 2		
Percentage of pregnancies resulting in live births	81.7	16 / 17	16 / 18	4 / 8	1 / 2		
Frozen Embryos from Nondonor Eggs							
Number of cycles	92	24	21	4	5	2	
Number of transfers	91	24	21	4	5	2	
Estimated average number of transfers per retrieval	1.3	1.3	1.8		1.3	1.0	
Average number of embryos transferred	2.1	2.5	2.3	2.5	3.0	4.0	
Percentage of embryos transferred resulting in implantation	18.9	23.0	8.2	0 / 10	0 / 15	0 / 8	
Percentage of transfers resulting in singleton live births	25.3	33.3	14.3	0 / 4	0 / 5	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 4	0 / 5	0 / 2	
Percentage of transfers resulting in live births	30.8	37.5	14.3	0 / 4	0 / 5	0 / 2	
Percentage of transfers resulting in pregnancy	36.3	50.0	14.3	0 / 4	0 / 5	0 / 2	
All Ages Combined^f							
Donor Eggs		Fresh Embryos		Frozen Embryos			
Number of cycles		8		13			
Number of transfers		8		13			
Average number of embryos transferred		1.9		2.3			
Percentage of embryos transferred resulting in implantation		7 / 15		16.7			
Percentage of transfers resulting in singleton live births		3 / 8		2 / 13			
Percentage of transfers resulting in live births		4 / 8		3 / 13			
Percentage of transfers resulting in pregnancy		5 / 8		4 / 13			

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Chicago IVF					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	<i>(See Appendix C for details.)</i>			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTH SHORE FERTILITY, SC SKOKIE, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Anne Borkowski, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	82%	Tubal factor	10%	Uterine factor	4%	
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	18%	Male factor	17%	
Used gestational carrier	<1%			Diminished ovarian reserve	26%	Other factor	10%	
				Endometriosis	7%	Unknown factor	15%	
				Multiple Factors:				
				Female factors only				5%
				Female & male factors				2%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 251 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	82	63	28	41	15	3
Percentage of cancellations	2.4	4.8	7.1	12.2	4 / 15	1 / 3
Average number of embryos transferred	2.1	2.2	2.1	2.3	3.0	1.0
Percentage of embryos transferred resulting in implantation	29.8	22.8	12.2	4.7	0 / 15	0 / 1
Percentage of elective single embryo transfer (eSET)	0.0	2.1	0 / 10	0.0	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	14.6	20.6	7.1	4.9	0 / 15	0 / 3
Percentage of cycles resulting in triplets or more live births	1.2	0.0	0.0	0.0	0 / 15	0 / 3
Percentage of cycles resulting in live births	22.0	22.2	7.1	4.9	0 / 15	0 / 3
Percentage of cycles resulting in pregnancy	41.5	36.5	10.7	9.8	1 / 15	0 / 3
Outcomes per Transfer						
Number of transfers	72	51	20	28	5	1
Percentage of transfers resulting in singleton live births	16.7	25.5	10.0	7.1	0 / 5	0 / 1
Percentage of transfers resulting in triplets or more live births	1.4	0.0	0.0	0.0	0 / 5	0 / 1
Percentage of transfers resulting in live births	25.0	27.5	10.0	7.1	0 / 5	0 / 1
Percentage of transfers resulting in pregnancy	47.2	45.1	15.0	14.3	1 / 5	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	34	23	3	4	1	0
Percentage of pregnancies resulting in singleton live births	35.3	56.5	2 / 3	2 / 4	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	2.9	0.0	0 / 3	0 / 4	0 / 1	
Percentage of pregnancies resulting in live births	52.9	60.9	2 / 3	2 / 4	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	5	3	3	0	1
Number of transfers	2	5	2	3	0	1
Estimated average number of transfers per retrieval	1.0	1.0	2.0	0.8		
Average number of embryos transferred	1.5	2.4	2.5	1.7		2.0
Percentage of embryos transferred resulting in implantation	2 / 3	0 / 12	0 / 5	0 / 5		0 / 2
Percentage of transfers resulting in singleton live births	0 / 2	0 / 5	0 / 2	0 / 3		0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 2	0 / 5	0 / 2	0 / 3		0 / 1
Percentage of transfers resulting in live births	1 / 2	0 / 5	0 / 2	0 / 3		0 / 1
Percentage of transfers resulting in pregnancy	1 / 2	0 / 5	0 / 2	0 / 3		0 / 1
All Ages Combined^f						
	Fresh Embryos			Frozen Embryos		
Number of cycles	4			1		
Number of transfers	3			1		
Average number of embryos transferred	2.3			1.0		
Percentage of embryos transferred resulting in implantation	4 / 7			0 / 1		
Percentage of transfers resulting in singleton live births	0 / 3			0 / 1		
Percentage of transfers resulting in live births	1 / 3			0 / 1		
Percentage of transfers resulting in pregnancy	2 / 3			0 / 1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2012. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2012 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2012 ART cycle data or the clinic's Medical Director did not approve the clinic's 2012 ART cycle data for inclusion in this report.

SOUTHERN ILLINOIS UNIVERSITY FERTILITY AND IVF CENTER SPRINGFIELD, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by J. Ricardo Loret de Mola, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	65%	Tubal factor	18%	Uterine factor	7%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	17%	Male factor	42%	
Used gestational carrier	0%			Diminished ovarian reserve	15%	Other factor	12%	
				Endometriosis	26%	Unknown factor	7%	
				Multiple Factors:				
				Female factors only				17%
				Female & male factors				22%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 122 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	57	24	16	0	0	0
Percentage of cancellations	5.3	8.3	0 / 16			
Average number of embryos transferred	2.0	2.1	2.6			
Percentage of embryos transferred resulting in implantation	49.0	37.8	22.0			
Percentage of elective single embryo transfer (eSET)	5.9	0.0	0 / 16			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	36.8	20.8	5 / 16			
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 16			
Percentage of cycles resulting in live births	56.1	41.7	5 / 16			
Percentage of cycles resulting in pregnancy	64.9	45.8	8 / 16			
Outcomes per Transfer						
Number of transfers	53	21	16	0	0	0
Percentage of transfers resulting in singleton live births	39.6	23.8	5 / 16			
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 16			
Percentage of transfers resulting in live births	60.4	47.6	5 / 16			
Percentage of transfers resulting in pregnancy	69.8	52.4	8 / 16			
Outcomes per Pregnancy						
Number of pregnancies	37	11	8	0	0	0
Percentage of pregnancies resulting in singleton live births	56.8	5 / 11	5 / 8			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 11	0 / 8			
Percentage of pregnancies resulting in live births	86.5	10 / 11	5 / 8			
Frozen Embryos from Nondonor Eggs						
Number of cycles	10	2	1	1	0	0
Number of transfers	10	2	1	1	0	0
Estimated average number of transfers per retrieval	10.0					
Average number of embryos transferred	1.8	2.0	2.0	1.0		
Percentage of embryos transferred resulting in implantation	5 / 18	0 / 4	1 / 2	0 / 1		
Percentage of transfers resulting in singleton live births	1 / 10	0 / 2	1 / 1	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 10	0 / 2	0 / 1	0 / 1		
Percentage of transfers resulting in live births	3 / 10	0 / 2	1 / 1	0 / 1		
Percentage of transfers resulting in pregnancy	3 / 10	0 / 2	1 / 1	0 / 1		
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		10		1		
Number of transfers		10		1		
Average number of embryos transferred		1.7		2.0		
Percentage of embryos transferred resulting in implantation		11 / 17		1 / 2		
Percentage of transfers resulting in singleton live births		7 / 10		1 / 1		
Percentage of transfers resulting in live births		8 / 10		1 / 1		
Percentage of transfers resulting in pregnancy		8 / 10		1 / 1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Southern Illinois University Fertility and IVF Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SETH LEVRANT, MD, PC
PARTNERS IN REPRODUCTIVE HEALTH
TINLEY PARK, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Seth G. Levrant, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	77%	Tubal factor	15%	Uterine factor	8%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	20%	Male factor	45%	
Used gestational carrier	0%			Diminished ovarian reserve	12%	Other factor	7%	
				Endometriosis	10%	Unknown factor	13%	
				Multiple Factors:				
				Female factors only				5%
				Female & male factors				23%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 93 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	44	12	8	9	0	0
Percentage of cancellations	6.8	0 / 12	2 / 8	2 / 9		
Average number of embryos transferred	1.9	2.2	2.0	2.3		
Percentage of embryos transferred resulting in implantation	15.2	25.0	2 / 12	0 / 16		
Percentage of elective single embryo transfer (eSET)	2.6	0 / 11	0 / 5	0 / 6		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	13.6	1 / 12	1 / 8	0 / 9		
Percentage of cycles resulting in triplets or more live births	0.0	0 / 12	0 / 8	0 / 9		
Percentage of cycles resulting in live births	18.2	3 / 12	1 / 8	0 / 9		
Percentage of cycles resulting in pregnancy	22.7	3 / 12	2 / 8	0 / 9		
Outcomes per Transfer						
Number of transfers	41	11	6	7	0	0
Percentage of transfers resulting in singleton live births	14.6	1 / 11	1 / 6	0 / 7		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 11	0 / 6	0 / 7		
Percentage of transfers resulting in live births	19.5	3 / 11	1 / 6	0 / 7		
Percentage of transfers resulting in pregnancy	24.4	3 / 11	2 / 6	0 / 7		
Outcomes per Pregnancy						
Number of pregnancies	10	3	2	0	0	0
Percentage of pregnancies resulting in singleton live births	6 / 10	1 / 3	1 / 2			
Percentage of pregnancies resulting in triplets or more live births	0 / 10	0 / 3	0 / 2			
Percentage of pregnancies resulting in live births	8 / 10	3 / 3	1 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	7	2	0	0	1
Number of transfers	5	6	2	0	0	1
Estimated average number of transfers per retrieval	0.8	6.0				
Average number of embryos transferred	2.0	1.3	2.5			2.0
Percentage of embryos transferred resulting in implantation	0 / 10	0 / 8	4 / 5			0 / 2
Percentage of transfers resulting in singleton live births	0 / 5	0 / 6	0 / 2			0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 5	0 / 6	0 / 2			0 / 1
Percentage of transfers resulting in live births	0 / 5	0 / 6	1 / 2			0 / 1
Percentage of transfers resulting in pregnancy	0 / 5	0 / 6	2 / 2			0 / 1
All Ages Combined^f						
Donor Eggs	Fresh Embryos			Frozen Embryos		
	Number of cycles	3			1	
Number of transfers	3			1		
Average number of embryos transferred	2.0			2.0		
Percentage of embryos transferred resulting in implantation	2 / 6			0 / 2		
Percentage of transfers resulting in singleton live births	2 / 3			0 / 1		
Percentage of transfers resulting in live births	2 / 3			0 / 1		
Percentage of transfers resulting in pregnancy	2 / 3			0 / 1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Seth Levrant, MD, PC, Partners in Reproductive Health					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

AMERICAN HEALTH NETWORK-REPRODUCTIVE MEDICINE CARMEL, INDIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Leo M. Bonaventura, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	92%	Tubal factor	7%	Uterine factor	<1%	<i>Multiple Factors:</i> Female factors only 5% Female & male factors 2%
Unstimulated	0%	Used PGD	26%	Ovulatory dysfunction	29%	Male factor	17%	
Used gestational carrier	1%			Diminished ovarian reserve	23%	Other factor	9%	
				Endometriosis	17%	Unknown factor	7%	

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 121 (includes 0 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		68	18	6	2	3	0
Percentage of cancellations		7.4	1 / 18	1 / 6	1 / 2	0 / 3	
Average number of embryos transferred		1.8	1.6	2.0		1.0	
Percentage of embryos transferred resulting in implantation		21.3	13.6	2 / 8		0 / 2	
Percentage of elective single embryo transfer (eSET)		2.3	0 / 8	0 / 4			
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		8.8	2 / 18	0 / 6	0 / 2	0 / 3	
Percentage of cycles resulting in triplets or more live births		0.0	0 / 18	0 / 6	0 / 2	0 / 3	
Percentage of cycles resulting in live births		14.7	2 / 18	1 / 6	0 / 2	0 / 3	
Percentage of cycles resulting in pregnancy		25.0	3 / 18	1 / 6	0 / 2	0 / 3	
Outcomes per Transfer							
Number of transfers		52	14	4	0	2	0
Percentage of transfers resulting in singleton live births		11.5	2 / 14	0 / 4		0 / 2	
Percentage of transfers resulting in triplets or more live births		0.0	0 / 14	0 / 4		0 / 2	
Percentage of transfers resulting in live births		19.2	2 / 14	1 / 4		0 / 2	
Percentage of transfers resulting in pregnancy		32.7	3 / 14	1 / 4		0 / 2	
Outcomes per Pregnancy							
Number of pregnancies		17	3	1	0	0	0
Percentage of pregnancies resulting in singleton live births		6 / 17	2 / 3	0 / 1			
Percentage of pregnancies resulting in triplets or more live births		0 / 17	0 / 3	0 / 1			
Percentage of pregnancies resulting in live births		10 / 17	2 / 3	1 / 1			
Frozen Embryos from Nondonor Eggs							
Number of cycles		12	0	1	0	1	0
Number of transfers		11	0	1	0	1	0
Estimated average number of transfers per retrieval		2.2					
Average number of embryos transferred		1.7		1.0		1.0	
Percentage of embryos transferred resulting in implantation		0 / 19		0 / 1		0 / 1	
Percentage of transfers resulting in singleton live births		0 / 11		0 / 1		0 / 1	
Percentage of transfers resulting in triplets or more live births		0 / 11		0 / 1		0 / 1	
Percentage of transfers resulting in live births		0 / 11		0 / 1		0 / 1	
Percentage of transfers resulting in pregnancy		0 / 11		0 / 1		0 / 1	
		All Ages Combined^f					
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		10			0		
Number of transfers		9			0		
Average number of embryos transferred		2.0					
Percentage of embryos transferred resulting in implantation		3 / 18					
Percentage of transfers resulting in singleton live births		0 / 9					
Percentage of transfers resulting in live births		1 / 9					
Percentage of transfers resulting in pregnancy		2 / 9					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2012. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 3 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DR. JOHN C. JARRETT, II
AMERICAN HEALTH NETWORK REPRODUCTIVE MEDICINE
CARMEL, INDIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by John C. Jarrett, II, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	75%	Tubal factor	11%	Uterine factor	6%	
Unstimulated	<1%	Used PGD	0%	Ovulatory dysfunction	22%	Male factor	24%	
Used gestational carrier	0%			Diminished ovarian reserve	15%	Other factor	21%	
				Endometriosis	22%	Unknown factor	12%	
				Multiple Factors:				
				Female factors only				15%
				Female & male factors				11%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 457 (includes 5 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	190	54	54	8	9	1
Percentage of cancellations	16.8	14.8	14.8	3 / 8	0 / 9	0 / 1
Average number of embryos transferred	1.9	2.0	2.2	2.3	1.9	3.0
Percentage of embryos transferred resulting in implantation	39.9	38.7	19.8	1 / 7	0 / 17	0 / 3
Percentage of elective single embryo transfer (eSET)	7.2	5.7	0.0	0 / 3	0 / 6	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.2	24.1	14.8	1 / 8	0 / 9	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	1.9	0.0	0 / 8	0 / 9	0 / 1
Percentage of cycles resulting in live births	37.9	33.3	22.2	1 / 8	0 / 9	0 / 1
Percentage of cycles resulting in pregnancy	46.3	38.9	33.3	1 / 8	0 / 9	0 / 1
Outcomes per Transfer						
Number of transfers	151	38	43	3	9	1
Percentage of transfers resulting in singleton live births	29.1	34.2	18.6	1 / 3	0 / 9	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	2.6	0.0	0 / 3	0 / 9	0 / 1
Percentage of transfers resulting in live births	47.7	47.4	27.9	1 / 3	0 / 9	0 / 1
Percentage of transfers resulting in pregnancy	58.3	55.3	41.9	1 / 3	0 / 9	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	88	21	18	1	0	0
Percentage of pregnancies resulting in singleton live births	50.0	61.9	8 / 18	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0.0	4.8	0 / 18	0 / 1		
Percentage of pregnancies resulting in live births	81.8	85.7	12 / 18	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	45	24	7	5	4	2
Number of transfers	38	23	6	4	2	2
Estimated average number of transfers per retrieval	2.2	2.6	1.5		2.0	
Average number of embryos transferred	1.8	1.9	1.7	2.0	1.5	1.0
Percentage of embryos transferred resulting in implantation	14.3	9.3	4 / 10	1 / 8	0 / 3	0 / 2
Percentage of transfers resulting in singleton live births	21.1	17.4	2 / 6	1 / 4	0 / 2	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 6	0 / 4	0 / 2	0 / 2
Percentage of transfers resulting in live births	21.1	17.4	2 / 6	1 / 4	0 / 2	0 / 2
Percentage of transfers resulting in pregnancy	28.9	17.4	3 / 6	1 / 4	1 / 2	0 / 2
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		33		16		
Number of transfers		31		16		
Average number of embryos transferred		1.9		1.7		
Percentage of embryos transferred resulting in implantation		37.9		14.8		
Percentage of transfers resulting in singleton live births		29.0		2 / 16		
Percentage of transfers resulting in live births		45.2		2 / 16		
Percentage of transfers resulting in pregnancy		58.1		4 / 16		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Dr. John C. Jarrett, II, American Health Network Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MIDWEST FERTILITY SPECIALISTS CARMEL, INDIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Laura M. Reuter, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	84%	Tubal factor	12%	Uterine factor	2%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	14%	Male factor	33%	
Used gestational carrier	<1%			Diminished ovarian reserve	20%	Other factor	15%	
				Endometriosis	9%	Unknown factor	16%	
				Multiple Factors:				
				Female factors only				7%
				Female & male factors				12%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 533 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	231	73	33	15	4	0
Percentage of cancellations	4.8	8.2	18.2	0 / 15	1 / 4	
Average number of embryos transferred	2.0	2.1	1.9	2.3	1.0	
Percentage of embryos transferred resulting in implantation	32.1	19.7	10.4	3.6	0 / 1	
Percentage of elective single embryo transfer (eSET)	1.1	1.7	1 / 19	0 / 10		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.5	17.8	12.1	1 / 15	0 / 4	
Percentage of cycles resulting in triplets or more live births	0.4	0.0	0.0	0 / 15	0 / 4	
Percentage of cycles resulting in live births	36.8	24.7	12.1	1 / 15	0 / 4	
Percentage of cycles resulting in pregnancy	42.4	27.4	21.2	1 / 15	0 / 4	
Outcomes per Transfer						
Number of transfers	200	63	25	12	1	0
Percentage of transfers resulting in singleton live births	29.5	20.6	16.0	1 / 12	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.5	0.0	0.0	0 / 12	0 / 1	
Percentage of transfers resulting in live births	42.5	28.6	16.0	1 / 12	0 / 1	
Percentage of transfers resulting in pregnancy	49.0	31.7	28.0	1 / 12	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	98	20	7	1	0	0
Percentage of pregnancies resulting in singleton live births	60.2	65.0	4 / 7	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	1.0	0.0	0 / 7	0 / 1		
Percentage of pregnancies resulting in live births	86.7	90.0	4 / 7	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	47	20	15	4	1	3
Number of transfers	40	20	13	2	1	3
Estimated average number of transfers per retrieval	2.7	2.9	2.6			
Average number of embryos transferred	1.9	1.8	2.0	2.0	2.0	2.0
Percentage of embryos transferred resulting in implantation	17.1	13.9	7.7	0 / 4	0 / 2	1 / 6
Percentage of transfers resulting in singleton live births	27.5	25.0	1 / 13	0 / 2	0 / 1	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 13	0 / 2	0 / 1	0 / 3
Percentage of transfers resulting in live births	30.0	25.0	1 / 13	0 / 2	0 / 1	0 / 3
Percentage of transfers resulting in pregnancy	35.0	35.0	2 / 13	0 / 2	1 / 1	1 / 3
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		68		18		
Number of transfers		66		13		
Average number of embryos transferred		1.9		2.1		
Percentage of embryos transferred resulting in implantation		46.0		18.5		
Percentage of transfers resulting in singleton live births		33.3		3 / 13		
Percentage of transfers resulting in live births		56.1		4 / 13		
Percentage of transfers resulting in pregnancy		57.6		4 / 13		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Midwest Fertility Specialists					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTION INSTITUTE, LLC
ADVANCED FERTILITY GROUP
EVANSVILLE, INDIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by William L. Gentry, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	39%	Tubal factor	18%	Uterine factor	1%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	42%	Male factor	45%	
Used gestational carrier	<1%			Diminished ovarian reserve	9%	Other factor	5%	
				Endometriosis	21%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				6%
				Female & male factors				32%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 187 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	78	17	13	2	1	0
Percentage of cancellations	15.4	1 / 17	4 / 13	1 / 2	0 / 1	
Average number of embryos transferred	2.0	2.1	2.4	3.0		
Percentage of embryos transferred resulting in implantation	27.7	17.6	4.5	0 / 3		
Percentage of elective single embryo transfer (eSET)	3.1	0 / 15	0 / 9	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	19.2	3 / 17	1 / 13	0 / 2	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 17	0 / 13	0 / 2	0 / 1	
Percentage of cycles resulting in live births	32.1	4 / 17	1 / 13	0 / 2	0 / 1	
Percentage of cycles resulting in pregnancy	33.3	5 / 17	1 / 13	0 / 2	0 / 1	
Outcomes per Transfer						
Number of transfers	64	16	9	1	0	0
Percentage of transfers resulting in singleton live births	23.4	3 / 16	1 / 9	0 / 1		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0 / 9	0 / 1		
Percentage of transfers resulting in live births	39.1	4 / 16	1 / 9	0 / 1		
Percentage of transfers resulting in pregnancy	40.6	5 / 16	1 / 9	0 / 1		
Outcomes per Pregnancy						
Number of pregnancies	26	5	1	0	0	0
Percentage of pregnancies resulting in singleton live births	57.7	3 / 5	1 / 1			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 5	0 / 1			
Percentage of pregnancies resulting in live births	96.2	4 / 5	1 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	37	7	6	2	0	1
Number of transfers	33	7	5	2	0	1
Estimated average number of transfers per retrieval	3.0	7.0	1.7	2.0		
Average number of embryos transferred	2.0	2.7	2.0	1.5		3.0
Percentage of embryos transferred resulting in implantation	30.8	2 / 19	1 / 10	0 / 3		0 / 3
Percentage of transfers resulting in singleton live births	42.4	2 / 7	1 / 5	0 / 2		0 / 1
Percentage of transfers resulting in triplets or more live births	3.0	0 / 7	0 / 5	0 / 2		0 / 1
Percentage of transfers resulting in live births	48.5	2 / 7	1 / 5	0 / 2		0 / 1
Percentage of transfers resulting in pregnancy	51.5	2 / 7	1 / 5	0 / 2		0 / 1
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		13		10		
Number of transfers		10		8		
Average number of embryos transferred		2.4		2.0		
Percentage of embryos transferred resulting in implantation		29.2		2 / 16		
Percentage of transfers resulting in singleton live births		3 / 10		1 / 8		
Percentage of transfers resulting in live births		5 / 10		1 / 8		
Percentage of transfers resulting in pregnancy		5 / 10		2 / 8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Reproduction Institute, LLC, Advanced Fertility Group					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY GROUP INDIANAPOLIS, INDIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by William L. Gentry, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	39%	Tubal factor	15%	Uterine factor	2%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	37%	Male factor	38%	
Used gestational carrier	2%			Diminished ovarian reserve	19%	Other factor	7%	
				Endometriosis	16%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				10%
				Female & male factors				24%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 90 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	38	14	10	2	2	1
Percentage of cancellations	15.8	4 / 14	3 / 10	1 / 2	0 / 2	1 / 1
Average number of embryos transferred	1.9	2.3	1.8	3.0	1.5	
Percentage of embryos transferred resulting in implantation	42.4	4 / 18	1 / 11	0 / 3	0 / 3	
Percentage of elective single embryo transfer (eSET)	10.3	0 / 8	0 / 5	0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.7	2 / 14	0 / 10	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in triplets or more live births	2.6	0 / 14	0 / 10	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in live births	39.5	3 / 14	0 / 10	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in pregnancy	42.1	3 / 14	1 / 10	0 / 2	0 / 2	0 / 1
Outcomes per Transfer						
Number of transfers	31	8	6	1	2	0
Percentage of transfers resulting in singleton live births	29.0	2 / 8	0 / 6	0 / 1	0 / 2	
Percentage of transfers resulting in triplets or more live births	3.2	0 / 8	0 / 6	0 / 1	0 / 2	
Percentage of transfers resulting in live births	48.4	3 / 8	0 / 6	0 / 1	0 / 2	
Percentage of transfers resulting in pregnancy	51.6	3 / 8	1 / 6	0 / 1	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	16	3	1	0	0	0
Percentage of pregnancies resulting in singleton live births	9 / 16	2 / 3	0 / 1			
Percentage of pregnancies resulting in triplets or more live births	1 / 16	0 / 3	0 / 1			
Percentage of pregnancies resulting in live births	15 / 16	3 / 3	0 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	11	4	4	1	0	0
Number of transfers	11	4	4	1	0	0
Estimated average number of transfers per retrieval	2.2	4.0	1.3			
Average number of embryos transferred	2.3	1.5	1.8	2.0		
Percentage of embryos transferred resulting in implantation	24.0	1 / 6	2 / 7	0 / 2		
Percentage of transfers resulting in singleton live births	2 / 11	0 / 4	2 / 4	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 11	0 / 4	0 / 4	0 / 1		
Percentage of transfers resulting in live births	4 / 11	0 / 4	2 / 4	0 / 1		
Percentage of transfers resulting in pregnancy	4 / 11	1 / 4	2 / 4	0 / 1		
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		2		0		
Number of transfers		2		0		
Average number of embryos transferred		2.0				
Percentage of embryos transferred resulting in implantation		3 / 4				
Percentage of transfers resulting in singleton live births		1 / 2				
Percentage of transfers resulting in live births		1 / 2				
Percentage of transfers resulting in pregnancy		1 / 2				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Fertility Group					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COMMUNITY REPRODUCTIVE ENDOCRINOLOGY INDIANAPOLIS, INDIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by David E. Carnovale, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	84%	Tubal factor	2%	Uterine factor	0%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	23%	Male factor	77%	
Used gestational carrier	0%			Diminished ovarian reserve	18%	Other factor	3%	
				Endometriosis	38%	Unknown factor	4%	
				Multiple Factors:				
				Female factors only				3%
				Female & male factors				50%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 104 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	55	25	6	3	0	0
Percentage of cancellations	5.5	20.0	0 / 6	2 / 3		
Average number of embryos transferred	1.8	1.9	2.0	3.0		
Percentage of embryos transferred resulting in implantation	59.8	38.9	4 / 12	0 / 3		
Percentage of elective single embryo transfer (eSET)	17.4	2 / 18	0 / 6	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.9	20.0	3 / 6	0 / 3		
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 6	0 / 3		
Percentage of cycles resulting in live births	58.2	36.0	3 / 6	0 / 3		
Percentage of cycles resulting in pregnancy	63.6	40.0	6 / 6	1 / 3		
Outcomes per Transfer						
Number of transfers	49	19	6	1	0	0
Percentage of transfers resulting in singleton live births	34.7	5 / 19	3 / 6	0 / 1		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 19	0 / 6	0 / 1		
Percentage of transfers resulting in live births	65.3	9 / 19	3 / 6	0 / 1		
Percentage of transfers resulting in pregnancy	71.4	10 / 19	6 / 6	1 / 1		
Outcomes per Pregnancy						
Number of pregnancies	35	10	6	1	0	0
Percentage of pregnancies resulting in singleton live births	48.6	5 / 10	3 / 6	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 10	0 / 6	0 / 1		
Percentage of pregnancies resulting in live births	91.4	9 / 10	3 / 6	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	5	0	0	0	0
Number of transfers	7	5	0	0	0	0
Estimated average number of transfers per retrieval	1.8	2.5				
Average number of embryos transferred	1.9	2.0				
Percentage of embryos transferred resulting in implantation	4 / 13	2 / 10				
Percentage of transfers resulting in singleton live births	3 / 7	1 / 5				
Percentage of transfers resulting in triplets or more live births	0 / 7	0 / 5				
Percentage of transfers resulting in live births	3 / 7	1 / 5				
Percentage of transfers resulting in pregnancy	5 / 7	3 / 5				
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		1		2		
Number of transfers		1		2		
Average number of embryos transferred		1.0		2.0		
Percentage of embryos transferred resulting in implantation		0 / 1		0 / 4		
Percentage of transfers resulting in singleton live births		0 / 1		0 / 2		
Percentage of transfers resulting in live births		0 / 1		0 / 2		
Percentage of transfers resulting in pregnancy		0 / 1		1 / 2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Community Reproductive Endocrinology					
Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FAMILY BEGINNINGS, PC INDIANAPOLIS, INDIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by James G. Donahue, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	81%	Tubal factor	25%	Uterine factor	<1%	
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	15%	Male factor	29%	
Used gestational carrier	0%			Diminished ovarian reserve	3%	Other factor	0%	
				Endometriosis	8%	Unknown factor	27%	
				Multiple Factors:				
				Female factors only				<1%
				Female & male factors				6%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 122 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	57	22	17	4	3	0
Percentage of cancellations	7.0	22.7	1 / 17	2 / 4	0 / 3	
Average number of embryos transferred	1.9	2.1	2.6	1.0	1.0	
Percentage of embryos transferred resulting in implantation	25.6	24.2	4.8	0 / 1	0 / 2	
Percentage of elective single embryo transfer (eSET)	2.5	0 / 11	0 / 14			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	21.1	18.2	0 / 17	0 / 4	0 / 3	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 17	0 / 4	0 / 3	
Percentage of cycles resulting in live births	29.8	27.3	1 / 17	0 / 4	0 / 3	
Percentage of cycles resulting in pregnancy	33.3	27.3	1 / 17	0 / 4	0 / 3	
Outcomes per Transfer						
Number of transfers	47	16	16	1	2	0
Percentage of transfers resulting in singleton live births	25.5	4 / 16	0 / 16	0 / 1	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0 / 16	0 / 1	0 / 2	
Percentage of transfers resulting in live births	36.2	6 / 16	1 / 16	0 / 1	0 / 2	
Percentage of transfers resulting in pregnancy	40.4	6 / 16	1 / 16	0 / 1	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	19	6	1	0	0	0
Percentage of pregnancies resulting in singleton live births	12 / 19	4 / 6	0 / 1			
Percentage of pregnancies resulting in triplets or more live births	0 / 19	0 / 6	0 / 1			
Percentage of pregnancies resulting in live births	17 / 19	6 / 6	1 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	11	3	0	0	1	0
Number of transfers	8	3	0	0	1	0
Estimated average number of transfers per retrieval	4.0	3.0				
Average number of embryos transferred	1.8	1.3			1.0	
Percentage of embryos transferred resulting in implantation	1 / 14	0 / 4			0 / 1	
Percentage of transfers resulting in singleton live births	1 / 8	0 / 3			0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 8	0 / 3			0 / 1	
Percentage of transfers resulting in live births	1 / 8	0 / 3			0 / 1	
Percentage of transfers resulting in pregnancy	1 / 8	0 / 3			0 / 1	
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		1		3		
Number of transfers		1		3		
Average number of embryos transferred		3.0		1.3		
Percentage of embryos transferred resulting in implantation		1 / 3		1 / 4		
Percentage of transfers resulting in singleton live births		1 / 1		1 / 3		
Percentage of transfers resulting in live births		1 / 1		1 / 3		
Percentage of transfers resulting in pregnancy		1 / 1		1 / 3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Family Beginnings, PC					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INDIANA UNIVERSITY HOSPITAL INDIANAPOLIS, INDIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Marguerite K. Shepard, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	25%	Tubal factor	15%	Uterine factor	0%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	23%	Male factor	27%	
Used gestational carrier	0%			Diminished ovarian reserve	4%	Other factor	42%	
				Endometriosis	12%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				4%
				Female & male factors				19%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 26 (includes 0 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		15	4	0	0	0	1
Percentage of cancellations		1 / 15	0 / 4				1 / 1
Average number of embryos transferred		2.1	2.0				
Percentage of embryos transferred resulting in implantation		29.6	2 / 8				
Percentage of elective single embryo transfer (eSET)		0 / 13	0 / 3				
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		4 / 15	2 / 4				0 / 1
Percentage of cycles resulting in triplets or more live births		0 / 15	0 / 4				0 / 1
Percentage of cycles resulting in live births		5 / 15	2 / 4				0 / 1
Percentage of cycles resulting in pregnancy		7 / 15	2 / 4				0 / 1
Outcomes per Transfer							
Number of transfers		13	4	0	0	0	0
Percentage of transfers resulting in singleton live births		4 / 13	2 / 4				
Percentage of transfers resulting in triplets or more live births		0 / 13	0 / 4				
Percentage of transfers resulting in live births		5 / 13	2 / 4				
Percentage of transfers resulting in pregnancy		7 / 13	2 / 4				
Outcomes per Pregnancy							
Number of pregnancies		7	2	0	0	0	0
Percentage of pregnancies resulting in singleton live births		4 / 7	2 / 2				
Percentage of pregnancies resulting in triplets or more live births		0 / 7	0 / 2				
Percentage of pregnancies resulting in live births		5 / 7	2 / 2				
Frozen Embryos from Nondonor Eggs							
Number of cycles		4	1	0	1	0	0
Number of transfers		4	1	0	1	0	0
Estimated average number of transfers per retrieval		1.0					
Average number of embryos transferred		2.0	1.0		2.0		
Percentage of embryos transferred resulting in implantation		2 / 8	1 / 1		1 / 2		
Percentage of transfers resulting in singleton live births		0 / 4	1 / 1		1 / 1		
Percentage of transfers resulting in triplets or more live births		0 / 4	0 / 1		0 / 1		
Percentage of transfers resulting in live births		1 / 4	1 / 1		1 / 1		
Percentage of transfers resulting in pregnancy		1 / 4	1 / 1		1 / 1		
		All Ages Combined^f					
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		0			0		
Number of transfers		0			0		
Average number of embryos transferred							
Percentage of embryos transferred resulting in implantation							
Percentage of transfers resulting in singleton live births							
Percentage of transfers resulting in live births							
Percentage of transfers resulting in pregnancy							

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Indiana University Hospital					
Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE CARE OF INDIANA INDIANAPOLIS, INDIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Michael A. Henry, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	99%	With ICSI	50%	Tubal factor	0%	Uterine factor	0%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	10%	Male factor	0%	
Used gestational carrier	0%			Diminished ovarian reserve	5%	Other factor	<1%	
				Endometriosis	3%	Unknown factor	81%	
				Multiple Factors:				
				Female factors only				<1%
				Female & male factors				0%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 118 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	60	11	5	3	1	0
Percentage of cancellations	1.7	0 / 11	0 / 5	0 / 3	0 / 1	
Average number of embryos transferred	2.3	2.3	1.7	2.5	2.0	
Percentage of embryos transferred resulting in implantation	48.0	21.7	1 / 5	3 / 5	0 / 2	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 10	0 / 2	0 / 2	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.3	2 / 11	1 / 5	1 / 3	0 / 1	
Percentage of cycles resulting in triplets or more live births	1.7	0 / 11	0 / 5	0 / 3	0 / 1	
Percentage of cycles resulting in live births	53.3	3 / 11	1 / 5	2 / 3	0 / 1	
Percentage of cycles resulting in pregnancy	63.3	3 / 11	1 / 5	2 / 3	0 / 1	
Outcomes per Transfer						
Number of transfers	56	10	3	2	1	0
Percentage of transfers resulting in singleton live births	25.0	2 / 10	1 / 3	1 / 2	0 / 1	
Percentage of transfers resulting in triplets or more live births	1.8	0 / 10	0 / 3	0 / 2	0 / 1	
Percentage of transfers resulting in live births	57.1	3 / 10	1 / 3	2 / 2	0 / 1	
Percentage of transfers resulting in pregnancy	67.9	3 / 10	1 / 3	2 / 2	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	38	3	1	2	0	0
Percentage of pregnancies resulting in singleton live births	36.8	2 / 3	1 / 1	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	2.6	0 / 3	0 / 1	0 / 2		
Percentage of pregnancies resulting in live births	84.2	3 / 3	1 / 1	2 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	17	9	3	2	1	0
Number of transfers	16	9	3	2	1	0
Estimated average number of transfers per retrieval	1.6	2.3				
Average number of embryos transferred	2.5	2.7	2.0	3.0	3.0	
Percentage of embryos transferred resulting in implantation	20.0	20.8	1 / 6	1 / 6	1 / 3	
Percentage of transfers resulting in singleton live births	5 / 16	3 / 9	1 / 3	1 / 2	1 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 16	0 / 9	0 / 3	0 / 2	0 / 1	
Percentage of transfers resulting in live births	6 / 16	3 / 9	1 / 3	1 / 2	1 / 1	
Percentage of transfers resulting in pregnancy	6 / 16	3 / 9	1 / 3	1 / 2	1 / 1	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		5		1		
Number of transfers		5		1		
Average number of embryos transferred		2.2		2.0		
Percentage of embryos transferred resulting in implantation		1 / 11		0 / 2		
Percentage of transfers resulting in singleton live births		1 / 5		0 / 1		
Percentage of transfers resulting in live births		1 / 5		0 / 1		
Percentage of transfers resulting in pregnancy		1 / 5		0 / 1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Care of Indiana					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WOMEN'S SPECIALTY HEALTH CENTERS, PC NOBLESVILLE, INDIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by David S. McLaughlin, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	46%	Tubal factor	11%	Uterine factor	5%	
Unstimulated	0%	Used PGD	8%	Ovulatory dysfunction	47%	Male factor	42%	
Used gestational carrier	0%			Diminished ovarian reserve	26%	Other factor	16%	
				Endometriosis	47%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				32%
				Female & male factors				32%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 19 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	6	2	3	1	1	0
Percentage of cancellations	0/6	0/2	0/3	0/1	0/1	
Average number of embryos transferred	3.0	4.0	1.7	5.0		
Percentage of embryos transferred resulting in implantation	3/18	1/4	0/5	1/5		
Percentage of elective single embryo transfer (eSET)	0/6	0/1	0/2	0/1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	1/6	0/2	0/3	1/1	0/1	
Percentage of cycles resulting in triplets or more live births	0/6	0/2	0/3	0/1	0/1	
Percentage of cycles resulting in live births	2/6	0/2	0/3	1/1	0/1	
Percentage of cycles resulting in pregnancy	2/6	1/2	0/3	1/1	0/1	
Outcomes per Transfer						
Number of transfers	6	1	3	1	0	0
Percentage of transfers resulting in singleton live births	1/6	0/1	0/3	1/1		
Percentage of transfers resulting in triplets or more live births	0/6	0/1	0/3	0/1		
Percentage of transfers resulting in live births	2/6	0/1	0/3	1/1		
Percentage of transfers resulting in pregnancy	2/6	1/1	0/3	1/1		
Outcomes per Pregnancy						
Number of pregnancies	2	1	0	1	0	0
Percentage of pregnancies resulting in singleton live births	1/2	0/1		1/1		
Percentage of pregnancies resulting in triplets or more live births	0/2	0/1		0/1		
Percentage of pregnancies resulting in live births	2/2	0/1		1/1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	0	1	0	0	0
Number of transfers	1	0	1	0	0	0
Estimated average number of transfers per retrieval	1.0					
Average number of embryos transferred	2.0		1.0			
Percentage of embryos transferred resulting in implantation	1/2		0/1			
Percentage of transfers resulting in singleton live births	1/1		0/1			
Percentage of transfers resulting in triplets or more live births	0/1		0/1			
Percentage of transfers resulting in live births	1/1		0/1			
Percentage of transfers resulting in pregnancy	1/1		0/1			
All Ages Combined^f						
	Donor Eggs			Fresh Embryos		Frozen Embryos
Number of cycles				1		3
Number of transfers				1		3
Average number of embryos transferred				2.0		1.7
Percentage of embryos transferred resulting in implantation				1/2		1/5
Percentage of transfers resulting in singleton live births				1/1		1/3
Percentage of transfers resulting in live births				1/1		1/3
Percentage of transfers resulting in pregnancy				1/1		1/3

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Women's Specialty Health Centers, PC					
Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MID-IOWA FERTILITY, PC CLIVE, IOWA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Donald C. Young, DO

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	87%	Tubal factor	8%	Uterine factor	2%	
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	14%	Male factor	37%	
Used gestational carrier	2%			Diminished ovarian reserve	16%	Other factor	7%	
				Endometriosis	10%	Unknown factor	9%	
				Multiple Factors:				
				Female factors only				1%
				Female & male factors				2%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 464 (includes 19 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	201	58	35	9	0	0
Percentage of cancellations	9.5	17.2	22.9	2 / 9		
Average number of embryos transferred	1.8	1.9	2.0	2.6		
Percentage of embryos transferred resulting in implantation	48.9	35.4	38.3	2 / 13		
Percentage of elective single embryo transfer (eSET)	7.6	0.0	0.0	0 / 5		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.3	22.4	20.0	2 / 9		
Percentage of cycles resulting in triplets or more live births	0.5	0.0	0.0	0 / 9		
Percentage of cycles resulting in live births	49.8	32.8	28.6	2 / 9		
Percentage of cycles resulting in pregnancy	56.7	36.2	40.0	2 / 9		
Outcomes per Transfer						
Number of transfers	173	42	23	5	0	0
Percentage of transfers resulting in singleton live births	35.3	31.0	30.4	2 / 5		
Percentage of transfers resulting in triplets or more live births	0.6	0.0	0.0	0 / 5		
Percentage of transfers resulting in live births	57.8	45.2	43.5	2 / 5		
Percentage of transfers resulting in pregnancy	65.9	50.0	60.9	2 / 5		
Outcomes per Pregnancy						
Number of pregnancies	114	21	14	2	0	0
Percentage of pregnancies resulting in singleton live births	53.5	61.9	7 / 14	2 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.9	0.0	0 / 14	0 / 2		
Percentage of pregnancies resulting in live births	87.7	90.5	10 / 14	2 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	67	17	9	1	4	1
Number of transfers	61	16	7	1	2	1
Estimated average number of transfers per retrieval	1.8	1.5	1.2	0.5		
Average number of embryos transferred	1.9	1.8	1.9	2.0	1.5	1.0
Percentage of embryos transferred resulting in implantation	41.2	32.1	3 / 13	0 / 2	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births	41.0	7 / 16	2 / 7	0 / 1	0 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0 / 7	0 / 1	0 / 2	0 / 1
Percentage of transfers resulting in live births	50.8	8 / 16	2 / 7	0 / 1	0 / 2	0 / 1
Percentage of transfers resulting in pregnancy	70.5	9 / 16	2 / 7	1 / 1	0 / 2	1 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		27		16		
Number of transfers		27		15		
Average number of embryos transferred		1.8		2.0		
Percentage of embryos transferred resulting in implantation		51.0		40.0		
Percentage of transfers resulting in singleton live births		48.1		8 / 15		
Percentage of transfers resulting in live births		59.3		9 / 15		
Percentage of transfers resulting in pregnancy		81.5		13 / 15		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Mid-Iowa Fertility, PC					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY OF IOWA HOSPITALS AND CLINICS
CENTER FOR ADVANCED REPRODUCTIVE CARE
IOWA CITY, IOWA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Bradley J. Van Voorhis, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	59%	Tubal factor	17%	Uterine factor	10%	
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	23%	Male factor	38%	
Used gestational carrier	<1%			Diminished ovarian reserve	9%	Other factor	42%	
				Endometriosis	14%	Unknown factor	12%	
				Multiple Factors:				
				Female factors only				23%
				Female & male factors				27%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 658 (includes 6 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	217	77	64	20	10	0
Percentage of cancellations	1.4	11.7	9.4	15.0	1 / 10	
Average number of embryos transferred	1.5	1.6	2.4	2.6	3.0	
Percentage of embryos transferred resulting in implantation	43.0	36.2	26.1	24.4	4.2	
Percentage of elective single embryo transfer (eSET)	44.1	36.1	5.6	0 / 16	0 / 8	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	38.7	36.4	26.6	15.0	1 / 10	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 10	
Percentage of cycles resulting in live births	45.2	40.3	34.4	20.0	1 / 10	
Percentage of cycles resulting in pregnancy	53.0	50.6	53.1	35.0	2 / 10	
Outcomes per Transfer						
Number of transfers	192	64	57	17	8	0
Percentage of transfers resulting in singleton live births	43.8	43.8	29.8	3 / 17	1 / 8	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 17	0 / 8	
Percentage of transfers resulting in live births	51.0	48.4	38.6	4 / 17	1 / 8	
Percentage of transfers resulting in pregnancy	59.9	60.9	59.6	7 / 17	2 / 8	
Outcomes per Pregnancy						
Number of pregnancies	115	39	34	7	2	0
Percentage of pregnancies resulting in singleton live births	73.0	71.8	50.0	3 / 7	1 / 2	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 7	0 / 2	
Percentage of pregnancies resulting in live births	85.2	79.5	64.7	4 / 7	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	141	58	24	7	4	0
Number of transfers	119	47	20	5	3	0
Estimated average number of transfers per retrieval	2.0	3.6	3.3	2.5	1.0	
Average number of embryos transferred	1.6	1.5	1.3	2.0	2.7	
Percentage of embryos transferred resulting in implantation	37.1	40.0	34.6	4 / 10	1 / 8	
Percentage of transfers resulting in singleton live births	39.5	46.8	20.0	0 / 5	0 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 5	0 / 3	
Percentage of transfers resulting in live births	45.4	51.1	30.0	2 / 5	0 / 3	
Percentage of transfers resulting in pregnancy	55.5	61.7	35.0	3 / 5	1 / 3	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		16		14		
Number of transfers		16		12		
Average number of embryos transferred		1.6		1.6		
Percentage of embryos transferred resulting in implantation		44.0		7 / 19		
Percentage of transfers resulting in singleton live births		7 / 16		7 / 12		
Percentage of transfers resulting in live births		8 / 16		7 / 12		
Percentage of transfers resulting in pregnancy		11 / 16		7 / 12		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University of Iowa Hospitals and Clinics, Center for Advanced Reproductive Care

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MIDWEST REPRODUCTIVE CENTER, PA OLATHE, KANSAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Dan L. Gehlbach, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	82%	Tubal factor	14%	Uterine factor	12%	<i>Multiple Factors:</i> Female factors only 14% Female & male factors 38%
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	37%	Male factor	57%	
Used gestational carrier	0%			Diminished ovarian reserve	15%	Other factor	11%	
				Endometriosis	17%	Unknown factor	6%	

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 237 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	84	28	13	7	1	0
Percentage of cancellations	3.6	10.7	3 / 13	1 / 7	1 / 1	
Average number of embryos transferred	2.0	2.3	2.3	3.0		
Percentage of embryos transferred resulting in implantation	23.9	19.0	14.3	1 / 18		
Percentage of elective single embryo transfer (eSET)	2.7	0.0	0 / 8	0 / 6		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	17.9	14.3	1 / 13	1 / 7	0 / 1	
Percentage of cycles resulting in triplets or more live births	1.2	3.6	0 / 13	0 / 7	0 / 1	
Percentage of cycles resulting in live births	27.4	25.0	1 / 13	1 / 7	0 / 1	
Percentage of cycles resulting in pregnancy	29.8	35.7	2 / 13	1 / 7	0 / 1	
Outcomes per Transfer						
Number of transfers	80	25	9	6	0	0
Percentage of transfers resulting in singleton live births	18.8	16.0	1 / 9	1 / 6		
Percentage of transfers resulting in triplets or more live births	1.3	4.0	0 / 9	0 / 6		
Percentage of transfers resulting in live births	28.8	28.0	1 / 9	1 / 6		
Percentage of transfers resulting in pregnancy	31.3	40.0	2 / 9	1 / 6		
Outcomes per Pregnancy						
Number of pregnancies	25	10	2	1	0	0
Percentage of pregnancies resulting in singleton live births	60.0	4 / 10	1 / 2	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	4.0	1 / 10	0 / 2	0 / 1		
Percentage of pregnancies resulting in live births	92.0	7 / 10	1 / 2	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	53	11	9	2	0	0
Number of transfers	49	11	9	2	0	0
Estimated average number of transfers per retrieval	2.1	1.6	4.5			
Average number of embryos transferred	2.2	2.6	2.3	2.5		
Percentage of embryos transferred resulting in implantation	15.5	24.1	9.5	0 / 5		
Percentage of transfers resulting in singleton live births	22.4	2 / 11	2 / 9	0 / 2		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 11	0 / 9	0 / 2		
Percentage of transfers resulting in live births	26.5	4 / 11	2 / 9	0 / 2		
Percentage of transfers resulting in pregnancy	30.6	5 / 11	4 / 9	0 / 2		
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		22		7		
Number of transfers		19		6		
Average number of embryos transferred		2.0		1.8		
Percentage of embryos transferred resulting in implantation		60.5		1 / 11		
Percentage of transfers resulting in singleton live births		7 / 19		0 / 6		
Percentage of transfers resulting in live births		14 / 19		0 / 6		
Percentage of transfers resulting in pregnancy		16 / 19		1 / 6		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Midwest Reproductive Center, PA

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR ADVANCED REPRODUCTIVE MEDICINE OVERLAND PARK, KANSAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by S. Samuel Kim, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	74%	Tubal factor	21%	Uterine factor	5%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	10%	Male factor	41%
Used gestational carrier	0%			Diminished ovarian reserve	14%	Other factor	3%
				Endometriosis	11%	Unknown factor	12%
				<i>Multiple Factors:</i> Female factors only 7% Female & male factors 9%			

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 139 (includes 1 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	64	11	14	7	0	0	
Percentage of cancellations	7.8	0 / 11	0 / 14	2 / 7			
Average number of embryos transferred	2.0	2.0	2.2	2.2			
Percentage of embryos transferred resulting in implantation	38.4	45.5	21.4	1 / 11			
Percentage of elective single embryo transfer (eSET)	7.3	0 / 9	0 / 11	0 / 5			
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	23.4	2 / 11	3 / 14	1 / 7			
Percentage of cycles resulting in triplets or more live births	1.6	0 / 11	0 / 14	0 / 7			
Percentage of cycles resulting in live births	42.2	6 / 11	4 / 14	1 / 7			
Percentage of cycles resulting in pregnancy	46.9	6 / 11	5 / 14	2 / 7			
Outcomes per Transfer							
Number of transfers	56	11	13	5	0	0	
Percentage of transfers resulting in singleton live births	26.8	2 / 11	3 / 13	1 / 5			
Percentage of transfers resulting in triplets or more live births	1.8	0 / 11	0 / 13	0 / 5			
Percentage of transfers resulting in live births	48.2	6 / 11	4 / 13	1 / 5			
Percentage of transfers resulting in pregnancy	53.6	6 / 11	5 / 13	2 / 5			
Outcomes per Pregnancy							
Number of pregnancies	30	6	5	2	0	0	
Percentage of pregnancies resulting in singleton live births	50.0	2 / 6	3 / 5	1 / 2			
Percentage of pregnancies resulting in triplets or more live births	3.3	0 / 6	0 / 5	0 / 2			
Percentage of pregnancies resulting in live births	90.0	6 / 6	4 / 5	1 / 2			
Frozen Embryos from Nondonor Eggs							
Number of cycles	18	7	6	2	0	0	
Number of transfers	15	5	4	2	0	0	
Estimated average number of transfers per retrieval	1.5	5.0	4.0	2.0			
Average number of embryos transferred	1.9	2.0	1.8	1.5			
Percentage of embryos transferred resulting in implantation	17.9	1 / 10	0 / 7	0 / 3			
Percentage of transfers resulting in singleton live births	1 / 15	0 / 5	0 / 4	0 / 2			
Percentage of transfers resulting in triplets or more live births	0 / 15	0 / 5	0 / 4	0 / 2			
Percentage of transfers resulting in live births	3 / 15	0 / 5	0 / 4	0 / 2			
Percentage of transfers resulting in pregnancy	3 / 15	1 / 5	0 / 4	0 / 2			
All Ages Combined^f							
Donor Eggs		Fresh Embryos		Frozen Embryos			
Number of cycles		9		0			
Number of transfers		7		0			
Average number of embryos transferred		2.0					
Percentage of embryos transferred resulting in implantation		6 / 14					
Percentage of transfers resulting in singleton live births		3 / 7					
Percentage of transfers resulting in live births		4 / 7					
Percentage of transfers resulting in pregnancy		4 / 7					

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Center for Advanced Reproductive Medicine					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE RESOURCE CENTER OF GREATER KANSAS CITY OVERLAND PARK, KANSAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Celeste Brabec, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	74%	Tubal factor	14%	Uterine factor	1%	
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	27%	Male factor	35%	
Used gestational carrier	0%			Diminished ovarian reserve	34%	Other factor	20%	
				Endometriosis	6%	Unknown factor	7%	
				Multiple Factors:				
				Female factors only				18%
				Female & male factors				21%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 338 (includes 81 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	109	22	7	2	1	1
Percentage of cancellations	15.6	9.1	1 / 7	0 / 2	0 / 1	0 / 1
Average number of embryos transferred	1.9	2.0	2.3	2.0	1.0	2.0
Percentage of embryos transferred resulting in implantation	58.5	33.3	2 / 14	0 / 2	0 / 1	0 / 2
Percentage of elective single embryo transfer (eSET)	12.3	0 / 16	0 / 6	0 / 1		0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.6	13.6	1 / 7	0 / 2	0 / 1	0 / 1
Percentage of cycles resulting in triplets or more live births	1.8	0.0	0 / 7	0 / 2	0 / 1	0 / 1
Percentage of cycles resulting in live births	47.7	22.7	1 / 7	0 / 2	0 / 1	0 / 1
Percentage of cycles resulting in pregnancy	55.0	31.8	1 / 7	0 / 2	0 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	84	18	6	1	1	1
Percentage of transfers resulting in singleton live births	34.5	3 / 18	1 / 6	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	2.4	0 / 18	0 / 6	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in live births	61.9	5 / 18	1 / 6	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	71.4	7 / 18	1 / 6	0 / 1	0 / 1	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	60	7	1	0	0	0
Percentage of pregnancies resulting in singleton live births	48.3	3 / 7	1 / 1			
Percentage of pregnancies resulting in triplets or more live births	3.3	0 / 7	0 / 1			
Percentage of pregnancies resulting in live births	86.7	5 / 7	1 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	46	22	9	0	1	1
Number of transfers	46	22	9	0	1	1
Estimated average number of transfers per retrieval	0.8	0.9	0.6	0.0	1.0	1.0
Average number of embryos transferred	1.6	1.4	1.4		2.0	2.0
Percentage of embryos transferred resulting in implantation	50.7	46.7	6 / 13		1 / 2	0 / 2
Percentage of transfers resulting in singleton live births	43.5	59.1	2 / 9		1 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 9		0 / 1	0 / 1
Percentage of transfers resulting in live births	54.3	59.1	3 / 9		1 / 1	0 / 1
Percentage of transfers resulting in pregnancy	71.7	68.2	6 / 9		1 / 1	0 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		18		18		
Number of transfers		16		18		
Average number of embryos transferred		1.8		1.8		
Percentage of embryos transferred resulting in implantation		69.0		31.3		
Percentage of transfers resulting in singleton live births		5 / 16		6 / 18		
Percentage of transfers resulting in live births		12 / 16		7 / 18		
Percentage of transfers resulting in pregnancy		13 / 16		11 / 18		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Resource Center of Greater Kansas City

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2012 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2012 ART cycle data or the clinic's Medical Director did not approve the clinic's 2012 ART cycle data for inclusion in this report.

THE CENTER FOR REPRODUCTIVE MEDICINE WICHITA, KANSAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Bruce L. Tjaden, DO

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	>99%	With ICSI	66%	Tubal factor	16%	Uterine factor	3%	
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	17%	Male factor	40%	
Used gestational carrier	5%			Diminished ovarian reserve	39%	Other factor	11%	
				Endometriosis	22%	Unknown factor	3%	
				Multiple Factors:				
				Female factors only				20%
				Female & male factors				22%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 200 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	92	24	15	9	3	0
Percentage of cancellations	4.3	16.7	1 / 15	2 / 9	2 / 3	
Average number of embryos transferred	1.8	2.0	2.9	3.7	3.0	
Percentage of embryos transferred resulting in implantation	42.9	39.5	19.5	11.5	0 / 3	
Percentage of elective single embryo transfer (eSET)	19.8	2 / 17	0 / 14	0 / 7	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	33.7	16.7	2 / 15	2 / 9	0 / 3	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 15	0 / 9	0 / 3	
Percentage of cycles resulting in live births	50.0	37.5	5 / 15	2 / 9	0 / 3	
Percentage of cycles resulting in pregnancy	56.5	41.7	6 / 15	3 / 9	0 / 3	
Outcomes per Transfer						
Number of transfers	85	19	14	7	1	0
Percentage of transfers resulting in singleton live births	36.5	4 / 19	2 / 14	2 / 7	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 19	0 / 14	0 / 7	0 / 1	
Percentage of transfers resulting in live births	54.1	9 / 19	5 / 14	2 / 7	0 / 1	
Percentage of transfers resulting in pregnancy	61.2	10 / 19	6 / 14	3 / 7	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	52	10	6	3	0	0
Percentage of pregnancies resulting in singleton live births	59.6	4 / 10	2 / 6	2 / 3		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 10	0 / 6	0 / 3		
Percentage of pregnancies resulting in live births	88.5	9 / 10	5 / 6	2 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	26	4	2	3	0	0
Number of transfers	25	4	2	2	0	0
Estimated average number of transfers per retrieval	2.8					
Average number of embryos transferred	1.6	1.8	1.0	2.5		
Percentage of embryos transferred resulting in implantation	23.1	1 / 7	2 / 2	1 / 5		
Percentage of transfers resulting in singleton live births	28.0	1 / 4	0 / 2	1 / 2		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 4	0 / 2	0 / 2		
Percentage of transfers resulting in live births	32.0	1 / 4	1 / 2	1 / 2		
Percentage of transfers resulting in pregnancy	32.0	1 / 4	1 / 2	1 / 2		
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		13		9		
Number of transfers		11		9		
Average number of embryos transferred		1.5		1.4		
Percentage of embryos transferred resulting in implantation		6 / 16		4 / 13		
Percentage of transfers resulting in singleton live births		2 / 11		1 / 9		
Percentage of transfers resulting in live births		3 / 11		1 / 9		
Percentage of transfers resulting in pregnancy		5 / 11		3 / 9		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BLUEGRASS FERTILITY CENTER LEXINGTON, KENTUCKY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by James W. Akin, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	80%	Tubal factor	11%	Uterine factor	<1%	
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	8%	Male factor	56%	
Used gestational carrier	0%			Diminished ovarian reserve	<1%	Other factor	23%	
				Endometriosis	18%	Unknown factor	10%	
				Multiple Factors:				
				Female factors only				4%
				Female & male factors				21%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 176 (includes 2 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	75	31	12	1	0	0
Percentage of cancellations	4.0	3.2	2 / 12	0 / 1		
Average number of embryos transferred	2.3	2.7	3.1	4.0		
Percentage of embryos transferred resulting in implantation	33.1	18.5	22.6	0 / 4		
Percentage of elective single embryo transfer (eSET)	1.6	0.0	0 / 10	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	32.0	12.9	1 / 12	0 / 1		
Percentage of cycles resulting in triplets or more live births	1.3	0.0	0 / 12	0 / 1		
Percentage of cycles resulting in live births	46.7	29.0	3 / 12	0 / 1		
Percentage of cycles resulting in pregnancy	53.3	35.5	5 / 12	0 / 1		
Outcomes per Transfer						
Number of transfers	67	30	10	1	0	0
Percentage of transfers resulting in singleton live births	35.8	13.3	1 / 10	0 / 1		
Percentage of transfers resulting in triplets or more live births	1.5	0.0	0 / 10	0 / 1		
Percentage of transfers resulting in live births	52.2	30.0	3 / 10	0 / 1		
Percentage of transfers resulting in pregnancy	59.7	36.7	5 / 10	0 / 1		
Outcomes per Pregnancy						
Number of pregnancies	40	11	5	0	0	0
Percentage of pregnancies resulting in singleton live births	60.0	4 / 11	1 / 5			
Percentage of pregnancies resulting in triplets or more live births	2.5	0 / 11	0 / 5			
Percentage of pregnancies resulting in live births	87.5	9 / 11	3 / 5			
Frozen Embryos from Nondonor Eggs						
Number of cycles	20	9	5	2	0	0
Number of transfers	20	9	5	2	0	0
Estimated average number of transfers per retrieval	2.0	1.8	5.0			
Average number of embryos transferred	2.0	1.9	2.4	1.5		
Percentage of embryos transferred resulting in implantation	12.8	3 / 17	1 / 12	2 / 3		
Percentage of transfers resulting in singleton live births	5.0	2 / 9	0 / 5	2 / 2		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 9	0 / 5	0 / 2		
Percentage of transfers resulting in live births	10.0	2 / 9	0 / 5	2 / 2		
Percentage of transfers resulting in pregnancy	25.0	4 / 9	1 / 5	2 / 2		
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		15		4		
Number of transfers		15		4		
Average number of embryos transferred		2.5		1.8		
Percentage of embryos transferred resulting in implantation		26.3		1 / 7		
Percentage of transfers resulting in singleton live births		2 / 15		1 / 4		
Percentage of transfers resulting in live births		6 / 15		1 / 4		
Percentage of transfers resulting in pregnancy		6 / 15		1 / 4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Bluegrass Fertility Center

Donor egg?	Yes	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE LEXINGTON FERTILITY CENTER LEXINGTON, KENTUCKY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by George M. Veloudis, DO

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	100%	Tubal factor	11%	Uterine factor	0%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	44%	Male factor	44%	
Used gestational carrier	0%			Diminished ovarian reserve	33%	Other factor	0%	
				Endometriosis	0%	Unknown factor	6%	
				Multiple Factors:				
				Female factors only				6%
				Female & male factors				33%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 18 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	7	6	0	1	0	0
Percentage of cancellations	0 / 7	0 / 6		0 / 1		
Average number of embryos transferred	2.5	2.7		3.0		
Percentage of embryos transferred resulting in implantation	2 / 15	0 / 16		0 / 3		
Percentage of elective single embryo transfer (eSET)	0 / 6	0 / 6		0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	2 / 7	0 / 6		0 / 1		
Percentage of cycles resulting in triplets or more live births	0 / 7	0 / 6		0 / 1		
Percentage of cycles resulting in live births	2 / 7	0 / 6		0 / 1		
Percentage of cycles resulting in pregnancy	2 / 7	0 / 6		0 / 1		
Outcomes per Transfer						
Number of transfers	6	6	0	1	0	0
Percentage of transfers resulting in singleton live births	2 / 6	0 / 6		0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 6		0 / 1		
Percentage of transfers resulting in live births	2 / 6	0 / 6		0 / 1		
Percentage of transfers resulting in pregnancy	2 / 6	0 / 6		0 / 1		
Outcomes per Pregnancy						
Number of pregnancies	2	0	0	0	0	0
Percentage of pregnancies resulting in singleton live births	2 / 2					
Percentage of pregnancies resulting in triplets or more live births	0 / 2					
Percentage of pregnancies resulting in live births	2 / 2					
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	2	0	0	0	0
Number of transfers	0	2	0	0	0	0
Estimated average number of transfers per retrieval		1.0				
Average number of embryos transferred		2.0				
Percentage of embryos transferred resulting in implantation		0 / 4				
Percentage of transfers resulting in singleton live births		0 / 2				
Percentage of transfers resulting in triplets or more live births		0 / 2				
Percentage of transfers resulting in live births		0 / 2				
Percentage of transfers resulting in pregnancy		0 / 2				
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		2		0		
Number of transfers		2		0		
Average number of embryos transferred		2.5				
Percentage of embryos transferred resulting in implantation		3 / 5				
Percentage of transfers resulting in singleton live births		1 / 2				
Percentage of transfers resulting in live births		2 / 2				
Percentage of transfers resulting in pregnancy		2 / 2				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Lexington Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF KENTUCKY LEXINGTON, KENTUCKY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Kenneth N. Muse, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	23%	Tubal factor	17%	Uterine factor	0%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	0%	Male factor	33%	
Used gestational carrier	0%			Diminished ovarian reserve	28%	Other factor	0%	
				Endometriosis	11%	Unknown factor	39%	
				Multiple Factors:				
				Female factors only				0%
				Female & male factors				28%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 18 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	11	1	1	0	0	0
Percentage of cancellations	7 / 11	0 / 1	1 / 1			
Average number of embryos transferred	2.3	2.0				
Percentage of embryos transferred resulting in implantation	0 / 9	2 / 2				
Percentage of elective single embryo transfer (eSET)	0 / 3	0 / 1				
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	0 / 11	1 / 1	0 / 1			
Percentage of cycles resulting in triplets or more live births	0 / 11	0 / 1	0 / 1			
Percentage of cycles resulting in live births	0 / 11	1 / 1	0 / 1			
Percentage of cycles resulting in pregnancy	0 / 11	1 / 1	0 / 1			
Outcomes per Transfer						
Number of transfers	4	1	0	0	0	0
Percentage of transfers resulting in singleton live births	0 / 4	1 / 1				
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 1				
Percentage of transfers resulting in live births	0 / 4	1 / 1				
Percentage of transfers resulting in pregnancy	0 / 4	1 / 1				
Outcomes per Pregnancy						
Number of pregnancies	0	1	0	0	0	0
Percentage of pregnancies resulting in singleton live births		1 / 1				
Percentage of pregnancies resulting in triplets or more live births		0 / 1				
Percentage of pregnancies resulting in live births		1 / 1				
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	1	0	0	0	0
Number of transfers	0	1	0	0	0	0
Estimated average number of transfers per retrieval		1.0				
Average number of embryos transferred		1.0				
Percentage of embryos transferred resulting in implantation		1 / 1				
Percentage of transfers resulting in singleton live births		0 / 1				
Percentage of transfers resulting in triplets or more live births		0 / 1				
Percentage of transfers resulting in live births		0 / 1				
Percentage of transfers resulting in pregnancy		1 / 1				
All Ages Combined^f						
	Fresh Embryos		Frozen Embryos			
Donor Eggs						
Number of cycles	0		3			
Number of transfers	0		3			
Average number of embryos transferred			2.7			
Percentage of embryos transferred resulting in implantation			0 / 8			
Percentage of transfers resulting in singleton live births			0 / 3			
Percentage of transfers resulting in live births			0 / 3			
Percentage of transfers resulting in pregnancy			0 / 3			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2012. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**FERTILITY AND ENDOCRINE ASSOCIATES
LOUISVILLE REPRODUCTIVE CENTER
LOUISVILLE, KENTUCKY**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Robert J. Homm, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	84%	Tubal factor	7%	Uterine factor	<1%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	10%	Male factor	57%	
Used gestational carrier	1%			Diminished ovarian reserve	60%	Other factor	12%	
				Endometriosis	38%	Unknown factor	2%	
				Multiple Factors:				
				Female factors only				25%
				Female & male factors				51%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 148 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	52	8	10	9	0	0
Percentage of cancellations	13.5	1 / 8	1 / 10	0 / 9		
Average number of embryos transferred	2.2	2.7	2.6	2.7		
Percentage of embryos transferred resulting in implantation	32.3	5 / 16	8.7	0.0		
Percentage of elective single embryo transfer (eSET)	0.0	0 / 6	0 / 9	0 / 9		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	28.8	1 / 8	2 / 10	0 / 9		
Percentage of cycles resulting in triplets or more live births	0.0	0 / 8	0 / 10	0 / 9		
Percentage of cycles resulting in live births	42.3	3 / 8	2 / 10	0 / 9		
Percentage of cycles resulting in pregnancy	44.2	3 / 8	2 / 10	0 / 9		
Outcomes per Transfer						
Number of transfers	43	6	9	9	0	0
Percentage of transfers resulting in singleton live births	34.9	1 / 6	2 / 9	0 / 9		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 6	0 / 9	0 / 9		
Percentage of transfers resulting in live births	51.2	3 / 6	2 / 9	0 / 9		
Percentage of transfers resulting in pregnancy	53.5	3 / 6	2 / 9	0 / 9		
Outcomes per Pregnancy						
Number of pregnancies	23	3	2	0	0	0
Percentage of pregnancies resulting in singleton live births	65.2	1 / 3	2 / 2			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 3	0 / 2			
Percentage of pregnancies resulting in live births	95.7	3 / 3	2 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	23	10	6	7	2	3
Number of transfers	22	10	6	7	2	3
Estimated average number of transfers per retrieval	1.7	3.3		2.3	2.0	
Average number of embryos transferred	1.7	2.0	2.0	1.9	3.5	1.7
Percentage of embryos transferred resulting in implantation	27.0	10.0	2 / 12	4 / 13	2 / 7	0 / 5
Percentage of transfers resulting in singleton live births	13.6	2 / 10	1 / 6	3 / 7	2 / 2	0 / 3
Percentage of transfers resulting in triplets or more live births	4.5	0 / 10	0 / 6	0 / 7	0 / 2	0 / 3
Percentage of transfers resulting in live births	27.3	2 / 10	1 / 6	3 / 7	2 / 2	0 / 3
Percentage of transfers resulting in pregnancy	31.8	2 / 10	2 / 6	4 / 7	2 / 2	0 / 3
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		13		5		
Number of transfers		12		5		
Average number of embryos transferred		2.1		2.4		
Percentage of embryos transferred resulting in implantation		20.0		0 / 12		
Percentage of transfers resulting in singleton live births		3 / 12		0 / 5		
Percentage of transfers resulting in live births		4 / 12		0 / 5		
Percentage of transfers resulting in pregnancy		4 / 12		3 / 5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility and Endocrine Associates, Louisville Reproductive Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OB/GYN ASSOCIATES FERTILITY CENTER LOUISVILLE, KENTUCKY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Henry C. Bohler, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	54%	Tubal factor	14%	Uterine factor	9%	
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	12%	Male factor	57%	
Used gestational carrier	2%			Diminished ovarian reserve	41%	Other factor	19%	
				Endometriosis	19%	Unknown factor	2%	
				Multiple Factors:				
				Female factors only				18%
				Female & male factors				38%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 216 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	60	40	20	8	8	0
Percentage of cancellations	6.7	20.0	10.0	2 / 8	2 / 8	
Average number of embryos transferred	1.9	2.1	2.2	2.0	2.5	
Percentage of embryos transferred resulting in implantation	35.6	27.4	25.7	0 / 8	0 / 10	
Percentage of elective single embryo transfer (eSET)	12.5	12.0	0 / 13	0 / 3	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	38.3	17.5	10.0	0 / 8	0 / 8	
Percentage of cycles resulting in triplets or more live births	0.0	2.5	0.0	0 / 8	0 / 8	
Percentage of cycles resulting in live births	46.7	25.0	20.0	0 / 8	0 / 8	
Percentage of cycles resulting in pregnancy	48.3	35.0	35.0	0 / 8	0 / 8	
Outcomes per Transfer						
Number of transfers	52	29	16	4	4	0
Percentage of transfers resulting in singleton live births	44.2	24.1	2 / 16	0 / 4	0 / 4	
Percentage of transfers resulting in triplets or more live births	0.0	3.4	0 / 16	0 / 4	0 / 4	
Percentage of transfers resulting in live births	53.8	34.5	4 / 16	0 / 4	0 / 4	
Percentage of transfers resulting in pregnancy	55.8	48.3	7 / 16	0 / 4	0 / 4	
Outcomes per Pregnancy						
Number of pregnancies	29	14	7	0	0	0
Percentage of pregnancies resulting in singleton live births	79.3	7 / 14	2 / 7			
Percentage of pregnancies resulting in triplets or more live births	0.0	1 / 14	0 / 7			
Percentage of pregnancies resulting in live births	96.6	10 / 14	4 / 7			
Frozen Embryos from Nondonor Eggs						
Number of cycles	27	15	1	1	2	0
Number of transfers	24	14	1	1	1	0
Estimated average number of transfers per retrieval	3.4	1.3	0.5			
Average number of embryos transferred	1.7	1.8	2.0	1.0	2.0	
Percentage of embryos transferred resulting in implantation	37.5	20.0	0 / 2	0 / 1	0 / 2	
Percentage of transfers resulting in singleton live births	41.7	4 / 14	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 14	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in live births	50.0	4 / 14	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	54.2	5 / 14	0 / 1	1 / 1	0 / 1	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		18		16		
Number of transfers		17		11		
Average number of embryos transferred		1.8		1.8		
Percentage of embryos transferred resulting in implantation		38.7		25.0		
Percentage of transfers resulting in singleton live births		8 / 17		3 / 11		
Percentage of transfers resulting in live births		9 / 17		4 / 11		
Percentage of transfers resulting in pregnancy		10 / 17		5 / 11		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2012. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

A WOMAN'S CENTER FOR REPRODUCTIVE MEDICINE BATON ROUGE, LOUISIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Bobby W. Webster, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	89%	Tubal factor	17%	Uterine factor	0%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	8%	Male factor	56%	
Used gestational carrier	0%			Diminished ovarian reserve	28%	Other factor	3%	
				Endometriosis	16%	Unknown factor	6%	
				Multiple Factors:				
				Female factors only				7%
				Female & male factors				25%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 129 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	61	15	19	7	2	0
Percentage of cancellations	4.9	2 / 15	4 / 19	2 / 7	1 / 2	
Average number of embryos transferred	1.9	1.9	2.0	4.0	3.0	
Percentage of embryos transferred resulting in implantation	35.7	23.8	23.3	5.0	0 / 3	
Percentage of elective single embryo transfer (eSET)	7.4	0 / 10	0 / 14	0 / 5	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.0	3 / 15	2 / 19	1 / 7	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 15	1 / 19	0 / 7	0 / 2	
Percentage of cycles resulting in live births	41.0	4 / 15	3 / 19	1 / 7	0 / 2	
Percentage of cycles resulting in pregnancy	47.5	5 / 15	6 / 19	1 / 7	0 / 2	
Outcomes per Transfer						
Number of transfers	58	11	15	5	1	0
Percentage of transfers resulting in singleton live births	24.1	3 / 11	2 / 15	1 / 5	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 11	1 / 15	0 / 5	0 / 1	
Percentage of transfers resulting in live births	43.1	4 / 11	3 / 15	1 / 5	0 / 1	
Percentage of transfers resulting in pregnancy	50.0	5 / 11	6 / 15	1 / 5	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	29	5	6	1	0	0
Percentage of pregnancies resulting in singleton live births	48.3	3 / 5	2 / 6	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 5	1 / 6	0 / 1		
Percentage of pregnancies resulting in live births	86.2	4 / 5	3 / 6	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	16	0	1	0	0	0
Number of transfers	16	0	1	0	0	0
Estimated average number of transfers per retrieval	2.7		1.0			
Average number of embryos transferred	1.8		2.0			
Percentage of embryos transferred resulting in implantation	14.3		0 / 2			
Percentage of transfers resulting in singleton live births	3 / 16		0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 16		0 / 1			
Percentage of transfers resulting in live births	3 / 16		0 / 1			
Percentage of transfers resulting in pregnancy	3 / 16		0 / 1			
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	4		3			
Number of transfers	3		3			
Average number of embryos transferred	2.0		1.7			
Percentage of embryos transferred resulting in implantation	3 / 6		2 / 5			
Percentage of transfers resulting in singleton live births	0 / 3		1 / 3			
Percentage of transfers resulting in live births	1 / 3		1 / 3			
Percentage of transfers resulting in pregnancy	2 / 3		2 / 3			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: A Woman's Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY AND WOMEN'S HEALTH CENTER OF LOUISIANA LAFAYETTE, LOUISIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by John Storment, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	84%	Tubal factor	34%	Uterine factor	5%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	7%	Male factor	36%	
Used gestational carrier	<1%			Diminished ovarian reserve	19%	Other factor	0%	
				Endometriosis	11%	Unknown factor	15%	
				Multiple Factors:				
				Female factors only				11%
				Female & male factors				12%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 158 (includes 2 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	87	23	16	5	3	0
Percentage of cancellations	9.2	13.0	2 / 16	1 / 5	0 / 3	
Average number of embryos transferred	2.1	2.3	2.1	2.0	2.0	
Percentage of embryos transferred resulting in implantation	35.4	20.0	20.0	0 / 8	0 / 6	
Percentage of elective single embryo transfer (eSET)	2.7	1 / 19	0 / 10	0 / 2	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.6	30.4	2 / 16	0 / 5	0 / 3	
Percentage of cycles resulting in triplets or more live births	1.1	0.0	0 / 16	0 / 5	0 / 3	
Percentage of cycles resulting in live births	41.4	34.8	3 / 16	0 / 5	0 / 3	
Percentage of cycles resulting in pregnancy	44.8	34.8	5 / 16	0 / 5	0 / 3	
Outcomes per Transfer						
Number of transfers	76	20	12	4	3	0
Percentage of transfers resulting in singleton live births	31.6	35.0	2 / 12	0 / 4	0 / 3	
Percentage of transfers resulting in triplets or more live births	1.3	0.0	0 / 12	0 / 4	0 / 3	
Percentage of transfers resulting in live births	47.4	40.0	3 / 12	0 / 4	0 / 3	
Percentage of transfers resulting in pregnancy	51.3	40.0	5 / 12	0 / 4	0 / 3	
Outcomes per Pregnancy						
Number of pregnancies	39	8	5	0	0	0
Percentage of pregnancies resulting in singleton live births	61.5	7 / 8	2 / 5			
Percentage of pregnancies resulting in triplets or more live births	2.6	0 / 8	0 / 5			
Percentage of pregnancies resulting in live births	92.3	8 / 8	3 / 5			
Frozen Embryos from Nondonor Eggs						
Number of cycles	15	0	1	0	0	0
Number of transfers	14	0	1	0	0	0
Estimated average number of transfers per retrieval	2.3		1.0			
Average number of embryos transferred	2.1		2.0			
Percentage of embryos transferred resulting in implantation	23.3		0 / 2			
Percentage of transfers resulting in singleton live births	2 / 14		0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 14		0 / 1			
Percentage of transfers resulting in live births	4 / 14		0 / 1			
Percentage of transfers resulting in pregnancy	7 / 14		0 / 1			
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		2		4		
Number of transfers		2		4		
Average number of embryos transferred		2.0		1.8		
Percentage of embryos transferred resulting in implantation		4 / 4		4 / 7		
Percentage of transfers resulting in singleton live births		1 / 2		0 / 4		
Percentage of transfers resulting in live births		2 / 2		2 / 4		
Percentage of transfers resulting in pregnancy		2 / 2		3 / 4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility and Women's Health Center of Louisiana					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE FERTILITY INSTITUTE OF NEW ORLEANS METAIRIE, LOUISIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Richard P. Dickey, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	63%	Tubal factor	16%	Uterine factor	0%	
Unstimulated	0%	Used PGD	12%	Ovulatory dysfunction	31%	Male factor	31%	
Used gestational carrier	1%			Diminished ovarian reserve	8%	Other factor	19%	
				Endometriosis	10%	Unknown factor	4%	
				Multiple Factors:				
				Female factors only				7%
				Female & male factors				10%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 580 (includes 7 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	206	80	74	34	19	3
Percentage of cancellations	12.1	15.0	14.9	17.6	9 / 19	1 / 3
Average number of embryos transferred	2.2	2.1	2.4	2.3	1.9	2.5
Percentage of embryos transferred resulting in implantation	33.7	28.7	18.8	7.3	0 / 13	0 / 5
Percentage of elective single embryo transfer (eSET)	1.9	1.9	0.0	1 / 14	0 / 5	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	18.9	13.8	20.3	5.9	0 / 19	0 / 3
Percentage of cycles resulting in triplets or more live births	1.0	1.3	0.0	0.0	0 / 19	0 / 3
Percentage of cycles resulting in live births	32.5	22.5	23.0	5.9	0 / 19	0 / 3
Percentage of cycles resulting in pregnancy	39.8	30.0	27.0	11.8	0 / 19	0 / 3
Outcomes per Transfer						
Number of transfers	166	58	54	18	7	2
Percentage of transfers resulting in singleton live births	23.5	19.0	27.8	2 / 18	0 / 7	0 / 2
Percentage of transfers resulting in triplets or more live births	1.2	1.7	0.0	0 / 18	0 / 7	0 / 2
Percentage of transfers resulting in live births	40.4	31.0	31.5	2 / 18	0 / 7	0 / 2
Percentage of transfers resulting in pregnancy	49.4	41.4	37.0	4 / 18	0 / 7	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	82	24	20	4	0	0
Percentage of pregnancies resulting in singleton live births	47.6	45.8	75.0	2 / 4		
Percentage of pregnancies resulting in triplets or more live births	2.4	4.2	0.0	0 / 4		
Percentage of pregnancies resulting in live births	81.7	75.0	85.0	2 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	76	29	8	4	3	1
Number of transfers	70	25	8	3	1	1
Estimated average number of transfers per retrieval	1.7	1.3	2.7	3.0		
Average number of embryos transferred	2.1	2.1	2.0	1.7	2.0	2.0
Percentage of embryos transferred resulting in implantation	24.2	26.4	1 / 16	0 / 5	0 / 2	0 / 2
Percentage of transfers resulting in singleton live births	20.0	20.0	1 / 8	0 / 3	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 8	0 / 3	0 / 1	0 / 1
Percentage of transfers resulting in live births	30.0	36.0	1 / 8	0 / 3	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	35.7	40.0	1 / 8	0 / 3	0 / 1	0 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		21		15		
Number of transfers		18		12		
Average number of embryos transferred		2.0		2.2		
Percentage of embryos transferred resulting in implantation		36.1		26.9		
Percentage of transfers resulting in singleton live births		7 / 18		2 / 12		
Percentage of transfers resulting in live births		9 / 18		4 / 12		
Percentage of transfers resulting in pregnancy		11 / 18		4 / 12		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Fertility Institute of New Orleans

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR FERTILITY AND REPRODUCTIVE HEALTH SHREVEPORT, LOUISIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by David T. Vandermolen, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	44%	Tubal factor	39%	Uterine factor	8%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	8%	Male factor	39%	
Used gestational carrier	0%			Diminished ovarian reserve	8%	Other factor	0%	
				Endometriosis	23%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				8%
				Female & male factors				8%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 13 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	3	5	1	0	0	0
Percentage of cancellations	0 / 3	2 / 5	0 / 1			
Average number of embryos transferred	2.0	3.0	3.0			
Percentage of embryos transferred resulting in implantation	1 / 6	2 / 9	0 / 3			
Percentage of elective single embryo transfer (eSET)	0 / 3	0 / 3	0 / 1			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	1 / 3	2 / 5	0 / 1			
Percentage of cycles resulting in triplets or more live births	0 / 3	0 / 5	0 / 1			
Percentage of cycles resulting in live births	1 / 3	2 / 5	0 / 1			
Percentage of cycles resulting in pregnancy	1 / 3	2 / 5	0 / 1			
Outcomes per Transfer						
Number of transfers	3	3	1	0	0	0
Percentage of transfers resulting in singleton live births	1 / 3	2 / 3	0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 3	0 / 3	0 / 1			
Percentage of transfers resulting in live births	1 / 3	2 / 3	0 / 1			
Percentage of transfers resulting in pregnancy	1 / 3	2 / 3	0 / 1			
Outcomes per Pregnancy						
Number of pregnancies	1	2	0	0	0	0
Percentage of pregnancies resulting in singleton live births	1 / 1	2 / 2				
Percentage of pregnancies resulting in triplets or more live births	0 / 1	0 / 2				
Percentage of pregnancies resulting in live births	1 / 1	2 / 2				
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	2	0	0	0	0
Number of transfers	2	2	0	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred	2.0	1.5				
Percentage of embryos transferred resulting in implantation	2 / 4	2 / 3				
Percentage of transfers resulting in singleton live births	2 / 2	2 / 2				
Percentage of transfers resulting in triplets or more live births	0 / 2	0 / 2				
Percentage of transfers resulting in live births	2 / 2	2 / 2				
Percentage of transfers resulting in pregnancy	2 / 2	2 / 2				
All Ages Combined^f						
	Fresh Embryos		Frozen Embryos			
Number of cycles	0		0			
Number of transfers	0		0			
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2012. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR ART AT UNION MEMORIAL HOSPITAL BALTIMORE, MARYLAND

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Nathan G. Berger, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	77%	Tubal factor	9%	Uterine factor	0%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	7%	Male factor	34%	
Used gestational carrier	2%			Diminished ovarian reserve	35%	Other factor	4%	
				Endometriosis	21%	Unknown factor	4%	
				Multiple Factors:				
				Female factors only				6%
				Female & male factors				9%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 68 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	17	8	6	5	11	1
Percentage of cancellations	3 / 17	1 / 8	2 / 6	0 / 5	3 / 11	0 / 1
Average number of embryos transferred	2.1	2.0	2.8	3.3	1.4	2.0
Percentage of embryos transferred resulting in implantation	14.8	2 / 14	1 / 11	1 / 13	1 / 7	0 / 2
Percentage of elective single embryo transfer (eSET)	0 / 13	0 / 4	0 / 4	0 / 4	0 / 2	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	3 / 17	0 / 8	1 / 6	1 / 5	0 / 11	0 / 1
Percentage of cycles resulting in triplets or more live births	0 / 17	0 / 8	0 / 6	0 / 5	0 / 11	0 / 1
Percentage of cycles resulting in live births	3 / 17	0 / 8	1 / 6	1 / 5	0 / 11	0 / 1
Percentage of cycles resulting in pregnancy	4 / 17	2 / 8	2 / 6	1 / 5	1 / 11	0 / 1
Outcomes per Transfer						
Number of transfers	13	7	4	4	5	1
Percentage of transfers resulting in singleton live births	3 / 13	0 / 7	1 / 4	1 / 4	0 / 5	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 13	0 / 7	0 / 4	0 / 4	0 / 5	0 / 1
Percentage of transfers resulting in live births	3 / 13	0 / 7	1 / 4	1 / 4	0 / 5	0 / 1
Percentage of transfers resulting in pregnancy	4 / 13	2 / 7	2 / 4	1 / 4	1 / 5	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	4	2	2	1	1	0
Percentage of pregnancies resulting in singleton live births	3 / 4	0 / 2	1 / 2	1 / 1	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 4	0 / 2	0 / 2	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births	3 / 4	0 / 2	1 / 2	1 / 1	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	2	0	0	0	0
Number of transfers	4	2	0	0	0	0
Estimated average number of transfers per retrieval	1.3	2.0				
Average number of embryos transferred	2.8	2.0				
Percentage of embryos transferred resulting in implantation	1 / 11	0 / 4				
Percentage of transfers resulting in singleton live births	1 / 4	0 / 2				
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 2				
Percentage of transfers resulting in live births	1 / 4	0 / 2				
Percentage of transfers resulting in pregnancy	1 / 4	0 / 2				
All Ages Combined^f						
Donor Eggs	Fresh Embryos			Frozen Embryos		
Number of cycles	5			7		
Number of transfers	5			5		
Average number of embryos transferred	2.0			2.2		
Percentage of embryos transferred resulting in implantation	3 / 10			4 / 11		
Percentage of transfers resulting in singleton live births	1 / 5			0 / 5		
Percentage of transfers resulting in live births	2 / 5			1 / 5		
Percentage of transfers resulting in pregnancy	2 / 5			2 / 5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for ART at Medstar Union Memorial Hospital					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHADY GROVE FERTILITY RSC AT GBMC BALTIMORE, MARYLAND

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Eugene Katz, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	48%	Tubal factor	16%	Uterine factor	5%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	17%	Male factor	33%
Used gestational carrier	0%			Diminished ovarian reserve	13%	Other factor	6%
				Endometriosis	10%	Unknown factor	21%
				<i>Multiple Factors:</i> Female factors only 7% Female & male factors 11%			

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 729 (includes 15 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	261	108	107	41	26	0	
Percentage of cancellations	4.6	10.2	13.1	19.5	15.4		
Average number of embryos transferred	1.5	1.8	2.5	3.1	2.7		
Percentage of embryos transferred resulting in implantation	47.2	35.6	27.5	16.3	1.8		
Percentage of elective single embryo transfer (eSET)	46.4	17.9	1.2	3.1	0 / 15		
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	37.2	25.9	23.4	9.8	0.0		
Percentage of cycles resulting in triplets or more live births	0.0	0.0	1.9	2.4	0.0		
Percentage of cycles resulting in live births	47.5	35.2	31.8	12.2	0.0		
Percentage of cycles resulting in pregnancy	56.3	45.4	41.1	29.3	7.7		
Outcomes per Transfer							
Number of transfers	244	90	90	32	21	0	
Percentage of transfers resulting in singleton live births	39.8	31.1	27.8	12.5	0.0		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	2.2	3.1	0.0		
Percentage of transfers resulting in live births	50.8	42.2	37.8	15.6	0.0		
Percentage of transfers resulting in pregnancy	60.2	54.4	48.9	37.5	9.5		
Outcomes per Pregnancy							
Number of pregnancies	147	49	44	12	2	0	
Percentage of pregnancies resulting in singleton live births	66.0	57.1	56.8	4 / 12	0 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	4.5	1 / 12	0 / 2		
Percentage of pregnancies resulting in live births	84.4	77.6	77.3	5 / 12	0 / 2		
Frozen Embryos from Nondonor Eggs							
Number of cycles	91	38	21	11	9	0	
Number of transfers	85	37	19	11	9	0	
Estimated average number of transfers per retrieval	1.8	1.9	1.1	2.8	4.5		
Average number of embryos transferred	1.5	1.7	1.6	1.9	2.6		
Percentage of embryos transferred resulting in implantation	35.9	27.4	40.0	14.3	0.0		
Percentage of transfers resulting in singleton live births	29.4	35.1	2 / 19	2 / 11	0 / 9		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 19	0 / 11	0 / 9		
Percentage of transfers resulting in live births	36.5	37.8	5 / 19	2 / 11	0 / 9		
Percentage of transfers resulting in pregnancy	48.2	48.6	8 / 19	3 / 11	1 / 9		
All Ages Combined^f							
Donor Eggs		Fresh Embryos		Frozen Embryos			
Number of cycles		0		1			
Number of transfers		0		1			
Average number of embryos transferred				2.0			
Percentage of embryos transferred resulting in implantation				1 / 2			
Percentage of transfers resulting in singleton live births				1 / 1			
Percentage of transfers resulting in live births				1 / 1			
Percentage of transfers resulting in pregnancy				1 / 1			

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Shady Grove Fertility RSC-Towson					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	<i>(See Appendix C for details.)</i>			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ENDRIKA HINTON, MD LUTHERVILLE, MARYLAND

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Endrika L. Hinton, MD			
Type of ART and Procedural Factors^a				Patient Diagnosis^b			
IVF	100%	With ICSI	40%	Tubal factor	8%	Uterine factor	24%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	40%	Male factor	44%
Used gestational carrier	0%			Diminished ovarian reserve	24%	Other factor	0%
				Endometriosis	48%	Unknown factor	0%
				<i>Multiple Factors:</i>			
				Female factors only 28%			
				Female & male factors 40%			

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 25 (includes 0 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	8	2	5	5	0	0	
Percentage of cancellations	1 / 8	0 / 2	1 / 5	2 / 5			
Average number of embryos transferred	2.0	2.0	2.3	2.3			
Percentage of embryos transferred resulting in implantation	3 / 10	2 / 4	2 / 7	3 / 7			
Percentage of elective single embryo transfer (eSET)	0 / 5	0 / 2	0 / 3	0 / 3			
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	1 / 8	2 / 2	0 / 5	1 / 5			
Percentage of cycles resulting in triplets or more live births	0 / 8	0 / 2	0 / 5	0 / 5			
Percentage of cycles resulting in live births	1 / 8	2 / 2	1 / 5	2 / 5			
Percentage of cycles resulting in pregnancy	2 / 8	2 / 2	1 / 5	2 / 5			
Outcomes per Transfer							
Number of transfers	5	2	3	3	0	0	
Percentage of transfers resulting in singleton live births	1 / 5	2 / 2	0 / 3	1 / 3			
Percentage of transfers resulting in triplets or more live births	0 / 5	0 / 2	0 / 3	0 / 3			
Percentage of transfers resulting in live births	1 / 5	2 / 2	1 / 3	2 / 3			
Percentage of transfers resulting in pregnancy	2 / 5	2 / 2	1 / 3	2 / 3			
Outcomes per Pregnancy							
Number of pregnancies	2	2	1	2	0	0	
Percentage of pregnancies resulting in singleton live births	1 / 2	2 / 2	0 / 1	1 / 2			
Percentage of pregnancies resulting in triplets or more live births	0 / 2	0 / 2	0 / 1	0 / 2			
Percentage of pregnancies resulting in live births	1 / 2	2 / 2	1 / 1	2 / 2			
Frozen Embryos from Nondonor Eggs							
Number of cycles	5	0	0	0	0	0	
Number of transfers	5	0	0	0	0	0	
Estimated average number of transfers per retrieval							
Average number of embryos transferred	2.0						
Percentage of embryos transferred resulting in implantation	4 / 10						
Percentage of transfers resulting in singleton live births	2 / 5						
Percentage of transfers resulting in triplets or more live births	0 / 5						
Percentage of transfers resulting in live births	2 / 5						
Percentage of transfers resulting in pregnancy	5 / 5						
All Ages Combined^f							
Donor Eggs		Fresh Embryos		Frozen Embryos			
Number of cycles		0		0			
Number of transfers		0		0			
Average number of embryos transferred							
Percentage of embryos transferred resulting in implantation							
Percentage of transfers resulting in singleton live births							
Percentage of transfers resulting in live births							
Percentage of transfers resulting in pregnancy							

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Endrika Hinton, MD					
Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

JOHNS HOPKINS FERTILITY CENTER LUTHERVILLE, MARYLAND

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Jairo E. Garcia, MD			
Type of ART and Procedural Factors^a				Patient Diagnosis^b			
IVF	100%	With ICSI	50%	Tubal factor	15%	Uterine factor	6%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	10%	Male factor	31%
Used gestational carrier	<1%			Diminished ovarian reserve	31%	Other factor	17%
				Endometriosis	12%	Unknown factor	5%
				<i>Multiple Factors:</i> Female factors only 11% Female & male factors 14%			

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 337 (includes 27 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	67	42	53	45	21	1	
Percentage of cancellations	11.9	9.5	15.1	22.2	33.3	0 / 1	
Average number of embryos transferred	1.8	2.0	1.9	2.0	2.4		
Percentage of embryos transferred resulting in implantation	30.1	16.4	28.6	9.5	0 / 19		
Percentage of elective single embryo transfer (eSET)	5.7	3.7	4.3	0 / 15	0 / 7		
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	10.4	14.3	11.3	4.4	0.0	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 1	
Percentage of cycles resulting in live births	17.9	19.0	17.0	4.4	0.0	0 / 1	
Percentage of cycles resulting in pregnancy	25.4	23.8	22.6	13.3	0.0	0 / 1	
Outcomes per Transfer							
Number of transfers	40	31	29	21	8	0	
Percentage of transfers resulting in singleton live births	17.5	19.4	20.7	9.5	0 / 8		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 8		
Percentage of transfers resulting in live births	30.0	25.8	31.0	9.5	0 / 8		
Percentage of transfers resulting in pregnancy	42.5	32.3	41.4	28.6	0 / 8		
Outcomes per Pregnancy							
Number of pregnancies	17	10	12	6	0	0	
Percentage of pregnancies resulting in singleton live births	7 / 17	6 / 10	6 / 12	2 / 6			
Percentage of pregnancies resulting in triplets or more live births	0 / 17	0 / 10	0 / 12	0 / 6			
Percentage of pregnancies resulting in live births	12 / 17	8 / 10	9 / 12	2 / 6			
Frozen Embryos from Nondonor Eggs							
Number of cycles	33	9	13	4	3	0	
Number of transfers	32	8	12	4	3	0	
Estimated average number of transfers per retrieval	1.1	1.3	1.1	2.0	1.0		
Average number of embryos transferred	1.6	1.6	1.8	2.0	1.7		
Percentage of embryos transferred resulting in implantation	28.8	1 / 13	23.8	2 / 8	0 / 5		
Percentage of transfers resulting in singleton live births	12.5	1 / 8	3 / 12	0 / 4	0 / 3		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 8	0 / 12	0 / 4	0 / 3		
Percentage of transfers resulting in live births	21.9	1 / 8	3 / 12	1 / 4	0 / 3		
Percentage of transfers resulting in pregnancy	37.5	1 / 8	5 / 12	1 / 4	0 / 3		
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		7			12		
Number of transfers		4			12		
Average number of embryos transferred		2.0			1.9		
Percentage of embryos transferred resulting in implantation		2 / 8			34.8		
Percentage of transfers resulting in singleton live births		0 / 4			4 / 12		
Percentage of transfers resulting in live births		1 / 4			5 / 12		
Percentage of transfers resulting in pregnancy		2 / 4			6 / 12		

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Johns Hopkins Fertility Center					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	<i>(See Appendix C for details.)</i>			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2012 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2012 ART cycle data or the clinic's Medical Director did not approve the clinic's 2012 ART cycle data for inclusion in this report.

This clinic provided ART services during 2012 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2012 ART cycle data or the clinic's Medical Director did not approve the clinic's 2012 ART cycle data for inclusion in this report.

SHADY GROVE FERTILITY REPRODUCTIVE SCIENCE CENTER ROCKVILLE, MARYLAND

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Michael J. Levy, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	58%	Tubal factor	10%	Uterine factor	4%	
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	10%	Male factor	23%	
Used gestational carrier	<1%			Diminished ovarian reserve	31%	Other factor	10%	
				Endometriosis	5%	Unknown factor	20%	
				Multiple Factors:				
				Female factors only				6%
				Female & male factors				7%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 7,069 (includes 365 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	1,463	863	831	462	186	9
Percentage of cancellations	5.0	7.9	11.7	15.2	25.8	1 / 9
Average number of embryos transferred	1.5	1.6	2.1	2.6	2.9	3.6
Percentage of embryos transferred resulting in implantation	42.9	33.0	22.4	13.3	6.2	1 / 18
Percentage of elective single embryo transfer (eSET)	43.0	32.8	6.4	1.2	0.0	0 / 5
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	36.6	27.5	21.4	12.1	6.5	0 / 9
Percentage of cycles resulting in triplets or more live births	0.1	0.0	0.0	0.0	0.0	0 / 9
Percentage of cycles resulting in live births	44.6	34.0	25.4	14.9	7.0	0 / 9
Percentage of cycles resulting in pregnancy	52.2	41.5	33.5	26.2	11.3	1 / 9
Outcomes per Transfer						
Number of transfers	1,331	759	691	351	122	5
Percentage of transfers resulting in singleton live births	40.3	31.2	25.8	16.0	9.8	0 / 5
Percentage of transfers resulting in triplets or more live births	0.2	0.0	0.0	0.0	0.0	0 / 5
Percentage of transfers resulting in live births	49.1	38.6	30.5	19.7	10.7	0 / 5
Percentage of transfers resulting in pregnancy	57.3	47.2	40.2	34.5	17.2	1 / 5
Outcomes per Pregnancy						
Number of pregnancies	763	358	278	121	21	1
Percentage of pregnancies resulting in singleton live births	70.2	66.2	64.0	46.3	57.1	0 / 1
Percentage of pregnancies resulting in triplets or more live births	0.3	0.0	0.0	0.0	0.0	0 / 1
Percentage of pregnancies resulting in live births	85.6	81.8	75.9	57.0	61.9	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	583	323	267	77	26	9
Number of transfers	567	313	249	69	22	8
Estimated average number of transfers per retrieval	1.5	1.3	1.2	0.9	1.0	0.7
Average number of embryos transferred	1.4	1.4	1.5	1.4	1.5	1.3
Percentage of embryos transferred resulting in implantation	45.7	45.2	33.0	36.4	30.3	1 / 10
Percentage of transfers resulting in singleton live births	39.7	41.5	32.1	24.6	22.7	0 / 8
Percentage of transfers resulting in triplets or more live births	0.2	0.0	0.0	0.0	0.0	0 / 8
Percentage of transfers resulting in live births	47.4	47.9	37.8	29.0	22.7	0 / 8
Percentage of transfers resulting in pregnancy	57.8	60.7	48.2	46.4	36.4	1 / 8
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		1,077		528		
Number of transfers		921		486		
Average number of embryos transferred		1.4		1.3		
Percentage of embryos transferred resulting in implantation		47.6		36.7		
Percentage of transfers resulting in singleton live births		44.8		31.9		
Percentage of transfers resulting in live births		50.7		36.4		
Percentage of transfers resulting in pregnancy		61.7		47.5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Shady Grove Fertility Reproductive Science Center					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MONTGOMERY FERTILITY CENTER SILVER SPRING, MARYLAND

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Oluyemisi O. Adesanya-Famiyiwa, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	54%	Tubal factor	28%	Uterine factor	42%	
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	8%	Male factor	25%	
Used gestational carrier	0%			Diminished ovarian reserve	33%	Other factor	14%	
				Endometriosis	3%	Unknown factor	3%	
				Multiple Factors:				
				Female factors only				25%
				Female & male factors				19%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 36 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	4	7	7	6	0	2
Percentage of cancellations	0 / 4	0 / 7	3 / 7	2 / 6		1 / 2
Average number of embryos transferred	1.5	2.6	1.5	2.0		
Percentage of embryos transferred resulting in implantation	3 / 6	2 / 13	0 / 3	0 / 6		
Percentage of elective single embryo transfer (eSET)	0 / 2	0 / 5	0 / 1	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	0 / 4	2 / 7	0 / 7	0 / 6		0 / 2
Percentage of cycles resulting in triplets or more live births	0 / 4	0 / 7	0 / 7	0 / 6		0 / 2
Percentage of cycles resulting in live births	1 / 4	2 / 7	0 / 7	0 / 6		0 / 2
Percentage of cycles resulting in pregnancy	2 / 4	2 / 7	0 / 7	0 / 6		0 / 2
Outcomes per Transfer						
Number of transfers	4	5	2	3	0	0
Percentage of transfers resulting in singleton live births	0 / 4	2 / 5	0 / 2	0 / 3		
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 5	0 / 2	0 / 3		
Percentage of transfers resulting in live births	1 / 4	2 / 5	0 / 2	0 / 3		
Percentage of transfers resulting in pregnancy	2 / 4	2 / 5	0 / 2	0 / 3		
Outcomes per Pregnancy						
Number of pregnancies	2	2	0	0	0	0
Percentage of pregnancies resulting in singleton live births	0 / 2	2 / 2				
Percentage of pregnancies resulting in triplets or more live births	0 / 2	0 / 2				
Percentage of pregnancies resulting in live births	1 / 2	2 / 2				
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	0	0	0	0	0
Number of transfers	0	0	0	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in triplets or more live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						
All Ages Combined^f						
	Fresh Embryos			Frozen Embryos		
Donor Eggs						
Number of cycles	9			1		
Number of transfers	9			1		
Average number of embryos transferred	3.0			4.0		
Percentage of embryos transferred resulting in implantation	7.4			1 / 4		
Percentage of transfers resulting in singleton live births	2 / 9			1 / 1		
Percentage of transfers resulting in live births	2 / 9			1 / 1		
Percentage of transfers resulting in pregnancy	2 / 9			1 / 1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Montgomery Fertility Center					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF MARYLAND TOWSON, MARYLAND

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Santiago L. Padilla, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	38%	Tubal factor	27%	Uterine factor	14%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	23%	Male factor	36%	
Used gestational carrier	<1%			Diminished ovarian reserve	34%	Other factor	7%	
				Endometriosis	15%	Unknown factor	9%	
				Multiple Factors:				
				Female factors only				23%
				Female & male factors				25%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 327 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	113	34	44	29	17	3
Percentage of cancellations	12.4	8.8	20.5	44.8	10 / 17	3 / 3
Average number of embryos transferred	1.9	2.0	2.3	3.6	2.4	
Percentage of embryos transferred resulting in implantation	33.5	28.3	13.0	7.0	0 / 17	
Percentage of elective single embryo transfer (eSET)	5.6	6.9	0.0	0 / 15	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	21.2	29.4	13.6	3.4	0 / 17	0 / 3
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 17	0 / 3
Percentage of cycles resulting in live births	34.5	35.3	13.6	6.9	0 / 17	0 / 3
Percentage of cycles resulting in pregnancy	38.1	41.2	22.7	13.8	0 / 17	0 / 3
Outcomes per Transfer						
Number of transfers	95	30	34	16	7	0
Percentage of transfers resulting in singleton live births	25.3	33.3	17.6	1 / 16	0 / 7	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 16	0 / 7	
Percentage of transfers resulting in live births	41.1	40.0	17.6	2 / 16	0 / 7	
Percentage of transfers resulting in pregnancy	45.3	46.7	29.4	4 / 16	0 / 7	
Outcomes per Pregnancy						
Number of pregnancies	43	14	10	4	0	0
Percentage of pregnancies resulting in singleton live births	55.8	10 / 14	6 / 10	1 / 4		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 14	0 / 10	0 / 4		
Percentage of pregnancies resulting in live births	90.7	12 / 14	6 / 10	2 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	30	20	24	5	0	2
Number of transfers	29	17	22	5	0	2
Estimated average number of transfers per retrieval	1.6	1.5	2.4	5.0		
Average number of embryos transferred	1.9	1.9	2.1	1.6		1.5
Percentage of embryos transferred resulting in implantation	34.5	12.5	23.9	0 / 8		0 / 3
Percentage of transfers resulting in singleton live births	31.0	1 / 17	22.7	0 / 5		0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0 / 17	0.0	0 / 5		0 / 2
Percentage of transfers resulting in live births	44.8	2 / 17	36.4	0 / 5		0 / 2
Percentage of transfers resulting in pregnancy	55.2	5 / 17	45.5	0 / 5		1 / 2
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	5		1			
Number of transfers	3		1			
Average number of embryos transferred	2.0		1.0			
Percentage of embryos transferred resulting in implantation	1 / 6		0 / 1			
Percentage of transfers resulting in singleton live births	1 / 3		0 / 1			
Percentage of transfers resulting in live births	1 / 3		0 / 1			
Percentage of transfers resulting in pregnancy	1 / 3		0 / 1			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Center of Maryland					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BRIGHAM AND WOMEN'S HOSPITAL CENTER FOR ASSISTED REPRODUCTIVE TECHNOLOGY BOSTON, MASSACHUSETTS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Elizabeth S. Ginsburg, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	39%	Tubal factor	9%	Uterine factor	5%	
Unstimulated	<1%	Used PGD	3%	Ovulatory dysfunction	10%	Male factor	26%	
Used gestational carrier	1%			Diminished ovarian reserve	23%	Other factor	10%	
				Endometriosis	6%	Unknown factor	29%	
				Multiple Factors:				
				Female factors only				6%
				Female & male factors				10%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 1,822 (includes 32 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	412	286	341	222	59	8
Percentage of cancellations	2.4	4.5	7.3	6.3	5.1	0 / 8
Average number of embryos transferred	1.7	2.2	2.5	4.1	4.5	7.4
Percentage of embryos transferred resulting in implantation	32.9	25.5	15.0	6.4	3.0	0.0
Percentage of elective single embryo transfer (eSET)	26.3	8.2	5.5	0.6	0.0	0 / 7
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.9	26.6	19.4	13.5	6.8	0 / 8
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 8
Percentage of cycles resulting in live births	37.4	35.3	23.5	14.9	8.5	0 / 8
Percentage of cycles resulting in pregnancy	45.6	43.0	33.1	27.0	13.6	0 / 8
Outcomes per Transfer						
Number of transfers	380	257	299	182	52	7
Percentage of transfers resulting in singleton live births	30.3	29.6	22.1	16.5	7.7	0 / 7
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 7
Percentage of transfers resulting in live births	40.5	39.3	26.8	18.1	9.6	0 / 7
Percentage of transfers resulting in pregnancy	49.5	47.9	37.8	33.0	15.4	0 / 7
Outcomes per Pregnancy						
Number of pregnancies	188	123	113	60	8	0
Percentage of pregnancies resulting in singleton live births	61.2	61.8	58.4	50.0	4 / 8	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 8	
Percentage of pregnancies resulting in live births	81.9	82.1	70.8	55.0	5 / 8	
Frozen Embryos from Nondonor Eggs						
Number of cycles	145	88	84	16	10	1
Number of transfers	134	84	74	16	7	0
Estimated average number of transfers per retrieval	1.2	1.5	1.4	1.8	1.2	
Average number of embryos transferred	1.8	1.9	2.3	3.0	4.1	
Percentage of embryos transferred resulting in implantation	31.4	25.2	15.8	12.5	3.4	
Percentage of transfers resulting in singleton live births	33.6	26.2	25.7	5 / 16	1 / 7	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 16	0 / 7	
Percentage of transfers resulting in live births	42.5	32.1	29.7	5 / 16	1 / 7	
Percentage of transfers resulting in pregnancy	50.0	47.6	40.5	7 / 16	1 / 7	
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	63		55			
Number of transfers	59		54			
Average number of embryos transferred	1.9		1.7			
Percentage of embryos transferred resulting in implantation	39.1		22.8			
Percentage of transfers resulting in singleton live births	33.9		27.8			
Percentage of transfers resulting in live births	50.8		33.3			
Percentage of transfers resulting in pregnancy	57.6		35.2			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Brigham and Women's Hospital Center for Assisted Reproductive Technology					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MASSACHUSETTS GENERAL HOSPITAL FERTILITY CENTER BOSTON, MASSACHUSETTS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Thomas L. Toth, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	42%	Tubal factor	14%	Uterine factor	3%
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	15%	Male factor	37%
Used gestational carrier	1%			Diminished ovarian reserve	19%	Other factor	8%
				Endometriosis	7%	Unknown factor	25%
				<i>Multiple Factors:</i> Female factors only 6% Female & male factors 17%			

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 820 (includes 15 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	278	146	155	71	16	0
Percentage of cancellations	5.4	2.7	6.5	4.2	0 / 16	
Average number of embryos transferred	1.7	1.9	2.5	3.4	3.2	
Percentage of embryos transferred resulting in implantation	44.8	28.5	22.5	12.6	8.9	
Percentage of elective single embryo transfer (eSET)	27.8	8.8	3.1	0.0	0 / 12	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	38.8	28.8	23.2	14.1	0 / 16	
Percentage of cycles resulting in triplets or more live births	0.7	0.0	0.6	0.0	0 / 16	
Percentage of cycles resulting in live births	47.1	37.0	29.0	18.3	0 / 16	
Percentage of cycles resulting in pregnancy	54.7	42.5	40.6	28.2	4 / 16	
Outcomes per Transfer						
Number of transfers	252	135	137	60	14	0
Percentage of transfers resulting in singleton live births	42.9	31.1	26.3	16.7	0 / 14	
Percentage of transfers resulting in triplets or more live births	0.8	0.0	0.7	0.0	0 / 14	
Percentage of transfers resulting in live births	52.0	40.0	32.8	21.7	0 / 14	
Percentage of transfers resulting in pregnancy	60.3	45.9	46.0	33.3	4 / 14	
Outcomes per Pregnancy						
Number of pregnancies	152	62	63	20	4	0
Percentage of pregnancies resulting in singleton live births	71.1	67.7	57.1	50.0	0 / 4	
Percentage of pregnancies resulting in triplets or more live births	1.3	0.0	1.6	0.0	0 / 4	
Percentage of pregnancies resulting in live births	86.2	87.1	71.4	65.0	0 / 4	
Frozen Embryos from Nondonor Eggs						
Number of cycles	50	18	24	1	5	0
Number of transfers	50	17	23	1	5	0
Estimated average number of transfers per retrieval	1.6	1.4	1.6	1.0	5.0	
Average number of embryos transferred	1.6	1.5	1.5	2.0	2.0	
Percentage of embryos transferred resulting in implantation	31.7	46.2	40.0	0 / 2	1 / 10	
Percentage of transfers resulting in singleton live births	34.0	8 / 17	43.5	0 / 1	0 / 5	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 17	0.0	0 / 1	0 / 5	
Percentage of transfers resulting in live births	40.0	9 / 17	47.8	0 / 1	0 / 5	
Percentage of transfers resulting in pregnancy	46.0	10 / 17	56.5	0 / 1	1 / 5	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		24		17		
Number of transfers		22		17		
Average number of embryos transferred		1.7		1.6		
Percentage of embryos transferred resulting in implantation		35.1		35.7		
Percentage of transfers resulting in singleton live births		31.8		5 / 17		
Percentage of transfers resulting in live births		36.4		6 / 17		
Percentage of transfers resulting in pregnancy		54.5		9 / 17		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Massachusetts General Hospital Fertility Center					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	<i>(See Appendix C for details.)</i>			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REI DIVISION AT TUFTS MEDICAL CENTER BOSTON, MASSACHUSETTS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Sandra A. Carson, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	33%	Tubal factor	17%	Uterine factor	<1%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	10%	Male factor	24%	
Used gestational carrier	0%			Diminished ovarian reserve	3%	Other factor	5%	
				Endometriosis	7%	Unknown factor	44%	
				Multiple Factors:				
				Female factors only				2%
				Female & male factors				9%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 137 (includes 0 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		50	20	25	14	13	0
Percentage of cancellations		8.0	20.0	4.0	1 / 14	0 / 13	
Average number of embryos transferred		2.0	2.5	3.3	3.2	3.7	
Percentage of embryos transferred resulting in implantation		29.2	18.4	8.6	7.9	0.0	
Percentage of elective single embryo transfer (eSET)		2.6	0 / 14	0 / 18	0 / 10	0 / 13	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		22.0	5.0	16.0	1 / 14	0 / 13	
Percentage of cycles resulting in triplets or more live births		0.0	0.0	0.0	0 / 14	0 / 13	
Percentage of cycles resulting in live births		32.0	15.0	20.0	1 / 14	0 / 13	
Percentage of cycles resulting in pregnancy		38.0	20.0	20.0	3 / 14	0 / 13	
Outcomes per Transfer							
Number of transfers		44	15	21	12	13	0
Percentage of transfers resulting in singleton live births		25.0	1 / 15	19.0	1 / 12	0 / 13	
Percentage of transfers resulting in triplets or more live births		0.0	0 / 15	0.0	0 / 12	0 / 13	
Percentage of transfers resulting in live births		36.4	3 / 15	23.8	1 / 12	0 / 13	
Percentage of transfers resulting in pregnancy		43.2	4 / 15	23.8	3 / 12	0 / 13	
Outcomes per Pregnancy							
Number of pregnancies		19	4	5	3	0	0
Percentage of pregnancies resulting in singleton live births		11 / 19	1 / 4	4 / 5	1 / 3		
Percentage of pregnancies resulting in triplets or more live births		0 / 19	0 / 4	0 / 5	0 / 3		
Percentage of pregnancies resulting in live births		16 / 19	3 / 4	5 / 5	1 / 3		
Frozen Embryos from Nondonor Eggs							
Number of cycles		7	3	3	2	0	0
Number of transfers		7	3	3	2	0	0
Estimated average number of transfers per retrieval		1.8	3.0				
Average number of embryos transferred		1.9	1.7	2.3	1.0		
Percentage of embryos transferred resulting in implantation		3 / 13	3 / 5	2 / 7	1 / 2		
Percentage of transfers resulting in singleton live births		1 / 7	1 / 3	0 / 3	1 / 2		
Percentage of transfers resulting in triplets or more live births		0 / 7	0 / 3	0 / 3	0 / 2		
Percentage of transfers resulting in live births		2 / 7	2 / 3	1 / 3	1 / 2		
Percentage of transfers resulting in pregnancy		2 / 7	2 / 3	1 / 3	1 / 2		
		All Ages Combined^f					
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		0			0		
Number of transfers		0			0		
Average number of embryos transferred							
Percentage of embryos transferred resulting in implantation							
Percentage of transfers resulting in singleton live births							
Percentage of transfers resulting in live births							
Percentage of transfers resulting in pregnancy							

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2012. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY SOLUTIONS, PC DBA
 MASSACHUSETTS FERTILITY CENTER, LLC
 DEDHAM, MASSACHUSETTS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Ania Kowalik, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	42%	Tubal factor	16%	Uterine factor	7%	Multiple Factors: Female factors only 8% Female & male factors 6%
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	14%	Male factor	22%	
Used gestational carrier	0%			Diminished ovarian reserve	22%	Other factor	<1%	
				Endometriosis	7%	Unknown factor	27%	

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 547 (includes 6 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	158	91	96	58	10	2
Percentage of cancellations	6.3	11.0	12.5	15.5	2 / 10	2 / 2
Average number of embryos transferred	1.7	1.9	2.4	3.0	3.3	
Percentage of embryos transferred resulting in implantation	39.3	23.4	14.4	6.5	4.3	
Percentage of elective single embryo transfer (eSET)	27.0	14.7	2.7	0.0	0 / 7	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.2	17.6	17.7	8.6	1 / 10	0 / 2
Percentage of cycles resulting in triplets or more live births	0.6	0.0	0.0	0.0	0 / 10	0 / 2
Percentage of cycles resulting in live births	39.9	20.9	19.8	8.6	1 / 10	0 / 2
Percentage of cycles resulting in pregnancy	49.4	29.7	26.0	15.5	1 / 10	0 / 2
Outcomes per Transfer						
Number of transfers	145	75	81	47	7	0
Percentage of transfers resulting in singleton live births	29.7	21.3	21.0	10.6	1 / 7	
Percentage of transfers resulting in triplets or more live births	0.7	0.0	0.0	0.0	0 / 7	
Percentage of transfers resulting in live births	43.4	25.3	23.5	10.6	1 / 7	
Percentage of transfers resulting in pregnancy	53.8	36.0	30.9	19.1	1 / 7	
Outcomes per Pregnancy						
Number of pregnancies	78	27	25	9	1	0
Percentage of pregnancies resulting in singleton live births	55.1	59.3	68.0	5 / 9	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	1.3	0.0	0.0	0 / 9	0 / 1	
Percentage of pregnancies resulting in live births	80.8	70.4	76.0	5 / 9	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	38	27	20	3	4	0
Number of transfers	37	25	17	2	2	0
Estimated average number of transfers per retrieval	1.8	1.5	0.9	1.0		
Average number of embryos transferred	1.8	1.9	2.2	2.5	2.0	
Percentage of embryos transferred resulting in implantation	33.3	14.6	29.7	0 / 5	0 / 4	
Percentage of transfers resulting in singleton live births	21.6	12.0	8 / 17	0 / 2	0 / 2	
Percentage of transfers resulting in triplets or more live births	2.7	4.0	0 / 17	0 / 2	0 / 2	
Percentage of transfers resulting in live births	35.1	16.0	9 / 17	0 / 2	0 / 2	
Percentage of transfers resulting in pregnancy	43.2	16.0	10 / 17	0 / 2	0 / 2	
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			27		7	
Number of transfers			24		6	
Average number of embryos transferred			1.7		1.8	
Percentage of embryos transferred resulting in implantation			58.5		5 / 11	
Percentage of transfers resulting in singleton live births			29.2		4 / 6	
Percentage of transfers resulting in live births			62.5		4 / 6	
Percentage of transfers resulting in pregnancy			70.8		5 / 6	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Solutions, PC dba, Massachusetts Fertility Center, LLC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE SCIENCE CENTER LEXINGTON, MASSACHUSETTS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Samuel C. Pang, MD				
Type of ART and Procedural Factors^a				Patient Diagnosis^b				
IVF	100%	With ICSI	43%	Tubal factor	17%	Uterine factor	4%	
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	14%	Male factor	45%	
Used gestational carrier	<1%			Diminished ovarian reserve	21%	Other factor	7%	
				Endometriosis	6%	Unknown factor	19%	
				Multiple Factors:				
				Female factors only				7%
				Female & male factors				21%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 2,576 (includes 15 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	903	421	398	199	66	4	
Percentage of cancellations	4.5	6.9	9.0	14.6	6.1	1 / 4	
Average number of embryos transferred	1.6	1.9	2.5	3.1	3.5	3.5	
Percentage of embryos transferred resulting in implantation	37.5	28.4	18.9	10.5	3.5	0 / 7	
Percentage of elective single embryo transfer (eSET)	36.6	11.0	2.4	0.7	0.0	0 / 2	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	30.7	23.5	17.8	11.6	7.6	0 / 4	
Percentage of cycles resulting in triplets or more live births	0.3	0.7	0.5	0.0	0.0	0 / 4	
Percentage of cycles resulting in live births	38.3	32.3	22.9	13.6	7.6	0 / 4	
Percentage of cycles resulting in pregnancy	44.9	36.3	31.2	23.1	16.7	0 / 4	
Outcomes per Transfer							
Number of transfers	789	361	326	158	57	2	
Percentage of transfers resulting in singleton live births	35.1	27.4	21.8	14.6	8.8	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.4	0.8	0.6	0.0	0.0	0 / 2	
Percentage of transfers resulting in live births	43.9	37.7	27.9	17.1	8.8	0 / 2	
Percentage of transfers resulting in pregnancy	51.3	42.4	38.0	29.1	19.3	0 / 2	
Outcomes per Pregnancy							
Number of pregnancies	405	153	124	46	11	0	
Percentage of pregnancies resulting in singleton live births	68.4	64.7	57.3	50.0	5 / 11		
Percentage of pregnancies resulting in triplets or more live births	0.7	2.0	1.6	0.0	0 / 11		
Percentage of pregnancies resulting in live births	85.4	88.9	73.4	58.7	5 / 11		
Frozen Embryos from Nondonor Eggs							
Number of cycles	217	121	62	29	10	4	
Number of transfers	183	106	52	25	8	2	
Estimated average number of transfers per retrieval	1.4	1.1	1.4	1.2	2.0		
Average number of embryos transferred	1.4	1.4	1.6	1.9	1.8	2.0	
Percentage of embryos transferred resulting in implantation	32.2	34.2	28.4	12.8	0 / 14	2 / 4	
Percentage of transfers resulting in singleton live births	29.5	31.1	26.9	24.0	0 / 8	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 8	0 / 2	
Percentage of transfers resulting in live births	35.0	36.8	34.6	24.0	0 / 8	1 / 2	
Percentage of transfers resulting in pregnancy	44.3	45.3	38.5	24.0	0 / 8	1 / 2	
All Ages Combined^f							
Donor Eggs		Fresh Embryos		Frozen Embryos			
Number of cycles		71		56			
Number of transfers		67		45			
Average number of embryos transferred		1.4		1.2			
Percentage of embryos transferred resulting in implantation		48.9		44.6			
Percentage of transfers resulting in singleton live births		46.3		37.8			
Percentage of transfers resulting in live births		52.2		44.4			
Percentage of transfers resulting in pregnancy		62.7		51.1			

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Reproductive Science Center					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTERS OF NEW ENGLAND, INC.
NEW ENGLAND CLINICS OF REPRODUCTIVE MEDICINE, INC.
READING, MASSACHUSETTS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by R. Ian Hardy, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	58%	Tubal factor	12%	Uterine factor	10%	<i>Multiple Factors:</i> Female factors only 11% Female & male factors 15%
Unstimulated	0%	Used PGD	7%	Ovulatory dysfunction	14%	Male factor	29%	
Used gestational carrier	0%			Diminished ovarian reserve	10%	Other factor	26%	
				Endometriosis	9%	Unknown factor	20%	

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 1,176 (includes 19 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	404	191	167	89	33	0
Percentage of cancellations	3.5	4.2	10.8	6.7	6.1	
Average number of embryos transferred	1.6	1.8	1.8	2.2	2.3	
Percentage of embryos transferred resulting in implantation	37.9	29.5	18.9	6.5	9.1	
Percentage of elective single embryo transfer (eSET)	25.8	11.8	2.2	0.0	0 / 19	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.5	21.5	14.4	5.6	9.1	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	
Percentage of cycles resulting in live births	36.6	29.3	16.8	5.6	9.1	
Percentage of cycles resulting in pregnancy	42.3	35.1	21.6	12.4	12.1	
Outcomes per Transfer						
Number of transfers	338	154	120	69	24	0
Percentage of transfers resulting in singleton live births	32.8	26.6	20.0	7.2	12.5	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	
Percentage of transfers resulting in live births	43.8	36.4	23.3	7.2	12.5	
Percentage of transfers resulting in pregnancy	50.6	43.5	30.0	15.9	16.7	
Outcomes per Pregnancy						
Number of pregnancies	171	67	36	11	4	0
Percentage of pregnancies resulting in singleton live births	64.9	61.2	66.7	5 / 11	3 / 4	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 11	0 / 4	
Percentage of pregnancies resulting in live births	86.5	83.6	77.8	5 / 11	3 / 4	
Frozen Embryos from Nondonor Eggs						
Number of cycles	91	49	32	18	9	4
Number of transfers	81	41	27	13	8	3
Estimated average number of transfers per retrieval	1.4	1.1	1.0	1.9	1.0	3.0
Average number of embryos transferred	1.5	1.5	1.5	1.6	1.5	1.7
Percentage of embryos transferred resulting in implantation	24.6	25.4	22.5	19.0	3 / 12	0 / 5
Percentage of transfers resulting in singleton live births	22.2	29.3	22.2	3 / 13	1 / 8	0 / 3
Percentage of transfers resulting in triplets or more live births	1.2	0.0	0.0	0 / 13	0 / 8	0 / 3
Percentage of transfers resulting in live births	27.2	29.3	22.2	3 / 13	1 / 8	0 / 3
Percentage of transfers resulting in pregnancy	30.9	41.5	29.6	4 / 13	3 / 8	1 / 3
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		54		16		
Number of transfers		54		15		
Average number of embryos transferred		1.9		1.6		
Percentage of embryos transferred resulting in implantation		51.9		45.8		
Percentage of transfers resulting in singleton live births		37.0		7 / 15		
Percentage of transfers resulting in live births		61.1		9 / 15		
Percentage of transfers resulting in pregnancy		66.7		9 / 15		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Centers of New England, Inc., New England Clinics of Reproductive Medicine, Inc.

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BAYSTATE REPRODUCTIVE MEDICINE SPRINGFIELD, MASSACHUSETTS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Kelly Lynch, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	39%	Tubal factor	13%	Uterine factor	6%	
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	14%	Male factor	30%	
Used gestational carrier	0%			Diminished ovarian reserve	14%	Other factor	4%	
				Endometriosis	12%	Unknown factor	21%	
				Multiple Factors:				
				Female factors only				6%
				Female & male factors				7%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 487 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	162	62	61	28	5	0
Percentage of cancellations	9.3	3.2	4.9	14.3	0 / 5	
Average number of embryos transferred	1.5	1.8	2.6	3.2	4.4	
Percentage of embryos transferred resulting in implantation	41.9	30.8	20.7	14.9	4.5	
Percentage of elective single embryo transfer (eSET)	43.4	13.5	1.9	0.0	0 / 5	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	38.3	17.7	21.3	7.1	1 / 5	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 5	
Percentage of cycles resulting in live births	43.8	32.3	27.9	10.7	1 / 5	
Percentage of cycles resulting in pregnancy	50.0	38.7	39.3	21.4	1 / 5	
Outcomes per Transfer						
Number of transfers	142	57	56	23	5	0
Percentage of transfers resulting in singleton live births	43.7	19.3	23.2	8.7	1 / 5	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 5	
Percentage of transfers resulting in live births	50.0	35.1	30.4	13.0	1 / 5	
Percentage of transfers resulting in pregnancy	57.0	42.1	42.9	26.1	1 / 5	
Outcomes per Pregnancy						
Number of pregnancies	81	24	24	6	1	0
Percentage of pregnancies resulting in singleton live births	76.5	45.8	54.2	2 / 6	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 6	0 / 1	
Percentage of pregnancies resulting in live births	87.7	83.3	70.8	3 / 6	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	78	26	25	7	1	2
Number of transfers	72	21	19	5	1	1
Estimated average number of transfers per retrieval	1.8	1.6	1.7	5.0	0.5	
Average number of embryos transferred	1.4	1.4	1.4	1.8	2.0	1.0
Percentage of embryos transferred resulting in implantation	43.0	50.0	44.4	3 / 9	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births	36.1	57.1	9 / 19	1 / 5	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	1 / 19	0 / 5	0 / 1	0 / 1
Percentage of transfers resulting in live births	47.2	61.9	10 / 19	1 / 5	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	50.0	66.7	11 / 19	3 / 5	0 / 1	0 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		16		14		
Number of transfers		15		12		
Average number of embryos transferred		1.6		1.3		
Percentage of embryos transferred resulting in implantation		58.3		6 / 15		
Percentage of transfers resulting in singleton live births		7 / 15		4 / 12		
Percentage of transfers resulting in live births		10 / 15		5 / 12		
Percentage of transfers resulting in pregnancy		12 / 15		5 / 12		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Baystate Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CARDONE REPRODUCTIVE MEDICINE AND INFERTILITY STONEHAM, MASSACHUSETTS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Vito R. Cardone, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	29%	Tubal factor	7%	Uterine factor	9%
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	3%	Male factor	21%
Used gestational carrier	2%			Diminished ovarian reserve	39%	Other factor	9%
				Endometriosis	6%	Unknown factor	13%
				<i>Multiple Factors:</i> Female factors only 3% Female & male factors 4%			

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 246 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	65	17	25	36	17	7
Percentage of cancellations	0.0	0 / 17	4.0	8.3	4 / 17	1 / 7
Average number of embryos transferred	2.1	2.0	2.2	2.7	3.6	2.4
Percentage of embryos transferred resulting in implantation	29.8	26.9	23.3	11.0	0.0	0 / 12
Percentage of elective single embryo transfer (eSET)	3.6	1 / 12	0 / 15	0.0	0 / 6	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	35.4	4 / 17	8.0	11.1	0 / 17	0 / 7
Percentage of cycles resulting in triplets or more live births	1.5	0 / 17	0.0	2.8	0 / 17	0 / 7
Percentage of cycles resulting in live births	43.1	5 / 17	20.0	13.9	0 / 17	0 / 7
Percentage of cycles resulting in pregnancy	50.8	6 / 17	32.0	16.7	0 / 17	0 / 7
Outcomes per Transfer						
Number of transfers	59	13	20	27	8	5
Percentage of transfers resulting in singleton live births	39.0	4 / 13	10.0	14.8	0 / 8	0 / 5
Percentage of transfers resulting in triplets or more live births	1.7	0 / 13	0.0	3.7	0 / 8	0 / 5
Percentage of transfers resulting in live births	47.5	5 / 13	25.0	18.5	0 / 8	0 / 5
Percentage of transfers resulting in pregnancy	55.9	6 / 13	40.0	22.2	0 / 8	0 / 5
Outcomes per Pregnancy						
Number of pregnancies	33	6	8	6	0	0
Percentage of pregnancies resulting in singleton live births	69.7	4 / 6	2 / 8	4 / 6		
Percentage of pregnancies resulting in triplets or more live births	3.0	0 / 6	0 / 8	1 / 6		
Percentage of pregnancies resulting in live births	84.8	5 / 6	5 / 8	5 / 6		
Frozen Embryos from Nondonor Eggs						
Number of cycles	16	7	7	2	2	0
Number of transfers	16	6	7	2	2	0
Estimated average number of transfers per retrieval	2.3	2.0	3.5	1.0	1.0	
Average number of embryos transferred	2.2	2.2	2.7	2.5	5.5	
Percentage of embryos transferred resulting in implantation	25.7	4 / 13	3 / 19	0 / 5	1 / 11	
Percentage of transfers resulting in singleton live births	5 / 16	0 / 6	2 / 7	0 / 2	0 / 2	
Percentage of transfers resulting in triplets or more live births	0 / 16	0 / 6	0 / 7	0 / 2	0 / 2	
Percentage of transfers resulting in live births	6 / 16	2 / 6	2 / 7	0 / 2	0 / 2	
Percentage of transfers resulting in pregnancy	9 / 16	3 / 6	3 / 7	0 / 2	1 / 2	
All Ages Combined^f						
Donor Eggs	Fresh Embryos			Frozen Embryos		
Number of cycles	26			19		
Number of transfers	25			16		
Average number of embryos transferred	2.0			2.2		
Percentage of embryos transferred resulting in implantation	50.0			20.0		
Percentage of transfers resulting in singleton live births	52.0			3 / 16		
Percentage of transfers resulting in live births	72.0			4 / 16		
Percentage of transfers resulting in pregnancy	80.0			6 / 16		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Cardone Reproductive Medicine and Infertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BOSTON IVF WALTHAM, MASSACHUSETTS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Michael M. Alper, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	>99%	With ICSI	43%	Tubal factor	8%	Uterine factor	3%	
Unstimulated	<1%	Used PGD	7%	Ovulatory dysfunction	11%	Male factor	26%	
Used gestational carrier	<1%			Diminished ovarian reserve	18%	Other factor	6%	
				Endometriosis	4%	Unknown factor	37%	
				Multiple Factors:				
				Female factors only				4%
				Female & male factors				8%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 3,452 (includes 43 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	859	570	555	351	149	34
Percentage of cancellations	4.7	5.6	8.1	9.4	10.7	20.6
Average number of embryos transferred	1.7	1.9	2.4	3.1	3.7	2.4
Percentage of embryos transferred resulting in implantation	30.5	21.6	15.7	7.8	2.7	6.7
Percentage of elective single embryo transfer (eSET)	27.1	18.0	6.5	1.7	0.0	0 / 12
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	21.8	18.2	15.9	8.0	4.0	5.9
Percentage of cycles resulting in triplets or more live births	0.3	0.0	0.2	0.0	0.0	0.0
Percentage of cycles resulting in live births	30.7	22.3	18.9	9.7	4.0	5.9
Percentage of cycles resulting in pregnancy	35.0	28.4	27.2	18.8	9.4	11.8
Outcomes per Transfer						
Number of transfers	733	465	448	274	111	19
Percentage of transfers resulting in singleton live births	25.5	22.4	19.6	10.2	5.4	2 / 19
Percentage of transfers resulting in triplets or more live births	0.4	0.0	0.2	0.0	0.0	0 / 19
Percentage of transfers resulting in live births	36.0	27.3	23.4	12.4	5.4	2 / 19
Percentage of transfers resulting in pregnancy	41.1	34.8	33.7	24.1	12.6	4 / 19
Outcomes per Pregnancy						
Number of pregnancies	301	162	151	66	14	4
Percentage of pregnancies resulting in singleton live births	62.1	64.2	58.3	42.4	6 / 14	2 / 4
Percentage of pregnancies resulting in triplets or more live births	1.0	0.0	0.7	0.0	0 / 14	0 / 4
Percentage of pregnancies resulting in live births	87.7	78.4	69.5	51.5	6 / 14	2 / 4
Frozen Embryos from Nondonor Eggs						
Number of cycles	277	171	100	47	15	2
Number of transfers	253	156	77	41	12	2
Estimated average number of transfers per retrieval	1.2	1.0	1.0	1.1	2.4	
Average number of embryos transferred	1.6	1.7	1.7	2.5	3.0	2.5
Percentage of embryos transferred resulting in implantation	26.2	25.9	13.7	7.9	5.6	0 / 5
Percentage of transfers resulting in singleton live births	22.9	21.8	15.6	14.6	2 / 12	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 12	0 / 2
Percentage of transfers resulting in live births	29.6	28.8	16.9	14.6	2 / 12	0 / 2
Percentage of transfers resulting in pregnancy	36.4	35.3	20.8	19.5	2 / 12	0 / 2
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		139		140		
Number of transfers		121		120		
Average number of embryos transferred		1.9		1.9		
Percentage of embryos transferred resulting in implantation		31.7		21.5		
Percentage of transfers resulting in singleton live births		29.8		20.0		
Percentage of transfers resulting in live births		42.1		26.7		
Percentage of transfers resulting in pregnancy		51.2		34.2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Boston IVF					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE
UNIVERSITY OF MICHIGAN REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY
ANN ARBOR, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Senait Fisseha, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	61%	Tubal factor	18%	Uterine factor	5%	
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	15%	Male factor	50%	
Used gestational carrier	0%			Diminished ovarian reserve	29%	Other factor	3%	
				Endometriosis	11%	Unknown factor	8%	
				Multiple Factors:				
				Female factors only				12%
				Female & male factors				25%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 220 (includes 18 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	70	27	15	10	3	0
Percentage of cancellations	10.0	11.1	2 / 15	3 / 10	1 / 3	
Average number of embryos transferred	1.6	1.9	2.1	2.3	1.5	
Percentage of embryos transferred resulting in implantation	30.9	15.2	17.4	2 / 16	0 / 3	
Percentage of elective single embryo transfer (eSET)	37.3	13.6	0 / 11	0 / 7	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	34.3	14.8	1 / 15	2 / 10	0 / 3	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 15	0 / 10	0 / 3	
Percentage of cycles resulting in live births	38.6	18.5	1 / 15	2 / 10	0 / 3	
Percentage of cycles resulting in pregnancy	47.1	33.3	4 / 15	2 / 10	0 / 3	
Outcomes per Transfer						
Number of transfers	60	24	11	7	2	0
Percentage of transfers resulting in singleton live births	40.0	16.7	1 / 11	2 / 7	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 11	0 / 7	0 / 2	
Percentage of transfers resulting in live births	45.0	20.8	1 / 11	2 / 7	0 / 2	
Percentage of transfers resulting in pregnancy	55.0	37.5	4 / 11	2 / 7	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	33	9	4	2	0	0
Percentage of pregnancies resulting in singleton live births	72.7	4 / 9	1 / 4	2 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 9	0 / 4	0 / 2		
Percentage of pregnancies resulting in live births	81.8	5 / 9	1 / 4	2 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	36	14	7	5	1	0
Number of transfers	33	12	7	4	1	0
Estimated average number of transfers per retrieval	1.1	1.5	1.2	4.0	0.5	
Average number of embryos transferred	1.7	1.7	2.1	1.3	3.0	
Percentage of embryos transferred resulting in implantation	19.6	30.0	5 / 15	0 / 5	1 / 3	
Percentage of transfers resulting in singleton live births	18.2	4 / 12	1 / 7	0 / 4	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 12	0 / 7	0 / 4	0 / 1	
Percentage of transfers resulting in live births	21.2	5 / 12	2 / 7	0 / 4	0 / 1	
Percentage of transfers resulting in pregnancy	27.3	5 / 12	4 / 7	0 / 4	1 / 1	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		8		6		
Number of transfers		8		6		
Average number of embryos transferred		1.5		1.5		
Percentage of embryos transferred resulting in implantation		6 / 12		1 / 9		
Percentage of transfers resulting in singleton live births		3 / 8		1 / 6		
Percentage of transfers resulting in live births		4 / 8		1 / 6		
Percentage of transfers resulting in pregnancy		5 / 8		2 / 6		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Reproductive Medicine, University of Michigan Reproductive Endocrinology and Infertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE AND SURGERY, PC BIRMINGHAM, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Michael S. Mersol-Barg, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	84%	Tubal factor	7%	Uterine factor	2%	
Unstimulated	1%	Used PGD	0%	Ovulatory dysfunction	22%	Male factor	27%	
Used gestational carrier	0%			Diminished ovarian reserve	49%	Other factor	5%	
				Endometriosis	10%	Unknown factor	8%	
				Multiple Factors:				
				Female factors only				12%
				Female & male factors				14%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 135 (includes 7 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		46	16	22	8	1	3
Percentage of cancellations		2.2	0 / 16	4.5	1 / 8	0 / 1	1 / 3
Average number of embryos transferred		2.0	2.3	2.0	2.4	2.0	2.0
Percentage of embryos transferred resulting in implantation		27.1	20.6	10.5	1 / 17	1 / 2	1 / 4
Percentage of elective single embryo transfer (eSET)		7.7	0 / 14	1 / 15	0 / 6	0 / 1	0 / 1
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		21.7	4 / 16	13.6	1 / 8	1 / 1	0 / 3
Percentage of cycles resulting in triplets or more live births		0.0	0 / 16	0.0	0 / 8	0 / 1	0 / 3
Percentage of cycles resulting in live births		30.4	5 / 16	13.6	1 / 8	1 / 1	0 / 3
Percentage of cycles resulting in pregnancy		34.8	6 / 16	18.2	1 / 8	1 / 1	2 / 3
Outcomes per Transfer							
Number of transfers		43	15	19	7	1	2
Percentage of transfers resulting in singleton live births		23.3	4 / 15	3 / 19	1 / 7	1 / 1	0 / 2
Percentage of transfers resulting in triplets or more live births		0.0	0 / 15	0 / 19	0 / 7	0 / 1	0 / 2
Percentage of transfers resulting in live births		32.6	5 / 15	3 / 19	1 / 7	1 / 1	0 / 2
Percentage of transfers resulting in pregnancy		37.2	6 / 15	4 / 19	1 / 7	1 / 1	2 / 2
Outcomes per Pregnancy							
Number of pregnancies		16	6	4	1	1	2
Percentage of pregnancies resulting in singleton live births		10 / 16	4 / 6	3 / 4	1 / 1	1 / 1	0 / 2
Percentage of pregnancies resulting in triplets or more live births		0 / 16	0 / 6	0 / 4	0 / 1	0 / 1	0 / 2
Percentage of pregnancies resulting in live births		14 / 16	5 / 6	3 / 4	1 / 1	1 / 1	0 / 2
Frozen Embryos from Nondonor Eggs							
Number of cycles		11	7	4	1	0	0
Number of transfers		11	7	4	1	0	0
Estimated average number of transfers per retrieval		1.1	1.0	2.0	1.0		
Average number of embryos transferred		1.5	1.3	1.5	1.0		
Percentage of embryos transferred resulting in implantation		7 / 16	4 / 9	3 / 6	0 / 1		
Percentage of transfers resulting in singleton live births		4 / 11	4 / 7	2 / 4	0 / 1		
Percentage of transfers resulting in triplets or more live births		1 / 11	0 / 7	0 / 4	0 / 1		
Percentage of transfers resulting in live births		5 / 11	4 / 7	2 / 4	0 / 1		
Percentage of transfers resulting in pregnancy		6 / 11	4 / 7	3 / 4	1 / 1		
		All Ages Combined^f					
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		4			5		
Number of transfers		3			4		
Average number of embryos transferred		2.0			1.3		
Percentage of embryos transferred resulting in implantation		2 / 6			2 / 5		
Percentage of transfers resulting in singleton live births		2 / 3			2 / 4		
Percentage of transfers resulting in live births		2 / 3			2 / 4		
Percentage of transfers resulting in pregnancy		2 / 3			3 / 4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Michigan Reproductive Medicine			
Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes
Single women?	Yes	SART member?	Yes
		Verified lab accreditation?	Pending
		(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTIVE MEDICINE AND SURGERY, PC BLOOMFIELD HILLS, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Carole L. Kowalczyk, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	77%	Tubal factor	12%	Uterine factor	3%	
Unstimulated	0%	Used PGD	5%	Ovulatory dysfunction	8%	Male factor	51%	
Used gestational carrier	0%			Diminished ovarian reserve	29%	Other factor	13%	
				Endometriosis	21%	Unknown factor	8%	
				Multiple Factors:				
				Female factors only				11%
				Female & male factors				24%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 103 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	29	10	21	9	13	1
Percentage of cancellations	10.3	1 / 10	47.6	2 / 9	2 / 13	0 / 1
Average number of embryos transferred	2.2	3.1	2.8	3.1	3.3	3.0
Percentage of embryos transferred resulting in implantation	34.5	25.0	24.0	18.2	0.0	0 / 3
Percentage of elective single embryo transfer (eSET)	11.5	0 / 9	0 / 9	0 / 7	0 / 9	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.6	2 / 10	19.0	1 / 9	0 / 13	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	1 / 10	0.0	0 / 9	0 / 13	0 / 1
Percentage of cycles resulting in live births	44.8	4 / 10	23.8	2 / 9	0 / 13	0 / 1
Percentage of cycles resulting in pregnancy	51.7	4 / 10	28.6	3 / 9	0 / 13	1 / 1
Outcomes per Transfer						
Number of transfers	26	9	9	7	9	1
Percentage of transfers resulting in singleton live births	30.8	2 / 9	4 / 9	1 / 7	0 / 9	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	1 / 9	0 / 9	0 / 7	0 / 9	0 / 1
Percentage of transfers resulting in live births	50.0	4 / 9	5 / 9	2 / 7	0 / 9	0 / 1
Percentage of transfers resulting in pregnancy	57.7	4 / 9	6 / 9	3 / 7	0 / 9	1 / 1
Outcomes per Pregnancy						
Number of pregnancies	15	4	6	3	0	1
Percentage of pregnancies resulting in singleton live births	8 / 15	2 / 4	4 / 6	1 / 3		0 / 1
Percentage of pregnancies resulting in triplets or more live births	0 / 15	1 / 4	0 / 6	0 / 3		0 / 1
Percentage of pregnancies resulting in live births	13 / 15	4 / 4	5 / 6	2 / 3		0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	3	3	0	1	0
Number of transfers	7	3	2	0	1	0
Estimated average number of transfers per retrieval	1.0	1.0				
Average number of embryos transferred	1.9	1.7	1.5		1.0	
Percentage of embryos transferred resulting in implantation	3 / 13	0 / 5	2 / 3		0 / 1	
Percentage of transfers resulting in singleton live births	3 / 7	0 / 3	0 / 2		0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 7	0 / 3	0 / 2		0 / 1	
Percentage of transfers resulting in live births	3 / 7	0 / 3	1 / 2		0 / 1	
Percentage of transfers resulting in pregnancy	3 / 7	0 / 3	1 / 2		0 / 1	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		3		3		
Number of transfers		2		3		
Average number of embryos transferred		1.5		1.7		
Percentage of embryos transferred resulting in implantation		2 / 3		0 / 5		
Percentage of transfers resulting in singleton live births		0 / 2		0 / 3		
Percentage of transfers resulting in live births		1 / 2		0 / 3		
Percentage of transfers resulting in pregnancy		1 / 2		0 / 3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Reproductive Medicine and Surgery, PC					
Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GAGO IVF BRIGHTON, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Laura A. Gago, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	52%	Tubal factor	21%	Uterine factor	13%	
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	7%	Male factor	41%	
Used gestational carrier	0%			Diminished ovarian reserve	49%	Other factor	17%	
				Endometriosis	17%	Unknown factor	2%	
				Multiple Factors:				
				Female factors only				25%
				Female & male factors				26%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 115 (includes 19 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	21	15	12	8	0	0
Percentage of cancellations	0.0	0 / 15	0 / 12	0 / 8		
Average number of embryos transferred	1.8	2.4	2.7	2.4		
Percentage of embryos transferred resulting in implantation	47.4	27.3	23.3	4 / 17		
Percentage of elective single embryo transfer (eSET)	3 / 19	0 / 12	0 / 10	0 / 5		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	33.3	4 / 15	5 / 12	2 / 8		
Percentage of cycles resulting in triplets or more live births	0.0	0 / 15	0 / 12	0 / 8		
Percentage of cycles resulting in live births	52.4	5 / 15	6 / 12	2 / 8		
Percentage of cycles resulting in pregnancy	61.9	7 / 15	6 / 12	4 / 8		
Outcomes per Transfer						
Number of transfers	21	14	11	7	0	0
Percentage of transfers resulting in singleton live births	33.3	4 / 14	5 / 11	2 / 7		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 14	0 / 11	0 / 7		
Percentage of transfers resulting in live births	52.4	5 / 14	6 / 11	2 / 7		
Percentage of transfers resulting in pregnancy	61.9	7 / 14	6 / 11	4 / 7		
Outcomes per Pregnancy						
Number of pregnancies	13	7	6	4	0	0
Percentage of pregnancies resulting in singleton live births	7 / 13	4 / 7	5 / 6	2 / 4		
Percentage of pregnancies resulting in triplets or more live births	0 / 13	0 / 7	0 / 6	0 / 4		
Percentage of pregnancies resulting in live births	11 / 13	5 / 7	6 / 6	2 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	11	3	5	0	0	0
Number of transfers	10	1	5	0	0	0
Estimated average number of transfers per retrieval	0.7	1.0	0.8	0.0	0.0	
Average number of embryos transferred	1.8	1.0	2.0			
Percentage of embryos transferred resulting in implantation	5 / 18	1 / 1	0 / 10			
Percentage of transfers resulting in singleton live births	3 / 10	1 / 1	0 / 5			
Percentage of transfers resulting in triplets or more live births	0 / 10	0 / 1	0 / 5			
Percentage of transfers resulting in live births	4 / 10	1 / 1	0 / 5			
Percentage of transfers resulting in pregnancy	4 / 10	1 / 1	0 / 5			
All Ages Combined^f						
Donor Eggs	Fresh Embryos			Frozen Embryos		
	Number of cycles	9			12	
Number of transfers	9			12		
Average number of embryos transferred	1.9			1.6		
Percentage of embryos transferred resulting in implantation	5 / 17			5 / 19		
Percentage of transfers resulting in singleton live births	5 / 9			4 / 12		
Percentage of transfers resulting in live births	5 / 9			4 / 12		
Percentage of transfers resulting in pregnancy	7 / 9			5 / 12		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Gago IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MICHIGAN COMPREHENSIVE FERTILITY CENTER DEARBORN, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by David M. Magyar, DO

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	79%	Tubal factor	10%	Uterine factor	2%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	19%	Male factor	48%	
Used gestational carrier	0%			Diminished ovarian reserve	34%	Other factor	7%	
				Endometriosis	12%	Unknown factor	9%	
				Multiple Factors:				
				Female factors only				7%
				Female & male factors				24%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 163 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	70	13	14	9	4	1
Percentage of cancellations	18.6	2 / 13	1 / 14	1 / 9	3 / 4	1 / 1
Average number of embryos transferred	2.0	2.0	2.6	2.8	3.0	
Percentage of embryos transferred resulting in implantation	29.2	15.0	24.1	0.0	0 / 3	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 8	0 / 9	0 / 7	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.7	1 / 13	6 / 14	0 / 9	0 / 4	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0 / 13	0 / 14	0 / 9	0 / 4	0 / 1
Percentage of cycles resulting in live births	34.3	2 / 13	6 / 14	0 / 9	0 / 4	0 / 1
Percentage of cycles resulting in pregnancy	35.7	2 / 13	6 / 14	0 / 9	0 / 4	0 / 1
Outcomes per Transfer						
Number of transfers	52	10	11	8	1	0
Percentage of transfers resulting in singleton live births	34.6	1 / 10	6 / 11	0 / 8	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 10	0 / 11	0 / 8	0 / 1	
Percentage of transfers resulting in live births	46.2	2 / 10	6 / 11	0 / 8	0 / 1	
Percentage of transfers resulting in pregnancy	48.1	2 / 10	6 / 11	0 / 8	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	25	2	6	0	0	0
Percentage of pregnancies resulting in singleton live births	72.0	1 / 2	6 / 6			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 2	0 / 6			
Percentage of pregnancies resulting in live births	96.0	2 / 2	6 / 6			
Frozen Embryos from Nondonor Eggs						
Number of cycles	13	5	4	1	0	0
Number of transfers	10	4	3	1	0	0
Estimated average number of transfers per retrieval	1.0	1.3		0.5		
Average number of embryos transferred	2.0	1.3	2.0	2.0		
Percentage of embryos transferred resulting in implantation	25.0	0 / 5	0 / 6	1 / 2		
Percentage of transfers resulting in singleton live births	2 / 10	0 / 4	0 / 3	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 10	0 / 4	0 / 3	0 / 1		
Percentage of transfers resulting in live births	3 / 10	0 / 4	0 / 3	0 / 1		
Percentage of transfers resulting in pregnancy	4 / 10	0 / 4	0 / 3	1 / 1		
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		11		18		
Number of transfers		9		15		
Average number of embryos transferred		2.0		1.8		
Percentage of embryos transferred resulting in implantation		4 / 18		14.8		
Percentage of transfers resulting in singleton live births		4 / 9		4 / 15		
Percentage of transfers resulting in live births		4 / 9		4 / 15		
Percentage of transfers resulting in pregnancy		4 / 9		4 / 15		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Michigan Comprehensive Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**GRAND RAPIDS FERTILITY & IVF, PC
GRAND RAPIDS, MICHIGAN**

This clinic provided ART services during 2012 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2012 ART cycle data or the clinic's Medical Director did not approve the clinic's 2012 ART cycle data for inclusion in this report.

MICHIGAN REPRODUCTIVE & IVF CENTER, PC GRAND RAPIDS, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by William G. Dodds, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	>99%	With ICSI	83%	Tubal factor	16%	Uterine factor	3%
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	13%	Male factor	67%
Used gestational carrier	1%			Diminished ovarian reserve	20%	Other factor	6%
				Endometriosis	16%	Unknown factor	4%
				<i>Multiple Factors:</i> Female factors only 6% Female & male factors 32%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 945 (includes 6 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	312	80	70	17	6	0
Percentage of cancellations	10.9	11.3	18.6	6 / 17	2 / 6	
Average number of embryos transferred	2.2	2.5	3.2	3.5	5.5	
Percentage of embryos transferred resulting in implantation	29.3	19.8	20.1	2.6	0.0	
Percentage of elective single embryo transfer (eSET)	1.9	0.0	0.0	0 / 11	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	24.0	20.0	14.3	0 / 17	0 / 6	
Percentage of cycles resulting in triplets or more live births	0.6	1.3	2.9	0 / 17	0 / 6	
Percentage of cycles resulting in live births	36.5	26.3	24.3	0 / 17	0 / 6	
Percentage of cycles resulting in pregnancy	41.3	35.0	34.3	1 / 17	1 / 6	
Outcomes per Transfer						
Number of transfers	273	68	54	11	4	0
Percentage of transfers resulting in singleton live births	27.5	23.5	18.5	0 / 11	0 / 4	
Percentage of transfers resulting in triplets or more live births	0.7	1.5	3.7	0 / 11	0 / 4	
Percentage of transfers resulting in live births	41.8	30.9	31.5	0 / 11	0 / 4	
Percentage of transfers resulting in pregnancy	47.3	41.2	44.4	1 / 11	1 / 4	
Outcomes per Pregnancy						
Number of pregnancies	129	28	24	1	1	0
Percentage of pregnancies resulting in singleton live births	58.1	57.1	41.7	0 / 1	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	1.6	3.6	8.3	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births	88.4	75.0	70.8	0 / 1	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	215	61	42	4	1	1
Number of transfers	212	58	41	4	1	1
Estimated average number of transfers per retrieval	2.3	3.1	2.2	1.0		
Average number of embryos transferred	2.2	2.4	2.8	2.5	2.0	1.0
Percentage of embryos transferred resulting in implantation	15.6	13.4	22.1	1 / 10	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births	21.2	17.2	24.4	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0.5	0.0	0.0	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in live births	25.9	22.4	31.7	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	32.1	27.6	43.9	1 / 4	0 / 1	0 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		50		80		
Number of transfers		40		78		
Average number of embryos transferred		2.0		2.2		
Percentage of embryos transferred resulting in implantation		26.6		12.6		
Percentage of transfers resulting in singleton live births		27.5		15.4		
Percentage of transfers resulting in live births		32.5		19.2		
Percentage of transfers resulting in pregnancy		45.0		25.6		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Michigan Reproductive & IVF Center, PC					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF MICHIGAN ROCHESTER HILLS, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Mostafa I. Abuzeid, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	87%	Tubal factor	13%	Uterine factor	18%	
Unstimulated	2%	Used PGD	13%	Ovulatory dysfunction	22%	Male factor	41%	
Used gestational carrier	<1%			Diminished ovarian reserve	38%	Other factor	15%	
				Endometriosis	12%	Unknown factor	3%	
				Multiple Factors:				
				Female factors only				15%
				Female & male factors				28%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 1,057 (includes 16 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	338	141	110	66	27	11
Percentage of cancellations	6.8	8.5	7.3	16.7	11.1	2 / 11
Average number of embryos transferred	2.0	2.0	2.3	2.1	2.3	1.5
Percentage of embryos transferred resulting in implantation	39.2	31.6	16.8	13.6	6.5	1 / 9
Percentage of elective single embryo transfer (eSET)	10.3	7.8	2.9	3.8	0 / 17	1 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	31.4	24.1	17.3	12.1	3.7	1 / 11
Percentage of cycles resulting in triplets or more live births	0.6	0.0	0.0	0.0	0.0	0 / 11
Percentage of cycles resulting in live births	45.6	33.3	20.9	12.1	3.7	1 / 11
Percentage of cycles resulting in pregnancy	50.9	41.1	29.1	16.7	7.4	1 / 11
Outcomes per Transfer						
Number of transfers	285	115	87	38	20	6
Percentage of transfers resulting in singleton live births	37.2	29.6	21.8	21.1	5.0	1 / 6
Percentage of transfers resulting in triplets or more live births	0.7	0.0	0.0	0.0	0.0	0 / 6
Percentage of transfers resulting in live births	54.0	40.9	26.4	21.1	5.0	1 / 6
Percentage of transfers resulting in pregnancy	60.4	50.4	36.8	28.9	10.0	1 / 6
Outcomes per Pregnancy						
Number of pregnancies	172	58	32	11	2	1
Percentage of pregnancies resulting in singleton live births	61.6	58.6	59.4	8 / 11	1 / 2	1 / 1
Percentage of pregnancies resulting in triplets or more live births	1.2	0.0	0.0	0 / 11	0 / 2	0 / 1
Percentage of pregnancies resulting in live births	89.5	81.0	71.9	8 / 11	1 / 2	1 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	127	41	26	10	7	7
Number of transfers	115	41	20	10	4	6
Estimated average number of transfers per retrieval	2.2	1.8	1.4	5.0	0.8	3.0
Average number of embryos transferred	2.0	2.0	2.2	2.3	2.8	2.0
Percentage of embryos transferred resulting in implantation	35.7	30.1	14.0	17.4	1 / 11	1 / 12
Percentage of transfers resulting in singleton live births	32.2	26.8	20.0	2 / 10	0 / 4	1 / 6
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 10	0 / 4	0 / 6
Percentage of transfers resulting in live births	43.5	31.7	20.0	2 / 10	0 / 4	1 / 6
Percentage of transfers resulting in pregnancy	57.4	61.0	40.0	5 / 10	1 / 4	1 / 6
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		77		53		
Number of transfers		62		44		
Average number of embryos transferred		2.0		2.0		
Percentage of embryos transferred resulting in implantation		51.2		16.9		
Percentage of transfers resulting in singleton live births		24.2		15.9		
Percentage of transfers resulting in live births		58.1		22.7		
Percentage of transfers resulting in pregnancy		66.1		29.5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: IVF Michigan					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WAYNE STATE UNIVERSITY PHYSICIAN GROUP SOUTHFIELD, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Elizabeth E. Puscheck, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	97%	Tubal factor	12%	Uterine factor	4%	
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	17%	Male factor	41%	
Used gestational carrier	2%			Diminished ovarian reserve	15%	Other factor	12%	
				Endometriosis	15%	Unknown factor	14%	
				Multiple Factors:				
				Female factors only				8%
				Female & male factors				16%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 205 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	67	22	20	10	1	0
Percentage of cancellations	0.0	9.1	0.0	0 / 10	0 / 1	
Average number of embryos transferred	2.2	2.8	2.8	3.3	4.0	
Percentage of embryos transferred resulting in implantation	29.8	11.1	24.5	15.0	1 / 4	
Percentage of elective single embryo transfer (eSET)	1.6	0 / 18	0 / 17	0 / 6	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.9	18.2	20.0	2 / 10	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 10	0 / 1	
Percentage of cycles resulting in live births	41.8	18.2	40.0	2 / 10	0 / 1	
Percentage of cycles resulting in pregnancy	44.8	22.7	50.0	2 / 10	1 / 1	
Outcomes per Transfer						
Number of transfers	63	19	19	6	1	0
Percentage of transfers resulting in singleton live births	28.6	4 / 19	4 / 19	2 / 6	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 19	0 / 19	0 / 6	0 / 1	
Percentage of transfers resulting in live births	44.4	4 / 19	8 / 19	2 / 6	0 / 1	
Percentage of transfers resulting in pregnancy	47.6	5 / 19	10 / 19	2 / 6	1 / 1	
Outcomes per Pregnancy						
Number of pregnancies	30	5	10	2	1	0
Percentage of pregnancies resulting in singleton live births	60.0	4 / 5	4 / 10	2 / 2	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 5	0 / 10	0 / 2	0 / 1	
Percentage of pregnancies resulting in live births	93.3	4 / 5	8 / 10	2 / 2	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	38	22	4	3	0	1
Number of transfers	36	19	4	3	0	1
Estimated average number of transfers per retrieval	1.6	1.4	0.8	1.5		
Average number of embryos transferred	2.8	2.9	3.5	2.7		3.0
Percentage of embryos transferred resulting in implantation	18.6	12.7	0 / 14	0 / 8		0 / 3
Percentage of transfers resulting in singleton live births	27.8	4 / 19	0 / 4	0 / 3		0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 19	0 / 4	0 / 3		0 / 1
Percentage of transfers resulting in live births	36.1	5 / 19	0 / 4	0 / 3		0 / 1
Percentage of transfers resulting in pregnancy	55.6	6 / 19	0 / 4	0 / 3		0 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		13		4		
Number of transfers		13		4		
Average number of embryos transferred		1.9		3.0		
Percentage of embryos transferred resulting in implantation		44.0		1 / 12		
Percentage of transfers resulting in singleton live births		5 / 13		0 / 4		
Percentage of transfers resulting in live births		8 / 13		0 / 4		
Percentage of transfers resulting in pregnancy		8 / 13		2 / 4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Wayne State University Physician Group					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HENRY FORD REPRODUCTIVE MEDICINE TROY, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Kenneth Ginsburg, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	56%	Tubal factor	15%	Uterine factor	14%	
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	8%	Male factor	41%	
Used gestational carrier	0%			Diminished ovarian reserve	8%	Other factor	13%	
				Endometriosis	14%	Unknown factor	17%	
				Multiple Factors:				
				Female factors only				5%
				Female & male factors				24%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 88 (includes 2 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	26	17	8	2	3	1
Percentage of cancellations	15.4	1 / 17	2 / 8	1 / 2	0 / 3	0 / 1
Average number of embryos transferred	2.2	2.4	2.2	2.0		
Percentage of embryos transferred resulting in implantation	30.0	12.1	3 / 13	0 / 2		
Percentage of elective single embryo transfer (eSET)	1 / 18	0 / 13	0 / 6	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.1	2 / 17	1 / 8	0 / 2	0 / 3	0 / 1
Percentage of cycles resulting in triplets or more live births	3.8	0 / 17	0 / 8	0 / 2	0 / 3	0 / 1
Percentage of cycles resulting in live births	30.8	3 / 17	2 / 8	0 / 2	0 / 3	0 / 1
Percentage of cycles resulting in pregnancy	30.8	3 / 17	2 / 8	0 / 2	0 / 3	0 / 1
Outcomes per Transfer						
Number of transfers	18	14	6	1	0	0
Percentage of transfers resulting in singleton live births	6 / 18	2 / 14	1 / 6	0 / 1		
Percentage of transfers resulting in triplets or more live births	1 / 18	0 / 14	0 / 6	0 / 1		
Percentage of transfers resulting in live births	8 / 18	3 / 14	2 / 6	0 / 1		
Percentage of transfers resulting in pregnancy	8 / 18	3 / 14	2 / 6	0 / 1		
Outcomes per Pregnancy						
Number of pregnancies	8	3	2	0	0	0
Percentage of pregnancies resulting in singleton live births	6 / 8	2 / 3	1 / 2			
Percentage of pregnancies resulting in triplets or more live births	1 / 8	0 / 3	0 / 2			
Percentage of pregnancies resulting in live births	8 / 8	3 / 3	2 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	11	8	4	1	0	1
Number of transfers	11	8	4	1	0	1
Estimated average number of transfers per retrieval	1.2	1.6	2.0		0.0	
Average number of embryos transferred	2.1	1.6	1.5	2.0		3.0
Percentage of embryos transferred resulting in implantation	13.0	0 / 13	0 / 6	0 / 2		0 / 3
Percentage of transfers resulting in singleton live births	1 / 11	0 / 8	0 / 4	0 / 1		0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 11	0 / 8	0 / 4	0 / 1		0 / 1
Percentage of transfers resulting in live births	1 / 11	0 / 8	0 / 4	0 / 1		0 / 1
Percentage of transfers resulting in pregnancy	4 / 11	0 / 8	0 / 4	0 / 1		0 / 1
All Ages Combined^f						
Donor Eggs	Fresh Embryos			Frozen Embryos		
Number of cycles	1			3		
Number of transfers	1			3		
Average number of embryos transferred	2.0			2.0		
Percentage of embryos transferred resulting in implantation	1 / 2			1 / 6		
Percentage of transfers resulting in singleton live births	1 / 1			1 / 3		
Percentage of transfers resulting in live births	1 / 1			1 / 3		
Percentage of transfers resulting in pregnancy	1 / 1			2 / 3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Henry Ford Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**LUANA J. KYSELKA, MD, PC
TROY, MICHIGAN**

This clinic provided ART services during 2012 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2012 ART cycle data or the clinic's Medical Director did not approve the clinic's 2012 ART cycle data for inclusion in this report.

**BRENDA L. MOSKOVITZ, MD, PC
TROY, MICHIGAN**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Brenda L. Moskovitz, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	100%	Tubal factor	46%	Uterine factor	0%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	9%	Male factor	64%
Used gestational carrier	0%			Diminished ovarian reserve	36%	Other factor	0%
				Endometriosis	36%	Unknown factor	9%
				Multiple Factors:			
				Female factors only 18%			
				Female & male factors 55%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 11 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	5	0	3	2	0	0
Percentage of cancellations	0/5		0/3	0/2		
Average number of embryos transferred	1.4		1.0	2.5		
Percentage of embryos transferred resulting in implantation	4/7		1/3	2/5		
Percentage of elective single embryo transfer (eSET)	3/5		1/1	0/2		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	4/5		0/3	0/2		
Percentage of cycles resulting in triplets or more live births	0/5		0/3	0/2		
Percentage of cycles resulting in live births	4/5		0/3	1/2		
Percentage of cycles resulting in pregnancy	4/5		1/3	1/2		
Outcomes per Transfer						
Number of transfers	5	0	3	2	0	0
Percentage of transfers resulting in singleton live births	4/5		0/3	0/2		
Percentage of transfers resulting in triplets or more live births	0/5		0/3	0/2		
Percentage of transfers resulting in live births	4/5		0/3	1/2		
Percentage of transfers resulting in pregnancy	4/5		1/3	1/2		
Outcomes per Pregnancy						
Number of pregnancies	4	0	1	1	0	0
Percentage of pregnancies resulting in singleton live births	4/4		0/1	0/1		
Percentage of pregnancies resulting in triplets or more live births	0/4		0/1	0/1		
Percentage of pregnancies resulting in live births	4/4		0/1	1/1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	0	0	0	0	0
Number of transfers	1	0	0	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred	2.0					
Percentage of embryos transferred resulting in implantation	1/2					
Percentage of transfers resulting in singleton live births	1/1					
Percentage of transfers resulting in triplets or more live births	0/1					
Percentage of transfers resulting in live births	1/1					
Percentage of transfers resulting in pregnancy	1/1					
Donor Eggs						
			All Ages Combined^f			
			Fresh Embryos		Frozen Embryos	
Number of cycles			0		0	
Number of transfers			0		0	
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Brenda L. Moskovitz, MD, PC			
Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Embryo cryopreservation?	Yes
Single women?	Yes	SART member?	Yes
		Verified lab accreditation?	Pending
		(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF MICHIGAN TROY, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Brad T. Miller, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	53%	Tubal factor	9%	Uterine factor	7%
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	18%	Male factor	33%
Used gestational carrier	0%			Diminished ovarian reserve	16%	Other factor	22%
				Endometriosis	17%	Unknown factor	7%
				<i>Multiple Factors:</i> Female factors only 14% Female & male factors 13%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 383 (includes 20 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	91	63	39	8	8	5
Percentage of cancellations	1.1	4.8	5.1	1 / 8	2 / 8	1 / 5
Average number of embryos transferred	2.0	2.4	2.7	2.5	2.7	2.7
Percentage of embryos transferred resulting in implantation	41.7	21.6	12.1	1 / 15	1 / 16	0 / 8
Percentage of elective single embryo transfer (eSET)	21.4	3.8	0.0	0 / 5	0 / 6	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	37.4	19.0	12.8	0 / 8	1 / 8	0 / 5
Percentage of cycles resulting in triplets or more live births	1.1	0.0	0.0	0 / 8	0 / 8	0 / 5
Percentage of cycles resulting in live births	53.8	28.6	15.4	0 / 8	1 / 8	0 / 5
Percentage of cycles resulting in pregnancy	57.1	39.7	23.1	1 / 8	1 / 8	1 / 5
Outcomes per Transfer						
Number of transfers	88	57	34	6	6	3
Percentage of transfers resulting in singleton live births	38.6	21.1	14.7	0 / 6	1 / 6	0 / 3
Percentage of transfers resulting in triplets or more live births	1.1	0.0	0.0	0 / 6	0 / 6	0 / 3
Percentage of transfers resulting in live births	55.7	31.6	17.6	0 / 6	1 / 6	0 / 3
Percentage of transfers resulting in pregnancy	59.1	43.9	26.5	1 / 6	1 / 6	1 / 3
Outcomes per Pregnancy						
Number of pregnancies	52	25	9	1	1	1
Percentage of pregnancies resulting in singleton live births	65.4	48.0	5 / 9	0 / 1	1 / 1	0 / 1
Percentage of pregnancies resulting in triplets or more live births	1.9	0.0	0 / 9	0 / 1	0 / 1	0 / 1
Percentage of pregnancies resulting in live births	94.2	72.0	6 / 9	0 / 1	1 / 1	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	53	21	13	13	1	0
Number of transfers	48	21	10	12	1	0
Estimated average number of transfers per retrieval	1.9	1.8	1.3	1.7		0.0
Average number of embryos transferred	1.8	1.7	1.9	1.8	2.0	
Percentage of embryos transferred resulting in implantation	28.4	31.4	9 / 19	14.3	0 / 2	
Percentage of transfers resulting in singleton live births	27.1	33.3	2 / 10	1 / 12	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 10	0 / 12	0 / 1	
Percentage of transfers resulting in live births	35.4	38.1	4 / 10	2 / 12	0 / 1	
Percentage of transfers resulting in pregnancy	52.1	52.4	6 / 10	2 / 12	0 / 1	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		24		24		
Number of transfers		23		16		
Average number of embryos transferred		2.1		2.1		
Percentage of embryos transferred resulting in implantation		38.8		33.3		
Percentage of transfers resulting in singleton live births		30.4		4 / 16		
Percentage of transfers resulting in live births		47.8		6 / 16		
Percentage of transfers resulting in pregnancy		65.2		8 / 16		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine Associates of Michigan					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MICHIGAN CENTER FOR FERTILITY AND WOMEN'S HEALTH, PLC WARREN, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Carole L. Kowalczyk, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	95%	Tubal factor	16%	Uterine factor	6%	
Unstimulated	0%	Used PGD	20%	Ovulatory dysfunction	4%	Male factor	48%	
Used gestational carrier	0%			Diminished ovarian reserve	27%	Other factor	4%	
				Endometriosis	3%	Unknown factor	20%	
				Multiple Factors:				
				Female factors only				5%
				Female & male factors				22%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 187 (includes 9 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		66	36	11	10	2	0
Percentage of cancellations		1.5	5.6	0 / 11	3 / 10	0 / 2	
Average number of embryos transferred		2.1	2.1	1.7	1.3	3.0	
Percentage of embryos transferred resulting in implantation		38.5	25.8	4 / 12	1 / 4	0 / 3	
Percentage of elective single embryo transfer (eSET)		0.0	0.0	0 / 5	0 / 1	0 / 1	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		27.3	36.1	0 / 11	1 / 10	0 / 2	
Percentage of cycles resulting in triplets or more live births		0.0	0.0	0 / 11	0 / 10	0 / 2	
Percentage of cycles resulting in live births		45.5	38.9	1 / 11	1 / 10	0 / 2	
Percentage of cycles resulting in pregnancy		48.5	41.7	3 / 11	1 / 10	0 / 2	
Outcomes per Transfer							
Number of transfers		62	31	7	3	1	0
Percentage of transfers resulting in singleton live births		29.0	41.9	0 / 7	1 / 3	0 / 1	
Percentage of transfers resulting in triplets or more live births		0.0	0.0	0 / 7	0 / 3	0 / 1	
Percentage of transfers resulting in live births		48.4	45.2	1 / 7	1 / 3	0 / 1	
Percentage of transfers resulting in pregnancy		51.6	48.4	3 / 7	1 / 3	0 / 1	
Outcomes per Pregnancy							
Number of pregnancies		32	15	3	1	0	0
Percentage of pregnancies resulting in singleton live births		56.3	13 / 15	0 / 3	1 / 1		
Percentage of pregnancies resulting in triplets or more live births		0.0	0 / 15	0 / 3	0 / 1		
Percentage of pregnancies resulting in live births		93.8	14 / 15	1 / 3	1 / 1		
Frozen Embryos from Nondonor Eggs							
Number of cycles		20	10	6	2	0	2
Number of transfers		19	10	6	2	0	2
Estimated average number of transfers per retrieval		1.5	1.3	0.9	1.0		
Average number of embryos transferred		1.9	1.9	1.3	2.0		2.0
Percentage of embryos transferred resulting in implantation		27.8	10 / 19	5 / 8	2 / 4		0 / 4
Percentage of transfers resulting in singleton live births		4 / 19	3 / 10	2 / 6	2 / 2		0 / 2
Percentage of transfers resulting in triplets or more live births		0 / 19	0 / 10	0 / 6	0 / 2		0 / 2
Percentage of transfers resulting in live births		5 / 19	5 / 10	3 / 6	2 / 2		0 / 2
Percentage of transfers resulting in pregnancy		9 / 19	7 / 10	4 / 6	2 / 2		0 / 2
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		11			2		
Number of transfers		11			1		
Average number of embryos transferred		2.2			2.0		
Percentage of embryos transferred resulting in implantation		45.8			2 / 2		
Percentage of transfers resulting in singleton live births		3 / 11			0 / 1		
Percentage of transfers resulting in live births		6 / 11			1 / 1		
Percentage of transfers resulting in pregnancy		7 / 11			1 / 1		

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Michigan Center for Fertility and Women's Health, PLC					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE MIDWEST CENTER FOR REPRODUCTIVE HEALTH, PA MAPLE GROVE, MINNESOTA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Randle S. Corfman, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	51%	Tubal factor	8%	Uterine factor	4%	
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	53%	Male factor	37%	
Used gestational carrier	0%			Diminished ovarian reserve	1%	Other factor	6%	
				Endometriosis	11%	Unknown factor	8%	
				Multiple Factors:				
				Female factors only				7%
				Female & male factors				22%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 219 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	105	28	7	2	0	0
Percentage of cancellations	1.9	17.9	2 / 7	1 / 2		
Average number of embryos transferred	1.9	1.9	1.6	2.0		
Percentage of embryos transferred resulting in implantation	47.9	40.5	2 / 8	0 / 2		
Percentage of elective single embryo transfer (eSET)	3.2	0.0	1 / 4	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.5	17.9	0 / 7	0 / 2		
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 7	0 / 2		
Percentage of cycles resulting in live births	56.2	35.7	1 / 7	0 / 2		
Percentage of cycles resulting in pregnancy	62.9	39.3	1 / 7	0 / 2		
Outcomes per Transfer						
Number of transfers	98	22	5	1	0	0
Percentage of transfers resulting in singleton live births	32.7	22.7	0 / 5	0 / 1		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 5	0 / 1		
Percentage of transfers resulting in live births	60.2	45.5	1 / 5	0 / 1		
Percentage of transfers resulting in pregnancy	67.3	50.0	1 / 5	0 / 1		
Outcomes per Pregnancy						
Number of pregnancies	66	11	1	0	0	0
Percentage of pregnancies resulting in singleton live births	48.5	5 / 11	0 / 1			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 11	0 / 1			
Percentage of pregnancies resulting in live births	89.4	10 / 11	1 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	27	7	4	3	0	1
Number of transfers	27	7	4	3	0	1
Estimated average number of transfers per retrieval	3.4	7.0				
Average number of embryos transferred	1.6	1.6	1.8	1.3		1.0
Percentage of embryos transferred resulting in implantation	16.3	5 / 11	2 / 7	0 / 4		0 / 1
Percentage of transfers resulting in singleton live births	18.5	4 / 7	1 / 4	0 / 3		0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 7	0 / 4	0 / 3		0 / 1
Percentage of transfers resulting in live births	18.5	4 / 7	1 / 4	0 / 3		0 / 1
Percentage of transfers resulting in pregnancy	33.3	4 / 7	2 / 4	0 / 3		0 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		24		11		
Number of transfers		24		11		
Average number of embryos transferred		1.9		1.5		
Percentage of embryos transferred resulting in implantation		60.0		1 / 17		
Percentage of transfers resulting in singleton live births		33.3		1 / 11		
Percentage of transfers resulting in live births		66.7		1 / 11		
Percentage of transfers resulting in pregnancy		83.3		2 / 11		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Midwest Center for Reproductive Health, PA					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**CENTER FOR REPRODUCTIVE MEDICINE
ADVANCED REPRODUCTIVE TECHNOLOGIES
MINNEAPOLIS, MINNESOTA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Lisa Erickson, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	59%	Tubal factor	14%	Uterine factor	5%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	12%	Male factor	39%	
Used gestational carrier	2%			Diminished ovarian reserve	29%	Other factor	4%	
				Endometriosis	11%	Unknown factor	15%	
				Multiple Factors:				
				Female factors only				8%
				Female & male factors				17%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 983 (includes 15 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	369	159	132	42	13	4
Percentage of cancellations	4.9	5.0	8.3	21.4	4 / 13	0 / 4
Average number of embryos transferred	1.7	1.8	2.0	2.3	2.9	2.5
Percentage of embryos transferred resulting in implantation	50.3	36.8	27.6	16.4	5.0	0 / 10
Percentage of elective single embryo transfer (eSET)	15.8	5.7	2.9	0.0	0 / 7	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	36.0	29.6	22.7	7.1	1 / 13	0 / 4
Percentage of cycles resulting in triplets or more live births	0.3	0.0	0.0	2.4	0 / 13	0 / 4
Percentage of cycles resulting in live births	53.9	40.3	31.1	14.3	1 / 13	0 / 4
Percentage of cycles resulting in pregnancy	58.5	52.8	42.4	19.0	1 / 13	0 / 4
Outcomes per Transfer						
Number of transfers	331	143	112	29	7	4
Percentage of transfers resulting in singleton live births	40.2	32.9	26.8	10.3	1 / 7	0 / 4
Percentage of transfers resulting in triplets or more live births	0.3	0.0	0.0	3.4	0 / 7	0 / 4
Percentage of transfers resulting in live births	60.1	44.8	36.6	20.7	1 / 7	0 / 4
Percentage of transfers resulting in pregnancy	65.3	58.7	50.0	27.6	1 / 7	0 / 4
Outcomes per Pregnancy						
Number of pregnancies	216	84	56	8	1	0
Percentage of pregnancies resulting in singleton live births	61.6	56.0	53.6	3 / 8	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.5	0.0	0.0	1 / 8	0 / 1	
Percentage of pregnancies resulting in live births	92.1	76.2	73.2	6 / 8	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	69	32	13	9	2	1
Number of transfers	65	30	10	8	2	1
Estimated average number of transfers per retrieval	1.7	1.8	2.0	2.7	1.0	1.0
Average number of embryos transferred	1.9	1.8	1.6	1.5	1.0	1.0
Percentage of embryos transferred resulting in implantation	49.6	30.9	8 / 16	3 / 12	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births	36.9	36.7	4 / 10	2 / 8	0 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	3.1	0.0	1 / 10	0 / 8	0 / 2	0 / 1
Percentage of transfers resulting in live births	60.0	43.3	5 / 10	2 / 8	0 / 2	0 / 1
Percentage of transfers resulting in pregnancy	70.8	53.3	6 / 10	3 / 8	0 / 2	0 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		91		32		
Number of transfers		87		30		
Average number of embryos transferred		1.7		1.5		
Percentage of embryos transferred resulting in implantation		63.0		39.1		
Percentage of transfers resulting in singleton live births		39.1		30.0		
Percentage of transfers resulting in live births		63.2		36.7		
Percentage of transfers resulting in pregnancy		70.1		46.7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Reproductive Medicine, Advanced Reproductive Technologies

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE CENTER MINNEAPOLIS, MINNESOTA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by William R. Phipps, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	73%	Tubal factor	18%	Uterine factor	9%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	24%	Male factor	62%	
Used gestational carrier	<1%			Diminished ovarian reserve	15%	Other factor	5%	
				Endometriosis	21%	Unknown factor	5%	
				Multiple Factors:				
				Female factors only				10%
				Female & male factors				36%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 310 (includes 2 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	147	44	34	17	10	1
Percentage of cancellations	2.0	13.6	2.9	0 / 17	3 / 10	0 / 1
Average number of embryos transferred	1.9	1.8	2.3	2.7	4.0	3.0
Percentage of embryos transferred resulting in implantation	36.5	27.1	20.6	18.6	1 / 16	0 / 3
Percentage of elective single embryo transfer (eSET)	9.5	3.1	0.0	0 / 15	0 / 4	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	31.3	27.3	20.6	5 / 17	0 / 10	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 17	0 / 10	0 / 1
Percentage of cycles resulting in live births	43.5	34.1	29.4	5 / 17	0 / 10	0 / 1
Percentage of cycles resulting in pregnancy	49.0	38.6	35.3	6 / 17	1 / 10	0 / 1
Outcomes per Transfer						
Number of transfers	134	38	29	16	4	1
Percentage of transfers resulting in singleton live births	34.3	31.6	24.1	5 / 16	0 / 4	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 16	0 / 4	0 / 1
Percentage of transfers resulting in live births	47.8	39.5	34.5	5 / 16	0 / 4	0 / 1
Percentage of transfers resulting in pregnancy	53.7	44.7	41.4	6 / 16	1 / 4	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	72	17	12	6	1	0
Percentage of pregnancies resulting in singleton live births	63.9	12 / 17	7 / 12	5 / 6	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 17	0 / 12	0 / 6	0 / 1	
Percentage of pregnancies resulting in live births	88.9	15 / 17	10 / 12	5 / 6	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	31	12	3	2	0	0
Number of transfers	26	8	2	1	0	0
Estimated average number of transfers per retrieval	1.3	2.0				
Average number of embryos transferred	1.3	1.4	2.0	2.0		
Percentage of embryos transferred resulting in implantation	22.9	2 / 11	2 / 4	1 / 2		
Percentage of transfers resulting in singleton live births	23.1	2 / 8	0 / 2	1 / 1		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 8	0 / 2	0 / 1		
Percentage of transfers resulting in live births	23.1	2 / 8	1 / 2	1 / 1		
Percentage of transfers resulting in pregnancy	26.9	3 / 8	2 / 2	1 / 1		
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		7		0		
Number of transfers		7		0		
Average number of embryos transferred		2.0				
Percentage of embryos transferred resulting in implantation		7 / 14				
Percentage of transfers resulting in singleton live births		2 / 7				
Percentage of transfers resulting in live births		3 / 7				
Percentage of transfers resulting in pregnancy		4 / 7				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine Center					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MAYO CLINIC ASSISTED REPRODUCTIVE TECHNOLOGIES ROCHESTER, MINNESOTA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Charles C. Coddington, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	57%	Tubal factor	10%	Uterine factor	1%	
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	27%	Male factor	46%	
Used gestational carrier	<1%			Diminished ovarian reserve	26%	Other factor	5%	
				Endometriosis	7%	Unknown factor	11%	
				Multiple Factors:				
				Female factors only				6%
				Female & male factors				25%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 324 (includes 43 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		79	20	17	11	2	0
Percentage of cancellations		19.0	0.0	1 / 17	4 / 11	0 / 2	
Average number of embryos transferred		1.9	2.7	3.0	2.9	3.0	
Percentage of embryos transferred resulting in implantation		26.7	21.6	23.1	5.0	0 / 6	
Percentage of elective single embryo transfer (eSET)		9.1	2 / 19	0 / 13	0 / 6	0 / 2	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		19.0	20.0	3 / 17	1 / 11	0 / 2	
Percentage of cycles resulting in triplets or more live births		1.3	0.0	0 / 17	0 / 11	0 / 2	
Percentage of cycles resulting in live births		25.3	35.0	4 / 17	1 / 11	0 / 2	
Percentage of cycles resulting in pregnancy		29.1	40.0	6 / 17	1 / 11	0 / 2	
Outcomes per Transfer							
Number of transfers		55	19	13	7	2	0
Percentage of transfers resulting in singleton live births		27.3	4 / 19	3 / 13	1 / 7	0 / 2	
Percentage of transfers resulting in triplets or more live births		1.8	0 / 19	0 / 13	0 / 7	0 / 2	
Percentage of transfers resulting in live births		36.4	7 / 19	4 / 13	1 / 7	0 / 2	
Percentage of transfers resulting in pregnancy		41.8	8 / 19	6 / 13	1 / 7	0 / 2	
Outcomes per Pregnancy							
Number of pregnancies		23	8	6	1	0	0
Percentage of pregnancies resulting in singleton live births		65.2	4 / 8	3 / 6	1 / 1		
Percentage of pregnancies resulting in triplets or more live births		4.3	0 / 8	0 / 6	0 / 1		
Percentage of pregnancies resulting in live births		87.0	7 / 8	4 / 6	1 / 1		
Frozen Embryos from Nondonor Eggs							
Number of cycles		85	27	14	2	1	0
Number of transfers		77	26	13	0	1	0
Estimated average number of transfers per retrieval		1.2	1.6	1.9			
Average number of embryos transferred		2.0	1.8	2.1		1.0	
Percentage of embryos transferred resulting in implantation		29.0	27.1	11.1		0 / 1	
Percentage of transfers resulting in singleton live births		23.4	34.6	1 / 13		0 / 1	
Percentage of transfers resulting in triplets or more live births		0.0	0.0	0 / 13		0 / 1	
Percentage of transfers resulting in live births		36.4	42.3	2 / 13		0 / 1	
Percentage of transfers resulting in pregnancy		46.8	46.2	2 / 13		0 / 1	
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		6			17		
Number of transfers		5			17		
Average number of embryos transferred		1.6			2.1		
Percentage of embryos transferred resulting in implantation		2 / 8			25.7		
Percentage of transfers resulting in singleton live births		2 / 5			6 / 17		
Percentage of transfers resulting in live births		2 / 5			7 / 17		
Percentage of transfers resulting in pregnancy		2 / 5			8 / 17		

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Mayo Clinic Assisted Reproductive Technologies					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE & INFERTILITY ASSOCIATES WOODBURY, MINNESOTA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Jacques P. Stassart, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	97%	Tubal factor	17%	Uterine factor	6%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	22%	Male factor	61%
Used gestational carrier	2%			Diminished ovarian reserve	9%	Other factor	27%
				Endometriosis	21%	Unknown factor	5%
				<i>Multiple Factors:</i> Female factors only 11% Female & male factors 41%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 510 (includes 17 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	193	49	31	20	1	1
Percentage of cancellations	1.0	2.0	6.5	15.0	0 / 1	0 / 1
Average number of embryos transferred	1.9	2.1	2.5	3.5	2.0	3.0
Percentage of embryos transferred resulting in implantation	45.5	30.2	15.3	4.3	0 / 2	0 / 3
Percentage of elective single embryo transfer (eSET)	18.1	4.7	0.0	0 / 12	0 / 1	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	35.2	32.7	9.7	5.0	0 / 1	0 / 1
Percentage of cycles resulting in triplets or more live births	0.5	0.0	0.0	0.0	0 / 1	0 / 1
Percentage of cycles resulting in live births	54.9	40.8	19.4	5.0	0 / 1	0 / 1
Percentage of cycles resulting in pregnancy	58.5	49.0	29.0	10.0	0 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	184	46	29	13	1	1
Percentage of transfers resulting in singleton live births	37.0	34.8	10.3	1 / 13	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0.5	0.0	0.0	0 / 13	0 / 1	0 / 1
Percentage of transfers resulting in live births	57.6	43.5	20.7	1 / 13	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	61.4	52.2	31.0	2 / 13	0 / 1	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	113	24	9	2	0	0
Percentage of pregnancies resulting in singleton live births	60.2	66.7	3 / 9	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.9	0.0	0 / 9	0 / 2		
Percentage of pregnancies resulting in live births	93.8	83.3	6 / 9	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	74	19	15	7	4	3
Number of transfers	72	19	14	7	4	3
Estimated average number of transfers per retrieval	1.6	1.4	2.0	0.9		
Average number of embryos transferred	1.4	1.3	1.5	1.6	3.0	2.0
Percentage of embryos transferred resulting in implantation	33.7	16.0	28.6	1 / 11	1 / 12	0 / 6
Percentage of transfers resulting in singleton live births	29.2	4 / 19	6 / 14	1 / 7	1 / 4	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0 / 19	0 / 14	0 / 7	0 / 4	0 / 3
Percentage of transfers resulting in live births	33.3	4 / 19	6 / 14	1 / 7	1 / 4	0 / 3
Percentage of transfers resulting in pregnancy	44.4	6 / 19	6 / 14	1 / 7	1 / 4	0 / 3
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		49		27		
Number of transfers		46		27		
Average number of embryos transferred		1.7		1.4		
Percentage of embryos transferred resulting in implantation		43.8		28.9		
Percentage of transfers resulting in singleton live births		32.6		14.8		
Percentage of transfers resulting in live births		47.8		22.2		
Percentage of transfers resulting in pregnancy		63.0		33.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine & Infertility Associates					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MISSISSIPPI REPRODUCTIVE MEDICINE, PLLC FLOWOOD, MISSISSIPPI

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Randall S. Hines, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	86%	Tubal factor	30%	Uterine factor	29%	
Unstimulated	18%	Used PGD	4%	Ovulatory dysfunction	18%	Male factor	23%	
Used gestational carrier	0%			Diminished ovarian reserve	24%	Other factor	8%	
				Endometriosis	29%	Unknown factor	3%	
				Multiple Factors:				
				Female factors only				31%
				Female & male factors				17%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 110 (includes 9 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		28	16	7	3	2	1
Percentage of cancellations		3.6	1 / 16	1 / 7	2 / 3	0 / 2	0 / 1
Average number of embryos transferred		2.0	2.2	2.0	1.0	2.5	4.0
Percentage of embryos transferred resulting in implantation		26.1	17.9	1 / 4	0 / 1	0 / 5	0 / 4
Percentage of elective single embryo transfer (eSET)		4.8	0 / 12	0 / 2		0 / 2	0 / 1
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		21.4	2 / 16	0 / 7	0 / 3	0 / 2	0 / 1
Percentage of cycles resulting in triplets or more live births		0.0	0 / 16	0 / 7	0 / 3	0 / 2	0 / 1
Percentage of cycles resulting in live births		32.1	3 / 16	0 / 7	0 / 3	0 / 2	0 / 1
Percentage of cycles resulting in pregnancy		32.1	4 / 16	1 / 7	1 / 3	0 / 2	0 / 1
Outcomes per Transfer							
Number of transfers		23	13	2	1	2	1
Percentage of transfers resulting in singleton live births		26.1	2 / 13	0 / 2	0 / 1	0 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births		0.0	0 / 13	0 / 2	0 / 1	0 / 2	0 / 1
Percentage of transfers resulting in live births		39.1	3 / 13	0 / 2	0 / 1	0 / 2	0 / 1
Percentage of transfers resulting in pregnancy		39.1	4 / 13	1 / 2	1 / 1	0 / 2	0 / 1
Outcomes per Pregnancy							
Number of pregnancies		9	4	1	1	0	0
Percentage of pregnancies resulting in singleton live births		6 / 9	2 / 4	0 / 1	0 / 1		
Percentage of pregnancies resulting in triplets or more live births		0 / 9	0 / 4	0 / 1	0 / 1		
Percentage of pregnancies resulting in live births		9 / 9	3 / 4	0 / 1	0 / 1		
Frozen Embryos from Nondonor Eggs							
Number of cycles		19	11	1	0	0	1
Number of transfers		18	11	1	0	0	1
Estimated average number of transfers per retrieval		1.3	1.6	1.0			
Average number of embryos transferred		1.6	1.5	2.0			1.0
Percentage of embryos transferred resulting in implantation		34.5	2 / 17	1 / 2			0 / 1
Percentage of transfers resulting in singleton live births		8 / 18	0 / 11	1 / 1			0 / 1
Percentage of transfers resulting in triplets or more live births		0 / 18	0 / 11	0 / 1			0 / 1
Percentage of transfers resulting in live births		8 / 18	0 / 11	1 / 1			0 / 1
Percentage of transfers resulting in pregnancy		9 / 18	2 / 11	1 / 1			0 / 1
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		8			4		
Number of transfers		7			4		
Average number of embryos transferred		1.7			1.8		
Percentage of embryos transferred resulting in implantation		7 / 12			2 / 7		
Percentage of transfers resulting in singleton live births		3 / 7			2 / 4		
Percentage of transfers resulting in live births		4 / 7			2 / 4		
Percentage of transfers resulting in pregnancy		5 / 7			2 / 4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Mississippi Reproductive Medicine, PLLC					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MISSISSIPPI FERTILITY INSTITUTE JACKSON, MISSISSIPPI

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by John D. Isaacs, Jr, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	78%	Tubal factor	37%	Uterine factor	13%	
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	<1%	Male factor	27%	
Used gestational carrier	0%			Diminished ovarian reserve	10%	Other factor	0%	
				Endometriosis	21%	Unknown factor	17%	
				Multiple Factors:				
				Female factors only				13%
				Female & male factors				8%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 164 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	56	33	16	2	2	0
Percentage of cancellations	1.8	9.1	2 / 16	1 / 2	0 / 2	
Average number of embryos transferred	2.1	2.2	1.9	3.0	2.5	
Percentage of embryos transferred resulting in implantation	31.1	30.6	20.0	0 / 3	0 / 5	
Percentage of elective single embryo transfer (eSET)	0.0	0.0	0 / 12	0 / 1	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.2	30.3	1 / 16	0 / 2	0 / 2	
Percentage of cycles resulting in triplets or more live births	3.6	3.0	0 / 16	0 / 2	0 / 2	
Percentage of cycles resulting in live births	35.7	39.4	3 / 16	0 / 2	0 / 2	
Percentage of cycles resulting in pregnancy	41.1	39.4	3 / 16	0 / 2	0 / 2	
Outcomes per Transfer						
Number of transfers	50	28	13	1	2	0
Percentage of transfers resulting in singleton live births	26.0	35.7	1 / 13	0 / 1	0 / 2	
Percentage of transfers resulting in triplets or more live births	4.0	3.6	0 / 13	0 / 1	0 / 2	
Percentage of transfers resulting in live births	40.0	46.4	3 / 13	0 / 1	0 / 2	
Percentage of transfers resulting in pregnancy	46.0	46.4	3 / 13	0 / 1	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	23	13	3	0	0	0
Percentage of pregnancies resulting in singleton live births	56.5	10 / 13	1 / 3			
Percentage of pregnancies resulting in triplets or more live births	8.7	1 / 13	0 / 3			
Percentage of pregnancies resulting in live births	87.0	13 / 13	3 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	27	7	4	1	1	0
Number of transfers	27	7	4	1	1	0
Estimated average number of transfers per retrieval	2.3	1.4	2.0	1.0	1.0	
Average number of embryos transferred	1.9	2.1	2.0	2.0	1.0	
Percentage of embryos transferred resulting in implantation	28.0	5 / 15	1 / 8	1 / 2	0 / 1	
Percentage of transfers resulting in singleton live births	25.9	3 / 7	0 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 7	0 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in live births	33.3	4 / 7	0 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	37.0	4 / 7	1 / 4	1 / 1	0 / 1	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		6		9		
Number of transfers		6		9		
Average number of embryos transferred		1.8		2.1		
Percentage of embryos transferred resulting in implantation		7 / 11		0 / 19		
Percentage of transfers resulting in singleton live births		1 / 6		0 / 9		
Percentage of transfers resulting in live births		4 / 6		0 / 9		
Percentage of transfers resulting in pregnancy		4 / 6		0 / 9		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Mississippi Fertility Institute

Donor egg?	Yes	Gestational carriers?	No	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY OF MISSISSIPPI MEDICAL CENTER
JACKSON, MISSISSIPPI**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by J. Preston Parry, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	50%	Tubal factor	27%	Uterine factor	0%	
Unstimulated	0%	Used PGD	13%	Ovulatory dysfunction	0%	Male factor	36%	
Used gestational carrier	0%			Diminished ovarian reserve	18%	Other factor	9%	
				Endometriosis	9%	Unknown factor	18%	
				Multiple Factors:				
				Female factors only				0%
				Female & male factors				18%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 11 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	4	1	3	0	0	0
Percentage of cancellations	1 / 4	1 / 1	0 / 3			
Average number of embryos transferred	1.7		3.0			
Percentage of embryos transferred resulting in implantation	0 / 5		5 / 9			
Percentage of elective single embryo transfer (eSET)	0 / 2		0 / 3			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	0 / 4	0 / 1	2 / 3			
Percentage of cycles resulting in triplets or more live births	0 / 4	0 / 1	1 / 3			
Percentage of cycles resulting in live births	0 / 4	0 / 1	3 / 3			
Percentage of cycles resulting in pregnancy	0 / 4	0 / 1	3 / 3			
Outcomes per Transfer						
Number of transfers	3	0	3	0	0	0
Percentage of transfers resulting in singleton live births	0 / 3		2 / 3			
Percentage of transfers resulting in triplets or more live births	0 / 3		1 / 3			
Percentage of transfers resulting in live births	0 / 3		3 / 3			
Percentage of transfers resulting in pregnancy	0 / 3		3 / 3			
Outcomes per Pregnancy						
Number of pregnancies	0	0	3	0	0	0
Percentage of pregnancies resulting in singleton live births			2 / 3			
Percentage of pregnancies resulting in triplets or more live births			1 / 3			
Percentage of pregnancies resulting in live births			3 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	1	1	0	0	0
Number of transfers	1	1	1	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred	3.0	2.0	2.0			
Percentage of embryos transferred resulting in implantation	1 / 3	1 / 2	0 / 2			
Percentage of transfers resulting in singleton live births	1 / 1	1 / 1	0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 1	0 / 1	0 / 1			
Percentage of transfers resulting in live births	1 / 1	1 / 1	0 / 1			
Percentage of transfers resulting in pregnancy	1 / 1	1 / 1	0 / 1			
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	0		0			
Number of transfers	0		0			
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University of Mississippi Medical Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INFERTILITY CENTER OF ST. LOUIS
SHERMAN J. SILBER, MD
CHESTERFIELD, MISSOURI

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Sherman J. Silber, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	99%	With ICSI	96%	Tubal factor	8%	Uterine factor	8%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	16%	Male factor	43%	
Used gestational carrier	3%			Diminished ovarian reserve	42%	Other factor	6%	
				Endometriosis	1%	Unknown factor	6%	
				Multiple Factors:				
				Female factors only				10%
				Female & male factors				18%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 885 (includes 418 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	92	22	11	2	1	2
Percentage of cancellations	2.2	4.5	1 / 11	0 / 2	0 / 1	0 / 2
Average number of embryos transferred	2.1	2.0	2.4	3.0		2.5
Percentage of embryos transferred resulting in implantation	30.9	15.0	25.0	0 / 6		0 / 5
Percentage of elective single embryo transfer (eSET)	0.0	1 / 18	0 / 10	0 / 2		0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.0	18.2	4 / 11	0 / 2	0 / 1	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 11	0 / 2	0 / 1	0 / 2
Percentage of cycles resulting in live births	37.0	22.7	5 / 11	0 / 2	0 / 1	0 / 2
Percentage of cycles resulting in pregnancy	46.7	22.7	6 / 11	1 / 2	0 / 1	0 / 2
Outcomes per Transfer						
Number of transfers	88	20	10	2	0	2
Percentage of transfers resulting in singleton live births	26.1	20.0	4 / 10	0 / 2		0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 10	0 / 2		0 / 2
Percentage of transfers resulting in live births	38.6	25.0	5 / 10	0 / 2		0 / 2
Percentage of transfers resulting in pregnancy	48.9	25.0	6 / 10	1 / 2		0 / 2
Outcomes per Pregnancy						
Number of pregnancies	43	5	6	1	0	0
Percentage of pregnancies resulting in singleton live births	53.5	4 / 5	4 / 6	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 5	0 / 6	0 / 1		
Percentage of pregnancies resulting in live births	79.1	5 / 5	5 / 6	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	111	47	38	41	21	30
Number of transfers	106	45	36	40	19	29
Estimated average number of transfers per retrieval	1.0	0.8	0.5	0.6	0.3	0.4
Average number of embryos transferred	2.0	2.1	2.2	2.4	2.3	1.9
Percentage of embryos transferred resulting in implantation	23.8	17.2	17.7	15.8	4.5	1.8
Percentage of transfers resulting in singleton live births	28.3	17.8	25.0	12.5	1 / 19	3.4
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 19	0.0
Percentage of transfers resulting in live births	34.0	20.0	27.8	20.0	1 / 19	3.4
Percentage of transfers resulting in pregnancy	42.5	35.6	36.1	35.0	3 / 19	3.4
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		26		23		
Number of transfers		23		22		
Average number of embryos transferred		2.0		2.2		
Percentage of embryos transferred resulting in implantation		28.9		28.6		
Percentage of transfers resulting in singleton live births		21.7		18.2		
Percentage of transfers resulting in live births		34.8		36.4		
Percentage of transfers resulting in pregnancy		39.1		59.1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Infertility Center of St. Louis, Sherman J. Silber, MD

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MID-MISSOURI REPRODUCTIVE MEDICINE AND SURGERY, INC. COLUMBIA, MISSOURI

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Steven A. Brody, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	77%	Tubal factor	10%	Uterine factor	3%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	47%	Male factor	65%
Used gestational carrier	2%			Diminished ovarian reserve	13%	Other factor	9%
				Endometriosis	28%	Unknown factor	0%
				<i>Multiple Factors:</i> Female factors only 16% Female & male factors 50%			

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 116 (includes 0 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	40	8	7	1	0	0	
Percentage of cancellations	2.5	1 / 8	0 / 7	0 / 1			
Average number of embryos transferred	1.7	1.9	2.4	3.0			
Percentage of embryos transferred resulting in implantation	40.0	3 / 13	5 / 17	0 / 3			
Percentage of elective single embryo transfer (eSET)	38.5	0 / 6	0 / 7	0 / 1			
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	35.0	3 / 8	3 / 7	0 / 1			
Percentage of cycles resulting in triplets or more live births	2.5	0 / 8	0 / 7	0 / 1			
Percentage of cycles resulting in live births	47.5	3 / 8	4 / 7	0 / 1			
Percentage of cycles resulting in pregnancy	47.5	3 / 8	4 / 7	0 / 1			
Outcomes per Transfer							
Number of transfers	39	7	7	1	0	0	
Percentage of transfers resulting in singleton live births	35.9	3 / 7	3 / 7	0 / 1			
Percentage of transfers resulting in triplets or more live births	2.6	0 / 7	0 / 7	0 / 1			
Percentage of transfers resulting in live births	48.7	3 / 7	4 / 7	0 / 1			
Percentage of transfers resulting in pregnancy	48.7	3 / 7	4 / 7	0 / 1			
Outcomes per Pregnancy							
Number of pregnancies	19	3	4	0	0	0	
Percentage of pregnancies resulting in singleton live births	14 / 19	3 / 3	3 / 4				
Percentage of pregnancies resulting in triplets or more live births	1 / 19	0 / 3	0 / 4				
Percentage of pregnancies resulting in live births	19 / 19	3 / 3	4 / 4				
Frozen Embryos from Nondonor Eggs							
Number of cycles	29	9	7	4	1	2	
Number of transfers	28	8	6	4	1	1	
Estimated average number of transfers per retrieval	2.2		3.0	4.0			
Average number of embryos transferred	1.9	1.8	2.3	1.5	3.0	2.0	
Percentage of embryos transferred resulting in implantation	23.1	1 / 14	3 / 14	0 / 6	0 / 3	0 / 2	
Percentage of transfers resulting in singleton live births	25.0	1 / 8	0 / 6	0 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 8	0 / 6	0 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in live births	32.1	1 / 8	1 / 6	0 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	32.1	1 / 8	1 / 6	0 / 4	0 / 1	1 / 1	
All Ages Combined^f							
Donor Eggs		Fresh Embryos		Frozen Embryos			
Number of cycles		6		2			
Number of transfers		6		2			
Average number of embryos transferred		1.7		2.5			
Percentage of embryos transferred resulting in implantation		4 / 10		3 / 5			
Percentage of transfers resulting in singleton live births		1 / 6		2 / 2			
Percentage of transfers resulting in live births		2 / 6		2 / 2			
Percentage of transfers resulting in pregnancy		3 / 6		2 / 2			

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Mid-Missouri Reproductive Medicine and Surgery, Inc.					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MISSOURI CENTER FOR REPRODUCTIVE MEDICINE AND FERTILITY COLUMBIA, MISSOURI

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Mira Aubuchon, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	80%	Tubal factor	22%	Uterine factor	0%	
Unstimulated	0%	Used PGD	7%	Ovulatory dysfunction	28%	Male factor	28%	
Used gestational carrier	0%			Diminished ovarian reserve	17%	Other factor	22%	
				Endometriosis	0%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				0%
				Female & male factors				17%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 22 (includes 4 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	6	6	1	1	1	0
Percentage of cancellations	0/6	0/6	1/1	0/1	0/1	
Average number of embryos transferred	1.8	3.0				
Percentage of embryos transferred resulting in implantation	2/11	2/12				
Percentage of elective single embryo transfer (eSET)	1/5	0/4				
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	2/6	0/6	0/1	0/1	0/1	
Percentage of cycles resulting in triplets or more live births	0/6	0/6	0/1	0/1	0/1	
Percentage of cycles resulting in live births	2/6	1/6	0/1	0/1	0/1	
Percentage of cycles resulting in pregnancy	2/6	1/6	0/1	0/1	0/1	
Outcomes per Transfer						
Number of transfers	6	4	0	0	0	0
Percentage of transfers resulting in singleton live births	2/6	0/4				
Percentage of transfers resulting in triplets or more live births	0/6	0/4				
Percentage of transfers resulting in live births	2/6	1/4				
Percentage of transfers resulting in pregnancy	2/6	1/4				
Outcomes per Pregnancy						
Number of pregnancies	2	1	0	0	0	0
Percentage of pregnancies resulting in singleton live births	2/2	0/1				
Percentage of pregnancies resulting in triplets or more live births	0/2	0/1				
Percentage of pregnancies resulting in live births	2/2	1/1				
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	0	0	0	0	0
Number of transfers	1	0	0	0	0	0
Estimated average number of transfers per retrieval	0.3	0.0				
Average number of embryos transferred	3.0					
Percentage of embryos transferred resulting in implantation	0/3					
Percentage of transfers resulting in singleton live births	0/1					
Percentage of transfers resulting in triplets or more live births	0/1					
Percentage of transfers resulting in live births	0/1					
Percentage of transfers resulting in pregnancy	0/1					
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	0		2			
Number of transfers	0		2			
Average number of embryos transferred			2.0			
Percentage of embryos transferred resulting in implantation			0/4			
Percentage of transfers resulting in singleton live births			0/2			
Percentage of transfers resulting in live births			0/2			
Percentage of transfers resulting in pregnancy			1/2			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Missouri Center for Reproductive Medicine and Fertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHER INSTITUTE FOR REPRODUCTIVE MEDICINE-ST. LOUIS CREVE COEUR, MISSOURI

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Molina Dayal, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	94%	Tubal factor	5%	Uterine factor	5%	
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	19%	Male factor	23%	
Used gestational carrier	<1%			Diminished ovarian reserve	15%	Other factor	27%	
				Endometriosis	10%	Unknown factor	<1%	
				Multiple Factors:				
				Female factors only				2%
				Female & male factors				2%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 502 (includes 26 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		202	81	38	19	12	5
Percentage of cancellations		4.0	4.9	5.3	2 / 19	0 / 12	1 / 5
Average number of embryos transferred		2.0	1.9	1.7	2.3	2.4	2.0
Percentage of embryos transferred resulting in implantation		34.2	23.6	18.0	3.1	0 / 17	0 / 2
Percentage of elective single embryo transfer (eSET)		2.6	0.0	0 / 16	0 / 13	0 / 6	0 / 1
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		23.3	21.0	15.8	0 / 19	0 / 12	0 / 5
Percentage of cycles resulting in triplets or more live births		1.0	0.0	0.0	0 / 19	0 / 12	0 / 5
Percentage of cycles resulting in live births		35.1	25.9	15.8	0 / 19	0 / 12	0 / 5
Percentage of cycles resulting in pregnancy		40.6	29.6	21.1	1 / 19	0 / 12	0 / 5
Outcomes per Transfer							
Number of transfers		170	66	30	14	7	1
Percentage of transfers resulting in singleton live births		27.6	25.8	20.0	0 / 14	0 / 7	0 / 1
Percentage of transfers resulting in triplets or more live births		1.2	0.0	0.0	0 / 14	0 / 7	0 / 1
Percentage of transfers resulting in live births		41.8	31.8	20.0	0 / 14	0 / 7	0 / 1
Percentage of transfers resulting in pregnancy		48.2	36.4	26.7	1 / 14	0 / 7	0 / 1
Outcomes per Pregnancy							
Number of pregnancies		82	24	8	1	0	0
Percentage of pregnancies resulting in singleton live births		57.3	70.8	6 / 8	0 / 1		
Percentage of pregnancies resulting in triplets or more live births		2.4	0.0	0 / 8	0 / 1		
Percentage of pregnancies resulting in live births		86.6	87.5	6 / 8	0 / 1		
Frozen Embryos from Nondonor Eggs							
Number of cycles		51	21	11	9	0	2
Number of transfers		51	21	11	9	0	2
Estimated average number of transfers per retrieval		1.9	2.1	1.6	0.8	0.0	
Average number of embryos transferred		2.3	1.6	1.7	1.7		2.0
Percentage of embryos transferred resulting in implantation		28.6	30.3	7 / 19	1 / 15		0 / 4
Percentage of transfers resulting in singleton live births		19.6	14.3	5 / 11	0 / 9		0 / 2
Percentage of transfers resulting in triplets or more live births		2.0	0.0	0 / 11	0 / 9		0 / 2
Percentage of transfers resulting in live births		39.2	23.8	5 / 11	0 / 9		0 / 2
Percentage of transfers resulting in pregnancy		39.2	28.6	6 / 11	1 / 9		0 / 2
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		16			9		
Number of transfers		15			8		
Average number of embryos transferred		2.1			1.9		
Percentage of embryos transferred resulting in implantation		29.0			1 / 15		
Percentage of transfers resulting in singleton live births		3 / 15			1 / 8		
Percentage of transfers resulting in live births		5 / 15			1 / 8		
Percentage of transfers resulting in pregnancy		6 / 15			1 / 8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2012. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MIDWEST WOMEN'S HEALTHCARE SPECIALISTS KANSAS CITY, MISSOURI

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Gregory C. Starks, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	75%	Tubal factor	33%	Uterine factor	4%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	29%	Male factor	45%	
Used gestational carrier	0%			Diminished ovarian reserve	39%	Other factor	0%	
				Endometriosis	43%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				31%
				Female & male factors				34%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 97 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	46	17	4	2	2	0
Percentage of cancellations	15.2	5 / 17	2 / 4	2 / 2	2 / 2	
Average number of embryos transferred	1.9	1.9	2.0			
Percentage of embryos transferred resulting in implantation	60.5	28.6	0 / 4			
Percentage of elective single embryo transfer (eSET)	2.6	0 / 10	0 / 2			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.4	4 / 17	0 / 4	0 / 2	0 / 2	
Percentage of cycles resulting in triplets or more live births	2.2	0 / 17	0 / 4	0 / 2	0 / 2	
Percentage of cycles resulting in live births	56.5	5 / 17	0 / 4	0 / 2	0 / 2	
Percentage of cycles resulting in pregnancy	65.2	5 / 17	0 / 4	0 / 2	0 / 2	
Outcomes per Transfer						
Number of transfers	39	11	2	0	0	0
Percentage of transfers resulting in singleton live births	35.9	4 / 11	0 / 2			
Percentage of transfers resulting in triplets or more live births	2.6	0 / 11	0 / 2			
Percentage of transfers resulting in live births	66.7	5 / 11	0 / 2			
Percentage of transfers resulting in pregnancy	76.9	5 / 11	0 / 2			
Outcomes per Pregnancy						
Number of pregnancies	30	5	0	0	0	0
Percentage of pregnancies resulting in singleton live births	46.7	4 / 5				
Percentage of pregnancies resulting in triplets or more live births	3.3	0 / 5				
Percentage of pregnancies resulting in live births	86.7	5 / 5				
Frozen Embryos from Nondonor Eggs						
Number of cycles	9	8	5	0	1	0
Number of transfers	9	5	4	0	1	0
Estimated average number of transfers per retrieval	3.0	2.5				
Average number of embryos transferred	1.7	1.4	1.3		1.0	
Percentage of embryos transferred resulting in implantation	4 / 15	1 / 7	2 / 5		1 / 1	
Percentage of transfers resulting in singleton live births	2 / 9	1 / 5	2 / 4		0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 9	0 / 5	0 / 4		0 / 1	
Percentage of transfers resulting in live births	3 / 9	1 / 5	2 / 4		0 / 1	
Percentage of transfers resulting in pregnancy	5 / 9	2 / 5	2 / 4		1 / 1	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		3		0		
Number of transfers		2		0		
Average number of embryos transferred		2.0				
Percentage of embryos transferred resulting in implantation		4 / 4				
Percentage of transfers resulting in singleton live births		0 / 2				
Percentage of transfers resulting in live births		2 / 2				
Percentage of transfers resulting in pregnancy		2 / 2				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Midwest Women's Healthcare Specialists

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY PARTNERSHIP SAINT PETERS, MISSOURI

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by David E. Simckes, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	97%	Tubal factor	13%	Uterine factor	2%	
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	25%	Male factor	37%	
Used gestational carrier	0%			Diminished ovarian reserve	31%	Other factor	5%	
				Endometriosis	14%	Unknown factor	8%	
				Multiple Factors:				
				Female factors only				12%
				Female & male factors				19%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 176 (includes 4 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		71	30	15	6	1	0
Percentage of cancellations		0.0	0.0	0 / 15	0 / 6	0 / 1	
Average number of embryos transferred		2.0	2.1	2.8	2.3	3.0	
Percentage of embryos transferred resulting in implantation		48.6	22.4	9.7	1 / 7	0 / 3	
Percentage of elective single embryo transfer (eSET)		0.0	0.0	0 / 11	0 / 2	0 / 1	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		26.8	20.0	3 / 15	1 / 6	0 / 1	
Percentage of cycles resulting in triplets or more live births		1.4	0.0	0 / 15	0 / 6	0 / 1	
Percentage of cycles resulting in live births		49.3	26.7	3 / 15	1 / 6	0 / 1	
Percentage of cycles resulting in pregnancy		49.3	33.3	3 / 15	1 / 6	0 / 1	
Outcomes per Transfer							
Number of transfers		55	23	11	3	1	0
Percentage of transfers resulting in singleton live births		34.5	26.1	3 / 11	1 / 3	0 / 1	
Percentage of transfers resulting in triplets or more live births		1.8	0.0	0 / 11	0 / 3	0 / 1	
Percentage of transfers resulting in live births		63.6	34.8	3 / 11	1 / 3	0 / 1	
Percentage of transfers resulting in pregnancy		63.6	43.5	3 / 11	1 / 3	0 / 1	
Outcomes per Pregnancy							
Number of pregnancies		35	10	3	1	0	0
Percentage of pregnancies resulting in singleton live births		54.3	6 / 10	3 / 3	1 / 1		
Percentage of pregnancies resulting in triplets or more live births		2.9	0 / 10	0 / 3	0 / 1		
Percentage of pregnancies resulting in live births		100.0	8 / 10	3 / 3	1 / 1		
Frozen Embryos from Nondonor Eggs							
Number of cycles		25	9	3	6	1	2
Number of transfers		25	8	3	6	1	2
Estimated average number of transfers per retrieval		1.4	1.1	1.5	3.0		
Average number of embryos transferred		2.1	2.1	2.7	3.0	2.0	1.5
Percentage of embryos transferred resulting in implantation		19.2	5 / 17	1 / 8	1 / 18	0 / 2	0 / 3
Percentage of transfers resulting in singleton live births		24.0	4 / 8	0 / 3	0 / 6	0 / 1	0 / 2
Percentage of transfers resulting in triplets or more live births		0.0	0 / 8	0 / 3	0 / 6	0 / 1	0 / 2
Percentage of transfers resulting in live births		28.0	4 / 8	0 / 3	0 / 6	0 / 1	0 / 2
Percentage of transfers resulting in pregnancy		32.0	5 / 8	1 / 3	1 / 6	0 / 1	0 / 2
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		0			3		
Number of transfers		0			3		
Average number of embryos transferred					2.7		
Percentage of embryos transferred resulting in implantation					4 / 8		
Percentage of transfers resulting in singleton live births					2 / 3		
Percentage of transfers resulting in live births					3 / 3		
Percentage of transfers resulting in pregnancy					3 / 3		

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Fertility Partnership					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 1 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE & ROBOTIC SURGERY ST. LOUIS, MISSOURI

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Saji Jacob, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	97%	Tubal factor	12%	Uterine factor	14%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	44%	Male factor	44%
Used gestational carrier	0%			Diminished ovarian reserve	26%	Other factor	10%
				Endometriosis	32%	Unknown factor	0%
				<i>Multiple Factors:</i> Female factors only 20% Female & male factors 36%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 50 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	28	3	3	1	0	0
Percentage of cancellations	0.0	0 / 3	0 / 3	0 / 1		
Average number of embryos transferred	2.4	2.3	2.7			
Percentage of embryos transferred resulting in implantation	14.8	3 / 7	0 / 8			
Percentage of elective single embryo transfer (eSET)	0.0	0 / 2	0 / 3			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	14.3	1 / 3	0 / 3	0 / 1		
Percentage of cycles resulting in triplets or more live births	0.0	0 / 3	0 / 3	0 / 1		
Percentage of cycles resulting in live births	21.4	1 / 3	0 / 3	0 / 1		
Percentage of cycles resulting in pregnancy	32.1	2 / 3	0 / 3	0 / 1		
Outcomes per Transfer						
Number of transfers	25	3	3	0	0	0
Percentage of transfers resulting in singleton live births	16.0	1 / 3	0 / 3			
Percentage of transfers resulting in triplets or more live births	0.0	0 / 3	0 / 3			
Percentage of transfers resulting in live births	24.0	1 / 3	0 / 3			
Percentage of transfers resulting in pregnancy	36.0	2 / 3	0 / 3			
Outcomes per Pregnancy						
Number of pregnancies	9	2	0	0	0	0
Percentage of pregnancies resulting in singleton live births	4 / 9	1 / 2				
Percentage of pregnancies resulting in triplets or more live births	0 / 9	0 / 2				
Percentage of pregnancies resulting in live births	6 / 9	1 / 2				
Frozen Embryos from Nondonor Eggs						
Number of cycles	8	1	1	0	0	0
Number of transfers	7	1	1	0	0	0
Estimated average number of transfers per retrieval	1.0					
Average number of embryos transferred	2.3	3.0	3.0			
Percentage of embryos transferred resulting in implantation	1 / 16	0 / 3	0 / 3			
Percentage of transfers resulting in singleton live births	1 / 7	0 / 1	0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 7	0 / 1	0 / 1			
Percentage of transfers resulting in live births	1 / 7	0 / 1	0 / 1			
Percentage of transfers resulting in pregnancy	2 / 7	0 / 1	0 / 1			
All Ages Combined^f						
	Fresh Embryos			Frozen Embryos		
Donor Eggs						
Number of cycles	2			3		
Number of transfers	2			3		
Average number of embryos transferred	2.5			2.0		
Percentage of embryos transferred resulting in implantation	0 / 5			0 / 6		
Percentage of transfers resulting in singleton live births	0 / 2			0 / 3		
Percentage of transfers resulting in live births	0 / 2			0 / 3		
Percentage of transfers resulting in pregnancy	0 / 2			0 / 3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Reproductive Medicine & Robotic Surgery					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2012 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2012 ART cycle data or the clinic's Medical Director did not approve the clinic's 2012 ART cycle data for inclusion in this report.

**THE INFERTILITY AND REPRODUCTIVE MEDICINE CENTER
AT WASHINGTON UNIVERSITY SCHOOL OF MEDICINE AND BARNES-JEWISH HOSPITAL
ST. LOUIS, MISSOURI**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Randall R. Odem, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	65%	Tubal factor	21%	Uterine factor	2%	
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	21%	Male factor	27%	
Used gestational carrier	1%			Diminished ovarian reserve	18%	Other factor	5%	
				Endometriosis	14%	Unknown factor	15%	
				Multiple Factors:				
				Female factors only				8%
				Female & male factors				11%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 502 (includes 20 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	201	62	68	15	4	0
Percentage of cancellations	7.0	9.7	10.3	2 / 15	1 / 4	
Average number of embryos transferred	2.0	2.2	3.3	3.7	5.5	
Percentage of embryos transferred resulting in implantation	34.8	31.5	17.6	2.1	0 / 11	
Percentage of elective single embryo transfer (eSET)	2.3	0.0	0.0	0 / 12	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	31.8	37.1	17.6	1 / 15	0 / 4	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	1.5	0 / 15	0 / 4	
Percentage of cycles resulting in live births	43.3	48.4	26.5	1 / 15	0 / 4	
Percentage of cycles resulting in pregnancy	48.8	53.2	38.2	1 / 15	0 / 4	
Outcomes per Transfer						
Number of transfers	182	56	61	13	2	0
Percentage of transfers resulting in singleton live births	35.2	41.1	19.7	1 / 13	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	1.6	0 / 13	0 / 2	
Percentage of transfers resulting in live births	47.8	53.6	29.5	1 / 13	0 / 2	
Percentage of transfers resulting in pregnancy	53.8	58.9	42.6	1 / 13	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	98	33	26	1	0	0
Percentage of pregnancies resulting in singleton live births	65.3	69.7	46.2	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	3.8	0 / 1		
Percentage of pregnancies resulting in live births	88.8	90.9	69.2	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	64	11	15	3	0	0
Number of transfers	57	11	13	3	0	0
Estimated average number of transfers per retrieval	1.4	1.6	1.2	0.4		
Average number of embryos transferred	1.7	1.7	1.9	3.0		
Percentage of embryos transferred resulting in implantation	41.4	4 / 19	40.0	1 / 9		
Percentage of transfers resulting in singleton live births	31.6	4 / 11	4 / 13	0 / 3		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 11	0 / 13	0 / 3		
Percentage of transfers resulting in live births	47.4	4 / 11	4 / 13	0 / 3		
Percentage of transfers resulting in pregnancy	52.6	4 / 11	10 / 13	1 / 3		
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		25		14		
Number of transfers		23		11		
Average number of embryos transferred		2.0		1.8		
Percentage of embryos transferred resulting in implantation		56.5		40.0		
Percentage of transfers resulting in singleton live births		30.4		2 / 11		
Percentage of transfers resulting in live births		56.5		3 / 11		
Percentage of transfers resulting in pregnancy		73.9		6 / 11		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Infertility and Reproductive Medicine Center at Washington University School of Medicine and Barnes-Jewish Hospital

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**BILLINGS CLINIC
DEPARTMENT OF REPRODUCTIVE MEDICINE AND FERTILITY CARE
BILLINGS, MONTANA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Christopher P. Montville, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	67%	Tubal factor	21%	Uterine factor	2%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	12%	Male factor	24%	
Used gestational carrier	0%			Diminished ovarian reserve	18%	Other factor	6%	
				Endometriosis	7%	Unknown factor	26%	
				Multiple Factors:				
				Female factors only				5%
				Female & male factors				12%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 85 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	46	16	11	3	0	0
Percentage of cancellations	10.9	2 / 16	0 / 11	0 / 3		
Average number of embryos transferred	1.6	1.7	2.5	1.0		
Percentage of embryos transferred resulting in implantation	50.0	20.8	29.6	0 / 2		
Percentage of elective single embryo transfer (eSET)	39.4	2 / 11	1 / 10			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.4	4 / 16	6 / 11	0 / 3		
Percentage of cycles resulting in triplets or more live births	2.2	0 / 16	0 / 11	0 / 3		
Percentage of cycles resulting in live births	43.5	4 / 16	6 / 11	0 / 3		
Percentage of cycles resulting in pregnancy	45.7	6 / 16	7 / 11	0 / 3		
Outcomes per Transfer						
Number of transfers	36	14	11	2	0	0
Percentage of transfers resulting in singleton live births	38.9	4 / 14	6 / 11	0 / 2		
Percentage of transfers resulting in triplets or more live births	2.8	0 / 14	0 / 11	0 / 2		
Percentage of transfers resulting in live births	55.6	4 / 14	6 / 11	0 / 2		
Percentage of transfers resulting in pregnancy	58.3	6 / 14	7 / 11	0 / 2		
Outcomes per Pregnancy						
Number of pregnancies	21	6	7	0	0	0
Percentage of pregnancies resulting in singleton live births	66.7	4 / 6	6 / 7			
Percentage of pregnancies resulting in triplets or more live births	4.8	0 / 6	0 / 7			
Percentage of pregnancies resulting in live births	95.2	4 / 6	6 / 7			
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	0	2	0	0	0
Number of transfers	6	0	2	0	0	0
Estimated average number of transfers per retrieval	1.2	0.0	2.0			
Average number of embryos transferred	1.5		1.5			
Percentage of embryos transferred resulting in implantation	1 / 9		0 / 3			
Percentage of transfers resulting in singleton live births	0 / 6		0 / 2			
Percentage of transfers resulting in triplets or more live births	0 / 6		0 / 2			
Percentage of transfers resulting in live births	0 / 6		0 / 2			
Percentage of transfers resulting in pregnancy	1 / 6		0 / 2			
All Ages Combined^f						
		Fresh Embryos	Frozen Embryos			
Donor Eggs						
Number of cycles		0	0			
Number of transfers		0	0			
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Billings Clinic, Department of Reproductive Medicine and Fertility Care					
Donor egg?	No	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HEARTLAND CENTER FOR REPRODUCTIVE MEDICINE, PC OMAHA, NEBRASKA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Victoria M. Maclin, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	>99%	With ICSI	54%	Tubal factor	17%	Uterine factor	5%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	7%	Male factor	52%	
Used gestational carrier	0%			Diminished ovarian reserve	33%	Other factor	2%	
				Endometriosis	12%	Unknown factor	11%	
				Multiple Factors:				
				Female factors only				9%
				Female & male factors				26%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 297 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	130	47	30	15	4	0
Percentage of cancellations	4.6	6.4	13.3	6 / 15	1 / 4	
Average number of embryos transferred	1.9	2.0	2.1	2.0	2.0	
Percentage of embryos transferred resulting in implantation	35.9	13.3	19.5	1 / 14	0 / 2	
Percentage of elective single embryo transfer (eSET)	2.2	0.0	0 / 16	0 / 4	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.2	12.8	13.3	1 / 15	0 / 4	
Percentage of cycles resulting in triplets or more live births	1.5	0.0	0.0	0 / 15	0 / 4	
Percentage of cycles resulting in live births	39.2	14.9	16.7	1 / 15	0 / 4	
Percentage of cycles resulting in pregnancy	43.8	27.7	26.7	1 / 15	0 / 4	
Outcomes per Transfer						
Number of transfers	112	37	20	7	1	0
Percentage of transfers resulting in singleton live births	30.4	16.2	20.0	1 / 7	0 / 1	
Percentage of transfers resulting in triplets or more live births	1.8	0.0	0.0	0 / 7	0 / 1	
Percentage of transfers resulting in live births	45.5	18.9	25.0	1 / 7	0 / 1	
Percentage of transfers resulting in pregnancy	50.9	35.1	40.0	1 / 7	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	57	13	8	1	0	0
Percentage of pregnancies resulting in singleton live births	59.6	6 / 13	4 / 8	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	3.5	0 / 13	0 / 8	0 / 1		
Percentage of pregnancies resulting in live births	89.5	7 / 13	5 / 8	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	23	7	3	0	0	0
Number of transfers	22	6	3	0	0	0
Estimated average number of transfers per retrieval	2.0	3.0				
Average number of embryos transferred	1.9	1.7	1.7			
Percentage of embryos transferred resulting in implantation	11.9	0 / 10	0 / 5			
Percentage of transfers resulting in singleton live births	22.7	0 / 6	0 / 3			
Percentage of transfers resulting in triplets or more live births	0.0	0 / 6	0 / 3			
Percentage of transfers resulting in live births	22.7	0 / 6	0 / 3			
Percentage of transfers resulting in pregnancy	27.3	1 / 6	0 / 3			
All Ages Combined^f						
Donor Eggs	Fresh Embryos			Frozen Embryos		
Number of cycles	29			9		
Number of transfers	26			7		
Average number of embryos transferred	1.8			1.3		
Percentage of embryos transferred resulting in implantation	37.5			1 / 9		
Percentage of transfers resulting in singleton live births	30.8			0 / 7		
Percentage of transfers resulting in live births	46.2			0 / 7		
Percentage of transfers resulting in pregnancy	53.8			1 / 7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Heartland Center for Reproductive Medicine, PC					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEBRASKA METHODIST HOSPITAL REI OMAHA, NEBRASKA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Carolyn M. Doherty, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	>99%	With ICSI	86%	Tubal factor	21%	Uterine factor	7%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	17%	Male factor	51%	
Used gestational carrier	0%			Diminished ovarian reserve	7%	Other factor	19%	
				Endometriosis	18%	Unknown factor	6%	
				Multiple Factors:				
				Female factors only				15%
				Female & male factors				24%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 410 (includes 2 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	139	40	31	4	0	0
Percentage of cancellations	10.1	10.0	25.8	1 / 4		
Average number of embryos transferred	2.0	2.1	3.0	3.3		
Percentage of embryos transferred resulting in implantation	31.1	11.0	14.5	2 / 10		
Percentage of elective single embryo transfer (eSET)	7.6	8.8	0.0	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	22.3	2.5	12.9	1 / 4		
Percentage of cycles resulting in triplets or more live births	0.7	0.0	0.0	0 / 4		
Percentage of cycles resulting in live births	35.3	10.0	16.1	1 / 4		
Percentage of cycles resulting in pregnancy	41.7	20.0	16.1	2 / 4		
Outcomes per Transfer						
Number of transfers	120	34	23	3	0	0
Percentage of transfers resulting in singleton live births	25.8	2.9	17.4	1 / 3		
Percentage of transfers resulting in triplets or more live births	0.8	0.0	0.0	0 / 3		
Percentage of transfers resulting in live births	40.8	11.8	21.7	1 / 3		
Percentage of transfers resulting in pregnancy	48.3	23.5	21.7	2 / 3		
Outcomes per Pregnancy						
Number of pregnancies	58	8	5	2	0	0
Percentage of pregnancies resulting in singleton live births	53.4	1 / 8	4 / 5	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	1.7	0 / 8	0 / 5	0 / 2		
Percentage of pregnancies resulting in live births	84.5	4 / 8	5 / 5	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	101	41	20	5	4	0
Number of transfers	78	29	10	3	1	0
Estimated average number of transfers per retrieval	1.8	1.8	2.0	1.5		
Average number of embryos transferred	2.0	2.0	2.2	2.7	2.0	
Percentage of embryos transferred resulting in implantation	38.1	25.9	31.8	1 / 8	0 / 2	
Percentage of transfers resulting in singleton live births	38.5	31.0	1 / 10	1 / 3	0 / 1	
Percentage of transfers resulting in triplets or more live births	1.3	0.0	0 / 10	0 / 3	0 / 1	
Percentage of transfers resulting in live births	50.0	41.4	3 / 10	1 / 3	0 / 1	
Percentage of transfers resulting in pregnancy	59.0	44.8	4 / 10	2 / 3	0 / 1	
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		15		8		
Number of transfers		14		6		
Average number of embryos transferred		2.0		1.7		
Percentage of embryos transferred resulting in implantation		57.1		1 / 10		
Percentage of transfers resulting in singleton live births		4 / 14		0 / 6		
Percentage of transfers resulting in live births		9 / 14		0 / 6		
Percentage of transfers resulting in pregnancy		9 / 14		1 / 6		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Nebraska Methodist Hospital REI					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF LAS VEGAS LAS VEGAS, NEVADA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Bruce S. Shapiro, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	95%	Tubal factor	13%	Uterine factor	1%	
Unstimulated	1%	Used PGD	5%	Ovulatory dysfunction	6%	Male factor	44%	
Used gestational carrier	2%			Diminished ovarian reserve	52%	Other factor	14%	
				Endometriosis	2%	Unknown factor	5%	
				Multiple Factors:				
				Female factors only				8%
				Female & male factors				26%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 1,065 (includes 510 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	45	20	9	6	5	2
Percentage of cancellations	0.0	0.0	1 / 9	0 / 6	2 / 5	1 / 2
Average number of embryos transferred	1.5	1.5	1.5	1.5	2.0	1.0
Percentage of embryos transferred resulting in implantation	45.7	7 / 16	4 / 6	0 / 6	0 / 2	0 / 1
Percentage of elective single embryo transfer (eSET)	42.9	2 / 7	1 / 3	0 / 2	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	24.4	15.0	3 / 9	0 / 6	0 / 5	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 9	0 / 6	0 / 5	0 / 2
Percentage of cycles resulting in live births	28.9	20.0	3 / 9	0 / 6	0 / 5	0 / 2
Percentage of cycles resulting in pregnancy	33.3	20.0	3 / 9	0 / 6	0 / 5	0 / 2
Outcomes per Transfer						
Number of transfers	23	11	4	4	1	1
Percentage of transfers resulting in singleton live births	47.8	3 / 11	3 / 4	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 11	0 / 4	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in live births	56.5	4 / 11	3 / 4	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	65.2	4 / 11	3 / 4	0 / 4	0 / 1	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	15	4	3	0	0	0
Percentage of pregnancies resulting in singleton live births	11 / 15	3 / 4	3 / 3			
Percentage of pregnancies resulting in triplets or more live births	0 / 15	0 / 4	0 / 3			
Percentage of pregnancies resulting in live births	13 / 15	4 / 4	3 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	180	84	73	22	12	3
Number of transfers	157	65	65	18	9	0
Estimated average number of transfers per retrieval	0.8	0.6	0.5	0.3	0.5	0.0
Average number of embryos transferred	1.6	1.7	1.8	1.5	1.9	
Percentage of embryos transferred resulting in implantation	59.4	48.6	39.5	29.6	5 / 17	
Percentage of transfers resulting in singleton live births	40.8	36.9	38.5	4 / 18	1 / 9	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 18	0 / 9	
Percentage of transfers resulting in live births	62.4	56.9	46.2	5 / 18	3 / 9	
Percentage of transfers resulting in pregnancy	74.5	69.2	63.1	9 / 18	5 / 9	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		57		37		
Number of transfers		48		32		
Average number of embryos transferred		1.8		1.5		
Percentage of embryos transferred resulting in implantation		53.6		44.9		
Percentage of transfers resulting in singleton live births		41.7		46.9		
Percentage of transfers resulting in live births		60.4		53.1		
Percentage of transfers resulting in pregnancy		79.2		62.5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Center of Las Vegas					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**NEVADA FERTILITY C.A.R.E.S.
LAS VEGAS, NEVADA**

This clinic provided ART services during 2012 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2012 ART cycle data or the clinic's Medical Director did not approve the clinic's 2012 ART cycle data for inclusion in this report.

RED ROCK FERTILITY CENTER LAS VEGAS, NEVADA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Eva D. Littman, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	92%	Tubal factor	3%	Uterine factor	1%	
Unstimulated	0%	Used PGD	86%	Ovulatory dysfunction	18%	Male factor	5%	
Used gestational carrier	0%			Diminished ovarian reserve	42%	Other factor	3%	
				Endometriosis	1%	Unknown factor	28%	
				Multiple Factors:				
				Female factors only				<1%
				Female & male factors				<1%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 196 (includes 4 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		49	27	32	12	4	3
Percentage of cancellations		6.1	7.4	6.3	1 / 12	1 / 4	0 / 3
Average number of embryos transferred		2.0	1.7	2.2	1.0	2.0	1.5
Percentage of embryos transferred resulting in implantation		50.6	42.5	21.4	0 / 1	0 / 2	0 / 3
Percentage of elective single embryo transfer (eSET)		0.0	1 / 16	0 / 17		0 / 1	0 / 1
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		28.6	18.5	9.4	0 / 12	0 / 4	0 / 3
Percentage of cycles resulting in triplets or more live births		2.0	3.7	0.0	0 / 12	0 / 4	0 / 3
Percentage of cycles resulting in live births		51.0	29.6	15.6	0 / 12	0 / 4	0 / 3
Percentage of cycles resulting in pregnancy		53.1	40.7	18.8	0 / 12	0 / 4	0 / 3
Outcomes per Transfer							
Number of transfers		39	23	19	1	1	2
Percentage of transfers resulting in singleton live births		35.9	21.7	3 / 19	0 / 1	0 / 1	0 / 2
Percentage of transfers resulting in triplets or more live births		2.6	4.3	0 / 19	0 / 1	0 / 1	0 / 2
Percentage of transfers resulting in live births		64.1	34.8	5 / 19	0 / 1	0 / 1	0 / 2
Percentage of transfers resulting in pregnancy		66.7	47.8	6 / 19	0 / 1	0 / 1	0 / 2
Outcomes per Pregnancy							
Number of pregnancies		26	11	6	0	0	0
Percentage of pregnancies resulting in singleton live births		53.8	5 / 11	3 / 6			
Percentage of pregnancies resulting in triplets or more live births		3.8	1 / 11	0 / 6			
Percentage of pregnancies resulting in live births		96.2	8 / 11	5 / 6			
Frozen Embryos from Nondonor Eggs							
Number of cycles		22	11	13	3	1	0
Number of transfers		21	10	10	3	1	0
Estimated average number of transfers per retrieval		2.3	5.0	2.5		1.0	
Average number of embryos transferred		1.8	1.8	2.0	2.3	2.0	
Percentage of embryos transferred resulting in implantation		23.7	6 / 18	20.0	0 / 7	0 / 2	
Percentage of transfers resulting in singleton live births		14.3	2 / 10	4 / 10	0 / 3	0 / 1	
Percentage of transfers resulting in triplets or more live births		0.0	0 / 10	0 / 10	0 / 3	0 / 1	
Percentage of transfers resulting in live births		28.6	4 / 10	4 / 10	0 / 3	0 / 1	
Percentage of transfers resulting in pregnancy		28.6	4 / 10	4 / 10	0 / 3	0 / 1	

Donor Eggs	All Ages Combined ^f	
	Fresh Embryos	Frozen Embryos
Number of cycles	13	2
Number of transfers	11	1
Average number of embryos transferred	1.5	3.0
Percentage of embryos transferred resulting in implantation	7 / 17	2 / 3
Percentage of transfers resulting in singleton live births	6 / 11	0 / 1
Percentage of transfers resulting in live births	6 / 11	0 / 1
Percentage of transfers resulting in pregnancy	8 / 11	1 / 1

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Red Rock Fertility Center					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2012 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2012 ART cycle data or the clinic's Medical Director did not approve the clinic's 2012 ART cycle data for inclusion in this report.

**THE NEVADA CENTER FOR REPRODUCTIVE MEDICINE
RENO, NEVADA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Scott J. Whitten, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	79%	Tubal factor	18%	Uterine factor	15%	
Unstimulated	0%	Used PGD	5%	Ovulatory dysfunction	23%	Male factor	38%	
Used gestational carrier	0%			Diminished ovarian reserve	43%	Other factor	16%	
				Endometriosis	15%	Unknown factor	3%	
				Multiple Factors:				
				Female factors only				24%
				Female & male factors				29%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 261 (includes 15 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	65	38	24	5	7	1
Percentage of cancellations	1.5	10.5	4.2	0 / 5	2 / 7	0 / 1
Average number of embryos transferred	2.0	1.9	2.2	2.5	3.5	2.0
Percentage of embryos transferred resulting in implantation	36.1	25.0	20.0	0 / 10	0 / 14	0 / 2
Percentage of elective single embryo transfer (eSET)	7.0	0.0	0 / 12	0 / 3	0 / 4	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	32.3	18.4	16.7	0 / 5	0 / 7	0 / 1
Percentage of cycles resulting in triplets or more live births	1.5	0.0	0.0	0 / 5	0 / 7	0 / 1
Percentage of cycles resulting in live births	46.2	26.3	20.8	0 / 5	0 / 7	0 / 1
Percentage of cycles resulting in pregnancy	49.2	31.6	20.8	0 / 5	0 / 7	0 / 1
Outcomes per Transfer						
Number of transfers	61	31	16	4	4	1
Percentage of transfers resulting in singleton live births	34.4	22.6	4 / 16	0 / 4	0 / 4	0 / 1
Percentage of transfers resulting in triplets or more live births	1.6	0.0	0 / 16	0 / 4	0 / 4	0 / 1
Percentage of transfers resulting in live births	49.2	32.3	5 / 16	0 / 4	0 / 4	0 / 1
Percentage of transfers resulting in pregnancy	52.5	38.7	5 / 16	0 / 4	0 / 4	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	32	12	5	0	0	0
Percentage of pregnancies resulting in singleton live births	65.6	7 / 12	4 / 5			
Percentage of pregnancies resulting in triplets or more live births	3.1	0 / 12	0 / 5			
Percentage of pregnancies resulting in live births	93.8	10 / 12	5 / 5			
Frozen Embryos from Nondonor Eggs						
Number of cycles	24	9	7	3	0	0
Number of transfers	24	9	7	3	0	0
Estimated average number of transfers per retrieval	2.7	0.9	1.4	0.4		0.0
Average number of embryos transferred	1.7	1.9	2.3	2.7		
Percentage of embryos transferred resulting in implantation	31.7	7 / 17	4 / 16	1 / 8		
Percentage of transfers resulting in singleton live births	33.3	2 / 9	1 / 7	1 / 3		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 9	0 / 7	0 / 3		
Percentage of transfers resulting in live births	37.5	4 / 9	2 / 7	1 / 3		
Percentage of transfers resulting in pregnancy	50.0	5 / 9	3 / 7	1 / 3		
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		25		38		
Number of transfers		25		38		
Average number of embryos transferred		1.7		2.0		
Percentage of embryos transferred resulting in implantation		45.2		16.0		
Percentage of transfers resulting in singleton live births		32.0		13.2		
Percentage of transfers resulting in live births		48.0		18.4		
Percentage of transfers resulting in pregnancy		60.0		34.2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Nevada Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DARTMOUTH-HITCHCOCK MEDICAL CENTER LEBANON, NEW HAMPSHIRE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Misty B. Porter, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	33%	Tubal factor	8%	Uterine factor	2%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	8%	Male factor	25%	
Used gestational carrier	0%			Diminished ovarian reserve	12%	Other factor	28%	
				Endometriosis	0%	Unknown factor	38%	
				Multiple Factors:				
				Female factors only				2%
				Female & male factors				17%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 169 (includes 2 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	58	22	19	12	2	0
Percentage of cancellations	12.1	22.7	4 / 19	4 / 12	0 / 2	
Average number of embryos transferred	1.7	1.8	2.6	3.3	2.5	
Percentage of embryos transferred resulting in implantation	24.3	31.0	23.5	3.8	0 / 5	
Percentage of elective single embryo transfer (eSET)	22.5	3 / 16	0 / 13	0 / 8	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	19.0	31.8	4 / 19	0 / 12	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 19	0 / 12	0 / 2	
Percentage of cycles resulting in live births	22.4	31.8	5 / 19	0 / 12	0 / 2	
Percentage of cycles resulting in pregnancy	27.6	36.4	8 / 19	3 / 12	0 / 2	
Outcomes per Transfer						
Number of transfers	43	16	13	8	2	0
Percentage of transfers resulting in singleton live births	25.6	7 / 16	4 / 13	0 / 8	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0 / 13	0 / 8	0 / 2	
Percentage of transfers resulting in live births	30.2	7 / 16	5 / 13	0 / 8	0 / 2	
Percentage of transfers resulting in pregnancy	37.2	8 / 16	8 / 13	3 / 8	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	16	8	8	3	0	0
Percentage of pregnancies resulting in singleton live births	11 / 16	7 / 8	4 / 8	0 / 3		
Percentage of pregnancies resulting in triplets or more live births	0 / 16	0 / 8	0 / 8	0 / 3		
Percentage of pregnancies resulting in live births	13 / 16	7 / 8	5 / 8	0 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	19	6	12	2	2	0
Number of transfers	18	6	7	2	2	0
Estimated average number of transfers per retrieval	1.6	1.2	3.5	2.0	1.0	
Average number of embryos transferred	1.7	1.5	2.3	3.0	2.0	
Percentage of embryos transferred resulting in implantation	22.6	3 / 9	3 / 16	0 / 6	0 / 4	
Percentage of transfers resulting in singleton live births	3 / 18	2 / 6	1 / 7	0 / 2	0 / 2	
Percentage of transfers resulting in triplets or more live births	0 / 18	0 / 6	0 / 7	0 / 2	0 / 2	
Percentage of transfers resulting in live births	5 / 18	2 / 6	2 / 7	0 / 2	0 / 2	
Percentage of transfers resulting in pregnancy	5 / 18	3 / 6	3 / 7	0 / 2	0 / 2	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		10		3		
Number of transfers		9		3		
Average number of embryos transferred		1.6		1.7		
Percentage of embryos transferred resulting in implantation		4 / 14		1 / 5		
Percentage of transfers resulting in singleton live births		4 / 9		1 / 3		
Percentage of transfers resulting in live births		4 / 9		1 / 3		
Percentage of transfers resulting in pregnancy		5 / 9		1 / 3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Dartmouth-Hitchcock Medical Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHER INSTITUTE FOR REPRODUCTIVE MEDICINE-NEW JERSEY BEDMINSTER, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Albert J. Peters, DO

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	87%	Tubal factor	8%	Uterine factor	5%	
Unstimulated	<1%	Used PGD	24%	Ovulatory dysfunction	12%	Male factor	36%	
Used gestational carrier	1%			Diminished ovarian reserve	48%	Other factor	18%	
				Endometriosis	6%	Unknown factor	3%	
				Multiple Factors:				
				Female factors only				10%
				Female & male factors				22%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 264 (includes 13 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	54	29	38	20	14	3
Percentage of cancellations	1.9	3.4	7.9	20.0	2 / 14	2 / 3
Average number of embryos transferred	2.0	2.2	1.9	1.8	2.0	1.0
Percentage of embryos transferred resulting in implantation	44.6	32.7	13.5	1 / 14	0 / 18	0 / 1
Percentage of elective single embryo transfer (eSET)	8.5	5.0	0 / 19	0 / 6	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	31.5	20.7	10.5	5.0	0 / 14	0 / 3
Percentage of cycles resulting in triplets or more live births	1.9	0.0	0.0	0.0	0 / 14	0 / 3
Percentage of cycles resulting in live births	51.9	34.5	13.2	5.0	0 / 14	0 / 3
Percentage of cycles resulting in pregnancy	59.3	44.8	13.2	10.0	0 / 14	0 / 3
Outcomes per Transfer						
Number of transfers	50	24	27	8	9	1
Percentage of transfers resulting in singleton live births	34.0	25.0	14.8	1 / 8	0 / 9	0 / 1
Percentage of transfers resulting in triplets or more live births	2.0	0.0	0.0	0 / 8	0 / 9	0 / 1
Percentage of transfers resulting in live births	56.0	41.7	18.5	1 / 8	0 / 9	0 / 1
Percentage of transfers resulting in pregnancy	64.0	54.2	18.5	2 / 8	0 / 9	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	32	13	5	2	0	0
Percentage of pregnancies resulting in singleton live births	53.1	6 / 13	4 / 5	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	3.1	0 / 13	0 / 5	0 / 2		
Percentage of pregnancies resulting in live births	87.5	10 / 13	5 / 5	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	24	10	9	6	3	0
Number of transfers	23	7	9	5	3	0
Estimated average number of transfers per retrieval	2.1	0.8	1.3	1.3	1.0	
Average number of embryos transferred	1.9	2.0	1.8	2.2	2.3	
Percentage of embryos transferred resulting in implantation	18.6	3 / 14	2 / 16	4 / 11	2 / 7	
Percentage of transfers resulting in singleton live births	21.7	1 / 7	2 / 9	2 / 5	2 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 7	0 / 9	0 / 5	0 / 3	
Percentage of transfers resulting in live births	26.1	2 / 7	2 / 9	3 / 5	2 / 3	
Percentage of transfers resulting in pregnancy	34.8	2 / 7	3 / 9	3 / 5	2 / 3	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		20		21		
Number of transfers		13		19		
Average number of embryos transferred		1.9		1.8		
Percentage of embryos transferred resulting in implantation		20.0		34.3		
Percentage of transfers resulting in singleton live births		1 / 13		5 / 19		
Percentage of transfers resulting in live births		3 / 13		7 / 19		
Percentage of transfers resulting in pregnancy		5 / 13		10 / 19		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Sher Institute for Reproductive Medicine-New Jersey					
Donor egg?	No	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

LOW COST IVF CLIFTON, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Charles G. Haddad, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	25%	Tubal factor	25%	Uterine factor	0%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	0%	Male factor	75%	
Used gestational carrier	0%			Diminished ovarian reserve	25%	Other factor	0%	
				Endometriosis	0%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				0%
				Female & male factors				25%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 4 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	2	0	0	2	0	0
Percentage of cancellations	1 / 2			2 / 2		
Average number of embryos transferred	2.0					
Percentage of embryos transferred resulting in implantation	1 / 2					
Percentage of elective single embryo transfer (eSET)	0 / 1					
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	1 / 2			0 / 2		
Percentage of cycles resulting in triplets or more live births	0 / 2			0 / 2		
Percentage of cycles resulting in live births	1 / 2			0 / 2		
Percentage of cycles resulting in pregnancy	1 / 2			0 / 2		
Outcomes per Transfer						
Number of transfers	1	0	0	0	0	0
Percentage of transfers resulting in singleton live births	1 / 1					
Percentage of transfers resulting in triplets or more live births	0 / 1					
Percentage of transfers resulting in live births	1 / 1					
Percentage of transfers resulting in pregnancy	1 / 1					
Outcomes per Pregnancy						
Number of pregnancies	1	0	0	0	0	0
Percentage of pregnancies resulting in singleton live births	1 / 1					
Percentage of pregnancies resulting in triplets or more live births	0 / 1					
Percentage of pregnancies resulting in live births	1 / 1					
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	0	0	0	0	0
Number of transfers	0	0	0	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in triplets or more live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						
All Ages Combined^f						
	Fresh Embryos			Frozen Embryos		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Low Cost IVF					
Donor egg?	Yes	Gestational carriers?	No	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE SCIENCE CENTER OF NEW JERSEY EATONTOWN, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by William Ziegler, DO

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	42%	Tubal factor	19%	Uterine factor	3%	
Unstimulated	<1%	Used PGD	3%	Ovulatory dysfunction	14%	Male factor	45%	
Used gestational carrier	<1%			Diminished ovarian reserve	44%	Other factor	2%	
				Endometriosis	16%	Unknown factor	2%	
				Multiple Factors:				
				Female factors only				10%
				Female & male factors				29%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 271 (includes 2 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	98	44	38	19	5	0
Percentage of cancellations	4.1	11.4	13.2	4 / 19	0 / 5	
Average number of embryos transferred	1.8	1.9	2.5	3.6	3.8	
Percentage of embryos transferred resulting in implantation	28.1	31.9	6.4	8.0	0 / 19	
Percentage of elective single embryo transfer (eSET)	7.8	6.9	0.0	0 / 13	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.5	22.7	13.2	1 / 19	0 / 5	
Percentage of cycles resulting in triplets or more live births	0.0	4.5	0.0	0 / 19	0 / 5	
Percentage of cycles resulting in live births	34.7	34.1	13.2	2 / 19	0 / 5	
Percentage of cycles resulting in pregnancy	37.8	36.4	13.2	4 / 19	0 / 5	
Outcomes per Transfer						
Number of transfers	87	37	31	14	5	0
Percentage of transfers resulting in singleton live births	29.9	27.0	16.1	1 / 14	0 / 5	
Percentage of transfers resulting in triplets or more live births	0.0	5.4	0.0	0 / 14	0 / 5	
Percentage of transfers resulting in live births	39.1	40.5	16.1	2 / 14	0 / 5	
Percentage of transfers resulting in pregnancy	42.5	43.2	16.1	4 / 14	0 / 5	
Outcomes per Pregnancy						
Number of pregnancies	37	16	5	4	0	0
Percentage of pregnancies resulting in singleton live births	70.3	10 / 16	5 / 5	1 / 4		
Percentage of pregnancies resulting in triplets or more live births	0.0	2 / 16	0 / 5	0 / 4		
Percentage of pregnancies resulting in live births	91.9	15 / 16	5 / 5	2 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	22	10	5	1	3	0
Number of transfers	21	8	4	1	3	0
Estimated average number of transfers per retrieval	1.4	8.0	4.0		3.0	
Average number of embryos transferred	1.8	1.8	2.0	2.0	2.7	
Percentage of embryos transferred resulting in implantation	26.3	3 / 14	1 / 8	2 / 2	2 / 8	
Percentage of transfers resulting in singleton live births	28.6	3 / 8	1 / 4	0 / 1	0 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 8	0 / 4	0 / 1	0 / 3	
Percentage of transfers resulting in live births	38.1	3 / 8	1 / 4	1 / 1	1 / 3	
Percentage of transfers resulting in pregnancy	47.6	3 / 8	1 / 4	1 / 1	1 / 3	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		14		10		
Number of transfers		12		8		
Average number of embryos transferred		2.1		2.3		
Percentage of embryos transferred resulting in implantation		32.0		1 / 18		
Percentage of transfers resulting in singleton live births		2 / 12		1 / 8		
Percentage of transfers resulting in live births		5 / 12		1 / 8		
Percentage of transfers resulting in pregnancy		6 / 12		2 / 8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Science Center of New Jersey					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR ADVANCED REPRODUCTIVE MEDICINE & FERTILITY EDISON, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Gregory H. Corsan, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	59%	Tubal factor	15%	Uterine factor	2%
Unstimulated	0%	Used PGD	5%	Ovulatory dysfunction	20%	Male factor	43%
Used gestational carrier	0%			Diminished ovarian reserve	21%	Other factor	<1%
				Endometriosis	5%	Unknown factor	14%
				<i>Multiple Factors:</i> Female factors only 5% Female & male factors 14%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 259 (includes 14 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	82	29	41	16	1	2
Percentage of cancellations	3.7	6.9	2.4	0 / 16	0 / 1	0 / 2
Average number of embryos transferred	1.8	1.8	2.1	2.6	4.0	1.0
Percentage of embryos transferred resulting in implantation	46.2	34.8	20.8	8.8	0 / 4	0 / 2
Percentage of elective single embryo transfer (eSET)	17.6	13.6	6.7	0 / 9	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.5	27.6	29.3	3 / 16	0 / 1	0 / 2
Percentage of cycles resulting in triplets or more live births	1.2	0.0	0.0	0 / 16	0 / 1	0 / 2
Percentage of cycles resulting in live births	46.3	31.0	31.7	3 / 16	0 / 1	0 / 2
Percentage of cycles resulting in pregnancy	52.4	41.4	36.6	3 / 16	0 / 1	0 / 2
Outcomes per Transfer						
Number of transfers	74	25	36	13	1	2
Percentage of transfers resulting in singleton live births	33.8	32.0	33.3	3 / 13	0 / 1	0 / 2
Percentage of transfers resulting in triplets or more live births	1.4	0.0	0.0	0 / 13	0 / 1	0 / 2
Percentage of transfers resulting in live births	51.4	36.0	36.1	3 / 13	0 / 1	0 / 2
Percentage of transfers resulting in pregnancy	58.1	48.0	41.7	3 / 13	0 / 1	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	43	12	15	3	0	0
Percentage of pregnancies resulting in singleton live births	58.1	8 / 12	12 / 15	3 / 3		
Percentage of pregnancies resulting in triplets or more live births	2.3	0 / 12	0 / 15	0 / 3		
Percentage of pregnancies resulting in live births	88.4	9 / 12	13 / 15	3 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	31	14	11	2	2	0
Number of transfers	31	14	11	2	2	0
Estimated average number of transfers per retrieval	1.8	1.1	3.7	2.0	1.0	
Average number of embryos transferred	1.8	1.6	1.8	2.5	3.0	
Percentage of embryos transferred resulting in implantation	46.4	43.5	25.0	1 / 5	0 / 6	
Percentage of transfers resulting in singleton live births	32.3	5 / 14	3 / 11	1 / 2	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 14	0 / 11	0 / 2	0 / 2	
Percentage of transfers resulting in live births	54.8	6 / 14	4 / 11	1 / 2	0 / 2	
Percentage of transfers resulting in pregnancy	61.3	9 / 14	4 / 11	1 / 2	0 / 2	
All Ages Combined^f						
		Fresh Embryos		Frozen Embryos		
Donor Eggs						
Number of cycles		7		7		
Number of transfers		7		7		
Average number of embryos transferred		1.7		2.0		
Percentage of embryos transferred resulting in implantation		5 / 12		9 / 14		
Percentage of transfers resulting in singleton live births		5 / 7		2 / 7		
Percentage of transfers resulting in live births		5 / 7		5 / 7		
Percentage of transfers resulting in pregnancy		5 / 7		5 / 7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Advanced Reproductive Medicine & Fertility					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WOMEN'S FERTILITY CENTER ENGLEWOOD, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Philip R. Lesorgen, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	87%	Tubal factor	14%	Uterine factor	0%	
Unstimulated	0%	Used PGD	8%	Ovulatory dysfunction	8%	Male factor	40%	
Used gestational carrier	0%			Diminished ovarian reserve	46%	Other factor	2%	
				Endometriosis	3%	Unknown factor	11%	
				Multiple Factors:				
				Female factors only				3%
				Female & male factors				20%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 65 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	24	10	15	5	6	1
Percentage of cancellations	12.5	0 / 10	0 / 15	2 / 5	2 / 6	0 / 1
Average number of embryos transferred	2.1	2.6	1.8	2.7	2.0	1.0
Percentage of embryos transferred resulting in implantation	42.2	4 / 18	13.6	1 / 8	0 / 4	0 / 1
Percentage of elective single embryo transfer (eSET)	0 / 19	0 / 7	0 / 8	0 / 3	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	37.5	0 / 10	3 / 15	0 / 5	0 / 6	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0 / 10	0 / 15	0 / 5	0 / 6	0 / 1
Percentage of cycles resulting in live births	54.2	1 / 10	3 / 15	0 / 5	0 / 6	0 / 1
Percentage of cycles resulting in pregnancy	66.7	2 / 10	3 / 15	2 / 5	0 / 6	0 / 1
Outcomes per Transfer						
Number of transfers	21	7	12	3	2	1
Percentage of transfers resulting in singleton live births	42.9	0 / 7	3 / 12	0 / 3	0 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 7	0 / 12	0 / 3	0 / 2	0 / 1
Percentage of transfers resulting in live births	61.9	1 / 7	3 / 12	0 / 3	0 / 2	0 / 1
Percentage of transfers resulting in pregnancy	76.2	2 / 7	3 / 12	2 / 3	0 / 2	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	16	2	3	2	0	0
Percentage of pregnancies resulting in singleton live births	9 / 16	0 / 2	3 / 3	0 / 2		
Percentage of pregnancies resulting in triplets or more live births	0 / 16	0 / 2	0 / 3	0 / 2		
Percentage of pregnancies resulting in live births	13 / 16	1 / 2	3 / 3	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	3	0	0	1	0	0
Number of transfers	3	0	0	1	0	0
Estimated average number of transfers per retrieval				1.0		
Average number of embryos transferred	3.0			2.0		
Percentage of embryos transferred resulting in implantation	0 / 6			1 / 2		
Percentage of transfers resulting in singleton live births	0 / 3			0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 3			0 / 1		
Percentage of transfers resulting in live births	0 / 3			0 / 1		
Percentage of transfers resulting in pregnancy	1 / 3			1 / 1		
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	0		0			
Number of transfers	0		0			
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Women's Fertility Center

Donor egg?	No	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**NORTH HUDSON I.V.F.
CENTER FOR FERTILITY AND GYNECOLOGY
ENGLEWOOD CLIFFS, NEW JERSEY**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Jane E. Miller, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	50%	Tubal factor	0%	Uterine factor	4%	<i>Multiple Factors:</i> Female factors only 8% Female & male factors 8%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	8%	Male factor	21%	
Used gestational carrier	0%			Diminished ovarian reserve	67%	Other factor	13%	
				Endometriosis	0%	Unknown factor	4%	

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 33 (includes 9 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	2	0	2	0	0	0
Percentage of cancellations	0 / 2		1 / 2			
Average number of embryos transferred	2.0		3.0			
Percentage of embryos transferred resulting in implantation	1 / 4		0 / 3			
Percentage of elective single embryo transfer (eSET)	0 / 2		0 / 1			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	1 / 2		0 / 2			
Percentage of cycles resulting in triplets or more live births	0 / 2		0 / 2			
Percentage of cycles resulting in live births	1 / 2		0 / 2			
Percentage of cycles resulting in pregnancy	1 / 2		0 / 2			
Outcomes per Transfer						
Number of transfers	2	0	1	0	0	0
Percentage of transfers resulting in singleton live births	1 / 2		0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 2		0 / 1			
Percentage of transfers resulting in live births	1 / 2		0 / 1			
Percentage of transfers resulting in pregnancy	1 / 2		0 / 1			
Outcomes per Pregnancy						
Number of pregnancies	1	0	0	0	0	0
Percentage of pregnancies resulting in singleton live births	1 / 1					
Percentage of pregnancies resulting in triplets or more live births	0 / 1					
Percentage of pregnancies resulting in live births	1 / 1					
Frozen Embryos from Nondonor Eggs						
Number of cycles	3	2	0	0	1	0
Number of transfers	2	2	0	0	1	0
Estimated average number of transfers per retrieval	1.0	2.0		0.0	1.0	0.0
Average number of embryos transferred	2.5	2.5			3.0	
Percentage of embryos transferred resulting in implantation	1 / 5	2 / 5			0 / 3	
Percentage of transfers resulting in singleton live births	1 / 2	0 / 2			0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 2	0 / 2			0 / 1	
Percentage of transfers resulting in live births	1 / 2	1 / 2			0 / 1	
Percentage of transfers resulting in pregnancy	1 / 2	1 / 2			0 / 1	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		9		5		
Number of transfers		9		5		
Average number of embryos transferred		2.3		3.0		
Percentage of embryos transferred resulting in implantation		38.1		4 / 15		
Percentage of transfers resulting in singleton live births		0 / 9		2 / 5		
Percentage of transfers resulting in live births		4 / 9		3 / 5		
Percentage of transfers resulting in pregnancy		4 / 9		3 / 5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: North Hudson I.V.F., Center for Fertility and Gynecology

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2012 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2012 ART cycle data or the clinic's Medical Director did not approve the clinic's 2012 ART cycle data for inclusion in this report.

UNIVERSITY REPRODUCTIVE ASSOCIATES, PC HASBROUCK HEIGHTS, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Peter G. McGovern, MD				
Type of ART and Procedural Factors^a				Patient Diagnosis^b				
IVF	100%	With ICSI	94%	Tubal factor	15%	Uterine factor	8%	
Unstimulated	<1%	Used PGD	5%	Ovulatory dysfunction	20%	Male factor	78%	
Used gestational carrier	<1%			Diminished ovarian reserve	21%	Other factor	10%	
				Endometriosis	7%	Unknown factor	3%	
				Multiple Factors:				
				Female factors only				3%
				Female & male factors				48%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 403 (includes 66 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		110	52	67	27	5	3
Percentage of cancellations		2.7	3.8	4.5	0.0	0 / 5	0 / 3
Average number of embryos transferred		2.0	2.2	2.5	2.6	2.3	2.0
Percentage of embryos transferred resulting in implantation		31.4	33.0	24.1	5.8	1 / 9	0 / 4
Percentage of elective single embryo transfer (eSET)		1.0	0.0	0.0	0.0	0 / 3	0 / 1
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		30.9	26.9	22.4	3.7	0 / 5	0 / 3
Percentage of cycles resulting in triplets or more live births		0.0	0.0	0.0	0.0	0 / 5	0 / 3
Percentage of cycles resulting in live births		40.0	40.4	28.4	3.7	0 / 5	0 / 3
Percentage of cycles resulting in pregnancy		49.1	50.0	43.3	18.5	1 / 5	0 / 3
Outcomes per Transfer							
Number of transfers		103	49	62	27	4	2
Percentage of transfers resulting in singleton live births		33.0	28.6	24.2	3.7	0 / 4	0 / 2
Percentage of transfers resulting in triplets or more live births		0.0	0.0	0.0	0.0	0 / 4	0 / 2
Percentage of transfers resulting in live births		42.7	42.9	30.6	3.7	0 / 4	0 / 2
Percentage of transfers resulting in pregnancy		52.4	53.1	46.8	18.5	1 / 4	0 / 2
Outcomes per Pregnancy							
Number of pregnancies		54	26	29	5	1	0
Percentage of pregnancies resulting in singleton live births		63.0	53.8	51.7	1 / 5	0 / 1	
Percentage of pregnancies resulting in triplets or more live births		0.0	0.0	0.0	0 / 5	0 / 1	
Percentage of pregnancies resulting in live births		81.5	80.8	65.5	1 / 5	0 / 1	
Frozen Embryos from Nondonor Eggs							
Number of cycles		24	14	8	3	2	2
Number of transfers		21	13	7	3	2	2
Estimated average number of transfers per retrieval		0.8	0.7	0.4	0.3	0.2	0.5
Average number of embryos transferred		2.2	2.2	2.6	2.3	2.0	2.0
Percentage of embryos transferred resulting in implantation		12.8	17.9	5 / 18	0 / 7	0 / 4	0 / 4
Percentage of transfers resulting in singleton live births		14.3	5 / 13	3 / 7	0 / 3	0 / 2	0 / 2
Percentage of transfers resulting in triplets or more live births		0.0	0 / 13	0 / 7	0 / 3	0 / 2	0 / 2
Percentage of transfers resulting in live births		19.0	5 / 13	4 / 7	0 / 3	0 / 2	0 / 2
Percentage of transfers resulting in pregnancy		23.8	5 / 13	4 / 7	1 / 3	0 / 2	0 / 2
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		13			7		
Number of transfers		12			5		
Average number of embryos transferred		2.0			2.2		
Percentage of embryos transferred resulting in implantation		41.7			1 / 11		
Percentage of transfers resulting in singleton live births		4 / 12			1 / 5		
Percentage of transfers resulting in live births		7 / 12			1 / 5		
Percentage of transfers resulting in pregnancy		7 / 12			1 / 5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University Reproductive Associates, PC					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHORE INSTITUTE FOR REPRODUCTIVE MEDICINE LAKEWOOD, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Allen Morgan, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	34%	Tubal factor	19%	Uterine factor	4%	Multiple Factors: Female factors only 7% Female & male factors 7%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	9%	Male factor	25%	
Used gestational carrier	0%			Diminished ovarian reserve	23%	Other factor	3%	
				Endometriosis	6%	Unknown factor	25%	

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 120 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	48	28	11	11	3	0
Percentage of cancellations	12.5	17.9	1 / 11	2 / 11	0 / 3	
Average number of embryos transferred	2.4	2.4	2.8	2.9	3.7	
Percentage of embryos transferred resulting in implantation	25.8	32.0	32.1	4.3	0 / 11	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 18	0 / 9	0 / 8	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.0	17.9	0 / 11	1 / 11	0 / 3	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	2 / 11	0 / 11	0 / 3	
Percentage of cycles resulting in live births	33.3	35.7	3 / 11	1 / 11	0 / 3	
Percentage of cycles resulting in pregnancy	37.5	39.3	3 / 11	1 / 11	0 / 3	
Outcomes per Transfer						
Number of transfers	38	21	10	8	3	0
Percentage of transfers resulting in singleton live births	31.6	23.8	0 / 10	1 / 8	0 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	2 / 10	0 / 8	0 / 3	
Percentage of transfers resulting in live births	42.1	47.6	3 / 10	1 / 8	0 / 3	
Percentage of transfers resulting in pregnancy	47.4	52.4	3 / 10	1 / 8	0 / 3	
Outcomes per Pregnancy						
Number of pregnancies	18	11	3	1	0	0
Percentage of pregnancies resulting in singleton live births	12 / 18	5 / 11	0 / 3	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 18	0 / 11	2 / 3	0 / 1		
Percentage of pregnancies resulting in live births	16 / 18	10 / 11	3 / 3	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	11	0	0	0	1	0
Number of transfers	10	0	0	0	1	0
Estimated average number of transfers per retrieval	1.4				1.0	
Average number of embryos transferred	2.2				3.0	
Percentage of embryos transferred resulting in implantation	0.0				0 / 3	
Percentage of transfers resulting in singleton live births	0 / 10				0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 10				0 / 1	
Percentage of transfers resulting in live births	0 / 10				0 / 1	
Percentage of transfers resulting in pregnancy	1 / 10				0 / 1	
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	0		7			
Number of transfers	0		6			
Average number of embryos transferred			1.7			
Percentage of embryos transferred resulting in implantation			1 / 10			
Percentage of transfers resulting in singleton live births			1 / 6			
Percentage of transfers resulting in live births			1 / 6			
Percentage of transfers resulting in pregnancy			1 / 6			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Shore Institute for Reproductive Medicine					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**DELAWARE VALLEY OBGYN AND INFERTILITY GROUP
PRINCETON IVF
LAWRENCEVILLE, NEW JERSEY**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Seth G. Derman, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	61%	Tubal factor	28%	Uterine factor	<1%	
Unstimulated	2%	Used PGD	2%	Ovulatory dysfunction	41%	Male factor	54%	
Used gestational carrier	0%			Diminished ovarian reserve	27%	Other factor	8%	
				Endometriosis	3%	Unknown factor	3%	
				Multiple Factors:				
				Female factors only				12%
				Female & male factors				41%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 145 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	59	19	23	11	6	0
Percentage of cancellations	0.0	1 / 19	4.3	1 / 11	0 / 6	
Average number of embryos transferred	2.2	2.4	2.7	2.7	1.4	
Percentage of embryos transferred resulting in implantation	22.4	26.3	13.0	12.5	0 / 7	
Percentage of elective single embryo transfer (eSET)	1.8	0 / 15	0 / 17	0 / 7	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	10.2	3 / 19	13.0	2 / 11	0 / 6	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 19	0.0	0 / 11	0 / 6	
Percentage of cycles resulting in live births	20.3	6 / 19	13.0	2 / 11	0 / 6	
Percentage of cycles resulting in pregnancy	39.0	6 / 19	30.4	3 / 11	0 / 6	
Outcomes per Transfer						
Number of transfers	58	16	20	9	5	0
Percentage of transfers resulting in singleton live births	10.3	3 / 16	15.0	2 / 9	0 / 5	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0.0	0 / 9	0 / 5	
Percentage of transfers resulting in live births	20.7	6 / 16	15.0	2 / 9	0 / 5	
Percentage of transfers resulting in pregnancy	39.7	6 / 16	35.0	3 / 9	0 / 5	
Outcomes per Pregnancy						
Number of pregnancies	23	6	7	3	0	0
Percentage of pregnancies resulting in singleton live births	26.1	3 / 6	3 / 7	2 / 3		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 6	0 / 7	0 / 3		
Percentage of pregnancies resulting in live births	52.2	6 / 6	3 / 7	2 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	14	2	4	0	1	0
Number of transfers	14	2	3	0	1	0
Estimated average number of transfers per retrieval	1.8					
Average number of embryos transferred	1.9	1.5	2.7		2.0	
Percentage of embryos transferred resulting in implantation	51.9	0 / 3	0 / 8		2 / 2	
Percentage of transfers resulting in singleton live births	4 / 14	0 / 2	0 / 3		0 / 1	
Percentage of transfers resulting in triplets or more live births	1 / 14	0 / 2	0 / 3		0 / 1	
Percentage of transfers resulting in live births	5 / 14	0 / 2	0 / 3		1 / 1	
Percentage of transfers resulting in pregnancy	9 / 14	0 / 2	0 / 3		1 / 1	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		6		0		
Number of transfers		6		0		
Average number of embryos transferred		2.0				
Percentage of embryos transferred resulting in implantation		6 / 12				
Percentage of transfers resulting in singleton live births		1 / 6				
Percentage of transfers resulting in live births		2 / 6				
Percentage of transfers resulting in pregnancy		4 / 6				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Delaware Valley OBGYN and Infertility Group, Princeton IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2012 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2012 ART cycle data or the clinic's Medical Director did not approve the clinic's 2012 ART cycle data for inclusion in this report.

EAST COAST INFERTILITY AND IVF LITTLE SILVER, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Miguel Damien, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	65%	Tubal factor	7%	Uterine factor	2%	
Unstimulated	0%	Used PGD	7%	Ovulatory dysfunction	6%	Male factor	41%	
Used gestational carrier	0%			Diminished ovarian reserve	40%	Other factor	16%	
				Endometriosis	22%	Unknown factor	5%	
				Multiple Factors:				
				Female factors only				13%
				Female & male factors				24%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 264 (includes 3 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	76	43	42	25	17	8
Percentage of cancellations	0.0	0.0	11.9	4.0	1 / 17	1 / 8
Average number of embryos transferred	2.0	2.1	2.8	3.3	3.1	3.0
Percentage of embryos transferred resulting in implantation	30.9	25.6	11.2	9.7	0.0	1 / 12
Percentage of elective single embryo transfer (eSET)	1.5	0.0	0.0	0 / 19	0 / 10	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.0	25.6	7.1	12.0	0 / 17	1 / 8
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 17	0 / 8
Percentage of cycles resulting in live births	34.2	34.9	9.5	12.0	0 / 17	1 / 8
Percentage of cycles resulting in pregnancy	42.1	37.2	23.8	24.0	0 / 17	1 / 8
Outcomes per Transfer						
Number of transfers	68	37	32	22	13	4
Percentage of transfers resulting in singleton live births	27.9	29.7	9.4	13.6	0 / 13	1 / 4
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 13	0 / 4
Percentage of transfers resulting in live births	38.2	40.5	12.5	13.6	0 / 13	1 / 4
Percentage of transfers resulting in pregnancy	47.1	43.2	31.3	27.3	0 / 13	1 / 4
Outcomes per Pregnancy						
Number of pregnancies	32	16	10	6	0	1
Percentage of pregnancies resulting in singleton live births	59.4	11 / 16	3 / 10	3 / 6		1 / 1
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 16	0 / 10	0 / 6		0 / 1
Percentage of pregnancies resulting in live births	81.3	15 / 16	4 / 10	3 / 6		1 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	11	9	1	0	0	0
Number of transfers	11	8	0	0	0	0
Estimated average number of transfers per retrieval	1.2	4.0	0.0			
Average number of embryos transferred	1.8	1.8				
Percentage of embryos transferred resulting in implantation	10.0	3 / 14				
Percentage of transfers resulting in singleton live births	2 / 11	3 / 8				
Percentage of transfers resulting in triplets or more live births	0 / 11	0 / 8				
Percentage of transfers resulting in live births	2 / 11	3 / 8				
Percentage of transfers resulting in pregnancy	4 / 11	3 / 8				
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		15		14		
Number of transfers		14		14		
Average number of embryos transferred		2.1		1.9		
Percentage of embryos transferred resulting in implantation		55.2		26.9		
Percentage of transfers resulting in singleton live births		3 / 14		5 / 14		
Percentage of transfers resulting in live births		8 / 14		6 / 14		
Percentage of transfers resulting in pregnancy		10 / 14		7 / 14		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: East Coast Infertility and IVF					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**INSTITUTE FOR REPRODUCTIVE MEDICINE AND SCIENCE
SAINT BARNABAS MEDICAL CENTER
LIVINGSTON, NEW JERSEY**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Margaret G. Garrisi, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	64%	Tubal factor	14%	Uterine factor	5%	
Unstimulated	0%	Used PGD	15%	Ovulatory dysfunction	9%	Male factor	33%	
Used gestational carrier	<1%			Diminished ovarian reserve	49%	Other factor	6%	
				Endometriosis	6%	Unknown factor	14%	
				Multiple Factors:				
				Female factors only				12%
				Female & male factors				20%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 834 (includes 67 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	196	135	140	77	43	2
Percentage of cancellations	5.1	14.8	12.9	20.8	16.3	1 / 2
Average number of embryos transferred	1.5	1.6	2.1	2.5	2.2	5.0
Percentage of embryos transferred resulting in implantation	40.5	32.2	25.3	10.3	2.4	0 / 5
Percentage of elective single embryo transfer (eSET)	39.9	24.7	7.9	0.0	0 / 12	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	33.7	23.7	20.7	5.2	2.3	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0.7	0.7	0.0	0.0	0 / 2
Percentage of cycles resulting in live births	40.8	28.1	27.1	7.8	2.3	0 / 2
Percentage of cycles resulting in pregnancy	46.9	35.6	32.9	14.3	4.7	0 / 2
Outcomes per Transfer						
Number of transfers	171	106	108	47	19	1
Percentage of transfers resulting in singleton live births	38.6	30.2	26.9	8.5	1 / 19	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.9	0.9	0.0	0 / 19	0 / 1
Percentage of transfers resulting in live births	46.8	35.8	35.2	12.8	1 / 19	0 / 1
Percentage of transfers resulting in pregnancy	53.8	45.3	42.6	23.4	2 / 19	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	92	48	46	11	2	0
Percentage of pregnancies resulting in singleton live births	71.7	66.7	63.0	4 / 11	1 / 2	
Percentage of pregnancies resulting in triplets or more live births	0.0	2.1	2.2	0 / 11	0 / 2	
Percentage of pregnancies resulting in live births	87.0	79.2	82.6	6 / 11	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	63	35	14	9	1	2
Number of transfers	61	34	14	9	1	2
Estimated average number of transfers per retrieval	1.2	1.4	0.4	0.6	0.2	
Average number of embryos transferred	1.4	1.3	1.5	1.4	2.0	1.0
Percentage of embryos transferred resulting in implantation	39.5	40.0	28.6	5 / 13	0 / 2	0 / 2
Percentage of transfers resulting in singleton live births	42.6	38.2	4 / 14	2 / 9	0 / 1	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 14	0 / 9	0 / 1	0 / 2
Percentage of transfers resulting in live births	44.3	44.1	5 / 14	2 / 9	0 / 1	0 / 2
Percentage of transfers resulting in pregnancy	59.0	50.0	5 / 14	4 / 9	0 / 1	1 / 2
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		25		25		
Number of transfers		25		25		
Average number of embryos transferred		1.7		1.5		
Percentage of embryos transferred resulting in implantation		26.2		27.0		
Percentage of transfers resulting in singleton live births		28.0		32.0		
Percentage of transfers resulting in live births		32.0		36.0		
Percentage of transfers resulting in pregnancy		40.0		36.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Institute for Reproductive Medicine and Science, Saint Barnabas Medical Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COOPER INSTITUTE FOR REPRODUCTIVE HORMONAL DISORDERS MARLTON, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Jerome H. Check, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	39%	Tubal factor	16%	Uterine factor	3%
Unstimulated	3%	Used PGD	<1%	Ovulatory dysfunction	9%	Male factor	30%
Used gestational carrier	<1%			Diminished ovarian reserve	48%	Other factor	6%
				Endometriosis	6%	Unknown factor	8%
				<i>Multiple Factors:</i> Female factors only 10% Female & male factors 15%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 983 (includes 9 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	171	102	129	83	69	87
Percentage of cancellations	19.9	26.5	28.7	32.5	31.9	29.9
Average number of embryos transferred	1.9	1.9	2.2	2.4	1.8	2.1
Percentage of embryos transferred resulting in implantation	37.4	21.2	22.9	8.7	5.1	8.3
Percentage of elective single embryo transfer (eSET)	11.6	6.3	0.0	0.0	0 / 16	0 / 13
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	19.9	11.8	8.5	4.8	1.4	2.3
Percentage of cycles resulting in triplets or more live births	0.6	0.0	0.0	0.0	0.0	0.0
Percentage of cycles resulting in live births	30.4	15.7	11.6	6.0	1.4	3.4
Percentage of cycles resulting in pregnancy	37.4	21.6	20.2	12.0	7.2	3.4
Outcomes per Transfer						
Number of transfers	120	59	66	43	32	29
Percentage of transfers resulting in singleton live births	28.3	20.3	16.7	9.3	3.1	6.9
Percentage of transfers resulting in triplets or more live births	0.8	0.0	0.0	0.0	0.0	0.0
Percentage of transfers resulting in live births	43.3	27.1	22.7	11.6	3.1	10.3
Percentage of transfers resulting in pregnancy	53.3	37.3	39.4	23.3	15.6	10.3
Outcomes per Pregnancy						
Number of pregnancies	64	22	26	10	5	3
Percentage of pregnancies resulting in singleton live births	53.1	54.5	42.3	4 / 10	1 / 5	2 / 3
Percentage of pregnancies resulting in triplets or more live births	1.6	0.0	0.0	0 / 10	0 / 5	0 / 3
Percentage of pregnancies resulting in live births	81.3	72.7	57.7	5 / 10	1 / 5	3 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	86	56	24	4	10	14
Number of transfers	64	34	18	2	9	9
Estimated average number of transfers per retrieval	1.6	1.7	1.5	0.7	3.0	3.0
Average number of embryos transferred	2.0	2.1	2.7	3.0	2.8	2.9
Percentage of embryos transferred resulting in implantation	29.9	23.9	25.0	1 / 6	12.0	7.7
Percentage of transfers resulting in singleton live births	29.7	23.5	4 / 18	1 / 2	1 / 9	1 / 9
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 18	0 / 2	0 / 9	0 / 9
Percentage of transfers resulting in live births	39.1	32.4	6 / 18	1 / 2	2 / 9	1 / 9
Percentage of transfers resulting in pregnancy	50.0	44.1	8 / 18	1 / 2	3 / 9	2 / 9
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		43		96		
Number of transfers		36		64		
Average number of embryos transferred		2.1		2.2		
Percentage of embryos transferred resulting in implantation		37.3		18.9		
Percentage of transfers resulting in singleton live births		27.8		25.0		
Percentage of transfers resulting in live births		47.2		31.3		
Percentage of transfers resulting in pregnancy		55.6		39.1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Cooper Institute for Reproductive Hormonal Disorders					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DELAWARE VALLEY INSTITUTE OF FERTILITY AND GENETICS MARLTON, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by George S. Taliadouros, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	37%	Tubal factor	14%	Uterine factor	8%
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	27%	Male factor	46%
Used gestational carrier	2%			Diminished ovarian reserve	37%	Other factor	5%
				Endometriosis	6%	Unknown factor	6%
				<i>Multiple Factors:</i> Female factors only 9% Female & male factors 33%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 188 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	65	23	32	6	5	0
Percentage of cancellations	0.0	0.0	0.0	0 / 6	0 / 5	
Average number of embryos transferred	2.0	2.0	2.7	4.5	3.4	
Percentage of embryos transferred resulting in implantation	36.6	30.4	21.2	3.7	1 / 17	
Percentage of elective single embryo transfer (eSET)	7.8	5.0	0.0	0 / 6	0 / 5	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.8	30.4	15.6	1 / 6	1 / 5	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 6	0 / 5	
Percentage of cycles resulting in live births	50.8	39.1	28.1	1 / 6	1 / 5	
Percentage of cycles resulting in pregnancy	53.8	43.5	34.4	1 / 6	1 / 5	
Outcomes per Transfer						
Number of transfers	65	23	31	6	5	0
Percentage of transfers resulting in singleton live births	30.8	30.4	16.1	1 / 6	1 / 5	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 6	0 / 5	
Percentage of transfers resulting in live births	50.8	39.1	29.0	1 / 6	1 / 5	
Percentage of transfers resulting in pregnancy	53.8	43.5	35.5	1 / 6	1 / 5	
Outcomes per Pregnancy						
Number of pregnancies	35	10	11	1	1	0
Percentage of pregnancies resulting in singleton live births	57.1	7 / 10	5 / 11	1 / 1	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 10	0 / 11	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births	94.3	9 / 10	9 / 11	1 / 1	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	11	10	2	0	0	0
Number of transfers	10	9	2	0	0	0
Estimated average number of transfers per retrieval	1.7	1.8				
Average number of embryos transferred	1.6	1.4	2.5			
Percentage of embryos transferred resulting in implantation	11 / 16	2 / 13	0 / 5			
Percentage of transfers resulting in singleton live births	1 / 10	1 / 9	0 / 2			
Percentage of transfers resulting in triplets or more live births	0 / 10	0 / 9	0 / 2			
Percentage of transfers resulting in live births	5 / 10	1 / 9	0 / 2			
Percentage of transfers resulting in pregnancy	6 / 10	2 / 9	0 / 2			
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		23		11		
Number of transfers		23		11		
Average number of embryos transferred		2.0		1.7		
Percentage of embryos transferred resulting in implantation		69.6		5 / 19		
Percentage of transfers resulting in singleton live births		17.4		3 / 11		
Percentage of transfers resulting in live births		78.3		4 / 11		
Percentage of transfers resulting in pregnancy		78.3		4 / 11		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Delaware Valley Institute of Fertility and Genetics					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTH JERSEY FERTILITY CENTER MARLTON, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Robert A. Skaf, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	62%	Tubal factor	23%	Uterine factor	4%	
Unstimulated	0%	Used PGD	5%	Ovulatory dysfunction	22%	Male factor	45%	
Used gestational carrier	<1%			Diminished ovarian reserve	28%	Other factor	32%	
				Endometriosis	14%	Unknown factor	7%	
				Multiple Factors:				
				Female factors only				24%
				Female & male factors				27%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 449 (includes 5 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	153	72	51	14	21	3
Percentage of cancellations	1.3	6.9	17.6	0 / 14	14.3	0 / 3
Average number of embryos transferred	1.8	2.0	2.6	3.2	2.9	2.7
Percentage of embryos transferred resulting in implantation	32.2	29.0	14.0	4.9	3.8	0 / 8
Percentage of elective single embryo transfer (eSET)	12.7	5.6	3.1	0 / 12	0 / 16	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.5	15.3	13.7	1 / 14	4.8	0 / 3
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 14	0.0	0 / 3
Percentage of cycles resulting in live births	35.3	29.2	19.6	1 / 14	4.8	0 / 3
Percentage of cycles resulting in pregnancy	44.4	31.9	21.6	1 / 14	9.5	0 / 3
Outcomes per Transfer						
Number of transfers	146	63	38	13	18	3
Percentage of transfers resulting in singleton live births	26.7	17.5	18.4	1 / 13	1 / 18	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 13	0 / 18	0 / 3
Percentage of transfers resulting in live births	37.0	33.3	26.3	1 / 13	1 / 18	0 / 3
Percentage of transfers resulting in pregnancy	46.6	36.5	28.9	1 / 13	2 / 18	0 / 3
Outcomes per Pregnancy						
Number of pregnancies	68	23	11	1	2	0
Percentage of pregnancies resulting in singleton live births	57.4	47.8	7 / 11	1 / 1	1 / 2	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0 / 11	0 / 1	0 / 2	
Percentage of pregnancies resulting in live births	79.4	91.3	10 / 11	1 / 1	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	56	21	19	2	0	0
Number of transfers	55	18	18	2	0	0
Estimated average number of transfers per retrieval	2.2	2.6	2.6	2.0		
Average number of embryos transferred	2.1	2.1	2.4	3.0		
Percentage of embryos transferred resulting in implantation	19.1	5.3	7.0	0 / 6		
Percentage of transfers resulting in singleton live births	14.5	2 / 18	1 / 18	0 / 2		
Percentage of transfers resulting in triplets or more live births	1.8	0 / 18	0 / 18	0 / 2		
Percentage of transfers resulting in live births	25.5	2 / 18	1 / 18	0 / 2		
Percentage of transfers resulting in pregnancy	32.7	4 / 18	4 / 18	0 / 2		
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		17		15		
Number of transfers		16		14		
Average number of embryos transferred		1.6		1.9		
Percentage of embryos transferred resulting in implantation		34.6		14.8		
Percentage of transfers resulting in singleton live births		4 / 16		1 / 14		
Percentage of transfers resulting in live births		5 / 16		2 / 14		
Percentage of transfers resulting in pregnancy		10 / 16		4 / 14		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: South Jersey Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DIAMOND INSTITUTE FOR INFERTILITY MILLBURN, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Arie Birkenfeld, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	63%	Tubal factor	18%	Uterine factor	1%	
Unstimulated	<1%	Used PGD	4%	Ovulatory dysfunction	12%	Male factor	22%	
Used gestational carrier	0%			Diminished ovarian reserve	58%	Other factor	0%	
				Endometriosis	5%	Unknown factor	8%	
				Multiple Factors:				
				Female factors only				7%
				Female & male factors				15%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 326 (includes 13 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	79	35	38	20	7	3
Percentage of cancellations	6.3	8.6	7.9	10.0	2 / 7	1 / 3
Average number of embryos transferred	1.8	2.1	2.0	2.7	3.2	2.5
Percentage of embryos transferred resulting in implantation	27.1	27.6	25.4	12.5	0 / 16	0 / 5
Percentage of elective single embryo transfer (eSET)	21.9	0.0	7.7	0 / 14	0 / 5	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	19.0	22.9	10.5	20.0	0 / 7	0 / 3
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 7	0 / 3
Percentage of cycles resulting in live births	27.8	34.3	23.7	20.0	0 / 7	0 / 3
Percentage of cycles resulting in pregnancy	35.4	40.0	31.6	30.0	0 / 7	0 / 3
Outcomes per Transfer						
Number of transfers	67	28	35	15	5	2
Percentage of transfers resulting in singleton live births	22.4	28.6	11.4	4 / 15	0 / 5	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 15	0 / 5	0 / 2
Percentage of transfers resulting in live births	32.8	42.9	25.7	4 / 15	0 / 5	0 / 2
Percentage of transfers resulting in pregnancy	41.8	50.0	34.3	6 / 15	0 / 5	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	28	14	12	6	0	0
Percentage of pregnancies resulting in singleton live births	53.6	8 / 14	4 / 12	4 / 6		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 14	0 / 12	0 / 6		
Percentage of pregnancies resulting in live births	78.6	12 / 14	9 / 12	4 / 6		
Frozen Embryos from Nondonor Eggs						
Number of cycles	61	14	7	4	4	1
Number of transfers	55	12	6	4	4	1
Estimated average number of transfers per retrieval	1.8	1.5	2.0	0.7	2.0	1.0
Average number of embryos transferred	1.7	2.0	2.3	1.3	2.5	2.0
Percentage of embryos transferred resulting in implantation	32.3	45.8	4 / 14	0 / 5	0 / 10	0 / 2
Percentage of transfers resulting in singleton live births	27.3	1 / 12	1 / 6	0 / 4	0 / 4	0 / 1
Percentage of transfers resulting in triplets or more live births	1.8	0 / 12	0 / 6	0 / 4	0 / 4	0 / 1
Percentage of transfers resulting in live births	38.2	4 / 12	2 / 6	0 / 4	0 / 4	0 / 1
Percentage of transfers resulting in pregnancy	41.8	7 / 12	3 / 6	0 / 4	0 / 4	0 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		18		22		
Number of transfers		16		19		
Average number of embryos transferred		1.8		1.8		
Percentage of embryos transferred resulting in implantation		62.1		14.7		
Percentage of transfers resulting in singleton live births		7 / 16		3 / 19		
Percentage of transfers resulting in live births		11 / 16		4 / 19		
Percentage of transfers resulting in pregnancy		14 / 16		5 / 19		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Diamond Institute for Infertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF NEW JERSEY MORRISTOWN, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Michael R. Drews, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	83%	Tubal factor	8%	Uterine factor	5%
Unstimulated	0%	Used PGD	25%	Ovulatory dysfunction	18%	Male factor	46%
Used gestational carrier	0%			Diminished ovarian reserve	20%	Other factor	47%
				Endometriosis	4%	Unknown factor	0%
				<i>Multiple Factors:</i> Female factors only 16% Female & male factors 30%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 4,045 (includes 1,831 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	333	181	130	53	26	8
Percentage of cancellations	3.6	8.3	9.2	17.0	23.1	1 / 8
Average number of embryos transferred	1.7	1.6	1.6	1.5	1.6	1.7
Percentage of embryos transferred resulting in implantation	64.1	58.4	52.6	40.5	1 / 8	0 / 5
Percentage of elective single embryo transfer (eSET)	27.9	32.5	24.3	3 / 17	0 / 3	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	34.5	34.8	23.1	18.9	3.8	0 / 8
Percentage of cycles resulting in triplets or more live births	0.6	0.0	0.0	0.0	0.0	0 / 8
Percentage of cycles resulting in live births	56.2	47.0	35.4	20.8	3.8	0 / 8
Percentage of cycles resulting in pregnancy	62.2	54.1	41.5	30.2	7.7	0 / 8
Outcomes per Transfer						
Number of transfers	267	134	82	28	5	3
Percentage of transfers resulting in singleton live births	43.1	47.0	36.6	35.7	1 / 5	0 / 3
Percentage of transfers resulting in triplets or more live births	0.7	0.0	0.0	0.0	0 / 5	0 / 3
Percentage of transfers resulting in live births	70.0	63.4	56.1	39.3	1 / 5	0 / 3
Percentage of transfers resulting in pregnancy	77.5	73.1	65.9	57.1	2 / 5	0 / 3
Outcomes per Pregnancy						
Number of pregnancies	207	98	54	16	2	0
Percentage of pregnancies resulting in singleton live births	55.6	64.3	55.6	10 / 16	1 / 2	
Percentage of pregnancies resulting in triplets or more live births	1.0	0.0	0.0	0 / 16	0 / 2	
Percentage of pregnancies resulting in live births	90.3	86.7	85.2	11 / 16	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	510	311	272	103	33	10
Number of transfers	486	287	242	98	26	6
Estimated average number of transfers per retrieval	0.8	0.7	0.5	0.4	0.2	0.1
Average number of embryos transferred	1.6	1.4	1.5	1.4	1.3	1.0
Percentage of embryos transferred resulting in implantation	61.2	56.3	52.3	37.3	25.7	2 / 6
Percentage of transfers resulting in singleton live births	44.2	44.6	39.3	31.6	19.2	2 / 6
Percentage of transfers resulting in triplets or more live births	0.4	0.0	0.0	0.0	0.0	0 / 6
Percentage of transfers resulting in live births	65.0	58.2	51.2	36.7	23.1	2 / 6
Percentage of transfers resulting in pregnancy	77.6	70.7	68.2	49.0	50.0	2 / 6
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		66		178		
Number of transfers		63		154		
Average number of embryos transferred		1.7		1.5		
Percentage of embryos transferred resulting in implantation		67.6		37.6		
Percentage of transfers resulting in singleton live births		39.7		33.1		
Percentage of transfers resulting in live births		73.0		40.3		
Percentage of transfers resulting in pregnancy		79.4		52.6		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine Associates of New Jersey					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

VALLEY HOSPITAL FERTILITY CENTER PARAMUS, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Ali Nasser, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	32%	Tubal factor	16%	Uterine factor	8%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	13%	Male factor	27%	
Used gestational carrier	<1%			Diminished ovarian reserve	40%	Other factor	4%	
				Endometriosis	9%	Unknown factor	13%	
				Multiple Factors:				
				Female factors only				15%
				Female & male factors				13%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 412 (includes 56 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	103	58	57	25	16	0
Percentage of cancellations	3.9	6.9	10.5	12.0	2 / 16	
Average number of embryos transferred	1.8	1.9	2.0	2.0	2.2	
Percentage of embryos transferred resulting in implantation	38.3	25.3	29.3	15.6	6.9	
Percentage of elective single embryo transfer (eSET)	11.8	4.3	2.4	1 / 18	0 / 11	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.1	22.4	22.8	12.0	0 / 16	
Percentage of cycles resulting in triplets or more live births	1.0	1.7	0.0	0.0	0 / 16	
Percentage of cycles resulting in live births	45.6	27.6	29.8	16.0	1 / 16	
Percentage of cycles resulting in pregnancy	51.5	36.2	38.6	24.0	3 / 16	
Outcomes per Transfer						
Number of transfers	95	52	49	22	13	0
Percentage of transfers resulting in singleton live births	32.6	25.0	26.5	13.6	0 / 13	
Percentage of transfers resulting in triplets or more live births	1.1	1.9	0.0	0.0	0 / 13	
Percentage of transfers resulting in live births	49.5	30.8	34.7	18.2	1 / 13	
Percentage of transfers resulting in pregnancy	55.8	40.4	44.9	27.3	3 / 13	
Outcomes per Pregnancy						
Number of pregnancies	53	21	22	6	3	0
Percentage of pregnancies resulting in singleton live births	58.5	61.9	59.1	3 / 6	0 / 3	
Percentage of pregnancies resulting in triplets or more live births	1.9	4.8	0.0	0 / 6	0 / 3	
Percentage of pregnancies resulting in live births	88.7	76.2	77.3	4 / 6	1 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	31	22	13	4	5	1
Number of transfers	31	22	13	4	5	1
Estimated average number of transfers per retrieval	0.9	0.8	1.3	1.3	0.6	1.0
Average number of embryos transferred	1.7	1.9	1.7	2.3	1.8	3.0
Percentage of embryos transferred resulting in implantation	26.4	33.3	45.5	2 / 9	2 / 9	0 / 3
Percentage of transfers resulting in singleton live births	25.8	36.4	6 / 13	1 / 4	1 / 5	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 13	0 / 4	0 / 5	0 / 1
Percentage of transfers resulting in live births	29.0	45.5	8 / 13	1 / 4	1 / 5	0 / 1
Percentage of transfers resulting in pregnancy	35.5	54.5	8 / 13	2 / 4	2 / 5	0 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		14		7		
Number of transfers		14		7		
Average number of embryos transferred		1.7		2.0		
Percentage of embryos transferred resulting in implantation		54.2		8 / 14		
Percentage of transfers resulting in singleton live births		7 / 14		4 / 7		
Percentage of transfers resulting in live births		10 / 14		5 / 7		
Percentage of transfers resulting in pregnancy		10 / 14		6 / 7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Valley Hospital Fertility Center					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF NEW JERSEY SOMERSET, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Michael C. Darder, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	35%	Tubal factor	18%	Uterine factor	8%	
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	17%	Male factor	35%	
Used gestational carrier	2%			Diminished ovarian reserve	41%	Other factor	15%	
				Endometriosis	11%	Unknown factor	9%	
				Multiple Factors:				
				Female factors only				18%
				Female & male factors				25%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 647 (includes 21 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	203	85	82	42	14	1
Percentage of cancellations	6.4	4.7	1.2	4.8	2 / 14	0 / 1
Average number of embryos transferred	2.2	2.3	2.6	2.9	3.5	5.0
Percentage of embryos transferred resulting in implantation	38.5	32.3	21.5	10.1	4.8	0 / 5
Percentage of elective single embryo transfer (eSET)	1.7	0.0	0.0	0.0	0 / 11	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	24.1	20.0	23.2	16.7	0 / 14	0 / 1
Percentage of cycles resulting in triplets or more live births	1.0	1.2	0.0	0.0	0 / 14	0 / 1
Percentage of cycles resulting in live births	43.3	35.3	31.7	19.0	1 / 14	0 / 1
Percentage of cycles resulting in pregnancy	48.8	37.6	43.9	23.8	1 / 14	0 / 1
Outcomes per Transfer						
Number of transfers	182	72	78	34	12	1
Percentage of transfers resulting in singleton live births	26.9	23.6	24.4	20.6	0 / 12	0 / 1
Percentage of transfers resulting in triplets or more live births	1.1	1.4	0.0	0.0	0 / 12	0 / 1
Percentage of transfers resulting in live births	48.4	41.7	33.3	23.5	1 / 12	0 / 1
Percentage of transfers resulting in pregnancy	54.4	44.4	46.2	29.4	1 / 12	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	99	32	36	10	1	0
Percentage of pregnancies resulting in singleton live births	49.5	53.1	52.8	7 / 10	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	2.0	3.1	0.0	0 / 10	0 / 1	
Percentage of pregnancies resulting in live births	88.9	93.8	72.2	8 / 10	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	19	14	8	0	1	0
Number of transfers	18	12	8	0	1	0
Estimated average number of transfers per retrieval	0.9	1.0	0.9	0.0		
Average number of embryos transferred	2.0	1.8	1.8		2.0	
Percentage of embryos transferred resulting in implantation	27.8	22.7	3 / 14		0 / 2	
Percentage of transfers resulting in singleton live births	8 / 18	3 / 12	2 / 8		0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 18	0 / 12	0 / 8		0 / 1	
Percentage of transfers resulting in live births	9 / 18	4 / 12	2 / 8		0 / 1	
Percentage of transfers resulting in pregnancy	11 / 18	4 / 12	4 / 8		0 / 1	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		128		29		
Number of transfers		123		29		
Average number of embryos transferred		1.9		1.8		
Percentage of embryos transferred resulting in implantation		57.6		28.3		
Percentage of transfers resulting in singleton live births		36.6		24.1		
Percentage of transfers resulting in live births		67.5		34.5		
Percentage of transfers resulting in pregnancy		78.0		55.2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: IVF New Jersey

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DR. LOUIS R. MANARA VOORHEES, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Louis R. Manara, DO

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	28%	Tubal factor	14%	Uterine factor	3%	
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	10%	Male factor	18%	
Used gestational carrier	0%			Diminished ovarian reserve	19%	Other factor	24%	
				Endometriosis	5%	Unknown factor	25%	
				Multiple Factors:				
				Female factors only				10%
				Female & male factors				7%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 147 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	47	23	27	9	5	0
Percentage of cancellations	12.8	21.7	18.5	3 / 9	1 / 5	
Average number of embryos transferred	2.0	2.2	2.6	2.0	2.5	
Percentage of embryos transferred resulting in implantation	34.2	32.5	11.1	3 / 12	0 / 10	
Percentage of elective single embryo transfer (eSET)	8.6	1 / 16	0.0	0 / 5	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	19.1	13.0	11.1	3 / 9	0 / 5	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 9	0 / 5	
Percentage of cycles resulting in live births	34.0	26.1	14.8	3 / 9	0 / 5	
Percentage of cycles resulting in pregnancy	38.3	43.5	18.5	3 / 9	1 / 5	
Outcomes per Transfer						
Number of transfers	37	18	21	6	4	0
Percentage of transfers resulting in singleton live births	24.3	3 / 18	14.3	3 / 6	0 / 4	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 18	0.0	0 / 6	0 / 4	
Percentage of transfers resulting in live births	43.2	6 / 18	19.0	3 / 6	0 / 4	
Percentage of transfers resulting in pregnancy	48.6	10 / 18	23.8	3 / 6	1 / 4	
Outcomes per Pregnancy						
Number of pregnancies	18	10	5	3	1	0
Percentage of pregnancies resulting in singleton live births	9 / 18	3 / 10	3 / 5	3 / 3	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 18	0 / 10	0 / 5	0 / 3	0 / 1	
Percentage of pregnancies resulting in live births	16 / 18	6 / 10	4 / 5	3 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	12	5	3	1	1	0
Number of transfers	12	3	3	1	1	0
Estimated average number of transfers per retrieval	2.0	1.5	1.0		1.0	
Average number of embryos transferred	1.4	1.3	2.0	3.0	2.0	
Percentage of embryos transferred resulting in implantation	6 / 17	0 / 4	1 / 6	0 / 3	0 / 2	
Percentage of transfers resulting in singleton live births	4 / 12	0 / 3	0 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 12	0 / 3	0 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in live births	5 / 12	0 / 3	0 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	6 / 12	0 / 3	1 / 3	0 / 1	0 / 1	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		9		5		
Number of transfers		6		5		
Average number of embryos transferred		2.0		1.4		
Percentage of embryos transferred resulting in implantation		11 / 12		2 / 7		
Percentage of transfers resulting in singleton live births		3 / 6		2 / 5		
Percentage of transfers resulting in live births		6 / 6		2 / 5		
Percentage of transfers resulting in pregnancy		6 / 6		2 / 5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Dr. Louis R. Manara

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTH JERSEY FERTILITY ASSOCIATES, LLC WAYNE, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Mark X. Ransom, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	68%	Tubal factor	26%	Uterine factor	12%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	0%	Male factor	26%
Used gestational carrier	0%			Diminished ovarian reserve	35%	Other factor	23%
				Endometriosis	1%	Unknown factor	6%
				<i>Multiple Factors:</i> Female factors only 20% Female & male factors 10%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 91 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	24	22	16	14	4	0
Percentage of cancellations	0.0	22.7	2 / 16	5 / 14	2 / 4	
Average number of embryos transferred	2.1	2.3	2.1	3.7	1.0	
Percentage of embryos transferred resulting in implantation	32.7	27.0	22.2	13.6	0 / 1	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 15	0 / 7	0 / 6		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.0	13.6	5 / 16	3 / 14	0 / 4	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 16	0 / 14	0 / 4	
Percentage of cycles resulting in live births	37.5	27.3	5 / 16	3 / 14	0 / 4	
Percentage of cycles resulting in pregnancy	54.2	31.8	6 / 16	3 / 14	0 / 4	
Outcomes per Transfer						
Number of transfers	23	16	13	6	1	0
Percentage of transfers resulting in singleton live births	26.1	3 / 16	5 / 13	3 / 6	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0 / 13	0 / 6	0 / 1	
Percentage of transfers resulting in live births	39.1	6 / 16	5 / 13	3 / 6	0 / 1	
Percentage of transfers resulting in pregnancy	56.5	7 / 16	6 / 13	3 / 6	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	13	7	6	3	0	0
Percentage of pregnancies resulting in singleton live births	6 / 13	3 / 7	5 / 6	3 / 3		
Percentage of pregnancies resulting in triplets or more live births	0 / 13	0 / 7	0 / 6	0 / 3		
Percentage of pregnancies resulting in live births	9 / 13	6 / 7	5 / 6	3 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	1	0	1	0	1
Number of transfers	1	1	0	1	0	1
Estimated average number of transfers per retrieval	1.0					
Average number of embryos transferred	1.0	2.0		3.0		3.0
Percentage of embryos transferred resulting in implantation	0 / 1	0 / 2		0 / 3		0 / 3
Percentage of transfers resulting in singleton live births	0 / 1	0 / 1		0 / 1		0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 1	0 / 1		0 / 1		0 / 1
Percentage of transfers resulting in live births	0 / 1	0 / 1		0 / 1		0 / 1
Percentage of transfers resulting in pregnancy	0 / 1	1 / 1		0 / 1		0 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		5		2		
Number of transfers		5		2		
Average number of embryos transferred		2.2		2.5		
Percentage of embryos transferred resulting in implantation		1 / 11		0 / 5		
Percentage of transfers resulting in singleton live births		0 / 5		0 / 2		
Percentage of transfers resulting in live births		0 / 5		0 / 2		
Percentage of transfers resulting in pregnancy		2 / 5		0 / 2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: North Jersey Fertility Associates, LLC					
Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	<i>(See Appendix C for details.)</i>			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY INSTITUTE OF NEW JERSEY AND NEW YORK WESTWOOD, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Zalman Levine, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	90%	Tubal factor	20%	Uterine factor	34%
Unstimulated	<1%	Used PGD	9%	Ovulatory dysfunction	43%	Male factor	49%
Used gestational carrier	0%			Diminished ovarian reserve	48%	Other factor	23%
				Endometriosis	7%	Unknown factor	0%
				<i>Multiple Factors:</i> Female factors only 36% Female & male factors 43%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 221 (includes 6 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	82	33	35	12	5	3
Percentage of cancellations	4.9	6.1	8.6	0 / 12	0 / 5	0 / 3
Average number of embryos transferred	2.3	2.7	2.9	3.9	2.8	5.0
Percentage of embryos transferred resulting in implantation	35.4	20.0	6.4	14.0	0 / 14	0 / 5
Percentage of elective single embryo transfer (eSET)	3.0	0.0	0.0	0 / 11	0 / 5	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	28.0	12.1	5.7	1 / 12	0 / 5	0 / 3
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 12	0 / 5	0 / 3
Percentage of cycles resulting in live births	41.5	27.3	8.6	3 / 12	0 / 5	0 / 3
Percentage of cycles resulting in pregnancy	47.6	33.3	17.1	4 / 12	0 / 5	0 / 3
Outcomes per Transfer						
Number of transfers	70	30	27	11	5	1
Percentage of transfers resulting in singleton live births	32.9	13.3	7.4	1 / 11	0 / 5	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 11	0 / 5	0 / 1
Percentage of transfers resulting in live births	48.6	30.0	11.1	3 / 11	0 / 5	0 / 1
Percentage of transfers resulting in pregnancy	55.7	36.7	22.2	4 / 11	0 / 5	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	39	11	6	4	0	0
Percentage of pregnancies resulting in singleton live births	59.0	4 / 11	2 / 6	1 / 4		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 11	0 / 6	0 / 4		
Percentage of pregnancies resulting in live births	87.2	9 / 11	3 / 6	3 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	11	8	1	1	0	0
Number of transfers	11	7	1	0	0	0
Estimated average number of transfers per retrieval	1.4	0.8			0.0	
Average number of embryos transferred	2.2	2.4	2.0			
Percentage of embryos transferred resulting in implantation	20.8	6 / 17	1 / 2			
Percentage of transfers resulting in singleton live births	3 / 11	2 / 7	1 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 11	0 / 7	0 / 1			
Percentage of transfers resulting in live births	3 / 11	3 / 7	1 / 1			
Percentage of transfers resulting in pregnancy	4 / 11	3 / 7	1 / 1			
All Ages Combined^f						
	Fresh Embryos			Frozen Embryos		
Number of cycles	12			12		
Number of transfers	12			11		
Average number of embryos transferred	2.3			2.6		
Percentage of embryos transferred resulting in implantation	32.1			17.2		
Percentage of transfers resulting in singleton live births	1 / 12			1 / 11		
Percentage of transfers resulting in live births	4 / 12			3 / 11		
Percentage of transfers resulting in pregnancy	5 / 12			3 / 11		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2012. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE OF NEW MEXICO ALBUQUERQUE, NEW MEXICO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Douglas J. Thompson, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	85%	Tubal factor	13%	Uterine factor	11%	
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	20%	Male factor	78%	
Used gestational carrier	0%			Diminished ovarian reserve	19%	Other factor	46%	
				Endometriosis	8%	Unknown factor	2%	
				Multiple Factors:				
				Female factors only				6%
				Female & male factors				66%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 305 (includes 51 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	65	21	18	6	12	2
Percentage of cancellations	7.7	9.5	2 / 18	1 / 6	2 / 12	1 / 2
Average number of embryos transferred	2.0	2.4	2.9	2.5	3.9	3.0
Percentage of embryos transferred resulting in implantation	48.2	19.6	10.9	1 / 10	0.0	0 / 3
Percentage of elective single embryo transfer (eSET)	10.5	0 / 19	0 / 15	0 / 3	0 / 9	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	35.4	28.6	3 / 18	1 / 6	0 / 12	0 / 2
Percentage of cycles resulting in triplets or more live births	3.1	0.0	0 / 18	0 / 6	0 / 12	0 / 2
Percentage of cycles resulting in live births	53.8	33.3	4 / 18	1 / 6	0 / 12	0 / 2
Percentage of cycles resulting in pregnancy	58.5	42.9	7 / 18	1 / 6	1 / 12	0 / 2
Outcomes per Transfer						
Number of transfers	58	19	16	4	9	1
Percentage of transfers resulting in singleton live births	39.7	6 / 19	3 / 16	1 / 4	0 / 9	0 / 1
Percentage of transfers resulting in triplets or more live births	3.4	0 / 19	0 / 16	0 / 4	0 / 9	0 / 1
Percentage of transfers resulting in live births	60.3	7 / 19	4 / 16	1 / 4	0 / 9	0 / 1
Percentage of transfers resulting in pregnancy	65.5	9 / 19	7 / 16	1 / 4	1 / 9	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	38	9	7	1	1	0
Percentage of pregnancies resulting in singleton live births	60.5	6 / 9	3 / 7	1 / 1	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	5.3	0 / 9	0 / 7	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births	92.1	7 / 9	4 / 7	1 / 1	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	51	18	16	7	1	0
Number of transfers	49	17	15	4	1	0
Estimated average number of transfers per retrieval	2.2	0.8	1.7	1.0	0.3	0.0
Average number of embryos transferred	1.9	2.1	2.1	2.5	2.0	
Percentage of embryos transferred resulting in implantation	21.1	28.6	25.8	5 / 10	0 / 2	
Percentage of transfers resulting in singleton live births	22.4	3 / 17	5 / 15	0 / 4	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 17	0 / 15	0 / 4	0 / 1	
Percentage of transfers resulting in live births	30.6	6 / 17	6 / 15	1 / 4	0 / 1	
Percentage of transfers resulting in pregnancy	38.8	8 / 17	7 / 15	3 / 4	0 / 1	
All Ages Combined^f						
Donor Eggs	Fresh Embryos			Frozen Embryos		
Number of cycles	20			17		
Number of transfers	16			16		
Average number of embryos transferred	2.2			2.4		
Percentage of embryos transferred resulting in implantation	60.0			28.9		
Percentage of transfers resulting in singleton live births	4 / 16			7 / 16		
Percentage of transfers resulting in live births	12 / 16			9 / 16		
Percentage of transfers resulting in pregnancy	13 / 16			9 / 16		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Reproductive Medicine of New Mexico					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE FERTILITY INSTITUTE AT NEW YORK METHODIST HOSPITAL BROOKLYN, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by George D. Kofinas, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	82%	Tubal factor	53%	Uterine factor	12%	<i>Multiple Factors:</i> Female factors only 32% Female & male factors 9%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	6%	Male factor	15%	
Used gestational carrier	0%			Diminished ovarian reserve	29%	Other factor	4%	
				Endometriosis	34%	Unknown factor	0%	

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 356 (includes 20 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	51	44	60	35	51	17
Percentage of cancellations	3.9	0.0	21.7	17.1	31.4	5 / 17
Average number of embryos transferred	2.5	2.8	3.1	3.2	3.3	2.8
Percentage of embryos transferred resulting in implantation	31.7	21.2	10.4	10.7	1.9	0.0
Percentage of elective single embryo transfer (eSET)	10.9	5.0	0.0	0.0	0.0	0 / 9
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	21.6	22.7	13.3	11.4	2.0	0 / 17
Percentage of cycles resulting in triplets or more live births	2.0	0.0	0.0	0.0	0.0	0 / 17
Percentage of cycles resulting in live births	35.3	31.8	15.0	11.4	2.0	0 / 17
Percentage of cycles resulting in pregnancy	49.0	36.4	25.0	28.6	5.9	0 / 17
Outcomes per Transfer						
Number of transfers	48	42	47	26	32	12
Percentage of transfers resulting in singleton live births	22.9	23.8	17.0	15.4	3.1	0 / 12
Percentage of transfers resulting in triplets or more live births	2.1	0.0	0.0	0.0	0.0	0 / 12
Percentage of transfers resulting in live births	37.5	33.3	19.1	15.4	3.1	0 / 12
Percentage of transfers resulting in pregnancy	52.1	38.1	31.9	38.5	9.4	0 / 12
Outcomes per Pregnancy						
Number of pregnancies	25	16	15	10	3	0
Percentage of pregnancies resulting in singleton live births	44.0	10 / 16	8 / 15	4 / 10	1 / 3	
Percentage of pregnancies resulting in triplets or more live births	4.0	0 / 16	0 / 15	0 / 10	0 / 3	
Percentage of pregnancies resulting in live births	72.0	14 / 16	9 / 15	4 / 10	1 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	14	13	12	1	1	1
Number of transfers	14	13	12	1	1	1
Estimated average number of transfers per retrieval	0.9	1.2	1.7		0.5	0.5
Average number of embryos transferred	2.2	2.1	2.8	2.0	6.0	2.0
Percentage of embryos transferred resulting in implantation	19.4	22.2	20.6	0 / 2	0 / 6	0 / 2
Percentage of transfers resulting in singleton live births	4 / 14	2 / 13	2 / 12	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 14	0 / 13	0 / 12	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in live births	5 / 14	3 / 13	3 / 12	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	5 / 14	5 / 13	4 / 12	0 / 1	0 / 1	0 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		28		8		
Number of transfers		27		8		
Average number of embryos transferred		2.1		2.1		
Percentage of embryos transferred resulting in implantation		40.4		8 / 17		
Percentage of transfers resulting in singleton live births		40.7		4 / 8		
Percentage of transfers resulting in live births		55.6		6 / 8		
Percentage of transfers resulting in pregnancy		66.7		6 / 8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Fertility Institute at New York Methodist Hospital

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GENESIS FERTILITY & REPRODUCTIVE MEDICINE BROOKLYN, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Richard V. Grazi, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	59%	Tubal factor	20%	Uterine factor	<1%	
Unstimulated	0%	Used PGD	6%	Ovulatory dysfunction	8%	Male factor	56%	
Used gestational carrier	0%			Diminished ovarian reserve	19%	Other factor	10%	
				Endometriosis	5%	Unknown factor	9%	
				Multiple Factors:				
				Female factors only				6%
				Female & male factors				22%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 519 (includes 6 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	181	74	74	34	19	1
Percentage of cancellations	16.6	18.9	17.6	23.5	7 / 19	1 / 1
Average number of embryos transferred	1.9	2.1	2.3	2.9	3.2	
Percentage of embryos transferred resulting in implantation	39.9	26.5	21.4	14.3	2.9	
Percentage of elective single embryo transfer (eSET)	15.0	5.8	0.0	0 / 19	0 / 10	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	24.3	20.3	17.6	17.6	0 / 19	0 / 1
Percentage of cycles resulting in triplets or more live births	0.6	0.0	0.0	0.0	0 / 19	0 / 1
Percentage of cycles resulting in live births	34.3	27.0	23.0	17.6	0 / 19	0 / 1
Percentage of cycles resulting in pregnancy	42.0	35.1	28.4	26.5	1 / 19	0 / 1
Outcomes per Transfer						
Number of transfers	133	55	56	24	11	0
Percentage of transfers resulting in singleton live births	33.1	27.3	23.2	25.0	0 / 11	
Percentage of transfers resulting in triplets or more live births	0.8	0.0	0.0	0.0	0 / 11	
Percentage of transfers resulting in live births	46.6	36.4	30.4	25.0	0 / 11	
Percentage of transfers resulting in pregnancy	57.1	47.3	37.5	37.5	1 / 11	
Outcomes per Pregnancy						
Number of pregnancies	76	26	21	9	1	0
Percentage of pregnancies resulting in singleton live births	57.9	57.7	61.9	6 / 9	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	1.3	0.0	0.0	0 / 9	0 / 1	
Percentage of pregnancies resulting in live births	81.6	76.9	81.0	6 / 9	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	50	15	9	13	1	0
Number of transfers	49	15	9	8	1	0
Estimated average number of transfers per retrieval	1.4	1.4	1.5	1.6	0.3	
Average number of embryos transferred	2.0	2.3	2.0	2.9	2.0	
Percentage of embryos transferred resulting in implantation	26.0	20.6	3 / 18	13.0	0 / 2	
Percentage of transfers resulting in singleton live births	22.4	2 / 15	1 / 9	2 / 8	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 15	0 / 9	0 / 8	0 / 1	
Percentage of transfers resulting in live births	28.6	4 / 15	2 / 9	2 / 8	0 / 1	
Percentage of transfers resulting in pregnancy	40.8	4 / 15	2 / 9	4 / 8	0 / 1	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		31		11		
Number of transfers		25		7		
Average number of embryos transferred		2.0		2.0		
Percentage of embryos transferred resulting in implantation		44.0		2 / 14		
Percentage of transfers resulting in singleton live births		32.0		1 / 7		
Percentage of transfers resulting in live births		56.0		1 / 7		
Percentage of transfers resulting in pregnancy		60.0		1 / 7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Genesis Fertility & Reproductive Medicine					
Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INFERTILITY & IVF MEDICAL ASSOCIATES OF WESTERN NEW YORK BUFFALO, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Michael W. Sullivan, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	72%	Tubal factor	18%	Uterine factor	0%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	17%	Male factor	36%
Used gestational carrier	0%			Diminished ovarian reserve	8%	Other factor	0%
				Endometriosis	14%	Unknown factor	19%
				<i>Multiple Factors:</i> Female factors only 3% Female & male factors 8%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 328 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	157	77	33	10	10	3
Percentage of cancellations	6.4	10.4	9.1	1 / 10	4 / 10	1 / 3
Average number of embryos transferred	2.2	2.4	2.9	3.4	3.3	3.0
Percentage of embryos transferred resulting in implantation	30.3	19.0	15.6	12.9	0 / 10	0 / 3
Percentage of elective single embryo transfer (eSET)	1.5	3.4	0.0	0 / 9	0 / 2	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.4	19.5	12.1	4 / 10	0 / 10	0 / 3
Percentage of cycles resulting in triplets or more live births	0.6	0.0	0.0	0 / 10	0 / 10	0 / 3
Percentage of cycles resulting in live births	40.8	24.7	21.2	4 / 10	0 / 10	0 / 3
Percentage of cycles resulting in pregnancy	42.7	32.5	33.3	4 / 10	0 / 10	0 / 3
Outcomes per Transfer						
Number of transfers	141	67	27	9	3	1
Percentage of transfers resulting in singleton live births	30.5	22.4	14.8	4 / 9	0 / 3	0 / 1
Percentage of transfers resulting in triplets or more live births	0.7	0.0	0.0	0 / 9	0 / 3	0 / 1
Percentage of transfers resulting in live births	45.4	28.4	25.9	4 / 9	0 / 3	0 / 1
Percentage of transfers resulting in pregnancy	47.5	37.3	40.7	4 / 9	0 / 3	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	67	25	11	4	0	0
Percentage of pregnancies resulting in singleton live births	64.2	60.0	4 / 11	4 / 4		
Percentage of pregnancies resulting in triplets or more live births	1.5	0.0	0 / 11	0 / 4		
Percentage of pregnancies resulting in live births	95.5	76.0	7 / 11	4 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	23	8	2	0	0	0
Number of transfers	22	8	2	0	0	0
Estimated average number of transfers per retrieval	1.0	1.3				
Average number of embryos transferred	1.9	2.1	2.0			
Percentage of embryos transferred resulting in implantation	35.7	4 / 17	0 / 4			
Percentage of transfers resulting in singleton live births	40.9	1 / 8	0 / 2			
Percentage of transfers resulting in triplets or more live births	0.0	1 / 8	0 / 2			
Percentage of transfers resulting in live births	50.0	2 / 8	0 / 2			
Percentage of transfers resulting in pregnancy	59.1	2 / 8	0 / 2			
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		5		0		
Number of transfers		4		0		
Average number of embryos transferred		2.3				
Percentage of embryos transferred resulting in implantation		2 / 9				
Percentage of transfers resulting in singleton live births		2 / 4				
Percentage of transfers resulting in live births		2 / 4				
Percentage of transfers resulting in pregnancy		2 / 4				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Infertility & IVF Medical Associates of Western New York					
Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HUDSON VALLEY FERTILITY, PLLC FISHKILL, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Daniel W. Levine, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	85%	Tubal factor	14%	Uterine factor	6%	
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	35%	Male factor	33%	
Used gestational carrier	0%			Diminished ovarian reserve	31%	Other factor	4%	
				Endometriosis	9%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				13%
				Female & male factors				16%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 291 (includes 116 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	25	9	16	8	7	0
Percentage of cancellations	4.0	0/9	2/16	3/8	0/7	
Average number of embryos transferred	2.0	1.9	2.5	1.5	2.5	
Percentage of embryos transferred resulting in implantation	22.5	3/15	10.0	1/6	0/10	
Percentage of elective single embryo transfer (eSET)	1/19	0/5	0/11	0/2	0/4	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	12.0	1/9	1/16	1/8	0/7	
Percentage of cycles resulting in triplets or more live births	0.0	0/9	0/16	0/8	0/7	
Percentage of cycles resulting in live births	24.0	2/9	1/16	1/8	0/7	
Percentage of cycles resulting in pregnancy	28.0	3/9	4/16	1/8	0/7	
Outcomes per Transfer						
Number of transfers	20	8	12	4	4	0
Percentage of transfers resulting in singleton live births	15.0	1/8	1/12	1/4	0/4	
Percentage of transfers resulting in triplets or more live births	0.0	0/8	0/12	0/4	0/4	
Percentage of transfers resulting in live births	30.0	2/8	1/12	1/4	0/4	
Percentage of transfers resulting in pregnancy	35.0	3/8	4/12	1/4	0/4	
Outcomes per Pregnancy						
Number of pregnancies	7	3	4	1	0	0
Percentage of pregnancies resulting in singleton live births	3/7	1/3	1/4	1/1		
Percentage of pregnancies resulting in triplets or more live births	0/7	0/3	0/4	0/1		
Percentage of pregnancies resulting in live births	6/7	2/3	1/4	1/1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	40	22	21	13	7	1
Number of transfers	34	21	19	9	6	1
Estimated average number of transfers per retrieval	1.0	1.1	0.4	0.4	0.6	0.3
Average number of embryos transferred	2.0	2.2	2.7	2.4	2.2	2.0
Percentage of embryos transferred resulting in implantation	15.9	12.8	21.2	4.5	1/13	0/2
Percentage of transfers resulting in singleton live births	14.7	28.6	3/19	1/9	0/6	0/1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0/19	0/9	0/6	0/1
Percentage of transfers resulting in live births	23.5	28.6	5/19	1/9	0/6	0/1
Percentage of transfers resulting in pregnancy	23.5	28.6	8/19	1/9	1/6	0/1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		2		4		
Number of transfers		2		4		
Average number of embryos transferred		2.0		2.0		
Percentage of embryos transferred resulting in implantation		2/4		3/8		
Percentage of transfers resulting in singleton live births		2/2		1/4		
Percentage of transfers resulting in live births		2/2		1/4		
Percentage of transfers resulting in pregnancy		2/2		3/4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Hudson Valley Fertility, PLLC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE NEW YORK FERTILITY CENTER FLUSHING, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Tony Tsai, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	86%	Tubal factor	12%	Uterine factor	6%
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	13%	Male factor	8%
Used gestational carrier	0%			Diminished ovarian reserve	13%	Other factor	5%
				Endometriosis	14%	Unknown factor	28%
				<i>Multiple Factors:</i> Female factors only 0% Female & male factors <1%			

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 261 (includes 0 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	84	23	41	32	18	20	
Percentage of cancellations	2.4	0.0	12.2	6.3	1 / 18	40.0	
Average number of embryos transferred	2.9	2.9	2.6	2.9	2.7	2.5	
Percentage of embryos transferred resulting in implantation	10.8	7.6	11.1	0.0	0.0	0 / 15	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 17	0.0	0.0	0 / 9	0 / 3	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	3.6	0.0	0.0	0.0	0 / 18	0.0	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 18	0.0	
Percentage of cycles resulting in live births	6.0	8.7	2.4	0.0	0 / 18	0.0	
Percentage of cycles resulting in pregnancy	25.0	13.0	17.1	6.3	2 / 18	0.0	
Outcomes per Transfer							
Number of transfers	76	23	34	28	14	6	
Percentage of transfers resulting in singleton live births	3.9	0.0	0.0	0.0	0 / 14	0 / 6	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 14	0 / 6	
Percentage of transfers resulting in live births	6.6	8.7	2.9	0.0	0 / 14	0 / 6	
Percentage of transfers resulting in pregnancy	27.6	13.0	20.6	7.1	2 / 14	0 / 6	
Outcomes per Pregnancy							
Number of pregnancies	21	3	7	2	2	0	
Percentage of pregnancies resulting in singleton live births	14.3	0 / 3	0 / 7	0 / 2	0 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 3	0 / 7	0 / 2	0 / 2		
Percentage of pregnancies resulting in live births	23.8	2 / 3	1 / 7	0 / 2	0 / 2		
Frozen Embryos from Nondonor Eggs							
Number of cycles	21	5	11	0	1	1	
Number of transfers	20	5	6	0	1	1	
Estimated average number of transfers per retrieval	1.2	2.5	1.5				
Average number of embryos transferred	3.0	4.2	2.7		6.0	3.0	
Percentage of embryos transferred resulting in implantation	8.3	0.0	0 / 16		0 / 6	0 / 3	
Percentage of transfers resulting in singleton live births	0.0	0 / 5	0 / 6		0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 5	0 / 6		0 / 1	0 / 1	
Percentage of transfers resulting in live births	5.0	0 / 5	0 / 6		0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	15.0	1 / 5	0 / 6		0 / 1	0 / 1	
All Ages Combined^f							
Donor Eggs		Fresh Embryos		Frozen Embryos			
Number of cycles		0		4			
Number of transfers		0		3			
Average number of embryos transferred				1.7			
Percentage of embryos transferred resulting in implantation				0 / 5			
Percentage of transfers resulting in singleton live births				0 / 3			
Percentage of transfers resulting in live births				0 / 3			
Percentage of transfers resulting in pregnancy				1 / 3			

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: The New York Fertility Center					
Donor egg?	Yes	Gestational carriers?	No	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MONTEFIORE'S INSTITUTE FOR REPRODUCTIVE MEDICINE AND HEALTH HARTSDALE, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Harry J. Lieman, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	60%	Tubal factor	33%	Uterine factor	8%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	10%	Male factor	31%
Used gestational carrier	0%			Diminished ovarian reserve	40%	Other factor	17%
				Endometriosis	3%	Unknown factor	11%
				<i>Multiple Factors:</i> Female factors only 20% Female & male factors 22%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 201 (includes 5 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	57	37	33	19	13	9
Percentage of cancellations	14.0	24.3	21.2	7 / 19	2 / 13	2 / 9
Average number of embryos transferred	2.0	2.0	2.2	3.0	3.3	3.3
Percentage of embryos transferred resulting in implantation	22.6	25.5	14.3	3.3	0.0	0.0
Percentage of elective single embryo transfer (eSET)	7.9	8.3	0 / 16	0 / 9	0 / 8	0 / 5
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	24.6	13.5	6.1	1 / 19	0 / 13	0 / 9
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 19	0 / 13	0 / 9
Percentage of cycles resulting in live births	29.8	21.6	9.1	1 / 19	0 / 13	0 / 9
Percentage of cycles resulting in pregnancy	38.6	32.4	21.2	1 / 19	0 / 13	1 / 9
Outcomes per Transfer						
Number of transfers	47	27	22	10	9	7
Percentage of transfers resulting in singleton live births	29.8	18.5	9.1	1 / 10	0 / 9	0 / 7
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 10	0 / 9	0 / 7
Percentage of transfers resulting in live births	36.2	29.6	13.6	1 / 10	0 / 9	0 / 7
Percentage of transfers resulting in pregnancy	46.8	44.4	31.8	1 / 10	0 / 9	1 / 7
Outcomes per Pregnancy						
Number of pregnancies	22	12	7	1	0	1
Percentage of pregnancies resulting in singleton live births	63.6	5 / 12	2 / 7	1 / 1		0 / 1
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 12	0 / 7	0 / 1		0 / 1
Percentage of pregnancies resulting in live births	77.3	8 / 12	3 / 7	1 / 1		0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	4	4	1	2	1
Number of transfers	4	3	4	1	1	1
Estimated average number of transfers per retrieval	0.7	3.0	2.0	1.0	0.5	
Average number of embryos transferred	1.8	2.3	2.5	3.0	5.0	2.0
Percentage of embryos transferred resulting in implantation	0 / 7	0 / 7	1 / 10	0 / 3	0 / 5	0 / 2
Percentage of transfers resulting in singleton live births	0 / 4	0 / 3	0 / 4	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 3	0 / 4	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in live births	0 / 4	0 / 3	0 / 4	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	0 / 4	0 / 3	1 / 4	0 / 1	0 / 1	0 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		6		4		
Number of transfers		6		4		
Average number of embryos transferred		2.0		2.3		
Percentage of embryos transferred resulting in implantation		6 / 12		1 / 9		
Percentage of transfers resulting in singleton live births		2 / 6		1 / 4		
Percentage of transfers resulting in live births		4 / 6		1 / 4		
Percentage of transfers resulting in pregnancy		4 / 6		1 / 4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Montefiore's Institute for Reproductive Medicine and Health					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ALBANY IVF FERTILITY LOUDONVILLE, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Steven R. Bayer, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	34%	Tubal factor	16%	Uterine factor	0%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	17%	Male factor	26%	
Used gestational carrier	0%			Diminished ovarian reserve	60%	Other factor	0%	
				Endometriosis	6%	Unknown factor	8%	
				Multiple Factors:				
				Female factors only				15%
				Female & male factors				14%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 179 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	72	34	21	3	1	0
Percentage of cancellations	6.9	8.8	19.0	0 / 3	0 / 1	
Average number of embryos transferred	1.7	2.1	3.0	5.0	7.0	
Percentage of embryos transferred resulting in implantation	49.0	29.8	19.0	1 / 5	1 / 7	
Percentage of elective single embryo transfer (eSET)	28.0	4.2	0 / 14	0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	38.9	26.5	14.3	1 / 3	1 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 3	0 / 1	
Percentage of cycles resulting in live births	50.0	32.4	23.8	1 / 3	1 / 1	
Percentage of cycles resulting in pregnancy	54.2	44.1	28.6	1 / 3	1 / 1	
Outcomes per Transfer						
Number of transfers	58	27	14	1	1	0
Percentage of transfers resulting in singleton live births	48.3	33.3	3 / 14	1 / 1	1 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 14	0 / 1	0 / 1	
Percentage of transfers resulting in live births	62.1	40.7	5 / 14	1 / 1	1 / 1	
Percentage of transfers resulting in pregnancy	67.2	55.6	6 / 14	1 / 1	1 / 1	
Outcomes per Pregnancy						
Number of pregnancies	39	15	6	1	1	0
Percentage of pregnancies resulting in singleton live births	71.8	9 / 15	3 / 6	1 / 1	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 15	0 / 6	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births	92.3	11 / 15	5 / 6	1 / 1	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	14	7	4	1	0	2
Number of transfers	13	7	4	1	0	2
Estimated average number of transfers per retrieval	1.1	1.8	4.0			
Average number of embryos transferred	1.6	2.3	1.8	3.0		2.5
Percentage of embryos transferred resulting in implantation	4.8	2 / 16	0 / 7	0 / 3		1 / 5
Percentage of transfers resulting in singleton live births	1 / 13	2 / 7	0 / 4	0 / 1		1 / 2
Percentage of transfers resulting in triplets or more live births	0 / 13	0 / 7	0 / 4	0 / 1		0 / 2
Percentage of transfers resulting in live births	1 / 13	2 / 7	0 / 4	0 / 1		1 / 2
Percentage of transfers resulting in pregnancy	1 / 13	3 / 7	1 / 4	0 / 1		1 / 2
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		16		4		
Number of transfers		13		4		
Average number of embryos transferred		1.6		2.0		
Percentage of embryos transferred resulting in implantation		57.1		0 / 8		
Percentage of transfers resulting in singleton live births		8 / 13		0 / 4		
Percentage of transfers resulting in live births		9 / 13		0 / 4		
Percentage of transfers resulting in pregnancy		10 / 13		2 / 4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2012. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**NORTH SHORE UNIVERSITY HOSPITAL
CENTER FOR HUMAN REPRODUCTION
MANHASSET, NEW YORK**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Avner Hershlag, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	85%	Tubal factor	14%	Uterine factor	1%	
Unstimulated	0%	Used PGD	8%	Ovulatory dysfunction	13%	Male factor	29%	
Used gestational carrier	0%			Diminished ovarian reserve	16%	Other factor	11%	
				Endometriosis	5%	Unknown factor	22%	
				Multiple Factors:				
				Female factors only				4%
				Female & male factors				7%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 796 (includes 33 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	186	128	97	62	37	1
Percentage of cancellations	4.8	6.3	12.4	16.1	24.3	0 / 1
Average number of embryos transferred	1.9	2.1	2.7	3.5	3.4	
Percentage of embryos transferred resulting in implantation	35.9	28.0	14.6	10.1	2.3	
Percentage of elective single embryo transfer (eSET)	8.9	4.9	1.4	0.0	0.0	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	24.2	22.7	15.5	16.1	2.7	0 / 1
Percentage of cycles resulting in triplets or more live births	0.5	0.0	0.0	0.0	0.0	0 / 1
Percentage of cycles resulting in live births	39.2	31.3	20.6	17.7	2.7	0 / 1
Percentage of cycles resulting in pregnancy	44.6	37.5	27.8	24.2	5.4	0 / 1
Outcomes per Transfer						
Number of transfers	159	110	77	46	26	0
Percentage of transfers resulting in singleton live births	28.3	26.4	19.5	21.7	3.8	
Percentage of transfers resulting in triplets or more live births	0.6	0.0	0.0	0.0	0.0	
Percentage of transfers resulting in live births	45.9	36.4	26.0	23.9	3.8	
Percentage of transfers resulting in pregnancy	52.2	43.6	35.1	32.6	7.7	
Outcomes per Pregnancy						
Number of pregnancies	83	48	27	15	2	0
Percentage of pregnancies resulting in singleton live births	54.2	60.4	55.6	10 / 15	1 / 2	
Percentage of pregnancies resulting in triplets or more live births	1.2	0.0	0.0	0 / 15	0 / 2	
Percentage of pregnancies resulting in live births	88.0	83.3	74.1	11 / 15	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	94	56	44	17	4	0
Number of transfers	94	56	44	17	4	0
Estimated average number of transfers per retrieval	1.7	1.4	1.2	1.5	4.0	
Average number of embryos transferred	1.8	2.0	2.4	2.4	2.5	
Percentage of embryos transferred resulting in implantation	29.5	21.2	13.5	12.2	1 / 10	
Percentage of transfers resulting in singleton live births	31.9	21.4	22.7	2 / 17	1 / 4	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 17	0 / 4	
Percentage of transfers resulting in live births	37.2	28.6	25.0	3 / 17	1 / 4	
Percentage of transfers resulting in pregnancy	45.7	37.5	29.5	5 / 17	1 / 4	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		19		18		
Number of transfers		18		18		
Average number of embryos transferred		1.9		2.0		
Percentage of embryos transferred resulting in implantation		60.0		22.2		
Percentage of transfers resulting in singleton live births		6 / 18		3 / 18		
Percentage of transfers resulting in live births		12 / 18		5 / 18		
Percentage of transfers resulting in pregnancy		13 / 18		6 / 18		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: North Shore University Hospital, Center for Human Reproduction					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

LONG ISLAND IVF MELVILLE, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Daniel Kenigsberg, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	79%	Tubal factor	16%	Uterine factor	3%	
Unstimulated	<1%	Used PGD	5%	Ovulatory dysfunction	9%	Male factor	29%	
Used gestational carrier	<1%			Diminished ovarian reserve	19%	Other factor	5%	
				Endometriosis	9%	Unknown factor	26%	
				Multiple Factors:				
				Female factors only				6%
				Female & male factors				7%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 1,094 (includes 31 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	240	124	145	81	67	9
Percentage of cancellations	5.4	5.6	9.0	8.6	10.4	2 / 9
Average number of embryos transferred	1.8	2.0	2.5	3.0	2.6	2.8
Percentage of embryos transferred resulting in implantation	38.3	30.6	20.5	10.9	4.2	0 / 17
Percentage of elective single embryo transfer (eSET)	18.9	6.5	3.6	1.8	0.0	0 / 5
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.8	22.6	22.8	11.1	4.5	0 / 9
Percentage of cycles resulting in triplets or more live births	0.0	0.8	0.0	0.0	0.0	0 / 9
Percentage of cycles resulting in live births	41.7	29.0	25.5	13.6	4.5	0 / 9
Percentage of cycles resulting in pregnancy	46.3	41.1	33.8	23.5	6.0	0 / 9
Outcomes per Transfer						
Number of transfers	207	104	122	65	54	6
Percentage of transfers resulting in singleton live births	35.7	26.9	27.0	13.8	5.6	0 / 6
Percentage of transfers resulting in triplets or more live births	0.0	1.0	0.0	0.0	0.0	0 / 6
Percentage of transfers resulting in live births	48.3	34.6	30.3	16.9	5.6	0 / 6
Percentage of transfers resulting in pregnancy	53.6	49.0	40.2	29.2	7.4	0 / 6
Outcomes per Pregnancy						
Number of pregnancies	111	51	49	19	4	0
Percentage of pregnancies resulting in singleton live births	66.7	54.9	67.3	9 / 19	3 / 4	
Percentage of pregnancies resulting in triplets or more live births	0.0	2.0	0.0	0 / 19	0 / 4	
Percentage of pregnancies resulting in live births	90.1	70.6	75.5	11 / 19	3 / 4	
Frozen Embryos from Nondonor Eggs						
Number of cycles	98	62	55	17	8	1
Number of transfers	98	62	55	17	8	1
Estimated average number of transfers per retrieval	1.6	1.5	1.6	0.9	0.5	
Average number of embryos transferred	2.1	2.0	2.2	2.7	2.3	1.0
Percentage of embryos transferred resulting in implantation	22.8	20.5	18.0	6.5	2 / 18	0 / 1
Percentage of transfers resulting in singleton live births	30.6	25.8	21.8	3 / 17	1 / 8	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 17	0 / 8	0 / 1
Percentage of transfers resulting in live births	34.7	27.4	23.6	3 / 17	1 / 8	0 / 1
Percentage of transfers resulting in pregnancy	40.8	35.5	34.5	3 / 17	3 / 8	0 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		74		82		
Number of transfers		74		82		
Average number of embryos transferred		1.9		2.0		
Percentage of embryos transferred resulting in implantation		46.8		22.4		
Percentage of transfers resulting in singleton live births		33.8		24.4		
Percentage of transfers resulting in live births		54.1		31.7		
Percentage of transfers resulting in pregnancy		64.9		39.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Long Island IVF					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE SPECIALISTS OF NEW YORK MINEOLA, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by James Stelling, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	76%	Tubal factor	13%	Uterine factor	4%	
Unstimulated	3%	Used PGD	3%	Ovulatory dysfunction	12%	Male factor	39%	
Used gestational carrier	<1%			Diminished ovarian reserve	13%	Other factor	24%	
				Endometriosis	3%	Unknown factor	24%	
				Multiple Factors:				
				Female factors only				11%
				Female & male factors				14%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 1,604 (includes 149 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		281	176	221	151	121	46
Percentage of cancellations		2.1	4.0	5.0	8.6	10.7	6.5
Average number of embryos transferred		1.6	1.8	2.2	2.7	3.1	2.6
Percentage of embryos transferred resulting in implantation		27.2	28.4	16.3	6.3	5.3	1.4
Percentage of elective single embryo transfer (eSET)		32.0	15.6	3.4	1.8	0.0	4.5
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		24.6	22.7	19.0	9.3	5.0	0.0
Percentage of cycles resulting in triplets or more live births		0.0	0.0	0.0	0.0	0.0	0.0
Percentage of cycles resulting in live births		30.2	32.4	22.2	10.6	5.8	0.0
Percentage of cycles resulting in pregnancy		36.7	36.9	28.1	17.2	10.7	2.2
Outcomes per Transfer							
Number of transfers		270	162	201	128	90	28
Percentage of transfers resulting in singleton live births		25.6	24.7	20.9	10.9	6.7	0.0
Percentage of transfers resulting in triplets or more live births		0.0	0.0	0.0	0.0	0.0	0.0
Percentage of transfers resulting in live births		31.5	35.2	24.4	12.5	7.8	0.0
Percentage of transfers resulting in pregnancy		38.1	40.1	30.8	20.3	14.4	3.6
Outcomes per Pregnancy							
Number of pregnancies		103	65	62	26	13	1
Percentage of pregnancies resulting in singleton live births		67.0	61.5	67.7	53.8	6 / 13	0 / 1
Percentage of pregnancies resulting in triplets or more live births		0.0	0.0	0.0	0.0	0 / 13	0 / 1
Percentage of pregnancies resulting in live births		82.5	87.7	79.0	61.5	7 / 13	0 / 1
Frozen Embryos from Nondonor Eggs							
Number of cycles		182	95	90	31	17	5
Number of transfers		181	94	88	30	15	5
Estimated average number of transfers per retrieval		1.2	1.3	1.4	0.9	0.8	0.6
Average number of embryos transferred		1.7	1.6	1.6	1.7	2.1	2.0
Percentage of embryos transferred resulting in implantation		31.7	34.0	18.4	17.3	10.0	2 / 8
Percentage of transfers resulting in singleton live births		22.1	23.4	20.5	13.3	2 / 15	0 / 5
Percentage of transfers resulting in triplets or more live births		0.0	1.1	0.0	0.0	0 / 15	0 / 5
Percentage of transfers resulting in live births		31.5	33.0	23.9	16.7	2 / 15	0 / 5
Percentage of transfers resulting in pregnancy		43.6	44.7	27.3	26.7	6 / 15	2 / 5
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		24			15		
Number of transfers		24			15		
Average number of embryos transferred		1.5			1.6		
Percentage of embryos transferred resulting in implantation		59.5			41.7		
Percentage of transfers resulting in singleton live births		62.5			4 / 15		
Percentage of transfers resulting in live births		70.8			7 / 15		
Percentage of transfers resulting in pregnancy		79.2			8 / 15		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2012. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WESTCHESTER REPRODUCTIVE MEDICINE MT. KISCO, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Rachel A. Bennett, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	39%	Tubal factor	37%	Uterine factor	5%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	10%	Male factor	44%	
Used gestational carrier	0%			Diminished ovarian reserve	37%	Other factor	12%	
				Endometriosis	10%	Unknown factor	2%	
				Multiple Factors:				
				Female factors only				20%
				Female & male factors				27%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 42 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	15	6	10	2	2	1
Percentage of cancellations	2 / 15	3 / 6	0 / 10	0 / 2	1 / 2	0 / 1
Average number of embryos transferred	2.0	2.3	3.0	3.0	3.0	
Percentage of embryos transferred resulting in implantation	42.3	3 / 7	33.3	0 / 6	0 / 3	
Percentage of elective single embryo transfer (eSET)	3 / 13	0 / 3	0 / 9	0 / 2	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	7 / 15	1 / 6	1 / 10	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in triplets or more live births	0 / 15	0 / 6	0 / 10	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in live births	9 / 15	2 / 6	5 / 10	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in pregnancy	9 / 15	2 / 6	5 / 10	0 / 2	0 / 2	0 / 1
Outcomes per Transfer						
Number of transfers	13	3	9	2	1	0
Percentage of transfers resulting in singleton live births	7 / 13	1 / 3	1 / 9	0 / 2	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 13	0 / 3	0 / 9	0 / 2	0 / 1	
Percentage of transfers resulting in live births	9 / 13	2 / 3	5 / 9	0 / 2	0 / 1	
Percentage of transfers resulting in pregnancy	9 / 13	2 / 3	5 / 9	0 / 2	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	9	2	5	0	0	0
Percentage of pregnancies resulting in singleton live births	7 / 9	1 / 2	1 / 5			
Percentage of pregnancies resulting in triplets or more live births	0 / 9	0 / 2	0 / 5			
Percentage of pregnancies resulting in live births	9 / 9	2 / 2	5 / 5			
Frozen Embryos from Nondonor Eggs						
Number of cycles	3	2	0	0	0	0
Number of transfers	3	2	0	0	0	0
Estimated average number of transfers per retrieval	1.5	1.0				
Average number of embryos transferred	2.0	2.0				
Percentage of embryos transferred resulting in implantation	1 / 6	3 / 4				
Percentage of transfers resulting in singleton live births	1 / 3	0 / 2				
Percentage of transfers resulting in triplets or more live births	0 / 3	0 / 2				
Percentage of transfers resulting in live births	1 / 3	1 / 2				
Percentage of transfers resulting in pregnancy	1 / 3	2 / 2				
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	0		0			
Number of transfers	0		0			
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Westchester Reproductive Medicine					
Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY SERVICES NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Hugh D. Melnick, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	89%	Tubal factor	36%	Uterine factor	0%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	5%	Male factor	13%	
Used gestational carrier	0%			Diminished ovarian reserve	19%	Other factor	11%	
				Endometriosis	4%	Unknown factor	22%	
				Multiple Factors:				
				Female factors only				3%
				Female & male factors				6%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 285 (includes 39 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	53	29	41	37	11	7
Percentage of cancellations	17.0	6.9	4.9	5.4	0 / 11	0 / 7
Average number of embryos transferred	1.9	2.5	2.9	2.2	2.4	2.8
Percentage of embryos transferred resulting in implantation	8.5	13.6	7.7	7.8	1 / 19	0 / 17
Percentage of elective single embryo transfer (eSET)	2.8	0.0	0.0	0 / 19	0 / 7	0 / 5
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	3.8	13.8	9.8	2.7	0 / 11	0 / 7
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	2.7	0 / 11	0 / 7
Percentage of cycles resulting in live births	5.7	20.7	12.2	5.4	0 / 11	0 / 7
Percentage of cycles resulting in pregnancy	11.3	20.7	17.1	8.1	1 / 11	0 / 7
Outcomes per Transfer						
Number of transfers	43	24	36	29	8	6
Percentage of transfers resulting in singleton live births	4.7	16.7	11.1	3.4	0 / 8	0 / 6
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	3.4	0 / 8	0 / 6
Percentage of transfers resulting in live births	7.0	25.0	13.9	6.9	0 / 8	0 / 6
Percentage of transfers resulting in pregnancy	14.0	25.0	19.4	10.3	1 / 8	0 / 6
Outcomes per Pregnancy						
Number of pregnancies	6	6	7	3	1	0
Percentage of pregnancies resulting in singleton live births	2 / 6	4 / 6	4 / 7	1 / 3	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 6	0 / 6	0 / 7	1 / 3	0 / 1	
Percentage of pregnancies resulting in live births	3 / 6	6 / 6	5 / 7	2 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	18	8	8	3	4	0
Number of transfers	18	8	8	3	4	0
Estimated average number of transfers per retrieval	1.1	0.7	0.5	0.2	0.3	0.0
Average number of embryos transferred	2.2	1.6	2.1	2.3	2.8	
Percentage of embryos transferred resulting in implantation	17.9	4 / 13	1 / 17	0 / 7	0 / 11	
Percentage of transfers resulting in singleton live births	2 / 18	4 / 8	0 / 8	0 / 3	0 / 4	
Percentage of transfers resulting in triplets or more live births	0 / 18	0 / 8	0 / 8	0 / 3	0 / 4	
Percentage of transfers resulting in live births	3 / 18	4 / 8	0 / 8	0 / 3	0 / 4	
Percentage of transfers resulting in pregnancy	7 / 18	4 / 8	1 / 8	0 / 3	0 / 4	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		10		17		
Number of transfers		10		17		
Average number of embryos transferred		1.9		2.2		
Percentage of embryos transferred resulting in implantation		6 / 19		24.3		
Percentage of transfers resulting in singleton live births		3 / 10		4 / 17		
Percentage of transfers resulting in live births		3 / 10		5 / 17		
Percentage of transfers resulting in pregnancy		4 / 10		6 / 17		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Fertility Services

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BETH ISRAEL CENTER FOR INFERTILITY & REPRODUCTIVE HEALTH NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Peter Chang, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	75%	Tubal factor	32%	Uterine factor	10%	
Unstimulated	2%	Used PGD	3%	Ovulatory dysfunction	15%	Male factor	77%	
Used gestational carrier	0%			Diminished ovarian reserve	34%	Other factor	0%	
				Endometriosis	2%	Unknown factor	4%	
				Multiple Factors:				
				Female factors only				7%
				Female & male factors				49%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 167 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	37	16	35	22	10	1
Percentage of cancellations	18.9	0 / 16	17.1	31.8	1 / 10	1 / 1
Average number of embryos transferred	1.8	2.1	3.6	2.4	2.6	
Percentage of embryos transferred resulting in implantation	34.9	36.7	11.5	5.9	0.0	
Percentage of elective single embryo transfer (eSET)	26.1	2 / 13	0.0	1 / 10	0 / 6	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	8.1	3 / 16	17.1	9.1	0 / 10	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	1 / 16	0.0	0.0	0 / 10	0 / 1
Percentage of cycles resulting in live births	21.6	6 / 16	20.0	9.1	0 / 10	0 / 1
Percentage of cycles resulting in pregnancy	27.0	9 / 16	25.7	9.1	1 / 10	0 / 1
Outcomes per Transfer						
Number of transfers	24	14	29	14	8	0
Percentage of transfers resulting in singleton live births	12.5	3 / 14	20.7	2 / 14	0 / 8	
Percentage of transfers resulting in triplets or more live births	0.0	1 / 14	0.0	0 / 14	0 / 8	
Percentage of transfers resulting in live births	33.3	6 / 14	24.1	2 / 14	0 / 8	
Percentage of transfers resulting in pregnancy	41.7	9 / 14	31.0	2 / 14	1 / 8	
Outcomes per Pregnancy						
Number of pregnancies	10	9	9	2	1	0
Percentage of pregnancies resulting in singleton live births	3 / 10	3 / 9	6 / 9	2 / 2	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 10	1 / 9	0 / 9	0 / 2	0 / 1	
Percentage of pregnancies resulting in live births	8 / 10	6 / 9	7 / 9	2 / 2	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	21	9	10	1	0	0
Number of transfers	21	9	9	1	0	0
Estimated average number of transfers per retrieval	1.8	1.5	1.8	1.0		
Average number of embryos transferred	2.5	2.9	3.6	6.0		
Percentage of embryos transferred resulting in implantation	54.7	15.4	15.6	0 / 6		
Percentage of transfers resulting in singleton live births	38.1	2 / 9	5 / 9	0 / 1		
Percentage of transfers resulting in triplets or more live births	9.5	0 / 9	0 / 9	0 / 1		
Percentage of transfers resulting in live births	76.2	3 / 9	5 / 9	0 / 1		
Percentage of transfers resulting in pregnancy	81.0	4 / 9	5 / 9	0 / 1		
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	0		4			
Number of transfers	0		4			
Average number of embryos transferred			2.8			
Percentage of embryos transferred resulting in implantation			1 / 11			
Percentage of transfers resulting in singleton live births			1 / 4			
Percentage of transfers resulting in live births			1 / 4			
Percentage of transfers resulting in pregnancy			2 / 4			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Beth Israel Center for Infertility & Reproductive Health					
Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**BROOKLYN/WESTSIDE FERTILITY CENTER
BROOKLYN FERTILITY CENTER
NEW YORK, NEW YORK**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Dov B. Goldstein, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	80%	Tubal factor	53%	Uterine factor	78%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	55%	Male factor	65%	
Used gestational carrier	0%			Diminished ovarian reserve	15%	Other factor	3%	
				Endometriosis	3%	Unknown factor	3%	
				Multiple Factors:				
				Female factors only				28%
				Female & male factors				63%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 40 (includes 0 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		8	6	3	10	5	3
Percentage of cancellations		0/8	0/6	0/3	4/10	0/5	0/3
Average number of embryos transferred		2.0	1.6	2.7	1.0	3.0	1.5
Percentage of embryos transferred resulting in implantation		1/14	3/8	1/8	0/4	0/3	0/3
Percentage of elective single embryo transfer (eSET)		0/6	0/2	0/3		0/1	0/1
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		1/8	0/6	1/3	0/10	0/5	0/3
Percentage of cycles resulting in triplets or more live births		0/8	0/6	0/3	0/10	0/5	0/3
Percentage of cycles resulting in live births		1/8	1/6	1/3	0/10	0/5	0/3
Percentage of cycles resulting in pregnancy		1/8	1/6	1/3	0/10	0/5	0/3
Outcomes per Transfer							
Number of transfers		7	5	3	4	1	2
Percentage of transfers resulting in singleton live births		1/7	0/5	1/3	0/4	0/1	0/2
Percentage of transfers resulting in triplets or more live births		0/7	0/5	0/3	0/4	0/1	0/2
Percentage of transfers resulting in live births		1/7	1/5	1/3	0/4	0/1	0/2
Percentage of transfers resulting in pregnancy		1/7	1/5	1/3	0/4	0/1	0/2
Outcomes per Pregnancy							
Number of pregnancies		1	1	1	0	0	0
Percentage of pregnancies resulting in singleton live births		1/1	0/1	1/1			
Percentage of pregnancies resulting in triplets or more live births		0/1	0/1	0/1			
Percentage of pregnancies resulting in live births		1/1	1/1	1/1			
Frozen Embryos from Nondonor Eggs							
Number of cycles		1	0	3	0	1	0
Number of transfers		1	0	2	0	1	0
Estimated average number of transfers per retrieval		1.0				1.0	
Average number of embryos transferred		2.0		1.5		4.0	
Percentage of embryos transferred resulting in implantation		0/2		0/3		0/4	
Percentage of transfers resulting in singleton live births		0/1		0/2		0/1	
Percentage of transfers resulting in triplets or more live births		0/1		0/2		0/1	
Percentage of transfers resulting in live births		0/1		0/2		0/1	
Percentage of transfers resulting in pregnancy		0/1		0/2		0/1	
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		0			0		
Number of transfers		0			0		
Average number of embryos transferred							
Percentage of embryos transferred resulting in implantation							
Percentage of transfers resulting in singleton live births							
Percentage of transfers resulting in live births							
Percentage of transfers resulting in pregnancy							

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Brooklyn/Westside Fertility Center, Brooklyn Fertility Center					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COLUMBIA UNIVERSITY CENTER FOR WOMEN'S REPRODUCTIVE CARE NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Michael M. Guarnaccia, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	58%	Tubal factor	8%	Uterine factor	<1%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	6%	Male factor	33%	
Used gestational carrier	0%			Diminished ovarian reserve	51%	Other factor	10%	
				Endometriosis	2%	Unknown factor	7%	
				Multiple Factors:				
				Female factors only				4%
				Female & male factors				12%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 1,756 (includes 39 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	308	300	352	231	135	39
Percentage of cancellations	10.7	13.3	18.8	24.7	33.3	51.3
Average number of embryos transferred	1.9	2.0	2.4	2.8	2.9	2.9
Percentage of embryos transferred resulting in implantation	32.4	23.6	12.1	6.1	3.0	0.0
Percentage of elective single embryo transfer (eSET)	3.9	4.2	1.5	0.0	0.0	0 / 13
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	17.2	19.0	10.5	5.6	3.7	0.0
Percentage of cycles resulting in triplets or more live births	0.3	0.0	0.0	0.0	0.0	0.0
Percentage of cycles resulting in live births	29.2	25.3	13.9	6.9	3.7	0.0
Percentage of cycles resulting in pregnancy	37.7	33.7	19.3	11.3	8.1	2.6
Outcomes per Transfer						
Number of transfers	232	220	236	135	69	15
Percentage of transfers resulting in singleton live births	22.8	25.9	15.7	9.6	7.2	0 / 15
Percentage of transfers resulting in triplets or more live births	0.4	0.0	0.0	0.0	0.0	0 / 15
Percentage of transfers resulting in live births	38.8	34.5	20.8	11.9	7.2	0 / 15
Percentage of transfers resulting in pregnancy	50.0	45.9	28.8	19.3	15.9	1 / 15
Outcomes per Pregnancy						
Number of pregnancies	116	101	68	26	11	1
Percentage of pregnancies resulting in singleton live births	45.7	56.4	54.4	50.0	5 / 11	0 / 1
Percentage of pregnancies resulting in triplets or more live births	0.9	0.0	0.0	0.0	0 / 11	0 / 1
Percentage of pregnancies resulting in live births	77.6	75.2	72.1	61.5	5 / 11	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	62	53	45	20	10	1
Number of transfers	59	44	43	17	10	1
Estimated average number of transfers per retrieval	1.5	1.4	1.3	1.1	2.5	
Average number of embryos transferred	1.6	1.6	1.9	2.1	2.4	2.0
Percentage of embryos transferred resulting in implantation	33.7	21.7	23.2	5.7	0.0	0 / 2
Percentage of transfers resulting in singleton live births	39.0	27.3	30.2	2 / 17	0 / 10	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 17	0 / 10	0 / 1
Percentage of transfers resulting in live births	45.8	29.5	34.9	2 / 17	0 / 10	0 / 1
Percentage of transfers resulting in pregnancy	55.9	36.4	55.8	3 / 17	1 / 10	0 / 1
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	93		68			
Number of transfers	79		57			
Average number of embryos transferred	2.0		1.9			
Percentage of embryos transferred resulting in implantation	32.5		26.2			
Percentage of transfers resulting in singleton live births	31.6		28.1			
Percentage of transfers resulting in live births	46.8		35.1			
Percentage of transfers resulting in pregnancy	54.4		49.1			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Columbia University Center for Women's Reproductive Care

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CONTINUUM REPRODUCTIVE CENTER OF ST. LUKE'S ROOSEVELT HOSPITAL NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Martin Keltz, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	71%	Tubal factor	12%	Uterine factor	8%
Unstimulated	0%	Used PGD	5%	Ovulatory dysfunction	18%	Male factor	29%
Used gestational carrier	0%			Diminished ovarian reserve	28%	Other factor	6%
				Endometriosis	12%	Unknown factor	11%
				<i>Multiple Factors:</i> Female factors only 10% Female & male factors 13%			

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 540 (includes 86 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	114	79	96	51	19	2	
Percentage of cancellations	0.0	3.8	1.0	2.0	2 / 19	0 / 2	
Average number of embryos transferred	1.9	2.3	2.7	3.2	2.8	3.0	
Percentage of embryos transferred resulting in implantation	34.4	27.4	15.8	10.7	16.2	0 / 6	
Percentage of elective single embryo transfer (eSET)	8.0	3.4	1.5	0.0	0 / 9	0 / 2	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	21.1	25.3	16.7	13.7	1 / 19	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.9	0.0	0.0	0.0	0 / 19	0 / 2	
Percentage of cycles resulting in live births	36.0	34.2	21.9	19.6	2 / 19	0 / 2	
Percentage of cycles resulting in pregnancy	45.6	39.2	30.2	19.6	4 / 19	0 / 2	
Outcomes per Transfer							
Number of transfers	99	64	76	41	13	2	
Percentage of transfers resulting in singleton live births	24.2	31.3	21.1	17.1	1 / 13	0 / 2	
Percentage of transfers resulting in triplets or more live births	1.0	0.0	0.0	0.0	0 / 13	0 / 2	
Percentage of transfers resulting in live births	41.4	42.2	27.6	24.4	2 / 13	0 / 2	
Percentage of transfers resulting in pregnancy	52.5	48.4	38.2	24.4	4 / 13	0 / 2	
Outcomes per Pregnancy							
Number of pregnancies	52	31	29	10	4	0	
Percentage of pregnancies resulting in singleton live births	46.2	64.5	55.2	7 / 10	1 / 4		
Percentage of pregnancies resulting in triplets or more live births	1.9	0.0	0.0	0 / 10	0 / 4		
Percentage of pregnancies resulting in live births	78.8	87.1	72.4	10 / 10	2 / 4		
Frozen Embryos from Nondonor Eggs							
Number of cycles	29	17	12	3	0	3	
Number of transfers	29	16	11	3	0	3	
Estimated average number of transfers per retrieval	0.8	0.4	0.3	0.3	0.0	0.8	
Average number of embryos transferred	2.1	2.4	2.2	3.7		2.3	
Percentage of embryos transferred resulting in implantation	27.9	26.3	16.7	1 / 11		3 / 7	
Percentage of transfers resulting in singleton live births	24.1	6 / 16	3 / 11	1 / 3		1 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0 / 11	0 / 3		0 / 3	
Percentage of transfers resulting in live births	34.5	7 / 16	3 / 11	1 / 3		1 / 3	
Percentage of transfers resulting in pregnancy	41.4	10 / 16	3 / 11	1 / 3		1 / 3	
All Ages Combined^f							
Donor Eggs		Fresh Embryos		Frozen Embryos			
Number of cycles		25		4			
Number of transfers		23		4			
Average number of embryos transferred		2.2		2.3			
Percentage of embryos transferred resulting in implantation		37.3		3 / 9			
Percentage of transfers resulting in singleton live births		39.1		2 / 4			
Percentage of transfers resulting in live births		60.9		2 / 4			
Percentage of transfers resulting in pregnancy		60.9		3 / 4			

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Continuum Reproductive Center of St. Luke's Roosevelt Hospital					
Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	<i>(See Appendix C for details.)</i>			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ANDREW LOUCOPOULOS, MD, PhD NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Andrew Loucopoulos, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	39%	Tubal factor	7%	Uterine factor	7%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	7%	Male factor	20%	
Used gestational carrier	0%			Diminished ovarian reserve	53%	Other factor	0%	
				Endometriosis	0%	Unknown factor	20%	
				Multiple Factors:				
				Female factors only				7%
				Female & male factors				7%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 16 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	2	5	3	2	0	1
Percentage of cancellations	0/2	0/5	0/3	0/2		0/1
Average number of embryos transferred	3.0	2.8	3.0	3.0		2.0
Percentage of embryos transferred resulting in implantation	1/6	0/14	1/6	0/6		0/2
Percentage of elective single embryo transfer (eSET)	0/2	0/5	0/2	0/2		0/1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	1/2	0/5	0/3	0/2		0/1
Percentage of cycles resulting in triplets or more live births	0/2	0/5	0/3	0/2		0/1
Percentage of cycles resulting in live births	1/2	0/5	0/3	0/2		0/1
Percentage of cycles resulting in pregnancy	1/2	0/5	1/3	0/2		0/1
Outcomes per Transfer						
Number of transfers	2	5	2	2	0	1
Percentage of transfers resulting in singleton live births	1/2	0/5	0/2	0/2		0/1
Percentage of transfers resulting in triplets or more live births	0/2	0/5	0/2	0/2		0/1
Percentage of transfers resulting in live births	1/2	0/5	0/2	0/2		0/1
Percentage of transfers resulting in pregnancy	1/2	0/5	1/2	0/2		0/1
Outcomes per Pregnancy						
Number of pregnancies	1	0	1	0	0	0
Percentage of pregnancies resulting in singleton live births	1/1		0/1			
Percentage of pregnancies resulting in triplets or more live births	0/1		0/1			
Percentage of pregnancies resulting in live births	1/1		0/1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	1	0	0	0	0
Number of transfers	0	1	0	0	0	0
Estimated average number of transfers per retrieval		1.0				
Average number of embryos transferred		4.0				
Percentage of embryos transferred resulting in implantation		0/4				
Percentage of transfers resulting in singleton live births		0/1				
Percentage of transfers resulting in triplets or more live births		0/1				
Percentage of transfers resulting in live births		0/1				
Percentage of transfers resulting in pregnancy		0/1				
All Ages Combined^f						
	Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of cycles			1		0	
Number of transfers			1		0	
Average number of embryos transferred			2.0			
Percentage of embryos transferred resulting in implantation			2/2			
Percentage of transfers resulting in singleton live births			0/1			
Percentage of transfers resulting in live births			1/1			
Percentage of transfers resulting in pregnancy			1/1			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Andrew Loucopoulos, MD, PhD					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MANHATTAN REPRODUCTIVE MEDICINE NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Hanna Jesionowska, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	82%	Tubal factor	75%	Uterine factor	1%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	7%	Male factor	100%
Used gestational carrier	0%			Diminished ovarian reserve	77%	Other factor	1%
				Endometriosis	1%	Unknown factor	0%
				<i>Multiple Factors:</i> Female factors only 0% Female & male factors 98%			

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 96 (includes 3 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	29	9	17	5	2	0	
Percentage of cancellations	0.0	2 / 9	3 / 17	0 / 5	0 / 2		
Average number of embryos transferred	2.8	2.6	2.7	2.6	1.5		
Percentage of embryos transferred resulting in implantation	27.5	0 / 18	15.8	1 / 13	1 / 3		
Percentage of elective single embryo transfer (eSET)	0.0	0 / 5	0 / 13	0 / 4	0 / 1		
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	34.5	0 / 9	1 / 17	0 / 5	1 / 2		
Percentage of cycles resulting in triplets or more live births	0.0	0 / 9	0 / 17	0 / 5	0 / 2		
Percentage of cycles resulting in live births	48.3	0 / 9	3 / 17	0 / 5	1 / 2		
Percentage of cycles resulting in pregnancy	55.2	0 / 9	3 / 17	1 / 5	1 / 2		
Outcomes per Transfer							
Number of transfers	29	7	14	5	2	0	
Percentage of transfers resulting in singleton live births	34.5	0 / 7	1 / 14	0 / 5	1 / 2		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 7	0 / 14	0 / 5	0 / 2		
Percentage of transfers resulting in live births	48.3	0 / 7	3 / 14	0 / 5	1 / 2		
Percentage of transfers resulting in pregnancy	55.2	0 / 7	3 / 14	1 / 5	1 / 2		
Outcomes per Pregnancy							
Number of pregnancies	16	0	3	1	1	0	
Percentage of pregnancies resulting in singleton live births	10 / 16		1 / 3	0 / 1	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 16		0 / 3	0 / 1	0 / 1		
Percentage of pregnancies resulting in live births	14 / 16		3 / 3	0 / 1	1 / 1		
Frozen Embryos from Nondonor Eggs							
Number of cycles	1	0	1	1	0	0	
Number of transfers	1	0	1	1	0	0	
Estimated average number of transfers per retrieval	1.0	0.0	1.0		0.0	0.0	
Average number of embryos transferred	3.0		2.0	1.0			
Percentage of embryos transferred resulting in implantation	0 / 3		0 / 2	0 / 1			
Percentage of transfers resulting in singleton live births	0 / 1		0 / 1	0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 1		0 / 1	0 / 1			
Percentage of transfers resulting in live births	0 / 1		0 / 1	0 / 1			
Percentage of transfers resulting in pregnancy	0 / 1		0 / 1	0 / 1			
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		25			3		
Number of transfers		25			3		
Average number of embryos transferred		3.0			2.3		
Percentage of embryos transferred resulting in implantation		25.7			3 / 7		
Percentage of transfers resulting in singleton live births		24.0			0 / 3		
Percentage of transfers resulting in live births		40.0			0 / 3		
Percentage of transfers resulting in pregnancy		52.0			2 / 3		

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Manhattan Reproductive Medicine					
Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**MEDICAL OFFICES FOR HUMAN REPRODUCTION
CENTER FOR HUMAN REPRODUCTION (CHR)
NEW YORK, NEW YORK**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Norbert Gleicher, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	77%	Tubal factor	12%	Uterine factor	6%	
Unstimulated	<1%	Used PGD	11%	Ovulatory dysfunction	5%	Male factor	9%	
Used gestational carrier	<1%			Diminished ovarian reserve	74%	Other factor	28%	
				Endometriosis	5%	Unknown factor	<1%	
				Multiple Factors:				
				Female factors only				25%
				Female & male factors				7%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 528 (includes 29 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	72	30	71	45	67	41
Percentage of cancellations	6.9	20.0	14.1	8.9	16.4	26.8
Average number of embryos transferred	1.9	2.2	2.4	2.5	2.7	3.1
Percentage of embryos transferred resulting in implantation	25.0	16.7	10.2	8.3	0.8	1.5
Percentage of elective single embryo transfer (eSET)	7.5	0 / 15	2.3	0.0	2.9	0 / 15
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	22.2	13.3	8.5	4.4	0.0	0.0
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0.0
Percentage of cycles resulting in live births	29.2	16.7	11.3	6.7	0.0	0.0
Percentage of cycles resulting in pregnancy	33.3	20.0	12.7	11.1	6.0	2.4
Outcomes per Transfer						
Number of transfers	62	19	50	34	45	21
Percentage of transfers resulting in singleton live births	25.8	4 / 19	12.0	5.9	0.0	0.0
Percentage of transfers resulting in triplets or more live births	0.0	0 / 19	0.0	0.0	0.0	0.0
Percentage of transfers resulting in live births	33.9	5 / 19	16.0	8.8	0.0	0.0
Percentage of transfers resulting in pregnancy	38.7	6 / 19	18.0	14.7	8.9	4.8
Outcomes per Pregnancy						
Number of pregnancies	24	6	9	5	4	1
Percentage of pregnancies resulting in singleton live births	66.7	4 / 6	6 / 9	2 / 5	0 / 4	0 / 1
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 6	0 / 9	0 / 5	0 / 4	0 / 1
Percentage of pregnancies resulting in live births	87.5	5 / 6	8 / 9	3 / 5	0 / 4	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	29	11	6	14	5	2
Number of transfers	27	10	6	14	5	2
Estimated average number of transfers per retrieval	1.2	3.3	0.7	0.6	1.3	0.3
Average number of embryos transferred	2.0	2.5	2.8	2.5	2.2	2.0
Percentage of embryos transferred resulting in implantation	7.5	16.0	2 / 17	5.7	0 / 11	0 / 4
Percentage of transfers resulting in singleton live births	14.8	4 / 10	2 / 6	2 / 14	0 / 5	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0 / 10	0 / 6	0 / 14	0 / 5	0 / 2
Percentage of transfers resulting in live births	14.8	4 / 10	2 / 6	2 / 14	0 / 5	0 / 2
Percentage of transfers resulting in pregnancy	18.5	5 / 10	2 / 6	4 / 14	1 / 5	0 / 2
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		73		33		
Number of transfers		70		33		
Average number of embryos transferred		1.9		2.3		
Percentage of embryos transferred resulting in implantation		42.6		23.7		
Percentage of transfers resulting in singleton live births		35.7		18.2		
Percentage of transfers resulting in live births		57.1		30.3		
Percentage of transfers resulting in pregnancy		65.7		39.4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Medical Offices for Human Reproduction, Center for Human Reproduction (CHR)

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

METROPOLITAN REPRODUCTIVE MEDICINE, PC NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Susan Lobel, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	59%	Tubal factor	20%	Uterine factor	0%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	17%	Male factor	31%	
Used gestational carrier	0%			Diminished ovarian reserve	34%	Other factor	6%	
				Endometriosis	0%	Unknown factor	20%	
				Multiple Factors:				
				Female factors only				6%
				Female & male factors				23%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 35 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	10	1	6	7	4	1
Percentage of cancellations	0 / 10	0 / 1	0 / 6	0 / 7	0 / 4	1 / 1
Average number of embryos transferred	1.9	4.0	3.6	3.5	4.5	
Percentage of embryos transferred resulting in implantation	14 / 19	3 / 4	3 / 18	28.6	1 / 18	
Percentage of elective single embryo transfer (eSET)	1 / 9	0 / 1	0 / 5	0 / 5	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	4 / 10	0 / 1	1 / 6	2 / 7	0 / 4	0 / 1
Percentage of cycles resulting in triplets or more live births	1 / 10	0 / 1	0 / 6	0 / 7	0 / 4	0 / 1
Percentage of cycles resulting in live births	7 / 10	1 / 1	2 / 6	2 / 7	0 / 4	0 / 1
Percentage of cycles resulting in pregnancy	8 / 10	1 / 1	3 / 6	3 / 7	2 / 4	0 / 1
Outcomes per Transfer						
Number of transfers	10	1	5	6	4	0
Percentage of transfers resulting in singleton live births	4 / 10	0 / 1	1 / 5	2 / 6	0 / 4	
Percentage of transfers resulting in triplets or more live births	1 / 10	0 / 1	0 / 5	0 / 6	0 / 4	
Percentage of transfers resulting in live births	7 / 10	1 / 1	2 / 5	2 / 6	0 / 4	
Percentage of transfers resulting in pregnancy	8 / 10	1 / 1	3 / 5	3 / 6	2 / 4	
Outcomes per Pregnancy						
Number of pregnancies	8	1	3	3	2	0
Percentage of pregnancies resulting in singleton live births	4 / 8	0 / 1	1 / 3	2 / 3	0 / 2	
Percentage of pregnancies resulting in triplets or more live births	1 / 8	0 / 1	0 / 3	0 / 3	0 / 2	
Percentage of pregnancies resulting in live births	7 / 8	1 / 1	2 / 3	2 / 3	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	0	1	0	0	0
Number of transfers	1	0	1	0	0	0
Estimated average number of transfers per retrieval			1.0			
Average number of embryos transferred	2.0		2.0			
Percentage of embryos transferred resulting in implantation	1 / 2		1 / 2			
Percentage of transfers resulting in singleton live births	1 / 1		1 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 1		0 / 1			
Percentage of transfers resulting in live births	1 / 1		1 / 1			
Percentage of transfers resulting in pregnancy	1 / 1		1 / 1			
All Ages Combined^f						
Donor Eggs	Fresh Embryos			Frozen Embryos		
Number of cycles	2			2		
Number of transfers	2			2		
Average number of embryos transferred	1.5			2.0		
Percentage of embryos transferred resulting in implantation	3 / 3			2 / 4		
Percentage of transfers resulting in singleton live births	0 / 2			0 / 2		
Percentage of transfers resulting in live births	1 / 2			0 / 2		
Percentage of transfers resulting in pregnancy	2 / 2			1 / 2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Metropolitan Reproductive Medicine, PC

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW HOPE FERTILITY CENTER NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by John J. Zhang, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	81%	Tubal factor	18%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 9% Female & male factors 9%
Unstimulated	49%	Used PGD	4%	Ovulatory dysfunction	4%	Male factor	17%	
Used gestational carrier	<1%			Diminished ovarian reserve	66%	Other factor	4%	
				Endometriosis	2%	Unknown factor	7%	

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 4,441 (includes 2,675 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	86	67	69	83	53	107
Percentage of cancellations	2.3	0.0	0.0	0.0	0.0	0.9
Average number of embryos transferred	1.4	1.3	1.3	1.3	1.4	1.5
Percentage of embryos transferred resulting in implantation	42.9	38.2	22.1	14.7	5.3	5.2
Percentage of elective single embryo transfer (eSET)	47.4	45.0	47.1	33.3	18.5	8.5
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	40.7	34.3	18.8	7.2	3.8	0.9
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0.0
Percentage of cycles resulting in live births	47.7	37.3	18.8	8.4	3.8	1.9
Percentage of cycles resulting in pregnancy	48.8	47.8	29.0	21.7	7.5	9.3
Outcomes per Transfer						
Number of transfers	82	67	68	82	53	105
Percentage of transfers resulting in singleton live births	42.7	34.3	19.1	7.3	3.8	1.0
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0.0
Percentage of transfers resulting in live births	50.0	37.3	19.1	8.5	3.8	1.9
Percentage of transfers resulting in pregnancy	51.2	47.8	29.4	22.0	7.5	9.5
Outcomes per Pregnancy						
Number of pregnancies	42	32	20	18	4	10
Percentage of pregnancies resulting in singleton live births	83.3	71.9	65.0	6 / 18	2 / 4	1 / 10
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 18	0 / 4	0 / 10
Percentage of pregnancies resulting in live births	97.6	78.1	65.0	7 / 18	2 / 4	2 / 10
Frozen Embryos from Nondonor Eggs						
Number of cycles	341	182	186	171	115	158
Number of transfers	340	181	186	171	112	157
Estimated average number of transfers per retrieval	0.9	0.6	0.4	0.4	0.3	0.2
Average number of embryos transferred	1.2	1.2	1.2	1.2	1.2	1.4
Percentage of embryos transferred resulting in implantation	51.7	46.4	34.9	22.5	13.5	4.1
Percentage of transfers resulting in singleton live births	43.2	38.7	29.6	19.3	8.0	1.9
Percentage of transfers resulting in triplets or more live births	0.6	0.0	0.0	0.6	0.0	0.0
Percentage of transfers resulting in live births	49.7	42.0	32.3	21.1	8.9	3.2
Percentage of transfers resulting in pregnancy	55.6	51.9	38.7	28.1	18.8	5.7
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		10		138		
Number of transfers		5		135		
Average number of embryos transferred		1.4		1.2		
Percentage of embryos transferred resulting in implantation		3 / 7		61.3		
Percentage of transfers resulting in singleton live births		2 / 5		51.1		
Percentage of transfers resulting in live births		2 / 5		57.8		
Percentage of transfers resulting in pregnancy		3 / 5		67.4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: New Hope Fertility Center					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW YORK FERTILITY INSTITUTE NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Majid Fateh, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	94%	Tubal factor	<1%	Uterine factor	16%	
Unstimulated	0%	Used PGD	35%	Ovulatory dysfunction	8%	Male factor	7%	
Used gestational carrier	0%			Diminished ovarian reserve	29%	Other factor	6%	
				Endometriosis	5%	Unknown factor	29%	
				Multiple Factors:				
				Female factors only				<1%
				Female & male factors				0%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 108 (includes 6 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	18	17	10	22	7	3
Percentage of cancellations	0 / 18	0 / 17	0 / 10	9.1	1 / 7	0 / 3
Average number of embryos transferred	2.3	2.7	3.1	2.6	2.3	
Percentage of embryos transferred resulting in implantation	30.6	12.5	12.0	5.9	0 / 9	
Percentage of elective single embryo transfer (eSET)	2 / 16	1 / 12	0 / 8	0 / 12	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	6 / 18	2 / 17	2 / 10	4.5	0 / 7	0 / 3
Percentage of cycles resulting in triplets or more live births	0 / 18	0 / 17	0 / 10	0.0	0 / 7	0 / 3
Percentage of cycles resulting in live births	7 / 18	2 / 17	2 / 10	4.5	0 / 7	0 / 3
Percentage of cycles resulting in pregnancy	9 / 18	4 / 17	3 / 10	9.1	0 / 7	0 / 3
Outcomes per Transfer						
Number of transfers	16	12	8	13	4	0
Percentage of transfers resulting in singleton live births	6 / 16	2 / 12	2 / 8	1 / 13	0 / 4	
Percentage of transfers resulting in triplets or more live births	0 / 16	0 / 12	0 / 8	0 / 13	0 / 4	
Percentage of transfers resulting in live births	7 / 16	2 / 12	2 / 8	1 / 13	0 / 4	
Percentage of transfers resulting in pregnancy	9 / 16	4 / 12	3 / 8	2 / 13	0 / 4	
Outcomes per Pregnancy						
Number of pregnancies	9	4	3	2	0	0
Percentage of pregnancies resulting in singleton live births	6 / 9	2 / 4	2 / 3	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	0 / 9	0 / 4	0 / 3	0 / 2		
Percentage of pregnancies resulting in live births	7 / 9	2 / 4	2 / 3	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	6	1	2	2	2
Number of transfers	2	6	1	2	2	2
Estimated average number of transfers per retrieval	2.0	0.5	1.0		2.0	2.0
Average number of embryos transferred	2.5	2.7	3.0	1.5	2.5	2.0
Percentage of embryos transferred resulting in implantation	0 / 5	2 / 16	0 / 3	1 / 3	1 / 5	0 / 4
Percentage of transfers resulting in singleton live births	0 / 2	2 / 6	0 / 1	0 / 2	1 / 2	0 / 2
Percentage of transfers resulting in triplets or more live births	0 / 2	0 / 6	0 / 1	0 / 2	0 / 2	0 / 2
Percentage of transfers resulting in live births	0 / 2	2 / 6	0 / 1	0 / 2	1 / 2	0 / 2
Percentage of transfers resulting in pregnancy	0 / 2	2 / 6	0 / 1	1 / 2	1 / 2	0 / 2
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		2		8		
Number of transfers		2		8		
Average number of embryos transferred		2.5		2.9		
Percentage of embryos transferred resulting in implantation		1 / 5		26.1		
Percentage of transfers resulting in singleton live births		1 / 2		5 / 8		
Percentage of transfers resulting in live births		1 / 2		5 / 8		
Percentage of transfers resulting in pregnancy		1 / 2		5 / 8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: New York Fertility Institute

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**NEW YORK FERTILITY SERVICES, PC
BATZOFIN FERTILITY SERVICES, PC
NEW YORK, NEW YORK**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Joel Batzofin, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	82%	Tubal factor	12%	Uterine factor	<1%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	6%	Male factor	5%	
Used gestational carrier	4%			Diminished ovarian reserve	37%	Other factor	21%	
				Endometriosis	12%	Unknown factor	12%	
				Multiple Factors:				
				Female factors only				2%
				Female & male factors				2%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 120 (includes 7 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	29	11	12	10	12	4
Percentage of cancellations	6.9	0 / 11	0 / 12	1 / 10	3 / 12	0 / 4
Average number of embryos transferred	2.0	2.4	1.8	1.6	1.6	2.0
Percentage of embryos transferred resulting in implantation	8.3	29.2	25.0	1 / 13	0 / 13	0 / 6
Percentage of elective single embryo transfer (eSET)	0.0	0 / 9	1 / 7	1 / 4	0 / 4	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	13.8	4 / 11	5 / 12	1 / 10	0 / 12	0 / 4
Percentage of cycles resulting in triplets or more live births	0.0	0 / 11	0 / 12	0 / 10	0 / 12	0 / 4
Percentage of cycles resulting in live births	13.8	4 / 11	5 / 12	1 / 10	0 / 12	0 / 4
Percentage of cycles resulting in pregnancy	13.8	5 / 11	5 / 12	1 / 10	0 / 12	0 / 4
Outcomes per Transfer						
Number of transfers	24	10	11	8	8	3
Percentage of transfers resulting in singleton live births	16.7	4 / 10	5 / 11	1 / 8	0 / 8	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0 / 10	0 / 11	0 / 8	0 / 8	0 / 3
Percentage of transfers resulting in live births	16.7	4 / 10	5 / 11	1 / 8	0 / 8	0 / 3
Percentage of transfers resulting in pregnancy	16.7	5 / 10	5 / 11	1 / 8	0 / 8	0 / 3
Outcomes per Pregnancy						
Number of pregnancies	4	5	5	1	0	0
Percentage of pregnancies resulting in singleton live births	4 / 4	4 / 5	5 / 5	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 4	0 / 5	0 / 5	0 / 1		
Percentage of pregnancies resulting in live births	4 / 4	4 / 5	5 / 5	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	1	4	0	0	0
Number of transfers	2	1	4	0	0	0
Estimated average number of transfers per retrieval	0.7	0.5	2.0	0.0		0.0
Average number of embryos transferred	2.0	2.0	2.0			
Percentage of embryos transferred resulting in implantation	0 / 4	1 / 2	2 / 8			
Percentage of transfers resulting in singleton live births	0 / 2	1 / 1	2 / 4			
Percentage of transfers resulting in triplets or more live births	0 / 2	0 / 1	0 / 4			
Percentage of transfers resulting in live births	0 / 2	1 / 1	2 / 4			
Percentage of transfers resulting in pregnancy	0 / 2	1 / 1	2 / 4			
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	18		10			
Number of transfers	17		7			
Average number of embryos transferred	2.3		2.1			
Percentage of embryos transferred resulting in implantation	20.5		3 / 15			
Percentage of transfers resulting in singleton live births	3 / 17		2 / 7			
Percentage of transfers resulting in live births	4 / 17		2 / 7			
Percentage of transfers resulting in pregnancy	5 / 17		3 / 7			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: New York Fertility Services, PC, Batzofin Fertility Services, PC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEWAY MEDICAL NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Jesse Hade, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	40%	Tubal factor	12%	Uterine factor	1%	
Unstimulated	0%	Used PGD	7%	Ovulatory dysfunction	15%	Male factor	3%	
Used gestational carrier	0%			Diminished ovarian reserve	44%	Other factor	6%	
				Endometriosis	6%	Unknown factor	19%	
				Multiple Factors:				
				Female factors only				3%
				Female & male factors				2%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 157 (includes 8 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		32	18	16	32	24	0
Percentage of cancellations		3.1	0 / 18	3 / 16	18.8	12.5	
Average number of embryos transferred		1.7	2.0	2.4	2.7	2.2	
Percentage of embryos transferred resulting in implantation		48.6	42.3	20.8	3.8	0.0	
Percentage of elective single embryo transfer (eSET)		1 / 15	2 / 12	0 / 8	0 / 17	0 / 13	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		34.4	4 / 18	2 / 16	6.3	0.0	
Percentage of cycles resulting in triplets or more live births		0.0	0 / 18	0 / 16	0.0	0.0	
Percentage of cycles resulting in live births		40.6	6 / 18	3 / 16	6.3	0.0	
Percentage of cycles resulting in pregnancy		43.8	6 / 18	3 / 16	6.3	0.0	
Outcomes per Transfer							
Number of transfers		22	13	10	20	17	0
Percentage of transfers resulting in singleton live births		50.0	4 / 13	2 / 10	10.0	0 / 17	
Percentage of transfers resulting in triplets or more live births		0.0	0 / 13	0 / 10	0.0	0 / 17	
Percentage of transfers resulting in live births		59.1	6 / 13	3 / 10	10.0	0 / 17	
Percentage of transfers resulting in pregnancy		63.6	6 / 13	3 / 10	10.0	0 / 17	
Outcomes per Pregnancy							
Number of pregnancies		14	6	3	2	0	0
Percentage of pregnancies resulting in singleton live births		11 / 14	4 / 6	2 / 3	2 / 2		
Percentage of pregnancies resulting in triplets or more live births		0 / 14	0 / 6	0 / 3	0 / 2		
Percentage of pregnancies resulting in live births		13 / 14	6 / 6	3 / 3	2 / 2		
Frozen Embryos from Nondonor Eggs							
Number of cycles		4	4	1	1	1	0
Number of transfers		4	3	1	1	1	0
Estimated average number of transfers per retrieval		0.8	0.5	0.3	1.0		
Average number of embryos transferred		2.0	1.3	2.0	2.0	2.0	
Percentage of embryos transferred resulting in implantation		4 / 8	3 / 4	0 / 2	0 / 2	0 / 2	
Percentage of transfers resulting in singleton live births		0 / 4	2 / 3	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births		0 / 4	0 / 3	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in live births		2 / 4	2 / 3	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy		2 / 4	2 / 3	0 / 1	0 / 1	0 / 1	
		All Ages Combined^f					
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		9			7		
Number of transfers		7			6		
Average number of embryos transferred		1.9			1.7		
Percentage of embryos transferred resulting in implantation		3 / 13			5 / 10		
Percentage of transfers resulting in singleton live births		2 / 7			3 / 6		
Percentage of transfers resulting in live births		2 / 7			4 / 6		
Percentage of transfers resulting in pregnancy		3 / 7			5 / 6		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2012. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**NYU FERTILITY CENTER
NEW YORK UNIVERSITY SCHOOL OF MEDICINE
NEW YORK, NEW YORK**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by James A. Grifo, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	28%	Tubal factor	10%	Uterine factor	17%	
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	9%	Male factor	19%	
Used gestational carrier	0%			Diminished ovarian reserve	24%	Other factor	56%	
				Endometriosis	7%	Unknown factor	10%	
				Multiple Factors:				
				Female factors only				30%
				Female & male factors				11%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 2,032 (includes 703 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	181	142	198	166	107	37
Percentage of cancellations	7.2	13.4	14.6	22.3	23.4	27.0
Average number of embryos transferred	1.7	1.8	2.0	2.7	2.8	3.0
Percentage of embryos transferred resulting in implantation	40.9	32.5	19.6	14.0	5.9	2.7
Percentage of elective single embryo transfer (eSET)	32.5	25.9	10.1	0.9	0.0	0.0
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	29.3	28.2	20.2	12.7	6.5	5.4
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.6	0.0	0.0
Percentage of cycles resulting in live births	40.9	34.5	23.2	16.9	6.5	5.4
Percentage of cycles resulting in pregnancy	49.7	39.4	33.8	25.3	15.0	5.4
Outcomes per Transfer						
Number of transfers	163	117	162	121	74	25
Percentage of transfers resulting in singleton live births	32.5	34.2	24.7	17.4	9.5	8.0
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.8	0.0	0.0
Percentage of transfers resulting in live births	45.4	41.9	28.4	23.1	9.5	8.0
Percentage of transfers resulting in pregnancy	55.2	47.9	41.4	34.7	21.6	8.0
Outcomes per Pregnancy						
Number of pregnancies	90	56	67	42	16	2
Percentage of pregnancies resulting in singleton live births	58.9	71.4	59.7	50.0	7 / 16	2 / 2
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	2.4	0 / 16	0 / 2
Percentage of pregnancies resulting in live births	82.2	87.5	68.7	66.7	7 / 16	2 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	126	88	88	46	14	7
Number of transfers	114	83	78	42	11	6
Estimated average number of transfers per retrieval	0.7	0.4	0.3	0.3	0.2	1.2
Average number of embryos transferred	1.5	1.4	1.5	1.5	1.4	1.8
Percentage of embryos transferred resulting in implantation	47.0	43.1	37.4	40.6	6 / 15	3 / 11
Percentage of transfers resulting in singleton live births	44.7	41.0	42.3	52.4	5 / 11	2 / 6
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 11	0 / 6
Percentage of transfers resulting in live births	51.8	48.2	44.9	57.1	5 / 11	2 / 6
Percentage of transfers resulting in pregnancy	70.2	51.8	56.4	64.3	6 / 11	3 / 6
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	68		61			
Number of transfers	64		60			
Average number of embryos transferred	1.5		1.5			
Percentage of embryos transferred resulting in implantation	54.5		42.7			
Percentage of transfers resulting in singleton live births	37.5		40.0			
Percentage of transfers resulting in live births	54.7		46.7			
Percentage of transfers resulting in pregnancy	70.3		58.3			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: NYU Fertility Center, New York University School of Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

OFFICES FOR FERTILITY AND REPRODUCTIVE MEDICINE NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Cecilia Schmidt-Sarosi, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	87%	Tubal factor	13%	Uterine factor	7%	
Unstimulated	0%	Used PGD	26%	Ovulatory dysfunction	38%	Male factor	66%	
Used gestational carrier	0%			Diminished ovarian reserve	70%	Other factor	32%	
				Endometriosis	16%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				22%
				Female & male factors				66%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 149 (includes 67 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	5	6	8	5	2	5
Percentage of cancellations	0/5	0/6	1/8	1/5	2/2	0/5
Average number of embryos transferred	1.5	2.2	1.4	1.0		1.4
Percentage of embryos transferred resulting in implantation	4/6	5/13	1/7	0/1		0/7
Percentage of elective single embryo transfer (eSET)	1/3	1/6	1/3			1/3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	2/5	3/6	1/8	0/5	0/2	0/5
Percentage of cycles resulting in triplets or more live births	0/5	0/6	0/8	0/5	0/2	0/5
Percentage of cycles resulting in live births	3/5	4/6	1/8	0/5	0/2	0/5
Percentage of cycles resulting in pregnancy	3/5	5/6	2/8	0/5	0/2	0/5
Outcomes per Transfer						
Number of transfers	4	6	5	1	0	5
Percentage of transfers resulting in singleton live births	2/4	3/6	1/5	0/1		0/5
Percentage of transfers resulting in triplets or more live births	0/4	0/6	0/5	0/1		0/5
Percentage of transfers resulting in live births	3/4	4/6	1/5	0/1		0/5
Percentage of transfers resulting in pregnancy	3/4	5/6	2/5	0/1		0/5
Outcomes per Pregnancy						
Number of pregnancies	3	5	2	0	0	0
Percentage of pregnancies resulting in singleton live births	2/3	3/5	1/2			
Percentage of pregnancies resulting in triplets or more live births	0/3	0/5	0/2			
Percentage of pregnancies resulting in live births	3/3	4/5	1/2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	13	5	8	5	1	1
Number of transfers	11	4	7	3	0	1
Estimated average number of transfers per retrieval	0.5	0.4	0.2	0.3	0.0	1.0
Average number of embryos transferred	1.5	1.5	1.9	1.3		2.0
Percentage of embryos transferred resulting in implantation	8/17	3/6	3/13	0/4		0/2
Percentage of transfers resulting in singleton live births	7/11	3/4	1/7	0/3		0/1
Percentage of transfers resulting in triplets or more live births	0/11	0/4	0/7	0/3		0/1
Percentage of transfers resulting in live births	7/11	3/4	1/7	0/3		0/1
Percentage of transfers resulting in pregnancy	8/11	3/4	4/7	0/3		0/1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		9		9		
Number of transfers		9		9		
Average number of embryos transferred		1.7		1.3		
Percentage of embryos transferred resulting in implantation		10/15		2/12		
Percentage of transfers resulting in singleton live births		3/9		2/9		
Percentage of transfers resulting in live births		5/9		2/9		
Percentage of transfers resulting in pregnancy		6/9		3/9		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Offices for Fertility and Reproductive Medicine					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF NEW YORK, LLP NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Lawrence Grunfeld, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	56%	Tubal factor	11%	Uterine factor	4%
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	9%	Male factor	22%
Used gestational carrier	0%			Diminished ovarian reserve	25%	Other factor	11%
				Endometriosis	6%	Unknown factor	20%
				<i>Multiple Factors:</i> Female factors only 4% Female & male factors 3%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 2,272 (includes 232 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	454	333	389	240	142	30
Percentage of cancellations	4.6	9.6	14.9	15.4	31.0	20.0
Average number of embryos transferred	2.0	2.1	2.6	3.1	3.0	3.7
Percentage of embryos transferred resulting in implantation	40.9	32.0	15.4	9.8	3.4	1.2
Percentage of elective single embryo transfer (eSET)	7.2	7.1	1.5	1.3	0.0	0.0
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	32.6	29.7	17.7	13.8	3.5	3.3
Percentage of cycles resulting in triplets or more live births	0.2	0.0	0.0	0.0	0.0	0.0
Percentage of cycles resulting in live births	50.0	40.2	22.6	15.8	3.5	3.3
Percentage of cycles resulting in pregnancy	56.6	47.4	28.5	25.4	9.2	3.3
Outcomes per Transfer						
Number of transfers	417	285	310	190	87	22
Percentage of transfers resulting in singleton live births	35.5	34.7	22.3	17.4	5.7	4.5
Percentage of transfers resulting in triplets or more live births	0.2	0.0	0.0	0.0	0.0	0.0
Percentage of transfers resulting in live births	54.4	47.0	28.4	20.0	5.7	4.5
Percentage of transfers resulting in pregnancy	61.6	55.4	35.8	32.1	14.9	4.5
Outcomes per Pregnancy						
Number of pregnancies	257	158	111	61	13	1
Percentage of pregnancies resulting in singleton live births	57.6	62.7	62.2	54.1	5 / 13	1 / 1
Percentage of pregnancies resulting in triplets or more live births	0.4	0.0	0.0	0.0	0 / 13	0 / 1
Percentage of pregnancies resulting in live births	88.3	84.8	79.3	62.3	5 / 13	1 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	110	78	43	19	5	4
Number of transfers	109	77	42	18	5	4
Estimated average number of transfers per retrieval	1.0	0.7	0.4	0.5	0.6	1.0
Average number of embryos transferred	1.7	1.8	2.0	1.8	2.8	2.3
Percentage of embryos transferred resulting in implantation	39.5	42.0	14.6	28.1	3 / 14	2 / 9
Percentage of transfers resulting in singleton live births	33.9	27.3	19.0	5 / 18	1 / 5	2 / 4
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 18	0 / 5	0 / 4
Percentage of transfers resulting in live births	46.8	44.2	21.4	6 / 18	2 / 5	2 / 4
Percentage of transfers resulting in pregnancy	58.7	57.1	33.3	6 / 18	2 / 5	2 / 4
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		144		49		
Number of transfers		142		47		
Average number of embryos transferred		1.9		1.7		
Percentage of embryos transferred resulting in implantation		43.5		36.3		
Percentage of transfers resulting in singleton live births		33.8		25.5		
Percentage of transfers resulting in live births		54.9		38.3		
Percentage of transfers resulting in pregnancy		64.1		46.8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine Associates of New York, LLP					
Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**GEOFFREY SHER, MD, PC
NEW YORK, NEW YORK**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Drew V. Tortoriello, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	79%	Tubal factor	3%	Uterine factor	0%	
Unstimulated	5%	Used PGD	12%	Ovulatory dysfunction	3%	Male factor	7%	
Used gestational carrier	<1%			Diminished ovarian reserve	58%	Other factor	6%	
				Endometriosis	4%	Unknown factor	26%	
				Multiple Factors:				
				Female factors only				3%
				Female & male factors				3%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 687 (includes 215 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	82	52	79	54	46	10
Percentage of cancellations	14.6	5.8	19.0	22.2	32.6	2 / 10
Average number of embryos transferred	1.9	2.0	2.3	2.2	2.7	1.6
Percentage of embryos transferred resulting in implantation	47.5	31.6	24.1	18.9	4.6	0 / 8
Percentage of elective single embryo transfer (eSET)	10.5	8.8	0.0	0.0	0 / 16	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.5	25.0	20.3	16.7	2.2	0 / 10
Percentage of cycles resulting in triplets or more live births	1.2	0.0	0.0	0.0	0.0	0 / 10
Percentage of cycles resulting in live births	43.9	32.7	25.3	16.7	2.2	0 / 10
Percentage of cycles resulting in pregnancy	47.6	38.5	26.6	24.1	6.5	0 / 10
Outcomes per Transfer						
Number of transfers	61	39	46	33	24	5
Percentage of transfers resulting in singleton live births	41.0	33.3	34.8	27.3	4.2	0 / 5
Percentage of transfers resulting in triplets or more live births	1.6	0.0	0.0	0.0	0.0	0 / 5
Percentage of transfers resulting in live births	59.0	43.6	43.5	27.3	4.2	0 / 5
Percentage of transfers resulting in pregnancy	63.9	51.3	45.7	39.4	12.5	0 / 5
Outcomes per Pregnancy						
Number of pregnancies	39	20	21	13	3	0
Percentage of pregnancies resulting in singleton live births	64.1	65.0	76.2	9 / 13	1 / 3	
Percentage of pregnancies resulting in triplets or more live births	2.6	0.0	0.0	0 / 13	0 / 3	
Percentage of pregnancies resulting in live births	92.3	85.0	95.2	9 / 13	1 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	33	34	22	13	7	1
Number of transfers	32	34	19	12	7	1
Estimated average number of transfers per retrieval	0.5	1.0	0.3	0.3	0.2	0.1
Average number of embryos transferred	2.0	1.9	1.8	2.5	2.7	1.0
Percentage of embryos transferred resulting in implantation	36.5	35.9	34.3	26.7	3 / 19	0 / 1
Percentage of transfers resulting in singleton live births	43.8	47.1	4 / 19	2 / 12	0 / 7	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 19	0 / 12	0 / 7	0 / 1
Percentage of transfers resulting in live births	53.1	52.9	6 / 19	4 / 12	0 / 7	0 / 1
Percentage of transfers resulting in pregnancy	56.3	58.8	9 / 19	7 / 12	1 / 7	0 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		14		25		
Number of transfers		14		24		
Average number of embryos transferred		1.9		1.5		
Percentage of embryos transferred resulting in implantation		37.0		48.6		
Percentage of transfers resulting in singleton live births		4 / 14		37.5		
Percentage of transfers resulting in live births		7 / 14		50.0		
Percentage of transfers resulting in pregnancy		7 / 14		58.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Geoffrey Sher, MD, PC					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WEILL MEDICAL COLLEGE OF CORNELL UNIVERSITY
THE CENTER FOR REPRODUCTIVE MEDICINE AND INFERTILITY
NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Zev Rosenwaks, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	69%	Tubal factor	17%	Uterine factor	5%	
Unstimulated	<1%	Used PGD	5%	Ovulatory dysfunction	6%	Male factor	32%	
Used gestational carrier	0%			Diminished ovarian reserve	56%	Other factor	5%	
				Endometriosis	11%	Unknown factor	7%	
				Multiple Factors:				
				Female factors only				16%
				Female & male factors				18%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 3,388 (includes 143 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	584	489	605	509	293	82
Percentage of cancellations	6.2	10.8	14.2	19.6	23.2	28.0
Average number of embryos transferred	2.0	2.4	2.8	3.2	3.2	3.5
Percentage of embryos transferred resulting in implantation	34.8	25.3	17.7	10.1	3.3	1.1
Percentage of elective single embryo transfer (eSET)	7.1	3.2	0.7	0.9	0.6	0.0
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	31.0	25.4	22.5	12.6	3.1	2.4
Percentage of cycles resulting in triplets or more live births	0.2	0.0	0.0	0.0	0.0	0.0
Percentage of cycles resulting in live births	41.4	33.5	26.1	14.3	3.8	2.4
Percentage of cycles resulting in pregnancy	47.8	40.1	32.6	21.0	10.6	7.3
Outcomes per Transfer						
Number of transfers	512	404	474	382	209	52
Percentage of transfers resulting in singleton live births	35.4	30.7	28.7	16.8	4.3	3.8
Percentage of transfers resulting in triplets or more live births	0.2	0.0	0.0	0.0	0.0	0.0
Percentage of transfers resulting in live births	47.3	40.6	33.3	19.1	5.3	3.8
Percentage of transfers resulting in pregnancy	54.5	48.5	41.6	28.0	14.8	11.5
Outcomes per Pregnancy						
Number of pregnancies	279	196	197	107	31	6
Percentage of pregnancies resulting in singleton live births	64.9	63.3	69.0	59.8	29.0	2 / 6
Percentage of pregnancies resulting in triplets or more live births	0.4	0.0	0.0	0.0	0.0	0 / 6
Percentage of pregnancies resulting in live births	86.7	83.7	80.2	68.2	35.5	2 / 6
Frozen Embryos from Nondonor Eggs						
Number of cycles	181	102	105	38	8	2
Number of transfers	162	89	90	30	4	1
Estimated average number of transfers per retrieval	1.3	1.0	1.0	0.7	0.3	1.0
Average number of embryos transferred	1.7	1.7	1.6	1.9	1.5	1.0
Percentage of embryos transferred resulting in implantation	37.0	33.8	20.4	20.7	0 / 6	0 / 1
Percentage of transfers resulting in singleton live births	38.9	34.8	20.0	23.3	0 / 4	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 4	0 / 1
Percentage of transfers resulting in live births	47.5	41.6	22.2	30.0	0 / 4	0 / 1
Percentage of transfers resulting in pregnancy	53.7	55.1	37.8	43.3	1 / 4	0 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		157		90		
Number of transfers		137		81		
Average number of embryos transferred		1.9		1.7		
Percentage of embryos transferred resulting in implantation		43.0		24.1		
Percentage of transfers resulting in singleton live births		33.6		27.2		
Percentage of transfers resulting in live births		50.4		32.1		
Percentage of transfers resulting in pregnancy		58.4		42.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Weill Medical College of Cornell University, The Center for Reproductive Medicine and Infertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

EAST COAST FERTILITY PLAINVIEW, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by David Kreiner, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	36%	Tubal factor	26%	Uterine factor	1%
Unstimulated	1%	Used PGD	0%	Ovulatory dysfunction	12%	Male factor	24%
Used gestational carrier	0%			Diminished ovarian reserve	15%	Other factor	8%
				Endometriosis	9%	Unknown factor	16%
				<i>Multiple Factors:</i> Female factors only 5% Female & male factors 5%			

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 154 (includes 1 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	35	14	19	6	9	7	
Percentage of cancellations	5.7	2 / 14	4 / 19	2 / 6	1 / 9	1 / 7	
Average number of embryos transferred	1.8	1.5	1.8	2.5	2.0	2.3	
Percentage of embryos transferred resulting in implantation	25.5	1 / 15	4.3	2 / 5	1 / 6	0 / 7	
Percentage of elective single embryo transfer (eSET)	10.0	0 / 4	1 / 6	0 / 2	0 / 2	0 / 2	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	22.9	1 / 14	1 / 19	1 / 6	0 / 9	0 / 7	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 14	0 / 19	0 / 6	0 / 9	0 / 7	
Percentage of cycles resulting in live births	28.6	1 / 14	1 / 19	1 / 6	0 / 9	0 / 7	
Percentage of cycles resulting in pregnancy	34.3	1 / 14	1 / 19	2 / 6	1 / 9	0 / 7	
Outcomes per Transfer							
Number of transfers	30	10	13	2	3	3	
Percentage of transfers resulting in singleton live births	26.7	1 / 10	1 / 13	1 / 2	0 / 3	0 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 10	0 / 13	0 / 2	0 / 3	0 / 3	
Percentage of transfers resulting in live births	33.3	1 / 10	1 / 13	1 / 2	0 / 3	0 / 3	
Percentage of transfers resulting in pregnancy	40.0	1 / 10	1 / 13	2 / 2	1 / 3	0 / 3	
Outcomes per Pregnancy							
Number of pregnancies	12	1	1	2	1	0	
Percentage of pregnancies resulting in singleton live births	8 / 12	1 / 1	1 / 1	1 / 2	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 12	0 / 1	0 / 1	0 / 2	0 / 1		
Percentage of pregnancies resulting in live births	10 / 12	1 / 1	1 / 1	1 / 2	0 / 1		
Frozen Embryos from Nondonor Eggs							
Number of cycles	28	11	15	7	1	1	
Number of transfers	28	10	15	7	1	1	
Estimated average number of transfers per retrieval	14.0				1.0		
Average number of embryos transferred	1.8	1.4	1.7	2.3	1.0	1.0	
Percentage of embryos transferred resulting in implantation	16.0	3 / 14	8.0	2 / 16	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births	17.9	3 / 10	1 / 15	1 / 7	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 10	0 / 15	0 / 7	0 / 1	0 / 1	
Percentage of transfers resulting in live births	21.4	3 / 10	1 / 15	1 / 7	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	28.6	3 / 10	2 / 15	2 / 7	0 / 1	0 / 1	
All Ages Combined^f							
Donor Eggs		Fresh Embryos		Frozen Embryos			
Number of cycles		0		0			
Number of transfers		0		0			
Average number of embryos transferred							
Percentage of embryos transferred resulting in implantation							
Percentage of transfers resulting in singleton live births							
Percentage of transfers resulting in live births							
Percentage of transfers resulting in pregnancy							

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: East Coast Fertility					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ROCHESTER FERTILITY CARE, PC ROCHESTER, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by Rosalind A. Hayes, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	79%	Tubal factor	20%	Uterine factor	5%	
Unstimulated	1%	Used PGD	0%	Ovulatory dysfunction	19%	Male factor	40%	
Used gestational carrier	2%			Diminished ovarian reserve	26%	Other factor	16%	
				Endometriosis	21%	Unknown factor	6%	
				Multiple Factors:				
				Female factors only				19%
				Female & male factors				25%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 144 (includes 0 banking cycle(s))					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs							
Number of cycles	47	23	17	7	2	0	
Percentage of cancellations	17.0	4.3	6 / 17	2 / 7	0 / 2		
Average number of embryos transferred	2.2	2.8	3.2	3.4	3.0		
Percentage of embryos transferred resulting in implantation	28.4	15.6	6.3	0 / 17	0 / 3		
Percentage of elective single embryo transfer (eSET)	3.8	0 / 15	0 / 9	0 / 4	0 / 1		
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births	25.5	8.7	1 / 17	0 / 7	0 / 2		
Percentage of cycles resulting in triplets or more live births	2.1	0.0	0 / 17	0 / 7	0 / 2		
Percentage of cycles resulting in live births	31.9	13.0	1 / 17	0 / 7	0 / 2		
Percentage of cycles resulting in pregnancy	31.9	26.1	2 / 17	0 / 7	0 / 2		
Outcomes per Transfer							
Number of transfers	30	16	10	5	1	0	
Percentage of transfers resulting in singleton live births	40.0	2 / 16	1 / 10	0 / 5	0 / 1		
Percentage of transfers resulting in triplets or more live births	3.3	0 / 16	0 / 10	0 / 5	0 / 1		
Percentage of transfers resulting in live births	50.0	3 / 16	1 / 10	0 / 5	0 / 1		
Percentage of transfers resulting in pregnancy	50.0	6 / 16	2 / 10	0 / 5	0 / 1		
Outcomes per Pregnancy							
Number of pregnancies	15	6	2	0	0	0	
Percentage of pregnancies resulting in singleton live births	12 / 15	2 / 6	1 / 2				
Percentage of pregnancies resulting in triplets or more live births	1 / 15	0 / 6	0 / 2				
Percentage of pregnancies resulting in live births	15 / 15	3 / 6	1 / 2				
Frozen Embryos from Nondonor Eggs							
Number of cycles	13	4	3	1	0	0	
Number of transfers	13	3	3	1	0	0	
Estimated average number of transfers per retrieval	2.2	1.5		1.0			
Average number of embryos transferred	2.1	2.0	1.0	3.0			
Percentage of embryos transferred resulting in implantation	33.3	1 / 6	2 / 3	0 / 3			
Percentage of transfers resulting in singleton live births	1 / 13	1 / 3	2 / 3	0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 13	0 / 3	0 / 3	0 / 1			
Percentage of transfers resulting in live births	4 / 13	1 / 3	2 / 3	0 / 1			
Percentage of transfers resulting in pregnancy	5 / 13	1 / 3	2 / 3	0 / 1			
All Ages Combined^f							
Donor Eggs		Fresh Embryos		Frozen Embryos			
Number of cycles		14		13			
Number of transfers		8		9			
Average number of embryos transferred		2.1		2.2			
Percentage of embryos transferred resulting in implantation		6 / 17		30.0			
Percentage of transfers resulting in singleton live births		2 / 8		3 / 9			
Percentage of transfers resulting in live births		3 / 8		3 / 9			
Percentage of transfers resulting in pregnancy		4 / 8		5 / 9			

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Rochester Fertility Care, PC					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

STRONG FERTILITY CENTER ROCHESTER, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE				Data verified by John T. Queenan, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	79%	Tubal factor	12%	Uterine factor	2%	
Unstimulated	0%	Used PGD	6%	Ovulatory dysfunction	10%	Male factor	43%	
Used gestational carrier	0%			Diminished ovarian reserve	15%	Other factor	17%	
				Endometriosis	8%	Unknown factor	12%	
				Multiple Factors:				
				Female factors only				5%
				Female & male factors				13%

2012 ART SUCCESS RATES ^{c,d}		Total number of cycles performed: ^e 236 (includes 2 banking cycle(s))					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		69	39	19	23	2	0
Percentage of cancellations		4.3	2.6	1 / 19	8.7	0 / 2	
Average number of embryos transferred		2.2	2.6	2.9	3.8	4.0	
Percentage of embryos transferred resulting in implantation		27.7	10.4	10.6	5.6	0 / 4	
Percentage of elective single embryo transfer (eSET)		1.7	2.7	0 / 16	0 / 19	0 / 1	
Outcomes per Cycle							
Percentage of cycles resulting in singleton live births		18.8	20.5	3 / 19	4.3	0 / 2	
Percentage of cycles resulting in triplets or more live births		0.0	0.0	0 / 19	0.0	0 / 2	
Percentage of cycles resulting in live births		36.2	23.1	4 / 19	4.3	0 / 2	
Percentage of cycles resulting in pregnancy		39.1	30.8	4 / 19	13.0	1 / 2	
Outcomes per Transfer							
Number of transfers		63	37	16	19	1	0
Percentage of transfers resulting in singleton live births		20.6	21.6	3 / 16	1 / 19	0 / 1	
Percentage of transfers resulting in triplets or more live births		0.0	0.0	0 / 16	0 / 19	0 / 1	
Percentage of transfers resulting in live births		39.7	24.3	4 / 16	1 / 19	0 / 1	
Percentage of transfers resulting in pregnancy		42.9	32.4	4 / 16	3 / 19	1 / 1	
Outcomes per Pregnancy							
Number of pregnancies		27	12	4	3	1	0
Percentage of pregnancies resulting in singleton live births		48.1	8 / 12	3 / 4	1 / 3	0 / 1	
Percentage of pregnancies resulting in triplets or more live births		0.0	0 / 12	0 / 4	0 / 3	0 / 1	
Percentage of pregnancies resulting in live births		92.6	9 / 12	4 / 4	1 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs							
Number of cycles		25	10	8	1	1	2
Number of transfers		25	10	8	1	1	2
Estimated average number of transfers per retrieval		1.6	1.7	1.6	1.0		
Average number of embryos transferred		2.0	2.0	2.6	3.0	3.0	3.5
Percentage of embryos transferred resulting in implantation		14.3	15.0	9.5	0 / 3	0 / 3	0 / 7
Percentage of transfers resulting in singleton live births		4.0	2 / 10	2 / 8	0 / 1	0 / 1	0 / 2
Percentage of transfers resulting in triplets or more live births		0.0	0 / 10	0 / 8	0 / 1	0 / 1	0 / 2
Percentage of transfers resulting in live births		12.0	2 / 10	2 / 8	0 / 1	0 / 1	0 / 2
Percentage of transfers resulting in pregnancy		24.0	3 / 10	2 / 8	0 / 1	0 / 1	1 / 2
All Ages Combined^f							
Donor Eggs		Fresh Embryos			Frozen Embryos		
Number of cycles		19			16		
Number of transfers		19			15		
Average number of embryos transferred		2.0			1.7		
Percentage of embryos transferred resulting in implantation		47.4			11.5		
Percentage of transfers resulting in singleton live births		7 / 19			3 / 15		
Percentage of transfers resulting in live births		11 / 19			3 / 15		
Percentage of transfers resulting in pregnancy		12 / 19			3 / 15		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Strong Fertility Center					
Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ISLAND REPRODUCTIVE SERVICES STATEN ISLAND, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Eric S. Knochenhauer, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	90%	Tubal factor	34%	Uterine factor	18%	<i>Multiple Factors:</i> Female factors only 26% Female & male factors 42%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	23%	Male factor	56%	
Used gestational carrier	0%			Diminished ovarian reserve	47%	Other factor	9%	
				Endometriosis	12%	Unknown factor	2%	

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 350 (includes 40 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	67	33	28	11	18	2
Percentage of cancellations	4.5	9.1	14.3	2 / 11	3 / 18	0 / 2
Average number of embryos transferred	1.7	2.1	2.3	2.6	2.9	3.5
Percentage of embryos transferred resulting in implantation	47.3	32.7	17.0	13.0	2.6	0 / 7
Percentage of elective single embryo transfer (eSET)	34.0	15.4	0.0	0 / 9	0 / 12	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	32.8	21.2	10.7	2 / 11	1 / 18	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 11	0 / 18	0 / 2
Percentage of cycles resulting in live births	43.3	33.3	14.3	2 / 11	1 / 18	0 / 2
Percentage of cycles resulting in pregnancy	49.3	36.4	21.4	3 / 11	1 / 18	0 / 2
Outcomes per Transfer						
Number of transfers	55	26	23	9	13	2
Percentage of transfers resulting in singleton live births	40.0	26.9	13.0	2 / 9	1 / 13	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 9	0 / 13	0 / 2
Percentage of transfers resulting in live births	52.7	42.3	17.4	2 / 9	1 / 13	0 / 2
Percentage of transfers resulting in pregnancy	60.0	46.2	26.1	3 / 9	1 / 13	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	33	12	6	3	1	0
Percentage of pregnancies resulting in singleton live births	66.7	7 / 12	3 / 6	2 / 3	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 12	0 / 6	0 / 3	0 / 1	
Percentage of pregnancies resulting in live births	87.9	11 / 12	4 / 6	2 / 3	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	53	34	14	13	6	1
Number of transfers	47	31	14	13	6	1
Estimated average number of transfers per retrieval	1.3	2.1	0.9	1.2	0.9	0.5
Average number of embryos transferred	1.7	2.1	2.4	2.1	3.2	2.0
Percentage of embryos transferred resulting in implantation	32.1	27.7	24.2	18.5	2 / 19	0 / 2
Percentage of transfers resulting in singleton live births	25.5	25.8	3 / 14	2 / 13	2 / 6	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 14	0 / 13	0 / 6	0 / 1
Percentage of transfers resulting in live births	34.0	38.7	3 / 14	3 / 13	2 / 6	0 / 1
Percentage of transfers resulting in pregnancy	48.9	45.2	5 / 14	4 / 13	2 / 6	0 / 1
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		9		21		
Number of transfers		8		21		
Average number of embryos transferred		1.5		1.6		
Percentage of embryos transferred resulting in implantation		5 / 12		11.8		
Percentage of transfers resulting in singleton live births		2 / 8		19.0		
Percentage of transfers resulting in live births		3 / 8		19.0		
Percentage of transfers resulting in pregnancy		4 / 8		23.8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Island Reproductive Services					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**GOLD COAST IVF
REPRODUCTIVE MEDICINE AND SURGERY CENTER
SYOSSET, NEW YORK**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Steven F. Palter, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	87%	Tubal factor	16%	Uterine factor	4%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	13%	Male factor	45%	
Used gestational carrier	0%			Diminished ovarian reserve	47%	Other factor	6%	
				Endometriosis	12%	Unknown factor	8%	
				Multiple Factors:				
				Female factors only				11%
				Female & male factors				33%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 115 (includes 3 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	32	21	22	10	4	3
Percentage of cancellations	0.0	4.8	0.0	0 / 10	1 / 4	0 / 3
Average number of embryos transferred	2.0	2.5	2.5	2.3	2.7	3.0
Percentage of embryos transferred resulting in implantation	58.7	36.0	18.2	9.5	1 / 8	0 / 9
Percentage of elective single embryo transfer (eSET)	0.0	0 / 19	0 / 18	1 / 7	0 / 2	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	43.8	47.6	0.0	1 / 10	0 / 4	0 / 3
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 10	0 / 4	0 / 3
Percentage of cycles resulting in live births	75.0	66.7	9.1	1 / 10	0 / 4	0 / 3
Percentage of cycles resulting in pregnancy	81.3	66.7	36.4	2 / 10	1 / 4	0 / 3
Outcomes per Transfer						
Number of transfers	31	20	22	9	3	3
Percentage of transfers resulting in singleton live births	45.2	50.0	0.0	1 / 9	0 / 3	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 9	0 / 3	0 / 3
Percentage of transfers resulting in live births	77.4	70.0	9.1	1 / 9	0 / 3	0 / 3
Percentage of transfers resulting in pregnancy	83.9	70.0	36.4	2 / 9	1 / 3	0 / 3
Outcomes per Pregnancy						
Number of pregnancies	26	14	8	2	1	0
Percentage of pregnancies resulting in singleton live births	53.8	10 / 14	0 / 8	1 / 2	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 14	0 / 8	0 / 2	0 / 1	
Percentage of pregnancies resulting in live births	92.3	14 / 14	2 / 8	1 / 2	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	4	3	0	0	0
Number of transfers	7	4	3	0	0	0
Estimated average number of transfers per retrieval	1.4	1.3	1.0	0.0		
Average number of embryos transferred	1.7	2.5	2.0			
Percentage of embryos transferred resulting in implantation	6 / 12	2 / 10	2 / 6			
Percentage of transfers resulting in singleton live births	1 / 7	2 / 4	1 / 3			
Percentage of transfers resulting in triplets or more live births	0 / 7	0 / 4	0 / 3			
Percentage of transfers resulting in live births	3 / 7	2 / 4	1 / 3			
Percentage of transfers resulting in pregnancy	4 / 7	2 / 4	2 / 3			
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	2		4			
Number of transfers	2		4			
Average number of embryos transferred	2.5		2.0			
Percentage of embryos transferred resulting in implantation	4 / 5		2 / 8			
Percentage of transfers resulting in singleton live births	0 / 2		2 / 4			
Percentage of transfers resulting in live births	2 / 2		2 / 4			
Percentage of transfers resulting in pregnancy	2 / 2		2 / 4			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Gold Coast IVF, Reproductive Medicine and Surgery Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CNY FERTILITY CENTER SYRACUSE, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Robert J. Kiltz, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	87%	Tubal factor	22%	Uterine factor	14%	
Unstimulated	<1%	Used PGD	5%	Ovulatory dysfunction	14%	Male factor	29%	
Used gestational carrier	2%			Diminished ovarian reserve	29%	Other factor	17%	
				Endometriosis	14%	Unknown factor	11%	
				Multiple Factors:				
				Female factors only				23%
				Female & male factors				15%

2012 ART SUCCESS RATES^{c,d}

Total number of cycles performed:^e 2,697 (includes 51 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	717	359	314	166	102	46
Percentage of cancellations	4.9	8.4	12.7	17.5	19.6	28.3
Average number of embryos transferred	2.3	2.5	2.9	2.9	3.1	2.2
Percentage of embryos transferred resulting in implantation	24.0	15.1	9.6	9.0	2.8	0.0
Percentage of elective single embryo transfer (eSET)	6.0	5.3	3.7	1.1	0.0	0 / 7
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	19.7	14.5	12.4	8.4	3.9	0.0
Percentage of cycles resulting in triplets or more live births	0.8	1.1	0.0	0.0	0.0	0.0
Percentage of cycles resulting in live births	30.8	19.8	15.0	9.6	3.9	0.0
Percentage of cycles resulting in pregnancy	36.0	25.6	20.4	16.9	7.8	0.0
Outcomes per Transfer						
Number of transfers	644	309	243	113	69	15
Percentage of transfers resulting in singleton live births	21.9	16.8	16.0	12.4	5.8	0 / 15
Percentage of transfers resulting in triplets or more live births	0.9	1.3	0.0	0.0	0.0	0 / 15
Percentage of transfers resulting in live births	34.3	23.0	19.3	14.2	5.8	0 / 15
Percentage of transfers resulting in pregnancy	40.1	29.8	26.3	24.8	11.6	0 / 15
Outcomes per Pregnancy						
Number of pregnancies	258	92	64	28	8	0
Percentage of pregnancies resulting in singleton live births	54.7	56.5	60.9	50.0	4 / 8	
Percentage of pregnancies resulting in triplets or more live births	2.3	4.3	0.0	0.0	0 / 8	
Percentage of pregnancies resulting in live births	85.7	77.2	73.4	57.1	4 / 8	
Frozen Embryos from Nondonor Eggs						
Number of cycles	270	113	80	21	8	0
Number of transfers	269	113	80	21	8	0
Estimated average number of transfers per retrieval	1.1	1.3	1.2	0.7	0.6	0.0
Average number of embryos transferred	2.1	2.2	2.2	2.6	1.8	
Percentage of embryos transferred resulting in implantation	13.0	8.4	8.1	5.5	0 / 14	
Percentage of transfers resulting in singleton live births	17.1	7.1	11.3	0.0	0 / 8	
Percentage of transfers resulting in triplets or more live births	0.7	0.0	0.0	0.0	0 / 8	
Percentage of transfers resulting in live births	20.1	11.5	12.5	4.8	0 / 8	
Percentage of transfers resulting in pregnancy	26.4	16.8	20.0	4.8	0 / 8	
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		252		198		
Number of transfers		230		197		
Average number of embryos transferred		2.5		2.3		
Percentage of embryos transferred resulting in implantation		24.4		8.0		
Percentage of transfers resulting in singleton live births		24.3		9.1		
Percentage of transfers resulting in live births		35.2		12.2		
Percentage of transfers resulting in pregnancy		46.1		20.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: CNY Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY IVF
SUNY UPSTATE MEDICAL UNIVERSITY
SYRACUSE, NEW YORK**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Shawky A. Badawy, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	88%	Tubal factor	0%	Uterine factor	0%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	0%	Male factor	29%	
Used gestational carrier	0%			Diminished ovarian reserve	0%	Other factor	0%	
				Endometriosis	12%	Unknown factor	59%	
				Multiple Factors:				
				Female factors only				0%
				Female & male factors				0%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 19 (includes 2 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	5	1	5	2	3	0
Percentage of cancellations	0/5	0/1	1/5	0/2	1/3	
Average number of embryos transferred	2.8	3.0	2.5	2.5	3.0	
Percentage of embryos transferred resulting in implantation	3/14	0/3	2/10	0/5	0/6	
Percentage of elective single embryo transfer (eSET)	0/5	0/1	0/2	0/2	0/2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	3/5	0/1	1/5	0/2	0/3	
Percentage of cycles resulting in triplets or more live births	0/5	0/1	0/5	0/2	0/3	
Percentage of cycles resulting in live births	3/5	0/1	1/5	0/2	0/3	
Percentage of cycles resulting in pregnancy	3/5	0/1	2/5	0/2	0/3	
Outcomes per Transfer						
Number of transfers	5	1	4	2	2	0
Percentage of transfers resulting in singleton live births	3/5	0/1	1/4	0/2	0/2	
Percentage of transfers resulting in triplets or more live births	0/5	0/1	0/4	0/2	0/2	
Percentage of transfers resulting in live births	3/5	0/1	1/4	0/2	0/2	
Percentage of transfers resulting in pregnancy	3/5	0/1	2/4	0/2	0/2	
Outcomes per Pregnancy						
Number of pregnancies	3	0	2	0	0	0
Percentage of pregnancies resulting in singleton live births	3/3		1/2			
Percentage of pregnancies resulting in triplets or more live births	0/3		0/2			
Percentage of pregnancies resulting in live births	3/3		1/2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	1	0	0	0	0
Number of transfers	0	1	0	0	0	0
Estimated average number of transfers per retrieval		1.0	0.0	0.0		
Average number of embryos transferred		4.0				
Percentage of embryos transferred resulting in implantation		1/4				
Percentage of transfers resulting in singleton live births		0/1				
Percentage of transfers resulting in triplets or more live births		0/1				
Percentage of transfers resulting in live births		0/1				
Percentage of transfers resulting in pregnancy		1/1				
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	0		0			
Number of transfers	0		0			
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University IVF, SUNY Upstate Medical University					
Donor egg?	No	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WESTCHESTER FERTILITY AND REPRODUCTIVE ENDOCRINOLOGY WHITE PLAINS, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Michael B. Blotner, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b			
IVF	100%	With ICSI	72%	Tubal factor	26%	Uterine factor	13%
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	21%	Male factor	37%
Used gestational carrier	0%			Diminished ovarian reserve	56%	Other factor	3%
				Endometriosis	9%	Unknown factor	2%
				<i>Multiple Factors:</i> Female factors only 27% Female & male factors 28%			

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 107 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	21	8	13	12	11	7
Percentage of cancellations	9.5	2 / 8	2 / 13	4 / 12	2 / 11	3 / 7
Average number of embryos transferred	2.1	2.2	2.3	2.6	3.3	3.3
Percentage of embryos transferred resulting in implantation	54.3	3 / 11	3 / 18	2 / 18	8.7	0 / 10
Percentage of elective single embryo transfer (eSET)	1 / 17	0 / 5	0 / 8	0 / 6	0 / 7	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	42.9	2 / 8	2 / 13	0 / 12	2 / 11	0 / 7
Percentage of cycles resulting in triplets or more live births	0.0	0 / 8	0 / 13	0 / 12	0 / 11	0 / 7
Percentage of cycles resulting in live births	66.7	2 / 8	2 / 13	1 / 12	2 / 11	0 / 7
Percentage of cycles resulting in pregnancy	66.7	2 / 8	4 / 13	3 / 12	2 / 11	0 / 7
Outcomes per Transfer						
Number of transfers	17	5	8	7	7	3
Percentage of transfers resulting in singleton live births	9 / 17	2 / 5	2 / 8	0 / 7	2 / 7	0 / 3
Percentage of transfers resulting in triplets or more live births	0 / 17	0 / 5	0 / 8	0 / 7	0 / 7	0 / 3
Percentage of transfers resulting in live births	14 / 17	2 / 5	2 / 8	1 / 7	2 / 7	0 / 3
Percentage of transfers resulting in pregnancy	14 / 17	2 / 5	4 / 8	3 / 7	2 / 7	0 / 3
Outcomes per Pregnancy						
Number of pregnancies	14	2	4	3	2	0
Percentage of pregnancies resulting in singleton live births	9 / 14	2 / 2	2 / 4	0 / 3	2 / 2	
Percentage of pregnancies resulting in triplets or more live births	0 / 14	0 / 2	0 / 4	0 / 3	0 / 2	
Percentage of pregnancies resulting in live births	14 / 14	2 / 2	2 / 4	1 / 3	2 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	4	3	6	5	2
Number of transfers	6	4	3	5	4	2
Estimated average number of transfers per retrieval	3.0	2.0	1.5		0.8	
Average number of embryos transferred	1.7	1.5	2.3	2.8	2.5	2.0
Percentage of embryos transferred resulting in implantation	1 / 10	1 / 6	2 / 7	1 / 14	1 / 10	0 / 4
Percentage of transfers resulting in singleton live births	0 / 6	1 / 4	2 / 3	1 / 5	0 / 4	0 / 2
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 4	0 / 3	0 / 5	0 / 4	0 / 2
Percentage of transfers resulting in live births	0 / 6	1 / 4	2 / 3	1 / 5	0 / 4	0 / 2
Percentage of transfers resulting in pregnancy	1 / 6	1 / 4	2 / 3	1 / 5	1 / 4	0 / 2
All Ages Combined^f						
Donor Eggs		Fresh Embryos		Frozen Embryos		
Number of cycles		5		3		
Number of transfers		5		3		
Average number of embryos transferred		1.8		2.0		
Percentage of embryos transferred resulting in implantation		3 / 9		2 / 6		
Percentage of transfers resulting in singleton live births		0 / 5		2 / 3		
Percentage of transfers resulting in live births		0 / 5		2 / 3		
Percentage of transfers resulting in pregnancy		1 / 5		2 / 3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Westchester Fertility and Reproductive Endocrinology					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
^c A multiple-infant birth is counted as one live birth if at least one infant is live born.
^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BRAVERMAN REPRODUCTIVE IMMUNOLOGY, PC WOODBURY, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE Data verified by Khaled Zeitoun, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	95%	Tubal factor	0%	Uterine factor	0%	
Unstimulated	2%	Used PGD	10%	Ovulatory dysfunction	24%	Male factor	23%	
Used gestational carrier	0%			Diminished ovarian reserve	3%	Other factor	77%	
				Endometriosis	6%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				10%
				Female & male factors				21%

2012 ART SUCCESS RATES^{c,d} Total number of cycles performed:^e 195 (includes 3 banking cycle(s))

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	28	20	43	13	8	5
Percentage of cancellations	0.0	0.0	0.0	0 / 13	0 / 8	0 / 5
Average number of embryos transferred	2.1	2.8	3.0	2.9	4.1	3.8
Percentage of embryos transferred resulting in implantation	56.8	24.2	18.3	0.0	6.9	0 / 15
Percentage of elective single embryo transfer (eSET)	9.5	0 / 12	4.5	1 / 9	0 / 7	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.0	10.0	11.6	0 / 13	1 / 8	0 / 5
Percentage of cycles resulting in triplets or more live births	0.0	0.0	2.3	0 / 13	0 / 8	0 / 5
Percentage of cycles resulting in live births	46.4	25.0	16.3	0 / 13	1 / 8	0 / 5
Percentage of cycles resulting in pregnancy	53.6	25.0	25.6	0 / 13	2 / 8	0 / 5
Outcomes per Transfer						
Number of transfers	21	12	24	11	7	4
Percentage of transfers resulting in singleton live births	33.3	2 / 12	20.8	0 / 11	1 / 7	0 / 4
Percentage of transfers resulting in triplets or more live births	0.0	0 / 12	4.2	0 / 11	0 / 7	0 / 4
Percentage of transfers resulting in live births	61.9	5 / 12	29.2	0 / 11	1 / 7	0 / 4
Percentage of transfers resulting in pregnancy	71.4	5 / 12	45.8	0 / 11	2 / 7	0 / 4
Outcomes per Pregnancy						
Number of pregnancies	15	5	11	0	2	0
Percentage of pregnancies resulting in singleton live births	7 / 15	2 / 5	5 / 11		1 / 2	
Percentage of pregnancies resulting in triplets or more live births	0 / 15	0 / 5	1 / 11		0 / 2	
Percentage of pregnancies resulting in live births	13 / 15	5 / 5	7 / 11		1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	28	14	13	8	4	1
Number of transfers	27	14	12	8	4	1
Estimated average number of transfers per retrieval	2.1	2.3	0.9	4.0		1.0
Average number of embryos transferred	1.9	2.3	2.3	2.5	1.8	1.0
Percentage of embryos transferred resulting in implantation	25.0	15.6	17.9	5.0	2 / 7	0 / 1
Percentage of transfers resulting in singleton live births	18.5	2 / 14	2 / 12	1 / 8	0 / 4	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 14	0 / 12	0 / 8	0 / 4	0 / 1
Percentage of transfers resulting in live births	29.6	3 / 14	3 / 12	1 / 8	1 / 4	0 / 1
Percentage of transfers resulting in pregnancy	33.3	3 / 14	4 / 12	1 / 8	1 / 4	0 / 1
All Ages Combined^f						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of cycles	6		1			
Number of transfers	5		1			
Average number of embryos transferred	2.0		2.0			
Percentage of embryos transferred resulting in implantation	4 / 10		1 / 2			
Percentage of transfers resulting in singleton live births	4 / 5		1 / 1			
Percentage of transfers resulting in live births	4 / 5		1 / 1			
Percentage of transfers resulting in pregnancy	4 / 5		1 / 1			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Braverman Reproductive Immunology, PC					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

^c A multiple-infant birth is counted as one live birth if at least one infant is live born.

^d When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

^e Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.