NORTH CAROLINA CENTER FOR REPRODUCTIVE MEDICINE
THE TALBERT FERTILITY INSTITUTE
CARY, NORTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Sameh K. Toma, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	89%
Unstimulated	0%	Used PGD	2%
Used gestational carrier	4%		

Patient Diagnosis[b]

Tubal factor	15%	Uterine factor	26%	*Multiple Factors:*	
Ovulatory dysfunction	19%	Male factor	59%	Female factors only	17%
Diminished ovarian reserve	42%	Other factor	7%	Female & male factors	49%
Endometriosis	8%	Unknown factor	6%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 235 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	75	30	31	5	1	0
Percentage of cancellations	12.0	6.7	9.7	1 / 5	0 / 1	
Average number of embryos transferred	2.4	2.5	2.8	3.3	3.0	
Percentage of embryos transferred resulting in implantation	27.3	34.8	18.3	2 / 13	0 / 3	
Percentage of elective single embryo transfer (eSET)	0.0	0.0	0.0	0 / 4	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	21.3	50.0	9.7	1 / 5	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 5	0 / 1	
Percentage of cycles resulting in live births	33.3	56.7	22.6	1 / 5	0 / 1	
Percentage of cycles resulting in pregnancy	37.3	56.7	22.6	2 / 5	0 / 1	
Outcomes per Transfer						
Number of transfers	59	26	25	4	1	0
Percentage of transfers resulting in singleton live births	27.1	57.7	12.0	1 / 4	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 4	0 / 1	
Percentage of transfers resulting in live births	42.4	65.4	28.0	1 / 4	0 / 1	
Percentage of transfers resulting in pregnancy	47.5	65.4	28.0	2 / 4	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	28	17	7	2	0	0
Percentage of pregnancies resulting in singleton live births	57.1	15 / 17	3 / 7	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 17	0 / 7	0 / 2		
Percentage of pregnancies resulting in live births	89.3	17 / 17	7 / 7	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	17	12	4	1	2	0
Number of transfers	15	11	4	1	2	0
Estimated average number of transfers per retrieval	2.1	3.7				
Average number of embryos transferred	2.5	2.5	3.0	2.0	2.0	
Percentage of embryos transferred resulting in implantation	21.1	33.3	3 / 12	0 / 2	0 / 4	
Percentage of transfers resulting in singleton live births	2 / 15	4 / 11	1 / 4	0 / 1	0 / 2	
Percentage of transfers resulting in triplets or more live births	0 / 15	1 / 11	0 / 4	0 / 1	0 / 2	
Percentage of transfers resulting in live births	3 / 15	6 / 11	1 / 4	0 / 1	0 / 2	
Percentage of transfers resulting in pregnancy	6 / 15	6 / 11	3 / 4	0 / 1	0 / 2	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	35	22
Number of transfers	32	19
Average number of embryos transferred	2.2	2.9
Percentage of embryos transferred resulting in implantation	42.3	27.3
Percentage of transfers resulting in singleton live births	37.5	9 / 19
Percentage of transfers resulting in live births	59.4	10 / 19
Percentage of transfers resulting in pregnancy	62.5	13 / 19

CURRENT CLINIC SERVICES AND PROFILE

Current Name: North Carolina Center for Reproductive Medicine, The Talbert Fertility Institute

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF NORTH CAROLINA A.R.T. CLINIC
CHAPEL HILL, NORTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Jennifer E. Mersereau, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	63%
Unstimulated	0%	Used PGD	1%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	16%	Uterine factor	6%	*Multiple Factors:*	
Ovulatory dysfunction	15%	Male factor	40%	Female factors only	7%
Diminished ovarian reserve	25%	Other factor	2%	Female & male factors	14%
Endometriosis	5%	Unknown factor	14%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 173 (includes 6 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	56	25	9	9	1	0
Percentage of cancellations	0.0	8.0	0 / 9	1 / 9	0 / 1	
Average number of embryos transferred	2.0	2.2	2.9	3.3	3.0	
Percentage of embryos transferred resulting in implantation	28.6	28.3	15.0	7.7	1 / 3	
Percentage of elective single embryo transfer (eSET)	5.5	0.0	0 / 6	0 / 7	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	21.4	24.0	3 / 9	1 / 9	1 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	4.0	0 / 9	0 / 9	0 / 1	
Percentage of cycles resulting in live births	30.4	28.0	3 / 9	1 / 9	1 / 1	
Percentage of cycles resulting in pregnancy	46.4	36.0	3 / 9	2 / 9	1 / 1	
Outcomes per Transfer						
Number of transfers	55	21	7	8	1	0
Percentage of transfers resulting in singleton live births	21.8	28.6	3 / 7	1 / 8	1 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	4.8	0 / 7	0 / 8	0 / 1	
Percentage of transfers resulting in live births	30.9	33.3	3 / 7	1 / 8	1 / 1	
Percentage of transfers resulting in pregnancy	47.3	42.9	3 / 7	2 / 8	1 / 1	
Outcomes per Pregnancy						
Number of pregnancies	26	9	3	2	1	0
Percentage of pregnancies resulting in singleton live births	46.2	6 / 9	3 / 3	1 / 2	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	1 / 9	0 / 3	0 / 2	0 / 1	
Percentage of pregnancies resulting in live births	65.4	7 / 9	3 / 3	1 / 2	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	16	12	4	7	0	3
Number of transfers	15	12	4	7	0	3
Estimated average number of transfers per retrieval	0.9	2.4	4.0	2.3		
Average number of embryos transferred	1.6	1.7	1.5	2.3		2.0
Percentage of embryos transferred resulting in implantation	20.8	25.0	0 / 6	3 / 16		0 / 6
Percentage of transfers resulting in singleton live births	4 / 15	2 / 12	0 / 4	1 / 7		0 / 3
Percentage of transfers resulting in triplets or more live births	0 / 15	0 / 12	0 / 4	0 / 7		0 / 3
Percentage of transfers resulting in live births	4 / 15	3 / 12	0 / 4	1 / 7		0 / 3
Percentage of transfers resulting in pregnancy	5 / 15	5 / 12	0 / 4	4 / 7		0 / 3

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	12	13
Number of transfers	12	13
Average number of embryos transferred	2.1	1.8
Percentage of embryos transferred resulting in implantation	24.0	29.2
Percentage of transfers resulting in singleton live births	3 / 12	3 / 13
Percentage of transfers resulting in live births	4 / 12	5 / 13
Percentage of transfers resulting in pregnancy	5 / 12	7 / 13

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University of North Carolina A.R.T. Clinic

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CMC REPRODUCTIVE MEDICINE AND INFERTILITY
CMC WOMEN'S INSTITUTE
CHARLOTTE, NORTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Bradley S. Hurst, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	82%
Unstimulated	0%	Used PGD	<1%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	15%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	25%	Male factor	35%	Female factors only	17%
Diminished ovarian reserve	26%	Other factor	16%	Female & male factors	19%
Endometriosis	8%	Unknown factor	7%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 330 (includes 54 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	93	25	29	13	3	0
Percentage of cancellations	1.1	0.0	3.4	1 / 13	1 / 3	
Average number of embryos transferred	1.8	1.8	2.4	3.0	4.5	
Percentage of embryos transferred resulting in implantation	38.7	28.9	6.1	10.0	0 / 9	
Percentage of elective single embryo transfer (eSET)	22.4	17.4	4.0	0 / 9	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	28.0	20.0	6.9	1 / 13	0 / 3	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 13	0 / 3	
Percentage of cycles resulting in live births	40.9	32.0	6.9	1 / 13	0 / 3	
Percentage of cycles resulting in pregnancy	51.6	44.0	17.2	4 / 13	1 / 3	
Outcomes per Transfer						
Number of transfers	87	25	27	10	2	0
Percentage of transfers resulting in singleton live births	29.9	20.0	7.4	1 / 10	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 10	0 / 2	
Percentage of transfers resulting in live births	43.7	32.0	7.4	1 / 10	0 / 2	
Percentage of transfers resulting in pregnancy	55.2	44.0	18.5	4 / 10	1 / 2	
Outcomes per Pregnancy						
Number of pregnancies	48	11	5	4	1	0
Percentage of pregnancies resulting in singleton live births	54.2	5 / 11	2 / 5	1 / 4	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 11	0 / 5	0 / 4	0 / 1	
Percentage of pregnancies resulting in live births	79.2	8 / 11	2 / 5	1 / 4	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	53	19	11	5	3	1
Number of transfers	48	17	9	4	1	1
Estimated average number of transfers per retrieval	1.2	1.1	0.6	0.4	1.0	
Average number of embryos transferred	1.5	1.6	1.9	1.5	2.0	1.0
Percentage of embryos transferred resulting in implantation	47.2	39.3	1 / 17	1 / 6	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births	37.5	8 / 17	1 / 9	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 17	0 / 9	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in live births	47.9	8 / 17	1 / 9	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	64.6	10 / 17	2 / 9	1 / 4	0 / 1	0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	9	12
Number of transfers	9	9
Average number of embryos transferred	2.0	1.7
Percentage of embryos transferred resulting in implantation	8 / 18	7 / 15
Percentage of transfers resulting in singleton live births	4 / 9	5 / 9
Percentage of transfers resulting in live births	6 / 9	6 / 9
Percentage of transfers resulting in pregnancy	6 / 9	6 / 9

CURRENT CLINIC SERVICES AND PROFILE

Current Name: CMC Reproductive Medicine and Infertility, CMC Women's Institute

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INSTITUTE FOR ASSISTED REPRODUCTION
CHARLOTTE, NORTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Jack L. Crain, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	83%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	13%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	18%	Male factor	28%	Female factors only	4%
Diminished ovarian reserve	23%	Other factor	8%	Female & male factors	10%
Endometriosis	9%	Unknown factor	14%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 1,082 (includes 213 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	186	83	95	38	19	7
Percentage of cancellations	10.8	6.0	22.1	15.8	5 / 19	4 / 7
Average number of embryos transferred	1.9	2.0	2.2	2.5	1.6	2.0
Percentage of embryos transferred resulting in implantation	34.6	27.6	21.1	6.8	0 / 13	0 / 4
Percentage of elective single embryo transfer (eSET)	11.1	7.0	3.9	9.5	0 / 4	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	19.9	16.9	12.6	5.3	0 / 19	0 / 7
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 19	0 / 7
Percentage of cycles resulting in live births	28.5	25.3	18.9	7.9	0 / 19	0 / 7
Percentage of cycles resulting in pregnancy	31.7	33.7	21.1	10.5	0 / 19	0 / 7
Outcomes per Transfer						
Number of transfers	112	63	57	24	8	2
Percentage of transfers resulting in singleton live births	33.0	22.2	21.1	8.3	0 / 8	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 8	0 / 2
Percentage of transfers resulting in live births	47.3	33.3	31.6	12.5	0 / 8	0 / 2
Percentage of transfers resulting in pregnancy	52.7	44.4	35.1	16.7	0 / 8	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	59	28	20	4	0	0
Percentage of pregnancies resulting in singleton live births	62.7	50.0	60.0	2 / 4		
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 4		
Percentage of pregnancies resulting in live births	89.8	75.0	90.0	3 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	176	83	53	22	2	2
Number of transfers	170	78	49	21	1	1
Estimated average number of transfers per retrieval	1.1	1.4	0.8	1.1	0.1	0.2
Average number of embryos transferred	1.7	1.6	1.7	1.6	4.0	1.0
Percentage of embryos transferred resulting in implantation	50.9	52.0	41.5	23.5	0 / 4	1 / 1
Percentage of transfers resulting in singleton live births	38.2	46.2	38.8	19.0	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0.6	0.0	0.0	4.8	0 / 1	0 / 1
Percentage of transfers resulting in live births	54.7	59.0	46.9	23.8	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	68.8	69.2	71.4	38.1	0 / 1	1 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	55	48
Number of transfers	53	44
Average number of embryos transferred	1.8	1.6
Percentage of embryos transferred resulting in implantation	50.0	40.0
Percentage of transfers resulting in singleton live births	39.6	36.4
Percentage of transfers resulting in live births	60.4	43.2
Percentage of transfers resulting in pregnancy	69.8	56.8

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Institute for Assisted Reproduction

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DUKE FERTILITY CENTER
DUKE UNIVERSITY MEDICAL CENTER
DURHAM, NORTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Suheil J. Muasher, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	75%
Unstimulated	0%	Used PGD	1%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	10%	Uterine factor	7%	*Multiple Factors:*	
Ovulatory dysfunction	22%	Male factor	41%	Female factors only	11%
Diminished ovarian reserve	25%	Other factor	4%	Female & male factors	17%
Endometriosis	9%	Unknown factor	11%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 373 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	114	57	36	18	6	1
Percentage of cancellations	5.3	7.0	16.7	4 / 18	2 / 6	1 / 1
Average number of embryos transferred	2.0	1.9	2.6	2.8	3.0	
Percentage of embryos transferred resulting in implantation	30.6	34.0	17.1	12.8	0 / 6	
Percentage of elective single embryo transfer (eSET)	6.1	7.0	0.0	0 / 11	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.4	24.6	25.0	2 / 18	0 / 6	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 18	0 / 6	0 / 1
Percentage of cycles resulting in live births	36.0	36.8	25.0	3 / 18	0 / 6	0 / 1
Percentage of cycles resulting in pregnancy	44.7	49.1	38.9	5 / 18	0 / 6	0 / 1
Outcomes per Transfer						
Number of transfers	100	50	27	14	2	0
Percentage of transfers resulting in singleton live births	29.0	28.0	33.3	2 / 14	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 14	0 / 2	
Percentage of transfers resulting in live births	41.0	42.0	33.3	3 / 14	0 / 2	
Percentage of transfers resulting in pregnancy	51.0	56.0	51.9	5 / 14	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	51	28	14	5	0	0
Percentage of pregnancies resulting in singleton live births	56.9	50.0	9 / 14	2 / 5		
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0 / 14	0 / 5		
Percentage of pregnancies resulting in live births	80.4	75.0	9 / 14	3 / 5		
Frozen Embryos from Nondonor Eggs						
Number of cycles	41	30	23	4	3	0
Number of transfers	40	26	20	4	3	0
Estimated average number of transfers per retrieval	1.7	2.0	4.0	4.0		
Average number of embryos transferred	2.0	1.9	2.3	2.8	3.0	
Percentage of embryos transferred resulting in implantation	17.7	20.0	20.0	0 / 11	0 / 9	
Percentage of transfers resulting in singleton live births	30.0	19.2	35.0	0 / 4	0 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 4	0 / 3	
Percentage of transfers resulting in live births	30.0	23.1	35.0	0 / 4	0 / 3	
Percentage of transfers resulting in pregnancy	32.5	30.8	45.0	0 / 4	0 / 3	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	18	22
Number of transfers	18	17
Average number of embryos transferred	1.9	2.0
Percentage of embryos transferred resulting in implantation	45.7	23.5
Percentage of transfers resulting in singleton live births	8 / 18	6 / 17
Percentage of transfers resulting in live births	11 / 18	7 / 17
Percentage of transfers resulting in pregnancy	12 / 18	9 / 17

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2012. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WOMACK ARMY MEDICAL CENTER REI CLINIC
FORT BRAGG, NORTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Jason Parker, DO

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	63%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	27%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	26%	Male factor	13%	Female factors only	5%
Diminished ovarian reserve	12%	Other factor	0%	Female & male factors	4%
Endometriosis	26%	Unknown factor	5%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 82 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	36	22	9	8	1	0
Percentage of cancellations	0.0	9.1	1 / 9	1 / 8	0 / 1	
Average number of embryos transferred	1.8	1.9	2.1	2.4	3.0	
Percentage of embryos transferred resulting in implantation	47.0	43.2	7 / 17	8 / 17	1 / 3	
Percentage of elective single embryo transfer (eSET)	14.3	0 / 17	0 / 8	0 / 7	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	41.7	36.4	5 / 9	2 / 8	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 9	1 / 8	0 / 1	
Percentage of cycles resulting in live births	50.0	36.4	5 / 9	4 / 8	0 / 1	
Percentage of cycles resulting in pregnancy	58.3	54.5	5 / 9	4 / 8	1 / 1	
Outcomes per Transfer						
Number of transfers	36	20	8	7	1	0
Percentage of transfers resulting in singleton live births	41.7	40.0	5 / 8	2 / 7	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 8	1 / 7	0 / 1	
Percentage of transfers resulting in live births	50.0	40.0	5 / 8	4 / 7	0 / 1	
Percentage of transfers resulting in pregnancy	58.3	60.0	5 / 8	4 / 7	1 / 1	
Outcomes per Pregnancy						
Number of pregnancies	21	12	5	4	1	0
Percentage of pregnancies resulting in singleton live births	71.4	8 / 12	5 / 5	2 / 4	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 12	0 / 5	1 / 4	0 / 1	
Percentage of pregnancies resulting in live births	85.7	8 / 12	5 / 5	4 / 4	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	3	3	0	0	0	0
Number of transfers	3	3	0	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred	2.3	2.7				
Percentage of embryos transferred resulting in implantation	4 / 7	3 / 8				
Percentage of transfers resulting in singleton live births	2 / 3	1 / 3				
Percentage of transfers resulting in triplets or more live births	0 / 3	0 / 3				
Percentage of transfers resulting in live births	2 / 3	1 / 3				
Percentage of transfers resulting in pregnancy	2 / 3	2 / 3				

	All Ages Combined[f]	
Donor Eggs	**Fresh Embryos**	**Frozen Embryos**
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation		
Percentage of transfers resulting in singleton live births		
Percentage of transfers resulting in live births		
Percentage of transfers resulting in pregnancy		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Womack Army Medical Center REI Clinic

Donor egg?	No	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

EAST CAROLINA UNIVERSITY
GREENVILLE, NORTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Clifford C. Hayslip, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	60%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	22%	Uterine factor	7%	*Multiple Factors:*	
Ovulatory dysfunction	31%	Male factor	34%	Female factors only	15%
Diminished ovarian reserve	28%	Other factor	<1%	Female & male factors	22%
Endometriosis	9%	Unknown factor	13%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 105 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	45	15	11	3	0	0
Percentage of cancellations	6.7	0 / 15	0 / 11	0 / 3		
Average number of embryos transferred	2.1	2.4	2.2	3.7		
Percentage of embryos transferred resulting in implantation	40.0	33.3	20.0	1 / 11		
Percentage of elective single embryo transfer (eSET)	2.5	0 / 15	0 / 7	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	22.2	4 / 15	2 / 11	1 / 3		
Percentage of cycles resulting in triplets or more live births	0.0	0 / 15	0 / 11	0 / 3		
Percentage of cycles resulting in live births	46.7	7 / 15	3 / 11	1 / 3		
Percentage of cycles resulting in pregnancy	53.3	8 / 15	4 / 11	1 / 3		
Outcomes per Transfer						
Number of transfers	41	15	9	3	0	0
Percentage of transfers resulting in singleton live births	24.4	4 / 15	2 / 9	1 / 3		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 15	0 / 9	0 / 3		
Percentage of transfers resulting in live births	51.2	7 / 15	3 / 9	1 / 3		
Percentage of transfers resulting in pregnancy	58.5	8 / 15	4 / 9	1 / 3		
Outcomes per Pregnancy						
Number of pregnancies	24	8	4	1	0	0
Percentage of pregnancies resulting in singleton live births	41.7	4 / 8	2 / 4	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 8	0 / 4	0 / 1		
Percentage of pregnancies resulting in live births	87.5	7 / 8	3 / 4	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	11	5	0	2	0	0
Number of transfers	10	5	0	2	0	0
Estimated average number of transfers per retrieval	5.0	5.0		2.0		
Average number of embryos transferred	1.6	1.2		1.5		
Percentage of embryos transferred resulting in implantation	5 / 16	4 / 6		0 / 3		
Percentage of transfers resulting in singleton live births	1 / 10	2 / 5		0 / 2		
Percentage of transfers resulting in triplets or more live births	0 / 10	0 / 5		0 / 2		
Percentage of transfers resulting in live births	3 / 10	2 / 5		0 / 2		
Percentage of transfers resulting in pregnancy	3 / 10	3 / 5		1 / 2		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	5	8
Number of transfers	5	8
Average number of embryos transferred	2.0	2.1
Percentage of embryos transferred resulting in implantation	4 / 10	2 / 17
Percentage of transfers resulting in singleton live births	0 / 5	1 / 8
Percentage of transfers resulting in live births	2 / 5	1 / 8
Percentage of transfers resulting in pregnancy	2 / 5	1 / 8

CURRENT CLINIC SERVICES AND PROFILE

Current Name: East Carolina University

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PREMIER FERTILITY CENTER
HIGH POINT REGIONAL HEALTH SYSTEM
HIGH POINT, NORTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Jeffrey L. Deaton, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	67%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	15%	Uterine factor	1%	*Multiple Factors:*	
Ovulatory dysfunction	30%	Male factor	40%	Female factors only	11%
Diminished ovarian reserve	36%	Other factor	5%	Female & male factors	24%
Endometriosis	10%	Unknown factor	5%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 100 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	32	10	9	1	0	0
Percentage of cancellations	9.4	0 / 10	0 / 9	0 / 1		
Average number of embryos transferred	1.6	1.9	1.8	1.0		
Percentage of embryos transferred resulting in implantation	41.5	5 / 19	4 / 16	0 / 1		
Percentage of elective single embryo transfer (eSET)	33.3	2 / 9	1 / 8			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	34.4	2 / 10	1 / 9	0 / 1		
Percentage of cycles resulting in triplets or more live births	0.0	0 / 10	0 / 9	0 / 1		
Percentage of cycles resulting in live births	40.6	2 / 10	2 / 9	0 / 1		
Percentage of cycles resulting in pregnancy	50.0	6 / 10	4 / 9	0 / 1		
Outcomes per Transfer						
Number of transfers	25	10	9	1	0	0
Percentage of transfers resulting in singleton live births	44.0	2 / 10	1 / 9	0 / 1		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 10	0 / 9	0 / 1		
Percentage of transfers resulting in live births	52.0	2 / 10	2 / 9	0 / 1		
Percentage of transfers resulting in pregnancy	64.0	6 / 10	4 / 9	0 / 1		
Outcomes per Pregnancy						
Number of pregnancies	16	6	4	0	0	0
Percentage of pregnancies resulting in singleton live births	11 / 16	2 / 6	1 / 4			
Percentage of pregnancies resulting in triplets or more live births	0 / 16	0 / 6	0 / 4			
Percentage of pregnancies resulting in live births	13 / 16	2 / 6	2 / 4			
Frozen Embryos from Nondonor Eggs						
Number of cycles	21	8	7	0	0	0
Number of transfers	19	7	6	0	0	0
Estimated average number of transfers per retrieval	3.2	3.5	3.0			
Average number of embryos transferred	1.4	1.7	1.5			
Percentage of embryos transferred resulting in implantation	38.5	2 / 12	2 / 9			
Percentage of transfers resulting in singleton live births	8 / 19	1 / 7	0 / 6			
Percentage of transfers resulting in triplets or more live births	0 / 19	0 / 7	0 / 6			
Percentage of transfers resulting in live births	8 / 19	1 / 7	1 / 6			
Percentage of transfers resulting in pregnancy	13 / 19	1 / 7	1 / 6			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	5	6
Number of transfers	5	5
Average number of embryos transferred	1.6	2.0
Percentage of embryos transferred resulting in implantation	4 / 8	3 / 10
Percentage of transfers resulting in singleton live births	3 / 5	1 / 5
Percentage of transfers resulting in live births	3 / 5	2 / 5
Percentage of transfers resulting in pregnancy	3 / 5	2 / 5

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Premier Fertility Center, High Point Regional Health System

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTIVE CONCEPTS
HUNTERSVILLE, NORTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Mark L. Jutras, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	95%
Unstimulated	0%	Used PGD	2%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	11%	Uterine factor	9%	*Multiple Factors:*	
Ovulatory dysfunction	10%	Male factor	66%	Female factors only	11%
Diminished ovarian reserve	37%	Other factor	0%	Female & male factors	30%
Endometriosis	10%	Unknown factor	7%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 80 (includes 9 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	29	13	8	7	0	0
Percentage of cancellations	3.4	1 / 13	0 / 8	1 / 7		
Average number of embryos transferred	1.4	1.4	2.1	2.5		
Percentage of embryos transferred resulting in implantation	56.4	4 / 15	0 / 15	0 / 15		
Percentage of elective single embryo transfer (eSET)	47.6	5 / 9	0 / 6	0 / 5		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	51.7	4 / 13	0 / 8	0 / 7		
Percentage of cycles resulting in triplets or more live births	0.0	0 / 13	0 / 8	0 / 7		
Percentage of cycles resulting in live births	58.6	4 / 13	0 / 8	0 / 7		
Percentage of cycles resulting in pregnancy	65.5	4 / 13	1 / 8	1 / 7		
Outcomes per Transfer						
Number of transfers	27	11	7	6	0	0
Percentage of transfers resulting in singleton live births	55.6	4 / 11	0 / 7	0 / 6		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 11	0 / 7	0 / 6		
Percentage of transfers resulting in live births	63.0	4 / 11	0 / 7	0 / 6		
Percentage of transfers resulting in pregnancy	70.4	4 / 11	1 / 7	1 / 6		
Outcomes per Pregnancy						
Number of pregnancies	19	4	1	1	0	0
Percentage of pregnancies resulting in singleton live births	15 / 19	4 / 4	0 / 1	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 19	0 / 4	0 / 1	0 / 1		
Percentage of pregnancies resulting in live births	17 / 19	4 / 4	0 / 1	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	3	5	2	1	0	0
Number of transfers	3	5	2	1	0	0
Estimated average number of transfers per retrieval	0.8	1.7	1.0	1.0	0.0	
Average number of embryos transferred	1.3	1.4	1.5	2.0		
Percentage of embryos transferred resulting in implantation	3 / 4	2 / 7	2 / 3	1 / 2		
Percentage of transfers resulting in singleton live births	0 / 3	2 / 5	2 / 2	1 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 3	0 / 5	0 / 2	0 / 1		
Percentage of transfers resulting in live births	1 / 3	2 / 5	2 / 2	1 / 1		
Percentage of transfers resulting in pregnancy	2 / 3	2 / 5	2 / 2	1 / 1		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	1	2
Number of transfers	1	2
Average number of embryos transferred	1.0	1.5
Percentage of embryos transferred resulting in implantation	1 / 1	1 / 3
Percentage of transfers resulting in singleton live births	1 / 1	1 / 2
Percentage of transfers resulting in live births	1 / 1	1 / 2
Percentage of transfers resulting in pregnancy	1 / 1	1 / 2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Reproductive Concepts

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CAROLINA CONCEPTIONS, PA
RALEIGH, NORTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by John K. Park, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	87%
Unstimulated	0%	Used PGD	5%
Used gestational carrier	1%		

Patient Diagnosis[b]

Tubal factor	10%	Uterine factor	6%	*Multiple Factors:*	
Ovulatory dysfunction	18%	Male factor	30%	Female factors only	9%
Diminished ovarian reserve	37%	Other factor	8%	Female & male factors	16%
Endometriosis	6%	Unknown factor	13%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 646 (includes 5 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	203	92	82	52	8	2
Percentage of cancellations	7.4	9.8	11.0	15.4	1 / 8	0 / 2
Average number of embryos transferred	1.9	2.2	2.4	3.3	3.6	1.5
Percentage of embryos transferred resulting in implantation	42.9	34.1	28.4	5.6	0.0	0 / 3
Percentage of elective single embryo transfer (eSET)	12.1	3.9	1.7	0.0	0 / 7	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.1	31.5	26.8	7.7	0 / 8	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0.0	1.2	0.0	0 / 8	0 / 2
Percentage of cycles resulting in live births	43.8	42.4	35.4	9.6	0 / 8	0 / 2
Percentage of cycles resulting in pregnancy	48.8	47.8	40.2	11.5	0 / 8	0 / 2
Outcomes per Transfer						
Number of transfers	174	79	65	38	7	2
Percentage of transfers resulting in singleton live births	31.6	36.7	33.8	10.5	0 / 7	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	1.5	0.0	0 / 7	0 / 2
Percentage of transfers resulting in live births	51.1	49.4	44.6	13.2	0 / 7	0 / 2
Percentage of transfers resulting in pregnancy	56.9	55.7	50.8	15.8	0 / 7	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	99	44	33	6	0	0
Percentage of pregnancies resulting in singleton live births	55.6	65.9	66.7	4 / 6		
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	3.0	0 / 6		
Percentage of pregnancies resulting in live births	89.9	88.6	87.9	5 / 6		
Frozen Embryos from Nondonor Eggs						
Number of cycles	64	33	19	4	1	0
Number of transfers	60	32	18	3	1	0
Estimated average number of transfers per retrieval	1.5	2.1	1.4	3.0		
Average number of embryos transferred	1.9	1.8	2.0	2.7	3.0	
Percentage of embryos transferred resulting in implantation	45.1	34.5	16.7	3 / 8	1 / 3	
Percentage of transfers resulting in singleton live births	31.7	40.6	5 / 18	1 / 3	0 / 1	
Percentage of transfers resulting in triplets or more live births	1.7	0.0	0 / 18	0 / 3	0 / 1	
Percentage of transfers resulting in live births	50.0	43.8	5 / 18	1 / 3	0 / 1	
Percentage of transfers resulting in pregnancy	58.3	59.4	6 / 18	2 / 3	1 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	53	28
Number of transfers	51	28
Average number of embryos transferred	1.8	1.8
Percentage of embryos transferred resulting in implantation	46.7	39.2
Percentage of transfers resulting in singleton live births	41.2	32.1
Percentage of transfers resulting in live births	60.8	50.0
Percentage of transfers resulting in pregnancy	62.7	50.0

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Carolina Conceptions, PA

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WAKE FOREST UNIVERSITY CENTER FOR REPRODUCTIVE MEDICINE
WINSTON-SALEM, NORTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Tamer M. Yalcinkaya, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	71%
Unstimulated	<1%	Used PGD	2%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	18%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	20%	Male factor	41%	Female factors only	14%
Diminished ovarian reserve	21%	Other factor	8%	Female & male factors	18%
Endometriosis	13%	Unknown factor	12%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 307 (includes 2 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	106	36	40	11	2	1
Percentage of cancellations	3.8	8.3	5.0	2 / 11	0 / 2	0 / 1
Average number of embryos transferred	1.9	2.0	2.7	3.1	3.5	5.0
Percentage of embryos transferred resulting in implantation	40.6	32.3	19.1	7.1	0 / 7	0 / 5
Percentage of elective single embryo transfer (eSET)	22.1	6.7	0.0	0 / 9	0 / 2	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	33.0	33.3	40.0	2 / 11	0 / 2	0 / 1
Percentage of cycles resulting in triplets or more live births	0.9	0.0	0.0	0 / 11	0 / 2	0 / 1
Percentage of cycles resulting in live births	49.1	41.7	40.0	2 / 11	0 / 2	0 / 1
Percentage of cycles resulting in pregnancy	55.7	50.0	52.5	3 / 11	0 / 2	0 / 1
Outcomes per Transfer						
Number of transfers	97	32	35	9	2	1
Percentage of transfers resulting in singleton live births	36.1	37.5	45.7	2 / 9	0 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	1.0	0.0	0.0	0 / 9	0 / 2	0 / 1
Percentage of transfers resulting in live births	53.6	46.9	45.7	2 / 9	0 / 2	0 / 1
Percentage of transfers resulting in pregnancy	60.8	56.3	60.0	3 / 9	0 / 2	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	59	18	21	3	0	0
Percentage of pregnancies resulting in singleton live births	59.3	12 / 18	76.2	2 / 3		
Percentage of pregnancies resulting in triplets or more live births	1.7	0 / 18	0.0	0 / 3		
Percentage of pregnancies resulting in live births	88.1	15 / 18	76.2	2 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	44	14	21	5	0	0
Number of transfers	40	11	19	5	0	0
Estimated average number of transfers per retrieval	1.8	2.2	2.7			
Average number of embryos transferred	1.9	1.6	1.9	1.8		
Percentage of embryos transferred resulting in implantation	25.3	4 / 18	13.5	1 / 9		
Percentage of transfers resulting in singleton live births	35.0	2 / 11	3 / 19	1 / 5		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 11	0 / 19	0 / 5		
Percentage of transfers resulting in live births	37.5	2 / 11	3 / 19	1 / 5		
Percentage of transfers resulting in pregnancy	55.0	4 / 11	8 / 19	1 / 5		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	16	9
Number of transfers	16	7
Average number of embryos transferred	1.8	2.1
Percentage of embryos transferred resulting in implantation	48.3	5 / 15
Percentage of transfers resulting in singleton live births	10 / 16	3 / 7
Percentage of transfers resulting in live births	11 / 16	4 / 7
Percentage of transfers resulting in pregnancy	12 / 16	4 / 7

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Wake Forest University Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SANFORD REPRODUCTIVE MEDICINE INSTITUTE
FARGO, NORTH DAKOTA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Steffen P. Christensen, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	83%
Unstimulated	0%	Used PGD	2%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	11%	Uterine factor	6%	*Multiple Factors:*	
Ovulatory dysfunction	25%	Male factor	60%	Female factors only	9%
Diminished ovarian reserve	14%	Other factor	7%	Female & male factors	23%
Endometriosis	7%	Unknown factor	9%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 178 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	78	19	8	4	3	2
Percentage of cancellations	6.4	2 / 19	0 / 8	0 / 4	0 / 3	0 / 2
Average number of embryos transferred	1.9	2.1	2.5	3.3	3.5	
Percentage of embryos transferred resulting in implantation	36.0	35.3	3 / 15	0 / 13	0 / 7	
Percentage of elective single embryo transfer (eSET)	10.9	1 / 16	0 / 6	0 / 4	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	28.2	4 / 19	2 / 8	0 / 4	0 / 3	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0 / 19	0 / 8	0 / 4	0 / 3	0 / 2
Percentage of cycles resulting in live births	39.7	7 / 19	2 / 8	0 / 4	0 / 3	0 / 2
Percentage of cycles resulting in pregnancy	44.9	9 / 19	2 / 8	1 / 4	0 / 3	0 / 2
Outcomes per Transfer						
Number of transfers	65	16	6	4	2	0
Percentage of transfers resulting in singleton live births	33.8	4 / 16	2 / 6	0 / 4	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0 / 6	0 / 4	0 / 2	
Percentage of transfers resulting in live births	47.7	7 / 16	2 / 6	0 / 4	0 / 2	
Percentage of transfers resulting in pregnancy	53.8	9 / 16	2 / 6	1 / 4	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	35	9	2	1	0	0
Percentage of pregnancies resulting in singleton live births	62.9	4 / 9	2 / 2	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 9	0 / 2	0 / 1		
Percentage of pregnancies resulting in live births	88.6	7 / 9	2 / 2	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	43	10	3	2	0	0
Number of transfers	41	9	1	2	0	0
Estimated average number of transfers per retrieval	2.7	4.5		1.0		
Average number of embryos transferred	2.3	2.4	2.0	3.0		
Percentage of embryos transferred resulting in implantation	26.9	45.5	0 / 2	0 / 6		
Percentage of transfers resulting in singleton live births	24.4	1 / 9	0 / 1	0 / 2		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 9	0 / 1	0 / 2		
Percentage of transfers resulting in live births	36.6	5 / 9	0 / 1	0 / 2		
Percentage of transfers resulting in pregnancy	48.8	5 / 9	0 / 1	1 / 2		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	3	2
Number of transfers	3	2
Average number of embryos transferred	2.0	3.0
Percentage of embryos transferred resulting in implantation	3 / 6	0 / 6
Percentage of transfers resulting in singleton live births	1 / 3	0 / 2
Percentage of transfers resulting in live births	2 / 3	0 / 2
Percentage of transfers resulting in pregnancy	2 / 3	0 / 2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Sanford Reproductive Medicine Institute

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY UNLIMITED, INC.
NORTHEASTERN OHIO FERTILITY CENTER
AKRON, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Nicholas J. Spirtos, DO

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	56%
Unstimulated	0%	Used PGD	11%
Used gestational carrier	22%		

Patient Diagnosis[b]

Tubal factor	10%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	10%	Male factor	48%	Female factors only	19%
Diminished ovarian reserve	65%	Other factor	3%	Female & male factors	48%
Endometriosis	36%	Unknown factor	0%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 31 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	5	2	2	0	0	0
Percentage of cancellations	0 / 5	0 / 2	0 / 2			
Average number of embryos transferred	2.6	3.0	2.0			
Percentage of embryos transferred resulting in implantation	8 / 13	0 / 3	2 / 2			
Percentage of elective single embryo transfer (eSET)	0 / 5	0 / 1	0 / 1			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	1 / 5	0 / 2	0 / 2			
Percentage of cycles resulting in triplets or more live births	0 / 5	0 / 2	0 / 2			
Percentage of cycles resulting in live births	4 / 5	0 / 2	1 / 2			
Percentage of cycles resulting in pregnancy	5 / 5	0 / 2	1 / 2			
Outcomes per Transfer						
Number of transfers	5	1	1	0	0	0
Percentage of transfers resulting in singleton live births	1 / 5	0 / 1	0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 5	0 / 1	0 / 1			
Percentage of transfers resulting in live births	4 / 5	0 / 1	1 / 1			
Percentage of transfers resulting in pregnancy	5 / 5	0 / 1	1 / 1			
Outcomes per Pregnancy						
Number of pregnancies	5	0	1	0	0	0
Percentage of pregnancies resulting in singleton live births	1 / 5		0 / 1			
Percentage of pregnancies resulting in triplets or more live births	0 / 5		0 / 1			
Percentage of pregnancies resulting in live births	4 / 5		1 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	2	1	0	1	3
Number of transfers	0	2	1	0	1	2
Estimated average number of transfers per retrieval		2.0				
Average number of embryos transferred		2.0	2.0		2.0	1.5
Percentage of embryos transferred resulting in implantation		0 / 4	0 / 2		0 / 2	0 / 3
Percentage of transfers resulting in singleton live births		0 / 2	0 / 1		0 / 1	0 / 2
Percentage of transfers resulting in triplets or more live births		0 / 2	0 / 1		0 / 1	0 / 2
Percentage of transfers resulting in live births		0 / 2	0 / 1		0 / 1	0 / 2
Percentage of transfers resulting in pregnancy		0 / 2	0 / 1		0 / 1	0 / 2

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	15	0
Number of transfers	14	0
Average number of embryos transferred	2.0	
Percentage of embryos transferred resulting in implantation	28.6	
Percentage of transfers resulting in singleton live births	3 / 14	
Percentage of transfers resulting in live births	5 / 14	
Percentage of transfers resulting in pregnancy	6 / 14	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Unlimited, Inc., Northeastern Ohio Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE GYNECOLOGY
AKRON, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Richard W. Moretuzzo, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	79%
Unstimulated	0%	Used PGD	4%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	21%	Uterine factor	11%	*Multiple Factors:*	
Ovulatory dysfunction	14%	Male factor	64%	Female factors only	15%
Diminished ovarian reserve	31%	Other factor	5%	Female & male factors	43%
Endometriosis	33%	Unknown factor	2%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 398 (includes 3 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	144	50	20	21	4	2
Percentage of cancellations	3.5	8.0	15.0	9.5	1 / 4	0 / 2
Average number of embryos transferred	2.2	2.2	2.4	3.3	3.7	4.0
Percentage of embryos transferred resulting in implantation	27.2	19.8	20.6	5.8	2 / 11	0 / 4
Percentage of elective single embryo transfer (eSET)	0.0	2.8	0 / 13	0 / 15	0 / 2	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.8	16.0	20.0	4.8	0 / 4	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 4	0 / 2
Percentage of cycles resulting in live births	38.9	22.0	20.0	4.8	1 / 4	0 / 2
Percentage of cycles resulting in pregnancy	43.8	26.0	25.0	14.3	1 / 4	0 / 2
Outcomes per Transfer						
Number of transfers	131	43	14	16	3	1
Percentage of transfers resulting in singleton live births	30.5	18.6	4 / 14	1 / 16	0 / 3	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 14	0 / 16	0 / 3	0 / 1
Percentage of transfers resulting in live births	42.7	25.6	4 / 14	1 / 16	1 / 3	0 / 1
Percentage of transfers resulting in pregnancy	48.1	30.2	5 / 14	3 / 16	1 / 3	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	63	13	5	3	1	0
Percentage of pregnancies resulting in singleton live births	63.5	8 / 13	4 / 5	1 / 3	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 13	0 / 5	0 / 3	0 / 1	
Percentage of pregnancies resulting in live births	88.9	11 / 13	4 / 5	1 / 3	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	57	17	14	3	1	0
Number of transfers	55	16	11	2	1	0
Estimated average number of transfers per retrieval	1.4	1.6	2.2			
Average number of embryos transferred	2.3	2.3	2.2	2.0	2.0	
Percentage of embryos transferred resulting in implantation	23.6	29.7	16.7	0 / 4	0 / 2	
Percentage of transfers resulting in singleton live births	36.4	6 / 16	2 / 11	0 / 2	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0 / 11	0 / 2	0 / 1	
Percentage of transfers resulting in live births	43.6	8 / 16	3 / 11	0 / 2	0 / 1	
Percentage of transfers resulting in pregnancy	47.3	11 / 16	4 / 11	0 / 2	0 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	37	25
Number of transfers	32	23
Average number of embryos transferred	2.0	2.3
Percentage of embryos transferred resulting in implantation	32.3	16.7
Percentage of transfers resulting in singleton live births	31.3	17.4
Percentage of transfers resulting in live births	37.5	26.1
Percentage of transfers resulting in pregnancy	56.3	34.8

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Gynecology

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CLEVELAND CLINIC FERTILITY CENTER
BEACHWOOD, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Cynthia Austin, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	81%
Unstimulated	<1%	Used PGD	3%
Used gestational carrier	3%		

Patient Diagnosis[b]

Tubal factor	13%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	14%	Male factor	56%	Female factors only	9%
Diminished ovarian reserve	34%	Other factor	13%	Female & male factors	32%
Endometriosis	11%	Unknown factor	10%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 776 (includes 35 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	194	112	105	33	3	0
Percentage of cancellations	11.3	17.9	24.8	27.3	1 / 3	
Average number of embryos transferred	2.0	2.3	2.6	3.0	2.0	
Percentage of embryos transferred resulting in implantation	37.6	29.9	22.3	8.2	0 / 4	
Percentage of elective single embryo transfer (eSET)	9.6	6.3	0.0	0.0	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	32.5	22.3	17.1	12.1	0 / 3	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	1.0	0.0	0 / 3	
Percentage of cycles resulting in live births	45.4	33.9	23.8	12.1	0 / 3	
Percentage of cycles resulting in pregnancy	54.1	37.5	32.4	21.2	0 / 3	
Outcomes per Transfer						
Number of transfers	170	86	76	24	2	0
Percentage of transfers resulting in singleton live births	37.1	29.1	23.7	16.7	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	1.3	0.0	0 / 2	
Percentage of transfers resulting in live births	51.8	44.2	32.9	16.7	0 / 2	
Percentage of transfers resulting in pregnancy	61.8	48.8	44.7	29.2	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	105	42	34	7	0	0
Percentage of pregnancies resulting in singleton live births	60.0	59.5	52.9	4 / 7		
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	2.9	0 / 7		
Percentage of pregnancies resulting in live births	83.8	90.5	73.5	4 / 7		
Frozen Embryos from Nondonor Eggs						
Number of cycles	103	60	46	20	5	0
Number of transfers	93	46	43	19	4	0
Estimated average number of transfers per retrieval	1.6	1.8	2.0	2.7	4.0	0.0
Average number of embryos transferred	1.7	1.7	1.7	2.1	1.8	
Percentage of embryos transferred resulting in implantation	30.2	37.2	22.5	23.1	3 / 7	
Percentage of transfers resulting in singleton live births	31.2	32.6	11.6	6 / 19	3 / 4	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 19	0 / 4	
Percentage of transfers resulting in live births	35.5	41.3	20.9	6 / 19	3 / 4	
Percentage of transfers resulting in pregnancy	48.4	52.2	32.6	10 / 19	3 / 4	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	24	36
Number of transfers	22	31
Average number of embryos transferred	1.9	1.6
Percentage of embryos transferred resulting in implantation	45.2	49.0
Percentage of transfers resulting in singleton live births	27.3	51.6
Percentage of transfers resulting in live births	54.5	58.1
Percentage of transfers resulting in pregnancy	59.1	67.7

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Cleveland Clinic Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BETHESDA CENTER FOR REPRODUCTIVE HEALTH & FERTILITY
CINCINNATI, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Glen E. Hofmann, MD, PhD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	72%
Unstimulated	0%	Used PGD	4%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	14%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	17%	Male factor	25%	Female factors only	5%
Diminished ovarian reserve	30%	Other factor	6%	Female & male factors	7%
Endometriosis	6%	Unknown factor	13%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 311 (includes 8 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	97	36	17	10	5	0
Percentage of cancellations	9.3	16.7	1 / 17	1 / 10	2 / 5	
Average number of embryos transferred	2.0	2.1	2.3	2.4	2.7	
Percentage of embryos transferred resulting in implantation	33.5	21.7	27.8	4.5	2 / 8	
Percentage of elective single embryo transfer (eSET)	1.2	3.6	1 / 15	0 / 9	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	22.7	16.7	3 / 17	1 / 10	0 / 5	
Percentage of cycles resulting in triplets or more live births	1.0	0.0	0 / 17	0 / 10	0 / 5	
Percentage of cycles resulting in live births	36.1	25.0	5 / 17	1 / 10	1 / 5	
Percentage of cycles resulting in pregnancy	41.2	27.8	7 / 17	1 / 10	1 / 5	
Outcomes per Transfer						
Number of transfers	82	29	16	9	3	0
Percentage of transfers resulting in singleton live births	26.8	20.7	3 / 16	1 / 9	0 / 3	
Percentage of transfers resulting in triplets or more live births	1.2	0.0	0 / 16	0 / 9	0 / 3	
Percentage of transfers resulting in live births	42.7	31.0	5 / 16	1 / 9	1 / 3	
Percentage of transfers resulting in pregnancy	48.8	34.5	7 / 16	1 / 9	1 / 3	
Outcomes per Pregnancy						
Number of pregnancies	40	10	7	1	1	0
Percentage of pregnancies resulting in singleton live births	55.0	6 / 10	3 / 7	1 / 1	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	2.5	0 / 10	0 / 7	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births	87.5	9 / 10	5 / 7	1 / 1	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	41	11	15	8	1	1
Number of transfers	41	11	14	8	1	1
Estimated average number of transfers per retrieval	1.6	2.2	4.7	4.0		
Average number of embryos transferred	1.8	2.0	1.6	2.1	1.0	1.0
Percentage of embryos transferred resulting in implantation	25.3	50.0	31.8	2 / 17	0 / 1	1 / 1
Percentage of transfers resulting in singleton live births	22.0	3 / 11	5 / 14	0 / 8	0 / 1	1 / 1
Percentage of transfers resulting in triplets or more live births	2.4	0 / 11	0 / 14	0 / 8	0 / 1	0 / 1
Percentage of transfers resulting in live births	29.3	7 / 11	6 / 14	1 / 8	0 / 1	1 / 1
Percentage of transfers resulting in pregnancy	43.9	7 / 11	6 / 14	1 / 8	0 / 1	1 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	24	37
Number of transfers	24	36
Average number of embryos transferred	2.0	1.9
Percentage of embryos transferred resulting in implantation	52.1	23.9
Percentage of transfers resulting in singleton live births	45.8	30.6
Percentage of transfers resulting in live births	70.8	36.1
Percentage of transfers resulting in pregnancy	79.2	38.9

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Bethesda Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE HEALTH
CINCINNATI, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Krystene B. DiPaola, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	47%
Unstimulated	0%	Used PGD	<1%
Used gestational carrier	4%		

Patient Diagnosis[b]

Tubal factor	16%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	22%	Male factor	40%	Female factors only	13%
Diminished ovarian reserve	33%	Other factor	10%	Female & male factors	27%
Endometriosis	12%	Unknown factor	3%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 243 (includes 3 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	100	25	24	9	1	0
Percentage of cancellations	5.0	12.0	4.2	0 / 9	0 / 1	
Average number of embryos transferred	1.9	2.1	2.7	3.6	2.0	
Percentage of embryos transferred resulting in implantation	30.4	23.1	13.3	6.9	0 / 2	
Percentage of elective single embryo transfer (eSET)	3.6	1 / 16	0 / 18	0 / 8	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	21.0	8.0	20.8	1 / 9	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 9	0 / 1	
Percentage of cycles resulting in live births	33.0	20.0	25.0	1 / 9	0 / 1	
Percentage of cycles resulting in pregnancy	42.0	24.0	29.2	2 / 9	0 / 1	
Outcomes per Transfer						
Number of transfers	88	19	22	8	1	0
Percentage of transfers resulting in singleton live births	23.9	2 / 19	22.7	1 / 8	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 19	0.0	0 / 8	0 / 1	
Percentage of transfers resulting in live births	37.5	5 / 19	27.3	1 / 8	0 / 1	
Percentage of transfers resulting in pregnancy	47.7	6 / 19	31.8	2 / 8	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	42	6	7	2	0	0
Percentage of pregnancies resulting in singleton live births	50.0	2 / 6	5 / 7	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 6	0 / 7	0 / 2		
Percentage of pregnancies resulting in live births	78.6	5 / 6	6 / 7	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	28	6	3	0	2	0
Number of transfers	25	6	3	0	1	0
Estimated average number of transfers per retrieval	1.6	3.0				
Average number of embryos transferred	1.9	1.7	2.3		2.0	
Percentage of embryos transferred resulting in implantation	14.9	4 / 10	4 / 7		1 / 2	
Percentage of transfers resulting in singleton live births	28.0	0 / 6	0 / 3		1 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 6	0 / 3		0 / 1	
Percentage of transfers resulting in live births	28.0	2 / 6	2 / 3		1 / 1	
Percentage of transfers resulting in pregnancy	28.0	3 / 6	2 / 3		1 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	23	19
Number of transfers	21	18
Average number of embryos transferred	2.0	1.9
Percentage of embryos transferred resulting in implantation	52.4	17.1
Percentage of transfers resulting in singleton live births	23.8	4 / 18
Percentage of transfers resulting in live births	61.9	5 / 18
Percentage of transfers resulting in pregnancy	66.7	5 / 18

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Reproductive Health

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INSTITUTE FOR REPRODUCTIVE HEALTH
CINCINNATI, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Sherif G. Awadalla, MD

Type of ART and Procedural Factors[a]

IVF	>99%	With ICSI	55%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	19%	Uterine factor	16%	*Multiple Factors:*	
Ovulatory dysfunction	27%	Male factor	44%	Female factors only	22%
Diminished ovarian reserve	22%	Other factor	10%	Female & male factors	27%
Endometriosis	22%	Unknown factor	3%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 958 (includes 5 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	403	141	88	24	15	1
Percentage of cancellations	4.0	7.1	18.2	20.8	3 / 15	0 / 1
Average number of embryos transferred	1.9	2.3	2.6	2.8	3.2	3.0
Percentage of embryos transferred resulting in implantation	38.9	33.2	24.3	14.0	6.3	0 / 3
Percentage of elective single embryo transfer (eSET)	17.6	0.0	0.0	0 / 15	0 / 10	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	29.0	28.4	12.5	20.8	1 / 15	0 / 1
Percentage of cycles resulting in triplets or more live births	1.0	0.7	0.0	0.0	0 / 15	0 / 1
Percentage of cycles resulting in live births	45.4	44.7	28.4	20.8	1 / 15	0 / 1
Percentage of cycles resulting in pregnancy	51.4	51.1	29.5	41.7	2 / 15	0 / 1
Outcomes per Transfer						
Number of transfers	379	127	66	18	10	1
Percentage of transfers resulting in singleton live births	30.9	31.5	16.7	5 / 18	1 / 10	0 / 1
Percentage of transfers resulting in triplets or more live births	1.1	0.8	0.0	0 / 18	0 / 10	0 / 1
Percentage of transfers resulting in live births	48.3	49.6	37.9	5 / 18	1 / 10	0 / 1
Percentage of transfers resulting in pregnancy	54.6	56.7	39.4	10 / 18	2 / 10	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	207	72	26	10	2	0
Percentage of pregnancies resulting in singleton live births	56.5	55.6	42.3	5 / 10	1 / 2	
Percentage of pregnancies resulting in triplets or more live births	1.9	1.4	0.0	0 / 10	0 / 2	
Percentage of pregnancies resulting in live births	88.4	87.5	96.2	5 / 10	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	123	39	18	5	2	0
Number of transfers	112	39	12	5	0	0
Estimated average number of transfers per retrieval	1.7	2.4	6.0	5.0		
Average number of embryos transferred	1.8	1.8	1.9	1.4		
Percentage of embryos transferred resulting in implantation	30.4	27.1	26.1	4 / 7		
Percentage of transfers resulting in singleton live births	31.3	30.8	3 / 12	3 / 5		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 12	0 / 5		
Percentage of transfers resulting in live births	40.2	38.5	4 / 12	3 / 5		
Percentage of transfers resulting in pregnancy	48.2	41.0	4 / 12	4 / 5		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	61	33
Number of transfers	60	28
Average number of embryos transferred	1.7	2.0
Percentage of embryos transferred resulting in implantation	51.0	21.4
Percentage of transfers resulting in singleton live births	26.7	21.4
Percentage of transfers resulting in live births	53.3	28.6
Percentage of transfers resulting in pregnancy	60.0	39.3

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Institute for Reproductive Health

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY HOSPITALS FERTILITY CENTER
CLEVELAND, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by James Goldfarb, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	81%
Unstimulated	0%	Used PGD	4%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	18%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	11%	Male factor	31%	Female factors only	10%
Diminished ovarian reserve	11%	Other factor	18%	Female & male factors	8%
Endometriosis	12%	Unknown factor	17%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 474 (includes 18 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	127	67	44	19	10	2
Percentage of cancellations	11.0	22.4	25.0	7 / 19	3 / 10	0 / 2
Average number of embryos transferred	2.1	2.1	2.8	3.4	2.9	3.0
Percentage of embryos transferred resulting in implantation	27.0	27.8	10.2	5.4	0.0	0 / 6
Percentage of elective single embryo transfer (eSET)	4.6	8.3	0.0	0 / 11	0 / 6	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.7	17.9	11.4	2 / 19	0 / 10	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 19	0 / 10	0 / 2
Percentage of cycles resulting in live births	37.0	23.9	15.9	2 / 19	0 / 10	0 / 2
Percentage of cycles resulting in pregnancy	44.1	32.8	22.7	2 / 19	0 / 10	0 / 2
Outcomes per Transfer						
Number of transfers	110	51	32	11	7	2
Percentage of transfers resulting in singleton live births	35.5	23.5	15.6	2 / 11	0 / 7	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 11	0 / 7	0 / 2
Percentage of transfers resulting in live births	42.7	31.4	21.9	2 / 11	0 / 7	0 / 2
Percentage of transfers resulting in pregnancy	50.9	43.1	31.3	2 / 11	0 / 7	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	56	22	10	2	0	0
Percentage of pregnancies resulting in singleton live births	69.6	54.5	5 / 10	2 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0 / 10	0 / 2		
Percentage of pregnancies resulting in live births	83.9	72.7	7 / 10	2 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	73	30	24	12	7	0
Number of transfers	66	25	20	9	5	0
Estimated average number of transfers per retrieval	1.5	1.5	1.3	1.8	1.7	
Average number of embryos transferred	1.7	2.0	2.2	2.6	2.2	
Percentage of embryos transferred resulting in implantation	24.5	21.6	11.6	13.0	1 / 11	
Percentage of transfers resulting in singleton live births	15.2	24.0	10.0	1 / 9	0 / 5	
Percentage of transfers resulting in triplets or more live births	1.5	0.0	0.0	0 / 9	0 / 5	
Percentage of transfers resulting in live births	21.2	32.0	10.0	1 / 9	0 / 5	
Percentage of transfers resulting in pregnancy	33.3	36.0	30.0	3 / 9	1 / 5	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	28	13
Number of transfers	24	11
Average number of embryos transferred	1.9	1.8
Percentage of embryos transferred resulting in implantation	35.6	10.0
Percentage of transfers resulting in singleton live births	25.0	1 / 11
Percentage of transfers resulting in live births	45.8	1 / 11
Percentage of transfers resulting in pregnancy	45.8	3 / 11

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University Hospitals Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

OHIO REPRODUCTIVE MEDICINE
COLUMBUS, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Grant Schmidt, MD, PhD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	40%
Unstimulated	0%	Used PGD	4%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	22%	Uterine factor	8%	*Multiple Factors:*	
Ovulatory dysfunction	12%	Male factor	31%	Female factors only	15%
Diminished ovarian reserve	28%	Other factor	5%	Female & male factors	9%
Endometriosis	9%	Unknown factor	17%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 517 (includes 6 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	212	86	77	29	6	1
Percentage of cancellations	5.7	5.8	19.5	13.8	0 / 6	0 / 1
Average number of embryos transferred	2.0	2.2	2.9	2.9	3.3	5.0
Percentage of embryos transferred resulting in implantation	44.5	35.6	22.9	13.6	0.0	0 / 5
Percentage of elective single embryo transfer (eSET)	7.1	0.0	0.0	0 / 17	0 / 5	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	35.4	30.2	20.8	13.8	0 / 6	0 / 1
Percentage of cycles resulting in triplets or more live births	0.9	1.2	0.0	0.0	0 / 6	0 / 1
Percentage of cycles resulting in live births	50.9	43.0	28.6	17.2	0 / 6	0 / 1
Percentage of cycles resulting in pregnancy	58.5	48.8	40.3	27.6	1 / 6	0 / 1
Outcomes per Transfer						
Number of transfers	185	75	55	23	6	1
Percentage of transfers resulting in singleton live births	40.5	34.7	29.1	17.4	0 / 6	0 / 1
Percentage of transfers resulting in triplets or more live births	1.1	1.3	0.0	0.0	0 / 6	0 / 1
Percentage of transfers resulting in live births	58.4	49.3	40.0	21.7	0 / 6	0 / 1
Percentage of transfers resulting in pregnancy	67.0	56.0	56.4	34.8	1 / 6	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	124	42	31	8	1	0
Percentage of pregnancies resulting in singleton live births	60.5	61.9	51.6	4 / 8	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	1.6	2.4	0.0	0 / 8	0 / 1	
Percentage of pregnancies resulting in live births	87.1	88.1	71.0	5 / 8	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	27	20	4	1	0	2
Number of transfers	26	20	4	1	0	1
Estimated average number of transfers per retrieval	2.2	4.0	2.0	0.3		1.0
Average number of embryos transferred	1.6	1.9	1.8	1.0		2.0
Percentage of embryos transferred resulting in implantation	31.0	23.7	1 / 7	0 / 1		1 / 2
Percentage of transfers resulting in singleton live births	38.5	20.0	1 / 4	0 / 1		1 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 4	0 / 1		0 / 1
Percentage of transfers resulting in live births	42.3	25.0	1 / 4	0 / 1		1 / 1
Percentage of transfers resulting in pregnancy	46.2	45.0	1 / 4	1 / 1		1 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	30	16
Number of transfers	29	13
Average number of embryos transferred	1.8	1.8
Percentage of embryos transferred resulting in implantation	55.8	43.5
Percentage of transfers resulting in singleton live births	44.8	4 / 13
Percentage of transfers resulting in live births	65.5	7 / 13
Percentage of transfers resulting in pregnancy	82.8	7 / 13

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Ohio Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

KETTERING REPRODUCTIVE MEDICINE
KETTERING, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Jeremy M. Groll, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	51%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	1%		

Patient Diagnosis[b]

Tubal factor	14%	Uterine factor	<1%	*Multiple Factors:*	
Ovulatory dysfunction	14%	Male factor	44%	Female factors only	10%
Diminished ovarian reserve	29%	Other factor	9%	Female & male factors	17%
Endometriosis	16%	Unknown factor	3%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 147 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	57	22	13	5	1	1
Percentage of cancellations	8.8	9.1	1 / 13	2 / 5	0 / 1	1 / 1
Average number of embryos transferred	1.8	2.1	2.0	2.3	3.0	
Percentage of embryos transferred resulting in implantation	40.6	43.6	16.7	0 / 7	0 / 3	
Percentage of elective single embryo transfer (eSET)	12.0	0 / 18	0 / 10	0 / 3	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	36.8	50.0	1 / 13	0 / 5	0 / 1	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 13	0 / 5	0 / 1	0 / 1
Percentage of cycles resulting in live births	47.4	59.1	2 / 13	0 / 5	0 / 1	0 / 1
Percentage of cycles resulting in pregnancy	56.1	63.6	3 / 13	0 / 5	0 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	52	19	12	3	1	0
Percentage of transfers resulting in singleton live births	40.4	11 / 19	1 / 12	0 / 3	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 19	0 / 12	0 / 3	0 / 1	
Percentage of transfers resulting in live births	51.9	13 / 19	2 / 12	0 / 3	0 / 1	
Percentage of transfers resulting in pregnancy	61.5	14 / 19	3 / 12	0 / 3	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	32	14	3	0	0	0
Percentage of pregnancies resulting in singleton live births	65.6	11 / 14	1 / 3			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 14	0 / 3			
Percentage of pregnancies resulting in live births	84.4	13 / 14	2 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	23	6	9	3	0	0
Number of transfers	23	6	9	2	0	0
Estimated average number of transfers per retrieval	3.8		4.5			
Average number of embryos transferred	1.6	1.3	2.1	2.0		
Percentage of embryos transferred resulting in implantation	27.0	5 / 8	6 / 19	0 / 4		
Percentage of transfers resulting in singleton live births	21.7	3 / 6	2 / 9	0 / 2		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 6	1 / 9	0 / 2		
Percentage of transfers resulting in live births	26.1	4 / 6	3 / 9	0 / 2		
Percentage of transfers resulting in pregnancy	39.1	4 / 6	4 / 9	0 / 2		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	5	2
Number of transfers	3	2
Average number of embryos transferred	2.0	1.5
Percentage of embryos transferred resulting in implantation	3 / 6	2 / 3
Percentage of transfers resulting in singleton live births	1 / 3	0 / 2
Percentage of transfers resulting in live births	2 / 3	1 / 2
Percentage of transfers resulting in pregnancy	2 / 3	1 / 2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Kettering Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF NORTHWESTERN OHIO
TOLEDO, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Joseph V. Karnitis, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	33%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	35%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	18%	Male factor	43%	Female factors only	17%
Diminished ovarian reserve	29%	Other factor	10%	Female & male factors	21%
Endometriosis	7%	Unknown factor	6%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 88 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	27	10	15	2	0	0
Percentage of cancellations	14.8	1 / 10	5 / 15	0 / 2		
Average number of embryos transferred	2.1	2.3	2.6	3.0		
Percentage of embryos transferred resulting in implantation	50.0	2 / 18	26.9	3 / 6		
Percentage of elective single embryo transfer (eSET)	0.0	0 / 8	0 / 10	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	48.1	2 / 10	3 / 15	2 / 2		
Percentage of cycles resulting in triplets or more live births	0.0	0 / 10	0 / 15	0 / 2		
Percentage of cycles resulting in live births	63.0	2 / 10	4 / 15	2 / 2		
Percentage of cycles resulting in pregnancy	70.4	2 / 10	6 / 15	2 / 2		
Outcomes per Transfer						
Number of transfers	21	8	10	2	0	0
Percentage of transfers resulting in singleton live births	61.9	2 / 8	3 / 10	2 / 2		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 8	0 / 10	0 / 2		
Percentage of transfers resulting in live births	81.0	2 / 8	4 / 10	2 / 2		
Percentage of transfers resulting in pregnancy	90.5	2 / 8	6 / 10	2 / 2		
Outcomes per Pregnancy						
Number of pregnancies	19	2	6	2	0	0
Percentage of pregnancies resulting in singleton live births	13 / 19	2 / 2	3 / 6	2 / 2		
Percentage of pregnancies resulting in triplets or more live births	0 / 19	0 / 2	0 / 6	0 / 2		
Percentage of pregnancies resulting in live births	17 / 19	2 / 2	4 / 6	2 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	11	2	4	2	0	1
Number of transfers	10	2	4	1	0	1
Estimated average number of transfers per retrieval	3.3	2.0	2.0			
Average number of embryos transferred	2.0	2.5	2.3	2.0		2.0
Percentage of embryos transferred resulting in implantation	20.0	3 / 5	0 / 9	0 / 2		0 / 2
Percentage of transfers resulting in singleton live births	2 / 10	0 / 2	0 / 4	0 / 1		0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 10	1 / 2	0 / 4	0 / 1		0 / 1
Percentage of transfers resulting in live births	3 / 10	1 / 2	0 / 4	0 / 1		0 / 1
Percentage of transfers resulting in pregnancy	3 / 10	2 / 2	0 / 4	0 / 1		0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	8	5
Number of transfers	4	4
Average number of embryos transferred	1.8	1.8
Percentage of embryos transferred resulting in implantation	0 / 7	2 / 7
Percentage of transfers resulting in singleton live births	0 / 4	2 / 4
Percentage of transfers resulting in live births	0 / 4	2 / 4
Percentage of transfers resulting in pregnancy	2 / 4	3 / 4

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Center of Northwestern Ohio

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE GYNECOLOGY, INC.
WESTERVILLE, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Richard W. Moretuzzo, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	71%
Unstimulated	0%	Used PGD	<1%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	14%	Uterine factor	17%	*Multiple Factors:*	
Ovulatory dysfunction	9%	Male factor	55%	Female factors only	15%
Diminished ovarian reserve	17%	Other factor	13%	Female & male factors	34%
Endometriosis	20%	Unknown factor	8%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 190 (includes 2 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	77	22	21	8	2	1
Percentage of cancellations	3.9	4.5	9.5	1 / 8	0 / 2	0 / 1
Average number of embryos transferred	2.0	1.9	2.2	2.6	4.0	4.0
Percentage of embryos transferred resulting in implantation	36.2	27.5	15.4	2 / 18	2 / 8	0 / 4
Percentage of elective single embryo transfer (eSET)	2.9	9.5	0 / 17	0 / 6	0 / 2	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	31.2	27.3	9.5	1 / 8	1 / 2	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 8	0 / 2	0 / 1
Percentage of cycles resulting in live births	46.8	36.4	14.3	1 / 8	1 / 2	0 / 1
Percentage of cycles resulting in pregnancy	51.9	40.9	14.3	2 / 8	2 / 2	0 / 1
Outcomes per Transfer						
Number of transfers	72	21	18	7	2	1
Percentage of transfers resulting in singleton live births	33.3	28.6	2 / 18	1 / 7	1 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 18	0 / 7	0 / 2	0 / 1
Percentage of transfers resulting in live births	50.0	38.1	3 / 18	1 / 7	1 / 2	0 / 1
Percentage of transfers resulting in pregnancy	55.6	42.9	3 / 18	2 / 7	2 / 2	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	40	9	3	2	2	0
Percentage of pregnancies resulting in singleton live births	60.0	6 / 9	2 / 3	1 / 2	1 / 2	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 9	0 / 3	0 / 2	0 / 2	
Percentage of pregnancies resulting in live births	90.0	8 / 9	3 / 3	1 / 2	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	29	9	10	0	0	0
Number of transfers	29	9	10	0	0	0
Estimated average number of transfers per retrieval	1.6	1.3	2.0			
Average number of embryos transferred	2.0	2.0	2.1			
Percentage of embryos transferred resulting in implantation	26.3	5 / 18	4.8			
Percentage of transfers resulting in singleton live births	31.0	2 / 9	1 / 10			
Percentage of transfers resulting in triplets or more live births	0.0	0 / 9	0 / 10			
Percentage of transfers resulting in live births	34.5	3 / 9	1 / 10			
Percentage of transfers resulting in pregnancy	34.5	4 / 9	1 / 10			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	4	5
Number of transfers	4	5
Average number of embryos transferred	2.0	1.8
Percentage of embryos transferred resulting in implantation	8 / 8	1 / 9
Percentage of transfers resulting in singleton live births	1 / 4	0 / 5
Percentage of transfers resulting in live births	4 / 4	0 / 5
Percentage of transfers resulting in pregnancy	4 / 4	1 / 5

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Gynecology, Inc.

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HENRY G. BENNETT, JR., FERTILITY INSTITUTE
OKLAHOMA CITY, OKLAHOMA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Eli Reshef, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	58%
Unstimulated	<1%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	19%	Uterine factor	<1%	*Multiple Factors:*	
Ovulatory dysfunction	22%	Male factor	55%	Female factors only	9%
Diminished ovarian reserve	11%	Other factor	3%	Female & male factors	21%
Endometriosis	17%	Unknown factor	7%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 297 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	151	40	17	6	2	1
Percentage of cancellations	4.6	10.0	2 / 17	0 / 6	0 / 2	0 / 1
Average number of embryos transferred	2.1	2.1	2.3	2.7	1.5	3.0
Percentage of embryos transferred resulting in implantation	35.7	32.4	29.4	2 / 16	1 / 3	0 / 3
Percentage of elective single embryo transfer (eSET)	0.7	0.0	0 / 13	0 / 6	0 / 1	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	31.8	30.0	5 / 17	2 / 6	1 / 2	0 / 1
Percentage of cycles resulting in triplets or more live births	1.3	0.0	0 / 17	0 / 6	0 / 2	0 / 1
Percentage of cycles resulting in live births	48.3	45.0	6 / 17	2 / 6	1 / 2	0 / 1
Percentage of cycles resulting in pregnancy	56.3	47.5	8 / 17	2 / 6	1 / 2	0 / 1
Outcomes per Transfer						
Number of transfers	140	35	15	6	2	1
Percentage of transfers resulting in singleton live births	34.3	34.3	5 / 15	2 / 6	1 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	1.4	0.0	0 / 15	0 / 6	0 / 2	0 / 1
Percentage of transfers resulting in live births	52.1	51.4	6 / 15	2 / 6	1 / 2	0 / 1
Percentage of transfers resulting in pregnancy	60.7	54.3	8 / 15	2 / 6	1 / 2	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	85	19	8	2	1	0
Percentage of pregnancies resulting in singleton live births	56.5	12 / 19	5 / 8	2 / 2	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	2.4	0 / 19	0 / 8	0 / 2	0 / 1	
Percentage of pregnancies resulting in live births	85.9	18 / 19	6 / 8	2 / 2	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	34	8	4	2	1	6
Number of transfers	30	7	3	2	0	6
Estimated average number of transfers per retrieval	1.9	1.4				
Average number of embryos transferred	1.8	1.9	1.7	1.5		2.5
Percentage of embryos transferred resulting in implantation	27.8	0 / 13	0 / 5	2 / 3		0 / 15
Percentage of transfers resulting in singleton live births	33.3	0 / 7	0 / 3	1 / 2		0 / 6
Percentage of transfers resulting in triplets or more live births	0.0	0 / 7	0 / 3	0 / 2		0 / 6
Percentage of transfers resulting in live births	40.0	0 / 7	0 / 3	1 / 2		0 / 6
Percentage of transfers resulting in pregnancy	43.3	0 / 7	0 / 3	2 / 2		0 / 6

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	13	12
Number of transfers	13	11
Average number of embryos transferred	2.1	2.7
Percentage of embryos transferred resulting in implantation	44.4	6.7
Percentage of transfers resulting in singleton live births	4 / 13	1 / 11
Percentage of transfers resulting in live births	7 / 13	1 / 11
Percentage of transfers resulting in pregnancy	9 / 13	2 / 11

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Henry G. Bennett, Jr., Fertility Institute

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2012 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2012 ART cycle data or the clinic's Medical Director did not approve the clinic's 2012 ART cycle data for inclusion in this report.

OU PHYSICIANS REPRODUCTIVE MEDICINE
OKLAHOMA CITY, OKLAHOMA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Karl R. Hansen, MD, PhD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	95%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	23%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	12%	Male factor	45%	Female factors only	18%
Diminished ovarian reserve	13%	Other factor	20%	Female & male factors	24%
Endometriosis	21%	Unknown factor	13%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 166 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	83	22	15	1	1	0
Percentage of cancellations	1.2	9.1	1 / 15	0 / 1	0 / 1	
Average number of embryos transferred	2.0	2.1	2.4	3.0	3.0	
Percentage of embryos transferred resulting in implantation	40.3	25.0	24.2	0 / 3	0 / 3	
Percentage of elective single embryo transfer (eSET)	1.3	0 / 18	0 / 13	0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	33.7	18.2	4 / 15	0 / 1	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 15	0 / 1	0 / 1	
Percentage of cycles resulting in live births	51.8	27.3	6 / 15	0 / 1	0 / 1	
Percentage of cycles resulting in pregnancy	57.8	36.4	7 / 15	0 / 1	0 / 1	
Outcomes per Transfer						
Number of transfers	80	19	14	1	1	0
Percentage of transfers resulting in singleton live births	35.0	4 / 19	4 / 14	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 19	0 / 14	0 / 1	0 / 1	
Percentage of transfers resulting in live births	53.8	6 / 19	6 / 14	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	60.0	8 / 19	7 / 14	0 / 1	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	48	8	7	0	0	0
Percentage of pregnancies resulting in singleton live births	58.3	4 / 8	4 / 7			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 8	0 / 7			
Percentage of pregnancies resulting in live births	89.6	6 / 8	6 / 7			
Frozen Embryos from Nondonor Eggs						
Number of cycles	17	11	3	1	1	1
Number of transfers	17	11	3	1	1	1
Estimated average number of transfers per retrieval	1.7	2.8	3.0			
Average number of embryos transferred	1.9	2.0	2.0	2.0	3.0	1.0
Percentage of embryos transferred resulting in implantation	25.0	31.8	1 / 6	0 / 2	1 / 3	1 / 1
Percentage of transfers resulting in singleton live births	4 / 17	4 / 11	0 / 3	0 / 1	1 / 1	1 / 1
Percentage of transfers resulting in triplets or more live births	0 / 17	0 / 11	0 / 3	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in live births	6 / 17	5 / 11	0 / 3	0 / 1	1 / 1	1 / 1
Percentage of transfers resulting in pregnancy	11 / 17	6 / 11	2 / 3	0 / 1	1 / 1	1 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	5	5
Number of transfers	4	5
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation	4 / 8	5 / 10
Percentage of transfers resulting in singleton live births	0 / 4	1 / 5
Percentage of transfers resulting in live births	2 / 4	2 / 5
Percentage of transfers resulting in pregnancy	2 / 4	3 / 5

CURRENT CLINIC SERVICES AND PROFILE

Current Name: OU Physicians Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

TULSA CENTER FOR FERTILITY & WOMEN'S HEALTH
TULSA, OKLAHOMA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Stanley G. Prough, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	71%
Unstimulated	0%	Used PGD	6%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	19%	Uterine factor	1%	*Multiple Factors:*	
Ovulatory dysfunction	21%	Male factor	47%	Female factors only	13%
Diminished ovarian reserve	14%	Other factor	15%	Female & male factors	24%
Endometriosis	15%	Unknown factor	9%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 309 (includes 2 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	119	42	20	10	3	0
Percentage of cancellations	7.6	4.8	10.0	4 / 10	0 / 3	
Average number of embryos transferred	1.9	1.9	1.9	1.8	2.0	
Percentage of embryos transferred resulting in implantation	31.1	30.3	11.5	0 / 7	0 / 4	
Percentage of elective single embryo transfer (eSET)	5.0	3.4	0 / 10	0 / 2	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	21.0	31.0	5.0	0 / 10	0 / 3	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 10	0 / 3	
Percentage of cycles resulting in live births	30.3	38.1	10.0	0 / 10	0 / 3	
Percentage of cycles resulting in pregnancy	37.0	45.2	20.0	0 / 10	0 / 3	
Outcomes per Transfer						
Number of transfers	89	35	14	4	2	0
Percentage of transfers resulting in singleton live births	28.1	37.1	1 / 14	0 / 4	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 14	0 / 4	0 / 2	
Percentage of transfers resulting in live births	40.4	45.7	2 / 14	0 / 4	0 / 2	
Percentage of transfers resulting in pregnancy	49.4	54.3	4 / 14	0 / 4	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	44	19	4	0	0	0
Percentage of pregnancies resulting in singleton live births	56.8	13 / 19	1 / 4			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 19	0 / 4			
Percentage of pregnancies resulting in live births	81.8	16 / 19	2 / 4			
Frozen Embryos from Nondonor Eggs						
Number of cycles	58	19	8	2	1	2
Number of transfers	55	18	6	2	1	2
Estimated average number of transfers per retrieval	2.1	3.0	1.0			
Average number of embryos transferred	1.7	1.8	2.0	2.0	2.0	1.5
Percentage of embryos transferred resulting in implantation	39.6	27.3	1 / 12	0 / 4	1 / 2	0 / 3
Percentage of transfers resulting in singleton live births	32.7	6 / 18	0 / 6	0 / 2	1 / 1	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0 / 18	0 / 6	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in live births	45.5	6 / 18	0 / 6	0 / 2	1 / 1	0 / 2
Percentage of transfers resulting in pregnancy	56.4	10 / 18	2 / 6	0 / 2	1 / 1	0 / 2

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	12	11
Number of transfers	10	11
Average number of embryos transferred	1.8	2.2
Percentage of embryos transferred resulting in implantation	9 / 18	25.0
Percentage of transfers resulting in singleton live births	5 / 10	3 / 11
Percentage of transfers resulting in live births	7 / 10	4 / 11
Percentage of transfers resulting in pregnancy	7 / 10	6 / 11

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Tulsa Center for Fertility & Women's Health

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE FERTILITY CENTER OF OREGON
EUGENE, OREGON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Douglas J. Austin, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	85%
Unstimulated	0%	Used PGD	7%
Used gestational carrier	3%		

Patient Diagnosis[b]

Tubal factor	11%	Uterine factor	11%	*Multiple Factors:*	
Ovulatory dysfunction	28%	Male factor	36%	Female factors only	18%
Diminished ovarian reserve	32%	Other factor	11%	Female & male factors	26%
Endometriosis	5%	Unknown factor	12%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 124 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	36	17	5	1	0	0
Percentage of cancellations	5.6	1 / 17	0 / 5	0 / 1		
Average number of embryos transferred	2.3	2.6	2.8	3.0		
Percentage of embryos transferred resulting in implantation	27.1	19.0	5 / 14	0 / 3		
Percentage of elective single embryo transfer (eSET)	3.3	0 / 16	0 / 5	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	22.2	4 / 17	2 / 5	0 / 1		
Percentage of cycles resulting in triplets or more live births	0.0	0 / 17	0 / 5	0 / 1		
Percentage of cycles resulting in live births	33.3	5 / 17	3 / 5	0 / 1		
Percentage of cycles resulting in pregnancy	36.1	6 / 17	3 / 5	0 / 1		
Outcomes per Transfer						
Number of transfers	30	16	5	1	0	0
Percentage of transfers resulting in singleton live births	26.7	4 / 16	2 / 5	0 / 1		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0 / 5	0 / 1		
Percentage of transfers resulting in live births	40.0	5 / 16	3 / 5	0 / 1		
Percentage of transfers resulting in pregnancy	43.3	6 / 16	3 / 5	0 / 1		
Outcomes per Pregnancy						
Number of pregnancies	13	6	3	0	0	0
Percentage of pregnancies resulting in singleton live births	8 / 13	4 / 6	2 / 3			
Percentage of pregnancies resulting in triplets or more live births	0 / 13	0 / 6	0 / 3			
Percentage of pregnancies resulting in live births	12 / 13	5 / 6	3 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	27	9	0	0	0	1
Number of transfers	27	9	0	0	0	1
Estimated average number of transfers per retrieval	2.5	1.1				
Average number of embryos transferred	2.3	2.2				2.0
Percentage of embryos transferred resulting in implantation	12.9	35.0				1 / 2
Percentage of transfers resulting in singleton live births	18.5	1 / 9				1 / 1
Percentage of transfers resulting in triplets or more live births	0.0	1 / 9				0 / 1
Percentage of transfers resulting in live births	22.2	2 / 9				1 / 1
Percentage of transfers resulting in pregnancy	25.9	4 / 9				1 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	14	14
Number of transfers	14	14
Average number of embryos transferred	2.1	2.3
Percentage of embryos transferred resulting in implantation	36.7	21.9
Percentage of transfers resulting in singleton live births	5 / 14	3 / 14
Percentage of transfers resulting in live births	6 / 14	5 / 14
Percentage of transfers resulting in pregnancy	9 / 14	5 / 14

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Fertility Center of Oregon

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTHWEST FERTILITY CENTER
PORTLAND, OREGON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Eugene M. Stoelk, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	61%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	3%		

Patient Diagnosis[b]

Tubal factor	16%	Uterine factor	<1%	*Multiple Factors:*	
Ovulatory dysfunction	11%	Male factor	56%	Female factors only	7%
Diminished ovarian reserve	21%	Other factor	8%	Female & male factors	23%
Endometriosis	20%	Unknown factor	4%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 110 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	44	13	15	2	2	1
Percentage of cancellations	9.1	0 / 13	2 / 15	0 / 2	1 / 2	0 / 1
Average number of embryos transferred	2.0	2.8	2.5	4.5	4.0	5.0
Percentage of embryos transferred resulting in implantation	47.9	19.4	24.2	0 / 9	3 / 4	0 / 5
Percentage of elective single embryo transfer (eSET)	8.6	1 / 13	0 / 13	0 / 2	0 / 1	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.3	1 / 13	4 / 15	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	1 / 13	0 / 15	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in live births	50.0	3 / 13	6 / 15	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in pregnancy	52.3	4 / 13	6 / 15	0 / 2	1 / 2	0 / 1
Outcomes per Transfer						
Number of transfers	35	13	13	2	1	1
Percentage of transfers resulting in singleton live births	34.3	1 / 13	4 / 13	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	1 / 13	0 / 13	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in live births	62.9	3 / 13	6 / 13	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	65.7	4 / 13	6 / 13	0 / 2	1 / 1	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	23	4	6	0	1	0
Percentage of pregnancies resulting in singleton live births	52.2	1 / 4	4 / 6		0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	1 / 4	0 / 6		0 / 1	
Percentage of pregnancies resulting in live births	95.7	3 / 4	6 / 6		0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	9	6	0	0	0	0
Number of transfers	9	6	0	0	0	0
Estimated average number of transfers per retrieval	2.3	3.0				
Average number of embryos transferred	2.0	1.8				
Percentage of embryos transferred resulting in implantation	4 / 18	6 / 11				
Percentage of transfers resulting in singleton live births	0 / 9	2 / 6				
Percentage of transfers resulting in triplets or more live births	0 / 9	0 / 6				
Percentage of transfers resulting in live births	2 / 9	4 / 6				
Percentage of transfers resulting in pregnancy	2 / 9	4 / 6				

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	10	8
Number of transfers	10	8
Average number of embryos transferred	2.0	2.3
Percentage of embryos transferred resulting in implantation	50.0	5 / 18
Percentage of transfers resulting in singleton live births	6 / 10	3 / 8
Percentage of transfers resulting in live births	7 / 10	4 / 8
Percentage of transfers resulting in pregnancy	7 / 10	4 / 8

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Northwest Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

OREGON REPRODUCTIVE MEDICINE
PORTLAND, OREGON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by John S. Hesla, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	72%
Unstimulated	1%	Used PGD	6%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	8%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	8%	Male factor	24%	Female factors only	7%
Diminished ovarian reserve	40%	Other factor	13%	Female & male factors	9%
Endometriosis	7%	Unknown factor	14%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 939 (includes 145 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	167	90	52	27	9	1
Percentage of cancellations	6.6	6.7	13.5	18.5	1 / 9	0 / 1
Average number of embryos transferred	1.9	1.9	2.1	2.4	3.2	4.0
Percentage of embryos transferred resulting in implantation	58.6	52.4	40.7	18.4	0 / 16	0 / 4
Percentage of elective single embryo transfer (eSET)	6.8	8.7	0.0	0 / 13	0 / 5	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	34.1	33.3	21.2	14.8	0 / 9	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 9	0 / 1
Percentage of cycles resulting in live births	58.7	51.1	34.6	18.5	0 / 9	0 / 1
Percentage of cycles resulting in pregnancy	64.7	56.7	44.2	22.2	1 / 9	0 / 1
Outcomes per Transfer						
Number of transfers	138	77	38	16	5	1
Percentage of transfers resulting in singleton live births	41.3	39.0	28.9	4 / 16	0 / 5	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 16	0 / 5	0 / 1
Percentage of transfers resulting in live births	71.0	59.7	47.4	5 / 16	0 / 5	0 / 1
Percentage of transfers resulting in pregnancy	78.3	66.2	60.5	6 / 16	1 / 5	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	108	51	23	6	1	0
Percentage of pregnancies resulting in singleton live births	52.8	58.8	47.8	4 / 6	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 6	0 / 1	
Percentage of pregnancies resulting in live births	90.7	90.2	78.3	5 / 6	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	74	51	30	20	3	5
Number of transfers	72	48	27	19	3	5
Estimated average number of transfers per retrieval	1.5	1.1	0.5	0.7	0.3	1.7
Average number of embryos transferred	1.8	1.6	1.7	1.7	2.0	1.6
Percentage of embryos transferred resulting in implantation	50.0	45.3	44.4	36.4	2 / 6	1 / 8
Percentage of transfers resulting in singleton live births	44.4	45.8	37.0	8 / 19	0 / 3	0 / 5
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 19	0 / 3	0 / 5
Percentage of transfers resulting in live births	59.7	56.3	48.1	8 / 19	1 / 3	0 / 5
Percentage of transfers resulting in pregnancy	75.0	60.4	63.0	11 / 19	1 / 3	1 / 5

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	176	89
Number of transfers	144	85
Average number of embryos transferred	1.7	1.6
Percentage of embryos transferred resulting in implantation	70.6	44.9
Percentage of transfers resulting in singleton live births	43.8	32.9
Percentage of transfers resulting in live births	77.1	48.2
Percentage of transfers resulting in pregnancy	81.3	55.3

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Oregon Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY FERTILITY CONSULTANTS
OREGON HEALTH & SCIENCE UNIVERSITY
PORTLAND, OREGON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by David M. Lee, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	81%
Unstimulated	0%	Used PGD	6%
Used gestational carrier	4%		

Patient Diagnosis[b]

Tubal factor	13%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	15%	Male factor	49%	Female factors only	9%
Diminished ovarian reserve	32%	Other factor	20%	Female & male factors	27%
Endometriosis	5%	Unknown factor	6%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 369 (includes 10 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	92	44	52	26	11	1
Percentage of cancellations	7.6	15.9	15.4	19.2	3 / 11	0 / 1
Average number of embryos transferred	2.0	2.1	2.5	2.8	3.9	3.0
Percentage of embryos transferred resulting in implantation	42.7	23.4	9.7	5.5	3.2	0 / 3
Percentage of elective single embryo transfer (eSET)	3.8	11.8	0.0	0 / 16	0 / 8	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	29.3	13.6	17.3	7.7	1 / 11	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 11	0 / 1
Percentage of cycles resulting in live births	51.1	25.0	17.3	7.7	1 / 11	0 / 1
Percentage of cycles resulting in pregnancy	53.3	25.0	19.2	11.5	1 / 11	1 / 1
Outcomes per Transfer						
Number of transfers	81	37	41	20	8	1
Percentage of transfers resulting in singleton live births	33.3	16.2	22.0	10.0	1 / 8	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 8	0 / 1
Percentage of transfers resulting in live births	58.0	29.7	22.0	10.0	1 / 8	0 / 1
Percentage of transfers resulting in pregnancy	60.5	29.7	24.4	15.0	1 / 8	1 / 1
Outcomes per Pregnancy						
Number of pregnancies	49	11	10	3	1	1
Percentage of pregnancies resulting in singleton live births	55.1	6 / 11	9 / 10	2 / 3	1 / 1	0 / 1
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 11	0 / 10	0 / 3	0 / 1	0 / 1
Percentage of pregnancies resulting in live births	95.9	11 / 11	9 / 10	2 / 3	1 / 1	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	38	25	13	9	4	2
Number of transfers	38	25	13	9	3	2
Estimated average number of transfers per retrieval	3.8	2.3	4.3	1.5	1.5	
Average number of embryos transferred	2.2	2.0	1.8	2.7	2.0	2.0
Percentage of embryos transferred resulting in implantation	28.6	32.7	29.2	4.2	2 / 6	2 / 4
Percentage of transfers resulting in singleton live births	23.7	32.0	3 / 13	1 / 9	2 / 3	2 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 13	0 / 9	0 / 3	0 / 2
Percentage of transfers resulting in live births	36.8	44.0	5 / 13	1 / 9	2 / 3	2 / 2
Percentage of transfers resulting in pregnancy	44.7	52.0	6 / 13	1 / 9	2 / 3	2 / 2

	All Ages Combined[f]	
Donor Eggs	**Fresh Embryos**	**Frozen Embryos**
Number of cycles	28	14
Number of transfers	26	14
Average number of embryos transferred	2.0	1.9
Percentage of embryos transferred resulting in implantation	48.1	37.0
Percentage of transfers resulting in singleton live births	30.8	10 / 14
Percentage of transfers resulting in live births	57.7	10 / 14
Percentage of transfers resulting in pregnancy	65.4	10 / 14

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2012. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ABINGTON REPRODUCTIVE MEDICINE, ABINGTON IVF AND GENETICS TOLL CENTER FOR REPRODUCTIVE SCIENCES ABINGTON, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Stephen G. Somkuti, MD, PhD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	79%
Unstimulated	<1%	Used PGD	8%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	7%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	8%	Male factor	22%	Female factors only	8%
Diminished ovarian reserve	24%	Other factor	51%	Female & male factors	9%
Endometriosis	5%	Unknown factor	2%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 471 (includes 8 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	134	83	72	33	7	6
Percentage of cancellations	6.0	9.6	13.9	6.1	2 / 7	1 / 6
Average number of embryos transferred	2.0	2.4	3.1	3.4	4.3	1.4
Percentage of embryos transferred resulting in implantation	30.3	23.3	19.3	14.7	1 / 17	1 / 7
Percentage of elective single embryo transfer (eSET)	6.5	3.2	3.7	0 / 16	0 / 4	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	20.9	13.3	19.4	18.2	0 / 7	0 / 6
Percentage of cycles resulting in triplets or more live births	0.0	0.0	1.4	0.0	0 / 7	0 / 6
Percentage of cycles resulting in live births	32.8	22.9	30.6	18.2	0 / 7	0 / 6
Percentage of cycles resulting in pregnancy	38.1	30.1	38.9	33.3	1 / 7	1 / 6
Outcomes per Transfer						
Number of transfers	117	67	58	22	4	5
Percentage of transfers resulting in singleton live births	23.9	16.4	24.1	27.3	0 / 4	0 / 5
Percentage of transfers resulting in triplets or more live births	0.0	0.0	1.7	0.0	0 / 4	0 / 5
Percentage of transfers resulting in live births	37.6	28.4	37.9	27.3	0 / 4	0 / 5
Percentage of transfers resulting in pregnancy	43.6	37.3	48.3	50.0	1 / 4	1 / 5
Outcomes per Pregnancy						
Number of pregnancies	51	25	28	11	1	1
Percentage of pregnancies resulting in singleton live births	54.9	44.0	50.0	6 / 11	0 / 1	0 / 1
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	3.6	0 / 11	0 / 1	0 / 1
Percentage of pregnancies resulting in live births	86.3	76.0	78.6	6 / 11	0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	41	19	17	9	3	2
Number of transfers	38	19	17	9	3	1
Estimated average number of transfers per retrieval	1.7	1.6	4.3	1.8	3.0	
Average number of embryos transferred	2.0	1.8	2.7	2.6	3.3	2.0
Percentage of embryos transferred resulting in implantation	19.7	20.0	8.7	8.7	0 / 10	1 / 2
Percentage of transfers resulting in singleton live births	13.2	5 / 19	2 / 17	2 / 9	0 / 3	1 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 19	0 / 17	0 / 9	0 / 3	0 / 1
Percentage of transfers resulting in live births	23.7	6 / 19	2 / 17	2 / 9	0 / 3	1 / 1
Percentage of transfers resulting in pregnancy	31.6	6 / 19	3 / 17	2 / 9	0 / 3	1 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	20	17
Number of transfers	20	16
Average number of embryos transferred	2.2	2.1
Percentage of embryos transferred resulting in implantation	48.8	20.6
Percentage of transfers resulting in singleton live births	25.0	6 / 16
Percentage of transfers resulting in live births	60.0	6 / 16
Percentage of transfers resulting in pregnancy	65.0	9 / 16

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Abington Reproductive Medicine, Abington IVF and Genetics, Toll Center for Reproductive Sciences

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INFERTILITY SOLUTIONS, PC
ALLENTOWN, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Bruce I. Rose, MD, PhD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	95%
Unstimulated	0%	Used PGD	1%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	16%	Uterine factor	1%	*Multiple Factors:*	
Ovulatory dysfunction	26%	Male factor	51%	Female factors only	15%
Diminished ovarian reserve	36%	Other factor	2%	Female & male factors	39%
Endometriosis	34%	Unknown factor	3%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 92 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	35	21	13	7	3	4
Percentage of cancellations	2.9	0.0	0 / 13	0 / 7	0 / 3	0 / 4
Average number of embryos transferred	2.2	1.8	2.1	2.6	1.7	1.5
Percentage of embryos transferred resulting in implantation	21.4	33.3	14.8	4 / 18	0 / 5	0 / 6
Percentage of elective single embryo transfer (eSET)	3.4	0 / 12	0 / 10	0 / 5	0 / 2	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	17.1	14.3	2 / 13	2 / 7	0 / 3	0 / 4
Percentage of cycles resulting in triplets or more live births	0.0	9.5	0 / 13	0 / 7	0 / 3	0 / 4
Percentage of cycles resulting in live births	25.7	28.6	2 / 13	3 / 7	0 / 3	0 / 4
Percentage of cycles resulting in pregnancy	37.1	28.6	3 / 13	3 / 7	0 / 3	0 / 4
Outcomes per Transfer						
Number of transfers	32	18	13	7	3	4
Percentage of transfers resulting in singleton live births	18.8	3 / 18	2 / 13	2 / 7	0 / 3	0 / 4
Percentage of transfers resulting in triplets or more live births	0.0	2 / 18	0 / 13	0 / 7	0 / 3	0 / 4
Percentage of transfers resulting in live births	28.1	6 / 18	2 / 13	3 / 7	0 / 3	0 / 4
Percentage of transfers resulting in pregnancy	40.6	6 / 18	3 / 13	3 / 7	0 / 3	0 / 4
Outcomes per Pregnancy						
Number of pregnancies	13	6	3	3	0	0
Percentage of pregnancies resulting in singleton live births	6 / 13	3 / 6	2 / 3	2 / 3		
Percentage of pregnancies resulting in triplets or more live births	0 / 13	2 / 6	0 / 3	0 / 3		
Percentage of pregnancies resulting in live births	9 / 13	6 / 6	2 / 3	3 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	2	0	1	0	0
Number of transfers	2	2	0	1	0	0
Estimated average number of transfers per retrieval	2.0	2.0				
Average number of embryos transferred	2.0	2.5		1.0		
Percentage of embryos transferred resulting in implantation	0 / 4	0 / 5		0 / 1		
Percentage of transfers resulting in singleton live births	0 / 2	0 / 2		0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 2	0 / 2		0 / 1		
Percentage of transfers resulting in live births	0 / 2	0 / 2		0 / 1		
Percentage of transfers resulting in pregnancy	0 / 2	0 / 2		0 / 1		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	0	4
Number of transfers	0	3
Average number of embryos transferred		3.0
Percentage of embryos transferred resulting in implantation		2 / 9
Percentage of transfers resulting in singleton live births		0 / 3
Percentage of transfers resulting in live births		1 / 3
Percentage of transfers resulting in pregnancy		1 / 3

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Infertility Solutions, PC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 21 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF PENNSYLVANIA
ALLENTOWN, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Wendy J. Schillings, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	83%
Unstimulated	0%	Used PGD	30%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	10%	Uterine factor	8%	*Multiple Factors:*	
Ovulatory dysfunction	15%	Male factor	56%	Female factors only	15%
Diminished ovarian reserve	17%	Other factor	33%	Female & male factors	24%
Endometriosis	3%	Unknown factor	0%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 241 (includes 85 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	31	17	13	2	1	0
Percentage of cancellations	0.0	0 / 17	2 / 13	1 / 2	0 / 1	
Average number of embryos transferred	2.0	1.7	1.9	1.0	1.0	
Percentage of embryos transferred resulting in implantation	61.8	59.1	15 / 15	1 / 1	1 / 1	
Percentage of elective single embryo transfer (eSET)	3.6	3 / 12	1 / 8	1 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	35.5	6 / 17	2 / 13	1 / 2	1 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 17	0 / 13	0 / 2	0 / 1	
Percentage of cycles resulting in live births	67.7	9 / 17	7 / 13	1 / 2	1 / 1	
Percentage of cycles resulting in pregnancy	71.0	11 / 17	8 / 13	1 / 2	1 / 1	
Outcomes per Transfer						
Number of transfers	28	13	8	1	1	0
Percentage of transfers resulting in singleton live births	39.3	6 / 13	2 / 8	1 / 1	1 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 13	0 / 8	0 / 1	0 / 1	
Percentage of transfers resulting in live births	75.0	9 / 13	7 / 8	1 / 1	1 / 1	
Percentage of transfers resulting in pregnancy	78.6	11 / 13	8 / 8	1 / 1	1 / 1	
Outcomes per Pregnancy						
Number of pregnancies	22	11	8	1	1	0
Percentage of pregnancies resulting in singleton live births	50.0	6 / 11	2 / 8	1 / 1	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 11	0 / 8	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births	95.5	9 / 11	7 / 8	1 / 1	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	34	26	19	4	0	0
Number of transfers	31	24	15	3	0	0
Estimated average number of transfers per retrieval	0.8	0.9	0.9	0.8	0.0	0.0
Average number of embryos transferred	1.7	1.5	1.3	1.7		
Percentage of embryos transferred resulting in implantation	50.0	52.8	50.0	2 / 5		
Percentage of transfers resulting in singleton live births	41.9	37.5	4 / 15	1 / 3		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 15	0 / 3		
Percentage of transfers resulting in live births	58.1	54.2	6 / 15	1 / 3		
Percentage of transfers resulting in pregnancy	61.3	62.5	8 / 15	2 / 3		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	7	2
Number of transfers	6	2
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation	6 / 12	2 / 4
Percentage of transfers resulting in singleton live births	2 / 6	2 / 2
Percentage of transfers resulting in live births	4 / 6	2 / 2
Percentage of transfers resulting in pregnancy	6 / 6	2 / 2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine Associates of Pennsylvania

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FAMILY FERTILITY CENTER
BETHLEHEM, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by H. Christina Lee, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	63%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	3%		

Patient Diagnosis[b]

Tubal factor	9%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	20%	Male factor	45%	Female factors only	16%
Diminished ovarian reserve	50%	Other factor	19%	Female & male factors	31%
Endometriosis	5%	Unknown factor	3%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 109 (includes 6 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	38	9	8	12	6	0
Percentage of cancellations	2.6	1 / 9	0 / 8	0 / 12	4 / 6	
Average number of embryos transferred	1.6	2.0	2.3	2.6	2.0	
Percentage of embryos transferred resulting in implantation	38.6	4 / 16	5 / 18	6.5	0 / 4	
Percentage of elective single embryo transfer (eSET)	19.2	1 / 7	0 / 7	0 / 11	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.3	2 / 9	1 / 8	2 / 12	0 / 6	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 9	0 / 8	0 / 12	0 / 6	
Percentage of cycles resulting in live births	42.1	3 / 9	2 / 8	2 / 12	0 / 6	
Percentage of cycles resulting in pregnancy	50.0	3 / 9	3 / 8	2 / 12	0 / 6	
Outcomes per Transfer						
Number of transfers	36	8	8	12	2	0
Percentage of transfers resulting in singleton live births	27.8	2 / 8	1 / 8	2 / 12	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 8	0 / 8	0 / 12	0 / 2	
Percentage of transfers resulting in live births	44.4	3 / 8	2 / 8	2 / 12	0 / 2	
Percentage of transfers resulting in pregnancy	52.8	3 / 8	3 / 8	2 / 12	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	19	3	3	2	0	0
Percentage of pregnancies resulting in singleton live births	10 / 19	2 / 3	1 / 3	2 / 2		
Percentage of pregnancies resulting in triplets or more live births	0 / 19	0 / 3	0 / 3	0 / 2		
Percentage of pregnancies resulting in live births	16 / 19	3 / 3	2 / 3	2 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	14	4	2	0	0	0
Number of transfers	14	4	2	0	0	0
Estimated average number of transfers per retrieval	1.3	1.0		0.0		
Average number of embryos transferred	1.9	1.8	2.0			
Percentage of embryos transferred resulting in implantation	38.5	2 / 7	2 / 4			
Percentage of transfers resulting in singleton live births	3 / 14	1 / 4	2 / 2			
Percentage of transfers resulting in triplets or more live births	1 / 14	0 / 4	0 / 2			
Percentage of transfers resulting in live births	4 / 14	1 / 4	2 / 2			
Percentage of transfers resulting in pregnancy	5 / 14	2 / 4	2 / 2			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	4	6
Number of transfers	3	6
Average number of embryos transferred	1.7	1.7
Percentage of embryos transferred resulting in implantation	2 / 5	3 / 10
Percentage of transfers resulting in singleton live births	2 / 3	2 / 6
Percentage of transfers resulting in live births	2 / 3	2 / 6
Percentage of transfers resulting in pregnancy	2 / 3	3 / 6

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Family Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MAIN LINE FERTILITY AND REPRODUCTIVE MEDICINE
BRYN MAWR, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Michael J. Glassner, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	43%
Unstimulated	<1%	Used PGD	7%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	14%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	21%	Male factor	21%	Female factors only	14%
Diminished ovarian reserve	35%	Other factor	13%	Female & male factors	11%
Endometriosis	6%	Unknown factor	20%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 1,132 (includes 121 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	304	140	114	69	20	9
Percentage of cancellations	3.3	4.3	5.3	11.6	15.0	0 / 9
Average number of embryos transferred	2.1	2.3	2.8	3.4	2.8	2.8
Percentage of embryos transferred resulting in implantation	34.5	30.0	16.4	13.0	0.0	0 / 17
Percentage of elective single embryo transfer (eSET)	4.5	4.3	3.4	2.2	1 / 12	0 / 6
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.3	20.7	19.3	13.0	0.0	0 / 9
Percentage of cycles resulting in triplets or more live births	0.7	0.0	0.9	0.0	0.0	0 / 9
Percentage of cycles resulting in live births	40.1	35.0	25.4	14.5	0.0	0 / 9
Percentage of cycles resulting in pregnancy	52.6	45.0	34.2	29.0	5.0	0 / 9
Outcomes per Transfer						
Number of transfers	280	125	99	50	14	6
Percentage of transfers resulting in singleton live births	29.6	23.2	22.2	18.0	0 / 14	0 / 6
Percentage of transfers resulting in triplets or more live births	0.7	0.0	1.0	0.0	0 / 14	0 / 6
Percentage of transfers resulting in live births	43.6	39.2	29.3	20.0	0 / 14	0 / 6
Percentage of transfers resulting in pregnancy	57.1	50.4	39.4	40.0	1 / 14	0 / 6
Outcomes per Pregnancy						
Number of pregnancies	160	63	39	20	1	0
Percentage of pregnancies resulting in singleton live births	51.9	46.0	56.4	45.0	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	1.3	0.0	2.6	0.0	0 / 1	
Percentage of pregnancies resulting in live births	76.3	77.8	74.4	50.0	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	90	54	37	20	4	0
Number of transfers	84	52	32	19	3	0
Estimated average number of transfers per retrieval	1.0	1.3	0.6	1.0	1.0	0.0
Average number of embryos transferred	1.7	1.5	1.8	1.5	1.7	
Percentage of embryos transferred resulting in implantation	34.7	23.8	12.5	27.6	1 / 5	
Percentage of transfers resulting in singleton live births	31.0	23.1	18.8	3 / 19	1 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 19	0 / 3	
Percentage of transfers resulting in live births	44.0	25.0	18.8	5 / 19	1 / 3	
Percentage of transfers resulting in pregnancy	48.8	34.6	34.4	7 / 19	1 / 3	

	All Ages Combined[f]	
Donor Eggs	**Fresh Embryos**	**Frozen Embryos**
Number of cycles	80	70
Number of transfers	77	65
Average number of embryos transferred	2.0	1.9
Percentage of embryos transferred resulting in implantation	35.8	19.8
Percentage of transfers resulting in singleton live births	26.0	23.1
Percentage of transfers resulting in live births	41.6	29.2
Percentage of transfers resulting in pregnancy	54.5	43.1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Main Line Fertility and Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GEISINGER MEDICAL CENTER FERTILITY PROGRAM
DANVILLE, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Jennifer Gell, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	84%
Unstimulated	1%	Used PGD	0%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	15%	Uterine factor	9%	*Multiple Factors:*	
Ovulatory dysfunction	6%	Male factor	29%	Female factors only	9%
Diminished ovarian reserve	28%	Other factor	6%	Female & male factors	11%
Endometriosis	13%	Unknown factor	15%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 142 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	40	17	20	9	1	0
Percentage of cancellations	12.5	2 / 17	10.0	0 / 9	0 / 1	
Average number of embryos transferred	1.9	2.5	2.6	2.7	4.0	
Percentage of embryos transferred resulting in implantation	32.3	22.9	11.1	0.0	0 / 4	
Percentage of elective single embryo transfer (eSET)	9.7	0 / 13	0 / 14	0 / 8	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.5	6 / 17	10.0	0 / 9	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 17	0.0	0 / 9	0 / 1	
Percentage of cycles resulting in live births	37.5	7 / 17	10.0	0 / 9	0 / 1	
Percentage of cycles resulting in pregnancy	37.5	7 / 17	25.0	1 / 9	0 / 1	
Outcomes per Transfer						
Number of transfers	32	14	14	9	1	0
Percentage of transfers resulting in singleton live births	34.4	6 / 14	2 / 14	0 / 9	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 14	0 / 14	0 / 9	0 / 1	
Percentage of transfers resulting in live births	46.9	7 / 14	2 / 14	0 / 9	0 / 1	
Percentage of transfers resulting in pregnancy	46.9	7 / 14	5 / 14	1 / 9	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	15	7	5	1	0	0
Percentage of pregnancies resulting in singleton live births	11 / 15	6 / 7	2 / 5	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 15	0 / 7	0 / 5	0 / 1		
Percentage of pregnancies resulting in live births	15 / 15	7 / 7	2 / 5	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	20	8	9	2	1	1
Number of transfers	20	8	7	2	1	1
Estimated average number of transfers per retrieval	2.0	4.0	1.4	1.0		
Average number of embryos transferred	1.7	1.8	1.7	2.5	2.0	2.0
Percentage of embryos transferred resulting in implantation	24.2	0 / 14	4 / 12	0 / 5	0 / 2	0 / 2
Percentage of transfers resulting in singleton live births	25.0	0 / 8	2 / 7	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 8	0 / 7	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in live births	30.0	0 / 8	3 / 7	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	35.0	0 / 8	3 / 7	0 / 2	0 / 1	0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	7	7
Number of transfers	6	6
Average number of embryos transferred	2.2	1.8
Percentage of embryos transferred resulting in implantation	7 / 13	5 / 11
Percentage of transfers resulting in singleton live births	2 / 6	1 / 6
Percentage of transfers resulting in live births	4 / 6	3 / 6
Percentage of transfers resulting in pregnancy	4 / 6	3 / 6

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Geisinger Medical Center Fertility Program

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PENN STATE MILTON S. HERSHEY MEDICAL CENTER
HERSHEY, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by William C. Dodson, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	72%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	17%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	24%	Male factor	22%	Female factors only	<1%
Diminished ovarian reserve	3%	Other factor	2%	Female & male factors	8%
Endometriosis	6%	Unknown factor	35%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 134 (includes 2 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	52	12	14	1	0	0
Percentage of cancellations	7.7	3 / 12	1 / 14	0 / 1		
Average number of embryos transferred	1.9	2.1	2.5	3.0		
Percentage of embryos transferred resulting in implantation	25.0	5 / 17	12.5	0 / 3		
Percentage of elective single embryo transfer (eSET)	2.7	1 / 8	0 / 11	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	13.5	3 / 12	1 / 14	0 / 1		
Percentage of cycles resulting in triplets or more live births	0.0	0 / 12	0 / 14	0 / 1		
Percentage of cycles resulting in live births	25.0	3 / 12	2 / 14	0 / 1		
Percentage of cycles resulting in pregnancy	25.0	4 / 12	3 / 14	0 / 1		
Outcomes per Transfer						
Number of transfers	42	8	13	1	0	0
Percentage of transfers resulting in singleton live births	16.7	3 / 8	1 / 13	0 / 1		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 8	0 / 13	0 / 1		
Percentage of transfers resulting in live births	31.0	3 / 8	2 / 13	0 / 1		
Percentage of transfers resulting in pregnancy	31.0	4 / 8	3 / 13	0 / 1		
Outcomes per Pregnancy						
Number of pregnancies	13	4	3	0	0	0
Percentage of pregnancies resulting in singleton live births	7 / 13	3 / 4	1 / 3			
Percentage of pregnancies resulting in triplets or more live births	0 / 13	0 / 4	0 / 3			
Percentage of pregnancies resulting in live births	13 / 13	3 / 4	2 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	27	5	10	2	0	1
Number of transfers	25	5	9	2	0	1
Estimated average number of transfers per retrieval	1.3	2.5	2.3	1.0		
Average number of embryos transferred	2.2	2.2	2.8	2.5		3.0
Percentage of embryos transferred resulting in implantation	17.9	1 / 11	12.0	1 / 5		0 / 3
Percentage of transfers resulting in singleton live births	24.0	0 / 5	2 / 9	0 / 2		0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 5	0 / 9	0 / 2		0 / 1
Percentage of transfers resulting in live births	28.0	0 / 5	2 / 9	0 / 2		0 / 1
Percentage of transfers resulting in pregnancy	36.0	1 / 5	3 / 9	1 / 2		0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	2	6
Number of transfers	2	5
Average number of embryos transferred	2.0	1.8
Percentage of embryos transferred resulting in implantation	1 / 4	3 / 9
Percentage of transfers resulting in singleton live births	0 / 2	1 / 5
Percentage of transfers resulting in live births	0 / 2	2 / 5
Percentage of transfers resulting in pregnancy	1 / 2	2 / 5

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Penn State Milton S. Hershey Medical Center

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF PHILADELPHIA
KING OF PRUSSIA, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Arthur J. Castelbaum, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	66%
Unstimulated	0%	Used PGD	2%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	9%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	7%	Male factor	23%	Female factors only	6%
Diminished ovarian reserve	27%	Other factor	22%	Female & male factors	7%
Endometriosis	6%	Unknown factor	18%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 453 (includes 15 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	130	86	69	12	10	7
Percentage of cancellations	6.2	8.1	17.4	6 / 12	0 / 10	2 / 7
Average number of embryos transferred	2.0	2.1	2.8	3.6	3.6	3.0
Percentage of embryos transferred resulting in implantation	43.5	28.2	18.3	1 / 18	4.0	0 / 9
Percentage of elective single embryo transfer (eSET)	6.3	4.5	0.0	0 / 5	0 / 7	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	29.2	30.2	15.9	0 / 12	1 / 10	0 / 7
Percentage of cycles resulting in triplets or more live births	0.8	0.0	0.0	0 / 12	0 / 10	0 / 7
Percentage of cycles resulting in live births	46.9	36.0	20.3	0 / 12	1 / 10	0 / 7
Percentage of cycles resulting in pregnancy	57.7	47.7	29.0	1 / 12	1 / 10	0 / 7
Outcomes per Transfer						
Number of transfers	119	75	54	5	7	3
Percentage of transfers resulting in singleton live births	31.9	34.7	20.4	0 / 5	1 / 7	0 / 3
Percentage of transfers resulting in triplets or more live births	0.8	0.0	0.0	0 / 5	0 / 7	0 / 3
Percentage of transfers resulting in live births	51.3	41.3	25.9	0 / 5	1 / 7	0 / 3
Percentage of transfers resulting in pregnancy	63.0	54.7	37.0	1 / 5	1 / 7	0 / 3
Outcomes per Pregnancy						
Number of pregnancies	75	41	20	1	1	0
Percentage of pregnancies resulting in singleton live births	50.7	63.4	55.0	0 / 1	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	1.3	0.0	0.0	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births	81.3	75.6	70.0	0 / 1	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	41	17	17	1	1	0
Number of transfers	39	16	15	1	1	0
Estimated average number of transfers per retrieval	2.4	1.8	1.1		1.0	
Average number of embryos transferred	1.6	1.5	1.9	1.0	1.0	
Percentage of embryos transferred resulting in implantation	31.7	25.0	21.4	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births	41.0	4 / 16	1 / 15	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0 / 15	0 / 1	0 / 1	
Percentage of transfers resulting in live births	46.2	4 / 16	1 / 15	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	48.7	6 / 16	4 / 15	0 / 1	0 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	28	19
Number of transfers	27	18
Average number of embryos transferred	1.8	1.6
Percentage of embryos transferred resulting in implantation	38.8	34.5
Percentage of transfers resulting in singleton live births	37.0	8 / 18
Percentage of transfers resulting in live births	48.1	9 / 18
Percentage of transfers resulting in pregnancy	63.0	9 / 18

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine Associates of Philadelphia

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY AND GYNECOLOGY ASSOCIATES
PHILADELPHIA, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Leonore C. Huppert, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	69%
Unstimulated	0%	Used PGD	8%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	7%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	15%	Male factor	48%	Female factors only	19%
Diminished ovarian reserve	48%	Other factor	7%	Female & male factors	19%
Endometriosis	0%	Unknown factor	7%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 27 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	4	3	2	2	1	1
Percentage of cancellations	0 / 4	0 / 3	0 / 2	0 / 2	1 / 1	0 / 1
Average number of embryos transferred	1.5	1.5	3.5	1.5		3.0
Percentage of embryos transferred resulting in implantation	4 / 6	1 / 3	1 / 7	1 / 3		0 / 3
Percentage of elective single embryo transfer (eSET)	2 / 4	0 / 1	0 / 2	0 / 1		0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	1 / 4	0 / 3	0 / 2	0 / 2	0 / 1	0 / 1
Percentage of cycles resulting in triplets or more live births	0 / 4	0 / 3	0 / 2	0 / 2	0 / 1	0 / 1
Percentage of cycles resulting in live births	2 / 4	0 / 3	0 / 2	0 / 2	0 / 1	0 / 1
Percentage of cycles resulting in pregnancy	3 / 4	1 / 3	1 / 2	1 / 2	0 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	4	2	2	2	0	1
Percentage of transfers resulting in singleton live births	1 / 4	0 / 2	0 / 2	0 / 2		0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 2	0 / 2	0 / 2		0 / 1
Percentage of transfers resulting in live births	2 / 4	0 / 2	0 / 2	0 / 2		0 / 1
Percentage of transfers resulting in pregnancy	3 / 4	1 / 2	1 / 2	1 / 2		0 / 1
Outcomes per Pregnancy						
Number of pregnancies	3	1	1	1	0	0
Percentage of pregnancies resulting in singleton live births	1 / 3	0 / 1	0 / 1	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 3	0 / 1	0 / 1	0 / 1		
Percentage of pregnancies resulting in live births	2 / 3	0 / 1	0 / 1	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	4	0	1	0	0
Number of transfers	4	4	0	1	0	0
Estimated average number of transfers per retrieval	4.0					
Average number of embryos transferred	1.5	2.8		3.0		
Percentage of embryos transferred resulting in implantation	2 / 6	4 / 11		0 / 3		
Percentage of transfers resulting in singleton live births	2 / 4	1 / 4		0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 4		0 / 1		
Percentage of transfers resulting in live births	2 / 4	2 / 4		0 / 1		
Percentage of transfers resulting in pregnancy	2 / 4	3 / 4		0 / 1		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	5	0
Number of transfers	5	0
Average number of embryos transferred	1.6	
Percentage of embryos transferred resulting in implantation	3 / 8	
Percentage of transfers resulting in singleton live births	2 / 5	
Percentage of transfers resulting in live births	2 / 5	
Percentage of transfers resulting in pregnancy	3 / 5	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility and Gynecology Associates

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

JEFFERSON IVF
PHILADELPHIA, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Caleb B. Kallen, MD, PhD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	40%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	30%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	30%	Male factor	30%	Female factors only	0%
Diminished ovarian reserve	30%	Other factor	0%	Female & male factors	20%
Endometriosis	0%	Unknown factor	0%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 10 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	4	1	0	0	0	0
Percentage of cancellations	0 / 4	0 / 1				
Average number of embryos transferred	2.0	2.0				
Percentage of embryos transferred resulting in implantation	3 / 8	1 / 2				
Percentage of elective single embryo transfer (eSET)	0 / 4	0 / 1				
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	1 / 4	1 / 1				
Percentage of cycles resulting in triplets or more live births	0 / 4	0 / 1				
Percentage of cycles resulting in live births	2 / 4	1 / 1				
Percentage of cycles resulting in pregnancy	2 / 4	1 / 1				
Outcomes per Transfer						
Number of transfers	4	1	0	0	0	0
Percentage of transfers resulting in singleton live births	1 / 4	1 / 1				
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 1				
Percentage of transfers resulting in live births	2 / 4	1 / 1				
Percentage of transfers resulting in pregnancy	2 / 4	1 / 1				
Outcomes per Pregnancy						
Number of pregnancies	2	1	0	0	0	0
Percentage of pregnancies resulting in singleton live births	1 / 2	1 / 1				
Percentage of pregnancies resulting in triplets or more live births	0 / 2	0 / 1				
Percentage of pregnancies resulting in live births	2 / 2	1 / 1				
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	2	0	0	0	0
Number of transfers	1	2	0	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred	2.0	1.0				
Percentage of embryos transferred resulting in implantation	0 / 2	0 / 2				
Percentage of transfers resulting in singleton live births	0 / 1	0 / 2				
Percentage of transfers resulting in triplets or more live births	0 / 1	0 / 2				
Percentage of transfers resulting in live births	0 / 1	0 / 2				
Percentage of transfers resulting in pregnancy	0 / 1	0 / 2				

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	0	2
Number of transfers	0	2
Average number of embryos transferred		2.0
Percentage of embryos transferred resulting in implantation		0 / 4
Percentage of transfers resulting in singleton live births		0 / 2
Percentage of transfers resulting in live births		0 / 2
Percentage of transfers resulting in pregnancy		0 / 2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Jefferson IVF

Donor egg?	Yes	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOCIETY HILL REPRODUCTIVE MEDICINE
PHILADELPHIA, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Maureen P. Kelly, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	82%
Unstimulated	0%	Used PGD	4%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	17%	Uterine factor	7%	*Multiple Factors:*	
Ovulatory dysfunction	15%	Male factor	41%	Female factors only	12%
Diminished ovarian reserve	44%	Other factor	12%	Female & male factors	25%
Endometriosis	12%	Unknown factor	2%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 64 (includes 5 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	19	18	8	4	0	0
Percentage of cancellations	0 / 19	3 / 18	1 / 8	0 / 4		
Average number of embryos transferred	2.2	2.3	2.7	2.5		
Percentage of embryos transferred resulting in implantation	20.5	11.4	3 / 16	0 / 5		
Percentage of elective single embryo transfer (eSET)	2 / 16	2 / 13	0 / 6	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	3 / 19	1 / 18	3 / 8	0 / 4		
Percentage of cycles resulting in triplets or more live births	0 / 19	0 / 18	0 / 8	0 / 4		
Percentage of cycles resulting in live births	5 / 19	2 / 18	3 / 8	0 / 4		
Percentage of cycles resulting in pregnancy	6 / 19	2 / 18	3 / 8	0 / 4		
Outcomes per Transfer						
Number of transfers	18	15	6	2	0	0
Percentage of transfers resulting in singleton live births	3 / 18	1 / 15	3 / 6	0 / 2		
Percentage of transfers resulting in triplets or more live births	0 / 18	0 / 15	0 / 6	0 / 2		
Percentage of transfers resulting in live births	5 / 18	2 / 15	3 / 6	0 / 2		
Percentage of transfers resulting in pregnancy	6 / 18	2 / 15	3 / 6	0 / 2		
Outcomes per Pregnancy						
Number of pregnancies	6	2	3	0	0	0
Percentage of pregnancies resulting in singleton live births	3 / 6	1 / 2	3 / 3			
Percentage of pregnancies resulting in triplets or more live births	0 / 6	0 / 2	0 / 3			
Percentage of pregnancies resulting in live births	5 / 6	2 / 2	3 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	2	1	0	0	0
Number of transfers	2	2	0	0	0	0
Estimated average number of transfers per retrieval	0.7	0.3				
Average number of embryos transferred	1.5	1.5				
Percentage of embryos transferred resulting in implantation	1 / 3	1 / 3				
Percentage of transfers resulting in singleton live births	1 / 2	1 / 2				
Percentage of transfers resulting in triplets or more live births	0 / 2	0 / 2				
Percentage of transfers resulting in live births	1 / 2	1 / 2				
Percentage of transfers resulting in pregnancy	1 / 2	1 / 2				

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	2	3
Number of transfers	2	3
Average number of embryos transferred	2.0	1.3
Percentage of embryos transferred resulting in implantation	3 / 4	2 / 4
Percentage of transfers resulting in singleton live births	2 / 2	2 / 3
Percentage of transfers resulting in live births	2 / 2	2 / 3
Percentage of transfers resulting in pregnancy	2 / 2	2 / 3

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Society Hill Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF PENNSYLVANIA
PENN FERTILITY CARE
PHILADELPHIA, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Anuja Dokras, MD, PhD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	35%
Unstimulated	0%	Used PGD	4%
Used gestational carrier	1%		

Patient Diagnosis[b]

Tubal factor	18%	Uterine factor	11%	*Multiple Factors:*	
Ovulatory dysfunction	9%	Male factor	23%	Female factors only	25%
Diminished ovarian reserve	33%	Other factor	26%	Female & male factors	13%
Endometriosis	11%	Unknown factor	16%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 447 (includes 36 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	139	60	68	23	11	0
Percentage of cancellations	8.6	13.3	13.2	21.7	0 / 11	
Average number of embryos transferred	1.7	1.8	2.1	2.7	3.1	
Percentage of embryos transferred resulting in implantation	29.9	27.3	15.4	6.3	3.2	
Percentage of elective single embryo transfer (eSET)	21.4	17.9	2.4	0 / 13	0 / 9	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.6	18.3	20.6	13.0	1 / 11	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 11	
Percentage of cycles resulting in live births	33.1	25.0	22.1	13.0	1 / 11	
Percentage of cycles resulting in pregnancy	35.3	33.3	33.8	13.0	1 / 11	
Outcomes per Transfer						
Number of transfers	115	48	55	18	10	0
Percentage of transfers resulting in singleton live births	32.2	22.9	25.5	3 / 18	1 / 10	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 18	0 / 10	
Percentage of transfers resulting in live births	40.0	31.3	27.3	3 / 18	1 / 10	
Percentage of transfers resulting in pregnancy	42.6	41.7	41.8	3 / 18	1 / 10	
Outcomes per Pregnancy						
Number of pregnancies	49	20	23	3	1	0
Percentage of pregnancies resulting in singleton live births	75.5	55.0	60.9	3 / 3	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 3	0 / 1	
Percentage of pregnancies resulting in live births	93.9	75.0	65.2	3 / 3	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	26	12	4	7	3	2
Number of transfers	21	12	4	6	2	1
Estimated average number of transfers per retrieval	0.6	1.0	0.4	1.5		1.0
Average number of embryos transferred	1.6	1.6	2.3	1.8	2.0	1.0
Percentage of embryos transferred resulting in implantation	14.7	3 / 19	2 / 9	3 / 11	0 / 4	0 / 1
Percentage of transfers resulting in singleton live births	14.3	3 / 12	2 / 4	0 / 6	0 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 12	0 / 4	0 / 6	0 / 2	0 / 1
Percentage of transfers resulting in live births	19.0	3 / 12	2 / 4	0 / 6	0 / 2	0 / 1
Percentage of transfers resulting in pregnancy	19.0	3 / 12	2 / 4	1 / 6	0 / 2	0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	31	25
Number of transfers	28	22
Average number of embryos transferred	1.7	1.6
Percentage of embryos transferred resulting in implantation	37.5	22.9
Percentage of transfers resulting in singleton live births	42.9	36.4
Percentage of transfers resulting in live births	53.6	36.4
Percentage of transfers resulting in pregnancy	53.6	36.4

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University of Pennsylvania, Penn Fertility Care

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

JONES INSTITUTE AT WEST PENN ALLEGHENY HEALTH SYSTEM
PITTSBURGH, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Beth Hartog, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	49%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	12%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	11%	Male factor	44%	Female factors only	10%
Diminished ovarian reserve	19%	Other factor	23%	Female & male factors	20%
Endometriosis	4%	Unknown factor	16%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 102 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	40	12	4	2	1	0
Percentage of cancellations	10.0	2 / 12	2 / 4	0 / 2	0 / 1	
Average number of embryos transferred	2.0	2.2	3.0	3.0	2.0	
Percentage of embryos transferred resulting in implantation	19.4	5.0	0 / 6	1 / 3	0 / 2	
Percentage of elective single embryo transfer (eSET)	2.9	0 / 9	0 / 2	0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	22.5	1 / 12	0 / 4	0 / 2	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 12	0 / 4	0 / 2	0 / 1	
Percentage of cycles resulting in live births	27.5	1 / 12	0 / 4	0 / 2	0 / 1	
Percentage of cycles resulting in pregnancy	30.0	4 / 12	0 / 4	1 / 2	0 / 1	
Outcomes per Transfer						
Number of transfers	34	9	2	1	1	0
Percentage of transfers resulting in singleton live births	26.5	1 / 9	0 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 9	0 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in live births	32.4	1 / 9	0 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	35.3	4 / 9	0 / 2	1 / 1	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	12	4	0	1	0	0
Percentage of pregnancies resulting in singleton live births	9 / 12	1 / 4		0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 12	0 / 4		0 / 1		
Percentage of pregnancies resulting in live births	11 / 12	1 / 4		0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	14	11	2	3	0	1
Number of transfers	14	8	2	3	0	1
Estimated average number of transfers per retrieval	1.6	8.0	2.0	1.0		
Average number of embryos transferred	2.1	1.8	2.0	2.0		2.0
Percentage of embryos transferred resulting in implantation	23.3	2 / 14	0 / 4	0 / 6		2 / 2
Percentage of transfers resulting in singleton live births	2 / 14	2 / 8	0 / 2	0 / 3		0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 14	0 / 8	0 / 2	0 / 3		0 / 1
Percentage of transfers resulting in live births	4 / 14	2 / 8	0 / 2	0 / 3		1 / 1
Percentage of transfers resulting in pregnancy	5 / 14	2 / 8	0 / 2	1 / 3		1 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	2	10
Number of transfers	2	9
Average number of embryos transferred	2.0	2.1
Percentage of embryos transferred resulting in implantation	1 / 4	6 / 19
Percentage of transfers resulting in singleton live births	1 / 2	4 / 9
Percentage of transfers resulting in live births	1 / 2	4 / 9
Percentage of transfers resulting in pregnancy	1 / 2	4 / 9

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2012. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE HEALTH SPECIALISTS, INC.
PITTSBURGH, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Judith L. Albert, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	74%
Unstimulated	0%	Used PGD	1%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	14%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	9%	Male factor	33%	Female factors only	4%
Diminished ovarian reserve	11%	Other factor	5%	Female & male factors	6%
Endometriosis	9%	Unknown factor	27%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 289 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	120	50	29	10	3	0
Percentage of cancellations	4.2	6.0	17.2	2 / 10	0 / 3	
Average number of embryos transferred	1.6	1.8	2.1	2.2	2.3	
Percentage of embryos transferred resulting in implantation	37.6	22.2	20.5	0 / 13	1 / 7	
Percentage of elective single embryo transfer (eSET)	35.4	13.5	0 / 19	0 / 6	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	32.5	32.0	17.2	0 / 10	0 / 3	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 10	0 / 3	
Percentage of cycles resulting in live births	40.8	34.0	20.7	0 / 10	0 / 3	
Percentage of cycles resulting in pregnancy	46.7	36.0	24.1	1 / 10	1 / 3	
Outcomes per Transfer						
Number of transfers	106	44	21	6	3	0
Percentage of transfers resulting in singleton live births	36.8	36.4	23.8	0 / 6	0 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 6	0 / 3	
Percentage of transfers resulting in live births	46.2	38.6	28.6	0 / 6	0 / 3	
Percentage of transfers resulting in pregnancy	52.8	40.9	33.3	1 / 6	1 / 3	
Outcomes per Pregnancy						
Number of pregnancies	56	18	7	1	1	0
Percentage of pregnancies resulting in singleton live births	69.6	16 / 18	5 / 7	0 / 1	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 18	0 / 7	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births	87.5	17 / 18	6 / 7	0 / 1	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	34	12	14	3	0	2
Number of transfers	30	12	14	3	0	2
Estimated average number of transfers per retrieval	1.9	2.4	4.7	3.0		
Average number of embryos transferred	1.6	1.5	1.6	1.7		2.5
Percentage of embryos transferred resulting in implantation	39.6	10 / 18	18.2	1 / 5		0 / 5
Percentage of transfers resulting in singleton live births	40.0	6 / 12	3 / 14	1 / 3		0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0 / 12	0 / 14	0 / 3		0 / 2
Percentage of transfers resulting in live births	50.0	8 / 12	3 / 14	1 / 3		0 / 2
Percentage of transfers resulting in pregnancy	60.0	8 / 12	5 / 14	2 / 3		0 / 2

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	7	5
Number of transfers	6	5
Average number of embryos transferred	1.5	2.0
Percentage of embryos transferred resulting in implantation	6 / 9	5 / 10
Percentage of transfers resulting in singleton live births	2 / 6	1 / 5
Percentage of transfers resulting in live births	4 / 6	2 / 5
Percentage of transfers resulting in pregnancy	4 / 6	3 / 5

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Health Specialists, Inc.

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF PITTSBURGH PHYSICIANS
CENTER FOR FERTILITY AND REPRODUCTIVE ENDOCRINOLOGY
PITTSBURGH, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Anthony N. Wakim, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	59%
Unstimulated	0%	Used PGD	<1%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	6%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	6%	Male factor	23%	Female factors only	5%
Diminished ovarian reserve	42%	Other factor	21%	Female & male factors	7%
Endometriosis	7%	Unknown factor	6%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 767 (includes 11 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	179	87	60	23	5	1
Percentage of cancellations	6.7	9.2	13.3	17.4	2 / 5	0 / 1
Average number of embryos transferred	1.8	2.0	2.3	2.4	2.0	2.0
Percentage of embryos transferred resulting in implantation	25.2	19.7	8.0	0.0	1 / 4	0 / 2
Percentage of elective single embryo transfer (eSET)	26.1	9.7	2.5	0 / 11	0 / 2	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	19.0	21.8	10.0	0.0	0 / 5	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 5	0 / 1
Percentage of cycles resulting in live births	22.3	24.1	11.7	0.0	0 / 5	0 / 1
Percentage of cycles resulting in pregnancy	26.8	27.6	13.3	0.0	1 / 5	0 / 1
Outcomes per Transfer						
Number of transfers	123	66	43	14	2	1
Percentage of transfers resulting in singleton live births	27.6	28.8	14.0	0 / 14	0 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 14	0 / 2	0 / 1
Percentage of transfers resulting in live births	32.5	31.8	16.3	0 / 14	0 / 2	0 / 1
Percentage of transfers resulting in pregnancy	39.0	36.4	18.6	0 / 14	1 / 2	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	48	24	8	0	1	0
Percentage of pregnancies resulting in singleton live births	70.8	79.2	6 / 8		0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0 / 8		0 / 1	
Percentage of pregnancies resulting in live births	83.3	87.5	7 / 8		0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	181	68	33	19	7	3
Number of transfers	141	54	27	11	7	2
Estimated average number of transfers per retrieval	2.0	1.8	2.5	1.6	3.5	
Average number of embryos transferred	2.0	2.1	2.0	1.7	1.6	1.5
Percentage of embryos transferred resulting in implantation	21.7	10.8	18.2	0 / 19	1 / 11	0 / 3
Percentage of transfers resulting in singleton live births	23.4	14.8	22.2	0 / 11	1 / 7	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 11	0 / 7	0 / 2
Percentage of transfers resulting in live births	27.7	16.7	22.2	0 / 11	1 / 7	0 / 2
Percentage of transfers resulting in pregnancy	36.9	24.1	37.0	0 / 11	1 / 7	0 / 2

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	36	54
Number of transfers	31	42
Average number of embryos transferred	1.5	1.7
Percentage of embryos transferred resulting in implantation	35.4	21.9
Percentage of transfers resulting in singleton live births	45.2	28.6
Percentage of transfers resulting in live births	48.4	31.0
Percentage of transfers resulting in pregnancy	51.6	35.7

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University of Pittsburgh Physicians, Center for Fertility and Reproductive Endocrinology

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE ENDOCRINOLOGY AND FERTILITY CENTER
UPLAND, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Albert El-Roeiy, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	59%
Unstimulated	<1%	Used PGD	3%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	35%	Uterine factor	17%	*Multiple Factors:*	
Ovulatory dysfunction	17%	Male factor	36%	Female factors only	27%
Diminished ovarian reserve	7%	Other factor	29%	Female & male factors	24%
Endometriosis	22%	Unknown factor	0%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 232 (includes 2 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	72	34	30	14	5	0
Percentage of cancellations	18.1	20.6	13.3	3 / 14	0 / 5	
Average number of embryos transferred	2.0	2.1	2.3	2.0	2.3	
Percentage of embryos transferred resulting in implantation	16.7	15.8	24.4	0 / 14	0 / 7	
Percentage of elective single embryo transfer (eSET)	2.6	0 / 18	0 / 14	0 / 5	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	11.1	11.8	10.0	0 / 14	0 / 5	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 14	0 / 5	
Percentage of cycles resulting in live births	12.5	14.7	16.7	0 / 14	0 / 5	
Percentage of cycles resulting in pregnancy	15.3	14.7	20.0	0 / 14	0 / 5	
Outcomes per Transfer						
Number of transfers	41	18	18	7	3	0
Percentage of transfers resulting in singleton live births	19.5	4 / 18	3 / 18	0 / 7	0 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 18	0 / 18	0 / 7	0 / 3	
Percentage of transfers resulting in live births	22.0	5 / 18	5 / 18	0 / 7	0 / 3	
Percentage of transfers resulting in pregnancy	26.8	5 / 18	6 / 18	0 / 7	0 / 3	
Outcomes per Pregnancy						
Number of pregnancies	11	5	6	0	0	0
Percentage of pregnancies resulting in singleton live births	8 / 11	4 / 5	3 / 6			
Percentage of pregnancies resulting in triplets or more live births	0 / 11	0 / 5	0 / 6			
Percentage of pregnancies resulting in live births	9 / 11	5 / 5	5 / 6			
Frozen Embryos from Nondonor Eggs						
Number of cycles	31	12	6	1	2	1
Number of transfers	31	11	6	1	2	0
Estimated average number of transfers per retrieval	0.9	0.8	1.0	0.5		
Average number of embryos transferred	1.9	1.6	2.3	2.0	2.0	
Percentage of embryos transferred resulting in implantation	40.7	5 / 18	3 / 14	0 / 2	0 / 4	
Percentage of transfers resulting in singleton live births	29.0	1 / 11	2 / 6	0 / 1	0 / 2	
Percentage of transfers resulting in triplets or more live births	3.2	0 / 11	0 / 6	0 / 1	0 / 2	
Percentage of transfers resulting in live births	41.9	3 / 11	2 / 6	0 / 1	0 / 2	
Percentage of transfers resulting in pregnancy	51.6	3 / 11	3 / 6	0 / 1	0 / 2	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	12	10
Number of transfers	7	8
Average number of embryos transferred	2.0	1.8
Percentage of embryos transferred resulting in implantation	0 / 14	3 / 14
Percentage of transfers resulting in singleton live births	0 / 7	3 / 8
Percentage of transfers resulting in live births	0 / 7	3 / 8
Percentage of transfers resulting in pregnancy	0 / 7	3 / 8

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Endocrinology and Fertility Center

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE SCIENCE INSTITUTE OF SUBURBAN PHILADELPHIA
WAYNE, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Abraham K. Munabi, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	80%
Unstimulated	<1%	Used PGD	8%
Used gestational carrier	3%		

Patient Diagnosis[b]

Tubal factor	12%	Uterine factor	1%	*Multiple Factors:*	
Ovulatory dysfunction	31%	Male factor	37%	Female factors only	9%
Diminished ovarian reserve	34%	Other factor	12%	Female & male factors	24%
Endometriosis	4%	Unknown factor	4%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 154 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	64	28	20	2	4	1
Percentage of cancellations	0.0	7.1	10.0	0 / 2	0 / 4	0 / 1
Average number of embryos transferred	2.0	2.1	2.6	1.5	3.3	4.0
Percentage of embryos transferred resulting in implantation	30.4	17.0	15.2	0 / 3	0 / 13	0 / 4
Percentage of elective single embryo transfer (eSET)	11.3	0.0	0 / 17	0 / 1	0 / 4	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	39.1	17.9	20.0	0 / 2	0 / 4	0 / 1
Percentage of cycles resulting in triplets or more live births	1.6	0.0	0.0	0 / 2	0 / 4	0 / 1
Percentage of cycles resulting in live births	42.2	21.4	25.0	0 / 2	0 / 4	0 / 1
Percentage of cycles resulting in pregnancy	48.4	25.0	30.0	0 / 2	0 / 4	0 / 1
Outcomes per Transfer						
Number of transfers	62	22	18	2	4	1
Percentage of transfers resulting in singleton live births	40.3	22.7	4 / 18	0 / 2	0 / 4	0 / 1
Percentage of transfers resulting in triplets or more live births	1.6	0.0	0 / 18	0 / 2	0 / 4	0 / 1
Percentage of transfers resulting in live births	43.5	27.3	5 / 18	0 / 2	0 / 4	0 / 1
Percentage of transfers resulting in pregnancy	50.0	31.8	6 / 18	0 / 2	0 / 4	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	31	7	6	0	0	0
Percentage of pregnancies resulting in singleton live births	80.6	5 / 7	4 / 6			
Percentage of pregnancies resulting in triplets or more live births	3.2	0 / 7	0 / 6			
Percentage of pregnancies resulting in live births	87.1	6 / 7	5 / 6			
Frozen Embryos from Nondonor Eggs						
Number of cycles	8	8	2	0	1	1
Number of transfers	8	7	2	0	1	1
Estimated average number of transfers per retrieval	0.9	1.8	2.0			
Average number of embryos transferred	1.3	1.6	1.0		1.0	1.0
Percentage of embryos transferred resulting in implantation	2 / 10	2 / 11	0 / 2		0 / 1	0 / 1
Percentage of transfers resulting in singleton live births	2 / 8	2 / 7	0 / 2		0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 8	0 / 7	0 / 2		0 / 1	0 / 1
Percentage of transfers resulting in live births	2 / 8	2 / 7	0 / 2		0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	2 / 8	2 / 7	0 / 2		0 / 1	0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	7	7
Number of transfers	7	7
Average number of embryos transferred	2.0	1.4
Percentage of embryos transferred resulting in implantation	3 / 14	2 / 10
Percentage of transfers resulting in singleton live births	1 / 7	2 / 7
Percentage of transfers resulting in live births	1 / 7	2 / 7
Percentage of transfers resulting in pregnancy	3 / 7	2 / 7

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2012. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WOMEN'S CLINIC, LTD.
WEST READING, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Vincent A. Pellegrini, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	79%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	32%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	40%	Male factor	77%	Female factors only	16%
Diminished ovarian reserve	32%	Other factor	11%	Female & male factors	62%
Endometriosis	35%	Unknown factor	0%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 83 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	48	4	15	4	0	0
Percentage of cancellations	18.8	0 / 4	2 / 15	1 / 4		
Average number of embryos transferred	2.1	2.8	2.4	3.0		
Percentage of embryos transferred resulting in implantation	39.7	1 / 11	27.3	2 / 9		
Percentage of elective single embryo transfer (eSET)	0.0	0 / 4	0 / 7	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	10.4	1 / 4	4 / 15	0 / 4		
Percentage of cycles resulting in triplets or more live births	4.2	0 / 4	0 / 15	0 / 4		
Percentage of cycles resulting in live births	29.2	1 / 4	4 / 15	0 / 4		
Percentage of cycles resulting in pregnancy	35.4	1 / 4	4 / 15	2 / 4		
Outcomes per Transfer						
Number of transfers	32	4	9	3	0	0
Percentage of transfers resulting in singleton live births	15.6	1 / 4	4 / 9	0 / 3		
Percentage of transfers resulting in triplets or more live births	6.3	0 / 4	0 / 9	0 / 3		
Percentage of transfers resulting in live births	43.8	1 / 4	4 / 9	0 / 3		
Percentage of transfers resulting in pregnancy	53.1	1 / 4	4 / 9	2 / 3		
Outcomes per Pregnancy						
Number of pregnancies	17	1	4	2	0	0
Percentage of pregnancies resulting in singleton live births	5 / 17	1 / 1	4 / 4	0 / 2		
Percentage of pregnancies resulting in triplets or more live births	2 / 17	0 / 1	0 / 4	0 / 2		
Percentage of pregnancies resulting in live births	14 / 17	1 / 1	4 / 4	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	4	1	0	0	0
Number of transfers	4	4	1	0	0	0
Estimated average number of transfers per retrieval	0.6	4.0	1.0			
Average number of embryos transferred	1.8	2.0	3.0			
Percentage of embryos transferred resulting in implantation	3 / 7	0 / 8	0 / 3			
Percentage of transfers resulting in singleton live births	0 / 4	0 / 4	0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 4	0 / 1			
Percentage of transfers resulting in live births	1 / 4	0 / 4	0 / 1			
Percentage of transfers resulting in pregnancy	2 / 4	0 / 4	0 / 1			

	All Ages Combined[f]	
Donor Eggs	**Fresh Embryos**	**Frozen Embryos**
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation		
Percentage of transfers resulting in singleton live births		
Percentage of transfers resulting in live births		
Percentage of transfers resulting in pregnancy		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2012. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE FERTILITY CENTER, LLC
YORK, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Robert B. Filer, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	97%
Unstimulated	0%	Used PGD	5%
Used gestational carrier	3%		

Patient Diagnosis[b]

Tubal factor	3%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	0%	Male factor	14%	Female factors only	0%
Diminished ovarian reserve	20%	Other factor	0%	Female & male factors	2%
Endometriosis	0%	Unknown factor	62%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 95 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	46	18	10	0	2	0
Percentage of cancellations	2.2	0 / 18	0 / 10		0 / 2	
Average number of embryos transferred	2.2	2.6	2.9		3.0	
Percentage of embryos transferred resulting in implantation	27.8	10.9	3.8		0 / 3	
Percentage of elective single embryo transfer (eSET)	7.5	1 / 16	1 / 9		0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.1	2 / 18	1 / 10		0 / 2	
Percentage of cycles resulting in triplets or more live births	4.3	0 / 18	0 / 10		0 / 2	
Percentage of cycles resulting in live births	34.8	3 / 18	1 / 10		0 / 2	
Percentage of cycles resulting in pregnancy	41.3	4 / 18	1 / 10		0 / 2	
Outcomes per Transfer						
Number of transfers	44	18	9	0	1	0
Percentage of transfers resulting in singleton live births	27.3	2 / 18	1 / 9		0 / 1	
Percentage of transfers resulting in triplets or more live births	4.5	0 / 18	0 / 9		0 / 1	
Percentage of transfers resulting in live births	36.4	3 / 18	1 / 9		0 / 1	
Percentage of transfers resulting in pregnancy	43.2	4 / 18	1 / 9		0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	19	4	1	0	0	0
Percentage of pregnancies resulting in singleton live births	12 / 19	2 / 4	1 / 1			
Percentage of pregnancies resulting in triplets or more live births	2 / 19	0 / 4	0 / 1			
Percentage of pregnancies resulting in live births	16 / 19	3 / 4	1 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	0	1	0	0	0
Number of transfers	5	0	1	0	0	0
Estimated average number of transfers per retrieval	1.0					
Average number of embryos transferred	1.8		1.0			
Percentage of embryos transferred resulting in implantation	3 / 9		0 / 1			
Percentage of transfers resulting in singleton live births	1 / 5		0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 5		0 / 1			
Percentage of transfers resulting in live births	1 / 5		0 / 1			
Percentage of transfers resulting in pregnancy	2 / 5		0 / 1			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	10	3
Number of transfers	9	3
Average number of embryos transferred	1.9	1.7
Percentage of embryos transferred resulting in implantation	9 / 17	2 / 5
Percentage of transfers resulting in singleton live births	3 / 9	2 / 3
Percentage of transfers resulting in live births	6 / 9	2 / 3
Percentage of transfers resulting in pregnancy	6 / 9	2 / 3

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Fertility Center, LLC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PEDRO J. BEAUCHAMP, MD
BAYAMON, PUERTO RICO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Pedro J. Beauchamp, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	79%
Unstimulated	<1%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	36%	Uterine factor	6%	*Multiple Factors:*	
Ovulatory dysfunction	23%	Male factor	63%	Female factors only	19%
Diminished ovarian reserve	11%	Other factor	32%	Female & male factors	51%
Endometriosis	38%	Unknown factor	<1%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 146 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	49	37	26	16	3	1
Percentage of cancellations	0.0	2.7	7.7	4 / 16	0 / 3	0 / 1
Average number of embryos transferred	2.1	2.2	2.5	2.5	2.3	3.0
Percentage of embryos transferred resulting in implantation	29.2	25.6	13.8	3.7	0 / 7	0 / 3
Percentage of elective single embryo transfer (eSET)	0.0	0.0	0.0	0 / 10	0 / 3	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	24.5	16.2	23.1	1 / 16	0 / 3	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 16	0 / 3	0 / 1
Percentage of cycles resulting in live births	34.7	32.4	23.1	1 / 16	0 / 3	0 / 1
Percentage of cycles resulting in pregnancy	55.1	45.9	38.5	1 / 16	0 / 3	0 / 1
Outcomes per Transfer						
Number of transfers	46	36	23	11	3	1
Percentage of transfers resulting in singleton live births	26.1	16.7	26.1	1 / 11	0 / 3	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 11	0 / 3	0 / 1
Percentage of transfers resulting in live births	37.0	33.3	26.1	1 / 11	0 / 3	0 / 1
Percentage of transfers resulting in pregnancy	58.7	47.2	43.5	1 / 11	0 / 3	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	27	17	10	1	0	0
Percentage of pregnancies resulting in singleton live births	44.4	6 / 17	6 / 10	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 17	0 / 10	0 / 1		
Percentage of pregnancies resulting in live births	63.0	12 / 17	6 / 10	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	2	1	0	0	0
Number of transfers	2	2	1	0	0	0
Estimated average number of transfers per retrieval	2.0	2.0				
Average number of embryos transferred	2.5	2.5	1.0			
Percentage of embryos transferred resulting in implantation	0 / 5	0 / 5	1 / 1			
Percentage of transfers resulting in singleton live births	0 / 2	0 / 2	1 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 2	0 / 2	0 / 1			
Percentage of transfers resulting in live births	0 / 2	0 / 2	1 / 1			
Percentage of transfers resulting in pregnancy	1 / 2	0 / 2	1 / 1			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	8	1
Number of transfers	8	1
Average number of embryos transferred	2.3	2.0
Percentage of embryos transferred resulting in implantation	9 / 18	1 / 2
Percentage of transfers resulting in singleton live births	1 / 8	0 / 1
Percentage of transfers resulting in live births	4 / 8	0 / 1
Percentage of transfers resulting in pregnancy	5 / 8	1 / 1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Pedro J. Beauchamp, MD

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CLINICA DE FERTILIDAD HIMA-SAN PABLO CAGUAS
CAGUAS, PUERTO RICO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Jose R. Cruz, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	63%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	38%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	4%	Male factor	35%	Female factors only	2%
Diminished ovarian reserve	8%	Other factor	4%	Female & male factors	15%
Endometriosis	10%	Unknown factor	17%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 48 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	19	10	6	9	1	1
Percentage of cancellations	0 / 19	0 / 10	0 / 6	0 / 9	0 / 1	0 / 1
Average number of embryos transferred	1.9	2.3	2.5	2.7	5.0	1.0
Percentage of embryos transferred resulting in implantation	29.7	30.4	2 / 15	4.2	0 / 5	0 / 1
Percentage of elective single embryo transfer (eSET)	1 / 15	1 / 9	0 / 5	0 / 8	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	7 / 19	2 / 10	1 / 6	0 / 9	0 / 1	0 / 1
Percentage of cycles resulting in triplets or more live births	0 / 19	0 / 10	0 / 6	0 / 9	0 / 1	0 / 1
Percentage of cycles resulting in live births	7 / 19	4 / 10	1 / 6	0 / 9	0 / 1	0 / 1
Percentage of cycles resulting in pregnancy	10 / 19	5 / 10	2 / 6	3 / 9	0 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	19	10	6	9	1	1
Percentage of transfers resulting in singleton live births	7 / 19	2 / 10	1 / 6	0 / 9	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 19	0 / 10	0 / 6	0 / 9	0 / 1	0 / 1
Percentage of transfers resulting in live births	7 / 19	4 / 10	1 / 6	0 / 9	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	10 / 19	5 / 10	2 / 6	3 / 9	0 / 1	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	10	5	2	3	0	0
Percentage of pregnancies resulting in singleton live births	7 / 10	2 / 5	1 / 2	0 / 3		
Percentage of pregnancies resulting in triplets or more live births	0 / 10	0 / 5	0 / 2	0 / 3		
Percentage of pregnancies resulting in live births	7 / 10	4 / 5	1 / 2	0 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	0	0	0	0	0
Number of transfers	0	0	0	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in triplets or more live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	0	2
Number of transfers	0	2
Average number of embryos transferred		1.0
Percentage of embryos transferred resulting in implantation		0 / 2
Percentage of transfers resulting in singleton live births		0 / 2
Percentage of transfers resulting in live births		0 / 2
Percentage of transfers resulting in pregnancy		0 / 2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Clinica de Fertilidad HIMA-San Pablo Caguas

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GREFI
GYNECOLOGY, REPRODUCTIVE ENDOCRINOLOGY & FERTILITY INSTITUTE
SANTURCE, PUERTO RICO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Rosa Ileana Cruz, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	57%
Unstimulated	0%	Used PGD	13%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	21%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	8%	Male factor	38%	Female factors only	2%
Diminished ovarian reserve	15%	Other factor	26%	Female & male factors	11%
Endometriosis	0%	Unknown factor	6%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 53 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	13	7	8	0	2	0
Percentage of cancellations	0 / 13	0 / 7	1 / 8		0 / 2	
Average number of embryos transferred	2.4	2.7	3.7		1.0	
Percentage of embryos transferred resulting in implantation	11.5	5 / 16	1 / 11		0 / 1	
Percentage of elective single embryo transfer (eSET)	0 / 11	0 / 6	0 / 3			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	3 / 13	2 / 7	0 / 8		0 / 2	
Percentage of cycles resulting in triplets or more live births	0 / 13	1 / 7	0 / 8		0 / 2	
Percentage of cycles resulting in live births	3 / 13	3 / 7	0 / 8		0 / 2	
Percentage of cycles resulting in pregnancy	3 / 13	3 / 7	1 / 8		0 / 2	
Outcomes per Transfer						
Number of transfers	11	6	3	0	1	0
Percentage of transfers resulting in singleton live births	3 / 11	2 / 6	0 / 3		0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 11	1 / 6	0 / 3		0 / 1	
Percentage of transfers resulting in live births	3 / 11	3 / 6	0 / 3		0 / 1	
Percentage of transfers resulting in pregnancy	3 / 11	3 / 6	1 / 3		0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	3	3	1	0	0	0
Percentage of pregnancies resulting in singleton live births	3 / 3	2 / 3	0 / 1			
Percentage of pregnancies resulting in triplets or more live births	0 / 3	1 / 3	0 / 1			
Percentage of pregnancies resulting in live births	3 / 3	3 / 3	0 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	5	0	0	0	1
Number of transfers	3	5	0	0	0	0
Estimated average number of transfers per retrieval	3.0	5.0				
Average number of embryos transferred	3.0	1.8				
Percentage of embryos transferred resulting in implantation	2 / 9	1 / 9				
Percentage of transfers resulting in singleton live births	0 / 3	1 / 5				
Percentage of transfers resulting in triplets or more live births	0 / 3	0 / 5				
Percentage of transfers resulting in live births	0 / 3	1 / 5				
Percentage of transfers resulting in pregnancy	1 / 3	1 / 5				

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	10	3
Number of transfers	7	2
Average number of embryos transferred	2.6	1.5
Percentage of embryos transferred resulting in implantation	5 / 18	0 / 3
Percentage of transfers resulting in singleton live births	4 / 7	0 / 2
Percentage of transfers resulting in live births	4 / 7	0 / 2
Percentage of transfers resulting in pregnancy	4 / 7	0 / 2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: GREFI, Gynecology, Reproductive Endocrinology & Fertility Institute

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WOMEN AND INFANTS' DIVISION OF REPRODUCTIVE MEDICINE AND INFERTILITY
PROVIDENCE, RHODE ISLAND

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Sandra Carson, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	64%
Unstimulated	<1%	Used PGD	2%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	9%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	11%	Male factor	33%	Female factors only	2%
Diminished ovarian reserve	4%	Other factor	7%	Female & male factors	9%
Endometriosis	6%	Unknown factor	40%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 599 (includes 5 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	209	104	80	53	14	1
Percentage of cancellations	2.4	1.9	6.3	5.7	0 / 14	0 / 1
Average number of embryos transferred	2.0	2.1	2.7	3.6	3.6	3.0
Percentage of embryos transferred resulting in implantation	26.4	25.0	15.8	3.0	2.1	0 / 3
Percentage of elective single embryo transfer (eSET)	5.1	2.3	0.0	0.0	0 / 12	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	24.9	23.1	18.8	3.8	0 / 14	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	1.9	0 / 14	0 / 1
Percentage of cycles resulting in live births	34.4	32.7	26.3	5.7	0 / 14	0 / 1
Percentage of cycles resulting in pregnancy	40.7	35.6	32.5	11.3	2 / 14	0 / 1
Outcomes per Transfer						
Number of transfers	191	97	72	47	13	1
Percentage of transfers resulting in singleton live births	27.2	24.7	20.8	4.3	0 / 13	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	2.1	0 / 13	0 / 1
Percentage of transfers resulting in live births	37.7	35.1	29.2	6.4	0 / 13	0 / 1
Percentage of transfers resulting in pregnancy	44.5	38.1	36.1	12.8	2 / 13	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	85	37	26	6	2	0
Percentage of pregnancies resulting in singleton live births	61.2	64.9	57.7	2 / 6	0 / 2	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	1 / 6	0 / 2	
Percentage of pregnancies resulting in live births	84.7	91.9	80.8	3 / 6	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	53	26	19	8	1	1
Number of transfers	53	25	18	8	1	1
Estimated average number of transfers per retrieval	1.2	1.5	1.8	0.9		
Average number of embryos transferred	1.9	2.0	1.8	1.5	2.0	3.0
Percentage of embryos transferred resulting in implantation	18.2	18.4	31.3	3 / 12	0 / 2	0 / 3
Percentage of transfers resulting in singleton live births	17.0	24.0	4 / 18	3 / 8	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 18	0 / 8	0 / 1	0 / 1
Percentage of transfers resulting in live births	24.5	28.0	6 / 18	3 / 8	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	30.2	28.0	7 / 18	3 / 8	0 / 1	0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	19	6
Number of transfers	18	6
Average number of embryos transferred	2.1	1.8
Percentage of embryos transferred resulting in implantation	32.4	1 / 11
Percentage of transfers resulting in singleton live births	3 / 18	1 / 6
Percentage of transfers resulting in live births	7 / 18	1 / 6
Percentage of transfers resulting in pregnancy	9 / 18	2 / 6

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2012. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PIEDMONT REPRODUCTIVE ENDOCRINOLOGY GROUP, PA
GREENVILLE, SOUTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by John E. Nichols, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	93%
Unstimulated	0%	Used PGD	5%
Used gestational carrier	3%		

Patient Diagnosis[b]

Tubal factor	6%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	28%	Male factor	71%	Female factors only	5%
Diminished ovarian reserve	38%	Other factor	4%	Female & male factors	44%
Endometriosis	6%	Unknown factor	0%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 239 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	91	27	22	5	0	1
Percentage of cancellations	6.6	3.7	9.1	0 / 5		0 / 1
Average number of embryos transferred	2.1	2.0	2.9	2.7		2.0
Percentage of embryos transferred resulting in implantation	42.0	42.3	10.3	2 / 8		1 / 2
Percentage of elective single embryo transfer (eSET)	9.9	8.3	0 / 19	0 / 3		0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.5	44.4	9.1	1 / 5		1 / 1
Percentage of cycles resulting in triplets or more live births	1.1	0.0	0.0	0 / 5		0 / 1
Percentage of cycles resulting in live births	44.0	59.3	13.6	1 / 5		1 / 1
Percentage of cycles resulting in pregnancy	52.7	66.7	22.7	2 / 5		1 / 1
Outcomes per Transfer						
Number of transfers	82	26	20	3	0	1
Percentage of transfers resulting in singleton live births	30.5	46.2	10.0	1 / 3		1 / 1
Percentage of transfers resulting in triplets or more live births	1.2	0.0	0.0	0 / 3		0 / 1
Percentage of transfers resulting in live births	48.8	61.5	15.0	1 / 3		1 / 1
Percentage of transfers resulting in pregnancy	58.5	69.2	25.0	2 / 3		1 / 1
Outcomes per Pregnancy						
Number of pregnancies	48	18	5	2	0	1
Percentage of pregnancies resulting in singleton live births	52.1	12 / 18	2 / 5	1 / 2		1 / 1
Percentage of pregnancies resulting in triplets or more live births	2.1	0 / 18	0 / 5	0 / 2		0 / 1
Percentage of pregnancies resulting in live births	83.3	16 / 18	3 / 5	1 / 2		1 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	29	11	10	1	3	0
Number of transfers	28	11	10	1	3	0
Estimated average number of transfers per retrieval	2.5	3.7	3.3			
Average number of embryos transferred	2.0	2.0	1.8	1.0	1.3	
Percentage of embryos transferred resulting in implantation	40.0	18.2	9 / 18	0 / 1	1 / 4	
Percentage of transfers resulting in singleton live births	25.0	3 / 11	5 / 10	0 / 1	1 / 3	
Percentage of transfers resulting in triplets or more live births	3.6	0 / 11	0 / 10	0 / 1	0 / 3	
Percentage of transfers resulting in live births	42.9	3 / 11	7 / 10	0 / 1	1 / 3	
Percentage of transfers resulting in pregnancy	53.6	4 / 11	7 / 10	0 / 1	1 / 3	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	21	18
Number of transfers	20	18
Average number of embryos transferred	2.1	2.0
Percentage of embryos transferred resulting in implantation	50.0	27.8
Percentage of transfers resulting in singleton live births	55.0	5 / 18
Percentage of transfers resulting in live births	70.0	7 / 18
Percentage of transfers resulting in pregnancy	80.0	7 / 18

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Piedmont Reproductive Endocrinology Group, PA

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY MEDICAL GROUP, DEPARTMENT OF OBSTETRICS AND GYNECOLOGY
FERTILITY CENTER OF THE CAROLINAS
GREENVILLE, SOUTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Paul B. Miller, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	82%
Unstimulated	0%	Used PGD	1%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	13%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	29%	Male factor	47%	Female factors only	13%
Diminished ovarian reserve	12%	Other factor	9%	Female & male factors	31%
Endometriosis	34%	Unknown factor	2%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 130 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	56	7	20	6	2	0
Percentage of cancellations	3.6	0 / 7	10.0	1 / 6	2 / 2	
Average number of embryos transferred	2.1	2.1	2.5	2.6		
Percentage of embryos transferred resulting in implantation	29.7	3 / 15	19.0	1 / 13		
Percentage of elective single embryo transfer (eSET)	0.0	0 / 7	1 / 15	0 / 4		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	32.1	3 / 7	20.0	1 / 6	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 7	0.0	0 / 6	0 / 2	
Percentage of cycles resulting in live births	42.9	3 / 7	25.0	1 / 6	0 / 2	
Percentage of cycles resulting in pregnancy	50.0	3 / 7	25.0	1 / 6	0 / 2	
Outcomes per Transfer						
Number of transfers	54	7	17	5	0	0
Percentage of transfers resulting in singleton live births	33.3	3 / 7	4 / 17	1 / 5		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 7	0 / 17	0 / 5		
Percentage of transfers resulting in live births	44.4	3 / 7	5 / 17	1 / 5		
Percentage of transfers resulting in pregnancy	51.9	3 / 7	5 / 17	1 / 5		
Outcomes per Pregnancy						
Number of pregnancies	28	3	5	1	0	0
Percentage of pregnancies resulting in singleton live births	64.3	3 / 3	4 / 5	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 3	0 / 5	0 / 1		
Percentage of pregnancies resulting in live births	85.7	3 / 3	5 / 5	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	12	9	6	1	0	0
Number of transfers	12	8	6	1	0	0
Estimated average number of transfers per retrieval	1.5	4.0	6.0	1.0		
Average number of embryos transferred	1.9	2.1	2.5	1.0		
Percentage of embryos transferred resulting in implantation	26.1	1 / 17	1 / 15	0 / 1		
Percentage of transfers resulting in singleton live births	2 / 12	1 / 8	1 / 6	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 12	0 / 8	0 / 6	0 / 1		
Percentage of transfers resulting in live births	4 / 12	1 / 8	1 / 6	0 / 1		
Percentage of transfers resulting in pregnancy	4 / 12	1 / 8	2 / 6	0 / 1		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	8	2
Number of transfers	8	2
Average number of embryos transferred	1.9	2.0
Percentage of embryos transferred resulting in implantation	2 / 15	3 / 4
Percentage of transfers resulting in singleton live births	2 / 8	2 / 2
Percentage of transfers resulting in live births	2 / 8	2 / 2
Percentage of transfers resulting in pregnancy	2 / 8	2 / 2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University Medical Group, Department of Obstetrics and Gynecology, Fertility Center of the Carolinas

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTHEASTERN FERTILITY CENTER, PA
MOUNT PLEASANT, SOUTH CAROLINA

This clinic provided ART services during 2012 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2012 ART cycle data or the clinic's Medical Director did not approve the clinic's 2012 ART cycle data for inclusion in this report.

ADVANCED FERTILITY & REPRODUCTIVE ENDOCRINOLOGY
WEST COLUMBIA, SOUTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Gail F. Whitman-Elia, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	93%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	10%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	23%	Male factor	32%	Female factors only	5%
Diminished ovarian reserve	12%	Other factor	24%	Female & male factors	6%
Endometriosis	7%	Unknown factor	4%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 258 (includes 32 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	81	37	19	10	2	0
Percentage of cancellations	3.7	0.0	1 / 19	2 / 10	0 / 2	
Average number of embryos transferred	2.1	2.3	3.1	3.0	3.5	
Percentage of embryos transferred resulting in implantation	35.2	28.2	14.9	3 / 12	3 / 7	
Percentage of elective single embryo transfer (eSET)	2.7	0.0	0 / 14	0 / 3	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	28.4	32.4	1 / 19	0 / 10	0 / 2	
Percentage of cycles resulting in triplets or more live births	1.2	0.0	0 / 19	0 / 10	1 / 2	
Percentage of cycles resulting in live births	44.4	43.2	3 / 19	1 / 10	1 / 2	
Percentage of cycles resulting in pregnancy	51.9	51.4	5 / 19	1 / 10	1 / 2	
Outcomes per Transfer						
Number of transfers	76	34	15	4	2	0
Percentage of transfers resulting in singleton live births	30.3	35.3	1 / 15	0 / 4	0 / 2	
Percentage of transfers resulting in triplets or more live births	1.3	0.0	0 / 15	0 / 4	1 / 2	
Percentage of transfers resulting in live births	47.4	47.1	3 / 15	1 / 4	1 / 2	
Percentage of transfers resulting in pregnancy	55.3	55.9	5 / 15	1 / 4	1 / 2	
Outcomes per Pregnancy						
Number of pregnancies	42	19	5	1	1	0
Percentage of pregnancies resulting in singleton live births	54.8	12 / 19	1 / 5	0 / 1	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	2.4	0 / 19	0 / 5	0 / 1	1 / 1	
Percentage of pregnancies resulting in live births	85.7	16 / 19	3 / 5	1 / 1	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	43	9	7	1	0	0
Number of transfers	42	8	7	1	0	0
Estimated average number of transfers per retrieval	1.1	1.0	2.3	0.5	0.0	
Average number of embryos transferred	2.4	2.6	2.7	5.0		
Percentage of embryos transferred resulting in implantation	19.0	23.8	2 / 19	1 / 5		
Percentage of transfers resulting in singleton live births	21.4	5 / 8	1 / 7	0 / 1		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 8	0 / 7	0 / 1		
Percentage of transfers resulting in live births	28.6	5 / 8	1 / 7	0 / 1		
Percentage of transfers resulting in pregnancy	40.5	5 / 8	2 / 7	1 / 1		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	9	8
Number of transfers	9	8
Average number of embryos transferred	2.1	2.6
Percentage of embryos transferred resulting in implantation	8 / 19	14.3
Percentage of transfers resulting in singleton live births	3 / 9	2 / 8
Percentage of transfers resulting in live births	5 / 9	2 / 8
Percentage of transfers resulting in pregnancy	6 / 9	3 / 8

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Fertility & Reproductive Endocrinology

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SANFORD WOMEN'S HEALTH
SIOUX FALLS, SOUTH DAKOTA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Keith A. Hansen, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	60%
Unstimulated	0%	Used PGD	13%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	17%	Uterine factor	<1%	*Multiple Factors:*	
Ovulatory dysfunction	20%	Male factor	45%	Female factors only	23%
Diminished ovarian reserve	17%	Other factor	46%	Female & male factors	24%
Endometriosis	10%	Unknown factor	2%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 316 (includes 3 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	137	38	19	8	2	0
Percentage of cancellations	5.1	10.5	0 / 19	1 / 8	0 / 2	
Average number of embryos transferred	1.7	1.9	2.0	1.7	2.0	
Percentage of embryos transferred resulting in implantation	35.1	24.1	22.2	0 / 10	0 / 2	
Percentage of elective single embryo transfer (eSET)	30.7	12.5	1 / 16	2 / 5	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	32.1	21.1	5 / 19	0 / 8	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 19	0 / 8	0 / 2	
Percentage of cycles resulting in live births	40.9	26.3	6 / 19	0 / 8	0 / 2	
Percentage of cycles resulting in pregnancy	46.7	31.6	6 / 19	2 / 8	0 / 2	
Outcomes per Transfer						
Number of transfers	121	29	18	6	1	0
Percentage of transfers resulting in singleton live births	36.4	27.6	5 / 18	0 / 6	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 18	0 / 6	0 / 1	
Percentage of transfers resulting in live births	46.3	34.5	6 / 18	0 / 6	0 / 1	
Percentage of transfers resulting in pregnancy	52.9	41.4	6 / 18	2 / 6	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	64	12	6	2	0	0
Percentage of pregnancies resulting in singleton live births	68.8	8 / 12	5 / 6	0 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 12	0 / 6	0 / 2		
Percentage of pregnancies resulting in live births	87.5	10 / 12	6 / 6	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	80	12	8	3	0	1
Number of transfers	79	11	8	3	0	0
Estimated average number of transfers per retrieval	1.9	2.2	4.0	1.0		
Average number of embryos transferred	1.9	2.2	2.0	1.7		
Percentage of embryos transferred resulting in implantation	18.4	8.3	1 / 16	0 / 5		
Percentage of transfers resulting in singleton live births	22.8	1 / 11	1 / 8	0 / 3		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 11	0 / 8	0 / 3		
Percentage of transfers resulting in live births	27.8	1 / 11	1 / 8	0 / 3		
Percentage of transfers resulting in pregnancy	39.2	5 / 11	2 / 8	0 / 3		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	2	3
Number of transfers	2	3
Average number of embryos transferred	1.0	1.7
Percentage of embryos transferred resulting in implantation	1 / 2	2 / 5
Percentage of transfers resulting in singleton live births	1 / 2	0 / 3
Percentage of transfers resulting in live births	1 / 2	1 / 3
Percentage of transfers resulting in pregnancy	1 / 2	1 / 3

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Sanford Women's Health

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER, LLC
CHATTANOOGA, TENNESSEE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Barry W. Donesky, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	79%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	6%		

Patient Diagnosis[b]

Tubal factor	8%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	13%	Male factor	47%	Female factors only	<1%
Diminished ovarian reserve	16%	Other factor	6%	Female & male factors	6%
Endometriosis	6%	Unknown factor	8%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 146 (includes 36 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	23	7	3	1	0	0
Percentage of cancellations	8.7	2 / 7	1 / 3	0 / 1		
Average number of embryos transferred	1.7	2.0	2.0	2.0		
Percentage of embryos transferred resulting in implantation	33.3	1 / 10	0 / 2	1 / 2		
Percentage of elective single embryo transfer (eSET)	4 / 18	0 / 5	0 / 1	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.4	0 / 7	0 / 3	1 / 1		
Percentage of cycles resulting in triplets or more live births	0.0	0 / 7	0 / 3	0 / 1		
Percentage of cycles resulting in live births	39.1	0 / 7	0 / 3	1 / 1		
Percentage of cycles resulting in pregnancy	39.1	1 / 7	0 / 3	1 / 1		
Outcomes per Transfer						
Number of transfers	19	5	1	1	0	0
Percentage of transfers resulting in singleton live births	7 / 19	0 / 5	0 / 1	1 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 19	0 / 5	0 / 1	0 / 1		
Percentage of transfers resulting in live births	9 / 19	0 / 5	0 / 1	1 / 1		
Percentage of transfers resulting in pregnancy	9 / 19	1 / 5	0 / 1	1 / 1		
Outcomes per Pregnancy						
Number of pregnancies	9	1	0	1	0	0
Percentage of pregnancies resulting in singleton live births	7 / 9	0 / 1		1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 9	0 / 1		0 / 1		
Percentage of pregnancies resulting in live births	9 / 9	0 / 1		1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	39	12	3	5	5	1
Number of transfers	39	12	3	5	5	0
Estimated average number of transfers per retrieval	1.3	1.5	0.8	1.7	5.0	0.0
Average number of embryos transferred	1.9	1.9	2.0	1.4	1.8	
Percentage of embryos transferred resulting in implantation	41.3	34.8	2 / 6	4 / 7	3 / 9	
Percentage of transfers resulting in singleton live births	20.5	4 / 12	1 / 3	1 / 5	3 / 5	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 12	0 / 3	0 / 5	0 / 5	
Percentage of transfers resulting in live births	43.6	6 / 12	1 / 3	2 / 5	3 / 5	
Percentage of transfers resulting in pregnancy	56.4	6 / 12	2 / 3	2 / 5	3 / 5	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	7	4
Number of transfers	7	4
Average number of embryos transferred	1.7	2.0
Percentage of embryos transferred resulting in implantation	6 / 12	2 / 8
Percentage of transfers resulting in singleton live births	4 / 7	2 / 4
Percentage of transfers resulting in live births	5 / 7	2 / 4
Percentage of transfers resulting in pregnancy	5 / 7	2 / 4

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Center, LLC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

TENNESSEE REPRODUCTIVE MEDICINE
CHATTANOOGA, TENNESSEE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Ringland S. Murray, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	79%
Unstimulated	6%	Used PGD	10%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	21%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	29%	Male factor	29%	Female factors only	18%
Diminished ovarian reserve	20%	Other factor	13%	Female & male factors	17%
Endometriosis	19%	Unknown factor	7%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 107 (includes 4 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	36	16	6	4	1	0
Percentage of cancellations	2.8	1 / 16	1 / 6	0 / 4	0 / 1	
Average number of embryos transferred	1.9	2.1	2.3	2.7	2.0	
Percentage of embryos transferred resulting in implantation	44.8	24.1	0 / 7	0 / 8	0 / 2	
Percentage of elective single embryo transfer (eSET)	10.3	0 / 13	0 / 3	0 / 2	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.8	4 / 16	0 / 6	0 / 4	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 16	0 / 6	0 / 4	0 / 1	
Percentage of cycles resulting in live births	41.7	5 / 16	0 / 6	0 / 4	0 / 1	
Percentage of cycles resulting in pregnancy	52.8	8 / 16	1 / 6	0 / 4	0 / 1	
Outcomes per Transfer						
Number of transfers	31	14	3	3	1	0
Percentage of transfers resulting in singleton live births	32.3	4 / 14	0 / 3	0 / 3	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 14	0 / 3	0 / 3	0 / 1	
Percentage of transfers resulting in live births	48.4	5 / 14	0 / 3	0 / 3	0 / 1	
Percentage of transfers resulting in pregnancy	61.3	8 / 14	1 / 3	0 / 3	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	19	8	1	0	0	0
Percentage of pregnancies resulting in singleton live births	10 / 19	4 / 8	0 / 1			
Percentage of pregnancies resulting in triplets or more live births	0 / 19	0 / 8	0 / 1			
Percentage of pregnancies resulting in live births	15 / 19	5 / 8	0 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	12	10	5	1	0	0
Number of transfers	12	10	5	1	0	0
Estimated average number of transfers per retrieval	6.0	2.0	2.5	1.0	0.0	0.0
Average number of embryos transferred	1.8	2.2	2.0	4.0		
Percentage of embryos transferred resulting in implantation	54.5	22.7	3 / 10	1 / 4		
Percentage of transfers resulting in singleton live births	4 / 12	4 / 10	1 / 5	1 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 12	0 / 10	0 / 5	0 / 1		
Percentage of transfers resulting in live births	7 / 12	4 / 10	1 / 5	1 / 1		
Percentage of transfers resulting in pregnancy	8 / 12	6 / 10	2 / 5	1 / 1		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	7	5
Number of transfers	7	5
Average number of embryos transferred	1.7	1.6
Percentage of embryos transferred resulting in implantation	5 / 12	1 / 8
Percentage of transfers resulting in singleton live births	3 / 7	1 / 5
Percentage of transfers resulting in live births	4 / 7	1 / 5
Percentage of transfers resulting in pregnancy	4 / 7	1 / 5

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Tennessee Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

QUILLEN FERTILITY AND WOMEN'S SERVICES
JOHNSON CITY, TENNESSEE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Norman A. Assad, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	42%
Unstimulated	0%	Used PGD	6%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	5%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	42%	Male factor	13%	Female factors only	12%
Diminished ovarian reserve	11%	Other factor	2%	Female & male factors	6%
Endometriosis	39%	Unknown factor	4%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 82 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	21	14	10	6	0	1
Percentage of cancellations	19.0	3 / 14	4 / 10	1 / 6		0 / 1
Average number of embryos transferred	1.8	1.9	2.2	2.5		3.0
Percentage of embryos transferred resulting in implantation	43.3	4 / 19	2 / 11	1 / 10		0 / 3
Percentage of elective single embryo transfer (eSET)	0 / 13	0 / 9	0 / 5	0 / 4		0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	33.3	4 / 14	2 / 10	1 / 6		0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0 / 14	0 / 10	0 / 6		0 / 1
Percentage of cycles resulting in live births	47.6	4 / 14	2 / 10	1 / 6		0 / 1
Percentage of cycles resulting in pregnancy	52.4	4 / 14	2 / 10	1 / 6		0 / 1
Outcomes per Transfer						
Number of transfers	17	10	5	4	0	1
Percentage of transfers resulting in singleton live births	7 / 17	4 / 10	2 / 5	1 / 4		0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 17	0 / 10	0 / 5	0 / 4		0 / 1
Percentage of transfers resulting in live births	10 / 17	4 / 10	2 / 5	1 / 4		0 / 1
Percentage of transfers resulting in pregnancy	11 / 17	4 / 10	2 / 5	1 / 4		0 / 1
Outcomes per Pregnancy						
Number of pregnancies	11	4	2	1	0	0
Percentage of pregnancies resulting in singleton live births	7 / 11	4 / 4	2 / 2	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 11	0 / 4	0 / 2	0 / 1		
Percentage of pregnancies resulting in live births	10 / 11	4 / 4	2 / 2	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	16	5	1	1	0	0
Number of transfers	9	3	1	1	0	0
Estimated average number of transfers per retrieval	4.5	3.0		0.5		
Average number of embryos transferred	1.2	1.3	2.0	2.0		
Percentage of embryos transferred resulting in implantation	3 / 11	2 / 4	1 / 2	0 / 2		
Percentage of transfers resulting in singleton live births	3 / 9	2 / 3	0 / 1	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 9	0 / 3	0 / 1	0 / 1		
Percentage of transfers resulting in live births	3 / 9	2 / 3	0 / 1	0 / 1		
Percentage of transfers resulting in pregnancy	4 / 9	2 / 3	1 / 1	0 / 1		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	3	4
Number of transfers	3	3
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation	2 / 6	0 / 6
Percentage of transfers resulting in singleton live births	2 / 3	0 / 3
Percentage of transfers resulting in live births	2 / 3	0 / 3
Percentage of transfers resulting in pregnancy	3 / 3	0 / 3

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Quillen Fertility and Women's Services

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

EAST TENNESSEE IVF AND ANDROLOGY CENTER
KNOXVILLE, TENNESSEE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Gayla Harris, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	37%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	31%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	17%	Male factor	28%	Female factors only	21%
Diminished ovarian reserve	28%	Other factor	3%	Female & male factors	21%
Endometriosis	48%	Unknown factor	0%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 29 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	16	7	4	0	0	0
Percentage of cancellations	0 / 16	1 / 7	0 / 4			
Average number of embryos transferred	2.1	1.5	1.8			
Percentage of embryos transferred resulting in implantation	33.3	2 / 9	3 / 7			
Percentage of elective single embryo transfer (eSET)	0 / 16	1 / 4	0 / 3			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	6 / 16	2 / 7	0 / 4			
Percentage of cycles resulting in triplets or more live births	0 / 16	0 / 7	0 / 4			
Percentage of cycles resulting in live births	8 / 16	2 / 7	1 / 4			
Percentage of cycles resulting in pregnancy	9 / 16	2 / 7	2 / 4			
Outcomes per Transfer						
Number of transfers	16	6	4	0	0	0
Percentage of transfers resulting in singleton live births	6 / 16	2 / 6	0 / 4			
Percentage of transfers resulting in triplets or more live births	0 / 16	0 / 6	0 / 4			
Percentage of transfers resulting in live births	8 / 16	2 / 6	1 / 4			
Percentage of transfers resulting in pregnancy	9 / 16	2 / 6	2 / 4			
Outcomes per Pregnancy						
Number of pregnancies	9	2	2	0	0	0
Percentage of pregnancies resulting in singleton live births	6 / 9	2 / 2	0 / 2			
Percentage of pregnancies resulting in triplets or more live births	0 / 9	0 / 2	0 / 2			
Percentage of pregnancies resulting in live births	8 / 9	2 / 2	1 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	1	0	0	0	0
Number of transfers	1	1	0	0	0	0
Estimated average number of transfers per retrieval	0.5	1.0				
Average number of embryos transferred	2.0	1.0				
Percentage of embryos transferred resulting in implantation	0 / 2	0 / 1				
Percentage of transfers resulting in singleton live births	0 / 1	0 / 1				
Percentage of transfers resulting in triplets or more live births	0 / 1	0 / 1				
Percentage of transfers resulting in live births	0 / 1	0 / 1				
Percentage of transfers resulting in pregnancy	0 / 1	0 / 1				

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation		
Percentage of transfers resulting in singleton live births		
Percentage of transfers resulting in live births		
Percentage of transfers resulting in pregnancy		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: East Tennessee IVF and Andrology Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTHEASTERN FERTILITY CENTER
KNOXVILLE, TENNESSEE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Jeffrey A. Keenan, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	32%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	<1%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	3%	Male factor	49%	Female factors only	5%
Diminished ovarian reserve	21%	Other factor	15%	Female & male factors	13%
Endometriosis	11%	Unknown factor	19%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 151 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	15	2	2	0	0	0
Percentage of cancellations	2 / 15	0 / 2	0 / 2			
Average number of embryos transferred	2.3	2.0	4.0			
Percentage of embryos transferred resulting in implantation	44.4	1 / 4	0 / 8			
Percentage of elective single embryo transfer (eSET)	0 / 12	0 / 2	0 / 2			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	4 / 15	0 / 2	0 / 2			
Percentage of cycles resulting in triplets or more live births	1 / 15	0 / 2	0 / 2			
Percentage of cycles resulting in live births	7 / 15	0 / 2	0 / 2			
Percentage of cycles resulting in pregnancy	7 / 15	1 / 2	0 / 2			
Outcomes per Transfer						
Number of transfers	12	2	2	0	0	0
Percentage of transfers resulting in singleton live births	4 / 12	0 / 2	0 / 2			
Percentage of transfers resulting in triplets or more live births	1 / 12	0 / 2	0 / 2			
Percentage of transfers resulting in live births	7 / 12	0 / 2	0 / 2			
Percentage of transfers resulting in pregnancy	7 / 12	1 / 2	0 / 2			
Outcomes per Pregnancy						
Number of pregnancies	7	1	0	0	0	0
Percentage of pregnancies resulting in singleton live births	4 / 7	0 / 1				
Percentage of pregnancies resulting in triplets or more live births	1 / 7	0 / 1				
Percentage of pregnancies resulting in live births	7 / 7	0 / 1				
Frozen Embryos from Nondonor Eggs						
Number of cycles	9	0	3	0	1	0
Number of transfers	9	0	3	0	1	0
Estimated average number of transfers per retrieval	4.5		3.0			
Average number of embryos transferred	2.1		2.0		6.0	
Percentage of embryos transferred resulting in implantation	1 / 19		0 / 6		0 / 6	
Percentage of transfers resulting in singleton live births	1 / 9		0 / 3		0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 9		0 / 3		0 / 1	
Percentage of transfers resulting in live births	1 / 9		0 / 3		0 / 1	
Percentage of transfers resulting in pregnancy	1 / 9		1 / 3		0 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	0	119
Number of transfers	0	115
Average number of embryos transferred		2.5
Percentage of embryos transferred resulting in implantation		23.6
Percentage of transfers resulting in singleton live births		30.4
Percentage of transfers resulting in live births		42.6
Percentage of transfers resulting in pregnancy		47.0

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Southeastern Fertility Center

Donor egg?	No	Gestational carriers?	No	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	No			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

KUTTEH KE FERTILITY ASSOCIATES OF MEMPHIS, PLLC
MEMPHIS, TENNESSEE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Raymond W. Ke, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	63%
Unstimulated	0%	Used PGD	<1%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	22%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	22%	Male factor	35%	Female factors only	15%
Diminished ovarian reserve	28%	Other factor	10%	Female & male factors	19%
Endometriosis	14%	Unknown factor	6%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 317 (includes 11 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	97	38	31	13	4	2
Percentage of cancellations	4.1	5.3	6.5	1 / 13	0 / 4	0 / 2
Average number of embryos transferred	1.9	2.0	2.2	2.5	2.5	2.0
Percentage of embryos transferred resulting in implantation	31.2	36.2	18.3	7.1	0 / 10	0 / 4
Percentage of elective single embryo transfer (eSET)	12.7	3.8	0.0	0 / 11	0 / 3	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	22.7	21.1	22.6	2 / 13	0 / 4	0 / 2
Percentage of cycles resulting in triplets or more live births	2.1	2.6	0.0	0 / 13	0 / 4	0 / 2
Percentage of cycles resulting in live births	32.0	36.8	25.8	2 / 13	0 / 4	0 / 2
Percentage of cycles resulting in pregnancy	36.1	36.8	38.7	2 / 13	0 / 4	0 / 2
Outcomes per Transfer						
Number of transfers	80	29	27	11	4	2
Percentage of transfers resulting in singleton live births	27.5	27.6	25.9	2 / 11	0 / 4	0 / 2
Percentage of transfers resulting in triplets or more live births	2.5	3.4	0.0	0 / 11	0 / 4	0 / 2
Percentage of transfers resulting in live births	38.8	48.3	29.6	2 / 11	0 / 4	0 / 2
Percentage of transfers resulting in pregnancy	43.8	48.3	44.4	2 / 11	0 / 4	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	35	14	12	2	0	0
Percentage of pregnancies resulting in singleton live births	62.9	8 / 14	7 / 12	2 / 2		
Percentage of pregnancies resulting in triplets or more live births	5.7	1 / 14	0 / 12	0 / 2		
Percentage of pregnancies resulting in live births	88.6	14 / 14	8 / 12	2 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	51	28	19	3	1	0
Number of transfers	50	25	15	3	1	0
Estimated average number of transfers per retrieval	2.4	1.9	1.3	1.5	1.0	
Average number of embryos transferred	1.8	1.8	1.8	1.7	2.0	
Percentage of embryos transferred resulting in implantation	34.1	22.2	25.9	2 / 5	0 / 2	
Percentage of transfers resulting in singleton live births	34.0	28.0	4 / 15	1 / 3	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 15	0 / 3	0 / 1	
Percentage of transfers resulting in live births	42.0	32.0	5 / 15	1 / 3	0 / 1	
Percentage of transfers resulting in pregnancy	52.0	32.0	7 / 15	2 / 3	0 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	11	8
Number of transfers	11	5
Average number of embryos transferred	2.0	1.4
Percentage of embryos transferred resulting in implantation	77.3	1 / 7
Percentage of transfers resulting in singleton live births	4 / 11	1 / 5
Percentage of transfers resulting in live births	7 / 11	1 / 5
Percentage of transfers resulting in pregnancy	10 / 11	1 / 5

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Kutteh Ke Fertility Associates of Memphis, PLLC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE CENTER FOR REPRODUCTIVE HEALTH
NASHVILLE, TENNESSEE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Jaime M. Vasquez, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	79%
Unstimulated	0%	Used PGD	1%
Used gestational carrier	3%		

Patient Diagnosis[b]

Tubal factor	14%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	52%	Male factor	75%	Female factors only	9%
Diminished ovarian reserve	34%	Other factor	2%	Female & male factors	60%
Endometriosis	9%	Unknown factor	<1%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 126 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	49	17	4	2	4	0
Percentage of cancellations	0.0	2 / 17	0 / 4	0 / 2	1 / 4	
Average number of embryos transferred	2.5	2.9	3.3	1.0	2.5	
Percentage of embryos transferred resulting in implantation	7.9	12.5	0 / 13	0 / 1	0 / 5	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 13	0 / 4		0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	14.3	1 / 17	0 / 4	0 / 2	0 / 4	
Percentage of cycles resulting in triplets or more live births	0.0	1 / 17	0 / 4	0 / 2	0 / 4	
Percentage of cycles resulting in live births	16.3	2 / 17	0 / 4	0 / 2	0 / 4	
Percentage of cycles resulting in pregnancy	20.4	3 / 17	0 / 4	0 / 2	0 / 4	
Outcomes per Transfer						
Number of transfers	45	14	4	1	2	0
Percentage of transfers resulting in singleton live births	15.6	1 / 14	0 / 4	0 / 1	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	1 / 14	0 / 4	0 / 1	0 / 2	
Percentage of transfers resulting in live births	17.8	2 / 14	0 / 4	0 / 1	0 / 2	
Percentage of transfers resulting in pregnancy	22.2	3 / 14	0 / 4	0 / 1	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	10	3	0	0	0	0
Percentage of pregnancies resulting in singleton live births	7 / 10	1 / 3				
Percentage of pregnancies resulting in triplets or more live births	0 / 10	1 / 3				
Percentage of pregnancies resulting in live births	8 / 10	2 / 3				
Frozen Embryos from Nondonor Eggs						
Number of cycles	15	5	1	1	1	0
Number of transfers	15	5	1	1	1	0
Estimated average number of transfers per retrieval	2.1	2.5	1.0			
Average number of embryos transferred	2.8	2.8	4.0	2.0	2.0	
Percentage of embryos transferred resulting in implantation	14.3	5 / 14	0 / 4	0 / 2	0 / 2	
Percentage of transfers resulting in singleton live births	5 / 15	1 / 5	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 15	0 / 5	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in live births	5 / 15	3 / 5	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	7 / 15	3 / 5	0 / 1	0 / 1	0 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	21	6
Number of transfers	21	5
Average number of embryos transferred	2.2	2.8
Percentage of embryos transferred resulting in implantation	19.6	1 / 14
Percentage of transfers resulting in singleton live births	14.3	0 / 5
Percentage of transfers resulting in live births	23.8	0 / 5
Percentage of transfers resulting in pregnancy	38.1	1 / 5

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Center for Reproductive Health

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NASHVILLE FERTILITY CENTER
NASHVILLE, TENNESSEE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by George A. Hill, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	75%
Unstimulated	0%	Used PGD	21%
Used gestational carrier	4%		

Patient Diagnosis[b]

Tubal factor	22%	Uterine factor	17%	*Multiple Factors:*	
Ovulatory dysfunction	18%	Male factor	43%	Female factors only	33%
Diminished ovarian reserve	35%	Other factor	34%	Female & male factors	30%
Endometriosis	26%	Unknown factor	5%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 512 (includes 11 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	158	81	65	20	2	0
Percentage of cancellations	11.4	19.8	18.5	35.0	0 / 2	
Average number of embryos transferred	1.8	2.3	2.2	2.9	4.0	
Percentage of embryos transferred resulting in implantation	37.8	27.5	22.9	5.3	0 / 4	
Percentage of elective single embryo transfer (eSET)	32.5	3.6	5.3	0 / 12	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	29.1	23.5	23.1	10.0	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.6	3.7	0.0	0.0	0 / 2	
Percentage of cycles resulting in live births	38.6	32.1	27.7	10.0	0 / 2	
Percentage of cycles resulting in pregnancy	43.0	35.8	30.8	15.0	0 / 2	
Outcomes per Transfer						
Number of transfers	128	61	48	13	1	0
Percentage of transfers resulting in singleton live births	35.9	31.1	31.3	2 / 13	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.8	4.9	0.0	0 / 13	0 / 1	
Percentage of transfers resulting in live births	47.7	42.6	37.5	2 / 13	0 / 1	
Percentage of transfers resulting in pregnancy	53.1	47.5	41.7	3 / 13	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	68	29	20	3	0	0
Percentage of pregnancies resulting in singleton live births	67.6	65.5	75.0	2 / 3		
Percentage of pregnancies resulting in triplets or more live births	1.5	10.3	0.0	0 / 3		
Percentage of pregnancies resulting in live births	89.7	89.7	90.0	2 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	61	29	17	5	1	0
Number of transfers	58	28	17	5	1	0
Estimated average number of transfers per retrieval	2.6	2.8	2.8		1.0	0.0
Average number of embryos transferred	2.0	1.9	2.1	1.8	1.0	
Percentage of embryos transferred resulting in implantation	40.4	26.4	22.9	0 / 9	0 / 1	
Percentage of transfers resulting in singleton live births	46.6	28.6	4 / 17	0 / 5	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 17	0 / 5	0 / 1	
Percentage of transfers resulting in live births	58.6	35.7	6 / 17	0 / 5	0 / 1	
Percentage of transfers resulting in pregnancy	62.1	50.0	7 / 17	1 / 5	0 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	11	51
Number of transfers	10	46
Average number of embryos transferred	1.8	1.9
Percentage of embryos transferred resulting in implantation	5 / 18	36.4
Percentage of transfers resulting in singleton live births	3 / 10	30.4
Percentage of transfers resulting in live births	4 / 10	43.5
Percentage of transfers resulting in pregnancy	4 / 10	54.3

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Nashville Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

AUSTIN FERTILITY AND REPRODUCTIVE MEDICINE-WESTLAKE IVF
AUSTIN, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Shahryar K. Kavoussi, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	71%
Unstimulated	0%	Used PGD	1%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	11%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	10%	Male factor	38%	Female factors only	6%
Diminished ovarian reserve	22%	Other factor	11%	Female & male factors	12%
Endometriosis	3%	Unknown factor	21%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 99 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	31	19	10	17	2	0
Percentage of cancellations	0.0	0 / 19	1 / 10	1 / 17	0 / 2	
Average number of embryos transferred	2.2	2.1	1.9	2.7	2.5	
Percentage of embryos transferred resulting in implantation	30.5	34.3	6 / 13	7.9	1 / 5	
Percentage of elective single embryo transfer (eSET)	0.0	2 / 17	0 / 5	0 / 11	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	19.4	5 / 19	2 / 10	2 / 17	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 19	0 / 10	0 / 17	0 / 2	
Percentage of cycles resulting in live births	32.3	7 / 19	3 / 10	2 / 17	0 / 2	
Percentage of cycles resulting in pregnancy	41.9	8 / 19	4 / 10	3 / 17	1 / 2	
Outcomes per Transfer						
Number of transfers	27	17	7	14	2	0
Percentage of transfers resulting in singleton live births	22.2	5 / 17	2 / 7	2 / 14	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 17	0 / 7	0 / 14	0 / 2	
Percentage of transfers resulting in live births	37.0	7 / 17	3 / 7	2 / 14	0 / 2	
Percentage of transfers resulting in pregnancy	48.1	8 / 17	4 / 7	3 / 14	1 / 2	
Outcomes per Pregnancy						
Number of pregnancies	13	8	4	3	1	0
Percentage of pregnancies resulting in singleton live births	6 / 13	5 / 8	2 / 4	2 / 3	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 13	0 / 8	0 / 4	0 / 3	0 / 1	
Percentage of pregnancies resulting in live births	10 / 13	7 / 8	3 / 4	2 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	5	1	3	0	0
Number of transfers	4	5	0	3	0	0
Estimated average number of transfers per retrieval	1.3	1.3	0.0	0.6		
Average number of embryos transferred	2.0	1.6		2.7		
Percentage of embryos transferred resulting in implantation	4 / 8	5 / 8		1 / 8		
Percentage of transfers resulting in singleton live births	1 / 4	2 / 5		0 / 3		
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 5		0 / 3		
Percentage of transfers resulting in live births	2 / 4	3 / 5		0 / 3		
Percentage of transfers resulting in pregnancy	3 / 4	3 / 5		1 / 3		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	4	2
Number of transfers	2	2
Average number of embryos transferred	2.5	2.0
Percentage of embryos transferred resulting in implantation	0 / 5	2 / 4
Percentage of transfers resulting in singleton live births	0 / 2	1 / 2
Percentage of transfers resulting in live births	0 / 2	1 / 2
Percentage of transfers resulting in pregnancy	0 / 2	2 / 2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Austin Fertility and Reproductive Medicine-Westlake IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

AUSTIN FERTILITY INSTITUTE, PA
AUSTIN, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Kenneth K. Moghadam, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	95%
Unstimulated	0%	Used PGD	5%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	19%	Uterine factor	8%	*Multiple Factors:*	
Ovulatory dysfunction	16%	Male factor	44%	Female factors only	10%
Diminished ovarian reserve	18%	Other factor	5%	Female & male factors	31%
Endometriosis	33%	Unknown factor	2%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 168 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	60	24	18	14	2	1
Percentage of cancellations	6.7	4.2	0 / 18	0 / 14	0 / 2	0 / 1
Average number of embryos transferred	1.9	2.2	2.5	3.2	2.0	3.0
Percentage of embryos transferred resulting in implantation	39.6	28.6	9.3	8.6	0 / 2	0 / 3
Percentage of elective single embryo transfer (eSET)	22.6	0.0	0 / 17	0 / 10	0 / 1	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	31.7	16.7	3 / 18	0 / 14	0 / 2	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 18	0 / 14	0 / 2	0 / 1
Percentage of cycles resulting in live births	46.7	29.2	3 / 18	1 / 14	0 / 2	0 / 1
Percentage of cycles resulting in pregnancy	53.3	37.5	4 / 18	2 / 14	1 / 2	0 / 1
Outcomes per Transfer						
Number of transfers	54	22	17	11	1	1
Percentage of transfers resulting in singleton live births	35.2	18.2	3 / 17	0 / 11	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 17	0 / 11	0 / 1	0 / 1
Percentage of transfers resulting in live births	51.9	31.8	3 / 17	1 / 11	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	59.3	40.9	4 / 17	2 / 11	1 / 1	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	32	9	4	2	1	0
Percentage of pregnancies resulting in singleton live births	59.4	4 / 9	3 / 4	0 / 2	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 9	0 / 4	0 / 2	0 / 1	
Percentage of pregnancies resulting in live births	87.5	7 / 9	3 / 4	1 / 2	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	20	8	7	5	1	0
Number of transfers	18	8	7	5	1	0
Estimated average number of transfers per retrieval	1.1	1.6	1.0	0.8		
Average number of embryos transferred	2.2	2.9	2.9	2.8	2.0	
Percentage of embryos transferred resulting in implantation	55.0	34.8	30.0	2 / 14	1 / 2	
Percentage of transfers resulting in singleton live births	7 / 18	3 / 8	3 / 7	1 / 5	1 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 18	1 / 8	0 / 7	0 / 5	0 / 1	
Percentage of transfers resulting in live births	11 / 18	4 / 8	4 / 7	1 / 5	1 / 1	
Percentage of transfers resulting in pregnancy	13 / 18	6 / 8	5 / 7	2 / 5	1 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	5	3
Number of transfers	4	3
Average number of embryos transferred	1.3	2.0
Percentage of embryos transferred resulting in implantation	5 / 5	3 / 6
Percentage of transfers resulting in singleton live births	3 / 4	1 / 3
Percentage of transfers resulting in live births	4 / 4	2 / 3
Percentage of transfers resulting in pregnancy	4 / 4	2 / 3

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Austin Fertility Institute, PA

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

TEXAS FERTILITY CENTER
VAUGHN, SILVERBERG & ASSOCIATES
AUSTIN, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Kaylen Silverberg, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	53%
Unstimulated	0%	Used PGD	7%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	13%	Uterine factor	21%	*Multiple Factors:*	
Ovulatory dysfunction	11%	Male factor	25%	Female factors only	30%
Diminished ovarian reserve	29%	Other factor	26%	Female & male factors	15%
Endometriosis	23%	Unknown factor	12%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 938 (includes 41 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	210	150	100	60	26	2
Percentage of cancellations	9.0	10.0	15.0	16.7	23.1	0 / 2
Average number of embryos transferred	1.8	2.2	2.9	3.4	3.2	3.0
Percentage of embryos transferred resulting in implantation	40.8	31.7	12.4	7.5	3.7	0 / 6
Percentage of elective single embryo transfer (eSET)	21.1	9.6	2.9	0.0	0 / 16	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	20.5	22.0	17.0	5.0	7.7	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 2
Percentage of cycles resulting in live births	38.6	32.7	19.0	6.7	7.7	0 / 2
Percentage of cycles resulting in pregnancy	44.8	40.7	27.0	16.7	11.5	0 / 2
Outcomes per Transfer						
Number of transfers	177	124	73	47	17	2
Percentage of transfers resulting in singleton live births	24.3	26.6	23.3	6.4	2 / 17	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 17	0 / 2
Percentage of transfers resulting in live births	45.8	39.5	26.0	8.5	2 / 17	0 / 2
Percentage of transfers resulting in pregnancy	53.1	49.2	37.0	21.3	3 / 17	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	94	61	27	10	3	0
Percentage of pregnancies resulting in singleton live births	45.7	54.1	63.0	3 / 10	2 / 3	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 10	0 / 3	
Percentage of pregnancies resulting in live births	86.2	80.3	70.4	4 / 10	2 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	113	58	31	7	1	2
Number of transfers	102	49	23	7	1	2
Estimated average number of transfers per retrieval	1.8	1.2	1.3	2.3	1.0	
Average number of embryos transferred	1.5	1.7	1.6	1.4	2.0	1.5
Percentage of embryos transferred resulting in implantation	48.6	39.5	43.2	5 / 10	1 / 2	2 / 3
Percentage of transfers resulting in singleton live births	25.5	36.7	52.2	3 / 7	1 / 1	2 / 2
Percentage of transfers resulting in triplets or more live births	1.0	0.0	0.0	0 / 7	0 / 1	0 / 2
Percentage of transfers resulting in live births	44.1	49.0	56.5	4 / 7	1 / 1	2 / 2
Percentage of transfers resulting in pregnancy	58.8	61.2	78.3	6 / 7	1 / 1	2 / 2

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	75	62
Number of transfers	70	55
Average number of embryos transferred	1.7	1.5
Percentage of embryos transferred resulting in implantation	50.0	41.2
Percentage of transfers resulting in singleton live births	37.1	27.3
Percentage of transfers resulting in live births	54.3	40.0
Percentage of transfers resulting in pregnancy	71.4	58.2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Texas Fertility Center, Vaughn, Silverberg & Associates

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DR. JEFFREY YOUNGKIN
AUSTIN FERTILITY CENTER
AUSTIN, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Jeffrey T. Youngkin, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	75%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	0%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	40%	Male factor	20%	Female factors only	20%
Diminished ovarian reserve	0%	Other factor	40%	Female & male factors	0%
Endometriosis	20%	Unknown factor	0%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 6 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	1	1	2	0	0	0
Percentage of cancellations	0 / 1	0 / 1	0 / 2			
Average number of embryos transferred	3.0	2.0	3.5			
Percentage of embryos transferred resulting in implantation	0 / 3	0 / 2	2 / 7			
Percentage of elective single embryo transfer (eSET)	0 / 1	0 / 1	0 / 2			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	0 / 1	0 / 1	0 / 2			
Percentage of cycles resulting in triplets or more live births	0 / 1	0 / 1	0 / 2			
Percentage of cycles resulting in live births	0 / 1	0 / 1	1 / 2			
Percentage of cycles resulting in pregnancy	0 / 1	0 / 1	1 / 2			
Outcomes per Transfer						
Number of transfers	1	1	2	0	0	0
Percentage of transfers resulting in singleton live births	0 / 1	0 / 1	0 / 2			
Percentage of transfers resulting in triplets or more live births	0 / 1	0 / 1	0 / 2			
Percentage of transfers resulting in live births	0 / 1	0 / 1	1 / 2			
Percentage of transfers resulting in pregnancy	0 / 1	0 / 1	1 / 2			
Outcomes per Pregnancy						
Number of pregnancies	0	0	1	0	0	0
Percentage of pregnancies resulting in singleton live births			0 / 1			
Percentage of pregnancies resulting in triplets or more live births			0 / 1			
Percentage of pregnancies resulting in live births			1 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	1	0	0	0	0
Number of transfers	0	1	0	0	0	0
Estimated average number of transfers per retrieval		1.0	0.0			
Average number of embryos transferred		2.0				
Percentage of embryos transferred resulting in implantation		0 / 2				
Percentage of transfers resulting in singleton live births		0 / 1				
Percentage of transfers resulting in triplets or more live births		0 / 1				
Percentage of transfers resulting in live births		0 / 1				
Percentage of transfers resulting in pregnancy		1 / 1				

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation		
Percentage of transfers resulting in singleton live births		
Percentage of transfers resulting in live births		
Percentage of transfers resulting in pregnancy		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Dr. Jeffrey Youngkin, Austin Fertility Center

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR ASSISTED REPRODUCTION
BEDFORD, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Kevin J. Doody, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	73%
Unstimulated	0%	Used PGD	<1%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	15%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	14%	Male factor	40%	Female factors only	8%
Diminished ovarian reserve	40%	Other factor	8%	Female & male factors	22%
Endometriosis	7%	Unknown factor	6%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 490 (includes 21 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	116	52	42	16	6	4
Percentage of cancellations	0.9	7.7	2.4	0 / 16	0 / 6	0 / 4
Average number of embryos transferred	1.8	1.9	2.2	2.3	2.2	2.0
Percentage of embryos transferred resulting in implantation	38.2	25.0	15.4	14.7	0 / 11	0 / 2
Percentage of elective single embryo transfer (eSET)	14.4	2.6	0.0	0 / 10	0 / 4	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.9	11.5	16.7	5 / 16	0 / 6	0 / 4
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 16	0 / 6	0 / 4
Percentage of cycles resulting in live births	42.2	23.1	19.0	5 / 16	0 / 6	0 / 4
Percentage of cycles resulting in pregnancy	48.3	28.8	26.2	6 / 16	1 / 6	0 / 4
Outcomes per Transfer						
Number of transfers	106	45	36	15	5	1
Percentage of transfers resulting in singleton live births	28.3	13.3	19.4	5 / 15	0 / 5	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 15	0 / 5	0 / 1
Percentage of transfers resulting in live births	46.2	26.7	22.2	5 / 15	0 / 5	0 / 1
Percentage of transfers resulting in pregnancy	52.8	33.3	30.6	6 / 15	1 / 5	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	56	15	11	6	1	0
Percentage of pregnancies resulting in singleton live births	53.6	6 / 15	7 / 11	5 / 6	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 15	0 / 11	0 / 6	0 / 1	
Percentage of pregnancies resulting in live births	87.5	12 / 15	8 / 11	5 / 6	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	85	44	23	4	5	1
Number of transfers	84	42	22	4	5	1
Estimated average number of transfers per retrieval	3.1	2.8	4.4	4.0	1.0	
Average number of embryos transferred	1.8	1.8	2.0	2.3	2.0	2.0
Percentage of embryos transferred resulting in implantation	39.2	28.9	20.0	1 / 9	1 / 10	0 / 2
Percentage of transfers resulting in singleton live births	39.3	21.4	13.6	1 / 4	1 / 5	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 4	0 / 5	0 / 1
Percentage of transfers resulting in live births	51.2	33.3	22.7	1 / 4	1 / 5	0 / 1
Percentage of transfers resulting in pregnancy	58.3	47.6	40.9	1 / 4	1 / 5	0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	17	54
Number of transfers	17	54
Average number of embryos transferred	1.9	1.9
Percentage of embryos transferred resulting in implantation	63.6	36.6
Percentage of transfers resulting in singleton live births	6 / 17	42.6
Percentage of transfers resulting in live births	13 / 17	53.7
Percentage of transfers resulting in pregnancy	15 / 17	55.6

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Assisted Reproduction

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2012 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2012 ART cycle data or the clinic's Medical Director did not approve the clinic's 2012 ART cycle data for inclusion in this report.

DALLAS-FORT WORTH FERTILITY ASSOCIATES
DALLAS, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Samuel J. Chantilis, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	44%
Unstimulated	<1%	Used PGD	<1%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	14%	Uterine factor	11%	*Multiple Factors:*	
Ovulatory dysfunction	25%	Male factor	40%	Female factors only	26%
Diminished ovarian reserve	48%	Other factor	15%	Female & male factors	30%
Endometriosis	15%	Unknown factor	3%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 626 (includes 51 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	167	79	98	40	16	4
Percentage of cancellations	6.6	17.7	19.4	17.5	5 / 16	2 / 4
Average number of embryos transferred	1.8	1.8	2.2	2.7	2.7	3.0
Percentage of embryos transferred resulting in implantation	51.7	38.8	16.5	12.8	3.3	0 / 6
Percentage of elective single embryo transfer (eSET)	15.2	14.3	0.0	0.0	0 / 9	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	31.7	20.3	15.3	12.5	0 / 16	0 / 4
Percentage of cycles resulting in triplets or more live births	1.2	0.0	0.0	0.0	0 / 16	0 / 4
Percentage of cycles resulting in live births	50.3	32.9	20.4	17.5	0 / 16	0 / 4
Percentage of cycles resulting in pregnancy	57.5	39.2	23.5	25.0	1 / 16	0 / 4
Outcomes per Transfer						
Number of transfers	144	56	74	29	11	2
Percentage of transfers resulting in singleton live births	36.8	28.6	20.3	17.2	0 / 11	0 / 2
Percentage of transfers resulting in triplets or more live births	1.4	0.0	0.0	0.0	0 / 11	0 / 2
Percentage of transfers resulting in live births	58.3	46.4	27.0	24.1	0 / 11	0 / 2
Percentage of transfers resulting in pregnancy	66.7	55.4	31.1	34.5	1 / 11	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	96	31	23	10	1	0
Percentage of pregnancies resulting in singleton live births	55.2	51.6	65.2	5 / 10	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	2.1	0.0	0.0	0 / 10	0 / 1	
Percentage of pregnancies resulting in live births	87.5	83.9	87.0	7 / 10	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	40	28	14	8	3	2
Number of transfers	40	28	14	7	3	1
Estimated average number of transfers per retrieval	1.3	1.3	0.7	0.7	0.6	0.3
Average number of embryos transferred	1.5	1.5	1.5	1.6	1.3	2.0
Percentage of embryos transferred resulting in implantation	29.5	31.7	28.6	5 / 11	2 / 4	0 / 2
Percentage of transfers resulting in singleton live births	32.5	35.7	6 / 14	2 / 7	2 / 3	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 14	0 / 7	0 / 3	0 / 1
Percentage of transfers resulting in live births	37.5	39.3	6 / 14	3 / 7	2 / 3	0 / 1
Percentage of transfers resulting in pregnancy	42.5	46.4	7 / 14	5 / 7	2 / 3	0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	46	30
Number of transfers	40	29
Average number of embryos transferred	1.8	1.6
Percentage of embryos transferred resulting in implantation	69.4	36.2
Percentage of transfers resulting in singleton live births	45.0	27.6
Percentage of transfers resulting in live births	80.0	37.9
Percentage of transfers resulting in pregnancy	87.5	55.2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Dallas-Fort Worth Fertility Associates

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY AND ADVANCED REPRODUCTIVE MEDICINE
DALLAS, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Orhan Bukulmez, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	49%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	17%	Uterine factor	11%	*Multiple Factors:*	
Ovulatory dysfunction	23%	Male factor	31%	Female factors only	15%
Diminished ovarian reserve	26%	Other factor	12%	Female & male factors	16%
Endometriosis	12%	Unknown factor	9%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 106 (includes 24 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	23	12	7	3	4	0
Percentage of cancellations	13.0	2 / 12	1 / 7	1 / 3	2 / 4	
Average number of embryos transferred	1.8	2.1	2.6	5.0	2.0	
Percentage of embryos transferred resulting in implantation	30.0	28.6	1 / 13	0 / 5	0 / 4	
Percentage of elective single embryo transfer (eSET)	4 / 17	2 / 10	0 / 4	0 / 1	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.4	2 / 12	1 / 7	0 / 3	0 / 4	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 12	0 / 7	0 / 3	0 / 4	
Percentage of cycles resulting in live births	34.8	4 / 12	1 / 7	0 / 3	0 / 4	
Percentage of cycles resulting in pregnancy	39.1	4 / 12	1 / 7	0 / 3	0 / 4	
Outcomes per Transfer						
Number of transfers	17	10	5	1	2	0
Percentage of transfers resulting in singleton live births	7 / 17	2 / 10	1 / 5	0 / 1	0 / 2	
Percentage of transfers resulting in triplets or more live births	0 / 17	0 / 10	0 / 5	0 / 1	0 / 2	
Percentage of transfers resulting in live births	8 / 17	4 / 10	1 / 5	0 / 1	0 / 2	
Percentage of transfers resulting in pregnancy	9 / 17	4 / 10	1 / 5	0 / 1	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	9	4	1	0	0	0
Percentage of pregnancies resulting in singleton live births	7 / 9	2 / 4	1 / 1			
Percentage of pregnancies resulting in triplets or more live births	0 / 9	0 / 4	0 / 1			
Percentage of pregnancies resulting in live births	8 / 9	4 / 4	1 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	9	10	9	4	1	0
Number of transfers	8	9	9	4	1	0
Estimated average number of transfers per retrieval	0.8	1.8	1.8	0.4	0.3	
Average number of embryos transferred	1.8	1.8	1.7	2.3	3.0	
Percentage of embryos transferred resulting in implantation	5 / 14	4 / 16	2 / 15	0 / 9	0 / 3	
Percentage of transfers resulting in singleton live births	5 / 8	2 / 9	2 / 9	0 / 4	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 8	0 / 9	0 / 9	0 / 4	0 / 1	
Percentage of transfers resulting in live births	5 / 8	3 / 9	2 / 9	0 / 4	0 / 1	
Percentage of transfers resulting in pregnancy	5 / 8	3 / 9	2 / 9	0 / 4	0 / 1	

	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Donor Eggs		
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation		
Percentage of transfers resulting in singleton live births		
Percentage of transfers resulting in live births		
Percentage of transfers resulting in pregnancy		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility and Advanced Reproductive Medicine

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF DALLAS
DALLAS, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by J. Michael Putman, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	76%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	27%	Uterine factor	16%	*Multiple Factors:*	
Ovulatory dysfunction	8%	Male factor	49%	Female factors only	18%
Diminished ovarian reserve	26%	Other factor	8%	Female & male factors	32%
Endometriosis	28%	Unknown factor	2%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 166 (includes 33 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	41	15	6	0	3	1
Percentage of cancellations	0.0	1 / 15	1 / 6		1 / 3	0 / 1
Average number of embryos transferred	2.0	2.1	2.6		4.0	1.0
Percentage of embryos transferred resulting in implantation	42.2	20.0	2 / 13		0 / 8	0 / 1
Percentage of elective single embryo transfer (eSET)	4.9	0 / 12	0 / 5		0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	31.7	4 / 15	1 / 6		0 / 3	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0 / 15	0 / 6		0 / 3	0 / 1
Percentage of cycles resulting in live births	56.1	4 / 15	1 / 6		0 / 3	0 / 1
Percentage of cycles resulting in pregnancy	58.5	7 / 15	3 / 6		0 / 3	0 / 1
Outcomes per Transfer						
Number of transfers	41	12	5	0	2	1
Percentage of transfers resulting in singleton live births	31.7	4 / 12	1 / 5		0 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 12	0 / 5		0 / 2	0 / 1
Percentage of transfers resulting in live births	56.1	4 / 12	1 / 5		0 / 2	0 / 1
Percentage of transfers resulting in pregnancy	58.5	7 / 12	3 / 5		0 / 2	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	24	7	3	0	0	0
Percentage of pregnancies resulting in singleton live births	54.2	4 / 7	1 / 3			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 7	0 / 3			
Percentage of pregnancies resulting in live births	95.8	4 / 7	1 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	24	16	7	2	4	1
Number of transfers	24	16	6	2	4	1
Estimated average number of transfers per retrieval	4.0	1.5	0.4	0.7	0.4	
Average number of embryos transferred	2.0	2.1	2.3	3.0	3.0	5.0
Percentage of embryos transferred resulting in implantation	48.9	29.4	3 / 14	2 / 6	0 / 12	0 / 5
Percentage of transfers resulting in singleton live births	33.3	4 / 16	2 / 6	0 / 2	0 / 4	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0 / 6	0 / 2	0 / 4	0 / 1
Percentage of transfers resulting in live births	58.3	7 / 16	2 / 6	1 / 2	0 / 4	0 / 1
Percentage of transfers resulting in pregnancy	62.5	11 / 16	3 / 6	1 / 2	0 / 4	0 / 1

	All Ages Combined[f]	
Donor Eggs	**Fresh Embryos**	**Frozen Embryos**
Number of cycles	10	3
Number of transfers	10	3
Average number of embryos transferred	1.9	2.0
Percentage of embryos transferred resulting in implantation	15 / 19	2 / 6
Percentage of transfers resulting in singleton live births	3 / 10	0 / 3
Percentage of transfers resulting in live births	8 / 10	1 / 3
Percentage of transfers resulting in pregnancy	8 / 10	1 / 3

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Center of Dallas

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF INSTITUTE, PA
DALLAS, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Noel Peng, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	69%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	27%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	14%	Male factor	32%	Female factors only	11%
Diminished ovarian reserve	62%	Other factor	0%	Female & male factors	30%
Endometriosis	5%	Unknown factor	3%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 45 (includes 8 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	6	4	7	7	3	2
Percentage of cancellations	0 / 6	0 / 4	0 / 7	2 / 7	0 / 3	1 / 2
Average number of embryos transferred	2.0	2.0	3.6	2.5	1.5	2.0
Percentage of embryos transferred resulting in implantation	2 / 12	4 / 8	32.0	0 / 10	0 / 3	0 / 2
Percentage of elective single embryo transfer (eSET)	0 / 6	0 / 3	0 / 7	0 / 4	0 / 1	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	2 / 6	2 / 4	2 / 7	0 / 7	0 / 3	0 / 2
Percentage of cycles resulting in triplets or more live births	0 / 6	0 / 4	0 / 7	0 / 7	0 / 3	0 / 2
Percentage of cycles resulting in live births	2 / 6	3 / 4	5 / 7	0 / 7	0 / 3	0 / 2
Percentage of cycles resulting in pregnancy	3 / 6	3 / 4	6 / 7	0 / 7	0 / 3	0 / 2
Outcomes per Transfer						
Number of transfers	6	4	7	4	2	1
Percentage of transfers resulting in singleton live births	2 / 6	2 / 4	2 / 7	0 / 4	0 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 4	0 / 7	0 / 4	0 / 2	0 / 1
Percentage of transfers resulting in live births	2 / 6	3 / 4	5 / 7	0 / 4	0 / 2	0 / 1
Percentage of transfers resulting in pregnancy	3 / 6	3 / 4	6 / 7	0 / 4	0 / 2	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	3	3	6	0	0	0
Percentage of pregnancies resulting in singleton live births	2 / 3	2 / 3	2 / 6			
Percentage of pregnancies resulting in triplets or more live births	0 / 3	0 / 3	0 / 6			
Percentage of pregnancies resulting in live births	2 / 3	3 / 3	5 / 6			
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	0	3	0	0	0
Number of transfers	1	0	1	0	0	0
Estimated average number of transfers per retrieval		0.0	0.2	0.0		
Average number of embryos transferred	3.0		1.0			
Percentage of embryos transferred resulting in implantation	0 / 3		0 / 1			
Percentage of transfers resulting in singleton live births	0 / 1		0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 1		0 / 1			
Percentage of transfers resulting in live births	0 / 1		0 / 1			
Percentage of transfers resulting in pregnancy	1 / 1		0 / 1			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	3	1
Number of transfers	2	1
Average number of embryos transferred	2.0	1.0
Percentage of embryos transferred resulting in implantation	1 / 4	1 / 1
Percentage of transfers resulting in singleton live births	1 / 2	1 / 1
Percentage of transfers resulting in live births	1 / 2	1 / 1
Percentage of transfers resulting in pregnancy	1 / 2	1 / 1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: IVF Institute, PA

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPROMED FERTILITY CENTER
DALLAS, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Anil Pinto, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	90%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	18%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	7%	Male factor	21%	Female factors only	7%
Diminished ovarian reserve	32%	Other factor	4%	Female & male factors	12%
Endometriosis	10%	Unknown factor	29%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 80 (includes 7 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	36	17	4	1	1	0
Percentage of cancellations	5.6	1 / 17	0 / 4	1 / 1	0 / 1	
Average number of embryos transferred	2.0	2.4	2.8		2.0	
Percentage of embryos transferred resulting in implantation	47.1	31.6	3 / 11		0 / 2	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 16	0 / 4		0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	41.7	7 / 17	1 / 4	0 / 1	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 17	0 / 4	0 / 1	0 / 1	
Percentage of cycles resulting in live births	63.9	9 / 17	2 / 4	0 / 1	0 / 1	
Percentage of cycles resulting in pregnancy	66.7	9 / 17	2 / 4	0 / 1	0 / 1	
Outcomes per Transfer						
Number of transfers	34	16	4	0	1	0
Percentage of transfers resulting in singleton live births	44.1	7 / 16	1 / 4		0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0 / 4		0 / 1	
Percentage of transfers resulting in live births	67.6	9 / 16	2 / 4		0 / 1	
Percentage of transfers resulting in pregnancy	70.6	9 / 16	2 / 4		0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	24	9	2	0	0	0
Percentage of pregnancies resulting in singleton live births	62.5	7 / 9	1 / 2			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 9	0 / 2			
Percentage of pregnancies resulting in live births	95.8	9 / 9	2 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	9	2	0	1	0	0
Number of transfers	7	2	0	1	0	0
Estimated average number of transfers per retrieval	1.2	0.5			0.0	
Average number of embryos transferred	1.9	2.0		1.0		
Percentage of embryos transferred resulting in implantation	5 / 13	1 / 4		0 / 1		
Percentage of transfers resulting in singleton live births	3 / 7	1 / 2		0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 7	0 / 2		0 / 1		
Percentage of transfers resulting in live births	4 / 7	1 / 2		0 / 1		
Percentage of transfers resulting in pregnancy	4 / 7	1 / 2		0 / 1		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	1	1
Number of transfers	1	1
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation	0 / 2	0 / 2
Percentage of transfers resulting in singleton live births	0 / 1	0 / 1
Percentage of transfers resulting in live births	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	0 / 1	0 / 1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: ReproMed Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHER INSTITUTE FOR REPRODUCTIVE MEDICINE-DALLAS
DALLAS, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Walid Saleh, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	92%
Unstimulated	<1%	Used PGD	35%
Used gestational carrier	1%		

Patient Diagnosis[b]

Tubal factor	11%	Uterine factor	8%	*Multiple Factors:*	
Ovulatory dysfunction	6%	Male factor	22%	Female factors only	16%
Diminished ovarian reserve	55%	Other factor	23%	Female & male factors	15%
Endometriosis	6%	Unknown factor	4%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 286 (includes 10 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	72	35	26	26	7	3
Percentage of cancellations	4.2	5.7	3.8	3.8	1 / 7	1 / 3
Average number of embryos transferred	2.1	2.2	1.6	1.3	2.4	
Percentage of embryos transferred resulting in implantation	43.9	40.4	29.6	2 / 5	0 / 12	
Percentage of elective single embryo transfer (eSET)	0.0	4.3	4 / 12	1 / 2	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	34.7	17.1	23.1	0.0	0 / 7	0 / 3
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 7	0 / 3
Percentage of cycles resulting in live births	43.1	31.4	23.1	0.0	0 / 7	0 / 3
Percentage of cycles resulting in pregnancy	52.8	37.1	30.8	3.8	1 / 7	0 / 3
Outcomes per Transfer						
Number of transfers	54	24	17	4	5	0
Percentage of transfers resulting in singleton live births	46.3	25.0	6 / 17	0 / 4	0 / 5	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 17	0 / 4	0 / 5	
Percentage of transfers resulting in live births	57.4	45.8	6 / 17	0 / 4	0 / 5	
Percentage of transfers resulting in pregnancy	70.4	54.2	8 / 17	1 / 4	1 / 5	
Outcomes per Pregnancy						
Number of pregnancies	38	13	8	1	1	0
Percentage of pregnancies resulting in singleton live births	65.8	6 / 13	6 / 8	0 / 1	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 13	0 / 8	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births	81.6	11 / 13	6 / 8	0 / 1	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	34	9	5	1	0	0
Number of transfers	34	9	4	1	0	0
Estimated average number of transfers per retrieval	2.3	1.8	1.3		0.0	
Average number of embryos transferred	2.1	1.9	2.0	5.0		
Percentage of embryos transferred resulting in implantation	31.0	4 / 17	1 / 8	0 / 5		
Percentage of transfers resulting in singleton live births	26.5	2 / 9	1 / 4	0 / 1		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 9	0 / 4	0 / 1		
Percentage of transfers resulting in live births	38.2	3 / 9	1 / 4	0 / 1		
Percentage of transfers resulting in pregnancy	50.0	3 / 9	1 / 4	0 / 1		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	40	18
Number of transfers	35	18
Average number of embryos transferred	1.9	2.1
Percentage of embryos transferred resulting in implantation	53.0	40.5
Percentage of transfers resulting in singleton live births	22.9	6 / 18
Percentage of transfers resulting in live births	48.6	10 / 18
Percentage of transfers resulting in pregnancy	71.4	12 / 18

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Sher Institute for Reproductive Medicine-Dallas

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

TEXAS CENTER FOR REPRODUCTIVE HEALTH
DALLAS, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Samuel P. Marynick, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	98%
Unstimulated	0%	Used PGD	5%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	6%	Uterine factor	11%	*Multiple Factors:*	
Ovulatory dysfunction	23%	Male factor	32%	Female factors only	20%
Diminished ovarian reserve	32%	Other factor	19%	Female & male factors	19%
Endometriosis	17%	Unknown factor	5%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 69 (includes 4 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	21	5	8	6	1	0
Percentage of cancellations	0.0	0 / 5	0 / 8	1 / 6	0 / 1	
Average number of embryos transferred	2.0	1.8	2.0	1.8	1.0	
Percentage of embryos transferred resulting in implantation	41.7	2 / 9	7 / 16	3 / 7	0 / 1	
Percentage of elective single embryo transfer (eSET)	1 / 18	1 / 5	0 / 6	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	42.9	2 / 5	2 / 8	2 / 6	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 5	0 / 8	0 / 6	0 / 1	
Percentage of cycles resulting in live births	52.4	2 / 5	4 / 8	2 / 6	0 / 1	
Percentage of cycles resulting in pregnancy	61.9	2 / 5	5 / 8	3 / 6	0 / 1	
Outcomes per Transfer						
Number of transfers	18	5	8	4	1	0
Percentage of transfers resulting in singleton live births	9 / 18	2 / 5	2 / 8	2 / 4	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 18	0 / 5	0 / 8	0 / 4	0 / 1	
Percentage of transfers resulting in live births	11 / 18	2 / 5	4 / 8	2 / 4	0 / 1	
Percentage of transfers resulting in pregnancy	13 / 18	2 / 5	5 / 8	3 / 4	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	13	2	5	3	0	0
Percentage of pregnancies resulting in singleton live births	9 / 13	2 / 2	2 / 5	2 / 3		
Percentage of pregnancies resulting in triplets or more live births	0 / 13	0 / 2	0 / 5	0 / 3		
Percentage of pregnancies resulting in live births	11 / 13	2 / 2	4 / 5	2 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	10	1	3	3	0	1
Number of transfers	10	1	3	3	0	1
Estimated average number of transfers per retrieval	1.3	0.3				
Average number of embryos transferred	1.7	1.0	2.0	2.0		1.0
Percentage of embryos transferred resulting in implantation	5 / 17	0 / 1	0 / 6	2 / 6		0 / 1
Percentage of transfers resulting in singleton live births	3 / 10	0 / 1	0 / 3	0 / 3		0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 10	0 / 1	0 / 3	0 / 3		0 / 1
Percentage of transfers resulting in live births	4 / 10	0 / 1	0 / 3	1 / 3		0 / 1
Percentage of transfers resulting in pregnancy	5 / 10	0 / 1	0 / 3	2 / 3		0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	2	4
Number of transfers	2	4
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation	5 / 4	2 / 8
Percentage of transfers resulting in singleton live births	0 / 2	1 / 4
Percentage of transfers resulting in live births	2 / 2	1 / 4
Percentage of transfers resulting in pregnancy	2 / 2	1 / 4

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Texas Center for Reproductive Health

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE WOMEN'S PLACE
DeSOTO, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Lisa A. King, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	35%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	48%	Uterine factor	12%	*Multiple Factors:*	
Ovulatory dysfunction	16%	Male factor	52%	Female factors only	20%
Diminished ovarian reserve	32%	Other factor	0%	Female & male factors	36%
Endometriosis	4%	Unknown factor	4%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 25 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	13	6	4	0	0	0
Percentage of cancellations	2 / 13	0 / 6	0 / 4			
Average number of embryos transferred	1.9	2.3	2.0			
Percentage of embryos transferred resulting in implantation	12 / 19	1 / 9	0 / 4			
Percentage of elective single embryo transfer (eSET)	0 / 9	0 / 3	0 / 2			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	3 / 13	1 / 6	0 / 4			
Percentage of cycles resulting in triplets or more live births	0 / 13	0 / 6	0 / 4			
Percentage of cycles resulting in live births	7 / 13	1 / 6	0 / 4			
Percentage of cycles resulting in pregnancy	7 / 13	1 / 6	0 / 4			
Outcomes per Transfer						
Number of transfers	10	4	2	0	0	0
Percentage of transfers resulting in singleton live births	3 / 10	1 / 4	0 / 2			
Percentage of transfers resulting in triplets or more live births	0 / 10	0 / 4	0 / 2			
Percentage of transfers resulting in live births	7 / 10	1 / 4	0 / 2			
Percentage of transfers resulting in pregnancy	7 / 10	1 / 4	0 / 2			
Outcomes per Pregnancy						
Number of pregnancies	7	1	0	0	0	0
Percentage of pregnancies resulting in singleton live births	3 / 7	1 / 1				
Percentage of pregnancies resulting in triplets or more live births	0 / 7	0 / 1				
Percentage of pregnancies resulting in live births	7 / 7	1 / 1				
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	0	0	0	0	0
Number of transfers	0	0	0	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in triplets or more live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

	All Ages Combined[f]	
Donor Eggs	**Fresh Embryos**	**Frozen Embryos**
Number of cycles	1	0
Number of transfers	1	0
Average number of embryos transferred	3.0	
Percentage of embryos transferred resulting in implantation	1 / 3	
Percentage of transfers resulting in singleton live births	1 / 1	
Percentage of transfers resulting in live births	1 / 1	
Percentage of transfers resulting in pregnancy	1 / 1	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Women's Place

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	No			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY FERTILITY CENTER
DICKINSON, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by John Y. Phelps, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	57%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	3%		

Patient Diagnosis[b]

Tubal factor	36%	Uterine factor	19%	*Multiple Factors:*	
Ovulatory dysfunction	19%	Male factor	33%	Female factors only	28%
Diminished ovarian reserve	19%	Other factor	0%	Female & male factors	19%
Endometriosis	25%	Unknown factor	8%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 36 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	19	5	5	0	1	0
Percentage of cancellations	2 / 19	0 / 5	1 / 5		0 / 1	
Average number of embryos transferred	2.4	3.2	2.8		3.0	
Percentage of embryos transferred resulting in implantation	35.0	0 / 16	4 / 11		0 / 3	
Percentage of elective single embryo transfer (eSET)	0 / 17	0 / 5	0 / 4		0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	6 / 19	0 / 5	0 / 5		0 / 1	
Percentage of cycles resulting in triplets or more live births	0 / 19	0 / 5	0 / 5		0 / 1	
Percentage of cycles resulting in live births	10 / 19	0 / 5	2 / 5		0 / 1	
Percentage of cycles resulting in pregnancy	11 / 19	0 / 5	2 / 5		0 / 1	
Outcomes per Transfer						
Number of transfers	17	5	4	0	1	0
Percentage of transfers resulting in singleton live births	6 / 17	0 / 5	0 / 4		0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 17	0 / 5	0 / 4		0 / 1	
Percentage of transfers resulting in live births	10 / 17	0 / 5	2 / 4		0 / 1	
Percentage of transfers resulting in pregnancy	11 / 17	0 / 5	2 / 4		0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	11	0	2	0	0	0
Percentage of pregnancies resulting in singleton live births	6 / 11		0 / 2			
Percentage of pregnancies resulting in triplets or more live births	0 / 11		0 / 2			
Percentage of pregnancies resulting in live births	10 / 11		2 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	3	0	2	0	0	0
Number of transfers	3	0	2	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred	3.0		2.5			
Percentage of embryos transferred resulting in implantation	1 / 9		1 / 5			
Percentage of transfers resulting in singleton live births	0 / 3		1 / 2			
Percentage of transfers resulting in triplets or more live births	0 / 3		0 / 2			
Percentage of transfers resulting in live births	0 / 3		1 / 2			
Percentage of transfers resulting in pregnancy	1 / 3		1 / 2			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	0	1
Number of transfers	0	1
Average number of embryos transferred		2.0
Percentage of embryos transferred resulting in implantation		0 / 2
Percentage of transfers resulting in singleton live births		0 / 1
Percentage of transfers resulting in live births		0 / 1
Percentage of transfers resulting in pregnancy		0 / 1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTHWEST CENTER FOR REPRODUCTIVE HEALTH, PA
EL PASO, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Luis S. Noble, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	83%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	3%		

Patient Diagnosis[b]

Tubal factor	22%	Uterine factor	1%	*Multiple Factors:*	
Ovulatory dysfunction	23%	Male factor	30%	Female factors only	23%
Diminished ovarian reserve	23%	Other factor	18%	Female & male factors	16%
Endometriosis	21%	Unknown factor	3%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 109 (includes 21 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	9	6	14	5	1	0
Percentage of cancellations	0 / 9	0 / 6	3 / 14	1 / 5	0 / 1	
Average number of embryos transferred	2.1	2.0	2.3	3.3	2.0	
Percentage of embryos transferred resulting in implantation	4 / 19	4 / 12	21.7	1 / 10	0 / 2	
Percentage of elective single embryo transfer (eSET)	0 / 8	0 / 6	0 / 9	0 / 3	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	1 / 9	2 / 6	3 / 14	1 / 5	0 / 1	
Percentage of cycles resulting in triplets or more live births	0 / 9	0 / 6	0 / 14	0 / 5	0 / 1	
Percentage of cycles resulting in live births	2 / 9	3 / 6	4 / 14	1 / 5	0 / 1	
Percentage of cycles resulting in pregnancy	4 / 9	3 / 6	5 / 14	1 / 5	0 / 1	
Outcomes per Transfer						
Number of transfers	9	6	10	3	1	0
Percentage of transfers resulting in singleton live births	1 / 9	2 / 6	3 / 10	1 / 3	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 9	0 / 6	0 / 10	0 / 3	0 / 1	
Percentage of transfers resulting in live births	2 / 9	3 / 6	4 / 10	1 / 3	0 / 1	
Percentage of transfers resulting in pregnancy	4 / 9	3 / 6	5 / 10	1 / 3	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	4	3	5	1	0	0
Percentage of pregnancies resulting in singleton live births	1 / 4	2 / 3	3 / 5	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 4	0 / 3	0 / 5	0 / 1		
Percentage of pregnancies resulting in live births	2 / 4	3 / 3	4 / 5	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	25	12	6	1	0	0
Number of transfers	25	12	6	1	0	0
Estimated average number of transfers per retrieval	1.7	1.5	6.0	0.5		
Average number of embryos transferred	2.1	2.0	2.0	2.0		
Percentage of embryos transferred resulting in implantation	36.5	41.7	2 / 12	0 / 2		
Percentage of transfers resulting in singleton live births	28.0	4 / 12	2 / 6	0 / 1		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 12	0 / 6	0 / 1		
Percentage of transfers resulting in live births	48.0	5 / 12	2 / 6	0 / 1		
Percentage of transfers resulting in pregnancy	64.0	7 / 12	2 / 6	0 / 1		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	6	3
Number of transfers	6	2
Average number of embryos transferred	1.7	2.5
Percentage of embryos transferred resulting in implantation	8 / 10	1 / 5
Percentage of transfers resulting in singleton live births	2 / 6	1 / 2
Percentage of transfers resulting in live births	3 / 6	1 / 2
Percentage of transfers resulting in pregnancy	5 / 6	1 / 2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Southwest Center for Reproductive Health, PA

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BROOKE ARMY MEDICAL CENTER
FORT SAM HOUSTON, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Matthew G. Retzloff, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	58%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	35%	Uterine factor	14%	*Multiple Factors:*	
Ovulatory dysfunction	13%	Male factor	45%	Female factors only	22%
Diminished ovarian reserve	14%	Other factor	0%	Female & male factors	24%
Endometriosis	24%	Unknown factor	8%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 121 (includes 2 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	69	30	20	0	0	0
Percentage of cancellations	0.0	3.3	0.0			
Average number of embryos transferred	2.0	2.1	2.3			
Percentage of embryos transferred resulting in implantation	38.4	23.0	21.7			
Percentage of elective single embryo transfer (eSET)	0.0	3.8	0 / 17			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	34.8	36.7	10.0			
Percentage of cycles resulting in triplets or more live births	1.4	0.0	0.0			
Percentage of cycles resulting in live births	52.2	40.0	25.0			
Percentage of cycles resulting in pregnancy	53.6	46.7	35.0			
Outcomes per Transfer						
Number of transfers	69	29	20	0	0	0
Percentage of transfers resulting in singleton live births	34.8	37.9	10.0			
Percentage of transfers resulting in triplets or more live births	1.4	0.0	0.0			
Percentage of transfers resulting in live births	52.2	41.4	25.0			
Percentage of transfers resulting in pregnancy	53.6	48.3	35.0			
Outcomes per Pregnancy						
Number of pregnancies	37	14	7	0	0	0
Percentage of pregnancies resulting in singleton live births	64.9	11 / 14	2 / 7			
Percentage of pregnancies resulting in triplets or more live births	2.7	0 / 14	0 / 7			
Percentage of pregnancies resulting in live births	97.3	12 / 14	5 / 7			
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	0	0	0	0	0
Number of transfers	0	0	0	0	0	0
Estimated average number of transfers per retrieval	0.0					
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in triplets or more live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Donor Eggs		
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation		
Percentage of transfers resulting in singleton live births		
Percentage of transfers resulting in live births		
Percentage of transfers resulting in pregnancy		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Brooke Army Medical Center

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FORT WORTH FERTILITY, PA
FORT WORTH, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Robert Kaufmann, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	91%
Unstimulated	<1%	Used PGD	10%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	11%	Uterine factor	1%	*Multiple Factors:*	
Ovulatory dysfunction	9%	Male factor	27%	Female factors only	7%
Diminished ovarian reserve	36%	Other factor	9%	Female & male factors	5%
Endometriosis	5%	Unknown factor	16%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 456 (includes 12 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	162	54	32	18	6	6
Percentage of cancellations	2.5	5.6	3.1	0 / 18	1 / 6	0 / 6
Average number of embryos transferred	1.9	2.0	2.2	1.9	2.3	1.3
Percentage of embryos transferred resulting in implantation	35.8	15.2	9.1	7.7	0 / 9	0 / 5
Percentage of elective single embryo transfer (eSET)	10.1	7.7	0.0	0 / 9	0 / 4	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.5	11.1	12.5	2 / 18	0 / 6	0 / 6
Percentage of cycles resulting in triplets or more live births	0.6	0.0	0.0	0 / 18	0 / 6	0 / 6
Percentage of cycles resulting in live births	40.7	16.7	12.5	2 / 18	0 / 6	0 / 6
Percentage of cycles resulting in pregnancy	43.2	20.4	18.8	2 / 18	0 / 6	0 / 6
Outcomes per Transfer						
Number of transfers	144	46	25	14	4	4
Percentage of transfers resulting in singleton live births	29.9	13.0	16.0	2 / 14	0 / 4	0 / 4
Percentage of transfers resulting in triplets or more live births	0.7	0.0	0.0	0 / 14	0 / 4	0 / 4
Percentage of transfers resulting in live births	45.8	19.6	16.0	2 / 14	0 / 4	0 / 4
Percentage of transfers resulting in pregnancy	48.6	23.9	24.0	2 / 14	0 / 4	0 / 4
Outcomes per Pregnancy						
Number of pregnancies	70	11	6	2	0	0
Percentage of pregnancies resulting in singleton live births	61.4	6 / 11	4 / 6	2 / 2		
Percentage of pregnancies resulting in triplets or more live births	1.4	0 / 11	0 / 6	0 / 2		
Percentage of pregnancies resulting in live births	94.3	9 / 11	4 / 6	2 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	57	16	18	4	4	0
Number of transfers	57	16	18	4	4	0
Estimated average number of transfers per retrieval	1.5	2.3	2.6		4.0	0.0
Average number of embryos transferred	1.8	1.6	1.8	2.0	2.3	
Percentage of embryos transferred resulting in implantation	28.2	40.0	12.5	2 / 8	3 / 9	
Percentage of transfers resulting in singleton live births	35.1	7 / 16	2 / 18	0 / 4	2 / 4	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0 / 18	0 / 4	0 / 4	
Percentage of transfers resulting in live births	40.4	7 / 16	2 / 18	1 / 4	2 / 4	
Percentage of transfers resulting in pregnancy	43.9	9 / 16	3 / 18	1 / 4	3 / 4	

	All Ages Combined[f]	
Donor Eggs	**Fresh Embryos**	**Frozen Embryos**
Number of cycles	43	24
Number of transfers	40	24
Average number of embryos transferred	1.9	1.9
Percentage of embryos transferred resulting in implantation	50.6	26.7
Percentage of transfers resulting in singleton live births	37.5	33.3
Percentage of transfers resulting in live births	60.0	37.5
Percentage of transfers resulting in pregnancy	67.5	45.8

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fort Worth Fertility, PA

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2012 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2012 ART cycle data or the clinic's Medical Director did not approve the clinic's 2012 ART cycle data for inclusion in this report.

DALLAS IVF
FRISCO, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Brian D. Barnett, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	59%
Unstimulated	0%	Used PGD	5%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	15%	Uterine factor	1%	*Multiple Factors:*	
Ovulatory dysfunction	11%	Male factor	47%	Female factors only	2%
Diminished ovarian reserve	18%	Other factor	7%	Female & male factors	12%
Endometriosis	4%	Unknown factor	13%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 457 (includes 7 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	172	94	49	20	5	1
Percentage of cancellations	7.0	4.3	10.2	5.0	0 / 5	0 / 1
Average number of embryos transferred	2.0	2.1	2.5	2.9	3.6	5.0
Percentage of embryos transferred resulting in implantation	41.7	34.4	24.7	6.8	3 / 18	1 / 5
Percentage of elective single embryo transfer (eSET)	8.5	7.4	0.0	0 / 14	0 / 5	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.2	26.6	22.4	0.0	1 / 5	1 / 1
Percentage of cycles resulting in triplets or more live births	0.0	1.1	0.0	0.0	0 / 5	0 / 1
Percentage of cycles resulting in live births	47.1	43.6	28.6	0.0	1 / 5	1 / 1
Percentage of cycles resulting in pregnancy	51.2	46.8	38.8	15.0	1 / 5	1 / 1
Outcomes per Transfer						
Number of transfers	152	88	36	15	5	1
Percentage of transfers resulting in singleton live births	29.6	28.4	30.6	0 / 15	1 / 5	1 / 1
Percentage of transfers resulting in triplets or more live births	0.0	1.1	0.0	0 / 15	0 / 5	0 / 1
Percentage of transfers resulting in live births	53.3	46.6	38.9	0 / 15	1 / 5	1 / 1
Percentage of transfers resulting in pregnancy	57.9	50.0	52.8	3 / 15	1 / 5	1 / 1
Outcomes per Pregnancy						
Number of pregnancies	88	44	19	3	1	1
Percentage of pregnancies resulting in singleton live births	51.1	56.8	11 / 19	0 / 3	1 / 1	1 / 1
Percentage of pregnancies resulting in triplets or more live births	0.0	2.3	0 / 19	0 / 3	0 / 1	0 / 1
Percentage of pregnancies resulting in live births	92.0	93.2	14 / 19	0 / 3	1 / 1	1 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	42	23	10	3	0	0
Number of transfers	41	18	10	3	0	0
Estimated average number of transfers per retrieval	2.1	1.8	5.0	3.0		
Average number of embryos transferred	1.7	1.6	1.7	1.3		
Percentage of embryos transferred resulting in implantation	56.5	42.9	6 / 17	2 / 4		
Percentage of transfers resulting in singleton live births	46.3	4 / 18	5 / 10	2 / 3		
Percentage of transfers resulting in triplets or more live births	2.4	0 / 18	0 / 10	0 / 3		
Percentage of transfers resulting in live births	61.0	7 / 18	5 / 10	2 / 3		
Percentage of transfers resulting in pregnancy	70.7	9 / 18	6 / 10	2 / 3		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	22	9
Number of transfers	20	9
Average number of embryos transferred	1.9	1.8
Percentage of embryos transferred resulting in implantation	73.7	7 / 16
Percentage of transfers resulting in singleton live births	40.0	3 / 9
Percentage of transfers resulting in live births	85.0	5 / 9
Percentage of transfers resulting in pregnancy	85.0	5 / 9

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Dallas IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY SPECIALISTS OF TEXAS, PLLC
FRISCO, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Jerald S. Goldstein, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	41%
Unstimulated	0%	Used PGD	6%
Used gestational carrier	1%		

Patient Diagnosis[b]

Tubal factor	27%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	13%	Male factor	41%	Female factors only	4%
Diminished ovarian reserve	20%	Other factor	6%	Female & male factors	19%
Endometriosis	5%	Unknown factor	9%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 222 (includes 14 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	102	27	28	14	3	1
Percentage of cancellations	5.9	11.1	21.4	3 / 14	0 / 3	0 / 1
Average number of embryos transferred	1.9	2.0	2.2	2.7	2.0	1.0
Percentage of embryos transferred resulting in implantation	51.4	51.3	19.1	10.0	1 / 2	0 / 1
Percentage of elective single embryo transfer (eSET)	7.6	1 / 19	0 / 18	0 / 8	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	43.1	29.6	28.6	1 / 14	1 / 3	0 / 1
Percentage of cycles resulting in triplets or more live births	1.0	0.0	0.0	0 / 14	0 / 3	0 / 1
Percentage of cycles resulting in live births	61.8	48.1	28.6	1 / 14	1 / 3	0 / 1
Percentage of cycles resulting in pregnancy	68.6	51.9	32.1	3 / 14	1 / 3	0 / 1
Outcomes per Transfer						
Number of transfers	94	20	21	11	1	1
Percentage of transfers resulting in singleton live births	46.8	40.0	38.1	1 / 11	1 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	1.1	0.0	0.0	0 / 11	0 / 1	0 / 1
Percentage of transfers resulting in live births	67.0	65.0	38.1	1 / 11	1 / 1	0 / 1
Percentage of transfers resulting in pregnancy	74.5	70.0	42.9	3 / 11	1 / 1	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	70	14	9	3	1	0
Percentage of pregnancies resulting in singleton live births	62.9	8 / 14	8 / 9	1 / 3	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	1.4	0 / 14	0 / 9	0 / 3	0 / 1	
Percentage of pregnancies resulting in live births	90.0	13 / 14	8 / 9	1 / 3	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	8	5	4	0	0	0
Number of transfers	7	4	4	0	0	0
Estimated average number of transfers per retrieval	0.8	1.0	0.7	0.0		
Average number of embryos transferred	1.9	1.3	2.0			
Percentage of embryos transferred resulting in implantation	7 / 13	4 / 5	1 / 8			
Percentage of transfers resulting in singleton live births	2 / 7	2 / 4	1 / 4			
Percentage of transfers resulting in triplets or more live births	0 / 7	0 / 4	0 / 4			
Percentage of transfers resulting in live births	4 / 7	3 / 4	1 / 4			
Percentage of transfers resulting in pregnancy	5 / 7	3 / 4	1 / 4			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	14	2
Number of transfers	11	2
Average number of embryos transferred	1.9	1.5
Percentage of embryos transferred resulting in implantation	81.0	2 / 3
Percentage of transfers resulting in singleton live births	3 / 11	0 / 2
Percentage of transfers resulting in live births	10 / 11	1 / 2
Percentage of transfers resulting in pregnancy	10 / 11	1 / 2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Specialists of Texas, PLLC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FRISCO INSTITUTE FOR REPRODUCTIVE MEDICINE
FRISCO, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Rinku V. Mehta, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	67%
Unstimulated	0%	Used PGD	2%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	14%	Uterine factor	<1%	*Multiple Factors:*	
Ovulatory dysfunction	23%	Male factor	28%	Female factors only	4%
Diminished ovarian reserve	16%	Other factor	8%	Female & male factors	8%
Endometriosis	8%	Unknown factor	16%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 138 (includes 6 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	54	15	22	9	0	0
Percentage of cancellations	1.9	0 / 15	9.1	0 / 9		
Average number of embryos transferred	1.6	2.2	2.3	2.6		
Percentage of embryos transferred resulting in implantation	28.7	24.2	19.5	1 / 18		
Percentage of elective single embryo transfer (eSET)	34.7	1 / 15	0 / 16	0 / 6		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	37.0	7 / 15	9.1	1 / 9		
Percentage of cycles resulting in triplets or more live births	0.0	0 / 15	0.0	0 / 9		
Percentage of cycles resulting in live births	40.7	7 / 15	13.6	1 / 9		
Percentage of cycles resulting in pregnancy	44.4	9 / 15	27.3	1 / 9		
Outcomes per Transfer						
Number of transfers	53	15	18	7	0	0
Percentage of transfers resulting in singleton live births	37.7	7 / 15	2 / 18	1 / 7		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 15	0 / 18	0 / 7		
Percentage of transfers resulting in live births	41.5	7 / 15	3 / 18	1 / 7		
Percentage of transfers resulting in pregnancy	45.3	9 / 15	6 / 18	1 / 7		
Outcomes per Pregnancy						
Number of pregnancies	24	9	6	1	0	0
Percentage of pregnancies resulting in singleton live births	83.3	7 / 9	2 / 6	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 9	0 / 6	0 / 1		
Percentage of pregnancies resulting in live births	91.7	7 / 9	3 / 6	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	18	6	2	0	4	0
Number of transfers	17	6	2	0	4	0
Estimated average number of transfers per retrieval	1.1	3.0	2.0			
Average number of embryos transferred	1.8	2.0	1.5		2.3	
Percentage of embryos transferred resulting in implantation	35.5	1 / 12	2 / 3		2 / 9	
Percentage of transfers resulting in singleton live births	4 / 17	1 / 6	0 / 2		1 / 4	
Percentage of transfers resulting in triplets or more live births	0 / 17	0 / 6	0 / 2		0 / 4	
Percentage of transfers resulting in live births	6 / 17	1 / 6	1 / 2		1 / 4	
Percentage of transfers resulting in pregnancy	8 / 17	1 / 6	1 / 2		2 / 4	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	2	0
Number of transfers	2	0
Average number of embryos transferred	1.0	
Percentage of embryos transferred resulting in implantation	0 / 2	
Percentage of transfers resulting in singleton live births	0 / 2	
Percentage of transfers resulting in live births	0 / 2	
Percentage of transfers resulting in pregnancy	0 / 2	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Frisco Institute for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY CENTER OF TEXAS
HOUSTON, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Michael A. Allon, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	100%
Unstimulated	0%	Used PGD	12%
Used gestational carrier	3%		

Patient Diagnosis[b]

Tubal factor	25%	Uterine factor	7%	*Multiple Factors:*	
Ovulatory dysfunction	32%	Male factor	25%	Female factors only	40%
Diminished ovarian reserve	32%	Other factor	35%	Female & male factors	20%
Endometriosis	13%	Unknown factor	1%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 281 (includes 73 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	49	13	19	4	1	1
Percentage of cancellations	0.0	0 / 13	0 / 19	0 / 4	0 / 1	0 / 1
Average number of embryos transferred	2.3	2.5	2.6	2.8	3.0	4.0
Percentage of embryos transferred resulting in implantation	29.1	21.2	20.0	1 / 11	0 / 3	0 / 4
Percentage of elective single embryo transfer (eSET)	0.0	0 / 13	0 / 19	0 / 4	0 / 1	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	22.4	4 / 13	4 / 19	1 / 4	0 / 1	0 / 1
Percentage of cycles resulting in triplets or more live births	2.0	0 / 13	0 / 19	0 / 4	0 / 1	0 / 1
Percentage of cycles resulting in live births	38.8	4 / 13	5 / 19	1 / 4	0 / 1	0 / 1
Percentage of cycles resulting in pregnancy	51.0	6 / 13	7 / 19	1 / 4	0 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	48	13	19	4	1	1
Percentage of transfers resulting in singleton live births	22.9	4 / 13	4 / 19	1 / 4	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	2.1	0 / 13	0 / 19	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in live births	39.6	4 / 13	5 / 19	1 / 4	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	52.1	6 / 13	7 / 19	1 / 4	0 / 1	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	25	6	7	1	0	0
Percentage of pregnancies resulting in singleton live births	44.0	4 / 6	4 / 7	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	4.0	0 / 6	0 / 7	0 / 1		
Percentage of pregnancies resulting in live births	76.0	4 / 6	5 / 7	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	56	20	13	4	2	1
Number of transfers	55	20	13	4	2	1
Estimated average number of transfers per retrieval	1.2	1.4	0.6	0.7	1.0	0.3
Average number of embryos transferred	2.1	2.4	2.5	3.0	3.0	4.0
Percentage of embryos transferred resulting in implantation	32.2	40.4	21.2	1 / 12	1 / 6	0 / 4
Percentage of transfers resulting in singleton live births	27.3	35.0	1 / 13	1 / 4	1 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 13	0 / 4	0 / 2	0 / 1
Percentage of transfers resulting in live births	41.8	55.0	4 / 13	1 / 4	1 / 2	0 / 1
Percentage of transfers resulting in pregnancy	54.5	65.0	5 / 13	1 / 4	2 / 2	0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	16	9
Number of transfers	15	9
Average number of embryos transferred	2.3	2.1
Percentage of embryos transferred resulting in implantation	55.9	7 / 19
Percentage of transfers resulting in singleton live births	6 / 15	2 / 9
Percentage of transfers resulting in live births	11 / 15	4 / 9
Percentage of transfers resulting in pregnancy	13 / 15	5 / 9

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Fertility Center of Texas

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BAYLOR FAMILY FERTILITY PROGRAM
HOUSTON, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by William E. Gibbons, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	81%
Unstimulated	3%	Used PGD	5%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	6%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	21%	Male factor	38%	Female factors only	5%
Diminished ovarian reserve	35%	Other factor	6%	Female & male factors	20%
Endometriosis	9%	Unknown factor	5%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 136 (includes 8 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	37	18	13	8	4	0
Percentage of cancellations	8.1	2 / 18	2 / 13	3 / 8	2 / 4	
Average number of embryos transferred	1.9	2.2	3.1	2.4	3.5	
Percentage of embryos transferred resulting in implantation	42.9	12.1	11.8	1 / 12	0 / 7	
Percentage of elective single embryo transfer (eSET)	12.0	1 / 15	0 / 11	0 / 5	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	13.5	4 / 18	3 / 13	1 / 8	0 / 4	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 18	0 / 13	0 / 8	0 / 4	
Percentage of cycles resulting in live births	29.7	4 / 18	3 / 13	1 / 8	0 / 4	
Percentage of cycles resulting in pregnancy	40.5	4 / 18	4 / 13	1 / 8	0 / 4	
Outcomes per Transfer						
Number of transfers	26	15	11	5	2	0
Percentage of transfers resulting in singleton live births	19.2	4 / 15	3 / 11	1 / 5	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 15	0 / 11	0 / 5	0 / 2	
Percentage of transfers resulting in live births	42.3	4 / 15	3 / 11	1 / 5	0 / 2	
Percentage of transfers resulting in pregnancy	57.7	4 / 15	4 / 11	1 / 5	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	15	4	4	1	0	0
Percentage of pregnancies resulting in singleton live births	5 / 15	4 / 4	3 / 4	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 15	0 / 4	0 / 4	0 / 1		
Percentage of pregnancies resulting in live births	11 / 15	4 / 4	3 / 4	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	17	11	6	2	0	1
Number of transfers	15	8	5	1	0	0
Estimated average number of transfers per retrieval	2.1	1.1	1.7	1.0		
Average number of embryos transferred	2.1	2.3	2.6	2.0		
Percentage of embryos transferred resulting in implantation	32.3	7 / 18	4 / 13	0 / 2		
Percentage of transfers resulting in singleton live births	4 / 15	1 / 8	2 / 5	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 15	0 / 8	0 / 5	0 / 1		
Percentage of transfers resulting in live births	6 / 15	2 / 8	2 / 5	0 / 1		
Percentage of transfers resulting in pregnancy	8 / 15	4 / 8	3 / 5	0 / 1		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	6	5
Number of transfers	3	3
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation	5 / 6	2 / 6
Percentage of transfers resulting in singleton live births	0 / 3	0 / 3
Percentage of transfers resulting in live births	2 / 3	1 / 3
Percentage of transfers resulting in pregnancy	3 / 3	1 / 3

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Baylor Family Fertility Program

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COOPER INSTITUTE FOR ADVANCED REPRODUCTIVE MEDICINE
HOUSTON, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by C. James Chuong, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	61%
Unstimulated	0%	Used PGD	6%
Used gestational carrier	4%		

Patient Diagnosis[b]

Tubal factor	35%	Uterine factor	23%	*Multiple Factors:*	
Ovulatory dysfunction	9%	Male factor	53%	Female factors only	14%
Diminished ovarian reserve	29%	Other factor	13%	Female & male factors	44%
Endometriosis	11%	Unknown factor	<1%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 156 (includes 6 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	41	16	11	4	4	6
Percentage of cancellations	9.8	0 / 16	1 / 11	1 / 4	1 / 4	4 / 6
Average number of embryos transferred	2.5	3.0	3.3	3.5	3.0	3.0
Percentage of embryos transferred resulting in implantation	24.3	12.8	3.8	0 / 7	0 / 9	0 / 6
Percentage of elective single embryo transfer (eSET)	0.0	0 / 12	0 / 8	0 / 2	0 / 3	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	12.2	5 / 16	1 / 11	0 / 4	0 / 4	0 / 6
Percentage of cycles resulting in triplets or more live births	0.0	0 / 16	0 / 11	0 / 4	0 / 4	0 / 6
Percentage of cycles resulting in live births	26.8	5 / 16	1 / 11	0 / 4	0 / 4	0 / 6
Percentage of cycles resulting in pregnancy	26.8	5 / 16	1 / 11	0 / 4	0 / 4	0 / 6
Outcomes per Transfer						
Number of transfers	30	13	8	2	3	2
Percentage of transfers resulting in singleton live births	16.7	5 / 13	1 / 8	0 / 2	0 / 3	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0 / 13	0 / 8	0 / 2	0 / 3	0 / 2
Percentage of transfers resulting in live births	36.7	5 / 13	1 / 8	0 / 2	0 / 3	0 / 2
Percentage of transfers resulting in pregnancy	36.7	5 / 13	1 / 8	0 / 2	0 / 3	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	11	5	1	0	0	0
Percentage of pregnancies resulting in singleton live births	5 / 11	5 / 5	1 / 1			
Percentage of pregnancies resulting in triplets or more live births	0 / 11	0 / 5	0 / 1			
Percentage of pregnancies resulting in live births	11 / 11	5 / 5	1 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	16	8	5	1	0	1
Number of transfers	14	6	4	1	0	1
Estimated average number of transfers per retrieval	1.1	1.2	2.0	0.5	0.0	0.3
Average number of embryos transferred	2.6	3.7	3.0	3.0		4.0
Percentage of embryos transferred resulting in implantation	13.9	40.9	0 / 12	0 / 3		0 / 4
Percentage of transfers resulting in singleton live births	2 / 14	1 / 6	0 / 4	0 / 1		0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 14	1 / 6	0 / 4	0 / 1		0 / 1
Percentage of transfers resulting in live births	2 / 14	4 / 6	0 / 4	0 / 1		0 / 1
Percentage of transfers resulting in pregnancy	7 / 14	4 / 6	0 / 4	0 / 1		0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	27	10
Number of transfers	22	8
Average number of embryos transferred	2.6	3.4
Percentage of embryos transferred resulting in implantation	35.1	40.7
Percentage of transfers resulting in singleton live births	13.6	1 / 8
Percentage of transfers resulting in live births	50.0	5 / 8
Percentage of transfers resulting in pregnancy	54.5	6 / 8

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Cooper Institute for Advanced Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY SPECIALISTS OF HOUSTON
HOUSTON, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by George M. Grunert, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	85%
Unstimulated	0%	Used PGD	11%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	16%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	15%	Male factor	33%	Female factors only	18%
Diminished ovarian reserve	49%	Other factor	12%	Female & male factors	22%
Endometriosis	16%	Unknown factor	5%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 775 (includes 65 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	193	94	91	32	12	7
Percentage of cancellations	10.4	12.8	16.5	21.9	6 / 12	3 / 7
Average number of embryos transferred	1.9	2.1	2.1	2.4	3.5	2.5
Percentage of embryos transferred resulting in implantation	24.5	20.8	20.2	12.5	1 / 14	0 / 10
Percentage of elective single embryo transfer (eSET)	11.2	1.4	2.0	0 / 14	0 / 4	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	19.7	14.9	16.5	6.3	1 / 12	0 / 7
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 12	0 / 7
Percentage of cycles resulting in live births	28.0	22.3	20.9	9.4	1 / 12	0 / 7
Percentage of cycles resulting in pregnancy	33.2	28.7	26.4	12.5	2 / 12	0 / 7
Outcomes per Transfer						
Number of transfers	162	75	61	17	4	4
Percentage of transfers resulting in singleton live births	23.5	18.7	24.6	2 / 17	1 / 4	0 / 4
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 17	0 / 4	0 / 4
Percentage of transfers resulting in live births	33.3	28.0	31.1	3 / 17	1 / 4	0 / 4
Percentage of transfers resulting in pregnancy	39.5	36.0	39.3	4 / 17	2 / 4	0 / 4
Outcomes per Pregnancy						
Number of pregnancies	64	27	24	4	2	0
Percentage of pregnancies resulting in singleton live births	59.4	51.9	62.5	2 / 4	1 / 2	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 4	0 / 2	
Percentage of pregnancies resulting in live births	84.4	77.8	79.2	3 / 4	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	90	46	28	10	7	1
Number of transfers	90	43	28	9	6	1
Estimated average number of transfers per retrieval	1.6	1.4	1.0	0.7		1.0
Average number of embryos transferred	1.9	2.0	2.0	1.4	1.8	2.0
Percentage of embryos transferred resulting in implantation	38.2	29.8	30.9	3 / 13	4 / 11	1 / 2
Percentage of transfers resulting in singleton live births	32.2	39.5	42.9	3 / 9	2 / 6	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 9	0 / 6	0 / 1
Percentage of transfers resulting in live births	47.8	46.5	50.0	3 / 9	3 / 6	0 / 1
Percentage of transfers resulting in pregnancy	61.1	55.8	53.6	3 / 9	3 / 6	1 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	62	37
Number of transfers	57	37
Average number of embryos transferred	1.9	1.9
Percentage of embryos transferred resulting in implantation	47.2	38.6
Percentage of transfers resulting in singleton live births	26.3	35.1
Percentage of transfers resulting in live births	54.4	48.6
Percentage of transfers resulting in pregnancy	66.7	62.2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Specialists of Houston

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE HEARD CLINIC
HOUSTON, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Michael J. Heard, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	81%
Unstimulated	0%	Used PGD	31%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	15%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	35%	Male factor	85%	Female factors only	5%
Diminished ovarian reserve	35%	Other factor	10%	Female & male factors	85%
Endometriosis	10%	Unknown factor	0%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 22 (includes 2 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	7	4	2	3	0	0
Percentage of cancellations	0 / 7	0 / 4	0 / 2	0 / 3		
Average number of embryos transferred	1.9	2.5	2.5	2.0		
Percentage of embryos transferred resulting in implantation	2 / 13	0 / 5	4 / 5	1 / 6		
Percentage of elective single embryo transfer (eSET)	0 / 6	0 / 2	0 / 1	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	2 / 7	0 / 4	0 / 2	0 / 3		
Percentage of cycles resulting in triplets or more live births	0 / 7	0 / 4	0 / 2	0 / 3		
Percentage of cycles resulting in live births	2 / 7	0 / 4	0 / 2	0 / 3		
Percentage of cycles resulting in pregnancy	2 / 7	0 / 4	2 / 2	1 / 3		
Outcomes per Transfer						
Number of transfers	7	2	2	3	0	0
Percentage of transfers resulting in singleton live births	2 / 7	0 / 2	0 / 2	0 / 3		
Percentage of transfers resulting in triplets or more live births	0 / 7	0 / 2	0 / 2	0 / 3		
Percentage of transfers resulting in live births	2 / 7	0 / 2	0 / 2	0 / 3		
Percentage of transfers resulting in pregnancy	2 / 7	0 / 2	2 / 2	1 / 3		
Outcomes per Pregnancy						
Number of pregnancies	2	0	2	1	0	0
Percentage of pregnancies resulting in singleton live births	2 / 2		0 / 2	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 2		0 / 2	0 / 1		
Percentage of pregnancies resulting in live births	2 / 2		0 / 2	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	3	1	0	0	0	0
Number of transfers	3	1	0	0	0	0
Estimated average number of transfers per retrieval	1.0			0.0		
Average number of embryos transferred	2.0	2.0				
Percentage of embryos transferred resulting in implantation	4 / 6	0 / 2				
Percentage of transfers resulting in singleton live births	2 / 3	0 / 1				
Percentage of transfers resulting in triplets or more live births	0 / 3	0 / 1				
Percentage of transfers resulting in live births	3 / 3	0 / 1				
Percentage of transfers resulting in pregnancy	3 / 3	0 / 1				

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation		
Percentage of transfers resulting in singleton live births		
Percentage of transfers resulting in live births		
Percentage of transfers resulting in pregnancy		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2012. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HOUSTON FERTILITY INSTITUTE
HOUSTON, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Ghassan F. Haddad, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	91%
Unstimulated	0%	Used PGD	<1%
Used gestational carrier	1%		

Patient Diagnosis[b]

Tubal factor	19%	Uterine factor	15%	*Multiple Factors:*	
Ovulatory dysfunction	9%	Male factor	28%	Female factors only	21%
Diminished ovarian reserve	49%	Other factor	12%	Female & male factors	17%
Endometriosis	6%	Unknown factor	11%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 1,646 (includes 395 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	243	97	114	47	15	10
Percentage of cancellations	3.3	5.2	9.6	14.9	3 / 15	4 / 10
Average number of embryos transferred	1.9	1.9	1.9	2.0	1.8	1.4
Percentage of embryos transferred resulting in implantation	49.9	35.8	19.9	14.7	0.0	0 / 7
Percentage of elective single embryo transfer (eSET)	6.3	8.9	3.6	0.0	0 / 7	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	32.9	32.0	21.9	14.9	0 / 15	0 / 10
Percentage of cycles resulting in triplets or more live births	0.4	0.0	0.0	0.0	0 / 15	0 / 10
Percentage of cycles resulting in live births	57.2	43.3	26.3	14.9	0 / 15	0 / 10
Percentage of cycles resulting in pregnancy	65.4	52.6	28.9	25.5	1 / 15	0 / 10
Outcomes per Transfer						
Number of transfers	230	89	99	38	11	5
Percentage of transfers resulting in singleton live births	34.8	34.8	25.3	18.4	0 / 11	0 / 5
Percentage of transfers resulting in triplets or more live births	0.4	0.0	0.0	0.0	0 / 11	0 / 5
Percentage of transfers resulting in live births	60.4	47.2	30.3	18.4	0 / 11	0 / 5
Percentage of transfers resulting in pregnancy	69.1	57.3	33.3	31.6	1 / 11	0 / 5
Outcomes per Pregnancy						
Number of pregnancies	159	51	33	12	1	0
Percentage of pregnancies resulting in singleton live births	50.3	60.8	75.8	7 / 12	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.6	0.0	0.0	0 / 12	0 / 1	
Percentage of pregnancies resulting in live births	87.4	82.4	90.9	7 / 12	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	268	120	97	43	4	7
Number of transfers	246	109	81	36	4	2
Estimated average number of transfers per retrieval	1.1	1.2	0.9	0.6	0.3	0.2
Average number of embryos transferred	1.8	1.7	1.7	1.5	1.5	2.0
Percentage of embryos transferred resulting in implantation	51.7	45.2	38.5	25.9	2 / 6	0 / 4
Percentage of transfers resulting in singleton live births	43.1	42.2	42.0	30.6	2 / 4	0 / 2
Percentage of transfers resulting in triplets or more live births	0.4	0.0	1.2	0.0	0 / 4	0 / 2
Percentage of transfers resulting in live births	61.4	56.0	45.7	30.6	2 / 4	0 / 2
Percentage of transfers resulting in pregnancy	74.0	70.6	63.0	38.9	2 / 4	0 / 2

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	67	119
Number of transfers	67	103
Average number of embryos transferred	1.9	1.9
Percentage of embryos transferred resulting in implantation	53.2	40.2
Percentage of transfers resulting in singleton live births	53.7	41.7
Percentage of transfers resulting in live births	68.7	56.3
Percentage of transfers resulting in pregnancy	79.1	66.0

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2012. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HOUSTON INFERTILITY CLINIC
SONJA KRISTIANSEN, MD
HOUSTON, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Sonja B. Kristiansen, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	74%
Unstimulated	0%	Used PGD	11%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	13%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	0%	Male factor	49%	Female factors only	5%
Diminished ovarian reserve	21%	Other factor	16%	Female & male factors	14%
Endometriosis	<1%	Unknown factor	17%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 167 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	54	28	24	13	14	3
Percentage of cancellations	11.1	7.1	29.2	3 / 13	4 / 14	1 / 3
Average number of embryos transferred	2.3	2.4	2.1	1.9	2.0	1.0
Percentage of embryos transferred resulting in implantation	29.1	25.9	28.1	1 / 17	1 / 18	0 / 1
Percentage of elective single embryo transfer (eSET)	2.4	0.0	1 / 13	0 / 5	0 / 5	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	22.2	25.0	25.0	1 / 13	0 / 14	0 / 3
Percentage of cycles resulting in triplets or more live births	3.7	0.0	0.0	0 / 13	0 / 14	0 / 3
Percentage of cycles resulting in live births	35.2	35.7	29.2	1 / 13	0 / 14	0 / 3
Percentage of cycles resulting in pregnancy	37.0	39.3	33.3	1 / 13	1 / 14	0 / 3
Outcomes per Transfer						
Number of transfers	44	24	15	9	9	1
Percentage of transfers resulting in singleton live births	27.3	29.2	6 / 15	1 / 9	0 / 9	0 / 1
Percentage of transfers resulting in triplets or more live births	4.5	0.0	0 / 15	0 / 9	0 / 9	0 / 1
Percentage of transfers resulting in live births	43.2	41.7	7 / 15	1 / 9	0 / 9	0 / 1
Percentage of transfers resulting in pregnancy	45.5	45.8	8 / 15	1 / 9	1 / 9	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	20	11	8	1	1	0
Percentage of pregnancies resulting in singleton live births	60.0	7 / 11	6 / 8	1 / 1	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	10.0	0 / 11	0 / 8	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births	95.0	10 / 11	7 / 8	1 / 1	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	13	3	2	3	0	2
Number of transfers	12	2	2	3	0	2
Estimated average number of transfers per retrieval	3.0		2.0	1.5		
Average number of embryos transferred	2.4	3.0	2.5	2.7		1.0
Percentage of embryos transferred resulting in implantation	27.6	2 / 6	0 / 5	1 / 8		0 / 2
Percentage of transfers resulting in singleton live births	4 / 12	2 / 2	0 / 2	1 / 3		0 / 2
Percentage of transfers resulting in triplets or more live births	0 / 12	0 / 2	0 / 2	0 / 3		0 / 2
Percentage of transfers resulting in live births	5 / 12	2 / 2	0 / 2	1 / 3		0 / 2
Percentage of transfers resulting in pregnancy	6 / 12	2 / 2	0 / 2	1 / 3		0 / 2

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	7	1
Number of transfers	7	1
Average number of embryos transferred	2.1	2.0
Percentage of embryos transferred resulting in implantation	4 / 15	0 / 2
Percentage of transfers resulting in singleton live births	1 / 7	0 / 1
Percentage of transfers resulting in live births	2 / 7	0 / 1
Percentage of transfers resulting in pregnancy	3 / 7	0 / 1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Houston Infertility Clinic, Sonja Kristiansen, MD

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HOUSTON IVF
HOUSTON, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Timothy N. Hickman, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	96%
Unstimulated	0%	Used PGD	<1%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	9%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	11%	Male factor	18%	Female factors only	7%
Diminished ovarian reserve	48%	Other factor	7%	Female & male factors	8%
Endometriosis	5%	Unknown factor	17%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 716 (includes 82 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	179	83	89	44	9	3
Percentage of cancellations	0.6	2.4	1.1	2.3	0 / 9	0 / 3
Average number of embryos transferred	2.1	2.2	2.8	3.2	3.0	1.0
Percentage of embryos transferred resulting in implantation	51.1	29.4	17.6	6.7	0.0	0 / 2
Percentage of elective single embryo transfer (eSET)	3.5	2.7	5.0	0.0	0 / 8	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.7	26.5	21.3	11.4	0 / 9	0 / 3
Percentage of cycles resulting in triplets or more live births	2.2	0.0	2.2	0.0	0 / 9	0 / 3
Percentage of cycles resulting in live births	61.5	38.6	30.3	13.6	0 / 9	0 / 3
Percentage of cycles resulting in pregnancy	63.7	48.2	39.3	25.0	1 / 9	0 / 3
Outcomes per Transfer						
Number of transfers	176	77	86	42	9	2
Percentage of transfers resulting in singleton live births	31.3	28.6	22.1	11.9	0 / 9	0 / 2
Percentage of transfers resulting in triplets or more live births	2.3	0.0	2.3	0.0	0 / 9	0 / 2
Percentage of transfers resulting in live births	62.5	41.6	31.4	14.3	0 / 9	0 / 2
Percentage of transfers resulting in pregnancy	64.8	51.9	40.7	26.2	1 / 9	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	114	40	35	11	1	0
Percentage of pregnancies resulting in singleton live births	48.2	55.0	54.3	5 / 11	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	3.5	0.0	5.7	0 / 11	0 / 1	
Percentage of pregnancies resulting in live births	96.5	80.0	77.1	6 / 11	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	67	48	43	5	1	0
Number of transfers	67	48	43	5	1	0
Estimated average number of transfers per retrieval	1.4	1.7	1.1	0.8	0.3	0.0
Average number of embryos transferred	1.9	2.0	1.8	1.8	3.0	
Percentage of embryos transferred resulting in implantation	33.9	31.6	23.1	4 / 9	1 / 3	
Percentage of transfers resulting in singleton live births	29.9	37.5	27.9	2 / 5	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 5	0 / 1	
Percentage of transfers resulting in live births	38.8	43.8	32.6	2 / 5	0 / 1	
Percentage of transfers resulting in pregnancy	59.7	60.4	37.2	4 / 5	1 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	44	19
Number of transfers	44	19
Average number of embryos transferred	1.9	1.8
Percentage of embryos transferred resulting in implantation	65.9	20.0
Percentage of transfers resulting in singleton live births	29.5	5 / 19
Percentage of transfers resulting in live births	72.7	6 / 19
Percentage of transfers resulting in pregnancy	81.8	10 / 19

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Houston IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVFMD
ADVANCED REPRODUCTIVE CARE CENTER OF IRVING
IRVING, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Julian Escobar, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	62%
Unstimulated	0%	Used PGD	1%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	23%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	14%	Male factor	41%	Female factors only	14%
Diminished ovarian reserve	36%	Other factor	6%	Female & male factors	22%
Endometriosis	10%	Unknown factor	6%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 424 (includes 27 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	114	55	43	14	5	3
Percentage of cancellations	1.8	1.8	9.3	2 / 14	0 / 5	0 / 3
Average number of embryos transferred	1.9	1.8	2.1	2.4	3.0	2.0
Percentage of embryos transferred resulting in implantation	47.5	37.2	19.7	13.8	0 / 15	0 / 6
Percentage of elective single embryo transfer (eSET)	12.4	19.1	3.0	0 / 11	0 / 5	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	29.8	41.8	11.6	2 / 14	0 / 5	0 / 3
Percentage of cycles resulting in triplets or more live births	0.9	0.0	0.0	0 / 14	0 / 5	0 / 3
Percentage of cycles resulting in live births	55.3	49.1	20.9	2 / 14	0 / 5	0 / 3
Percentage of cycles resulting in pregnancy	59.6	50.9	37.2	4 / 14	0 / 5	0 / 3
Outcomes per Transfer						
Number of transfers	109	52	36	12	5	3
Percentage of transfers resulting in singleton live births	31.2	44.2	13.9	2 / 12	0 / 5	0 / 3
Percentage of transfers resulting in triplets or more live births	0.9	0.0	0.0	0 / 12	0 / 5	0 / 3
Percentage of transfers resulting in live births	57.8	51.9	25.0	2 / 12	0 / 5	0 / 3
Percentage of transfers resulting in pregnancy	62.4	53.8	44.4	4 / 12	0 / 5	0 / 3
Outcomes per Pregnancy						
Number of pregnancies	68	28	16	4	0	0
Percentage of pregnancies resulting in singleton live births	50.0	82.1	5 / 16	2 / 4		
Percentage of pregnancies resulting in triplets or more live births	1.5	0.0	0 / 16	0 / 4		
Percentage of pregnancies resulting in live births	92.6	96.4	9 / 16	2 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	56	29	17	8	2	0
Number of transfers	56	29	17	8	2	0
Estimated average number of transfers per retrieval	1.7	2.2	1.3	2.0	2.0	
Average number of embryos transferred	1.8	1.8	1.9	1.6	1.0	
Percentage of embryos transferred resulting in implantation	39.2	45.1	21.2	4 / 13	0 / 2	
Percentage of transfers resulting in singleton live births	35.7	34.5	3 / 17	2 / 8	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 17	0 / 8	0 / 2	
Percentage of transfers resulting in live births	48.2	55.2	4 / 17	3 / 8	0 / 2	
Percentage of transfers resulting in pregnancy	62.5	62.1	8 / 17	3 / 8	0 / 2	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	30	21
Number of transfers	30	21
Average number of embryos transferred	2.0	1.9
Percentage of embryos transferred resulting in implantation	47.5	15.0
Percentage of transfers resulting in singleton live births	46.7	28.6
Percentage of transfers resulting in live births	66.7	28.6
Percentage of transfers resulting in pregnancy	73.3	33.3

CURRENT CLINIC SERVICES AND PROFILE

Current Name: IVFMD, Advanced Reproductive Care Center of Irving

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER OF FERTILITY AND REPRODUCTIVE SURGERY
TEXAS TECH HEALTH SCIENCES CENTER
LUBBOCK, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Jennifer L. Phy, DO

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	88%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	16%	Uterine factor	7%	*Multiple Factors:*	
Ovulatory dysfunction	21%	Male factor	41%	Female factors only	43%
Diminished ovarian reserve	24%	Other factor	57%	Female & male factors	33%
Endometriosis	45%	Unknown factor	0%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 59 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	19	8	6	0	0	0
Percentage of cancellations	1 / 19	1 / 8	1 / 6			
Average number of embryos transferred	2.2	2.7	3.0			
Percentage of embryos transferred resulting in implantation	28.9	2 / 19	3 / 12			
Percentage of elective single embryo transfer (eSET)	1 / 17	0 / 7	0 / 4			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	1 / 19	2 / 8	0 / 6			
Percentage of cycles resulting in triplets or more live births	1 / 19	0 / 8	0 / 6			
Percentage of cycles resulting in live births	5 / 19	2 / 8	1 / 6			
Percentage of cycles resulting in pregnancy	6 / 19	2 / 8	2 / 6			
Outcomes per Transfer						
Number of transfers	17	7	4	0	0	0
Percentage of transfers resulting in singleton live births	1 / 17	2 / 7	0 / 4			
Percentage of transfers resulting in triplets or more live births	1 / 17	0 / 7	0 / 4			
Percentage of transfers resulting in live births	5 / 17	2 / 7	1 / 4			
Percentage of transfers resulting in pregnancy	6 / 17	2 / 7	2 / 4			
Outcomes per Pregnancy						
Number of pregnancies	6	2	2	0	0	0
Percentage of pregnancies resulting in singleton live births	1 / 6	2 / 2	0 / 2			
Percentage of pregnancies resulting in triplets or more live births	1 / 6	0 / 2	0 / 2			
Percentage of pregnancies resulting in live births	5 / 6	2 / 2	1 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	14	3	3	0	0	0
Number of transfers	13	3	2	0	0	0
Estimated average number of transfers per retrieval	2.6					
Average number of embryos transferred	2.8	1.7	3.0			
Percentage of embryos transferred resulting in implantation	25.0	1 / 5	0 / 6			
Percentage of transfers resulting in singleton live births	3 / 13	1 / 3	0 / 2			
Percentage of transfers resulting in triplets or more live births	0 / 13	0 / 3	0 / 2			
Percentage of transfers resulting in live births	6 / 13	1 / 3	0 / 2			
Percentage of transfers resulting in pregnancy	6 / 13	1 / 3	0 / 2			

	All Ages Combined[f]	
Donor Eggs	**Fresh Embryos**	**Frozen Embryos**
Number of cycles	1	4
Number of transfers	1	4
Average number of embryos transferred	3.0	2.3
Percentage of embryos transferred resulting in implantation	0 / 3	1 / 9
Percentage of transfers resulting in singleton live births	0 / 1	1 / 4
Percentage of transfers resulting in live births	0 / 1	1 / 4
Percentage of transfers resulting in pregnancy	0 / 1	2 / 4

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center of Fertility and Reproductive Surgery, Texas Tech Health Sciences Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE CENTRE FOR REPRODUCTIVE MEDICINE
LUBBOCK, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Janelle O. Dorsett, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	17%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	4%		

Patient Diagnosis[b]

Tubal factor	35%	Uterine factor	14%	*Multiple Factors:*	
Ovulatory dysfunction	24%	Male factor	32%	Female factors only	44%
Diminished ovarian reserve	26%	Other factor	38%	Female & male factors	25%
Endometriosis	24%	Unknown factor	2%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 134 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	43	19	11	7	2	0
Percentage of cancellations	4.7	0 / 19	1 / 11	1 / 7	0 / 2	
Average number of embryos transferred	1.8	1.9	2.0	1.5	2.0	
Percentage of embryos transferred resulting in implantation	54.2	39.1	3 / 16	0 / 3	0 / 4	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 9	0 / 6	0 / 1	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	18.6	3 / 19	3 / 11	0 / 7	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 19	0 / 11	0 / 7	0 / 2	
Percentage of cycles resulting in live births	37.2	6 / 19	3 / 11	0 / 7	0 / 2	
Percentage of cycles resulting in pregnancy	39.5	6 / 19	3 / 11	0 / 7	0 / 2	
Outcomes per Transfer						
Number of transfers	26	12	8	2	2	0
Percentage of transfers resulting in singleton live births	30.8	3 / 12	3 / 8	0 / 2	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 12	0 / 8	0 / 2	0 / 2	
Percentage of transfers resulting in live births	61.5	6 / 12	3 / 8	0 / 2	0 / 2	
Percentage of transfers resulting in pregnancy	65.4	6 / 12	3 / 8	0 / 2	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	17	6	3	0	0	0
Percentage of pregnancies resulting in singleton live births	8 / 17	3 / 6	3 / 3			
Percentage of pregnancies resulting in triplets or more live births	0 / 17	0 / 6	0 / 3			
Percentage of pregnancies resulting in live births	16 / 17	6 / 6	3 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	20	8	1	2	0	0
Number of transfers	20	7	1	2	0	0
Estimated average number of transfers per retrieval	1.4	1.2		1.0		
Average number of embryos transferred	1.9	2.1	2.0	2.5		
Percentage of embryos transferred resulting in implantation	54.1	5 / 15	0 / 2	0 / 5		
Percentage of transfers resulting in singleton live births	35.0	3 / 7	0 / 1	0 / 2		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 7	0 / 1	0 / 2		
Percentage of transfers resulting in live births	60.0	3 / 7	0 / 1	0 / 2		
Percentage of transfers resulting in pregnancy	70.0	4 / 7	0 / 1	0 / 2		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	9	11
Number of transfers	8	9
Average number of embryos transferred	1.8	2.0
Percentage of embryos transferred resulting in implantation	7 / 14	11 / 18
Percentage of transfers resulting in singleton live births	1 / 8	2 / 9
Percentage of transfers resulting in live births	4 / 8	5 / 9
Percentage of transfers resulting in pregnancy	4 / 8	7 / 9

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Centre for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE INSTITUTE OF SOUTH TEXAS
McALLEN, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Esteban O. Brown, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	93%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	35%	Uterine factor	32%	*Multiple Factors:*	
Ovulatory dysfunction	25%	Male factor	52%	Female factors only	31%
Diminished ovarian reserve	21%	Other factor	32%	Female & male factors	42%
Endometriosis	13%	Unknown factor	2%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 189 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	66	30	25	9	6	0
Percentage of cancellations	3.0	3.3	0.0	1 / 9	1 / 6	
Average number of embryos transferred	2.1	2.1	2.4	2.8	2.8	
Percentage of embryos transferred resulting in implantation	40.5	17.2	21.4	2 / 17	1 / 11	
Percentage of elective single embryo transfer (eSET)	3.6	8.7	0.0	0 / 5	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.3	10.0	36.0	0 / 9	1 / 6	
Percentage of cycles resulting in triplets or more live births	1.5	0.0	0.0	0 / 9	0 / 6	
Percentage of cycles resulting in live births	45.5	20.0	40.0	1 / 9	1 / 6	
Percentage of cycles resulting in pregnancy	50.0	23.3	48.0	1 / 9	1 / 6	
Outcomes per Transfer						
Number of transfers	58	28	23	6	4	0
Percentage of transfers resulting in singleton live births	31.0	10.7	39.1	0 / 6	1 / 4	
Percentage of transfers resulting in triplets or more live births	1.7	0.0	0.0	0 / 6	0 / 4	
Percentage of transfers resulting in live births	51.7	21.4	43.5	1 / 6	1 / 4	
Percentage of transfers resulting in pregnancy	56.9	25.0	52.2	1 / 6	1 / 4	
Outcomes per Pregnancy						
Number of pregnancies	33	7	12	1	1	0
Percentage of pregnancies resulting in singleton live births	54.5	3 / 7	9 / 12	0 / 1	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	3.0	0 / 7	0 / 12	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births	90.9	6 / 7	10 / 12	1 / 1	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	15	11	7	1	3	0
Number of transfers	15	11	7	1	3	0
Estimated average number of transfers per retrieval	1.9	1.6	2.3			
Average number of embryos transferred	2.0	2.0	2.0	2.0	2.3	
Percentage of embryos transferred resulting in implantation	60.0	22.7	5 / 14	0 / 2	2 / 7	
Percentage of transfers resulting in singleton live births	8 / 15	3 / 11	3 / 7	0 / 1	0 / 3	
Percentage of transfers resulting in triplets or more live births	0 / 15	0 / 11	0 / 7	0 / 1	0 / 3	
Percentage of transfers resulting in live births	12 / 15	4 / 11	4 / 7	0 / 1	1 / 3	
Percentage of transfers resulting in pregnancy	13 / 15	4 / 11	4 / 7	0 / 1	1 / 3	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	14	2
Number of transfers	10	2
Average number of embryos transferred	2.1	2.5
Percentage of embryos transferred resulting in implantation	42.9	1 / 5
Percentage of transfers resulting in singleton live births	1 / 10	1 / 2
Percentage of transfers resulting in live births	5 / 10	1 / 2
Percentage of transfers resulting in pregnancy	5 / 10	1 / 2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Institute of South Texas

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PRESBYTERIAN HOSPITAL PLANO ARTS
PLANO, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Alfred J. Rodriguez, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	29%
Unstimulated	0%	Used PGD	1%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	12%	Uterine factor	14%	*Multiple Factors:*	
Ovulatory dysfunction	45%	Male factor	34%	Female factors only	27%
Diminished ovarian reserve	27%	Other factor	24%	Female & male factors	28%
Endometriosis	17%	Unknown factor	1%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 539 (includes 24 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	136	79	87	43	19	5
Percentage of cancellations	3.7	3.8	12.6	9.3	1 / 19	1 / 5
Average number of embryos transferred	2.1	2.4	2.9	3.3	3.8	2.8
Percentage of embryos transferred resulting in implantation	41.7	34.1	13.7	7.3	4.3	0 / 11
Percentage of elective single embryo transfer (eSET)	9.2	2.7	0.0	0.0	0 / 18	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	22.8	26.6	13.8	7.0	0 / 19	0 / 5
Percentage of cycles resulting in triplets or more live births	0.7	1.3	0.0	0.0	0 / 19	0 / 5
Percentage of cycles resulting in live births	46.3	48.1	18.4	7.0	1 / 19	0 / 5
Percentage of cycles resulting in pregnancy	51.5	54.4	25.3	23.3	3 / 19	0 / 5
Outcomes per Transfer						
Number of transfers	122	75	70	38	18	4
Percentage of transfers resulting in singleton live births	25.4	28.0	17.1	7.9	0 / 18	0 / 4
Percentage of transfers resulting in triplets or more live births	0.8	1.3	0.0	0.0	0 / 18	0 / 4
Percentage of transfers resulting in live births	51.6	50.7	22.9	7.9	1 / 18	0 / 4
Percentage of transfers resulting in pregnancy	57.4	57.3	31.4	26.3	3 / 18	0 / 4
Outcomes per Pregnancy						
Number of pregnancies	70	43	22	10	3	0
Percentage of pregnancies resulting in singleton live births	44.3	48.8	54.5	3 / 10	0 / 3	
Percentage of pregnancies resulting in triplets or more live births	1.4	2.3	0.0	0 / 10	0 / 3	
Percentage of pregnancies resulting in live births	90.0	88.4	72.7	3 / 10	1 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	45	25	16	8	1	3
Number of transfers	42	24	16	8	1	3
Estimated average number of transfers per retrieval	2.1	1.3	2.0	1.6		1.5
Average number of embryos transferred	1.8	1.7	1.8	1.9	2.0	1.3
Percentage of embryos transferred resulting in implantation	31.6	20.0	21.4	1 / 15	0 / 2	0 / 4
Percentage of transfers resulting in singleton live births	23.8	20.8	3 / 16	1 / 8	0 / 1	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 16	0 / 8	0 / 1	0 / 3
Percentage of transfers resulting in live births	40.5	20.8	4 / 16	1 / 8	0 / 1	0 / 3
Percentage of transfers resulting in pregnancy	40.5	29.2	6 / 16	3 / 8	0 / 1	0 / 3

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	40	8
Number of transfers	38	8
Average number of embryos transferred	2.0	1.5
Percentage of embryos transferred resulting in implantation	58.4	7 / 12
Percentage of transfers resulting in singleton live births	34.2	4 / 8
Percentage of transfers resulting in live births	68.4	5 / 8
Percentage of transfers resulting in pregnancy	76.3	6 / 8

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Presbyterian Hospital Plano ARTS

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF SAN ANTONIO
SAN ANTONIO, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Joseph E. Martin, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	67%
Unstimulated	0%	Used PGD	8%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	29%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	15%	Male factor	36%	Female factors only	17%
Diminished ovarian reserve	16%	Other factor	9%	Female & male factors	19%
Endometriosis	15%	Unknown factor	15%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 470 (includes 6 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	146	46	64	22	12	3
Percentage of cancellations	5.5	8.7	4.7	13.6	0 / 12	0 / 3
Average number of embryos transferred	1.9	2.1	2.3	2.6	2.1	4.0
Percentage of embryos transferred resulting in implantation	45.2	32.1	23.1	15.6	0 / 17	0 / 4
Percentage of elective single embryo transfer (eSET)	5.3	5.1	2.0	0 / 14	0 / 6	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	34.9	32.6	15.6	0.0	0 / 12	0 / 3
Percentage of cycles resulting in triplets or more live births	0.7	0.0	1.6	0.0	0 / 12	0 / 3
Percentage of cycles resulting in live births	54.1	41.3	26.6	4.5	0 / 12	0 / 3
Percentage of cycles resulting in pregnancy	61.0	47.8	34.4	31.8	0 / 12	1 / 3
Outcomes per Transfer						
Number of transfers	136	40	57	17	8	1
Percentage of transfers resulting in singleton live births	37.5	37.5	17.5	0 / 17	0 / 8	0 / 1
Percentage of transfers resulting in triplets or more live births	0.7	0.0	1.8	0 / 17	0 / 8	0 / 1
Percentage of transfers resulting in live births	58.1	47.5	29.8	1 / 17	0 / 8	0 / 1
Percentage of transfers resulting in pregnancy	65.4	55.0	38.6	7 / 17	0 / 8	1 / 1
Outcomes per Pregnancy						
Number of pregnancies	89	22	22	7	0	1
Percentage of pregnancies resulting in singleton live births	57.3	68.2	45.5	0 / 7		0 / 1
Percentage of pregnancies resulting in triplets or more live births	1.1	0.0	4.5	0 / 7		0 / 1
Percentage of pregnancies resulting in live births	88.8	86.4	77.3	1 / 7		0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	65	32	24	9	4	2
Number of transfers	65	32	24	9	4	2
Estimated average number of transfers per retrieval	3.0	4.6	2.7	2.3		2.0
Average number of embryos transferred	1.8	1.8	1.8	2.4	2.3	1.5
Percentage of embryos transferred resulting in implantation	55.3	39.0	36.4	18.2	1 / 9	1 / 3
Percentage of transfers resulting in singleton live births	44.6	31.3	25.0	1 / 9	1 / 4	1 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 9	0 / 4	0 / 2
Percentage of transfers resulting in live births	63.1	46.9	41.7	1 / 9	1 / 4	1 / 2
Percentage of transfers resulting in pregnancy	73.8	56.3	50.0	3 / 9	2 / 4	1 / 2

	All Ages Combined[f]	
Donor Eggs	**Fresh Embryos**	**Frozen Embryos**
Number of cycles	27	8
Number of transfers	26	8
Average number of embryos transferred	1.9	2.1
Percentage of embryos transferred resulting in implantation	36.0	9 / 17
Percentage of transfers resulting in singleton live births	42.3	3 / 8
Percentage of transfers resulting in live births	53.8	6 / 8
Percentage of transfers resulting in pregnancy	61.5	6 / 8

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Center of San Antonio

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INSTITUTE FOR WOMEN'S HEALTH
ADVANCED FERTILITY LABORATORY
SAN ANTONIO, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Joseph R. Garza, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	58%
Unstimulated	0%	Used PGD	10%
Used gestational carrier	7%		

Patient Diagnosis[b]

Tubal factor	4%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	33%	Male factor	27%	Female factors only	4%
Diminished ovarian reserve	31%	Other factor	8%	Female & male factors	15%
Endometriosis	8%	Unknown factor	2%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 48 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	12	5	7	1	4	2
Percentage of cancellations	2 / 12	1 / 5	2 / 7	0 / 1	3 / 4	0 / 2
Average number of embryos transferred	2.0	2.3	3.8		1.0	1.0
Percentage of embryos transferred resulting in implantation	4 / 16	3 / 7	1 / 19		0 / 1	0 / 1
Percentage of elective single embryo transfer (eSET)	0 / 8	0 / 3	0 / 5			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	0 / 12	1 / 5	0 / 7	0 / 1	0 / 4	0 / 2
Percentage of cycles resulting in triplets or more live births	0 / 12	0 / 5	0 / 7	0 / 1	0 / 4	0 / 2
Percentage of cycles resulting in live births	2 / 12	2 / 5	0 / 7	0 / 1	0 / 4	0 / 2
Percentage of cycles resulting in pregnancy	2 / 12	2 / 5	2 / 7	0 / 1	0 / 4	0 / 2
Outcomes per Transfer						
Number of transfers	8	3	5	0	1	1
Percentage of transfers resulting in singleton live births	0 / 8	1 / 3	0 / 5		0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 8	0 / 3	0 / 5		0 / 1	0 / 1
Percentage of transfers resulting in live births	2 / 8	2 / 3	0 / 5		0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	2 / 8	2 / 3	2 / 5		0 / 1	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	2	2	2	0	0	0
Percentage of pregnancies resulting in singleton live births	0 / 2	1 / 2	0 / 2			
Percentage of pregnancies resulting in triplets or more live births	0 / 2	0 / 2	0 / 2			
Percentage of pregnancies resulting in live births	2 / 2	2 / 2	0 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	3	0	0	1	0
Number of transfers	6	3	0	0	1	0
Estimated average number of transfers per retrieval	2.0					
Average number of embryos transferred	1.8	2.0			2.0	
Percentage of embryos transferred resulting in implantation	1 / 11	0 / 6			0 / 2	
Percentage of transfers resulting in singleton live births	0 / 6	0 / 3			0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 3			0 / 1	
Percentage of transfers resulting in live births	0 / 6	0 / 3			0 / 1	
Percentage of transfers resulting in pregnancy	1 / 6	1 / 3			0 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	4	3
Number of transfers	3	3
Average number of embryos transferred	2.3	1.7
Percentage of embryos transferred resulting in implantation	0 / 7	1 / 5
Percentage of transfers resulting in singleton live births	0 / 3	1 / 3
Percentage of transfers resulting in live births	0 / 3	1 / 3
Percentage of transfers resulting in pregnancy	0 / 3	1 / 3

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Institute for Women's Health, Advanced Fertility Laboratory

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PERINATAL AND FERTILITY SPECIALISTS OF SAN ANTONIO
SAN ANTONIO, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Gerard M. Honoré, MD, PhD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	85%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	21%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	21%	Male factor	50%	Female factors only	15%
Diminished ovarian reserve	27%	Other factor	0%	Female & male factors	38%
Endometriosis	29%	Unknown factor	6%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 34 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	10	8	4	3	0	1
Percentage of cancellations	0 / 10	0 / 8	0 / 4	0 / 3		0 / 1
Average number of embryos transferred	2.5	2.3	2.8	4.0		3.0
Percentage of embryos transferred resulting in implantation	8.0	3 / 16	1 / 11	0 / 12		0 / 3
Percentage of elective single embryo transfer (eSET)	0 / 10	0 / 7	0 / 3	0 / 3		0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	2 / 10	1 / 8	1 / 4	0 / 3		0 / 1
Percentage of cycles resulting in triplets or more live births	0 / 10	0 / 8	0 / 4	0 / 3		0 / 1
Percentage of cycles resulting in live births	2 / 10	1 / 8	1 / 4	0 / 3		0 / 1
Percentage of cycles resulting in pregnancy	2 / 10	3 / 8	1 / 4	0 / 3		0 / 1
Outcomes per Transfer						
Number of transfers	10	7	4	3	0	1
Percentage of transfers resulting in singleton live births	2 / 10	1 / 7	1 / 4	0 / 3		0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 10	0 / 7	0 / 4	0 / 3		0 / 1
Percentage of transfers resulting in live births	2 / 10	1 / 7	1 / 4	0 / 3		0 / 1
Percentage of transfers resulting in pregnancy	2 / 10	3 / 7	1 / 4	0 / 3		0 / 1
Outcomes per Pregnancy						
Number of pregnancies	2	3	1	0	0	0
Percentage of pregnancies resulting in singleton live births	2 / 2	1 / 3	1 / 1			
Percentage of pregnancies resulting in triplets or more live births	0 / 2	0 / 3	0 / 1			
Percentage of pregnancies resulting in live births	2 / 2	1 / 3	1 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	3	1	0	0	0	0
Number of transfers	3	1	0	0	0	0
Estimated average number of transfers per retrieval	2.0	0.5				
Average number of embryos transferred	2.5	2.0				
Percentage of embryos transferred resulting in implantation	0 / 5	0 / 2				
Percentage of transfers resulting in singleton live births	0 / 3	0 / 1				
Percentage of transfers resulting in triplets or more live births	0 / 3	0 / 1				
Percentage of transfers resulting in live births	0 / 3	0 / 1				
Percentage of transfers resulting in pregnancy	0 / 3	0 / 1				

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	2	2
Number of transfers	0	2
Average number of embryos transferred		2.0
Percentage of embryos transferred resulting in implantation		3 / 4
Percentage of transfers resulting in singleton live births		1 / 2
Percentage of transfers resulting in live births		2 / 2
Percentage of transfers resulting in pregnancy		2 / 2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Perinatal and Fertility Specialists of San Antonio

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF TEXAS, PA
SAN ANTONIO, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Francisco Arredondo, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	89%
Unstimulated	0%	Used PGD	36%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	16%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	34%	Male factor	41%	Female factors only	13%
Diminished ovarian reserve	12%	Other factor	8%	Female & male factors	22%
Endometriosis	20%	Unknown factor	5%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 457 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	141	65	41	22	4	0
Percentage of cancellations	7.8	10.8	14.6	18.2	1 / 4	
Average number of embryos transferred	1.6	1.8	1.9	1.8	3.0	
Percentage of embryos transferred resulting in implantation	43.6	28.6	22.6	0 / 14	0 / 3	
Percentage of elective single embryo transfer (eSET)	22.0	8.7	0 / 12	0 / 5	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	17.7	12.3	12.2	0.0	0 / 4	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 4	
Percentage of cycles resulting in live births	24.8	13.8	14.6	0.0	0 / 4	
Percentage of cycles resulting in pregnancy	27.7	20.0	14.6	0.0	0 / 4	
Outcomes per Transfer						
Number of transfers	71	28	16	8	1	0
Percentage of transfers resulting in singleton live births	35.2	28.6	5 / 16	0 / 8	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 16	0 / 8	0 / 1	
Percentage of transfers resulting in live births	49.3	32.1	6 / 16	0 / 8	0 / 1	
Percentage of transfers resulting in pregnancy	54.9	46.4	6 / 16	0 / 8	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	39	13	6	0	0	0
Percentage of pregnancies resulting in singleton live births	64.1	8 / 13	5 / 6			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 13	0 / 6			
Percentage of pregnancies resulting in live births	89.7	9 / 13	6 / 6			
Frozen Embryos from Nondonor Eggs						
Number of cycles	78	32	17	5	3	0
Number of transfers	77	32	17	5	3	0
Estimated average number of transfers per retrieval	1.5	1.3	1.4	1.0	3.0	
Average number of embryos transferred	1.2	1.3	1.4	1.4	1.7	
Percentage of embryos transferred resulting in implantation	50.0	56.1	56.5	2 / 7	0 / 5	
Percentage of transfers resulting in singleton live births	45.5	43.8	5 / 17	0 / 5	0 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	1 / 17	0 / 5	0 / 3	
Percentage of transfers resulting in live births	49.4	56.3	7 / 17	0 / 5	0 / 3	
Percentage of transfers resulting in pregnancy	57.1	59.4	8 / 17	2 / 5	0 / 3	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	33	16
Number of transfers	16	16
Average number of embryos transferred	1.6	1.3
Percentage of embryos transferred resulting in implantation	53.8	33.3
Percentage of transfers resulting in singleton live births	9 / 16	4 / 16
Percentage of transfers resulting in live births	11 / 16	5 / 16
Percentage of transfers resulting in pregnancy	11 / 16	6 / 16

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine Associates of Texas, PA

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UT MEDICINE WOMEN'S HEALTH CENTER
SAN ANTONIO, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Randal D. Robinson, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	30%
Unstimulated	2%	Used PGD	0%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	23%	Uterine factor	8%	*Multiple Factors:*	
Ovulatory dysfunction	11%	Male factor	25%	Female factors only	17%
Diminished ovarian reserve	32%	Other factor	1%	Female & male factors	12%
Endometriosis	8%	Unknown factor	24%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 92 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	27	8	16	11	1	3
Percentage of cancellations	18.5	1 / 8	4 / 16	5 / 11	0 / 1	3 / 3
Average number of embryos transferred	2.0	2.2	2.3	3.3	4.0	
Percentage of embryos transferred resulting in implantation	29.3	2 / 13	20.0	15.0	0 / 4	
Percentage of elective single embryo transfer (eSET)	15.0	0 / 6	0 / 10	0 / 6	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	29.6	1 / 8	1 / 16	2 / 11	0 / 1	0 / 3
Percentage of cycles resulting in triplets or more live births	0.0	0 / 8	0 / 16	0 / 11	0 / 1	0 / 3
Percentage of cycles resulting in live births	33.3	1 / 8	3 / 16	2 / 11	0 / 1	0 / 3
Percentage of cycles resulting in pregnancy	40.7	2 / 8	3 / 16	3 / 11	0 / 1	0 / 3
Outcomes per Transfer						
Number of transfers	21	6	11	6	1	0
Percentage of transfers resulting in singleton live births	38.1	1 / 6	1 / 11	2 / 6	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 6	0 / 11	0 / 6	0 / 1	
Percentage of transfers resulting in live births	42.9	1 / 6	3 / 11	2 / 6	0 / 1	
Percentage of transfers resulting in pregnancy	52.4	2 / 6	3 / 11	3 / 6	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	11	2	3	3	0	0
Percentage of pregnancies resulting in singleton live births	8 / 11	1 / 2	1 / 3	2 / 3		
Percentage of pregnancies resulting in triplets or more live births	0 / 11	0 / 2	0 / 3	0 / 3		
Percentage of pregnancies resulting in live births	9 / 11	1 / 2	3 / 3	2 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	9	2	3	3	0
Number of transfers	6	9	2	3	3	0
Estimated average number of transfers per retrieval	1.5	4.5	2.0	3.0		
Average number of embryos transferred	1.7	1.7	2.0	2.3	2.3	
Percentage of embryos transferred resulting in implantation	2 / 10	4 / 15	0 / 4	0 / 7	0 / 7	
Percentage of transfers resulting in singleton live births	0 / 6	2 / 9	0 / 2	0 / 3	0 / 3	
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 9	0 / 2	0 / 3	0 / 3	
Percentage of transfers resulting in live births	1 / 6	3 / 9	0 / 2	0 / 3	0 / 3	
Percentage of transfers resulting in pregnancy	1 / 6	3 / 9	0 / 2	0 / 3	0 / 3	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	0	3
Number of transfers	0	3
Average number of embryos transferred		2.0
Percentage of embryos transferred resulting in implantation		1 / 6
Percentage of transfers resulting in singleton live births		1 / 3
Percentage of transfers resulting in live births		1 / 3
Percentage of transfers resulting in pregnancy		1 / 3

CURRENT CLINIC SERVICES AND PROFILE

Current Name: UT Medicine Women's Health Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SCOTT AND WHITE CLINIC
TEMPLE, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Thomas J. Wincek, MD, PhD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	65%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	33%	Uterine factor	8%	*Multiple Factors:*	
Ovulatory dysfunction	6%	Male factor	56%	Female factors only	11%
Diminished ovarian reserve	17%	Other factor	2%	Female & male factors	21%
Endometriosis	9%	Unknown factor	11%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 68 (includes 2 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	30	11	5	1	1	0
Percentage of cancellations	16.7	5 / 11	3 / 5	0 / 1	0 / 1	
Average number of embryos transferred	2.1	2.0	2.0	3.0	1.0	
Percentage of embryos transferred resulting in implantation	42.0	4 / 12	0 / 4	0 / 3	0 / 1	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 6	0 / 2	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.3	1 / 11	0 / 5	0 / 1	0 / 1	
Percentage of cycles resulting in triplets or more live births	3.3	0 / 11	0 / 5	0 / 1	0 / 1	
Percentage of cycles resulting in live births	40.0	2 / 11	0 / 5	0 / 1	0 / 1	
Percentage of cycles resulting in pregnancy	50.0	3 / 11	0 / 5	0 / 1	0 / 1	
Outcomes per Transfer						
Number of transfers	24	6	2	1	1	0
Percentage of transfers resulting in singleton live births	29.2	1 / 6	0 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	4.2	0 / 6	0 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in live births	50.0	2 / 6	0 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	62.5	3 / 6	0 / 2	0 / 1	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	15	3	0	0	0	0
Percentage of pregnancies resulting in singleton live births	7 / 15	1 / 3				
Percentage of pregnancies resulting in triplets or more live births	1 / 15	0 / 3				
Percentage of pregnancies resulting in live births	12 / 15	2 / 3				
Frozen Embryos from Nondonor Eggs						
Number of cycles	12	4	2	0	0	0
Number of transfers	12	4	2	0	0	0
Estimated average number of transfers per retrieval	2.4	1.3	2.0			
Average number of embryos transferred	2.0	1.5	2.0			
Percentage of embryos transferred resulting in implantation	37.5	5 / 6	3 / 4			
Percentage of transfers resulting in singleton live births	3 / 12	2 / 4	1 / 2			
Percentage of transfers resulting in triplets or more live births	0 / 12	0 / 4	0 / 2			
Percentage of transfers resulting in live births	3 / 12	3 / 4	2 / 2			
Percentage of transfers resulting in pregnancy	6 / 12	3 / 4	2 / 2			

	All Ages Combined[f]	
Donor Eggs	**Fresh Embryos**	**Frozen Embryos**
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation		
Percentage of transfers resulting in singleton live births		
Percentage of transfers resulting in live births		
Percentage of transfers resulting in pregnancy		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Scott and White Clinic

Donor egg?	No	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTH HOUSTON CENTER FOR REPRODUCTIVE MEDICINE, PA (NHCRM)
THE WOODLANDS, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Dorothy J. Roach, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	73%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	12%	Uterine factor	6%	*Multiple Factors:*	
Ovulatory dysfunction	38%	Male factor	33%	Female factors only	24%
Diminished ovarian reserve	24%	Other factor	26%	Female & male factors	24%
Endometriosis	17%	Unknown factor	7%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 87 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	27	11	17	4	0	5
Percentage of cancellations	3.7	0 / 11	1 / 17	1 / 4		1 / 5
Average number of embryos transferred	1.9	2.2	2.3	2.0		2.5
Percentage of embryos transferred resulting in implantation	45.7	29.2	32.4	0 / 6		0 / 5
Percentage of elective single embryo transfer (eSET)	4.3	0 / 11	0 / 14	0 / 2		0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	40.7	5 / 11	8 / 17	0 / 4		0 / 5
Percentage of cycles resulting in triplets or more live births	0.0	0 / 11	0 / 17	0 / 4		0 / 5
Percentage of cycles resulting in live births	59.3	6 / 11	10 / 17	0 / 4		0 / 5
Percentage of cycles resulting in pregnancy	66.7	7 / 11	12 / 17	0 / 4		0 / 5
Outcomes per Transfer						
Number of transfers	24	11	16	3	0	2
Percentage of transfers resulting in singleton live births	45.8	5 / 11	8 / 16	0 / 3		0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0 / 11	0 / 16	0 / 3		0 / 2
Percentage of transfers resulting in live births	66.7	6 / 11	10 / 16	0 / 3		0 / 2
Percentage of transfers resulting in pregnancy	75.0	7 / 11	12 / 16	0 / 3		0 / 2
Outcomes per Pregnancy						
Number of pregnancies	18	7	12	0	0	0
Percentage of pregnancies resulting in singleton live births	11 / 18	5 / 7	8 / 12			
Percentage of pregnancies resulting in triplets or more live births	0 / 18	0 / 7	0 / 12			
Percentage of pregnancies resulting in live births	16 / 18	6 / 7	10 / 12			
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	2	5	0	0	1
Number of transfers	7	2	5	0	0	1
Estimated average number of transfers per retrieval	2.3					
Average number of embryos transferred	1.7	2.5	1.4			1.0
Percentage of embryos transferred resulting in implantation	7 / 12	2 / 5	1 / 7			1 / 1
Percentage of transfers resulting in singleton live births	3 / 7	0 / 2	1 / 5			1 / 1
Percentage of transfers resulting in triplets or more live births	0 / 7	0 / 2	0 / 5			0 / 1
Percentage of transfers resulting in live births	5 / 7	1 / 2	1 / 5			1 / 1
Percentage of transfers resulting in pregnancy	5 / 7	1 / 2	1 / 5			1 / 1

	All Ages Combined[f]	
Donor Eggs	**Fresh Embryos**	**Frozen Embryos**
Number of cycles	8	0
Number of transfers	8	0
Average number of embryos transferred	1.9	
Percentage of embryos transferred resulting in implantation	9 / 15	
Percentage of transfers resulting in singleton live births	3 / 8	
Percentage of transfers resulting in live births	6 / 8	
Percentage of transfers resulting in pregnancy	6 / 8	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: North Houston Center for Reproductive Medicine, PA, (NHCRM)

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER OF REPRODUCTIVE MEDICINE (CORM)
WEBSTER, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Vicki L. Schnell, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	72%
Unstimulated	<1%	Used PGD	4%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	14%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	28%	Male factor	13%	Female factors only	0%
Diminished ovarian reserve	22%	Other factor	4%	Female & male factors	0%
Endometriosis	10%	Unknown factor	5%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 358 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	93	47	13	5	2	0
Percentage of cancellations	5.4	2.1	2 / 13	0 / 5	0 / 2	
Average number of embryos transferred	2.0	2.0	2.0	2.4	2.5	
Percentage of embryos transferred resulting in implantation	38.6	23.6	22.7	0 / 12	0 / 5	
Percentage of elective single embryo transfer (eSET)	7.4	11.9	0 / 10	0 / 5	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	21.5	14.9	3 / 13	0 / 5	0 / 2	
Percentage of cycles resulting in triplets or more live births	1.1	0.0	0 / 13	0 / 5	0 / 2	
Percentage of cycles resulting in live births	41.9	25.5	3 / 13	0 / 5	0 / 2	
Percentage of cycles resulting in pregnancy	46.2	31.9	4 / 13	0 / 5	0 / 2	
Outcomes per Transfer						
Number of transfers	85	44	11	5	2	0
Percentage of transfers resulting in singleton live births	23.5	15.9	3 / 11	0 / 5	0 / 2	
Percentage of transfers resulting in triplets or more live births	1.2	0.0	0 / 11	0 / 5	0 / 2	
Percentage of transfers resulting in live births	45.9	27.3	3 / 11	0 / 5	0 / 2	
Percentage of transfers resulting in pregnancy	50.6	34.1	4 / 11	0 / 5	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	43	15	4	0	0	0
Percentage of pregnancies resulting in singleton live births	46.5	7 / 15	3 / 4			
Percentage of pregnancies resulting in triplets or more live births	2.3	0 / 15	0 / 4			
Percentage of pregnancies resulting in live births	90.7	12 / 15	3 / 4			
Frozen Embryos from Nondonor Eggs						
Number of cycles	70	35	10	8	1	3
Number of transfers	67	33	10	7	1	3
Estimated average number of transfers per retrieval	3.5	2.2	10.0	3.5		
Average number of embryos transferred	2.0	1.9	1.7	1.7	2.0	2.0
Percentage of embryos transferred resulting in implantation	22.9	33.3	6 / 17	1 / 12	0 / 2	0 / 6
Percentage of transfers resulting in singleton live births	25.4	36.4	4 / 10	1 / 7	0 / 1	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 10	0 / 7	0 / 1	0 / 3
Percentage of transfers resulting in live births	34.3	45.5	4 / 10	1 / 7	0 / 1	0 / 3
Percentage of transfers resulting in pregnancy	40.3	60.6	5 / 10	1 / 7	0 / 1	0 / 3

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	44	27
Number of transfers	41	26
Average number of embryos transferred	1.8	2.3
Percentage of embryos transferred resulting in implantation	49.3	30.0
Percentage of transfers resulting in singleton live births	36.6	30.8
Percentage of transfers resulting in live births	53.7	46.2
Percentage of transfers resulting in pregnancy	70.7	57.7

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center of Reproductive Medicine (CORM)

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UTAH FERTILITY CENTER
PLEASANT GROVE, UTAH

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Russell Foulk, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	60%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	22%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	25%	Male factor	35%	Female factors only	23%
Diminished ovarian reserve	26%	Other factor	10%	Female & male factors	21%
Endometriosis	27%	Unknown factor	4%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 387 (includes 3 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	211	44	29	9	1	2
Percentage of cancellations	0.9	13.6	3.4	2 / 9	0 / 1	0 / 2
Average number of embryos transferred	2.0	2.2	2.4	2.6	2.0	5.0
Percentage of embryos transferred resulting in implantation	49.7	23.0	21.9	3 / 13	0 / 2	0 / 10
Percentage of elective single embryo transfer (eSET)	8.6	0.0	0.0	0 / 4	0 / 1	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	28.4	22.7	17.2	1 / 9	0 / 1	0 / 2
Percentage of cycles resulting in triplets or more live births	1.9	0.0	0.0	0 / 9	0 / 1	0 / 2
Percentage of cycles resulting in live births	51.7	29.5	24.1	1 / 9	0 / 1	0 / 2
Percentage of cycles resulting in pregnancy	61.6	38.6	41.4	3 / 9	0 / 1	0 / 2
Outcomes per Transfer						
Number of transfers	199	33	27	5	1	2
Percentage of transfers resulting in singleton live births	30.2	30.3	18.5	1 / 5	0 / 1	0 / 2
Percentage of transfers resulting in triplets or more live births	2.0	0.0	0.0	0 / 5	0 / 1	0 / 2
Percentage of transfers resulting in live births	54.8	39.4	25.9	1 / 5	0 / 1	0 / 2
Percentage of transfers resulting in pregnancy	65.3	51.5	44.4	3 / 5	0 / 1	0 / 2
Outcomes per Pregnancy						
Number of pregnancies	130	17	12	3	0	0
Percentage of pregnancies resulting in singleton live births	46.2	10 / 17	5 / 12	1 / 3		
Percentage of pregnancies resulting in triplets or more live births	3.1	0 / 17	0 / 12	0 / 3		
Percentage of pregnancies resulting in live births	83.8	13 / 17	7 / 12	1 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	41	12	3	0	0	1
Number of transfers	37	9	3	0	0	1
Estimated average number of transfers per retrieval	1.4	1.5	1.0			
Average number of embryos transferred	1.7	1.6	2.0			2.0
Percentage of embryos transferred resulting in implantation	42.2	8 / 14	3 / 6			1 / 2
Percentage of transfers resulting in singleton live births	35.1	3 / 9	1 / 3			1 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 9	0 / 3			0 / 1
Percentage of transfers resulting in live births	43.2	4 / 9	2 / 3			1 / 1
Percentage of transfers resulting in pregnancy	62.2	6 / 9	3 / 3			1 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	21	10
Number of transfers	21	9
Average number of embryos transferred	1.9	2.1
Percentage of embryos transferred resulting in implantation	55.0	4 / 19
Percentage of transfers resulting in singleton live births	38.1	2 / 9
Percentage of transfers resulting in live births	57.1	3 / 9
Percentage of transfers resulting in pregnancy	71.4	5 / 9

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Utah Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

EAST BAY FERTILITY CENTER
PROVO, UTAH

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by L. Glen Andrew, DO

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	76%
Unstimulated	5%	Used PGD	1%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	28%	Uterine factor	9%	*Multiple Factors:*	
Ovulatory dysfunction	21%	Male factor	30%	Female factors only	7%
Diminished ovarian reserve	22%	Other factor	<1%	Female & male factors	7%
Endometriosis	0%	Unknown factor	2%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 108 (includes 2 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	86	11	1	1	1	0
Percentage of cancellations	22.1	0 / 11	0 / 1	0 / 1	0 / 1	
Average number of embryos transferred	2.1	2.4	3.0	3.0	4.0	
Percentage of embryos transferred resulting in implantation	40.2	34.6	0 / 3	0 / 3	0 / 4	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 10	0 / 1	0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	29.1	5 / 11	0 / 1	0 / 1	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 11	0 / 1	0 / 1	0 / 1	
Percentage of cycles resulting in live births	39.5	6 / 11	0 / 1	0 / 1	0 / 1	
Percentage of cycles resulting in pregnancy	45.3	8 / 11	0 / 1	0 / 1	0 / 1	
Outcomes per Transfer						
Number of transfers	62	11	1	1	1	0
Percentage of transfers resulting in singleton live births	40.3	5 / 11	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 11	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in live births	54.8	6 / 11	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	62.9	8 / 11	0 / 1	0 / 1	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	39	8	0	0	0	0
Percentage of pregnancies resulting in singleton live births	64.1	5 / 8				
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 8				
Percentage of pregnancies resulting in live births	87.2	6 / 8				
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	1	1	0	0	0
Number of transfers	4	1	1	0	0	0
Estimated average number of transfers per retrieval	1.0					
Average number of embryos transferred	2.3	3.0	1.0			
Percentage of embryos transferred resulting in implantation	1 / 9	0 / 3	0 / 1			
Percentage of transfers resulting in singleton live births	1 / 4	0 / 1	0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 1	0 / 1			
Percentage of transfers resulting in live births	1 / 4	0 / 1	0 / 1			
Percentage of transfers resulting in pregnancy	1 / 4	0 / 1	0 / 1			

	All Ages Combined[f]	
Donor Eggs	**Fresh Embryos**	**Frozen Embryos**
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation		
Percentage of transfers resulting in singleton live births		
Percentage of transfers resulting in live births		
Percentage of transfers resulting in pregnancy		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: East Bay Fertility Center

Donor egg?	No	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	No			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UTAH CENTER FOR REPRODUCTIVE MEDICINE
SALT LAKE CITY, UTAH

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Ahmad O. Hammoud, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	47%
Unstimulated	0%	Used PGD	2%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	9%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	12%	Male factor	43%	Female factors only	8%
Diminished ovarian reserve	20%	Other factor	10%	Female & male factors	17%
Endometriosis	16%	Unknown factor	15%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 510 (includes 4 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	225	56	62	11	8	2
Percentage of cancellations	7.6	3.6	14.5	2 / 11	1 / 8	2 / 2
Average number of embryos transferred	2.0	2.2	2.5	2.9	3.4	
Percentage of embryos transferred resulting in implantation	45.8	37.2	21.1	13.0	2 / 17	
Percentage of elective single embryo transfer (eSET)	8.2	0.0	0.0	0 / 8	0 / 5	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	28.4	30.4	22.6	2 / 11	2 / 8	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 11	0 / 8	0 / 2
Percentage of cycles resulting in live births	50.7	51.8	29.0	2 / 11	2 / 8	0 / 2
Percentage of cycles resulting in pregnancy	56.9	60.7	35.5	3 / 11	3 / 8	0 / 2
Outcomes per Transfer						
Number of transfers	191	54	51	8	5	0
Percentage of transfers resulting in singleton live births	33.5	31.5	27.5	2 / 8	2 / 5	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 8	0 / 5	
Percentage of transfers resulting in live births	59.7	53.7	35.3	2 / 8	2 / 5	
Percentage of transfers resulting in pregnancy	67.0	63.0	43.1	3 / 8	3 / 5	
Outcomes per Pregnancy						
Number of pregnancies	128	34	22	3	3	0
Percentage of pregnancies resulting in singleton live births	50.0	50.0	63.6	2 / 3	2 / 3	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 3	0 / 3	
Percentage of pregnancies resulting in live births	89.1	85.3	81.8	2 / 3	2 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	64	18	12	3	3	1
Number of transfers	63	17	10	3	3	1
Estimated average number of transfers per retrieval	2.7	8.5	2.0	1.5	1.5	
Average number of embryos transferred	1.9	2.1	2.0	2.3	1.7	2.0
Percentage of embryos transferred resulting in implantation	30.8	19.4	30.0	1 / 7	1 / 5	0 / 2
Percentage of transfers resulting in singleton live births	38.1	5 / 17	0 / 10	1 / 3	1 / 3	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 17	0 / 10	0 / 3	0 / 3	0 / 1
Percentage of transfers resulting in live births	44.4	6 / 17	1 / 10	1 / 3	1 / 3	0 / 1
Percentage of transfers resulting in pregnancy	54.0	6 / 17	4 / 10	1 / 3	1 / 3	0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	31	10
Number of transfers	29	10
Average number of embryos transferred	1.9	2.3
Percentage of embryos transferred resulting in implantation	64.8	30.4
Percentage of transfers resulting in singleton live births	48.3	3 / 10
Percentage of transfers resulting in live births	75.9	5 / 10
Percentage of transfers resulting in pregnancy	86.2	5 / 10

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Utah Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE CARE CENTER
SANDY, UTAH

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Keith L. Blauer, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	64%
Unstimulated	0%	Used PGD	6%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	14%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	21%	Male factor	51%	Female factors only	8%
Diminished ovarian reserve	23%	Other factor	8%	Female & male factors	27%
Endometriosis	14%	Unknown factor	4%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 502 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	239	44	49	13	5	1
Percentage of cancellations	2.9	4.5	6.1	2 / 13	0 / 5	0 / 1
Average number of embryos transferred	2.0	2.0	2.1	1.7	2.0	2.0
Percentage of embryos transferred resulting in implantation	36.0	30.5	23.7	3 / 10	1 / 8	0 / 2
Percentage of elective single embryo transfer (eSET)	4.5	8.6	9.7	0 / 3	0 / 3	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.5	22.7	22.4	1 / 13	1 / 5	0 / 1
Percentage of cycles resulting in triplets or more live births	0.4	0.0	0.0	0 / 13	0 / 5	0 / 1
Percentage of cycles resulting in live births	40.2	34.1	24.5	1 / 13	1 / 5	0 / 1
Percentage of cycles resulting in pregnancy	46.9	40.9	34.7	3 / 13	1 / 5	0 / 1
Outcomes per Transfer						
Number of transfers	213	42	37	6	4	1
Percentage of transfers resulting in singleton live births	28.6	23.8	29.7	1 / 6	1 / 4	0 / 1
Percentage of transfers resulting in triplets or more live births	0.5	0.0	0.0	0 / 6	0 / 4	0 / 1
Percentage of transfers resulting in live births	45.1	35.7	32.4	1 / 6	1 / 4	0 / 1
Percentage of transfers resulting in pregnancy	52.6	42.9	45.9	3 / 6	1 / 4	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	112	18	17	3	1	0
Percentage of pregnancies resulting in singleton live births	54.5	10 / 18	11 / 17	1 / 3	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.9	0 / 18	0 / 17	0 / 3	0 / 1	
Percentage of pregnancies resulting in live births	85.7	15 / 18	12 / 17	1 / 3	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	80	17	16	1	2	1
Number of transfers	73	13	16	1	2	1
Estimated average number of transfers per retrieval	1.8	6.5	1.3			
Average number of embryos transferred	1.8	1.5	1.7	3.0	1.0	3.0
Percentage of embryos transferred resulting in implantation	37.7	8 / 19	22.2	0 / 3	1 / 2	3 / 3
Percentage of transfers resulting in singleton live births	24.7	4 / 13	1 / 16	0 / 1	1 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	1.4	1 / 13	0 / 16	0 / 1	0 / 2	0 / 1
Percentage of transfers resulting in live births	39.7	5 / 13	2 / 16	0 / 1	1 / 2	0 / 1
Percentage of transfers resulting in pregnancy	43.8	6 / 13	5 / 16	0 / 1	1 / 2	1 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	15	19
Number of transfers	13	16
Average number of embryos transferred	2.0	1.9
Percentage of embryos transferred resulting in implantation	15.4	25.8
Percentage of transfers resulting in singleton live births	2 / 13	4 / 16
Percentage of transfers resulting in live births	3 / 13	5 / 16
Percentage of transfers resulting in pregnancy	3 / 13	7 / 16

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Care Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

VERMONT CENTER FOR REPRODUCTIVE MEDICINE
BURLINGTON, VERMONT

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Peter R. Casson, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	52%
Unstimulated	0%	Used PGD	<1%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	14%	Uterine factor	<1%	*Multiple Factors:*	
Ovulatory dysfunction	8%	Male factor	41%	Female factors only	3%
Diminished ovarian reserve	24%	Other factor	7%	Female & male factors	13%
Endometriosis	5%	Unknown factor	18%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 134 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	48	28	19	6	0	0
Percentage of cancellations	4.2	21.4	4 / 19	1 / 6		
Average number of embryos transferred	1.8	1.9	2.3	2.4		
Percentage of embryos transferred resulting in implantation	48.6	25.7	18.8	1 / 12		
Percentage of elective single embryo transfer (eSET)	14.7	1 / 16	0 / 11	1 / 5		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	37.5	25.0	1 / 19	1 / 6		
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 19	0 / 6		
Percentage of cycles resulting in live births	54.2	28.6	2 / 19	1 / 6		
Percentage of cycles resulting in pregnancy	54.2	32.1	4 / 19	1 / 6		
Outcomes per Transfer						
Number of transfers	40	18	14	5	0	0
Percentage of transfers resulting in singleton live births	45.0	7 / 18	1 / 14	1 / 5		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 18	0 / 14	0 / 5		
Percentage of transfers resulting in live births	65.0	8 / 18	2 / 14	1 / 5		
Percentage of transfers resulting in pregnancy	65.0	9 / 18	4 / 14	1 / 5		
Outcomes per Pregnancy						
Number of pregnancies	26	9	4	1	0	0
Percentage of pregnancies resulting in singleton live births	69.2	7 / 9	1 / 4	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 9	0 / 4	0 / 1		
Percentage of pregnancies resulting in live births	100.0	8 / 9	2 / 4	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	3	4	2	1	0
Number of transfers	4	3	3	2	1	0
Estimated average number of transfers per retrieval	2.0	1.5	1.0			
Average number of embryos transferred	1.5	2.0	2.3	2.0	2.0	
Percentage of embryos transferred resulting in implantation	2 / 6	0 / 6	1 / 7	0 / 4	0 / 2	
Percentage of transfers resulting in singleton live births	1 / 4	0 / 3	1 / 3	0 / 2	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 3	0 / 3	0 / 2	0 / 1	
Percentage of transfers resulting in live births	1 / 4	0 / 3	1 / 3	0 / 2	0 / 1	
Percentage of transfers resulting in pregnancy	1 / 4	0 / 3	1 / 3	0 / 2	0 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	14	4
Number of transfers	12	4
Average number of embryos transferred	1.5	1.5
Percentage of embryos transferred resulting in implantation	10 / 18	0 / 6
Percentage of transfers resulting in singleton live births	5 / 12	0 / 4
Percentage of transfers resulting in live births	7 / 12	0 / 4
Percentage of transfers resulting in pregnancy	7 / 12	0 / 4

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Vermont Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WASHINGTON FERTILITY CENTER
ANNANDALE, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Pierre Asmar, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	37%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	17%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	10%	Male factor	31%	Female factors only	6%
Diminished ovarian reserve	34%	Other factor	5%	Female & male factors	11%
Endometriosis	8%	Unknown factor	13%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 88 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	27	7	13	15	4	2
Percentage of cancellations	7.4	0 / 7	0 / 13	0 / 15	0 / 4	1 / 2
Average number of embryos transferred	2.2	2.0	2.3	2.5	2.8	3.0
Percentage of embryos transferred resulting in implantation	34.8	3 / 14	19.0	6.1	2 / 11	0 / 3
Percentage of elective single embryo transfer (eSET)	0.0	0 / 6	0 / 7	0 / 11	0 / 4	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	14.8	3 / 7	1 / 13	1 / 15	2 / 4	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0 / 7	0 / 13	0 / 15	0 / 4	0 / 2
Percentage of cycles resulting in live births	33.3	3 / 7	2 / 13	1 / 15	2 / 4	0 / 2
Percentage of cycles resulting in pregnancy	37.0	3 / 7	3 / 13	2 / 15	2 / 4	0 / 2
Outcomes per Transfer						
Number of transfers	21	7	9	13	4	1
Percentage of transfers resulting in singleton live births	19.0	3 / 7	1 / 9	1 / 13	2 / 4	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 7	0 / 9	0 / 13	0 / 4	0 / 1
Percentage of transfers resulting in live births	42.9	3 / 7	2 / 9	1 / 13	2 / 4	0 / 1
Percentage of transfers resulting in pregnancy	47.6	3 / 7	3 / 9	2 / 13	2 / 4	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	10	3	3	2	2	0
Percentage of pregnancies resulting in singleton live births	4 / 10	3 / 3	1 / 3	1 / 2	2 / 2	
Percentage of pregnancies resulting in triplets or more live births	0 / 10	0 / 3	0 / 3	0 / 2	0 / 2	
Percentage of pregnancies resulting in live births	9 / 10	3 / 3	2 / 3	1 / 2	2 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	2	2	0	2	0
Number of transfers	4	2	2	0	2	0
Estimated average number of transfers per retrieval	2.0	2.0	1.0			
Average number of embryos transferred	2.5	2.5	2.0		2.0	
Percentage of embryos transferred resulting in implantation	3 / 10	0 / 5	0 / 4		2 / 4	
Percentage of transfers resulting in singleton live births	0 / 4	0 / 2	0 / 2		0 / 2	
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 2	0 / 2		0 / 2	
Percentage of transfers resulting in live births	1 / 4	0 / 2	0 / 2		1 / 2	
Percentage of transfers resulting in pregnancy	2 / 4	0 / 2	0 / 2		1 / 2	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	8	2
Number of transfers	7	2
Average number of embryos transferred	1.9	1.5
Percentage of embryos transferred resulting in implantation	4 / 13	1 / 3
Percentage of transfers resulting in singleton live births	2 / 7	0 / 2
Percentage of transfers resulting in live births	3 / 7	0 / 2
Percentage of transfers resulting in pregnancy	3 / 7	1 / 2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Washington Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DOMINION FERTILITY AND ENDOCRINOLOGY
ARLINGTON, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Michael DiMattina, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	64%
Unstimulated	69%	Used PGD	2%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	15%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	7%	Male factor	45%	Female factors only	19%
Diminished ovarian reserve	43%	Other factor	39%	Female & male factors	33%
Endometriosis	4%	Unknown factor	8%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 1,211 (includes 11 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	264	170	232	140	90	62
Percentage of cancellations	19.7	27.1	29.7	29.3	31.1	29.0
Average number of embryos transferred	1.2	1.3	1.5	1.5	1.7	1.0
Percentage of embryos transferred resulting in implantation	34.9	29.8	26.5	11.9	2.5	0 / 12
Percentage of elective single embryo transfer (eSET)	56.9	28.0	11.4	1 / 14	0 / 8	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	15.5	9.4	4.3	3.6	1.1	0.0
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0.0
Percentage of cycles resulting in live births	16.7	12.4	7.3	3.6	1.1	0.0
Percentage of cycles resulting in pregnancy	18.2	14.1	14.2	6.4	3.3	0.0
Outcomes per Transfer						
Number of transfers	121	73	90	46	24	12
Percentage of transfers resulting in singleton live births	33.9	21.9	11.1	10.9	4.2	0 / 12
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 12
Percentage of transfers resulting in live births	36.4	28.8	18.9	10.9	4.2	0 / 12
Percentage of transfers resulting in pregnancy	39.7	32.9	36.7	19.6	12.5	0 / 12
Outcomes per Pregnancy						
Number of pregnancies	48	24	33	9	3	0
Percentage of pregnancies resulting in singleton live births	85.4	66.7	30.3	5 / 9	1 / 3	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 9	0 / 3	
Percentage of pregnancies resulting in live births	91.7	87.5	51.5	5 / 9	1 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	76	44	36	12	2	5
Number of transfers	71	40	30	12	2	5
Estimated average number of transfers per retrieval	1.4	1.4	1.1	1.7		0.8
Average number of embryos transferred	1.4	1.5	1.3	2.3	2.5	1.2
Percentage of embryos transferred resulting in implantation	32.3	31.7	25.6	25.0	1 / 5	0 / 6
Percentage of transfers resulting in singleton live births	31.0	35.0	16.7	4 / 12	1 / 2	0 / 5
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 12	0 / 2	0 / 5
Percentage of transfers resulting in live births	35.2	37.5	23.3	5 / 12	1 / 2	0 / 5
Percentage of transfers resulting in pregnancy	42.3	57.5	30.0	6 / 12	1 / 2	0 / 5

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	27	40
Number of transfers	21	39
Average number of embryos transferred	1.0	1.3
Percentage of embryos transferred resulting in implantation	50.0	27.5
Percentage of transfers resulting in singleton live births	42.9	23.1
Percentage of transfers resulting in live births	42.9	23.1
Percentage of transfers resulting in pregnancy	47.6	41.0

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Dominion Fertility and Endocrinology

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE AND SURGERY CENTER OF VIRGINIA, PLC
CHARLOTTESVILLE, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Christopher D. Williams, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	64%
Unstimulated	0%	Used PGD	1%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	15%	Uterine factor	11%	*Multiple Factors:*	
Ovulatory dysfunction	21%	Male factor	46%	Female factors only	21%
Diminished ovarian reserve	20%	Other factor	10%	Female & male factors	24%
Endometriosis	25%	Unknown factor	6%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 234 (includes 3 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	82	34	26	8	1	0
Percentage of cancellations	8.5	8.8	11.5	1 / 8	0 / 1	
Average number of embryos transferred	2.1	2.4	3.4	3.6	4.0	
Percentage of embryos transferred resulting in implantation	31.9	30.6	8.3	8.0	0 / 4	
Percentage of elective single embryo transfer (eSET)	7.4	3.4	0.0	0 / 6	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.2	17.6	7.7	0 / 8	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 8	0 / 1	
Percentage of cycles resulting in live births	36.6	38.2	11.5	1 / 8	0 / 1	
Percentage of cycles resulting in pregnancy	41.5	44.1	23.1	1 / 8	0 / 1	
Outcomes per Transfer						
Number of transfers	70	30	21	7	1	0
Percentage of transfers resulting in singleton live births	27.1	20.0	9.5	0 / 7	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 7	0 / 1	
Percentage of transfers resulting in live births	42.9	43.3	14.3	1 / 7	0 / 1	
Percentage of transfers resulting in pregnancy	48.6	50.0	28.6	1 / 7	0 / 1	
Outcomes per Pregnancy						
Number of pregnancies	34	15	6	1	0	0
Percentage of pregnancies resulting in singleton live births	55.9	6 / 15	2 / 6	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 15	0 / 6	0 / 1		
Percentage of pregnancies resulting in live births	88.2	13 / 15	3 / 6	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	28	16	11	1	0	0
Number of transfers	28	13	11	1	0	0
Estimated average number of transfers per retrieval	1.6	1.1	5.5			
Average number of embryos transferred	1.9	1.9	1.7	3.0		
Percentage of embryos transferred resulting in implantation	25.9	20.0	1 / 19	0 / 3		
Percentage of transfers resulting in singleton live births	32.1	3 / 13	1 / 11	0 / 1		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 13	0 / 11	0 / 1		
Percentage of transfers resulting in live births	39.3	4 / 13	1 / 11	0 / 1		
Percentage of transfers resulting in pregnancy	46.4	4 / 13	1 / 11	0 / 1		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	16	8
Number of transfers	13	8
Average number of embryos transferred	1.8	2.0
Percentage of embryos transferred resulting in implantation	69.6	1 / 16
Percentage of transfers resulting in singleton live births	5 / 13	1 / 8
Percentage of transfers resulting in live births	9 / 13	1 / 8
Percentage of transfers resulting in pregnancy	11 / 13	1 / 8

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine and Surgery Center of Virginia, PLC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GENETICS & IVF INSTITUTE
FAIRFAX, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Laurence C. Udoff, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	82%
Unstimulated	<1%	Used PGD	28%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	11%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	6%	Male factor	34%	Female factors only	10%
Diminished ovarian reserve	51%	Other factor	27%	Female & male factors	24%
Endometriosis	4%	Unknown factor	6%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 576 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	89	63	71	36	15	4
Percentage of cancellations	1.1	0.0	9.9	2.8	1 / 15	0 / 4
Average number of embryos transferred	1.8	1.7	1.9	2.6	2.2	3.0
Percentage of embryos transferred resulting in implantation	28.4	17.3	8.9	5.5	11.5	0 / 12
Percentage of elective single embryo transfer (eSET)	19.6	20.0	12.1	0 / 18	0 / 8	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	18.0	11.1	5.6	8.3	0 / 15	0 / 4
Percentage of cycles resulting in triplets or more live births	1.1	0.0	0.0	0.0	0 / 15	0 / 4
Percentage of cycles resulting in live births	24.7	14.3	7.0	8.3	1 / 15	0 / 4
Percentage of cycles resulting in pregnancy	27.0	20.6	11.3	11.1	2 / 15	0 / 4
Outcomes per Transfer						
Number of transfers	62	43	42	21	12	4
Percentage of transfers resulting in singleton live births	25.8	16.3	9.5	14.3	0 / 12	0 / 4
Percentage of transfers resulting in triplets or more live births	1.6	0.0	0.0	0.0	0 / 12	0 / 4
Percentage of transfers resulting in live births	35.5	20.9	11.9	14.3	1 / 12	0 / 4
Percentage of transfers resulting in pregnancy	38.7	30.2	19.0	19.0	2 / 12	0 / 4
Outcomes per Pregnancy						
Number of pregnancies	24	13	8	4	2	0
Percentage of pregnancies resulting in singleton live births	66.7	7 / 13	4 / 8	3 / 4	0 / 2	
Percentage of pregnancies resulting in triplets or more live births	4.2	0 / 13	0 / 8	0 / 4	0 / 2	
Percentage of pregnancies resulting in live births	91.7	9 / 13	5 / 8	3 / 4	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	37	25	18	3	2	0
Number of transfers	35	23	17	3	2	0
Estimated average number of transfers per retrieval	1.3	1.5	1.3	1.5	2.0	
Average number of embryos transferred	1.4	1.5	1.4	1.7	1.5	
Percentage of embryos transferred resulting in implantation	52.0	34.3	34.8	0 / 5	2 / 3	
Percentage of transfers resulting in singleton live births	54.3	34.8	5 / 17	0 / 3	1 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 17	0 / 3	0 / 2	
Percentage of transfers resulting in live births	57.1	39.1	6 / 17	0 / 3	1 / 2	
Percentage of transfers resulting in pregnancy	68.6	52.2	7 / 17	0 / 3	1 / 2	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	110	103
Number of transfers	93	96
Average number of embryos transferred	1.8	1.6
Percentage of embryos transferred resulting in implantation	48.5	37.0
Percentage of transfers resulting in singleton live births	37.6	32.3
Percentage of transfers resulting in live births	54.8	42.7
Percentage of transfers resulting in pregnancy	66.7	51.0

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Genetics & IVF Institute

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE MUASHER CENTER FOR FERTILITY AND IVF DBA PARTNERS FOR FERTILITY AND IVF FAIRFAX, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Nancy Durso, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	73%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	20%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	9%	Male factor	33%	Female factors only	9%
Diminished ovarian reserve	12%	Other factor	16%	Female & male factors	14%
Endometriosis	6%	Unknown factor	23%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 130 (includes 2 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	37	37	24	15	5	0
Percentage of cancellations	8.1	8.1	8.3	0 / 15	0 / 5	
Average number of embryos transferred	1.7	1.9	2.0	2.5	2.0	
Percentage of embryos transferred resulting in implantation	19.6	13.3	5.3	3.6	0 / 10	
Percentage of elective single embryo transfer (eSET)	0 / 19	0.0	0 / 12	0 / 9	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	16.2	18.9	4.2	0 / 15	0 / 5	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 15	0 / 5	
Percentage of cycles resulting in live births	21.6	18.9	4.2	0 / 15	0 / 5	
Percentage of cycles resulting in pregnancy	21.6	18.9	16.7	2 / 15	0 / 5	
Outcomes per Transfer						
Number of transfers	30	31	19	11	5	0
Percentage of transfers resulting in singleton live births	20.0	22.6	1 / 19	0 / 11	0 / 5	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 19	0 / 11	0 / 5	
Percentage of transfers resulting in live births	26.7	22.6	1 / 19	0 / 11	0 / 5	
Percentage of transfers resulting in pregnancy	26.7	22.6	4 / 19	2 / 11	0 / 5	
Outcomes per Pregnancy						
Number of pregnancies	8	7	4	2	0	0
Percentage of pregnancies resulting in singleton live births	6 / 8	7 / 7	1 / 4	0 / 2		
Percentage of pregnancies resulting in triplets or more live births	0 / 8	0 / 7	0 / 4	0 / 2		
Percentage of pregnancies resulting in live births	8 / 8	7 / 7	1 / 4	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	1	1	0	0	0
Number of transfers	4	1	1	0	0	0
Estimated average number of transfers per retrieval	2.0					0.0
Average number of embryos transferred	1.8	2.0	3.0			
Percentage of embryos transferred resulting in implantation	0 / 7	1 / 2	0 / 3			
Percentage of transfers resulting in singleton live births	0 / 4	1 / 1	0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 1	0 / 1			
Percentage of transfers resulting in live births	0 / 4	1 / 1	0 / 1			
Percentage of transfers resulting in pregnancy	0 / 4	1 / 1	0 / 1			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	1	3
Number of transfers	1	3
Average number of embryos transferred	2.0	2.3
Percentage of embryos transferred resulting in implantation	1 / 2	0 / 7
Percentage of transfers resulting in singleton live births	1 / 1	0 / 3
Percentage of transfers resulting in live births	1 / 1	0 / 3
Percentage of transfers resulting in pregnancy	1 / 1	0 / 3

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Muasher Center for Fertility and IVF dba, Partners for Fertility and IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

JONES INSTITUTE FOR REPRODUCTIVE MEDICINE
NORFOLK, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Laurel A. Stadtmauer, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	81%
Unstimulated	0%	Used PGD	4%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	27%	Uterine factor	8%	*Multiple Factors:*	
Ovulatory dysfunction	15%	Male factor	28%	Female factors only	21%
Diminished ovarian reserve	38%	Other factor	12%	Female & male factors	16%
Endometriosis	11%	Unknown factor	3%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 372 (includes 5 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	91	46	49	23	3	1
Percentage of cancellations	9.9	10.9	18.4	17.4	0 / 3	0 / 1
Average number of embryos transferred	2.0	2.0	2.2	2.2	1.5	2.0
Percentage of embryos transferred resulting in implantation	27.8	18.4	21.1	8.1	1 / 3	0 / 2
Percentage of elective single embryo transfer (eSET)	2.7	0.0	0.0	0 / 13	0 / 1	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.1	23.9	16.3	8.7	1 / 3	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 3	0 / 1
Percentage of cycles resulting in live births	30.8	26.1	20.4	8.7	1 / 3	0 / 1
Percentage of cycles resulting in pregnancy	34.1	28.3	26.5	13.0	1 / 3	0 / 1
Outcomes per Transfer						
Number of transfers	76	38	35	17	2	1
Percentage of transfers resulting in singleton live births	27.6	28.9	22.9	2 / 17	1 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 17	0 / 2	0 / 1
Percentage of transfers resulting in live births	36.8	31.6	28.6	2 / 17	1 / 2	0 / 1
Percentage of transfers resulting in pregnancy	40.8	34.2	37.1	3 / 17	1 / 2	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	31	13	13	3	1	0
Percentage of pregnancies resulting in singleton live births	67.7	11 / 13	8 / 13	2 / 3	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 13	0 / 13	0 / 3	0 / 1	
Percentage of pregnancies resulting in live births	90.3	12 / 13	10 / 13	2 / 3	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	43	20	12	5	1	5
Number of transfers	42	18	11	5	1	3
Estimated average number of transfers per retrieval	1.9	1.8	11.0	1.0		3.0
Average number of embryos transferred	2.1	1.8	1.9	2.2	1.0	2.7
Percentage of embryos transferred resulting in implantation	17.0	18.8	9.5	3 / 11	0 / 1	0 / 8
Percentage of transfers resulting in singleton live births	21.4	3 / 18	2 / 11	1 / 5	0 / 1	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0 / 18	0 / 11	0 / 5	0 / 1	0 / 3
Percentage of transfers resulting in live births	23.8	3 / 18	2 / 11	2 / 5	0 / 1	0 / 3
Percentage of transfers resulting in pregnancy	31.0	5 / 18	2 / 11	2 / 5	0 / 1	0 / 3

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	34	34
Number of transfers	27	33
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation	42.6	26.2
Percentage of transfers resulting in singleton live births	33.3	15.2
Percentage of transfers resulting in live births	48.1	27.3
Percentage of transfers resulting in pregnancy	59.3	36.4

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Jones Institute for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

VIRGINIA CENTER FOR REPRODUCTIVE MEDICINE
RESTON, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Fady I. Sharara, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	97%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	6%		

Patient Diagnosis[b]

Tubal factor	21%	Uterine factor	15%	*Multiple Factors:*	
Ovulatory dysfunction	22%	Male factor	79%	Female factors only	14%
Diminished ovarian reserve	58%	Other factor	36%	Female & male factors	74%
Endometriosis	6%	Unknown factor	0%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 142 (includes 2 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	33	31	35	10	4	0
Percentage of cancellations	3.0	0.0	5.7	0 / 10	1 / 4	
Average number of embryos transferred	1.9	1.9	2.4	2.2	2.3	
Percentage of embryos transferred resulting in implantation	55.0	31.7	16.9	9.1	0 / 7	
Percentage of elective single embryo transfer (eSET)	7.1	12.0	0.0	0 / 8	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	30.3	29.0	17.1	1 / 10	0 / 4	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 10	0 / 4	
Percentage of cycles resulting in live births	57.6	38.7	20.0	1 / 10	0 / 4	
Percentage of cycles resulting in pregnancy	69.7	61.3	28.6	2 / 10	1 / 4	
Outcomes per Transfer						
Number of transfers	31	31	32	10	3	0
Percentage of transfers resulting in singleton live births	32.3	29.0	18.8	1 / 10	0 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 10	0 / 3	
Percentage of transfers resulting in live births	61.3	38.7	21.9	1 / 10	0 / 3	
Percentage of transfers resulting in pregnancy	74.2	61.3	31.3	2 / 10	1 / 3	
Outcomes per Pregnancy						
Number of pregnancies	23	19	10	2	1	0
Percentage of pregnancies resulting in singleton live births	43.5	9 / 19	6 / 10	1 / 2	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 19	0 / 10	0 / 2	0 / 1	
Percentage of pregnancies resulting in live births	82.6	12 / 19	7 / 10	1 / 2	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	0	3	0	0	0
Number of transfers	2	0	3	0	0	0
Estimated average number of transfers per retrieval	0.7	0.0	1.0			
Average number of embryos transferred	2.5		1.7			
Percentage of embryos transferred resulting in implantation	2 / 5		1 / 5			
Percentage of transfers resulting in singleton live births	2 / 2		1 / 3			
Percentage of transfers resulting in triplets or more live births	0 / 2		0 / 3			
Percentage of transfers resulting in live births	2 / 2		1 / 3			
Percentage of transfers resulting in pregnancy	2 / 2		1 / 3			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	19	3
Number of transfers	19	3
Average number of embryos transferred	1.8	2.0
Percentage of embryos transferred resulting in implantation	65.7	0 / 6
Percentage of transfers resulting in singleton live births	10 / 19	0 / 3
Percentage of transfers resulting in live births	15 / 19	0 / 3
Percentage of transfers resulting in pregnancy	16 / 19	0 / 3

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Virginia Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY INSTITUTE OF VIRGINIA
RICHMOND, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Michael C. Edelstein, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	82%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	1%		

Patient Diagnosis[b]

Tubal factor	13%	Uterine factor	7%	*Multiple Factors:*	
Ovulatory dysfunction	12%	Male factor	33%	Female factors only	8%
Diminished ovarian reserve	17%	Other factor	2%	Female & male factors	6%
Endometriosis	12%	Unknown factor	17%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 258 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	60	37	36	10	4	1
Percentage of cancellations	6.7	5.4	11.1	2 / 10	0 / 4	0 / 1
Average number of embryos transferred	2.1	2.4	2.6	2.9	4.0	1.0
Percentage of embryos transferred resulting in implantation	31.4	22.1	17.7	4.3	0 / 12	0 / 1
Percentage of elective single embryo transfer (eSET)	8.3	6.3	3.4	0 / 8	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.3	16.2	27.8	0 / 10	0 / 4	0 / 1
Percentage of cycles resulting in triplets or more live births	1.7	2.7	0.0	0 / 10	0 / 4	0 / 1
Percentage of cycles resulting in live births	33.3	27.0	30.6	0 / 10	0 / 4	0 / 1
Percentage of cycles resulting in pregnancy	36.7	35.1	36.1	2 / 10	0 / 4	0 / 1
Outcomes per Transfer						
Number of transfers	48	32	30	8	3	1
Percentage of transfers resulting in singleton live births	29.2	18.8	33.3	0 / 8	0 / 3	0 / 1
Percentage of transfers resulting in triplets or more live births	2.1	3.1	0.0	0 / 8	0 / 3	0 / 1
Percentage of transfers resulting in live births	41.7	31.3	36.7	0 / 8	0 / 3	0 / 1
Percentage of transfers resulting in pregnancy	45.8	40.6	43.3	2 / 8	0 / 3	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	22	13	13	2	0	0
Percentage of pregnancies resulting in singleton live births	63.6	6 / 13	10 / 13	0 / 2		
Percentage of pregnancies resulting in triplets or more live births	4.5	1 / 13	0 / 13	0 / 2		
Percentage of pregnancies resulting in live births	90.9	10 / 13	11 / 13	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	48	24	14	4	2	0
Number of transfers	48	24	14	4	2	0
Estimated average number of transfers per retrieval	1.7	1.8	2.8	1.3	2.0	
Average number of embryos transferred	1.9	1.9	2.6	1.8	2.0	
Percentage of embryos transferred resulting in implantation	34.1	37.0	16.7	0 / 7	0 / 4	
Percentage of transfers resulting in singleton live births	31.3	25.0	3 / 14	0 / 4	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 14	0 / 4	0 / 2	
Percentage of transfers resulting in live births	43.8	41.7	4 / 14	0 / 4	0 / 2	
Percentage of transfers resulting in pregnancy	62.5	66.7	7 / 14	0 / 4	0 / 2	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	6	12
Number of transfers	5	12
Average number of embryos transferred	1.6	2.2
Percentage of embryos transferred resulting in implantation	6 / 8	23.1
Percentage of transfers resulting in singleton live births	3 / 5	1 / 12
Percentage of transfers resulting in live births	3 / 5	3 / 12
Percentage of transfers resulting in pregnancy	4 / 5	3 / 12

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Institute of Virginia

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

LIFESOURCE FERTILITY CENTER
RICHMOND, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Joseph G. Gianfortoni, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	75%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	23%	Uterine factor	18%	*Multiple Factors:*	
Ovulatory dysfunction	18%	Male factor	82%	Female factors only	6%
Diminished ovarian reserve	34%	Other factor	3%	Female & male factors	63%
Endometriosis	20%	Unknown factor	<1%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 111 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	27	22	10	2	0	0
Percentage of cancellations	14.8	4.5	0 / 10	1 / 2		
Average number of embryos transferred	1.5	1.9	2.3	1.0		
Percentage of embryos transferred resulting in implantation	32.4	32.5	17.4	0 / 1		
Percentage of elective single embryo transfer (eSET)	45.0	5 / 19	1 / 9			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	25.9	27.3	2 / 10	0 / 2		
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 10	0 / 2		
Percentage of cycles resulting in live births	33.3	36.4	3 / 10	0 / 2		
Percentage of cycles resulting in pregnancy	33.3	50.0	3 / 10	0 / 2		
Outcomes per Transfer						
Number of transfers	22	21	10	1	0	0
Percentage of transfers resulting in singleton live births	31.8	28.6	2 / 10	0 / 1		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 10	0 / 1		
Percentage of transfers resulting in live births	40.9	38.1	3 / 10	0 / 1		
Percentage of transfers resulting in pregnancy	40.9	52.4	3 / 10	0 / 1		
Outcomes per Pregnancy						
Number of pregnancies	9	11	3	0	0	0
Percentage of pregnancies resulting in singleton live births	7 / 9	6 / 11	2 / 3			
Percentage of pregnancies resulting in triplets or more live births	0 / 9	0 / 11	0 / 3			
Percentage of pregnancies resulting in live births	9 / 9	8 / 11	3 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	19	12	12	1	0	0
Number of transfers	19	12	11	1	0	0
Estimated average number of transfers per retrieval	1.5	6.0	1.8	1.0		
Average number of embryos transferred	1.3	1.4	1.8	1.0		
Percentage of embryos transferred resulting in implantation	45.8	8 / 17	20.0	0 / 1		
Percentage of transfers resulting in singleton live births	8 / 19	7 / 12	2 / 11	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 19	0 / 12	0 / 11	0 / 1		
Percentage of transfers resulting in live births	9 / 19	7 / 12	3 / 11	0 / 1		
Percentage of transfers resulting in pregnancy	10 / 19	8 / 12	4 / 11	0 / 1		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	1	5
Number of transfers	1	4
Average number of embryos transferred	1.0	1.8
Percentage of embryos transferred resulting in implantation	1 / 1	3 / 7
Percentage of transfers resulting in singleton live births	0 / 1	1 / 4
Percentage of transfers resulting in live births	0 / 1	2 / 4
Percentage of transfers resulting in pregnancy	1 / 1	3 / 4

CURRENT CLINIC SERVICES AND PROFILE

Current Name: LifeSource Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE RICHMOND CENTER FOR FERTILITY AND ENDOCRINOLOGY
RICHMOND, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by George F. Tidey, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	78%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	3%		

Patient Diagnosis[b]

Tubal factor	19%	Uterine factor	7%	*Multiple Factors:*	
Ovulatory dysfunction	21%	Male factor	56%	Female factors only	10%
Diminished ovarian reserve	18%	Other factor	9%	Female & male factors	30%
Endometriosis	8%	Unknown factor	6%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 149 (includes 3 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	34	23	14	7	2	0
Percentage of cancellations	2.9	8.7	2 / 14	2 / 7	0 / 2	
Average number of embryos transferred	2.1	2.3	2.6	3.8		
Percentage of embryos transferred resulting in implantation	41.5	25.0	24.1	3 / 19		
Percentage of elective single embryo transfer (eSET)	4.0	10.0	0 / 10	0 / 5		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.5	13.0	3 / 14	1 / 7	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	4.3	0 / 14	0 / 7	0 / 2	
Percentage of cycles resulting in live births	38.2	30.4	4 / 14	2 / 7	0 / 2	
Percentage of cycles resulting in pregnancy	44.1	30.4	4 / 14	2 / 7	0 / 2	
Outcomes per Transfer						
Number of transfers	25	21	11	5	0	0
Percentage of transfers resulting in singleton live births	32.0	14.3	3 / 11	1 / 5		
Percentage of transfers resulting in triplets or more live births	0.0	4.8	0 / 11	0 / 5		
Percentage of transfers resulting in live births	52.0	33.3	4 / 11	2 / 5		
Percentage of transfers resulting in pregnancy	60.0	33.3	4 / 11	2 / 5		
Outcomes per Pregnancy						
Number of pregnancies	15	7	4	2	0	0
Percentage of pregnancies resulting in singleton live births	8 / 15	3 / 7	3 / 4	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	0 / 15	1 / 7	0 / 4	0 / 2		
Percentage of pregnancies resulting in live births	13 / 15	7 / 7	4 / 4	2 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	31	16	3	4	0	1
Number of transfers	30	16	3	4	0	1
Estimated average number of transfers per retrieval	1.6	2.0	1.5	2.0		
Average number of embryos transferred	1.8	2.2	2.7	2.5		2.0
Percentage of embryos transferred resulting in implantation	22.2	28.6	3 / 8	0 / 10		2 / 2
Percentage of transfers resulting in singleton live births	30.0	4 / 16	1 / 3	0 / 4		1 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0 / 3	0 / 4		0 / 1
Percentage of transfers resulting in live births	33.3	6 / 16	2 / 3	0 / 4		1 / 1
Percentage of transfers resulting in pregnancy	40.0	7 / 16	2 / 3	0 / 4		1 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	7	4
Number of transfers	7	4
Average number of embryos transferred	2.0	1.8
Percentage of embryos transferred resulting in implantation	6 / 14	3 / 7
Percentage of transfers resulting in singleton live births	2 / 7	2 / 4
Percentage of transfers resulting in live births	4 / 7	2 / 4
Percentage of transfers resulting in pregnancy	4 / 7	3 / 4

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2012. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY CENTER FOR ADVANCED REPRODUCTIVE MEDICINE
RICHMOND, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Richard S. Lucidi, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	82%
Unstimulated	0%	Used PGD	12%
Used gestational carrier	6%		

Patient Diagnosis[b]

Tubal factor	10%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	23%	Male factor	23%	Female factors only	7%
Diminished ovarian reserve	17%	Other factor	40%	Female & male factors	23%
Endometriosis	0%	Unknown factor	27%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 34 (includes 4 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	5	8	4	0	0	0
Percentage of cancellations	0 / 5	2 / 8	1 / 4			
Average number of embryos transferred	2.0	2.2	2.5			
Percentage of embryos transferred resulting in implantation	5 / 10	1 / 13	2 / 5			
Percentage of elective single embryo transfer (eSET)	0 / 5	0 / 6	0 / 2			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	1 / 5	1 / 8	0 / 4			
Percentage of cycles resulting in triplets or more live births	0 / 5	0 / 8	0 / 4			
Percentage of cycles resulting in live births	3 / 5	1 / 8	1 / 4			
Percentage of cycles resulting in pregnancy	3 / 5	2 / 8	1 / 4			
Outcomes per Transfer						
Number of transfers	5	6	2	0	0	0
Percentage of transfers resulting in singleton live births	1 / 5	1 / 6	0 / 2			
Percentage of transfers resulting in triplets or more live births	0 / 5	0 / 6	0 / 2			
Percentage of transfers resulting in live births	3 / 5	1 / 6	1 / 2			
Percentage of transfers resulting in pregnancy	3 / 5	2 / 6	1 / 2			
Outcomes per Pregnancy						
Number of pregnancies	3	2	1	0	0	0
Percentage of pregnancies resulting in singleton live births	1 / 3	1 / 2	0 / 1			
Percentage of pregnancies resulting in triplets or more live births	0 / 3	0 / 2	0 / 1			
Percentage of pregnancies resulting in live births	3 / 3	1 / 2	1 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	3	0	1	0	0
Number of transfers	3	3	0	1	0	0
Estimated average number of transfers per retrieval	0.8	1.5				
Average number of embryos transferred	2.3	1.7		3.0		
Percentage of embryos transferred resulting in implantation	1 / 7	1 / 5		0 / 3		
Percentage of transfers resulting in singleton live births	1 / 3	0 / 3		0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 3	0 / 3		0 / 1		
Percentage of transfers resulting in live births	1 / 3	0 / 3		0 / 1		
Percentage of transfers resulting in pregnancy	1 / 3	1 / 3		0 / 1		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	0	5
Number of transfers	0	5
Average number of embryos transferred		2.0
Percentage of embryos transferred resulting in implantation		4 / 10
Percentage of transfers resulting in singleton live births		2 / 5
Percentage of transfers resulting in live births		3 / 5
Percentage of transfers resulting in pregnancy		3 / 5

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University Center for Advanced Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2012 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2012 ART cycle data or the clinic's Medical Director did not approve the clinic's 2012 ART cycle data for inclusion in this report.

THE NEW HOPE CENTER FOR REPRODUCTIVE MEDICINE
VIRGINIA BEACH, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Robin L. Poe-Zeigler, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	84%
Unstimulated	0%	Used PGD	9%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	22%	Uterine factor	10%	*Multiple Factors:*	
Ovulatory dysfunction	23%	Male factor	25%	Female factors only	28%
Diminished ovarian reserve	50%	Other factor	7%	Female & male factors	17%
Endometriosis	16%	Unknown factor	2%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 308 (includes 21 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	71	47	39	17	8	3
Percentage of cancellations	2.8	2.1	10.3	5 / 17	1 / 8	0 / 3
Average number of embryos transferred	1.9	2.1	2.5	2.3	1.5	1.0
Percentage of embryos transferred resulting in implantation	42.4	22.5	10.2	1 / 18	1 / 3	0 / 1
Percentage of elective single embryo transfer (eSET)	3.4	0.0	0 / 18	0 / 6	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	31.0	21.3	10.3	1 / 17	1 / 8	0 / 3
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 17	0 / 8	0 / 3
Percentage of cycles resulting in live births	49.3	27.7	10.3	1 / 17	1 / 8	0 / 3
Percentage of cycles resulting in pregnancy	57.7	31.9	20.5	1 / 17	1 / 8	0 / 3
Outcomes per Transfer						
Number of transfers	65	38	24	8	2	1
Percentage of transfers resulting in singleton live births	33.8	26.3	16.7	1 / 8	1 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 8	0 / 2	0 / 1
Percentage of transfers resulting in live births	53.8	34.2	16.7	1 / 8	1 / 2	0 / 1
Percentage of transfers resulting in pregnancy	63.1	39.5	33.3	1 / 8	1 / 2	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	41	15	8	1	1	0
Percentage of pregnancies resulting in singleton live births	53.7	10 / 15	4 / 8	1 / 1	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 15	0 / 8	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births	85.4	13 / 15	4 / 8	1 / 1	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	27	7	15	3	0	0
Number of transfers	24	5	13	3	0	0
Estimated average number of transfers per retrieval	2.0	0.8	3.3	1.0	0.0	0.0
Average number of embryos transferred	2.0	2.6	2.1	2.0		
Percentage of embryos transferred resulting in implantation	16.7	2 / 13	22.2	2 / 6		
Percentage of transfers resulting in singleton live births	12.5	0 / 5	3 / 13	2 / 3		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 5	0 / 13	0 / 3		
Percentage of transfers resulting in live births	20.8	0 / 5	4 / 13	2 / 3		
Percentage of transfers resulting in pregnancy	29.2	2 / 5	6 / 13	2 / 3		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	17	33
Number of transfers	17	33
Average number of embryos transferred	2.0	2.1
Percentage of embryos transferred resulting in implantation	32.4	25.0
Percentage of transfers resulting in singleton live births	8 / 17	36.4
Percentage of transfers resulting in live births	9 / 17	36.4
Percentage of transfers resulting in pregnancy	10 / 17	48.5

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The New Hope Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FRANCISCO M. IRIANNI, MD
WINCHESTER, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Francisco M. Irianni, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	71%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	7%	Uterine factor	7%	*Multiple Factors:*	
Ovulatory dysfunction	17%	Male factor	57%	Female factors only	3%
Diminished ovarian reserve	30%	Other factor	13%	Female & male factors	30%
Endometriosis	0%	Unknown factor	3%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 30 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	12	3	3	3	0	0
Percentage of cancellations	1 / 12	0 / 3	0 / 3	1 / 3		
Average number of embryos transferred	2.0	2.3	3.0	4.0		
Percentage of embryos transferred resulting in implantation	40.9	0 / 7	0 / 6	0 / 8		
Percentage of elective single embryo transfer (eSET)	2 / 11	0 / 2	0 / 2	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	3 / 12	0 / 3	0 / 3	0 / 3		
Percentage of cycles resulting in triplets or more live births	0 / 12	0 / 3	0 / 3	0 / 3		
Percentage of cycles resulting in live births	5 / 12	0 / 3	0 / 3	0 / 3		
Percentage of cycles resulting in pregnancy	7 / 12	0 / 3	0 / 3	0 / 3		
Outcomes per Transfer						
Number of transfers	11	3	2	2	0	0
Percentage of transfers resulting in singleton live births	3 / 11	0 / 3	0 / 2	0 / 2		
Percentage of transfers resulting in triplets or more live births	0 / 11	0 / 3	0 / 2	0 / 2		
Percentage of transfers resulting in live births	5 / 11	0 / 3	0 / 2	0 / 2		
Percentage of transfers resulting in pregnancy	7 / 11	0 / 3	0 / 2	0 / 2		
Outcomes per Pregnancy						
Number of pregnancies	7	0	0	0	0	0
Percentage of pregnancies resulting in singleton live births	3 / 7					
Percentage of pregnancies resulting in triplets or more live births	0 / 7					
Percentage of pregnancies resulting in live births	5 / 7					
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	2	0	0	0	0
Number of transfers	1	2	0	0	0	0
Estimated average number of transfers per retrieval		2.0				
Average number of embryos transferred	1.0	1.5				
Percentage of embryos transferred resulting in implantation	1 / 1	3 / 3				
Percentage of transfers resulting in singleton live births	1 / 1	2 / 2				
Percentage of transfers resulting in triplets or more live births	0 / 1	0 / 2				
Percentage of transfers resulting in live births	1 / 1	2 / 2				
Percentage of transfers resulting in pregnancy	1 / 1	2 / 2				

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	5	1
Number of transfers	3	1
Average number of embryos transferred	1.7	1.0
Percentage of embryos transferred resulting in implantation	3 / 5	0 / 1
Percentage of transfers resulting in singleton live births	1 / 3	0 / 1
Percentage of transfers resulting in live births	2 / 3	0 / 1
Percentage of transfers resulting in pregnancy	3 / 3	0 / 1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Francisco M. Irianni, MD

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

OVERLAKE REPRODUCTIVE HEALTH, INC., PS
BELLEVUE, WASHINGTON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Kevin M. Johnson, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	40%
Unstimulated	0%	Used PGD	10%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	46%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	51%	Male factor	53%	Female factors only	32%
Diminished ovarian reserve	80%	Other factor	2%	Female & male factors	50%
Endometriosis	7%	Unknown factor	<1%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 185 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	61	40	26	5	4	1
Percentage of cancellations	19.7	7.5	11.5	0 / 5	0 / 4	1 / 1
Average number of embryos transferred	2.1	2.3	2.6	3.0	2.0	
Percentage of embryos transferred resulting in implantation	33.3	15.9	13.0	1 / 12	0 / 4	
Percentage of elective single embryo transfer (eSET)	7.3	3.6	0 / 17	0 / 4	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	19.7	17.5	11.5	1 / 5	0 / 4	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 5	0 / 4	0 / 1
Percentage of cycles resulting in live births	31.1	22.5	15.4	1 / 5	0 / 4	0 / 1
Percentage of cycles resulting in pregnancy	31.1	22.5	19.2	1 / 5	0 / 4	0 / 1
Outcomes per Transfer						
Number of transfers	44	30	18	4	2	0
Percentage of transfers resulting in singleton live births	27.3	23.3	3 / 18	1 / 4	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 18	0 / 4	0 / 2	
Percentage of transfers resulting in live births	43.2	30.0	4 / 18	1 / 4	0 / 2	
Percentage of transfers resulting in pregnancy	43.2	30.0	5 / 18	1 / 4	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	19	9	5	1	0	0
Percentage of pregnancies resulting in singleton live births	12 / 19	7 / 9	3 / 5	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 19	0 / 9	0 / 5	0 / 1		
Percentage of pregnancies resulting in live births	19 / 19	9 / 9	4 / 5	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	16	3	2	0	0	0
Number of transfers	14	1	1	0	0	0
Estimated average number of transfers per retrieval	1.6		1.0			
Average number of embryos transferred	1.7	1.0	1.0			
Percentage of embryos transferred resulting in implantation	41.7	0 / 1	1 / 1			
Percentage of transfers resulting in singleton live births	7 / 14	0 / 1	0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 14	0 / 1	0 / 1			
Percentage of transfers resulting in live births	7 / 14	0 / 1	0 / 1			
Percentage of transfers resulting in pregnancy	10 / 14	0 / 1	1 / 1			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	16	11
Number of transfers	15	9
Average number of embryos transferred	1.9	2.1
Percentage of embryos transferred resulting in implantation	79.3	5 / 19
Percentage of transfers resulting in singleton live births	3 / 15	3 / 9
Percentage of transfers resulting in live births	10 / 15	4 / 9
Percentage of transfers resulting in pregnancy	14 / 15	4 / 9

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Overlake Reproductive Health, Inc., PS

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WASHINGTON CENTER FOR REPRODUCTIVE MEDICINE
BELLEVUE, WASHINGTON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by James I. Kustin, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	54%
Unstimulated	0%	Used PGD	64%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	4%	Uterine factor	1%	*Multiple Factors:*	
Ovulatory dysfunction	0%	Male factor	17%	Female factors only	14%
Diminished ovarian reserve	28%	Other factor	62%	Female & male factors	4%
Endometriosis	1%	Unknown factor	5%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 167 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	53	33	24	10	1	0
Percentage of cancellations	1.9	3.0	8.3	0 / 10	1 / 1	
Average number of embryos transferred	2.0	1.7	2.2	2.0		
Percentage of embryos transferred resulting in implantation	47.7	34.4	26.3	2 / 16		
Percentage of elective single embryo transfer (eSET)	14.0	4 / 16	1 / 15	0 / 5		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	32.1	15.2	25.0	0 / 10	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 10	0 / 1	
Percentage of cycles resulting in live births	49.1	21.2	25.0	1 / 10	0 / 1	
Percentage of cycles resulting in pregnancy	50.9	21.2	33.3	1 / 10	0 / 1	
Outcomes per Transfer						
Number of transfers	45	19	17	8	0	0
Percentage of transfers resulting in singleton live births	37.8	5 / 19	6 / 17	0 / 8		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 19	0 / 17	0 / 8		
Percentage of transfers resulting in live births	57.8	7 / 19	6 / 17	1 / 8		
Percentage of transfers resulting in pregnancy	60.0	7 / 19	8 / 17	1 / 8		
Outcomes per Pregnancy						
Number of pregnancies	27	7	8	1	0	0
Percentage of pregnancies resulting in singleton live births	63.0	5 / 7	6 / 8	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 7	0 / 8	0 / 1		
Percentage of pregnancies resulting in live births	96.3	7 / 7	6 / 8	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	21	2	3	3	0	0
Number of transfers	21	2	3	3	0	0
Estimated average number of transfers per retrieval	4.2		3.0	3.0		
Average number of embryos transferred	2.0	3.5	1.3	2.3		
Percentage of embryos transferred resulting in implantation	23.3	0 / 7	4 / 4	0 / 7		
Percentage of transfers resulting in singleton live births	9.5	0 / 2	3 / 3	0 / 3		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 2	0 / 3	0 / 3		
Percentage of transfers resulting in live births	23.8	0 / 2	3 / 3	0 / 3		
Percentage of transfers resulting in pregnancy	28.6	0 / 2	3 / 3	0 / 3		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	13	4
Number of transfers	11	4
Average number of embryos transferred	1.8	2.0
Percentage of embryos transferred resulting in implantation	45.0	4 / 8
Percentage of transfers resulting in singleton live births	6 / 11	2 / 4
Percentage of transfers resulting in live births	7 / 11	2 / 4
Percentage of transfers resulting in pregnancy	8 / 11	2 / 4

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Washington Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BELLINGHAM IVF & FERTILITY CARE
BELLINGHAM, WASHINGTON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Emmett Branigan, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	89%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	8%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	12%	Male factor	51%	Female factors only	6%
Diminished ovarian reserve	41%	Other factor	1%	Female & male factors	9%
Endometriosis	4%	Unknown factor	1%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 78 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	13	9	10	0	1	4
Percentage of cancellations	0 / 13	1 / 9	1 / 10		0 / 1	1 / 4
Average number of embryos transferred	2.0	2.0	2.0		2.0	3.0
Percentage of embryos transferred resulting in implantation	34.6	2 / 16	4 / 18		0 / 2	0 / 9
Percentage of elective single embryo transfer (eSET)	0 / 13	0 / 7	0 / 9		0 / 1	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	7 / 13	2 / 9	4 / 10		0 / 1	0 / 4
Percentage of cycles resulting in triplets or more live births	0 / 13	0 / 9	0 / 10		0 / 1	0 / 4
Percentage of cycles resulting in live births	7 / 13	2 / 9	4 / 10		0 / 1	0 / 4
Percentage of cycles resulting in pregnancy	9 / 13	2 / 9	4 / 10		0 / 1	0 / 4
Outcomes per Transfer						
Number of transfers	13	8	9	0	1	3
Percentage of transfers resulting in singleton live births	7 / 13	2 / 8	4 / 9		0 / 1	0 / 3
Percentage of transfers resulting in triplets or more live births	0 / 13	0 / 8	0 / 9		0 / 1	0 / 3
Percentage of transfers resulting in live births	7 / 13	2 / 8	4 / 9		0 / 1	0 / 3
Percentage of transfers resulting in pregnancy	9 / 13	2 / 8	4 / 9		0 / 1	0 / 3
Outcomes per Pregnancy						
Number of pregnancies	9	2	4	0	0	0
Percentage of pregnancies resulting in singleton live births	7 / 9	2 / 2	4 / 4			
Percentage of pregnancies resulting in triplets or more live births	0 / 9	0 / 2	0 / 4			
Percentage of pregnancies resulting in live births	7 / 9	2 / 2	4 / 4			
Frozen Embryos from Nondonor Eggs						
Number of cycles	8	9	1	2	1	0
Number of transfers	8	9	1	2	1	0
Estimated average number of transfers per retrieval	2.7	3.0	1.0	2.0		
Average number of embryos transferred	2.0	2.3	2.0	2.5	1.0	
Percentage of embryos transferred resulting in implantation	4 / 16	4.8	0 / 2	1 / 5	0 / 1	
Percentage of transfers resulting in singleton live births	4 / 8	1 / 9	0 / 1	1 / 2	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 8	0 / 9	0 / 1	0 / 2	0 / 1	
Percentage of transfers resulting in live births	4 / 8	1 / 9	0 / 1	1 / 2	0 / 1	
Percentage of transfers resulting in pregnancy	5 / 8	2 / 9	0 / 1	1 / 2	0 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	15	5
Number of transfers	15	5
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation	50.0	0 / 10
Percentage of transfers resulting in singleton live births	8 / 15	0 / 5
Percentage of transfers resulting in live births	11 / 15	0 / 5
Percentage of transfers resulting in pregnancy	12 / 15	0 / 5

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Bellingham IVF & Fertility Care

Donor egg?	Yes	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

OLYMPIA WOMEN'S HEALTH
OLYMPIA, WASHINGTON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by James F. Moruzzi, MD, PhD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	0%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	7%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	11%	Male factor	7%	Female factors only	0%
Diminished ovarian reserve	18%	Other factor	2%	Female & male factors	4%
Endometriosis	16%	Unknown factor	43%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 56 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	31	11	5	1	1	1
Percentage of cancellations	3.2	0 / 11	0 / 5	0 / 1	0 / 1	0 / 1
Average number of embryos transferred	1.9	1.8	1.8	1.0	2.0	4.0
Percentage of embryos transferred resulting in implantation	35.8	35.0	2 / 9	0 / 1	1 / 2	0 / 4
Percentage of elective single embryo transfer (eSET)	0.0	0 / 9	0 / 4		0 / 1	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	32.3	4 / 11	0 / 5	0 / 1	1 / 1	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0 / 11	0 / 5	0 / 1	0 / 1	0 / 1
Percentage of cycles resulting in live births	41.9	4 / 11	1 / 5	0 / 1	1 / 1	0 / 1
Percentage of cycles resulting in pregnancy	45.2	4 / 11	1 / 5	0 / 1	1 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	28	11	5	1	1	1
Percentage of transfers resulting in singleton live births	35.7	4 / 11	0 / 5	0 / 1	1 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 11	0 / 5	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in live births	46.4	4 / 11	1 / 5	0 / 1	1 / 1	0 / 1
Percentage of transfers resulting in pregnancy	50.0	4 / 11	1 / 5	0 / 1	1 / 1	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	14	4	1	0	1	0
Percentage of pregnancies resulting in singleton live births	10 / 14	4 / 4	0 / 1		1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 14	0 / 4	0 / 1		0 / 1	
Percentage of pregnancies resulting in live births	13 / 14	4 / 4	1 / 1		1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	3	0	0	1	0	1
Number of transfers	3	0	0	1	0	1
Estimated average number of transfers per retrieval	1.5					
Average number of embryos transferred	2.3			2.0		2.0
Percentage of embryos transferred resulting in implantation	3 / 7			1 / 2		0 / 2
Percentage of transfers resulting in singleton live births	1 / 3			1 / 1		0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 3			0 / 1		0 / 1
Percentage of transfers resulting in live births	2 / 3			1 / 1		0 / 1
Percentage of transfers resulting in pregnancy	2 / 3			1 / 1		0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	1	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation		
Percentage of transfers resulting in singleton live births		
Percentage of transfers resulting in live births		
Percentage of transfers resulting in pregnancy		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Olympia Women's Health

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PACIFIC NORTHWEST FERTILITY AND IVF SPECIALISTS
SEATTLE, WASHINGTON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Lorna A. Marshall, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	94%
Unstimulated	<1%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	4%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	4%	Male factor	22%	Female factors only	5%
Diminished ovarian reserve	30%	Other factor	15%	Female & male factors	6%
Endometriosis	3%	Unknown factor	31%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 839 (includes 117 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	72	52	59	28	5	3
Percentage of cancellations	2.8	3.8	10.2	0.0	0 / 5	0 / 3
Average number of embryos transferred	1.8	2.0	2.4	3.1	3.4	6.0
Percentage of embryos transferred resulting in implantation	27.9	31.3	18.3	5.0	0 / 17	0 / 18
Percentage of elective single embryo transfer (eSET)	19.1	13.0	5.9	0.0	0 / 4	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	19.4	32.7	23.7	3.6	0 / 5	0 / 3
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 5	0 / 3
Percentage of cycles resulting in live births	31.9	38.5	25.4	3.6	0 / 5	0 / 3
Percentage of cycles resulting in pregnancy	40.3	44.2	37.3	17.9	1 / 5	0 / 3
Outcomes per Transfer						
Number of transfers	70	49	53	26	5	3
Percentage of transfers resulting in singleton live births	20.0	34.7	26.4	3.8	0 / 5	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 5	0 / 3
Percentage of transfers resulting in live births	32.9	40.8	28.3	3.8	0 / 5	0 / 3
Percentage of transfers resulting in pregnancy	41.4	46.9	41.5	19.2	1 / 5	0 / 3
Outcomes per Pregnancy						
Number of pregnancies	29	23	22	5	1	0
Percentage of pregnancies resulting in singleton live births	48.3	73.9	63.6	1 / 5	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 5	0 / 1	
Percentage of pregnancies resulting in live births	79.3	87.0	68.2	1 / 5	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	132	77	56	23	6	5
Number of transfers	120	69	48	16	5	3
Estimated average number of transfers per retrieval	2.1	1.9	1.6	0.6	1.0	0.3
Average number of embryos transferred	1.6	1.5	1.8	1.4	2.0	1.3
Percentage of embryos transferred resulting in implantation	48.7	37.5	36.5	54.5	2 / 10	0 / 4
Percentage of transfers resulting in singleton live births	44.2	42.0	35.4	8 / 16	1 / 5	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 16	0 / 5	0 / 3
Percentage of transfers resulting in live births	55.0	47.8	45.8	9 / 16	1 / 5	0 / 3
Percentage of transfers resulting in pregnancy	63.3	56.5	50.0	11 / 16	1 / 5	1 / 3

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	49	155
Number of transfers	47	141
Average number of embryos transferred	1.6	1.3
Percentage of embryos transferred resulting in implantation	67.1	49.5
Percentage of transfers resulting in singleton live births	53.2	48.9
Percentage of transfers resulting in live births	70.2	55.3
Percentage of transfers resulting in pregnancy	80.9	63.1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Pacific Northwest Fertility and IVF Specialists

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SEATTLE REPRODUCTIVE MEDICINE
INTEGRAMED AMERICA
SEATTLE, WASHINGTON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Lynn B. Davis, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	63%
Unstimulated	<1%	Used PGD	2%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	13%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	13%	Male factor	36%	Female factors only	8%
Diminished ovarian reserve	33%	Other factor	8%	Female & male factors	14%
Endometriosis	9%	Unknown factor	9%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 1,765 (includes 32 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	443	231	239	110	22	6
Percentage of cancellations	6.5	9.1	12.6	21.8	27.3	1 / 6
Average number of embryos transferred	1.5	1.6	2.0	2.4	2.6	2.8
Percentage of embryos transferred resulting in implantation	42.7	31.4	20.0	13.0	10.3	2 / 14
Percentage of elective single embryo transfer (eSET)	41.6	33.1	8.4	1.5	0 / 13	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	32.5	27.7	20.5	12.7	4.5	0 / 6
Percentage of cycles resulting in triplets or more live births	0.2	0.0	0.4	0.0	0.0	0 / 6
Percentage of cycles resulting in live births	41.3	32.5	25.1	14.5	9.1	0 / 6
Percentage of cycles resulting in pregnancy	46.3	38.5	32.2	23.6	13.6	1 / 6
Outcomes per Transfer						
Number of transfers	391	195	200	79	15	5
Percentage of transfers resulting in singleton live births	36.8	32.8	24.5	17.7	1 / 15	0 / 5
Percentage of transfers resulting in triplets or more live births	0.3	0.0	0.5	0.0	0 / 15	0 / 5
Percentage of transfers resulting in live births	46.8	38.5	30.0	20.3	2 / 15	0 / 5
Percentage of transfers resulting in pregnancy	52.4	45.6	38.5	32.9	3 / 15	1 / 5
Outcomes per Pregnancy						
Number of pregnancies	205	89	77	26	3	1
Percentage of pregnancies resulting in singleton live births	70.2	71.9	63.6	53.8	1 / 3	0 / 1
Percentage of pregnancies resulting in triplets or more live births	0.5	0.0	1.3	0.0	0 / 3	0 / 1
Percentage of pregnancies resulting in live births	89.3	84.3	77.9	61.5	2 / 3	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	174	97	60	33	7	4
Number of transfers	156	83	53	28	5	3
Estimated average number of transfers per retrieval	1.7	1.8	1.4	1.9	2.5	1.5
Average number of embryos transferred	1.5	1.4	1.6	1.4	1.6	1.7
Percentage of embryos transferred resulting in implantation	37.7	27.5	24.1	21.1	1 / 8	0 / 5
Percentage of transfers resulting in singleton live births	30.8	30.1	18.9	25.0	0 / 5	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 5	0 / 3
Percentage of transfers resulting in live births	39.1	33.7	24.5	25.0	0 / 5	0 / 3
Percentage of transfers resulting in pregnancy	48.7	36.1	34.0	32.1	1 / 5	0 / 3

	All Ages Combined[f]	
Donor Eggs	**Fresh Embryos**	**Frozen Embryos**
Number of cycles	170	137
Number of transfers	152	126
Average number of embryos transferred	1.5	1.5
Percentage of embryos transferred resulting in implantation	51.8	18.6
Percentage of transfers resulting in singleton live births	47.4	15.9
Percentage of transfers resulting in live births	58.6	19.8
Percentage of transfers resulting in pregnancy	68.4	27.8

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Seattle Reproductive Medicine, Integramed America

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY REPRODUCTIVE CARE
UNIVERSITY OF WASHINGTON
SEATTLE, WASHINGTON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Diane Woodford, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	84%
Unstimulated	2%	Used PGD	5%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	14%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	6%	Male factor	37%	Female factors only	14%
Diminished ovarian reserve	41%	Other factor	15%	Female & male factors	19%
Endometriosis	14%	Unknown factor	9%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 164 (includes 4 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	44	22	33	17	4	1
Percentage of cancellations	9.1	22.7	21.2	2 / 17	0 / 4	0 / 1
Average number of embryos transferred	1.5	1.7	2.3	2.4	3.7	1.0
Percentage of embryos transferred resulting in implantation	35.3	44.4	20.8	15.4	0 / 11	0 / 1
Percentage of elective single embryo transfer (eSET)	39.3	3 / 13	0 / 19	0 / 9	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	22.7	27.3	21.2	1 / 17	0 / 4	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 17	0 / 4	0 / 1
Percentage of cycles resulting in live births	29.5	36.4	24.2	1 / 17	0 / 4	0 / 1
Percentage of cycles resulting in pregnancy	36.4	45.5	24.2	4 / 17	0 / 4	0 / 1
Outcomes per Transfer						
Number of transfers	34	16	21	11	3	1
Percentage of transfers resulting in singleton live births	29.4	6 / 16	33.3	1 / 11	0 / 3	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0.0	0 / 11	0 / 3	0 / 1
Percentage of transfers resulting in live births	38.2	8 / 16	38.1	1 / 11	0 / 3	0 / 1
Percentage of transfers resulting in pregnancy	47.1	10 / 16	38.1	4 / 11	0 / 3	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	16	10	8	4	0	0
Percentage of pregnancies resulting in singleton live births	10 / 16	6 / 10	7 / 8	1 / 4		
Percentage of pregnancies resulting in triplets or more live births	0 / 16	0 / 10	0 / 8	0 / 4		
Percentage of pregnancies resulting in live births	13 / 16	8 / 10	8 / 8	1 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	19	7	6	5	1	0
Number of transfers	18	6	5	4	1	0
Estimated average number of transfers per retrieval	1.6	1.2	2.5	0.6		
Average number of embryos transferred	1.6	2.0	1.8	2.3	1.0	
Percentage of embryos transferred resulting in implantation	14.3	3 / 12	0 / 9	2 / 9	0 / 1	
Percentage of transfers resulting in singleton live births	2 / 18	0 / 6	0 / 5	2 / 4	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 18	0 / 6	0 / 5	0 / 4	0 / 1	
Percentage of transfers resulting in live births	2 / 18	1 / 6	0 / 5	2 / 4	0 / 1	
Percentage of transfers resulting in pregnancy	5 / 18	2 / 6	1 / 5	2 / 4	0 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	1	0
Number of transfers	1	0
Average number of embryos transferred	1.0	
Percentage of embryos transferred resulting in implantation	0 / 1	
Percentage of transfers resulting in singleton live births	0 / 1	
Percentage of transfers resulting in live births	0 / 1	
Percentage of transfers resulting in pregnancy	0 / 1	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University Reproductive Care, University of Washington

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE CENTER FOR REPRODUCTIVE HEALTH
SPOKANE, WASHINGTON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Edwin Robins, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	80%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	13%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	12%	Male factor	69%	Female factors only	5%
Diminished ovarian reserve	23%	Other factor	15%	Female & male factors	33%
Endometriosis	6%	Unknown factor	6%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 301 (includes 121 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	45	12	3	0	0	0
Percentage of cancellations	2.2	0 / 12	0 / 3			
Average number of embryos transferred	1.9	2.2	2.0			
Percentage of embryos transferred resulting in implantation	60.0	46.2	2 / 6			
Percentage of elective single embryo transfer (eSET)	5.1	0 / 12	0 / 3			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	33.3	3 / 12	2 / 3			
Percentage of cycles resulting in triplets or more live births	0.0	0 / 12	0 / 3			
Percentage of cycles resulting in live births	62.2	6 / 12	2 / 3			
Percentage of cycles resulting in pregnancy	73.3	7 / 12	2 / 3			
Outcomes per Transfer						
Number of transfers	43	12	3	0	0	0
Percentage of transfers resulting in singleton live births	34.9	3 / 12	2 / 3			
Percentage of transfers resulting in triplets or more live births	0.0	0 / 12	0 / 3			
Percentage of transfers resulting in live births	65.1	6 / 12	2 / 3			
Percentage of transfers resulting in pregnancy	76.7	7 / 12	2 / 3			
Outcomes per Pregnancy						
Number of pregnancies	33	7	2	0	0	0
Percentage of pregnancies resulting in singleton live births	45.5	3 / 7	2 / 2			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 7	0 / 2			
Percentage of pregnancies resulting in live births	84.8	6 / 7	2 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	66	30	10	1	0	0
Number of transfers	66	30	10	1	0	0
Estimated average number of transfers per retrieval	0.9	0.8	0.5	0.2	0.0	0.0
Average number of embryos transferred	2.1	2.0	2.2	1.0		
Percentage of embryos transferred resulting in implantation	29.7	34.4	18.2	0 / 1		
Percentage of transfers resulting in singleton live births	24.2	50.0	2 / 10	0 / 1		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 10	0 / 1		
Percentage of transfers resulting in live births	37.9	50.0	2 / 10	0 / 1		
Percentage of transfers resulting in pregnancy	50.0	60.0	4 / 10	0 / 1		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	3	10
Number of transfers	3	9
Average number of embryos transferred	2.0	1.7
Percentage of embryos transferred resulting in implantation	6 / 6	2 / 15
Percentage of transfers resulting in singleton live births	0 / 3	1 / 9
Percentage of transfers resulting in live births	2 / 3	1 / 9
Percentage of transfers resulting in pregnancy	3 / 3	2 / 9

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Center for Reproductive Health

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GYFT CLINIC, PLLC
TACOMA, WASHINGTON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Robert Z. McLees, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	49%
Unstimulated	0%	Used PGD	5%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	23%	Uterine factor	1%	*Multiple Factors:*	
Ovulatory dysfunction	16%	Male factor	33%	Female factors only	7%
Diminished ovarian reserve	13%	Other factor	9%	Female & male factors	7%
Endometriosis	9%	Unknown factor	14%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 70 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	36	11	8	5	2	1
Percentage of cancellations	8.3	1 / 11	2 / 8	0 / 5	0 / 2	0 / 1
Average number of embryos transferred	2.2	3.4	3.5	3.8	3.5	4.0
Percentage of embryos transferred resulting in implantation	23.0	17.6	4.8	0 / 15	0 / 7	1 / 4
Percentage of elective single embryo transfer (eSET)	0.0	0 / 10	0 / 5	0 / 4	0 / 2	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	22.2	0 / 11	1 / 8	0 / 5	0 / 2	1 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0 / 11	0 / 8	0 / 5	0 / 2	0 / 1
Percentage of cycles resulting in live births	27.8	2 / 11	1 / 8	0 / 5	0 / 2	1 / 1
Percentage of cycles resulting in pregnancy	33.3	3 / 11	1 / 8	0 / 5	0 / 2	1 / 1
Outcomes per Transfer						
Number of transfers	33	10	6	4	2	1
Percentage of transfers resulting in singleton live births	24.2	0 / 10	1 / 6	0 / 4	0 / 2	1 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 10	0 / 6	0 / 4	0 / 2	0 / 1
Percentage of transfers resulting in live births	30.3	2 / 10	1 / 6	0 / 4	0 / 2	1 / 1
Percentage of transfers resulting in pregnancy	36.4	3 / 10	1 / 6	0 / 4	0 / 2	1 / 1
Outcomes per Pregnancy						
Number of pregnancies	12	3	1	0	0	1
Percentage of pregnancies resulting in singleton live births	8 / 12	0 / 3	1 / 1			1 / 1
Percentage of pregnancies resulting in triplets or more live births	0 / 12	0 / 3	0 / 1			0 / 1
Percentage of pregnancies resulting in live births	10 / 12	2 / 3	1 / 1			1 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	1	0	0	0	0
Number of transfers	6	1	0	0	0	0
Estimated average number of transfers per retrieval	1.5					
Average number of embryos transferred	2.3	2.0				
Percentage of embryos transferred resulting in implantation	5 / 14	1 / 2				
Percentage of transfers resulting in singleton live births	0 / 6	1 / 1				
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 1				
Percentage of transfers resulting in live births	2 / 6	1 / 1				
Percentage of transfers resulting in pregnancy	3 / 6	1 / 1				

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation		
Percentage of transfers resulting in singleton live births		
Percentage of transfers resulting in live births		
Percentage of transfers resulting in pregnancy		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: GYFT Clinic, PLLC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MADIGAN ARMY MEDICAL CENTER
TACOMA, WASHINGTON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Greg E. Chow, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	60%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	30%	Uterine factor	9%	*Multiple Factors:*	
Ovulatory dysfunction	8%	Male factor	38%	Female factors only	11%
Diminished ovarian reserve	33%	Other factor	2%	Female & male factors	21%
Endometriosis	9%	Unknown factor	7%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 138 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	60	19	22	12	4	0
Percentage of cancellations	11.7	1 / 19	4.5	2 / 12	1 / 4	
Average number of embryos transferred	1.8	1.8	2.2	2.9	1.5	
Percentage of embryos transferred resulting in implantation	41.1	34.5	30.2	15.4	0 / 3	
Percentage of elective single embryo transfer (eSET)	19.6	3 / 14	0 / 18	0 / 8	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	28.3	5 / 19	27.3	1 / 12	0 / 4	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 19	0.0	0 / 12	0 / 4	
Percentage of cycles resulting in live births	41.7	6 / 19	31.8	1 / 12	0 / 4	
Percentage of cycles resulting in pregnancy	46.7	8 / 19	50.0	4 / 12	0 / 4	
Outcomes per Transfer						
Number of transfers	50	16	20	9	2	0
Percentage of transfers resulting in singleton live births	34.0	5 / 16	30.0	1 / 9	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0.0	0 / 9	0 / 2	
Percentage of transfers resulting in live births	50.0	6 / 16	35.0	1 / 9	0 / 2	
Percentage of transfers resulting in pregnancy	56.0	8 / 16	55.0	4 / 9	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	28	8	11	4	0	0
Percentage of pregnancies resulting in singleton live births	60.7	5 / 8	6 / 11	1 / 4		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 8	0 / 11	0 / 4		
Percentage of pregnancies resulting in live births	89.3	6 / 8	7 / 11	1 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	6	3	3	0	1
Number of transfers	5	6	3	3	0	0
Estimated average number of transfers per retrieval	1.3	2.0	3.0			
Average number of embryos transferred	1.8	1.7	1.7	2.0		
Percentage of embryos transferred resulting in implantation	1 / 9	1 / 10	2 / 5	2 / 6		
Percentage of transfers resulting in singleton live births	1 / 5	1 / 6	1 / 3	1 / 3		
Percentage of transfers resulting in triplets or more live births	0 / 5	0 / 6	0 / 3	0 / 3		
Percentage of transfers resulting in live births	1 / 5	1 / 6	1 / 3	1 / 3		
Percentage of transfers resulting in pregnancy	2 / 5	1 / 6	1 / 3	2 / 3		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	0	2
Number of transfers	0	2
Average number of embryos transferred		2.0
Percentage of embryos transferred resulting in implantation		1 / 4
Percentage of transfers resulting in singleton live births		0 / 2
Percentage of transfers resulting in live births		0 / 2
Percentage of transfers resulting in pregnancy		1 / 2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Madigan Army Medical Center

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WEST VIRGINIA UNIVERSITY FERTILITY CENTER
CHARLESTON, WEST VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Pickens A. Gantt, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	44%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	26%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	7%	Male factor	11%	Female factors only	4%
Diminished ovarian reserve	22%	Other factor	7%	Female & male factors	0%
Endometriosis	15%	Unknown factor	11%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 27 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	12	1	4	1	0	0
Percentage of cancellations	0 / 12	0 / 1	1 / 4	0 / 1		
Average number of embryos transferred	2.3	2.0	2.7	2.0		
Percentage of embryos transferred resulting in implantation	25.0	0 / 2	2 / 8	0 / 2		
Percentage of elective single embryo transfer (eSET)	0 / 11	0 / 1	0 / 2	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	7 / 12	0 / 1	1 / 4	0 / 1		
Percentage of cycles resulting in triplets or more live births	0 / 12	0 / 1	0 / 4	0 / 1		
Percentage of cycles resulting in live births	7 / 12	0 / 1	1 / 4	0 / 1		
Percentage of cycles resulting in pregnancy	7 / 12	0 / 1	1 / 4	0 / 1		
Outcomes per Transfer						
Number of transfers	12	1	3	1	0	0
Percentage of transfers resulting in singleton live births	7 / 12	0 / 1	1 / 3	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 12	0 / 1	0 / 3	0 / 1		
Percentage of transfers resulting in live births	7 / 12	0 / 1	1 / 3	0 / 1		
Percentage of transfers resulting in pregnancy	7 / 12	0 / 1	1 / 3	0 / 1		
Outcomes per Pregnancy						
Number of pregnancies	7	0	1	0	0	0
Percentage of pregnancies resulting in singleton live births	7 / 7		1 / 1			
Percentage of pregnancies resulting in triplets or more live births	0 / 7		0 / 1			
Percentage of pregnancies resulting in live births	7 / 7		1 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	4	0	0	0	0
Number of transfers	2	4	0	0	0	0
Estimated average number of transfers per retrieval		4.0				
Average number of embryos transferred	2.5	3.5				
Percentage of embryos transferred resulting in implantation	0 / 5	1 / 14				
Percentage of transfers resulting in singleton live births	0 / 2	1 / 4				
Percentage of transfers resulting in triplets or more live births	0 / 2	0 / 4				
Percentage of transfers resulting in live births	0 / 2	1 / 4				
Percentage of transfers resulting in pregnancy	0 / 2	1 / 4				

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	1	2
Number of transfers	1	2
Average number of embryos transferred	3.0	2.0
Percentage of embryos transferred resulting in implantation	2 / 3	0 / 4
Percentage of transfers resulting in singleton live births	0 / 1	0 / 2
Percentage of transfers resulting in live births	1 / 1	0 / 2
Percentage of transfers resulting in pregnancy	1 / 1	0 / 2

CURRENT CLINIC SERVICES AND PROFILE

Current Name: West Virginia University Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CABELL HUNTINGTON HOSPITAL
CENTER FOR ADVANCED REPRODUCTIVE MEDICINE
HUNTINGTON, WEST VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by William N. Burns, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	60%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	33%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	17%	Male factor	21%	Female factors only	8%
Diminished ovarian reserve	17%	Other factor	8%	Female & male factors	8%
Endometriosis	25%	Unknown factor	0%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 24 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	11	3	2	4	0	0
Percentage of cancellations	0 / 11	0 / 3	0 / 2	1 / 4		
Average number of embryos transferred	3.0	2.7	3.0	3.7		
Percentage of embryos transferred resulting in implantation	16.7	1 / 8	0 / 6	0 / 11		
Percentage of elective single embryo transfer (eSET)	0 / 10	0 / 2	0 / 2	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	3 / 11	1 / 3	0 / 2	0 / 4		
Percentage of cycles resulting in triplets or more live births	0 / 11	0 / 3	0 / 2	0 / 4		
Percentage of cycles resulting in live births	4 / 11	1 / 3	0 / 2	0 / 4		
Percentage of cycles resulting in pregnancy	4 / 11	1 / 3	0 / 2	0 / 4		
Outcomes per Transfer						
Number of transfers	10	3	2	3	0	0
Percentage of transfers resulting in singleton live births	3 / 10	1 / 3	0 / 2	0 / 3		
Percentage of transfers resulting in triplets or more live births	0 / 10	0 / 3	0 / 2	0 / 3		
Percentage of transfers resulting in live births	4 / 10	1 / 3	0 / 2	0 / 3		
Percentage of transfers resulting in pregnancy	4 / 10	1 / 3	0 / 2	0 / 3		
Outcomes per Pregnancy						
Number of pregnancies	4	1	0	0	0	0
Percentage of pregnancies resulting in singleton live births	3 / 4	1 / 1				
Percentage of pregnancies resulting in triplets or more live births	0 / 4	0 / 1				
Percentage of pregnancies resulting in live births	4 / 4	1 / 1				
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	2	0	0	0	0
Number of transfers	1	2	0	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred	1.0	2.0				
Percentage of embryos transferred resulting in implantation	1 / 1	0 / 4				
Percentage of transfers resulting in singleton live births	1 / 1	0 / 2				
Percentage of transfers resulting in triplets or more live births	0 / 1	0 / 2				
Percentage of transfers resulting in live births	1 / 1	0 / 2				
Percentage of transfers resulting in pregnancy	1 / 1	0 / 2				

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	1	0
Number of transfers	1	0
Average number of embryos transferred	2.0	
Percentage of embryos transferred resulting in implantation	0 / 2	
Percentage of transfers resulting in singleton live births	0 / 1	
Percentage of transfers resulting in live births	0 / 1	
Percentage of transfers resulting in pregnancy	0 / 1	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Cabell Huntington Hospital, Center for Advanced Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WEST VIRGINIA UNIVERSITY CENTER FOR REPRODUCTIVE MEDICINE
MORGANTOWN, WEST VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Roger C. Toffle, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	54%
Unstimulated	2%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	33%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	17%	Male factor	65%	Female factors only	5%
Diminished ovarian reserve	15%	Other factor	5%	Female & male factors	50%
Endometriosis	24%	Unknown factor	6%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 66 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	34	18	4	1	0	0
Percentage of cancellations	17.6	4 / 18	0 / 4	1 / 1		
Average number of embryos transferred	2.1	2.0	2.3			
Percentage of embryos transferred resulting in implantation	40.4	12.5	2 / 9			
Percentage of elective single embryo transfer (eSET)	0.0	0 / 10	0 / 3			
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.5	3 / 18	2 / 4	0 / 1		
Percentage of cycles resulting in triplets or more live births	2.9	0 / 18	0 / 4	0 / 1		
Percentage of cycles resulting in live births	38.2	3 / 18	2 / 4	0 / 1		
Percentage of cycles resulting in pregnancy	41.2	3 / 18	2 / 4	0 / 1		
Outcomes per Transfer						
Number of transfers	25	12	4	0	0	0
Percentage of transfers resulting in singleton live births	32.0	3 / 12	2 / 4			
Percentage of transfers resulting in triplets or more live births	4.0	0 / 12	0 / 4			
Percentage of transfers resulting in live births	52.0	3 / 12	2 / 4			
Percentage of transfers resulting in pregnancy	56.0	3 / 12	2 / 4			
Outcomes per Pregnancy						
Number of pregnancies	14	3	2	0	0	0
Percentage of pregnancies resulting in singleton live births	8 / 14	3 / 3	2 / 2			
Percentage of pregnancies resulting in triplets or more live births	1 / 14	0 / 3	0 / 2			
Percentage of pregnancies resulting in live births	13 / 14	3 / 3	2 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	6	1	0	0	0
Number of transfers	2	5	1	0	0	0
Estimated average number of transfers per retrieval	1.0	2.5				
Average number of embryos transferred	2.0	2.4	2.0			
Percentage of embryos transferred resulting in implantation	1 / 4	2 / 12	0 / 2			
Percentage of transfers resulting in singleton live births	1 / 2	0 / 5	0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 2	0 / 5	0 / 1			
Percentage of transfers resulting in live births	1 / 2	0 / 5	0 / 1			
Percentage of transfers resulting in pregnancy	1 / 2	1 / 5	0 / 1			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation		
Percentage of transfers resulting in singleton live births		
Percentage of transfers resulting in live births		
Percentage of transfers resulting in pregnancy		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: West Virginia University Center for Reproductive Medicine

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

AURORA FERTILITY SERVICES-GREEN BAY
THE WOMEN'S CENTER AT AURORA BAYCARE MEDICAL CENTER
GREEN BAY, WISCONSIN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Aida Shanti, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	>99%
Unstimulated	0%	Used PGD	6%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	20%	Uterine factor	9%	*Multiple Factors:*	
Ovulatory dysfunction	21%	Male factor	92%	Female factors only	3%
Diminished ovarian reserve	13%	Other factor	20%	Female & male factors	58%
Endometriosis	7%	Unknown factor	0%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 142 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	59	28	7	5	2	0
Percentage of cancellations	1.7	0.0	0 / 7	0 / 5	0 / 2	
Average number of embryos transferred	1.9	1.9	1.9	2.6	2.0	
Percentage of embryos transferred resulting in implantation	36.2	25.0	4 / 13	0 / 13	0 / 2	
Percentage of elective single embryo transfer (eSET)	3.8	0.0	1 / 7	0 / 5	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	23.7	17.9	1 / 7	0 / 5	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 7	0 / 5	0 / 2	
Percentage of cycles resulting in live births	40.7	28.6	2 / 7	0 / 5	0 / 2	
Percentage of cycles resulting in pregnancy	49.2	39.3	3 / 7	0 / 5	1 / 2	
Outcomes per Transfer						
Number of transfers	54	27	7	5	1	0
Percentage of transfers resulting in singleton live births	25.9	18.5	1 / 7	0 / 5	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 7	0 / 5	0 / 1	
Percentage of transfers resulting in live births	44.4	29.6	2 / 7	0 / 5	0 / 1	
Percentage of transfers resulting in pregnancy	53.7	40.7	3 / 7	0 / 5	1 / 1	
Outcomes per Pregnancy						
Number of pregnancies	29	11	3	0	1	0
Percentage of pregnancies resulting in singleton live births	48.3	5 / 11	1 / 3		0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 11	0 / 3		0 / 1	
Percentage of pregnancies resulting in live births	82.8	8 / 11	2 / 3		0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	18	15	2	2	0	1
Number of transfers	18	15	2	2	0	1
Estimated average number of transfers per retrieval	3.6	3.0				
Average number of embryos transferred	1.8	1.8	1.5	1.5		2.0
Percentage of embryos transferred resulting in implantation	36.4	25.9	0 / 3	1 / 3		0 / 2
Percentage of transfers resulting in singleton live births	4 / 18	5 / 15	0 / 2	1 / 2		0 / 1
Percentage of transfers resulting in triplets or more live births	1 / 18	0 / 15	0 / 2	0 / 2		0 / 1
Percentage of transfers resulting in live births	7 / 18	6 / 15	0 / 2	1 / 2		0 / 1
Percentage of transfers resulting in pregnancy	7 / 18	6 / 15	1 / 2	1 / 2		0 / 1

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	2	1
Number of transfers	1	1
Average number of embryos transferred	1.0	2.0
Percentage of embryos transferred resulting in implantation	1 / 1	0 / 2
Percentage of transfers resulting in singleton live births	1 / 1	0 / 1
Percentage of transfers resulting in live births	1 / 1	0 / 1
Percentage of transfers resulting in pregnancy	1 / 1	0 / 1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2012. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF WISCONSIN-GENERATIONS FERTILITY CARE
MIDDLETON, WISCONSIN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Dan I. Lebovic, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	52%
Unstimulated	0%	Used PGD	1%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	14%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	21%	Male factor	47%	Female factors only	2%
Diminished ovarian reserve	13%	Other factor	<1%	Female & male factors	17%
Endometriosis	6%	Unknown factor	17%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 129 (includes 2 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	59	19	7	5	0	0
Percentage of cancellations	10.2	2 / 19	1 / 7	1 / 5		
Average number of embryos transferred	1.6	1.9	2.0	2.3		
Percentage of embryos transferred resulting in implantation	40.8	40.0	2 / 12	3 / 7		
Percentage of elective single embryo transfer (eSET)	37.2	3 / 16	1 / 6	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	27.1	6 / 19	2 / 7	0 / 5		
Percentage of cycles resulting in triplets or more live births	1.7	0 / 19	0 / 7	1 / 5		
Percentage of cycles resulting in live births	37.3	8 / 19	2 / 7	1 / 5		
Percentage of cycles resulting in pregnancy	45.8	9 / 19	2 / 7	1 / 5		
Outcomes per Transfer						
Number of transfers	48	16	6	3	0	0
Percentage of transfers resulting in singleton live births	33.3	6 / 16	2 / 6	0 / 3		
Percentage of transfers resulting in triplets or more live births	2.1	0 / 16	0 / 6	1 / 3		
Percentage of transfers resulting in live births	45.8	8 / 16	2 / 6	1 / 3		
Percentage of transfers resulting in pregnancy	56.3	9 / 16	2 / 6	1 / 3		
Outcomes per Pregnancy						
Number of pregnancies	27	9	2	1	0	0
Percentage of pregnancies resulting in singleton live births	59.3	6 / 9	2 / 2	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	3.7	0 / 9	0 / 2	1 / 1		
Percentage of pregnancies resulting in live births	81.5	8 / 9	2 / 2	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	23	8	3	2	0	0
Number of transfers	20	6	3	2	0	0
Estimated average number of transfers per retrieval	1.2	3.0		1.0		
Average number of embryos transferred	1.9	1.8	1.7	2.0		
Percentage of embryos transferred resulting in implantation	34.2	5 / 11	0 / 5	3 / 4		
Percentage of transfers resulting in singleton live births	35.0	2 / 6	0 / 3	1 / 2		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 6	0 / 3	0 / 2		
Percentage of transfers resulting in live births	45.0	3 / 6	0 / 3	2 / 2		
Percentage of transfers resulting in pregnancy	60.0	4 / 6	0 / 3	2 / 2		

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	0	1
Number of transfers	0	1
Average number of embryos transferred		2.0
Percentage of embryos transferred resulting in implantation		0 / 2
Percentage of transfers resulting in singleton live births		0 / 1
Percentage of transfers resulting in live births		0 / 1
Percentage of transfers resulting in pregnancy		0 / 1

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University of Wisconsin-Generations Fertility Care

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WISCONSIN FERTILITY INSTITUTE
MIDDLETON, WISCONSIN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by David L. Olive, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	84%
Unstimulated	0%	Used PGD	6%
Used gestational carrier	3%		

Patient Diagnosis[b]

Tubal factor	11%	Uterine factor	7%	*Multiple Factors:*	
Ovulatory dysfunction	18%	Male factor	28%	Female factors only	12%
Diminished ovarian reserve	45%	Other factor	9%	Female & male factors	16%
Endometriosis	7%	Unknown factor	8%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 280 (includes 12 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	68	16	18	5	5	4
Percentage of cancellations	7.4	3 / 16	3 / 18	1 / 5	1 / 5	1 / 4
Average number of embryos transferred	2.3	2.6	3.1	3.0	3.3	1.7
Percentage of embryos transferred resulting in implantation	17.8	5.9	18.2	3 / 12	0 / 10	0 / 5
Percentage of elective single embryo transfer (eSET)	4.8	1 / 13	0 / 12	0 / 4	0 / 3	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	14.7	2 / 16	4 / 18	1 / 5	0 / 5	0 / 4
Percentage of cycles resulting in triplets or more live births	0.0	0 / 16	0 / 18	0 / 5	0 / 5	0 / 4
Percentage of cycles resulting in live births	22.1	2 / 16	6 / 18	1 / 5	0 / 5	0 / 4
Percentage of cycles resulting in pregnancy	30.9	2 / 16	6 / 18	3 / 5	0 / 5	0 / 4
Outcomes per Transfer						
Number of transfers	63	13	14	4	3	3
Percentage of transfers resulting in singleton live births	15.9	2 / 13	4 / 14	1 / 4	0 / 3	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0 / 13	0 / 14	0 / 4	0 / 3	0 / 3
Percentage of transfers resulting in live births	23.8	2 / 13	6 / 14	1 / 4	0 / 3	0 / 3
Percentage of transfers resulting in pregnancy	33.3	2 / 13	6 / 14	3 / 4	0 / 3	0 / 3
Outcomes per Pregnancy						
Number of pregnancies	21	2	6	3	0	0
Percentage of pregnancies resulting in singleton live births	47.6	2 / 2	4 / 6	1 / 3		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 2	0 / 6	0 / 3		
Percentage of pregnancies resulting in live births	71.4	2 / 2	6 / 6	1 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	72	16	4	2	1	0
Number of transfers	65	14	4	1	1	0
Estimated average number of transfers per retrieval	1.5	1.3	1.3	0.5	1.0	
Average number of embryos transferred	2.2	2.2	1.8	1.0	1.0	
Percentage of embryos transferred resulting in implantation	15.2	0.0	0 / 7	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births	10.8	0 / 14	0 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	3.1	0 / 14	0 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in live births	18.5	0 / 14	0 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	26.2	1 / 14	0 / 4	0 / 1	0 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	24	33
Number of transfers	20	31
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation	55.0	21.3
Percentage of transfers resulting in singleton live births	35.0	29.0
Percentage of transfers resulting in live births	55.0	32.3
Percentage of transfers resulting in pregnancy	70.0	38.7

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Wisconsin Fertility Institute

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FROEDTERT & MEDICAL COLLEGE OF WISCONSIN REPRODUCTIVE MEDICINE CENTER MILWAUKEE, WISCONSIN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Estil Strawn, Jr., MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	90%
Unstimulated	0%	Used PGD	2%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	12%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	19%	Male factor	38%	Female factors only	6%
Diminished ovarian reserve	31%	Other factor	3%	Female & male factors	14%
Endometriosis	8%	Unknown factor	10%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 361 (includes 4 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	113	49	24	9	1	0
Percentage of cancellations	8.8	4.1	20.8	0 / 9	0 / 1	
Average number of embryos transferred	1.5	1.7	2.0	1.9	2.0	
Percentage of embryos transferred resulting in implantation	35.3	28.8	6.3	0 / 15	1 / 2	
Percentage of elective single embryo transfer (eSET)	48.2	18.9	0 / 12	0 / 5	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.5	20.4	8.3	0 / 9	1 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 9	0 / 1	
Percentage of cycles resulting in live births	31.9	30.6	8.3	0 / 9	1 / 1	
Percentage of cycles resulting in pregnancy	34.5	32.7	8.3	0 / 9	1 / 1	
Outcomes per Transfer						
Number of transfers	91	42	16	8	1	0
Percentage of transfers resulting in singleton live births	33.0	23.8	2 / 16	0 / 8	1 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 16	0 / 8	0 / 1	
Percentage of transfers resulting in live births	39.6	35.7	2 / 16	0 / 8	1 / 1	
Percentage of transfers resulting in pregnancy	42.9	38.1	2 / 16	0 / 8	1 / 1	
Outcomes per Pregnancy						
Number of pregnancies	39	16	2	0	1	0
Percentage of pregnancies resulting in singleton live births	76.9	10 / 16	2 / 2		1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 16	0 / 2		0 / 1	
Percentage of pregnancies resulting in live births	92.3	15 / 16	2 / 2		1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	81	28	7	6	2	0
Number of transfers	77	23	5	6	1	0
Estimated average number of transfers per retrieval	2.0	1.4	1.3	3.0		
Average number of embryos transferred	1.6	1.6	1.8	2.7	1.0	
Percentage of embryos transferred resulting in implantation	30.1	35.1	6 / 9	4 / 16	0 / 1	
Percentage of transfers resulting in singleton live births	24.7	30.4	4 / 5	2 / 6	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 5	0 / 6	0 / 1	
Percentage of transfers resulting in live births	36.4	39.1	5 / 5	3 / 6	0 / 1	
Percentage of transfers resulting in pregnancy	36.4	47.8	5 / 5	3 / 6	0 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	11	26
Number of transfers	10	22
Average number of embryos transferred	1.2	1.4
Percentage of embryos transferred resulting in implantation	7 / 12	35.5
Percentage of transfers resulting in singleton live births	6 / 10	36.4
Percentage of transfers resulting in live births	6 / 10	40.9
Percentage of transfers resulting in pregnancy	7 / 10	40.9

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Froedtert & Medical College of Wisconsin, Reproductive Medicine Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE SPECIALTY CENTER
IVF COLUMBIA
MILWAUKEE, WISCONSIN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Grace M. Janik, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	58%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	25%	Uterine factor	10%	*Multiple Factors:*	
Ovulatory dysfunction	10%	Male factor	61%	Female factors only	6%
Diminished ovarian reserve	12%	Other factor	0%	Female & male factors	25%
Endometriosis	27%	Unknown factor	0%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 50 (includes 1 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	15	9	4	6	2	0
Percentage of cancellations	0 / 15	0 / 9	1 / 4	1 / 6	0 / 2	
Average number of embryos transferred	1.9	2.1	2.7	2.6	2.5	
Percentage of embryos transferred resulting in implantation	46.2	6 / 17	0 / 8	0 / 13	1 / 5	
Percentage of elective single embryo transfer (eSET)	2 / 14	0 / 8	0 / 3	0 / 4	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	9 / 15	2 / 9	0 / 4	0 / 6	1 / 2	
Percentage of cycles resulting in triplets or more live births	0 / 15	0 / 9	0 / 4	0 / 6	0 / 2	
Percentage of cycles resulting in live births	10 / 15	4 / 9	0 / 4	0 / 6	1 / 2	
Percentage of cycles resulting in pregnancy	10 / 15	4 / 9	0 / 4	0 / 6	1 / 2	
Outcomes per Transfer						
Number of transfers	14	8	3	5	2	0
Percentage of transfers resulting in singleton live births	9 / 14	2 / 8	0 / 3	0 / 5	1 / 2	
Percentage of transfers resulting in triplets or more live births	0 / 14	0 / 8	0 / 3	0 / 5	0 / 2	
Percentage of transfers resulting in live births	10 / 14	4 / 8	0 / 3	0 / 5	1 / 2	
Percentage of transfers resulting in pregnancy	10 / 14	4 / 8	0 / 3	0 / 5	1 / 2	
Outcomes per Pregnancy						
Number of pregnancies	10	4	0	0	1	0
Percentage of pregnancies resulting in singleton live births	9 / 10	2 / 4			1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 10	0 / 4			0 / 1	
Percentage of pregnancies resulting in live births	10 / 10	4 / 4			1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	4	0	1	0	0
Number of transfers	7	4	0	1	0	0
Estimated average number of transfers per retrieval	1.8					
Average number of embryos transferred	2.0	1.5		1.0		
Percentage of embryos transferred resulting in implantation	5 / 14	3 / 6		0 / 1		
Percentage of transfers resulting in singleton live births	4 / 7	0 / 4		0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 7	1 / 4		0 / 1		
Percentage of transfers resulting in live births	4 / 7	1 / 4		0 / 1		
Percentage of transfers resulting in pregnancy	5 / 7	1 / 4		0 / 1		

	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Donor Eggs		
Number of cycles	1	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation		
Percentage of transfers resulting in singleton live births		
Percentage of transfers resulting in live births		
Percentage of transfers resulting in pregnancy		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Specialty Center, IVF Columbia

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			*(See Appendix C for details.)*	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GUNDERSEN FERTILITY LUTHERAN FERTILITY CENTER
ONALASKA, WISCONSIN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Sana Salih, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	90%
Unstimulated	0%	Used PGD	4%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	22%	Uterine factor	19%	*Multiple Factors:*	
Ovulatory dysfunction	14%	Male factor	46%	Female factors only	27%
Diminished ovarian reserve	32%	Other factor	16%	Female & male factors	28%
Endometriosis	38%	Unknown factor	3%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 74 (includes 0 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	33	6	6	2	2	1
Percentage of cancellations	9.1	1 / 6	1 / 6	0 / 2	0 / 2	0 / 1
Average number of embryos transferred	1.6	2.0	3.3	3.0	3.0	2.0
Percentage of embryos transferred resulting in implantation	44.9	2 / 10	4 / 13	0 / 6	1 / 6	0 / 2
Percentage of elective single embryo transfer (eSET)	32.1	0 / 5	0 / 4	0 / 2	0 / 1	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	36.4	0 / 6	0 / 6	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0 / 6	0 / 6	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in live births	45.5	1 / 6	1 / 6	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in pregnancy	48.5	1 / 6	2 / 6	0 / 2	1 / 2	0 / 1
Outcomes per Transfer						
Number of transfers	30	5	4	2	2	1
Percentage of transfers resulting in singleton live births	40.0	0 / 5	0 / 4	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 5	0 / 4	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in live births	50.0	1 / 5	1 / 4	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in pregnancy	53.3	1 / 5	2 / 4	0 / 2	1 / 2	0 / 1
Outcomes per Pregnancy						
Number of pregnancies	16	1	2	0	1	0
Percentage of pregnancies resulting in singleton live births	12 / 16	0 / 1	0 / 2		0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 16	0 / 1	0 / 2		0 / 1	
Percentage of pregnancies resulting in live births	15 / 16	1 / 1	1 / 2		0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	11	2	1	0	0	0
Number of transfers	10	2	1	0	0	0
Estimated average number of transfers per retrieval	5.0					
Average number of embryos transferred	1.9	3.0	2.0			
Percentage of embryos transferred resulting in implantation	6 / 19	3 / 6	0 / 2			
Percentage of transfers resulting in singleton live births	6 / 10	1 / 2	0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 10	0 / 2	0 / 1			
Percentage of transfers resulting in live births	6 / 10	2 / 2	0 / 1			
Percentage of transfers resulting in pregnancy	6 / 10	2 / 2	0 / 1			

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	5	5
Number of transfers	5	5
Average number of embryos transferred	1.6	2.0
Percentage of embryos transferred resulting in implantation	4 / 8	3 / 10
Percentage of transfers resulting in singleton live births	2 / 5	3 / 5
Percentage of transfers resulting in live births	3 / 5	3 / 5
Percentage of transfers resulting in pregnancy	3 / 5	4 / 5

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2012. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

AURORA HEALTH CARE-AURORA FERTILITY SERVICES, WEST ALLIS
WEST ALLIS, WISCONSIN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 11–22.

2012 ART CYCLE PROFILE

Data verified by Aida Shanti, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	94%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	12%	Uterine factor	7%	*Multiple Factors:*	
Ovulatory dysfunction	23%	Male factor	61%	Female factors only	8%
Diminished ovarian reserve	41%	Other factor	16%	Female & male factors	44%
Endometriosis	8%	Unknown factor	4%		

2012 ART SUCCESS RATES[c,d]

Total number of cycles performed:[e] 189 (includes 3 banking cycle(s))

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	83	28	19	8	3	0
Percentage of cancellations	3.6	0.0	3 / 19	3 / 8	0 / 3	
Average number of embryos transferred	2.0	2.0	2.3	2.4	3.0	
Percentage of embryos transferred resulting in implantation	50.3	36.4	25.7	4 / 12	0 / 6	
Percentage of elective single embryo transfer (eSET)	2.6	0.0	0 / 14	0 / 5	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in singleton live births	26.5	17.9	3 / 19	1 / 8	0 / 3	
Percentage of cycles resulting in triplets or more live births	1.2	0.0	0 / 19	0 / 8	0 / 3	
Percentage of cycles resulting in live births	54.2	35.7	3 / 19	2 / 8	0 / 3	
Percentage of cycles resulting in pregnancy	57.8	50.0	7 / 19	3 / 8	0 / 3	
Outcomes per Transfer						
Number of transfers	77	27	15	5	2	0
Percentage of transfers resulting in singleton live births	28.6	18.5	3 / 15	1 / 5	0 / 2	
Percentage of transfers resulting in triplets or more live births	1.3	0.0	0 / 15	0 / 5	0 / 2	
Percentage of transfers resulting in live births	58.4	37.0	3 / 15	2 / 5	0 / 2	
Percentage of transfers resulting in pregnancy	62.3	51.9	7 / 15	3 / 5	0 / 2	
Outcomes per Pregnancy						
Number of pregnancies	48	14	7	3	0	0
Percentage of pregnancies resulting in singleton live births	45.8	5 / 14	3 / 7	1 / 3		
Percentage of pregnancies resulting in triplets or more live births	2.1	0 / 14	0 / 7	0 / 3		
Percentage of pregnancies resulting in live births	93.8	10 / 14	3 / 7	2 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	16	1	8	1	1	0
Number of transfers	16	1	7	1	1	0
Estimated average number of transfers per retrieval	3.2	1.0	7.0	1.0		
Average number of embryos transferred	1.8	1.0	1.7	2.0	2.0	
Percentage of embryos transferred resulting in implantation	34.5	0 / 1	6 / 12	0 / 2	1 / 2	
Percentage of transfers resulting in singleton live births	8 / 16	0 / 1	2 / 7	0 / 1	1 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 16	0 / 1	0 / 7	0 / 1	0 / 1	
Percentage of transfers resulting in live births	9 / 16	0 / 1	2 / 7	0 / 1	1 / 1	
Percentage of transfers resulting in pregnancy	9 / 16	0 / 1	4 / 7	0 / 1	1 / 1	

Donor Eggs	All Ages Combined[f] Fresh Embryos	Frozen Embryos
Number of cycles	11	7
Number of transfers	9	7
Average number of embryos transferred	1.9	1.9
Percentage of embryos transferred resulting in implantation	10 / 17	2 / 13
Percentage of transfers resulting in singleton live births	4 / 9	2 / 7
Percentage of transfers resulting in live births	6 / 9	2 / 7
Percentage of transfers resulting in pregnancy	7 / 9	2 / 7

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2012. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.
[c] A multiple-infant birth is counted as one live birth if at least one infant is live born.
[d] When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.
[e] Number of cycles excludes 0 cycle(s) in which new procedures were evaluated.
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.