

IDAHO CENTER FOR REPRODUCTIVE MEDICINE BOISE, IDAHO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Cristin C. Slater, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	61%	Tubal factor	18%	Uterine factor	7%	Multiple Factors: Female factors only 10% Female & male factors 22%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	10%	Male factor	42%	
Used gestational carrier	2%			Diminished ovarian reserve	36%	Other factor	12%	
				Endometriosis	8%	Unknown factor	7%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 380 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	87	24	19	9	4	0
Percentage of cancellations (%)	2.3	4.2	5 / 19	0 / 9	0 / 4	
Average number of embryos transferred	1.9	2.3	2.4	2.7	2.7	
Percentage of embryos transferred resulting in implantation (%)	39.2	40.8	24.1	14.3	0 / 8	
Percentage of elective single embryo transfers (eSET) (%)	1.4	0.0	0 / 11	0 / 9	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	18.4	37.5	4 / 19	1 / 9	0 / 4	
Percentage of cycles resulting in singleton live births (%)	21.8	37.5	4 / 19	2 / 9	0 / 4	
Percentage of cycles resulting in twin live births (%)	16.1	12.5	1 / 19	0 / 9	0 / 4	
Percentage of cycles resulting in live births (%)	40.2	50.0	5 / 19	2 / 9	0 / 4	
Percentage of cycles resulting in pregnancies (%)	44.8	54.2	5 / 19	4 / 9	0 / 4	
Outcomes per Transfer						
Number of transfers	77	21	12	9	3	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	20.8	42.9	4 / 12	1 / 9	0 / 3	
Percentage of transfers resulting in singleton live births (%)	24.7	42.9	4 / 12	2 / 9	0 / 3	
Percentage of transfers resulting in twin live births (%)	18.2	14.3	1 / 12	0 / 9	0 / 3	
Percentage of transfers resulting in live births (%)	45.5	57.1	5 / 12	2 / 9	0 / 3	
Percentage of transfers resulting in pregnancies (%)	50.6	61.9	5 / 12	4 / 9	0 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	56	16	16	3	1	0
Number of transfers	54	16	15	3	1	0
Estimated average number of transfers per retrieval	1.9	0.8	1.3	0.5	0.2	0.0
Average number of embryos transferred	1.7	1.7	1.7	2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	28.4	40.7	14.3	1 / 6	0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	16.7	2 / 16	1 / 15	0 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	27.8	4 / 16	1 / 15	0 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	5.6	3 / 16	0 / 15	0 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	33.3	7 / 16	1 / 15	0 / 3	0 / 1	
Percentage of transfers resulting in pregnancies (%)	42.6	8 / 16	5 / 15	1 / 3	0 / 1	
Number of Egg/Embryo Banking Cycles						
	16	18	9	5	6	4
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		18		68		
Number of transfers		17		68		
Average number of embryos transferred		1.8		1.9		
Percentage of embryos transferred resulting in implantation (%)		59.3		45.0		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		9 / 17		20.6		
Percentage of transfers resulting in singleton live births (%)		10 / 17		29.4		
Percentage of transfers resulting in twin live births (%)		2 / 17		16.2		
Percentage of transfers resulting in live births (%)		12 / 17		47.1		
Percentage of transfers resulting in pregnancies (%)		15 / 17		66.2		

CURRENT SERVICES & PROFILE

Current Name: Idaho Center for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

RUSH-COPLEY CENTER FOR REPRODUCTIVE HEALTH AURORA, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Zvi Binor, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	79%	Tubal factor	12%	Uterine factor	5%	<i>Multiple Factors:</i> Female factors only 21% Female & male factors 7%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	20%	Male factor	15%	
Used gestational carrier	2%			Diminished ovarian reserve	15%	Other factor	45%	
				Endometriosis	15%	Unknown factor	2%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 131 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	53	21	15	9	6	2
Percentage of cancellations (%)	7.5	23.8	6 / 15	2 / 9	2 / 6	1 / 2
Average number of embryos transferred	1.9	1.9	1.7	1.8	2.3	1.0
Percentage of embryos transferred resulting in implantation (%)	26.5	17.2	2 / 12	1 / 9	0 / 9	0 / 1
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 13	0 / 5	0 / 3	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	9.4	14.3	2 / 15	1 / 9	0 / 6	0 / 2
Percentage of cycles resulting in singleton live births (%)	11.3	14.3	2 / 15	1 / 9	0 / 6	0 / 2
Percentage of cycles resulting in twin live births (%)	11.3	4.8	0 / 15	0 / 9	0 / 6	0 / 2
Percentage of cycles resulting in live births (%)	22.6	19.0	2 / 15	1 / 9	0 / 6	0 / 2
Percentage of cycles resulting in pregnancies (%)	26.4	19.0	2 / 15	1 / 9	0 / 6	0 / 2
Outcomes per Transfer						
Number of transfers	44	15	7	5	4	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	11.4	3 / 15	2 / 7	1 / 5	0 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	13.6	3 / 15	2 / 7	1 / 5	0 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	13.6	1 / 15	0 / 7	0 / 5	0 / 4	0 / 1
Percentage of transfers resulting in live births (%)	27.3	4 / 15	2 / 7	1 / 5	0 / 4	0 / 1
Percentage of transfers resulting in pregnancies (%)	31.8	4 / 15	2 / 7	1 / 5	0 / 4	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	10	1	0	1	1	0
Number of transfers	10	1	0	1	1	0
Estimated average number of transfers per retrieval	2.5				1.0	
Average number of embryos transferred	1.8	1.0		2.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	2 / 18	0 / 1		0 / 2	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 10	0 / 1		0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	2 / 10	0 / 1		0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 10	0 / 1		0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	2 / 10	0 / 1		0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	2 / 10	0 / 1		0 / 1	0 / 1	
Number of Egg/Embryo Banking Cycles						
	1	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	6			5		
Number of transfers	5			5		
Average number of embryos transferred	2.0			2.2		
Percentage of embryos transferred resulting in implantation (%)	3 / 10			0 / 11		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 5			0 / 5		
Percentage of transfers resulting in singleton live births (%)	1 / 5			0 / 5		
Percentage of transfers resulting in twin live births (%)	1 / 5			0 / 5		
Percentage of transfers resulting in live births (%)	2 / 5			0 / 5		
Percentage of transfers resulting in pregnancies (%)	2 / 5			0 / 5		

CURRENT SERVICES & PROFILE

Current Name: Rush-Copley Center for Reproductive Health

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**MARTIN S. BALIN, MD, PhD
CHICAGO, ILLINOIS**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Martin S. Balin, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	64%	Tubal factor	7%	Uterine factor	0%	Multiple Factors: Female factors only 0% Female & male factors 7%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	0%	Male factor	7%	
Used gestational carrier	0%			Diminished ovarian reserve	20%	Other factor	0%	
				Endometriosis	0%	Unknown factor	73%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 15 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	4	2	3	2	0	0
Percentage of cancellations (%)	0/4	0/2	0/3	0/2		
Average number of embryos transferred	2.0	2.0	2.0	3.0		
Percentage of embryos transferred resulting in implantation (%)	3/8	1/4	1/6	0/3		
Percentage of elective single embryo transfers (eSET) (%)	0/4	0/2	0/2	0/1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	0/4	1/2	1/3	0/2		
Percentage of cycles resulting in singleton live births (%)	0/4	1/2	1/3	0/2		
Percentage of cycles resulting in twin live births (%)	0/4	0/2	0/3	0/2		
Percentage of cycles resulting in live births (%)	0/4	1/2	1/3	0/2		
Percentage of cycles resulting in pregnancies (%)	2/4	1/2	1/3	0/2		
Outcomes per Transfer						
Number of transfers	4	2	3	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0/4	1/2	1/3	0/1		
Percentage of transfers resulting in singleton live births (%)	0/4	1/2	1/3	0/1		
Percentage of transfers resulting in twin live births (%)	0/4	0/2	0/3	0/1		
Percentage of transfers resulting in live births (%)	0/4	1/2	1/3	0/1		
Percentage of transfers resulting in pregnancies (%)	2/4	1/2	1/3	0/1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	3	0	0	0	0
Number of transfers	0	3	0	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred		1.7				
Percentage of embryos transferred resulting in implantation (%)		2/5				
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0/3				
Percentage of transfers resulting in singleton live births (%)		1/3				
Percentage of transfers resulting in twin live births (%)		0/3				
Percentage of transfers resulting in live births (%)		1/3				
Percentage of transfers resulting in pregnancies (%)		2/3				
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	1			0		
Number of transfers	1			0		
Average number of embryos transferred	2.0					
Percentage of embryos transferred resulting in implantation (%)	2/2					
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0/1					
Percentage of transfers resulting in singleton live births (%)	0/1					
Percentage of transfers resulting in twin live births (%)	1/1					
Percentage of transfers resulting in live births (%)	1/1					
Percentage of transfers resulting in pregnancies (%)	1/1					

CURRENT SERVICES & PROFILE

Current Name: Martin S. Balin, MD, PhD

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**CENTER FOR REPRODUCTIVE MEDICINE AND FERTILITY
THE UNIVERSITY OF CHICAGO
CHICAGO, ILLINOIS**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Helen Kim, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	>99%	With ICSI	50%	Tubal factor	14%	Uterine factor	5%	Multiple Factors: Female factors only 8% Female & male factors 15%
Unstimulated	0%	Used PGD	9%	Ovulatory dysfunction	21%	Male factor	28%	
Used gestational carrier	<1%			Diminished ovarian reserve	20%	Other factor	13%	
				Endometriosis	5%	Unknown factor	21%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 274 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	49	42	20	15	3	0
Percentage of cancellations (%)	16.3	14.3	20.0	4 / 15	1 / 3	
Average number of embryos transferred	1.4	1.8	2.0	2.4	5.0	
Percentage of embryos transferred resulting in implantation (%)	37.0	26.0	3.6	11.5	1 / 10	
Percentage of elective single embryo transfers (eSET) (%)	53.6	19.2	2 / 12	1 / 9	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	18.4	11.9	5.0	2 / 15	1 / 3	
Percentage of cycles resulting in singleton live births (%)	22.4	14.3	5.0	2 / 15	1 / 3	
Percentage of cycles resulting in twin live births (%)	4.1	4.8	0.0	0 / 15	0 / 3	
Percentage of cycles resulting in live births (%)	26.5	19.0	5.0	2 / 15	1 / 3	
Percentage of cycles resulting in pregnancies (%)	28.6	23.8	5.0	3 / 15	1 / 3	
Outcomes per Transfer						
Number of transfers	33	28	14	11	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	27.3	17.9	1 / 14	2 / 11	1 / 2	
Percentage of transfers resulting in singleton live births (%)	33.3	21.4	1 / 14	2 / 11	1 / 2	
Percentage of transfers resulting in twin live births (%)	6.1	7.1	0 / 14	0 / 11	0 / 2	
Percentage of transfers resulting in live births (%)	39.4	28.6	1 / 14	2 / 11	1 / 2	
Percentage of transfers resulting in pregnancies (%)	42.4	35.7	1 / 14	3 / 11	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	33	38	17	4	1	1
Number of transfers	28	37	16	2	0	1
Estimated average number of transfers per retrieval	1.3	2.2	2.7	0.4		
Average number of embryos transferred	1.6	1.7	1.9	3.0		3.0
Percentage of embryos transferred resulting in implantation (%)	25.6	25.0	26.7	0 / 6		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	21.4	21.6	5 / 16	0 / 2		0 / 1
Percentage of transfers resulting in singleton live births (%)	28.6	24.3	5 / 16	0 / 2		0 / 1
Percentage of transfers resulting in twin live births (%)	3.6	5.4	1 / 16	0 / 2		0 / 1
Percentage of transfers resulting in live births (%)	32.1	29.7	6 / 16	0 / 2		0 / 1
Percentage of transfers resulting in pregnancies (%)	39.3	37.8	7 / 16	0 / 2		1 / 1
Number of Egg/Embryo Banking Cycles						
	9	7	2	2	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		11			19	
Number of transfers		8			14	
Average number of embryos transferred		1.4			1.6	
Percentage of embryos transferred resulting in implantation (%)		4 / 11			9 / 19	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		3 / 8			3 / 14	
Percentage of transfers resulting in singleton live births (%)		3 / 8			5 / 14	
Percentage of transfers resulting in twin live births (%)		0 / 8			0 / 14	
Percentage of transfers resulting in live births (%)		3 / 8			6 / 14	
Percentage of transfers resulting in pregnancies (%)		4 / 8			9 / 14	

CURRENT SERVICES & PROFILE

Current Name: Center for Reproductive Medicine and Fertility,
The University of Chicago

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTERS OF ILLINOIS-RIVER NORTH IVF CHICAGO, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Edward Marut, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	84%	Tubal factor	6%	Uterine factor	4%	<i>Multiple Factors:</i> Female factors only 9% Female & male factors 8%
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	19%	Male factor	25%	
Used gestational carrier	<1%			Diminished ovarian reserve	28%	Other factor	12%	
				Endometriosis	4%	Unknown factor	21%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 2,032 (includes 43 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	463	245	198	123	52	7
Percentage of cancellations (%)	9.5	13.1	17.2	22.8	32.7	1 / 7
Average number of embryos transferred	1.6	1.8	2.1	2.4	2.1	3.3
Percentage of embryos transferred resulting in implantation (%)	42.5	32.8	22.0	16.7	7.8	0 / 10
Percentage of elective single embryo transfers (eSET) (%)	38.2	23.7	8.3	1.4	0.0	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	29.6	20.0	16.2	7.3	3.8	0 / 7
Percentage of cycles resulting in singleton live births (%)	32.6	22.9	18.2	9.8	3.8	0 / 7
Percentage of cycles resulting in twin live births (%)	7.1	6.1	3.5	2.4	0.0	0 / 7
Percentage of cycles resulting in live births (%)	39.7	29.0	21.7	12.2	3.8	0 / 7
Percentage of cycles resulting in pregnancies (%)	45.8	38.4	30.3	25.2	5.8	0 / 7
Outcomes per Transfer						
Number of transfers	372	190	145	80	30	3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	36.8	25.8	22.1	11.3	6.7	0 / 3
Percentage of transfers resulting in singleton live births (%)	40.6	29.5	24.8	15.0	6.7	0 / 3
Percentage of transfers resulting in twin live births (%)	8.9	7.9	4.8	3.8	0.0	0 / 3
Percentage of transfers resulting in live births (%)	49.5	37.4	29.7	18.8	6.7	0 / 3
Percentage of transfers resulting in pregnancies (%)	57.0	49.5	41.4	38.8	10.0	0 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	264	152	101	57	15	9
Number of transfers	254	145	96	47	14	9
Estimated average number of transfers per retrieval	1.7	1.9	1.3	0.9	0.9	2.3
Average number of embryos transferred	1.6	1.6	1.6	1.8	1.6	1.6
Percentage of embryos transferred resulting in implantation (%)	45.9	35.9	27.6	23.8	26.1	4 / 12
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	30.7	29.0	30.2	12.8	4 / 14	2 / 9
Percentage of transfers resulting in singleton live births (%)	34.3	31.7	34.4	19.1	4 / 14	2 / 9
Percentage of transfers resulting in twin live births (%)	10.2	6.2	3.1	6.4	0 / 14	0 / 9
Percentage of transfers resulting in live births (%)	44.9	37.9	37.5	25.5	4 / 14	2 / 9
Percentage of transfers resulting in pregnancies (%)	60.6	49.0	41.7	36.2	6 / 14	5 / 9
Number of Egg/Embryo Banking Cycles						
	44	38	40	37	11	3
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		65			65	
Number of transfers		57			60	
Average number of embryos transferred		1.7			1.6	
Percentage of embryos transferred resulting in implantation (%)		48.4			40.9	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		35.1			21.7	
Percentage of transfers resulting in singleton live births (%)		42.1			30.0	
Percentage of transfers resulting in twin live births (%)		14.0			8.3	
Percentage of transfers resulting in live births (%)		56.1			38.3	
Percentage of transfers resulting in pregnancies (%)		63.2			58.3	

CURRENT SERVICES & PROFILE

Current Name: Fertility Centers of Illinois-River North IVF

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INSTITUTE FOR HUMAN REPRODUCTION (IHR) CHICAGO, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Ilan Tur-Kaspa, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	68%	Tubal factor	8%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 1% Female & male factors 23%
Unstimulated	<1%	Used PGD	8%	Ovulatory dysfunction	16%	Male factor	42%	
Used gestational carrier	0%			Diminished ovarian reserve	32%	Other factor	17%	
				Endometriosis	1%	Unknown factor	8%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 383 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	52	34	26	14	11	0
Percentage of cancellations (%)	1.9	2.9	3.8	1 / 14	1 / 11	
Average number of embryos transferred	1.4	1.8	2.3	3.1	2.6	
Percentage of embryos transferred resulting in implantation (%)	47.3	39.6	25.6	3.6	1 / 18	
Percentage of elective single embryo transfers (eSET) (%)	59.5	25.9	3 / 19	0 / 8	0 / 6	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	21.2	29.4	23.1	1 / 14	1 / 11	
Percentage of cycles resulting in singleton live births (%)	25.0	44.1	34.6	1 / 14	1 / 11	
Percentage of cycles resulting in twin live births (%)	9.6	2.9	3.8	0 / 14	0 / 11	
Percentage of cycles resulting in live births (%)	34.6	47.1	38.5	1 / 14	1 / 11	
Percentage of cycles resulting in pregnancies (%)	40.4	52.9	38.5	1 / 14	1 / 11	
Outcomes per Transfer						
Number of transfers	42	29	19	9	7	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	26.2	34.5	6 / 19	1 / 9	1 / 7	
Percentage of transfers resulting in singleton live births (%)	31.0	51.7	9 / 19	1 / 9	1 / 7	
Percentage of transfers resulting in twin live births (%)	11.9	3.4	1 / 19	0 / 9	0 / 7	
Percentage of transfers resulting in live births (%)	42.9	55.2	10 / 19	1 / 9	1 / 7	
Percentage of transfers resulting in pregnancies (%)	50.0	62.1	10 / 19	1 / 9	1 / 7	
Frozen Embryos from Nondonor Eggs						
Number of cycles	62	35	23	8	6	9
Number of transfers	61	35	22	8	5	9
Estimated average number of transfers per retrieval	1.2	0.9	1.5	0.7	0.8	2.3
Average number of embryos transferred	1.2	1.5	1.2	1.1	1.4	1.3
Percentage of embryos transferred resulting in implantation (%)	50.7	39.2	37.0	4 / 9	5 / 6	1 / 12
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	29.5	31.4	18.2	1 / 8	0 / 5	1 / 9
Percentage of transfers resulting in singleton live births (%)	37.7	34.3	36.4	1 / 8	2 / 5	1 / 9
Percentage of transfers resulting in twin live births (%)	6.6	8.6	0.0	1 / 8	1 / 5	0 / 9
Percentage of transfers resulting in live births (%)	44.3	42.9	36.4	2 / 8	3 / 5	1 / 9
Percentage of transfers resulting in pregnancies (%)	59.0	51.4	45.5	3 / 8	4 / 5	1 / 9
Number of Egg/Embryo Banking Cycles	41	26	10	10	5	4
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		5			2	
Number of transfers		5			2	
Average number of embryos transferred		1.6			2.0	
Percentage of embryos transferred resulting in implantation (%)		3 / 8			4 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		2 / 5			0 / 2	
Percentage of transfers resulting in singleton live births (%)		2 / 5			0 / 2	
Percentage of transfers resulting in twin live births (%)		0 / 5			2 / 2	
Percentage of transfers resulting in live births (%)		2 / 5			2 / 2	
Percentage of transfers resulting in pregnancies (%)		3 / 5			2 / 2	

CURRENT SERVICES & PROFILE

Current Name: Institute for Human Reproduction (IHR)

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTHWESTERN UNIVERSITY CHICAGO, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Mary Ellen Pavone, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	83%	Tubal factor	8%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 4% Female & male factors 15%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	11%	Male factor	35%	
Used gestational carrier	<1%			Diminished ovarian reserve	41%	Other factor	5%	
				Endometriosis	4%	Unknown factor	15%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 772 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	153	140	102	54	20	6
Percentage of cancellations (%)	3.3	10.0	13.7	16.7	25.0	1 / 6
Average number of embryos transferred	1.7	1.8	2.2	2.4	2.8	4.0
Percentage of embryos transferred resulting in implantation (%)	37.6	25.7	15.4	5.9	2.8	0 / 8
Percentage of elective single embryo transfers (eSET) (%)	24.6	12.2	4.4	0.0	0 / 12	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	31.4	22.1	10.8	1.9	5.0	0 / 6
Percentage of cycles resulting in singleton live births (%)	35.3	24.3	13.7	1.9	5.0	0 / 6
Percentage of cycles resulting in twin live births (%)	7.8	5.0	1.0	1.9	0.0	0 / 6
Percentage of cycles resulting in live births (%)	43.1	29.3	14.7	3.7	5.0	0 / 6
Percentage of cycles resulting in pregnancies (%)	49.0	35.0	24.5	9.3	5.0	0 / 6
Outcomes per Transfer						
Number of transfers	140	119	79	42	13	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	34.3	26.1	13.9	2.4	1 / 13	0 / 2
Percentage of transfers resulting in singleton live births (%)	38.6	28.6	17.7	2.4	1 / 13	0 / 2
Percentage of transfers resulting in twin live births (%)	8.6	5.9	1.3	2.4	0 / 13	0 / 2
Percentage of transfers resulting in live births (%)	47.1	34.5	19.0	4.8	1 / 13	0 / 2
Percentage of transfers resulting in pregnancies (%)	53.6	41.2	31.6	11.9	1 / 13	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	71	25	22	14	5	2
Number of transfers	66	25	20	12	4	2
Estimated average number of transfers per retrieval	0.8	0.9	0.6	1.0	1.3	1.0
Average number of embryos transferred	1.7	1.7	2.0	2.7	2.3	1.5
Percentage of embryos transferred resulting in implantation (%)	40.5	33.3	22.5	15.6	4 / 9	0 / 3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	28.8	28.0	25.0	4 / 12	3 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	36.4	40.0	25.0	4 / 12	4 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	9.1	4.0	5.0	0 / 12	0 / 4	0 / 2
Percentage of transfers resulting in live births (%)	47.0	44.0	30.0	4 / 12	4 / 4	0 / 2
Percentage of transfers resulting in pregnancies (%)	53.0	52.0	40.0	5 / 12	4 / 4	0 / 2
Number of Egg/Embryo Banking Cycles						
	47	16	17	5	1	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	42			29		
Number of transfers	40			26		
Average number of embryos transferred	1.8			1.9		
Percentage of embryos transferred resulting in implantation (%)	37.1			31.9		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	22.5			11.5		
Percentage of transfers resulting in singleton live births (%)	35.0			15.4		
Percentage of transfers resulting in twin live births (%)	10.0			15.4		
Percentage of transfers resulting in live births (%)	45.0			30.8		
Percentage of transfers resulting in pregnancies (%)	52.5			42.3		

CURRENT SERVICES & PROFILE

Current Name: Northwestern University

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF ILLINOIS AT CHICAGO IVF PROGRAM CHICAGO, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Humberto Scoccia, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	40%	Tubal factor	20%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 16% Female & male factors 19%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	9%	Male factor	27%	
Used gestational carrier	0%			Diminished ovarian reserve	38%	Other factor	13%	
				Endometriosis	15%	Unknown factor	22%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 134 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	26	30	21	14	9	0
Percentage of cancellations (%)	7.7	23.3	38.1	3 / 14	4 / 9	
Average number of embryos transferred	1.7	1.7	2.2	3.2	2.3	
Percentage of embryos transferred resulting in implantation (%)	36.7	32.3	25.0	7.1	1 / 9	
Percentage of elective single embryo transfers (eSET) (%)	4 / 16	4 / 17	0 / 9	0 / 8	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	19.2	13.3	4.8	2 / 14	0 / 9	
Percentage of cycles resulting in singleton live births (%)	19.2	13.3	9.5	2 / 14	1 / 9	
Percentage of cycles resulting in twin live births (%)	7.7	6.7	4.8	0 / 14	0 / 9	
Percentage of cycles resulting in live births (%)	26.9	20.0	14.3	2 / 14	1 / 9	
Percentage of cycles resulting in pregnancies (%)	34.6	30.0	23.8	3 / 14	1 / 9	
Outcomes per Transfer						
Number of transfers	18	19	10	10	4	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	5 / 18	4 / 19	1 / 10	2 / 10	0 / 4	
Percentage of transfers resulting in singleton live births (%)	5 / 18	4 / 19	2 / 10	2 / 10	1 / 4	
Percentage of transfers resulting in twin live births (%)	2 / 18	2 / 19	1 / 10	0 / 10	0 / 4	
Percentage of transfers resulting in live births (%)	7 / 18	6 / 19	3 / 10	2 / 10	1 / 4	
Percentage of transfers resulting in pregnancies (%)	9 / 18	9 / 19	5 / 10	3 / 10	1 / 4	
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	7	4	6	0	0
Number of transfers	6	7	4	6	0	0
Estimated average number of transfers per retrieval	2.0	2.3	2.0			
Average number of embryos transferred	1.5	1.7	1.8	1.5		
Percentage of embryos transferred resulting in implantation (%)	6 / 9	5 / 12	0 / 7	3 / 7		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 6	4 / 7	0 / 4	1 / 6		
Percentage of transfers resulting in singleton live births (%)	2 / 6	4 / 7	0 / 4	2 / 6		
Percentage of transfers resulting in twin live births (%)	1 / 6	0 / 7	0 / 4	0 / 6		
Percentage of transfers resulting in live births (%)	3 / 6	4 / 7	0 / 4	2 / 6		
Percentage of transfers resulting in pregnancies (%)	4 / 6	5 / 7	0 / 4	5 / 6		
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs			Fresh Embryos^f		Frozen Embryos^f	
Number of cycles			7		4	
Number of transfers			5		4	
Average number of embryos transferred			1.6		1.5	
Percentage of embryos transferred resulting in implantation (%)			7 / 8		4 / 6	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)			2 / 5		2 / 4	
Percentage of transfers resulting in singleton live births (%)			3 / 5		2 / 4	
Percentage of transfers resulting in twin live births (%)			2 / 5		1 / 4	
Percentage of transfers resulting in live births (%)			5 / 5		3 / 4	
Percentage of transfers resulting in pregnancies (%)			5 / 5		3 / 4	

CURRENT SERVICES & PROFILE

Current Name: University of Illinois at Chicago IVF Program

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WOMEN'S HEALTH CONSULTANTS CHICAGO, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Mary W. Molo, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	99%	With ICSI	88%	Tubal factor	31%	Uterine factor	33%	Multiple Factors: Female factors only 42% Female & male factors 32%
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	26%	Male factor	40%	
Used gestational carrier	<1%			Diminished ovarian reserve	41%	Other factor	23%	
				Endometriosis	13%	Unknown factor	3%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 224 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	51	31	28	13	16	5
Percentage of cancellations (%)	11.8	3.2	7.1	2 / 13	3 / 16	1 / 5
Average number of embryos transferred	2.0	2.3	2.1	2.8	2.3	1.3
Percentage of embryos transferred resulting in implantation (%)	37.3	31.7	22.7	12.0	0 / 16	0 / 4
Percentage of elective single embryo transfers (eSET) (%)	19.5	7.4	1 / 17	0 / 9	0 / 5	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	27.5	19.4	14.3	0 / 13	0 / 16	0 / 5
Percentage of cycles resulting in singleton live births (%)	29.4	25.8	14.3	1 / 13	0 / 16	0 / 5
Percentage of cycles resulting in twin live births (%)	11.8	16.1	3.6	0 / 13	0 / 16	0 / 5
Percentage of cycles resulting in live births (%)	41.2	41.9	17.9	1 / 13	0 / 16	0 / 5
Percentage of cycles resulting in pregnancies (%)	43.1	48.4	25.0	2 / 13	0 / 16	0 / 5
Outcomes per Transfer						
Number of transfers	41	28	21	9	7	3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	34.1	21.4	19.0	0 / 9	0 / 7	0 / 3
Percentage of transfers resulting in singleton live births (%)	36.6	28.6	19.0	1 / 9	0 / 7	0 / 3
Percentage of transfers resulting in twin live births (%)	14.6	17.9	4.8	0 / 9	0 / 7	0 / 3
Percentage of transfers resulting in live births (%)	51.2	46.4	23.8	1 / 9	0 / 7	0 / 3
Percentage of transfers resulting in pregnancies (%)	53.7	53.6	33.3	2 / 9	0 / 7	0 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	23	22	10	2	0	0
Number of transfers	22	19	10	2	0	0
Estimated average number of transfers per retrieval	1.2	1.7	1.4	2.0		
Average number of embryos transferred	2.2	2.2	2.2	3.0		
Percentage of embryos transferred resulting in implantation (%)	22.9	14.6	9.1	2 / 6		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	31.8	6 / 19	1 / 10	0 / 2		
Percentage of transfers resulting in singleton live births (%)	31.8	6 / 19	1 / 10	0 / 2		
Percentage of transfers resulting in twin live births (%)	0.0	0 / 19	0 / 10	1 / 2		
Percentage of transfers resulting in live births (%)	31.8	6 / 19	1 / 10	1 / 2		
Percentage of transfers resulting in pregnancies (%)	45.5	6 / 19	2 / 10	1 / 2		
Number of Egg/Embryo Banking Cycles						
	8	2	1	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	6			6		
Number of transfers	5			6		
Average number of embryos transferred	2.0			2.0		
Percentage of embryos transferred resulting in implantation (%)	5 / 10			2 / 12		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 5			2 / 6		
Percentage of transfers resulting in singleton live births (%)	3 / 5			2 / 6		
Percentage of transfers resulting in twin live births (%)	0 / 5			0 / 6		
Percentage of transfers resulting in live births (%)	3 / 5			2 / 6		
Percentage of transfers resulting in pregnancies (%)	4 / 5			2 / 6		

CURRENT SERVICES & PROFILE

Current Name: Women's Health Consultants

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE HEALTH/JOLIET IVF CREST HILL, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by R. Scott S. Springer, DO

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	90%	Tubal factor	12%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 4% Female & male factors 6%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	7%	Male factor	26%	
Used gestational carrier	1%			Diminished ovarian reserve	35%	Other factor	4%	
				Endometriosis	3%	Unknown factor	22%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 126 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	62	19	7	5	5	1
Percentage of cancellations (%)	1.6	0 / 19	0 / 7	1 / 5	0 / 5	0 / 1
Average number of embryos transferred	1.9	2.1	2.2	3.0	2.2	2.0
Percentage of embryos transferred resulting in implantation (%)	38.5	25.0	2 / 13	1 / 5	0 / 11	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	12.0	0 / 13	0 / 5	0 / 2	0 / 4	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	30.6	4 / 19	1 / 7	1 / 5	0 / 5	0 / 1
Percentage of cycles resulting in singleton live births (%)	35.5	4 / 19	2 / 7	1 / 5	0 / 5	0 / 1
Percentage of cycles resulting in twin live births (%)	11.3	2 / 19	0 / 7	0 / 5	0 / 5	0 / 1
Percentage of cycles resulting in live births (%)	46.8	6 / 19	2 / 7	1 / 5	0 / 5	0 / 1
Percentage of cycles resulting in pregnancies (%)	50.0	6 / 19	2 / 7	2 / 5	0 / 5	0 / 1
Outcomes per Transfer						
Number of transfers	56	15	6	3	5	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	33.9	4 / 15	1 / 6	1 / 3	0 / 5	0 / 1
Percentage of transfers resulting in singleton live births (%)	39.3	4 / 15	2 / 6	1 / 3	0 / 5	0 / 1
Percentage of transfers resulting in twin live births (%)	12.5	2 / 15	0 / 6	0 / 3	0 / 5	0 / 1
Percentage of transfers resulting in live births (%)	51.8	6 / 15	2 / 6	1 / 3	0 / 5	0 / 1
Percentage of transfers resulting in pregnancies (%)	55.4	6 / 15	2 / 6	2 / 3	0 / 5	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	9	7	2	1	0	0
Number of transfers	9	7	2	1	0	0
Estimated average number of transfers per retrieval	1.1	3.5	2.0			
Average number of embryos transferred	1.8	1.7	1.5	1.0		
Percentage of embryos transferred resulting in implantation (%)	5 / 16	0 / 12	2 / 3	1 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 9	0 / 7	1 / 2	0 / 1		
Percentage of transfers resulting in singleton live births (%)	5 / 9	0 / 7	2 / 2	1 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 9	0 / 7	0 / 2	0 / 1		
Percentage of transfers resulting in live births (%)	5 / 9	0 / 7	2 / 2	1 / 1		
Percentage of transfers resulting in pregnancies (%)	5 / 9	0 / 7	2 / 2	1 / 1		
Number of Egg/Embryo Banking Cycles						
	3	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	3			2		
Number of transfers	3			2		
Average number of embryos transferred	1.3			2.0		
Percentage of embryos transferred resulting in implantation (%)	1 / 4			0 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 3			0 / 2		
Percentage of transfers resulting in singleton live births (%)	1 / 3			0 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 3			0 / 2		
Percentage of transfers resulting in live births (%)	1 / 3			0 / 2		
Percentage of transfers resulting in pregnancies (%)	1 / 3			0 / 2		

CURRENT SERVICES & PROFILE

Current Name: Center for Reproductive Health/Joliet IVF

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MIDWEST FERTILITY CENTER DOWNERS GROVE, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Amos E. Madanes, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	>99%	With ICSI	44%	Tubal factor	31%	Uterine factor	4%	<i>Multiple Factors:</i> Female factors only 8% Female & male factors 24%
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	11%	Male factor	44%	
Used gestational carrier	0%			Diminished ovarian reserve	22%	Other factor	10%	
				Endometriosis	15%	Unknown factor	3%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 158 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	58	25	26	7	4	0
Percentage of cancellations (%)	13.8	24.0	7.7	3 / 7	0 / 4	
Average number of embryos transferred	2.0	2.6	2.8	3.3	3.7	
Percentage of embryos transferred resulting in implantation (%)	30.9	34.0	9.4	0 / 7	1 / 7	
Percentage of elective single embryo transfers (eSET) (%)	2.1	0 / 19	0.0	0 / 3	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	17.2	8.0	11.5	0 / 7	1 / 4	
Percentage of cycles resulting in singleton live births (%)	22.4	12.0	11.5	0 / 7	1 / 4	
Percentage of cycles resulting in twin live births (%)	12.1	12.0	0.0	0 / 7	0 / 4	
Percentage of cycles resulting in live births (%)	34.5	24.0	11.5	0 / 7	1 / 4	
Percentage of cycles resulting in pregnancies (%)	39.7	36.0	19.2	1 / 7	2 / 4	
Outcomes per Transfer						
Number of transfers	50	19	23	3	3	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	20.0	2 / 19	13.0	0 / 3	1 / 3	
Percentage of transfers resulting in singleton live births (%)	26.0	3 / 19	13.0	0 / 3	1 / 3	
Percentage of transfers resulting in twin live births (%)	14.0	3 / 19	0.0	0 / 3	0 / 3	
Percentage of transfers resulting in live births (%)	40.0	6 / 19	13.0	0 / 3	1 / 3	
Percentage of transfers resulting in pregnancies (%)	46.0	9 / 19	21.7	1 / 3	2 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	12	8	4	0	3	0
Number of transfers	12	8	4	0	3	0
Estimated average number of transfers per retrieval	3.0	4.0	1.3		3.0	
Average number of embryos transferred	1.9	2.0	2.0		1.7	
Percentage of embryos transferred resulting in implantation (%)	3 / 19	4 / 16	1 / 8		1 / 5	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 12	4 / 8	1 / 4		0 / 3	
Percentage of transfers resulting in singleton live births (%)	0 / 12	4 / 8	1 / 4		1 / 3	
Percentage of transfers resulting in twin live births (%)	1 / 12	0 / 8	0 / 4		0 / 3	
Percentage of transfers resulting in live births (%)	1 / 12	4 / 8	1 / 4		1 / 3	
Percentage of transfers resulting in pregnancies (%)	4 / 12	4 / 8	1 / 4		1 / 3	
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		8			3	
Number of transfers		7			3	
Average number of embryos transferred		2.3			2.0	
Percentage of embryos transferred resulting in implantation (%)		2 / 16			1 / 6	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		2 / 7			0 / 3	
Percentage of transfers resulting in singleton live births (%)		2 / 7			0 / 3	
Percentage of transfers resulting in twin live births (%)		0 / 7			0 / 3	
Percentage of transfers resulting in live births (%)		2 / 7			0 / 3	
Percentage of transfers resulting in pregnancies (%)		2 / 7			1 / 3	

CURRENT SERVICES & PROFILE

Current Name: Midwest Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY CENTER OF CHICAGO GURNEE, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Richard P. Sherbahn, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	84%	Tubal factor	9%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 7% Female & male factors 11%
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	12%	Male factor	32%	
Used gestational carrier	<1%			Diminished ovarian reserve	34%	Other factor	6%	
				Endometriosis	9%	Unknown factor	17%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 700 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	236	83	63	11	3	0
Percentage of cancellations (%)	1.7	6.0	12.7	1 / 11	0 / 3	
Average number of embryos transferred	1.9	2.0	2.4	3.2	3.5	
Percentage of embryos transferred resulting in implantation (%)	52.1	32.0	36.3	12.5	0 / 3	
Percentage of elective single embryo transfers (eSET) (%)	9.5	11.1	0.0	0 / 10	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	27.5	16.9	27.0	2 / 11	0 / 3	
Percentage of cycles resulting in singleton live births (%)	30.1	20.5	33.3	2 / 11	0 / 3	
Percentage of cycles resulting in twin live births (%)	27.1	10.8	4.8	0 / 11	0 / 3	
Percentage of cycles resulting in live births (%)	58.1	32.5	38.1	2 / 11	0 / 3	
Percentage of cycles resulting in pregnancies (%)	64.0	43.4	50.8	3 / 11	1 / 3	
Outcomes per Transfer						
Number of transfers	228	77	52	10	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	28.5	18.2	32.7	2 / 10	0 / 2	
Percentage of transfers resulting in singleton live births (%)	31.1	22.1	40.4	2 / 10	0 / 2	
Percentage of transfers resulting in twin live births (%)	28.1	11.7	5.8	0 / 10	0 / 2	
Percentage of transfers resulting in live births (%)	60.1	35.1	46.2	2 / 10	0 / 2	
Percentage of transfers resulting in pregnancies (%)	66.2	46.8	61.5	3 / 10	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	78	38	15	11	1	0
Number of transfers	76	33	15	9	1	0
Estimated average number of transfers per retrieval	1.6	1.4	1.0	9.0		
Average number of embryos transferred	1.6	1.5	1.7	1.4	1.0	
Percentage of embryos transferred resulting in implantation (%)	59.3	52.2	63.6	6 / 13	1 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	38.2	27.3	5 / 15	3 / 9	0 / 1	
Percentage of transfers resulting in singleton live births (%)	44.7	27.3	6 / 15	3 / 9	0 / 1	
Percentage of transfers resulting in twin live births (%)	22.4	21.2	2 / 15	0 / 9	0 / 1	
Percentage of transfers resulting in live births (%)	67.1	48.5	8 / 15	3 / 9	0 / 1	
Percentage of transfers resulting in pregnancies (%)	72.4	57.6	12 / 15	6 / 9	1 / 1	
Number of Egg/Embryo Banking Cycles						
	9	9	9	1	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	88			44		
Number of transfers	84			42		
Average number of embryos transferred	1.7			1.5		
Percentage of embryos transferred resulting in implantation (%)	72.6			59.0		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	39.3			33.3		
Percentage of transfers resulting in singleton live births (%)	42.9			50.0		
Percentage of transfers resulting in twin live births (%)	34.5			7.1		
Percentage of transfers resulting in live births (%)	77.4			57.1		
Percentage of transfers resulting in pregnancies (%)	83.3			69.0		

CURRENT SERVICES & PROFILE

Current Name: Advanced Fertility Center of Chicago

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CHICAGO INFERTILITY ASSOCIATES, LTD. HANOVER PARK, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Ketan N. Jobanputra, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	95%	Tubal factor	5%	Uterine factor	14%	<i>Multiple Factors:</i> Female factors only 5% Female & male factors 5%
Unstimulated	0%	Used PGD	10%	Ovulatory dysfunction	33%	Male factor	14%	
Used gestational carrier	0%			Diminished ovarian reserve	19%	Other factor	0%	
				Endometriosis	0%	Unknown factor	24%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 21 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	9	4	5	2	1	0
Percentage of cancellations (%)	0/9	0/4	0/5	0/2	0/1	
Average number of embryos transferred	2.6	4.0	2.8	2.0	5.0	
Percentage of embryos transferred resulting in implantation (%)	38.1	0/8	1/11	0/4		
Percentage of elective single embryo transfers (eSET) (%)	0/8	0/2	0/4	0/1	0/1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	2/9	0/4	0/5	0/2	0/1	
Percentage of cycles resulting in singleton live births (%)	4/9	0/4	1/5	0/2	0/1	
Percentage of cycles resulting in twin live births (%)	2/9	0/4	0/5	0/2	0/1	
Percentage of cycles resulting in live births (%)	6/9	0/4	1/5	0/2	0/1	
Percentage of cycles resulting in pregnancies (%)	6/9	0/4	1/5	0/2	1/1	
Outcomes per Transfer						
Number of transfers	8	2	4	2	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2/8	0/2	0/4	0/2	0/1	
Percentage of transfers resulting in singleton live births (%)	4/8	0/2	1/4	0/2	0/1	
Percentage of transfers resulting in twin live births (%)	2/8	0/2	0/4	0/2	0/1	
Percentage of transfers resulting in live births (%)	6/8	0/2	1/4	0/2	0/1	
Percentage of transfers resulting in pregnancies (%)	6/8	0/2	1/4	0/2	1/1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	0	0	0	0	0
Number of transfers	0	0	0	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

CURRENT SERVICES & PROFILE

Current Name: Chicago Infertility Associates, Ltd.

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HIGHLAND PARK IVF CENTER HIGHLAND PARK, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Angeline Beltsos, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	85%	Tubal factor	4%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 27% Female & male factors 10%
Unstimulated	<1%	Used PGD	6%	Ovulatory dysfunction	15%	Male factor	19%	
Used gestational carrier	<1%			Diminished ovarian reserve	48%	Other factor	39%	
				Endometriosis	3%	Unknown factor	15%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 2,718 (includes 51 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	395	250	245	148	66	14
Percentage of cancellations (%)	6.6	8.4	15.1	21.6	34.8	3 / 14
Average number of embryos transferred	1.8	1.9	2.0	2.6	2.4	2.6
Percentage of embryos transferred resulting in implantation (%)	39.5	29.0	22.4	6.0	1.3	1 / 13
Percentage of elective single embryo transfers (eSET) (%)	21.5	9.5	13.8	1.4	0.0	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	19.0	17.6	13.5	2.7	1.5	0 / 14
Percentage of cycles resulting in singleton live births (%)	22.8	19.6	15.9	3.4	1.5	0 / 14
Percentage of cycles resulting in twin live births (%)	10.6	5.6	3.7	1.4	0.0	0 / 14
Percentage of cycles resulting in live births (%)	33.9	25.2	19.6	4.7	1.5	0 / 14
Percentage of cycles resulting in pregnancies (%)	40.8	33.2	26.9	8.1	4.5	1 / 14
Outcomes per Transfer						
Number of transfers	310	195	174	87	34	5
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	24.2	22.6	19.0	4.6	2.9	0 / 5
Percentage of transfers resulting in singleton live births (%)	29.0	25.1	22.4	5.7	2.9	0 / 5
Percentage of transfers resulting in twin live births (%)	13.5	7.2	5.2	2.3	0.0	0 / 5
Percentage of transfers resulting in live births (%)	43.2	32.3	27.6	8.0	2.9	0 / 5
Percentage of transfers resulting in pregnancies (%)	51.9	42.6	37.9	13.8	8.8	1 / 5
Frozen Embryos from Nondonor Eggs						
Number of cycles	305	179	147	49	14	5
Number of transfers	273	166	127	48	14	3
Estimated average number of transfers per retrieval	1.2	0.8	0.6	0.5	0.3	0.2
Average number of embryos transferred	1.6	1.5	1.5	1.5	1.9	1.7
Percentage of embryos transferred resulting in implantation (%)	37.8	34.0	29.2	22.9	14.3	1 / 5
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	29.3	34.9	22.0	20.8	1 / 14	1 / 3
Percentage of transfers resulting in singleton live births (%)	33.3	37.3	26.8	27.1	1 / 14	1 / 3
Percentage of transfers resulting in twin live births (%)	6.2	6.0	3.9	0.0	0 / 14	0 / 3
Percentage of transfers resulting in live births (%)	40.3	43.4	30.7	27.1	1 / 14	1 / 3
Percentage of transfers resulting in pregnancies (%)	51.3	46.4	41.7	37.5	4 / 14	1 / 3
Number of Egg/Embryo Banking Cycles						
	108	125	148	69	37	19
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		102			242	
Number of transfers		98			221	
Average number of embryos transferred		1.8			1.7	
Percentage of embryos transferred resulting in implantation (%)		47.7			34.3	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		31.6			28.5	
Percentage of transfers resulting in singleton live births (%)		36.7			34.4	
Percentage of transfers resulting in twin live births (%)		16.3			8.6	
Percentage of transfers resulting in live births (%)		54.1			43.0	
Percentage of transfers resulting in pregnancies (%)		60.2			50.2	

CURRENT SERVICES & PROFILE

Current Name: Highland Park IVF Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HINSDALE CENTER FOR REPRODUCTION HINSDALE, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Michael J. Hickey, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	63%	Tubal factor	2%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 3% Female & male factors 14%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	9%	Male factor	59%	
Used gestational carrier	0%			Diminished ovarian reserve	9%	Other factor	28%	
				Endometriosis	7%	Unknown factor	2%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 100 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	23	11	10	5	0	0
Percentage of cancellations (%)	30.4	2 / 11	5 / 10	2 / 5		
Average number of embryos transferred	2.2	2.1	2.4	3.0		
Percentage of embryos transferred resulting in implantation (%)	39.3	3 / 15	1 / 12	1 / 6		
Percentage of elective single embryo transfers (eSET) (%)	1 / 13	0 / 7	0 / 5	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	21.7	2 / 11	1 / 10	1 / 5		
Percentage of cycles resulting in singleton live births (%)	30.4	2 / 11	1 / 10	1 / 5		
Percentage of cycles resulting in twin live births (%)	0.0	0 / 11	0 / 10	0 / 5		
Percentage of cycles resulting in live births (%)	34.8	2 / 11	1 / 10	1 / 5		
Percentage of cycles resulting in pregnancies (%)	34.8	2 / 11	1 / 10	1 / 5		
Outcomes per Transfer						
Number of transfers	13	7	5	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	5 / 13	2 / 7	1 / 5	1 / 2		
Percentage of transfers resulting in singleton live births (%)	7 / 13	2 / 7	1 / 5	1 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 13	0 / 7	0 / 5	0 / 2		
Percentage of transfers resulting in live births (%)	8 / 13	2 / 7	1 / 5	1 / 2		
Percentage of transfers resulting in pregnancies (%)	8 / 13	2 / 7	1 / 5	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	22	5	4	1	1	1
Number of transfers	21	5	2	0	1	1
Estimated average number of transfers per retrieval	1.3		1.0		1.0	
Average number of embryos transferred	2.2	2.2	3.0		2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	11.4	2 / 11	0 / 6		0 / 2	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	14.3	2 / 5	0 / 2		0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	14.3	2 / 5	0 / 2		0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	4.8	0 / 5	0 / 2		0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	19.0	2 / 5	0 / 2		0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	23.8	2 / 5	0 / 2		0 / 1	0 / 1
Number of Egg/Embryo Banking Cycles						
	8	0	0	0	1	0
Donor Eggs						
		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		1			7	
Number of transfers		1			7	
Average number of embryos transferred		2.0			2.3	
Percentage of embryos transferred resulting in implantation (%)		1 / 2			1 / 16	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 1			0 / 7	
Percentage of transfers resulting in singleton live births (%)		1 / 1			1 / 7	
Percentage of transfers resulting in twin live births (%)		0 / 1			0 / 7	
Percentage of transfers resulting in live births (%)		1 / 1			1 / 7	
Percentage of transfers resulting in pregnancies (%)		1 / 1			1 / 7	

CURRENT SERVICES & PROFILE

Current Name: Hinsdale Center for Reproduction

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REENA JABAMONI, MD, SC HOFFMAN ESTATES, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Reena Jabamoni, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	84%	Tubal factor	2%	Uterine factor	0%	Multiple Factors: Female factors only 6% Female & male factors 6%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	60%	Male factor	11%	
Used gestational carrier	0%			Diminished ovarian reserve	19%	Other factor	19%	
				Endometriosis	4%	Unknown factor	0%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 58 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	17	4	7	3	1	0
Percentage of cancellations (%)	2 / 17	1 / 4	1 / 7	0 / 3	0 / 1	
Average number of embryos transferred	1.4	1.7	2.0	2.7	3.0	
Percentage of embryos transferred resulting in implantation (%)	40.0	3 / 5	3 / 10	1 / 8	0 / 3	
Percentage of elective single embryo transfers (eSET) (%)	6 / 11	1 / 3	0 / 5	0 / 3	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	1 / 17	1 / 4	1 / 7	0 / 3	0 / 1	
Percentage of cycles resulting in singleton live births (%)	3 / 17	1 / 4	1 / 7	0 / 3	0 / 1	
Percentage of cycles resulting in twin live births (%)	1 / 17	1 / 4	1 / 7	0 / 3	0 / 1	
Percentage of cycles resulting in live births (%)	5 / 17	2 / 4	2 / 7	0 / 3	0 / 1	
Percentage of cycles resulting in pregnancies (%)	5 / 17	2 / 4	2 / 7	1 / 3	0 / 1	
Outcomes per Transfer						
Number of transfers	14	3	5	3	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 14	1 / 3	1 / 5	0 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	3 / 14	1 / 3	1 / 5	0 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 14	1 / 3	1 / 5	0 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	5 / 14	2 / 3	2 / 5	0 / 3	0 / 1	
Percentage of transfers resulting in pregnancies (%)	5 / 14	2 / 3	2 / 5	1 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	8	2	2	1	1	1
Number of transfers	8	2	2	1	1	1
Estimated average number of transfers per retrieval	1.1	0.7	0.7		1.0	1.0
Average number of embryos transferred	1.4	1.5	2.5	2.0	3.0	1.0
Percentage of embryos transferred resulting in implantation (%)	2 / 11	1 / 3	2 / 5	2 / 2	1 / 3	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 8	0 / 2	2 / 2	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	2 / 8	0 / 2	2 / 2	0 / 1	1 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 8	0 / 2	0 / 2	1 / 1	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	2 / 8	0 / 2	2 / 2	1 / 1	1 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	2 / 8	1 / 2	2 / 2	1 / 1	1 / 1	0 / 1
Number of Egg/Embryo Banking Cycles						
	6	1	3	0	0	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

CURRENT SERVICES & PROFILE

Current Name: Reena Jabamoni, MD, SC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

KARANDE AND ASSOCIATES, SC DBA INVIA FERTILITY SPECIALISTS HOFFMAN ESTATES, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Vishvanath C. Karande, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b						
IVF	100%	With ICSI	64%	Tubal factor	9%	Uterine factor	4%	<i>Multiple Factors:</i>		
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	16%	Male factor	24%		Female factors only	3%
Used gestational carrier	0%			Diminished ovarian reserve	22%	Other factor	3%		Female & male factors	9%
				Endometriosis	8%	Unknown factor	29%			

2013 ART SUCCESS RATES^c

Total number of cycles^d: 580 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	178	56	36	24	17	4
Percentage of cancellations (%)	7.3	19.6	13.9	25.0	4 / 17	0 / 4
Average number of embryos transferred	1.9	1.9	2.3	3.1	4.2	2.3
Percentage of embryos transferred resulting in implantation (%)	39.6	24.6	23.1	10.0	0.0	0 / 9
Percentage of elective single embryo transfers (eSET) (%)	9.6	11.4	0.0	0 / 13	0 / 6	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	16.9	16.1	22.2	0.0	0 / 17	0 / 4
Percentage of cycles resulting in singleton live births (%)	19.7	19.6	22.2	0.0	0 / 17	0 / 4
Percentage of cycles resulting in twin live births (%)	16.3	3.6	8.3	4.2	0 / 17	0 / 4
Percentage of cycles resulting in live births (%)	36.0	23.2	30.6	4.2	0 / 17	0 / 4
Percentage of cycles resulting in pregnancies (%)	41.6	26.8	30.6	8.3	0 / 17	0 / 4
Outcomes per Transfer						
Number of transfers	146	38	28	16	6	4
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	20.5	23.7	28.6	0 / 16	0 / 6	0 / 4
Percentage of transfers resulting in singleton live births (%)	24.0	28.9	28.6	0 / 16	0 / 6	0 / 4
Percentage of transfers resulting in twin live births (%)	19.9	5.3	10.7	1 / 16	0 / 6	0 / 4
Percentage of transfers resulting in live births (%)	43.8	34.2	39.3	1 / 16	0 / 6	0 / 4
Percentage of transfers resulting in pregnancies (%)	50.7	39.5	39.3	2 / 16	0 / 6	0 / 4
Frozen Embryos from Nondonor Eggs						
Number of cycles	87	25	9	3	3	0
Number of transfers	84	25	9	3	3	0
Estimated average number of transfers per retrieval	1.3	1.0	0.9	0.8	0.4	0.0
Average number of embryos transferred	1.5	1.5	1.6	1.0	1.3	
Percentage of embryos transferred resulting in implantation (%)	38.0	42.1	5 / 14	2 / 3	1 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	29.8	40.0	1 / 9	1 / 3	1 / 3	
Percentage of transfers resulting in singleton live births (%)	33.3	44.0	1 / 9	1 / 3	1 / 3	
Percentage of transfers resulting in twin live births (%)	2.4	4.0	2 / 9	0 / 3	0 / 3	
Percentage of transfers resulting in live births (%)	38.1	48.0	3 / 9	1 / 3	1 / 3	
Percentage of transfers resulting in pregnancies (%)	46.4	56.0	3 / 9	2 / 3	1 / 3	
Number of Egg/Embryo Banking Cycles						
	32	13	7	3	4	2
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	35			42		
Number of transfers	32			38		
Average number of embryos transferred	1.6			1.4		
Percentage of embryos transferred resulting in implantation (%)	58.8			43.4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	18.8			39.5		
Percentage of transfers resulting in singleton live births (%)	25.0			42.1		
Percentage of transfers resulting in twin live births (%)	21.9			2.6		
Percentage of transfers resulting in live births (%)	46.9			44.7		
Percentage of transfers resulting in pregnancies (%)	62.5			55.3		

CURRENT SERVICES & PROFILE

Current Name: Karande and Associates, SC dba, InVia Fertility Specialists

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE HEALTH SPECIALISTS, LTD. JOLIET, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Marek W. Piekos, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	93%	Tubal factor	12%	Uterine factor	6%	<i>Multiple Factors:</i> Female factors only 9% Female & male factors 25%
Unstimulated	4%	Used PGD	5%	Ovulatory dysfunction	25%	Male factor	56%	
Used gestational carrier	4%			Diminished ovarian reserve	17%	Other factor	10%	
				Endometriosis	7%	Unknown factor	0%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 81 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	31	10	10	1	3	2
Percentage of cancellations (%)	0.0	0 / 10	1 / 10	0 / 1	0 / 3	0 / 2
Average number of embryos transferred	2.1	2.2	2.4	2.0	3.0	2.0
Percentage of embryos transferred resulting in implantation (%)	23.2	25.0	1 / 12	0 / 2	0 / 3	0 / 4
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 8	0 / 5	0 / 1	0 / 1	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	16.1	2 / 10	1 / 10	0 / 1	0 / 3	0 / 2
Percentage of cycles resulting in singleton live births (%)	19.4	3 / 10	1 / 10	0 / 1	0 / 3	0 / 2
Percentage of cycles resulting in twin live births (%)	6.5	1 / 10	0 / 10	0 / 1	0 / 3	0 / 2
Percentage of cycles resulting in live births (%)	25.8	4 / 10	1 / 10	0 / 1	0 / 3	0 / 2
Percentage of cycles resulting in pregnancies (%)	41.9	4 / 10	1 / 10	0 / 1	0 / 3	0 / 2
Outcomes per Transfer						
Number of transfers	30	9	5	1	1	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	16.7	2 / 9	1 / 5	0 / 1	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	20.0	3 / 9	1 / 5	0 / 1	0 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	6.7	1 / 9	0 / 5	0 / 1	0 / 1	0 / 2
Percentage of transfers resulting in live births (%)	26.7	4 / 9	1 / 5	0 / 1	0 / 1	0 / 2
Percentage of transfers resulting in pregnancies (%)	43.3	4 / 9	1 / 5	0 / 1	0 / 1	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	16	2	2	1	0	0
Number of transfers	16	2	2	1	0	0
Estimated average number of transfers per retrieval	1.5	1.0		1.0		
Average number of embryos transferred	2.1	2.0	1.5	2.0		
Percentage of embryos transferred resulting in implantation (%)	23.5	3 / 4	0 / 3	0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 16	1 / 2	0 / 2	0 / 1		
Percentage of transfers resulting in singleton live births (%)	4 / 16	1 / 2	0 / 2	0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 16	1 / 2	0 / 2	0 / 1		
Percentage of transfers resulting in live births (%)	4 / 16	2 / 2	0 / 2	0 / 1		
Percentage of transfers resulting in pregnancies (%)	6 / 16	2 / 2	0 / 2	0 / 1		
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	2			1		
Number of transfers	2			1		
Average number of embryos transferred	2.0			3.0		
Percentage of embryos transferred resulting in implantation (%)	2 / 4			0 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 2			0 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 2			0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 2			0 / 1		
Percentage of transfers resulting in live births (%)	1 / 2			0 / 1		
Percentage of transfers resulting in pregnancies (%)	1 / 2			0 / 1		

CURRENT SERVICES & PROFILE

Current Name: Reproductive Health Specialists, Ltd.

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**THE ADVANCED IVF INSTITUTE
CHARLES E. MILLER, MD, SC & ASSOCIATES
NAPERVILLE, ILLINOIS**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE				Data verified by Charles E. Miller, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	80%	Tubal factor	7%	Uterine factor	6%	<i>Multiple Factors:</i> Female factors only 9% Female & male factors 19%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	23%	Male factor	33%	
Used gestational carrier	0%			Diminished ovarian reserve	32%	Other factor	7%	
				Endometriosis	8%	Unknown factor	16%	

2013 ART SUCCESS RATES ^c		Total number of cycles ^d : 526 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		174	70	49	54	8	8
Percentage of cancellations (%)		10.9	5.7	20.4	14.8	2 / 8	2 / 8
Average number of embryos transferred		1.9	2.1	2.5	2.8	2.6	2.6
Percentage of embryos transferred resulting in implantation (%)		47.2	43.5	16.0	9.8	2 / 13	0 / 13
Percentage of elective single embryo transfers (eSET) (%)		4.9	8.2	3.4	0.0	0 / 4	0 / 5
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		17.2	21.4	12.2	11.1	0 / 8	0 / 8
Percentage of cycles resulting in singleton live births (%)		20.7	24.3	14.3	13.0	1 / 8	0 / 8
Percentage of cycles resulting in twin live births (%)		13.2	12.9	2.0	0.0	0 / 8	0 / 8
Percentage of cycles resulting in live births (%)		33.9	37.1	18.4	13.0	1 / 8	0 / 8
Percentage of cycles resulting in pregnancies (%)		38.5	44.3	20.4	18.5	1 / 8	0 / 8
Outcomes per Transfer							
Number of transfers		112	52	33	36	5	5
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		26.8	28.8	18.2	16.7	0 / 5	0 / 5
Percentage of transfers resulting in singleton live births (%)		32.1	32.7	21.2	19.4	1 / 5	0 / 5
Percentage of transfers resulting in twin live births (%)		20.5	17.3	3.0	0.0	0 / 5	0 / 5
Percentage of transfers resulting in live births (%)		52.7	50.0	27.3	19.4	1 / 5	0 / 5
Percentage of transfers resulting in pregnancies (%)		59.8	59.6	30.3	27.8	1 / 5	0 / 5
Frozen Embryos from Nondonor Eggs							
Number of cycles		79	25	16	4	0	1
Number of transfers		76	22	15	4	0	1
Estimated average number of transfers per retrieval		1.6	2.4	2.1	2.0		
Average number of embryos transferred		1.8	1.8	1.9	2.0		1.0
Percentage of embryos transferred resulting in implantation (%)		56.6	26.3	41.4	3 / 8		0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		39.5	27.3	4 / 15	1 / 4		0 / 1
Percentage of transfers resulting in singleton live births (%)		47.4	31.8	4 / 15	1 / 4		0 / 1
Percentage of transfers resulting in twin live births (%)		17.1	0.0	3 / 15	1 / 4		0 / 1
Percentage of transfers resulting in live births (%)		64.5	31.8	7 / 15	2 / 4		0 / 1
Percentage of transfers resulting in pregnancies (%)		77.6	40.9	9 / 15	2 / 4		0 / 1
Number of Egg/Embryo Banking Cycles							
		8	1	1	0	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		17			11		
Number of transfers		17			11		
Average number of embryos transferred		1.9			1.8		
Percentage of embryos transferred resulting in implantation (%)		56.3			30.0		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		7 / 17			4 / 11		
Percentage of transfers resulting in singleton live births (%)		7 / 17			4 / 11		
Percentage of transfers resulting in twin live births (%)		5 / 17			1 / 11		
Percentage of transfers resulting in live births (%)		12 / 17			5 / 11		
Percentage of transfers resulting in pregnancies (%)		13 / 17			5 / 11		

CURRENT SERVICES & PROFILE		Current Name: The Advanced IVF Institute, Charles E. Miller, MD, SC & Associates					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF1 NAPERVILLE, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Randy S. Morris, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	87%	Tubal factor	16%	Uterine factor	12%	<i>Multiple Factors:</i> Female factors only 17% Female & male factors 17%
Unstimulated	0%	Used PGD	28%	Ovulatory dysfunction	20%	Male factor	31%	
Used gestational carrier	0%			Diminished ovarian reserve	40%	Other factor	8%	
				Endometriosis	4%	Unknown factor	13%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 457 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	96	39	37	25	22	1
Percentage of cancellations (%)	6.3	12.8	13.5	8.0	22.7	0 / 1
Average number of embryos transferred	1.8	1.9	2.3	2.8	3.7	
Percentage of embryos transferred resulting in implantation (%)	35.8	31.5	11.1	4.5	0.0	
Percentage of elective single embryo transfers (eSET) (%)	9.7	13.8	2 / 17	0 / 9	0 / 6	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	19.8	23.1	10.8	4.0	0.0	0 / 1
Percentage of cycles resulting in singleton live births (%)	21.9	25.6	10.8	4.0	0.0	0 / 1
Percentage of cycles resulting in twin live births (%)	9.4	7.7	0.0	0.0	0.0	0 / 1
Percentage of cycles resulting in live births (%)	31.3	33.3	10.8	4.0	0.0	0 / 1
Percentage of cycles resulting in pregnancies (%)	33.3	35.9	16.2	8.0	0.0	0 / 1
Outcomes per Transfer						
Number of transfers	66	29	21	9	6	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	28.8	31.0	19.0	1 / 9	0 / 6	
Percentage of transfers resulting in singleton live births (%)	31.8	34.5	19.0	1 / 9	0 / 6	
Percentage of transfers resulting in twin live births (%)	13.6	10.3	0.0	0 / 9	0 / 6	
Percentage of transfers resulting in live births (%)	45.5	44.8	19.0	1 / 9	0 / 6	
Percentage of transfers resulting in pregnancies (%)	48.5	48.3	28.6	2 / 9	0 / 6	
Frozen Embryos from Nondonor Eggs						
Number of cycles	80	36	17	11	2	1
Number of transfers	75	33	15	5	2	1
Estimated average number of transfers per retrieval	2.0	2.4	1.2	1.3	2.0	
Average number of embryos transferred	1.8	1.7	1.7	1.6	1.5	1.0
Percentage of embryos transferred resulting in implantation (%)	33.9	40.9	45.8	1 / 7	1 / 3	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	20.0	21.2	3 / 15	1 / 5	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	24.0	24.2	3 / 15	1 / 5	1 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	6.7	6.1	4 / 15	0 / 5	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	30.7	30.3	7 / 15	1 / 5	1 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	52.0	60.6	8 / 15	2 / 5	1 / 2	0 / 1
Number of Egg/Embryo Banking Cycles						
	0	2	1	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	24			62		
Number of transfers	21			56		
Average number of embryos transferred	2.0			1.9		
Percentage of embryos transferred resulting in implantation (%)	33.3			39.0		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	23.8			25.0		
Percentage of transfers resulting in singleton live births (%)	28.6			26.8		
Percentage of transfers resulting in twin live births (%)	9.5			12.5		
Percentage of transfers resulting in live births (%)	38.1			41.1		
Percentage of transfers resulting in pregnancies (%)	52.4			55.4		

CURRENT SERVICES & PROFILE

Current Name: IVF1

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE INSTITUTE OAK BROOK, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE				Data verified by John S. Rinehart, MD, PhD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	73%	Tubal factor	9%	Uterine factor	4%	<i>Multiple Factors:</i> Female factors only 11% Female & male factors 11%
Unstimulated	<1%	Used PGD	9%	Ovulatory dysfunction	17%	Male factor	22%	
Used gestational carrier	<1%			Diminished ovarian reserve	41%	Other factor	21%	
				Endometriosis	6%	Unknown factor	6%	

2013 ART SUCCESS RATES ^c		Total number of cycles ^d : 893 (includes 1 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		208	108	114	58	26	8
Percentage of cancellations (%)		9.1	12.0	13.2	29.3	38.5	2 / 8
Average number of embryos transferred		1.8	1.9	2.0	2.2	2.8	2.3
Percentage of embryos transferred resulting in implantation (%)		37.1	29.9	20.7	7.7	0.0	0 / 7
Percentage of elective single embryo transfers (eSET) (%)		13.9	6.2	7.7	0.0	0 / 9	0 / 2
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		12.0	16.7	7.9	6.9	0.0	0 / 8
Percentage of cycles resulting in singleton live births (%)		16.3	20.4	9.6	6.9	0.0	0 / 8
Percentage of cycles resulting in twin live births (%)		9.6	9.3	3.5	0.0	0.0	0 / 8
Percentage of cycles resulting in live births (%)		26.0	29.6	13.2	6.9	0.0	0 / 8
Percentage of cycles resulting in pregnancies (%)		29.3	31.5	18.4	6.9	0.0	0 / 8
Outcomes per Transfer							
Number of transfers		127	77	65	29	11	3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		19.7	23.4	13.8	13.8	0 / 11	0 / 3
Percentage of transfers resulting in singleton live births (%)		26.8	28.6	16.9	13.8	0 / 11	0 / 3
Percentage of transfers resulting in twin live births (%)		15.7	13.0	6.2	0.0	0 / 11	0 / 3
Percentage of transfers resulting in live births (%)		42.5	41.6	23.1	13.8	0 / 11	0 / 3
Percentage of transfers resulting in pregnancies (%)		48.0	44.2	32.3	13.8	0 / 11	0 / 3
Frozen Embryos from Nondonor Eggs							
Number of cycles		136	39	61	8	4	0
Number of transfers		125	37	51	6	4	0
Estimated average number of transfers per retrieval		1.7	1.5	1.2	0.9	0.7	0.0
Average number of embryos transferred		1.9	1.9	1.7	2.0	1.8	
Percentage of embryos transferred resulting in implantation (%)		41.2	38.0	29.4	4 / 11	3 / 7	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		31.2	32.4	31.4	3 / 6	2 / 4	
Percentage of transfers resulting in singleton live births (%)		34.4	35.1	35.3	3 / 6	2 / 4	
Percentage of transfers resulting in twin live births (%)		12.8	10.8	2.0	0 / 6	0 / 4	
Percentage of transfers resulting in live births (%)		48.8	45.9	37.3	3 / 6	2 / 4	
Percentage of transfers resulting in pregnancies (%)		56.8	54.1	45.1	4 / 6	3 / 4	
Number of Egg/Embryo Banking Cycles							
		12	6	10	2	3	4
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		46			39		
Number of transfers		37			38		
Average number of embryos transferred		2.0			1.7		
Percentage of embryos transferred resulting in implantation (%)		51.5			32.8		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		32.4			28.9		
Percentage of transfers resulting in singleton live births (%)		51.4			36.8		
Percentage of transfers resulting in twin live births (%)		13.5			7.9		
Percentage of transfers resulting in live births (%)		64.9			44.7		
Percentage of transfers resulting in pregnancies (%)		81.1			50.0		

CURRENT SERVICES & PROFILE		Current Name: Reproductive Medicine Institute					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DANIEL ROSTEIN, MD, SC OAK BROOK, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Daniel A. Rostein, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	100%	Tubal factor	0%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 33% Female & male factors 50%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	33%	Male factor	50%	
Used gestational carrier	0%			Diminished ovarian reserve	50%	Other factor	33%	
				Endometriosis	17%	Unknown factor	0%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 6 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	1	1	0	0	0	0
Percentage of cancellations (%)	0 / 1	0 / 1				
Average number of embryos transferred	2.0	3.0				
Percentage of embryos transferred resulting in implantation (%)		0 / 3				
Percentage of elective single embryo transfers (eSET) (%)	0 / 1	0 / 1				
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	0 / 1	0 / 1				
Percentage of cycles resulting in singleton live births (%)	0 / 1	0 / 1				
Percentage of cycles resulting in twin live births (%)	0 / 1	0 / 1				
Percentage of cycles resulting in live births (%)	0 / 1	0 / 1				
Percentage of cycles resulting in pregnancies (%)	1 / 1	0 / 1				
Outcomes per Transfer						
Number of transfers	1	1	0	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 1	0 / 1				
Percentage of transfers resulting in singleton live births (%)	0 / 1	0 / 1				
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1				
Percentage of transfers resulting in live births (%)	0 / 1	0 / 1				
Percentage of transfers resulting in pregnancies (%)	1 / 1	0 / 1				
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	0	0	0	0	0
Number of transfers	0	0	0	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	2			2		
Number of transfers	1			2		
Average number of embryos transferred	2.0			2.5		
Percentage of embryos transferred resulting in implantation (%)	0 / 2			0 / 5		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 1			0 / 2		
Percentage of transfers resulting in singleton live births (%)	0 / 1			0 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 1			0 / 2		
Percentage of transfers resulting in live births (%)	0 / 1			0 / 2		
Percentage of transfers resulting in pregnancies (%)	0 / 1			0 / 2		

CURRENT SERVICES & PROFILE

Current Name: Daniel Rostein, MD, SC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHER INSTITUTE FOR REPRODUCTIVE MEDICINE-CENTRAL ILLINOIS PEORIA, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Gary M. Horowitz, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	98%	With ICSI	96%	Tubal factor	11%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 16% Female & male factors 26%
Unstimulated	0%	Used PGD	11%	Ovulatory dysfunction	10%	Male factor	34%	
Used gestational carrier	<1%			Diminished ovarian reserve	39%	Other factor	42%	
				Endometriosis	14%	Unknown factor	9%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 204 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	67	18	14	5	2	4
Percentage of cancellations (%)	1.5	0 / 18	0 / 14	0 / 5	0 / 2	0 / 4
Average number of embryos transferred	1.8	1.9	2.4	1.3	1.0	1.7
Percentage of embryos transferred resulting in implantation (%)	31.7	5 / 19	10.3	0 / 5	0 / 1	0 / 5
Percentage of elective single embryo transfers (eSET) (%)	33.3	3 / 10	0 / 10	0 / 1		0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	25.4	1 / 18	2 / 14	0 / 5	0 / 2	0 / 4
Percentage of cycles resulting in singleton live births (%)	29.9	2 / 18	2 / 14	0 / 5	0 / 2	0 / 4
Percentage of cycles resulting in twin live births (%)	7.5	1 / 18	0 / 14	0 / 5	0 / 2	0 / 4
Percentage of cycles resulting in live births (%)	37.3	3 / 18	2 / 14	0 / 5	0 / 2	0 / 4
Percentage of cycles resulting in pregnancies (%)	40.3	4 / 18	3 / 14	0 / 5	0 / 2	0 / 4
Outcomes per Transfer						
Number of transfers	57	10	12	4	1	3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	29.8	1 / 10	2 / 12	0 / 4	0 / 1	0 / 3
Percentage of transfers resulting in singleton live births (%)	35.1	2 / 10	2 / 12	0 / 4	0 / 1	0 / 3
Percentage of transfers resulting in twin live births (%)	8.8	1 / 10	0 / 12	0 / 4	0 / 1	0 / 3
Percentage of transfers resulting in live births (%)	43.9	3 / 10	2 / 12	0 / 4	0 / 1	0 / 3
Percentage of transfers resulting in pregnancies (%)	47.4	4 / 10	3 / 12	0 / 4	0 / 1	0 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	52	16	6	4	1	1
Number of transfers	50	14	5	4	1	1
Estimated average number of transfers per retrieval	2.8	2.8	2.5	1.3	0.5	1.0
Average number of embryos transferred	1.3	1.4	1.8	2.0	1.0	1.0
Percentage of embryos transferred resulting in implantation (%)	32.8	10.0	3 / 9	4 / 8	0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	20.0	0 / 14	2 / 5	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	28.0	0 / 14	2 / 5	2 / 4	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	4.0	0 / 14	0 / 5	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	32.0	0 / 14	2 / 5	2 / 4	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	44.0	2 / 14	2 / 5	3 / 4	0 / 1	0 / 1
Number of Egg/Embryo Banking Cycles						
	0	0	0	1	2	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	3			7		
Number of transfers	2			7		
Average number of embryos transferred	2.0			1.4		
Percentage of embryos transferred resulting in implantation (%)	1 / 4			3 / 10		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 2			1 / 7		
Percentage of transfers resulting in singleton live births (%)	0 / 2			3 / 7		
Percentage of transfers resulting in twin live births (%)	0 / 2			0 / 7		
Percentage of transfers resulting in live births (%)	0 / 2			3 / 7		
Percentage of transfers resulting in pregnancies (%)	1 / 2			3 / 7		

CURRENT SERVICES & PROFILE

Current Name: Sher Institute for Reproductive Medicine-Central Illinois

Donor eggs?	No	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE HEALTH AND FERTILITY CENTER ROCKFORD, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Chiravudh Sawetawan, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	99%	With ICSI	91%	Tubal factor	26%	Uterine factor	6%	Multiple Factors: Female factors only 25% Female & male factors 25%
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	24%	Male factor	36%	
Used gestational carrier	1%			Diminished ovarian reserve	10%	Other factor	32%	
				Endometriosis	31%	Unknown factor	5%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 168 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	52	13	10	4	5	0
Percentage of cancellations (%)	5.8	1 / 13	0 / 10	0 / 4	1 / 5	
Average number of embryos transferred	2.0	1.9	2.7	1.7	1.5	
Percentage of embryos transferred resulting in implantation (%)	21.6	7 / 17	8.3	0 / 5	0 / 3	
Percentage of elective single embryo transfers (eSET) (%)	14.6	1 / 8	0 / 8	0 / 2	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	15.4	2 / 13	2 / 10	0 / 4	0 / 5	
Percentage of cycles resulting in singleton live births (%)	17.3	2 / 13	2 / 10	0 / 4	0 / 5	
Percentage of cycles resulting in twin live births (%)	9.6	2 / 13	0 / 10	0 / 4	0 / 5	
Percentage of cycles resulting in live births (%)	26.9	4 / 13	2 / 10	0 / 4	0 / 5	
Percentage of cycles resulting in pregnancies (%)	26.9	5 / 13	2 / 10	0 / 4	0 / 5	
Outcomes per Transfer						
Number of transfers	43	9	9	3	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	18.6	2 / 9	2 / 9	0 / 3	0 / 2	
Percentage of transfers resulting in singleton live births (%)	20.9	2 / 9	2 / 9	0 / 3	0 / 2	
Percentage of transfers resulting in twin live births (%)	11.6	2 / 9	0 / 9	0 / 3	0 / 2	
Percentage of transfers resulting in live births (%)	32.6	4 / 9	2 / 9	0 / 3	0 / 2	
Percentage of transfers resulting in pregnancies (%)	32.6	5 / 9	2 / 9	0 / 3	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	37	7	7	1	0	0
Number of transfers	34	6	7	1	0	0
Estimated average number of transfers per retrieval	1.5	1.5	1.8	0.5		
Average number of embryos transferred	1.9	1.8	2.1	3.0		
Percentage of embryos transferred resulting in implantation (%)	18.0	1 / 11	0 / 13	0 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	14.7	0 / 6	0 / 7	0 / 1		
Percentage of transfers resulting in singleton live births (%)	20.6	0 / 6	0 / 7	0 / 1		
Percentage of transfers resulting in twin live births (%)	2.9	0 / 6	0 / 7	0 / 1		
Percentage of transfers resulting in live births (%)	23.5	0 / 6	0 / 7	0 / 1		
Percentage of transfers resulting in pregnancies (%)	32.4	1 / 6	1 / 7	0 / 1		
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		11			21	
Number of transfers		10			19	
Average number of embryos transferred		1.8			2.0	
Percentage of embryos transferred resulting in implantation (%)		3 / 18			14.7	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		3 / 10			3 / 19	
Percentage of transfers resulting in singleton live births (%)		3 / 10			5 / 19	
Percentage of transfers resulting in twin live births (%)		0 / 10			0 / 19	
Percentage of transfers resulting in live births (%)		3 / 10			5 / 19	
Percentage of transfers resulting in pregnancies (%)		3 / 10			7 / 19	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Health and Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CHICAGO IVF SKOKIE, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Joel G. Brasch, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	94%	Tubal factor	14%	Uterine factor	8%	<i>Multiple Factors:</i> Female factors only 13% Female & male factors 27%
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	11%	Male factor	37%	
Used gestational carrier	0%			Diminished ovarian reserve	49%	Other factor	6%	
				Endometriosis	11%	Unknown factor	13%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 609 (includes 4 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	182	68	70	34	7	17
Percentage of cancellations (%)	2.7	1.5	11.4	5.9	0 / 7	0 / 17
Average number of embryos transferred	2.0	2.0	2.2	3.3	2.3	3.2
Percentage of embryos transferred resulting in implantation (%)	27.3	11.8	12.8	10.8	0 / 16	1.8
Percentage of elective single embryo transfers (eSET) (%)	1.2	7.0	9.5	0.0	0 / 5	0 / 15
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	18.1	8.8	8.6	2.9	0 / 7	0 / 17
Percentage of cycles resulting in singleton live births (%)	21.4	11.8	11.4	8.8	0 / 7	0 / 17
Percentage of cycles resulting in twin live births (%)	9.9	2.9	2.9	2.9	0 / 7	0 / 17
Percentage of cycles resulting in live births (%)	32.4	14.7	14.3	11.8	0 / 7	0 / 17
Percentage of cycles resulting in pregnancies (%)	36.8	20.6	20.0	23.5	0 / 7	1 / 17
Outcomes per Transfer						
Number of transfers	174	65	58	30	7	17
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	19.0	9.2	10.3	3.3	0 / 7	0 / 17
Percentage of transfers resulting in singleton live births (%)	22.4	12.3	13.8	10.0	0 / 7	0 / 17
Percentage of transfers resulting in twin live births (%)	10.3	3.1	3.4	3.3	0 / 7	0 / 17
Percentage of transfers resulting in live births (%)	33.9	15.4	17.2	13.3	0 / 7	0 / 17
Percentage of transfers resulting in pregnancies (%)	38.5	21.5	24.1	26.7	0 / 7	1 / 17
Frozen Embryos from Nondonor Eggs						
Number of cycles	91	45	12	7	3	0
Number of transfers	90	44	12	7	3	0
Estimated average number of transfers per retrieval	1.3	1.2	1.1	1.0	3.0	
Average number of embryos transferred	2.1	2.1	2.2	2.1	3.0	
Percentage of embryos transferred resulting in implantation (%)	19.7	18.9	0.0	4 / 15	1 / 9	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	17.8	13.6	0 / 12	2 / 7	0 / 3	
Percentage of transfers resulting in singleton live births (%)	25.6	15.9	0 / 12	2 / 7	1 / 3	
Percentage of transfers resulting in twin live births (%)	3.3	6.8	0 / 12	0 / 7	0 / 3	
Percentage of transfers resulting in live births (%)	28.9	22.7	0 / 12	2 / 7	1 / 3	
Percentage of transfers resulting in pregnancies (%)	33.3	31.8	0 / 12	4 / 7	1 / 3	
Number of Egg/Embryo Banking Cycles						
	16	8	2	5	1	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		18		19		
Number of transfers		16		19		
Average number of embryos transferred		1.8		2.3		
Percentage of embryos transferred resulting in implantation (%)		25.9		30.2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		4 / 16		3 / 19		
Percentage of transfers resulting in singleton live births (%)		4 / 16		5 / 19		
Percentage of transfers resulting in twin live births (%)		1 / 16		1 / 19		
Percentage of transfers resulting in live births (%)		5 / 16		7 / 19		
Percentage of transfers resulting in pregnancies (%)		7 / 16		9 / 19		

CURRENT SERVICES & PROFILE

Current Name: Chicago IVF

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**NORTH SHORE FERTILITY, SC
SKOKIE, ILLINOIS**

This clinic provided ART services during 2013 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2013 ART cycle data or the clinic's Medical Director did not approve the clinic's 2013 ART cycle data for inclusion in this report.

SOUTHERN ILLINOIS UNIVERSITY FERTILITY AND IVF CENTER SPRINGFIELD, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by J. Ricardo Loret de Mola, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	34%	Tubal factor	21%	Uterine factor	5%	<i>Multiple Factors:</i> Female factors only 12% Female & male factors 21%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	14%	Male factor	33%	
Used gestational carrier	<1%			Diminished ovarian reserve	18%	Other factor	9%	
				Endometriosis	33%	Unknown factor	7%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 163 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	77	19	17	10	2	0
Percentage of cancellations (%)	9.1	3 / 19	1 / 17	3 / 10	0 / 2	
Average number of embryos transferred	1.8	1.9	2.5	2.7	2.5	
Percentage of embryos transferred resulting in implantation (%)	49.2	50.0	23.7	1 / 19	1 / 5	
Percentage of elective single embryo transfers (eSET) (%)	13.6	0 / 14	0 / 14	0 / 7	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	33.8	6 / 19	2 / 17	1 / 10	0 / 2	
Percentage of cycles resulting in singleton live births (%)	40.3	6 / 19	4 / 17	1 / 10	0 / 2	
Percentage of cycles resulting in twin live births (%)	11.7	4 / 19	0 / 17	0 / 10	0 / 2	
Percentage of cycles resulting in live births (%)	53.2	10 / 19	4 / 17	1 / 10	0 / 2	
Percentage of cycles resulting in pregnancies (%)	58.4	11 / 19	6 / 17	1 / 10	1 / 2	
Outcomes per Transfer						
Number of transfers	70	16	15	7	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	37.1	6 / 16	2 / 15	1 / 7	0 / 2	
Percentage of transfers resulting in singleton live births (%)	44.3	6 / 16	4 / 15	1 / 7	0 / 2	
Percentage of transfers resulting in twin live births (%)	12.9	4 / 16	0 / 15	0 / 7	0 / 2	
Percentage of transfers resulting in live births (%)	58.6	10 / 16	4 / 15	1 / 7	0 / 2	
Percentage of transfers resulting in pregnancies (%)	64.3	11 / 16	6 / 15	1 / 7	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	13	2	2	0	0	0
Number of transfers	13	2	2	0	0	0
Estimated average number of transfers per retrieval	2.2		2.0			
Average number of embryos transferred	2.1	1.5	2.0			
Percentage of embryos transferred resulting in implantation (%)	40.7	1 / 3	0 / 4			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 13	1 / 2	0 / 2			
Percentage of transfers resulting in singleton live births (%)	6 / 13	1 / 2	0 / 2			
Percentage of transfers resulting in twin live births (%)	1 / 13	0 / 2	0 / 2			
Percentage of transfers resulting in live births (%)	7 / 13	1 / 2	0 / 2			
Percentage of transfers resulting in pregnancies (%)	8 / 13	1 / 2	0 / 2			
Number of Egg/Embryo Banking Cycles						
	1	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	18			2		
Number of transfers	16			2		
Average number of embryos transferred	1.8			2.0		
Percentage of embryos transferred resulting in implantation (%)	79.3			2 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	5 / 16			2 / 2		
Percentage of transfers resulting in singleton live births (%)	6 / 16			2 / 2		
Percentage of transfers resulting in twin live births (%)	7 / 16			0 / 2		
Percentage of transfers resulting in live births (%)	13 / 16			2 / 2		
Percentage of transfers resulting in pregnancies (%)	15 / 16			2 / 2		

CURRENT SERVICES & PROFILE

Current Name: Southern Illinois University Fertility and IVF Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SETH LEVRANT, MD, PC
PARTNERS IN REPRODUCTIVE HEALTH
TINLEY PARK, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Seth G. Levrant, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	63%	Tubal factor	30%	Uterine factor	13%	Multiple Factors: Female factors only 23% Female & male factors 24%
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	27%	Male factor	41%	
Used gestational carrier	0%			Diminished ovarian reserve	19%	Other factor	12%	
				Endometriosis	13%	Unknown factor	8%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 119 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	37	22	29	9	1	0
Percentage of cancellations (%)	13.5	27.3	13.8	1 / 9	0 / 1	
Average number of embryos transferred	2.0	1.9	2.2	2.8		
Percentage of embryos transferred resulting in implantation (%)	21.0	3.7	13.0	18.2		
Percentage of elective single embryo transfers (eSET) (%)	0.0	1 / 14	4.2	0 / 8		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	13.5	4.5	17.2	1 / 9	0 / 1	
Percentage of cycles resulting in singleton live births (%)	13.5	4.5	17.2	1 / 9	0 / 1	
Percentage of cycles resulting in twin live births (%)	5.4	0.0	0.0	0 / 9	0 / 1	
Percentage of cycles resulting in live births (%)	18.9	4.5	17.2	1 / 9	0 / 1	
Percentage of cycles resulting in pregnancies (%)	29.7	4.5	27.6	3 / 9	0 / 1	
Outcomes per Transfer						
Number of transfers	32	14	25	8	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	15.6	1 / 14	20.0	1 / 8		
Percentage of transfers resulting in singleton live births (%)	15.6	1 / 14	20.0	1 / 8		
Percentage of transfers resulting in twin live births (%)	6.3	0 / 14	0.0	0 / 8		
Percentage of transfers resulting in live births (%)	21.9	1 / 14	20.0	1 / 8		
Percentage of transfers resulting in pregnancies (%)	34.4	1 / 14	32.0	3 / 8		
Frozen Embryos from Nondonor Eggs						
Number of cycles	9	7	2	0	1	0
Number of transfers	9	5	2	0	0	0
Estimated average number of transfers per retrieval	2.3	1.0	0.7			
Average number of embryos transferred	1.9	2.0	2.0			
Percentage of embryos transferred resulting in implantation (%)	3 / 17	1 / 10	0 / 4			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 9	1 / 5	0 / 2			
Percentage of transfers resulting in singleton live births (%)	3 / 9	1 / 5	0 / 2			
Percentage of transfers resulting in twin live births (%)	0 / 9	0 / 5	0 / 2			
Percentage of transfers resulting in live births (%)	3 / 9	1 / 5	0 / 2			
Percentage of transfers resulting in pregnancies (%)	3 / 9	1 / 5	0 / 2			
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	1			1		
Number of transfers	1			1		
Average number of embryos transferred	2.0			2.0		
Percentage of embryos transferred resulting in implantation (%)	2 / 2			0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 1			0 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 1			0 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 1			0 / 1		
Percentage of transfers resulting in live births (%)	1 / 1			0 / 1		
Percentage of transfers resulting in pregnancies (%)	1 / 1			0 / 1		

CURRENT SERVICES & PROFILE

Current Name: Seth Levrant, MD, PC, Partners in Reproductive Health

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

AMERICAN HEALTH NETWORK-REPRODUCTIVE MEDICINE CARMEL, INDIANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Leo M. Bonaventura, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	95%	Tubal factor	10%	Uterine factor	<1%	Multiple Factors: Female factors only 6% Female & male factors 7%
Unstimulated	0%	Used PGD	55%	Ovulatory dysfunction	28%	Male factor	16%	
Used gestational carrier	0%			Diminished ovarian reserve	22%	Other factor	16%	
				Endometriosis	14%	Unknown factor	7%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 128 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	38	23	10	3	4	0
Percentage of cancellations (%)	0.0	13.0	0 / 10	0 / 3	1 / 4	
Average number of embryos transferred	1.9	1.7	1.5	2.0		
Percentage of embryos transferred resulting in implantation (%)	21.6	13.6	0 / 9	0 / 4		
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 9	1 / 4	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	5.3	0.0	0 / 10	0 / 3	0 / 4	
Percentage of cycles resulting in singleton live births (%)	15.8	4.3	0 / 10	0 / 3	0 / 4	
Percentage of cycles resulting in twin live births (%)	2.6	4.3	0 / 10	0 / 3	0 / 4	
Percentage of cycles resulting in live births (%)	18.4	8.7	0 / 10	0 / 3	0 / 4	
Percentage of cycles resulting in pregnancies (%)	28.9	8.7	0 / 10	0 / 3	0 / 4	
Outcomes per Transfer						
Number of transfers	29	13	7	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	6.9	0 / 13	0 / 7	0 / 2		
Percentage of transfers resulting in singleton live births (%)	20.7	1 / 13	0 / 7	0 / 2		
Percentage of transfers resulting in twin live births (%)	3.4	1 / 13	0 / 7	0 / 2		
Percentage of transfers resulting in live births (%)	24.1	2 / 13	0 / 7	0 / 2		
Percentage of transfers resulting in pregnancies (%)	37.9	2 / 13	0 / 7	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	24	7	2	0	3	0
Number of transfers	21	6	2	0	3	0
Estimated average number of transfers per retrieval	2.2	1.5				
Average number of embryos transferred	1.8	1.7	1.5		1.7	
Percentage of embryos transferred resulting in implantation (%)	16.7	1 / 10	0 / 3		0 / 5	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	9.5	1 / 6	0 / 2		0 / 3	
Percentage of transfers resulting in singleton live births (%)	14.3	1 / 6	0 / 2		0 / 3	
Percentage of transfers resulting in twin live births (%)	4.8	0 / 6	0 / 2		0 / 3	
Percentage of transfers resulting in live births (%)	19.0	1 / 6	0 / 2		0 / 3	
Percentage of transfers resulting in pregnancies (%)	23.8	1 / 6	0 / 2		0 / 3	
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		11			3	
Number of transfers		8			3	
Average number of embryos transferred		2.0			1.7	
Percentage of embryos transferred resulting in implantation (%)		2 / 16			1 / 5	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 8			1 / 3	
Percentage of transfers resulting in singleton live births (%)		1 / 8			1 / 3	
Percentage of transfers resulting in twin live births (%)		0 / 8			0 / 3	
Percentage of transfers resulting in live births (%)		1 / 8			1 / 3	
Percentage of transfers resulting in pregnancies (%)		2 / 8			1 / 3	

CURRENT SERVICES & PROFILE

Current Name: This clinic has closed or reorganized since 2013. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DR. JOHN C. JARRETT, II
AMERICAN HEALTH NETWORK REPRODUCTIVE MEDICINE
CARMEL, INDIANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by John C. Jarrett, II, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	77%	Tubal factor	11%	Uterine factor	3%	Multiple Factors: Female factors only 14% Female & male factors 13%
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	21%	Male factor	24%	
Used gestational carrier	<1%			Diminished ovarian reserve	19%	Other factor	22%	
				Endometriosis	23%	Unknown factor	11%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 498 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	207	73	51	19	6	3
Percentage of cancellations (%)	12.6	17.8	19.6	8 / 19	1 / 6	0 / 3
Average number of embryos transferred	1.9	2.0	1.9	2.3	2.0	1.3
Percentage of embryos transferred resulting in implantation (%)	40.8	23.1	20.0	3 / 16	0 / 6	0 / 4
Percentage of elective single embryo transfers (eSET) (%)	6.1	0.0	4.3	0 / 5	0 / 2	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	15.9	12.3	17.6	1 / 19	0 / 6	0 / 3
Percentage of cycles resulting in singleton live births (%)	21.3	12.3	17.6	1 / 19	0 / 6	0 / 3
Percentage of cycles resulting in twin live births (%)	12.6	6.8	0.0	0 / 19	0 / 6	0 / 3
Percentage of cycles resulting in live births (%)	34.3	19.2	17.6	1 / 19	0 / 6	0 / 3
Percentage of cycles resulting in pregnancies (%)	44.0	27.4	23.5	2 / 19	0 / 6	0 / 3
Outcomes per Transfer						
Number of transfers	164	55	35	7	3	3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	20.1	16.4	25.7	1 / 7	0 / 3	0 / 3
Percentage of transfers resulting in singleton live births (%)	26.8	16.4	25.7	1 / 7	0 / 3	0 / 3
Percentage of transfers resulting in twin live births (%)	15.9	9.1	0.0	0 / 7	0 / 3	0 / 3
Percentage of transfers resulting in live births (%)	43.3	25.5	25.7	1 / 7	0 / 3	0 / 3
Percentage of transfers resulting in pregnancies (%)	55.5	36.4	34.3	2 / 7	0 / 3	0 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	42	20	9	1	2	0
Number of transfers	38	19	7	1	2	0
Estimated average number of transfers per retrieval	1.3	2.7	1.4	0.5	2.0	
Average number of embryos transferred	1.8	1.9	1.6	1.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	25.0	25.7	0 / 11	0 / 1	2 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	28.9	3 / 19	0 / 7	0 / 1	1 / 2	
Percentage of transfers resulting in singleton live births (%)	31.6	3 / 19	0 / 7	0 / 1	1 / 2	
Percentage of transfers resulting in twin live births (%)	2.6	1 / 19	0 / 7	0 / 1	0 / 2	
Percentage of transfers resulting in live births (%)	34.2	5 / 19	0 / 7	0 / 1	1 / 2	
Percentage of transfers resulting in pregnancies (%)	36.8	7 / 19	0 / 7	0 / 1	1 / 2	
Number of Egg/Embryo Banking Cycles						
	1	1	1	1	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	37			24		
Number of transfers	29			21		
Average number of embryos transferred	1.8			1.8		
Percentage of embryos transferred resulting in implantation (%)	53.1			10.8		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	24.1			4.8		
Percentage of transfers resulting in singleton live births (%)	27.6			4.8		
Percentage of transfers resulting in twin live births (%)	31.0			4.8		
Percentage of transfers resulting in live births (%)	58.6			9.5		
Percentage of transfers resulting in pregnancies (%)	62.1			14.3		

CURRENT SERVICES & PROFILE

Current Name: Dr. John C. Jarrett, II, American Health Network Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MIDWEST FERTILITY SPECIALISTS CARMEL, INDIANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Laura M. Reuter, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	84%	Tubal factor	11%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 10% Female & male factors 11%
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	15%	Male factor	36%	
Used gestational carrier	<1%			Diminished ovarian reserve	23%	Other factor	16%	
				Endometriosis	9%	Unknown factor	12%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 628 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	253	82	49	16	3	0
Percentage of cancellations (%)	4.7	8.5	16.3	5 / 16	1 / 3	
Average number of embryos transferred	2.0	1.9	2.2	2.8	2.0	
Percentage of embryos transferred resulting in implantation (%)	37.0	23.1	19.5	14.3	1 / 4	
Percentage of elective single embryo transfers (eSET) (%)	5.4	0.0	2.9	0 / 9	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	25.7	13.4	16.3	2 / 16	1 / 3	
Percentage of cycles resulting in singleton live births (%)	28.9	19.5	18.4	3 / 16	1 / 3	
Percentage of cycles resulting in twin live births (%)	13.0	7.3	4.1	0 / 16	0 / 3	
Percentage of cycles resulting in live births (%)	42.7	26.8	22.4	3 / 16	1 / 3	
Percentage of cycles resulting in pregnancies (%)	49.0	30.5	30.6	4 / 16	1 / 3	
Outcomes per Transfer						
Number of transfers	229	69	37	10	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	28.4	15.9	21.6	2 / 10	1 / 2	
Percentage of transfers resulting in singleton live births (%)	31.9	23.2	24.3	3 / 10	1 / 2	
Percentage of transfers resulting in twin live births (%)	14.4	8.7	5.4	0 / 10	0 / 2	
Percentage of transfers resulting in live births (%)	47.2	31.9	29.7	3 / 10	1 / 2	
Percentage of transfers resulting in pregnancies (%)	54.1	36.2	40.5	4 / 10	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	65	30	7	2	1	0
Number of transfers	58	29	6	2	1	0
Estimated average number of transfers per retrieval	1.5	1.7	0.9			
Average number of embryos transferred	2.0	1.8	1.5	2.5	3.0	
Percentage of embryos transferred resulting in implantation (%)	27.0	19.2	1 / 9	0 / 5	0 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	22.4	13.8	1 / 6	0 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)	27.6	20.7	1 / 6	0 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)	12.1	6.9	0 / 6	0 / 2	0 / 1	
Percentage of transfers resulting in live births (%)	39.7	27.6	1 / 6	0 / 2	0 / 1	
Percentage of transfers resulting in pregnancies (%)	41.4	27.6	1 / 6	0 / 2	0 / 1	
Number of Egg/Embryo Banking Cycles						
	0	1	1	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	53			64		
Number of transfers	48			52		
Average number of embryos transferred	2.0			1.9		
Percentage of embryos transferred resulting in implantation (%)	45.1			16.8		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	27.1			11.5		
Percentage of transfers resulting in singleton live births (%)	33.3			15.4		
Percentage of transfers resulting in twin live births (%)	18.8			5.8		
Percentage of transfers resulting in live births (%)	52.1			21.2		
Percentage of transfers resulting in pregnancies (%)	62.5			25.0		

CURRENT SERVICES & PROFILE

Current Name: Midwest Fertility Specialists

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**ADVANCED REPRODUCTION INSTITUTE, LLC
ADVANCED FERTILITY GROUP
EVANSVILLE, INDIANA**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by William L. Gentry, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	32%	Tubal factor	26%	Uterine factor	4%	Multiple Factors: Female factors only 18% Female & male factors 23%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	46%	Male factor	35%	
Used gestational carrier	<1%			Diminished ovarian reserve	14%	Other factor	7%	
				Endometriosis	13%	Unknown factor	0%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 177 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	58	21	12	8	3	3
Percentage of cancellations (%)	10.3	14.3	1 / 12	4 / 8	0 / 3	3 / 3
Average number of embryos transferred	2.0	2.0	1.7	3.0	3.0	
Percentage of embryos transferred resulting in implantation (%)	42.6	12.9	3 / 15	1 / 6	0 / 6	
Percentage of elective single embryo transfers (eSET) (%)	14.3	4 / 16	0 / 6	0 / 2	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	27.6	14.3	1 / 12	0 / 8	0 / 3	0 / 3
Percentage of cycles resulting in singleton live births (%)	31.0	19.0	1 / 12	0 / 8	0 / 3	0 / 3
Percentage of cycles resulting in twin live births (%)	13.8	0.0	1 / 12	0 / 8	0 / 3	0 / 3
Percentage of cycles resulting in live births (%)	46.6	19.0	2 / 12	0 / 8	0 / 3	0 / 3
Percentage of cycles resulting in pregnancies (%)	51.7	23.8	2 / 12	1 / 8	0 / 3	0 / 3
Outcomes per Transfer						
Number of transfers	49	16	9	2	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	32.7	3 / 16	1 / 9	0 / 2	0 / 2	
Percentage of transfers resulting in singleton live births (%)	36.7	4 / 16	1 / 9	0 / 2	0 / 2	
Percentage of transfers resulting in twin live births (%)	16.3	0 / 16	1 / 9	0 / 2	0 / 2	
Percentage of transfers resulting in live births (%)	55.1	4 / 16	2 / 9	0 / 2	0 / 2	
Percentage of transfers resulting in pregnancies (%)	61.2	5 / 16	2 / 9	1 / 2	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	22	21	6	1	0	2
Number of transfers	21	19	6	1	0	2
Estimated average number of transfers per retrieval	7.0	1.7	6.0	1.0		2.0
Average number of embryos transferred	1.8	2.1	2.2	2.0		2.5
Percentage of embryos transferred resulting in implantation (%)	27.0	17.5	4 / 9	0 / 2		0 / 5
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	19.0	3 / 19	1 / 6	0 / 1		0 / 2
Percentage of transfers resulting in singleton live births (%)	28.6	3 / 19	1 / 6	0 / 1		0 / 2
Percentage of transfers resulting in twin live births (%)	0.0	2 / 19	1 / 6	0 / 1		0 / 2
Percentage of transfers resulting in live births (%)	33.3	5 / 19	2 / 6	0 / 1		0 / 2
Percentage of transfers resulting in pregnancies (%)	42.9	5 / 19	4 / 6	0 / 1		0 / 2
Number of Egg/Embryo Banking Cycles	0	1	0	1	0	0
Donor Eggs		Fresh Embryos^f		Frozen Embryos^f		
Number of cycles		10		8		
Number of transfers		8		8		
Average number of embryos transferred		2.1		2.3		
Percentage of embryos transferred resulting in implantation (%)		8 / 15		5 / 18		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 8		4 / 8		
Percentage of transfers resulting in singleton live births (%)		1 / 8		5 / 8		
Percentage of transfers resulting in twin live births (%)		2 / 8		0 / 8		
Percentage of transfers resulting in live births (%)		4 / 8		5 / 8		
Percentage of transfers resulting in pregnancies (%)		5 / 8		5 / 8		

CURRENT SERVICES & PROFILE

Current Name: Advanced Reproduction Institute, LLC, Advanced Fertility Group

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY GROUP INDIANAPOLIS, INDIANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by William Gentry, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	49%	Tubal factor	19%	Uterine factor	2%	Multiple Factors: Female factors only 10% Female & male factors 24%
Unstimulated	0%	Used PGD	18%	Ovulatory dysfunction	43%	Male factor	37%	
Used gestational carrier	2%			Diminished ovarian reserve	10%	Other factor	5%	
				Endometriosis	17%	Unknown factor	1%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 84 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	33	10	14	4	1	1
Percentage of cancellations (%)	3.0	0 / 10	2 / 14	1 / 4	1 / 1	1 / 1
Average number of embryos transferred	2.1	2.0	2.4	1.7		
Percentage of embryos transferred resulting in implantation (%)	50.0	25.0	5 / 15	1 / 3		
Percentage of elective single embryo transfers (eSET) (%)	0.0	1 / 10	0 / 7	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	24.2	2 / 10	2 / 14	1 / 4	0 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)	24.2	2 / 10	2 / 14	1 / 4	0 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)	21.2	1 / 10	1 / 14	0 / 4	0 / 1	0 / 1
Percentage of cycles resulting in live births (%)	45.5	3 / 10	3 / 14	1 / 4	0 / 1	0 / 1
Percentage of cycles resulting in pregnancies (%)	54.5	4 / 10	6 / 14	2 / 4	0 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	27	10	8	3	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	29.6	2 / 10	2 / 8	1 / 3		
Percentage of transfers resulting in singleton live births (%)	29.6	2 / 10	2 / 8	1 / 3		
Percentage of transfers resulting in twin live births (%)	25.9	1 / 10	1 / 8	0 / 3		
Percentage of transfers resulting in live births (%)	55.6	3 / 10	3 / 8	1 / 3		
Percentage of transfers resulting in pregnancies (%)	66.7	4 / 10	6 / 8	2 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	3	8	3	1	0	0
Number of transfers	3	8	3	1	0	0
Estimated average number of transfers per retrieval	1.0	2.7	1.5			
Average number of embryos transferred	2.0	2.0	1.7	2.0		
Percentage of embryos transferred resulting in implantation (%)	4 / 6	1 / 16	0 / 5	0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 3	1 / 8	0 / 3	0 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 3	1 / 8	0 / 3	0 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 3	0 / 8	0 / 3	0 / 1		
Percentage of transfers resulting in live births (%)	2 / 3	1 / 8	0 / 3	0 / 1		
Percentage of transfers resulting in pregnancies (%)	3 / 3	1 / 8	0 / 3	0 / 1		
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	3			2		
Number of transfers	2			2		
Average number of embryos transferred	2.0			1.5		
Percentage of embryos transferred resulting in implantation (%)	3 / 4			0 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 2			0 / 2		
Percentage of transfers resulting in singleton live births (%)	0 / 2			0 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 2			0 / 2		
Percentage of transfers resulting in live births (%)	1 / 2			0 / 2		
Percentage of transfers resulting in pregnancies (%)	1 / 2			0 / 2		

CURRENT SERVICES & PROFILE

Current Name: Advanced Fertility Group

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COMMUNITY REPRODUCTIVE ENDOCRINOLOGY INDIANAPOLIS, INDIANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by David E. Carnovale, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	68%	Tubal factor	7%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 5% Female & male factors 45%
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	28%	Male factor	69%	
Used gestational carrier	0%			Diminished ovarian reserve	15%	Other factor	<1%	
				Endometriosis	32%	Unknown factor	4%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 109 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	56	14	10	3	1	0
Percentage of cancellations (%)	10.7	3 / 14	3 / 10	0 / 3	1 / 1	
Average number of embryos transferred	1.8	1.8	1.9	2.0		
Percentage of embryos transferred resulting in implantation (%)	44.8	5 / 18	5 / 12	1 / 4		
Percentage of elective single embryo transfers (eSET) (%)	10.9	1 / 9	1 / 7	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	21.4	3 / 14	3 / 10	1 / 3	0 / 1	
Percentage of cycles resulting in singleton live births (%)	21.4	4 / 14	3 / 10	1 / 3	0 / 1	
Percentage of cycles resulting in twin live births (%)	21.4	0 / 14	1 / 10	0 / 3	0 / 1	
Percentage of cycles resulting in live births (%)	42.9	4 / 14	4 / 10	1 / 3	0 / 1	
Percentage of cycles resulting in pregnancies (%)	50.0	5 / 14	5 / 10	1 / 3	0 / 1	
Outcomes per Transfer						
Number of transfers	49	10	7	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	24.5	3 / 10	3 / 7	1 / 2		
Percentage of transfers resulting in singleton live births (%)	24.5	4 / 10	3 / 7	1 / 2		
Percentage of transfers resulting in twin live births (%)	24.5	0 / 10	1 / 7	0 / 2		
Percentage of transfers resulting in live births (%)	49.0	4 / 10	4 / 7	1 / 2		
Percentage of transfers resulting in pregnancies (%)	57.1	5 / 10	5 / 7	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	15	1	2	1	0	0
Number of transfers	15	1	2	1	0	0
Estimated average number of transfers per retrieval	2.1	0.5				
Average number of embryos transferred	2.0	2.0	1.5	1.0		
Percentage of embryos transferred resulting in implantation (%)	23.3	0 / 2	0 / 3	0 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 15	0 / 1	0 / 2	0 / 1		
Percentage of transfers resulting in singleton live births (%)	2 / 15	0 / 1	0 / 2	0 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 15	0 / 1	0 / 2	0 / 1		
Percentage of transfers resulting in live births (%)	4 / 15	0 / 1	0 / 2	0 / 1		
Percentage of transfers resulting in pregnancies (%)	4 / 15	0 / 1	0 / 2	0 / 1		
Number of Egg/Embryo Banking Cycles						
	0	1	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	4			1		
Number of transfers	4			1		
Average number of embryos transferred	2.0			2.0		
Percentage of embryos transferred resulting in implantation (%)	4 / 8			1 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 4			1 / 1		
Percentage of transfers resulting in singleton live births (%)	2 / 4			1 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 4			0 / 1		
Percentage of transfers resulting in live births (%)	2 / 4			1 / 1		
Percentage of transfers resulting in pregnancies (%)	2 / 4			1 / 1		

CURRENT SERVICES & PROFILE

Current Name: Community Reproductive Endocrinology

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FAMILY BEGINNINGS, PC INDIANAPOLIS, INDIANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by James G. Donahue, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	84%	Tubal factor	24%	Uterine factor	<1%	Multiple Factors: Female factors only 0% Female & male factors 0%
Unstimulated	0%	Used PGD	8%	Ovulatory dysfunction	20%	Male factor	21%	
Used gestational carrier	0%			Diminished ovarian reserve	3%	Other factor	3%	
				Endometriosis	6%	Unknown factor	24%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 119 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	66	21	10	5	0	1
Percentage of cancellations (%)	13.6	9.5	1 / 10	1 / 5		0 / 1
Average number of embryos transferred	2.0	2.1	2.5	4.0		
Percentage of embryos transferred resulting in implantation (%)	29.9	16.7	2 / 12	0 / 8		
Percentage of elective single embryo transfers (eSET) (%)	4.8	1 / 15	0 / 6	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	9.1	4.8	0 / 10	0 / 5		0 / 1
Percentage of cycles resulting in singleton live births (%)	9.1	14.3	0 / 10	0 / 5		0 / 1
Percentage of cycles resulting in twin live births (%)	9.1	4.8	1 / 10	0 / 5		0 / 1
Percentage of cycles resulting in live births (%)	19.7	19.0	1 / 10	0 / 5		0 / 1
Percentage of cycles resulting in pregnancies (%)	30.3	19.0	2 / 10	0 / 5		0 / 1
Outcomes per Transfer						
Number of transfers	48	17	6	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	12.5	1 / 17	0 / 6	0 / 2		
Percentage of transfers resulting in singleton live births (%)	12.5	3 / 17	0 / 6	0 / 2		
Percentage of transfers resulting in twin live births (%)	12.5	1 / 17	1 / 6	0 / 2		
Percentage of transfers resulting in live births (%)	27.1	4 / 17	1 / 6	0 / 2		
Percentage of transfers resulting in pregnancies (%)	41.7	4 / 17	2 / 6	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	4	4	0	0	0
Number of transfers	5	4	4	0	0	0
Estimated average number of transfers per retrieval	1.3	2.0	1.3			
Average number of embryos transferred	1.8	1.5	1.8			
Percentage of embryos transferred resulting in implantation (%)	0 / 9	3 / 6	1 / 5			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 5	1 / 4	1 / 4			
Percentage of transfers resulting in singleton live births (%)	0 / 5	1 / 4	1 / 4			
Percentage of transfers resulting in twin live births (%)	0 / 5	1 / 4	0 / 4			
Percentage of transfers resulting in live births (%)	0 / 5	2 / 4	1 / 4			
Percentage of transfers resulting in pregnancies (%)	0 / 5	2 / 4	2 / 4			
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	3			0		
Number of transfers	3			0		
Average number of embryos transferred	2.0					
Percentage of embryos transferred resulting in implantation (%)	0 / 6					
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 3					
Percentage of transfers resulting in singleton live births (%)	0 / 3					
Percentage of transfers resulting in twin live births (%)	0 / 3					
Percentage of transfers resulting in live births (%)	0 / 3					
Percentage of transfers resulting in pregnancies (%)	0 / 3					

CURRENT SERVICES & PROFILE

Current Name: Family Beginnings, PC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INDIANA UNIVERSITY HOSPITAL INDIANAPOLIS, INDIANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Marguerite K. Shepard, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	38%	Tubal factor	9%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 9% Female & male factors 27%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	23%	Male factor	32%	
Used gestational carrier	0%			Diminished ovarian reserve	18%	Other factor	46%	
				Endometriosis	9%	Unknown factor	0%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 22 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	8	5	0	0	1	2
Percentage of cancellations (%)	0 / 8	0 / 5			1 / 1	2 / 2
Average number of embryos transferred	1.6	2.2				
Percentage of embryos transferred resulting in implantation (%)	4 / 11	1 / 11				
Percentage of elective single embryo transfers (eSET) (%)	2 / 6	0 / 5				
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	1 / 8	1 / 5			0 / 1	0 / 2
Percentage of cycles resulting in singleton live births (%)	1 / 8	1 / 5			0 / 1	0 / 2
Percentage of cycles resulting in twin live births (%)	1 / 8	0 / 5			0 / 1	0 / 2
Percentage of cycles resulting in live births (%)	2 / 8	1 / 5			0 / 1	0 / 2
Percentage of cycles resulting in pregnancies (%)	3 / 8	1 / 5			0 / 1	0 / 2
Outcomes per Transfer						
Number of transfers	7	5	0	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 7	1 / 5				
Percentage of transfers resulting in singleton live births (%)	1 / 7	1 / 5				
Percentage of transfers resulting in twin live births (%)	1 / 7	0 / 5				
Percentage of transfers resulting in live births (%)	2 / 7	1 / 5				
Percentage of transfers resulting in pregnancies (%)	3 / 7	1 / 5				
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	1	1	0	0	0
Number of transfers	4	1	1	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred	1.8	2.0	2.0			
Percentage of embryos transferred resulting in implantation (%)	0 / 5	0 / 2	0 / 2			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 4	0 / 1	0 / 1			
Percentage of transfers resulting in singleton live births (%)	0 / 4	0 / 1	0 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 4	0 / 1	0 / 1			
Percentage of transfers resulting in live births (%)	0 / 4	0 / 1	0 / 1			
Percentage of transfers resulting in pregnancies (%)	1 / 4	0 / 1	0 / 1			
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

CURRENT SERVICES & PROFILE

Current Name: Indiana University Hospital

Donor eggs?	No	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE CARE OF INDIANA INDIANAPOLIS, INDIANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Michael A. Henry, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	36%	Tubal factor	<1%	Uterine factor	5%	<i>Multiple Factors:</i> Female factors only 3% Female & male factors 0%
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	25%	Male factor	2%	
Used gestational carrier	1%			Diminished ovarian reserve	6%	Other factor	34%	
				Endometriosis	8%	Unknown factor	23%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 108 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	51	13	7	0	1	0
Percentage of cancellations (%)	2.0	0 / 13	0 / 7		0 / 1	
Average number of embryos transferred	2.0	2.2	2.8		3.0	
Percentage of embryos transferred resulting in implantation (%)	44.9	46.4	4 / 11		0 / 3	
Percentage of elective single embryo transfers (eSET) (%)	6.4	0 / 13	0 / 4		0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	19.6	8 / 13	3 / 7		0 / 1	
Percentage of cycles resulting in singleton live births (%)	23.5	9 / 13	3 / 7		0 / 1	
Percentage of cycles resulting in twin live births (%)	17.6	1 / 13	0 / 7		0 / 1	
Percentage of cycles resulting in live births (%)	43.1	10 / 13	3 / 7		0 / 1	
Percentage of cycles resulting in pregnancies (%)	58.8	11 / 13	3 / 7		0 / 1	
Outcomes per Transfer						
Number of transfers	49	13	4	0	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	20.4	8 / 13	3 / 4		0 / 1	
Percentage of transfers resulting in singleton live births (%)	24.5	9 / 13	3 / 4		0 / 1	
Percentage of transfers resulting in twin live births (%)	18.4	1 / 13	0 / 4		0 / 1	
Percentage of transfers resulting in live births (%)	44.9	10 / 13	3 / 4		0 / 1	
Percentage of transfers resulting in pregnancies (%)	61.2	11 / 13	3 / 4		0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	25	4	1	1	0	0
Number of transfers	25	4	1	1	0	0
Estimated average number of transfers per retrieval	2.3	2.0	0.5			
Average number of embryos transferred	2.2	2.0	4.0	4.0		
Percentage of embryos transferred resulting in implantation (%)	24.1	1 / 8	0 / 4	0 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	20.0	0 / 4	0 / 1	0 / 1		
Percentage of transfers resulting in singleton live births (%)	40.0	1 / 4	0 / 1	0 / 1		
Percentage of transfers resulting in twin live births (%)	4.0	0 / 4	0 / 1	0 / 1		
Percentage of transfers resulting in live births (%)	44.0	1 / 4	0 / 1	0 / 1		
Percentage of transfers resulting in pregnancies (%)	44.0	1 / 4	0 / 1	0 / 1		
Number of Egg/Embryo Banking Cycles						
	1	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	2			2		
Number of transfers	2			2		
Average number of embryos transferred	2.0			2.0		
Percentage of embryos transferred resulting in implantation (%)	2 / 4			2 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 2			0 / 2		
Percentage of transfers resulting in singleton live births (%)	0 / 2			0 / 2		
Percentage of transfers resulting in twin live births (%)	1 / 2			1 / 2		
Percentage of transfers resulting in live births (%)	1 / 2			1 / 2		
Percentage of transfers resulting in pregnancies (%)	1 / 2			1 / 2		

CURRENT SERVICES & PROFILE

Current Name: Reproductive Care of Indiana

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BOSTON IVF AT THE WOMEN'S HOSPITAL NEWBURGH, INDIANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Daniel W. Griffin, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b						
IVF	100%	With ICSI	50%	Tubal factor	9%	Uterine factor	13%	<i>Multiple Factors:</i>		
Unstimulated	0%	Used PGD	6%	Ovulatory dysfunction	15%	Male factor	19%		Female factors only	8%
Used gestational carrier	0%			Diminished ovarian reserve	13%	Other factor	1%		Female & male factors	5%
				Endometriosis	28%	Unknown factor	14%			

2013 ART SUCCESS RATES^c

Total number of cycles^d: 79 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	36	15	5	7	1	0
Percentage of cancellations (%)	5.6	3 / 15	3 / 5	3 / 7	0 / 1	
Average number of embryos transferred	1.7	2.0	2.5	2.3		
Percentage of embryos transferred resulting in implantation (%)	54.7	12.5	2 / 5	1 / 7		
Percentage of elective single embryo transfers (eSET) (%)	30.0	1 / 10	0 / 2	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	22.2	3 / 15	1 / 5	0 / 7	0 / 1	
Percentage of cycles resulting in singleton live births (%)	36.1	3 / 15	1 / 5	0 / 7	0 / 1	
Percentage of cycles resulting in twin live births (%)	19.4	0 / 15	0 / 5	0 / 7	0 / 1	
Percentage of cycles resulting in live births (%)	55.6	3 / 15	1 / 5	0 / 7	0 / 1	
Percentage of cycles resulting in pregnancies (%)	58.3	3 / 15	1 / 5	2 / 7	0 / 1	
Outcomes per Transfer						
Number of transfers	32	12	2	4	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	25.0	3 / 12	1 / 2	0 / 4		
Percentage of transfers resulting in singleton live births (%)	40.6	3 / 12	1 / 2	0 / 4		
Percentage of transfers resulting in twin live births (%)	21.9	0 / 12	0 / 2	0 / 4		
Percentage of transfers resulting in live births (%)	62.5	3 / 12	1 / 2	0 / 4		
Percentage of transfers resulting in pregnancies (%)	65.6	3 / 12	1 / 2	2 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	10	0	1	0	2	0
Number of transfers	10	0	1	0	2	0
Estimated average number of transfers per retrieval	1.0		1.0			
Average number of embryos transferred	1.4		2.0		2.5	
Percentage of embryos transferred resulting in implantation (%)	6 / 13		0 / 2		0 / 5	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 10		0 / 1		0 / 2	
Percentage of transfers resulting in singleton live births (%)	3 / 10		0 / 1		0 / 2	
Percentage of transfers resulting in twin live births (%)	1 / 10		0 / 1		0 / 2	
Percentage of transfers resulting in live births (%)	4 / 10		0 / 1		0 / 2	
Percentage of transfers resulting in pregnancies (%)	5 / 10		0 / 1		0 / 2	
Number of Egg/Embryo Banking Cycles	1	0	0	0	0	0
Donor Eggs		Fresh Embryos^f		Frozen Embryos^f		
Number of cycles		1		0		
Number of transfers		1		0		
Average number of embryos transferred		2.0				
Percentage of embryos transferred resulting in implantation (%)		1 / 2				
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 1				
Percentage of transfers resulting in singleton live births (%)		1 / 1				
Percentage of transfers resulting in twin live births (%)		0 / 1				
Percentage of transfers resulting in live births (%)		1 / 1				
Percentage of transfers resulting in pregnancies (%)		1 / 1				

CURRENT SERVICES & PROFILE

Current Name: This clinic has closed or reorganized since 2013. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WOMEN'S SPECIALTY HEALTH CENTERS, PC NOBLESVILLE, INDIANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by David S. McLaughlin, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	75%	Tubal factor	0%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 33% Female & male factors 50%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	100%	Male factor	50%	
Used gestational carrier	0%			Diminished ovarian reserve	0%	Other factor	0%	
				Endometriosis	33%	Unknown factor	0%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 6 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	3	1	0	0	0	0
Percentage of cancellations (%)	0 / 3	0 / 1				
Average number of embryos transferred	2.0	3.0				
Percentage of embryos transferred resulting in implantation (%)	0 / 2	1 / 3				
Percentage of elective single embryo transfers (eSET) (%)	0 / 1	0 / 1				
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	0 / 3	1 / 1				
Percentage of cycles resulting in singleton live births (%)	0 / 3	1 / 1				
Percentage of cycles resulting in twin live births (%)	0 / 3	0 / 1				
Percentage of cycles resulting in live births (%)	0 / 3	1 / 1				
Percentage of cycles resulting in pregnancies (%)	0 / 3	1 / 1				
Outcomes per Transfer						
Number of transfers	1	1	0	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 1	1 / 1				
Percentage of transfers resulting in singleton live births (%)	0 / 1	1 / 1				
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1				
Percentage of transfers resulting in live births (%)	0 / 1	1 / 1				
Percentage of transfers resulting in pregnancies (%)	0 / 1	1 / 1				
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	0	0	0	0	0
Number of transfers	2	0	0	0	0	0
Estimated average number of transfers per retrieval	2.0					
Average number of embryos transferred	1.5					
Percentage of embryos transferred resulting in implantation (%)	1 / 3					
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 2					
Percentage of transfers resulting in singleton live births (%)	1 / 2					
Percentage of transfers resulting in twin live births (%)	0 / 2					
Percentage of transfers resulting in live births (%)	1 / 2					
Percentage of transfers resulting in pregnancies (%)	1 / 2					
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

CURRENT SERVICES & PROFILE

Current Name: Women's Specialty Health Centers, PC

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MID-IOWA FERTILITY, PC CLIVE, IOWA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Donald C. Young, DO

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	81%	Tubal factor	14%	Uterine factor	<1%	Multiple Factors: Female factors only 2% Female & male factors 4%
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	17%	Male factor	32%	
Used gestational carrier	1%			Diminished ovarian reserve	16%	Other factor	8%	
				Endometriosis	12%	Unknown factor	6%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 526 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	167	34	24	7	2	0
Percentage of cancellations (%)	13.8	14.7	29.2	4 / 7	1 / 2	
Average number of embryos transferred	1.8	1.8	2.0	2.0	3.0	
Percentage of embryos transferred resulting in implantation (%)	49.3	47.7	26.1	0 / 6	0 / 3	
Percentage of elective single embryo transfers (eSET) (%)	13.3	0.0	0 / 11	0 / 3	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	29.3	29.4	12.5	0 / 7	0 / 2	
Percentage of cycles resulting in singleton live births (%)	32.9	32.4	12.5	0 / 7	0 / 2	
Percentage of cycles resulting in twin live births (%)	13.2	14.7	4.2	0 / 7	0 / 2	
Percentage of cycles resulting in live births (%)	46.1	47.1	16.7	0 / 7	0 / 2	
Percentage of cycles resulting in pregnancies (%)	55.7	52.9	25.0	0 / 7	0 / 2	
Outcomes per Transfer						
Number of transfers	135	27	13	3	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	36.3	37.0	3 / 13	0 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	40.7	40.7	3 / 13	0 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	16.3	18.5	1 / 13	0 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	57.0	59.3	4 / 13	0 / 3	0 / 1	
Percentage of transfers resulting in pregnancies (%)	68.9	66.7	6 / 13	0 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	107	26	20	2	2	1
Number of transfers	106	25	20	2	1	1
Estimated average number of transfers per retrieval	1.4	1.0	1.7	1.0	0.5	
Average number of embryos transferred	1.6	1.7	1.5	2.0	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	50.9	42.5	44.8	2 / 4	0 / 2	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	38.7	36.0	30.0	2 / 2	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	42.5	36.0	40.0	2 / 2	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	12.3	8.0	5.0	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	54.7	44.0	45.0	2 / 2	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	66.0	60.0	60.0	2 / 2	0 / 1	0 / 1
Number of Egg/Embryo Banking Cycles						
	49	20	11	2	2	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		17		33		
Number of transfers		16		33		
Average number of embryos transferred		1.9		1.8		
Percentage of embryos transferred resulting in implantation (%)		60.0		46.4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		6 / 16		24.2		
Percentage of transfers resulting in singleton live births (%)		6 / 16		36.4		
Percentage of transfers resulting in twin live births (%)		5 / 16		12.1		
Percentage of transfers resulting in live births (%)		11 / 16		51.5		
Percentage of transfers resulting in pregnancies (%)		11 / 16		60.6		

CURRENT SERVICES & PROFILE

Current Name: Mid-Iowa Fertility, PC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY OF IOWA HOSPITALS AND CLINICS
CENTER FOR ADVANCED REPRODUCTIVE CARE
IOWA CITY, IOWA**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Bradley J. Van Voorhis, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	56%	Tubal factor	17%	Uterine factor	9%	Multiple Factors: Female factors only 29% Female & male factors 23%
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	25%	Male factor	33%	
Used gestational carrier	0%			Diminished ovarian reserve	13%	Other factor	44%	
				Endometriosis	14%	Unknown factor	11%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 656 (includes 9 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	205	59	51	28	7	0
Percentage of cancellations (%)	4.9	15.3	15.7	21.4	0 / 7	
Average number of embryos transferred	1.4	1.4	2.2	2.7	3.2	
Percentage of embryos transferred resulting in implantation (%)	46.7	60.0	28.2	12.5	0 / 19	
Percentage of elective single embryo transfers (eSET) (%)	60.0	61.0	8.1	0.0	0 / 6	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	35.6	32.2	19.6	7.1	0 / 7	
Percentage of cycles resulting in singleton live births (%)	40.5	39.0	25.5	7.1	0 / 7	
Percentage of cycles resulting in twin live births (%)	4.4	10.2	5.9	0.0	0 / 7	
Percentage of cycles resulting in live births (%)	44.9	49.2	31.4	7.1	0 / 7	
Percentage of cycles resulting in pregnancies (%)	54.1	54.2	45.1	25.0	0 / 7	
Outcomes per Transfer						
Number of transfers	186	48	41	21	6	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	39.2	39.6	24.4	9.5	0 / 6	
Percentage of transfers resulting in singleton live births (%)	44.6	47.9	31.7	9.5	0 / 6	
Percentage of transfers resulting in twin live births (%)	4.8	12.5	7.3	0.0	0 / 6	
Percentage of transfers resulting in live births (%)	49.5	60.4	39.0	9.5	0 / 6	
Percentage of transfers resulting in pregnancies (%)	59.7	66.7	56.1	33.3	0 / 6	
Frozen Embryos from Nondonor Eggs						
Number of cycles	146	52	28	8	4	1
Number of transfers	126	44	19	7	4	1
Estimated average number of transfers per retrieval	2.5	3.1	2.1	1.8		
Average number of embryos transferred	1.4	1.5	1.6	2.0	1.3	2.0
Percentage of embryos transferred resulting in implantation (%)	47.4	34.4	50.0	3 / 14	2 / 5	1 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	42.9	27.3	7 / 19	2 / 7	1 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	47.6	29.5	8 / 19	3 / 7	2 / 4	1 / 1
Percentage of transfers resulting in twin live births (%)	6.3	4.5	1 / 19	0 / 7	0 / 4	0 / 1
Percentage of transfers resulting in live births (%)	54.0	34.1	9 / 19	3 / 7	2 / 4	1 / 1
Percentage of transfers resulting in pregnancies (%)	60.3	47.7	13 / 19	3 / 7	2 / 4	1 / 1
Number of Egg/Embryo Banking Cycles						
	8	0	2	0	0	0
Donor Eggs						
		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		11			37	
Number of transfers		9			28	
Average number of embryos transferred		1.0			1.6	
Percentage of embryos transferred resulting in implantation (%)		6 / 9			46.5	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		5 / 9			21.4	
Percentage of transfers resulting in singleton live births (%)		5 / 9			21.4	
Percentage of transfers resulting in twin live births (%)		0 / 9			21.4	
Percentage of transfers resulting in live births (%)		5 / 9			42.9	
Percentage of transfers resulting in pregnancies (%)		6 / 9			53.6	

CURRENT SERVICES & PROFILE

Current Name: University of Iowa Hospitals and Clinics, Center for Advanced Reproductive Care

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MIDWEST REPRODUCTIVE CENTER, PA OLATHE, KANSAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Dan L. Gehlbach, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	90%	Tubal factor	21%	Uterine factor	7%	<i>Multiple Factors:</i> Female factors only 14% Female & male factors 32%
Unstimulated	0%	Used PGD	5%	Ovulatory dysfunction	35%	Male factor	46%	
Used gestational carrier	2%			Diminished ovarian reserve	20%	Other factor	5%	
				Endometriosis	18%	Unknown factor	9%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 306 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	117	34	27	11	3	0
Percentage of cancellations (%)	4.3	11.8	11.1	3 / 11	1 / 3	
Average number of embryos transferred	2.0	2.3	2.3	3.6	4.5	
Percentage of embryos transferred resulting in implantation (%)	29.8	22.2	18.5	6.9	0 / 9	
Percentage of elective single embryo transfers (eSET) (%)	5.7	3.7	0.0	0 / 8	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	17.1	5.9	11.1	1 / 11	0 / 3	
Percentage of cycles resulting in singleton live births (%)	23.1	5.9	14.8	1 / 11	0 / 3	
Percentage of cycles resulting in twin live births (%)	6.8	14.7	3.7	0 / 11	0 / 3	
Percentage of cycles resulting in live births (%)	33.3	20.6	18.5	1 / 11	0 / 3	
Percentage of cycles resulting in pregnancies (%)	38.5	26.5	25.9	2 / 11	0 / 3	
Outcomes per Transfer						
Number of transfers	108	28	24	8	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	18.5	7.1	12.5	1 / 8	0 / 2	
Percentage of transfers resulting in singleton live births (%)	25.0	7.1	16.7	1 / 8	0 / 2	
Percentage of transfers resulting in twin live births (%)	7.4	17.9	4.2	0 / 8	0 / 2	
Percentage of transfers resulting in live births (%)	36.1	25.0	20.8	1 / 8	0 / 2	
Percentage of transfers resulting in pregnancies (%)	41.7	32.1	29.2	2 / 8	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	64	15	13	1	1	0
Number of transfers	62	15	13	0	1	0
Estimated average number of transfers per retrieval	1.7	2.1	2.2		0.5	
Average number of embryos transferred	2.5	2.4	2.2		2.0	
Percentage of embryos transferred resulting in implantation (%)	15.3	13.9	10.3		0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	12.9	0 / 15	1 / 13		0 / 1	
Percentage of transfers resulting in singleton live births (%)	17.7	0 / 15	1 / 13		0 / 1	
Percentage of transfers resulting in twin live births (%)	4.8	2 / 15	1 / 13		0 / 1	
Percentage of transfers resulting in live births (%)	22.6	2 / 15	2 / 13		0 / 1	
Percentage of transfers resulting in pregnancies (%)	32.3	3 / 15	2 / 13		0 / 1	
Number of Egg/Embryo Banking Cycles						
	1	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	9			10		
Number of transfers	9			10		
Average number of embryos transferred	1.8			2.2		
Percentage of embryos transferred resulting in implantation (%)	5 / 16			22.7		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 9			1 / 10		
Percentage of transfers resulting in singleton live births (%)	3 / 9			1 / 10		
Percentage of transfers resulting in twin live births (%)	1 / 9			0 / 10		
Percentage of transfers resulting in live births (%)	4 / 9			1 / 10		
Percentage of transfers resulting in pregnancies (%)	4 / 9			5 / 10		

CURRENT SERVICES & PROFILE

Current Name: Midwest Reproductive Center, PA

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR ADVANCED REPRODUCTIVE MEDICINE OVERLAND PARK, KANSAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE				Data verified by S. Samuel Kim, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	74%	Tubal factor	13%	Uterine factor	4%	Multiple Factors: Female factors only 6% Female & male factors 8%
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	9%	Male factor	42%	
Used gestational carrier	<1%			Diminished ovarian reserve	19%	Other factor	7%	
				Endometriosis	9%	Unknown factor	10%	

2013 ART SUCCESS RATES ^c		Total number of cycles ^d : 341 (includes 1 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		128	30	33	4	3	0
Percentage of cancellations (%)		12.5	13.3	30.3	0 / 4	0 / 3	
Average number of embryos transferred		1.9	2.0	2.2	1.0	3.0	
Percentage of embryos transferred resulting in implantation (%)		36.8	28.9	19.4	0 / 1	0 / 6	
Percentage of elective single embryo transfers (eSET) (%)		6.6	13.6	1 / 14		0 / 2	
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		18.0	16.7	9.1	0 / 4	0 / 3	
Percentage of cycles resulting in singleton live births (%)		21.1	16.7	12.1	0 / 4	0 / 3	
Percentage of cycles resulting in twin live births (%)		10.9	3.3	3.0	0 / 4	0 / 3	
Percentage of cycles resulting in live births (%)		32.0	23.3	15.2	0 / 4	0 / 3	
Percentage of cycles resulting in pregnancies (%)		39.1	33.3	15.2	0 / 4	0 / 3	
Outcomes per Transfer							
Number of transfers		96	22	14	1	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		24.0	22.7	3 / 14	0 / 1	0 / 2	
Percentage of transfers resulting in singleton live births (%)		28.1	22.7	4 / 14	0 / 1	0 / 2	
Percentage of transfers resulting in twin live births (%)		14.6	4.5	1 / 14	0 / 1	0 / 2	
Percentage of transfers resulting in live births (%)		42.7	31.8	5 / 14	0 / 1	0 / 2	
Percentage of transfers resulting in pregnancies (%)		52.1	45.5	5 / 14	0 / 1	0 / 2	
Frozen Embryos from Nondonor Eggs							
Number of cycles		55	20	9	3	0	0
Number of transfers		48	15	5	3	0	0
Estimated average number of transfers per retrieval		1.3	1.9	0.6	0.4	0.0	
Average number of embryos transferred		1.8	1.7	1.6	1.0		
Percentage of embryos transferred resulting in implantation (%)		36.0	41.7	1 / 8	2 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		18.8	4 / 15	0 / 5	2 / 3		
Percentage of transfers resulting in singleton live births (%)		25.0	4 / 15	1 / 5	2 / 3		
Percentage of transfers resulting in twin live births (%)		12.5	3 / 15	0 / 5	0 / 3		
Percentage of transfers resulting in live births (%)		37.5	7 / 15	1 / 5	2 / 3		
Percentage of transfers resulting in pregnancies (%)		50.0	8 / 15	1 / 5	2 / 3		
Number of Egg/Embryo Banking Cycles							
		16	4	2	7	3	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		11			12		
Number of transfers		9			12		
Average number of embryos transferred		1.8			1.8		
Percentage of embryos transferred resulting in implantation (%)		9 / 16			40.0		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 9			2 / 12		
Percentage of transfers resulting in singleton live births (%)		1 / 9			3 / 12		
Percentage of transfers resulting in twin live births (%)		4 / 9			0 / 12		
Percentage of transfers resulting in live births (%)		5 / 9			3 / 12		
Percentage of transfers resulting in pregnancies (%)		5 / 9			4 / 12		

CURRENT SERVICES & PROFILE		Current Name: Center for Advanced Reproductive Medicine					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE RESOURCE CENTER OF GREATER KANSAS CITY OVERLAND PARK, KANSAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Celeste Brabec, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	90%	Tubal factor	6%	Uterine factor	5%	<i>Multiple Factors:</i> Female factors only 24% Female & male factors 23%
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	27%	Male factor	33%	
Used gestational carrier	0%			Diminished ovarian reserve	41%	Other factor	31%	
				Endometriosis	8%	Unknown factor	7%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 409 (includes 12 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	72	15	11	1	0	0
Percentage of cancellations (%)	12.5	0 / 15	0 / 11	0 / 1		
Average number of embryos transferred	1.8	1.7	2.0	1.0		
Percentage of embryos transferred resulting in implantation (%)	44.0	5 / 17	1 / 18	0 / 1		
Percentage of elective single embryo transfers (eSET) (%)	6.7	2 / 9	0 / 7			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	18.1	2 / 15	1 / 11	0 / 1		
Percentage of cycles resulting in singleton live births (%)	19.4	3 / 15	1 / 11	0 / 1		
Percentage of cycles resulting in twin live births (%)	13.9	0 / 15	0 / 11	0 / 1		
Percentage of cycles resulting in live births (%)	34.7	3 / 15	1 / 11	0 / 1		
Percentage of cycles resulting in pregnancies (%)	38.9	4 / 15	1 / 11	0 / 1		
Outcomes per Transfer						
Number of transfers	51	10	9	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	25.5	2 / 10	1 / 9	0 / 1		
Percentage of transfers resulting in singleton live births (%)	27.5	3 / 10	1 / 9	0 / 1		
Percentage of transfers resulting in twin live births (%)	19.6	0 / 10	0 / 9	0 / 1		
Percentage of transfers resulting in live births (%)	49.0	3 / 10	1 / 9	0 / 1		
Percentage of transfers resulting in pregnancies (%)	54.9	4 / 10	1 / 9	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	77	43	22	5	2	5
Number of transfers	76	42	20	5	1	4
Estimated average number of transfers per retrieval	1.0	1.3	1.3	0.6	1.0	
Average number of embryos transferred	1.5	1.4	1.5	1.2	2.0	1.3
Percentage of embryos transferred resulting in implantation (%)	56.9	31.7	44.8	0 / 6		4 / 5
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	31.6	26.2	25.0	0 / 5	0 / 1	1 / 4
Percentage of transfers resulting in singleton live births (%)	39.5	26.2	55.0	0 / 5	0 / 1	2 / 4
Percentage of transfers resulting in twin live births (%)	14.5	7.1	5.0	0 / 5	0 / 1	0 / 4
Percentage of transfers resulting in live births (%)	53.9	33.3	60.0	0 / 5	0 / 1	2 / 4
Percentage of transfers resulting in pregnancies (%)	61.8	38.1	60.0	0 / 5	1 / 1	3 / 4
Number of Egg/Embryo Banking Cycles	63	30	15	9	1	0
Donor Eggs						
		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		18			8	
Number of transfers		17			8	
Average number of embryos transferred		1.7			1.4	
Percentage of embryos transferred resulting in implantation (%)		62.1			5 / 9	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		8 / 17			1 / 8	
Percentage of transfers resulting in singleton live births (%)		9 / 17			2 / 8	
Percentage of transfers resulting in twin live births (%)		2 / 17			1 / 8	
Percentage of transfers resulting in live births (%)		12 / 17			3 / 8	
Percentage of transfers resulting in pregnancies (%)		13 / 17			5 / 8	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Resource Center of Greater Kansas City

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2013 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2013 ART cycle data or the clinic's Medical Director did not approve the clinic's 2013 ART cycle data for inclusion in this report.

THE CENTER FOR REPRODUCTIVE MEDICINE WICHITA, KANSAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE				Data verified by Bruce L. Tjaden, DO				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	60%	Tubal factor	16%	Uterine factor	7%	Multiple Factors: Female factors only 18% Female & male factors 19%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	17%	Male factor	36%	
Used gestational carrier	5%			Diminished ovarian reserve	37%	Other factor	8%	
				Endometriosis	23%	Unknown factor	4%	

2013 ART SUCCESS RATES^c Total number of cycles^d: 182 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	73	22	8	9	4	0
Percentage of cancellations (%)	9.6	9.1	0 / 8	2 / 9	2 / 4	
Average number of embryos transferred	1.8	1.9	2.1	3.5	3.0	
Percentage of embryos transferred resulting in implantation (%)	37.7	30.3	2 / 15	4.8	1 / 6	
Percentage of elective single embryo transfers (eSET) (%)	35.6	2 / 16	0 / 6	0 / 6	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	27.4	22.7	2 / 8	1 / 9	0 / 4	
Percentage of cycles resulting in singleton live births (%)	35.6	31.8	2 / 8	1 / 9	0 / 4	
Percentage of cycles resulting in twin live births (%)	6.8	4.5	0 / 8	0 / 9	0 / 4	
Percentage of cycles resulting in live births (%)	42.5	36.4	2 / 8	1 / 9	0 / 4	
Percentage of cycles resulting in pregnancies (%)	46.6	36.4	2 / 8	1 / 9	1 / 4	
Outcomes per Transfer						
Number of transfers	62	17	7	6	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	32.3	5 / 17	2 / 7	1 / 6	0 / 2	
Percentage of transfers resulting in singleton live births (%)	41.9	7 / 17	2 / 7	1 / 6	0 / 2	
Percentage of transfers resulting in twin live births (%)	8.1	1 / 17	0 / 7	0 / 6	0 / 2	
Percentage of transfers resulting in live births (%)	50.0	8 / 17	2 / 7	1 / 6	0 / 2	
Percentage of transfers resulting in pregnancies (%)	54.8	8 / 17	2 / 7	1 / 6	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	34	8	7	1	0	0
Number of transfers	34	8	7	1	0	0
Estimated average number of transfers per retrieval	2.3	1.6	7.0	0.5		
Average number of embryos transferred	1.6	1.8	1.3	1.0		
Percentage of embryos transferred resulting in implantation (%)	36.5	3 / 14	3 / 8	0 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	17.6	0 / 8	0 / 7	0 / 1		
Percentage of transfers resulting in singleton live births (%)	29.4	1 / 8	1 / 7	0 / 1		
Percentage of transfers resulting in twin live births (%)	5.9	1 / 8	0 / 7	0 / 1		
Percentage of transfers resulting in live births (%)	38.2	2 / 8	1 / 7	0 / 1		
Percentage of transfers resulting in pregnancies (%)	50.0	2 / 8	3 / 7	0 / 1		
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	10			6		
Number of transfers	8			4		
Average number of embryos transferred	1.5			1.3		
Percentage of embryos transferred resulting in implantation (%)	5 / 10			4 / 5		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 8			2 / 4		
Percentage of transfers resulting in singleton live births (%)	3 / 8			2 / 4		
Percentage of transfers resulting in twin live births (%)	1 / 8			1 / 4		
Percentage of transfers resulting in live births (%)	4 / 8			3 / 4		
Percentage of transfers resulting in pregnancies (%)	5 / 8			3 / 4		

CURRENT SERVICES & PROFILE Current Name: The Center for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BLUEGRASS FERTILITY CENTER LEXINGTON, KENTUCKY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by James W. Akin, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	89%	Tubal factor	17%	Uterine factor	<1%	<i>Multiple Factors:</i> Female factors only 7% Female & male factors 29%
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	9%	Male factor	60%	
Used gestational carrier	0%			Diminished ovarian reserve	21%	Other factor	14%	
				Endometriosis	20%	Unknown factor	<1%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 175 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	64	22	16	3	0	0
Percentage of cancellations (%)	1.6	9.1	1 / 16	0 / 3		
Average number of embryos transferred	2.0	2.4	2.8	2.3		
Percentage of embryos transferred resulting in implantation (%)	48.3	31.9	16.7	0 / 7		
Percentage of elective single embryo transfers (eSET) (%)	1.7	5.0	0 / 14	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	23.4	36.4	2 / 16	0 / 3		
Percentage of cycles resulting in singleton live births (%)	25.0	40.9	2 / 16	0 / 3		
Percentage of cycles resulting in twin live births (%)	20.3	9.1	1 / 16	0 / 3		
Percentage of cycles resulting in live births (%)	50.0	50.0	3 / 16	0 / 3		
Percentage of cycles resulting in pregnancies (%)	56.3	50.0	6 / 16	0 / 3		
Outcomes per Transfer						
Number of transfers	61	20	15	3	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	24.6	40.0	2 / 15	0 / 3		
Percentage of transfers resulting in singleton live births (%)	26.2	45.0	2 / 15	0 / 3		
Percentage of transfers resulting in twin live births (%)	21.3	10.0	1 / 15	0 / 3		
Percentage of transfers resulting in live births (%)	52.5	55.0	3 / 15	0 / 3		
Percentage of transfers resulting in pregnancies (%)	59.0	55.0	6 / 15	0 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	29	5	9	0	0	0
Number of transfers	29	5	9	0	0	0
Estimated average number of transfers per retrieval	1.5	1.3	1.8			
Average number of embryos transferred	1.9	1.4	1.7			
Percentage of embryos transferred resulting in implantation (%)	28.0	0 / 7	5 / 15			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	20.7	0 / 5	1 / 9			
Percentage of transfers resulting in singleton live births (%)	31.0	0 / 5	2 / 9			
Percentage of transfers resulting in twin live births (%)	6.9	0 / 5	1 / 9			
Percentage of transfers resulting in live births (%)	37.9	0 / 5	3 / 9			
Percentage of transfers resulting in pregnancies (%)	41.4	0 / 5	4 / 9			
Number of Egg/Embryo Banking Cycles						
	4	4	1	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	4			12		
Number of transfers	4			12		
Average number of embryos transferred	2.3			1.8		
Percentage of embryos transferred resulting in implantation (%)	0 / 9			4 / 18		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 4			1 / 12		
Percentage of transfers resulting in singleton live births (%)	0 / 4			2 / 12		
Percentage of transfers resulting in twin live births (%)	0 / 4			0 / 12		
Percentage of transfers resulting in live births (%)	0 / 4			2 / 12		
Percentage of transfers resulting in pregnancies (%)	0 / 4			5 / 12		

CURRENT SERVICES & PROFILE

Current Name: Bluegrass Fertility Center

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

LEXINGTON FERTILITY CENTER LEXINGTON, KENTUCKY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by George M. Veloudis, DO

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	89%	Tubal factor	13%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 13% Female & male factors 38%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	42%	Male factor	46%	
Used gestational carrier	0%			Diminished ovarian reserve	42%	Other factor	0%	
				Endometriosis	4%	Unknown factor	4%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 24 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	5	1	1	0	1	1
Percentage of cancellations (%)	0/5	0/1	0/1		0/1	0/1
Average number of embryos transferred	2.3	2.0	3.0		4.0	2.0
Percentage of embryos transferred resulting in implantation (%)	0/9	0/2	0/3		0/4	0/2
Percentage of elective single embryo transfers (eSET) (%)	0/3	0/1	0/1		0/1	0/1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	0/5	0/1	0/1		0/1	0/1
Percentage of cycles resulting in singleton live births (%)	0/5	0/1	0/1		0/1	0/1
Percentage of cycles resulting in twin live births (%)	0/5	0/1	0/1		0/1	0/1
Percentage of cycles resulting in live births (%)	0/5	0/1	0/1		0/1	0/1
Percentage of cycles resulting in pregnancies (%)	0/5	0/1	0/1		0/1	0/1
Outcomes per Transfer						
Number of transfers	4	1	1	0	1	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0/4	0/1	0/1		0/1	0/1
Percentage of transfers resulting in singleton live births (%)	0/4	0/1	0/1		0/1	0/1
Percentage of transfers resulting in twin live births (%)	0/4	0/1	0/1		0/1	0/1
Percentage of transfers resulting in live births (%)	0/4	0/1	0/1		0/1	0/1
Percentage of transfers resulting in pregnancies (%)	0/4	0/1	0/1		0/1	0/1
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	5	1	0	1	0
Number of transfers	5	5	1	0	1	0
Estimated average number of transfers per retrieval	5.0					
Average number of embryos transferred	2.0	2.6	2.0		2.0	
Percentage of embryos transferred resulting in implantation (%)	2/10	1/13	0/2		0/2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1/5	1/5	0/1		0/1	
Percentage of transfers resulting in singleton live births (%)	1/5	1/5	0/1		0/1	
Percentage of transfers resulting in twin live births (%)	0/5	0/5	0/1		0/1	
Percentage of transfers resulting in live births (%)	1/5	1/5	0/1		0/1	
Percentage of transfers resulting in pregnancies (%)	2/5	1/5	0/1		0/1	
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	1			2		
Number of transfers	1			2		
Average number of embryos transferred	2.0			3.0		
Percentage of embryos transferred resulting in implantation (%)	0/2			0/6		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0/1			0/2		
Percentage of transfers resulting in singleton live births (%)	0/1			0/2		
Percentage of transfers resulting in twin live births (%)	0/1			0/2		
Percentage of transfers resulting in live births (%)	0/1			0/2		
Percentage of transfers resulting in pregnancies (%)	0/1			0/2		

CURRENT SERVICES & PROFILE

Current Name: Lexington Fertility Center

Donor eggs?	No	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2013 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2013 ART cycle data or the clinic's Medical Director did not approve the clinic's 2013 ART cycle data for inclusion in this report.

FERTILITY AND ENDOCRINE ASSOCIATES LOUISVILLE REPRODUCTIVE CENTER LOUISVILLE, KENTUCKY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Robert J. Homm, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	82%	Tubal factor	8%	Uterine factor	0%	Multiple Factors: Female factors only 23% Female & male factors 51%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	11%	Male factor	60%	
Used gestational carrier	2%			Diminished ovarian reserve	58%	Other factor	11%	
				Endometriosis	43%	Unknown factor	1%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 146 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	35	13	9	3	1	0
Percentage of cancellations (%)	5.7	2 / 13	1 / 9	1 / 3	1 / 1	
Average number of embryos transferred	2.0	2.0	2.1	3.0		
Percentage of embryos transferred resulting in implantation (%)	23.7	31.8	4 / 17	0 / 6		
Percentage of elective single embryo transfers (eSET) (%)	9.7	0 / 11	0 / 8	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	14.3	4 / 13	1 / 9	0 / 3	0 / 1	
Percentage of cycles resulting in singleton live births (%)	20.0	4 / 13	2 / 9	0 / 3	0 / 1	
Percentage of cycles resulting in twin live births (%)	5.7	0 / 13	0 / 9	0 / 3	0 / 1	
Percentage of cycles resulting in live births (%)	28.6	4 / 13	2 / 9	0 / 3	0 / 1	
Percentage of cycles resulting in pregnancies (%)	31.4	7 / 13	4 / 9	0 / 3	0 / 1	
Outcomes per Transfer						
Number of transfers	31	11	8	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	16.1	4 / 11	1 / 8	0 / 2		
Percentage of transfers resulting in singleton live births (%)	22.6	4 / 11	2 / 8	0 / 2		
Percentage of transfers resulting in twin live births (%)	6.5	0 / 11	0 / 8	0 / 2		
Percentage of transfers resulting in live births (%)	32.3	4 / 11	2 / 8	0 / 2		
Percentage of transfers resulting in pregnancies (%)	35.5	7 / 11	4 / 8	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	37	10	7	2	3	4
Number of transfers	34	8	6	2	3	4
Estimated average number of transfers per retrieval	2.6	2.0	6.0			
Average number of embryos transferred	1.9	2.1	1.8	2.0	2.3	2.0
Percentage of embryos transferred resulting in implantation (%)	20.6	2 / 17	1 / 10	0 / 4	0 / 7	0 / 8
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	26.5	1 / 8	0 / 6	0 / 2	0 / 3	0 / 4
Percentage of transfers resulting in singleton live births (%)	26.5	2 / 8	0 / 6	0 / 2	0 / 3	0 / 4
Percentage of transfers resulting in twin live births (%)	2.9	0 / 8	0 / 6	0 / 2	0 / 3	0 / 4
Percentage of transfers resulting in live births (%)	29.4	2 / 8	0 / 6	0 / 2	0 / 3	0 / 4
Percentage of transfers resulting in pregnancies (%)	32.4	2 / 8	2 / 6	0 / 2	0 / 3	0 / 4
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		8			14	
Number of transfers		7			13	
Average number of embryos transferred		1.9			2.2	
Percentage of embryos transferred resulting in implantation (%)		3 / 13			16.7	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 7			2 / 13	
Percentage of transfers resulting in singleton live births (%)		1 / 7			2 / 13	
Percentage of transfers resulting in twin live births (%)		1 / 7			1 / 13	
Percentage of transfers resulting in live births (%)		2 / 7			3 / 13	
Percentage of transfers resulting in pregnancies (%)		2 / 7			5 / 13	

CURRENT SERVICES & PROFILE

Current Name: Fertility and Endocrine Associates, Louisville Reproductive Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY FIRST REPRODUCTIVE ENDOCRINE SERVICES LOUISVILLE, KENTUCKY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Johanna S. Archer, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	84%	Tubal factor	5%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 14% Female & male factors 33%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	38%	Male factor	57%	
Used gestational carrier	0%			Diminished ovarian reserve	24%	Other factor	29%	
				Endometriosis	24%	Unknown factor	0%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 21 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	13	0	4	1	1	0
Percentage of cancellations (%)	1 / 13		0 / 4	1 / 1	0 / 1	
Average number of embryos transferred	1.9		2.8		1.0	
Percentage of embryos transferred resulting in implantation (%)	47.8		3 / 11		0 / 1	
Percentage of elective single embryo transfers (eSET) (%)	1 / 11		0 / 4			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	3 / 13		1 / 4	0 / 1	0 / 1	
Percentage of cycles resulting in singleton live births (%)	3 / 13		2 / 4	0 / 1	0 / 1	
Percentage of cycles resulting in twin live births (%)	4 / 13		0 / 4	0 / 1	0 / 1	
Percentage of cycles resulting in live births (%)	7 / 13		2 / 4	0 / 1	0 / 1	
Percentage of cycles resulting in pregnancies (%)	7 / 13		3 / 4	0 / 1	0 / 1	
Outcomes per Transfer						
Number of transfers	12	0	4	0	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 12		1 / 4		0 / 1	
Percentage of transfers resulting in singleton live births (%)	3 / 12		2 / 4		0 / 1	
Percentage of transfers resulting in twin live births (%)	4 / 12		0 / 4		0 / 1	
Percentage of transfers resulting in live births (%)	7 / 12		2 / 4		0 / 1	
Percentage of transfers resulting in pregnancies (%)	7 / 12		3 / 4		0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	0	0	0	0	0
Number of transfers	1	0	0	0	0	0
Estimated average number of transfers per retrieval	0.5					
Average number of embryos transferred	2.0					
Percentage of embryos transferred resulting in implantation (%)	1 / 2					
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 1					
Percentage of transfers resulting in singleton live births (%)	0 / 1					
Percentage of transfers resulting in twin live births (%)	0 / 1					
Percentage of transfers resulting in live births (%)	0 / 1					
Percentage of transfers resulting in pregnancies (%)	1 / 1					
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

CURRENT SERVICES & PROFILE

Current Name: Fertility First, Reproductive Endocrine Services

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OBGYN ASSOCIATES FERTILITY CENTER LOUISVILLE, KENTUCKY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Henry C. Bohler, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	58%	Tubal factor	24%	Uterine factor	6%	<i>Multiple Factors:</i> Female factors only 20% Female & male factors 44%
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	26%	Male factor	58%	
Used gestational carrier	<1%			Diminished ovarian reserve	31%	Other factor	14%	
				Endometriosis	21%	Unknown factor	3%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 224 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	81	36	24	9	6	3
Percentage of cancellations (%)	7.4	8.3	12.5	3 / 9	2 / 6	0 / 3
Average number of embryos transferred	2.0	2.2	2.9	2.8	1.7	3.0
Percentage of embryos transferred resulting in implantation (%)	35.3	33.3	26.0	1 / 14	0 / 5	0 / 6
Percentage of elective single embryo transfers (eSET) (%)	12.3	0.0	0 / 16	0 / 4	0 / 2	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	17.3	13.9	12.5	1 / 9	0 / 6	0 / 3
Percentage of cycles resulting in singleton live births (%)	22.2	22.2	16.7	1 / 9	0 / 6	0 / 3
Percentage of cycles resulting in twin live births (%)	9.9	8.3	8.3	0 / 9	0 / 6	0 / 3
Percentage of cycles resulting in live births (%)	34.6	30.6	25.0	1 / 9	0 / 6	0 / 3
Percentage of cycles resulting in pregnancies (%)	40.7	38.9	29.2	1 / 9	0 / 6	0 / 3
Outcomes per Transfer						
Number of transfers	70	26	17	5	3	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	20.0	19.2	3 / 17	1 / 5	0 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	25.7	30.8	4 / 17	1 / 5	0 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	11.4	11.5	2 / 17	0 / 5	0 / 3	0 / 2
Percentage of transfers resulting in live births (%)	40.0	42.3	6 / 17	1 / 5	0 / 3	0 / 2
Percentage of transfers resulting in pregnancies (%)	47.1	53.8	7 / 17	1 / 5	0 / 3	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	31	9	7	0	1	0
Number of transfers	30	8	6	0	1	0
Estimated average number of transfers per retrieval	2.0	4.0	2.0		0.5	
Average number of embryos transferred	1.9	1.9	2.2		2.0	
Percentage of embryos transferred resulting in implantation (%)	24.1	6 / 15	4 / 11			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	36.7	4 / 8	1 / 6		0 / 1	
Percentage of transfers resulting in singleton live births (%)	43.3	4 / 8	2 / 6		0 / 1	
Percentage of transfers resulting in twin live births (%)	0.0	1 / 8	0 / 6		0 / 1	
Percentage of transfers resulting in live births (%)	43.3	5 / 8	2 / 6		0 / 1	
Percentage of transfers resulting in pregnancies (%)	43.3	5 / 8	4 / 6		1 / 1	
Number of Egg/Embryo Banking Cycles						
	0	1	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	7			9		
Number of transfers	4			9		
Average number of embryos transferred	1.8			1.7		
Percentage of embryos transferred resulting in implantation (%)	4 / 7			4 / 15		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 4			2 / 9		
Percentage of transfers resulting in singleton live births (%)	3 / 4			2 / 9		
Percentage of transfers resulting in twin live births (%)	0 / 4			1 / 9		
Percentage of transfers resulting in live births (%)	3 / 4			3 / 9		
Percentage of transfers resulting in pregnancies (%)	3 / 4			3 / 9		

CURRENT SERVICES & PROFILE

Current Name: University OBGYN Associates Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

A WOMAN'S CENTER FOR REPRODUCTIVE MEDICINE BATON ROUGE, LOUISIANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Bobby W. Webster, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	88%	Tubal factor	11%	Uterine factor	<1%	<i>Multiple Factors:</i> Female factors only 5% Female & male factors 30%
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	12%	Male factor	62%	
Used gestational carrier	0%			Diminished ovarian reserve	28%	Other factor	7%	
				Endometriosis	13%	Unknown factor	5%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 149 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	64	22	20	1	3	2
Percentage of cancellations (%)	7.8	13.6	10.0	1 / 1	1 / 3	1 / 2
Average number of embryos transferred	2.0	1.8	1.9		4.0	2.0
Percentage of embryos transferred resulting in implantation (%)	39.3	26.7	21.2		0 / 8	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	3.6	1 / 14	0 / 14		0 / 2	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	17.2	18.2	15.0	0 / 1	0 / 3	0 / 2
Percentage of cycles resulting in singleton live births (%)	17.2	22.7	15.0	0 / 1	0 / 3	0 / 2
Percentage of cycles resulting in twin live births (%)	20.3	4.5	5.0	0 / 1	0 / 3	0 / 2
Percentage of cycles resulting in live births (%)	37.5	27.3	20.0	0 / 1	0 / 3	0 / 2
Percentage of cycles resulting in pregnancies (%)	43.8	31.8	25.0	0 / 1	0 / 3	0 / 2
Outcomes per Transfer						
Number of transfers	56	17	17	0	2	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	19.6	4 / 17	3 / 17		0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	19.6	5 / 17	3 / 17		0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	23.2	1 / 17	1 / 17		0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	42.9	6 / 17	4 / 17		0 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	50.0	7 / 17	5 / 17		0 / 2	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	18	2	1	1	0	0
Number of transfers	18	2	1	1	0	0
Estimated average number of transfers per retrieval	1.1	2.0				
Average number of embryos transferred	1.9	2.0	1.0	3.0		
Percentage of embryos transferred resulting in implantation (%)	38.2	1 / 4	0 / 1	0 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 18	0 / 2	0 / 1	0 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 18	0 / 2	0 / 1	0 / 1		
Percentage of transfers resulting in twin live births (%)	4 / 18	0 / 2	0 / 1	0 / 1		
Percentage of transfers resulting in live births (%)	5 / 18	0 / 2	0 / 1	0 / 1		
Percentage of transfers resulting in pregnancies (%)	7 / 18	1 / 2	0 / 1	0 / 1		
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	9			6		
Number of transfers	7			6		
Average number of embryos transferred	2.0			1.8		
Percentage of embryos transferred resulting in implantation (%)	6 / 14			5 / 11		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 7			1 / 6		
Percentage of transfers resulting in singleton live births (%)	3 / 7			2 / 6		
Percentage of transfers resulting in twin live births (%)	1 / 7			0 / 6		
Percentage of transfers resulting in live births (%)	4 / 7			2 / 6		
Percentage of transfers resulting in pregnancies (%)	4 / 7			4 / 6		

CURRENT SERVICES & PROFILE

Current Name: A Woman's Center for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY AND WOMEN'S HEALTH CENTER OF LOUISIANA LAFAYETTE, LOUISIANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by John Storment, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	80%	Tubal factor	28%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 7% Female & male factors 10%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	13%	Male factor	39%	
Used gestational carrier	<1%			Diminished ovarian reserve	12%	Other factor	<1%	
				Endometriosis	11%	Unknown factor	13%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 162 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	98	11	13	4	2	0
Percentage of cancellations (%)	7.1	1 / 11	0 / 13	1 / 4	0 / 2	
Average number of embryos transferred	2.0	2.2	2.2	1.7	4.0	
Percentage of embryos transferred resulting in implantation (%)	44.9	40.9	10.3	0 / 5	0 / 8	
Percentage of elective single embryo transfers (eSET) (%)	1.2	0 / 10	0 / 10	0 / 2	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	15.3	2 / 11	1 / 13	0 / 4	0 / 2	
Percentage of cycles resulting in singleton live births (%)	19.4	3 / 11	2 / 13	0 / 4	0 / 2	
Percentage of cycles resulting in twin live births (%)	27.6	2 / 11	0 / 13	0 / 4	0 / 2	
Percentage of cycles resulting in live births (%)	46.9	5 / 11	2 / 13	0 / 4	0 / 2	
Percentage of cycles resulting in pregnancies (%)	51.0	7 / 11	3 / 13	0 / 4	0 / 2	
Outcomes per Transfer						
Number of transfers	87	10	13	3	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	17.2	2 / 10	1 / 13	0 / 3	0 / 2	
Percentage of transfers resulting in singleton live births (%)	21.8	3 / 10	2 / 13	0 / 3	0 / 2	
Percentage of transfers resulting in twin live births (%)	31.0	2 / 10	0 / 13	0 / 3	0 / 2	
Percentage of transfers resulting in live births (%)	52.9	5 / 10	2 / 13	0 / 3	0 / 2	
Percentage of transfers resulting in pregnancies (%)	57.5	7 / 10	3 / 13	0 / 3	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	19	3	1	2	0	0
Number of transfers	18	3	1	2	0	0
Estimated average number of transfers per retrieval	1.5			2.0		
Average number of embryos transferred	2.2	2.0	2.0	3.0		
Percentage of embryos transferred resulting in implantation (%)	28.2	2 / 6	0 / 2	0 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 18	2 / 3	0 / 1	0 / 2		
Percentage of transfers resulting in singleton live births (%)	4 / 18	2 / 3	0 / 1	0 / 2		
Percentage of transfers resulting in twin live births (%)	2 / 18	0 / 3	0 / 1	0 / 2		
Percentage of transfers resulting in live births (%)	6 / 18	2 / 3	0 / 1	0 / 2		
Percentage of transfers resulting in pregnancies (%)	7 / 18	2 / 3	0 / 1	1 / 2		
Number of Egg/Embryo Banking Cycles						
	3	0	0	1	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	2			2		
Number of transfers	2			2		
Average number of embryos transferred	2.0			2.0		
Percentage of embryos transferred resulting in implantation (%)	1 / 4			0 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 2			0 / 2		
Percentage of transfers resulting in singleton live births (%)	1 / 2			0 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 2			0 / 2		
Percentage of transfers resulting in live births (%)	1 / 2			0 / 2		
Percentage of transfers resulting in pregnancies (%)	1 / 2			0 / 2		

CURRENT SERVICES & PROFILE

Current Name: Fertility and Women's Health Center of Louisiana

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY INSTITUTE OF NEW ORLEANS METAIRIE, LOUISIANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Richard P. Dickey, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	69%	Tubal factor	15%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 10% Female & male factors 12%
Unstimulated	0%	Used PGD	13%	Ovulatory dysfunction	35%	Male factor	30%	
Used gestational carrier	2%			Diminished ovarian reserve	8%	Other factor	23%	
				Endometriosis	12%	Unknown factor	1%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 615 (includes 4 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	233	80	35	33	12	5
Percentage of cancellations (%)	6.9	10.0	14.3	12.1	1 / 12	3 / 5
Average number of embryos transferred	2.0	1.9	2.0	2.5	2.8	
Percentage of embryos transferred resulting in implantation (%)	39.8	33.0	32.5	14.3	12.0	
Percentage of elective single embryo transfers (eSET) (%)	1.9	7.7	1 / 15	1 / 11	0 / 8	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	19.3	20.0	2.9	6.1	0 / 12	0 / 5
Percentage of cycles resulting in singleton live births (%)	22.7	25.0	5.7	6.1	0 / 12	0 / 5
Percentage of cycles resulting in twin live births (%)	11.2	6.3	8.6	3.0	0 / 12	0 / 5
Percentage of cycles resulting in live births (%)	34.3	31.3	14.3	9.1	0 / 12	0 / 5
Percentage of cycles resulting in pregnancies (%)	40.3	33.8	22.9	12.1	3 / 12	0 / 5
Outcomes per Transfer						
Number of transfers	170	59	20	14	9	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	26.5	27.1	5.0	2 / 14	0 / 9	
Percentage of transfers resulting in singleton live births (%)	31.2	33.9	10.0	2 / 14	0 / 9	
Percentage of transfers resulting in twin live births (%)	15.3	8.5	15.0	1 / 14	0 / 9	
Percentage of transfers resulting in live births (%)	47.1	42.4	25.0	3 / 14	0 / 9	
Percentage of transfers resulting in pregnancies (%)	55.3	45.8	40.0	4 / 14	3 / 9	
Frozen Embryos from Nondonor Eggs						
Number of cycles	95	39	24	9	2	1
Number of transfers	82	33	20	6	2	1
Estimated average number of transfers per retrieval	1.3	1.4	1.2	1.2	1.0	
Average number of embryos transferred	1.9	1.9	1.9	1.2	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	30.0	20.3	27.8	0 / 7	0 / 4	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	17.1	12.1	15.0	0 / 6	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	22.0	15.2	15.0	0 / 6	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	7.3	6.1	10.0	0 / 6	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	30.5	21.2	25.0	0 / 6	0 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	45.1	33.3	40.0	0 / 6	0 / 2	0 / 1
Number of Egg/Embryo Banking Cycles						
	5	4	8	3	0	0
Donor Eggs			Fresh Embryos^f		Frozen Embryos^f	
Number of cycles			7		16	
Number of transfers			6		14	
Average number of embryos transferred			2.0		1.9	
Percentage of embryos transferred resulting in implantation (%)			8 / 12		25.9	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)			4 / 6		5 / 14	
Percentage of transfers resulting in singleton live births (%)			4 / 6		6 / 14	
Percentage of transfers resulting in twin live births (%)			1 / 6		0 / 14	
Percentage of transfers resulting in live births (%)			5 / 6		6 / 14	
Percentage of transfers resulting in pregnancies (%)			5 / 6		6 / 14	

CURRENT SERVICES & PROFILE

Current Name: Fertility Institute of New Orleans

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

AUDUBON FERTILITY & REPRODUCTIVE MEDICINE NEW ORLEANS, LOUISIANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Lindsay Wells, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	85%	Tubal factor	17%	Uterine factor	6%	Multiple Factors: Female factors only 6% Female & male factors 26%
Unstimulated	0%	Used PGD	6%	Ovulatory dysfunction	18%	Male factor	44%	
Used gestational carrier	0%			Diminished ovarian reserve	35%	Other factor	3%	
				Endometriosis	5%	Unknown factor	5%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 73 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	24	14	12	2	0	0
Percentage of cancellations (%)	4.2	4 / 14	1 / 12	0 / 2		
Average number of embryos transferred	1.5	2.0	2.4	3.0		
Percentage of embryos transferred resulting in implantation (%)	53.6	1 / 16	0 / 17	1 / 6		
Percentage of elective single embryo transfers (eSET) (%)	8 / 19	0 / 8	0 / 7	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	50.0	1 / 14	0 / 12	0 / 2		
Percentage of cycles resulting in singleton live births (%)	54.2	1 / 14	0 / 12	0 / 2		
Percentage of cycles resulting in twin live births (%)	4.2	0 / 14	0 / 12	0 / 2		
Percentage of cycles resulting in live births (%)	58.3	1 / 14	0 / 12	0 / 2		
Percentage of cycles resulting in pregnancies (%)	70.8	1 / 14	0 / 12	1 / 2		
Outcomes per Transfer						
Number of transfers	22	8	8	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	54.5	1 / 8	0 / 8	0 / 2		
Percentage of transfers resulting in singleton live births (%)	59.1	1 / 8	0 / 8	0 / 2		
Percentage of transfers resulting in twin live births (%)	4.5	0 / 8	0 / 8	0 / 2		
Percentage of transfers resulting in live births (%)	63.6	1 / 8	0 / 8	0 / 2		
Percentage of transfers resulting in pregnancies (%)	77.3	1 / 8	0 / 8	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	2	5	0	0	0
Number of transfers	4	2	5	0	0	0
Estimated average number of transfers per retrieval	0.6	0.7	0.7			
Average number of embryos transferred	1.5	1.5	1.6			
Percentage of embryos transferred resulting in implantation (%)	3 / 6	3 / 3	3 / 8			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 4	0 / 2	1 / 5			
Percentage of transfers resulting in singleton live births (%)	3 / 4	0 / 2	1 / 5			
Percentage of transfers resulting in twin live births (%)	0 / 4	1 / 2	0 / 5			
Percentage of transfers resulting in live births (%)	3 / 4	1 / 2	1 / 5			
Percentage of transfers resulting in pregnancies (%)	3 / 4	2 / 2	3 / 5			
Number of Egg/Embryo Banking Cycles						
	4	1	2	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		0			3	
Number of transfers		0			3	
Average number of embryos transferred					1.7	
Percentage of embryos transferred resulting in implantation (%)					1 / 5	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)					0 / 3	
Percentage of transfers resulting in singleton live births (%)					0 / 3	
Percentage of transfers resulting in twin live births (%)					0 / 3	
Percentage of transfers resulting in live births (%)					0 / 3	
Percentage of transfers resulting in pregnancies (%)					1 / 3	

CURRENT SERVICES & PROFILE

Current Name: Audubon Fertility & Reproductive Medicine

Donor eggs?	No	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Pending
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 1 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ARKLATEX FERTILITY AND REPRODUCTIVE MEDICINE SHREVEPORT, LOUISIANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE				Data verified by David T. Vandermolen, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	72%	Tubal factor	24%	Uterine factor	3%	Multiple Factors: Female factors only 14% Female & male factors 7%
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	21%	Male factor	31%	
Used gestational carrier	<1%			Diminished ovarian reserve	13%	Other factor	3%	
				Endometriosis	21%	Unknown factor	6%	

2013 ART SUCCESS RATES ^c		Total number of cycles ^d : 156 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		70	29	17	5	4	1
Percentage of cancellations (%)		12.9	10.3	4 / 17	1 / 5	1 / 4	1 / 1
Average number of embryos transferred		2.0	2.3	2.5	3.0	2.7	
Percentage of embryos transferred resulting in implantation (%)		47.3	24.6	40.6	4 / 12	0 / 8	
Percentage of elective single embryo transfers (eSET) (%)		9.3	4.2	1 / 12	0 / 4	0 / 3	
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		20.0	24.1	4 / 17	0 / 5	0 / 4	0 / 1
Percentage of cycles resulting in singleton live births (%)		28.6	31.0	5 / 17	2 / 5	0 / 4	0 / 1
Percentage of cycles resulting in twin live births (%)		17.1	6.9	3 / 17	0 / 5	0 / 4	0 / 1
Percentage of cycles resulting in live births (%)		48.6	37.9	8 / 17	2 / 5	0 / 4	0 / 1
Percentage of cycles resulting in pregnancies (%)		50.0	41.4	9 / 17	3 / 5	0 / 4	0 / 1
Outcomes per Transfer							
Number of transfers		55	25	13	4	3	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		25.5	28.0	4 / 13	0 / 4	0 / 3	
Percentage of transfers resulting in singleton live births (%)		36.4	36.0	5 / 13	2 / 4	0 / 3	
Percentage of transfers resulting in twin live births (%)		21.8	8.0	3 / 13	0 / 4	0 / 3	
Percentage of transfers resulting in live births (%)		61.8	44.0	8 / 13	2 / 4	0 / 3	
Percentage of transfers resulting in pregnancies (%)		63.6	48.0	9 / 13	3 / 4	0 / 3	
Frozen Embryos from Nondonor Eggs							
Number of cycles		16	6	3	0	0	1
Number of transfers		15	6	3	0	0	1
Estimated average number of transfers per retrieval		1.7	6.0	1.5			
Average number of embryos transferred		1.8	1.5	2.3			1.0
Percentage of embryos transferred resulting in implantation (%)		59.3	8 / 9	1 / 7			1 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		8 / 15	0 / 6	0 / 3			1 / 1
Percentage of transfers resulting in singleton live births (%)		8 / 15	1 / 6	1 / 3			1 / 1
Percentage of transfers resulting in twin live births (%)		2 / 15	2 / 6	0 / 3			0 / 1
Percentage of transfers resulting in live births (%)		11 / 15	4 / 6	1 / 3			1 / 1
Percentage of transfers resulting in pregnancies (%)		12 / 15	4 / 6	1 / 3			1 / 1
Number of Egg/Embryo Banking Cycles							
		0	0	0	0	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		3			1		
Number of transfers		2			1		
Average number of embryos transferred		2.0			2.0		
Percentage of embryos transferred resulting in implantation (%)		4 / 4			2 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 2			0 / 1		
Percentage of transfers resulting in singleton live births (%)		0 / 2			0 / 1		
Percentage of transfers resulting in twin live births (%)		2 / 2			1 / 1		
Percentage of transfers resulting in live births (%)		2 / 2			1 / 1		
Percentage of transfers resulting in pregnancies (%)		2 / 2			1 / 1		

CURRENT SERVICES & PROFILE		Current Name: Arklatex Fertility and Reproductive Medicine					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BOSTON IVF, THE MAINE CENTER SOUTH PORTLAND, MAINE

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Michael M. Alper, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	36%	Tubal factor	8%	Uterine factor	<1%	Multiple Factors: Female factors only 2% Female & male factors 5%
Unstimulated	<1%	Used PGD	3%	Ovulatory dysfunction	10%	Male factor	28%	
Used gestational carrier	1%			Diminished ovarian reserve	17%	Other factor	5%	
				Endometriosis	11%	Unknown factor	27%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 371 (includes 12 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	119	44	41	31	12	0
Percentage of cancellations (%)	15.1	9.1	7.3	9.7	3 / 12	
Average number of embryos transferred	1.5	1.5	2.3	2.7	3.3	
Percentage of embryos transferred resulting in implantation (%)	42.6	40.7	20.0	11.9	10.0	
Percentage of elective single embryo transfers (eSET) (%)	39.2	40.0	6.9	0 / 19	0 / 6	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	23.5	11.4	19.5	6.5	2 / 12	
Percentage of cycles resulting in singleton live births (%)	27.7	11.4	19.5	9.7	2 / 12	
Percentage of cycles resulting in twin live births (%)	9.2	6.8	0.0	3.2	0 / 12	
Percentage of cycles resulting in live births (%)	37.0	20.5	19.5	12.9	2 / 12	
Percentage of cycles resulting in pregnancies (%)	41.2	31.8	26.8	25.8	3 / 12	
Outcomes per Transfer						
Number of transfers	92	36	31	24	7	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	30.4	13.9	25.8	8.3	2 / 7	
Percentage of transfers resulting in singleton live births (%)	35.9	13.9	25.8	12.5	2 / 7	
Percentage of transfers resulting in twin live births (%)	12.0	8.3	0.0	4.2	0 / 7	
Percentage of transfers resulting in live births (%)	47.8	25.0	25.8	16.7	2 / 7	
Percentage of transfers resulting in pregnancies (%)	53.3	38.9	35.5	33.3	3 / 7	
Frozen Embryos from Nondonor Eggs						
Number of cycles	45	32	10	4	1	0
Number of transfers	42	28	8	4	1	0
Estimated average number of transfers per retrieval	1.6	1.8	1.3	1.0	0.5	
Average number of embryos transferred	1.5	1.4	1.6	3.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	30.0	33.3	6 / 13	1 / 12	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	19.0	21.4	1 / 8	1 / 4	0 / 1	
Percentage of transfers resulting in singleton live births (%)	23.8	28.6	1 / 8	1 / 4	0 / 1	
Percentage of transfers resulting in twin live births (%)	4.8	7.1	2 / 8	0 / 4	0 / 1	
Percentage of transfers resulting in live births (%)	28.6	35.7	3 / 8	1 / 4	0 / 1	
Percentage of transfers resulting in pregnancies (%)	42.9	42.9	4 / 8	1 / 4	0 / 1	
Number of Egg/Embryo Banking Cycles						
	5	0	1	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	2			12		
Number of transfers	2			11		
Average number of embryos transferred	2.0			1.6		
Percentage of embryos transferred resulting in implantation (%)	2 / 4			3 / 18		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 2			2 / 11		
Percentage of transfers resulting in singleton live births (%)	0 / 2			2 / 11		
Percentage of transfers resulting in twin live births (%)	1 / 2			0 / 11		
Percentage of transfers resulting in live births (%)	1 / 2			2 / 11		
Percentage of transfers resulting in pregnancies (%)	1 / 2			3 / 11		

CURRENT SERVICES & PROFILE

Current Name: Boston IVF, The Maine Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2013 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2013 ART cycle data or the clinic's Medical Director did not approve the clinic's 2013 ART cycle data for inclusion in this report.

SHADY GROVE FERTILITY RSC AT GBMC BALTIMORE, MARYLAND

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Eugene Katz, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	56%	Tubal factor	15%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 6% Female & male factors 10%
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	15%	Male factor	29%	
Used gestational carrier	<1%			Diminished ovarian reserve	18%	Other factor	10%	
				Endometriosis	7%	Unknown factor	22%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 1,078 (includes 10 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	346	153	142	65	27	3
Percentage of cancellations (%)	3.8	9.2	5.6	9.2	25.9	1 / 3
Average number of embryos transferred	1.4	1.7	2.3	2.6	2.8	4.0
Percentage of embryos transferred resulting in implantation (%)	45.0	38.9	24.3	9.9	2.4	0 / 8
Percentage of elective single embryo transfers (eSET) (%)	58.5	28.3	1.8	4.8	0 / 16	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	28.6	22.2	21.1	9.2	0.0	0 / 3
Percentage of cycles resulting in singleton live births (%)	35.0	25.5	24.6	10.8	0.0	0 / 3
Percentage of cycles resulting in twin live births (%)	5.2	11.1	4.9	1.5	0.0	0 / 3
Percentage of cycles resulting in live births (%)	40.5	36.6	29.6	12.3	0.0	0 / 3
Percentage of cycles resulting in pregnancies (%)	46.2	45.1	38.0	20.0	14.8	0 / 3
Outcomes per Transfer						
Number of transfers	300	133	121	52	19	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	33.0	25.6	24.8	11.5	0 / 19	0 / 2
Percentage of transfers resulting in singleton live births (%)	40.3	29.3	28.9	13.5	0 / 19	0 / 2
Percentage of transfers resulting in twin live births (%)	6.0	12.8	5.8	1.9	0 / 19	0 / 2
Percentage of transfers resulting in live births (%)	46.7	42.1	34.7	15.4	0 / 19	0 / 2
Percentage of transfers resulting in pregnancies (%)	53.3	51.9	44.6	25.0	4 / 19	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	110	54	23	13	7	2
Number of transfers	110	52	23	10	7	2
Estimated average number of transfers per retrieval	1.6	1.6	1.2	1.3	3.5	1.0
Average number of embryos transferred	1.5	1.4	1.7	1.8	2.1	1.0
Percentage of embryos transferred resulting in implantation (%)	45.3	34.7	30.8	6 / 16	3 / 15	1 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	24.5	32.7	17.4	5 / 10	1 / 7	0 / 2
Percentage of transfers resulting in singleton live births (%)	29.1	36.5	39.1	5 / 10	2 / 7	0 / 2
Percentage of transfers resulting in twin live births (%)	9.1	1.9	4.3	0 / 10	0 / 7	0 / 2
Percentage of transfers resulting in live births (%)	38.2	38.5	43.5	5 / 10	2 / 7	0 / 2
Percentage of transfers resulting in pregnancies (%)	58.2	50.0	47.8	7 / 10	3 / 7	1 / 2
Number of Egg/Embryo Banking Cycles						
	7	11	11	6	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		76			12	
Number of transfers		65			11	
Average number of embryos transferred		1.3			1.4	
Percentage of embryos transferred resulting in implantation (%)		46.2			5 / 15	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		40.0			1 / 11	
Percentage of transfers resulting in singleton live births (%)		46.2			2 / 11	
Percentage of transfers resulting in twin live births (%)		3.1			1 / 11	
Percentage of transfers resulting in live births (%)		49.2			3 / 11	
Percentage of transfers resulting in pregnancies (%)		58.5			4 / 11	

CURRENT SERVICES & PROFILE

Current Name: Shady Grove Fertility RSC-Towson

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**THE A.R.T. INSTITUTE OF WASHINGTON, INC.
WALTER REED NATIONAL MILITARY MEDICAL CENTER
BETHESDA, MARYLAND**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by James Segars, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	71%	Tubal factor	26%	Uterine factor	2%	Multiple Factors: Female factors only 7% Female & male factors 12%
Unstimulated	<1%	Used PGD	1%	Ovulatory dysfunction	12%	Male factor	37%	
Used gestational carrier	0%			Diminished ovarian reserve	7%	Other factor	2%	
				Endometriosis	10%	Unknown factor	24%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 559 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	219	93	111	46	0	0
Percentage of cancellations (%)	7.8	8.6	12.6	15.2		
Average number of embryos transferred	1.6	1.8	2.1	2.2		
Percentage of embryos transferred resulting in implantation (%)	40.9	27.4	19.4	17.5		
Percentage of elective single embryo transfers (eSET) (%)	39.8	23.0	5.1	0.0		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	27.9	21.5	12.6	10.9		
Percentage of cycles resulting in singleton live births (%)	32.9	24.7	15.3	10.9		
Percentage of cycles resulting in twin live births (%)	8.2	5.4	6.3	2.2		
Percentage of cycles resulting in live births (%)	41.1	31.2	21.6	13.0		
Percentage of cycles resulting in pregnancies (%)	46.1	35.5	25.2	26.1		
Outcomes per Transfer						
Number of transfers	192	82	89	38	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	31.8	24.4	15.7	13.2		
Percentage of transfers resulting in singleton live births (%)	37.5	28.0	19.1	13.2		
Percentage of transfers resulting in twin live births (%)	9.4	6.1	7.9	2.6		
Percentage of transfers resulting in live births (%)	46.9	35.4	27.0	15.8		
Percentage of transfers resulting in pregnancies (%)	52.6	40.2	31.5	31.6		
Frozen Embryos from Nondonor Eggs						
Number of cycles	44	20	15	10	1	0
Number of transfers	43	19	15	9	1	0
Estimated average number of transfers per retrieval	1.7	1.7	2.5	1.8		
Average number of embryos transferred	1.5	1.7	1.5	1.6	2.0	
Percentage of embryos transferred resulting in implantation (%)	39.4	33.3	18.2	3 / 12	0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	34.9	9 / 19	2 / 15	1 / 9	0 / 1	
Percentage of transfers resulting in singleton live births (%)	37.2	11 / 19	3 / 15	2 / 9	0 / 1	
Percentage of transfers resulting in twin live births (%)	9.3	0 / 19	0 / 15	0 / 9	0 / 1	
Percentage of transfers resulting in live births (%)	46.5	11 / 19	3 / 15	2 / 9	0 / 1	
Percentage of transfers resulting in pregnancies (%)	51.2	11 / 19	5 / 15	4 / 9	0 / 1	
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

CURRENT SERVICES & PROFILE

Current Name: The A.R.T. Institute of Washington, Inc.,
Walter Reed National Military Medical Center

Donor eggs?	No	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ENDRIKA HINTON, MD LUTHERVILLE, MARYLAND

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Endrika L. Hinton, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	45%	Tubal factor	17%	Uterine factor	17%	<i>Multiple Factors:</i> Female factors only 26% Female & male factors 35%
Unstimulated	0%	Used PGD	5%	Ovulatory dysfunction	22%	Male factor	52%	
Used gestational carrier	0%			Diminished ovarian reserve	35%	Other factor	0%	
				Endometriosis	39%	Unknown factor	4%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 24 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	11	1	5	0	3	0
Percentage of cancellations (%)	1 / 11	0 / 1	0 / 5		0 / 3	
Average number of embryos transferred	1.8	1.0	2.0		2.3	
Percentage of embryos transferred resulting in implantation (%)	7 / 16	0 / 1	0 / 4		2 / 7	
Percentage of elective single embryo transfers (eSET) (%)	2 / 9		0 / 2		0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	1 / 11	0 / 1	0 / 5		0 / 3	
Percentage of cycles resulting in singleton live births (%)	3 / 11	0 / 1	0 / 5		0 / 3	
Percentage of cycles resulting in twin live births (%)	2 / 11	0 / 1	0 / 5		0 / 3	
Percentage of cycles resulting in live births (%)	5 / 11	0 / 1	0 / 5		0 / 3	
Percentage of cycles resulting in pregnancies (%)	5 / 11	0 / 1	0 / 5		2 / 3	
Outcomes per Transfer						
Number of transfers	9	1	2	0	3	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 9	0 / 1	0 / 2		0 / 3	
Percentage of transfers resulting in singleton live births (%)	3 / 9	0 / 1	0 / 2		0 / 3	
Percentage of transfers resulting in twin live births (%)	2 / 9	0 / 1	0 / 2		0 / 3	
Percentage of transfers resulting in live births (%)	5 / 9	0 / 1	0 / 2		0 / 3	
Percentage of transfers resulting in pregnancies (%)	5 / 9	0 / 1	0 / 2		2 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	0	2	0	0	0
Number of transfers	1	0	1	0	0	0
Estimated average number of transfers per retrieval	0.5		0.3			
Average number of embryos transferred	1.0		1.0			
Percentage of embryos transferred resulting in implantation (%)	0 / 1		1 / 1			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 1		1 / 1			
Percentage of transfers resulting in singleton live births (%)	0 / 1		1 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 1			
Percentage of transfers resulting in live births (%)	0 / 1		1 / 1			
Percentage of transfers resulting in pregnancies (%)	0 / 1		1 / 1			
Number of Egg/Embryo Banking Cycles						
	1	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

CURRENT SERVICES & PROFILE

Current Name: Endrika Hinton, MD

Donor eggs?	No	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

JOHNS HOPKINS FERTILITY CENTER LUTHERVILLE, MARYLAND

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE				Data verified by Jairo E. Garcia, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	56%	Tubal factor	19%	Uterine factor	7%	Multiple Factors: Female factors only 16% Female & male factors 11%
Unstimulated	2%	Used PGD	5%	Ovulatory dysfunction	8%	Male factor	30%	
Used gestational carrier	0%			Diminished ovarian reserve	36%	Other factor	19%	
				Endometriosis	6%	Unknown factor	6%	

2013 ART SUCCESS RATES ^c		Total number of cycles ^d : 325 (includes 2 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		79	32	51	36	18	0
Percentage of cancellations (%)		13.9	3.1	13.7	16.7	4 / 18	
Average number of embryos transferred		1.8	1.9	1.9	1.8	1.6	
Percentage of embryos transferred resulting in implantation (%)		39.4	20.9	8.9	13.0	1 / 10	
Percentage of elective single embryo transfers (eSET) (%)		16.3	13.6	8.0	0 / 9	0 / 3	
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		12.7	15.6	3.9	5.6	1 / 18	
Percentage of cycles resulting in singleton live births (%)		13.9	18.8	7.8	5.6	1 / 18	
Percentage of cycles resulting in twin live births (%)		11.4	3.1	0.0	0.0	0 / 18	
Percentage of cycles resulting in live births (%)		26.6	21.9	7.8	5.6	1 / 18	
Percentage of cycles resulting in pregnancies (%)		32.9	25.0	9.8	11.1	2 / 18	
Outcomes per Transfer							
Number of transfers		55	23	30	14	7	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		18.2	21.7	6.7	2 / 14	1 / 7	
Percentage of transfers resulting in singleton live births (%)		20.0	26.1	13.3	2 / 14	1 / 7	
Percentage of transfers resulting in twin live births (%)		16.4	4.3	0.0	0 / 14	0 / 7	
Percentage of transfers resulting in live births (%)		38.2	30.4	13.3	2 / 14	1 / 7	
Percentage of transfers resulting in pregnancies (%)		47.3	34.8	16.7	4 / 14	2 / 7	
Frozen Embryos from Nondonor Eggs							
Number of cycles		20	6	13	7	4	0
Number of transfers		19	6	12	7	4	0
Estimated average number of transfers per retrieval		0.6	1.0	0.8	0.9	1.3	0.0
Average number of embryos transferred		1.6	1.5	2.3	1.4	2.0	
Percentage of embryos transferred resulting in implantation (%)		38.7	4 / 9	11.1	1 / 8	2 / 8	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		8 / 19	2 / 6	1 / 12	1 / 7	1 / 4	
Percentage of transfers resulting in singleton live births (%)		9 / 19	2 / 6	1 / 12	1 / 7	1 / 4	
Percentage of transfers resulting in twin live births (%)		1 / 19	1 / 6	0 / 12	0 / 7	0 / 4	
Percentage of transfers resulting in live births (%)		10 / 19	3 / 6	1 / 12	1 / 7	1 / 4	
Percentage of transfers resulting in pregnancies (%)		11 / 19	3 / 6	3 / 12	2 / 7	2 / 4	
Number of Egg/Embryo Banking Cycles							
		17	5	3	6	2	2
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		6			16		
Number of transfers		5			16		
Average number of embryos transferred		1.6			1.5		
Percentage of embryos transferred resulting in implantation (%)		0 / 8			21.7		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 5			2 / 16		
Percentage of transfers resulting in singleton live births (%)		0 / 5			3 / 16		
Percentage of transfers resulting in twin live births (%)		0 / 5			1 / 16		
Percentage of transfers resulting in live births (%)		0 / 5			4 / 16		
Percentage of transfers resulting in pregnancies (%)		0 / 5			5 / 16		

CURRENT SERVICES & PROFILE		Current Name: Johns Hopkins Fertility Center					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**CENTER FOR REPRODUCTIVE MEDICINE
ROCKVILLE, MARYLAND**

This clinic provided ART services during 2013 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2013 ART cycle data or the clinic's Medical Director did not approve the clinic's 2013 ART cycle data for inclusion in this report.

This clinic provided ART services during 2013 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2013 ART cycle data or the clinic's Medical Director did not approve the clinic's 2013 ART cycle data for inclusion in this report.

SHADY GROVE FERTILITY REPRODUCTIVE SCIENCE CENTER ROCKVILLE, MARYLAND

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Michael J. Levy, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	61%	Tubal factor	10%	Uterine factor	4%	<i>Multiple Factors:</i> Female factors only 6% Female & male factors 7%
Unstimulated	0%	Used PGD	5%	Ovulatory dysfunction	10%	Male factor	23%	
Used gestational carrier	1%			Diminished ovarian reserve	30%	Other factor	12%	
				Endometriosis	4%	Unknown factor	22%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 7,694 (includes 182 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	1,529	843	989	465	258	17
Percentage of cancellations (%)	4.7	8.2	14.4	16.8	14.7	3 / 17
Average number of embryos transferred	1.5	1.6	2.0	2.5	3.0	3.3
Percentage of embryos transferred resulting in implantation (%)	43.6	37.9	25.4	12.0	6.9	2.9
Percentage of elective single embryo transfers (eSET) (%)	47.9	35.7	10.6	2.9	0.0	0 / 11
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	29.8	22.9	15.3	6.9	3.5	1 / 17
Percentage of cycles resulting in singleton live births (%)	33.4	27.6	18.4	9.0	5.4	1 / 17
Percentage of cycles resulting in twin live births (%)	6.3	6.3	5.4	1.3	1.2	0 / 17
Percentage of cycles resulting in live births (%)	39.8	34.0	23.8	10.3	6.6	1 / 17
Percentage of cycles resulting in pregnancies (%)	46.2	41.9	32.2	19.6	14.0	2 / 17
Outcomes per Transfer						
Number of transfers	1,276	685	732	318	182	12
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	35.7	28.2	20.6	10.1	4.9	1 / 12
Percentage of transfers resulting in singleton live births (%)	40.0	34.0	24.9	13.2	7.7	1 / 12
Percentage of transfers resulting in twin live births (%)	7.5	7.7	7.2	1.9	1.6	0 / 12
Percentage of transfers resulting in live births (%)	47.6	41.9	32.1	15.1	9.3	1 / 12
Percentage of transfers resulting in pregnancies (%)	55.3	51.5	43.4	28.6	19.8	2 / 12
Frozen Embryos from Nondonor Eggs						
Number of cycles	639	426	302	95	46	9
Number of transfers	613	400	290	87	38	9
Estimated average number of transfers per retrieval	1.5	1.3	1.3	1.4	1.0	1.8
Average number of embryos transferred	1.4	1.3	1.5	1.6	1.8	1.8
Percentage of embryos transferred resulting in implantation (%)	56.0	47.0	40.4	24.2	20.6	3 / 13
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	34.3	34.5	29.3	18.4	13.2	1 / 9
Percentage of transfers resulting in singleton live births (%)	39.3	39.5	33.1	25.3	15.8	1 / 9
Percentage of transfers resulting in twin live births (%)	8.8	6.0	6.2	1.1	2.6	0 / 9
Percentage of transfers resulting in live births (%)	48.3	45.5	39.7	26.4	18.4	1 / 9
Percentage of transfers resulting in pregnancies (%)	64.9	55.8	52.1	39.1	36.8	4 / 9
Number of Egg/Embryo Banking Cycles						
	74	128	84	16	7	4
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		955			626	
Number of transfers		806			571	
Average number of embryos transferred		1.4			1.3	
Percentage of embryos transferred resulting in implantation (%)		46.8			43.1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		34.2			23.6	
Percentage of transfers resulting in singleton live births (%)		41.1			32.0	
Percentage of transfers resulting in twin live births (%)		6.2			5.6	
Percentage of transfers resulting in live births (%)		47.4			37.7	
Percentage of transfers resulting in pregnancies (%)		57.8			50.3	

CURRENT SERVICES & PROFILE

Current Name: Shady Grove Fertility Reproductive Science Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MONTGOMERY FERTILITY CENTER SILVER SPRING, MARYLAND

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Yemi Famuyiwa, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	55%	Tubal factor	36%	Uterine factor	24%	Multiple Factors: Female factors only 20% Female & male factors 18%
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	13%	Male factor	24%	
Used gestational carrier	0%			Diminished ovarian reserve	31%	Other factor	13%	
				Endometriosis	2%	Unknown factor	2%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 46 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	10	6	8	5	0	2
Percentage of cancellations (%)	2 / 10	0 / 6	3 / 8	1 / 5		0 / 2
Average number of embryos transferred	2.3	3.2	2.5	1.5		4.0
Percentage of embryos transferred resulting in implantation (%)	1 / 14	0 / 16	0 / 10	0 / 3		0 / 8
Percentage of elective single embryo transfers (eSET) (%)	0 / 4	0 / 5	0 / 3	0 / 1		0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	1 / 10	0 / 6	0 / 8	0 / 5		0 / 2
Percentage of cycles resulting in singleton live births (%)	1 / 10	0 / 6	0 / 8	0 / 5		0 / 2
Percentage of cycles resulting in twin live births (%)	0 / 10	0 / 6	0 / 8	0 / 5		0 / 2
Percentage of cycles resulting in live births (%)	1 / 10	0 / 6	0 / 8	0 / 5		0 / 2
Percentage of cycles resulting in pregnancies (%)	1 / 10	0 / 6	0 / 8	0 / 5		0 / 2
Outcomes per Transfer						
Number of transfers	6	5	4	2	0	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 6	0 / 5	0 / 4	0 / 2		0 / 2
Percentage of transfers resulting in singleton live births (%)	1 / 6	0 / 5	0 / 4	0 / 2		0 / 2
Percentage of transfers resulting in twin live births (%)	0 / 6	0 / 5	0 / 4	0 / 2		0 / 2
Percentage of transfers resulting in live births (%)	1 / 6	0 / 5	0 / 4	0 / 2		0 / 2
Percentage of transfers resulting in pregnancies (%)	1 / 6	0 / 5	0 / 4	0 / 2		0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	3	0	0	0	0
Number of transfers	2	3	0	0	0	0
Estimated average number of transfers per retrieval	2.0	1.0				0.0
Average number of embryos transferred	2.5	2.3				
Percentage of embryos transferred resulting in implantation (%)	0 / 5	1 / 7				
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 2	0 / 3				
Percentage of transfers resulting in singleton live births (%)	0 / 2	1 / 3				
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 3				
Percentage of transfers resulting in live births (%)	0 / 2	1 / 3				
Percentage of transfers resulting in pregnancies (%)	0 / 2	1 / 3				
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	1
Donor Eggs			Fresh Embryos^f		Frozen Embryos^f	
Number of cycles			4		5	
Number of transfers			4		4	
Average number of embryos transferred			2.3		3.0	
Percentage of embryos transferred resulting in implantation (%)			1 / 6		1 / 12	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)			1 / 4		0 / 4	
Percentage of transfers resulting in singleton live births (%)			1 / 4		1 / 4	
Percentage of transfers resulting in twin live births (%)			0 / 4		0 / 4	
Percentage of transfers resulting in live births (%)			1 / 4		1 / 4	
Percentage of transfers resulting in pregnancies (%)			2 / 4		1 / 4	

CURRENT SERVICES & PROFILE

Current Name: Montgomery Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF MARYLAND TOWSON, MARYLAND

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Santiago L. Padilla, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	34%	Tubal factor	20%	Uterine factor	14%	<i>Multiple Factors:</i> Female factors only 20% Female & male factors 24%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	23%	Male factor	36%	
Used gestational carrier	0%			Diminished ovarian reserve	32%	Other factor	8%	
				Endometriosis	13%	Unknown factor	11%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 302 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	71	51	36	20	22	4
Percentage of cancellations (%)	4.2	23.5	36.1	25.0	54.5	4 / 4
Average number of embryos transferred	1.8	1.8	2.3	3.7	2.5	
Percentage of embryos transferred resulting in implantation (%)	34.5	32.8	17.6	5.8	4.0	
Percentage of elective single embryo transfers (eSET) (%)	11.9	18.9	9.5	0 / 14	0 / 8	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	29.6	17.6	16.7	10.0	0.0	0 / 4
Percentage of cycles resulting in singleton live births (%)	35.2	19.6	16.7	10.0	0.0	0 / 4
Percentage of cycles resulting in twin live births (%)	7.0	9.8	2.8	0.0	0.0	0 / 4
Percentage of cycles resulting in live births (%)	42.3	29.4	19.4	10.0	0.0	0 / 4
Percentage of cycles resulting in pregnancies (%)	46.5	37.3	22.2	15.0	4.5	0 / 4
Outcomes per Transfer						
Number of transfers	63	38	22	14	10	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	33.3	23.7	27.3	2 / 14	0 / 10	
Percentage of transfers resulting in singleton live births (%)	39.7	26.3	27.3	2 / 14	0 / 10	
Percentage of transfers resulting in twin live births (%)	7.9	13.2	4.5	0 / 14	0 / 10	
Percentage of transfers resulting in live births (%)	47.6	39.5	31.8	2 / 14	0 / 10	
Percentage of transfers resulting in pregnancies (%)	52.4	50.0	36.4	3 / 14	1 / 10	
Frozen Embryos from Nondonor Eggs						
Number of cycles	29	24	21	6	2	1
Number of transfers	28	23	15	5	1	1
Estimated average number of transfers per retrieval	2.8	1.9	2.5	2.5		
Average number of embryos transferred	1.7	1.7	1.8	2.0	1.0	2.0
Percentage of embryos transferred resulting in implantation (%)	44.4	35.1	33.3	2 / 10	1 / 1	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	28.6	34.8	3 / 15	1 / 5	1 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	32.1	43.5	3 / 15	1 / 5	1 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	14.3	4.3	2 / 15	0 / 5	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	46.4	47.8	5 / 15	1 / 5	1 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	60.7	56.5	7 / 15	2 / 5	1 / 1	0 / 1
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	7			8		
Number of transfers	7			6		
Average number of embryos transferred	1.7			2.0		
Percentage of embryos transferred resulting in implantation (%)	6 / 12			4 / 12		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 7			0 / 6		
Percentage of transfers resulting in singleton live births (%)	2 / 7			1 / 6		
Percentage of transfers resulting in twin live births (%)	1 / 7			1 / 6		
Percentage of transfers resulting in live births (%)	3 / 7			2 / 6		
Percentage of transfers resulting in pregnancies (%)	5 / 7			3 / 6		

CURRENT SERVICES & PROFILE

Current Name: Fertility Center of Maryland

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BRIGHAM AND WOMEN'S HOSPITAL CENTER FOR ASSISTED REPRODUCTIVE TECHNOLOGY BOSTON, MASSACHUSETTS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Elizabeth S. Ginsburg, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	38%	Tubal factor	9%	Uterine factor	4%	Multiple Factors: Female factors only 8% Female & male factors 11%
Unstimulated	<1%	Used PGD	2%	Ovulatory dysfunction	12%	Male factor	24%	
Used gestational carrier	<1%			Diminished ovarian reserve	26%	Other factor	9%	
				Endometriosis	9%	Unknown factor	29%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 1,897 (includes 7 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	405	259	348	169	68	1
Percentage of cancellations (%)	5.9	4.2	7.5	14.2	5.9	0 / 1
Average number of embryos transferred	1.5	2.0	2.4	3.9	4.3	9.0
Percentage of embryos transferred resulting in implantation (%)	37.8	32.2	17.8	9.6	6.6	0 / 9
Percentage of elective single embryo transfers (eSET) (%)	42.8	18.5	7.2	0.8	0.0	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	26.2	24.7	15.8	9.5	2.9	0 / 1
Percentage of cycles resulting in singleton live births (%)	29.9	29.3	19.0	13.6	2.9	0 / 1
Percentage of cycles resulting in twin live births (%)	6.9	8.5	3.7	4.7	4.4	0 / 1
Percentage of cycles resulting in live births (%)	37.0	37.8	22.7	18.3	8.8	0 / 1
Percentage of cycles resulting in pregnancies (%)	45.2	45.2	32.5	24.9	20.6	0 / 1
Outcomes per Transfer						
Number of transfers	358	228	287	132	57	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	29.6	28.1	19.2	12.1	3.5	0 / 1
Percentage of transfers resulting in singleton live births (%)	33.8	33.3	23.0	17.4	3.5	0 / 1
Percentage of transfers resulting in twin live births (%)	7.8	9.6	4.5	6.1	5.3	0 / 1
Percentage of transfers resulting in live births (%)	41.9	43.0	27.5	23.5	10.5	0 / 1
Percentage of transfers resulting in pregnancies (%)	51.1	51.3	39.4	31.8	24.6	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	175	86	93	44	13	2
Number of transfers	165	83	87	37	12	0
Estimated average number of transfers per retrieval	1.3	1.1	1.0	1.3	1.1	
Average number of embryos transferred	1.6	1.8	2.0	2.2	4.7	
Percentage of embryos transferred resulting in implantation (%)	49.6	48.6	26.2	20.8	9.6	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	37.0	27.7	27.6	13.5	3 / 12	
Percentage of transfers resulting in singleton live births (%)	41.8	38.6	32.2	16.2	3 / 12	
Percentage of transfers resulting in twin live births (%)	14.5	14.5	4.6	8.1	1 / 12	
Percentage of transfers resulting in live births (%)	56.4	53.0	36.8	24.3	4 / 12	
Percentage of transfers resulting in pregnancies (%)	66.1	61.4	46.0	43.2	5 / 12	
Number of Egg/Embryo Banking Cycles						
	44	29	33	11	5	0
Donor Eggs						
		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		51			54	
Number of transfers		50			53	
Average number of embryos transferred		1.6			1.8	
Percentage of embryos transferred resulting in implantation (%)		55.7			35.8	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		30.0			24.5	
Percentage of transfers resulting in singleton live births (%)		46.0			30.2	
Percentage of transfers resulting in twin live births (%)		14.0			9.4	
Percentage of transfers resulting in live births (%)		60.0			39.6	
Percentage of transfers resulting in pregnancies (%)		72.0			54.7	

CURRENT SERVICES & PROFILE

Current Name: Brigham and Women's Hospital Center for Assisted Reproductive Technology

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MASSACHUSETTS GENERAL HOSPITAL FERTILITY CENTER BOSTON, MASSACHUSETTS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Thomas L. Toth, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	45%	Tubal factor	15%	Uterine factor	6%	<i>Multiple Factors:</i> Female factors only 8% Female & male factors 20%
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	10%	Male factor	38%	
Used gestational carrier	<1%			Diminished ovarian reserve	32%	Other factor	10%	
				Endometriosis	6%	Unknown factor	17%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 803 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	217	142	148	83	18	0
Percentage of cancellations (%)	4.1	7.0	6.1	7.2	2 / 18	
Average number of embryos transferred	1.6	1.8	2.4	3.6	4.0	
Percentage of embryos transferred resulting in implantation (%)	50.0	31.2	21.2	10.9	5.0	
Percentage of elective single embryo transfers (eSET) (%)	31.8	16.9	2.5	0.0	0 / 15	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	37.3	31.7	20.9	15.7	2 / 18	
Percentage of cycles resulting in singleton live births (%)	41.5	35.9	23.0	19.3	2 / 18	
Percentage of cycles resulting in twin live births (%)	10.6	4.2	6.1	1.2	0 / 18	
Percentage of cycles resulting in live births (%)	53.0	40.1	29.7	20.5	2 / 18	
Percentage of cycles resulting in pregnancies (%)	57.6	45.8	36.5	32.5	3 / 18	
Outcomes per Transfer						
Number of transfers	196	130	135	74	15	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	41.3	34.6	23.0	17.6	2 / 15	
Percentage of transfers resulting in singleton live births (%)	45.9	39.2	25.2	21.6	2 / 15	
Percentage of transfers resulting in twin live births (%)	11.7	4.6	6.7	1.4	0 / 15	
Percentage of transfers resulting in live births (%)	58.7	43.8	32.6	23.0	2 / 15	
Percentage of transfers resulting in pregnancies (%)	63.8	50.0	40.0	36.5	3 / 15	
Frozen Embryos from Nondonor Eggs						
Number of cycles	47	33	23	6	7	1
Number of transfers	47	31	23	6	7	1
Estimated average number of transfers per retrieval	1.4	1.3	1.3	1.2	1.0	
Average number of embryos transferred	1.6	1.4	1.7	2.0	2.1	2.0
Percentage of embryos transferred resulting in implantation (%)	34.3	56.1	48.4	4 / 10	1 / 15	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	19.1	29.0	34.8	2 / 6	1 / 7	0 / 1
Percentage of transfers resulting in singleton live births (%)	27.7	41.9	39.1	2 / 6	1 / 7	0 / 1
Percentage of transfers resulting in twin live births (%)	8.5	9.7	8.7	1 / 6	0 / 7	0 / 1
Percentage of transfers resulting in live births (%)	36.2	51.6	47.8	3 / 6	1 / 7	0 / 1
Percentage of transfers resulting in pregnancies (%)	42.6	67.7	65.2	4 / 6	1 / 7	0 / 1
Number of Egg/Embryo Banking Cycles						
	5	13	7	1	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		35			17	
Number of transfers		33			17	
Average number of embryos transferred		1.5			1.5	
Percentage of embryos transferred resulting in implantation (%)		53.2			33.3	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		39.4			8 / 17	
Percentage of transfers resulting in singleton live births (%)		45.5			8 / 17	
Percentage of transfers resulting in twin live births (%)		12.1			0 / 17	
Percentage of transfers resulting in live births (%)		57.6			8 / 17	
Percentage of transfers resulting in pregnancies (%)		66.7			9 / 17	

CURRENT SERVICES & PROFILE

Current Name: Massachusetts General Hospital Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**REI DIVISION AT TUFTS MEDICAL CENTER
BOSTON, MASSACHUSETTS**

This clinic provided ART services during 2013 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2013 ART cycle data or the clinic's Medical Director did not approve the clinic's 2013 ART cycle data for inclusion in this report.

**FERTILITY SOLUTIONS, PC DBA
MASSACHUSETTS FERTILITY CENTER, LLC
DEDHAM, MASSACHUSETTS**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Ania Kowalik, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	49%	Tubal factor	12%	Uterine factor	3%	Multiple Factors: Female factors only 4% Female & male factors 8%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	11%	Male factor	29%	
Used gestational carrier	0%			Diminished ovarian reserve	22%	Other factor	4%	
				Endometriosis	5%	Unknown factor	26%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 610 (includes 5 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	168	89	73	46	13	0
Percentage of cancellations (%)	6.0	7.9	9.6	28.3	0 / 13	
Average number of embryos transferred	1.5	1.9	2.2	3.1	2.7	
Percentage of embryos transferred resulting in implantation (%)	32.2	23.6	17.6	9.2	0.0	
Percentage of elective single embryo transfers (eSET) (%)	44.6	22.4	6.3	0.0	0 / 7	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	20.8	14.6	13.7	6.5	0 / 13	
Percentage of cycles resulting in singleton live births (%)	23.8	15.7	17.8	10.9	0 / 13	
Percentage of cycles resulting in twin live births (%)	6.0	7.9	4.1	0.0	0 / 13	
Percentage of cycles resulting in live births (%)	29.8	24.7	21.9	10.9	0 / 13	
Percentage of cycles resulting in pregnancies (%)	35.1	30.3	24.7	13.0	2 / 13	
Outcomes per Transfer						
Number of transfers	142	80	55	32	10	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	24.6	16.3	18.2	9.4	0 / 10	
Percentage of transfers resulting in singleton live births (%)	28.2	17.5	23.6	15.6	0 / 10	
Percentage of transfers resulting in twin live births (%)	7.0	8.8	5.5	0.0	0 / 10	
Percentage of transfers resulting in live births (%)	35.2	27.5	29.1	15.6	0 / 10	
Percentage of transfers resulting in pregnancies (%)	41.5	33.8	32.7	18.8	2 / 10	
Frozen Embryos from Nondonor Eggs						
Number of cycles	102	39	19	10	3	0
Number of transfers	94	35	17	9	1	0
Estimated average number of transfers per retrieval	1.3	1.9	0.9	1.3	1.0	
Average number of embryos transferred	1.6	1.6	1.5	2.1	1.0	
Percentage of embryos transferred resulting in implantation (%)	24.1	23.1	26.1	1 / 19	1 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	22.3	17.1	4 / 17	1 / 9	1 / 1	
Percentage of transfers resulting in singleton live births (%)	30.9	22.9	4 / 17	1 / 9	1 / 1	
Percentage of transfers resulting in twin live births (%)	1.1	2.9	1 / 17	0 / 9	0 / 1	
Percentage of transfers resulting in live births (%)	31.9	25.7	5 / 17	1 / 9	1 / 1	
Percentage of transfers resulting in pregnancies (%)	37.2	37.1	6 / 17	1 / 9	1 / 1	
Number of Egg/Embryo Banking Cycles						
	4	2	2	0	1	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		20			14	
Number of transfers		20			14	
Average number of embryos transferred		1.7			1.7	
Percentage of embryos transferred resulting in implantation (%)		42.4			23.8	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		50.0			4 / 14	
Percentage of transfers resulting in singleton live births (%)		50.0			5 / 14	
Percentage of transfers resulting in twin live births (%)		10.0			0 / 14	
Percentage of transfers resulting in live births (%)		60.0			5 / 14	
Percentage of transfers resulting in pregnancies (%)		60.0			7 / 14	

CURRENT SERVICES & PROFILE

Current Name: Fertility Solutions, PC dba, Massachusetts Fertility Center, LLC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE SCIENCE CENTER LEXINGTON, MASSACHUSETTS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Samuel C. Pang, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	43%	Tubal factor	15%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 7% Female & male factors 18%
Unstimulated	<1%	Used PGD	2%	Ovulatory dysfunction	14%	Male factor	43%	
Used gestational carrier	<1%			Diminished ovarian reserve	22%	Other factor	8%	
				Endometriosis	6%	Unknown factor	19%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 2,586 (includes 85 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	775	430	385	198	56	0
Percentage of cancellations (%)	3.2	7.2	10.9	7.1	14.3	
Average number of embryos transferred	1.4	1.7	2.2	3.0	3.0	
Percentage of embryos transferred resulting in implantation (%)	39.3	30.6	16.8	7.0	3.1	
Percentage of elective single embryo transfers (eSET) (%)	47.0	22.5	4.7	0.7	0.0	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	29.0	24.0	13.0	9.1	5.4	
Percentage of cycles resulting in singleton live births (%)	33.0	26.5	14.8	10.1	5.4	
Percentage of cycles resulting in twin live births (%)	5.9	5.3	4.2	1.5	0.0	
Percentage of cycles resulting in live births (%)	39.1	31.9	19.0	11.6	5.4	
Percentage of cycles resulting in pregnancies (%)	44.4	39.1	26.0	18.7	7.1	
Outcomes per Transfer						
Number of transfers	700	364	309	165	42	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	32.1	28.3	16.2	10.9	7.1	
Percentage of transfers resulting in singleton live births (%)	36.6	31.3	18.4	12.1	7.1	
Percentage of transfers resulting in twin live births (%)	6.6	6.3	5.2	1.8	0.0	
Percentage of transfers resulting in live births (%)	43.3	37.6	23.6	13.9	7.1	
Percentage of transfers resulting in pregnancies (%)	49.1	46.2	32.4	22.4	9.5	
Frozen Embryos from Nondonor Eggs						
Number of cycles	264	130	96	22	14	3
Number of transfers	232	108	82	18	9	2
Estimated average number of transfers per retrieval	1.2	1.3	1.2	2.0	1.1	
Average number of embryos transferred	1.3	1.4	1.6	1.9	1.4	1.0
Percentage of embryos transferred resulting in implantation (%)	48.3	45.6	20.5	14.3	2 / 13	1 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	33.6	30.6	20.7	1 / 18	1 / 9	1 / 2
Percentage of transfers resulting in singleton live births (%)	38.4	32.4	22.0	3 / 18	2 / 9	1 / 2
Percentage of transfers resulting in twin live births (%)	6.5	10.2	1.2	0 / 18	0 / 9	0 / 2
Percentage of transfers resulting in live births (%)	45.3	42.6	23.2	3 / 18	2 / 9	1 / 2
Percentage of transfers resulting in pregnancies (%)	54.7	56.5	36.6	6 / 18	2 / 9	1 / 2
Number of Egg/Embryo Banking Cycles						
	15	11	8	1	1	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		38			54	
Number of transfers		37			43	
Average number of embryos transferred		1.3			1.1	
Percentage of embryos transferred resulting in implantation (%)		68.1			63.0	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		59.5			44.2	
Percentage of transfers resulting in singleton live births (%)		70.3			53.5	
Percentage of transfers resulting in twin live births (%)		2.7			4.7	
Percentage of transfers resulting in live births (%)		73.0			58.1	
Percentage of transfers resulting in pregnancies (%)		78.4			67.4	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Science Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**FERTILITY CENTERS OF NEW ENGLAND, INC.
NEW ENGLAND CLINICS OF REPRODUCTIVE MEDICINE, INC.
READING, MASSACHUSETTS**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Joseph A. Hill, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	63%	Tubal factor	9%	Uterine factor	7%	Multiple Factors: Female factors only 8% Female & male factors 11%
Unstimulated	0%	Used PGD	8%	Ovulatory dysfunction	14%	Male factor	24%	
Used gestational carrier	<1%			Diminished ovarian reserve	11%	Other factor	27%	
				Endometriosis	6%	Unknown factor	22%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 1,163 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	402	182	182	60	28	0
Percentage of cancellations (%)	3.0	4.9	7.7	5.0	7.1	
Average number of embryos transferred	1.4	1.6	1.7	1.9	2.3	
Percentage of embryos transferred resulting in implantation (%)	46.8	40.3	26.6	11.0	2.6	
Percentage of elective single embryo transfers (eSET) (%)	49.0	27.4	5.7	10.0	0 / 14	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	28.4	18.1	11.0	5.0	0.0	
Percentage of cycles resulting in singleton live births (%)	32.3	21.4	12.6	8.3	0.0	
Percentage of cycles resulting in twin live births (%)	6.0	8.2	2.7	0.0	0.0	
Percentage of cycles resulting in live births (%)	38.6	29.7	15.4	8.3	0.0	
Percentage of cycles resulting in pregnancies (%)	44.3	34.1	25.3	15.0	3.6	
Outcomes per Transfer						
Number of transfers	327	131	120	40	17	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	34.9	25.2	16.7	7.5	0 / 17	
Percentage of transfers resulting in singleton live births (%)	39.8	29.8	19.2	12.5	0 / 17	
Percentage of transfers resulting in twin live births (%)	7.3	11.5	4.2	0.0	0 / 17	
Percentage of transfers resulting in live births (%)	47.4	41.2	23.3	12.5	0 / 17	
Percentage of transfers resulting in pregnancies (%)	54.4	47.3	38.3	22.5	1 / 17	
Frozen Embryos from Nondonor Eggs						
Number of cycles	118	45	36	16	3	1
Number of transfers	113	41	35	13	3	0
Estimated average number of transfers per retrieval	1.3	1.1	1.0	1.3	0.6	
Average number of embryos transferred	1.5	1.6	1.7	1.5	2.3	
Percentage of embryos transferred resulting in implantation (%)	43.9	37.3	36.4	9 / 17	2 / 7	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	37.2	31.7	28.6	5 / 13	2 / 3	
Percentage of transfers resulting in singleton live births (%)	40.7	31.7	37.1	5 / 13	2 / 3	
Percentage of transfers resulting in twin live births (%)	8.8	7.3	5.7	0 / 13	0 / 3	
Percentage of transfers resulting in live births (%)	50.4	41.5	42.9	6 / 13	2 / 3	
Percentage of transfers resulting in pregnancies (%)	56.6	46.3	54.3	8 / 13	2 / 3	
Number of Egg/Embryo Banking Cycles	7	8	7	3	0	0
Donor Eggs		Fresh Embryos^f		Frozen Embryos^f		
Number of cycles		44		20		
Number of transfers		42		19		
Average number of embryos transferred		1.7		1.5		
Percentage of embryos transferred resulting in implantation (%)		63.8		40.7		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		28.6		6 / 19		
Percentage of transfers resulting in singleton live births (%)		38.1		7 / 19		
Percentage of transfers resulting in twin live births (%)		31.0		2 / 19		
Percentage of transfers resulting in live births (%)		69.0		9 / 19		
Percentage of transfers resulting in pregnancies (%)		71.4		10 / 19		

CURRENT SERVICES & PROFILE

Current Name: Fertility Centers of New England, Inc.,
New England Clinics of Reproductive Medicine, Inc.

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BAYSTATE REPRODUCTIVE MEDICINE SPRINGFIELD, MASSACHUSETTS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE				Data verified by Kelly Lynch, MD					
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b					
IVF	100%	With ICSI	41%	Tubal factor	13%	Uterine factor	5%	<i>Multiple Factors:</i>	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	20%	Male factor	24%	Female factors only	6%
Used gestational carrier	<1%			Diminished ovarian reserve	16%	Other factor	5%	Female & male factors	10%
				Endometriosis	10%	Unknown factor	25%		

2013 ART SUCCESS RATES ^c		Total number of cycles ^d : 573 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		162	107	69	33	9	0
Percentage of cancellations (%)		4.9	6.5	13.0	12.1	3 / 9	
Average number of embryos transferred		1.3	1.9	2.6	3.5	3.4	
Percentage of embryos transferred resulting in implantation (%)		47.2	26.6	20.0	10.0	0 / 12	
Percentage of elective single embryo transfers (eSET) (%)		64.5	14.9	2.0	0.0	0 / 4	
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		29.6	23.4	11.6	6.1	0 / 9	
Percentage of cycles resulting in singleton live births (%)		32.1	25.2	13.0	9.1	0 / 9	
Percentage of cycles resulting in twin live births (%)		4.3	4.7	5.8	6.1	0 / 9	
Percentage of cycles resulting in live births (%)		36.4	29.9	20.3	15.2	0 / 9	
Percentage of cycles resulting in pregnancies (%)		50.0	41.1	33.3	21.2	1 / 9	
Outcomes per Transfer							
Number of transfers		142	97	56	26	5	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		33.8	25.8	14.3	7.7	0 / 5	
Percentage of transfers resulting in singleton live births (%)		36.6	27.8	16.1	11.5	0 / 5	
Percentage of transfers resulting in twin live births (%)		4.9	5.2	7.1	7.7	0 / 5	
Percentage of transfers resulting in live births (%)		41.5	33.0	25.0	19.2	0 / 5	
Percentage of transfers resulting in pregnancies (%)		57.0	45.4	41.1	26.9	1 / 5	
Frozen Embryos from Nondonor Eggs							
Number of cycles		88	41	29	8	2	1
Number of transfers		82	32	26	7	1	1
Estimated average number of transfers per retrieval		1.6	1.5	2.0	1.8	1.0	
Average number of embryos transferred		1.3	1.4	1.6	1.4	3.0	2.0
Percentage of embryos transferred resulting in implantation (%)		49.5	37.8	42.9	2 / 8	1 / 3	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		35.4	21.9	23.1	0 / 7	1 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)		39.0	34.4	23.1	1 / 7	1 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)		7.3	0.0	7.7	0 / 7	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)		46.3	34.4	34.6	1 / 7	1 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)		58.5	50.0	50.0	3 / 7	1 / 1	0 / 1
Number of Egg/Embryo Banking Cycles							
		2	1	0	0	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		9			12		
Number of transfers		8			10		
Average number of embryos transferred		1.6			1.1		
Percentage of embryos transferred resulting in implantation (%)		11 / 13			5 / 10		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		3 / 8			2 / 10		
Percentage of transfers resulting in singleton live births (%)		3 / 8			3 / 10		
Percentage of transfers resulting in twin live births (%)		3 / 8			0 / 10		
Percentage of transfers resulting in live births (%)		6 / 8			3 / 10		
Percentage of transfers resulting in pregnancies (%)		7 / 8			5 / 10		

CURRENT SERVICES & PROFILE		Current Name: Baystate Reproductive Medicine					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CARDONE REPRODUCTIVE MEDICINE AND INFERTILITY STONEHAM, MASSACHUSETTS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Vito R. Cardone, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	34%	Tubal factor	13%	Uterine factor	13%	<i>Multiple Factors:</i> Female factors only 13% Female & male factors 8%
Unstimulated	0%	Used PGD	8%	Ovulatory dysfunction	6%	Male factor	20%	
Used gestational carrier	<1%			Diminished ovarian reserve	40%	Other factor	8%	
				Endometriosis	11%	Unknown factor	13%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 239 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	47	21	30	26	17	11
Percentage of cancellations (%)	6.4	0.0	3.3	0.0	3 / 17	3 / 11
Average number of embryos transferred	1.8	1.8	2.1	2.6	3.1	2.0
Percentage of embryos transferred resulting in implantation (%)	38.2	25.8	17.4	3.8	0 / 19	1 / 12
Percentage of elective single embryo transfers (eSET) (%)	3.2	2 / 16	0 / 17	0 / 16	0 / 6	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	23.4	23.8	10.0	7.7	0 / 17	1 / 11
Percentage of cycles resulting in singleton live births (%)	27.7	23.8	20.0	7.7	0 / 17	1 / 11
Percentage of cycles resulting in twin live births (%)	6.4	4.8	0.0	0.0	0 / 17	0 / 11
Percentage of cycles resulting in live births (%)	36.2	28.6	20.0	7.7	0 / 17	1 / 11
Percentage of cycles resulting in pregnancies (%)	42.6	38.1	26.7	11.5	1 / 17	1 / 11
Outcomes per Transfer						
Number of transfers	41	18	22	21	8	6
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	26.8	5 / 18	13.6	9.5	0 / 8	1 / 6
Percentage of transfers resulting in singleton live births (%)	31.7	5 / 18	27.3	9.5	0 / 8	1 / 6
Percentage of transfers resulting in twin live births (%)	7.3	1 / 18	0.0	0.0	0 / 8	0 / 6
Percentage of transfers resulting in live births (%)	41.5	6 / 18	27.3	9.5	0 / 8	1 / 6
Percentage of transfers resulting in pregnancies (%)	48.8	8 / 18	36.4	14.3	1 / 8	1 / 6
Frozen Embryos from Nondonor Eggs						
Number of cycles	15	7	10	3	6	0
Number of transfers	14	6	9	2	4	0
Estimated average number of transfers per retrieval	2.0		1.5	0.7	2.0	
Average number of embryos transferred	2.1	2.0	2.3	2.5	2.8	
Percentage of embryos transferred resulting in implantation (%)	26.7	1 / 12	2 / 17	1 / 5	1 / 11	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 14	0 / 6	1 / 9	1 / 2	1 / 4	
Percentage of transfers resulting in singleton live births (%)	2 / 14	1 / 6	1 / 9	1 / 2	1 / 4	
Percentage of transfers resulting in twin live births (%)	3 / 14	0 / 6	0 / 9	0 / 2	0 / 4	
Percentage of transfers resulting in live births (%)	5 / 14	1 / 6	1 / 9	1 / 2	1 / 4	
Percentage of transfers resulting in pregnancies (%)	5 / 14	1 / 6	4 / 9	1 / 2	1 / 4	
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs			Fresh Embryos^f		Frozen Embryos^f	
Number of cycles			27		18	
Number of transfers			24		16	
Average number of embryos transferred			2.0		2.1	
Percentage of embryos transferred resulting in implantation (%)			36.2		24.2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)			29.2		2 / 16	
Percentage of transfers resulting in singleton live births (%)			33.3		3 / 16	
Percentage of transfers resulting in twin live births (%)			12.5		1 / 16	
Percentage of transfers resulting in live births (%)			45.8		4 / 16	
Percentage of transfers resulting in pregnancies (%)			54.2		6 / 16	

CURRENT SERVICES & PROFILE

Current Name: Cardone Reproductive Medicine and Infertility

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BOSTON IVF WALTHAM, MASSACHUSETTS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Michael M. Alper, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	39%	Tubal factor	8%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 6% Female & male factors 10%
Unstimulated	<1%	Used PGD	9%	Ovulatory dysfunction	12%	Male factor	24%	
Used gestational carrier	<1%			Diminished ovarian reserve	33%	Other factor	5%	
				Endometriosis	4%	Unknown factor	29%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 2,987 (includes 130 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	610	445	468	274	116	8
Percentage of cancellations (%)	3.1	6.3	9.6	7.7	13.8	1 / 8
Average number of embryos transferred	1.6	1.8	2.3	3.0	3.5	3.7
Percentage of embryos transferred resulting in implantation (%)	36.0	27.3	18.5	9.4	4.2	1 / 11
Percentage of elective single embryo transfers (eSET) (%)	33.9	17.2	9.3	1.6	2.6	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	24.8	14.8	13.2	6.6	4.3	0 / 8
Percentage of cycles resulting in singleton live births (%)	29.3	18.9	15.8	7.3	5.2	0 / 8
Percentage of cycles resulting in twin live births (%)	6.4	6.7	3.8	1.8	0.9	0 / 8
Percentage of cycles resulting in live births (%)	35.7	25.6	19.9	9.5	6.0	0 / 8
Percentage of cycles resulting in pregnancies (%)	40.5	30.1	26.3	17.9	10.3	1 / 8
Outcomes per Transfer						
Number of transfers	522	347	359	218	83	3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	28.9	19.0	17.3	8.3	6.0	0 / 3
Percentage of transfers resulting in singleton live births (%)	34.3	24.2	20.6	9.2	7.2	0 / 3
Percentage of transfers resulting in twin live births (%)	7.5	8.6	5.0	2.3	1.2	0 / 3
Percentage of transfers resulting in live births (%)	41.8	32.9	25.9	11.9	8.4	0 / 3
Percentage of transfers resulting in pregnancies (%)	47.3	38.6	34.3	22.5	14.5	1 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	261	196	107	50	24	2
Number of transfers	234	186	92	44	15	2
Estimated average number of transfers per retrieval	1.4	1.2	1.0	1.1	1.4	
Average number of embryos transferred	1.5	1.5	1.7	2.2	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	36.0	29.3	19.2	23.7	16.7	1 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	24.4	25.3	13.0	18.2	2 / 15	1 / 2
Percentage of transfers resulting in singleton live births (%)	27.8	26.9	16.3	18.2	2 / 15	1 / 2
Percentage of transfers resulting in twin live births (%)	6.4	4.8	4.3	4.5	1 / 15	0 / 2
Percentage of transfers resulting in live births (%)	34.2	32.3	20.7	22.7	3 / 15	1 / 2
Percentage of transfers resulting in pregnancies (%)	47.0	37.6	30.4	31.8	4 / 15	2 / 2
Number of Egg/Embryo Banking Cycles						
	14	28	23	1	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		97			133	
Number of transfers		82			123	
Average number of embryos transferred		1.7			1.7	
Percentage of embryos transferred resulting in implantation (%)		47.8			25.9	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		28.0			12.2	
Percentage of transfers resulting in singleton live births (%)		37.8			21.1	
Percentage of transfers resulting in twin live births (%)		14.6			8.1	
Percentage of transfers resulting in live births (%)		53.7			29.3	
Percentage of transfers resulting in pregnancies (%)		64.6			38.2	

CURRENT SERVICES & PROFILE

Current Name: Boston IVF

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE
UNIVERSITY OF MICHIGAN REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY
ANN ARBOR, MICHIGAN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Senait Fisseha, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	64%	Tubal factor	17%	Uterine factor	5%	<i>Multiple Factors:</i> Female factors only 8% Female & male factors 25%
Unstimulated	<1%	Used PGD	0%	Ovulatory dysfunction	21%	Male factor	48%	
Used gestational carrier	1%			Diminished ovarian reserve	31%	Other factor	3%	
				Endometriosis	7%	Unknown factor	7%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 265 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	72	44	26	10	5	0
Percentage of cancellations (%)	8.3	13.6	15.4	1 / 10	0 / 5	
Average number of embryos transferred	1.7	1.8	2.1	2.3	2.6	
Percentage of embryos transferred resulting in implantation (%)	34.3	28.6	23.7	4.8	1 / 13	
Percentage of elective single embryo transfers (eSET) (%)	29.5	23.5	1 / 17	0 / 8	0 / 5	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	26.4	13.6	15.4	1 / 10	1 / 5	
Percentage of cycles resulting in singleton live births (%)	30.6	13.6	15.4	1 / 10	1 / 5	
Percentage of cycles resulting in twin live births (%)	6.9	9.1	7.7	0 / 10	0 / 5	
Percentage of cycles resulting in live births (%)	37.5	22.7	23.1	1 / 10	1 / 5	
Percentage of cycles resulting in pregnancies (%)	44.4	29.5	26.9	1 / 10	1 / 5	
Outcomes per Transfer						
Number of transfers	62	35	18	9	5	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	30.6	17.1	4 / 18	1 / 9	1 / 5	
Percentage of transfers resulting in singleton live births (%)	35.5	17.1	4 / 18	1 / 9	1 / 5	
Percentage of transfers resulting in twin live births (%)	8.1	11.4	2 / 18	0 / 9	0 / 5	
Percentage of transfers resulting in live births (%)	43.5	28.6	6 / 18	1 / 9	1 / 5	
Percentage of transfers resulting in pregnancies (%)	51.6	37.1	7 / 18	1 / 9	1 / 5	
Frozen Embryos from Nondonor Eggs						
Number of cycles	34	24	13	4	3	0
Number of transfers	34	22	13	4	3	0
Estimated average number of transfers per retrieval	1.4	1.4	2.2	2.0	3.0	
Average number of embryos transferred	1.6	1.8	1.8	1.8	1.3	
Percentage of embryos transferred resulting in implantation (%)	31.4	13.2	17.4	0 / 7	1 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	14.7	18.2	2 / 13	0 / 4	0 / 3	
Percentage of transfers resulting in singleton live births (%)	14.7	18.2	3 / 13	0 / 4	0 / 3	
Percentage of transfers resulting in twin live births (%)	5.9	0.0	0 / 13	0 / 4	0 / 3	
Percentage of transfers resulting in live births (%)	20.6	18.2	3 / 13	0 / 4	0 / 3	
Percentage of transfers resulting in pregnancies (%)	38.2	27.3	4 / 13	0 / 4	1 / 3	
Number of Egg/Embryo Banking Cycles						
	7	5	1	2	1	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	6			8		
Number of transfers	5			8		
Average number of embryos transferred	1.4			1.5		
Percentage of embryos transferred resulting in implantation (%)	3 / 6			1 / 10		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 5			1 / 8		
Percentage of transfers resulting in singleton live births (%)	1 / 5			1 / 8		
Percentage of transfers resulting in twin live births (%)	1 / 5			0 / 8		
Percentage of transfers resulting in live births (%)	2 / 5			1 / 8		
Percentage of transfers resulting in pregnancies (%)	3 / 5			2 / 8		

CURRENT SERVICES & PROFILE

Current Name: Center for Reproductive Medicine, University of Michigan
 Reproductive Endocrinology and Infertility

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTIVE MEDICINE AND SURGERY, PC BLOOMFIELD HILLS, MICHIGAN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Carole L. Kowalczyk, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	80%	Tubal factor	17%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 14% Female & male factors 20%
Unstimulated	0%	Used PGD	16%	Ovulatory dysfunction	10%	Male factor	35%	
Used gestational carrier	0%			Diminished ovarian reserve	32%	Other factor	20%	
				Endometriosis	20%	Unknown factor	8%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 122 (includes 6 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	36	11	21	9	2	1
Percentage of cancellations (%)	16.7	1 / 11	14.3	5 / 9	0 / 2	0 / 1
Average number of embryos transferred	2.0	2.4	2.2	2.5	4.0	3.0
Percentage of embryos transferred resulting in implantation (%)	47.2	33.3	25.0	0 / 5	0 / 4	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	12.0	0 / 10	1 / 15	0 / 2	0 / 2	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	25.0	6 / 11	14.3	0 / 9	0 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	25.0	6 / 11	14.3	0 / 9	0 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	22.2	1 / 11	4.8	0 / 9	0 / 2	0 / 1
Percentage of cycles resulting in live births (%)	47.2	7 / 11	19.0	0 / 9	0 / 2	0 / 1
Percentage of cycles resulting in pregnancies (%)	50.0	7 / 11	47.6	0 / 9	1 / 2	0 / 1
Outcomes per Transfer						
Number of transfers	28	10	18	2	2	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	32.1	6 / 10	3 / 18	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	32.1	6 / 10	3 / 18	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	28.6	1 / 10	1 / 18	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	60.7	7 / 10	4 / 18	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	64.3	7 / 10	10 / 18	0 / 2	1 / 2	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	10	8	2	1	1	0
Number of transfers	9	6	2	0	1	0
Estimated average number of transfers per retrieval	4.5		0.7			
Average number of embryos transferred	1.9	1.3	1.5		1.0	
Percentage of embryos transferred resulting in implantation (%)	4 / 17	2 / 8	0 / 3		0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 9	1 / 6	0 / 2		0 / 1	
Percentage of transfers resulting in singleton live births (%)	3 / 9	2 / 6	0 / 2		0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 9	0 / 6	0 / 2		0 / 1	
Percentage of transfers resulting in live births (%)	3 / 9	2 / 6	0 / 2		0 / 1	
Percentage of transfers resulting in pregnancies (%)	3 / 9	2 / 6	0 / 2		0 / 1	
Number of Egg/Embryo Banking Cycles						
	0	0	3	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	6			5		
Number of transfers	5			5		
Average number of embryos transferred	1.8			1.8		
Percentage of embryos transferred resulting in implantation (%)	3 / 7			1 / 9		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 5			1 / 5		
Percentage of transfers resulting in singleton live births (%)	1 / 5			1 / 5		
Percentage of transfers resulting in twin live births (%)	1 / 5			0 / 5		
Percentage of transfers resulting in live births (%)	2 / 5			1 / 5		
Percentage of transfers resulting in pregnancies (%)	3 / 5			1 / 5		

CURRENT SERVICES & PROFILE

Current Name: Advanced Reproductive Medicine and Surgery, PC

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**MICHIGAN REPRODUCTIVE MEDICINE
BLOOMFIELD HILLS, MICHIGAN**

This clinic provided ART services during 2013 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2013 ART cycle data or the clinic's Medical Director did not approve the clinic's 2013 ART cycle data for inclusion in this report.

GAGO IVF BRIGHTON, MICHIGAN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE				Data verified by Laura A. Gago, MD					
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b					
IVF	100%	With ICSI	62%	Tubal factor	27%	Uterine factor	13%	<i>Multiple Factors:</i>	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	12%	Male factor	37%	Female factors only	29%
Used gestational carrier	0%			Diminished ovarian reserve	45%	Other factor	17%	Female & male factors	25%
				Endometriosis	16%	Unknown factor	8%		

2013 ART SUCCESS RATES ^c		Total number of cycles ^d : 114 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		18	6	8	1	1	0
Percentage of cancellations (%)		0 / 18	0 / 6	0 / 8	0 / 1	1 / 1	
Average number of embryos transferred		2.1	2.4	2.8	3.0		
Percentage of embryos transferred resulting in implantation (%)		25.7	3 / 12	18.2	0 / 3		
Percentage of elective single embryo transfers (eSET) (%)		0 / 15	0 / 5	0 / 7	0 / 1		
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		1 / 18	1 / 6	1 / 8	0 / 1	0 / 1	
Percentage of cycles resulting in singleton live births (%)		1 / 18	1 / 6	2 / 8	0 / 1	0 / 1	
Percentage of cycles resulting in twin live births (%)		4 / 18	1 / 6	1 / 8	0 / 1	0 / 1	
Percentage of cycles resulting in live births (%)		5 / 18	2 / 6	3 / 8	0 / 1	0 / 1	
Percentage of cycles resulting in pregnancies (%)		5 / 18	2 / 6	3 / 8	0 / 1	0 / 1	
Outcomes per Transfer							
Number of transfers		17	5	8	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 17	1 / 5	1 / 8	0 / 1		
Percentage of transfers resulting in singleton live births (%)		1 / 17	1 / 5	2 / 8	0 / 1		
Percentage of transfers resulting in twin live births (%)		4 / 17	1 / 5	1 / 8	0 / 1		
Percentage of transfers resulting in live births (%)		5 / 17	2 / 5	3 / 8	0 / 1		
Percentage of transfers resulting in pregnancies (%)		5 / 17	2 / 5	3 / 8	0 / 1		
Frozen Embryos from Nondonor Eggs							
Number of cycles		12	7	7	1	0	1
Number of transfers		11	7	7	0	0	1
Estimated average number of transfers per retrieval		1.0	1.8	1.0	0.0	0.0	
Average number of embryos transferred		1.7	1.7	1.9			1.0
Percentage of embryos transferred resulting in implantation (%)		6 / 19	2 / 12	0 / 13			1 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 11	2 / 7	0 / 7			1 / 1
Percentage of transfers resulting in singleton live births (%)		2 / 11	2 / 7	0 / 7			1 / 1
Percentage of transfers resulting in twin live births (%)		2 / 11	0 / 7	0 / 7			0 / 1
Percentage of transfers resulting in live births (%)		4 / 11	2 / 7	0 / 7			1 / 1
Percentage of transfers resulting in pregnancies (%)		4 / 11	2 / 7	0 / 7			1 / 1
Number of Egg/Embryo Banking Cycles							
		8	3	7	9	4	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		8			13		
Number of transfers		8			13		
Average number of embryos transferred		2.1			1.5		
Percentage of embryos transferred resulting in implantation (%)		6 / 17			7 / 17		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		2 / 8			4 / 13		
Percentage of transfers resulting in singleton live births (%)		2 / 8			4 / 13		
Percentage of transfers resulting in twin live births (%)		2 / 8			1 / 13		
Percentage of transfers resulting in live births (%)		4 / 8			5 / 13		
Percentage of transfers resulting in pregnancies (%)		4 / 8			7 / 13		

CURRENT SERVICES & PROFILE		Current Name: Gago IVF					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MICHIGAN COMPREHENSIVE FERTILITY CENTER DEARBORN, MICHIGAN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by David M. Magyar, DO

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	84%	Tubal factor	12%	Uterine factor	4%	<i>Multiple Factors:</i> Female factors only 11% Female & male factors 26%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	22%	Male factor	41%	
Used gestational carrier	0%			Diminished ovarian reserve	34%	Other factor	8%	
				Endometriosis	17%	Unknown factor	9%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 157 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	63	18	16	7	0	0
Percentage of cancellations (%)	11.1	4 / 18	5 / 16	0 / 7		
Average number of embryos transferred	1.9	1.8	2.7	2.7		
Percentage of embryos transferred resulting in implantation (%)	24.3	26.1	29.6	1 / 16		
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 10	0 / 9	0 / 5		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	14.3	6 / 18	4 / 16	1 / 7		
Percentage of cycles resulting in singleton live births (%)	19.0	6 / 18	4 / 16	1 / 7		
Percentage of cycles resulting in twin live births (%)	7.9	0 / 18	2 / 16	0 / 7		
Percentage of cycles resulting in live births (%)	27.0	6 / 18	6 / 16	1 / 7		
Percentage of cycles resulting in pregnancies (%)	31.7	6 / 18	6 / 16	1 / 7		
Outcomes per Transfer						
Number of transfers	54	13	10	6	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	16.7	6 / 13	4 / 10	1 / 6		
Percentage of transfers resulting in singleton live births (%)	22.2	6 / 13	4 / 10	1 / 6		
Percentage of transfers resulting in twin live births (%)	9.3	0 / 13	2 / 10	0 / 6		
Percentage of transfers resulting in live births (%)	31.5	6 / 13	6 / 10	1 / 6		
Percentage of transfers resulting in pregnancies (%)	37.0	6 / 13	6 / 10	1 / 6		
Frozen Embryos from Nondonor Eggs						
Number of cycles	15	4	5	1	0	0
Number of transfers	11	4	4	1	0	0
Estimated average number of transfers per retrieval	1.2	2.0	2.0			
Average number of embryos transferred	1.7	1.8	2.0	3.0		
Percentage of embryos transferred resulting in implantation (%)	4 / 19	2 / 7	1 / 8	0 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 11	0 / 4	0 / 4	0 / 1		
Percentage of transfers resulting in singleton live births (%)	3 / 11	0 / 4	0 / 4	0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 11	1 / 4	0 / 4	0 / 1		
Percentage of transfers resulting in live births (%)	3 / 11	1 / 4	0 / 4	0 / 1		
Percentage of transfers resulting in pregnancies (%)	4 / 11	1 / 4	1 / 4	0 / 1		
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	19			9		
Number of transfers	14			7		
Average number of embryos transferred	2.0			1.3		
Percentage of embryos transferred resulting in implantation (%)	25.0			0 / 7		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	6 / 14			0 / 7		
Percentage of transfers resulting in singleton live births (%)	6 / 14			0 / 7		
Percentage of transfers resulting in twin live births (%)	0 / 14			0 / 7		
Percentage of transfers resulting in live births (%)	6 / 14			0 / 7		
Percentage of transfers resulting in pregnancies (%)	6 / 14			1 / 7		

CURRENT SERVICES & PROFILE

Current Name: Michigan Comprehensive Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**GRAND RAPIDS FERTILITY & IVF, PC
GRAND RAPIDS, MICHIGAN**

This clinic provided ART services during 2013 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2013 ART cycle data or the clinic's Medical Director did not approve the clinic's 2013 ART cycle data for inclusion in this report.

MICHIGAN REPRODUCTIVE & IVF CENTER, PC GRAND RAPIDS, MICHIGAN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by William G. Dodds, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	>99%	With ICSI	84%	Tubal factor	17%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 7% Female & male factors 29%
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	14%	Male factor	63%	
Used gestational carrier	1%			Diminished ovarian reserve	23%	Other factor	6%	
				Endometriosis	14%	Unknown factor	3%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 941 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	279	81	53	33	1	1
Percentage of cancellations (%)	9.3	17.3	13.2	18.2	1 / 1	0 / 1
Average number of embryos transferred	2.1	2.4	3.1	3.6		
Percentage of embryos transferred resulting in implantation (%)	32.0	25.7	19.5	10.5		
Percentage of elective single embryo transfers (eSET) (%)	2.1	0.0	2.6	0.0		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	21.9	13.6	22.6	6.1	0 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)	24.4	16.0	26.4	15.2	0 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)	14.3	12.3	1.9	0.0	0 / 1	0 / 1
Percentage of cycles resulting in live births (%)	38.7	29.6	28.3	15.2	0 / 1	0 / 1
Percentage of cycles resulting in pregnancies (%)	44.8	30.9	43.4	24.2	0 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	245	64	41	24	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	24.9	17.2	29.3	8.3		
Percentage of transfers resulting in singleton live births (%)	27.8	20.3	34.1	20.8		
Percentage of transfers resulting in twin live births (%)	16.3	15.6	2.4	0.0		
Percentage of transfers resulting in live births (%)	44.1	37.5	36.6	20.8		
Percentage of transfers resulting in pregnancies (%)	51.0	39.1	56.1	33.3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	223	75	33	9	1	0
Number of transfers	212	74	29	9	1	0
Estimated average number of transfers per retrieval	2.6	1.9	4.1	2.3		
Average number of embryos transferred	2.1	2.3	2.4	2.8	4.0	
Percentage of embryos transferred resulting in implantation (%)	24.4	17.5	20.6	16.0	0 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	21.7	18.9	20.7	2 / 9	0 / 1	
Percentage of transfers resulting in singleton live births (%)	24.1	24.3	24.1	2 / 9	0 / 1	
Percentage of transfers resulting in twin live births (%)	6.6	6.8	0.0	0 / 9	0 / 1	
Percentage of transfers resulting in live births (%)	32.1	31.1	27.6	2 / 9	0 / 1	
Percentage of transfers resulting in pregnancies (%)	41.0	33.8	34.5	4 / 9	0 / 1	
Number of Egg/Embryo Banking Cycles						
	9	1	0	1	0	0
Donor Eggs						
		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		46			94	
Number of transfers		43			92	
Average number of embryos transferred		2.0			2.2	
Percentage of embryos transferred resulting in implantation (%)		30.1			21.5	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		30.2			17.4	
Percentage of transfers resulting in singleton live births (%)		32.6			22.8	
Percentage of transfers resulting in twin live births (%)		7.0			6.5	
Percentage of transfers resulting in live births (%)		39.5			29.3	
Percentage of transfers resulting in pregnancies (%)		48.8			39.1	

CURRENT SERVICES & PROFILE

Current Name: Michigan Reproductive & IVF Center, PC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF MICHIGAN ROCHESTER HILLS, MICHIGAN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Mostafa I. Abuzeid, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	>99%	With ICSI	91%	Tubal factor	15%	Uterine factor	18%	Multiple Factors: Female factors only 16% Female & male factors 28%
Unstimulated	2%	Used PGD	13%	Ovulatory dysfunction	24%	Male factor	43%	
Used gestational carrier	1%			Diminished ovarian reserve	33%	Other factor	13%	
				Endometriosis	14%	Unknown factor	2%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 1,078 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	353	123	131	58	20	14
Percentage of cancellations (%)	5.7	6.5	6.9	17.2	20.0	5 / 14
Average number of embryos transferred	1.9	2.0	2.2	2.0	2.4	2.5
Percentage of embryos transferred resulting in implantation (%)	45.3	32.7	25.4	10.8	9.1	0 / 10
Percentage of elective single embryo transfers (eSET) (%)	11.6	5.3	2.3	0.0	0 / 8	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	22.4	18.7	17.6	8.6	5.0	0 / 14
Percentage of cycles resulting in singleton live births (%)	28.0	23.6	24.4	12.1	5.0	0 / 14
Percentage of cycles resulting in twin live births (%)	15.9	9.8	7.6	0.0	0.0	0 / 14
Percentage of cycles resulting in live births (%)	44.8	34.1	32.1	12.1	5.0	0 / 14
Percentage of cycles resulting in pregnancies (%)	50.4	43.1	35.1	19.0	10.0	0 / 14
Outcomes per Transfer						
Number of transfers	297	105	104	41	9	5
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	26.6	21.9	22.1	12.2	1 / 9	0 / 5
Percentage of transfers resulting in singleton live births (%)	33.3	27.6	30.8	17.1	1 / 9	0 / 5
Percentage of transfers resulting in twin live births (%)	18.9	11.4	9.6	0.0	0 / 9	0 / 5
Percentage of transfers resulting in live births (%)	53.2	40.0	40.4	17.1	1 / 9	0 / 5
Percentage of transfers resulting in pregnancies (%)	59.9	50.5	44.2	26.8	2 / 9	0 / 5
Frozen Embryos from Nondonor Eggs						
Number of cycles	148	57	36	13	5	3
Number of transfers	139	49	33	12	4	3
Estimated average number of transfers per retrieval	2.0	2.6	2.1	3.0	4.0	0.6
Average number of embryos transferred	2.0	1.9	2.2	1.9	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	36.6	42.2	32.4	19.0	1 / 3	0 / 6
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	22.3	42.9	24.2	1 / 12	0 / 4	0 / 3
Percentage of transfers resulting in singleton live births (%)	30.2	49.0	27.3	1 / 12	1 / 4	0 / 3
Percentage of transfers resulting in twin live births (%)	11.5	8.2	6.1	1 / 12	0 / 4	0 / 3
Percentage of transfers resulting in live births (%)	41.7	57.1	33.3	2 / 12	1 / 4	0 / 3
Percentage of transfers resulting in pregnancies (%)	56.1	65.3	45.5	3 / 12	3 / 4	0 / 3
Number of Egg/Embryo Banking Cycles						
	2	3	7	0	1	4
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	70			30		
Number of transfers	64			29		
Average number of embryos transferred	1.9			1.8		
Percentage of embryos transferred resulting in implantation (%)	52.5			35.3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	29.7			41.4		
Percentage of transfers resulting in singleton live births (%)	37.5			48.3		
Percentage of transfers resulting in twin live births (%)	21.9			3.4		
Percentage of transfers resulting in live births (%)	59.4			51.7		
Percentage of transfers resulting in pregnancies (%)	67.2			55.2		

CURRENT SERVICES & PROFILE

Current Name: IVF Michigan

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY PHYSICIAN GROUP-SOUTHFIELD WAYNE STATE UNIVERSITY SOUTHFIELD, MICHIGAN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Elizabeth E. Puscheck, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	94%	Tubal factor	11%	Uterine factor	9%	<i>Multiple Factors:</i> Female factors only 12% Female & male factors 21%
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	24%	Male factor	43%	
Used gestational carrier	0%			Diminished ovarian reserve	17%	Other factor	17%	
				Endometriosis	13%	Unknown factor	10%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 161 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	46	17	10	9	2	1
Percentage of cancellations (%)	2.2	1 / 17	0 / 10	1 / 9	1 / 2	0 / 1
Average number of embryos transferred	2.0	2.4	2.7	2.4	4.0	3.0
Percentage of embryos transferred resulting in implantation (%)	38.1	33.3	22.2	1 / 19	0 / 4	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	10.0	1 / 14	0 / 10	0 / 7	0 / 1	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	23.9	3 / 17	1 / 10	0 / 9	0 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	26.1	3 / 17	2 / 10	0 / 9	0 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	19.6	3 / 17	1 / 10	0 / 9	0 / 2	0 / 1
Percentage of cycles resulting in live births (%)	45.7	6 / 17	3 / 10	0 / 9	0 / 2	0 / 1
Percentage of cycles resulting in pregnancies (%)	45.7	9 / 17	4 / 10	1 / 9	0 / 2	0 / 1
Outcomes per Transfer						
Number of transfers	41	14	10	8	1	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	26.8	3 / 14	1 / 10	0 / 8	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	29.3	3 / 14	2 / 10	0 / 8	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	22.0	3 / 14	1 / 10	0 / 8	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	51.2	6 / 14	3 / 10	0 / 8	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	51.2	9 / 14	4 / 10	1 / 8	0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	35	13	8	2	3	2
Number of transfers	34	13	8	2	3	2
Estimated average number of transfers per retrieval	2.3	3.3	2.7	0.7		
Average number of embryos transferred	2.6	2.8	2.6	2.0	2.3	3.5
Percentage of embryos transferred resulting in implantation (%)	31.8	20.6	2 / 19	0 / 4	0 / 7	1 / 7
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	35.3	2 / 13	0 / 8	0 / 2	0 / 3	1 / 2
Percentage of transfers resulting in singleton live births (%)	41.2	2 / 13	0 / 8	0 / 2	0 / 3	1 / 2
Percentage of transfers resulting in twin live births (%)	14.7	1 / 13	1 / 8	0 / 2	0 / 3	0 / 2
Percentage of transfers resulting in live births (%)	55.9	3 / 13	1 / 8	0 / 2	0 / 3	1 / 2
Percentage of transfers resulting in pregnancies (%)	61.8	4 / 13	2 / 8	0 / 2	0 / 3	1 / 2
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	8			5		
Number of transfers	5			5		
Average number of embryos transferred	2.0			2.8		
Percentage of embryos transferred resulting in implantation (%)	3 / 10			3 / 14		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 5			2 / 5		
Percentage of transfers resulting in singleton live births (%)	1 / 5			3 / 5		
Percentage of transfers resulting in twin live births (%)	1 / 5			0 / 5		
Percentage of transfers resulting in live births (%)	2 / 5			3 / 5		
Percentage of transfers resulting in pregnancies (%)	2 / 5			3 / 5		

CURRENT SERVICES & PROFILE

Current Name: University Physician Group-Southfield, Wayne State University

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HENRY FORD REPRODUCTIVE MEDICINE TROY, MICHIGAN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Nicole Budrys, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	58%	Tubal factor	16%	Uterine factor	4%	Multiple Factors: Female factors only 3% Female & male factors 16%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	12%	Male factor	39%	
Used gestational carrier	0%			Diminished ovarian reserve	1%	Other factor	26%	
				Endometriosis	10%	Unknown factor	10%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 70 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	25	7	2	3	0	1
Percentage of cancellations (%)	20.0	0 / 7	1 / 2	2 / 3		0 / 1
Average number of embryos transferred	2.0	1.6	2.0	3.0		2.0
Percentage of embryos transferred resulting in implantation (%)	40.0	2 / 8	0 / 2	1 / 3		0 / 2
Percentage of elective single embryo transfers (eSET) (%)	1 / 14	1 / 4	0 / 1	0 / 1		0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	4.0	1 / 7	0 / 2	0 / 3		0 / 1
Percentage of cycles resulting in singleton live births (%)	8.0	2 / 7	0 / 2	1 / 3		0 / 1
Percentage of cycles resulting in twin live births (%)	20.0	0 / 7	0 / 2	0 / 3		0 / 1
Percentage of cycles resulting in live births (%)	28.0	2 / 7	0 / 2	1 / 3		0 / 1
Percentage of cycles resulting in pregnancies (%)	28.0	2 / 7	0 / 2	1 / 3		0 / 1
Outcomes per Transfer						
Number of transfers	15	5	1	1	0	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 15	1 / 5	0 / 1	0 / 1		0 / 1
Percentage of transfers resulting in singleton live births (%)	2 / 15	2 / 5	0 / 1	1 / 1		0 / 1
Percentage of transfers resulting in twin live births (%)	5 / 15	0 / 5	0 / 1	0 / 1		0 / 1
Percentage of transfers resulting in live births (%)	7 / 15	2 / 5	0 / 1	1 / 1		0 / 1
Percentage of transfers resulting in pregnancies (%)	7 / 15	2 / 5	0 / 1	1 / 1		0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	16	6	6	0	1	0
Number of transfers	13	3	6	0	0	0
Estimated average number of transfers per retrieval	1.3	3.0	6.0			
Average number of embryos transferred	2.1	2.7	2.2			
Percentage of embryos transferred resulting in implantation (%)	29.6	0 / 8	4 / 13			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	5 / 13	0 / 3	3 / 6			
Percentage of transfers resulting in singleton live births (%)	5 / 13	0 / 3	3 / 6			
Percentage of transfers resulting in twin live births (%)	1 / 13	0 / 3	0 / 6			
Percentage of transfers resulting in live births (%)	6 / 13	0 / 3	3 / 6			
Percentage of transfers resulting in pregnancies (%)	6 / 13	0 / 3	3 / 6			
Number of Egg/Embryo Banking Cycles						
	0	0	1	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		0			2	
Number of transfers		0			2	
Average number of embryos transferred					1.5	
Percentage of embryos transferred resulting in implantation (%)					0 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)					0 / 2	
Percentage of transfers resulting in singleton live births (%)					0 / 2	
Percentage of transfers resulting in twin live births (%)					0 / 2	
Percentage of transfers resulting in live births (%)					0 / 2	
Percentage of transfers resulting in pregnancies (%)					0 / 2	

CURRENT SERVICES & PROFILE

Current Name: This clinic has closed or reorganized since 2013. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**LUANA J. KYSELKA, MD, PC
TROY, MICHIGAN**

This clinic provided ART services during 2013 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2013 ART cycle data or the clinic's Medical Director did not approve the clinic's 2013 ART cycle data for inclusion in this report.

BRENDA L. MOSKOVITZ, MD, PC TROY, MICHIGAN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Brenda L. Moskovitz, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	69%	Tubal factor	31%	Uterine factor	0%	Multiple Factors: Female factors only 50% Female & male factors 31%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	19%	Male factor	38%	
Used gestational carrier	0%			Diminished ovarian reserve	56%	Other factor	0%	
				Endometriosis	44%	Unknown factor	6%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 16 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	4	4	2	1	2	0
Percentage of cancellations (%)	0/4	2/4	0/2	0/1	1/2	
Average number of embryos transferred	2.0	2.0	2.0	1.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	5/8	0/2	1/4	0/1	0/2	
Percentage of elective single embryo transfers (eSET) (%)	1/4	0/1	0/2		0/1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	3/4	0/4	1/2	0/1	0/2	
Percentage of cycles resulting in singleton live births (%)	3/4	0/4	1/2	0/1	0/2	
Percentage of cycles resulting in twin live births (%)	0/4	0/4	0/2	0/1	0/2	
Percentage of cycles resulting in live births (%)	3/4	0/4	1/2	0/1	0/2	
Percentage of cycles resulting in pregnancies (%)	3/4	0/4	1/2	0/1	0/2	
Outcomes per Transfer						
Number of transfers	4	1	2	1	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3/4	0/1	1/2	0/1	0/1	
Percentage of transfers resulting in singleton live births (%)	3/4	0/1	1/2	0/1	0/1	
Percentage of transfers resulting in twin live births (%)	0/4	0/1	0/2	0/1	0/1	
Percentage of transfers resulting in live births (%)	3/4	0/1	1/2	0/1	0/1	
Percentage of transfers resulting in pregnancies (%)	3/4	0/1	1/2	0/1	0/1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	0	1	0	0	0
Number of transfers	2	0	1	0	0	0
Estimated average number of transfers per retrieval	2.0					
Average number of embryos transferred	2.0		1.0			
Percentage of embryos transferred resulting in implantation (%)	0/4		0/1			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0/2		0/1			
Percentage of transfers resulting in singleton live births (%)	0/2		0/1			
Percentage of transfers resulting in twin live births (%)	0/2		0/1			
Percentage of transfers resulting in live births (%)	0/2		0/1			
Percentage of transfers resulting in pregnancies (%)	0/2		0/1			
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

CURRENT SERVICES & PROFILE

Current Name: Brenda L. Moskovitz, MD, PC

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF MICHIGAN TROY, MICHIGAN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Brad T. Miller, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	47%	Tubal factor	14%	Uterine factor	8%	<i>Multiple Factors:</i> Female factors only 16% Female & male factors 19%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	15%	Male factor	40%	
Used gestational carrier	<1%			Diminished ovarian reserve	18%	Other factor	19%	
				Endometriosis	16%	Unknown factor	8%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 569 (includes 11 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	136	46	54	15	4	7
Percentage of cancellations (%)	1.5	2.2	18.5	0 / 15	0 / 4	5 / 7
Average number of embryos transferred	1.8	2.2	2.3	2.7	2.8	3.0
Percentage of embryos transferred resulting in implantation (%)	35.7	26.6	14.6	7.9	1 / 11	0 / 6
Percentage of elective single embryo transfers (eSET) (%)	21.6	8.1	2.6	0 / 13	0 / 4	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	22.8	21.7	16.7	2 / 15	1 / 4	0 / 7
Percentage of cycles resulting in singleton live births (%)	27.2	26.1	18.5	2 / 15	1 / 4	0 / 7
Percentage of cycles resulting in twin live births (%)	11.0	4.3	0.0	0 / 15	0 / 4	0 / 7
Percentage of cycles resulting in live births (%)	39.0	30.4	18.5	2 / 15	1 / 4	0 / 7
Percentage of cycles resulting in pregnancies (%)	45.6	45.7	25.9	3 / 15	1 / 4	0 / 7
Outcomes per Transfer						
Number of transfers	122	38	39	14	4	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	25.4	26.3	23.1	2 / 14	1 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	30.3	31.6	25.6	2 / 14	1 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	12.3	5.3	0.0	0 / 14	0 / 4	0 / 2
Percentage of transfers resulting in live births (%)	43.4	36.8	25.6	2 / 14	1 / 4	0 / 2
Percentage of transfers resulting in pregnancies (%)	50.8	55.3	35.9	3 / 14	1 / 4	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	83	37	29	4	4	0
Number of transfers	71	30	24	4	4	0
Estimated average number of transfers per retrieval	1.4	1.3	0.7	0.3	1.0	0.0
Average number of embryos transferred	1.7	1.7	1.7	2.0	2.8	
Percentage of embryos transferred resulting in implantation (%)	45.4	40.4	38.7	3 / 8	0 / 11	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	29.6	23.3	12.5	1 / 4	0 / 4	
Percentage of transfers resulting in singleton live births (%)	35.2	30.0	12.5	1 / 4	0 / 4	
Percentage of transfers resulting in twin live births (%)	9.9	13.3	12.5	1 / 4	0 / 4	
Percentage of transfers resulting in live births (%)	45.1	43.3	25.0	2 / 4	0 / 4	
Percentage of transfers resulting in pregnancies (%)	66.2	50.0	58.3	2 / 4	0 / 4	
Number of Egg/Embryo Banking Cycles						
	12	9	26	14	3	5
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		26			44	
Number of transfers		21			37	
Average number of embryos transferred		1.8			1.8	
Percentage of embryos transferred resulting in implantation (%)		42.1			30.8	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		9.5			13.5	
Percentage of transfers resulting in singleton live births (%)		9.5			16.2	
Percentage of transfers resulting in twin live births (%)		28.6			13.5	
Percentage of transfers resulting in live births (%)		38.1			29.7	
Percentage of transfers resulting in pregnancies (%)		47.6			43.2	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine Associates of Michigan

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MICHIGAN CENTER FOR FERTILITY AND WOMEN'S HEALTH, PLC WARREN, MICHIGAN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Carole L. Kowalczyk, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	92%	Tubal factor	11%	Uterine factor	<1%	Multiple Factors: Female factors only 7% Female & male factors 16%
Unstimulated	0%	Used PGD	20%	Ovulatory dysfunction	6%	Male factor	41%	
Used gestational carrier	0%			Diminished ovarian reserve	38%	Other factor	9%	
				Endometriosis	5%	Unknown factor	12%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 147 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	30	14	9	4	0	2
Percentage of cancellations (%)	6.7	0 / 14	1 / 9	1 / 4		1 / 2
Average number of embryos transferred	1.8	1.9	2.0	2.0		
Percentage of embryos transferred resulting in implantation (%)	41.7	44.0	5 / 14	0 / 2		
Percentage of elective single embryo transfers (eSET) (%)	20.8	1 / 13	0 / 6	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	26.7	4 / 14	0 / 9	0 / 4		0 / 2
Percentage of cycles resulting in singleton live births (%)	40.0	6 / 14	0 / 9	0 / 4		0 / 2
Percentage of cycles resulting in twin live births (%)	13.3	0 / 14	1 / 9	0 / 4		0 / 2
Percentage of cycles resulting in live births (%)	53.3	6 / 14	1 / 9	0 / 4		0 / 2
Percentage of cycles resulting in pregnancies (%)	53.3	9 / 14	3 / 9	0 / 4		0 / 2
Outcomes per Transfer						
Number of transfers	26	13	7	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	30.8	4 / 13	0 / 7	0 / 1		
Percentage of transfers resulting in singleton live births (%)	46.2	6 / 13	0 / 7	0 / 1		
Percentage of transfers resulting in twin live births (%)	15.4	0 / 13	1 / 7	0 / 1		
Percentage of transfers resulting in live births (%)	61.5	6 / 13	1 / 7	0 / 1		
Percentage of transfers resulting in pregnancies (%)	61.5	9 / 13	3 / 7	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	23	10	5	0	0	0
Number of transfers	22	10	4	0	0	0
Estimated average number of transfers per retrieval	1.4	1.1	1.0	0.0	0.0	
Average number of embryos transferred	1.8	1.6	1.5			
Percentage of embryos transferred resulting in implantation (%)	33.3	8 / 16	2 / 6			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	18.2	3 / 10	1 / 4			
Percentage of transfers resulting in singleton live births (%)	27.3	4 / 10	1 / 4			
Percentage of transfers resulting in twin live births (%)	9.1	2 / 10	0 / 4			
Percentage of transfers resulting in live births (%)	36.4	6 / 10	1 / 4			
Percentage of transfers resulting in pregnancies (%)	45.5	6 / 10	2 / 4			
Number of Egg/Embryo Banking Cycles						
	12	8	4	4	2	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	12			8		
Number of transfers	12			8		
Average number of embryos transferred	2.0			1.9		
Percentage of embryos transferred resulting in implantation (%)	45.8			7 / 15		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 12			2 / 8		
Percentage of transfers resulting in singleton live births (%)	4 / 12			3 / 8		
Percentage of transfers resulting in twin live births (%)	3 / 12			1 / 8		
Percentage of transfers resulting in live births (%)	7 / 12			4 / 8		
Percentage of transfers resulting in pregnancies (%)	8 / 12			6 / 8		

CURRENT SERVICES & PROFILE

Current Name: Michigan Center for Fertility and Women's Health, PLC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE MIDWEST CENTER FOR REPRODUCTIVE HEALTH, PA MAPLE GROVE, MINNESOTA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Randle S. Corfman, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	52%	Tubal factor	15%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 7% Female & male factors 31%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	53%	Male factor	45%	
Used gestational carrier	1%			Diminished ovarian reserve	2%	Other factor	7%	
				Endometriosis	9%	Unknown factor	8%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 233 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	102	33	18	1	2	0
Percentage of cancellations (%)	9.8	3.0	0 / 18	1 / 1	0 / 2	
Average number of embryos transferred	1.9	1.8	1.8		2.0	
Percentage of embryos transferred resulting in implantation (%)	55.8	42.6	25.0		0 / 2	
Percentage of elective single embryo transfers (eSET) (%)	3.7	7.7	1 / 15		0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	19.6	36.4	5 / 18	0 / 1	0 / 2	
Percentage of cycles resulting in singleton live births (%)	26.5	42.4	5 / 18	0 / 1	0 / 2	
Percentage of cycles resulting in twin live births (%)	28.4	9.1	1 / 18	0 / 1	0 / 2	
Percentage of cycles resulting in live births (%)	55.9	51.5	6 / 18	0 / 1	0 / 2	
Percentage of cycles resulting in pregnancies (%)	58.8	57.6	8 / 18	0 / 1	0 / 2	
Outcomes per Transfer						
Number of transfers	89	30	18	0	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	22.5	40.0	5 / 18		0 / 1	
Percentage of transfers resulting in singleton live births (%)	30.3	46.7	5 / 18		0 / 1	
Percentage of transfers resulting in twin live births (%)	32.6	10.0	1 / 18		0 / 1	
Percentage of transfers resulting in live births (%)	64.0	56.7	6 / 18		0 / 1	
Percentage of transfers resulting in pregnancies (%)	67.4	63.3	8 / 18		0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	30	8	7	1	0	0
Number of transfers	30	8	5	0	0	0
Estimated average number of transfers per retrieval	5.0	2.7	1.3			
Average number of embryos transferred	1.6	1.4	1.4			
Percentage of embryos transferred resulting in implantation (%)	29.8	1 / 10	1 / 7			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	30.0	1 / 8	1 / 5			
Percentage of transfers resulting in singleton live births (%)	30.0	1 / 8	1 / 5			
Percentage of transfers resulting in twin live births (%)	3.3	0 / 8	0 / 5			
Percentage of transfers resulting in live births (%)	33.3	1 / 8	1 / 5			
Percentage of transfers resulting in pregnancies (%)	43.3	2 / 8	1 / 5			
Number of Egg/Embryo Banking Cycles						
	0	1	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	17			13		
Number of transfers	16			13		
Average number of embryos transferred	1.8			1.5		
Percentage of embryos transferred resulting in implantation (%)	50.0			6 / 19		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	5 / 16			4 / 13		
Percentage of transfers resulting in singleton live births (%)	5 / 16			6 / 13		
Percentage of transfers resulting in twin live births (%)	4 / 16			0 / 13		
Percentage of transfers resulting in live births (%)	9 / 16			6 / 13		
Percentage of transfers resulting in pregnancies (%)	10 / 16			7 / 13		

CURRENT SERVICES & PROFILE

Current Name: The Midwest Center for Reproductive Health, PA

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE ADVANCED REPRODUCTIVE TECHNOLOGIES MINNEAPOLIS, MINNESOTA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Lisa Erickson, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	58%	Tubal factor	13%	Uterine factor	5%	<i>Multiple Factors:</i> Female factors only 6% Female & male factors 16%
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	14%	Male factor	36%	
Used gestational carrier	1%			Diminished ovarian reserve	24%	Other factor	4%	
				Endometriosis	9%	Unknown factor	20%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 1,096 (includes 7 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	365	156	134	50	9	2
Percentage of cancellations (%)	2.2	7.1	9.0	20.0	0 / 9	0 / 2
Average number of embryos transferred	1.7	1.8	1.9	2.6	2.4	1.0
Percentage of embryos transferred resulting in implantation (%)	53.8	50.2	28.7	20.2	4 / 17	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	25.9	13.5	6.3	0.0	0 / 7	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	32.3	31.4	23.9	14.0	2 / 9	0 / 2
Percentage of cycles resulting in singleton live births (%)	38.6	35.3	26.1	14.0	2 / 9	0 / 2
Percentage of cycles resulting in twin live births (%)	19.7	12.8	5.2	6.0	0 / 9	0 / 2
Percentage of cycles resulting in live births (%)	58.4	48.7	31.3	20.0	2 / 9	0 / 2
Percentage of cycles resulting in pregnancies (%)	63.6	59.0	38.8	36.0	4 / 9	0 / 2
Outcomes per Transfer						
Number of transfers	344	136	113	39	8	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	34.3	36.0	28.3	17.9	2 / 8	0 / 2
Percentage of transfers resulting in singleton live births (%)	41.0	40.4	31.0	17.9	2 / 8	0 / 2
Percentage of transfers resulting in twin live births (%)	20.9	14.7	6.2	7.7	0 / 8	0 / 2
Percentage of transfers resulting in live births (%)	61.9	55.9	37.2	25.6	2 / 8	0 / 2
Percentage of transfers resulting in pregnancies (%)	67.4	67.6	46.0	46.2	4 / 8	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	78	48	35	13	2	3
Number of transfers	71	44	34	12	2	3
Estimated average number of transfers per retrieval	1.5	1.1	1.2	1.7	0.4	1.5
Average number of embryos transferred	1.6	1.6	1.7	1.8	2.0	1.3
Percentage of embryos transferred resulting in implantation (%)	52.8	50.8	47.2	38.1	1 / 4	0 / 3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	39.4	43.2	35.3	4 / 12	0 / 2	0 / 3
Percentage of transfers resulting in singleton live births (%)	40.8	45.5	41.2	4 / 12	1 / 2	0 / 3
Percentage of transfers resulting in twin live births (%)	12.7	6.8	14.7	1 / 12	0 / 2	0 / 3
Percentage of transfers resulting in live births (%)	54.9	52.3	55.9	5 / 12	1 / 2	0 / 3
Percentage of transfers resulting in pregnancies (%)	70.4	70.5	64.7	7 / 12	1 / 2	1 / 3
Number of Egg/Embryo Banking Cycles						
	17	21	15	4	4	2
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		92		39		
Number of transfers		88		33		
Average number of embryos transferred		1.5		1.7		
Percentage of embryos transferred resulting in implantation (%)		62.3		45.8		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		37.5		36.4		
Percentage of transfers resulting in singleton live births (%)		43.2		42.4		
Percentage of transfers resulting in twin live births (%)		19.3		9.1		
Percentage of transfers resulting in live births (%)		62.5		51.5		
Percentage of transfers resulting in pregnancies (%)		72.7		66.7		

CURRENT SERVICES & PROFILE

Current Name: Center for Reproductive Medicine,
Advanced Reproductive Technologies

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE CENTER MINNEAPOLIS, MINNESOTA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by William R. Phipps, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	63%	Tubal factor	18%	Uterine factor	5%	<i>Multiple Factors:</i> Female factors only 10% Female & male factors 26%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	24%	Male factor	53%	
Used gestational carrier	0%			Diminished ovarian reserve	18%	Other factor	4%	
				Endometriosis	16%	Unknown factor	7%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 375 (includes 5 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	161	63	38	24	2	4
Percentage of cancellations (%)	6.2	7.9	21.1	29.2	1 / 2	1 / 4
Average number of embryos transferred	1.8	2.1	2.6	2.8	4.0	3.3
Percentage of embryos transferred resulting in implantation (%)	38.8	29.5	22.4	0.0	0 / 4	0 / 10
Percentage of elective single embryo transfers (eSET) (%)	10.6	0.0	0.0	0 / 13	0 / 1	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	22.4	17.5	10.5	0.0	0 / 2	0 / 4
Percentage of cycles resulting in singleton live births (%)	26.7	19.0	10.5	0.0	0 / 2	0 / 4
Percentage of cycles resulting in twin live births (%)	14.3	14.3	7.9	0.0	0 / 2	0 / 4
Percentage of cycles resulting in live births (%)	41.0	33.3	18.4	0.0	0 / 2	0 / 4
Percentage of cycles resulting in pregnancies (%)	45.3	38.1	31.6	0.0	0 / 2	0 / 4
Outcomes per Transfer						
Number of transfers	141	56	25	15	1	3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	25.5	19.6	16.0	0 / 15	0 / 1	0 / 3
Percentage of transfers resulting in singleton live births (%)	30.5	21.4	16.0	0 / 15	0 / 1	0 / 3
Percentage of transfers resulting in twin live births (%)	16.3	16.1	12.0	0 / 15	0 / 1	0 / 3
Percentage of transfers resulting in live births (%)	46.8	37.5	28.0	0 / 15	0 / 1	0 / 3
Percentage of transfers resulting in pregnancies (%)	51.8	42.9	48.0	0 / 15	0 / 1	0 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	22	17	13	4	0	0
Number of transfers	20	15	11	4	0	0
Estimated average number of transfers per retrieval	1.3	1.9	1.2	4.0		
Average number of embryos transferred	1.6	1.8	1.5	2.0		
Percentage of embryos transferred resulting in implantation (%)	45.2	25.0	0 / 16	1 / 7		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	35.0	4 / 15	0 / 11	0 / 4		
Percentage of transfers resulting in singleton live births (%)	40.0	4 / 15	0 / 11	0 / 4		
Percentage of transfers resulting in twin live births (%)	5.0	1 / 15	0 / 11	0 / 4		
Percentage of transfers resulting in live births (%)	45.0	5 / 15	0 / 11	0 / 4		
Percentage of transfers resulting in pregnancies (%)	55.0	7 / 15	0 / 11	2 / 4		
Number of Egg/Embryo Banking Cycles						
	3	1	2	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	11			5		
Number of transfers	10			4		
Average number of embryos transferred	1.8			1.8		
Percentage of embryos transferred resulting in implantation (%)	8 / 16			3 / 7		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 10			0 / 4		
Percentage of transfers resulting in singleton live births (%)	4 / 10			1 / 4		
Percentage of transfers resulting in twin live births (%)	2 / 10			1 / 4		
Percentage of transfers resulting in live births (%)	6 / 10			2 / 4		
Percentage of transfers resulting in pregnancies (%)	7 / 10			2 / 4		

CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MAYO CLINIC ASSISTED REPRODUCTIVE TECHNOLOGIES ROCHESTER, MINNESOTA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Jani R. Jensen, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	58%	Tubal factor	6%	Uterine factor	2%	Multiple Factors: Female factors only 10% Female & male factors 17%
Unstimulated	0%	Used PGD	9%	Ovulatory dysfunction	30%	Male factor	34%	
Used gestational carrier	2%			Diminished ovarian reserve	26%	Other factor	13%	
				Endometriosis	4%	Unknown factor	13%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 369 (includes 4 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	93	31	27	11	3	0
Percentage of cancellations (%)	6.5	12.9	14.8	5 / 11	0 / 3	
Average number of embryos transferred	1.8	2.3	2.4	2.5	2.7	
Percentage of embryos transferred resulting in implantation (%)	44.2	20.0	22.5	2 / 10	1 / 8	
Percentage of elective single embryo transfers (eSET) (%)	17.9	8.7	0 / 19	0 / 4	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	28.0	16.1	14.8	1 / 11	1 / 3	
Percentage of cycles resulting in singleton live births (%)	30.1	19.4	22.2	1 / 11	1 / 3	
Percentage of cycles resulting in twin live births (%)	11.8	6.5	0.0	0 / 11	0 / 3	
Percentage of cycles resulting in live births (%)	41.9	25.8	22.2	1 / 11	1 / 3	
Percentage of cycles resulting in pregnancies (%)	45.2	29.0	40.7	2 / 11	1 / 3	
Outcomes per Transfer						
Number of transfers	67	23	19	4	3	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	38.8	21.7	4 / 19	1 / 4	1 / 3	
Percentage of transfers resulting in singleton live births (%)	41.8	26.1	6 / 19	1 / 4	1 / 3	
Percentage of transfers resulting in twin live births (%)	16.4	8.7	0 / 19	0 / 4	0 / 3	
Percentage of transfers resulting in live births (%)	58.2	34.8	6 / 19	1 / 4	1 / 3	
Percentage of transfers resulting in pregnancies (%)	62.7	39.1	11 / 19	2 / 4	1 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	91	25	20	4	6	0
Number of transfers	82	21	18	3	2	0
Estimated average number of transfers per retrieval	1.6	1.6	1.6	0.8	1.0	0.0
Average number of embryos transferred	1.8	2.0	2.0	1.7	2.0	
Percentage of embryos transferred resulting in implantation (%)	29.3	19.0	8.3	0 / 3	1 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	23.2	33.3	2 / 18	0 / 3	1 / 2	
Percentage of transfers resulting in singleton live births (%)	25.6	38.1	2 / 18	0 / 3	1 / 2	
Percentage of transfers resulting in twin live births (%)	8.5	0.0	0 / 18	0 / 3	0 / 2	
Percentage of transfers resulting in live births (%)	34.1	38.1	2 / 18	0 / 3	1 / 2	
Percentage of transfers resulting in pregnancies (%)	41.5	38.1	3 / 18	1 / 3	1 / 2	
Number of Egg/Embryo Banking Cycles						
	22	1	2	4	1	1
Donor Eggs						
		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		5			18	
Number of transfers		5			14	
Average number of embryos transferred		2.2			1.8	
Percentage of embryos transferred resulting in implantation (%)		3 / 11			22.7	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		2 / 5			1 / 14	
Percentage of transfers resulting in singleton live births (%)		2 / 5			1 / 14	
Percentage of transfers resulting in twin live births (%)		0 / 5			2 / 14	
Percentage of transfers resulting in live births (%)		2 / 5			3 / 14	
Percentage of transfers resulting in pregnancies (%)		3 / 5			5 / 14	

CURRENT SERVICES & PROFILE

Current Name: This clinic has closed or reorganized since 2013. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE & INFERTILITY ASSOCIATES WOODBURY, MINNESOTA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Jacques P. Stassart, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	95%	Tubal factor	16%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 9% Female & male factors 43%
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	20%	Male factor	63%	
Used gestational carrier	<1%			Diminished ovarian reserve	11%	Other factor	22%	
				Endometriosis	21%	Unknown factor	6%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 574 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	194	65	32	5	6	6
Percentage of cancellations (%)	2.1	3.1	6.3	1 / 5	2 / 6	1 / 6
Average number of embryos transferred	1.7	2.0	2.7	4.0	4.0	2.5
Percentage of embryos transferred resulting in implantation (%)	38.6	38.3	17.6	0 / 8	1 / 16	0 / 5
Percentage of elective single embryo transfers (eSET) (%)	32.0	10.2	0.0	0 / 4	0 / 4	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	30.9	27.7	18.8	0 / 5	0 / 6	0 / 6
Percentage of cycles resulting in singleton live births (%)	35.1	33.8	28.1	0 / 5	1 / 6	0 / 6
Percentage of cycles resulting in twin live births (%)	8.8	12.3	0.0	0 / 5	0 / 6	0 / 6
Percentage of cycles resulting in live births (%)	43.8	47.7	28.1	0 / 5	1 / 6	0 / 6
Percentage of cycles resulting in pregnancies (%)	51.0	52.3	37.5	2 / 5	1 / 6	0 / 6
Outcomes per Transfer						
Number of transfers	185	61	29	4	4	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	32.4	29.5	20.7	0 / 4	0 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	36.8	36.1	31.0	0 / 4	1 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	9.2	13.1	0.0	0 / 4	0 / 4	0 / 2
Percentage of transfers resulting in live births (%)	45.9	50.8	31.0	0 / 4	1 / 4	0 / 2
Percentage of transfers resulting in pregnancies (%)	53.5	55.7	41.4	2 / 4	1 / 4	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	96	37	22	11	3	0
Number of transfers	96	37	21	11	3	0
Estimated average number of transfers per retrieval	1.5	1.4	1.1	1.2	1.0	0.0
Average number of embryos transferred	1.4	1.4	1.6	1.5	2.0	
Percentage of embryos transferred resulting in implantation (%)	28.4	32.0	18.5	4 / 16	0 / 6	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	22.9	24.3	19.0	2 / 11	0 / 3	
Percentage of transfers resulting in singleton live births (%)	26.0	29.7	19.0	2 / 11	0 / 3	
Percentage of transfers resulting in twin live births (%)	3.1	2.7	0.0	1 / 11	0 / 3	
Percentage of transfers resulting in live births (%)	29.2	32.4	19.0	3 / 11	0 / 3	
Percentage of transfers resulting in pregnancies (%)	38.5	43.2	38.1	3 / 11	0 / 3	
Number of Egg/Embryo Banking Cycles						
	5	6	8	7	3	4
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	33			31		
Number of transfers	33			30		
Average number of embryos transferred	1.6			1.7		
Percentage of embryos transferred resulting in implantation (%)	58.5			22.4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	36.4			10.0		
Percentage of transfers resulting in singleton live births (%)	42.4			13.3		
Percentage of transfers resulting in twin live births (%)	24.2			6.7		
Percentage of transfers resulting in live births (%)	66.7			20.0		
Percentage of transfers resulting in pregnancies (%)	69.7			30.0		

CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine & Infertility Associates

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MISSISSIPPI REPRODUCTIVE MEDICINE, PLLC FLOWOOD, MISSISSIPPI

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Randall S. Hines, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	94%	Tubal factor	17%	Uterine factor	33%	Multiple Factors: Female factors only 42% Female & male factors 18%
Unstimulated	9%	Used PGD	18%	Ovulatory dysfunction	25%	Male factor	28%	
Used gestational carrier	3%			Diminished ovarian reserve	27%	Other factor	38%	
				Endometriosis	31%	Unknown factor	<1%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 167 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	17	8	5	1	1	1
Percentage of cancellations (%)	1 / 17	0 / 8	1 / 5	0 / 1	0 / 1	0 / 1
Average number of embryos transferred	1.7	1.3	2.0	1.0	4.0	3.0
Percentage of embryos transferred resulting in implantation (%)	75.0	2 / 8	0 / 4	0 / 1	2 / 4	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	2 / 10	1 / 3	1 / 2		0 / 1	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	3 / 17	2 / 8	0 / 5	0 / 1	0 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)	4 / 17	2 / 8	0 / 5	0 / 1	1 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)	1 / 17	0 / 8	0 / 5	0 / 1	0 / 1	0 / 1
Percentage of cycles resulting in live births (%)	6 / 17	2 / 8	0 / 5	0 / 1	1 / 1	0 / 1
Percentage of cycles resulting in pregnancies (%)	8 / 17	2 / 8	0 / 5	0 / 1	1 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	12	6	2	1	1	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 12	2 / 6	0 / 2	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	4 / 12	2 / 6	0 / 2	0 / 1	1 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 12	0 / 6	0 / 2	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	6 / 12	2 / 6	0 / 2	0 / 1	1 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	8 / 12	2 / 6	0 / 2	0 / 1	1 / 1	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	36	16	11	1	0	1
Number of transfers	36	16	10	1	0	1
Estimated average number of transfers per retrieval	1.6	2.0	1.1	1.0	0.0	1.0
Average number of embryos transferred	1.6	1.6	1.5	1.0		1.0
Percentage of embryos transferred resulting in implantation (%)	28.3	23.1	4 / 15	0 / 1		0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	25.0	3 / 16	1 / 10	0 / 1		0 / 1
Percentage of transfers resulting in singleton live births (%)	25.0	5 / 16	1 / 10	0 / 1		0 / 1
Percentage of transfers resulting in twin live births (%)	2.8	0 / 16	1 / 10	0 / 1		0 / 1
Percentage of transfers resulting in live births (%)	27.8	5 / 16	2 / 10	0 / 1		0 / 1
Percentage of transfers resulting in pregnancies (%)	44.4	6 / 16	3 / 10	0 / 1		0 / 1
Number of Egg/Embryo Banking Cycles						
	18	6	7	1	2	1
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		13			21	
Number of transfers		11			19	
Average number of embryos transferred		1.5			1.8	
Percentage of embryos transferred resulting in implantation (%)		5 / 16			20.6	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		4 / 11			5 / 19	
Percentage of transfers resulting in singleton live births (%)		4 / 11			5 / 19	
Percentage of transfers resulting in twin live births (%)		0 / 11			1 / 19	
Percentage of transfers resulting in live births (%)		4 / 11			6 / 19	
Percentage of transfers resulting in pregnancies (%)		6 / 11			6 / 19	

CURRENT SERVICES & PROFILE

Current Name: Mississippi Reproductive Medicine, PLLC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MISSISSIPPI FERTILITY INSTITUTE JACKSON, MISSISSIPPI

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by John D. Isaacs, Jr, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	71%	Tubal factor	24%	Uterine factor	14%	<i>Multiple Factors:</i> Female factors only 15% Female & male factors 6%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	4%	Male factor	25%	
Used gestational carrier	0%			Diminished ovarian reserve	17%	Other factor	3%	
				Endometriosis	17%	Unknown factor	22%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 165 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	58	24	22	6	1	1
Percentage of cancellations (%)	5.2	16.7	18.2	1 / 6	0 / 1	1 / 1
Average number of embryos transferred	1.8	1.9	1.9	2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	43.4	26.7	17.2	2 / 10	0 / 2	
Percentage of elective single embryo transfers (eSET) (%)	5.6	0 / 14	0 / 12	0 / 5	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	27.6	20.8	9.1	0 / 6	0 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)	32.8	25.0	9.1	0 / 6	0 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)	6.9	0.0	4.5	0 / 6	0 / 1	0 / 1
Percentage of cycles resulting in live births (%)	41.4	25.0	13.6	0 / 6	0 / 1	0 / 1
Percentage of cycles resulting in pregnancies (%)	41.4	29.2	18.2	2 / 6	0 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	42	16	15	5	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	38.1	5 / 16	2 / 15	0 / 5	0 / 1	
Percentage of transfers resulting in singleton live births (%)	45.2	6 / 16	2 / 15	0 / 5	0 / 1	
Percentage of transfers resulting in twin live births (%)	9.5	0 / 16	1 / 15	0 / 5	0 / 1	
Percentage of transfers resulting in live births (%)	57.1	6 / 16	3 / 15	0 / 5	0 / 1	
Percentage of transfers resulting in pregnancies (%)	57.1	7 / 16	4 / 15	2 / 5	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	22	10	5	0	0	0
Number of transfers	22	10	5	0	0	0
Estimated average number of transfers per retrieval	1.5	2.5	1.7			
Average number of embryos transferred	1.7	1.8	1.4			
Percentage of embryos transferred resulting in implantation (%)	27.0	3 / 18	0 / 7			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	18.2	2 / 10	0 / 5			
Percentage of transfers resulting in singleton live births (%)	27.3	2 / 10	0 / 5			
Percentage of transfers resulting in twin live births (%)	4.5	0 / 10	0 / 5			
Percentage of transfers resulting in live births (%)	31.8	2 / 10	0 / 5			
Percentage of transfers resulting in pregnancies (%)	40.9	3 / 10	0 / 5			
Number of Egg/Embryo Banking Cycles						
	2	1	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	6			7		
Number of transfers	6			7		
Average number of embryos transferred	1.8			1.6		
Percentage of embryos transferred resulting in implantation (%)	6 / 11			1 / 11		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 6			1 / 7		
Percentage of transfers resulting in singleton live births (%)	3 / 6			1 / 7		
Percentage of transfers resulting in twin live births (%)	1 / 6			0 / 7		
Percentage of transfers resulting in live births (%)	4 / 6			1 / 7		
Percentage of transfers resulting in pregnancies (%)	4 / 6			1 / 7		

CURRENT SERVICES & PROFILE

Current Name: Mississippi Fertility Institute

Donor eggs?	Yes	Gestational carriers?	No	Single women?	No	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF MISSISSIPPI MEDICAL CENTER JACKSON, MISSISSIPPI

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE				Data verified by J. Preston Parry, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	57%	Tubal factor	49%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 29% Female & male factors 11%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	26%	Male factor	17%	
Used gestational carrier	0%			Diminished ovarian reserve	14%	Other factor	3%	
				Endometriosis	20%	Unknown factor	11%	

2013 ART SUCCESS RATES ^c		Total number of cycles ^d : 35 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		20	4	4	2	0	0
Percentage of cancellations (%)		15.0	0 / 4	0 / 4	0 / 2		
Average number of embryos transferred		2.1	2.5	2.3	4.0		
Percentage of embryos transferred resulting in implantation (%)		26.5	5 / 10	2 / 9	0 / 4		
Percentage of elective single embryo transfers (eSET) (%)		1 / 15	0 / 4	0 / 4	0 / 1		
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		15.0	1 / 4	1 / 4	0 / 2		
Percentage of cycles resulting in singleton live births (%)		20.0	2 / 4	2 / 4	0 / 2		
Percentage of cycles resulting in twin live births (%)		10.0	0 / 4	0 / 4	0 / 2		
Percentage of cycles resulting in live births (%)		30.0	3 / 4	2 / 4	0 / 2		
Percentage of cycles resulting in pregnancies (%)		35.0	3 / 4	2 / 4	0 / 2		
Outcomes per Transfer							
Number of transfers		16	4	4	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		3 / 16	1 / 4	1 / 4	0 / 1		
Percentage of transfers resulting in singleton live births (%)		4 / 16	2 / 4	2 / 4	0 / 1		
Percentage of transfers resulting in twin live births (%)		2 / 16	0 / 4	0 / 4	0 / 1		
Percentage of transfers resulting in live births (%)		6 / 16	3 / 4	2 / 4	0 / 1		
Percentage of transfers resulting in pregnancies (%)		7 / 16	3 / 4	2 / 4	0 / 1		
Frozen Embryos from Nondonor Eggs							
Number of cycles		2	1	1	1	0	0
Number of transfers		2	1	1	1	0	0
Estimated average number of transfers per retrieval		2.0		1.0			
Average number of embryos transferred		1.5	3.0	3.0	1.0		
Percentage of embryos transferred resulting in implantation (%)		2 / 3	0 / 3	2 / 3	0 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 2	0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in singleton live births (%)		1 / 2	0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in twin live births (%)		0 / 2	0 / 1	1 / 1	0 / 1		
Percentage of transfers resulting in live births (%)		1 / 2	0 / 1	1 / 1	0 / 1		
Percentage of transfers resulting in pregnancies (%)		2 / 2	0 / 1	1 / 1	0 / 1		
Number of Egg/Embryo Banking Cycles							
		0	0	0	0	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		0			0		
Number of transfers		0			0		
Average number of embryos transferred							
Percentage of embryos transferred resulting in implantation (%)							
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)							
Percentage of transfers resulting in singleton live births (%)							
Percentage of transfers resulting in twin live births (%)							
Percentage of transfers resulting in live births (%)							
Percentage of transfers resulting in pregnancies (%)							

CURRENT SERVICES & PROFILE		Current Name: University of Mississippi Medical Center					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INFERTILITY CENTER OF ST. LOUIS CHESTERFIELD, MISSOURI

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Sherman J. Silber, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	>99%	With ICSI	95%	Tubal factor	8%	Uterine factor	10%	<i>Multiple Factors:</i> Female factors only 16% Female & male factors 15%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	18%	Male factor	37%	
Used gestational carrier	3%			Diminished ovarian reserve	46%	Other factor	7%	
				Endometriosis	2%	Unknown factor	8%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 939 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	108	14	12	6	2	0
Percentage of cancellations (%)	0.9	2 / 14	0 / 12	0 / 6	0 / 2	
Average number of embryos transferred	2.0	2.0	2.2	2.8	2.0	
Percentage of embryos transferred resulting in implantation (%)	35.0	20.0	45.0	0 / 14	0 / 4	
Percentage of elective single embryo transfers (eSET) (%)	1.0	0 / 12	1 / 9	0 / 4	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	30.6	3 / 14	4 / 12	0 / 6	0 / 2	
Percentage of cycles resulting in singleton live births (%)	37.0	3 / 14	5 / 12	0 / 6	0 / 2	
Percentage of cycles resulting in twin live births (%)	10.2	0 / 14	1 / 12	0 / 6	0 / 2	
Percentage of cycles resulting in live births (%)	48.1	3 / 14	6 / 12	0 / 6	0 / 2	
Percentage of cycles resulting in pregnancies (%)	50.0	5 / 14	6 / 12	0 / 6	0 / 2	
Outcomes per Transfer						
Number of transfers	104	12	9	5	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	31.7	3 / 12	4 / 9	0 / 5	0 / 2	
Percentage of transfers resulting in singleton live births (%)	38.5	3 / 12	5 / 9	0 / 5	0 / 2	
Percentage of transfers resulting in twin live births (%)	10.6	0 / 12	1 / 9	0 / 5	0 / 2	
Percentage of transfers resulting in live births (%)	50.0	3 / 12	6 / 9	0 / 5	0 / 2	
Percentage of transfers resulting in pregnancies (%)	51.9	5 / 12	6 / 9	0 / 5	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	117	57	41	38	33	28
Number of transfers	115	55	38	36	28	28
Estimated average number of transfers per retrieval	1.0	0.8	0.4	0.5	0.5	0.6
Average number of embryos transferred	1.9	2.2	2.2	2.2	2.8	2.7
Percentage of embryos transferred resulting in implantation (%)	27.9	17.6	15.2	5.7	9.3	3.9
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	20.0	20.0	23.7	2.8	14.3	3.6
Percentage of transfers resulting in singleton live births (%)	23.5	21.8	23.7	5.6	17.9	7.1
Percentage of transfers resulting in twin live births (%)	11.3	5.5	0.0	0.0	0.0	0.0
Percentage of transfers resulting in live births (%)	34.8	27.3	26.3	5.6	17.9	7.1
Percentage of transfers resulting in pregnancies (%)	40.0	36.4	31.6	16.7	28.6	10.7
Number of Egg/Embryo Banking Cycles						
	105	59	87	65	59	50
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		16			39	
Number of transfers		13			37	
Average number of embryos transferred		1.8			2.0	
Percentage of embryos transferred resulting in implantation (%)		20.8			12.9	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		4 / 13			5.4	
Percentage of transfers resulting in singleton live births (%)		5 / 13			13.5	
Percentage of transfers resulting in twin live births (%)		0 / 13			5.4	
Percentage of transfers resulting in live births (%)		5 / 13			18.9	
Percentage of transfers resulting in pregnancies (%)		5 / 13			21.6	

CURRENT SERVICES & PROFILE

Current Name: Infertility Center of St. Louis

Donor eggs?	No	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MID-MISSOURI REPRODUCTIVE MEDICINE AND SURGERY, INC. COLUMBIA, MISSOURI

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE				Data verified by Gilbert Wilshire, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	75%	Tubal factor	13%	Uterine factor	4%	<i>Multiple Factors:</i> Female factors only 11% Female & male factors 56%
Unstimulated	0%	Used PGD	11%	Ovulatory dysfunction	41%	Male factor	67%	
Used gestational carrier	2%			Diminished ovarian reserve	26%	Other factor	9%	
				Endometriosis	20%	Unknown factor	0%	

2013 ART SUCCESS RATES ^c		Total number of cycles ^d : 136 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		55	16	7	5	0	0
Percentage of cancellations (%)		5.5	7 / 16	0 / 7	1 / 5		
Average number of embryos transferred		1.9	2.1	2.7	1.8		
Percentage of embryos transferred resulting in implantation (%)		43.9	6 / 19	4 / 19	2 / 7		
Percentage of elective single embryo transfers (eSET) (%)		10.0	0 / 8	0 / 7	1 / 2		
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		18.2	4 / 16	2 / 7	1 / 5		
Percentage of cycles resulting in singleton live births (%)		21.8	4 / 16	2 / 7	1 / 5		
Percentage of cycles resulting in twin live births (%)		23.6	1 / 16	1 / 7	0 / 5		
Percentage of cycles resulting in live births (%)		45.5	5 / 16	3 / 7	1 / 5		
Percentage of cycles resulting in pregnancies (%)		52.7	5 / 16	3 / 7	2 / 5		
Outcomes per Transfer							
Number of transfers		51	9	7	4	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		19.6	4 / 9	2 / 7	1 / 4		
Percentage of transfers resulting in singleton live births (%)		23.5	4 / 9	2 / 7	1 / 4		
Percentage of transfers resulting in twin live births (%)		25.5	1 / 9	1 / 7	0 / 4		
Percentage of transfers resulting in live births (%)		49.0	5 / 9	3 / 7	1 / 4		
Percentage of transfers resulting in pregnancies (%)		56.9	5 / 9	3 / 7	2 / 4		
Frozen Embryos from Nondonor Eggs							
Number of cycles		26	8	1	1	0	1
Number of transfers		25	8	1	1	0	1
Estimated average number of transfers per retrieval		1.7					
Average number of embryos transferred		2.0	2.1	2.0	2.0		3.0
Percentage of embryos transferred resulting in implantation (%)		5.9	3 / 17	0 / 2	0 / 2		0 / 3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		12.0	1 / 8	0 / 1	0 / 1		0 / 1
Percentage of transfers resulting in singleton live births (%)		12.0	3 / 8	0 / 1	0 / 1		0 / 1
Percentage of transfers resulting in twin live births (%)		0.0	0 / 8	0 / 1	0 / 1		0 / 1
Percentage of transfers resulting in live births (%)		12.0	3 / 8	0 / 1	0 / 1		0 / 1
Percentage of transfers resulting in pregnancies (%)		12.0	3 / 8	0 / 1	0 / 1		0 / 1
Number of Egg/Embryo Banking Cycles							
		0	0	0	0	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		8			8		
Number of transfers		5			6		
Average number of embryos transferred		2.2			1.7		
Percentage of embryos transferred resulting in implantation (%)		4 / 11			0 / 10		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 5			0 / 6		
Percentage of transfers resulting in singleton live births (%)		0 / 5			0 / 6		
Percentage of transfers resulting in twin live births (%)		2 / 5			0 / 6		
Percentage of transfers resulting in live births (%)		2 / 5			0 / 6		
Percentage of transfers resulting in pregnancies (%)		2 / 5			0 / 6		

CURRENT SERVICES & PROFILE		Current Name: Mid-Missouri Reproductive Medicine and Surgery, Inc.					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MISSOURI CENTER FOR REPRODUCTIVE MEDICINE AND FERTILITY COLUMBIA, MISSOURI

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Mira Aubuchon, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	18%	Tubal factor	50%	Uterine factor	8%	<i>Multiple Factors:</i> Female factors only 33% Female & male factors 33%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	33%	Male factor	33%	
Used gestational carrier	0%			Diminished ovarian reserve	50%	Other factor	8%	
				Endometriosis	8%	Unknown factor	0%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 15 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	8	0	3	0	0	0
Percentage of cancellations (%)	2 / 8		0 / 3			
Average number of embryos transferred	2.2		3.0			
Percentage of embryos transferred resulting in implantation (%)	3 / 13		1 / 6			
Percentage of elective single embryo transfers (eSET) (%)	0 / 5		0 / 2			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	0 / 8		1 / 3			
Percentage of cycles resulting in singleton live births (%)	1 / 8		1 / 3			
Percentage of cycles resulting in twin live births (%)	1 / 8		0 / 3			
Percentage of cycles resulting in live births (%)	2 / 8		1 / 3			
Percentage of cycles resulting in pregnancies (%)	2 / 8		1 / 3			
Outcomes per Transfer						
Number of transfers	6	0	2	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 6		1 / 2			
Percentage of transfers resulting in singleton live births (%)	1 / 6		1 / 2			
Percentage of transfers resulting in twin live births (%)	1 / 6		0 / 2			
Percentage of transfers resulting in live births (%)	2 / 6		1 / 2			
Percentage of transfers resulting in pregnancies (%)	2 / 6		1 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	0	0	0	0	0
Number of transfers	1	0	0	0	0	0
Estimated average number of transfers per retrieval	0.3					
Average number of embryos transferred	3.0					
Percentage of embryos transferred resulting in implantation (%)	0 / 3					
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 1					
Percentage of transfers resulting in singleton live births (%)	0 / 1					
Percentage of transfers resulting in twin live births (%)	0 / 1					
Percentage of transfers resulting in live births (%)	0 / 1					
Percentage of transfers resulting in pregnancies (%)	0 / 1					
Number of Egg/Embryo Banking Cycles						
	3	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		0			0	
Number of transfers		0			0	
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

CURRENT SERVICES & PROFILE

Current Name: Missouri Center for Reproductive Medicine and Fertility,
University of Missouri

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHER INSTITUTE FOR REPRODUCTIVE MEDICINE-ST. LOUIS CREVE COEUR, MISSOURI

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Molina Dayal, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	98%	Tubal factor	8%	Uterine factor	<1%	Multiple Factors: Female factors only 2% Female & male factors 3%
Unstimulated	0%	Used PGD	6%	Ovulatory dysfunction	9%	Male factor	23%	
Used gestational carrier	1%			Diminished ovarian reserve	15%	Other factor	36%	
				Endometriosis	7%	Unknown factor	8%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 506 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	209	48	23	12	3	0
Percentage of cancellations (%)	0.5	0.0	4.3	1 / 12	0 / 3	
Average number of embryos transferred	1.8	1.7	1.8	1.6		
Percentage of embryos transferred resulting in implantation (%)	36.9	42.9	40.9	2 / 11		
Percentage of elective single embryo transfers (eSET) (%)	5.7	7.4	0 / 10	1 / 4		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	15.8	16.7	13.0	2 / 12	0 / 3	
Percentage of cycles resulting in singleton live births (%)	21.5	20.8	21.7	2 / 12	0 / 3	
Percentage of cycles resulting in twin live births (%)	12.9	10.4	8.7	0 / 12	0 / 3	
Percentage of cycles resulting in live births (%)	34.9	33.3	30.4	2 / 12	0 / 3	
Percentage of cycles resulting in pregnancies (%)	40.2	39.6	30.4	2 / 12	0 / 3	
Outcomes per Transfer						
Number of transfers	172	38	12	7	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	19.2	21.1	3 / 12	2 / 7		
Percentage of transfers resulting in singleton live births (%)	26.2	26.3	5 / 12	2 / 7		
Percentage of transfers resulting in twin live births (%)	15.7	13.2	2 / 12	0 / 7		
Percentage of transfers resulting in live births (%)	42.4	42.1	7 / 12	2 / 7		
Percentage of transfers resulting in pregnancies (%)	48.8	50.0	7 / 12	2 / 7		
Frozen Embryos from Nondonor Eggs						
Number of cycles	57	30	7	11	4	1
Number of transfers	57	28	7	10	4	1
Estimated average number of transfers per retrieval	1.1	1.5	0.3	0.9	0.7	0.1
Average number of embryos transferred	1.7	1.7	1.4	1.6	1.0	1.0
Percentage of embryos transferred resulting in implantation (%)	34.4	37.8	2 / 10	0 / 16	1 / 4	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	26.3	25.0	1 / 7	0 / 10	0 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	29.8	32.1	1 / 7	0 / 10	1 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	12.3	7.1	0 / 7	0 / 10	0 / 4	0 / 1
Percentage of transfers resulting in live births (%)	42.1	39.3	1 / 7	0 / 10	1 / 4	0 / 1
Percentage of transfers resulting in pregnancies (%)	43.9	57.1	2 / 7	0 / 10	1 / 4	0 / 1
Number of Egg/Embryo Banking Cycles						
	22	9	24	6	6	8
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		15			11	
Number of transfers		11			11	
Average number of embryos transferred		1.7			1.7	
Percentage of embryos transferred resulting in implantation (%)		9 / 19			14 / 19	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		4 / 11			3 / 11	
Percentage of transfers resulting in singleton live births (%)		6 / 11			3 / 11	
Percentage of transfers resulting in twin live births (%)		1 / 11			5 / 11	
Percentage of transfers resulting in live births (%)		7 / 11			8 / 11	
Percentage of transfers resulting in pregnancies (%)		8 / 11			9 / 11	

CURRENT SERVICES & PROFILE

Current Name: Sher Institute for Reproductive Medicine-St. Louis

Donor eggs?	No	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MIDWEST WOMEN'S HEALTHCARE SPECIALISTS KANSAS CITY, MISSOURI

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Gregory C. Starks, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	79%	Tubal factor	22%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 28% Female & male factors 38%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	33%	Male factor	48%	
Used gestational carrier	2%			Diminished ovarian reserve	37%	Other factor	4%	
				Endometriosis	43%	Unknown factor	0%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 101 (includes 6 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	40	6	11	5	0	0
Percentage of cancellations (%)	15.0	2 / 6	2 / 11	3 / 5		
Average number of embryos transferred	1.9	2.0	1.9	2.0		
Percentage of embryos transferred resulting in implantation (%)	47.6	3 / 8	4 / 17	0 / 4		
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 4	0 / 8	1 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	30.0	3 / 6	0 / 11	0 / 5		
Percentage of cycles resulting in singleton live births (%)	37.5	3 / 6	2 / 11	0 / 5		
Percentage of cycles resulting in twin live births (%)	12.5	0 / 6	1 / 11	0 / 5		
Percentage of cycles resulting in live births (%)	50.0	3 / 6	3 / 11	0 / 5		
Percentage of cycles resulting in pregnancies (%)	57.5	3 / 6	3 / 11	0 / 5		
Outcomes per Transfer						
Number of transfers	33	4	9	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	36.4	3 / 4	0 / 9	0 / 2		
Percentage of transfers resulting in singleton live births (%)	45.5	3 / 4	2 / 9	0 / 2		
Percentage of transfers resulting in twin live births (%)	15.2	0 / 4	1 / 9	0 / 2		
Percentage of transfers resulting in live births (%)	60.6	3 / 4	3 / 9	0 / 2		
Percentage of transfers resulting in pregnancies (%)	69.7	3 / 4	3 / 9	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	10	8	3	1	0	0
Number of transfers	10	8	3	1	0	0
Estimated average number of transfers per retrieval	3.3	2.7	3.0	1.0		0.0
Average number of embryos transferred	1.6	1.6	1.3	1.0		
Percentage of embryos transferred resulting in implantation (%)	7 / 14	4 / 13	2 / 4			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 10	2 / 8	1 / 3	0 / 1		
Percentage of transfers resulting in singleton live births (%)	3 / 10	2 / 8	1 / 3	0 / 1		
Percentage of transfers resulting in twin live births (%)	2 / 10	1 / 8	0 / 3	0 / 1		
Percentage of transfers resulting in live births (%)	5 / 10	3 / 8	1 / 3	0 / 1		
Percentage of transfers resulting in pregnancies (%)	6 / 10	3 / 8	2 / 3	1 / 1		
Number of Egg/Embryo Banking Cycles						
	1	2	0	1	0	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	4			2		
Number of transfers	4			2		
Average number of embryos transferred	2.0			2.0		
Percentage of embryos transferred resulting in implantation (%)	2 / 8			0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 4			0 / 2		
Percentage of transfers resulting in singleton live births (%)	0 / 4			0 / 2		
Percentage of transfers resulting in twin live births (%)	1 / 4			0 / 2		
Percentage of transfers resulting in live births (%)	1 / 4			0 / 2		
Percentage of transfers resulting in pregnancies (%)	1 / 4			1 / 2		

CURRENT SERVICES & PROFILE

Current Name: Midwest Women's Healthcare Specialists

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY PARTNERSHIP SAINT PETERS, MISSOURI

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by David E. Simckes, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	94%	Tubal factor	20%	Uterine factor	3%	Multiple Factors: Female factors only 16% Female & male factors 16%
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	27%	Male factor	31%	
Used gestational carrier	0%			Diminished ovarian reserve	28%	Other factor	3%	
				Endometriosis	16%	Unknown factor	9%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 199 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	59	33	18	5	5	1
Percentage of cancellations (%)	1.7	9.1	1 / 18	0 / 5	2 / 5	0 / 1
Average number of embryos transferred	2.2	2.2	2.8	3.0	3.0	
Percentage of embryos transferred resulting in implantation (%)	26.8	24.0	13.0	0 / 9	0 / 3	
Percentage of elective single embryo transfers (eSET) (%)	0.0	4.8	0 / 9	0 / 3	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	13.6	15.2	3 / 18	0 / 5	0 / 5	0 / 1
Percentage of cycles resulting in singleton live births (%)	13.6	15.2	3 / 18	0 / 5	0 / 5	0 / 1
Percentage of cycles resulting in twin live births (%)	8.5	3.0	0 / 18	0 / 5	0 / 5	0 / 1
Percentage of cycles resulting in live births (%)	22.0	18.2	3 / 18	0 / 5	0 / 5	0 / 1
Percentage of cycles resulting in pregnancies (%)	25.4	24.2	4 / 18	0 / 5	0 / 5	0 / 1
Outcomes per Transfer						
Number of transfers	38	23	9	3	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	21.1	21.7	3 / 9	0 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	21.1	21.7	3 / 9	0 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	13.2	4.3	0 / 9	0 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	34.2	26.1	3 / 9	0 / 3	0 / 1	
Percentage of transfers resulting in pregnancies (%)	39.5	34.8	4 / 9	0 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	38	17	10	7	2	0
Number of transfers	35	14	10	7	2	0
Estimated average number of transfers per retrieval	2.1	1.6	5.0	3.5	1.0	
Average number of embryos transferred	2.3	2.5	2.5	2.7	2.0	
Percentage of embryos transferred resulting in implantation (%)	21.5	8.6	13.0	6 / 19	0 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	25.7	3 / 14	2 / 10	0 / 7	0 / 2	
Percentage of transfers resulting in singleton live births (%)	28.6	3 / 14	3 / 10	1 / 7	0 / 2	
Percentage of transfers resulting in twin live births (%)	5.7	0 / 14	0 / 10	2 / 7	0 / 2	
Percentage of transfers resulting in live births (%)	34.3	3 / 14	3 / 10	3 / 7	0 / 2	
Percentage of transfers resulting in pregnancies (%)	40.0	3 / 14	4 / 10	3 / 7	0 / 2	
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			4		
Number of transfers	0			4		
Average number of embryos transferred				2.0		
Percentage of embryos transferred resulting in implantation (%)				0 / 8		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				0 / 4		
Percentage of transfers resulting in singleton live births (%)				0 / 4		
Percentage of transfers resulting in twin live births (%)				0 / 4		
Percentage of transfers resulting in live births (%)				0 / 4		
Percentage of transfers resulting in pregnancies (%)				0 / 4		

CURRENT SERVICES & PROFILE

Current Name: Fertility Partnership

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE & ROBOTIC SURGERY ST. LOUIS, MISSOURI

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Saji Jacob, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	97%	Tubal factor	24%	Uterine factor	18%	<i>Multiple Factors:</i> Female factors only 28% Female & male factors 26%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	39%	Male factor	41%	
Used gestational carrier	0%			Diminished ovarian reserve	6%	Other factor	6%	
				Endometriosis	41%	Unknown factor	2%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 51 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	27	7	5	0	0	0
Percentage of cancellations (%)	0.0	1 / 7	0 / 5			
Average number of embryos transferred	2.2	2.3	2.0			
Percentage of embryos transferred resulting in implantation (%)	17.3	4 / 14	0 / 10			
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 6	0 / 4			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	3.7	0 / 7	0 / 5			
Percentage of cycles resulting in singleton live births (%)	11.1	2 / 7	0 / 5			
Percentage of cycles resulting in twin live births (%)	3.7	1 / 7	0 / 5			
Percentage of cycles resulting in live births (%)	18.5	3 / 7	0 / 5			
Percentage of cycles resulting in pregnancies (%)	33.3	3 / 7	0 / 5			
Outcomes per Transfer						
Number of transfers	26	6	5	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3.8	0 / 6	0 / 5			
Percentage of transfers resulting in singleton live births (%)	11.5	2 / 6	0 / 5			
Percentage of transfers resulting in twin live births (%)	3.8	1 / 6	0 / 5			
Percentage of transfers resulting in live births (%)	19.2	3 / 6	0 / 5			
Percentage of transfers resulting in pregnancies (%)	34.6	3 / 6	0 / 5			
Frozen Embryos from Nondonor Eggs						
Number of cycles	8	0	1	0	0	0
Number of transfers	5	0	1	0	0	0
Estimated average number of transfers per retrieval	2.5					
Average number of embryos transferred	2.2		2.0			
Percentage of embryos transferred resulting in implantation (%)	1 / 11		0 / 2			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 5		0 / 1			
Percentage of transfers resulting in singleton live births (%)	1 / 5		0 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 5		0 / 1			
Percentage of transfers resulting in live births (%)	1 / 5		0 / 1			
Percentage of transfers resulting in pregnancies (%)	1 / 5		0 / 1			
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	1			2		
Number of transfers	1			2		
Average number of embryos transferred	2.0			2.0		
Percentage of embryos transferred resulting in implantation (%)	0 / 2			0 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 1			0 / 2		
Percentage of transfers resulting in singleton live births (%)	0 / 1			0 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 1			0 / 2		
Percentage of transfers resulting in live births (%)	0 / 1			0 / 2		
Percentage of transfers resulting in pregnancies (%)	0 / 1			0 / 2		

CURRENT SERVICES & PROFILE

Current Name: Center for Reproductive Medicine & Robotic Surgery

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE INFERTILITY AND REPRODUCTIVE MEDICINE CENTER AT WASHINGTON UNIVERSITY SCHOOL OF MEDICINE AND BARNES-JEWISH HOSPITAL ST. LOUIS, MISSOURI

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE				Data verified by Randall R. Odem, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	65%	Tubal factor	17%	Uterine factor	1%	<i>Multiple Factors:</i> Female factors only 9% Female & male factors 12%
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	27%	Male factor	25%	
Used gestational carrier	<1%			Diminished ovarian reserve	20%	Other factor	7%	
				Endometriosis	11%	Unknown factor	15%	

2013 ART SUCCESS RATES ^c		Total number of cycles ^d : 553 (includes 1 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		201	76	56	15	8	0
Percentage of cancellations (%)		7.0	10.5	12.5	4 / 15	2 / 8	
Average number of embryos transferred		2.0	2.4	3.0	3.4	2.4	
Percentage of embryos transferred resulting in implantation (%)		42.6	33.3	17.3	2.9	1 / 12	
Percentage of elective single embryo transfers (eSET) (%)		9.5	1.7	0.0	0 / 9	0 / 4	
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		25.4	25.0	10.7	0 / 15	1 / 8	
Percentage of cycles resulting in singleton live births (%)		33.8	30.3	12.5	1 / 15	1 / 8	
Percentage of cycles resulting in twin live births (%)		14.9	14.5	7.1	0 / 15	0 / 8	
Percentage of cycles resulting in live births (%)		49.3	44.7	19.6	1 / 15	1 / 8	
Percentage of cycles resulting in pregnancies (%)		53.7	48.7	32.1	1 / 15	1 / 8	
Outcomes per Transfer							
Number of transfers		182	64	47	10	5	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		28.0	29.7	12.8	0 / 10	1 / 5	
Percentage of transfers resulting in singleton live births (%)		37.4	35.9	14.9	1 / 10	1 / 5	
Percentage of transfers resulting in twin live births (%)		16.5	17.2	8.5	0 / 10	0 / 5	
Percentage of transfers resulting in live births (%)		54.4	53.1	23.4	1 / 10	1 / 5	
Percentage of transfers resulting in pregnancies (%)		59.3	57.8	38.3	1 / 10	1 / 5	
Frozen Embryos from Nondonor Eggs							
Number of cycles		72	21	23	4	1	0
Number of transfers		67	19	19	3	1	0
Estimated average number of transfers per retrieval		1.2	1.3	1.1	0.6	1.0	
Average number of embryos transferred		1.7	1.8	2.1	2.7	5.0	
Percentage of embryos transferred resulting in implantation (%)		34.9	35.3	40.0	1 / 8	0 / 5	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		26.9	5 / 19	9 / 19	1 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)		31.3	6 / 19	10 / 19	1 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)		6.0	2 / 19	2 / 19	0 / 3	0 / 1	
Percentage of transfers resulting in live births (%)		37.3	8 / 19	12 / 19	1 / 3	0 / 1	
Percentage of transfers resulting in pregnancies (%)		49.3	10 / 19	13 / 19	1 / 3	0 / 1	
Number of Egg/Embryo Banking Cycles							
		19	6	8	4	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		18			20		
Number of transfers		17			17		
Average number of embryos transferred		1.9			1.6		
Percentage of embryos transferred resulting in implantation (%)		53.1			36.4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		6 / 17			3 / 17		
Percentage of transfers resulting in singleton live births (%)		7 / 17			3 / 17		
Percentage of transfers resulting in twin live births (%)		4 / 17			0 / 17		
Percentage of transfers resulting in live births (%)		11 / 17			3 / 17		
Percentage of transfers resulting in pregnancies (%)		12 / 17			8 / 17		

CURRENT SERVICES & PROFILE		Current Name: The Infertility and Reproductive Medicine Center at Washington University School of Medicine and Barnes-Jewish Hospital					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BILLINGS CLINIC DEPARTMENT OF REPRODUCTIVE MEDICINE AND FERTILITY CARE BILLINGS, MONTANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Christopher Montville, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	60%	Tubal factor	20%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 9% Female & male factors 7%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	21%	Male factor	19%	
Used gestational carrier	3%			Diminished ovarian reserve	14%	Other factor	10%	
				Endometriosis	12%	Unknown factor	21%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 105 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	52	13	4	4	0	0
Percentage of cancellations (%)	3.8	0 / 13	1 / 4	0 / 4		
Average number of embryos transferred	1.6	2.0	3.3	2.5		
Percentage of embryos transferred resulting in implantation (%)	48.0	50.0	4 / 10	1 / 5		
Percentage of elective single embryo transfers (eSET) (%)	37.0	2 / 11	0 / 3	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	34.6	3 / 13	0 / 4	0 / 4		
Percentage of cycles resulting in singleton live births (%)	42.3	7 / 13	0 / 4	0 / 4		
Percentage of cycles resulting in twin live births (%)	9.6	2 / 13	1 / 4	0 / 4		
Percentage of cycles resulting in live births (%)	51.9	9 / 13	1 / 4	0 / 4		
Percentage of cycles resulting in pregnancies (%)	59.6	10 / 13	3 / 4	1 / 4		
Outcomes per Transfer						
Number of transfers	48	13	3	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	37.5	3 / 13	0 / 3	0 / 2		
Percentage of transfers resulting in singleton live births (%)	45.8	7 / 13	0 / 3	0 / 2		
Percentage of transfers resulting in twin live births (%)	10.4	2 / 13	1 / 3	0 / 2		
Percentage of transfers resulting in live births (%)	56.3	9 / 13	1 / 3	0 / 2		
Percentage of transfers resulting in pregnancies (%)	64.6	10 / 13	3 / 3	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	20	3	4	0	0	1
Number of transfers	18	3	4	0	0	1
Estimated average number of transfers per retrieval	1.6	1.5				
Average number of embryos transferred	1.6	1.7	2.0			2.0
Percentage of embryos transferred resulting in implantation (%)	29.2	0 / 3	2 / 8			0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 18	0 / 3	0 / 4			0 / 1
Percentage of transfers resulting in singleton live births (%)	3 / 18	0 / 3	0 / 4			0 / 1
Percentage of transfers resulting in twin live births (%)	2 / 18	0 / 3	1 / 4			0 / 1
Percentage of transfers resulting in live births (%)	5 / 18	0 / 3	1 / 4			0 / 1
Percentage of transfers resulting in pregnancies (%)	7 / 18	1 / 3	1 / 4			0 / 1
Number of Egg/Embryo Banking Cycles						
	2	1	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			1		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

CURRENT SERVICES & PROFILE

Current Name: Billings Clinic, Department of Reproductive Medicine and Fertility Care

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEBRASKA METHODIST HOSPITAL REI ELKHORN, NEBRASKA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Carolyn M. Doherty, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	86%	Tubal factor	21%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 9% Female & male factors 22%
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	18%	Male factor	51%	
Used gestational carrier	<1%			Diminished ovarian reserve	5%	Other factor	17%	
				Endometriosis	14%	Unknown factor	8%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 417 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	172	41	21	10	0	0
Percentage of cancellations (%)	9.9	19.5	14.3	2 / 10		
Average number of embryos transferred	1.9	2.2	2.8	2.7		
Percentage of embryos transferred resulting in implantation (%)	40.0	28.4	27.3	0 / 19		
Percentage of elective single embryo transfers (eSET) (%)	11.3	0.0	0 / 16	0 / 6		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	19.2	12.2	38.1	0 / 10		
Percentage of cycles resulting in singleton live births (%)	22.1	12.2	38.1	0 / 10		
Percentage of cycles resulting in twin live births (%)	9.9	12.2	9.5	0 / 10		
Percentage of cycles resulting in live births (%)	33.1	24.4	47.6	0 / 10		
Percentage of cycles resulting in pregnancies (%)	41.9	31.7	47.6	0 / 10		
Outcomes per Transfer						
Number of transfers	131	31	16	7	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	25.2	16.1	8 / 16	0 / 7		
Percentage of transfers resulting in singleton live births (%)	29.0	16.1	8 / 16	0 / 7		
Percentage of transfers resulting in twin live births (%)	13.0	16.1	2 / 16	0 / 7		
Percentage of transfers resulting in live births (%)	43.5	32.3	10 / 16	0 / 7		
Percentage of transfers resulting in pregnancies (%)	55.0	41.9	10 / 16	0 / 7		
Frozen Embryos from Nondonor Eggs						
Number of cycles	83	37	21	3	0	1
Number of transfers	70	27	16	1	0	0
Estimated average number of transfers per retrieval	1.5	3.0	3.2	0.3		
Average number of embryos transferred	1.9	1.7	1.6	2.0		
Percentage of embryos transferred resulting in implantation (%)	49.6	31.1	30.4	0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	22.9	18.5	3 / 16	0 / 1		
Percentage of transfers resulting in singleton live births (%)	25.7	22.2	4 / 16	0 / 1		
Percentage of transfers resulting in twin live births (%)	22.9	3.7	0 / 16	0 / 1		
Percentage of transfers resulting in live births (%)	48.6	25.9	4 / 16	0 / 1		
Percentage of transfers resulting in pregnancies (%)	65.7	48.1	8 / 16	0 / 1		
Number of Egg/Embryo Banking Cycles						
	1	1	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	14			12		
Number of transfers	11			10		
Average number of embryos transferred	1.9			2.2		
Percentage of embryos transferred resulting in implantation (%)	47.6			31.8		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 11			2 / 10		
Percentage of transfers resulting in singleton live births (%)	3 / 11			4 / 10		
Percentage of transfers resulting in twin live births (%)	2 / 11			1 / 10		
Percentage of transfers resulting in live births (%)	5 / 11			5 / 10		
Percentage of transfers resulting in pregnancies (%)	6 / 11			6 / 10		

CURRENT SERVICES & PROFILE

Current Name: Reproductive Health Specialists

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HEARTLAND CENTER FOR REPRODUCTIVE MEDICINE, PC OMAHA, NEBRASKA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Victoria M. Maclin, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	>99%	With ICSI	49%	Tubal factor	25%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 10% Female & male factors 22%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	5%	Male factor	42%	
Used gestational carrier	<1%			Diminished ovarian reserve	32%	Other factor	3%	
				Endometriosis	12%	Unknown factor	15%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 296 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	120	47	26	15	1	0
Percentage of cancellations (%)	3.3	6.4	11.5	1 / 15	0 / 1	
Average number of embryos transferred	1.9	2.0	1.8	1.9	1.0	
Percentage of embryos transferred resulting in implantation (%)	48.6	31.4	10.3	2 / 15	0 / 1	
Percentage of elective single embryo transfers (eSET) (%)	2.6	3.4	0 / 10	0 / 5		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	29.2	19.1	7.7	1 / 15	0 / 1	
Percentage of cycles resulting in singleton live births (%)	31.7	19.1	7.7	1 / 15	0 / 1	
Percentage of cycles resulting in twin live births (%)	15.0	8.5	0.0	0 / 15	0 / 1	
Percentage of cycles resulting in live births (%)	47.5	29.8	7.7	1 / 15	0 / 1	
Percentage of cycles resulting in pregnancies (%)	50.0	31.9	11.5	2 / 15	0 / 1	
Outcomes per Transfer						
Number of transfers	93	35	16	10	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	37.6	25.7	2 / 16	1 / 10	0 / 1	
Percentage of transfers resulting in singleton live births (%)	40.9	25.7	2 / 16	1 / 10	0 / 1	
Percentage of transfers resulting in twin live births (%)	19.4	11.4	0 / 16	0 / 10	0 / 1	
Percentage of transfers resulting in live births (%)	61.3	40.0	2 / 16	1 / 10	0 / 1	
Percentage of transfers resulting in pregnancies (%)	64.5	42.9	3 / 16	2 / 10	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	27	8	8	3	0	0
Number of transfers	25	8	8	2	0	0
Estimated average number of transfers per retrieval	1.6	1.3	2.0	2.0		
Average number of embryos transferred	2.0	2.1	1.8	3.0		
Percentage of embryos transferred resulting in implantation (%)	20.0	5 / 17	2 / 12	1 / 6		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	24.0	3 / 8	0 / 8	1 / 2		
Percentage of transfers resulting in singleton live births (%)	28.0	3 / 8	0 / 8	1 / 2		
Percentage of transfers resulting in twin live births (%)	4.0	0 / 8	1 / 8	0 / 2		
Percentage of transfers resulting in live births (%)	32.0	3 / 8	1 / 8	1 / 2		
Percentage of transfers resulting in pregnancies (%)	36.0	5 / 8	2 / 8	1 / 2		
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs			Fresh Embryos^f		Frozen Embryos^f	
Number of cycles			32		9	
Number of transfers			29		8	
Average number of embryos transferred			2.0		1.8	
Percentage of embryos transferred resulting in implantation (%)			62.5		2 / 14	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)			20.7		2 / 8	
Percentage of transfers resulting in singleton live births (%)			20.7		2 / 8	
Percentage of transfers resulting in twin live births (%)			44.8		0 / 8	
Percentage of transfers resulting in live births (%)			65.5		2 / 8	
Percentage of transfers resulting in pregnancies (%)			75.9		2 / 8	

CURRENT SERVICES & PROFILE

Current Name: Heartland Center for Reproductive Medicine, PC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF LAS VEGAS LAS VEGAS, NEVADA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE				Data verified by Bruce S. Shapiro, MD, PhD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	95%	Tubal factor	12%	Uterine factor	2%	Multiple Factors: Female factors only 8% Female & male factors 27%
Unstimulated	0%	Used PGD	12%	Ovulatory dysfunction	4%	Male factor	43%	
Used gestational carrier	2%			Diminished ovarian reserve	59%	Other factor	11%	
				Endometriosis	2%	Unknown factor	6%	

2013 ART SUCCESS RATES ^c		Total number of cycles ^d : 959 (includes 3 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		73	34	34	16	5	3
Percentage of cancellations (%)		1.4	2.9	8.8	0 / 16	1 / 5	0 / 3
Average number of embryos transferred		1.8	1.5	1.7	1.7	1.0	2.0
Percentage of embryos transferred resulting in implantation (%)		50.8	20.7	45.5	0 / 5	1 / 1	0 / 2
Percentage of elective single embryo transfers (eSET) (%)		6.9	3 / 13	3 / 13	0 / 2		0 / 1
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		15.1	17.6	5.9	0 / 16	1 / 5	0 / 3
Percentage of cycles resulting in singleton live births (%)		19.2	17.6	11.8	0 / 16	1 / 5	0 / 3
Percentage of cycles resulting in twin live births (%)		8.2	0.0	5.9	0 / 16	0 / 5	0 / 3
Percentage of cycles resulting in live births (%)		27.4	17.6	17.6	0 / 16	1 / 5	0 / 3
Percentage of cycles resulting in pregnancies (%)		31.5	20.6	26.5	0 / 16	1 / 5	0 / 3
Outcomes per Transfer							
Number of transfers		34	20	14	3	1	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		32.4	30.0	2 / 14	0 / 3	1 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)		41.2	30.0	4 / 14	0 / 3	1 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)		17.6	0.0	2 / 14	0 / 3	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)		58.8	30.0	6 / 14	0 / 3	1 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)		67.6	35.0	9 / 14	0 / 3	1 / 1	0 / 1
Frozen Embryos from Nondonor Eggs							
Number of cycles		156	91	56	21	10	1
Number of transfers		142	70	47	9	6	1
Estimated average number of transfers per retrieval		1.0	0.8	0.5	0.2	0.3	0.1
Average number of embryos transferred		1.6	1.6	1.6	1.4	1.5	1.0
Percentage of embryos transferred resulting in implantation (%)		63.4	51.9	44.1	5 / 13	1 / 9	1 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		37.3	38.6	27.7	1 / 9	1 / 6	1 / 1
Percentage of transfers resulting in singleton live births (%)		46.5	50.0	34.0	1 / 9	1 / 6	1 / 1
Percentage of transfers resulting in twin live births (%)		19.7	10.0	6.4	2 / 9	0 / 6	0 / 1
Percentage of transfers resulting in live births (%)		66.2	60.0	40.4	3 / 9	1 / 6	1 / 1
Percentage of transfers resulting in pregnancies (%)		74.6	71.4	63.8	3 / 9	1 / 6	1 / 1
Number of Egg/Embryo Banking Cycles							
		118	77	76	41	20	8
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		69			47		
Number of transfers		51			44		
Average number of embryos transferred		1.6			1.6		
Percentage of embryos transferred resulting in implantation (%)		70.9			63.1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		23.5			40.9		
Percentage of transfers resulting in singleton live births (%)		33.3			56.8		
Percentage of transfers resulting in twin live births (%)		31.4			13.6		
Percentage of transfers resulting in live births (%)		64.7			70.5		
Percentage of transfers resulting in pregnancies (%)		76.5			84.1		

CURRENT SERVICES & PROFILE		Current Name: Fertility Center of Las Vegas					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

RED ROCK FERTILITY CENTER LAS VEGAS, NEVADA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Eva D. Littman, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	88%	Tubal factor	0%	Uterine factor	4%	Multiple Factors: Female factors only 0% Female & male factors 0%
Unstimulated	2%	Used PGD	78%	Ovulatory dysfunction	13%	Male factor	16%	
Used gestational carrier	0%			Diminished ovarian reserve	28%	Other factor	0%	
				Endometriosis	<1%	Unknown factor	39%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 116 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	33	14	10	7	3	1
Percentage of cancellations (%)	6.1	2 / 14	1 / 10	0 / 7	1 / 3	0 / 1
Average number of embryos transferred	1.8	1.7	1.7	1.5		
Percentage of embryos transferred resulting in implantation (%)	30.6	1 / 5	3 / 12	0 / 3		
Percentage of elective single embryo transfers (eSET) (%)	8.3	0 / 2	0 / 5	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	12.1	1 / 14	0 / 10	0 / 7	0 / 3	0 / 1
Percentage of cycles resulting in singleton live births (%)	21.2	1 / 14	1 / 10	0 / 7	0 / 3	0 / 1
Percentage of cycles resulting in twin live births (%)	12.1	0 / 14	1 / 10	0 / 7	0 / 3	0 / 1
Percentage of cycles resulting in live births (%)	33.3	1 / 14	2 / 10	0 / 7	0 / 3	0 / 1
Percentage of cycles resulting in pregnancies (%)	33.3	1 / 14	2 / 10	0 / 7	0 / 3	0 / 1
Outcomes per Transfer						
Number of transfers	28	12	9	7	1	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	14.3	1 / 12	0 / 9	0 / 7	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	25.0	1 / 12	1 / 9	0 / 7	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	14.3	0 / 12	1 / 9	0 / 7	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	39.3	1 / 12	2 / 9	0 / 7	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	39.3	1 / 12	2 / 9	0 / 7	0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	12	8	2	0	1	0
Number of transfers	12	7	2	0	1	0
Estimated average number of transfers per retrieval	0.8	1.4	0.5	0.0		
Average number of embryos transferred	1.8	1.4	2.0		2.0	
Percentage of embryos transferred resulting in implantation (%)	6 / 18	4 / 10	0 / 2		0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 12	4 / 7	0 / 2		0 / 1	
Percentage of transfers resulting in singleton live births (%)	4 / 12	4 / 7	0 / 2		0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 12	0 / 7	0 / 2		0 / 1	
Percentage of transfers resulting in live births (%)	5 / 12	4 / 7	0 / 2		0 / 1	
Percentage of transfers resulting in pregnancies (%)	5 / 12	4 / 7	0 / 2		0 / 1	
Number of Egg/Embryo Banking Cycles						
	7	3	2	1	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	7			5		
Number of transfers	3			5		
Average number of embryos transferred	2.0			2.0		
Percentage of embryos transferred resulting in implantation (%)	1 / 6			4 / 10		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 3			2 / 5		
Percentage of transfers resulting in singleton live births (%)	1 / 3			2 / 5		
Percentage of transfers resulting in twin live births (%)	0 / 3			1 / 5		
Percentage of transfers resulting in live births (%)	1 / 3			3 / 5		
Percentage of transfers resulting in pregnancies (%)	1 / 3			3 / 5		

CURRENT SERVICES & PROFILE

Current Name: Red Rock Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHER INSTITUTE FOR REPRODUCTIVE MEDICINE-LAS VEGAS LAS VEGAS, NEVADA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Geoffrey Sher, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	94%	Tubal factor	8%	Uterine factor	2%	Multiple Factors: Female factors only 27% Female & male factors 7%
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	7%	Male factor	13%	
Used gestational carrier	<1%			Diminished ovarian reserve	29%	Other factor	66%	
				Endometriosis	11%	Unknown factor	<1%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 347 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	56	25	25	10	4	1
Percentage of cancellations (%)	1.8	4.0	8.0	0 / 10	2 / 4	0 / 1
Average number of embryos transferred	1.8	1.8	1.5	1.5	2.0	
Percentage of embryos transferred resulting in implantation (%)	57.0	27.0	34.8	0 / 4	0 / 2	
Percentage of elective single embryo transfers (eSET) (%)	10.3	2 / 17	2 / 10	1 / 3	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	14.3	24.0	0.0	0 / 10	0 / 4	0 / 1
Percentage of cycles resulting in singleton live births (%)	28.6	32.0	12.0	0 / 10	0 / 4	0 / 1
Percentage of cycles resulting in twin live births (%)	21.4	0.0	8.0	0 / 10	0 / 4	0 / 1
Percentage of cycles resulting in live births (%)	50.0	32.0	20.0	0 / 10	0 / 4	0 / 1
Percentage of cycles resulting in pregnancies (%)	51.8	32.0	24.0	1 / 10	0 / 4	0 / 1
Outcomes per Transfer						
Number of transfers	44	21	15	4	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	18.2	28.6	0 / 15	0 / 4	0 / 1	
Percentage of transfers resulting in singleton live births (%)	36.4	38.1	3 / 15	0 / 4	0 / 1	
Percentage of transfers resulting in twin live births (%)	27.3	0.0	2 / 15	0 / 4	0 / 1	
Percentage of transfers resulting in live births (%)	63.6	38.1	5 / 15	0 / 4	0 / 1	
Percentage of transfers resulting in pregnancies (%)	65.9	38.1	6 / 15	1 / 4	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	27	16	20	10	7	2
Number of transfers	26	14	18	10	7	2
Estimated average number of transfers per retrieval	1.4	1.1	0.5	0.3	0.6	0.2
Average number of embryos transferred	1.5	1.6	1.4	1.6	1.3	2.0
Percentage of embryos transferred resulting in implantation (%)	47.5	8 / 17	40.9	4 / 14	1 / 9	0 / 4
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	11.5	2 / 14	5 / 18	2 / 10	0 / 7	0 / 2
Percentage of transfers resulting in singleton live births (%)	23.1	4 / 14	6 / 18	2 / 10	1 / 7	0 / 2
Percentage of transfers resulting in twin live births (%)	23.1	2 / 14	1 / 18	1 / 10	0 / 7	0 / 2
Percentage of transfers resulting in live births (%)	46.2	6 / 14	7 / 18	3 / 10	1 / 7	0 / 2
Percentage of transfers resulting in pregnancies (%)	50.0	9 / 14	10 / 18	4 / 10	1 / 7	0 / 2
Number of Egg/Embryo Banking Cycles						
	14	12	34	34	11	9
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		16			14	
Number of transfers		14			12	
Average number of embryos transferred		1.7			1.8	
Percentage of embryos transferred resulting in implantation (%)		75.0			42.9	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		6 / 14			2 / 12	
Percentage of transfers resulting in singleton live births (%)		6 / 14			3 / 12	
Percentage of transfers resulting in twin live births (%)		5 / 14			1 / 12	
Percentage of transfers resulting in live births (%)		11 / 14			5 / 12	
Percentage of transfers resulting in pregnancies (%)		12 / 14			5 / 12	

CURRENT SERVICES & PROFILE

Current Name: Sher Institute for Reproductive Medicine–Las Vegas

Donor eggs?	No	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE NEVADA CENTER FOR REPRODUCTIVE MEDICINE RENO, NEVADA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Scott J. Whitten, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	71%	Tubal factor	23%	Uterine factor	10%	<i>Multiple Factors:</i> Female factors only 29% Female & male factors 23%
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	26%	Male factor	30%	
Used gestational carrier	0%			Diminished ovarian reserve	48%	Other factor	15%	
				Endometriosis	14%	Unknown factor	4%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 335 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	71	29	27	10	9	1
Percentage of cancellations (%)	2.8	3.4	11.1	2 / 10	0 / 9	1 / 1
Average number of embryos transferred	1.9	1.9	2.1	2.1	2.4	
Percentage of embryos transferred resulting in implantation (%)	46.7	20.8	15.9	3 / 15	0 / 19	
Percentage of elective single embryo transfers (eSET) (%)	6.5	9.1	4.5	0 / 6	0 / 6	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	28.2	17.2	14.8	1 / 10	0 / 9	0 / 1
Percentage of cycles resulting in singleton live births (%)	32.4	17.2	14.8	1 / 10	0 / 9	0 / 1
Percentage of cycles resulting in twin live births (%)	19.7	0.0	3.7	0 / 10	0 / 9	0 / 1
Percentage of cycles resulting in live births (%)	52.1	17.2	18.5	1 / 10	0 / 9	0 / 1
Percentage of cycles resulting in pregnancies (%)	56.3	31.0	29.6	3 / 10	0 / 9	0 / 1
Outcomes per Transfer						
Number of transfers	63	25	23	7	8	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	31.7	20.0	17.4	1 / 7	0 / 8	
Percentage of transfers resulting in singleton live births (%)	36.5	20.0	17.4	1 / 7	0 / 8	
Percentage of transfers resulting in twin live births (%)	22.2	0.0	4.3	0 / 7	0 / 8	
Percentage of transfers resulting in live births (%)	58.7	20.0	21.7	1 / 7	0 / 8	
Percentage of transfers resulting in pregnancies (%)	63.5	36.0	34.8	3 / 7	0 / 8	
Frozen Embryos from Nondonor Eggs						
Number of cycles	37	27	11	2	3	0
Number of transfers	37	27	11	2	3	0
Estimated average number of transfers per retrieval	2.2	2.5	1.2	0.4	1.5	0.0
Average number of embryos transferred	1.7	1.9	1.9	2.0	1.3	
Percentage of embryos transferred resulting in implantation (%)	47.6	43.1	5 / 19	1 / 4	0 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	43.2	25.9	3 / 11	0 / 2	0 / 3	
Percentage of transfers resulting in singleton live births (%)	48.6	44.4	3 / 11	1 / 2	0 / 3	
Percentage of transfers resulting in twin live births (%)	5.4	11.1	0 / 11	0 / 2	0 / 3	
Percentage of transfers resulting in live births (%)	56.8	55.6	3 / 11	1 / 2	0 / 3	
Percentage of transfers resulting in pregnancies (%)	62.2	66.7	5 / 11	1 / 2	0 / 3	
Number of Egg/Embryo Banking Cycles						
	6	4	3	5	2	5
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	28			55		
Number of transfers	28			55		
Average number of embryos transferred	1.8			1.9		
Percentage of embryos transferred resulting in implantation (%)	46.3			43.8		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	21.4			20.0		
Percentage of transfers resulting in singleton live births (%)	25.0			27.3		
Percentage of transfers resulting in twin live births (%)	10.7			18.2		
Percentage of transfers resulting in live births (%)	35.7			47.3		
Percentage of transfers resulting in pregnancies (%)	64.3			58.2		

CURRENT SERVICES & PROFILE

Current Name: The Nevada Center for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DARTMOUTH-HITCHCOCK MEDICAL CENTER LEBANON, NEW HAMPSHIRE

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Misty B. Porter, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	40%	Tubal factor	11%	Uterine factor	1%	<i>Multiple Factors:</i> Female factors only 2% Female & male factors 15%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	9%	Male factor	33%	
Used gestational carrier	0%			Diminished ovarian reserve	8%	Other factor	22%	
				Endometriosis	<1%	Unknown factor	34%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 185 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	65	25	19	15	0	0
Percentage of cancellations (%)	12.3	20.0	6 / 19	5 / 15		
Average number of embryos transferred	1.7	2.0	2.4	3.9		
Percentage of embryos transferred resulting in implantation (%)	34.7	26.3	18.2	5.1		
Percentage of elective single embryo transfers (eSET) (%)	24.1	0 / 18	0 / 10	0 / 9		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	27.7	16.0	2 / 19	2 / 15		
Percentage of cycles resulting in singleton live births (%)	33.8	24.0	2 / 19	2 / 15		
Percentage of cycles resulting in twin live births (%)	6.2	8.0	1 / 19	0 / 15		
Percentage of cycles resulting in live births (%)	40.0	32.0	3 / 19	2 / 15		
Percentage of cycles resulting in pregnancies (%)	44.6	32.0	4 / 19	2 / 15		
Outcomes per Transfer						
Number of transfers	56	19	10	10	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	32.1	4 / 19	2 / 10	2 / 10		
Percentage of transfers resulting in singleton live births (%)	39.3	6 / 19	2 / 10	2 / 10		
Percentage of transfers resulting in twin live births (%)	7.1	2 / 19	1 / 10	0 / 10		
Percentage of transfers resulting in live births (%)	46.4	8 / 19	3 / 10	2 / 10		
Percentage of transfers resulting in pregnancies (%)	51.8	8 / 19	4 / 10	2 / 10		
Frozen Embryos from Nondonor Eggs						
Number of cycles	30	9	8	3	2	2
Number of transfers	29	8	7	3	2	2
Estimated average number of transfers per retrieval	1.9	1.3	1.4			
Average number of embryos transferred	1.7	1.6	2.0	2.3	2.0	1.5
Percentage of embryos transferred resulting in implantation (%)	27.1	1 / 13	2 / 14	0 / 4	1 / 4	2 / 3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	17.2	1 / 8	1 / 7	0 / 3	0 / 2	1 / 2
Percentage of transfers resulting in singleton live births (%)	20.7	1 / 8	1 / 7	0 / 3	1 / 2	2 / 2
Percentage of transfers resulting in twin live births (%)	6.9	0 / 8	0 / 7	0 / 3	0 / 2	0 / 2
Percentage of transfers resulting in live births (%)	27.6	1 / 8	1 / 7	0 / 3	1 / 2	2 / 2
Percentage of transfers resulting in pregnancies (%)	34.5	1 / 8	2 / 7	1 / 3	1 / 2	2 / 2
Number of Egg/Embryo Banking Cycles						
	1	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	2			3		
Number of transfers	1			2		
Average number of embryos transferred	2.0			2.0		
Percentage of embryos transferred resulting in implantation (%)	2 / 2			1 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 1			1 / 2		
Percentage of transfers resulting in singleton live births (%)	0 / 1			1 / 2		
Percentage of transfers resulting in twin live births (%)	1 / 1			0 / 2		
Percentage of transfers resulting in live births (%)	1 / 1			1 / 2		
Percentage of transfers resulting in pregnancies (%)	1 / 1			1 / 2		

CURRENT SERVICES & PROFILE

Current Name: Dartmouth-Hitchcock Medical Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHER INSTITUTE FOR REPRODUCTIVE MEDICINE-NEW JERSEY ASBURY, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Albert J. Peters, DO

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	92%	Tubal factor	4%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 14% Female & male factors 19%
Unstimulated	0%	Used PGD	30%	Ovulatory dysfunction	18%	Male factor	32%	
Used gestational carrier	2%			Diminished ovarian reserve	45%	Other factor	27%	
				Endometriosis	9%	Unknown factor	4%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 244 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	58	24	27	17	6	0
Percentage of cancellations (%)	0.0	0.0	11.1	2 / 17	1 / 6	
Average number of embryos transferred	2.0	1.9	2.0	2.4	2.0	
Percentage of embryos transferred resulting in implantation (%)	24.0	32.1	14.3	4.2	0 / 8	
Percentage of elective single embryo transfers (eSET) (%)	15.9	2 / 14	1 / 11	0 / 7	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	12.1	16.7	7.4	1 / 17	0 / 6	
Percentage of cycles resulting in singleton live births (%)	13.8	16.7	7.4	1 / 17	0 / 6	
Percentage of cycles resulting in twin live births (%)	8.6	8.3	0.0	0 / 17	0 / 6	
Percentage of cycles resulting in live births (%)	24.1	25.0	7.4	1 / 17	0 / 6	
Percentage of cycles resulting in pregnancies (%)	27.6	33.3	18.5	1 / 17	0 / 6	
Outcomes per Transfer						
Number of transfers	49	16	16	10	4	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	14.3	4 / 16	2 / 16	1 / 10	0 / 4	
Percentage of transfers resulting in singleton live births (%)	16.3	4 / 16	2 / 16	1 / 10	0 / 4	
Percentage of transfers resulting in twin live births (%)	10.2	2 / 16	0 / 16	0 / 10	0 / 4	
Percentage of transfers resulting in live births (%)	28.6	6 / 16	2 / 16	1 / 10	0 / 4	
Percentage of transfers resulting in pregnancies (%)	32.7	8 / 16	5 / 16	1 / 10	0 / 4	
Frozen Embryos from Nondonor Eggs						
Number of cycles	25	11	11	6	1	2
Number of transfers	25	11	10	5	1	2
Estimated average number of transfers per retrieval	1.2	1.8	0.8	0.6	0.5	1.0
Average number of embryos transferred	1.8	1.8	1.8	1.4	1.0	1.0
Percentage of embryos transferred resulting in implantation (%)	25.0	20.0	4 / 18	1 / 7	0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	20.0	2 / 11	1 / 10	0 / 5	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	20.0	2 / 11	1 / 10	0 / 5	0 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	8.0	1 / 11	1 / 10	0 / 5	0 / 1	0 / 2
Percentage of transfers resulting in live births (%)	28.0	3 / 11	2 / 10	0 / 5	0 / 1	0 / 2
Percentage of transfers resulting in pregnancies (%)	32.0	3 / 11	3 / 10	1 / 5	0 / 1	0 / 2
Number of Egg/Embryo Banking Cycles	3	4	8	9	2	2
Donor Eggs		Fresh Embryos^f		Frozen Embryos^f		
Number of cycles		8		20		
Number of transfers		7		20		
Average number of embryos transferred		1.7		1.8		
Percentage of embryos transferred resulting in implantation (%)		4 / 12		14.3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		2 / 7		5.0		
Percentage of transfers resulting in singleton live births (%)		2 / 7		15.0		
Percentage of transfers resulting in twin live births (%)		0 / 7		5.0		
Percentage of transfers resulting in live births (%)		2 / 7		20.0		
Percentage of transfers resulting in pregnancies (%)		4 / 7		20.0		

CURRENT SERVICES & PROFILE

Current Name: Sher Institute for Reproductive Medicine-New Jersey

Donor eggs?	No	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF NEW JERSEY BASKING RIDGE, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Michael R. Drews, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	85%	Tubal factor	11%	Uterine factor	6%	<i>Multiple Factors:</i> Female factors only 12% Female & male factors 38%
Unstimulated	1%	Used PGD	32%	Ovulatory dysfunction	20%	Male factor	58%	
Used gestational carrier	<1%			Diminished ovarian reserve	22%	Other factor	35%	
				Endometriosis	5%	Unknown factor	0%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 4,925 (includes 32 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	362	171	149	86	50	14
Percentage of cancellations (%)	2.5	8.8	8.1	16.3	18.0	6 / 14
Average number of embryos transferred	1.5	1.4	1.5	1.6	1.6	1.0
Percentage of embryos transferred resulting in implantation (%)	66.8	57.4	55.1	42.9	8 / 16	
Percentage of elective single embryo transfers (eSET) (%)	46.7	56.9	45.3	6 / 17	1 / 8	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	30.9	33.9	18.1	7.0	12.0	0 / 14
Percentage of cycles resulting in singleton live births (%)	37.0	38.6	20.1	9.3	14.0	0 / 14
Percentage of cycles resulting in twin live births (%)	18.8	5.8	7.4	0.0	0.0	0 / 14
Percentage of cycles resulting in live births (%)	56.4	44.4	27.5	9.3	14.0	0 / 14
Percentage of cycles resulting in pregnancies (%)	62.4	51.5	31.5	14.0	18.0	1 / 14
Outcomes per Transfer						
Number of transfers	299	123	76	19	11	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	37.5	47.2	35.5	6 / 19	6 / 11	0 / 1
Percentage of transfers resulting in singleton live births (%)	44.8	53.7	39.5	8 / 19	7 / 11	0 / 1
Percentage of transfers resulting in twin live births (%)	22.7	8.1	14.5	0 / 19	0 / 11	0 / 1
Percentage of transfers resulting in live births (%)	68.2	61.8	53.9	8 / 19	7 / 11	0 / 1
Percentage of transfers resulting in pregnancies (%)	75.6	71.5	61.8	12 / 19	9 / 11	1 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	746	385	346	152	51	18
Number of transfers	720	366	315	134	41	12
Estimated average number of transfers per retrieval	0.9	0.8	0.6	0.4	0.3	0.2
Average number of embryos transferred	1.4	1.4	1.4	1.2	1.3	1.2
Percentage of embryos transferred resulting in implantation (%)	61.7	59.1	54.7	52.5	42.9	3 / 13
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	41.1	44.5	36.8	40.3	22.0	0 / 12
Percentage of transfers resulting in singleton live births (%)	47.5	50.5	41.3	46.3	34.1	0 / 12
Percentage of transfers resulting in twin live births (%)	13.2	9.6	10.5	3.7	2.4	0 / 12
Percentage of transfers resulting in live births (%)	60.8	60.1	51.7	50.0	36.6	0 / 12
Percentage of transfers resulting in pregnancies (%)	72.2	69.1	63.5	61.9	53.7	4 / 12
Number of Egg/Embryo Banking Cycles						
	738	410	497	278	133	68
Donor Eggs						
		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		80			159	
Number of transfers		73			143	
Average number of embryos transferred		1.6			1.4	
Percentage of embryos transferred resulting in implantation (%)		78.2			54.2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		39.7			28.0	
Percentage of transfers resulting in singleton live births (%)		43.8			37.8	
Percentage of transfers resulting in twin live births (%)		31.5			11.2	
Percentage of transfers resulting in live births (%)		76.7			49.0	
Percentage of transfers resulting in pregnancies (%)		83.6			63.6	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine Associates of New Jersey

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**LOW COST IVF
CLIFTON, NEW JERSEY**

This clinic provided ART services during 2013 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2013 ART cycle data or the clinic's Medical Director did not approve the clinic's 2013 ART cycle data for inclusion in this report.

REPRODUCTIVE SCIENCE CENTER OF NEW JERSEY EATONTOWN, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by William Ziegler, DO

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	44%	Tubal factor	23%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 14% Female & male factors 28%
Unstimulated	<1%	Used PGD	6%	Ovulatory dysfunction	18%	Male factor	43%	
Used gestational carrier	<1%			Diminished ovarian reserve	43%	Other factor	2%	
				Endometriosis	17%	Unknown factor	2%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 334 (includes 16 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	124	54	41	16	7	0
Percentage of cancellations (%)	7.3	13.0	2.4	2 / 16	0 / 7	
Average number of embryos transferred	1.7	2.1	2.8	3.6	4.0	
Percentage of embryos transferred resulting in implantation (%)	29.9	27.4	12.9	4.3	0.0	
Percentage of elective single embryo transfers (eSET) (%)	20.9	0.0	0.0	0 / 13	0 / 7	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	25.8	18.5	14.6	0 / 16	0 / 7	
Percentage of cycles resulting in singleton live births (%)	27.4	27.8	17.1	0 / 16	0 / 7	
Percentage of cycles resulting in twin live births (%)	4.0	5.6	0.0	0 / 16	0 / 7	
Percentage of cycles resulting in live births (%)	31.5	33.3	19.5	0 / 16	0 / 7	
Percentage of cycles resulting in pregnancies (%)	36.3	38.9	26.8	2 / 16	0 / 7	
Outcomes per Transfer						
Number of transfers	104	45	34	13	7	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	30.8	22.2	17.6	0 / 13	0 / 7	
Percentage of transfers resulting in singleton live births (%)	32.7	33.3	20.6	0 / 13	0 / 7	
Percentage of transfers resulting in twin live births (%)	4.8	6.7	0.0	0 / 13	0 / 7	
Percentage of transfers resulting in live births (%)	37.5	40.0	23.5	0 / 13	0 / 7	
Percentage of transfers resulting in pregnancies (%)	43.3	46.7	32.4	2 / 13	0 / 7	
Frozen Embryos from Nondonor Eggs						
Number of cycles	24	16	4	3	0	0
Number of transfers	23	15	4	3	0	0
Estimated average number of transfers per retrieval	1.4	3.0	2.0	1.5		0.0
Average number of embryos transferred	1.7	1.7	2.3	2.3		
Percentage of embryos transferred resulting in implantation (%)	32.4	40.0	2 / 9	0 / 7		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	21.7	3 / 15	2 / 4	0 / 3		
Percentage of transfers resulting in singleton live births (%)	34.8	3 / 15	2 / 4	0 / 3		
Percentage of transfers resulting in twin live births (%)	4.3	2 / 15	0 / 4	0 / 3		
Percentage of transfers resulting in live births (%)	39.1	5 / 15	2 / 4	0 / 3		
Percentage of transfers resulting in pregnancies (%)	47.8	8 / 15	2 / 4	0 / 3		
Number of Egg/Embryo Banking Cycles						
	1	2	2	1	0	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	8			14		
Number of transfers	8			13		
Average number of embryos transferred	1.3			1.6		
Percentage of embryos transferred resulting in implantation (%)	8 / 10			5 / 19		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 8			1 / 13		
Percentage of transfers resulting in singleton live births (%)	4 / 8			1 / 13		
Percentage of transfers resulting in twin live births (%)	2 / 8			1 / 13		
Percentage of transfers resulting in live births (%)	6 / 8			2 / 13		
Percentage of transfers resulting in pregnancies (%)	6 / 8			5 / 13		

CURRENT SERVICES & PROFILE

Current Name: Reproductive Science Center of New Jersey

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR ADVANCED REPRODUCTIVE MEDICINE & FERTILITY EDISON, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Gregory H. Corsan, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	60%	Tubal factor	15%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 4% Female & male factors 18%
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	21%	Male factor	46%	
Used gestational carrier	0%			Diminished ovarian reserve	24%	Other factor	<1%	
				Endometriosis	2%	Unknown factor	13%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 313 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	78	25	18	10	7	6
Percentage of cancellations (%)	5.1	4.0	2 / 18	2 / 10	1 / 7	1 / 6
Average number of embryos transferred	1.6	1.8	1.9	2.5	2.3	3.0
Percentage of embryos transferred resulting in implantation (%)	42.3	30.3	22.2	10.0	1 / 14	0 / 9
Percentage of elective single embryo transfers (eSET) (%)	36.9	3 / 17	1 / 12	0 / 7	0 / 5	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	33.3	16.0	3 / 18	1 / 10	1 / 7	0 / 6
Percentage of cycles resulting in singleton live births (%)	39.7	16.0	4 / 18	2 / 10	1 / 7	0 / 6
Percentage of cycles resulting in twin live births (%)	5.1	12.0	0 / 18	0 / 10	0 / 7	0 / 6
Percentage of cycles resulting in live births (%)	44.9	28.0	4 / 18	2 / 10	1 / 7	0 / 6
Percentage of cycles resulting in pregnancies (%)	52.6	28.0	5 / 18	2 / 10	1 / 7	0 / 6
Outcomes per Transfer						
Number of transfers	70	18	14	8	6	3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	37.1	4 / 18	3 / 14	1 / 8	1 / 6	0 / 3
Percentage of transfers resulting in singleton live births (%)	44.3	4 / 18	4 / 14	2 / 8	1 / 6	0 / 3
Percentage of transfers resulting in twin live births (%)	5.7	3 / 18	0 / 14	0 / 8	0 / 6	0 / 3
Percentage of transfers resulting in live births (%)	50.0	7 / 18	4 / 14	2 / 8	1 / 6	0 / 3
Percentage of transfers resulting in pregnancies (%)	58.6	7 / 18	5 / 14	2 / 8	1 / 6	0 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	44	26	10	2	4	2
Number of transfers	43	26	10	2	4	2
Estimated average number of transfers per retrieval	1.1	1.1	0.7	1.0	1.0	0.3
Average number of embryos transferred	1.5	1.5	1.8	1.0	1.5	2.0
Percentage of embryos transferred resulting in implantation (%)	45.2	48.7	4 / 18	1 / 2	3 / 6	3 / 4
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	30.2	34.6	2 / 10	1 / 2	1 / 4	1 / 2
Percentage of transfers resulting in singleton live births (%)	39.5	42.3	2 / 10	1 / 2	1 / 4	1 / 2
Percentage of transfers resulting in twin live births (%)	7.0	7.7	1 / 10	0 / 2	0 / 4	1 / 2
Percentage of transfers resulting in live births (%)	46.5	50.0	3 / 10	1 / 2	1 / 4	2 / 2
Percentage of transfers resulting in pregnancies (%)	58.1	57.7	3 / 10	1 / 2	3 / 4	2 / 2
Number of Egg/Embryo Banking Cycles						
	23	19	14	2	4	6
Donor Eggs						
		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		7			6	
Number of transfers		7			6	
Average number of embryos transferred		1.9			2.0	
Percentage of embryos transferred resulting in implantation (%)		6 / 11			3 / 11	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 7			2 / 6	
Percentage of transfers resulting in singleton live births (%)		0 / 7			3 / 6	
Percentage of transfers resulting in twin live births (%)		2 / 7			0 / 6	
Percentage of transfers resulting in live births (%)		2 / 7			3 / 6	
Percentage of transfers resulting in pregnancies (%)		5 / 7			4 / 6	

CURRENT SERVICES & PROFILE

Current Name: Center for Advanced Reproductive Medicine & Fertility

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WOMEN'S FERTILITY CENTER ENGLEWOOD, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Philip R. Lesorgen, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	90%	Tubal factor	17%	Uterine factor	0%	Multiple Factors: Female factors only 0% Female & male factors 28%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	13%	Male factor	41%	
Used gestational carrier	0%			Diminished ovarian reserve	48%	Other factor	2%	
				Endometriosis	0%	Unknown factor	8%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 64 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	21	13	19	7	2	0
Percentage of cancellations (%)	9.5	0 / 13	1 / 19	0 / 7	0 / 2	
Average number of embryos transferred	1.8	2.4	2.1	2.1	1.5	
Percentage of embryos transferred resulting in implantation (%)	25.0	10.3	15.2	0 / 12	0 / 3	
Percentage of elective single embryo transfers (eSET) (%)	1 / 13	0 / 11	0 / 12	0 / 5	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	19.0	0 / 13	2 / 19	0 / 7	0 / 2	
Percentage of cycles resulting in singleton live births (%)	19.0	0 / 13	3 / 19	0 / 7	0 / 2	
Percentage of cycles resulting in twin live births (%)	0.0	0 / 13	1 / 19	0 / 7	0 / 2	
Percentage of cycles resulting in live births (%)	19.0	1 / 13	4 / 19	0 / 7	0 / 2	
Percentage of cycles resulting in pregnancies (%)	23.8	1 / 13	5 / 19	1 / 7	0 / 2	
Outcomes per Transfer						
Number of transfers	18	12	17	7	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 18	0 / 12	2 / 17	0 / 7	0 / 2	
Percentage of transfers resulting in singleton live births (%)	4 / 18	0 / 12	3 / 17	0 / 7	0 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 18	0 / 12	1 / 17	0 / 7	0 / 2	
Percentage of transfers resulting in live births (%)	4 / 18	1 / 12	4 / 17	0 / 7	0 / 2	
Percentage of transfers resulting in pregnancies (%)	5 / 18	1 / 12	5 / 17	1 / 7	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	1	0	0	0	0
Number of transfers	1	1	0	0	0	0
Estimated average number of transfers per retrieval	1.0	1.0				
Average number of embryos transferred	3.0	3.0				
Percentage of embryos transferred resulting in implantation (%)	0 / 3	0 / 3				
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 1	0 / 1				
Percentage of transfers resulting in singleton live births (%)	0 / 1	0 / 1				
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1				
Percentage of transfers resulting in live births (%)	0 / 1	0 / 1				
Percentage of transfers resulting in pregnancies (%)	0 / 1	0 / 1				
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

CURRENT SERVICES & PROFILE

Current Name: Women's Fertility Center

Donor eggs?	No	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTH HUDSON I.V.F. CENTER FOR FERTILITY AND GYNECOLOGY ENGLEWOOD CLIFFS, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Jane E. Miller, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	82%	Tubal factor	0%	Uterine factor	14%	<i>Multiple Factors:</i> Female factors only 18% Female & male factors 18%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	7%	Male factor	29%	
Used gestational carrier	0%			Diminished ovarian reserve	54%	Other factor	21%	
				Endometriosis	4%	Unknown factor	11%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 33 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	6	3	2	0	0	0
Percentage of cancellations (%)	0 / 6	2 / 3	0 / 2			
Average number of embryos transferred	2.0		2.0			
Percentage of embryos transferred resulting in implantation (%)	5 / 12		2 / 4			
Percentage of elective single embryo transfers (eSET) (%)	0 / 5		0 / 2			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	2 / 6	0 / 3	1 / 2			
Percentage of cycles resulting in singleton live births (%)	3 / 6	0 / 3	1 / 2			
Percentage of cycles resulting in twin live births (%)	1 / 6	0 / 3	0 / 2			
Percentage of cycles resulting in live births (%)	4 / 6	0 / 3	1 / 2			
Percentage of cycles resulting in pregnancies (%)	4 / 6	0 / 3	1 / 2			
Outcomes per Transfer						
Number of transfers	6	0	2	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 6		1 / 2			
Percentage of transfers resulting in singleton live births (%)	3 / 6		1 / 2			
Percentage of transfers resulting in twin live births (%)	1 / 6		0 / 2			
Percentage of transfers resulting in live births (%)	4 / 6		1 / 2			
Percentage of transfers resulting in pregnancies (%)	4 / 6		1 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	1	0	0	0	1
Number of transfers	2	1	0	0	0	1
Estimated average number of transfers per retrieval	0.7		0.0			1.0
Average number of embryos transferred	2.5	1.0				2.0
Percentage of embryos transferred resulting in implantation (%)	2 / 3	0 / 1				2 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 2	0 / 1				0 / 1
Percentage of transfers resulting in singleton live births (%)	0 / 2	0 / 1				1 / 1
Percentage of transfers resulting in twin live births (%)	1 / 2	0 / 1				0 / 1
Percentage of transfers resulting in live births (%)	1 / 2	0 / 1				1 / 1
Percentage of transfers resulting in pregnancies (%)	2 / 2	0 / 1				1 / 1
Number of Egg/Embryo Banking Cycles						
	3	0	1	0	0	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	6			7		
Number of transfers	5			6		
Average number of embryos transferred	2.0			2.3		
Percentage of embryos transferred resulting in implantation (%)	4 / 10			4 / 14		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 5			0 / 6		
Percentage of transfers resulting in singleton live births (%)	0 / 5			0 / 6		
Percentage of transfers resulting in twin live births (%)	2 / 5			2 / 6		
Percentage of transfers resulting in live births (%)	2 / 5			2 / 6		
Percentage of transfers resulting in pregnancies (%)	2 / 5			2 / 6		

CURRENT SERVICES & PROFILE

Current Name: North Hudson I.V.F., Center for Fertility and Gynecology

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2013 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2013 ART cycle data or the clinic's Medical Director did not approve the clinic's 2013 ART cycle data for inclusion in this report.

UNIVERSITY REPRODUCTIVE ASSOCIATES, PC HASBROUCK HEIGHTS, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Peter G. McGovern, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	88%	Tubal factor	16%	Uterine factor	12%	<i>Multiple Factors:</i> Female factors only 5% Female & male factors 41%
Unstimulated	2%	Used PGD	8%	Ovulatory dysfunction	12%	Male factor	66%	
Used gestational carrier	0%			Diminished ovarian reserve	23%	Other factor	9%	
				Endometriosis	7%	Unknown factor	9%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 456 (includes 9 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	88	60	56	30	15	2
Percentage of cancellations (%)	0.0	0.0	3.6	0.0	0 / 15	1 / 2
Average number of embryos transferred	2.0	1.8	1.9	2.0	2.7	
Percentage of embryos transferred resulting in implantation (%)	33.1	32.0	22.0	12.2	10.0	
Percentage of elective single embryo transfers (eSET) (%)	0.0	7.8	0.0	0 / 15	0 / 9	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	23.9	16.7	14.3	13.3	0 / 15	0 / 2
Percentage of cycles resulting in singleton live births (%)	29.5	18.3	17.9	16.7	1 / 15	0 / 2
Percentage of cycles resulting in twin live births (%)	8.0	11.7	1.8	0.0	0 / 15	0 / 2
Percentage of cycles resulting in live births (%)	37.5	30.0	19.6	16.7	1 / 15	0 / 2
Percentage of cycles resulting in pregnancies (%)	47.7	40.0	33.9	16.7	2 / 15	0 / 2
Outcomes per Transfer						
Number of transfers	83	56	47	21	11	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	25.3	17.9	17.0	19.0	0 / 11	
Percentage of transfers resulting in singleton live births (%)	31.3	19.6	21.3	23.8	1 / 11	
Percentage of transfers resulting in twin live births (%)	8.4	12.5	2.1	0.0	0 / 11	
Percentage of transfers resulting in live births (%)	39.8	32.1	23.4	23.8	1 / 11	
Percentage of transfers resulting in pregnancies (%)	50.6	42.9	40.4	23.8	2 / 11	
Frozen Embryos from Nondonor Eggs						
Number of cycles	26	12	15	10	3	0
Number of transfers	21	10	12	9	3	0
Estimated average number of transfers per retrieval	0.6	0.4	0.5	0.3	0.3	0.0
Average number of embryos transferred	1.4	1.9	1.4	1.6	2.0	
Percentage of embryos transferred resulting in implantation (%)	20.0	5 / 19	5 / 17	1 / 14	0 / 6	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	19.0	3 / 10	3 / 12	1 / 9	0 / 3	
Percentage of transfers resulting in singleton live births (%)	19.0	3 / 10	3 / 12	1 / 9	0 / 3	
Percentage of transfers resulting in twin live births (%)	0.0	1 / 10	0 / 12	0 / 9	0 / 3	
Percentage of transfers resulting in live births (%)	19.0	4 / 10	3 / 12	1 / 9	0 / 3	
Percentage of transfers resulting in pregnancies (%)	23.8	4 / 10	5 / 12	1 / 9	0 / 3	
Number of Egg/Embryo Banking Cycles						
	26	21	23	27	10	10
Donor Eggs						
		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		7			6	
Number of transfers		6			5	
Average number of embryos transferred		2.0			2.0	
Percentage of embryos transferred resulting in implantation (%)		4 / 12			3 / 10	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 6			1 / 5	
Percentage of transfers resulting in singleton live births (%)		1 / 6			1 / 5	
Percentage of transfers resulting in twin live births (%)		1 / 6			1 / 5	
Percentage of transfers resulting in live births (%)		2 / 6			2 / 5	
Percentage of transfers resulting in pregnancies (%)		3 / 6			2 / 5	

CURRENT SERVICES & PROFILE

Current Name: University Reproductive Associates, PC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHORE INSTITUTE FOR REPRODUCTIVE MEDICINE LAKEWOOD, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Allen Morgan, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	32%	Tubal factor	17%	Uterine factor	5%	<i>Multiple Factors:</i> Female factors only 6% Female & male factors 8%
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	13%	Male factor	25%	
Used gestational carrier	0%			Diminished ovarian reserve	18%	Other factor	5%	
				Endometriosis	6%	Unknown factor	30%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 84 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	32	17	16	7	0	0
Percentage of cancellations (%)	9.4	3 / 17	5 / 16	3 / 7		
Average number of embryos transferred	2.1	2.3	1.8	3.0		
Percentage of embryos transferred resulting in implantation (%)	38.0	46.9	2 / 14	0 / 9		
Percentage of elective single embryo transfers (eSET) (%)	0 / 18	0 / 12	0 / 5	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	37.5	5 / 17	2 / 16	0 / 7		
Percentage of cycles resulting in singleton live births (%)	40.6	5 / 17	2 / 16	0 / 7		
Percentage of cycles resulting in twin live births (%)	9.4	3 / 17	0 / 16	0 / 7		
Percentage of cycles resulting in live births (%)	50.0	8 / 17	2 / 16	0 / 7		
Percentage of cycles resulting in pregnancies (%)	50.0	9 / 17	2 / 16	0 / 7		
Outcomes per Transfer						
Number of transfers	24	14	8	3	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	50.0	5 / 14	2 / 8	0 / 3		
Percentage of transfers resulting in singleton live births (%)	54.2	5 / 14	2 / 8	0 / 3		
Percentage of transfers resulting in twin live births (%)	12.5	3 / 14	0 / 8	0 / 3		
Percentage of transfers resulting in live births (%)	66.7	8 / 14	2 / 8	0 / 3		
Percentage of transfers resulting in pregnancies (%)	66.7	9 / 14	2 / 8	0 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	4	0	1	0	0
Number of transfers	5	4	0	1	0	0
Estimated average number of transfers per retrieval	1.7	4.0				
Average number of embryos transferred	2.0	2.0		1.0		
Percentage of embryos transferred resulting in implantation (%)	2 / 10	0 / 8		0 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 5	0 / 4		0 / 1		
Percentage of transfers resulting in singleton live births (%)	2 / 5	0 / 4		0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 5	0 / 4		0 / 1		
Percentage of transfers resulting in live births (%)	2 / 5	0 / 4		0 / 1		
Percentage of transfers resulting in pregnancies (%)	2 / 5	0 / 4		0 / 1		
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	1			1		
Number of transfers	1			1		
Average number of embryos transferred	2.0			1.0		
Percentage of embryos transferred resulting in implantation (%)	2 / 2			0 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 1			0 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 1			0 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 1			0 / 1		
Percentage of transfers resulting in live births (%)	1 / 1			0 / 1		
Percentage of transfers resulting in pregnancies (%)	1 / 1			0 / 1		

CURRENT SERVICES & PROFILE

Current Name: Shore Institute for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**DELAWARE VALLEY OBGYN & INFERTILITY GROUP, PC
PRINCETON IVF
LAWRENCEVILLE, NEW JERSEY**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Seth G. Derman, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	73%	Tubal factor	26%	Uterine factor	4%	Multiple Factors: Female factors only 14% Female & male factors 47%
Unstimulated	1%	Used PGD	4%	Ovulatory dysfunction	49%	Male factor	58%	
Used gestational carrier	1%			Diminished ovarian reserve	27%	Other factor	11%	
				Endometriosis	2%	Unknown factor	0%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 125 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	44	18	17	10	5	0
Percentage of cancellations (%)	0.0	0 / 18	1 / 17	1 / 10	0 / 5	
Average number of embryos transferred	2.1	2.4	2.5	2.4	1.7	
Percentage of embryos transferred resulting in implantation (%)	41.6	35.9	26.7	0 / 17	0 / 5	
Percentage of elective single embryo transfers (eSET) (%)	5.3	0 / 15	0 / 11	0 / 7	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	29.5	4 / 18	2 / 17	0 / 10	0 / 5	
Percentage of cycles resulting in singleton live births (%)	34.1	6 / 18	4 / 17	0 / 10	0 / 5	
Percentage of cycles resulting in twin live births (%)	11.4	2 / 18	1 / 17	0 / 10	0 / 5	
Percentage of cycles resulting in live births (%)	45.5	9 / 18	5 / 17	0 / 10	0 / 5	
Percentage of cycles resulting in pregnancies (%)	54.5	10 / 18	6 / 17	0 / 10	0 / 5	
Outcomes per Transfer						
Number of transfers	39	16	12	7	3	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	33.3	4 / 16	2 / 12	0 / 7	0 / 3	
Percentage of transfers resulting in singleton live births (%)	38.5	6 / 16	4 / 12	0 / 7	0 / 3	
Percentage of transfers resulting in twin live births (%)	12.8	2 / 16	1 / 12	0 / 7	0 / 3	
Percentage of transfers resulting in live births (%)	51.3	9 / 16	5 / 12	0 / 7	0 / 3	
Percentage of transfers resulting in pregnancies (%)	61.5	10 / 16	6 / 12	0 / 7	0 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	17	3	3	0	0	0
Number of transfers	17	3	3	0	0	0
Estimated average number of transfers per retrieval	1.9	1.5				
Average number of embryos transferred	2.0	1.7	2.3			
Percentage of embryos transferred resulting in implantation (%)	25.0	0 / 5	2 / 7			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 17	0 / 3	0 / 3			
Percentage of transfers resulting in singleton live births (%)	4 / 17	0 / 3	0 / 3			
Percentage of transfers resulting in twin live births (%)	0 / 17	0 / 3	1 / 3			
Percentage of transfers resulting in live births (%)	5 / 17	0 / 3	1 / 3			
Percentage of transfers resulting in pregnancies (%)	7 / 17	0 / 3	1 / 3			
Number of Egg/Embryo Banking Cycles	2	0	0	0	0	0
Donor Eggs		Fresh Embryos^f		Frozen Embryos^f		
Number of cycles		4		2		
Number of transfers		4		2		
Average number of embryos transferred		2.3		2.0		
Percentage of embryos transferred resulting in implantation (%)		1 / 9		0 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 4		0 / 2		
Percentage of transfers resulting in singleton live births (%)		1 / 4		0 / 2		
Percentage of transfers resulting in twin live births (%)		0 / 4		0 / 2		
Percentage of transfers resulting in live births (%)		1 / 4		0 / 2		
Percentage of transfers resulting in pregnancies (%)		1 / 4		0 / 2		

CURRENT SERVICES & PROFILE

Current Name: Delaware Valley OBGYN & Infertility Group, PC, Princeton IVF

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

EAST COAST INFERTILITY AND IVF LITTLE SILVER, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Miguel Damien, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	61%	Tubal factor	6%	Uterine factor	4%	<i>Multiple Factors:</i> Female factors only 15% Female & male factors 28%
Unstimulated	0%	Used PGD	7%	Ovulatory dysfunction	3%	Male factor	43%	
Used gestational carrier	<1%			Diminished ovarian reserve	42%	Other factor	15%	
				Endometriosis	29%	Unknown factor	5%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 256 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	60	41	43	30	12	6
Percentage of cancellations (%)	3.3	2.4	4.7	6.7	0 / 12	0 / 6
Average number of embryos transferred	1.8	1.8	2.0	2.7	2.3	3.3
Percentage of embryos transferred resulting in implantation (%)	68.4	43.1	18.9	13.1	0 / 16	1 / 10
Percentage of elective single embryo transfers (eSET) (%)	2.2	7.7	3.7	0 / 19	0 / 3	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	33.3	17.1	14.0	16.7	0 / 12	1 / 6
Percentage of cycles resulting in singleton live births (%)	41.7	19.5	14.0	16.7	0 / 12	1 / 6
Percentage of cycles resulting in twin live births (%)	23.3	19.5	4.7	0.0	0 / 12	0 / 6
Percentage of cycles resulting in live births (%)	65.0	39.0	18.6	16.7	0 / 12	1 / 6
Percentage of cycles resulting in pregnancies (%)	76.7	43.9	27.9	26.7	0 / 12	1 / 6
Outcomes per Transfer						
Number of transfers	55	34	37	23	7	3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	36.4	20.6	16.2	21.7	0 / 7	1 / 3
Percentage of transfers resulting in singleton live births (%)	45.5	23.5	16.2	21.7	0 / 7	1 / 3
Percentage of transfers resulting in twin live births (%)	25.5	23.5	5.4	0.0	0 / 7	0 / 3
Percentage of transfers resulting in live births (%)	70.9	47.1	21.6	21.7	0 / 7	1 / 3
Percentage of transfers resulting in pregnancies (%)	83.6	52.9	32.4	34.8	0 / 7	1 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	11	9	7	3	1	0
Number of transfers	10	9	7	3	1	0
Estimated average number of transfers per retrieval	2.0	1.1	3.5	1.0		
Average number of embryos transferred	2.1	2.0	2.0	2.3	2.0	
Percentage of embryos transferred resulting in implantation (%)	12 / 19	6 / 18	6 / 14	2 / 7	1 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 10	2 / 9	1 / 7	0 / 3	1 / 1	
Percentage of transfers resulting in singleton live births (%)	4 / 10	3 / 9	1 / 7	0 / 3	1 / 1	
Percentage of transfers resulting in twin live births (%)	2 / 10	0 / 9	2 / 7	1 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	6 / 10	4 / 9	3 / 7	1 / 3	1 / 1	
Percentage of transfers resulting in pregnancies (%)	9 / 10	4 / 9	4 / 7	1 / 3	1 / 1	
Number of Egg/Embryo Banking Cycles						
	1	5	0	1	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	15			9		
Number of transfers	12			9		
Average number of embryos transferred	1.9			1.8		
Percentage of embryos transferred resulting in implantation (%)	52.2			6 / 15		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 12			2 / 9		
Percentage of transfers resulting in singleton live births (%)	2 / 12			2 / 9		
Percentage of transfers resulting in twin live births (%)	4 / 12			1 / 9		
Percentage of transfers resulting in live births (%)	6 / 12			3 / 9		
Percentage of transfers resulting in pregnancies (%)	7 / 12			6 / 9		

CURRENT SERVICES & PROFILE

Current Name: Damien Fertility Partners

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**INSTITUTE FOR REPRODUCTIVE MEDICINE AND SCIENCE
SAINT BARNABAS MEDICAL CENTER
LIVINGSTON, NEW JERSEY**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Margaret G. Garrisi, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	70%	Tubal factor	17%	Uterine factor	5%	<i>Multiple Factors:</i> Female factors only 10% Female & male factors 22%
Unstimulated	0%	Used PGD	12%	Ovulatory dysfunction	8%	Male factor	35%	
Used gestational carrier	0%			Diminished ovarian reserve	47%	Other factor	7%	
				Endometriosis	8%	Unknown factor	11%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 984 (includes 64 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	202	140	112	67	40	3
Percentage of cancellations (%)	8.9	10.7	18.8	19.4	32.5	2 / 3
Average number of embryos transferred	1.4	1.5	1.8	1.9	2.5	3.0
Percentage of embryos transferred resulting in implantation (%)	44.3	39.6	20.6	19.0	6.4	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	46.7	32.1	16.1	9.5	0 / 16	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	31.7	22.1	15.2	6.0	5.0	0 / 3
Percentage of cycles resulting in singleton live births (%)	36.1	27.1	16.1	7.5	5.0	0 / 3
Percentage of cycles resulting in twin live births (%)	5.9	7.1	3.6	1.5	0.0	0 / 3
Percentage of cycles resulting in live births (%)	42.1	34.3	19.6	9.0	5.0	0 / 3
Percentage of cycles resulting in pregnancies (%)	44.6	42.9	23.2	13.4	5.0	0 / 3
Outcomes per Transfer						
Number of transfers	164	114	78	33	19	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	39.0	27.2	21.8	12.1	2 / 19	0 / 1
Percentage of transfers resulting in singleton live births (%)	44.5	33.3	23.1	15.2	2 / 19	0 / 1
Percentage of transfers resulting in twin live births (%)	7.3	8.8	5.1	3.0	0 / 19	0 / 1
Percentage of transfers resulting in live births (%)	51.8	42.1	28.2	18.2	2 / 19	0 / 1
Percentage of transfers resulting in pregnancies (%)	54.9	52.6	33.3	27.3	2 / 19	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	80	48	38	10	4	3
Number of transfers	76	47	34	10	4	3
Estimated average number of transfers per retrieval	1.2	1.0	1.1	0.4	1.0	3.0
Average number of embryos transferred	1.1	1.1	1.3	1.1	1.0	1.7
Percentage of embryos transferred resulting in implantation (%)	47.1	40.7	38.1	6 / 11	3 / 4	1 / 5
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	36.8	38.3	26.5	5 / 10	1 / 4	0 / 3
Percentage of transfers resulting in singleton live births (%)	43.4	40.4	35.3	5 / 10	3 / 4	0 / 3
Percentage of transfers resulting in twin live births (%)	2.6	2.1	2.9	0 / 10	0 / 4	0 / 3
Percentage of transfers resulting in live births (%)	46.1	42.6	38.2	5 / 10	3 / 4	0 / 3
Percentage of transfers resulting in pregnancies (%)	51.3	44.7	47.1	6 / 10	3 / 4	1 / 3
Number of Egg/Embryo Banking Cycles	41	29	23	18	4	1
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		28			29	
Number of transfers		27			27	
Average number of embryos transferred		1.3			1.4	
Percentage of embryos transferred resulting in implantation (%)		54.3			47.1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		40.7			48.1	
Percentage of transfers resulting in singleton live births (%)		59.3			51.9	
Percentage of transfers resulting in twin live births (%)		0.0			0.0	
Percentage of transfers resulting in live births (%)		59.3			51.9	
Percentage of transfers resulting in pregnancies (%)		70.4			59.3	

CURRENT SERVICES & PROFILE

Current Name: Institute for Reproductive Medicine and Science, Saint Barnabas Medical Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COOPER INSTITUTE FOR REPRODUCTIVE HORMONAL DISORDERS MARLTON, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Jerome H. Check, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	36%	Tubal factor	17%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 8% Female & male factors 14%
Unstimulated	2%	Used PGD	1%	Ovulatory dysfunction	8%	Male factor	31%	
Used gestational carrier	0%			Diminished ovarian reserve	46%	Other factor	6%	
				Endometriosis	3%	Unknown factor	10%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 738 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	127	77	114	67	63	39
Percentage of cancellations (%)	20.5	20.8	20.2	32.8	25.4	43.6
Average number of embryos transferred	1.7	1.9	2.0	2.2	1.9	1.4
Percentage of embryos transferred resulting in implantation (%)	45.5	26.0	26.3	14.1	4.1	0 / 15
Percentage of elective single embryo transfers (eSET) (%)	14.1	6.1	5.1	5.0	0.0	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	18.9	13.0	10.5	7.5	4.8	0.0
Percentage of cycles resulting in singleton live births (%)	21.3	13.0	12.3	7.5	4.8	0.0
Percentage of cycles resulting in twin live births (%)	9.4	3.9	4.4	1.5	0.0	0.0
Percentage of cycles resulting in live births (%)	30.7	16.9	17.5	9.0	4.8	0.0
Percentage of cycles resulting in pregnancies (%)	34.6	22.1	20.2	10.4	4.8	0.0
Outcomes per Transfer						
Number of transfers	77	42	59	32	38	11
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	31.2	23.8	20.3	15.6	7.9	0 / 11
Percentage of transfers resulting in singleton live births (%)	35.1	23.8	23.7	15.6	7.9	0 / 11
Percentage of transfers resulting in twin live births (%)	15.6	7.1	8.5	3.1	0.0	0 / 11
Percentage of transfers resulting in live births (%)	50.6	31.0	33.9	18.8	7.9	0 / 11
Percentage of transfers resulting in pregnancies (%)	57.1	40.5	39.0	21.9	7.9	0 / 11
Frozen Embryos from Nondonor Eggs						
Number of cycles	83	44	20	12	11	8
Number of transfers	66	28	18	9	7	8
Estimated average number of transfers per retrieval	2.1	2.8	1.1	1.3	2.3	2.0
Average number of embryos transferred	1.9	1.9	2.4	2.6	2.6	1.9
Percentage of embryos transferred resulting in implantation (%)	34.1	36.5	9.3	17.4	0 / 18	0 / 15
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	22.7	35.7	3 / 18	2 / 9	0 / 7	0 / 8
Percentage of transfers resulting in singleton live births (%)	28.8	42.9	3 / 18	3 / 9	0 / 7	0 / 8
Percentage of transfers resulting in twin live births (%)	9.1	3.6	0 / 18	0 / 9	0 / 7	0 / 8
Percentage of transfers resulting in live births (%)	39.4	50.0	3 / 18	3 / 9	0 / 7	0 / 8
Percentage of transfers resulting in pregnancies (%)	53.0	50.0	4 / 18	3 / 9	0 / 7	0 / 8
Number of Egg/Embryo Banking Cycles						
	2	2	0	0	0	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	20			45		
Number of transfers	17			34		
Average number of embryos transferred	1.9			2.0		
Percentage of embryos transferred resulting in implantation (%)	32.3			31.3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	7 / 17			20.6		
Percentage of transfers resulting in singleton live births (%)	8 / 17			35.3		
Percentage of transfers resulting in twin live births (%)	1 / 17			8.8		
Percentage of transfers resulting in live births (%)	9 / 17			44.1		
Percentage of transfers resulting in pregnancies (%)	10 / 17			55.9		

CURRENT SERVICES & PROFILE

Current Name: Cooper Institute for Reproductive Hormonal Disorders

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DELAWARE VALLEY INSTITUTE OF FERTILITY AND GENETICS MARLTON, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by George S. Taliadouros, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	38%	Tubal factor	17%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 3% Female & male factors 31%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	26%	Male factor	45%	
Used gestational carrier	<1%			Diminished ovarian reserve	26%	Other factor	12%	
				Endometriosis	2%	Unknown factor	8%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 172 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	58	23	27	8	1	0
Percentage of cancellations (%)	0.0	0.0	0.0	0 / 8	0 / 1	
Average number of embryos transferred	2.1	2.1	2.5	3.6	2.0	
Percentage of embryos transferred resulting in implantation (%)	38.9	25.0	19.4	20.0	0 / 2	
Percentage of elective single embryo transfers (eSET) (%)	8.0	9.5	0.0	0 / 7	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	24.1	8.7	22.2	2 / 8	0 / 1	
Percentage of cycles resulting in singleton live births (%)	25.9	8.7	29.6	2 / 8	0 / 1	
Percentage of cycles resulting in twin live births (%)	15.5	13.0	0.0	1 / 8	0 / 1	
Percentage of cycles resulting in live births (%)	44.8	21.7	29.6	3 / 8	0 / 1	
Percentage of cycles resulting in pregnancies (%)	48.3	30.4	40.7	3 / 8	0 / 1	
Outcomes per Transfer						
Number of transfers	54	21	25	7	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	25.9	9.5	24.0	2 / 7	0 / 1	
Percentage of transfers resulting in singleton live births (%)	27.8	9.5	32.0	2 / 7	0 / 1	
Percentage of transfers resulting in twin live births (%)	16.7	14.3	0.0	1 / 7	0 / 1	
Percentage of transfers resulting in live births (%)	48.1	23.8	32.0	3 / 7	0 / 1	
Percentage of transfers resulting in pregnancies (%)	51.9	33.3	44.0	3 / 7	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	15	10	4	0	0	0
Number of transfers	14	9	4	0	0	0
Estimated average number of transfers per retrieval	1.4	1.1	4.0			
Average number of embryos transferred	1.7	1.9	3.0			
Percentage of embryos transferred resulting in implantation (%)	58.3	6 / 17	2 / 12			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	7 / 14	3 / 9	1 / 4			
Percentage of transfers resulting in singleton live births (%)	8 / 14	4 / 9	1 / 4			
Percentage of transfers resulting in twin live births (%)	2 / 14	1 / 9	0 / 4			
Percentage of transfers resulting in live births (%)	10 / 14	5 / 9	1 / 4			
Percentage of transfers resulting in pregnancies (%)	11 / 14	5 / 9	2 / 4			
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		15			11	
Number of transfers		15			11	
Average number of embryos transferred		1.9			1.4	
Percentage of embryos transferred resulting in implantation (%)		58.6			7 / 15	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 15			4 / 11	
Percentage of transfers resulting in singleton live births (%)		3 / 15			5 / 11	
Percentage of transfers resulting in twin live births (%)		6 / 15			1 / 11	
Percentage of transfers resulting in live births (%)		9 / 15			6 / 11	
Percentage of transfers resulting in pregnancies (%)		10 / 15			6 / 11	

CURRENT SERVICES & PROFILE

Current Name: Delaware Valley Institute of Fertility and Genetics

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTH JERSEY FERTILITY CENTER MARLTON, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Robert A. Skaf, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	54%	Tubal factor	24%	Uterine factor	6%	<i>Multiple Factors:</i> Female factors only 27% Female & male factors 23%
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	23%	Male factor	36%	
Used gestational carrier	0%			Diminished ovarian reserve	33%	Other factor	32%	
				Endometriosis	12%	Unknown factor	8%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 469 (includes 4 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	137	60	52	34	12	2
Percentage of cancellations (%)	3.6	6.7	11.5	17.6	2 / 12	1 / 2
Average number of embryos transferred	1.7	2.1	2.8	3.0	3.3	2.0
Percentage of embryos transferred resulting in implantation (%)	37.3	30.1	15.8	8.5	0.0	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	33.1	3.8	2.4	0.0	0 / 10	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	29.9	21.7	11.5	5.9	0 / 12	0 / 2
Percentage of cycles resulting in singleton live births (%)	36.5	26.7	15.4	8.8	0 / 12	0 / 2
Percentage of cycles resulting in twin live births (%)	3.6	10.0	5.8	0.0	0 / 12	0 / 2
Percentage of cycles resulting in live births (%)	40.9	38.3	21.2	8.8	0 / 12	0 / 2
Percentage of cycles resulting in pregnancies (%)	49.6	45.0	30.8	20.6	0 / 12	0 / 2
Outcomes per Transfer						
Number of transfers	126	56	44	26	10	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	32.5	23.2	13.6	7.7	0 / 10	0 / 1
Percentage of transfers resulting in singleton live births (%)	39.7	28.6	18.2	11.5	0 / 10	0 / 1
Percentage of transfers resulting in twin live births (%)	4.0	10.7	6.8	0.0	0 / 10	0 / 1
Percentage of transfers resulting in live births (%)	44.4	41.1	25.0	11.5	0 / 10	0 / 1
Percentage of transfers resulting in pregnancies (%)	54.0	48.2	36.4	26.9	0 / 10	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	72	20	8	2	2	1
Number of transfers	69	18	5	2	1	1
Estimated average number of transfers per retrieval	1.9	1.5	1.3	0.7	1.0	
Average number of embryos transferred	1.9	2.2	2.0	1.5	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	27.5	25.6	3 / 8	0 / 3	0 / 2	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	21.7	3 / 18	2 / 5	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	27.5	4 / 18	2 / 5	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	5.8	3 / 18	0 / 5	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	34.8	7 / 18	2 / 5	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	43.5	7 / 18	4 / 5	0 / 2	0 / 1	0 / 1
Number of Egg/Embryo Banking Cycles						
	6	3	1	2	1	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	20			30		
Number of transfers	18			29		
Average number of embryos transferred	1.5			2.0		
Percentage of embryos transferred resulting in implantation (%)	44.4			41.1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	10 / 18			24.1		
Percentage of transfers resulting in singleton live births (%)	10 / 18			27.6		
Percentage of transfers resulting in twin live births (%)	0 / 18			13.8		
Percentage of transfers resulting in live births (%)	10 / 18			41.4		
Percentage of transfers resulting in pregnancies (%)	10 / 18			58.6		

CURRENT SERVICES & PROFILE

Current Name: South Jersey Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DIAMOND INSTITUTE FOR INFERTILITY MILLBURN, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Arie Birkenfeld, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	64%	Tubal factor	14%	Uterine factor	1%	<i>Multiple Factors:</i> Female factors only 6% Female & male factors 13%
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	9%	Male factor	18%	
Used gestational carrier	<1%			Diminished ovarian reserve	68%	Other factor	<1%	
				Endometriosis	3%	Unknown factor	10%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 322 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	65	35	40	20	12	9
Percentage of cancellations (%)	6.2	2.9	10.0	5.0	0 / 12	2 / 9
Average number of embryos transferred	1.9	1.8	2.4	2.9	3.2	3.3
Percentage of embryos transferred resulting in implantation (%)	32.0	22.0	13.9	10.6	8.6	0.0
Percentage of elective single embryo transfers (eSET) (%)	22.2	17.9	0.0	0 / 14	0 / 11	0 / 6
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	23.1	8.6	10.0	5.0	2 / 12	0 / 9
Percentage of cycles resulting in singleton live births (%)	26.2	14.3	12.5	10.0	3 / 12	0 / 9
Percentage of cycles resulting in twin live births (%)	9.2	2.9	5.0	0.0	0 / 12	0 / 9
Percentage of cycles resulting in live births (%)	35.4	17.1	17.5	10.0	3 / 12	0 / 9
Percentage of cycles resulting in pregnancies (%)	43.1	28.6	22.5	20.0	3 / 12	0 / 9
Outcomes per Transfer						
Number of transfers	56	32	33	16	11	6
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	26.8	9.4	12.1	1 / 16	2 / 11	0 / 6
Percentage of transfers resulting in singleton live births (%)	30.4	15.6	15.2	2 / 16	3 / 11	0 / 6
Percentage of transfers resulting in twin live births (%)	10.7	3.1	6.1	0 / 16	0 / 11	0 / 6
Percentage of transfers resulting in live births (%)	41.1	18.8	21.2	2 / 16	3 / 11	0 / 6
Percentage of transfers resulting in pregnancies (%)	50.0	31.3	27.3	4 / 16	3 / 11	0 / 6
Frozen Embryos from Nondonor Eggs						
Number of cycles	38	8	8	6	1	1
Number of transfers	38	8	8	6	1	0
Estimated average number of transfers per retrieval	1.3	0.7	1.0	0.9	0.2	0.0
Average number of embryos transferred	1.6	1.4	1.9	2.2	1.0	
Percentage of embryos transferred resulting in implantation (%)	46.4	4 / 11	8 / 15	1 / 11	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	28.9	4 / 8	2 / 8	1 / 6	0 / 1	
Percentage of transfers resulting in singleton live births (%)	31.6	4 / 8	4 / 8	1 / 6	0 / 1	
Percentage of transfers resulting in twin live births (%)	15.8	0 / 8	1 / 8	0 / 6	0 / 1	
Percentage of transfers resulting in live births (%)	47.4	4 / 8	5 / 8	1 / 6	0 / 1	
Percentage of transfers resulting in pregnancies (%)	57.9	4 / 8	6 / 8	2 / 6	0 / 1	
Number of Egg/Embryo Banking Cycles						
	11	5	4	5	4	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	18			31		
Number of transfers	18			30		
Average number of embryos transferred	1.9			1.5		
Percentage of embryos transferred resulting in implantation (%)	44.1			20.9		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	5 / 18			10.0		
Percentage of transfers resulting in singleton live births (%)	6 / 18			10.0		
Percentage of transfers resulting in twin live births (%)	3 / 18			0.0		
Percentage of transfers resulting in live births (%)	9 / 18			10.0		
Percentage of transfers resulting in pregnancies (%)	10 / 18			33.3		

CURRENT SERVICES & PROFILE

Current Name: Diamond Institute for Infertility

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

VALLEY HOSPITAL FERTILITY CENTER PARAMUS, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Ali Nasser, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	43%	Tubal factor	16%	Uterine factor	6%	<i>Multiple Factors:</i> Female factors only 14% Female & male factors 14%
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	12%	Male factor	29%	
Used gestational carrier	<1%			Diminished ovarian reserve	41%	Other factor	7%	
				Endometriosis	7%	Unknown factor	13%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 445 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	101	46	42	21	12	5
Percentage of cancellations (%)	5.0	13.0	23.8	19.0	3 / 12	1 / 5
Average number of embryos transferred	1.7	1.8	1.8	1.7	2.4	1.0
Percentage of embryos transferred resulting in implantation (%)	48.0	46.2	20.4	13.8	0 / 17	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	25.6	6.5	13.0	1 / 11	0 / 7	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	31.7	26.1	11.9	9.5	0 / 12	0 / 5
Percentage of cycles resulting in singleton live births (%)	34.7	28.3	14.3	9.5	0 / 12	0 / 5
Percentage of cycles resulting in twin live births (%)	12.9	10.9	0.0	4.8	0 / 12	0 / 5
Percentage of cycles resulting in live births (%)	47.5	41.3	14.3	14.3	0 / 12	0 / 5
Percentage of cycles resulting in pregnancies (%)	52.5	47.8	21.4	14.3	0 / 12	0 / 5
Outcomes per Transfer						
Number of transfers	88	36	29	17	7	3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	36.4	33.3	17.2	2 / 17	0 / 7	0 / 3
Percentage of transfers resulting in singleton live births (%)	39.8	36.1	20.7	2 / 17	0 / 7	0 / 3
Percentage of transfers resulting in twin live births (%)	14.8	13.9	0.0	1 / 17	0 / 7	0 / 3
Percentage of transfers resulting in live births (%)	54.5	52.8	20.7	3 / 17	0 / 7	0 / 3
Percentage of transfers resulting in pregnancies (%)	60.2	61.1	31.0	3 / 17	0 / 7	0 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	45	30	6	8	1	2
Number of transfers	45	30	6	8	1	2
Estimated average number of transfers per retrieval	1.0	1.0	0.3	0.5	0.2	2.0
Average number of embryos transferred	1.6	1.6	1.7	1.5	3.0	2.0
Percentage of embryos transferred resulting in implantation (%)	54.3	38.3	1 / 10	4 / 12	2 / 3	0 / 4
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	24.4	23.3	1 / 6	4 / 8	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	28.9	33.3	1 / 6	4 / 8	0 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	13.3	10.0	0 / 6	0 / 8	0 / 1	0 / 2
Percentage of transfers resulting in live births (%)	44.4	43.3	1 / 6	4 / 8	0 / 1	0 / 2
Percentage of transfers resulting in pregnancies (%)	57.8	50.0	1 / 6	4 / 8	1 / 1	0 / 2
Number of Egg/Embryo Banking Cycles						
	28	26	24	15	5	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	12			15		
Number of transfers	11			15		
Average number of embryos transferred	1.9			1.7		
Percentage of embryos transferred resulting in implantation (%)	38.1			23.1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 11			0 / 15		
Percentage of transfers resulting in singleton live births (%)	1 / 11			1 / 15		
Percentage of transfers resulting in twin live births (%)	3 / 11			1 / 15		
Percentage of transfers resulting in live births (%)	4 / 11			2 / 15		
Percentage of transfers resulting in pregnancies (%)	4 / 11			5 / 15		

CURRENT SERVICES & PROFILE

Current Name: Valley Hospital Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PRINCETON CENTER FOR REPRODUCTIVE MEDICINE PENNINGTON, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Althea M. O'Shaughnessy, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	44%	Tubal factor	15%	Uterine factor	0%	Multiple Factors: Female factors only 8% Female & male factors 46%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	23%	Male factor	54%	
Used gestational carrier	0%			Diminished ovarian reserve	62%	Other factor	0%	
				Endometriosis	0%	Unknown factor	8%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 13 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	3	1	4	1	0	0
Percentage of cancellations (%)	0 / 3	0 / 1	0 / 4	1 / 1		
Average number of embryos transferred	1.7	2.0	3.3			
Percentage of embryos transferred resulting in implantation (%)	3 / 5	1 / 2	2 / 13			
Percentage of elective single embryo transfers (eSET) (%)	1 / 3	0 / 1	0 / 4			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	0 / 3	0 / 1	1 / 4	0 / 1		
Percentage of cycles resulting in singleton live births (%)	0 / 3	1 / 1	1 / 4	0 / 1		
Percentage of cycles resulting in twin live births (%)	1 / 3	0 / 1	0 / 4	0 / 1		
Percentage of cycles resulting in live births (%)	1 / 3	1 / 1	1 / 4	0 / 1		
Percentage of cycles resulting in pregnancies (%)	2 / 3	1 / 1	2 / 4	0 / 1		
Outcomes per Transfer						
Number of transfers	3	1	4	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 3	0 / 1	1 / 4			
Percentage of transfers resulting in singleton live births (%)	0 / 3	1 / 1	1 / 4			
Percentage of transfers resulting in twin live births (%)	1 / 3	0 / 1	0 / 4			
Percentage of transfers resulting in live births (%)	1 / 3	1 / 1	1 / 4			
Percentage of transfers resulting in pregnancies (%)	2 / 3	1 / 1	2 / 4			
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	1	1	0	0	0
Number of transfers	2	1	1	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred	1.0	2.0	2.0			
Percentage of embryos transferred resulting in implantation (%)	0 / 2	1 / 2	0 / 2			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 2	0 / 1	0 / 1			
Percentage of transfers resulting in singleton live births (%)	0 / 2	1 / 1	0 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 1	0 / 1			
Percentage of transfers resulting in live births (%)	0 / 2	1 / 1	0 / 1			
Percentage of transfers resulting in pregnancies (%)	0 / 2	1 / 1	0 / 1			
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

CURRENT SERVICES & PROFILE

Current Name: Princeton Center for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF NEW JERSEY SOMERSET, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Michael C. Darder, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	24%	Tubal factor	14%	Uterine factor	11%	<i>Multiple Factors:</i> Female factors only 15% Female & male factors 21%
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	16%	Male factor	31%	
Used gestational carrier	<1%			Diminished ovarian reserve	47%	Other factor	12%	
				Endometriosis	6%	Unknown factor	7%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 707 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	157	91	61	35	22	0
Percentage of cancellations (%)	3.8	8.8	4.9	5.7	13.6	
Average number of embryos transferred	1.9	2.4	2.6	3.0	2.9	
Percentage of embryos transferred resulting in implantation (%)	37.4	23.0	20.7	13.1	4.0	
Percentage of elective single embryo transfers (eSET) (%)	15.6	2.6	5.7	0.0	0 / 14	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	26.1	17.6	18.0	0.0	4.5	
Percentage of cycles resulting in singleton live births (%)	28.0	19.8	18.0	8.6	4.5	
Percentage of cycles resulting in twin live births (%)	15.3	4.4	6.6	2.9	0.0	
Percentage of cycles resulting in live births (%)	43.3	25.3	24.6	11.4	4.5	
Percentage of cycles resulting in pregnancies (%)	45.9	36.3	36.1	25.7	9.1	
Outcomes per Transfer						
Number of transfers	141	79	54	29	17	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	29.1	20.3	20.4	0.0	1 / 17	
Percentage of transfers resulting in singleton live births (%)	31.2	22.8	20.4	10.3	1 / 17	
Percentage of transfers resulting in twin live births (%)	17.0	5.1	7.4	3.4	0 / 17	
Percentage of transfers resulting in live births (%)	48.2	29.1	27.8	13.8	1 / 17	
Percentage of transfers resulting in pregnancies (%)	51.1	41.8	40.7	31.0	2 / 17	
Frozen Embryos from Nondonor Eggs						
Number of cycles	58	28	12	6	1	2
Number of transfers	56	26	10	6	1	2
Estimated average number of transfers per retrieval	0.9	1.0	0.4	0.6	0.2	
Average number of embryos transferred	2.0	2.1	2.5	2.5	5.0	2.0
Percentage of embryos transferred resulting in implantation (%)	50.0	25.0	6 / 19	7 / 9	0 / 5	2 / 4
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	30.4	26.9	1 / 10	3 / 6	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	33.9	42.3	1 / 10	3 / 6	0 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	19.6	0.0	2 / 10	1 / 6	0 / 1	1 / 2
Percentage of transfers resulting in live births (%)	57.1	42.3	3 / 10	4 / 6	0 / 1	1 / 2
Percentage of transfers resulting in pregnancies (%)	64.3	53.8	5 / 10	6 / 6	0 / 1	1 / 2
Number of Egg/Embryo Banking Cycles						
	34	10	19	6	3	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	129			33		
Number of transfers	119			30		
Average number of embryos transferred	1.7			1.6		
Percentage of embryos transferred resulting in implantation (%)	68.3			41.3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	26.1			36.7		
Percentage of transfers resulting in singleton live births (%)	35.3			46.7		
Percentage of transfers resulting in twin live births (%)	31.1			6.7		
Percentage of transfers resulting in live births (%)	67.2			53.3		
Percentage of transfers resulting in pregnancies (%)	79.0			56.7		

CURRENT SERVICES & PROFILE

Current Name: IVF New Jersey

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE AND FERTILITY VOORHEES, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Louis R. Manara, DO

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	47%	Tubal factor	12%	Uterine factor	2%	Multiple Factors: Female factors only 4% Female & male factors 11%
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	11%	Male factor	30%	
Used gestational carrier	0%			Diminished ovarian reserve	27%	Other factor	8%	
				Endometriosis	3%	Unknown factor	24%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 158 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	56	25	23	7	3	2
Percentage of cancellations (%)	8.9	8.0	8.7	0 / 7	0 / 3	0 / 2
Average number of embryos transferred	1.9	2.0	2.0	2.3	2.7	2.0
Percentage of embryos transferred resulting in implantation (%)	28.8	27.9	17.1	0 / 14	0 / 8	0 / 4
Percentage of elective single embryo transfers (eSET) (%)	17.9	0 / 19	0 / 18	0 / 6	0 / 2	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	28.6	24.0	13.0	0 / 7	0 / 3	0 / 2
Percentage of cycles resulting in singleton live births (%)	30.4	24.0	17.4	0 / 7	0 / 3	0 / 2
Percentage of cycles resulting in twin live births (%)	1.8	4.0	0.0	0 / 7	0 / 3	0 / 2
Percentage of cycles resulting in live births (%)	32.1	28.0	17.4	0 / 7	0 / 3	0 / 2
Percentage of cycles resulting in pregnancies (%)	35.7	32.0	30.4	0 / 7	0 / 3	0 / 2
Outcomes per Transfer						
Number of transfers	40	22	21	6	3	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	40.0	27.3	14.3	0 / 6	0 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	42.5	27.3	19.0	0 / 6	0 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	2.5	4.5	0.0	0 / 6	0 / 3	0 / 2
Percentage of transfers resulting in live births (%)	45.0	31.8	19.0	0 / 6	0 / 3	0 / 2
Percentage of transfers resulting in pregnancies (%)	50.0	36.4	33.3	0 / 6	0 / 3	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	17	2	4	1	1	0
Number of transfers	15	2	4	1	1	0
Estimated average number of transfers per retrieval	1.2	2.0	2.0	0.3		
Average number of embryos transferred	1.6	2.0	1.8	2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	12.5	0 / 4	1 / 7	0 / 2	2 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 15	0 / 2	0 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	3 / 15	0 / 2	1 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 15	0 / 2	0 / 4	0 / 1	1 / 1	
Percentage of transfers resulting in live births (%)	3 / 15	0 / 2	1 / 4	0 / 1	1 / 1	
Percentage of transfers resulting in pregnancies (%)	3 / 15	0 / 2	1 / 4	0 / 1	1 / 1	
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs			Fresh Embryos^f		Frozen Embryos^f	
Number of cycles			10		7	
Number of transfers			9		7	
Average number of embryos transferred			1.8		1.4	
Percentage of embryos transferred resulting in implantation (%)			5 / 12		3 / 10	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)			2 / 9		1 / 7	
Percentage of transfers resulting in singleton live births (%)			4 / 9		1 / 7	
Percentage of transfers resulting in twin live births (%)			0 / 9		1 / 7	
Percentage of transfers resulting in live births (%)			4 / 9		2 / 7	
Percentage of transfers resulting in pregnancies (%)			7 / 9		2 / 7	

CURRENT SERVICES & PROFILE

Current Name: Center For Reproductive Medicine and Fertility

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTH JERSEY FERTILITY ASSOCIATES, LLC WAYNE, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Mark X. Ransom, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	77%	Tubal factor	36%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 17% Female & male factors 12%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	0%	Male factor	22%	
Used gestational carrier	0%			Diminished ovarian reserve	33%	Other factor	25%	
				Endometriosis	0%	Unknown factor	10%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 87 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	25	18	13	11	8	0
Percentage of cancellations (%)	0.0	1 / 18	1 / 13	3 / 11	1 / 8	
Average number of embryos transferred	1.9	2.1	4.1	2.8	4.0	
Percentage of embryos transferred resulting in implantation (%)	47.6	37.1	13.3	4.5	7.1	
Percentage of elective single embryo transfers (eSET) (%)	4.3	0 / 16	0 / 11	0 / 6	0 / 7	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	20.0	1 / 18	1 / 13	1 / 11	1 / 8	
Percentage of cycles resulting in singleton live births (%)	32.0	4 / 18	3 / 13	1 / 11	1 / 8	
Percentage of cycles resulting in twin live births (%)	20.0	2 / 18	0 / 13	0 / 11	0 / 8	
Percentage of cycles resulting in live births (%)	52.0	6 / 18	3 / 13	1 / 11	1 / 8	
Percentage of cycles resulting in pregnancies (%)	64.0	9 / 18	5 / 13	1 / 11	2 / 8	
Outcomes per Transfer						
Number of transfers	24	17	11	8	7	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	20.8	1 / 17	1 / 11	1 / 8	1 / 7	
Percentage of transfers resulting in singleton live births (%)	33.3	4 / 17	3 / 11	1 / 8	1 / 7	
Percentage of transfers resulting in twin live births (%)	20.8	2 / 17	0 / 11	0 / 8	0 / 7	
Percentage of transfers resulting in live births (%)	54.2	6 / 17	3 / 11	1 / 8	1 / 7	
Percentage of transfers resulting in pregnancies (%)	66.7	9 / 17	5 / 11	1 / 8	2 / 7	
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	3	2	0	0	0
Number of transfers	2	3	2	0	0	0
Estimated average number of transfers per retrieval	2.0	1.0	1.0			
Average number of embryos transferred	2.0	2.7	2.5			
Percentage of embryos transferred resulting in implantation (%)	1 / 4	0 / 6	0 / 5			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 2	0 / 3	0 / 2			
Percentage of transfers resulting in singleton live births (%)	1 / 2	0 / 3	0 / 2			
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 3	0 / 2			
Percentage of transfers resulting in live births (%)	1 / 2	0 / 3	0 / 2			
Percentage of transfers resulting in pregnancies (%)	1 / 2	1 / 3	0 / 2			
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	2			3		
Number of transfers	2			3		
Average number of embryos transferred	2.5			2.7		
Percentage of embryos transferred resulting in implantation (%)	2 / 5			0 / 8		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 2			0 / 3		
Percentage of transfers resulting in singleton live births (%)	0 / 2			0 / 3		
Percentage of transfers resulting in twin live births (%)	1 / 2			0 / 3		
Percentage of transfers resulting in live births (%)	1 / 2			0 / 3		
Percentage of transfers resulting in pregnancies (%)	1 / 2			0 / 3		

CURRENT SERVICES & PROFILE

Current Name: This clinic has closed or reorganized since 2013. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY INSTITUTE OF NEW JERSEY AND NEW YORK WESTWOOD, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Zalman Levine, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	96%	Tubal factor	29%	Uterine factor	31%	Multiple Factors: Female factors only 33% Female & male factors 48%
Unstimulated	0%	Used PGD	6%	Ovulatory dysfunction	43%	Male factor	53%	
Used gestational carrier	2%			Diminished ovarian reserve	59%	Other factor	19%	
				Endometriosis	9%	Unknown factor	0%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 62 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	19	11	11	3	3	0
Percentage of cancellations (%)	1 / 19	0 / 11	0 / 11	0 / 3	1 / 3	
Average number of embryos transferred	2.3	2.6	2.0	4.0	3.5	
Percentage of embryos transferred resulting in implantation (%)	40.5	26.1	5 / 18	1 / 8	0 / 7	
Percentage of elective single embryo transfers (eSET) (%)	0 / 16	0 / 9	1 / 6	0 / 2	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	3 / 19	0 / 11	3 / 11	0 / 3	0 / 3	
Percentage of cycles resulting in singleton live births (%)	3 / 19	2 / 11	3 / 11	0 / 3	0 / 3	
Percentage of cycles resulting in twin live births (%)	6 / 19	2 / 11	0 / 11	0 / 3	0 / 3	
Percentage of cycles resulting in live births (%)	9 / 19	4 / 11	3 / 11	0 / 3	0 / 3	
Percentage of cycles resulting in pregnancies (%)	9 / 19	5 / 11	4 / 11	1 / 3	0 / 3	
Outcomes per Transfer						
Number of transfers	16	10	9	2	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 16	0 / 10	3 / 9	0 / 2	0 / 2	
Percentage of transfers resulting in singleton live births (%)	3 / 16	2 / 10	3 / 9	0 / 2	0 / 2	
Percentage of transfers resulting in twin live births (%)	6 / 16	2 / 10	0 / 9	0 / 2	0 / 2	
Percentage of transfers resulting in live births (%)	9 / 16	4 / 10	3 / 9	0 / 2	0 / 2	
Percentage of transfers resulting in pregnancies (%)	9 / 16	5 / 10	4 / 9	1 / 2	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	4	1	1	1	0
Number of transfers	1	3	1	0	0	0
Estimated average number of transfers per retrieval		1.0	0.5	0.0		
Average number of embryos transferred	2.0	2.3	2.0			
Percentage of embryos transferred resulting in implantation (%)	1 / 2	0 / 7	0 / 2			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 1	0 / 3	0 / 1			
Percentage of transfers resulting in singleton live births (%)	1 / 1	0 / 3	0 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 3	0 / 1			
Percentage of transfers resulting in live births (%)	1 / 1	0 / 3	0 / 1			
Percentage of transfers resulting in pregnancies (%)	1 / 1	0 / 3	0 / 1			
Number of Egg/Embryo Banking Cycles						
	0	2	1	1	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	3			0		
Number of transfers	2			0		
Average number of embryos transferred	2.5					
Percentage of embryos transferred resulting in implantation (%)	2 / 3					
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 2					
Percentage of transfers resulting in singleton live births (%)	0 / 2					
Percentage of transfers resulting in twin live births (%)	1 / 2					
Percentage of transfers resulting in live births (%)	1 / 2					
Percentage of transfers resulting in pregnancies (%)	2 / 2					

CURRENT SERVICES & PROFILE

Current Name: Fertility Institute of New Jersey and New York

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**FERTILITY INSTITUTE OF NEW JERSEY AND NEW YORK
WESTWOOD, NEW JERSEY**

This clinic provided ART services during 2013 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2013 ART cycle data or the clinic's Medical Director did not approve the clinic's 2013 ART cycle data for inclusion in this report.*

* This clinic did not verify a portion of the 2013 ART cycles that are required to be included in this report. Those cycles performed before a reorganization of the clinic in 2013 were not verified. Those cycles performed after the reorganization of the clinic are presented on the preceding page of this report.

CENTER FOR REPRODUCTIVE MEDICINE OF NEW MEXICO ALBUQUERQUE, NEW MEXICO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Douglas J. Thompson, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	77%	Tubal factor	12%	Uterine factor	13%	<i>Multiple Factors:</i> Female factors only 3% Female & male factors 60%
Unstimulated	0%	Used PGD	9%	Ovulatory dysfunction	13%	Male factor	81%	
Used gestational carrier	0%			Diminished ovarian reserve	35%	Other factor	12%	
				Endometriosis	5%	Unknown factor	4%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 283 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	46	28	15	5	7	4
Percentage of cancellations (%)	13.0	10.7	0 / 15	0 / 5	4 / 7	3 / 4
Average number of embryos transferred	2.1	2.4	2.8	3.8	2.7	3.0
Percentage of embryos transferred resulting in implantation (%)	39.7	21.4	21.2	5 / 19	1 / 8	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	5.1	4.2	0 / 12	0 / 5	0 / 2	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	19.6	28.6	5 / 15	0 / 5	1 / 7	0 / 4
Percentage of cycles resulting in singleton live births (%)	21.7	32.1	5 / 15	0 / 5	1 / 7	0 / 4
Percentage of cycles resulting in twin live births (%)	13.0	3.6	0 / 15	2 / 5	0 / 7	0 / 4
Percentage of cycles resulting in live births (%)	34.8	35.7	5 / 15	2 / 5	1 / 7	0 / 4
Percentage of cycles resulting in pregnancies (%)	50.0	42.9	7 / 15	3 / 5	1 / 7	0 / 4
Outcomes per Transfer						
Number of transfers	39	24	13	5	3	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	23.1	33.3	5 / 13	0 / 5	1 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	25.6	37.5	5 / 13	0 / 5	1 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	15.4	4.2	0 / 13	2 / 5	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	41.0	41.7	5 / 13	2 / 5	1 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)	59.0	50.0	7 / 13	3 / 5	1 / 3	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	42	12	16	8	1	1
Number of transfers	42	12	14	7	1	1
Estimated average number of transfers per retrieval	1.2	0.8	1.2	1.0	0.3	0.3
Average number of embryos transferred	1.8	1.8	1.9	2.2	1.0	2.0
Percentage of embryos transferred resulting in implantation (%)	26.3	33.3	33.3	3 / 13	1 / 1	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	19.0	1 / 12	2 / 14	1 / 7	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	28.6	2 / 12	3 / 14	2 / 7	1 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	4.8	1 / 12	1 / 14	0 / 7	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	33.3	4 / 12	4 / 14	2 / 7	1 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	42.9	4 / 12	7 / 14	3 / 7	1 / 1	0 / 1
Number of Egg/Embryo Banking Cycles						
	26	13	10	4	3	1
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		19			22	
Number of transfers		14			22	
Average number of embryos transferred		1.7			2.0	
Percentage of embryos transferred resulting in implantation (%)		59.1			16.7	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		5 / 14			13.6	
Percentage of transfers resulting in singleton live births (%)		6 / 14			22.7	
Percentage of transfers resulting in twin live births (%)		3 / 14			4.5	
Percentage of transfers resulting in live births (%)		9 / 14			27.3	
Percentage of transfers resulting in pregnancies (%)		11 / 14			31.8	

CURRENT SERVICES & PROFILE

Current Name: Center for Reproductive Medicine of New Mexico

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE FERTILITY INSTITUTE AT NEW YORK METHODIST HOSPITAL BROOKLYN, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE				Data verified by George D. Kofinas, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	83%	Tubal factor	46%	Uterine factor	15%	Multiple Factors: Female factors only 38% Female & male factors 7%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	7%	Male factor	10%	
Used gestational carrier	0%			Diminished ovarian reserve	33%	Other factor	7%	
				Endometriosis	35%	Unknown factor	2%	

2013 ART SUCCESS RATES ^c		Total number of cycles ^d : 421 (includes 7 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		64	46	55	48	36	5
Percentage of cancellations (%)		6.3	10.9	10.9	27.1	30.6	0 / 5
Average number of embryos transferred		1.9	2.6	3.2	3.2	3.6	4.2
Percentage of embryos transferred resulting in implantation (%)		36.2	25.7	17.0	8.8	5.0	0.0
Percentage of elective single embryo transfers (eSET) (%)		16.7	2.7	0.0	3.7	0.0	0 / 5
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		29.7	23.9	12.7	8.3	2.8	0 / 5
Percentage of cycles resulting in singleton live births (%)		35.9	26.1	16.4	14.6	2.8	0 / 5
Percentage of cycles resulting in twin live births (%)		7.8	10.9	3.6	2.1	0.0	0 / 5
Percentage of cycles resulting in live births (%)		43.8	37.0	21.8	16.7	2.8	0 / 5
Percentage of cycles resulting in pregnancies (%)		46.9	43.5	34.5	16.7	11.1	0 / 5
Outcomes per Transfer							
Number of transfers		54	39	47	32	22	5
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		35.2	28.2	14.9	12.5	4.5	0 / 5
Percentage of transfers resulting in singleton live births (%)		42.6	30.8	19.1	21.9	4.5	0 / 5
Percentage of transfers resulting in twin live births (%)		9.3	12.8	4.3	3.1	0.0	0 / 5
Percentage of transfers resulting in live births (%)		51.9	43.6	25.5	25.0	4.5	0 / 5
Percentage of transfers resulting in pregnancies (%)		55.6	51.3	40.4	25.0	18.2	0 / 5
Frozen Embryos from Nondonor Eggs							
Number of cycles		25	22	13	9	3	1
Number of transfers		25	22	13	9	3	1
Estimated average number of transfers per retrieval		1.5	2.2	2.2	0.9	0.4	0.5
Average number of embryos transferred		2.3	2.2	2.2	3.4	3.3	2.0
Percentage of embryos transferred resulting in implantation (%)		39.3	29.2	20.7	9.7	0 / 10	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		36.0	27.3	1 / 13	3 / 9	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)		40.0	36.4	1 / 13	3 / 9	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)		20.0	0.0	1 / 13	0 / 9	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)		60.0	36.4	2 / 13	3 / 9	0 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)		64.0	59.1	5 / 13	3 / 9	0 / 3	0 / 1
Number of Egg/Embryo Banking Cycles							
		7	5	4	4	5	2
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		41			19		
Number of transfers		35			19		
Average number of embryos transferred		2.2			2.3		
Percentage of embryos transferred resulting in implantation (%)		25.6			15.9		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		25.7			3 / 19		
Percentage of transfers resulting in singleton live births (%)		28.6			3 / 19		
Percentage of transfers resulting in twin live births (%)		11.4			2 / 19		
Percentage of transfers resulting in live births (%)		40.0			5 / 19		
Percentage of transfers resulting in pregnancies (%)		40.0			5 / 19		

CURRENT SERVICES & PROFILE		Current Name: The Fertility Institute at New York Methodist Hospital					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GENESIS FERTILITY & REPRODUCTIVE MEDICINE BROOKLYN, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Richard V. Grazi, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	60%	Tubal factor	16%	Uterine factor	<1%	<i>Multiple Factors:</i> Female factors only 8% Female & male factors 26%
Unstimulated	<1%	Used PGD	7%	Ovulatory dysfunction	10%	Male factor	55%	
Used gestational carrier	0%			Diminished ovarian reserve	26%	Other factor	15%	
				Endometriosis	3%	Unknown factor	10%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 571 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	133	88	58	34	36	4
Percentage of cancellations (%)	7.5	18.2	15.5	29.4	30.6	1 / 4
Average number of embryos transferred	1.7	2.0	2.4	2.9	3.5	4.0
Percentage of embryos transferred resulting in implantation (%)	45.2	32.8	7.1	10.6	5.3	0 / 4
Percentage of elective single embryo transfers (eSET) (%)	28.2	10.0	0.0	0 / 16	0 / 13	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	24.1	22.7	5.2	14.7	0.0	0 / 4
Percentage of cycles resulting in singleton live births (%)	27.8	23.9	6.9	14.7	0.0	0 / 4
Percentage of cycles resulting in twin live births (%)	12.8	8.0	0.0	0.0	0.0	0 / 4
Percentage of cycles resulting in live births (%)	40.6	33.0	6.9	14.7	0.0	0 / 4
Percentage of cycles resulting in pregnancies (%)	48.9	37.5	10.3	23.5	11.1	0 / 4
Outcomes per Transfer						
Number of transfers	112	63	36	19	13	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	28.6	31.7	8.3	5 / 19	0 / 13	0 / 1
Percentage of transfers resulting in singleton live births (%)	33.0	33.3	11.1	5 / 19	0 / 13	0 / 1
Percentage of transfers resulting in twin live births (%)	15.2	11.1	0.0	0 / 19	0 / 13	0 / 1
Percentage of transfers resulting in live births (%)	48.2	46.0	11.1	5 / 19	0 / 13	0 / 1
Percentage of transfers resulting in pregnancies (%)	58.0	52.4	16.7	8 / 19	4 / 13	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	69	31	15	8	4	1
Number of transfers	65	27	13	6	3	0
Estimated average number of transfers per retrieval	1.9	0.9	0.6	0.6	0.2	0.0
Average number of embryos transferred	1.7	2.0	1.8	2.0	3.0	
Percentage of embryos transferred resulting in implantation (%)	34.6	34.0	25.0	4 / 12	1 / 7	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	26.2	25.9	3 / 13	4 / 6	0 / 3	
Percentage of transfers resulting in singleton live births (%)	29.2	25.9	3 / 13	4 / 6	1 / 3	
Percentage of transfers resulting in twin live births (%)	12.3	18.5	1 / 13	0 / 6	0 / 3	
Percentage of transfers resulting in live births (%)	41.5	44.4	4 / 13	4 / 6	1 / 3	
Percentage of transfers resulting in pregnancies (%)	46.2	51.9	5 / 13	4 / 6	2 / 3	
Number of Egg/Embryo Banking Cycles						
	8	8	11	5	9	5
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	27			14		
Number of transfers	21			12		
Average number of embryos transferred	1.8			1.7		
Percentage of embryos transferred resulting in implantation (%)	51.4			20.0		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	9.5			3 / 12		
Percentage of transfers resulting in singleton live births (%)	33.3			4 / 12		
Percentage of transfers resulting in twin live births (%)	23.8			0 / 12		
Percentage of transfers resulting in live births (%)	57.1			4 / 12		
Percentage of transfers resulting in pregnancies (%)	71.4			4 / 12		

CURRENT SERVICES & PROFILE

Current Name: Genesis Fertility & Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INFERTILITY & IVF MEDICAL ASSOCIATES OF WESTERN NEW YORK BUFFALO, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE				Data verified by Adam M. Griffin, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	64%	Tubal factor	22%	Uterine factor	<1%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	14%	Male factor	36%	
Used gestational carrier	0%			Diminished ovarian reserve	15%	Other factor	2%	
				Endometriosis	12%	Unknown factor	17%	
				Multiple Factors:				
				Female factors only				6%
				Female & male factors				11%

2013 ART SUCCESS RATES ^c		Total number of cycles ^d : 409 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		183	83	53	23	8	0
Percentage of cancellations (%)		6.0	13.3	17.0	8.7	0 / 8	
Average number of embryos transferred		2.2	2.3	2.7	3.5	4.4	
Percentage of embryos transferred resulting in implantation (%)		30.7	24.3	13.8	9.2	0.0	
Percentage of elective single embryo transfers (eSET) (%)		1.9	1.7	2.8	0.0	0 / 7	
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		24.0	15.7	17.0	13.0	0 / 8	
Percentage of cycles resulting in singleton live births (%)		26.2	16.9	22.6	17.4	0 / 8	
Percentage of cycles resulting in twin live births (%)		13.1	7.2	1.9	0.0	0 / 8	
Percentage of cycles resulting in live births (%)		40.4	26.5	24.5	17.4	0 / 8	
Percentage of cycles resulting in pregnancies (%)		43.7	31.3	28.3	26.1	0 / 8	
Outcomes per Transfer							
Number of transfers		167	66	43	20	8	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		26.3	19.7	20.9	15.0	0 / 8	
Percentage of transfers resulting in singleton live births (%)		28.7	21.2	27.9	20.0	0 / 8	
Percentage of transfers resulting in twin live births (%)		14.4	9.1	2.3	0.0	0 / 8	
Percentage of transfers resulting in live births (%)		44.3	33.3	30.2	20.0	0 / 8	
Percentage of transfers resulting in pregnancies (%)		47.9	39.4	34.9	30.0	0 / 8	
Frozen Embryos from Nondonor Eggs							
Number of cycles		28	16	2	1	1	0
Number of transfers		27	15	1	1	1	0
Estimated average number of transfers per retrieval		1.0	1.4				
Average number of embryos transferred		1.9	2.0	2.0	2.0	1.0	
Percentage of embryos transferred resulting in implantation (%)		22.0	20.0	0 / 2	0 / 2	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		29.6	3 / 15	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)		33.3	3 / 15	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)		3.7	1 / 15	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)		37.0	4 / 15	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)		37.0	5 / 15	0 / 1	0 / 1	0 / 1	
Number of Egg/Embryo Banking Cycles							
		0	0	0	0	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		9			2		
Number of transfers		7			2		
Average number of embryos transferred		2.1			1.5		
Percentage of embryos transferred resulting in implantation (%)		4 / 15			1 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 7			1 / 2		
Percentage of transfers resulting in singleton live births (%)		2 / 7			1 / 2		
Percentage of transfers resulting in twin live births (%)		0 / 7			0 / 2		
Percentage of transfers resulting in live births (%)		2 / 7			1 / 2		
Percentage of transfers resulting in pregnancies (%)		3 / 7			1 / 2		

CURRENT SERVICES & PROFILE		Current Name: Infertility & IVF Medical Associates of Western New York					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HUDSON VALLEY FERTILITY, PLLC FISHKILL, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Daniel W. Levine, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	82%	Tubal factor	12%	Uterine factor	<1%	<i>Multiple Factors:</i> Female factors only 12% Female & male factors 17%
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	37%	Male factor	23%	
Used gestational carrier	0%			Diminished ovarian reserve	53%	Other factor	4%	
				Endometriosis	5%	Unknown factor	1%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 244 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	26	14	20	9	2	1
Percentage of cancellations (%)	0.0	3 / 14	30.0	3 / 9	0 / 2	0 / 1
Average number of embryos transferred	2.0	2.0	2.2	2.5	2.0	
Percentage of embryos transferred resulting in implantation (%)	27.7	1 / 16	2 / 19	0 / 10	0 / 2	
Percentage of elective single embryo transfers (eSET) (%)	9.5	1 / 9	0 / 9	0 / 4	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	19.2	0 / 14	0.0	0 / 9	0 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	19.2	1 / 14	0.0	0 / 9	0 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	3.8	0 / 14	5.0	0 / 9	0 / 2	0 / 1
Percentage of cycles resulting in live births (%)	23.1	1 / 14	5.0	0 / 9	0 / 2	0 / 1
Percentage of cycles resulting in pregnancies (%)	46.2	2 / 14	10.0	0 / 9	0 / 2	0 / 1
Outcomes per Transfer						
Number of transfers	24	9	10	4	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	20.8	0 / 9	0 / 10	0 / 4	0 / 1	
Percentage of transfers resulting in singleton live births (%)	20.8	1 / 9	0 / 10	0 / 4	0 / 1	
Percentage of transfers resulting in twin live births (%)	4.2	0 / 9	1 / 10	0 / 4	0 / 1	
Percentage of transfers resulting in live births (%)	25.0	1 / 9	1 / 10	0 / 4	0 / 1	
Percentage of transfers resulting in pregnancies (%)	50.0	2 / 9	2 / 10	0 / 4	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	40	13	14	8	5	2
Number of transfers	38	11	13	8	3	1
Estimated average number of transfers per retrieval	1.1	0.7	0.4	0.6	0.3	0.5
Average number of embryos transferred	2.1	2.2	1.8	2.9	2.3	1.0
Percentage of embryos transferred resulting in implantation (%)	25.3	4.2	4.3	0.0	0 / 7	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	21.1	1 / 11	1 / 13	0 / 8	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	21.1	1 / 11	1 / 13	0 / 8	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	10.5	0 / 11	0 / 13	0 / 8	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	34.2	1 / 11	1 / 13	0 / 8	0 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)	36.8	1 / 11	1 / 13	0 / 8	0 / 3	0 / 1
Number of Egg/Embryo Banking Cycles						
	23	10	24	11	12	1
Donor Eggs						
		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		3			6	
Number of transfers		3			5	
Average number of embryos transferred		2.0			1.8	
Percentage of embryos transferred resulting in implantation (%)		4 / 6			0 / 9	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 3			0 / 5	
Percentage of transfers resulting in singleton live births (%)		1 / 3			0 / 5	
Percentage of transfers resulting in twin live births (%)		1 / 3			0 / 5	
Percentage of transfers resulting in live births (%)		2 / 3			0 / 5	
Percentage of transfers resulting in pregnancies (%)		2 / 3			0 / 5	

CURRENT SERVICES & PROFILE

Current Name: Hudson Valley Fertility, PLLC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE NEW YORK FERTILITY CENTER FLUSHING, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE				Data verified by Tony Tsai, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	88%	Tubal factor	12%	Uterine factor	5%	Multiple Factors: Female factors only 4% Female & male factors <1%
Unstimulated	<1%	Used PGD	4%	Ovulatory dysfunction	12%	Male factor	8%	
Used gestational carrier	0%			Diminished ovarian reserve	22%	Other factor	8%	
				Endometriosis	9%	Unknown factor	30%	

2013 ART SUCCESS RATES ^c		Total number of cycles ^d : 266 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		81	28	43	35	28	19
Percentage of cancellations (%)		4.9	0.0	11.6	8.6	0.0	2 / 19
Average number of embryos transferred		3.3	3.0	3.0	3.1	2.9	2.0
Percentage of embryos transferred resulting in implantation (%)		16.1	13.9	9.3	4.8	1.6	0.0
Percentage of elective single embryo transfers (eSET) (%)		1.6	0.0	0.0	0.0	0 / 15	0 / 5
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		8.6	3.6	4.7	0.0	0.0	0 / 19
Percentage of cycles resulting in singleton live births (%)		13.6	3.6	7.0	2.9	0.0	0 / 19
Percentage of cycles resulting in twin live births (%)		8.6	3.6	0.0	2.9	0.0	0 / 19
Percentage of cycles resulting in live births (%)		22.2	7.1	7.0	5.7	0.0	0 / 19
Percentage of cycles resulting in pregnancies (%)		35.8	35.7	23.3	8.6	3.6	0 / 19
Outcomes per Transfer							
Number of transfers		70	26	32	27	22	10
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		10.0	3.8	6.3	0.0	0.0	0 / 10
Percentage of transfers resulting in singleton live births (%)		15.7	3.8	9.4	3.7	0.0	0 / 10
Percentage of transfers resulting in twin live births (%)		10.0	3.8	0.0	3.7	0.0	0 / 10
Percentage of transfers resulting in live births (%)		25.7	7.7	9.4	7.4	0.0	0 / 10
Percentage of transfers resulting in pregnancies (%)		41.4	38.5	31.3	11.1	4.5	0 / 10
Frozen Embryos from Nondonor Eggs							
Number of cycles		16	3	5	1	0	1
Number of transfers		16	2	3	1	0	1
Estimated average number of transfers per retrieval		1.2	2.0	3.0			1.0
Average number of embryos transferred		3.9	2.5	2.7	3.0		1.0
Percentage of embryos transferred resulting in implantation (%)		14.3	2 / 5	0 / 8	0 / 3		0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 16	0 / 2	0 / 3	0 / 1		0 / 1
Percentage of transfers resulting in singleton live births (%)		0 / 16	0 / 2	0 / 3	0 / 1		0 / 1
Percentage of transfers resulting in twin live births (%)		2 / 16	1 / 2	0 / 3	0 / 1		0 / 1
Percentage of transfers resulting in live births (%)		2 / 16	1 / 2	0 / 3	0 / 1		0 / 1
Percentage of transfers resulting in pregnancies (%)		6 / 16	1 / 2	0 / 3	0 / 1		0 / 1
Number of Egg/Embryo Banking Cycles							
		0	0	0	0	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		0			6		
Number of transfers		0			4		
Average number of embryos transferred					2.3		
Percentage of embryos transferred resulting in implantation (%)					0 / 9		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)					0 / 4		
Percentage of transfers resulting in singleton live births (%)					0 / 4		
Percentage of transfers resulting in twin live births (%)					0 / 4		
Percentage of transfers resulting in live births (%)					0 / 4		
Percentage of transfers resulting in pregnancies (%)					0 / 4		

CURRENT SERVICES & PROFILE		Current Name: The New York Fertility Center					
Donor eggs?	No	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MONTEFIORE'S INSTITUTE FOR REPRODUCTIVE MEDICINE AND HEALTH HARTSDALE, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Harry J. Lieman, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	57%	Tubal factor	26%	Uterine factor	7%	<i>Multiple Factors:</i> Female factors only 20% Female & male factors 22%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	15%	Male factor	30%	
Used gestational carrier	0%			Diminished ovarian reserve	43%	Other factor	16%	
				Endometriosis	7%	Unknown factor	10%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 236 (includes 4 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	59	33	21	26	18	4
Percentage of cancellations (%)	16.9	6.1	19.0	38.5	2 / 18	0 / 4
Average number of embryos transferred	1.8	2.2	3.0	2.3	3.7	2.5
Percentage of embryos transferred resulting in implantation (%)	33.8	27.8	19.0	0.0	5.4	0 / 5
Percentage of elective single embryo transfers (eSET) (%)	17.1	0.0	0 / 14	0 / 9	0 / 15	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	16.9	15.2	19.0	0.0	0 / 18	0 / 4
Percentage of cycles resulting in singleton live births (%)	27.1	18.2	19.0	0.0	0 / 18	0 / 4
Percentage of cycles resulting in twin live births (%)	6.8	9.1	4.8	0.0	0 / 18	0 / 4
Percentage of cycles resulting in live births (%)	33.9	27.3	23.8	0.0	0 / 18	0 / 4
Percentage of cycles resulting in pregnancies (%)	37.3	36.4	28.6	0.0	3 / 18	1 / 4
Outcomes per Transfer						
Number of transfers	45	26	14	13	15	4
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	22.2	19.2	4 / 14	0 / 13	0 / 15	0 / 4
Percentage of transfers resulting in singleton live births (%)	35.6	23.1	4 / 14	0 / 13	0 / 15	0 / 4
Percentage of transfers resulting in twin live births (%)	8.9	11.5	1 / 14	0 / 13	0 / 15	0 / 4
Percentage of transfers resulting in live births (%)	44.4	34.6	5 / 14	0 / 13	0 / 15	0 / 4
Percentage of transfers resulting in pregnancies (%)	48.9	46.2	6 / 14	0 / 13	3 / 15	1 / 4
Frozen Embryos from Nondonor Eggs						
Number of cycles	9	12	3	3	1	0
Number of transfers	8	10	3	3	0	0
Estimated average number of transfers per retrieval	0.9	1.4	0.3	0.4	0.0	
Average number of embryos transferred	2.1	1.7	1.7	4.0		
Percentage of embryos transferred resulting in implantation (%)	3 / 14	2 / 15	0 / 5	2 / 12		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 8	1 / 10	0 / 3	0 / 3		
Percentage of transfers resulting in singleton live births (%)	1 / 8	1 / 10	0 / 3	0 / 3		
Percentage of transfers resulting in twin live births (%)	1 / 8	0 / 10	0 / 3	1 / 3		
Percentage of transfers resulting in live births (%)	2 / 8	1 / 10	0 / 3	1 / 3		
Percentage of transfers resulting in pregnancies (%)	3 / 8	3 / 10	0 / 3	1 / 3		
Number of Egg/Embryo Banking Cycles						
	8	3	8	6	4	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	8			6		
Number of transfers	6			5		
Average number of embryos transferred	1.8			2.0		
Percentage of embryos transferred resulting in implantation (%)	6 / 11			5 / 10		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 6			0 / 5		
Percentage of transfers resulting in singleton live births (%)	1 / 6			1 / 5		
Percentage of transfers resulting in twin live births (%)	2 / 6			1 / 5		
Percentage of transfers resulting in live births (%)	3 / 6			2 / 5		
Percentage of transfers resulting in pregnancies (%)	4 / 6			4 / 5		

CURRENT SERVICES & PROFILE

Current Name: Montefiore's Institute for Reproductive Medicine and Health

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW YORK REPRODUCTIVE WELLNESS JERICHO, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Gregory Zapantis, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	100%	Tubal factor	9%	Uterine factor	0%	Multiple Factors: Female factors only 2% Female & male factors 3%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	6%	Male factor	22%	
Used gestational carrier	0%			Diminished ovarian reserve	15%	Other factor	1%	
				Endometriosis	1%	Unknown factor	52%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 98 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	24	12	13	5	4	0
Percentage of cancellations (%)	0.0	0 / 12	0 / 13	0 / 5	0 / 4	
Average number of embryos transferred	2.0	2.2	2.3	2.3	1.8	
Percentage of embryos transferred resulting in implantation (%)	30.2	25.0	21.7	1 / 9	0 / 7	
Percentage of elective single embryo transfers (eSET) (%)	15.0	1 / 11	0 / 9	0 / 4	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	20.8	5 / 12	0 / 13	0 / 5	0 / 4	
Percentage of cycles resulting in singleton live births (%)	33.3	6 / 12	1 / 13	0 / 5	0 / 4	
Percentage of cycles resulting in twin live births (%)	4.2	0 / 12	1 / 13	0 / 5	0 / 4	
Percentage of cycles resulting in live births (%)	37.5	6 / 12	2 / 13	0 / 5	0 / 4	
Percentage of cycles resulting in pregnancies (%)	45.8	6 / 12	3 / 13	1 / 5	0 / 4	
Outcomes per Transfer						
Number of transfers	22	11	10	4	4	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	22.7	5 / 11	0 / 10	0 / 4	0 / 4	
Percentage of transfers resulting in singleton live births (%)	36.4	6 / 11	1 / 10	0 / 4	0 / 4	
Percentage of transfers resulting in twin live births (%)	4.5	0 / 11	1 / 10	0 / 4	0 / 4	
Percentage of transfers resulting in live births (%)	40.9	6 / 11	2 / 10	0 / 4	0 / 4	
Percentage of transfers resulting in pregnancies (%)	50.0	6 / 11	3 / 10	1 / 4	0 / 4	
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	4	6	0	2	0
Number of transfers	4	4	6	0	2	0
Estimated average number of transfers per retrieval	0.6	1.3	0.9	0.0	0.7	
Average number of embryos transferred	1.5	2.3	2.2		3.0	
Percentage of embryos transferred resulting in implantation (%)	2 / 6	2 / 9	2 / 13		0 / 6	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 4	1 / 4	0 / 6		0 / 2	
Percentage of transfers resulting in singleton live births (%)	2 / 4	1 / 4	0 / 6		0 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 4	0 / 4	0 / 6		0 / 2	
Percentage of transfers resulting in live births (%)	2 / 4	1 / 4	0 / 6		0 / 2	
Percentage of transfers resulting in pregnancies (%)	2 / 4	2 / 4	2 / 6		0 / 2	
Number of Egg/Embryo Banking Cycles						
	3	2	3	1	2	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	8			5		
Number of transfers	8			5		
Average number of embryos transferred	1.9			2.4		
Percentage of embryos transferred resulting in implantation (%)	7 / 13			2 / 12		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 8			0 / 5		
Percentage of transfers resulting in singleton live births (%)	2 / 8			1 / 5		
Percentage of transfers resulting in twin live births (%)	1 / 8			0 / 5		
Percentage of transfers resulting in live births (%)	3 / 8			1 / 5		
Percentage of transfers resulting in pregnancies (%)	5 / 8			1 / 5		

CURRENT SERVICES & PROFILE

Current Name: New York Reproductive Wellness

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ALBANY IVF FERTILITY LOUDONVILLE, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Steven Bayer, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	43%	Tubal factor	20%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 14% Female & male factors 11%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	11%	Male factor	21%	
Used gestational carrier	0%			Diminished ovarian reserve	59%	Other factor	1%	
				Endometriosis	7%	Unknown factor	8%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 195 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	72	36	27	10	1	0
Percentage of cancellations (%)	5.6	19.4	25.9	1 / 10	1 / 1	
Average number of embryos transferred	1.7	2.0	2.9	2.7		
Percentage of embryos transferred resulting in implantation (%)	46.3	11.3	12.2	3 / 19		
Percentage of elective single embryo transfers (eSET) (%)	25.5	3.8	0 / 15	0 / 6		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	25.0	16.7	7.4	2 / 10	0 / 1	
Percentage of cycles resulting in singleton live births (%)	27.8	16.7	7.4	2 / 10	0 / 1	
Percentage of cycles resulting in twin live births (%)	15.3	0.0	3.7	0 / 10	0 / 1	
Percentage of cycles resulting in live births (%)	43.1	16.7	11.1	2 / 10	0 / 1	
Percentage of cycles resulting in pregnancies (%)	54.2	22.2	14.8	2 / 10	0 / 1	
Outcomes per Transfer						
Number of transfers	63	28	17	7	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	28.6	21.4	2 / 17	2 / 7		
Percentage of transfers resulting in singleton live births (%)	31.7	21.4	2 / 17	2 / 7		
Percentage of transfers resulting in twin live births (%)	17.5	0.0	1 / 17	0 / 7		
Percentage of transfers resulting in live births (%)	49.2	21.4	3 / 17	2 / 7		
Percentage of transfers resulting in pregnancies (%)	61.9	28.6	4 / 17	2 / 7		
Frozen Embryos from Nondonor Eggs						
Number of cycles	18	12	2	3	0	0
Number of transfers	16	10	2	3	0	0
Estimated average number of transfers per retrieval	1.5	1.4	0.7	3.0		
Average number of embryos transferred	1.6	1.6	1.5	2.3		
Percentage of embryos transferred resulting in implantation (%)	12.0	2 / 16	0 / 3	2 / 7		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 16	2 / 10	0 / 2	2 / 3		
Percentage of transfers resulting in singleton live births (%)	2 / 16	2 / 10	0 / 2	2 / 3		
Percentage of transfers resulting in twin live births (%)	0 / 16	0 / 10	0 / 2	0 / 3		
Percentage of transfers resulting in live births (%)	2 / 16	2 / 10	0 / 2	2 / 3		
Percentage of transfers resulting in pregnancies (%)	3 / 16	2 / 10	0 / 2	2 / 3		
Number of Egg/Embryo Banking Cycles						
	1	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	7			6		
Number of transfers	7			5		
Average number of embryos transferred	1.7			1.6		
Percentage of embryos transferred resulting in implantation (%)	1 / 12			3 / 8		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 7			1 / 5		
Percentage of transfers resulting in singleton live births (%)	1 / 7			1 / 5		
Percentage of transfers resulting in twin live births (%)	0 / 7			1 / 5		
Percentage of transfers resulting in live births (%)	1 / 7			2 / 5		
Percentage of transfers resulting in pregnancies (%)	1 / 7			2 / 5		

CURRENT SERVICES & PROFILE

Current Name: This clinic has closed or reorganized since 2013. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTH SHORE UNIVERSITY HOSPITAL THE CENTER FOR HUMAN REPRODUCTION MANHASSET, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE				Data verified by Avner Hershlag, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	92%	Tubal factor	8%	Uterine factor	2%	Multiple Factors: Female factors only 4% Female & male factors 5%
Unstimulated	0%	Used PGD	8%	Ovulatory dysfunction	11%	Male factor	21%	
Used gestational carrier	0%			Diminished ovarian reserve	29%	Other factor	8%	
				Endometriosis	4%	Unknown factor	27%	

2013 ART SUCCESS RATES ^c		Total number of cycles ^d : 946 (includes 29 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		197	133	99	73	40	2
Percentage of cancellations (%)		4.1	7.5	8.1	8.2	5.0	1 / 2
Average number of embryos transferred		1.6	2.1	2.7	2.7	2.8	
Percentage of embryos transferred resulting in implantation (%)		37.7	25.3	13.4	8.6	5.6	
Percentage of elective single embryo transfers (eSET) (%)		38.8	4.0	0.0	0.0	0.0	
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		23.4	19.5	10.1	6.8	10.0	0 / 2
Percentage of cycles resulting in singleton live births (%)		26.9	21.1	12.1	9.6	10.0	0 / 2
Percentage of cycles resulting in twin live births (%)		7.6	7.5	4.0	0.0	0.0	0 / 2
Percentage of cycles resulting in live births (%)		35.0	28.6	16.2	9.6	10.0	0 / 2
Percentage of cycles resulting in pregnancies (%)		39.6	36.1	23.2	15.1	15.0	0 / 2
Outcomes per Transfer							
Number of transfers		165	106	71	52	33	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		27.9	24.5	14.1	9.6	12.1	
Percentage of transfers resulting in singleton live births (%)		32.1	26.4	16.9	13.5	12.1	
Percentage of transfers resulting in twin live births (%)		9.1	9.4	5.6	0.0	0.0	
Percentage of transfers resulting in live births (%)		41.8	35.8	22.5	13.5	12.1	
Percentage of transfers resulting in pregnancies (%)		47.3	45.3	32.4	21.2	18.2	
Frozen Embryos from Nondonor Eggs							
Number of cycles		111	66	38	27	11	1
Number of transfers		111	63	38	26	10	1
Estimated average number of transfers per retrieval		1.6	1.3	1.0	0.8	0.7	
Average number of embryos transferred		1.6	1.8	2.0	2.0	2.2	1.0
Percentage of embryos transferred resulting in implantation (%)		31.2	35.5	38.4	9.8	9.1	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		27.0	23.8	42.1	11.5	1 / 10	0 / 1
Percentage of transfers resulting in singleton live births (%)		31.5	33.3	47.4	15.4	2 / 10	0 / 1
Percentage of transfers resulting in twin live births (%)		5.4	11.1	7.9	0.0	0 / 10	0 / 1
Percentage of transfers resulting in live births (%)		36.9	44.4	57.9	15.4	2 / 10	0 / 1
Percentage of transfers resulting in pregnancies (%)		43.2	52.4	63.2	23.1	2 / 10	0 / 1
Number of Egg/Embryo Banking Cycles							
		16	17	21	17	9	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		19			20		
Number of transfers		17			20		
Average number of embryos transferred		1.7			1.7		
Percentage of embryos transferred resulting in implantation (%)		33.3			45.5		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		4 / 17			50.0		
Percentage of transfers resulting in singleton live births (%)		7 / 17			60.0		
Percentage of transfers resulting in twin live births (%)		0 / 17			5.0		
Percentage of transfers resulting in live births (%)		7 / 17			65.0		
Percentage of transfers resulting in pregnancies (%)		9 / 17			65.0		

CURRENT SERVICES & PROFILE		Current Name: North Shore University Hospital, The Center for Human Reproduction					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

EAST COAST FERTILITY MELVILLE, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by David Kreiner, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	29%	Tubal factor	24%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 6% Female & male factors 5%
Unstimulated	2%	Used PGD	0%	Ovulatory dysfunction	6%	Male factor	34%	
Used gestational carrier	0%			Diminished ovarian reserve	14%	Other factor	8%	
				Endometriosis	9%	Unknown factor	16%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 89 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	24	17	4	4	5	2
Percentage of cancellations (%)	4.2	1 / 17	1 / 4	3 / 4	0 / 5	0 / 2
Average number of embryos transferred	1.6	1.6	1.0	1.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	41.9	17.4	1 / 2	0 / 1	2 / 10	
Percentage of elective single embryo transfers (eSET) (%)	4 / 14	0 / 7			0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	25.0	0 / 17	1 / 4	0 / 4	0 / 5	0 / 2
Percentage of cycles resulting in singleton live births (%)	29.2	0 / 17	1 / 4	0 / 4	0 / 5	0 / 2
Percentage of cycles resulting in twin live births (%)	4.2	2 / 17	0 / 4	0 / 4	0 / 5	0 / 2
Percentage of cycles resulting in live births (%)	37.5	2 / 17	1 / 4	0 / 4	0 / 5	0 / 2
Percentage of cycles resulting in pregnancies (%)	41.7	2 / 17	1 / 4	0 / 4	1 / 5	0 / 2
Outcomes per Transfer						
Number of transfers	20	14	2	1	5	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	30.0	0 / 14	1 / 2	0 / 1	0 / 5	
Percentage of transfers resulting in singleton live births (%)	35.0	0 / 14	1 / 2	0 / 1	0 / 5	
Percentage of transfers resulting in twin live births (%)	5.0	2 / 14	0 / 2	0 / 1	0 / 5	
Percentage of transfers resulting in live births (%)	45.0	2 / 14	1 / 2	0 / 1	0 / 5	
Percentage of transfers resulting in pregnancies (%)	50.0	2 / 14	1 / 2	0 / 1	1 / 5	
Frozen Embryos from Nondonor Eggs						
Number of cycles	17	7	1	5	1	0
Number of transfers	16	7	1	5	1	0
Estimated average number of transfers per retrieval						0.0
Average number of embryos transferred	1.5	1.4	2.0	1.6	1.0	
Percentage of embryos transferred resulting in implantation (%)	37.5	2 / 10	1 / 2	0 / 8	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	6 / 16	1 / 7	1 / 1	0 / 5	0 / 1	
Percentage of transfers resulting in singleton live births (%)	6 / 16	1 / 7	1 / 1	0 / 5	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 16	0 / 7	0 / 1	0 / 5	0 / 1	
Percentage of transfers resulting in live births (%)	6 / 16	1 / 7	1 / 1	0 / 5	0 / 1	
Percentage of transfers resulting in pregnancies (%)	7 / 16	2 / 7	1 / 1	0 / 5	0 / 1	
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			1		
Number of transfers	0			1		
Average number of embryos transferred				2.0		
Percentage of embryos transferred resulting in implantation (%)				1 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				1 / 1		
Percentage of transfers resulting in singleton live births (%)				1 / 1		
Percentage of transfers resulting in twin live births (%)				0 / 1		
Percentage of transfers resulting in live births (%)				1 / 1		
Percentage of transfers resulting in pregnancies (%)				1 / 1		

CURRENT SERVICES & PROFILE

Current Name: East Coast Fertility

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

LONG ISLAND IVF MELVILLE, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE				Data verified by Daniel Kenigsberg, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	80%	Tubal factor	16%	Uterine factor	6%	<i>Multiple Factors:</i> Female factors only 4% Female & male factors 9%
Unstimulated	2%	Used PGD	2%	Ovulatory dysfunction	7%	Male factor	30%	
Used gestational carrier	0%			Diminished ovarian reserve	22%	Other factor	3%	
				Endometriosis	6%	Unknown factor	25%	

2013 ART SUCCESS RATES ^c		Total number of cycles ^d : 1,150 (includes 1 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
	Number of cycles	230	129	164	93	58	10
	Percentage of cancellations (%)	3.0	7.8	3.7	10.8	19.0	0 / 10
	Average number of embryos transferred	1.8	1.9	2.4	2.8	2.6	2.5
	Percentage of embryos transferred resulting in implantation (%)	40.7	37.9	17.9	12.9	5.7	0 / 15
	Percentage of elective single embryo transfers (eSET) (%)	18.6	10.2	1.6	1.5	0.0	0 / 4
Outcomes per Cycle							
	Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	23.9	21.7	12.2	8.6	5.2	0 / 10
	Percentage of cycles resulting in singleton live births (%)	28.7	24.8	15.2	10.8	5.2	0 / 10
	Percentage of cycles resulting in twin live births (%)	12.6	7.0	3.7	2.2	0.0	0 / 10
	Percentage of cycles resulting in live births (%)	41.3	33.3	18.9	12.9	5.2	0 / 10
	Percentage of cycles resulting in pregnancies (%)	47.8	45.0	28.7	24.7	8.6	0 / 10
Outcomes per Transfer							
	Number of transfers	201	105	140	76	41	6
	Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	27.4	26.7	14.3	10.5	7.3	0 / 6
	Percentage of transfers resulting in singleton live births (%)	32.8	30.5	17.9	13.2	7.3	0 / 6
	Percentage of transfers resulting in twin live births (%)	14.4	8.6	4.3	2.6	0.0	0 / 6
	Percentage of transfers resulting in live births (%)	47.3	41.0	22.1	15.8	7.3	0 / 6
	Percentage of transfers resulting in pregnancies (%)	54.7	55.2	33.6	30.3	12.2	0 / 6
Frozen Embryos from Nondonor Eggs							
	Number of cycles	127	70	77	30	25	12
	Number of transfers	126	68	76	30	25	12
	Estimated average number of transfers per retrieval	2.0	2.2	2.4	2.1	2.8	6.0
	Average number of embryos transferred	1.8	1.9	2.1	2.5	2.3	2.8
	Percentage of embryos transferred resulting in implantation (%)	24.8	23.8	19.3	16.2	14.0	15.2
	Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	21.4	16.2	14.5	13.3	12.0	3 / 12
	Percentage of transfers resulting in singleton live births (%)	25.4	26.5	19.7	16.7	20.0	4 / 12
	Percentage of transfers resulting in twin live births (%)	3.2	2.9	1.3	6.7	4.0	0 / 12
	Percentage of transfers resulting in live births (%)	28.6	29.4	21.1	23.3	24.0	4 / 12
	Percentage of transfers resulting in pregnancies (%)	38.1	38.2	35.5	33.3	24.0	4 / 12
Number of Egg/Embryo Banking Cycles		3	2	0	1	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
	Number of cycles	67			51		
	Number of transfers	65			51		
	Average number of embryos transferred	1.9			2.0		
	Percentage of embryos transferred resulting in implantation (%)	38.2			24.0		
	Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	30.8			23.5		
	Percentage of transfers resulting in singleton live births (%)	38.5			25.5		
	Percentage of transfers resulting in twin live births (%)	12.3			5.9		
	Percentage of transfers resulting in live births (%)	50.8			31.4		
	Percentage of transfers resulting in pregnancies (%)	58.5			37.3		

CURRENT SERVICES & PROFILE		Current Name: Long Island IVF					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE SPECIALISTS OF NEW YORK MINEOLA, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by James Stelling, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	68%	Tubal factor	15%	Uterine factor	6%	<i>Multiple Factors:</i> Female factors only 11% Female & male factors 17%
Unstimulated	1%	Used PGD	5%	Ovulatory dysfunction	12%	Male factor	37%	
Used gestational carrier	<1%			Diminished ovarian reserve	24%	Other factor	18%	
				Endometriosis	5%	Unknown factor	18%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 1,477 (includes 12 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	236	207	167	135	79	41
Percentage of cancellations (%)	3.0	3.9	5.4	3.7	6.3	22.0
Average number of embryos transferred	1.6	1.8	2.1	2.5	2.9	2.7
Percentage of embryos transferred resulting in implantation (%)	31.0	21.4	14.4	9.6	4.4	3.0
Percentage of elective single embryo transfers (eSET) (%)	38.5	19.0	8.4	0.0	1.8	0 / 18
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	20.8	17.9	12.6	5.9	1.3	0.0
Percentage of cycles resulting in singleton live births (%)	23.3	20.3	13.2	7.4	2.5	0.0
Percentage of cycles resulting in twin live births (%)	6.4	2.9	2.4	1.5	1.3	0.0
Percentage of cycles resulting in live births (%)	29.7	23.2	15.6	8.9	3.8	0.0
Percentage of cycles resulting in pregnancies (%)	37.3	32.9	19.8	21.5	10.1	4.9
Outcomes per Transfer						
Number of transfers	221	181	137	113	65	25
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	22.2	20.4	15.3	7.1	1.5	0.0
Percentage of transfers resulting in singleton live births (%)	24.9	23.2	16.1	8.8	3.1	0.0
Percentage of transfers resulting in twin live births (%)	6.8	3.3	2.9	1.8	1.5	0.0
Percentage of transfers resulting in live births (%)	31.7	26.5	19.0	10.6	4.6	0.0
Percentage of transfers resulting in pregnancies (%)	39.8	37.6	24.1	25.7	12.3	8.0
Frozen Embryos from Nondonor Eggs						
Number of cycles	162	101	74	39	6	8
Number of transfers	158	101	72	37	6	8
Estimated average number of transfers per retrieval	1.2	1.2	1.2	1.0	0.3	0.3
Average number of embryos transferred	1.6	1.6	1.6	1.8	1.2	1.9
Percentage of embryos transferred resulting in implantation (%)	33.0	38.0	31.7	15.6	0 / 7	0 / 14
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	27.8	20.8	20.8	16.2	0 / 6	0 / 8
Percentage of transfers resulting in singleton live births (%)	31.6	27.7	23.6	16.2	0 / 6	0 / 8
Percentage of transfers resulting in twin live births (%)	5.7	6.9	6.9	2.7	0 / 6	0 / 8
Percentage of transfers resulting in live births (%)	37.3	34.7	30.6	18.9	0 / 6	0 / 8
Percentage of transfers resulting in pregnancies (%)	46.8	49.5	45.8	27.0	0 / 6	1 / 8
Number of Egg/Embryo Banking Cycles						
	49	21	25	16	17	15
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		31			36	
Number of transfers		31			36	
Average number of embryos transferred		1.5			1.2	
Percentage of embryos transferred resulting in implantation (%)		55.6			37.8	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		41.9			25.0	
Percentage of transfers resulting in singleton live births (%)		51.6			30.6	
Percentage of transfers resulting in twin live births (%)		9.7			2.8	
Percentage of transfers resulting in live births (%)		61.3			33.3	
Percentage of transfers resulting in pregnancies (%)		67.7			50.0	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Specialists of New York

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WESTCHESTER REPRODUCTIVE MEDICINE MT. KISCO, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE				Data verified by Rachel A. Bennett, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	60%	Tubal factor	29%	Uterine factor	7%	Multiple Factors: Female factors only 14% Female & male factors 26%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	14%	Male factor	41%	
Used gestational carrier	0%			Diminished ovarian reserve	21%	Other factor	12%	
				Endometriosis	10%	Unknown factor	19%	

2013 ART SUCCESS RATES ^c		Total number of cycles ^d : 44 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		8	6	10	3	3	0
Percentage of cancellations (%)		0/8	0/6	1/10	1/3	1/3	
Average number of embryos transferred		1.5	2.5	2.9	3.0	4.0	
Percentage of embryos transferred resulting in implantation (%)		6/9	1/5	5.0	0/6	2/8	
Percentage of elective single embryo transfers (eSET) (%)		1/4	0/2	0/6	0/2	0/2	
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		1/8	0/6	0/10	0/3	0/3	
Percentage of cycles resulting in singleton live births (%)		2/8	0/6	1/10	0/3	1/3	
Percentage of cycles resulting in twin live births (%)		2/8	0/6	0/10	0/3	0/3	
Percentage of cycles resulting in live births (%)		4/8	0/6	1/10	0/3	1/3	
Percentage of cycles resulting in pregnancies (%)		4/8	1/6	1/10	0/3	1/3	
Outcomes per Transfer							
Number of transfers		6	2	7	2	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1/6	0/2	0/7	0/2	0/2	
Percentage of transfers resulting in singleton live births (%)		2/6	0/2	1/7	0/2	1/2	
Percentage of transfers resulting in twin live births (%)		2/6	0/2	0/7	0/2	0/2	
Percentage of transfers resulting in live births (%)		4/6	0/2	1/7	0/2	1/2	
Percentage of transfers resulting in pregnancies (%)		4/6	1/2	1/7	0/2	1/2	
Frozen Embryos from Nondonor Eggs							
Number of cycles		3	5	3	0	1	0
Number of transfers		3	5	3	0	1	0
Estimated average number of transfers per retrieval		1.5	1.3	0.8			
Average number of embryos transferred		2.0	1.8	2.7		1.0	
Percentage of embryos transferred resulting in implantation (%)		3/6	5/9	5/8		0/1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1/3	1/5	1/3		0/1	
Percentage of transfers resulting in singleton live births (%)		1/3	1/5	1/3		0/1	
Percentage of transfers resulting in twin live births (%)		1/3	2/5	0/3		0/1	
Percentage of transfers resulting in live births (%)		2/3	3/5	2/3		0/1	
Percentage of transfers resulting in pregnancies (%)		2/3	3/5	3/3		0/1	
Number of Egg/Embryo Banking Cycles							
		1	0	1	0	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		0			0		
Number of transfers		0			0		
Average number of embryos transferred							
Percentage of embryos transferred resulting in implantation (%)							
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)							
Percentage of transfers resulting in singleton live births (%)							
Percentage of transfers resulting in twin live births (%)							
Percentage of transfers resulting in live births (%)							
Percentage of transfers resulting in pregnancies (%)							

CURRENT SERVICES & PROFILE		Current Name: Westchester Reproductive Medicine					
Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY SERVICES NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Hugh Melnick, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	85%	Tubal factor	41%	Uterine factor	2%	Multiple Factors: Female factors only 10% Female & male factors 2%
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	11%	Male factor	18%	
Used gestational carrier	0%			Diminished ovarian reserve	15%	Other factor	0%	
				Endometriosis	2%	Unknown factor	23%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 138 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	36	18	23	14	12	3
Percentage of cancellations (%)	11.1	0 / 18	4.3	3 / 14	2 / 12	1 / 3
Average number of embryos transferred	1.9	1.8	1.9	2.9	2.0	3.0
Percentage of embryos transferred resulting in implantation (%)	11.8	22.6	8.6	10.0	1 / 16	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 13	0 / 12	0 / 4	0 / 4	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	5.6	2 / 18	0.0	1 / 14	1 / 12	0 / 3
Percentage of cycles resulting in singleton live births (%)	11.1	3 / 18	4.3	1 / 14	1 / 12	0 / 3
Percentage of cycles resulting in twin live births (%)	0.0	2 / 18	4.3	0 / 14	0 / 12	0 / 3
Percentage of cycles resulting in live births (%)	11.1	5 / 18	8.7	1 / 14	1 / 12	0 / 3
Percentage of cycles resulting in pregnancies (%)	16.7	6 / 18	8.7	1 / 14	1 / 12	0 / 3
Outcomes per Transfer						
Number of transfers	27	18	18	7	8	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	7.4	2 / 18	0 / 18	1 / 7	1 / 8	0 / 1
Percentage of transfers resulting in singleton live births (%)	14.8	3 / 18	1 / 18	1 / 7	1 / 8	0 / 1
Percentage of transfers resulting in twin live births (%)	0.0	2 / 18	1 / 18	0 / 7	0 / 8	0 / 1
Percentage of transfers resulting in live births (%)	14.8	5 / 18	2 / 18	1 / 7	1 / 8	0 / 1
Percentage of transfers resulting in pregnancies (%)	22.2	6 / 18	2 / 18	1 / 7	1 / 8	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	11	3	3	2	0	1
Number of transfers	10	3	2	2	0	1
Estimated average number of transfers per retrieval	1.0	0.3	0.3	2.0		0.5
Average number of embryos transferred	2.0	2.0	3.0	1.5		3.0
Percentage of embryos transferred resulting in implantation (%)	5.0	0 / 6	2 / 6	0 / 3		0 / 3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 10	0 / 3	0 / 2	0 / 2		0 / 1
Percentage of transfers resulting in singleton live births (%)	1 / 10	0 / 3	0 / 2	0 / 2		0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 10	0 / 3	1 / 2	0 / 2		0 / 1
Percentage of transfers resulting in live births (%)	1 / 10	0 / 3	1 / 2	0 / 2		0 / 1
Percentage of transfers resulting in pregnancies (%)	1 / 10	0 / 3	1 / 2	0 / 2		0 / 1
Number of Egg/Embryo Banking Cycles						
	3	3	4	1	0	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

CURRENT SERVICES & PROFILE

Current Name: Advanced Fertility Services

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BETH ISRAEL CENTER FOR INFERTILITY & REPRODUCTIVE HEALTH NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Peter Chang, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	81%	Tubal factor	26%	Uterine factor	3%	Multiple Factors: Female factors only 9% Female & male factors 37%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	15%	Male factor	59%	
Used gestational carrier	0%			Diminished ovarian reserve	35%	Other factor	0%	
				Endometriosis	<1%	Unknown factor	11%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 133 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	25	17	22	22	4	0
Percentage of cancellations (%)	12.0	3 / 17	9.1	31.8	1 / 4	
Average number of embryos transferred	1.9	2.4	3.6	2.7	3.0	
Percentage of embryos transferred resulting in implantation (%)	51.7	24.2	13.0	2.7	0 / 9	
Percentage of elective single embryo transfers (eSET) (%)	3 / 16	1 / 14	1 / 13	0 / 10	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	12.0	7 / 17	18.2	0.0	0 / 4	
Percentage of cycles resulting in singleton live births (%)	20.0	7 / 17	18.2	4.5	0 / 4	
Percentage of cycles resulting in twin live births (%)	16.0	0 / 17	4.5	0.0	0 / 4	
Percentage of cycles resulting in live births (%)	36.0	7 / 17	22.7	4.5	0 / 4	
Percentage of cycles resulting in pregnancies (%)	48.0	7 / 17	22.7	9.1	0 / 4	
Outcomes per Transfer						
Number of transfers	17	14	15	15	3	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 17	7 / 14	4 / 15	0 / 15	0 / 3	
Percentage of transfers resulting in singleton live births (%)	5 / 17	7 / 14	4 / 15	1 / 15	0 / 3	
Percentage of transfers resulting in twin live births (%)	4 / 17	0 / 14	1 / 15	0 / 15	0 / 3	
Percentage of transfers resulting in live births (%)	9 / 17	7 / 14	5 / 15	1 / 15	0 / 3	
Percentage of transfers resulting in pregnancies (%)	12 / 17	7 / 14	5 / 15	2 / 15	0 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	14	11	9	4	1	0
Number of transfers	14	11	9	4	1	0
Estimated average number of transfers per retrieval	2.8	2.8	1.5		1.0	
Average number of embryos transferred	2.3	2.7	3.2	5.0	3.0	
Percentage of embryos transferred resulting in implantation (%)	30.0	21.4	26.1	25.0	0 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 14	3 / 11	4 / 9	1 / 4	0 / 1	
Percentage of transfers resulting in singleton live births (%)	6 / 14	3 / 11	4 / 9	1 / 4	0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 14	1 / 11	1 / 9	1 / 4	0 / 1	
Percentage of transfers resulting in live births (%)	7 / 14	4 / 11	5 / 9	2 / 4	0 / 1	
Percentage of transfers resulting in pregnancies (%)	8 / 14	6 / 11	6 / 9	3 / 4	0 / 1	
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0
Donor Eggs		Fresh Embryos^f		Frozen Embryos^f		
Number of cycles		3		1		
Number of transfers		3		1		
Average number of embryos transferred		2.0		3.0		
Percentage of embryos transferred resulting in implantation (%)		4 / 6		0 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 3		0 / 1		
Percentage of transfers resulting in singleton live births (%)		1 / 3		0 / 1		
Percentage of transfers resulting in twin live births (%)		1 / 3		0 / 1		
Percentage of transfers resulting in live births (%)		2 / 3		0 / 1		
Percentage of transfers resulting in pregnancies (%)		3 / 3		0 / 1		

CURRENT SERVICES & PROFILE

Current Name: This clinic has closed or reorganized since 2013. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**BROOKLYN/WESTSIDE FERTILITY CENTER
BROOKLYN FERTILITY CENTER
NEW YORK, NEW YORK**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Dov B. Goldstein, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	85%	Tubal factor	48%	Uterine factor	92%	Multiple Factors: Female factors only 36% Female & male factors 60%
Unstimulated	0%	Used PGD	10%	Ovulatory dysfunction	40%	Male factor	60%	
Used gestational carrier	0%			Diminished ovarian reserve	24%	Other factor	16%	
				Endometriosis	0%	Unknown factor	0%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 25 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	6	2	4	4	3	1
Percentage of cancellations (%)	0/6	0/2	0/4	1/4	0/3	1/1
Average number of embryos transferred	2.0	1.5	1.8	1.0	2.7	
Percentage of embryos transferred resulting in implantation (%)	1/8	1/3	0/7	0/2	1/8	
Percentage of elective single embryo transfers (eSET) (%)	0/5	1/2	0/3		0/3	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	1/6	1/2	0/4	0/4	1/3	0/1
Percentage of cycles resulting in singleton live births (%)	1/6	1/2	0/4	0/4	1/3	0/1
Percentage of cycles resulting in twin live births (%)	0/6	0/2	0/4	0/4	0/3	0/1
Percentage of cycles resulting in live births (%)	1/6	1/2	0/4	0/4	1/3	0/1
Percentage of cycles resulting in pregnancies (%)	2/6	1/2	0/4	0/4	1/3	0/1
Outcomes per Transfer						
Number of transfers	5	2	4	2	3	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1/5	1/2	0/4	0/2	1/3	
Percentage of transfers resulting in singleton live births (%)	1/5	1/2	0/4	0/2	1/3	
Percentage of transfers resulting in twin live births (%)	0/5	0/2	0/4	0/2	0/3	
Percentage of transfers resulting in live births (%)	1/5	1/2	0/4	0/2	1/3	
Percentage of transfers resulting in pregnancies (%)	2/5	1/2	0/4	0/2	1/3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	1	0	0	0	1
Number of transfers	0	1	0	0	0	1
Estimated average number of transfers per retrieval		1.0				
Average number of embryos transferred		2.0				4.0
Percentage of embryos transferred resulting in implantation (%)		0/2				0/4
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0/1				0/1
Percentage of transfers resulting in singleton live births (%)		0/1				0/1
Percentage of transfers resulting in twin live births (%)		0/1				0/1
Percentage of transfers resulting in live births (%)		0/1				0/1
Percentage of transfers resulting in pregnancies (%)		0/1				0/1
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		2			1	
Number of transfers		1			1	
Average number of embryos transferred		2.0			2.0	
Percentage of embryos transferred resulting in implantation (%)		0/2			0/2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0/1			0/1	
Percentage of transfers resulting in singleton live births (%)		0/1			0/1	
Percentage of transfers resulting in twin live births (%)		0/1			0/1	
Percentage of transfers resulting in live births (%)		0/1			0/1	
Percentage of transfers resulting in pregnancies (%)		0/1			0/1	

CURRENT SERVICES & PROFILE

Current Name: Brooklyn/Westside Fertility Center, Brooklyn Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COLUMBIA UNIVERSITY CENTER FOR WOMEN'S REPRODUCTIVE CARE NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE				Data verified by Michael M. Guarnaccia, MD					
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b					
IVF	100%	With ICSI	60%	Tubal factor	8%	Uterine factor	2%	<i>Multiple Factors:</i>	
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	7%	Male factor	33%	Female factors only	5%
Used gestational carrier	0%			Diminished ovarian reserve	53%	Other factor	11%	Female & male factors	16%
				Endometriosis	3%	Unknown factor	6%		

2013 ART SUCCESS RATES ^c		Total number of cycles ^d : 1,667 (includes 5 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		261	257	255	206	145	27
Percentage of cancellations (%)		6.9	9.3	17.3	23.3	30.3	33.3
Average number of embryos transferred		1.8	2.0	2.3	2.7	2.5	2.9
Percentage of embryos transferred resulting in implantation (%)		29.1	28.5	14.5	9.8	3.0	0.0
Percentage of elective single embryo transfers (eSET) (%)		9.6	5.6	2.1	0.0	0.0	0 / 8
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		16.1	14.4	9.0	6.8	2.1	0.0
Percentage of cycles resulting in singleton live births (%)		19.9	18.7	12.5	9.7	2.1	0.0
Percentage of cycles resulting in twin live births (%)		7.7	9.3	2.7	1.5	0.0	0.0
Percentage of cycles resulting in live births (%)		27.6	28.4	15.3	11.2	2.1	0.0
Percentage of cycles resulting in pregnancies (%)		34.5	32.7	21.6	16.0	5.5	0.0
Outcomes per Transfer							
Number of transfers		203	200	163	119	70	9
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		20.7	18.5	14.1	11.8	4.3	0 / 9
Percentage of transfers resulting in singleton live births (%)		25.6	24.0	19.6	16.8	4.3	0 / 9
Percentage of transfers resulting in twin live births (%)		9.9	12.0	4.3	2.5	0.0	0 / 9
Percentage of transfers resulting in live births (%)		35.5	36.5	23.9	19.3	4.3	0 / 9
Percentage of transfers resulting in pregnancies (%)		44.3	42.0	33.7	27.7	11.4	0 / 9
Frozen Embryos from Nondonor Eggs							
Number of cycles		71	77	52	19	9	4
Number of transfers		71	69	52	18	9	4
Estimated average number of transfers per retrieval		1.0	1.0	0.8	0.9	1.0	0.5
Average number of embryos transferred		1.8	1.7	1.6	1.8	2.3	2.3
Percentage of embryos transferred resulting in implantation (%)		22.4	26.2	25.6	32.3	2 / 19	0 / 6
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		22.5	24.6	15.4	5 / 18	1 / 9	0 / 4
Percentage of transfers resulting in singleton live births (%)		22.5	29.0	17.3	6 / 18	2 / 9	0 / 4
Percentage of transfers resulting in twin live births (%)		2.8	1.4	7.7	1 / 18	0 / 9	0 / 4
Percentage of transfers resulting in live births (%)		25.4	30.4	25.0	7 / 18	2 / 9	0 / 4
Percentage of transfers resulting in pregnancies (%)		43.7	42.0	36.5	9 / 18	3 / 9	1 / 4
Number of Egg/Embryo Banking Cycles							
		33	30	34	14	7	5
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		87			69		
Number of transfers		79			58		
Average number of embryos transferred		1.9			1.7		
Percentage of embryos transferred resulting in implantation (%)		50.0			26.7		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		16.5			20.7		
Percentage of transfers resulting in singleton live births (%)		26.6			29.3		
Percentage of transfers resulting in twin live births (%)		25.3			3.4		
Percentage of transfers resulting in live births (%)		51.9			32.8		
Percentage of transfers resulting in pregnancies (%)		62.0			44.8		

CURRENT SERVICES & PROFILE		Current Name: Columbia University Center for Women's Reproductive Care					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2013 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2013 ART cycle data or the clinic's Medical Director did not approve the clinic's 2013 ART cycle data for inclusion in this report.

ANDREW LOUCOPOULOS, MD, PhD NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE				Data verified by Andrew Loucopoulos, MD, PhD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	71%	Tubal factor	13%	Uterine factor	0%	Multiple Factors: Female factors only 7% Female & male factors 0%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	0%	Male factor	0%	
Used gestational carrier	0%			Diminished ovarian reserve	80%	Other factor	0%	
				Endometriosis	0%	Unknown factor	13%	

2013 ART SUCCESS RATES ^c		Total number of cycles ^d : 19 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		3	1	6	0	4	0
Percentage of cancellations (%)		0 / 3	0 / 1	0 / 6		0 / 4	
Average number of embryos transferred		1.7	2.0	3.2		3.5	
Percentage of embryos transferred resulting in implantation (%)		2 / 5	0 / 2	0 / 16		1 / 14	
Percentage of elective single embryo transfers (eSET) (%)		0 / 2	0 / 1	0 / 5		0 / 4	
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		0 / 3	0 / 1	0 / 6		0 / 4	
Percentage of cycles resulting in singleton live births (%)		0 / 3	0 / 1	0 / 6		0 / 4	
Percentage of cycles resulting in twin live births (%)		1 / 3	0 / 1	0 / 6		0 / 4	
Percentage of cycles resulting in live births (%)		1 / 3	0 / 1	0 / 6		0 / 4	
Percentage of cycles resulting in pregnancies (%)		1 / 3	0 / 1	0 / 6		1 / 4	
Outcomes per Transfer							
Number of transfers		3	1	5	0	4	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 3	0 / 1	0 / 5		0 / 4	
Percentage of transfers resulting in singleton live births (%)		0 / 3	0 / 1	0 / 5		0 / 4	
Percentage of transfers resulting in twin live births (%)		1 / 3	0 / 1	0 / 5		0 / 4	
Percentage of transfers resulting in live births (%)		1 / 3	0 / 1	0 / 5		0 / 4	
Percentage of transfers resulting in pregnancies (%)		1 / 3	0 / 1	0 / 5		1 / 4	
Frozen Embryos from Nondonor Eggs							
Number of cycles		0	0	1	0	0	0
Number of transfers		0	0	1	0	0	0
Estimated average number of transfers per retrieval		0.0	0.0	0.5		0.0	
Average number of embryos transferred				2.0			
Percentage of embryos transferred resulting in implantation (%)				1 / 2			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				0 / 1			
Percentage of transfers resulting in singleton live births (%)				0 / 1			
Percentage of transfers resulting in twin live births (%)				0 / 1			
Percentage of transfers resulting in live births (%)				0 / 1			
Percentage of transfers resulting in pregnancies (%)				1 / 1			
Number of Egg/Embryo Banking Cycles		1	1	0	0	2	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		0			0		
Number of transfers		0			0		
Average number of embryos transferred							
Percentage of embryos transferred resulting in implantation (%)							
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)							
Percentage of transfers resulting in singleton live births (%)							
Percentage of transfers resulting in twin live births (%)							
Percentage of transfers resulting in live births (%)							
Percentage of transfers resulting in pregnancies (%)							

CURRENT SERVICES & PROFILE		Current Name: Andrew Loucopoulos, MD, PhD					
Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MANHATTAN REPRODUCTIVE MEDICINE NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

NEW YORK

2013 ART CYCLE PROFILE

Data verified by Hanna Jesionowska, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	95%	Tubal factor	68%	Uterine factor	5%	<i>Multiple Factors:</i> Female factors only 34% Female & male factors 37%
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	6%	Male factor	37%	
Used gestational carrier	0%			Diminished ovarian reserve	59%	Other factor	0%	
				Endometriosis	8%	Unknown factor	2%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 70 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	13	12	6	5	2	0
Percentage of cancellations (%)	0 / 13	0 / 12	0 / 6	0 / 5	0 / 2	
Average number of embryos transferred	2.7	2.6	2.8	3.3	2.0	
Percentage of embryos transferred resulting in implantation (%)	20.0	34.5	5 / 17	1 / 13	0 / 4	
Percentage of elective single embryo transfers (eSET) (%)	0 / 12	1 / 10	0 / 6	0 / 4	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	4 / 13	1 / 12	1 / 6	1 / 5	0 / 2	
Percentage of cycles resulting in singleton live births (%)	4 / 13	3 / 12	1 / 6	1 / 5	0 / 2	
Percentage of cycles resulting in twin live births (%)	0 / 13	2 / 12	2 / 6	0 / 5	0 / 2	
Percentage of cycles resulting in live births (%)	4 / 13	5 / 12	3 / 6	1 / 5	0 / 2	
Percentage of cycles resulting in pregnancies (%)	6 / 13	7 / 12	3 / 6	1 / 5	0 / 2	
Outcomes per Transfer						
Number of transfers	13	11	6	4	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 13	1 / 11	1 / 6	1 / 4	0 / 2	
Percentage of transfers resulting in singleton live births (%)	4 / 13	3 / 11	1 / 6	1 / 4	0 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 13	2 / 11	2 / 6	0 / 4	0 / 2	
Percentage of transfers resulting in live births (%)	4 / 13	5 / 11	3 / 6	1 / 4	0 / 2	
Percentage of transfers resulting in pregnancies (%)	6 / 13	7 / 11	3 / 6	1 / 4	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	3	0	1	0	1
Number of transfers	1	3	0	1	0	1
Estimated average number of transfers per retrieval	0.3	3.0		1.0	0.0	1.0
Average number of embryos transferred	2.0	3.3		4.0		1.0
Percentage of embryos transferred resulting in implantation (%)	1 / 2	2 / 10		0 / 4		0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 1	0 / 3		0 / 1		0 / 1
Percentage of transfers resulting in singleton live births (%)	1 / 1	2 / 3		0 / 1		0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 3		0 / 1		0 / 1
Percentage of transfers resulting in live births (%)	1 / 1	2 / 3		0 / 1		0 / 1
Percentage of transfers resulting in pregnancies (%)	1 / 1	2 / 3		0 / 1		0 / 1
Number of Egg/Embryo Banking Cycles						
	2	0	0	1	1	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles				19		
Number of transfers				19		
Average number of embryos transferred				3.2		
Percentage of embryos transferred resulting in implantation (%)				32.8		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				6 / 19		
Percentage of transfers resulting in singleton live births (%)				10 / 19		
Percentage of transfers resulting in twin live births (%)				2 / 19		
Percentage of transfers resulting in live births (%)				12 / 19		
Percentage of transfers resulting in pregnancies (%)				15 / 19		

CURRENT SERVICES & PROFILE

Current Name: Manhattan Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MEDICAL OFFICES FOR HUMAN REPRODUCTION CENTER FOR HUMAN REPRODUCTION (CHR) NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Norbert Gleicher, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	82%	Tubal factor	11%	Uterine factor	6%	<i>Multiple Factors:</i> Female factors only 26% Female & male factors 21%
Unstimulated	<1%	Used PGD	12%	Ovulatory dysfunction	3%	Male factor	22%	
Used gestational carrier	1%			Diminished ovarian reserve	84%	Other factor	24%	
				Endometriosis	7%	Unknown factor	2%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 606 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	71	49	84	78	65	44
Percentage of cancellations (%)	11.3	8.2	17.9	14.1	9.2	15.9
Average number of embryos transferred	1.9	1.7	2.2	2.5	2.8	2.7
Percentage of embryos transferred resulting in implantation (%)	36.1	19.1	19.0	5.5	3.3	2.8
Percentage of elective single embryo transfers (eSET) (%)	10.0	17.4	2.5	0.0	0.0	0.0
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	18.3	18.4	10.7	6.4	4.6	4.5
Percentage of cycles resulting in singleton live births (%)	23.9	18.4	14.3	7.7	4.6	4.5
Percentage of cycles resulting in twin live births (%)	8.5	2.0	3.6	0.0	0.0	0.0
Percentage of cycles resulting in live births (%)	32.4	20.4	17.9	7.7	4.6	4.5
Percentage of cycles resulting in pregnancies (%)	39.4	22.4	23.8	15.4	7.7	9.1
Outcomes per Transfer						
Number of transfers	57	39	59	57	55	29
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	22.8	23.1	15.3	8.8	5.5	6.9
Percentage of transfers resulting in singleton live births (%)	29.8	23.1	20.3	10.5	5.5	6.9
Percentage of transfers resulting in twin live births (%)	10.5	2.6	5.1	0.0	0.0	0.0
Percentage of transfers resulting in live births (%)	40.4	25.6	25.4	10.5	5.5	6.9
Percentage of transfers resulting in pregnancies (%)	49.1	28.2	33.9	21.1	9.1	13.8
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	18	13	12	7	9
Number of transfers	7	17	13	12	7	6
Estimated average number of transfers per retrieval	0.8	4.3	0.7	0.9	0.5	1.5
Average number of embryos transferred	2.1	1.9	2.4	2.3	2.4	2.8
Percentage of embryos transferred resulting in implantation (%)	2 / 15	15.2	19.4	28.6	1 / 17	1 / 14
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 7	4 / 17	3 / 13	3 / 12	1 / 7	1 / 6
Percentage of transfers resulting in singleton live births (%)	2 / 7	4 / 17	4 / 13	3 / 12	1 / 7	1 / 6
Percentage of transfers resulting in twin live births (%)	0 / 7	0 / 17	1 / 13	1 / 12	0 / 7	0 / 6
Percentage of transfers resulting in live births (%)	2 / 7	4 / 17	5 / 13	4 / 12	1 / 7	1 / 6
Percentage of transfers resulting in pregnancies (%)	2 / 7	5 / 17	5 / 13	7 / 12	1 / 7	2 / 6
Number of Egg/Embryo Banking Cycles	5	0	8	8	7	3
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		64			53	
Number of transfers		61			51	
Average number of embryos transferred		1.9			2.1	
Percentage of embryos transferred resulting in implantation (%)		24.3			23.5	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		18.0			15.7	
Percentage of transfers resulting in singleton live births (%)		27.9			19.6	
Percentage of transfers resulting in twin live births (%)		4.9			9.8	
Percentage of transfers resulting in live births (%)		32.8			29.4	
Percentage of transfers resulting in pregnancies (%)		44.3			41.2	

CURRENT SERVICES & PROFILE

Current Name: Medical Offices for Human Reproduction,
Center for Human Reproduction (CHR)

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

METROPOLITAN REPRODUCTIVE MEDICINE, PC NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

NEW YORK

2013 ART CYCLE PROFILE

Data verified by Susan Lobel, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	44%	Tubal factor	12%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 8% Female & male factors 27%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	19%	Male factor	35%	
Used gestational carrier	0%			Diminished ovarian reserve	23%	Other factor	4%	
				Endometriosis	8%	Unknown factor	35%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 26 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	8	0	1	3	5	1
Percentage of cancellations (%)	0 / 8		0 / 1	0 / 3	0 / 5	0 / 1
Average number of embryos transferred	2.1		2.0	2.7	4.4	5.0
Percentage of embryos transferred resulting in implantation (%)	6 / 13		2 / 2	1 / 6	0.0	0 / 5
Percentage of elective single embryo transfers (eSET) (%)	0 / 6		0 / 1	0 / 3	0 / 5	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	0 / 8		0 / 1	1 / 3	0 / 5	0 / 1
Percentage of cycles resulting in singleton live births (%)	2 / 8		0 / 1	1 / 3	0 / 5	0 / 1
Percentage of cycles resulting in twin live births (%)	2 / 8		1 / 1	0 / 3	0 / 5	0 / 1
Percentage of cycles resulting in live births (%)	4 / 8		1 / 1	1 / 3	0 / 5	0 / 1
Percentage of cycles resulting in pregnancies (%)	5 / 8		1 / 1	2 / 3	0 / 5	0 / 1
Outcomes per Transfer						
Number of transfers	7	0	1	3	5	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 7		0 / 1	1 / 3	0 / 5	0 / 1
Percentage of transfers resulting in singleton live births (%)	2 / 7		0 / 1	1 / 3	0 / 5	0 / 1
Percentage of transfers resulting in twin live births (%)	2 / 7		1 / 1	0 / 3	0 / 5	0 / 1
Percentage of transfers resulting in live births (%)	4 / 7		1 / 1	1 / 3	0 / 5	0 / 1
Percentage of transfers resulting in pregnancies (%)	5 / 7		1 / 1	2 / 3	0 / 5	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	0	0	1	0	0
Number of transfers	4	0	0	1	0	0
Estimated average number of transfers per retrieval	2.0			1.0		
Average number of embryos transferred	1.8			3.0		
Percentage of embryos transferred resulting in implantation (%)	4 / 7					
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 4			0 / 1		
Percentage of transfers resulting in singleton live births (%)	2 / 4			0 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 4			0 / 1		
Percentage of transfers resulting in live births (%)	3 / 4			0 / 1		
Percentage of transfers resulting in pregnancies (%)	3 / 4			1 / 1		
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	3			0		
Number of transfers	2			0		
Average number of embryos transferred	1.5					
Percentage of embryos transferred resulting in implantation (%)	1 / 3					
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 2					
Percentage of transfers resulting in singleton live births (%)	1 / 2					
Percentage of transfers resulting in twin live births (%)	0 / 2					
Percentage of transfers resulting in live births (%)	1 / 2					
Percentage of transfers resulting in pregnancies (%)	1 / 2					

CURRENT SERVICES & PROFILE

Current Name: Metropolitan Reproductive Medicine, PC

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW HOPE FERTILITY CENTER-WEST SIDE NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by John J. Zhang, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	78%	Tubal factor	16%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 8% Female & male factors 7%
Unstimulated	40%	Used PGD	2%	Ovulatory dysfunction	3%	Male factor	14%	
Used gestational carrier	<1%			Diminished ovarian reserve	65%	Other factor	4%	
				Endometriosis	4%	Unknown factor	8%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 4,174 (includes 21 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	66	75	59	31	54	65
Percentage of cancellations (%)	0.0	0.0	1.7	0.0	0.0	1.5
Average number of embryos transferred	1.4	1.4	1.4	1.3	1.5	1.4
Percentage of embryos transferred resulting in implantation (%)	49.4	41.2	28.8	26.3	3.7	1.1
Percentage of elective single embryo transfers (eSET) (%)	41.9	30.0	29.0	5 / 12	7.7	7.4
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	25.8	25.3	22.0	19.4	3.7	0.0
Percentage of cycles resulting in singleton live births (%)	31.8	30.7	23.7	19.4	3.7	0.0
Percentage of cycles resulting in twin live births (%)	12.1	4.0	0.0	0.0	0.0	0.0
Percentage of cycles resulting in live births (%)	43.9	34.7	23.7	19.4	3.7	0.0
Percentage of cycles resulting in pregnancies (%)	53.0	45.3	37.3	29.0	5.6	1.5
Outcomes per Transfer						
Number of transfers	66	75	58	30	53	61
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	25.8	25.3	22.4	20.0	3.8	0.0
Percentage of transfers resulting in singleton live births (%)	31.8	30.7	24.1	20.0	3.8	0.0
Percentage of transfers resulting in twin live births (%)	12.1	4.0	0.0	0.0	0.0	0.0
Percentage of transfers resulting in live births (%)	43.9	34.7	24.1	20.0	3.8	0.0
Percentage of transfers resulting in pregnancies (%)	53.0	45.3	37.9	30.0	5.7	1.6
Frozen Embryos from Nondonor Eggs						
Number of cycles	273	190	215	121	126	152
Number of transfers	273	190	214	121	126	152
Estimated average number of transfers per retrieval	1.0	0.6	0.4	0.3	0.2	0.2
Average number of embryos transferred	1.2	1.2	1.2	1.2	1.4	1.5
Percentage of embryos transferred resulting in implantation (%)	58.6	45.0	38.4	31.2	18.0	4.5
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	37.0	26.8	20.6	16.5	7.9	1.3
Percentage of transfers resulting in singleton live births (%)	45.4	31.6	24.3	19.0	9.5	1.3
Percentage of transfers resulting in twin live births (%)	7.0	3.2	3.3	2.5	2.4	0.0
Percentage of transfers resulting in live births (%)	52.4	34.7	27.6	21.5	12.7	1.3
Percentage of transfers resulting in pregnancies (%)	64.1	47.9	42.1	34.7	21.4	7.2
Number of Egg/Embryo Banking Cycles						
	260	268	490	459	497	600
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	8			144		
Number of transfers	8			144		
Average number of embryos transferred	1.3			1.2		
Percentage of embryos transferred resulting in implantation (%)	6 / 10			69.1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 8			48.6		
Percentage of transfers resulting in singleton live births (%)	4 / 8			59.7		
Percentage of transfers resulting in twin live births (%)	1 / 8			4.9		
Percentage of transfers resulting in live births (%)	5 / 8			64.6		
Percentage of transfers resulting in pregnancies (%)	5 / 8			72.9		

CURRENT SERVICES & PROFILE

Current Name: New Hope Fertility Center-West Side

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW YORK FERTILITY INSTITUTE NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Majid Fateh, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	97%	Tubal factor	5%	Uterine factor	9%	<i>Multiple Factors:</i> Female factors only 4% Female & male factors 4%
Unstimulated	0%	Used PGD	40%	Ovulatory dysfunction	11%	Male factor	5%	
Used gestational carrier	0%			Diminished ovarian reserve	14%	Other factor	11%	
				Endometriosis	14%	Unknown factor	41%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 70 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	4	5	4	11	11	0
Percentage of cancellations (%)	0/4	0/5	0/4	0/11	0/11	
Average number of embryos transferred	2.3	2.4	1.8	3.2	2.5	
Percentage of embryos transferred resulting in implantation (%)	1/9	2/12	1/7	8.6	5.0	
Percentage of elective single embryo transfers (eSET) (%)	0/4	0/4	0/3	0/11	0/7	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	1/4	2/5	0/4	0/11	1/11	
Percentage of cycles resulting in singleton live births (%)	1/4	2/5	1/4	1/11	1/11	
Percentage of cycles resulting in twin live births (%)	0/4	0/5	0/4	1/11	0/11	
Percentage of cycles resulting in live births (%)	1/4	2/5	1/4	2/11	1/11	
Percentage of cycles resulting in pregnancies (%)	1/4	2/5	1/4	2/11	1/11	
Outcomes per Transfer						
Number of transfers	4	5	4	11	8	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1/4	2/5	0/4	0/11	1/8	
Percentage of transfers resulting in singleton live births (%)	1/4	2/5	1/4	1/11	1/8	
Percentage of transfers resulting in twin live births (%)	0/4	0/5	0/4	1/11	0/8	
Percentage of transfers resulting in live births (%)	1/4	2/5	1/4	2/11	1/8	
Percentage of transfers resulting in pregnancies (%)	1/4	2/5	1/4	2/11	1/8	
Frozen Embryos from Nondonor Eggs						
Number of cycles	8	3	1	1	0	0
Number of transfers	8	3	1	1	0	0
Estimated average number of transfers per retrieval	1.6	0.4	0.5	0.3	0.0	0.0
Average number of embryos transferred	2.0	1.7	2.0	2.0		
Percentage of embryos transferred resulting in implantation (%)	3/16	1/5	0/2	0/2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3/8	1/3	0/1	0/1		
Percentage of transfers resulting in singleton live births (%)	3/8	1/3	0/1	0/1		
Percentage of transfers resulting in twin live births (%)	0/8	0/3	0/1	0/1		
Percentage of transfers resulting in live births (%)	3/8	1/3	0/1	0/1		
Percentage of transfers resulting in pregnancies (%)	3/8	1/3	0/1	0/1		
Number of Egg/Embryo Banking Cycles						
	3	5	2	2	1	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	1			7		
Number of transfers	1			7		
Average number of embryos transferred	4.0			2.7		
Percentage of embryos transferred resulting in implantation (%)	2/4			2/19		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0/1			2/7		
Percentage of transfers resulting in singleton live births (%)	0/1			2/7		
Percentage of transfers resulting in twin live births (%)	1/1			0/7		
Percentage of transfers resulting in live births (%)	1/1			2/7		
Percentage of transfers resulting in pregnancies (%)	1/1			2/7		

CURRENT SERVICES & PROFILE

Current Name: New York Fertility Institute

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW YORK FERTILITY SERVICES, PC BATZOFIN FERTILITY SERVICES, PC NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Joel Batzofin, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	86%	Tubal factor	21%	Uterine factor	0%	Multiple Factors: Female factors only 9% Female & male factors 6%
Unstimulated	0%	Used PGD	6%	Ovulatory dysfunction	8%	Male factor	14%	
Used gestational carrier	6%			Diminished ovarian reserve	40%	Other factor	22%	
				Endometriosis	7%	Unknown factor	5%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 99 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	20	13	15	11	1	3
Percentage of cancellations (%)	0.0	0 / 13	2 / 15	2 / 11	0 / 1	0 / 3
Average number of embryos transferred	1.9	1.7	1.7	2.2		2.5
Percentage of embryos transferred resulting in implantation (%)	16.7	10.0	1 / 17	15.0		0 / 5
Percentage of elective single embryo transfers (eSET) (%)	0 / 16	2 / 9	0 / 7	0 / 7		0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	20.0	2 / 13	1 / 15	3 / 11	0 / 1	0 / 3
Percentage of cycles resulting in singleton live births (%)	20.0	2 / 13	1 / 15	3 / 11	0 / 1	0 / 3
Percentage of cycles resulting in twin live births (%)	5.0	0 / 13	0 / 15	0 / 11	0 / 1	0 / 3
Percentage of cycles resulting in live births (%)	25.0	2 / 13	1 / 15	3 / 11	0 / 1	0 / 3
Percentage of cycles resulting in pregnancies (%)	25.0	2 / 13	1 / 15	3 / 11	0 / 1	0 / 3
Outcomes per Transfer						
Number of transfers	19	12	10	9	0	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 19	2 / 12	1 / 10	3 / 9		0 / 2
Percentage of transfers resulting in singleton live births (%)	4 / 19	2 / 12	1 / 10	3 / 9		0 / 2
Percentage of transfers resulting in twin live births (%)	1 / 19	0 / 12	0 / 10	0 / 9		0 / 2
Percentage of transfers resulting in live births (%)	5 / 19	2 / 12	1 / 10	3 / 9		0 / 2
Percentage of transfers resulting in pregnancies (%)	5 / 19	2 / 12	1 / 10	3 / 9		0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	3	1	2	0	0	1
Number of transfers	3	1	2	0	0	1
Estimated average number of transfers per retrieval	1.5	0.5	0.3	0.0	0.0	
Average number of embryos transferred	1.7	3.0	2.5			2.0
Percentage of embryos transferred resulting in implantation (%)	3 / 5	0 / 3	0 / 5			0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 3	0 / 1	0 / 2			0 / 1
Percentage of transfers resulting in singleton live births (%)	0 / 3	0 / 1	0 / 2			0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 1	0 / 2			0 / 1
Percentage of transfers resulting in live births (%)	1 / 3	0 / 1	0 / 2			0 / 1
Percentage of transfers resulting in pregnancies (%)	1 / 3	0 / 1	0 / 2			0 / 1
Number of Egg/Embryo Banking Cycles						
	1	1	4	3	1	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	9			9		
Number of transfers	9			8		
Average number of embryos transferred	2.1			2.3		
Percentage of embryos transferred resulting in implantation (%)	5 / 18			3 / 18		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 9			2 / 8		
Percentage of transfers resulting in singleton live births (%)	1 / 9			2 / 8		
Percentage of transfers resulting in twin live births (%)	1 / 9			0 / 8		
Percentage of transfers resulting in live births (%)	2 / 9			2 / 8		
Percentage of transfers resulting in pregnancies (%)	5 / 9			3 / 8		

CURRENT SERVICES & PROFILE

Current Name: New York Fertility Services, PC, Batzofin Fertility Services, PC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW YORK REPRODUCTIVE MEDICAL SERVICES NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Andrea Vidali, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	87%	Tubal factor	2%	Uterine factor	8%	Multiple Factors: Female factors only 7% Female & male factors 0%
Unstimulated	28%	Used PGD	10%	Ovulatory dysfunction	5%	Male factor	8%	
Used gestational carrier	0%			Diminished ovarian reserve	51%	Other factor	1%	
				Endometriosis	7%	Unknown factor	25%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 100 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	13	11	12	15	9	1
Percentage of cancellations (%)	0 / 13	0 / 11	2 / 12	3 / 15	0 / 9	0 / 1
Average number of embryos transferred	1.7	1.5	2.3	2.0	1.6	5.0
Percentage of embryos transferred resulting in implantation (%)	40.0	9 / 17	28.6	4 / 18	0 / 7	0 / 5
Percentage of elective single embryo transfers (eSET) (%)	4 / 9	4 / 10	0 / 8	0 / 6	0 / 2	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	1 / 13	2 / 11	1 / 12	1 / 15	0 / 9	0 / 1
Percentage of cycles resulting in singleton live births (%)	3 / 13	5 / 11	2 / 12	2 / 15	0 / 9	0 / 1
Percentage of cycles resulting in twin live births (%)	1 / 13	2 / 11	2 / 12	1 / 15	0 / 9	0 / 1
Percentage of cycles resulting in live births (%)	4 / 13	7 / 11	4 / 12	3 / 15	0 / 9	0 / 1
Percentage of cycles resulting in pregnancies (%)	7 / 13	7 / 11	4 / 12	3 / 15	1 / 9	0 / 1
Outcomes per Transfer						
Number of transfers	12	11	9	9	7	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 12	2 / 11	1 / 9	1 / 9	0 / 7	0 / 1
Percentage of transfers resulting in singleton live births (%)	3 / 12	5 / 11	2 / 9	2 / 9	0 / 7	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 12	2 / 11	2 / 9	1 / 9	0 / 7	0 / 1
Percentage of transfers resulting in live births (%)	4 / 12	7 / 11	4 / 9	3 / 9	0 / 7	0 / 1
Percentage of transfers resulting in pregnancies (%)	7 / 12	7 / 11	4 / 9	3 / 9	1 / 7	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	6	5	1	1	1
Number of transfers	7	6	4	1	1	1
Estimated average number of transfers per retrieval	1.2	1.2	0.8	0.1	0.3	
Average number of embryos transferred	1.4	1.7	1.8	1.0	1.0	2.0
Percentage of embryos transferred resulting in implantation (%)	1 / 10	7 / 10	2 / 7	0 / 1	0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 7	3 / 6	0 / 4	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	1 / 7	3 / 6	1 / 4	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 7	2 / 6	0 / 4	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	1 / 7	5 / 6	1 / 4	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	1 / 7	5 / 6	2 / 4	0 / 1	0 / 1	0 / 1
Number of Egg/Embryo Banking Cycles						
	2	3	3	5	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	3			2		
Number of transfers	3			2		
Average number of embryos transferred	1.7			1.5		
Percentage of embryos transferred resulting in implantation (%)	3 / 5			1 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 3			0 / 2		
Percentage of transfers resulting in singleton live births (%)	3 / 3			0 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 3			0 / 2		
Percentage of transfers resulting in live births (%)	3 / 3			0 / 2		
Percentage of transfers resulting in pregnancies (%)	3 / 3			1 / 2		

CURRENT SERVICES & PROFILE

Current Name: New York Reproductive Medical Services

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEWAY MEDICAL NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE				Data verified by Janelle Luk, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	64%	Tubal factor	10%	Uterine factor	1%	<i>Multiple Factors:</i> Female factors only 9% Female & male factors 12%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	19%	Male factor	16%	
Used gestational carrier	0%			Diminished ovarian reserve	59%	Other factor	1%	
				Endometriosis	8%	Unknown factor	8%	

2013 ART SUCCESS RATES ^c		Total number of cycles ^d : 182 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		29	19	25	22	7	3
Percentage of cancellations (%)		3.4	0 / 19	4.0	9.1	0 / 7	2 / 3
Average number of embryos transferred		2.0	2.3	3.1	3.0	2.8	
Percentage of embryos transferred resulting in implantation (%)		51.3	28.1	6.8	8.1	0 / 14	
Percentage of elective single embryo transfers (eSET) (%)		30.4	1 / 13	0.0	0 / 10	0 / 5	
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		34.5	2 / 19	16.0	4.5	0 / 7	0 / 3
Percentage of cycles resulting in singleton live births (%)		41.4	2 / 19	16.0	4.5	0 / 7	0 / 3
Percentage of cycles resulting in twin live births (%)		6.9	2 / 19	0.0	0.0	0 / 7	0 / 3
Percentage of cycles resulting in live births (%)		48.3	4 / 19	16.0	4.5	0 / 7	0 / 3
Percentage of cycles resulting in pregnancies (%)		62.1	6 / 19	24.0	13.6	1 / 7	0 / 3
Outcomes per Transfer							
Number of transfers		23	14	21	14	6	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		43.5	2 / 14	19.0	1 / 14	0 / 6	
Percentage of transfers resulting in singleton live births (%)		52.2	2 / 14	19.0	1 / 14	0 / 6	
Percentage of transfers resulting in twin live births (%)		8.7	2 / 14	0.0	0 / 14	0 / 6	
Percentage of transfers resulting in live births (%)		60.9	4 / 14	19.0	1 / 14	0 / 6	
Percentage of transfers resulting in pregnancies (%)		78.3	6 / 14	28.6	3 / 14	1 / 6	
Frozen Embryos from Nondonor Eggs							
Number of cycles		16	7	9	6	0	0
Number of transfers		16	7	9	6	0	0
Estimated average number of transfers per retrieval		0.9	0.7	0.5	0.5	0.0	0.0
Average number of embryos transferred		1.7	1.3	1.8	2.3		
Percentage of embryos transferred resulting in implantation (%)		62.5	3 / 9	7 / 14	3 / 11		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		5 / 16	3 / 7	2 / 9	1 / 6		
Percentage of transfers resulting in singleton live births (%)		5 / 16	3 / 7	2 / 9	1 / 6		
Percentage of transfers resulting in twin live births (%)		3 / 16	0 / 7	2 / 9	0 / 6		
Percentage of transfers resulting in live births (%)		8 / 16	3 / 7	4 / 9	1 / 6		
Percentage of transfers resulting in pregnancies (%)		12 / 16	3 / 7	6 / 9	4 / 6		
Number of Egg/Embryo Banking Cycles							
		8	0	14	10	1	3
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		0			3		
Number of transfers		0			3		
Average number of embryos transferred					1.0		
Percentage of embryos transferred resulting in implantation (%)					2 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)					1 / 3		
Percentage of transfers resulting in singleton live births (%)					2 / 3		
Percentage of transfers resulting in twin live births (%)					0 / 3		
Percentage of transfers resulting in live births (%)					2 / 3		
Percentage of transfers resulting in pregnancies (%)					2 / 3		

CURRENT SERVICES & PROFILE
Current Name: This clinic has closed or reorganized since 2013. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NYU FERTILITY CENTER NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by James A. Grifo, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	31%	Tubal factor	10%	Uterine factor	11%	<i>Multiple Factors:</i> Female factors only 26% Female & male factors 10%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	7%	Male factor	17%	
Used gestational carrier	<1%			Diminished ovarian reserve	22%	Other factor	56%	
				Endometriosis	7%	Unknown factor	13%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 2,140 (includes 70 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	165	103	129	119	60	17
Percentage of cancellations (%)	9.1	14.6	14.7	21.0	18.3	7 / 17
Average number of embryos transferred	1.5	1.6	1.7	2.3	2.7	2.2
Percentage of embryos transferred resulting in implantation (%)	40.3	40.2	23.6	16.7	5.9	0 / 17
Percentage of elective single embryo transfers (eSET) (%)	43.3	37.7	18.8	0.0	2.8	0 / 6
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	29.1	25.2	10.9	8.4	1.7	0 / 17
Percentage of cycles resulting in singleton live births (%)	32.7	30.1	14.7	12.6	5.0	0 / 17
Percentage of cycles resulting in twin live births (%)	3.6	5.8	3.1	3.4	0.0	0 / 17
Percentage of cycles resulting in live births (%)	36.4	35.9	17.8	16.0	5.0	0 / 17
Percentage of cycles resulting in pregnancies (%)	47.9	40.8	28.7	21.0	11.7	2 / 17
Outcomes per Transfer						
Number of transfers	136	80	103	90	39	10
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	35.3	32.5	13.6	11.1	2.6	0 / 10
Percentage of transfers resulting in singleton live births (%)	39.7	38.8	18.4	16.7	7.7	0 / 10
Percentage of transfers resulting in twin live births (%)	4.4	7.5	3.9	4.4	0.0	0 / 10
Percentage of transfers resulting in live births (%)	44.1	46.3	22.3	21.1	7.7	0 / 10
Percentage of transfers resulting in pregnancies (%)	58.1	52.5	35.9	27.8	17.9	2 / 10
Frozen Embryos from Nondonor Eggs						
Number of cycles	129	96	101	59	18	4
Number of transfers	124	91	93	52	18	2
Estimated average number of transfers per retrieval	0.6	0.3	0.3	0.3	0.2	0.1
Average number of embryos transferred	1.3	1.3	1.4	1.4	1.2	1.5
Percentage of embryos transferred resulting in implantation (%)	52.0	60.6	41.6	45.7	42.9	1 / 3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	37.9	47.3	32.3	40.4	6 / 18	0 / 2
Percentage of transfers resulting in singleton live births (%)	46.0	53.8	37.6	53.8	7 / 18	1 / 2
Percentage of transfers resulting in twin live births (%)	5.6	1.1	3.2	0.0	0 / 18	0 / 2
Percentage of transfers resulting in live births (%)	51.6	54.9	40.9	53.8	7 / 18	1 / 2
Percentage of transfers resulting in pregnancies (%)	61.3	71.4	52.7	63.5	9 / 18	1 / 2
Number of Egg/Embryo Banking Cycles						
	156	256	253	145	88	29
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		59			84	
Number of transfers		52			74	
Average number of embryos transferred		1.5			1.3	
Percentage of embryos transferred resulting in implantation (%)		64.8			47.9	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		36.5			27.0	
Percentage of transfers resulting in singleton live births (%)		50.0			39.2	
Percentage of transfers resulting in twin live births (%)		17.3			5.4	
Percentage of transfers resulting in live births (%)		67.3			44.6	
Percentage of transfers resulting in pregnancies (%)		73.1			58.1	

CURRENT SERVICES & PROFILE

Current Name: NYU Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

OFFICES FOR FERTILITY AND REPRODUCTIVE MEDICINE NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE				Data verified by Cecilia Schmidt-Sarosi, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	86%	Tubal factor	16%	Uterine factor	21%	Multiple Factors: Female factors only 20% Female & male factors 64%
Unstimulated	3%	Used PGD	26%	Ovulatory dysfunction	33%	Male factor	66%	
Used gestational carrier	0%			Diminished ovarian reserve	62%	Other factor	25%	
				Endometriosis	8%	Unknown factor	0%	

2013 ART SUCCESS RATES^c Total number of cycles^d: 168 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	8	5	7	6	9	0
Percentage of cancellations (%)	1 / 8	0 / 5	2 / 7	1 / 6	1 / 9	
Average number of embryos transferred	1.2	1.7	2.0	1.5	1.8	
Percentage of embryos transferred resulting in implantation (%)	3 / 5	1 / 5	1 / 8	1 / 6	0 / 7	
Percentage of elective single embryo transfers (eSET) (%)	4 / 5	1 / 3	1 / 4	0 / 2	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	3 / 8	1 / 5	1 / 7	1 / 6	0 / 9	
Percentage of cycles resulting in singleton live births (%)	3 / 8	1 / 5	1 / 7	1 / 6	0 / 9	
Percentage of cycles resulting in twin live births (%)	0 / 8	0 / 5	0 / 7	0 / 6	0 / 9	
Percentage of cycles resulting in live births (%)	3 / 8	1 / 5	1 / 7	1 / 6	0 / 9	
Percentage of cycles resulting in pregnancies (%)	4 / 8	1 / 5	1 / 7	1 / 6	0 / 9	
Outcomes per Transfer						
Number of transfers	5	3	4	4	4	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 5	1 / 3	1 / 4	1 / 4	0 / 4	
Percentage of transfers resulting in singleton live births (%)	3 / 5	1 / 3	1 / 4	1 / 4	0 / 4	
Percentage of transfers resulting in twin live births (%)	0 / 5	0 / 3	0 / 4	0 / 4	0 / 4	
Percentage of transfers resulting in live births (%)	3 / 5	1 / 3	1 / 4	1 / 4	0 / 4	
Percentage of transfers resulting in pregnancies (%)	4 / 5	1 / 3	1 / 4	1 / 4	0 / 4	
Frozen Embryos from Nondonor Eggs						
Number of cycles	17	4	11	7	3	1
Number of transfers	16	4	9	5	2	1
Estimated average number of transfers per retrieval	1.1	0.6	0.5	0.4	2.0	0.1
Average number of embryos transferred	1.6	1.0	1.8	1.0	2.5	1.0
Percentage of embryos transferred resulting in implantation (%)	28.0	1 / 4	4 / 16	1 / 5	2 / 5	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 16	1 / 4	2 / 9	1 / 5	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	4 / 16	1 / 4	3 / 9	1 / 5	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 16	0 / 4	0 / 9	0 / 5	1 / 2	0 / 1
Percentage of transfers resulting in live births (%)	4 / 16	1 / 4	3 / 9	1 / 5	1 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	6 / 16	1 / 4	4 / 9	1 / 5	1 / 2	0 / 1
Number of Egg/Embryo Banking Cycles	11	6	19	13	1	10
Donor Eggs		Fresh Embryos^f		Frozen Embryos^f		
Number of cycles		8		21		
Number of transfers		7		19		
Average number of embryos transferred		1.1		1.7		
Percentage of embryos transferred resulting in implantation (%)		3 / 8		24.2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		2 / 7		3 / 19		
Percentage of transfers resulting in singleton live births (%)		3 / 7		5 / 19		
Percentage of transfers resulting in twin live births (%)		0 / 7		1 / 19		
Percentage of transfers resulting in live births (%)		3 / 7		6 / 19		
Percentage of transfers resulting in pregnancies (%)		3 / 7		6 / 19		

CURRENT SERVICES & PROFILE Current Name: Offices for Fertility and Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF NEW YORK, LLP NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Lawrence Grunfeld, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	52%	Tubal factor	13%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 6% Female & male factors 7%
Unstimulated	0%	Used PGD	7%	Ovulatory dysfunction	11%	Male factor	25%	
Used gestational carrier	0%			Diminished ovarian reserve	27%	Other factor	10%	
				Endometriosis	6%	Unknown factor	19%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 2,656 (includes 11 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	437	341	349	245	148	25
Percentage of cancellations (%)	4.3	10.0	16.6	20.8	28.4	40.0
Average number of embryos transferred	1.7	1.8	1.9	2.3	2.3	2.4
Percentage of embryos transferred resulting in implantation (%)	42.1	40.9	22.4	13.9	4.7	0.0
Percentage of elective single embryo transfers (eSET) (%)	19.2	14.6	7.4	5.6	0.0	0 / 5
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	21.5	22.0	13.5	8.6	2.0	0.0
Percentage of cycles resulting in singleton live births (%)	29.5	26.7	17.2	9.8	4.1	0.0
Percentage of cycles resulting in twin live births (%)	11.4	11.4	3.7	0.8	0.0	0.0
Percentage of cycles resulting in live births (%)	41.6	38.1	20.9	10.6	4.1	0.0
Percentage of cycles resulting in pregnancies (%)	50.1	44.6	28.7	22.9	6.1	0.0
Outcomes per Transfer						
Number of transfers	381	274	250	158	76	10
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	24.7	27.4	18.8	13.3	3.9	0 / 10
Percentage of transfers resulting in singleton live births (%)	33.9	33.2	24.0	15.2	7.9	0 / 10
Percentage of transfers resulting in twin live births (%)	13.1	14.2	5.2	1.3	0.0	0 / 10
Percentage of transfers resulting in live births (%)	47.8	47.4	29.2	16.5	7.9	0 / 10
Percentage of transfers resulting in pregnancies (%)	57.5	55.5	40.0	35.4	11.8	0 / 10
Frozen Embryos from Nondonor Eggs						
Number of cycles	197	116	93	24	9	1
Number of transfers	195	113	92	24	9	1
Estimated average number of transfers per retrieval	1.0	0.7	0.4	0.5	0.2	0.5
Average number of embryos transferred	1.5	1.5	1.5	1.5	1.7	4.0
Percentage of embryos transferred resulting in implantation (%)	51.3	42.7	33.6	45.7	3 / 14	1 / 4
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	34.9	30.1	28.3	33.3	0 / 9	1 / 1
Percentage of transfers resulting in singleton live births (%)	41.0	38.9	35.9	37.5	1 / 9	1 / 1
Percentage of transfers resulting in twin live births (%)	10.8	7.1	2.2	12.5	1 / 9	0 / 1
Percentage of transfers resulting in live births (%)	51.8	46.0	38.0	50.0	2 / 9	1 / 1
Percentage of transfers resulting in pregnancies (%)	62.6	58.4	45.7	58.3	3 / 9	1 / 1
Number of Egg/Embryo Banking Cycles						
	106	113	169	47	36	2
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	126			61		
Number of transfers	126			59		
Average number of embryos transferred	1.8			1.6		
Percentage of embryos transferred resulting in implantation (%)	57.0			44.4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	31.7			20.3		
Percentage of transfers resulting in singleton live births (%)	35.7			33.9		
Percentage of transfers resulting in twin live births (%)	27.0			15.3		
Percentage of transfers resulting in live births (%)	63.5			49.2		
Percentage of transfers resulting in pregnancies (%)	69.8			59.3		

CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine Associates of New York, LLP

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GEOFFREY SHER, MD, PC NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Drew V. Tortoriello, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	81%	Tubal factor	7%	Uterine factor	<1%	<i>Multiple Factors:</i> Female factors only 8% Female & male factors 4%
Unstimulated	2%	Used PGD	9%	Ovulatory dysfunction	5%	Male factor	12%	
Used gestational carrier	0%			Diminished ovarian reserve	59%	Other factor	6%	
				Endometriosis	3%	Unknown factor	20%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 865 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	133	75	77	65	46	14
Percentage of cancellations (%)	9.8	13.3	16.9	16.9	21.7	7 / 14
Average number of embryos transferred	1.9	1.9	2.4	2.4	2.7	3.2
Percentage of embryos transferred resulting in implantation (%)	39.0	35.9	18.3	12.3	6.0	1 / 19
Percentage of elective single embryo transfers (eSET) (%)	11.5	6.8	8.9	8.0	1 / 17	0 / 5
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	20.3	22.7	9.1	6.2	0.0	0 / 14
Percentage of cycles resulting in singleton live births (%)	24.1	26.7	9.1	6.2	0.0	0 / 14
Percentage of cycles resulting in twin live births (%)	12.0	8.0	2.6	0.0	0.0	0 / 14
Percentage of cycles resulting in live births (%)	36.8	34.7	13.0	6.2	0.0	0 / 14
Percentage of cycles resulting in pregnancies (%)	37.6	38.7	20.8	15.4	8.7	1 / 14
Outcomes per Transfer						
Number of transfers	92	55	51	34	25	6
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	29.3	30.9	13.7	11.8	0.0	0 / 6
Percentage of transfers resulting in singleton live births (%)	34.8	36.4	13.7	11.8	0.0	0 / 6
Percentage of transfers resulting in twin live births (%)	17.4	10.9	3.9	0.0	0.0	0 / 6
Percentage of transfers resulting in live births (%)	53.3	47.3	19.6	11.8	0.0	0 / 6
Percentage of transfers resulting in pregnancies (%)	54.3	52.7	31.4	29.4	16.0	1 / 6
Frozen Embryos from Nondonor Eggs						
Number of cycles	53	33	29	16	9	5
Number of transfers	51	31	28	14	5	3
Estimated average number of transfers per retrieval	0.6	0.5	0.3	0.2	0.1	0.2
Average number of embryos transferred	1.8	2.0	1.8	2.3	2.6	2.3
Percentage of embryos transferred resulting in implantation (%)	42.6	41.9	36.7	25.0	2 / 13	1 / 7
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	41.2	25.8	17.9	4 / 14	1 / 5	1 / 3
Percentage of transfers resulting in singleton live births (%)	49.0	32.3	25.0	6 / 14	2 / 5	1 / 3
Percentage of transfers resulting in twin live births (%)	7.8	19.4	3.6	1 / 14	0 / 5	0 / 3
Percentage of transfers resulting in live births (%)	56.9	51.6	32.1	7 / 14	2 / 5	1 / 3
Percentage of transfers resulting in pregnancies (%)	62.7	61.3	46.4	7 / 14	2 / 5	1 / 3
Number of Egg/Embryo Banking Cycles						
	57	48	67	52	36	14
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		15			20	
Number of transfers		15			20	
Average number of embryos transferred		1.9			1.6	
Percentage of embryos transferred resulting in implantation (%)		51.7			34.4	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		5 / 15			10.0	
Percentage of transfers resulting in singleton live births (%)		7 / 15			25.0	
Percentage of transfers resulting in twin live births (%)		2 / 15			10.0	
Percentage of transfers resulting in live births (%)		9 / 15			35.0	
Percentage of transfers resulting in pregnancies (%)		11 / 15			45.0	

CURRENT SERVICES & PROFILE

Current Name: This clinic has closed or reorganized since 2013. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**WEILL MEDICAL COLLEGE OF CORNELL UNIVERSITY
CENTER FOR REPRODUCTIVE MEDICINE
NEW YORK, NEW YORK**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Zev Rosenwaks, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	65%	Tubal factor	17%	Uterine factor	6%	<i>Multiple Factors:</i> Female factors only 15% Female & male factors 17%
Unstimulated	<1%	Used PGD	3%	Ovulatory dysfunction	7%	Male factor	30%	
Used gestational carrier	<1%			Diminished ovarian reserve	59%	Other factor	4%	
				Endometriosis	9%	Unknown factor	6%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 3,688 (includes 9 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	626	469	582	449	320	64
Percentage of cancellations (%)	5.1	12.8	15.5	19.4	17.8	23.4
Average number of embryos transferred	1.9	2.3	2.8	3.2	3.3	2.8
Percentage of embryos transferred resulting in implantation (%)	38.0	27.1	17.9	10.5	3.6	6.3
Percentage of elective single embryo transfers (eSET) (%)	12.7	4.8	2.2	1.0	0.5	0.0
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	24.1	17.5	12.2	8.7	3.8	6.3
Percentage of cycles resulting in singleton live births (%)	29.2	22.8	17.2	11.6	4.4	6.3
Percentage of cycles resulting in twin live births (%)	13.4	8.3	5.2	2.2	0.6	1.6
Percentage of cycles resulting in live births (%)	42.8	31.6	22.7	13.8	5.0	7.8
Percentage of cycles resulting in pregnancies (%)	47.9	38.0	30.4	21.6	10.0	10.9
Outcomes per Transfer						
Number of transfers	556	388	455	347	237	46
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	27.2	21.1	15.6	11.2	5.1	8.7
Percentage of transfers resulting in singleton live births (%)	32.9	27.6	22.0	15.0	5.9	8.7
Percentage of transfers resulting in twin live births (%)	15.1	10.1	6.6	2.9	0.8	2.2
Percentage of transfers resulting in live births (%)	48.2	38.1	29.0	17.9	6.8	10.9
Percentage of transfers resulting in pregnancies (%)	54.0	45.9	38.9	28.0	13.5	15.2
Frozen Embryos from Nondonor Eggs						
Number of cycles	213	147	124	49	24	4
Number of transfers	186	130	108	42	20	3
Estimated average number of transfers per retrieval	1.0	0.9	0.6	0.6	0.4	0.3
Average number of embryos transferred	1.5	1.6	1.7	2.0	2.0	4.0
Percentage of embryos transferred resulting in implantation (%)	37.1	36.8	31.4	38.4	15.8	0 / 12
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	26.3	34.6	25.0	26.2	15.0	0 / 3
Percentage of transfers resulting in singleton live births (%)	30.1	43.1	34.3	33.3	30.0	0 / 3
Percentage of transfers resulting in twin live births (%)	8.1	3.8	0.9	4.8	0.0	0 / 3
Percentage of transfers resulting in live births (%)	38.2	46.9	35.2	38.1	30.0	0 / 3
Percentage of transfers resulting in pregnancies (%)	49.5	51.5	50.9	66.7	35.0	0 / 3
Number of Egg/Embryo Banking Cycles						
	69	86	119	57	34	8
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		140			95	
Number of transfers		140			88	
Average number of embryos transferred		1.9			1.6	
Percentage of embryos transferred resulting in implantation (%)		51.4			32.6	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		28.6			20.5	
Percentage of transfers resulting in singleton live births (%)		35.0			28.4	
Percentage of transfers resulting in twin live births (%)		23.6			4.5	
Percentage of transfers resulting in live births (%)		58.6			33.0	
Percentage of transfers resulting in pregnancies (%)		67.1			42.0	

CURRENT SERVICES & PROFILE

Current Name: Weill Medical College of Cornell University, Center for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ROCHESTER FERTILITY CARE, PC ROCHESTER, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE				Data verified by Rosalind A. Hayes, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	72%	Tubal factor	21%	Uterine factor	4%	Multiple Factors: Female factors only 21% Female & male factors 22%
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	14%	Male factor	41%	
Used gestational carrier	0%			Diminished ovarian reserve	22%	Other factor	26%	
				Endometriosis	18%	Unknown factor	7%	

2013 ART SUCCESS RATES ^c		Total number of cycles ^d : 104 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		29	13	20	5	0	0
Percentage of cancellations (%)		27.6	5 / 13	10.0	1 / 5		
Average number of embryos transferred		2.2	2.2	3.0	4.3		
Percentage of embryos transferred resulting in implantation (%)		36.8	2 / 13	7.7	1 / 13		
Percentage of elective single embryo transfers (eSET) (%)		1 / 15	0 / 3	0 / 11	0 / 3		
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		3.4	2 / 13	10.0	1 / 5		
Percentage of cycles resulting in singleton live births (%)		6.9	2 / 13	10.0	1 / 5		
Percentage of cycles resulting in twin live births (%)		13.8	0 / 13	0.0	0 / 5		
Percentage of cycles resulting in live births (%)		20.7	2 / 13	10.0	1 / 5		
Percentage of cycles resulting in pregnancies (%)		27.6	2 / 13	15.0	1 / 5		
Outcomes per Transfer							
Number of transfers		17	6	13	3	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 17	2 / 6	2 / 13	1 / 3		
Percentage of transfers resulting in singleton live births (%)		2 / 17	2 / 6	2 / 13	1 / 3		
Percentage of transfers resulting in twin live births (%)		4 / 17	0 / 6	0 / 13	0 / 3		
Percentage of transfers resulting in live births (%)		6 / 17	2 / 6	2 / 13	1 / 3		
Percentage of transfers resulting in pregnancies (%)		8 / 17	2 / 6	3 / 13	1 / 3		
Frozen Embryos from Nondonor Eggs							
Number of cycles		9	5	4	0	0	0
Number of transfers		7	5	4	0	0	0
Estimated average number of transfers per retrieval		1.8	2.5	0.5			
Average number of embryos transferred		1.7	2.0	1.8			
Percentage of embryos transferred resulting in implantation (%)		7 / 12	0 / 10	0 / 7			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		4 / 7	0 / 5	0 / 4			
Percentage of transfers resulting in singleton live births (%)		4 / 7	0 / 5	0 / 4			
Percentage of transfers resulting in twin live births (%)		1 / 7	0 / 5	0 / 4			
Percentage of transfers resulting in live births (%)		5 / 7	0 / 5	0 / 4			
Percentage of transfers resulting in pregnancies (%)		5 / 7	0 / 5	0 / 4			
Number of Egg/Embryo Banking Cycles							
		1	0	0	0	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		13			5		
Number of transfers		11			5		
Average number of embryos transferred		2.1			2.2		
Percentage of embryos transferred resulting in implantation (%)		17.4			1 / 11		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 11			0 / 5		
Percentage of transfers resulting in singleton live births (%)		1 / 11			1 / 5		
Percentage of transfers resulting in twin live births (%)		1 / 11			0 / 5		
Percentage of transfers resulting in live births (%)		2 / 11			1 / 5		
Percentage of transfers resulting in pregnancies (%)		3 / 11			1 / 5		

CURRENT SERVICES & PROFILE		Current Name: Rochester Fertility Care, PC					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

STRONG FERTILITY CENTER ROCHESTER, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by John T. Queenan, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	85%	Tubal factor	14%	Uterine factor	1%	<i>Multiple Factors:</i> Female factors only 6% Female & male factors 18%
Unstimulated	0%	Used PGD	8%	Ovulatory dysfunction	11%	Male factor	44%	
Used gestational carrier	0%			Diminished ovarian reserve	19%	Other factor	12%	
				Endometriosis	9%	Unknown factor	16%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 276 (includes 4 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	83	35	23	8	10	0
Percentage of cancellations (%)	4.8	5.7	21.7	1 / 8	1 / 10	
Average number of embryos transferred	2.1	2.6	2.8	3.9	3.7	
Percentage of embryos transferred resulting in implantation (%)	24.7	21.2	8.5	3.7	0.0	
Percentage of elective single embryo transfers (eSET) (%)	2.8	0.0	0 / 14	0 / 7	0 / 6	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	22.9	17.1	13.0	1 / 8	0 / 10	
Percentage of cycles resulting in singleton live births (%)	25.3	22.9	13.0	1 / 8	0 / 10	
Percentage of cycles resulting in twin live births (%)	9.6	5.7	0.0	0 / 8	0 / 10	
Percentage of cycles resulting in live births (%)	34.9	31.4	13.0	1 / 8	0 / 10	
Percentage of cycles resulting in pregnancies (%)	39.8	34.3	21.7	1 / 8	0 / 10	
Outcomes per Transfer						
Number of transfers	77	33	18	7	7	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	24.7	18.2	3 / 18	1 / 7	0 / 7	
Percentage of transfers resulting in singleton live births (%)	27.3	24.2	3 / 18	1 / 7	0 / 7	
Percentage of transfers resulting in twin live births (%)	10.4	6.1	0 / 18	0 / 7	0 / 7	
Percentage of transfers resulting in live births (%)	37.7	33.3	3 / 18	1 / 7	0 / 7	
Percentage of transfers resulting in pregnancies (%)	42.9	36.4	5 / 18	1 / 7	0 / 7	
Frozen Embryos from Nondonor Eggs						
Number of cycles	40	17	10	3	2	0
Number of transfers	40	16	10	2	2	0
Estimated average number of transfers per retrieval	1.7	3.2	2.0	1.0	1.0	
Average number of embryos transferred	1.8	2.4	2.5	2.0	3.5	
Percentage of embryos transferred resulting in implantation (%)	17.1	23.7	32.0	0 / 4	0 / 7	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	20.0	3 / 16	2 / 10	0 / 2	0 / 2	
Percentage of transfers resulting in singleton live births (%)	20.0	4 / 16	2 / 10	0 / 2	0 / 2	
Percentage of transfers resulting in twin live births (%)	2.5	0 / 16	2 / 10	0 / 2	0 / 2	
Percentage of transfers resulting in live births (%)	22.5	5 / 16	4 / 10	0 / 2	0 / 2	
Percentage of transfers resulting in pregnancies (%)	27.5	6 / 16	5 / 10	0 / 2	0 / 2	
Number of Egg/Embryo Banking Cycles						
	4	1	2	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	19			15		
Number of transfers	16			14		
Average number of embryos transferred	2.1			2.0		
Percentage of embryos transferred resulting in implantation (%)	45.5			39.3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 16			3 / 14		
Percentage of transfers resulting in singleton live births (%)	6 / 16			4 / 14		
Percentage of transfers resulting in twin live births (%)	4 / 16			3 / 14		
Percentage of transfers resulting in live births (%)	10 / 16			7 / 14		
Percentage of transfers resulting in pregnancies (%)	11 / 16			7 / 14		

CURRENT SERVICES & PROFILE

Current Name: Strong Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ISLAND REPRODUCTIVE SERVICES, PC STATEN ISLAND, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE				Data verified by Eric S. Knochenhauer, MD					
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b					
IVF	100%	With ICSI	91%	Tubal factor	26%	Uterine factor	14%	<i>Multiple Factors:</i>	
Unstimulated	0%	Used PGD	15%	Ovulatory dysfunction	16%	Male factor	51%	Female factors only	25%
Used gestational carrier	0%			Diminished ovarian reserve	55%	Other factor	6%	Female & male factors	34%
				Endometriosis	10%	Unknown factor	2%		

2013 ART SUCCESS RATES ^c		Total number of cycles ^d : 308 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		48	27	32	29	12	1
Percentage of cancellations (%)		4.2	3.7	3.1	17.2	3 / 12	0 / 1
Average number of embryos transferred		1.9	2.2	2.6	3.2	3.1	2.0
Percentage of embryos transferred resulting in implantation (%)		46.3	34.5	17.3	5.4	10.7	0 / 2
Percentage of elective single embryo transfers (eSET) (%)		14.0	4.2	7.4	0.0	0 / 9	0 / 1
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		33.3	14.8	15.6	0.0	2 / 12	0 / 1
Percentage of cycles resulting in singleton live births (%)		37.5	18.5	18.8	3.4	2 / 12	0 / 1
Percentage of cycles resulting in twin live births (%)		14.6	14.8	6.3	3.4	0 / 12	0 / 1
Percentage of cycles resulting in live births (%)		52.1	33.3	25.0	6.9	2 / 12	0 / 1
Percentage of cycles resulting in pregnancies (%)		58.3	48.1	31.3	10.3	3 / 12	0 / 1
Outcomes per Transfer							
Number of transfers		44	26	29	23	9	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		36.4	15.4	17.2	0.0	2 / 9	0 / 1
Percentage of transfers resulting in singleton live births (%)		40.9	19.2	20.7	4.3	2 / 9	0 / 1
Percentage of transfers resulting in twin live births (%)		15.9	15.4	6.9	4.3	0 / 9	0 / 1
Percentage of transfers resulting in live births (%)		56.8	34.6	27.6	8.7	2 / 9	0 / 1
Percentage of transfers resulting in pregnancies (%)		63.6	50.0	34.5	13.0	3 / 9	0 / 1
Frozen Embryos from Nondonor Eggs							
Number of cycles		44	24	17	8	0	4
Number of transfers		41	23	17	8	0	4
Estimated average number of transfers per retrieval		1.6	3.3	1.7	1.6	0.0	
Average number of embryos transferred		1.8	1.7	1.9	2.6		2.3
Percentage of embryos transferred resulting in implantation (%)		28.8	41.0	25.0	9.5		0 / 9
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		29.3	26.1	4 / 17	1 / 8		0 / 4
Percentage of transfers resulting in singleton live births (%)		29.3	30.4	6 / 17	1 / 8		0 / 4
Percentage of transfers resulting in twin live births (%)		9.8	13.0	1 / 17	0 / 8		0 / 4
Percentage of transfers resulting in live births (%)		39.0	43.5	7 / 17	1 / 8		0 / 4
Percentage of transfers resulting in pregnancies (%)		41.5	56.5	7 / 17	2 / 8		0 / 4
Number of Egg/Embryo Banking Cycles							
		11	3	3	2	1	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		12			30		
Number of transfers		10			27		
Average number of embryos transferred		1.6			1.9		
Percentage of embryos transferred resulting in implantation (%)		7 / 16			21.2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		3 / 10			22.2		
Percentage of transfers resulting in singleton live births (%)		4 / 10			25.9		
Percentage of transfers resulting in twin live births (%)		1 / 10			7.4		
Percentage of transfers resulting in live births (%)		5 / 10			33.3		
Percentage of transfers resulting in pregnancies (%)		6 / 10			33.3		

CURRENT SERVICES & PROFILE		Current Name: Island Reproductive Services, PC					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GOLD COAST IVF REPRODUCTIVE MEDICINE AND SURGERY CENTER SYOSSET, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Steven F. Palter, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	90%	Tubal factor	14%	Uterine factor	5%	<i>Multiple Factors:</i> Female factors only 11% Female & male factors 27%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	15%	Male factor	31%	
Used gestational carrier	0%			Diminished ovarian reserve	47%	Other factor	14%	
				Endometriosis	7%	Unknown factor	10%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 132 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	43	12	14	12	6	2
Percentage of cancellations (%)	2.3	0 / 12	0 / 14	1 / 12	0 / 6	0 / 2
Average number of embryos transferred	2.0	2.5	2.7	2.2	4.2	4.5
Percentage of embryos transferred resulting in implantation (%)	55.8	30.0	23.7	4.2	4.0	0 / 9
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 12	0 / 13	0 / 7	0 / 6	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	30.2	3 / 12	6 / 14	1 / 12	1 / 6	0 / 2
Percentage of cycles resulting in singleton live births (%)	32.6	4 / 12	6 / 14	1 / 12	1 / 6	0 / 2
Percentage of cycles resulting in twin live births (%)	37.2	2 / 12	1 / 14	0 / 12	0 / 6	0 / 2
Percentage of cycles resulting in live births (%)	69.8	6 / 12	7 / 14	1 / 12	1 / 6	0 / 2
Percentage of cycles resulting in pregnancies (%)	74.4	7 / 12	8 / 14	1 / 12	1 / 6	0 / 2
Outcomes per Transfer						
Number of transfers	42	12	14	11	6	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	31.0	3 / 12	6 / 14	1 / 11	1 / 6	0 / 2
Percentage of transfers resulting in singleton live births (%)	33.3	4 / 12	6 / 14	1 / 11	1 / 6	0 / 2
Percentage of transfers resulting in twin live births (%)	38.1	2 / 12	1 / 14	0 / 11	0 / 6	0 / 2
Percentage of transfers resulting in live births (%)	71.4	6 / 12	7 / 14	1 / 11	1 / 6	0 / 2
Percentage of transfers resulting in pregnancies (%)	76.2	7 / 12	8 / 14	1 / 11	1 / 6	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	8	7	3	0	1	0
Number of transfers	8	7	3	0	1	0
Estimated average number of transfers per retrieval	0.8	1.8	1.5			
Average number of embryos transferred	1.9	1.6	2.0		5.0	
Percentage of embryos transferred resulting in implantation (%)	9 / 15	6 / 11	2 / 6		3 / 5	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 8	1 / 7	1 / 3		0 / 1	
Percentage of transfers resulting in singleton live births (%)	4 / 8	1 / 7	2 / 3		0 / 1	
Percentage of transfers resulting in twin live births (%)	2 / 8	1 / 7	0 / 3		0 / 1	
Percentage of transfers resulting in live births (%)	6 / 8	2 / 7	2 / 3		0 / 1	
Percentage of transfers resulting in pregnancies (%)	7 / 8	5 / 7	2 / 3		1 / 1	
Number of Egg/Embryo Banking Cycles						
	10	2	2	0	0	0
Donor Eggs						
		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		4			6	
Number of transfers		4			6	
Average number of embryos transferred		2.0			2.0	
Percentage of embryos transferred resulting in implantation (%)		4 / 8			3 / 12	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		2 / 4			3 / 6	
Percentage of transfers resulting in singleton live births (%)		2 / 4			3 / 6	
Percentage of transfers resulting in twin live births (%)		1 / 4			0 / 6	
Percentage of transfers resulting in live births (%)		3 / 4			3 / 6	
Percentage of transfers resulting in pregnancies (%)		3 / 4			3 / 6	

CURRENT SERVICES & PROFILE

Current Name: Gold Coast IVF, Reproductive Medicine and Surgery Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CNY FERTILITY CENTER SYRACUSE, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE				Data verified by Robert J. Kiltz, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	89%	Tubal factor	22%	Uterine factor	11%	Multiple Factors: Female factors only 21% Female & male factors 14%
Unstimulated	<1%	Used PGD	5%	Ovulatory dysfunction	14%	Male factor	27%	
Used gestational carrier	<1%			Diminished ovarian reserve	29%	Other factor	18%	
				Endometriosis	13%	Unknown factor	10%	

2013 ART SUCCESS RATES ^c		Total number of cycles ^d : 2,972 (includes 24 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		773	327	326	146	112	23
Percentage of cancellations (%)		4.4	8.3	8.6	12.3	17.9	13.0
Average number of embryos transferred		1.9	2.1	2.3	2.8	2.5	2.2
Percentage of embryos transferred resulting in implantation (%)		30.2	20.2	8.7	4.5	2.4	6.9
Percentage of elective single embryo transfers (eSET) (%)		13.1	8.5	6.0	1.2	0.0	0 / 8
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		15.7	12.2	4.9	4.1	0.9	4.3
Percentage of cycles resulting in singleton live births (%)		22.4	14.7	7.7	4.8	0.9	8.7
Percentage of cycles resulting in twin live births (%)		10.3	4.6	0.6	0.7	0.9	0.0
Percentage of cycles resulting in live births (%)		33.2	19.9	8.9	5.5	1.8	8.7
Percentage of cycles resulting in pregnancies (%)		37.5	28.1	15.3	8.2	4.5	8.7
Outcomes per Transfer							
Number of transfers		683	278	254	99	72	16
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		17.7	14.4	6.3	6.1	1.4	1 / 16
Percentage of transfers resulting in singleton live births (%)		25.3	17.3	9.8	7.1	1.4	2 / 16
Percentage of transfers resulting in twin live births (%)		11.7	5.4	0.8	1.0	1.4	0 / 16
Percentage of transfers resulting in live births (%)		37.6	23.4	11.4	8.1	2.8	2 / 16
Percentage of transfers resulting in pregnancies (%)		42.5	33.1	19.7	12.1	6.9	2 / 16
Frozen Embryos from Nondonor Eggs							
Number of cycles		348	165	112	35	6	7
Number of transfers		332	153	102	32	6	7
Estimated average number of transfers per retrieval		1.3	1.2	1.4	0.9	0.5	0.6
Average number of embryos transferred		1.9	2.0	1.8	2.2	2.8	2.1
Percentage of embryos transferred resulting in implantation (%)		17.7	14.7	11.0	3.0	1 / 17	2 / 15
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		16.0	12.4	7.8	3.1	0 / 6	1 / 7
Percentage of transfers resulting in singleton live births (%)		21.4	15.7	10.8	3.1	0 / 6	2 / 7
Percentage of transfers resulting in twin live births (%)		3.0	3.3	2.0	0.0	0 / 6	0 / 7
Percentage of transfers resulting in live births (%)		24.4	19.0	12.7	3.1	0 / 6	2 / 7
Percentage of transfers resulting in pregnancies (%)		30.7	27.5	22.5	9.4	1 / 6	2 / 7
Number of Egg/Embryo Banking Cycles							
		28	21	12	7	9	8
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		303			180		
Number of transfers		241			171		
Average number of embryos transferred		2.1			2.1		
Percentage of embryos transferred resulting in implantation (%)		26.7			13.3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		17.4			11.7		
Percentage of transfers resulting in singleton live births (%)		24.1			14.0		
Percentage of transfers resulting in twin live births (%)		10.4			2.3		
Percentage of transfers resulting in live births (%)		34.9			17.0		
Percentage of transfers resulting in pregnancies (%)		44.0			22.8		

CURRENT SERVICES & PROFILE		Current Name: CNY Fertility Center					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY IVF
SUNY UPSTATE MEDICAL UNIVERSITY
SYRACUSE, NEW YORK**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Shawky Z. Badawy, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	92%	Tubal factor	31%	Uterine factor	6%	Multiple Factors: Female factors only 0% Female & male factors 13%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	0%	Male factor	31%	
Used gestational carrier	0%			Diminished ovarian reserve	0%	Other factor	6%	
				Endometriosis	6%	Unknown factor	31%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 16 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	9	2	0	2	0	0
Percentage of cancellations (%)	0 / 9	0 / 2		1 / 2		
Average number of embryos transferred	2.7	4.5		1.0		
Percentage of embryos transferred resulting in implantation (%)	12.5	1 / 9		0 / 1		
Percentage of elective single embryo transfers (eSET) (%)	0 / 8	0 / 2				
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	0 / 9	0 / 2		0 / 2		
Percentage of cycles resulting in singleton live births (%)	0 / 9	1 / 2		0 / 2		
Percentage of cycles resulting in twin live births (%)	1 / 9	0 / 2		0 / 2		
Percentage of cycles resulting in live births (%)	1 / 9	1 / 2		0 / 2		
Percentage of cycles resulting in pregnancies (%)	2 / 9	1 / 2		0 / 2		
Outcomes per Transfer						
Number of transfers	9	2	0	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 9	0 / 2		0 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 9	1 / 2		0 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 9	0 / 2		0 / 1		
Percentage of transfers resulting in live births (%)	1 / 9	1 / 2		0 / 1		
Percentage of transfers resulting in pregnancies (%)	2 / 9	1 / 2		0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	0	0	1	0	1
Number of transfers	1	0	0	1	0	1
Estimated average number of transfers per retrieval	1.0					
Average number of embryos transferred	3.0			2.0		2.0
Percentage of embryos transferred resulting in implantation (%)	0 / 3			1 / 2		0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 1			1 / 1		0 / 1
Percentage of transfers resulting in singleton live births (%)	0 / 1			1 / 1		0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 1			0 / 1		0 / 1
Percentage of transfers resulting in live births (%)	0 / 1			1 / 1		0 / 1
Percentage of transfers resulting in pregnancies (%)	0 / 1			1 / 1		0 / 1
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

CURRENT SERVICES & PROFILE

Current Name: University IVF, SUNY Upstate Medical University

Donor eggs?	No	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WESTCHESTER FERTILITY AND REPRODUCTIVE ENDOCRINOLOGY WHITE PLAINS, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Michael B. Blotner, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	87%	Tubal factor	45%	Uterine factor	19%	<i>Multiple Factors:</i> Female factors only 30% Female & male factors 21%
Unstimulated	0%	Used PGD	7%	Ovulatory dysfunction	11%	Male factor	27%	
Used gestational carrier	0%			Diminished ovarian reserve	49%	Other factor	1%	
				Endometriosis	10%	Unknown factor	1%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 158 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	32	25	16	11	11	4
Percentage of cancellations (%)	6.3	4.0	2 / 16	3 / 11	0 / 11	1 / 4
Average number of embryos transferred	1.9	2.2	2.3	2.0	2.3	1.5
Percentage of embryos transferred resulting in implantation (%)	38.1	28.2	16.0	1 / 14	0 / 16	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	19.0	0 / 17	0 / 10	0 / 5	0 / 6	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	18.8	16.0	1 / 16	1 / 11	0 / 11	0 / 4
Percentage of cycles resulting in singleton live births (%)	21.9	16.0	2 / 16	1 / 11	0 / 11	0 / 4
Percentage of cycles resulting in twin live births (%)	9.4	4.0	1 / 16	0 / 11	0 / 11	0 / 4
Percentage of cycles resulting in live births (%)	31.3	20.0	3 / 16	1 / 11	0 / 11	0 / 4
Percentage of cycles resulting in pregnancies (%)	37.5	36.0	3 / 16	1 / 11	0 / 11	0 / 4
Outcomes per Transfer						
Number of transfers	22	19	11	7	7	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	27.3	4 / 19	1 / 11	1 / 7	0 / 7	0 / 2
Percentage of transfers resulting in singleton live births (%)	31.8	4 / 19	2 / 11	1 / 7	0 / 7	0 / 2
Percentage of transfers resulting in twin live births (%)	13.6	1 / 19	1 / 11	0 / 7	0 / 7	0 / 2
Percentage of transfers resulting in live births (%)	45.5	5 / 19	3 / 11	1 / 7	0 / 7	0 / 2
Percentage of transfers resulting in pregnancies (%)	54.5	9 / 19	3 / 11	1 / 7	0 / 7	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	14	9	3	0	6	0
Number of transfers	12	8	3	0	5	0
Estimated average number of transfers per retrieval	0.8	1.3	3.0		1.7	
Average number of embryos transferred	1.7	1.5	2.0		1.6	
Percentage of embryos transferred resulting in implantation (%)	4 / 18	3 / 12	1 / 5		1 / 8	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 12	2 / 8	1 / 3		0 / 5	
Percentage of transfers resulting in singleton live births (%)	1 / 12	2 / 8	1 / 3		0 / 5	
Percentage of transfers resulting in twin live births (%)	1 / 12	0 / 8	0 / 3		0 / 5	
Percentage of transfers resulting in live births (%)	2 / 12	2 / 8	1 / 3		0 / 5	
Percentage of transfers resulting in pregnancies (%)	4 / 12	3 / 8	2 / 3		1 / 5	
Number of Egg/Embryo Banking Cycles						
	7	2	1	0	1	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		3			12	
Number of transfers		2			11	
Average number of embryos transferred		1.5			2.0	
Percentage of embryos transferred resulting in implantation (%)		0 / 3			9 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 2			0 / 11	
Percentage of transfers resulting in singleton live births (%)		0 / 2			0 / 11	
Percentage of transfers resulting in twin live births (%)		0 / 2			1 / 11	
Percentage of transfers resulting in live births (%)		0 / 2			1 / 11	
Percentage of transfers resulting in pregnancies (%)		0 / 2			1 / 11	

CURRENT SERVICES & PROFILE

Current Name: Westchester Fertility and Reproductive Endocrinology

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BRAVERMAN REPRODUCTIVE IMMUNOLOGY, PC WOODBURY, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Khaled Zeitoun, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	95%	Tubal factor	4%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 24% Female & male factors 18%
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	26%	Male factor	19%	
Used gestational carrier	0%			Diminished ovarian reserve	11%	Other factor	72%	
				Endometriosis	19%	Unknown factor	1%	

2013 ART SUCCESS RATES^c

Total number of cycles^d: 235 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	18	14	21	19	10	2
Percentage of cancellations (%)	0 / 18	0 / 14	0.0	0 / 19	0 / 10	0 / 2
Average number of embryos transferred	2.2	2.5	2.7	4.2	2.8	9.0
Percentage of embryos transferred resulting in implantation (%)	20.5	24.2	21.7	5.6	8.0	0 / 9
Percentage of elective single embryo transfers (eSET) (%)	2 / 17	0 / 13	0 / 17	0 / 15	0 / 8	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	2 / 18	3 / 14	19.0	0 / 19	1 / 10	0 / 2
Percentage of cycles resulting in singleton live births (%)	4 / 18	3 / 14	23.8	0 / 19	1 / 10	0 / 2
Percentage of cycles resulting in twin live births (%)	2 / 18	2 / 14	4.8	0 / 19	0 / 10	0 / 2
Percentage of cycles resulting in live births (%)	6 / 18	5 / 14	28.6	0 / 19	1 / 10	0 / 2
Percentage of cycles resulting in pregnancies (%)	6 / 18	5 / 14	33.3	3 / 19	2 / 10	0 / 2
Outcomes per Transfer						
Number of transfers	18	13	18	17	9	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 18	3 / 13	4 / 18	0 / 17	1 / 9	0 / 1
Percentage of transfers resulting in singleton live births (%)	4 / 18	3 / 13	5 / 18	0 / 17	1 / 9	0 / 1
Percentage of transfers resulting in twin live births (%)	2 / 18	2 / 13	1 / 18	0 / 17	0 / 9	0 / 1
Percentage of transfers resulting in live births (%)	6 / 18	5 / 13	6 / 18	0 / 17	1 / 9	0 / 1
Percentage of transfers resulting in pregnancies (%)	6 / 18	5 / 13	7 / 18	3 / 17	2 / 9	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	26	20	18	4	7	4
Number of transfers	25	20	16	4	7	4
Estimated average number of transfers per retrieval	1.1	1.3	0.9	0.5	0.6	1.3
Average number of embryos transferred	2.0	2.5	2.4	2.0	3.3	2.0
Percentage of embryos transferred resulting in implantation (%)	26.1	10.6	21.1	1 / 6	8.7	1 / 7
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	24.0	10.0	3 / 16	1 / 4	1 / 7	0 / 4
Percentage of transfers resulting in singleton live births (%)	24.0	20.0	3 / 16	1 / 4	2 / 7	0 / 4
Percentage of transfers resulting in twin live births (%)	12.0	0.0	1 / 16	0 / 4	0 / 7	0 / 4
Percentage of transfers resulting in live births (%)	36.0	20.0	4 / 16	1 / 4	2 / 7	0 / 4
Percentage of transfers resulting in pregnancies (%)	40.0	30.0	5 / 16	2 / 4	2 / 7	2 / 4
Number of Egg/Embryo Banking Cycles						
	16	13	13	8	10	3
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	2			7		
Number of transfers	2			6		
Average number of embryos transferred	2.0			1.8		
Percentage of embryos transferred resulting in implantation (%)	3 / 4			6 / 11		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 2			2 / 6		
Percentage of transfers resulting in singleton live births (%)	1 / 2			2 / 6		
Percentage of transfers resulting in twin live births (%)	1 / 2			2 / 6		
Percentage of transfers resulting in live births (%)	2 / 2			4 / 6		
Percentage of transfers resulting in pregnancies (%)	2 / 2			4 / 6		

CURRENT SERVICES & PROFILE

Current Name: Braverman Reproductive Immunology, PC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.