NORTH CAROLINA CENTER FOR REPRODUCTIVE MEDICINE
THE TALBERT FERTILITY INSTITUTE
CARY, NORTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Sameh K. Toma, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	91%
Unstimulated	1%	Used PGD	3%
Used gestational carrier	3%		

Patient Diagnosis[b]

Tubal factor	13%	Uterine factor	19%	*Multiple Factors:*	
Ovulatory dysfunction	10%	Male factor	37%	Female factors only	12%
Diminished ovarian reserve	44%	Other factor	8%	Female & male factors	23%
Endometriosis	5%	Unknown factor	8%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 277 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	52	23	16	2	2	0
Percentage of cancellations (%)	1.9	4.3	4 / 16	0 / 2	2 / 2	
Average number of embryos transferred	2.0	2.1	2.4	3.0		
Percentage of embryos transferred resulting in implantation (%)	32.7	13.6	12.0	0 / 6		
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 19	0 / 12	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	19.2	13.0	1 / 16	0 / 2	0 / 2	
Percentage of cycles resulting in singleton live births (%)	23.1	13.0	1 / 16	0 / 2	0 / 2	
Percentage of cycles resulting in twin live births (%)	17.3	4.3	1 / 16	0 / 2	0 / 2	
Percentage of cycles resulting in live births (%)	40.4	17.4	2 / 16	0 / 2	0 / 2	
Percentage of cycles resulting in pregnancies (%)	50.0	30.4	4 / 16	0 / 2	0 / 2	
Outcomes per Transfer						
Number of transfers	51	22	12	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	19.6	13.6	1 / 12	0 / 2		
Percentage of transfers resulting in singleton live births (%)	23.5	13.6	1 / 12	0 / 2		
Percentage of transfers resulting in twin live births (%)	17.6	4.5	1 / 12	0 / 2		
Percentage of transfers resulting in live births (%)	41.2	18.2	2 / 12	0 / 2		
Percentage of transfers resulting in pregnancies (%)	51.0	31.8	4 / 12	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	27	10	9	2	1	1
Number of transfers	24	10	9	2	1	1
Estimated average number of transfers per retrieval	0.6	0.6	0.4	0.5	0.3	1.0
Average number of embryos transferred	2.2	2.1	2.3	1.0	2.0	3.0
Percentage of embryos transferred resulting in implantation (%)	31.4	28.6	28.6	0 / 2	0 / 2	0 / 3
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	33.3	3 / 10	2 / 9	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	37.5	3 / 10	4 / 9	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	12.5	1 / 10	0 / 9	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	50.0	4 / 10	4 / 9	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	58.3	5 / 10	6 / 9	0 / 2	0 / 1	0 / 1
Number of Egg/Embryo Banking Cycles	34	13	19	3	4	1

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	38	17
Number of transfers	35	16
Average number of embryos transferred	2.0	2.4
Percentage of embryos transferred resulting in implantation (%)	33.3	13.9
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	28.6	2 / 16
Percentage of transfers resulting in singleton live births (%)	42.9	3 / 16
Percentage of transfers resulting in twin live births (%)	5.7	0 / 16
Percentage of transfers resulting in live births (%)	48.6	3 / 16
Percentage of transfers resulting in pregnancies (%)	62.9	6 / 16

CURRENT SERVICES & PROFILE

Current Name: North Carolina Center for Reproductive Medicine, The Talbert Fertility Institute

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CMC REPRODUCTIVE MEDICINE AND INFERTILITY
CMC WOMEN'S INSTITUTE
CHARLOTTE, NORTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Bradley S. Hurst, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	72%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	14%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	19%	Male factor	32%	Female factors only	18%
Diminished ovarian reserve	30%	Other factor	22%	Female & male factors	19%
Endometriosis	9%	Unknown factor	12%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 418 (includes 8 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	68	37	23	12	3	0
Percentage of cancellations (%)	8.8	2.7	8.7	1 / 12	2 / 3	
Average number of embryos transferred	1.6	1.9	2.3	3.0	5.0	
Percentage of embryos transferred resulting in implantation (%)	40.9	26.5	11.4	25.0	1 / 5	
Percentage of elective single embryo transfers (eSET) (%)	34.5	12.5	0 / 17	0 / 9	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	23.5	16.2	8.7	3 / 12	1 / 3	
Percentage of cycles resulting in singleton live births (%)	26.5	29.7	8.7	4 / 12	1 / 3	
Percentage of cycles resulting in twin live births (%)	13.2	5.4	4.3	0 / 12	0 / 3	
Percentage of cycles resulting in live births (%)	39.7	35.1	13.0	4 / 12	1 / 3	
Percentage of cycles resulting in pregnancies (%)	45.6	40.5	17.4	7 / 12	1 / 3	
Outcomes per Transfer						
Number of transfers	59	36	19	11	1	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	27.1	16.7	2 / 19	3 / 11	1 / 1	
Percentage of transfers resulting in singleton live births (%)	30.5	30.6	2 / 19	4 / 11	1 / 1	
Percentage of transfers resulting in twin live births (%)	15.3	5.6	1 / 19	0 / 11	0 / 1	
Percentage of transfers resulting in live births (%)	45.8	36.1	3 / 19	4 / 11	1 / 1	
Percentage of transfers resulting in pregnancies (%)	52.5	41.7	4 / 19	7 / 11	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	73	30	30	15	5	0
Number of transfers	61	24	28	13	5	0
Estimated average number of transfers per retrieval	1.4	1.1	1.3	0.9	1.3	
Average number of embryos transferred	1.4	1.4	1.5	1.5	1.6	
Percentage of embryos transferred resulting in implantation (%)	50.0	41.9	39.5	8 / 19	4 / 8	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	32.8	33.3	28.6	6 / 13	3 / 5	
Percentage of transfers resulting in singleton live births (%)	44.3	37.5	32.1	6 / 13	3 / 5	
Percentage of transfers resulting in twin live births (%)	8.2	4.2	0.0	1 / 13	0 / 5	
Percentage of transfers resulting in live births (%)	52.5	41.7	32.1	7 / 13	3 / 5	
Percentage of transfers resulting in pregnancies (%)	59.0	54.2	50.0	7 / 13	4 / 5	
Number of Egg/Embryo Banking Cycles	29	18	19	14	4	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	12	18
Number of transfers	11	14
Average number of embryos transferred	1.6	1.3
Percentage of embryos transferred resulting in implantation (%)	5 / 18	5 / 15
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	4 / 11	2 / 14
Percentage of transfers resulting in singleton live births (%)	4 / 11	5 / 14
Percentage of transfers resulting in twin live births (%)	0 / 11	0 / 14
Percentage of transfers resulting in live births (%)	4 / 11	5 / 14
Percentage of transfers resulting in pregnancies (%)	5 / 11	7 / 14

CURRENT SERVICES & PROFILE

Current Name: CMC Reproductive Medicine and Infertility, CMC Women's Institute

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INSTITUTE FOR ASSISTED REPRODUCTION
CHARLOTTE, NORTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Jack L. Crain, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	83%
Unstimulated	<1%	Used PGD	7%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	10%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	19%	Male factor	27%	Female factors only	5%
Diminished ovarian reserve	26%	Other factor	8%	Female & male factors	11%
Endometriosis	7%	Unknown factor	15%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 1,026 (includes 15 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	144	93	74	50	10	8
Percentage of cancellations (%)	4.9	10.8	20.3	22.0	3 / 10	6 / 8
Average number of embryos transferred	1.9	2.0	1.9	2.1	2.5	
Percentage of embryos transferred resulting in implantation (%)	31.0	23.3	10.0	18.2	0 / 10	
Percentage of elective single embryo transfers (eSET) (%)	9.8	8.1	0 / 18	2 / 18	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	15.3	8.6	1.4	8.0	0 / 10	0 / 8
Percentage of cycles resulting in singleton live births (%)	16.0	9.7	2.7	10.0	0 / 10	0 / 8
Percentage of cycles resulting in twin live births (%)	4.9	4.3	0.0	0.0	0 / 10	0 / 8
Percentage of cycles resulting in live births (%)	20.8	14.0	2.7	10.0	0 / 10	0 / 8
Percentage of cycles resulting in pregnancies (%)	21.5	18.3	9.5	20.0	0 / 10	0 / 8
Outcomes per Transfer						
Number of transfers	67	44	28	24	4	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	32.8	18.2	3.6	16.7	0 / 4	
Percentage of transfers resulting in singleton live births (%)	34.3	20.5	7.1	20.8	0 / 4	
Percentage of transfers resulting in twin live births (%)	10.4	9.1	0.0	0.0	0 / 4	
Percentage of transfers resulting in live births (%)	44.8	29.5	7.1	20.8	0 / 4	
Percentage of transfers resulting in pregnancies (%)	46.3	38.6	25.0	41.7	0 / 4	
Frozen Embryos from Nondonor Eggs						
Number of cycles	195	75	56	20	2	6
Number of transfers	189	67	52	19	1	5
Estimated average number of transfers per retrieval	1.3	1.0	0.8	0.5	0.1	1.3
Average number of embryos transferred	1.7	1.8	1.7	2.3	4.0	3.0
Percentage of embryos transferred resulting in implantation (%)	46.9	42.5	33.8	17.1	0 / 4	0 / 15
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	28.6	26.9	32.7	4 / 19	0 / 1	0 / 5
Percentage of transfers resulting in singleton live births (%)	33.9	35.8	40.4	5 / 19	0 / 1	0 / 5
Percentage of transfers resulting in twin live births (%)	13.8	11.9	1.9	0 / 19	0 / 1	0 / 5
Percentage of transfers resulting in live births (%)	48.1	49.3	42.3	5 / 19	0 / 1	0 / 5
Percentage of transfers resulting in pregnancies (%)	63.5	59.7	55.8	7 / 19	0 / 1	0 / 5
Number of Egg/Embryo Banking Cycles	84	32	47	26	12	3

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	39	35
Number of transfers	36	33
Average number of embryos transferred	1.8	1.5
Percentage of embryos transferred resulting in implantation (%)	46.0	54.2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	22.2	21.2
Percentage of transfers resulting in singleton live births (%)	25.0	39.4
Percentage of transfers resulting in twin live births (%)	25.0	15.2
Percentage of transfers resulting in live births (%)	50.0	54.5
Percentage of transfers resulting in pregnancies (%)	55.6	69.7

CURRENT SERVICES & PROFILE

Current Name: Institute for Assisted Reproduction

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DUKE FERTILITY CENTER
DUKE UNIVERSITY MEDICAL CENTER
DURHAM, NORTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Suheil J. Muasher, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	80%
Unstimulated	0%	Used PGD	1%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	8%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	11%	Male factor	37%	Female factors only	11%
Diminished ovarian reserve	28%	Other factor	12%	Female & male factors	12%
Endometriosis	13%	Unknown factor	14%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 336 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	79	45	31	19	8	0
Percentage of cancellations (%)	6.3	4.4	6.5	2 / 19	0 / 8	
Average number of embryos transferred	2.0	2.2	2.2	2.6	2.1	
Percentage of embryos transferred resulting in implantation (%)	36.1	31.8	25.5	11.1	0 / 16	
Percentage of elective single embryo transfers (eSET) (%)	10.6	2.8	0.0	0 / 12	0 / 6	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	24.1	20.0	9.7	2 / 19	0 / 8	
Percentage of cycles resulting in singleton live births (%)	27.8	22.2	16.1	2 / 19	0 / 8	
Percentage of cycles resulting in twin live births (%)	13.9	17.8	9.7	0 / 19	0 / 8	
Percentage of cycles resulting in live births (%)	41.8	40.0	25.8	2 / 19	0 / 8	
Percentage of cycles resulting in pregnancies (%)	48.1	42.2	38.7	4 / 19	1 / 8	
Outcomes per Transfer						
Number of transfers	70	40	27	15	8	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	27.1	22.5	11.1	2 / 15	0 / 8	
Percentage of transfers resulting in singleton live births (%)	31.4	25.0	18.5	2 / 15	0 / 8	
Percentage of transfers resulting in twin live births (%)	15.7	20.0	11.1	0 / 15	0 / 8	
Percentage of transfers resulting in live births (%)	47.1	45.0	29.6	2 / 15	0 / 8	
Percentage of transfers resulting in pregnancies (%)	54.3	47.5	44.4	4 / 15	1 / 8	
Frozen Embryos from Nondonor Eggs						
Number of cycles	53	26	18	5	4	0
Number of transfers	51	20	15	5	3	0
Estimated average number of transfers per retrieval	2.0	2.9	7.5			
Average number of embryos transferred	1.9	2.3	2.1	2.8	2.0	
Percentage of embryos transferred resulting in implantation (%)	29.0	4.4	18.5	2 / 14	1 / 6	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	25.5	5.0	2 / 15	1 / 5	1 / 3	
Percentage of transfers resulting in singleton live births (%)	31.4	5.0	3 / 15	2 / 5	1 / 3	
Percentage of transfers resulting in twin live births (%)	3.9	0.0	0 / 15	0 / 5	0 / 3	
Percentage of transfers resulting in live births (%)	35.3	5.0	3 / 15	2 / 5	1 / 3	
Percentage of transfers resulting in pregnancies (%)	45.1	10.0	6 / 15	2 / 5	1 / 3	
Number of Egg/Embryo Banking Cycles	3	1	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	30	14
Number of transfers	29	12
Average number of embryos transferred	1.8	1.9
Percentage of embryos transferred resulting in implantation (%)	56.0	25.0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	37.9	5 / 12
Percentage of transfers resulting in singleton live births (%)	48.3	5 / 12
Percentage of transfers resulting in twin live births (%)	17.2	0 / 12
Percentage of transfers resulting in live births (%)	65.5	5 / 12
Percentage of transfers resulting in pregnancies (%)	75.9	6 / 12

CURRENT SERVICES & PROFILE

Current Name: Duke Fertility Center, Duke University Medical Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WOMACK ARMY MEDICAL CENTER REI CLINIC
FORT BRAGG, NORTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Jason Parker, DO

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	86%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	30%	Uterine factor	11%	*Multiple Factors:*	
Ovulatory dysfunction	17%	Male factor	31%	Female factors only	23%
Diminished ovarian reserve	19%	Other factor	0%	Female & male factors	24%
Endometriosis	28%	Unknown factor	19%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 100 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	47	22	13	7	2	0
Percentage of cancellations (%)	4.3	9.1	1 / 13	1 / 7	0 / 2	
Average number of embryos transferred	1.8	1.8	2.0	2.3	1.0	
Percentage of embryos transferred resulting in implantation (%)	38.0	40.0	29.2	3 / 11	0 / 2	
Percentage of elective single embryo transfers (eSET) (%)	20.0	3 / 18	1 / 12	0 / 5		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	29.8	36.4	3 / 13	1 / 7	0 / 2	
Percentage of cycles resulting in singleton live births (%)	40.4	45.5	4 / 13	2 / 7	0 / 2	
Percentage of cycles resulting in twin live births (%)	6.4	4.5	0 / 13	0 / 7	0 / 2	
Percentage of cycles resulting in live births (%)	46.8	50.0	4 / 13	2 / 7	0 / 2	
Percentage of cycles resulting in pregnancies (%)	53.2	59.1	6 / 13	2 / 7	0 / 2	
Outcomes per Transfer						
Number of transfers	45	20	12	6	2	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	31.1	40.0	3 / 12	1 / 6	0 / 2	
Percentage of transfers resulting in singleton live births (%)	42.2	50.0	4 / 12	2 / 6	0 / 2	
Percentage of transfers resulting in twin live births (%)	6.7	5.0	0 / 12	0 / 6	0 / 2	
Percentage of transfers resulting in live births (%)	48.9	55.0	4 / 12	2 / 6	0 / 2	
Percentage of transfers resulting in pregnancies (%)	55.6	65.0	6 / 12	2 / 6	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	4	0	0	0	0
Number of transfers	5	4	0	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred	2.2	1.8				
Percentage of embryos transferred resulting in implantation (%)	3 / 11	3 / 7				
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	3 / 5	2 / 4				
Percentage of transfers resulting in singleton live births (%)	3 / 5	3 / 4				
Percentage of transfers resulting in twin live births (%)	0 / 5	0 / 4				
Percentage of transfers resulting in live births (%)	3 / 5	3 / 4				
Percentage of transfers resulting in pregnancies (%)	3 / 5	3 / 4				
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation (%)		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)		
Percentage of transfers resulting in singleton live births (%)		
Percentage of transfers resulting in twin live births (%)		
Percentage of transfers resulting in live births (%)		
Percentage of transfers resulting in pregnancies (%)		

CURRENT SERVICES & PROFILE

Current Name: Womack Army Medical Center REI Clinic

Donor eggs?	No	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

EAST CAROLINA UNIVERSITY
GREENVILLE, NORTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Clifford C. Hayslip, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	62%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	13%	Uterine factor	7%	*Multiple Factors:*	
Ovulatory dysfunction	34%	Male factor	25%	Female factors only	17%
Diminished ovarian reserve	25%	Other factor	7%	Female & male factors	16%
Endometriosis	13%	Unknown factor	16%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 78 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	31	9	3	2	0	0
Percentage of cancellations (%)	0.0	1 / 9	0 / 3	0 / 2		
Average number of embryos transferred	2.0	2.3	2.5	3.5		
Percentage of embryos transferred resulting in implantation (%)	50.8	5 / 16	0 / 5	1 / 7		
Percentage of elective single embryo transfers (eSET) (%)	3.3	0 / 7	0 / 2	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	29.0	2 / 9	0 / 3	1 / 2		
Percentage of cycles resulting in singleton live births (%)	32.3	2 / 9	0 / 3	1 / 2		
Percentage of cycles resulting in twin live births (%)	22.6	1 / 9	0 / 3	0 / 2		
Percentage of cycles resulting in live births (%)	58.1	3 / 9	0 / 3	1 / 2		
Percentage of cycles resulting in pregnancies (%)	64.5	4 / 9	0 / 3	1 / 2		
Outcomes per Transfer						
Number of transfers	30	8	2	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	30.0	2 / 8	0 / 2	1 / 2		
Percentage of transfers resulting in singleton live births (%)	33.3	2 / 8	0 / 2	1 / 2		
Percentage of transfers resulting in twin live births (%)	23.3	1 / 8	0 / 2	0 / 2		
Percentage of transfers resulting in live births (%)	60.0	3 / 8	0 / 2	1 / 2		
Percentage of transfers resulting in pregnancies (%)	66.7	4 / 8	0 / 2	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	12	3	1	5	0	0
Number of transfers	12	3	1	5	0	0
Estimated average number of transfers per retrieval	3.0	3.0	1.0	2.5	0.0	
Average number of embryos transferred	1.5	1.0	1.0	2.0		
Percentage of embryos transferred resulting in implantation (%)	10 / 18	2 / 3		5 / 10		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	3 / 12	0 / 3	0 / 1	2 / 5		
Percentage of transfers resulting in singleton live births (%)	3 / 12	1 / 3	0 / 1	3 / 5		
Percentage of transfers resulting in twin live births (%)	2 / 12	0 / 3	0 / 1	1 / 5		
Percentage of transfers resulting in live births (%)	5 / 12	1 / 3	0 / 1	4 / 5		
Percentage of transfers resulting in pregnancies (%)	8 / 12	2 / 3	1 / 1	4 / 5		
Number of Egg/Embryo Banking Cycles	0	0	1	0	1	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	6	4
Number of transfers	5	4
Average number of embryos transferred	2.0	1.3
Percentage of embryos transferred resulting in implantation (%)	4 / 10	2 / 5
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 5	1 / 4
Percentage of transfers resulting in singleton live births (%)	1 / 5	2 / 4
Percentage of transfers resulting in twin live births (%)	1 / 5	0 / 4
Percentage of transfers resulting in live births (%)	2 / 5	2 / 4
Percentage of transfers resulting in pregnancies (%)	3 / 5	2 / 4

CURRENT SERVICES & PROFILE

Current Name: East Carolina University

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PREMIER FERTILITY CENTER
HIGH POINT REGIONAL HEALTH SYSTEM
HIGH POINT, NORTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Jeffrey L. Deaton, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	70%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	15%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	31%	Male factor	50%	Female factors only	9%
Diminished ovarian reserve	28%	Other factor	8%	Female & male factors	31%
Endometriosis	6%	Unknown factor	7%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 122 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	41	8	9	1	0	0
Percentage of cancellations (%)	4.9	1 / 8	0 / 9	0 / 1		
Average number of embryos transferred	1.4	1.6	2.0	3.0		
Percentage of embryos transferred resulting in implantation (%)	64.2	4 / 11	2 / 16	1 / 3		
Percentage of elective single embryo transfers (eSET) (%)	51.5	1 / 5	0 / 5	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	43.9	3 / 8	1 / 9	1 / 1		
Percentage of cycles resulting in singleton live births (%)	51.2	3 / 8	1 / 9	1 / 1		
Percentage of cycles resulting in twin live births (%)	9.8	0 / 8	0 / 9	0 / 1		
Percentage of cycles resulting in live births (%)	61.0	3 / 8	1 / 9	1 / 1		
Percentage of cycles resulting in pregnancies (%)	68.3	4 / 8	2 / 9	1 / 1		
Outcomes per Transfer						
Number of transfers	37	7	8	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	48.6	3 / 7	1 / 8	1 / 1		
Percentage of transfers resulting in singleton live births (%)	56.8	3 / 7	1 / 8	1 / 1		
Percentage of transfers resulting in twin live births (%)	10.8	0 / 7	0 / 8	0 / 1		
Percentage of transfers resulting in live births (%)	67.6	3 / 7	1 / 8	1 / 1		
Percentage of transfers resulting in pregnancies (%)	75.7	4 / 7	2 / 8	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	32	7	6	4	0	0
Number of transfers	28	3	6	2	0	0
Estimated average number of transfers per retrieval	2.2	3.0	6.0			
Average number of embryos transferred	1.4	2.0	1.3	2.0		
Percentage of embryos transferred resulting in implantation (%)	25.0	2 / 6	2 / 8	0 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	25.0	1 / 3	0 / 6	0 / 2		
Percentage of transfers resulting in singleton live births (%)	28.6	1 / 3	0 / 6	0 / 2		
Percentage of transfers resulting in twin live births (%)	0.0	0 / 3	0 / 6	0 / 2		
Percentage of transfers resulting in live births (%)	28.6	1 / 3	0 / 6	0 / 2		
Percentage of transfers resulting in pregnancies (%)	32.1	2 / 3	2 / 6	0 / 2		
Number of Egg/Embryo Banking Cycles	3	0	1	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	3	7
Number of transfers	3	7
Average number of embryos transferred	1.3	1.4
Percentage of embryos transferred resulting in implantation (%)	2 / 4	5 / 10
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 3	3 / 7
Percentage of transfers resulting in singleton live births (%)	2 / 3	3 / 7
Percentage of transfers resulting in twin live births (%)	0 / 3	1 / 7
Percentage of transfers resulting in live births (%)	2 / 3	4 / 7
Percentage of transfers resulting in pregnancies (%)	2 / 3	4 / 7

CURRENT SERVICES & PROFILE

Current Name: Premier Fertility Center, High Point Regional Health System

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTIVE CONCEPTS
HUNTERSVILLE, NORTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Mark L. Jutras, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	90%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	18%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	14%	Male factor	54%	Female factors only	3%
Diminished ovarian reserve	19%	Other factor	3%	Female & male factors	21%
Endometriosis	10%	Unknown factor	11%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 91 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	20	10	9	1	0	0
Percentage of cancellations (%)	5.0	1 / 10	1 / 9	0 / 1		
Average number of embryos transferred	1.6	1.8	2.1			
Percentage of embryos transferred resulting in implantation (%)	44.8	1 / 11	3 / 17			
Percentage of elective single embryo transfers (eSET) (%)	5 / 16	1 / 5	0 / 7			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	35.0	1 / 10	0 / 9	0 / 1		
Percentage of cycles resulting in singleton live births (%)	40.0	1 / 10	1 / 9	0 / 1		
Percentage of cycles resulting in twin live births (%)	10.0	0 / 10	1 / 9	0 / 1		
Percentage of cycles resulting in live births (%)	50.0	1 / 10	2 / 9	0 / 1		
Percentage of cycles resulting in pregnancies (%)	55.0	1 / 10	2 / 9	0 / 1		
Outcomes per Transfer						
Number of transfers	18	6	8	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	7 / 18	1 / 6	0 / 8			
Percentage of transfers resulting in singleton live births (%)	8 / 18	1 / 6	1 / 8			
Percentage of transfers resulting in twin live births (%)	2 / 18	0 / 6	1 / 8			
Percentage of transfers resulting in live births (%)	10 / 18	1 / 6	2 / 8			
Percentage of transfers resulting in pregnancies (%)	11 / 18	1 / 6	2 / 8			
Frozen Embryos from Nondonor Eggs						
Number of cycles	10	5	5	0	0	1
Number of transfers	10	5	5	0	0	1
Estimated average number of transfers per retrieval	0.9	0.8	0.3	0.0	0.0	
Average number of embryos transferred	1.5	1.4	1.6			1.0
Percentage of embryos transferred resulting in implantation (%)	6 / 15	2 / 5	4 / 8			0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	6 / 10	2 / 5	1 / 5			0 / 1
Percentage of transfers resulting in singleton live births (%)	6 / 10	2 / 5	2 / 5			0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 10	0 / 5	0 / 5			0 / 1
Percentage of transfers resulting in live births (%)	6 / 10	2 / 5	2 / 5			0 / 1
Percentage of transfers resulting in pregnancies (%)	6 / 10	3 / 5	4 / 5			0 / 1
Number of Egg/Embryo Banking Cycles	8	2	12	2	3	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	2	0
Number of transfers	2	0
Average number of embryos transferred	2.0	
Percentage of embryos transferred resulting in implantation (%)	3 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 2	
Percentage of transfers resulting in singleton live births (%)	1 / 2	
Percentage of transfers resulting in twin live births (%)	1 / 2	
Percentage of transfers resulting in live births (%)	2 / 2	
Percentage of transfers resulting in pregnancies (%)	2 / 2	

CURRENT SERVICES & PROFILE

Current Name: Advanced Reproductive Concepts

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	No	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ATLANTIC REPRODUCTIVE MEDICINE SPECIALISTS
RALEIGH, NORTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Susannah D. Copland, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	83%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	5%	Uterine factor	8%	*Multiple Factors:*	
Ovulatory dysfunction	13%	Male factor	19%	Female factors only	9%
Diminished ovarian reserve	45%	Other factor	14%	Female & male factors	14%
Endometriosis	6%	Unknown factor	15%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 123 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	29	17	13	4	2	0
Percentage of cancellations (%)	10.3	1 / 17	2 / 13	0 / 4	0 / 2	
Average number of embryos transferred	1.8	1.9	1.5	1.7		
Percentage of embryos transferred resulting in implantation (%)	71.4	30.4	0 / 4	0 / 1		
Percentage of elective single embryo transfers (eSET) (%)	23.8	0 / 12	0 / 2	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	27.6	1 / 17	0 / 13	0 / 4	0 / 2	
Percentage of cycles resulting in singleton live births (%)	27.6	1 / 17	0 / 13	0 / 4	0 / 2	
Percentage of cycles resulting in twin live births (%)	24.1	2 / 17	0 / 13	0 / 4	0 / 2	
Percentage of cycles resulting in live births (%)	51.7	3 / 17	0 / 13	0 / 4	0 / 2	
Percentage of cycles resulting in pregnancies (%)	62.1	5 / 17	1 / 13	2 / 4	0 / 2	
Outcomes per Transfer						
Number of transfers	21	14	4	3	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	38.1	1 / 14	0 / 4	0 / 3		
Percentage of transfers resulting in singleton live births (%)	38.1	1 / 14	0 / 4	0 / 3		
Percentage of transfers resulting in twin live births (%)	33.3	2 / 14	0 / 4	0 / 3		
Percentage of transfers resulting in live births (%)	71.4	3 / 14	0 / 4	0 / 3		
Percentage of transfers resulting in pregnancies (%)	85.7	5 / 14	1 / 4	2 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	9	7	0	0	0
Number of transfers	6	7	6	0	0	0
Estimated average number of transfers per retrieval	0.5	1.0	1.5	0.0		
Average number of embryos transferred	1.3	1.7	1.7			
Percentage of embryos transferred resulting in implantation (%)	5 / 8	1 / 12	0 / 9			
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	3 / 6	1 / 7	0 / 6			
Percentage of transfers resulting in singleton live births (%)	3 / 6	1 / 7	0 / 6			
Percentage of transfers resulting in twin live births (%)	1 / 6	0 / 7	0 / 6			
Percentage of transfers resulting in live births (%)	4 / 6	1 / 7	0 / 6			
Percentage of transfers resulting in pregnancies (%)	4 / 6	1 / 7	1 / 6			
Number of Egg/Embryo Banking Cycles	10	6	1	1	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	14	3
Number of transfers	11	2
Average number of embryos transferred	1.4	1.5
Percentage of embryos transferred resulting in implantation (%)	6 / 15	2 / 3
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	6 / 11	1 / 2
Percentage of transfers resulting in singleton live births (%)	6 / 11	2 / 2
Percentage of transfers resulting in twin live births (%)	0 / 11	0 / 2
Percentage of transfers resulting in live births (%)	6 / 11	2 / 2
Percentage of transfers resulting in pregnancies (%)	6 / 11	2 / 2

CURRENT SERVICES & PROFILE

Current Name: Atlantic Reproductive Medicine Specialists

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CAROLINA CONCEPTIONS, PA
RALEIGH, NORTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by John K. Park, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	86%
Unstimulated	0%	Used PGD	14%
Used gestational carrier	1%		

Patient Diagnosis[b]

Tubal factor	12%	Uterine factor	11%	*Multiple Factors:*	
Ovulatory dysfunction	17%	Male factor	36%	Female factors only	12%
Diminished ovarian reserve	38%	Other factor	9%	Female & male factors	24%
Endometriosis	8%	Unknown factor	11%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 644 (includes 5 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	205	97	70	24	8	1
Percentage of cancellations (%)	7.8	12.4	12.9	25.0	1 / 8	0 / 1
Average number of embryos transferred	1.8	2.1	2.3	2.9	2.6	1.0
Percentage of embryos transferred resulting in implantation (%)	43.7	32.3	23.3	10.6	0 / 18	0 / 1
Percentage of elective single embryo transfers (eSET) (%)	17.0	12.5	5.3	1 / 13	0 / 6	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	24.9	20.6	14.3	12.5	0 / 8	0 / 1
Percentage of cycles resulting in singleton live births (%)	28.3	26.8	17.1	12.5	0 / 8	0 / 1
Percentage of cycles resulting in twin live births (%)	15.1	7.2	5.7	0.0	0 / 8	0 / 1
Percentage of cycles resulting in live births (%)	43.4	35.1	22.9	12.5	0 / 8	0 / 1
Percentage of cycles resulting in pregnancies (%)	45.4	39.2	27.1	20.8	0 / 8	0 / 1
Outcomes per Transfer						
Number of transfers	169	75	44	16	7	1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	30.2	26.7	22.7	3 / 16	0 / 7	0 / 1
Percentage of transfers resulting in singleton live births (%)	34.3	34.7	27.3	3 / 16	0 / 7	0 / 1
Percentage of transfers resulting in twin live births (%)	18.3	9.3	9.1	0 / 16	0 / 7	0 / 1
Percentage of transfers resulting in live births (%)	52.7	45.3	36.4	3 / 16	0 / 7	0 / 1
Percentage of transfers resulting in pregnancies (%)	55.0	50.7	43.2	5 / 16	0 / 7	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	78	30	15	6	0	1
Number of transfers	77	30	15	5	0	1
Estimated average number of transfers per retrieval	1.6	4.3	2.1	5.0		
Average number of embryos transferred	1.7	1.7	1.6	2.6		1.0
Percentage of embryos transferred resulting in implantation (%)	44.1	24.0	45.8	2 / 13		0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	32.5	23.3	5 / 15	0 / 5		0 / 1
Percentage of transfers resulting in singleton live births (%)	35.1	23.3	5 / 15	0 / 5		0 / 1
Percentage of transfers resulting in twin live births (%)	10.4	3.3	2 / 15	1 / 5		0 / 1
Percentage of transfers resulting in live births (%)	48.1	26.7	7 / 15	1 / 5		0 / 1
Percentage of transfers resulting in pregnancies (%)	55.8	26.7	9 / 15	1 / 5		0 / 1
Number of Egg/Embryo Banking Cycles	10	0	1	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	66	27
Number of transfers	60	26
Average number of embryos transferred	1.9	1.8
Percentage of embryos transferred resulting in implantation (%)	67.6	45.7
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	23.3	26.9
Percentage of transfers resulting in singleton live births (%)	33.3	26.9
Percentage of transfers resulting in twin live births (%)	38.3	15.4
Percentage of transfers resulting in live births (%)	75.0	42.3
Percentage of transfers resulting in pregnancies (%)	78.3	50.0

CURRENT SERVICES & PROFILE

Current Name: Carolina Conceptions, PA

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNC FERTILITY
RALEIGH, NORTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Jennifer E. Mersereau, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	59%
Unstimulated	0%	Used PGD	1%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	15%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	8%	Male factor	29%	Female factors only	8%
Diminished ovarian reserve	41%	Other factor	7%	Female & male factors	11%
Endometriosis	5%	Unknown factor	14%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 227 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	58	40	20	16	4	0
Percentage of cancellations (%)	13.8	10.0	25.0	5 / 16	2 / 4	
Average number of embryos transferred	1.7	2.1	2.7	3.9	1.0	
Percentage of embryos transferred resulting in implantation (%)	45.7	27.8	23.7	4.7	0 / 1	
Percentage of elective single embryo transfers (eSET) (%)	32.6	3.0	0 / 14	0 / 11		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	17.2	20.0	15.0	2 / 16	0 / 4	
Percentage of cycles resulting in singleton live births (%)	20.7	22.5	25.0	2 / 16	0 / 4	
Percentage of cycles resulting in twin live births (%)	20.7	12.5	5.0	0 / 16	0 / 4	
Percentage of cycles resulting in live births (%)	41.4	35.0	30.0	2 / 16	0 / 4	
Percentage of cycles resulting in pregnancies (%)	43.1	37.5	35.0	2 / 16	0 / 4	
Outcomes per Transfer						
Number of transfers	49	35	14	11	1	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	20.4	22.9	3 / 14	2 / 11	0 / 1	
Percentage of transfers resulting in singleton live births (%)	24.5	25.7	5 / 14	2 / 11	0 / 1	
Percentage of transfers resulting in twin live births (%)	24.5	14.3	1 / 14	0 / 11	0 / 1	
Percentage of transfers resulting in live births (%)	49.0	40.0	6 / 14	2 / 11	0 / 1	
Percentage of transfers resulting in pregnancies (%)	51.0	42.9	7 / 14	2 / 11	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	22	21	2	1	5	3
Number of transfers	19	20	2	1	4	3
Estimated average number of transfers per retrieval	0.9	2.2	2.0			
Average number of embryos transferred	1.6	1.7	2.0	1.0	2.0	1.7
Percentage of embryos transferred resulting in implantation (%)	22.6	54.5	2 / 4	0 / 1	0 / 8	0 / 5
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	3 / 19	25.0	2 / 2	0 / 1	0 / 4	0 / 3
Percentage of transfers resulting in singleton live births (%)	4 / 19	35.0	2 / 2	0 / 1	0 / 4	0 / 3
Percentage of transfers resulting in twin live births (%)	1 / 19	25.0	0 / 2	0 / 1	0 / 4	0 / 3
Percentage of transfers resulting in live births (%)	5 / 19	60.0	2 / 2	0 / 1	0 / 4	0 / 3
Percentage of transfers resulting in pregnancies (%)	6 / 19	65.0	2 / 2	0 / 1	0 / 4	0 / 3
Number of Egg/Embryo Banking Cycles	10	3	1	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	16	4
Number of transfers	13	4
Average number of embryos transferred	1.2	1.8
Percentage of embryos transferred resulting in implantation (%)	8 / 13	1 / 6
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	3 / 13	1 / 4
Percentage of transfers resulting in singleton live births (%)	3 / 13	1 / 4
Percentage of transfers resulting in twin live births (%)	2 / 13	0 / 4
Percentage of transfers resulting in live births (%)	5 / 13	1 / 4
Percentage of transfers resulting in pregnancies (%)	8 / 13	2 / 4

CURRENT SERVICES & PROFILE

Current Name: UNC Fertility

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WAKE FOREST UNIVERSITY CENTER FOR REPRODUCTIVE MEDICINE
WINSTON-SALEM, NORTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Erika B. Johnston-MacAnanny, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	80%
Unstimulated	0%	Used PGD	6%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	14%	Uterine factor	<1%	*Multiple Factors:*	
Ovulatory dysfunction	17%	Male factor	41%	Female factors only	8%
Diminished ovarian reserve	20%	Other factor	10%	Female & male factors	19%
Endometriosis	13%	Unknown factor	18%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 354 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	90	60	35	10	8	0
Percentage of cancellations (%)	6.7	5.0	17.1	2 / 10	0 / 8	
Average number of embryos transferred	1.7	2.1	2.5	2.8	4.5	
Percentage of embryos transferred resulting in implantation (%)	53.9	36.8	17.2	5 / 14	8.7	
Percentage of elective single embryo transfers (eSET) (%)	39.7	6.0	0.0	0 / 5	0 / 6	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	28.9	31.7	11.4	2 / 10	1 / 8	
Percentage of cycles resulting in singleton live births (%)	36.7	35.0	11.4	2 / 10	2 / 8	
Percentage of cycles resulting in twin live births (%)	17.8	10.0	5.7	1 / 10	0 / 8	
Percentage of cycles resulting in live births (%)	54.4	45.0	17.1	3 / 10	2 / 8	
Percentage of cycles resulting in pregnancies (%)	56.7	51.7	25.7	4 / 10	3 / 8	
Outcomes per Transfer						
Number of transfers	77	53	25	5	6	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	33.8	35.8	16.0	2 / 5	1 / 6	
Percentage of transfers resulting in singleton live births (%)	42.9	39.6	16.0	2 / 5	2 / 6	
Percentage of transfers resulting in twin live births (%)	20.8	11.3	8.0	1 / 5	0 / 6	
Percentage of transfers resulting in live births (%)	63.6	50.9	24.0	3 / 5	2 / 6	
Percentage of transfers resulting in pregnancies (%)	66.2	58.5	36.0	4 / 5	3 / 6	
Frozen Embryos from Nondonor Eggs						
Number of cycles	48	27	17	5	3	0
Number of transfers	46	24	15	5	3	0
Estimated average number of transfers per retrieval	1.4	2.4	2.1	1.3	1.5	
Average number of embryos transferred	1.7	1.6	1.8	2.4	2.0	
Percentage of embryos transferred resulting in implantation (%)	36.0	31.6	28.0	4 / 12	3 / 6	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	26.1	37.5	1 / 15	1 / 5	2 / 3	
Percentage of transfers resulting in singleton live births (%)	30.4	37.5	2 / 15	1 / 5	2 / 3	
Percentage of transfers resulting in twin live births (%)	10.9	0.0	2 / 15	1 / 5	0 / 3	
Percentage of transfers resulting in live births (%)	41.3	37.5	4 / 15	2 / 5	2 / 3	
Percentage of transfers resulting in pregnancies (%)	50.0	50.0	6 / 15	2 / 5	2 / 3	
Number of Egg/Embryo Banking Cycles	8	1	0	1	1	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	21	16
Number of transfers	19	15
Average number of embryos transferred	1.6	1.9
Percentage of embryos transferred resulting in implantation (%)	51.9	38.5
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	6 / 19	2 / 15
Percentage of transfers resulting in singleton live births (%)	6 / 19	5 / 15
Percentage of transfers resulting in twin live births (%)	4 / 19	2 / 15
Percentage of transfers resulting in live births (%)	10 / 19	7 / 15
Percentage of transfers resulting in pregnancies (%)	13 / 19	9 / 15

CURRENT SERVICES & PROFILE

Current Name: This clinic has closed or reorganized since 2013. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SANFORD HEALTH REPRODUCTIVE MEDICINE INSTITUTE
FARGO, NORTH DAKOTA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Steffen P. Christensen, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	80%
Unstimulated	<1%	Used PGD	3%
Used gestational carrier	1%		

Patient Diagnosis[b]

Tubal factor	13%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	18%	Male factor	61%	Female factors only	7%
Diminished ovarian reserve	6%	Other factor	8%	Female & male factors	18%
Endometriosis	14%	Unknown factor	8%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 210 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	87	31	20	6	0	0
Percentage of cancellations (%)	12.6	19.4	0.0	2 / 6		
Average number of embryos transferred	1.8	2.0	2.4	1.7		
Percentage of embryos transferred resulting in implantation (%)	36.9	23.8	19.0	0 / 3		
Percentage of elective single embryo transfers (eSET) (%)	11.8	4.5	0 / 17	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	24.1	6.5	20.0	0 / 6		
Percentage of cycles resulting in singleton live births (%)	26.4	12.9	25.0	0 / 6		
Percentage of cycles resulting in twin live births (%)	13.8	6.5	0.0	0 / 6		
Percentage of cycles resulting in live births (%)	40.2	19.4	25.0	0 / 6		
Percentage of cycles resulting in pregnancies (%)	42.5	25.8	40.0	1 / 6		
Outcomes per Transfer						
Number of transfers	72	22	18	3	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	29.2	9.1	4 / 18	0 / 3		
Percentage of transfers resulting in singleton live births (%)	31.9	18.2	5 / 18	0 / 3		
Percentage of transfers resulting in twin live births (%)	16.7	9.1	0 / 18	0 / 3		
Percentage of transfers resulting in live births (%)	48.6	27.3	5 / 18	0 / 3		
Percentage of transfers resulting in pregnancies (%)	51.4	36.4	8 / 18	1 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	39	9	10	1	1	0
Number of transfers	34	9	9	1	1	0
Estimated average number of transfers per retrieval	3.8	1.0	1.8			
Average number of embryos transferred	1.7	2.1	2.0	4.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	43.1	4 / 19	5 / 16	0 / 4	0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	35.3	3 / 9	3 / 9	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	35.3	3 / 9	4 / 9	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	14.7	0 / 9	0 / 9	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	50.0	3 / 9	4 / 9	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	52.9	3 / 9	5 / 9	0 / 1	0 / 1	
Number of Egg/Embryo Banking Cycles	1	3	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	0	2
Number of transfers	0	2
Average number of embryos transferred		1.5
Percentage of embryos transferred resulting in implantation (%)		1 / 3
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)		0 / 2
Percentage of transfers resulting in singleton live births (%)		1 / 2
Percentage of transfers resulting in twin live births (%)		0 / 2
Percentage of transfers resulting in live births (%)		1 / 2
Percentage of transfers resulting in pregnancies (%)		1 / 2

CURRENT SERVICES & PROFILE

Current Name: Sanford Health Reproductive Medicine Institute

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY UNLIMITED, INC.
NORTHEASTERN OHIO FERTILITY CENTER
AKRON, OHIO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Nicholas J. Spirtos, DO

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	89%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	19%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	22%	Male factor	41%	Female factors only	26%
Diminished ovarian reserve	74%	Other factor	15%	Female & male factors	41%
Endometriosis	30%	Unknown factor	0%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 27 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	8	1	0	0	0	0
Percentage of cancellations (%)	0 / 8	0 / 1				
Average number of embryos transferred	1.9	4.0				
Percentage of embryos transferred resulting in implantation (%)	6 / 13	0 / 4				
Percentage of elective single embryo transfers (eSET) (%)	0 / 6	0 / 1				
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	1 / 8	0 / 1				
Percentage of cycles resulting in singleton live births (%)	1 / 8	0 / 1				
Percentage of cycles resulting in twin live births (%)	2 / 8	0 / 1				
Percentage of cycles resulting in live births (%)	3 / 8	0 / 1				
Percentage of cycles resulting in pregnancies (%)	4 / 8	0 / 1				
Outcomes per Transfer						
Number of transfers	7	1	0	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 7	0 / 1				
Percentage of transfers resulting in singleton live births (%)	1 / 7	0 / 1				
Percentage of transfers resulting in twin live births (%)	2 / 7	0 / 1				
Percentage of transfers resulting in live births (%)	3 / 7	0 / 1				
Percentage of transfers resulting in pregnancies (%)	4 / 7	0 / 1				
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	0	2	0	0	2
Number of transfers	0	0	2	0	0	2
Estimated average number of transfers per retrieval						
Average number of embryos transferred			2.0			2.5
Percentage of embryos transferred resulting in implantation (%)			0 / 4			0 / 5
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)			0 / 2			0 / 2
Percentage of transfers resulting in singleton live births (%)			0 / 2			0 / 2
Percentage of transfers resulting in twin live births (%)			0 / 2			0 / 2
Percentage of transfers resulting in live births (%)			0 / 2			0 / 2
Percentage of transfers resulting in pregnancies (%)			0 / 2			0 / 2
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	8	6
Number of transfers	5	6
Average number of embryos transferred	1.8	1.8
Percentage of embryos transferred resulting in implantation (%)	4 / 9	3 / 11
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 5	2 / 6
Percentage of transfers resulting in singleton live births (%)	0 / 5	2 / 6
Percentage of transfers resulting in twin live births (%)	2 / 5	0 / 6
Percentage of transfers resulting in live births (%)	2 / 5	2 / 6
Percentage of transfers resulting in pregnancies (%)	2 / 5	3 / 6

CURRENT SERVICES & PROFILE

Current Name: Fertility Unlimited, Inc., Northeastern Ohio Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE GYNECOLOGY
AKRON, OHIO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Richard W. Moretuzzo, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	85%
Unstimulated	0%	Used PGD	7%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	19%	Uterine factor	10%	*Multiple Factors:*	
Ovulatory dysfunction	24%	Male factor	66%	Female factors only	13%
Diminished ovarian reserve	24%	Other factor	13%	Female & male factors	46%
Endometriosis	23%	Unknown factor	1%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 391 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	155	49	31	15	9	0
Percentage of cancellations (%)	4.5	6.1	6.5	4 / 15	2 / 9	
Average number of embryos transferred	2.3	2.2	2.9	3.5	3.9	
Percentage of embryos transferred resulting in implantation (%)	25.5	19.5	9.9	2.6	0.0	
Percentage of elective single embryo transfers (eSET) (%)	0.0	0.0	3.8	0 / 9	0 / 6	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	20.0	20.4	19.4	0 / 15	0 / 9	
Percentage of cycles resulting in singleton live births (%)	24.5	24.5	22.6	0 / 15	0 / 9	
Percentage of cycles resulting in twin live births (%)	10.3	0.0	0.0	0 / 15	0 / 9	
Percentage of cycles resulting in live births (%)	34.8	26.5	22.6	0 / 15	0 / 9	
Percentage of cycles resulting in pregnancies (%)	42.6	26.5	29.0	1 / 15	0 / 9	
Outcomes per Transfer						
Number of transfers	142	38	27	11	7	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	21.8	26.3	22.2	0 / 11	0 / 7	
Percentage of transfers resulting in singleton live births (%)	26.8	31.6	25.9	0 / 11	0 / 7	
Percentage of transfers resulting in twin live births (%)	11.3	0.0	0.0	0 / 11	0 / 7	
Percentage of transfers resulting in live births (%)	38.0	34.2	25.9	0 / 11	0 / 7	
Percentage of transfers resulting in pregnancies (%)	46.5	34.2	33.3	1 / 11	0 / 7	
Frozen Embryos from Nondonor Eggs						
Number of cycles	67	13	14	0	1	0
Number of transfers	63	12	14	0	1	0
Estimated average number of transfers per retrieval	2.1	2.0	1.6		0.5	
Average number of embryos transferred	2.0	2.2	2.4		2.0	
Percentage of embryos transferred resulting in implantation (%)	40.2	41.7	8.8		0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	31.7	3 / 12	1 / 14		0 / 1	
Percentage of transfers resulting in singleton live births (%)	36.5	5 / 12	1 / 14		0 / 1	
Percentage of transfers resulting in twin live births (%)	14.3	2 / 12	1 / 14		0 / 1	
Percentage of transfers resulting in live births (%)	52.4	7 / 12	2 / 14		0 / 1	
Percentage of transfers resulting in pregnancies (%)	63.5	8 / 12	2 / 14		0 / 1	
Number of Egg/Embryo Banking Cycles	2	1	1	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	18	15
Number of transfers	16	14
Average number of embryos transferred	2.2	1.9
Percentage of embryos transferred resulting in implantation (%)	28.6	50.0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 16	3 / 14
Percentage of transfers resulting in singleton live births (%)	2 / 16	4 / 14
Percentage of transfers resulting in twin live births (%)	4 / 16	3 / 14
Percentage of transfers resulting in live births (%)	6 / 16	7 / 14
Percentage of transfers resulting in pregnancies (%)	6 / 16	9 / 14

CURRENT SERVICES & PROFILE

Current Name: Reproductive Gynecology

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CLEVELAND CLINIC FERTILITY CENTER
BEACHWOOD, OHIO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Cynthia Austin, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	83%
Unstimulated	1%	Used PGD	5%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	13%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	14%	Male factor	53%	Female factors only	12%
Diminished ovarian reserve	35%	Other factor	15%	Female & male factors	31%
Endometriosis	11%	Unknown factor	10%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 701 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	187	100	72	25	10	0
Percentage of cancellations (%)	12.8	17.0	22.2	12.0	2 / 10	
Average number of embryos transferred	2.0	2.1	2.4	2.4	1.9	
Percentage of embryos transferred resulting in implantation (%)	42.9	33.1	26.8	7.0	1 / 13	
Percentage of elective single embryo transfers (eSET) (%)	9.3	4.0	2.2	0 / 15	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	24.6	20.0	11.1	12.0	0 / 10	
Percentage of cycles resulting in singleton live births (%)	28.9	23.0	16.7	12.0	1 / 10	
Percentage of cycles resulting in twin live births (%)	16.6	12.0	1.4	0.0	0 / 10	
Percentage of cycles resulting in live births (%)	46.0	35.0	19.4	12.0	1 / 10	
Percentage of cycles resulting in pregnancies (%)	51.3	43.0	33.3	12.0	1 / 10	
Outcomes per Transfer						
Number of transfers	158	82	54	18	7	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	29.1	24.4	14.8	3 / 18	0 / 7	
Percentage of transfers resulting in singleton live births (%)	34.2	28.0	22.2	3 / 18	1 / 7	
Percentage of transfers resulting in twin live births (%)	19.6	14.6	1.9	0 / 18	0 / 7	
Percentage of transfers resulting in live births (%)	54.4	42.7	25.9	3 / 18	1 / 7	
Percentage of transfers resulting in pregnancies (%)	60.8	52.4	44.4	3 / 18	1 / 7	
Frozen Embryos from Nondonor Eggs						
Number of cycles	109	57	38	11	5	1
Number of transfers	95	52	35	11	3	1
Estimated average number of transfers per retrieval	2.2	1.6	2.1	1.6	3.0	0.5
Average number of embryos transferred	1.7	1.9	1.9	1.5	1.7	2.0
Percentage of embryos transferred resulting in implantation (%)	38.1	39.8	27.4	6 / 17	1 / 4	1 / 2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	28.4	23.1	17.1	4 / 11	1 / 3	1 / 1
Percentage of transfers resulting in singleton live births (%)	32.6	28.8	25.7	4 / 11	1 / 3	1 / 1
Percentage of transfers resulting in twin live births (%)	6.3	11.5	8.6	0 / 11	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	40.0	42.3	34.3	4 / 11	1 / 3	1 / 1
Percentage of transfers resulting in pregnancies (%)	52.6	59.6	42.9	6 / 11	2 / 3	1 / 1
Number of Egg/Embryo Banking Cycles	10	11	8	3	1	2

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	22	27
Number of transfers	21	20
Average number of embryos transferred	1.8	1.9
Percentage of embryos transferred resulting in implantation (%)	48.6	45.7
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	14.3	35.0
Percentage of transfers resulting in singleton live births (%)	19.0	40.0
Percentage of transfers resulting in twin live births (%)	23.8	10.0
Percentage of transfers resulting in live births (%)	47.6	50.0
Percentage of transfers resulting in pregnancies (%)	57.1	70.0

CURRENT SERVICES & PROFILE

Current Name: Cleveland Clinic Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BETHESDA FERTILITY CENTER
CINCINNATI, OHIO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Glen E. Hofmann, MD, PhD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	70%
Unstimulated	0%	Used PGD	2%
Used gestational carrier	1%		

Patient Diagnosis[b]

Tubal factor	14%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	15%	Male factor	24%	Female factors only	6%
Diminished ovarian reserve	37%	Other factor	4%	Female & male factors	11%
Endometriosis	5%	Unknown factor	15%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 285 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	89	29	21	9	3	0
Percentage of cancellations (%)	9.0	17.2	19.0	3 / 9	1 / 3	
Average number of embryos transferred	2.0	2.0	2.1	2.5	2.5	
Percentage of embryos transferred resulting in implantation (%)	27.3	13.6	9.7	0 / 15	0 / 5	
Percentage of elective single embryo transfers (eSET) (%)	2.6	4.8	0 / 15	0 / 6	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	16.9	10.3	9.5	0 / 9	0 / 3	
Percentage of cycles resulting in singleton live births (%)	18.0	13.8	14.3	0 / 9	0 / 3	
Percentage of cycles resulting in twin live births (%)	11.2	3.4	0.0	0 / 9	0 / 3	
Percentage of cycles resulting in live births (%)	29.2	17.2	14.3	0 / 9	0 / 3	
Percentage of cycles resulting in pregnancies (%)	37.1	17.2	23.8	0 / 9	0 / 3	
Outcomes per Transfer						
Number of transfers	80	22	17	6	2	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	18.8	13.6	2 / 17	0 / 6	0 / 2	
Percentage of transfers resulting in singleton live births (%)	20.0	18.2	3 / 17	0 / 6	0 / 2	
Percentage of transfers resulting in twin live births (%)	12.5	4.5	0 / 17	0 / 6	0 / 2	
Percentage of transfers resulting in live births (%)	32.5	22.7	3 / 17	0 / 6	0 / 2	
Percentage of transfers resulting in pregnancies (%)	41.3	22.7	5 / 17	0 / 6	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	38	9	8	3	1	0
Number of transfers	38	9	8	3	1	0
Estimated average number of transfers per retrieval	1.8	1.5	1.6		0.5	0.0
Average number of embryos transferred	1.8	1.8	1.8	2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	18.2	6 / 16	2 / 14	0 / 6		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	15.8	2 / 9	0 / 8	0 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	21.1	2 / 9	0 / 8	0 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	2.6	1 / 9	0 / 8	0 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	23.7	3 / 9	0 / 8	0 / 3	0 / 1	
Percentage of transfers resulting in pregnancies (%)	31.6	5 / 9	1 / 8	0 / 3	1 / 1	
Number of Egg/Embryo Banking Cycles	3	3	2	0	2	1

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	23	41
Number of transfers	21	41
Average number of embryos transferred	2.0	1.8
Percentage of embryos transferred resulting in implantation (%)	31.0	28.2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	33.3	31.7
Percentage of transfers resulting in singleton live births (%)	38.1	36.6
Percentage of transfers resulting in twin live births (%)	9.5	0.0
Percentage of transfers resulting in live births (%)	47.6	36.6
Percentage of transfers resulting in pregnancies (%)	52.4	46.3

CURRENT SERVICES & PROFILE

Current Name: Bethesda Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INSTITUTE FOR REPRODUCTIVE HEALTH
CINCINNATI, OHIO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Sherif G. Awadalla, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	60%
Unstimulated	<1%	Used PGD	3%
Used gestational carrier	1%		

Patient Diagnosis[b]

Tubal factor	18%	Uterine factor	15%	*Multiple Factors:*	
Ovulatory dysfunction	29%	Male factor	44%	Female factors only	20%
Diminished ovarian reserve	26%	Other factor	9%	Female & male factors	29%
Endometriosis	18%	Unknown factor	6%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 931 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	389	138	75	25	13	2
Percentage of cancellations (%)	6.9	16.7	13.3	24.0	3 / 13	0 / 2
Average number of embryos transferred	1.8	2.2	2.5	2.9	2.3	
Percentage of embryos transferred resulting in implantation (%)	38.7	34.2	24.1	7.7	0 / 18	
Percentage of elective single embryo transfers (eSET) (%)	17.3	3.7	1.9	0 / 15	0 / 5	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	26.7	16.7	21.3	8.0	0 / 13	0 / 2
Percentage of cycles resulting in singleton live births (%)	29.0	20.3	22.7	8.0	0 / 13	0 / 2
Percentage of cycles resulting in twin live births (%)	13.6	15.2	5.3	0.0	0 / 13	0 / 2
Percentage of cycles resulting in live births (%)	43.2	36.2	29.3	8.0	0 / 13	0 / 2
Percentage of cycles resulting in pregnancies (%)	48.3	42.8	38.7	16.0	0 / 13	0 / 2
Outcomes per Transfer						
Number of transfers	348	113	61	18	8	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	29.9	20.4	26.2	2 / 18	0 / 8	
Percentage of transfers resulting in singleton live births (%)	32.5	24.8	27.9	2 / 18	0 / 8	
Percentage of transfers resulting in twin live births (%)	15.2	18.6	6.6	0 / 18	0 / 8	
Percentage of transfers resulting in live births (%)	48.3	44.2	36.1	2 / 18	0 / 8	
Percentage of transfers resulting in pregnancies (%)	54.0	52.2	47.5	4 / 18	0 / 8	
Frozen Embryos from Nondonor Eggs						
Number of cycles	107	36	21	5	3	0
Number of transfers	104	34	20	5	2	0
Estimated average number of transfers per retrieval	1.5	2.1	1.8	1.7		
Average number of embryos transferred	1.9	1.9	1.9	2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	35.4	30.6	25.7	0 / 10	0 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	34.6	26.5	30.0	0 / 5	0 / 2	
Percentage of transfers resulting in singleton live births (%)	37.5	35.3	30.0	0 / 5	0 / 2	
Percentage of transfers resulting in twin live births (%)	12.5	8.8	0.0	0 / 5	0 / 2	
Percentage of transfers resulting in live births (%)	50.0	44.1	30.0	0 / 5	0 / 2	
Percentage of transfers resulting in pregnancies (%)	56.7	52.9	50.0	0 / 5	0 / 2	
Number of Egg/Embryo Banking Cycles	4	0	3	2	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	65	43
Number of transfers	59	39
Average number of embryos transferred	1.9	2.1
Percentage of embryos transferred resulting in implantation (%)	57.8	18.8
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	30.5	23.1
Percentage of transfers resulting in singleton live births (%)	35.6	30.8
Percentage of transfers resulting in twin live births (%)	27.1	2.6
Percentage of transfers resulting in live births (%)	64.4	33.3
Percentage of transfers resulting in pregnancies (%)	72.9	35.9

CURRENT SERVICES & PROFILE

Current Name: Institute for Reproductive Health

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

METROHEALTH MEDICAL CENTER
CLEVELAND, OHIO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Lori-Linell Hollins, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	80%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	10%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	30%	Male factor	0%	Female factors only	0%
Diminished ovarian reserve	10%	Other factor	0%	Female & male factors	0%
Endometriosis	0%	Unknown factor	50%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 10 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	5	0	1	3	1	0
Percentage of cancellations (%)	1 / 5		0 / 1	1 / 3	0 / 1	
Average number of embryos transferred	1.5		1.0	2.0	3.0	
Percentage of embryos transferred resulting in implantation (%)	3 / 6		1 / 1	0 / 3	0 / 3	
Percentage of elective single embryo transfers (eSET) (%)	0 / 2			0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	0 / 5		0 / 1	0 / 3	0 / 1	
Percentage of cycles resulting in singleton live births (%)	0 / 5		0 / 1	0 / 3	0 / 1	
Percentage of cycles resulting in twin live births (%)	1 / 5		0 / 1	0 / 3	0 / 1	
Percentage of cycles resulting in live births (%)	1 / 5		0 / 1	0 / 3	0 / 1	
Percentage of cycles resulting in pregnancies (%)	2 / 5		1 / 1	1 / 3	0 / 1	
Outcomes per Transfer						
Number of transfers	4	0	1	2	1	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 4		0 / 1	0 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 4		0 / 1	0 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 4		0 / 1	0 / 2	0 / 1	
Percentage of transfers resulting in live births (%)	1 / 4		0 / 1	0 / 2	0 / 1	
Percentage of transfers resulting in pregnancies (%)	2 / 4		1 / 1	1 / 2	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	0	0	0	0	0
Number of transfers	0	0	0	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation (%)		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)		
Percentage of transfers resulting in singleton live births (%)		
Percentage of transfers resulting in twin live births (%)		
Percentage of transfers resulting in live births (%)		
Percentage of transfers resulting in pregnancies (%)		

CURRENT SERVICES & PROFILE

Current Name: MetroHealth Medical Center

Donor eggs?	No	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY HOSPITALS FERTILITY CENTER
CLEVELAND, OHIO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by James Goldfarb, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	73%
Unstimulated	0%	Used PGD	6%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	10%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	14%	Male factor	30%	Female factors only	11%
Diminished ovarian reserve	22%	Other factor	17%	Female & male factors	10%
Endometriosis	10%	Unknown factor	18%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 518 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	124	71	54	25	13	2
Percentage of cancellations (%)	20.2	23.9	29.6	44.0	9 / 13	0 / 2
Average number of embryos transferred	2.0	2.2	2.9	3.5	3.5	2.0
Percentage of embryos transferred resulting in implantation (%)	34.9	22.3	21.2	6.7	1 / 14	1 / 2
Percentage of elective single embryo transfers (eSET) (%)	8.8	4.2	2.9	0 / 11	0 / 4	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	17.7	19.7	9.3	0.0	0 / 13	1 / 2
Percentage of cycles resulting in singleton live births (%)	21.8	21.1	13.0	0.0	0 / 13	1 / 2
Percentage of cycles resulting in twin live births (%)	9.7	4.2	13.0	4.0	0 / 13	0 / 2
Percentage of cycles resulting in live births (%)	31.5	25.4	25.9	4.0	0 / 13	1 / 2
Percentage of cycles resulting in pregnancies (%)	36.3	28.2	31.5	8.0	1 / 13	1 / 2
Outcomes per Transfer						
Number of transfers	93	50	37	13	4	1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	23.7	28.0	13.5	0 / 13	0 / 4	1 / 1
Percentage of transfers resulting in singleton live births (%)	29.0	30.0	18.9	0 / 13	0 / 4	1 / 1
Percentage of transfers resulting in twin live births (%)	12.9	6.0	18.9	1 / 13	0 / 4	0 / 1
Percentage of transfers resulting in live births (%)	41.9	36.0	37.8	1 / 13	0 / 4	1 / 1
Percentage of transfers resulting in pregnancies (%)	48.4	40.0	45.9	2 / 13	1 / 4	1 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	79	25	16	6	10	4
Number of transfers	65	20	13	6	6	2
Estimated average number of transfers per retrieval	1.3	2.5	3.3	1.0		2.0
Average number of embryos transferred	1.8	2.0	2.0	2.3	2.0	1.5
Percentage of embryos transferred resulting in implantation (%)	16.5	25.7	15.4	2 / 14	0 / 12	1 / 3
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	15.4	25.0	3 / 13	1 / 6	0 / 6	0 / 2
Percentage of transfers resulting in singleton live births (%)	15.4	30.0	3 / 13	1 / 6	0 / 6	1 / 2
Percentage of transfers resulting in twin live births (%)	6.2	5.0	0 / 13	0 / 6	0 / 6	0 / 2
Percentage of transfers resulting in live births (%)	21.5	35.0	3 / 13	1 / 6	0 / 6	1 / 2
Percentage of transfers resulting in pregnancies (%)	29.2	45.0	4 / 13	1 / 6	0 / 6	1 / 2
Number of Egg/Embryo Banking Cycles	13	2	1	1	0	1

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	32	36
Number of transfers	25	27
Average number of embryos transferred	2.0	2.1
Percentage of embryos transferred resulting in implantation (%)	41.7	13.2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	16.0	22.2
Percentage of transfers resulting in singleton live births (%)	20.0	22.2
Percentage of transfers resulting in twin live births (%)	24.0	0.0
Percentage of transfers resulting in live births (%)	44.0	22.2
Percentage of transfers resulting in pregnancies (%)	56.0	29.6

CURRENT SERVICES & PROFILE

Current Name: University Hospitals Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

OHIO REPRODUCTIVE MEDICINE
COLUMBUS, OHIO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Grant Schmidt, MD, PhD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	35%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	3%		

Patient Diagnosis[b]

Tubal factor	22%	Uterine factor	8%	*Multiple Factors:*	
Ovulatory dysfunction	11%	Male factor	27%	Female factors only	16%
Diminished ovarian reserve	24%	Other factor	12%	Female & male factors	11%
Endometriosis	10%	Unknown factor	20%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 611 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	245	101	67	15	11	6
Percentage of cancellations (%)	4.5	5.9	10.4	3 / 15	0 / 11	0 / 6
Average number of embryos transferred	1.9	2.2	2.4	2.4	2.5	5.7
Percentage of embryos transferred resulting in implantation (%)	45.2	33.7	17.7	0.0	0.0	0.0
Percentage of elective single embryo transfers (eSET) (%)	15.3	9.5	0.0	0 / 7	0 / 6	0 / 6
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	22.4	24.8	16.4	0 / 15	0 / 11	0 / 6
Percentage of cycles resulting in singleton live births (%)	26.5	27.7	17.9	0 / 15	0 / 11	0 / 6
Percentage of cycles resulting in twin live births (%)	19.2	10.9	1.5	0 / 15	0 / 11	0 / 6
Percentage of cycles resulting in live births (%)	46.1	39.6	22.4	0 / 15	0 / 11	0 / 6
Percentage of cycles resulting in pregnancies (%)	53.5	50.5	29.9	1 / 15	0 / 11	1 / 6
Outcomes per Transfer						
Number of transfers	219	89	59	11	8	6
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	25.1	28.1	18.6	0 / 11	0 / 8	0 / 6
Percentage of transfers resulting in singleton live births (%)	29.7	31.5	20.3	0 / 11	0 / 8	0 / 6
Percentage of transfers resulting in twin live births (%)	21.5	12.4	1.7	0 / 11	0 / 8	0 / 6
Percentage of transfers resulting in live births (%)	51.6	44.9	25.4	0 / 11	0 / 8	0 / 6
Percentage of transfers resulting in pregnancies (%)	59.8	57.3	33.9	1 / 11	0 / 8	1 / 6
Frozen Embryos from Nondonor Eggs						
Number of cycles	68	18	13	1	1	1
Number of transfers	63	15	12	1	0	1
Estimated average number of transfers per retrieval	1.5	3.0	1.7			
Average number of embryos transferred	1.7	1.6	1.4	3.0		2.0
Percentage of embryos transferred resulting in implantation (%)	35.2	30.4	7 / 16	0 / 3		0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	20.6	1 / 15	4 / 12	0 / 1		0 / 1
Percentage of transfers resulting in singleton live births (%)	23.8	3 / 15	5 / 12	0 / 1		0 / 1
Percentage of transfers resulting in twin live births (%)	12.7	1 / 15	1 / 12	0 / 1		0 / 1
Percentage of transfers resulting in live births (%)	36.5	4 / 15	6 / 12	0 / 1		0 / 1
Percentage of transfers resulting in pregnancies (%)	41.3	6 / 15	7 / 12	0 / 1		0 / 1
Number of Egg/Embryo Banking Cycles	8	1	3	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	33	19
Number of transfers	31	19
Average number of embryos transferred	1.7	1.7
Percentage of embryos transferred resulting in implantation (%)	50.0	41.4
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	29.0	4 / 19
Percentage of transfers resulting in singleton live births (%)	29.0	5 / 19
Percentage of transfers resulting in twin live births (%)	19.4	2 / 19
Percentage of transfers resulting in live births (%)	48.4	8 / 19
Percentage of transfers resulting in pregnancies (%)	61.3	10 / 19

CURRENT SERVICES & PROFILE

Current Name: Ohio Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

KETTERING REPRODUCTIVE MEDICINE
KETTERING, OHIO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Jeremy M. Groll, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	68%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	5%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	15%	Male factor	55%	Female factors only	8%
Diminished ovarian reserve	31%	Other factor	5%	Female & male factors	20%
Endometriosis	19%	Unknown factor	2%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 227 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	98	26	15	7	0	0
Percentage of cancellations (%)	6.1	3.8	3 / 15	0 / 7		
Average number of embryos transferred	1.9	1.9	2.2	2.4		
Percentage of embryos transferred resulting in implantation (%)	45.9	30.2	15.4	2 / 17		
Percentage of elective single embryo transfers (eSET) (%)	12.9	13.6	0 / 12	0 / 7		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	21.4	11.5	2 / 15	2 / 7		
Percentage of cycles resulting in singleton live births (%)	27.6	11.5	3 / 15	2 / 7		
Percentage of cycles resulting in twin live births (%)	20.4	11.5	0 / 15	0 / 7		
Percentage of cycles resulting in live births (%)	48.0	26.9	3 / 15	2 / 7		
Percentage of cycles resulting in pregnancies (%)	54.1	34.6	4 / 15	2 / 7		
Outcomes per Transfer						
Number of transfers	87	24	12	7	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	24.1	12.5	2 / 12	2 / 7		
Percentage of transfers resulting in singleton live births (%)	31.0	12.5	3 / 12	2 / 7		
Percentage of transfers resulting in twin live births (%)	23.0	12.5	0 / 12	0 / 7		
Percentage of transfers resulting in live births (%)	54.0	29.2	3 / 12	2 / 7		
Percentage of transfers resulting in pregnancies (%)	60.9	37.5	4 / 12	2 / 7		
Frozen Embryos from Nondonor Eggs						
Number of cycles	43	13	11	3	0	1
Number of transfers	43	13	10	3	0	1
Estimated average number of transfers per retrieval	1.9	1.6	2.0	1.0		
Average number of embryos transferred	1.7	1.8	1.5	2.3		2.0
Percentage of embryos transferred resulting in implantation (%)	32.4	16.7	2 / 14	2 / 7		1 / 2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	32.6	2 / 13	0 / 10	0 / 3		0 / 1
Percentage of transfers resulting in singleton live births (%)	37.2	2 / 13	0 / 10	0 / 3		0 / 1
Percentage of transfers resulting in twin live births (%)	4.7	0 / 13	0 / 10	1 / 3		0 / 1
Percentage of transfers resulting in live births (%)	41.9	2 / 13	0 / 10	1 / 3		0 / 1
Percentage of transfers resulting in pregnancies (%)	48.8	4 / 13	3 / 10	1 / 3		1 / 1
Number of Egg/Embryo Banking Cycles	1	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	7	2
Number of transfers	7	2
Average number of embryos transferred	1.9	1.0
Percentage of embryos transferred resulting in implantation (%)	4 / 13	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 7	0 / 2
Percentage of transfers resulting in singleton live births (%)	2 / 7	0 / 2
Percentage of transfers resulting in twin live births (%)	1 / 7	0 / 2
Percentage of transfers resulting in live births (%)	3 / 7	0 / 2
Percentage of transfers resulting in pregnancies (%)	3 / 7	1 / 2

CURRENT SERVICES & PROFILE

Current Name: This clinic has closed or reorganized since 2013. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF NORTHWESTERN OHIO
TOLEDO, OHIO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Joseph V. Karnitis, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	33%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	5%		

Patient Diagnosis[b]

Tubal factor	33%	Uterine factor	8%	*Multiple Factors:*	
Ovulatory dysfunction	13%	Male factor	37%	Female factors only	16%
Diminished ovarian reserve	29%	Other factor	7%	Female & male factors	25%
Endometriosis	13%	Unknown factor	5%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 84 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	32	11	14	2	1	0
Percentage of cancellations (%)	15.6	0 / 11	3 / 14	2 / 2	0 / 1	
Average number of embryos transferred	2.2	2.1	2.5		3.0	
Percentage of embryos transferred resulting in implantation (%)	42.3	34.8	25.0		0 / 3	
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 9	0 / 11		0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	18.8	3 / 11	3 / 14	0 / 2	0 / 1	
Percentage of cycles resulting in singleton live births (%)	25.0	4 / 11	4 / 14	0 / 2	0 / 1	
Percentage of cycles resulting in twin live births (%)	18.8	2 / 11	0 / 14	0 / 2	0 / 1	
Percentage of cycles resulting in live births (%)	43.8	6 / 11	4 / 14	0 / 2	0 / 1	
Percentage of cycles resulting in pregnancies (%)	53.1	6 / 11	5 / 14	0 / 2	0 / 1	
Outcomes per Transfer						
Number of transfers	25	11	11	0	1	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	24.0	3 / 11	3 / 11		0 / 1	
Percentage of transfers resulting in singleton live births (%)	32.0	4 / 11	4 / 11		0 / 1	
Percentage of transfers resulting in twin live births (%)	24.0	2 / 11	0 / 11		0 / 1	
Percentage of transfers resulting in live births (%)	56.0	6 / 11	4 / 11		0 / 1	
Percentage of transfers resulting in pregnancies (%)	68.0	6 / 11	5 / 11		0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	10	3	2	0	0	0
Number of transfers	7	3	2	0	0	0
Estimated average number of transfers per retrieval	3.5	3.0				
Average number of embryos transferred	1.9	1.3	2.5			
Percentage of embryos transferred resulting in implantation (%)	3 / 13	0 / 4	1 / 5			
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 7	0 / 3	1 / 2			
Percentage of transfers resulting in singleton live births (%)	1 / 7	0 / 3	1 / 2			
Percentage of transfers resulting in twin live births (%)	1 / 7	0 / 3	0 / 2			
Percentage of transfers resulting in live births (%)	2 / 7	0 / 3	1 / 2			
Percentage of transfers resulting in pregnancies (%)	2 / 7	0 / 3	1 / 2			
Number of Egg/Embryo Banking Cycles	0	1	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	2	6
Number of transfers	2	4
Average number of embryos transferred	2.0	1.5
Percentage of embryos transferred resulting in implantation (%)	2 / 4	1 / 6
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 2	1 / 4
Percentage of transfers resulting in singleton live births (%)	2 / 2	1 / 4
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 4
Percentage of transfers resulting in live births (%)	2 / 2	1 / 4
Percentage of transfers resulting in pregnancies (%)	2 / 2	1 / 4

CURRENT SERVICES & PROFILE

Current Name: Fertility Center of Northwestern Ohio

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE HEALTH
WEST CHESTER, OHIO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Krystene B. DiPaola, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	55%
Unstimulated	0%	Used PGD	<1%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	11%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	17%	Male factor	46%	Female factors only	7%
Diminished ovarian reserve	30%	Other factor	3%	Female & male factors	19%
Endometriosis	11%	Unknown factor	6%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 205 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	76	29	18	3	2	2
Percentage of cancellations (%)	2.6	6.9	3 / 18	0 / 3	1 / 2	2 / 2
Average number of embryos transferred	2.0	2.2	2.2	3.7		
Percentage of embryos transferred resulting in implantation (%)	32.8	26.5	7.7	1 / 11		
Percentage of elective single embryo transfers (eSET) (%)	0.0	0.0	0 / 9	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	17.1	27.6	1 / 18	1 / 3	0 / 2	0 / 2
Percentage of cycles resulting in singleton live births (%)	25.0	27.6	2 / 18	1 / 3	0 / 2	0 / 2
Percentage of cycles resulting in twin live births (%)	10.5	3.4	0 / 18	0 / 3	0 / 2	0 / 2
Percentage of cycles resulting in live births (%)	36.8	31.0	2 / 18	1 / 3	0 / 2	0 / 2
Percentage of cycles resulting in pregnancies (%)	40.8	37.9	2 / 18	1 / 3	0 / 2	0 / 2
Outcomes per Transfer						
Number of transfers	66	23	12	3	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	19.7	34.8	1 / 12	1 / 3		
Percentage of transfers resulting in singleton live births (%)	28.8	34.8	2 / 12	1 / 3		
Percentage of transfers resulting in twin live births (%)	12.1	4.3	0 / 12	0 / 3		
Percentage of transfers resulting in live births (%)	42.4	39.1	2 / 12	1 / 3		
Percentage of transfers resulting in pregnancies (%)	47.0	47.8	2 / 12	1 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	18	5	2	0	3	0
Number of transfers	17	4	2	0	3	0
Estimated average number of transfers per retrieval	0.8	0.3	2.0	0.0		0.0
Average number of embryos transferred	1.8	1.8	2.0		1.7	
Percentage of embryos transferred resulting in implantation (%)	9.7	1 / 7	2 / 4		1 / 5	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 17	1 / 4	2 / 2		1 / 3	
Percentage of transfers resulting in singleton live births (%)	1 / 17	1 / 4	2 / 2		1 / 3	
Percentage of transfers resulting in twin live births (%)	1 / 17	0 / 4	0 / 2		0 / 3	
Percentage of transfers resulting in live births (%)	2 / 17	1 / 4	2 / 2		1 / 3	
Percentage of transfers resulting in pregnancies (%)	2 / 17	1 / 4	2 / 2		1 / 3	
Number of Egg/Embryo Banking Cycles	11	10	1	1	0	1

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	10	12
Number of transfers	10	11
Average number of embryos transferred	1.6	1.9
Percentage of embryos transferred resulting in implantation (%)	7 / 16	14.3
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 10	3 / 11
Percentage of transfers resulting in singleton live births (%)	3 / 10	3 / 11
Percentage of transfers resulting in twin live births (%)	1 / 10	0 / 11
Percentage of transfers resulting in live births (%)	4 / 10	3 / 11
Percentage of transfers resulting in pregnancies (%)	5 / 10	3 / 11

CURRENT SERVICES & PROFILE

Current Name: Center for Reproductive Health

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE GYNECOLOGY, INC.
WESTERVILLE, OHIO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Richard Moretuzzo, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	72%
Unstimulated	0%	Used PGD	4%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	17%	Uterine factor	6%	*Multiple Factors:*	
Ovulatory dysfunction	14%	Male factor	51%	Female factors only	10%
Diminished ovarian reserve	25%	Other factor	9%	Female & male factors	29%
Endometriosis	18%	Unknown factor	7%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 181 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	63	19	26	4	2	1
Percentage of cancellations (%)	3.2	1 / 19	11.5	0 / 4	1 / 2	0 / 1
Average number of embryos transferred	1.9	2.1	2.5	2.5	3.0	1.0
Percentage of embryos transferred resulting in implantation (%)	34.2	30.6	16.3	2 / 10	0 / 3	0 / 1
Percentage of elective single embryo transfers (eSET) (%)	10.5	0 / 17	0.0	0 / 3	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	17.5	7 / 19	7.7	1 / 4	0 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	25.4	7 / 19	7.7	2 / 4	0 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	12.7	2 / 19	3.8	0 / 4	0 / 2	0 / 1
Percentage of cycles resulting in live births (%)	38.1	9 / 19	11.5	2 / 4	0 / 2	0 / 1
Percentage of cycles resulting in pregnancies (%)	44.4	9 / 19	19.2	2 / 4	0 / 2	0 / 1
Outcomes per Transfer						
Number of transfers	60	17	20	4	1	1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	18.3	7 / 17	10.0	1 / 4	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	26.7	7 / 17	10.0	2 / 4	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	13.3	2 / 17	5.0	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	40.0	9 / 17	15.0	2 / 4	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	46.7	9 / 17	25.0	2 / 4	0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	25	10	5	0	0	0
Number of transfers	25	10	5	0	0	0
Estimated average number of transfers per retrieval	2.1	1.3	1.7			
Average number of embryos transferred	1.8	2.1	2.0			
Percentage of embryos transferred resulting in implantation (%)	53.5	28.6	1 / 10			
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	48.0	1 / 10	1 / 5			
Percentage of transfers resulting in singleton live births (%)	48.0	2 / 10	1 / 5			
Percentage of transfers resulting in twin live births (%)	12.0	1 / 10	0 / 5			
Percentage of transfers resulting in live births (%)	60.0	3 / 10	1 / 5			
Percentage of transfers resulting in pregnancies (%)	68.0	4 / 10	1 / 5			
Number of Egg/Embryo Banking Cycles	0	4	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	9	11
Number of transfers	8	11
Average number of embryos transferred	1.8	2.0
Percentage of embryos transferred resulting in implantation (%)	4 / 14	9.1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	3 / 8	2 / 11
Percentage of transfers resulting in singleton live births (%)	3 / 8	2 / 11
Percentage of transfers resulting in twin live births (%)	0 / 8	0 / 11
Percentage of transfers resulting in live births (%)	3 / 8	2 / 11
Percentage of transfers resulting in pregnancies (%)	3 / 8	2 / 11

CURRENT SERVICES & PROFILE

Current Name: Reproductive Gynecology, Inc.

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DEACONESS CENTER FOR REPRODUCTIVE HEALTH
OKLAHOMA CITY, OKLAHOMA

This clinic provided ART services during 2013 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2013 ART cycle data or the clinic's Medical Director did not approve the clinic's 2013 ART cycle data for inclusion in this report.

HENRY G. BENNETT, JR., FERTILITY INSTITUTE
OKLAHOMA CITY, OKLAHOMA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Eli Reshef, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	56%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	22%	Uterine factor	<1%	*Multiple Factors:*	
Ovulatory dysfunction	20%	Male factor	48%	Female factors only	12%
Diminished ovarian reserve	8%	Other factor	20%	Female & male factors	20%
Endometriosis	16%	Unknown factor	9%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 293 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	155	37	26	5	1	1
Percentage of cancellations (%)	3.2	2.7	11.5	1 / 5	1 / 1	1 / 1
Average number of embryos transferred	2.0	2.1	2.3	3.3		
Percentage of embryos transferred resulting in implantation (%)	43.3	31.9	18.8	2 / 13		
Percentage of elective single embryo transfers (eSET) (%)	0.0	0.0	0.0	0 / 4		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	25.8	24.3	11.5	2 / 5	0 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)	32.9	32.4	15.4	2 / 5	0 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)	22.6	10.8	7.7	0 / 5	0 / 1	0 / 1
Percentage of cycles resulting in live births (%)	55.5	43.2	23.1	2 / 5	0 / 1	0 / 1
Percentage of cycles resulting in pregnancies (%)	58.7	43.2	30.8	2 / 5	0 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	148	34	22	4	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	27.0	26.5	13.6	2 / 4		
Percentage of transfers resulting in singleton live births (%)	34.5	35.3	18.2	2 / 4		
Percentage of transfers resulting in twin live births (%)	23.6	11.8	9.1	0 / 4		
Percentage of transfers resulting in live births (%)	58.1	47.1	27.3	2 / 4		
Percentage of transfers resulting in pregnancies (%)	61.5	47.1	36.4	2 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	22	8	1	2	1	1
Number of transfers	21	8	1	2	0	1
Estimated average number of transfers per retrieval	1.9	8.0				
Average number of embryos transferred	1.8	2.4	2.0	1.5		2.0
Percentage of embryos transferred resulting in implantation (%)	15.8	3 / 19	0 / 2	1 / 3		1 / 2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	14.3	1 / 8	0 / 1	1 / 2		1 / 1
Percentage of transfers resulting in singleton live births (%)	19.0	2 / 8	0 / 1	1 / 2		1 / 1
Percentage of transfers resulting in twin live births (%)	4.8	0 / 8	0 / 1	0 / 2		0 / 1
Percentage of transfers resulting in live births (%)	23.8	2 / 8	0 / 1	1 / 2		1 / 1
Percentage of transfers resulting in pregnancies (%)	23.8	3 / 8	0 / 1	1 / 2		1 / 1
Number of Egg/Embryo Banking Cycles	1	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	11	21
Number of transfers	10	20
Average number of embryos transferred	2.2	2.0
Percentage of embryos transferred resulting in implantation (%)	22.7	7.7
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	4 / 10	5.0
Percentage of transfers resulting in singleton live births (%)	4 / 10	15.0
Percentage of transfers resulting in twin live births (%)	0 / 10	0.0
Percentage of transfers resulting in live births (%)	4 / 10	15.0
Percentage of transfers resulting in pregnancies (%)	4 / 10	15.0

CURRENT SERVICES & PROFILE

Current Name: Henry G. Bennett, Jr., Fertility Institute

Donor eggs?	Yes	Gestational carriers?	No	Single women?	No	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

OU PHYSICIANS REPRODUCTIVE MEDICINE
OKLAHOMA CITY, OKLAHOMA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by LaTasha B. Craig, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	91%
Unstimulated	0%	Used PGD	1%
Used gestational carrier	1%		

Patient Diagnosis[b]

Tubal factor	16%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	18%	Male factor	46%	Female factors only	11%
Diminished ovarian reserve	18%	Other factor	14%	Female & male factors	21%
Endometriosis	11%	Unknown factor	14%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 212 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	107	25	12	3	1	0
Percentage of cancellations (%)	2.8	0.0	1 / 12	0 / 3	0 / 1	
Average number of embryos transferred	1.9	2.1	2.6	3.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	42.3	18.9	20.7	0 / 9	0 / 1	
Percentage of elective single embryo transfers (eSET) (%)	13.5	0.0	0 / 10	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	31.8	20.0	3 / 12	0 / 3	0 / 1	
Percentage of cycles resulting in singleton live births (%)	39.3	20.0	4 / 12	0 / 3	0 / 1	
Percentage of cycles resulting in twin live births (%)	10.3	8.0	0 / 12	0 / 3	0 / 1	
Percentage of cycles resulting in live births (%)	50.5	28.0	4 / 12	0 / 3	0 / 1	
Percentage of cycles resulting in pregnancies (%)	54.2	28.0	5 / 12	0 / 3	0 / 1	
Outcomes per Transfer						
Number of transfers	99	25	11	3	1	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	34.3	20.0	3 / 11	0 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	42.4	20.0	4 / 11	0 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	11.1	8.0	0 / 11	0 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	54.5	28.0	4 / 11	0 / 3	0 / 1	
Percentage of transfers resulting in pregnancies (%)	58.6	28.0	5 / 11	0 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	27	10	3	1	0	0
Number of transfers	26	10	3	1	0	0
Estimated average number of transfers per retrieval	1.9	2.5	3.0			
Average number of embryos transferred	1.8	1.7	2.0	3.0		
Percentage of embryos transferred resulting in implantation (%)	23.8	7 / 17	2 / 3	1 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	15.4	4 / 10	1 / 3	1 / 1		
Percentage of transfers resulting in singleton live births (%)	15.4	6 / 10	2 / 3	1 / 1		
Percentage of transfers resulting in twin live births (%)	11.5	0 / 10	0 / 3	0 / 1		
Percentage of transfers resulting in live births (%)	26.9	6 / 10	2 / 3	1 / 1		
Percentage of transfers resulting in pregnancies (%)	42.3	6 / 10	3 / 3	1 / 1		
Number of Egg/Embryo Banking Cycles	1	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	15	7
Number of transfers	14	7
Average number of embryos transferred	1.9	1.7
Percentage of embryos transferred resulting in implantation (%)	43.5	5 / 12
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	4 / 14	3 / 7
Percentage of transfers resulting in singleton live births (%)	5 / 14	3 / 7
Percentage of transfers resulting in twin live births (%)	2 / 14	1 / 7
Percentage of transfers resulting in live births (%)	7 / 14	4 / 7
Percentage of transfers resulting in pregnancies (%)	10 / 14	4 / 7

CURRENT SERVICES & PROFILE

Current Name: OU Physicians Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

TULSA FERTILITY CENTER
TULSA, OKLAHOMA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Stanley G. Prough, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	87%
Unstimulated	0%	Used PGD	6%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	13%	Uterine factor	1%	*Multiple Factors:*	
Ovulatory dysfunction	13%	Male factor	52%	Female factors only	9%
Diminished ovarian reserve	24%	Other factor	16%	Female & male factors	24%
Endometriosis	10%	Unknown factor	8%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 353 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	147	38	28	4	3	0
Percentage of cancellations (%)	5.4	7.9	10.7	0 / 4	1 / 3	
Average number of embryos transferred	1.8	1.9	2.0	1.8	1.0	
Percentage of embryos transferred resulting in implantation (%)	33.2	37.5	21.4	1 / 7	1 / 1	
Percentage of elective single embryo transfers (eSET) (%)	8.1	0.0	0.0	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	23.1	23.7	14.3	1 / 4	0 / 3	
Percentage of cycles resulting in singleton live births (%)	29.3	26.3	21.4	1 / 4	0 / 3	
Percentage of cycles resulting in twin live births (%)	6.1	7.9	3.6	0 / 4	0 / 3	
Percentage of cycles resulting in live births (%)	35.4	34.2	25.0	1 / 4	0 / 3	
Percentage of cycles resulting in pregnancies (%)	38.1	39.5	28.6	1 / 4	2 / 3	
Outcomes per Transfer						
Number of transfers	120	27	21	4	2	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	28.3	33.3	19.0	1 / 4	0 / 2	
Percentage of transfers resulting in singleton live births (%)	35.8	37.0	28.6	1 / 4	0 / 2	
Percentage of transfers resulting in twin live births (%)	7.5	11.1	4.8	0 / 4	0 / 2	
Percentage of transfers resulting in live births (%)	43.3	48.1	33.3	1 / 4	0 / 2	
Percentage of transfers resulting in pregnancies (%)	46.7	55.6	38.1	1 / 4	2 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	47	14	12	3	2	0
Number of transfers	45	12	12	3	2	0
Estimated average number of transfers per retrieval	1.8	1.5	0.7	3.0	0.5	
Average number of embryos transferred	1.6	1.8	1.9	2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	41.9	28.6	13.0	1 / 6	0 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	28.9	2 / 12	1 / 12	1 / 3	0 / 2	
Percentage of transfers resulting in singleton live births (%)	46.7	4 / 12	1 / 12	1 / 3	0 / 2	
Percentage of transfers resulting in twin live births (%)	8.9	0 / 12	0 / 12	0 / 3	0 / 2	
Percentage of transfers resulting in live births (%)	55.6	4 / 12	1 / 12	1 / 3	0 / 2	
Percentage of transfers resulting in pregnancies (%)	57.8	6 / 12	3 / 12	1 / 3	0 / 2	
Number of Egg/Embryo Banking Cycles	7	3	12	0	4	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	11	18
Number of transfers	10	14
Average number of embryos transferred	1.9	1.7
Percentage of embryos transferred resulting in implantation (%)	10 / 19	58.3
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 10	2 / 14
Percentage of transfers resulting in singleton live births (%)	3 / 10	6 / 14
Percentage of transfers resulting in twin live births (%)	3 / 10	2 / 14
Percentage of transfers resulting in live births (%)	6 / 10	8 / 14
Percentage of transfers resulting in pregnancies (%)	7 / 10	9 / 14

CURRENT SERVICES & PROFILE

Current Name: Tulsa Fertility Center

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE FERTILITY CENTER OF OREGON
EUGENE, OREGON

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Douglas J. Austin, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	89%
Unstimulated	0%	Used PGD	11%
Used gestational carrier	3%		

Patient Diagnosis[b]

Tubal factor	6%	Uterine factor	12%	*Multiple Factors:*	
Ovulatory dysfunction	29%	Male factor	41%	Female factors only	12%
Diminished ovarian reserve	35%	Other factor	10%	Female & male factors	26%
Endometriosis	<1%	Unknown factor	9%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 133 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	36	14	9	3	2	0
Percentage of cancellations (%)	2.8	0 / 14	1 / 9	0 / 3	0 / 2	
Average number of embryos transferred	2.3	2.4	2.4	2.3	3.0	
Percentage of embryos transferred resulting in implantation (%)	40.3	57.6	6 / 19	1 / 7	0 / 3	
Percentage of elective single embryo transfers (eSET) (%)	5.9	0 / 14	0 / 8	0 / 2	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	22.2	3 / 14	1 / 9	1 / 3	0 / 2	
Percentage of cycles resulting in singleton live births (%)	27.8	3 / 14	1 / 9	1 / 3	0 / 2	
Percentage of cycles resulting in twin live births (%)	16.7	7 / 14	2 / 9	0 / 3	0 / 2	
Percentage of cycles resulting in live births (%)	44.4	10 / 14	3 / 9	1 / 3	0 / 2	
Percentage of cycles resulting in pregnancies (%)	55.6	12 / 14	3 / 9	1 / 3	0 / 2	
Outcomes per Transfer						
Number of transfers	34	14	8	3	1	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	23.5	3 / 14	1 / 8	1 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	29.4	3 / 14	1 / 8	1 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	17.6	7 / 14	2 / 8	0 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	47.1	10 / 14	3 / 8	1 / 3	0 / 1	
Percentage of transfers resulting in pregnancies (%)	58.8	12 / 14	3 / 8	1 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	23	9	1	5	0	0
Number of transfers	22	9	1	5	0	0
Estimated average number of transfers per retrieval	2.0	2.3	0.3			
Average number of embryos transferred	1.9	2.2	3.0	2.8		
Percentage of embryos transferred resulting in implantation (%)	19.0	30.0	1 / 3	0 / 14		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	22.7	1 / 9	0 / 1	0 / 5		
Percentage of transfers resulting in singleton live births (%)	22.7	2 / 9	1 / 1	0 / 5		
Percentage of transfers resulting in twin live births (%)	0.0	0 / 9	0 / 1	0 / 5		
Percentage of transfers resulting in live births (%)	22.7	2 / 9	1 / 1	0 / 5		
Percentage of transfers resulting in pregnancies (%)	31.8	5 / 9	1 / 1	0 / 5		
Number of Egg/Embryo Banking Cycles	2	1	2	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	11	15
Number of transfers	10	15
Average number of embryos transferred	1.9	2.3
Percentage of embryos transferred resulting in implantation (%)	13 / 19	8.8
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 10	1 / 15
Percentage of transfers resulting in singleton live births (%)	3 / 10	1 / 15
Percentage of transfers resulting in twin live births (%)	3 / 10	0 / 15
Percentage of transfers resulting in live births (%)	6 / 10	1 / 15
Percentage of transfers resulting in pregnancies (%)	8 / 10	3 / 15

CURRENT SERVICES & PROFILE

Current Name: The Fertility Center of Oregon

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTHWEST FERTILITY CENTER
PORTLAND, OREGON

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Eugene M. Stoelk, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	52%
Unstimulated	0%	Used PGD	4%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	27%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	7%	Male factor	38%	Female factors only	17%
Diminished ovarian reserve	37%	Other factor	4%	Female & male factors	16%
Endometriosis	16%	Unknown factor	5%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 139 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	38	13	13	6	1	0
Percentage of cancellations (%)	5.3	0 / 13	3 / 13	1 / 6	0 / 1	
Average number of embryos transferred	2.0	2.0	2.3	2.6	1.0	
Percentage of embryos transferred resulting in implantation (%)	37.7	30.0	26.1	6 / 13	0 / 1	
Percentage of elective single embryo transfers (eSET) (%)	17.6	1 / 9	0 / 9	0 / 4		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	26.3	2 / 13	1 / 13	4 / 6	0 / 1	
Percentage of cycles resulting in singleton live births (%)	34.2	2 / 13	1 / 13	4 / 6	0 / 1	
Percentage of cycles resulting in twin live births (%)	13.2	1 / 13	2 / 13	1 / 6	0 / 1	
Percentage of cycles resulting in live births (%)	47.4	3 / 13	3 / 13	5 / 6	0 / 1	
Percentage of cycles resulting in pregnancies (%)	52.6	5 / 13	4 / 13	5 / 6	0 / 1	
Outcomes per Transfer						
Number of transfers	34	10	10	5	1	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	29.4	2 / 10	1 / 10	4 / 5	0 / 1	
Percentage of transfers resulting in singleton live births (%)	38.2	2 / 10	1 / 10	4 / 5	0 / 1	
Percentage of transfers resulting in twin live births (%)	14.7	1 / 10	2 / 10	1 / 5	0 / 1	
Percentage of transfers resulting in live births (%)	52.9	3 / 10	3 / 10	5 / 5	0 / 1	
Percentage of transfers resulting in pregnancies (%)	58.8	5 / 10	4 / 10	5 / 5	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	19	7	5	2	0	0
Number of transfers	19	7	5	2	0	0
Estimated average number of transfers per retrieval	4.8	3.5		2.0		
Average number of embryos transferred	1.9	2.1	2.0	3.5		
Percentage of embryos transferred resulting in implantation (%)	27.8	4 / 15	0 / 10	0 / 7		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	7 / 19	2 / 7	0 / 5	0 / 2		
Percentage of transfers resulting in singleton live births (%)	8 / 19	2 / 7	0 / 5	0 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 19	1 / 7	0 / 5	0 / 2		
Percentage of transfers resulting in live births (%)	8 / 19	3 / 7	0 / 5	0 / 2		
Percentage of transfers resulting in pregnancies (%)	8 / 19	3 / 7	0 / 5	0 / 2		
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	21	14
Number of transfers	20	14
Average number of embryos transferred	1.8	2.1
Percentage of embryos transferred resulting in implantation (%)	60.0	23.3
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	45.0	5 / 14
Percentage of transfers resulting in singleton live births (%)	50.0	5 / 14
Percentage of transfers resulting in twin live births (%)	25.0	0 / 14
Percentage of transfers resulting in live births (%)	75.0	5 / 14
Percentage of transfers resulting in pregnancies (%)	75.0	6 / 14

CURRENT SERVICES & PROFILE

Current Name: Northwest Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

OREGON REPRODUCTIVE MEDICINE
PORTLAND, OREGON

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by John S. Hesla, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	80%
Unstimulated	<1%	Used PGD	9%
Used gestational carrier	3%		

Patient Diagnosis[b]

Tubal factor	7%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	10%	Male factor	25%	Female factors only	6%
Diminished ovarian reserve	34%	Other factor	17%	Female & male factors	8%
Endometriosis	7%	Unknown factor	12%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 1,059 (includes 4 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	171	69	52	5	9	2
Percentage of cancellations (%)	2.3	1.4	3.8	1 / 5	2 / 9	1 / 2
Average number of embryos transferred	1.8	1.9	2.1	3.0	3.5	
Percentage of embryos transferred resulting in implantation (%)	64.1	49.6	26.4	0 / 3	0.0	
Percentage of elective single embryo transfers (eSET) (%)	11.6	11.5	2.4	0 / 1	0 / 6	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	28.1	34.8	23.1	0 / 5	0 / 9	0 / 2
Percentage of cycles resulting in singleton live births (%)	33.3	37.7	26.9	0 / 5	0 / 9	0 / 2
Percentage of cycles resulting in twin live births (%)	32.7	18.8	3.8	0 / 5	0 / 9	0 / 2
Percentage of cycles resulting in live births (%)	66.1	56.5	30.8	0 / 5	0 / 9	0 / 2
Percentage of cycles resulting in pregnancies (%)	69.6	60.9	42.3	0 / 5	0 / 9	0 / 2
Outcomes per Transfer						
Number of transfers	154	63	43	1	6	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	31.2	38.1	27.9	0 / 1	0 / 6	
Percentage of transfers resulting in singleton live births (%)	37.0	41.3	32.6	0 / 1	0 / 6	
Percentage of transfers resulting in twin live births (%)	36.4	20.6	4.7	0 / 1	0 / 6	
Percentage of transfers resulting in live births (%)	73.4	61.9	37.2	0 / 1	0 / 6	
Percentage of transfers resulting in pregnancies (%)	77.3	66.7	51.2	0 / 1	0 / 6	
Frozen Embryos from Nondonor Eggs						
Number of cycles	78	72	47	20	6	2
Number of transfers	72	69	45	19	5	2
Estimated average number of transfers per retrieval	1.3	1.1	0.6	0.8	0.3	0.7
Average number of embryos transferred	1.6	1.5	1.4	1.7	1.2	2.0
Percentage of embryos transferred resulting in implantation (%)	51.9	54.0	39.0	50.0	5 / 6	2 / 4
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	36.1	39.1	24.4	7 / 19	4 / 5	0 / 2
Percentage of transfers resulting in singleton live births (%)	37.5	44.9	31.1	11 / 19	5 / 5	0 / 2
Percentage of transfers resulting in twin live births (%)	15.3	11.6	6.7	1 / 19	0 / 5	1 / 2
Percentage of transfers resulting in live births (%)	52.8	56.5	37.8	12 / 19	5 / 5	1 / 2
Percentage of transfers resulting in pregnancies (%)	63.9	65.2	46.7	15 / 19	5 / 5	1 / 2
Number of Egg/Embryo Banking Cycles	41	54	77	24	14	3

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	155	154
Number of transfers	86	142
Average number of embryos transferred	1.7	1.6
Percentage of embryos transferred resulting in implantation (%)	67.1	60.2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	37.2	34.5
Percentage of transfers resulting in singleton live births (%)	44.2	40.1
Percentage of transfers resulting in twin live births (%)	25.6	19.0
Percentage of transfers resulting in live births (%)	70.9	59.2
Percentage of transfers resulting in pregnancies (%)	86.0	72.5

CURRENT SERVICES & PROFILE

Current Name: Oregon Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY FERTILITY CONSULTANTS
OREGON HEALTH & SCIENCE UNIVERSITY
PORTLAND, OREGON

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by David M. Lee, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	83%
Unstimulated	0%	Used PGD	7%
Used gestational carrier	6%		

Patient Diagnosis[b]

Tubal factor	13%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	11%	Male factor	46%	Female factors only	13%
Diminished ovarian reserve	27%	Other factor	24%	Female & male factors	23%
Endometriosis	5%	Unknown factor	8%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 402 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	99	59	40	18	6	4
Percentage of cancellations (%)	5.1	15.3	5.0	3 / 18	0 / 6	1 / 4
Average number of embryos transferred	2.0	2.0	2.2	2.8	2.8	4.0
Percentage of embryos transferred resulting in implantation (%)	28.8	36.0	30.6	9.4	1 / 12	0 / 4
Percentage of elective single embryo transfers (eSET) (%)	5.5	7.3	6.3	0 / 12	0 / 5	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	18.2	30.5	20.0	0 / 18	0 / 6	0 / 4
Percentage of cycles resulting in singleton live births (%)	18.2	33.9	22.5	0 / 18	0 / 6	0 / 4
Percentage of cycles resulting in twin live births (%)	8.1	5.1	12.5	1 / 18	0 / 6	0 / 4
Percentage of cycles resulting in live births (%)	26.3	39.0	35.0	1 / 18	0 / 6	0 / 4
Percentage of cycles resulting in pregnancies (%)	34.3	44.1	42.5	3 / 18	2 / 6	0 / 4
Outcomes per Transfer						
Number of transfers	76	44	33	13	5	1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	23.7	40.9	24.2	0 / 13	0 / 5	0 / 1
Percentage of transfers resulting in singleton live births (%)	23.7	45.5	27.3	0 / 13	0 / 5	0 / 1
Percentage of transfers resulting in twin live births (%)	10.5	6.8	15.2	1 / 13	0 / 5	0 / 1
Percentage of transfers resulting in live births (%)	34.2	52.3	42.4	1 / 13	0 / 5	0 / 1
Percentage of transfers resulting in pregnancies (%)	44.7	59.1	51.5	3 / 13	2 / 5	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	58	27	9	10	0	1
Number of transfers	54	26	9	10	0	1
Estimated average number of transfers per retrieval	1.5	1.9	1.1	1.7	0.0	0.5
Average number of embryos transferred	1.9	2.0	2.2	1.8		3.0
Percentage of embryos transferred resulting in implantation (%)	38.1	37.3	30.0	6 / 18		0 / 3
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	24.1	30.8	3 / 9	1 / 10		0 / 1
Percentage of transfers resulting in singleton live births (%)	27.8	38.5	3 / 9	2 / 10		0 / 1
Percentage of transfers resulting in twin live births (%)	14.8	11.5	1 / 9	0 / 10		0 / 1
Percentage of transfers resulting in live births (%)	42.6	50.0	4 / 9	2 / 10		0 / 1
Percentage of transfers resulting in pregnancies (%)	53.7	53.8	5 / 9	4 / 10		0 / 1
Number of Egg/Embryo Banking Cycles	7	5	2	2	1	1

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	29	23
Number of transfers	29	22
Average number of embryos transferred	1.9	1.7
Percentage of embryos transferred resulting in implantation (%)	59.3	38.2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	41.4	27.3
Percentage of transfers resulting in singleton live births (%)	55.2	31.8
Percentage of transfers resulting in twin live births (%)	20.7	13.6
Percentage of transfers resulting in live births (%)	75.9	45.5
Percentage of transfers resulting in pregnancies (%)	82.8	54.5

CURRENT SERVICES & PROFILE

Current Name: This clinic has closed or reorganized since 2013. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ABINGTON REPRODUCTIVE MEDICINE, ABINGTON IVF AND GENETICS TOLL CENTER FOR REPRODUCTIVE SCIENCES ABINGTON, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Stephen G. Somkuti, MD, PhD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	79%
Unstimulated	0%	Used PGD	4%
Used gestational carrier	1%		

Patient Diagnosis[b]

Tubal factor	4%	Uterine factor	1%	*Multiple Factors:*	
Ovulatory dysfunction	8%	Male factor	21%	Female factors only	4%
Diminished ovarian reserve	19%	Other factor	56%	Female & male factors	6%
Endometriosis	3%	Unknown factor	1%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 507 (includes 5 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	188	76	64	11	12	7
Percentage of cancellations (%)	5.3	7.9	17.2	0 / 11	0 / 12	2 / 7
Average number of embryos transferred	2.0	2.3	2.6	2.8	2.6	3.5
Percentage of embryos transferred resulting in implantation (%)	31.8	24.8	19.3	4.0	0.0	0 / 14
Percentage of elective single embryo transfers (eSET) (%)	5.8	0.0	0.0	0 / 8	0 / 6	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	17.0	25.0	9.4	1 / 11	0 / 12	0 / 7
Percentage of cycles resulting in singleton live births (%)	20.7	26.3	10.9	1 / 11	0 / 12	0 / 7
Percentage of cycles resulting in twin live births (%)	13.8	7.9	4.7	0 / 11	0 / 12	0 / 7
Percentage of cycles resulting in live births (%)	34.6	34.2	15.6	1 / 11	0 / 12	0 / 7
Percentage of cycles resulting in pregnancies (%)	40.4	40.8	28.1	2 / 11	0 / 12	0 / 7
Outcomes per Transfer						
Number of transfers	169	67	46	10	9	4
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	18.9	28.4	13.0	1 / 10	0 / 9	0 / 4
Percentage of transfers resulting in singleton live births (%)	23.1	29.9	15.2	1 / 10	0 / 9	0 / 4
Percentage of transfers resulting in twin live births (%)	15.4	9.0	6.5	0 / 10	0 / 9	0 / 4
Percentage of transfers resulting in live births (%)	38.5	38.8	21.7	1 / 10	0 / 9	0 / 4
Percentage of transfers resulting in pregnancies (%)	45.0	46.3	39.1	2 / 10	0 / 9	0 / 4
Frozen Embryos from Nondonor Eggs						
Number of cycles	52	22	7	4	0	1
Number of transfers	50	21	7	4	0	1
Estimated average number of transfers per retrieval	1.5	1.5	3.5	1.3		1.0
Average number of embryos transferred	1.8	1.9	1.7	2.5		1.0
Percentage of embryos transferred resulting in implantation (%)	22.6	15.4	2 / 12	4 / 10		1 / 1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	20.0	23.8	2 / 7	1 / 4		1 / 1
Percentage of transfers resulting in singleton live births (%)	24.0	28.6	2 / 7	1 / 4		1 / 1
Percentage of transfers resulting in twin live births (%)	4.0	0.0	0 / 7	0 / 4		0 / 1
Percentage of transfers resulting in live births (%)	28.0	28.6	2 / 7	1 / 4		1 / 1
Percentage of transfers resulting in pregnancies (%)	40.0	28.6	2 / 7	3 / 4		1 / 1
Number of Egg/Embryo Banking Cycles	8	7	2	2	0	1

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	26	12
Number of transfers	23	12
Average number of embryos transferred	1.7	2.1
Percentage of embryos transferred resulting in implantation (%)	68.4	12.0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	34.8	1 / 12
Percentage of transfers resulting in singleton live births (%)	43.5	1 / 12
Percentage of transfers resulting in twin live births (%)	30.4	1 / 12
Percentage of transfers resulting in live births (%)	73.9	2 / 12
Percentage of transfers resulting in pregnancies (%)	82.6	2 / 12

CURRENT SERVICES & PROFILE

Current Name: Abington Reproductive Medicine, Abington IVF and Genetics, Toll Center for Reproductive Sciences

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INFERTILITY SOLUTIONS, PC
ALLENTOWN, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Bruce I. Rose, MD, PhD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	93%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	17%	Uterine factor	8%	*Multiple Factors:*	
Ovulatory dysfunction	36%	Male factor	47%	Female factors only	22%
Diminished ovarian reserve	14%	Other factor	14%	Female & male factors	31%
Endometriosis	28%	Unknown factor	0%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 36 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	16	4	7	1	0	0
Percentage of cancellations (%)	0 / 16	0 / 4	0 / 7	0 / 1		
Average number of embryos transferred	2.1	1.8	2.4	2.0		
Percentage of embryos transferred resulting in implantation (%)	28.1	2 / 7	2 / 17	0 / 2		
Percentage of elective single embryo transfers (eSET) (%)	0 / 15	0 / 3	0 / 7	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	5 / 16	0 / 4	1 / 7	0 / 1		
Percentage of cycles resulting in singleton live births (%)	6 / 16	1 / 4	2 / 7	0 / 1		
Percentage of cycles resulting in twin live births (%)	1 / 16	0 / 4	0 / 7	0 / 1		
Percentage of cycles resulting in live births (%)	7 / 16	1 / 4	2 / 7	0 / 1		
Percentage of cycles resulting in pregnancies (%)	9 / 16	2 / 4	2 / 7	0 / 1		
Outcomes per Transfer						
Number of transfers	16	4	7	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	5 / 16	0 / 4	1 / 7	0 / 1		
Percentage of transfers resulting in singleton live births (%)	6 / 16	1 / 4	2 / 7	0 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 16	0 / 4	0 / 7	0 / 1		
Percentage of transfers resulting in live births (%)	7 / 16	1 / 4	2 / 7	0 / 1		
Percentage of transfers resulting in pregnancies (%)	9 / 16	2 / 4	2 / 7	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	1	0	0	0	0
Number of transfers	1	1	0	0	0	0
Estimated average number of transfers per retrieval	1.0	1.0				
Average number of embryos transferred	3.0	3.0				
Percentage of embryos transferred resulting in implantation (%)	0 / 3	1 / 3				
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 1	0 / 1				
Percentage of transfers resulting in singleton live births (%)	0 / 1	0 / 1				
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1				
Percentage of transfers resulting in live births (%)	0 / 1	0 / 1				
Percentage of transfers resulting in pregnancies (%)	0 / 1	1 / 1				
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	3	3
Number of transfers	2	3
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	0 / 4	0 / 6
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 2	0 / 3
Percentage of transfers resulting in singleton live births (%)	0 / 2	0 / 3
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 3
Percentage of transfers resulting in live births (%)	0 / 2	0 / 3
Percentage of transfers resulting in pregnancies (%)	0 / 2	0 / 3

CURRENT SERVICES & PROFILE

Current Name: Infertility Solutions, PC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 58 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF PENNSYLVANIA
ALLENTOWN, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Wendy J. Schillings, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	81%
Unstimulated	0%	Used PGD	17%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	11%	Uterine factor	7%	*Multiple Factors:*	
Ovulatory dysfunction	22%	Male factor	55%	Female factors only	13%
Diminished ovarian reserve	15%	Other factor	32%	Female & male factors	32%
Endometriosis	6%	Unknown factor	0%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 223 (includes 5 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	26	9	3	2	1	0
Percentage of cancellations (%)	7.7	2 / 9	0 / 3	0 / 2	0 / 1	
Average number of embryos transferred	1.8	1.9	2.0	1.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	74.4	7 / 13	2 / 4	0 / 1	1 / 2	
Percentage of elective single embryo transfers (eSET) (%)	19.0	1 / 7	0 / 2	1 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	30.8	1 / 9	0 / 3	0 / 2	0 / 1	
Percentage of cycles resulting in singleton live births (%)	34.6	1 / 9	1 / 3	0 / 2	0 / 1	
Percentage of cycles resulting in twin live births (%)	30.8	3 / 9	0 / 3	0 / 2	0 / 1	
Percentage of cycles resulting in live births (%)	69.2	4 / 9	1 / 3	0 / 2	0 / 1	
Percentage of cycles resulting in pregnancies (%)	73.1	4 / 9	2 / 3	0 / 2	1 / 1	
Outcomes per Transfer						
Number of transfers	22	7	2	1	1	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	36.4	1 / 7	0 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	40.9	1 / 7	1 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	36.4	3 / 7	0 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	81.8	4 / 7	1 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	86.4	4 / 7	2 / 2	0 / 1	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	52	17	14	4	2	0
Number of transfers	48	17	10	4	2	0
Estimated average number of transfers per retrieval	1.1	1.1	0.5	1.3		
Average number of embryos transferred	1.7	1.4	1.4	1.3	1.0	
Percentage of embryos transferred resulting in implantation (%)	60.5	60.9	12 / 13	4 / 5	1 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	27.1	5 / 17	6 / 10	2 / 4	0 / 2	
Percentage of transfers resulting in singleton live births (%)	29.2	8 / 17	6 / 10	2 / 4	1 / 2	
Percentage of transfers resulting in twin live births (%)	33.3	2 / 17	2 / 10	1 / 4	0 / 2	
Percentage of transfers resulting in live births (%)	62.5	10 / 17	8 / 10	3 / 4	1 / 2	
Percentage of transfers resulting in pregnancies (%)	68.8	12 / 17	9 / 10	3 / 4	1 / 2	
Number of Egg/Embryo Banking Cycles	40	13	21	3	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	6	5
Number of transfers	6	5
Average number of embryos transferred	1.8	1.8
Percentage of embryos transferred resulting in implantation (%)	9 / 11	1 / 3
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 6	0 / 5
Percentage of transfers resulting in singleton live births (%)	2 / 6	1 / 5
Percentage of transfers resulting in twin live births (%)	3 / 6	0 / 5
Percentage of transfers resulting in live births (%)	5 / 6	1 / 5
Percentage of transfers resulting in pregnancies (%)	6 / 6	4 / 5

CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine Associates of Pennsylvania

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FAMILY FERTILITY CENTER
BETHLEHEM, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by H. Christina Lee, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	66%
Unstimulated	2%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	6%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	11%	Male factor	45%	Female factors only	11%
Diminished ovarian reserve	49%	Other factor	12%	Female & male factors	22%
Endometriosis	8%	Unknown factor	6%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 80 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	19	8	10	7	1	2
Percentage of cancellations (%)	0 / 19	0 / 8	1 / 10	0 / 7	0 / 1	0 / 2
Average number of embryos transferred	1.7	2.0	1.8	2.7	2.0	2.5
Percentage of embryos transferred resulting in implantation (%)	53.1	7 / 16	3 / 15	3 / 19	0 / 2	0 / 5
Percentage of elective single embryo transfers (eSET) (%)	7 / 19	0 / 8	0 / 5	0 / 7	0 / 1	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	6 / 19	1 / 8	1 / 10	1 / 7	0 / 1	0 / 2
Percentage of cycles resulting in singleton live births (%)	8 / 19	1 / 8	1 / 10	1 / 7	0 / 1	0 / 2
Percentage of cycles resulting in twin live births (%)	4 / 19	3 / 8	0 / 10	1 / 7	0 / 1	0 / 2
Percentage of cycles resulting in live births (%)	12 / 19	4 / 8	1 / 10	2 / 7	0 / 1	0 / 2
Percentage of cycles resulting in pregnancies (%)	13 / 19	4 / 8	3 / 10	2 / 7	0 / 1	0 / 2
Outcomes per Transfer						
Number of transfers	19	8	9	7	1	2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	6 / 19	1 / 8	1 / 9	1 / 7	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	8 / 19	1 / 8	1 / 9	1 / 7	0 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	4 / 19	3 / 8	0 / 9	1 / 7	0 / 1	0 / 2
Percentage of transfers resulting in live births (%)	12 / 19	4 / 8	1 / 9	2 / 7	0 / 1	0 / 2
Percentage of transfers resulting in pregnancies (%)	13 / 19	4 / 8	3 / 9	2 / 7	0 / 1	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	9	5	0	1	0	0
Number of transfers	9	5	0	1	0	0
Estimated average number of transfers per retrieval	1.5	1.7		1.0	0.0	
Average number of embryos transferred	1.4	1.6		2.0		
Percentage of embryos transferred resulting in implantation (%)	7 / 13	3 / 8				
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	6 / 9	3 / 5		0 / 1		
Percentage of transfers resulting in singleton live births (%)	7 / 9	3 / 5		0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 9	0 / 5		0 / 1		
Percentage of transfers resulting in live births (%)	7 / 9	3 / 5		0 / 1		
Percentage of transfers resulting in pregnancies (%)	7 / 9	3 / 5		1 / 1		
Number of Egg/Embryo Banking Cycles	3	3	0	0	1	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	6	5
Number of transfers	6	5
Average number of embryos transferred	1.2	1.2
Percentage of embryos transferred resulting in implantation (%)	5 / 7	5 / 6
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 6	3 / 5
Percentage of transfers resulting in singleton live births (%)	3 / 6	3 / 5
Percentage of transfers resulting in twin live births (%)	0 / 6	1 / 5
Percentage of transfers resulting in live births (%)	3 / 6	4 / 5
Percentage of transfers resulting in pregnancies (%)	4 / 6	4 / 5

CURRENT SERVICES & PROFILE

Current Name: Family Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MAIN LINE FERTILITY AND REPRODUCTIVE MEDICINE
BRYN MAWR, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Michael J. Glassner, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	33%
Unstimulated	<1%	Used PGD	12%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	12%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	17%	Male factor	21%	Female factors only	10%
Diminished ovarian reserve	27%	Other factor	13%	Female & male factors	7%
Endometriosis	7%	Unknown factor	23%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 1,158 (includes 49 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	267	121	121	63	21	3
Percentage of cancellations (%)	4.5	10.7	13.2	12.7	23.8	0 / 3
Average number of embryos transferred	2.0	2.2	2.8	2.9	3.5	2.0
Percentage of embryos transferred resulting in implantation (%)	35.9	28.1	16.7	12.4	2.3	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	9.6	6.8	5.1	0.0	0 / 11	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	24.3	23.1	14.9	11.1	4.8	0 / 3
Percentage of cycles resulting in singleton live births (%)	28.8	24.8	18.2	14.3	4.8	0 / 3
Percentage of cycles resulting in twin live births (%)	11.2	9.1	5.8	0.0	0.0	0 / 3
Percentage of cycles resulting in live births (%)	40.1	33.9	24.0	14.3	4.8	0 / 3
Percentage of cycles resulting in pregnancies (%)	48.3	39.7	27.3	20.6	9.5	0 / 3
Outcomes per Transfer						
Number of transfers	233	97	91	36	13	1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	27.9	28.9	19.8	19.4	1 / 13	0 / 1
Percentage of transfers resulting in singleton live births (%)	33.0	30.9	24.2	25.0	1 / 13	0 / 1
Percentage of transfers resulting in twin live births (%)	12.9	11.3	7.7	0.0	0 / 13	0 / 1
Percentage of transfers resulting in live births (%)	45.9	42.3	31.9	25.0	1 / 13	0 / 1
Percentage of transfers resulting in pregnancies (%)	55.4	49.5	36.3	36.1	2 / 13	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	109	47	47	28	9	6
Number of transfers	101	44	37	22	8	4
Estimated average number of transfers per retrieval	1.3	0.9	0.8	0.4	0.4	1.3
Average number of embryos transferred	1.8	1.7	1.8	1.6	2.3	2.3
Percentage of embryos transferred resulting in implantation (%)	26.6	18.8	18.5	37.1	0 / 18	2 / 9
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	17.8	13.6	13.5	13.6	0 / 8	2 / 4
Percentage of transfers resulting in singleton live births (%)	22.8	15.9	13.5	18.2	0 / 8	2 / 4
Percentage of transfers resulting in twin live births (%)	5.0	4.5	2.7	9.1	0 / 8	0 / 4
Percentage of transfers resulting in live births (%)	27.7	20.5	16.2	27.3	0 / 8	2 / 4
Percentage of transfers resulting in pregnancies (%)	41.6	29.5	27.0	45.5	0 / 8	2 / 4
Number of Egg/Embryo Banking Cycles	28	33	30	34	14	3

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	51	74
Number of transfers	49	69
Average number of embryos transferred	1.9	1.8
Percentage of embryos transferred resulting in implantation (%)	42.9	26.2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	28.6	20.3
Percentage of transfers resulting in singleton live births (%)	32.7	20.3
Percentage of transfers resulting in twin live births (%)	12.2	4.3
Percentage of transfers resulting in live births (%)	44.9	26.1
Percentage of transfers resulting in pregnancies (%)	61.2	39.1

CURRENT SERVICES & PROFILE

Current Name: Main Line Fertility and Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GEISINGER MEDICAL CENTER FERTILITY PROGRAM
DANVILLE, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Jennifer Gell, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	94%
Unstimulated	0%	Used PGD	1%
Used gestational carrier	1%		

Patient Diagnosis[b]

Tubal factor	15%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	6%	Male factor	33%	Female factors only	7%
Diminished ovarian reserve	24%	Other factor	3%	Female & male factors	6%
Endometriosis	9%	Unknown factor	17%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 124 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	37	23	14	5	3	0
Percentage of cancellations (%)	2.7	8.7	1 / 14	1 / 5	0 / 3	
Average number of embryos transferred	1.9	2.0	2.2	3.0	3.0	
Percentage of embryos transferred resulting in implantation (%)	31.7	14.6	0.0	1 / 3	0 / 9	
Percentage of elective single embryo transfers (eSET) (%)	9.7	0 / 19	0 / 10	0 / 3	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	18.9	21.7	0 / 14	1 / 5	0 / 3	
Percentage of cycles resulting in singleton live births (%)	21.6	21.7	0 / 14	1 / 5	0 / 3	
Percentage of cycles resulting in twin live births (%)	13.5	0.0	0 / 14	0 / 5	0 / 3	
Percentage of cycles resulting in live births (%)	35.1	21.7	0 / 14	1 / 5	0 / 3	
Percentage of cycles resulting in pregnancies (%)	40.5	26.1	2 / 14	3 / 5	0 / 3	
Outcomes per Transfer						
Number of transfers	33	21	13	3	3	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	21.2	23.8	0 / 13	1 / 3	0 / 3	
Percentage of transfers resulting in singleton live births (%)	24.2	23.8	0 / 13	1 / 3	0 / 3	
Percentage of transfers resulting in twin live births (%)	15.2	0.0	0 / 13	0 / 3	0 / 3	
Percentage of transfers resulting in live births (%)	39.4	23.8	0 / 13	1 / 3	0 / 3	
Percentage of transfers resulting in pregnancies (%)	45.5	28.6	2 / 13	3 / 3	0 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	14	8	3	4	2	0
Number of transfers	14	8	3	3	2	0
Estimated average number of transfers per retrieval	1.4	2.7	3.0	1.5	2.0	
Average number of embryos transferred	1.6	1.5	2.0	2.3	2.5	
Percentage of embryos transferred resulting in implantation (%)	55.0	3 / 11	1 / 6	0 / 7	1 / 5	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 14	1 / 8	1 / 3	0 / 3	1 / 2	
Percentage of transfers resulting in singleton live births (%)	0 / 14	1 / 8	1 / 3	0 / 3	1 / 2	
Percentage of transfers resulting in twin live births (%)	5 / 14	1 / 8	0 / 3	0 / 3	0 / 2	
Percentage of transfers resulting in live births (%)	5 / 14	2 / 8	1 / 3	0 / 3	1 / 2	
Percentage of transfers resulting in pregnancies (%)	7 / 14	3 / 8	1 / 3	0 / 3	1 / 2	
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	6	4
Number of transfers	6	3
Average number of embryos transferred	1.7	1.7
Percentage of embryos transferred resulting in implantation (%)	4 / 10	1 / 5
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 6	1 / 3
Percentage of transfers resulting in singleton live births (%)	2 / 6	1 / 3
Percentage of transfers resulting in twin live births (%)	1 / 6	0 / 3
Percentage of transfers resulting in live births (%)	3 / 6	1 / 3
Percentage of transfers resulting in pregnancies (%)	3 / 6	1 / 3

CURRENT SERVICES & PROFILE

Current Name: Geisinger Medical Center Fertility Program

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PENN STATE MILTON S. HERSHEY MEDICAL CENTER
HERSHEY, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by William C. Dodson, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	78%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	4%	Uterine factor	<1%	*Multiple Factors:*	
Ovulatory dysfunction	19%	Male factor	28%	Female factors only	4%
Diminished ovarian reserve	0%	Other factor	4%	Female & male factors	10%
Endometriosis	17%	Unknown factor	40%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 116 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	46	12	13	3	0	0
Percentage of cancellations (%)	10.9	1 / 12	0 / 13	0 / 3		
Average number of embryos transferred	2.0	2.3	2.5	1.7		
Percentage of embryos transferred resulting in implantation (%)	34.4	14.3	19.4	0 / 5		
Percentage of elective single embryo transfers (eSET) (%)	3.1	0 / 9	0 / 10	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	17.4	0 / 12	2 / 13	0 / 3		
Percentage of cycles resulting in singleton live births (%)	21.7	0 / 12	2 / 13	0 / 3		
Percentage of cycles resulting in twin live births (%)	8.7	1 / 12	1 / 13	0 / 3		
Percentage of cycles resulting in live births (%)	30.4	1 / 12	3 / 13	0 / 3		
Percentage of cycles resulting in pregnancies (%)	34.8	2 / 12	4 / 13	0 / 3		
Outcomes per Transfer						
Number of transfers	32	9	13	3	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	25.0	0 / 9	2 / 13	0 / 3		
Percentage of transfers resulting in singleton live births (%)	31.3	0 / 9	2 / 13	0 / 3		
Percentage of transfers resulting in twin live births (%)	12.5	1 / 9	1 / 13	0 / 3		
Percentage of transfers resulting in live births (%)	43.8	1 / 9	3 / 13	0 / 3		
Percentage of transfers resulting in pregnancies (%)	50.0	2 / 9	4 / 13	0 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	22	7	4	0	1	0
Number of transfers	22	5	4	0	0	0
Estimated average number of transfers per retrieval	1.7	1.0	1.0			
Average number of embryos transferred	1.9	1.2	3.3			
Percentage of embryos transferred resulting in implantation (%)	40.5	2 / 6	1 / 13			
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	22.7	0 / 5	0 / 4			
Percentage of transfers resulting in singleton live births (%)	27.3	0 / 5	1 / 4			
Percentage of transfers resulting in twin live births (%)	13.6	1 / 5	0 / 4			
Percentage of transfers resulting in live births (%)	40.9	1 / 5	1 / 4			
Percentage of transfers resulting in pregnancies (%)	59.1	1 / 5	1 / 4			
Number of Egg/Embryo Banking Cycles	5	2	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	0	1
Number of transfers	0	1
Average number of embryos transferred		2.0
Percentage of embryos transferred resulting in implantation (%)		2 / 2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)		0 / 1
Percentage of transfers resulting in singleton live births (%)		0 / 1
Percentage of transfers resulting in twin live births (%)		1 / 1
Percentage of transfers resulting in live births (%)		1 / 1
Percentage of transfers resulting in pregnancies (%)		1 / 1

CURRENT SERVICES & PROFILE

Current Name: Penn State Milton S. Hershey Medical Center

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF PHILADELPHIA
KING OF PRUSSIA, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Arthur J. Castelbaum, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	68%
Unstimulated	<1%	Used PGD	5%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	12%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	4%	Male factor	30%	Female factors only	11%
Diminished ovarian reserve	24%	Other factor	27%	Female & male factors	11%
Endometriosis	6%	Unknown factor	16%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 581 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	167	72	80	27	14	3
Percentage of cancellations (%)	3.6	4.2	11.3	11.1	1 / 14	2 / 3
Average number of embryos transferred	1.8	1.9	2.2	2.8	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	51.8	42.3	26.2	12.5	0 / 10	0 / 1
Percentage of elective single embryo transfers (eSET) (%)	15.0	6.7	0.0	1 / 19	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	26.9	25.0	16.3	3.7	0 / 14	0 / 3
Percentage of cycles resulting in singleton live births (%)	32.3	31.9	21.3	3.7	0 / 14	0 / 3
Percentage of cycles resulting in twin live births (%)	16.8	6.9	6.3	7.4	0 / 14	0 / 3
Percentage of cycles resulting in live births (%)	49.1	38.9	27.5	11.1	0 / 14	0 / 3
Percentage of cycles resulting in pregnancies (%)	63.5	52.8	40.0	22.2	0 / 14	0 / 3
Outcomes per Transfer						
Number of transfers	152	64	64	21	5	1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	29.6	28.1	20.3	4.8	0 / 5	0 / 1
Percentage of transfers resulting in singleton live births (%)	35.5	35.9	26.6	4.8	0 / 5	0 / 1
Percentage of transfers resulting in twin live births (%)	18.4	7.8	7.8	9.5	0 / 5	0 / 1
Percentage of transfers resulting in live births (%)	53.9	43.8	34.4	14.3	0 / 5	0 / 1
Percentage of transfers resulting in pregnancies (%)	69.7	59.4	50.0	28.6	0 / 5	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	54	33	20	5	0	0
Number of transfers	53	29	17	5	0	0
Estimated average number of transfers per retrieval	1.3	1.6	0.7	0.6		
Average number of embryos transferred	1.6	1.5	1.6	1.8		
Percentage of embryos transferred resulting in implantation (%)	36.7	32.6	21.4	1 / 9		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	32.1	10.3	5 / 17	0 / 5		
Percentage of transfers resulting in singleton live births (%)	37.7	24.1	5 / 17	1 / 5		
Percentage of transfers resulting in twin live births (%)	5.7	6.9	0 / 17	0 / 5		
Percentage of transfers resulting in live births (%)	43.4	31.0	5 / 17	1 / 5		
Percentage of transfers resulting in pregnancies (%)	50.9	37.9	5 / 17	1 / 5		
Number of Egg/Embryo Banking Cycles	14	7	12	4	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	38	28
Number of transfers	32	24
Average number of embryos transferred	2.0	1.7
Percentage of embryos transferred resulting in implantation (%)	45.9	26.3
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	46.9	8.3
Percentage of transfers resulting in singleton live births (%)	53.1	16.7
Percentage of transfers resulting in twin live births (%)	9.4	4.2
Percentage of transfers resulting in live births (%)	62.5	20.8
Percentage of transfers resulting in pregnancies (%)	81.3	33.3

CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine Associates of Philadelphia

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY AND GYNECOLOGY ASSOCIATES
PHILADELPHIA, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Leonore C. Huppert, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	33%
Unstimulated	0%	Used PGD	6%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	9%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	19%	Male factor	22%	Female factors only	13%
Diminished ovarian reserve	66%	Other factor	6%	Female & male factors	16%
Endometriosis	0%	Unknown factor	3%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 35 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	1	8	4	3	2	0
Percentage of cancellations (%)	0 / 1	0 / 8	0 / 4	0 / 3	0 / 2	
Average number of embryos transferred	1.0	1.8	3.0	4.0	4.0	
Percentage of embryos transferred resulting in implantation (%)	1 / 1	2 / 11	3 / 9	1 / 8	1 / 8	
Percentage of elective single embryo transfers (eSET) (%)	1 / 1	0 / 5	0 / 3	0 / 2	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	1 / 1	2 / 8	0 / 4	1 / 3	0 / 2	
Percentage of cycles resulting in singleton live births (%)	1 / 1	2 / 8	0 / 4	1 / 3	0 / 2	
Percentage of cycles resulting in twin live births (%)	0 / 1	0 / 8	1 / 4	0 / 3	0 / 2	
Percentage of cycles resulting in live births (%)	1 / 1	2 / 8	1 / 4	1 / 3	0 / 2	
Percentage of cycles resulting in pregnancies (%)	1 / 1	2 / 8	2 / 4	1 / 3	1 / 2	
Outcomes per Transfer						
Number of transfers	1	6	3	2	2	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 1	2 / 6	0 / 3	1 / 2	0 / 2	
Percentage of transfers resulting in singleton live births (%)	1 / 1	2 / 6	0 / 3	1 / 2	0 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 6	1 / 3	0 / 2	0 / 2	
Percentage of transfers resulting in live births (%)	1 / 1	2 / 6	1 / 3	1 / 2	0 / 2	
Percentage of transfers resulting in pregnancies (%)	1 / 1	2 / 6	2 / 3	1 / 2	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	4	1	0	1	0
Number of transfers	1	4	1	0	1	0
Estimated average number of transfers per retrieval	1.0	1.3	1.0			
Average number of embryos transferred	2.0	2.0	3.0		2.0	
Percentage of embryos transferred resulting in implantation (%)	0 / 2	3 / 8	2 / 3		0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 1	1 / 4	0 / 1		0 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 1	1 / 4	0 / 1		0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 1	1 / 4	1 / 1		0 / 1	
Percentage of transfers resulting in live births (%)	0 / 1	2 / 4	1 / 1		0 / 1	
Percentage of transfers resulting in pregnancies (%)	0 / 1	2 / 4	1 / 1		0 / 1	
Number of Egg/Embryo Banking Cycles	0	0	1	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	2	5
Number of transfers	2	5
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	1 / 4	3 / 10
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 2	3 / 5
Percentage of transfers resulting in singleton live births (%)	1 / 2	3 / 5
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 5
Percentage of transfers resulting in live births (%)	1 / 2	3 / 5
Percentage of transfers resulting in pregnancies (%)	1 / 2	3 / 5

CURRENT SERVICES & PROFILE

Current Name: Fertility and Gynecology Associates

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

JEFFERSON UNIVERSITY
PHILADELPHIA, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Caleb Kallen, MD, PhD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	78%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	27%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	19%	Male factor	54%	Female factors only	19%
Diminished ovarian reserve	50%	Other factor	0%	Female & male factors	42%
Endometriosis	19%	Unknown factor	4%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 27 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	14	3	3	3	0	0
Percentage of cancellations (%)	0 / 14	0 / 3	0 / 3	0 / 3		
Average number of embryos transferred	2.0	2.0	2.7	3.3		
Percentage of embryos transferred resulting in implantation (%)	50.0	2 / 4	2 / 8	0 / 10		
Percentage of elective single embryo transfers (eSET) (%)	0 / 14	0 / 2	0 / 3	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	4 / 14	0 / 3	1 / 3	0 / 3		
Percentage of cycles resulting in singleton live births (%)	4 / 14	0 / 3	2 / 3	0 / 3		
Percentage of cycles resulting in twin live births (%)	2 / 14	1 / 3	0 / 3	0 / 3		
Percentage of cycles resulting in live births (%)	7 / 14	1 / 3	2 / 3	0 / 3		
Percentage of cycles resulting in pregnancies (%)	10 / 14	1 / 3	2 / 3	0 / 3		
Outcomes per Transfer						
Number of transfers	14	2	3	3	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	4 / 14	0 / 2	1 / 3	0 / 3		
Percentage of transfers resulting in singleton live births (%)	4 / 14	0 / 2	2 / 3	0 / 3		
Percentage of transfers resulting in twin live births (%)	2 / 14	1 / 2	0 / 3	0 / 3		
Percentage of transfers resulting in live births (%)	7 / 14	1 / 2	2 / 3	0 / 3		
Percentage of transfers resulting in pregnancies (%)	10 / 14	1 / 2	2 / 3	0 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	1	0	0	0	0
Number of transfers	2	1	0	0	0	0
Estimated average number of transfers per retrieval	2.0	1.0	0.0			
Average number of embryos transferred	2.0	2.0				
Percentage of embryos transferred resulting in implantation (%)	1 / 2	0 / 2				
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 2	0 / 1				
Percentage of transfers resulting in singleton live births (%)	1 / 2	0 / 1				
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 1				
Percentage of transfers resulting in live births (%)	1 / 2	0 / 1				
Percentage of transfers resulting in pregnancies (%)	2 / 2	0 / 1				
Number of Egg/Embryo Banking Cycles	0	0	1	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation (%)		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)		
Percentage of transfers resulting in singleton live births (%)		
Percentage of transfers resulting in twin live births (%)		
Percentage of transfers resulting in live births (%)		
Percentage of transfers resulting in pregnancies (%)		

CURRENT SERVICES & PROFILE

Current Name: Jefferson University

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOCIETY HILL REPRODUCTIVE MEDICINE
PHILADELPHIA, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Maureen P. Kelly, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	71%
Unstimulated	0%	Used PGD	5%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	17%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	7%	Male factor	25%	Female factors only	6%
Diminished ovarian reserve	42%	Other factor	4%	Female & male factors	1%
Endometriosis	7%	Unknown factor	6%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 88 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	30	5	7	2	0	0
Percentage of cancellations (%)	6.7	0 / 5	2 / 7	1 / 2		
Average number of embryos transferred	1.7	1.7	2.0			
Percentage of embryos transferred resulting in implantation (%)	41.7	1 / 5	6 / 10			
Percentage of elective single embryo transfers (eSET) (%)	15.0	0 / 2	0 / 5			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	23.3	1 / 5	1 / 7	0 / 2		
Percentage of cycles resulting in singleton live births (%)	26.7	1 / 5	2 / 7	0 / 2		
Percentage of cycles resulting in twin live births (%)	10.0	0 / 5	1 / 7	0 / 2		
Percentage of cycles resulting in live births (%)	36.7	1 / 5	3 / 7	0 / 2		
Percentage of cycles resulting in pregnancies (%)	43.3	1 / 5	4 / 7	0 / 2		
Outcomes per Transfer						
Number of transfers	23	3	5	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	30.4	1 / 3	1 / 5			
Percentage of transfers resulting in singleton live births (%)	34.8	1 / 3	2 / 5			
Percentage of transfers resulting in twin live births (%)	13.0	0 / 3	1 / 5			
Percentage of transfers resulting in live births (%)	47.8	1 / 3	3 / 5			
Percentage of transfers resulting in pregnancies (%)	56.5	1 / 3	4 / 5			
Frozen Embryos from Nondonor Eggs						
Number of cycles	9	4	2	0	0	0
Number of transfers	9	4	2	0	0	0
Estimated average number of transfers per retrieval	0.6	0.8	0.3		0.0	
Average number of embryos transferred	1.8	1.3	2.0			
Percentage of embryos transferred resulting in implantation (%)	7 / 16	2 / 5	1 / 4			
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	5 / 9	2 / 4	1 / 2			
Percentage of transfers resulting in singleton live births (%)	5 / 9	2 / 4	1 / 2			
Percentage of transfers resulting in twin live births (%)	1 / 9	0 / 4	0 / 2			
Percentage of transfers resulting in live births (%)	6 / 9	2 / 4	1 / 2			
Percentage of transfers resulting in pregnancies (%)	6 / 9	2 / 4	1 / 2			
Number of Egg/Embryo Banking Cycles	9	3	4	0	1	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	7	5
Number of transfers	5	5
Average number of embryos transferred	2.0	1.6
Percentage of embryos transferred resulting in implantation (%)	6 / 10	3 / 8
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 5	2 / 5
Percentage of transfers resulting in singleton live births (%)	1 / 5	2 / 5
Percentage of transfers resulting in twin live births (%)	2 / 5	0 / 5
Percentage of transfers resulting in live births (%)	3 / 5	2 / 5
Percentage of transfers resulting in pregnancies (%)	3 / 5	2 / 5

CURRENT SERVICES & PROFILE

Current Name: Society Hill Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF PENNSYLVANIA
PENN FERTILITY CARE
PHILADELPHIA, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Anuja Dokras, MD, PhD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	46%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	16%	Uterine factor	10%	*Multiple Factors:*	
Ovulatory dysfunction	13%	Male factor	23%	Female factors only	23%
Diminished ovarian reserve	37%	Other factor	18%	Female & male factors	13%
Endometriosis	10%	Unknown factor	16%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 646 (includes 20 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	149	90	58	31	10	3
Percentage of cancellations (%)	9.4	10.0	10.3	0.0	1 / 10	0 / 3
Average number of embryos transferred	1.5	1.8	2.1	2.6	2.7	2.7
Percentage of embryos transferred resulting in implantation (%)	34.4	31.6	18.1	11.0	1 / 19	0 / 4
Percentage of elective single embryo transfers (eSET) (%)	42.6	21.4	8.9	0.0	0 / 6	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	21.5	25.6	10.3	12.9	1 / 10	0 / 3
Percentage of cycles resulting in singleton live births (%)	26.2	28.9	12.1	16.1	1 / 10	0 / 3
Percentage of cycles resulting in twin live births (%)	3.4	4.4	5.2	0.0	0 / 10	0 / 3
Percentage of cycles resulting in live births (%)	30.2	33.3	17.2	16.1	1 / 10	0 / 3
Percentage of cycles resulting in pregnancies (%)	40.9	42.2	25.9	29.0	1 / 10	1 / 3
Outcomes per Transfer						
Number of transfers	129	79	50	29	7	3
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	24.8	29.1	12.0	13.8	1 / 7	0 / 3
Percentage of transfers resulting in singleton live births (%)	30.2	32.9	14.0	17.2	1 / 7	0 / 3
Percentage of transfers resulting in twin live births (%)	3.9	5.1	6.0	0.0	0 / 7	0 / 3
Percentage of transfers resulting in live births (%)	34.9	38.0	20.0	17.2	1 / 7	0 / 3
Percentage of transfers resulting in pregnancies (%)	47.3	48.1	30.0	31.0	1 / 7	1 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	70	32	31	2	4	1
Number of transfers	69	31	28	2	4	0
Estimated average number of transfers per retrieval	0.9	0.9	0.7	0.2	2.0	0.0
Average number of embryos transferred	1.7	1.6	1.9	3.0	1.8	
Percentage of embryos transferred resulting in implantation (%)	43.6	28.9	14.9	1 / 6	0 / 7	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	34.8	19.4	7.1	0 / 2	0 / 4	
Percentage of transfers resulting in singleton live births (%)	36.2	25.8	7.1	0 / 2	0 / 4	
Percentage of transfers resulting in twin live births (%)	11.6	3.2	3.6	0 / 2	0 / 4	
Percentage of transfers resulting in live births (%)	47.8	29.0	10.7	0 / 2	0 / 4	
Percentage of transfers resulting in pregnancies (%)	58.0	48.4	32.1	1 / 2	0 / 4	
Number of Egg/Embryo Banking Cycles	39	18	25	13	0	1

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	26	23
Number of transfers	24	20
Average number of embryos transferred	1.2	1.4
Percentage of embryos transferred resulting in implantation (%)	63.0	46.2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	41.7	25.0
Percentage of transfers resulting in singleton live births (%)	45.8	30.0
Percentage of transfers resulting in twin live births (%)	8.3	5.0
Percentage of transfers resulting in live births (%)	54.2	35.0
Percentage of transfers resulting in pregnancies (%)	66.7	55.0

CURRENT SERVICES & PROFILE

Current Name: University of Pennsylvania, Penn Fertility Care

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

JONES INSTITUTE AT WEST PENN ALLEGHENY HEALTH SYSTEM
PITTSBURGH, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Bryan R. Hecht, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	76%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	17%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	13%	Male factor	33%	Female factors only	17%
Diminished ovarian reserve	28%	Other factor	11%	Female & male factors	13%
Endometriosis	19%	Unknown factor	11%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 54 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	23	7	2	3	3	0
Percentage of cancellations (%)	4.3	0 / 7	0 / 2	1 / 3	0 / 3	
Average number of embryos transferred	2.0	2.3	3.0	1.5	3.3	
Percentage of embryos transferred resulting in implantation (%)	19.4	2 / 14	1 / 3	0 / 3	0 / 10	
Percentage of elective single embryo transfers (eSET) (%)	0 / 15	0 / 6	0 / 1	0 / 1	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	13.0	1 / 7	1 / 2	0 / 3	0 / 3	
Percentage of cycles resulting in singleton live births (%)	17.4	1 / 7	1 / 2	0 / 3	0 / 3	
Percentage of cycles resulting in twin live births (%)	4.3	0 / 7	0 / 2	0 / 3	0 / 3	
Percentage of cycles resulting in live births (%)	21.7	1 / 7	1 / 2	0 / 3	0 / 3	
Percentage of cycles resulting in pregnancies (%)	21.7	2 / 7	1 / 2	0 / 3	0 / 3	
Outcomes per Transfer						
Number of transfers	18	6	1	2	3	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	3 / 18	1 / 6	1 / 1	0 / 2	0 / 3	
Percentage of transfers resulting in singleton live births (%)	4 / 18	1 / 6	1 / 1	0 / 2	0 / 3	
Percentage of transfers resulting in twin live births (%)	1 / 18	0 / 6	0 / 1	0 / 2	0 / 3	
Percentage of transfers resulting in live births (%)	5 / 18	1 / 6	1 / 1	0 / 2	0 / 3	
Percentage of transfers resulting in pregnancies (%)	5 / 18	2 / 6	1 / 1	0 / 2	0 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	2	3	0	0	0
Number of transfers	2	2	3	0	0	0
Estimated average number of transfers per retrieval	1.0					
Average number of embryos transferred	2.0	2.0	2.0			
Percentage of embryos transferred resulting in implantation (%)	1 / 4	1 / 4	1 / 6			
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 2	0 / 2	1 / 3			
Percentage of transfers resulting in singleton live births (%)	0 / 2	0 / 2	1 / 3			
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 2	0 / 3			
Percentage of transfers resulting in live births (%)	0 / 2	0 / 2	1 / 3			
Percentage of transfers resulting in pregnancies (%)	1 / 2	1 / 2	1 / 3			
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	5	4
Number of transfers	4	4
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	1 / 8	3 / 8
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 4	2 / 4
Percentage of transfers resulting in singleton live births (%)	1 / 4	2 / 4
Percentage of transfers resulting in twin live births (%)	0 / 4	0 / 4
Percentage of transfers resulting in live births (%)	1 / 4	2 / 4
Percentage of transfers resulting in pregnancies (%)	1 / 4	3 / 4

CURRENT SERVICES & PROFILE

Current Name: This clinic has closed or reorganized since 2013. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE HEALTH SPECIALISTS, INC.
PITTSBURGH, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Judith L. Albert, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	73%
Unstimulated	0%	Used PGD	2%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	11%	Uterine factor	<1%	*Multiple Factors:*	
Ovulatory dysfunction	8%	Male factor	37%	Female factors only	3%
Diminished ovarian reserve	12%	Other factor	4%	Female & male factors	6%
Endometriosis	10%	Unknown factor	28%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 329 (includes 14 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	105	57	24	11	4	1
Percentage of cancellations (%)	1.0	15.8	20.8	3 / 11	1 / 4	0 / 1
Average number of embryos transferred	1.6	1.7	2.1	1.9	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	40.0	33.8	37.8	2 / 15	0 / 6	0 / 1
Percentage of elective single embryo transfers (eSET) (%)	32.5	26.3	2 / 16	1 / 8	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	34.3	21.1	20.8	2 / 11	0 / 4	0 / 1
Percentage of cycles resulting in singleton live births (%)	38.1	21.1	20.8	2 / 11	0 / 4	0 / 1
Percentage of cycles resulting in twin live births (%)	6.7	7.0	8.3	0 / 11	0 / 4	0 / 1
Percentage of cycles resulting in live births (%)	44.8	28.1	33.3	2 / 11	0 / 4	0 / 1
Percentage of cycles resulting in pregnancies (%)	49.5	38.6	37.5	2 / 11	0 / 4	0 / 1
Outcomes per Transfer						
Number of transfers	91	43	18	8	3	1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	39.6	27.9	5 / 18	2 / 8	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	44.0	27.9	5 / 18	2 / 8	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	7.7	9.3	2 / 18	0 / 8	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	51.6	37.2	8 / 18	2 / 8	0 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)	57.1	51.2	9 / 18	2 / 8	0 / 3	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	57	21	9	6	0	0
Number of transfers	56	18	9	6	0	0
Estimated average number of transfers per retrieval	2.0	1.8	9.0	3.0		
Average number of embryos transferred	1.4	1.3	1.6	1.5		
Percentage of embryos transferred resulting in implantation (%)	38.7	30.4	5 / 14	2 / 9		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	32.1	2 / 18	3 / 9	2 / 6		
Percentage of transfers resulting in singleton live births (%)	37.5	4 / 18	4 / 9	2 / 6		
Percentage of transfers resulting in twin live births (%)	7.1	1 / 18	0 / 9	0 / 6		
Percentage of transfers resulting in live births (%)	44.6	5 / 18	4 / 9	2 / 6		
Percentage of transfers resulting in pregnancies (%)	50.0	7 / 18	5 / 9	2 / 6		
Number of Egg/Embryo Banking Cycles	2	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	10	8
Number of transfers	10	7
Average number of embryos transferred	1.5	1.3
Percentage of embryos transferred resulting in implantation (%)	7 / 14	2 / 9
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	4 / 10	2 / 7
Percentage of transfers resulting in singleton live births (%)	5 / 10	2 / 7
Percentage of transfers resulting in twin live births (%)	1 / 10	0 / 7
Percentage of transfers resulting in live births (%)	6 / 10	2 / 7
Percentage of transfers resulting in pregnancies (%)	7 / 10	2 / 7

CURRENT SERVICES & PROFILE

Current Name: Reproductive Health Specialists, Inc.

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF PITTSBURGH PHYSICIANS
CENTER FOR FERTILITY AND REPRODUCTIVE ENDOCRINOLOGY
PITTSBURGH, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Anthony N. Wakim, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	64%
Unstimulated	0%	Used PGD	1%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	3%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	8%	Male factor	28%	Female factors only	2%
Diminished ovarian reserve	37%	Other factor	18%	Female & male factors	6%
Endometriosis	4%	Unknown factor	8%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 735 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	181	69	31	29	13	2
Percentage of cancellations (%)	5.0	7.2	19.4	17.2	1 / 13	1 / 2
Average number of embryos transferred	1.6	1.8	2.4	2.7	2.0	3.0
Percentage of embryos transferred resulting in implantation (%)	26.9	24.7	11.5	4.9	1 / 14	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	37.2	14.6	0.0	0 / 13	0 / 4	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	18.2	15.9	9.7	3.4	1 / 13	0 / 2
Percentage of cycles resulting in singleton live births (%)	20.4	18.8	12.9	3.4	1 / 13	0 / 2
Percentage of cycles resulting in twin live births (%)	3.9	4.3	0.0	0.0	0 / 13	0 / 2
Percentage of cycles resulting in live births (%)	24.3	23.2	12.9	3.4	1 / 13	0 / 2
Percentage of cycles resulting in pregnancies (%)	28.2	27.5	19.4	10.3	1 / 13	0 / 2
Outcomes per Transfer						
Number of transfers	133	49	22	16	7	1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	24.8	22.4	13.6	1 / 16	1 / 7	0 / 1
Percentage of transfers resulting in singleton live births (%)	27.8	26.5	18.2	1 / 16	1 / 7	0 / 1
Percentage of transfers resulting in twin live births (%)	5.3	6.1	0.0	0 / 16	0 / 7	0 / 1
Percentage of transfers resulting in live births (%)	33.1	32.7	18.2	1 / 16	1 / 7	0 / 1
Percentage of transfers resulting in pregnancies (%)	38.3	38.8	27.3	3 / 16	1 / 7	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	160	60	34	17	11	4
Number of transfers	134	51	29	14	9	4
Estimated average number of transfers per retrieval	1.7	2.0	5.8	2.0	4.5	
Average number of embryos transferred	1.8	1.8	2.1	2.0	1.9	1.8
Percentage of embryos transferred resulting in implantation (%)	27.1	27.3	15.0	2 / 19	3 / 17	1 / 7
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	26.1	29.4	10.3	0 / 14	2 / 9	1 / 4
Percentage of transfers resulting in singleton live births (%)	29.1	33.3	20.7	0 / 14	2 / 9	1 / 4
Percentage of transfers resulting in twin live births (%)	5.2	3.9	0.0	1 / 14	0 / 9	0 / 4
Percentage of transfers resulting in live births (%)	34.3	37.3	20.7	1 / 14	2 / 9	1 / 4
Percentage of transfers resulting in pregnancies (%)	40.3	41.2	31.0	5 / 14	3 / 9	1 / 4
Number of Egg/Embryo Banking Cycles	12	4	2	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	44	61
Number of transfers	35	50
Average number of embryos transferred	1.2	1.6
Percentage of embryos transferred resulting in implantation (%)	32.6	24.1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	22.9	18.0
Percentage of transfers resulting in singleton live births (%)	28.6	24.0
Percentage of transfers resulting in twin live births (%)	5.7	4.0
Percentage of transfers resulting in live births (%)	34.3	28.0
Percentage of transfers resulting in pregnancies (%)	34.3	34.0

CURRENT SERVICES & PROFILE

Current Name: University of Pittsburgh Physicians, Center for Fertility and Reproductive Endocrinology

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE ENDOCRINOLOGY AND FERTILITY CENTER
UPLAND, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Albert El-Roeiy, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	55%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	31%	Uterine factor	8%	*Multiple Factors:*	
Ovulatory dysfunction	20%	Male factor	26%	Female factors only	35%
Diminished ovarian reserve	8%	Other factor	31%	Female & male factors	11%
Endometriosis	30%	Unknown factor	<1%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 196 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	67	32	26	2	3	2
Percentage of cancellations (%)	17.9	15.6	15.4	0 / 2	1 / 3	0 / 2
Average number of embryos transferred	2.0	2.1	2.0	2.0		3.0
Percentage of embryos transferred resulting in implantation (%)	25.5	25.0	18.2	0 / 2		0 / 3
Percentage of elective single embryo transfers (eSET) (%)	3.8	0 / 19	0 / 8	0 / 1		0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	10.4	18.8	0.0	0 / 2	0 / 3	0 / 2
Percentage of cycles resulting in singleton live births (%)	14.9	18.8	0.0	0 / 2	0 / 3	0 / 2
Percentage of cycles resulting in twin live births (%)	3.0	6.3	3.8	0 / 2	0 / 3	0 / 2
Percentage of cycles resulting in live births (%)	17.9	25.0	3.8	0 / 2	0 / 3	0 / 2
Percentage of cycles resulting in pregnancies (%)	17.9	28.1	11.5	0 / 2	0 / 3	0 / 2
Outcomes per Transfer						
Number of transfers	27	21	11	1	0	1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	25.9	28.6	0 / 11	0 / 1		0 / 1
Percentage of transfers resulting in singleton live births (%)	37.0	28.6	0 / 11	0 / 1		0 / 1
Percentage of transfers resulting in twin live births (%)	7.4	9.5	1 / 11	0 / 1		0 / 1
Percentage of transfers resulting in live births (%)	44.4	38.1	1 / 11	0 / 1		0 / 1
Percentage of transfers resulting in pregnancies (%)	44.4	42.9	3 / 11	0 / 1		0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	32	12	7	0	4	1
Number of transfers	31	12	7	0	3	1
Estimated average number of transfers per retrieval	1.1	0.9	0.9		1.5	
Average number of embryos transferred	1.9	1.8	2.6		2.3	2.0
Percentage of embryos transferred resulting in implantation (%)	13.8	28.6	2 / 18		0 / 7	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	19.4	5 / 12	2 / 7		0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	22.6	5 / 12	2 / 7		0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	0.0	0 / 12	0 / 7		0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	22.6	5 / 12	2 / 7		0 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)	25.8	6 / 12	2 / 7		0 / 3	0 / 1
Number of Egg/Embryo Banking Cycles	1	1	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	3	3
Number of transfers	3	3
Average number of embryos transferred	2.0	1.7
Percentage of embryos transferred resulting in implantation (%)	1 / 6	0 / 5
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 3	0 / 3
Percentage of transfers resulting in singleton live births (%)	1 / 3	0 / 3
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 3
Percentage of transfers resulting in live births (%)	1 / 3	0 / 3
Percentage of transfers resulting in pregnancies (%)	1 / 3	0 / 3

CURRENT SERVICES & PROFILE

Current Name: Reproductive Endocrinology and Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHADY GROVE FERTILITY RSC OF PENNSYLVANIA
WAYNE, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Isaac Sasson, MD, PhD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	72%
Unstimulated	0%	Used PGD	2%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	9%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	22%	Male factor	22%	Female factors only	2%
Diminished ovarian reserve	28%	Other factor	4%	Female & male factors	2%
Endometriosis	8%	Unknown factor	9%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 326 (includes 6 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	96	38	19	7	6	0
Percentage of cancellations (%)	5.2	18.4	3 / 19	3 / 7	2 / 6	
Average number of embryos transferred	1.5	1.8	1.7	2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	22.5	26.2	4 / 19	3 / 6	0 / 8	
Percentage of elective single embryo transfers (eSET) (%)	48.6	19.0	2 / 10	0 / 2	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	17.7	15.8	3 / 19	1 / 7	0 / 6	
Percentage of cycles resulting in singleton live births (%)	20.8	15.8	3 / 19	1 / 7	0 / 6	
Percentage of cycles resulting in twin live births (%)	0.0	5.3	0 / 19	1 / 7	0 / 6	
Percentage of cycles resulting in live births (%)	20.8	21.1	3 / 19	2 / 7	0 / 6	
Percentage of cycles resulting in pregnancies (%)	26.0	21.1	4 / 19	2 / 7	0 / 6	
Outcomes per Transfer						
Number of transfers	73	24	11	3	4	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	23.3	25.0	3 / 11	1 / 3	0 / 4	
Percentage of transfers resulting in singleton live births (%)	27.4	25.0	3 / 11	1 / 3	0 / 4	
Percentage of transfers resulting in twin live births (%)	0.0	8.3	0 / 11	1 / 3	0 / 4	
Percentage of transfers resulting in live births (%)	27.4	33.3	3 / 11	2 / 3	0 / 4	
Percentage of transfers resulting in pregnancies (%)	34.2	33.3	4 / 11	2 / 3	0 / 4	
Frozen Embryos from Nondonor Eggs						
Number of cycles	57	17	19	5	1	1
Number of transfers	56	14	17	4	1	1
Estimated average number of transfers per retrieval	1.3	0.9	1.4	2.0	0.3	
Average number of embryos transferred	1.4	1.5	1.4	1.3	1.0	2.0
Percentage of embryos transferred resulting in implantation (%)	44.9	19.0	50.0	0 / 5	0 / 1	2 / 2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	39.3	1 / 14	1 / 17	0 / 4	0 / 1	1 / 1
Percentage of transfers resulting in singleton live births (%)	42.9	2 / 14	1 / 17	0 / 4	0 / 1	1 / 1
Percentage of transfers resulting in twin live births (%)	7.1	1 / 14	4 / 17	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	50.0	3 / 14	5 / 17	0 / 4	0 / 1	1 / 1
Percentage of transfers resulting in pregnancies (%)	53.6	3 / 14	8 / 17	0 / 4	0 / 1	1 / 1
Number of Egg/Embryo Banking Cycles	0	2	2	1	2	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	29	18
Number of transfers	22	18
Average number of embryos transferred	1.4	1.3
Percentage of embryos transferred resulting in implantation (%)	43.3	39.1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	40.9	2 / 18
Percentage of transfers resulting in singleton live births (%)	40.9	4 / 18
Percentage of transfers resulting in twin live births (%)	4.5	1 / 18
Percentage of transfers resulting in live births (%)	45.5	5 / 18
Percentage of transfers resulting in pregnancies (%)	54.5	7 / 18

CURRENT SERVICES & PROFILE

Current Name: Shady Grove Fertility RSC of Pennsylvania

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WOMEN'S CLINIC, LTD.
WEST READING, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Vincent A. Pellegrini, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	74%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	17%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	48%	Male factor	64%	Female factors only	34%
Diminished ovarian reserve	48%	Other factor	48%	Female & male factors	58%
Endometriosis	26%	Unknown factor	0%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 105 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	53	14	11	10	1	0
Percentage of cancellations (%)	17.0	5 / 14	1 / 11	3 / 10	0 / 1	
Average number of embryos transferred	2.3	2.2	3.0	3.6		
Percentage of embryos transferred resulting in implantation (%)	44.3	35.0	3.7	0.0		
Percentage of elective single embryo transfers (eSET) (%)	2.4	0 / 9	0 / 8	0 / 7		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	22.6	1 / 14	1 / 11	0 / 10	0 / 1	
Percentage of cycles resulting in singleton live births (%)	28.3	1 / 14	1 / 11	0 / 10	0 / 1	
Percentage of cycles resulting in twin live births (%)	18.9	3 / 14	0 / 11	0 / 10	0 / 1	
Percentage of cycles resulting in live births (%)	47.2	4 / 14	1 / 11	0 / 10	0 / 1	
Percentage of cycles resulting in pregnancies (%)	54.7	4 / 14	1 / 11	1 / 10	0 / 1	
Outcomes per Transfer						
Number of transfers	43	9	9	7	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	27.9	1 / 9	1 / 9	0 / 7		
Percentage of transfers resulting in singleton live births (%)	34.9	1 / 9	1 / 9	0 / 7		
Percentage of transfers resulting in twin live births (%)	23.3	3 / 9	0 / 9	0 / 7		
Percentage of transfers resulting in live births (%)	58.1	4 / 9	1 / 9	0 / 7		
Percentage of transfers resulting in pregnancies (%)	67.4	4 / 9	1 / 9	1 / 7		
Frozen Embryos from Nondonor Eggs						
Number of cycles	9	1	1	0	0	0
Number of transfers	7	1	1	0	0	0
Estimated average number of transfers per retrieval	1.4	1.0				
Average number of embryos transferred	1.7	2.0	1.0			
Percentage of embryos transferred resulting in implantation (%)	0 / 12	0 / 2	0 / 1			
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 7	0 / 1	0 / 1			
Percentage of transfers resulting in singleton live births (%)	0 / 7	0 / 1	0 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 7	0 / 1	0 / 1			
Percentage of transfers resulting in live births (%)	0 / 7	0 / 1	0 / 1			
Percentage of transfers resulting in pregnancies (%)	0 / 7	0 / 1	0 / 1			
Number of Egg/Embryo Banking Cycles	2	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation (%)		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)		
Percentage of transfers resulting in singleton live births (%)		
Percentage of transfers resulting in twin live births (%)		
Percentage of transfers resulting in live births (%)		
Percentage of transfers resulting in pregnancies (%)		

CURRENT SERVICES & PROFILE

Current Name: This clinic has closed or reorganized since 2013. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE FERTILITY CENTER, LLC
YORK, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Robert B. Filer, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	95%
Unstimulated	0%	Used PGD	2%
Used gestational carrier	1%		

Patient Diagnosis[b]

Tubal factor	10%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	5%	Male factor	21%	Female factors only	3%
Diminished ovarian reserve	18%	Other factor	<1%	Female & male factors	2%
Endometriosis	0%	Unknown factor	51%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 120 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	52	12	11	6	2	2
Percentage of cancellations (%)	0.0	0 / 12	0 / 11	0 / 6	0 / 2	0 / 2
Average number of embryos transferred	2.3	2.4	2.4	2.2	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	33.3	18.2	5 / 19	0 / 13	0 / 2	0 / 1
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 8	0 / 5	0 / 5	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	25.0	2 / 12	1 / 11	0 / 6	0 / 2	0 / 2
Percentage of cycles resulting in singleton live births (%)	30.8	4 / 12	3 / 11	0 / 6	0 / 2	0 / 2
Percentage of cycles resulting in twin live births (%)	11.5	0 / 12	1 / 11	0 / 6	0 / 2	0 / 2
Percentage of cycles resulting in live births (%)	42.3	4 / 12	4 / 11	0 / 6	0 / 2	0 / 2
Percentage of cycles resulting in pregnancies (%)	48.1	4 / 12	4 / 11	0 / 6	0 / 2	0 / 2
Outcomes per Transfer						
Number of transfers	45	9	8	6	1	1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	28.9	2 / 9	1 / 8	0 / 6	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	35.6	4 / 9	3 / 8	0 / 6	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	13.3	0 / 9	1 / 8	0 / 6	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	48.9	4 / 9	4 / 8	0 / 6	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	55.6	4 / 9	4 / 8	0 / 6	0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	21	2	0	0	0	0
Number of transfers	21	2	0	0	0	0
Estimated average number of transfers per retrieval	1.6	2.0				
Average number of embryos transferred	2.0	2.5				
Percentage of embryos transferred resulting in implantation (%)	38.5	4 / 5				
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	19.0	0 / 2				
Percentage of transfers resulting in singleton live births (%)	38.1	1 / 2				
Percentage of transfers resulting in twin live births (%)	14.3	0 / 2				
Percentage of transfers resulting in live births (%)	52.4	2 / 2				
Percentage of transfers resulting in pregnancies (%)	57.1	2 / 2				
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	10	2
Number of transfers	10	2
Average number of embryos transferred	1.8	2.0
Percentage of embryos transferred resulting in implantation (%)	8 / 18	1 / 4
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 10	1 / 2
Percentage of transfers resulting in singleton live births (%)	3 / 10	1 / 2
Percentage of transfers resulting in twin live births (%)	2 / 10	0 / 2
Percentage of transfers resulting in live births (%)	5 / 10	1 / 2
Percentage of transfers resulting in pregnancies (%)	6 / 10	1 / 2

CURRENT SERVICES & PROFILE

Current Name: The Fertility Center, LLC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PEDRO J. BEAUCHAMP, MD
BAYAMON, PUERTO RICO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Pedro J. Beauchamp, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	80%
Unstimulated	0%	Used PGD	1%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	38%	Uterine factor	13%	*Multiple Factors:*	
Ovulatory dysfunction	25%	Male factor	61%	Female factors only	18%
Diminished ovarian reserve	3%	Other factor	34%	Female & male factors	45%
Endometriosis	25%	Unknown factor	1%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 170 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	51	40	35	17	12	1
Percentage of cancellations (%)	2.0	2.5	11.4	1 / 17	2 / 12	0 / 1
Average number of embryos transferred	2.3	2.4	2.5	2.4	2.5	3.0
Percentage of embryos transferred resulting in implantation (%)	50.0	38.1	27.3	15.2	3 / 17	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	2.1	2.8	0.0	0 / 13	0 / 6	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	31.4	17.5	20.0	1 / 17	1 / 12	0 / 1
Percentage of cycles resulting in singleton live births (%)	35.3	25.0	31.4	2 / 17	2 / 12	0 / 1
Percentage of cycles resulting in twin live births (%)	27.5	25.0	8.6	0 / 17	0 / 12	0 / 1
Percentage of cycles resulting in live births (%)	62.7	50.0	40.0	2 / 17	2 / 12	0 / 1
Percentage of cycles resulting in pregnancies (%)	76.5	60.0	48.6	6 / 17	4 / 12	0 / 1
Outcomes per Transfer						
Number of transfers	48	38	29	15	8	1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	33.3	18.4	24.1	1 / 15	1 / 8	0 / 1
Percentage of transfers resulting in singleton live births (%)	37.5	26.3	37.9	2 / 15	2 / 8	0 / 1
Percentage of transfers resulting in twin live births (%)	29.2	26.3	10.3	0 / 15	0 / 8	0 / 1
Percentage of transfers resulting in live births (%)	66.7	52.6	48.3	2 / 15	2 / 8	0 / 1
Percentage of transfers resulting in pregnancies (%)	81.3	63.2	58.6	6 / 15	4 / 8	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	2	3	0	0	0
Number of transfers	5	2	3	0	0	0
Estimated average number of transfers per retrieval	2.5	2.0	1.5			
Average number of embryos transferred	2.8	2.5	2.7			
Percentage of embryos transferred resulting in implantation (%)	0 / 14	2 / 5	3 / 8			
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 5	1 / 2	0 / 3			
Percentage of transfers resulting in singleton live births (%)	0 / 5	2 / 2	0 / 3			
Percentage of transfers resulting in twin live births (%)	0 / 5	0 / 2	0 / 3			
Percentage of transfers resulting in live births (%)	0 / 5	2 / 2	1 / 3			
Percentage of transfers resulting in pregnancies (%)	0 / 5	2 / 2	1 / 3			
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	4	0
Number of transfers	4	0
Average number of embryos transferred	2.3	
Percentage of embryos transferred resulting in implantation (%)	6 / 9	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 4	
Percentage of transfers resulting in singleton live births (%)	2 / 4	
Percentage of transfers resulting in twin live births (%)	2 / 4	
Percentage of transfers resulting in live births (%)	4 / 4	
Percentage of transfers resulting in pregnancies (%)	4 / 4	

CURRENT SERVICES & PROFILE

Current Name: Pedro J. Beauchamp, MD

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	No	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CLINICA DE FERTILIDAD HIMA-SAN PABLO
CAGUAS, PUERTO RICO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Jose R. Cruz, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	71%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	34%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	7%	Male factor	39%	Female factors only	7%
Diminished ovarian reserve	13%	Other factor	2%	Female & male factors	16%
Endometriosis	14%	Unknown factor	14%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 56 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	23	9	12	2	3	0
Percentage of cancellations (%)	0.0	0 / 9	0 / 12	0 / 2	0 / 3	
Average number of embryos transferred	2.0	2.1	2.5	3.0	3.3	
Percentage of embryos transferred resulting in implantation (%)	32.6	3 / 17	14.3	0 / 6	2 / 10	
Percentage of elective single embryo transfers (eSET) (%)	5.0	0 / 7	0 / 10	0 / 2	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	21.7	1 / 9	2 / 12	0 / 2	2 / 3	
Percentage of cycles resulting in singleton live births (%)	34.8	2 / 9	2 / 12	0 / 2	2 / 3	
Percentage of cycles resulting in twin live births (%)	8.7	0 / 9	1 / 12	0 / 2	0 / 3	
Percentage of cycles resulting in live births (%)	43.5	2 / 9	3 / 12	0 / 2	2 / 3	
Percentage of cycles resulting in pregnancies (%)	52.2	3 / 9	3 / 12	0 / 2	2 / 3	
Outcomes per Transfer						
Number of transfers	22	8	11	2	3	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	22.7	1 / 8	2 / 11	0 / 2	2 / 3	
Percentage of transfers resulting in singleton live births (%)	36.4	2 / 8	2 / 11	0 / 2	2 / 3	
Percentage of transfers resulting in twin live births (%)	9.1	0 / 8	1 / 11	0 / 2	0 / 3	
Percentage of transfers resulting in live births (%)	45.5	2 / 8	3 / 11	0 / 2	2 / 3	
Percentage of transfers resulting in pregnancies (%)	54.5	3 / 8	3 / 11	0 / 2	2 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	3	0	0	0	0
Number of transfers	1	3	0	0	0	0
Estimated average number of transfers per retrieval	1.0					
Average number of embryos transferred	2.0	1.3				
Percentage of embryos transferred resulting in implantation (%)	1 / 2	1 / 2				
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 1	1 / 3				
Percentage of transfers resulting in singleton live births (%)	1 / 1	1 / 3				
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 3				
Percentage of transfers resulting in live births (%)	1 / 1	1 / 3				
Percentage of transfers resulting in pregnancies (%)	1 / 1	2 / 3				
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	3	0
Number of transfers	3	0
Average number of embryos transferred	1.7	
Percentage of embryos transferred resulting in implantation (%)	2 / 5	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 3	
Percentage of transfers resulting in singleton live births (%)	0 / 3	
Percentage of transfers resulting in twin live births (%)	0 / 3	
Percentage of transfers resulting in live births (%)	0 / 3	
Percentage of transfers resulting in pregnancies (%)	2 / 3	

CURRENT SERVICES & PROFILE

Current Name: Clinica de Fertilidad HIMA-San Pablo

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GREFI
GYNECOLOGY, REPRODUCTIVE ENDOCRINOLOGY & FERTILITY INSTITUTE
SANTURCE, PUERTO RICO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Rosa Ileana Cruz, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	67%
Unstimulated	0%	Used PGD	10%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	10%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	13%	Male factor	48%	Female factors only	3%
Diminished ovarian reserve	13%	Other factor	16%	Female & male factors	16%
Endometriosis	13%	Unknown factor	7%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 33 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	9	4	4	3	0	1
Percentage of cancellations (%)	0 / 9	0 / 4	1 / 4	0 / 3		1 / 1
Average number of embryos transferred	2.7	2.5	3.0	2.3		
Percentage of embryos transferred resulting in implantation (%)	1 / 16	2 / 10	1 / 9	2 / 7		
Percentage of elective single embryo transfers (eSET) (%)	0 / 6	0 / 4	0 / 3	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	1 / 9	1 / 4	0 / 4	0 / 3		0 / 1
Percentage of cycles resulting in singleton live births (%)	1 / 9	1 / 4	0 / 4	2 / 3		0 / 1
Percentage of cycles resulting in twin live births (%)	0 / 9	0 / 4	0 / 4	0 / 3		0 / 1
Percentage of cycles resulting in live births (%)	1 / 9	1 / 4	0 / 4	2 / 3		0 / 1
Percentage of cycles resulting in pregnancies (%)	1 / 9	2 / 4	1 / 4	2 / 3		0 / 1
Outcomes per Transfer						
Number of transfers	6	4	3	3	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 6	1 / 4	0 / 3	0 / 3		
Percentage of transfers resulting in singleton live births (%)	1 / 6	1 / 4	0 / 3	2 / 3		
Percentage of transfers resulting in twin live births (%)	0 / 6	0 / 4	0 / 3	0 / 3		
Percentage of transfers resulting in live births (%)	1 / 6	1 / 4	0 / 3	2 / 3		
Percentage of transfers resulting in pregnancies (%)	1 / 6	2 / 4	1 / 3	2 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	2	1	0	0	1
Number of transfers	2	2	1	0	0	1
Estimated average number of transfers per retrieval	1.0		1.0			
Average number of embryos transferred	2.0	1.5	2.0			3.0
Percentage of embryos transferred resulting in implantation (%)	0 / 4	0 / 3	0 / 2			0 / 3
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 2	0 / 2	0 / 1			0 / 1
Percentage of transfers resulting in singleton live births (%)	0 / 2	0 / 2	0 / 1			0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 2	0 / 1			0 / 1
Percentage of transfers resulting in live births (%)	0 / 2	0 / 2	0 / 1			0 / 1
Percentage of transfers resulting in pregnancies (%)	0 / 2	0 / 2	0 / 1			0 / 1
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	3	1
Number of transfers	3	1
Average number of embryos transferred	1.0	3.0
Percentage of embryos transferred resulting in implantation (%)	1 / 3	2 / 3
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	0 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)	1 / 3	1 / 1

CURRENT SERVICES & PROFILE

Current Name: GREFI, Gynecology, Reproductive Endocrinology & Fertility Institute

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WOMEN AND INFANTS' CENTER FOR REPRODUCTION AND INFERTILITY PROVIDENCE, RHODE ISLAND

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Kelly Pagidas, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	61%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	9%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	8%	Male factor	27%	Female factors only	3%
Diminished ovarian reserve	8%	Other factor	8%	Female & male factors	5%
Endometriosis	4%	Unknown factor	42%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 628 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	192	99	94	59	18	0
Percentage of cancellations (%)	2.1	5.1	12.8	5.1	2 / 18	
Average number of embryos transferred	1.9	2.2	2.8	3.5	4.8	
Percentage of embryos transferred resulting in implantation (%)	24.8	30.8	22.1	3.6	9.5	
Percentage of elective single embryo transfers (eSET) (%)	8.3	6.0	0.0	0.0	0 / 11	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	18.8	29.3	7.4	3.4	2 / 18	
Percentage of cycles resulting in singleton live births (%)	20.3	30.3	11.7	3.4	2 / 18	
Percentage of cycles resulting in twin live births (%)	6.8	10.1	13.8	1.7	0 / 18	
Percentage of cycles resulting in live births (%)	27.6	40.4	25.5	5.1	2 / 18	
Percentage of cycles resulting in pregnancies (%)	33.9	47.5	29.8	13.6	6 / 18	
Outcomes per Transfer						
Number of transfers	168	91	74	52	13	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	21.4	31.9	9.5	3.8	2 / 13	
Percentage of transfers resulting in singleton live births (%)	23.2	33.0	14.9	3.8	2 / 13	
Percentage of transfers resulting in twin live births (%)	7.7	11.0	17.6	1.9	0 / 13	
Percentage of transfers resulting in live births (%)	31.5	44.0	32.4	5.8	2 / 13	
Percentage of transfers resulting in pregnancies (%)	38.7	51.6	37.8	15.4	6 / 13	
Frozen Embryos from Nondonor Eggs						
Number of cycles	63	38	27	5	3	1
Number of transfers	62	36	26	4	3	1
Estimated average number of transfers per retrieval	1.6	1.9	1.9	1.3	1.5	
Average number of embryos transferred	1.9	2.0	2.1	2.3	3.0	2.0
Percentage of embryos transferred resulting in implantation (%)	20.2	12.9	4.0	0 / 7	2 / 9	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	11.3	16.7	7.7	0 / 4	2 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	14.5	16.7	7.7	0 / 4	2 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	9.7	2.8	0.0	0 / 4	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	24.2	19.4	7.7	0 / 4	2 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)	30.6	22.2	15.4	1 / 4	2 / 3	0 / 1
Number of Egg/Embryo Banking Cycles	3	2	1	1	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	14	8
Number of transfers	12	8
Average number of embryos transferred	2.2	1.9
Percentage of embryos transferred resulting in implantation (%)	30.8	4 / 15
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	4 / 12	1 / 8
Percentage of transfers resulting in singleton live births (%)	5 / 12	1 / 8
Percentage of transfers resulting in twin live births (%)	1 / 12	1 / 8
Percentage of transfers resulting in live births (%)	6 / 12	2 / 8
Percentage of transfers resulting in pregnancies (%)	6 / 12	2 / 8

CURRENT SERVICES & PROFILE

Current Name: This clinic has closed or reorganized since 2013. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PIEDMONT REPRODUCTIVE ENDOCRINOLOGY GROUP, PA
GREENVILLE, SOUTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by John E. Nichols, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	96%
Unstimulated	0%	Used PGD	4%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	5%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	36%	Male factor	60%	Female factors only	4%
Diminished ovarian reserve	31%	Other factor	7%	Female & male factors	36%
Endometriosis	2%	Unknown factor	<1%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 264 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	101	36	19	6	1	0
Percentage of cancellations (%)	2.0	5.6	2 / 19	1 / 6	0 / 1	
Average number of embryos transferred	2.1	2.4	3.2	3.4		
Percentage of embryos transferred resulting in implantation (%)	37.0	37.2	17.6	1 / 17		
Percentage of elective single embryo transfers (eSET) (%)	7.7	3.0	0 / 14	0 / 5		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	28.7	19.4	3 / 19	0 / 6	0 / 1	
Percentage of cycles resulting in singleton live births (%)	33.7	25.0	3 / 19	0 / 6	0 / 1	
Percentage of cycles resulting in twin live births (%)	10.9	19.4	1 / 19	0 / 6	0 / 1	
Percentage of cycles resulting in live births (%)	46.5	44.4	4 / 19	0 / 6	0 / 1	
Percentage of cycles resulting in pregnancies (%)	53.5	55.6	8 / 19	1 / 6	0 / 1	
Outcomes per Transfer						
Number of transfers	92	33	16	5	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	31.5	21.2	3 / 16	0 / 5		
Percentage of transfers resulting in singleton live births (%)	37.0	27.3	3 / 16	0 / 5		
Percentage of transfers resulting in twin live births (%)	12.0	21.2	1 / 16	0 / 5		
Percentage of transfers resulting in live births (%)	51.1	48.5	4 / 16	0 / 5		
Percentage of transfers resulting in pregnancies (%)	58.7	60.6	8 / 16	1 / 5		
Frozen Embryos from Nondonor Eggs						
Number of cycles	52	8	7	1	0	0
Number of transfers	51	8	7	1	0	0
Estimated average number of transfers per retrieval	2.7	4.0	7.0			
Average number of embryos transferred	1.9	1.5	2.1	3.0		
Percentage of embryos transferred resulting in implantation (%)	37.9	3 / 12	5 / 15	1 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	15.7	1 / 8	3 / 7	0 / 1		
Percentage of transfers resulting in singleton live births (%)	29.4	1 / 8	4 / 7	0 / 1		
Percentage of transfers resulting in twin live births (%)	13.7	1 / 8	0 / 7	0 / 1		
Percentage of transfers resulting in live births (%)	45.1	2 / 8	4 / 7	0 / 1		
Percentage of transfers resulting in pregnancies (%)	52.9	2 / 8	5 / 7	1 / 1		
Number of Egg/Embryo Banking Cycles	0	1	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	15	16
Number of transfers	14	16
Average number of embryos transferred	1.9	1.9
Percentage of embryos transferred resulting in implantation (%)	59.3	23.3
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 14	4 / 16
Percentage of transfers resulting in singleton live births (%)	4 / 14	4 / 16
Percentage of transfers resulting in twin live births (%)	5 / 14	1 / 16
Percentage of transfers resulting in live births (%)	9 / 14	5 / 16
Percentage of transfers resulting in pregnancies (%)	11 / 14	6 / 16

CURRENT SERVICES & PROFILE

Current Name: Piedmont Reproductive Endocrinology Group, PA

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY MEDICAL GROUP, DEPARTMENT OF OBSTETRICS AND GYNECOLOGY
FERTILITY CENTER OF THE CAROLINAS
GREENVILLE, SOUTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Paul B. Miller, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	80%
Unstimulated	0%	Used PGD	6%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	11%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	43%	Male factor	40%	Female factors only	17%
Diminished ovarian reserve	3%	Other factor	14%	Female & male factors	17%
Endometriosis	25%	Unknown factor	2%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 141 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	52	22	15	5	3	0
Percentage of cancellations (%)	7.7	13.6	2 / 15	0 / 5	1 / 3	
Average number of embryos transferred	2.0	2.1	2.5	2.8	2.5	
Percentage of embryos transferred resulting in implantation (%)	27.9	24.3	23.3	0 / 14	1 / 5	
Percentage of elective single embryo transfers (eSET) (%)	2.4	1 / 17	0 / 12	0 / 4	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	25.0	18.2	4 / 15	0 / 5	1 / 3	
Percentage of cycles resulting in singleton live births (%)	28.8	22.7	4 / 15	0 / 5	1 / 3	
Percentage of cycles resulting in twin live births (%)	5.8	9.1	1 / 15	0 / 5	0 / 3	
Percentage of cycles resulting in live births (%)	34.6	31.8	5 / 15	0 / 5	1 / 3	
Percentage of cycles resulting in pregnancies (%)	36.5	31.8	6 / 15	0 / 5	1 / 3	
Outcomes per Transfer						
Number of transfers	43	18	13	5	2	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	30.2	4 / 18	4 / 13	0 / 5	1 / 2	
Percentage of transfers resulting in singleton live births (%)	34.9	5 / 18	4 / 13	0 / 5	1 / 2	
Percentage of transfers resulting in twin live births (%)	7.0	2 / 18	1 / 13	0 / 5	0 / 2	
Percentage of transfers resulting in live births (%)	41.9	7 / 18	5 / 13	0 / 5	1 / 2	
Percentage of transfers resulting in pregnancies (%)	44.2	7 / 18	6 / 13	0 / 5	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	21	4	6	1	0	0
Number of transfers	20	3	6	1	0	0
Estimated average number of transfers per retrieval	1.5	1.5	3.0	1.0		
Average number of embryos transferred	1.7	1.7	2.0	2.0		
Percentage of embryos transferred resulting in implantation (%)	36.4	4 / 5	6 / 12	1 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	15.0	0 / 3	2 / 6	0 / 1		
Percentage of transfers resulting in singleton live births (%)	30.0	0 / 3	4 / 6	1 / 1		
Percentage of transfers resulting in twin live births (%)	5.0	2 / 3	0 / 6	0 / 1		
Percentage of transfers resulting in live births (%)	35.0	2 / 3	4 / 6	1 / 1		
Percentage of transfers resulting in pregnancies (%)	50.0	2 / 3	4 / 6	1 / 1		
Number of Egg/Embryo Banking Cycles	1	0	1	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	6	3
Number of transfers	6	2
Average number of embryos transferred	1.8	2.5
Percentage of embryos transferred resulting in implantation (%)	3 / 11	0 / 5
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 6	0 / 2
Percentage of transfers resulting in singleton live births (%)	1 / 6	0 / 2
Percentage of transfers resulting in twin live births (%)	0 / 6	0 / 2
Percentage of transfers resulting in live births (%)	1 / 6	0 / 2
Percentage of transfers resulting in pregnancies (%)	3 / 6	0 / 2

CURRENT SERVICES & PROFILE

Current Name: University Medical Group, Department of Obstetrics and Gynecology, Fertility Center of the Carolinas

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COASTAL FERTILITY SPECIALISTS
MOUNT PLEASANT, SOUTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by John Schnorr, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	46%
Unstimulated	0%	Used PGD	5%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	14%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	11%	Male factor	22%	Female factors only	9%
Diminished ovarian reserve	36%	Other factor	9%	Female & male factors	6%
Endometriosis	6%	Unknown factor	15%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 453 (includes 9 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	132	67	29	15	6	0
Percentage of cancellations (%)	6.8	4.5	10.3	2 / 15	2 / 6	
Average number of embryos transferred	1.7	2.1	2.4	2.4	2.7	
Percentage of embryos transferred resulting in implantation (%)	41.5	39.6	32.4	17.2	0 / 8	
Percentage of elective single embryo transfers (eSET) (%)	31.3	5.8	1 / 18	0 / 13	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	19.7	22.4	13.8	3 / 15	0 / 6	
Percentage of cycles resulting in singleton live births (%)	23.5	26.9	17.2	3 / 15	0 / 6	
Percentage of cycles resulting in twin live births (%)	12.1	13.4	10.3	1 / 15	0 / 6	
Percentage of cycles resulting in live births (%)	35.6	40.3	27.6	4 / 15	0 / 6	
Percentage of cycles resulting in pregnancies (%)	39.4	47.8	37.9	5 / 15	0 / 6	
Outcomes per Transfer						
Number of transfers	100	53	18	13	3	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	26.0	28.3	4 / 18	3 / 13	0 / 3	
Percentage of transfers resulting in singleton live births (%)	31.0	34.0	5 / 18	3 / 13	0 / 3	
Percentage of transfers resulting in twin live births (%)	16.0	17.0	3 / 18	1 / 13	0 / 3	
Percentage of transfers resulting in live births (%)	47.0	50.9	8 / 18	4 / 13	0 / 3	
Percentage of transfers resulting in pregnancies (%)	52.0	60.4	11 / 18	5 / 13	0 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	77	24	19	9	7	0
Number of transfers	73	22	16	6	7	0
Estimated average number of transfers per retrieval	1.4	1.2	1.8		7.0	
Average number of embryos transferred	1.8	1.7	1.5	1.5	1.6	
Percentage of embryos transferred resulting in implantation (%)	45.1	34.3	25.0	3 / 9	1 / 11	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	24.7	27.3	4 / 16	0 / 6	0 / 7	
Percentage of transfers resulting in singleton live births (%)	32.9	36.4	4 / 16	1 / 6	0 / 7	
Percentage of transfers resulting in twin live births (%)	17.8	4.5	0 / 16	1 / 6	0 / 7	
Percentage of transfers resulting in live births (%)	50.7	40.9	4 / 16	2 / 6	0 / 7	
Percentage of transfers resulting in pregnancies (%)	60.3	50.0	5 / 16	2 / 6	1 / 7	
Number of Egg/Embryo Banking Cycles	3	1	1	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	30	24
Number of transfers	28	21
Average number of embryos transferred	1.6	1.7
Percentage of embryos transferred resulting in implantation (%)	77.3	40.0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	21.4	28.6
Percentage of transfers resulting in singleton live births (%)	28.6	38.1
Percentage of transfers resulting in twin live births (%)	42.9	14.3
Percentage of transfers resulting in live births (%)	71.4	52.4
Percentage of transfers resulting in pregnancies (%)	82.1	52.4

CURRENT SERVICES & PROFILE

Current Name: Coastal Fertility Specialists

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2013 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2013 ART cycle data or the clinic's Medical Director did not approve the clinic's 2013 ART cycle data for inclusion in this report.

ADVANCED FERTILITY & REPRODUCTIVE ENDOCRINOLOGY
WEST COLUMBIA, SOUTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Gail F. Whitman-Elia, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	89%
Unstimulated	0%	Used PGD	7%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	12%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	22%	Male factor	37%	Female factors only	14%
Diminished ovarian reserve	14%	Other factor	38%	Female & male factors	13%
Endometriosis	5%	Unknown factor	2%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 287 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	51	14	29	11	3	0
Percentage of cancellations (%)	3.9	0 / 14	3.4	1 / 11	2 / 3	
Average number of embryos transferred	2.0	1.9	2.7	4.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	26.0	26.1	12.7	7.1	0 / 2	
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 11	0.0	0 / 7	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	19.6	3 / 14	17.2	0 / 11	0 / 3	
Percentage of cycles resulting in singleton live births (%)	23.5	3 / 14	17.2	0 / 11	0 / 3	
Percentage of cycles resulting in twin live births (%)	5.9	1 / 14	3.4	0 / 11	0 / 3	
Percentage of cycles resulting in live births (%)	29.4	4 / 14	20.7	0 / 11	0 / 3	
Percentage of cycles resulting in pregnancies (%)	41.2	5 / 14	24.1	2 / 11	0 / 3	
Outcomes per Transfer						
Number of transfers	49	12	23	7	1	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	20.4	3 / 12	21.7	0 / 7	0 / 1	
Percentage of transfers resulting in singleton live births (%)	24.5	3 / 12	21.7	0 / 7	0 / 1	
Percentage of transfers resulting in twin live births (%)	6.1	1 / 12	4.3	0 / 7	0 / 1	
Percentage of transfers resulting in live births (%)	30.6	4 / 12	26.1	0 / 7	0 / 1	
Percentage of transfers resulting in pregnancies (%)	42.9	5 / 12	30.4	2 / 7	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	55	29	14	2	3	0
Number of transfers	50	28	14	1	3	0
Estimated average number of transfers per retrieval	1.2	1.3	1.6	0.3	3.0	0.0
Average number of embryos transferred	2.2	2.3	2.6	3.0	3.0	
Percentage of embryos transferred resulting in implantation (%)	28.8	25.0	19.4	1 / 3	1 / 9	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	24.0	14.3	3 / 14	0 / 1	1 / 3	
Percentage of transfers resulting in singleton live births (%)	30.0	21.4	4 / 14	1 / 1	1 / 3	
Percentage of transfers resulting in twin live births (%)	4.0	10.7	1 / 14	0 / 1	0 / 3	
Percentage of transfers resulting in live births (%)	36.0	32.1	5 / 14	1 / 1	1 / 3	
Percentage of transfers resulting in pregnancies (%)	50.0	42.9	5 / 14	1 / 1	1 / 3	
Number of Egg/Embryo Banking Cycles	31	17	5	3	1	1

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	9	9
Number of transfers	9	9
Average number of embryos transferred	2.1	2.2
Percentage of embryos transferred resulting in implantation (%)	11 / 19	15.0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	3 / 9	0 / 9
Percentage of transfers resulting in singleton live births (%)	3 / 9	2 / 9
Percentage of transfers resulting in twin live births (%)	4 / 9	0 / 9
Percentage of transfers resulting in live births (%)	7 / 9	2 / 9
Percentage of transfers resulting in pregnancies (%)	7 / 9	2 / 9

CURRENT SERVICES & PROFILE

Current Name: Advanced Fertility & Reproductive Endocrinology

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SANFORD WOMEN'S HEALTH
SIOUX FALLS, SOUTH DAKOTA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Keith A. Hansen, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	66%
Unstimulated	0%	Used PGD	28%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	13%	Uterine factor	<1%	*Multiple Factors:*	
Ovulatory dysfunction	20%	Male factor	47%	Female factors only	23%
Diminished ovarian reserve	22%	Other factor	45%	Female & male factors	27%
Endometriosis	9%	Unknown factor	2%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 336 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	150	47	25	12	2	0
Percentage of cancellations (%)	7.3	12.8	16.0	0 / 12	1 / 2	
Average number of embryos transferred	1.7	1.7	2.1	1.8		
Percentage of embryos transferred resulting in implantation (%)	35.8	41.1	13.8	0 / 11		
Percentage of elective single embryo transfers (eSET) (%)	29.0	11.1	1 / 11	0 / 4		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	19.3	19.1	12.0	0 / 12	0 / 2	
Percentage of cycles resulting in singleton live births (%)	24.0	21.3	12.0	0 / 12	0 / 2	
Percentage of cycles resulting in twin live births (%)	10.7	10.6	0.0	0 / 12	0 / 2	
Percentage of cycles resulting in live births (%)	34.7	31.9	12.0	0 / 12	0 / 2	
Percentage of cycles resulting in pregnancies (%)	41.3	38.3	16.0	0 / 12	0 / 2	
Outcomes per Transfer						
Number of transfers	130	35	14	6	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	22.3	25.7	3 / 14	0 / 6		
Percentage of transfers resulting in singleton live births (%)	27.7	28.6	3 / 14	0 / 6		
Percentage of transfers resulting in twin live births (%)	12.3	14.3	0 / 14	0 / 6		
Percentage of transfers resulting in live births (%)	40.0	42.9	3 / 14	0 / 6		
Percentage of transfers resulting in pregnancies (%)	47.7	51.4	4 / 14	0 / 6		
Frozen Embryos from Nondonor Eggs						
Number of cycles	56	22	7	1	0	4
Number of transfers	52	19	6	1	0	2
Estimated average number of transfers per retrieval	1.6	1.9	2.0			
Average number of embryos transferred	1.9	1.8	2.0	2.0		1.0
Percentage of embryos transferred resulting in implantation (%)	16.3	23.5	2 / 12	0 / 2		0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	5.8	2 / 19	0 / 6	0 / 1		0 / 2
Percentage of transfers resulting in singleton live births (%)	9.6	5 / 19	2 / 6	0 / 1		0 / 2
Percentage of transfers resulting in twin live births (%)	3.8	1 / 19	0 / 6	0 / 1		0 / 2
Percentage of transfers resulting in live births (%)	17.3	6 / 19	2 / 6	0 / 1		0 / 2
Percentage of transfers resulting in pregnancies (%)	21.2	7 / 19	2 / 6	0 / 1		0 / 2
Number of Egg/Embryo Banking Cycles	4	1	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	4	1
Number of transfers	4	0
Average number of embryos transferred	1.8	
Percentage of embryos transferred resulting in implantation (%)	4 / 7	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	3 / 4	
Percentage of transfers resulting in singleton live births (%)	3 / 4	
Percentage of transfers resulting in twin live births (%)	0 / 4	
Percentage of transfers resulting in live births (%)	3 / 4	
Percentage of transfers resulting in pregnancies (%)	3 / 4	

CURRENT SERVICES & PROFILE

Current Name: Sanford Women's Health

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER, LLC
CHATTANOOGA, TENNESSEE

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Barry W. Donesky, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	79%
Unstimulated	0%	Used PGD	14%
Used gestational carrier	3%		

Patient Diagnosis[b]

Tubal factor	12%	Uterine factor	<1%	*Multiple Factors:*	
Ovulatory dysfunction	10%	Male factor	41%	Female factors only	<1%
Diminished ovarian reserve	29%	Other factor	3%	Female & male factors	5%
Endometriosis	7%	Unknown factor	3%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 213 (includes 5 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	32	14	12	6	5	1
Percentage of cancellations (%)	3.1	4 / 14	4 / 12	1 / 6	1 / 5	0 / 1
Average number of embryos transferred	1.8					
Percentage of embryos transferred resulting in implantation (%)	3 / 7					
Percentage of elective single embryo transfers (eSET) (%)	1 / 4					
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	6.3	0 / 14	0 / 12	0 / 6	0 / 5	0 / 1
Percentage of cycles resulting in singleton live births (%)	9.4	0 / 14	0 / 12	0 / 6	0 / 5	0 / 1
Percentage of cycles resulting in twin live births (%)	0.0	0 / 14	0 / 12	0 / 6	0 / 5	0 / 1
Percentage of cycles resulting in live births (%)	9.4	0 / 14	0 / 12	0 / 6	0 / 5	0 / 1
Percentage of cycles resulting in pregnancies (%)	9.4	0 / 14	0 / 12	0 / 6	0 / 5	0 / 1
Outcomes per Transfer						
Number of transfers	4	0	0	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 4					
Percentage of transfers resulting in singleton live births (%)	3 / 4					
Percentage of transfers resulting in twin live births (%)	0 / 4					
Percentage of transfers resulting in live births (%)	3 / 4					
Percentage of transfers resulting in pregnancies (%)	3 / 4					
Frozen Embryos from Nondonor Eggs						
Number of cycles	62	15	9	2	0	1
Number of transfers	61	13	9	2	0	0
Estimated average number of transfers per retrieval	1.7	1.3	1.8	2.0	0.0	0.0
Average number of embryos transferred	1.6	1.6	1.8	1.5		
Percentage of embryos transferred resulting in implantation (%)	39.2	23.8	7 / 16	1 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	29.5	2 / 13	5 / 9	1 / 2		
Percentage of transfers resulting in singleton live births (%)	37.7	2 / 13	5 / 9	1 / 2		
Percentage of transfers resulting in twin live births (%)	6.6	0 / 13	0 / 9	0 / 2		
Percentage of transfers resulting in live births (%)	45.9	2 / 13	5 / 9	1 / 2		
Percentage of transfers resulting in pregnancies (%)	52.5	5 / 13	6 / 9	1 / 2		
Number of Egg/Embryo Banking Cycles	13	2	1	1	1	1

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	11	19
Number of transfers	5	15
Average number of embryos transferred	1.4	1.7
Percentage of embryos transferred resulting in implantation (%)	4 / 7	38.5
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 5	5 / 15
Percentage of transfers resulting in singleton live births (%)	4 / 5	7 / 15
Percentage of transfers resulting in twin live births (%)	0 / 5	1 / 15
Percentage of transfers resulting in live births (%)	4 / 5	8 / 15
Percentage of transfers resulting in pregnancies (%)	4 / 5	9 / 15

CURRENT SERVICES & PROFILE

Current Name: Fertility Center, LLC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

TENNESSEE REPRODUCTIVE MEDICINE
CHATTANOOGA, TENNESSEE

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Ringland S. Murray, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	81%
Unstimulated	2%	Used PGD	19%
Used gestational carrier	1%		

Patient Diagnosis[b]

Tubal factor	20%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	18%	Male factor	42%	Female factors only	23%
Diminished ovarian reserve	22%	Other factor	23%	Female & male factors	20%
Endometriosis	14%	Unknown factor	7%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 139 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	51	24	16	2	2	0
Percentage of cancellations (%)	7.8	0.0	2 / 16	0 / 2	0 / 2	
Average number of embryos transferred	1.7	1.9	1.6	2.5	3.0	
Percentage of embryos transferred resulting in implantation (%)	56.8	40.5	6 / 16	1 / 5	0 / 6	
Percentage of elective single embryo transfers (eSET) (%)	25.0	1 / 15	0 / 5	0 / 2	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	33.3	29.2	2 / 16	1 / 2	0 / 2	
Percentage of cycles resulting in singleton live births (%)	41.2	29.2	5 / 16	1 / 2	0 / 2	
Percentage of cycles resulting in twin live births (%)	17.6	8.3	0 / 16	0 / 2	0 / 2	
Percentage of cycles resulting in live births (%)	58.8	37.5	5 / 16	1 / 2	0 / 2	
Percentage of cycles resulting in pregnancies (%)	62.7	50.0	5 / 16	1 / 2	0 / 2	
Outcomes per Transfer						
Number of transfers	43	19	10	2	2	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	39.5	7 / 19	2 / 10	1 / 2	0 / 2	
Percentage of transfers resulting in singleton live births (%)	48.8	7 / 19	5 / 10	1 / 2	0 / 2	
Percentage of transfers resulting in twin live births (%)	20.9	2 / 19	0 / 10	0 / 2	0 / 2	
Percentage of transfers resulting in live births (%)	69.8	9 / 19	5 / 10	1 / 2	0 / 2	
Percentage of transfers resulting in pregnancies (%)	74.4	12 / 19	5 / 10	1 / 2	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	17	8	6	0	0	0
Number of transfers	17	8	6	0	0	0
Estimated average number of transfers per retrieval	4.3	2.7	3.0			
Average number of embryos transferred	1.8	1.9	1.7			
Percentage of embryos transferred resulting in implantation (%)	53.3	4 / 15	1 / 10			
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	5 / 17	1 / 8	0 / 6			
Percentage of transfers resulting in singleton live births (%)	7 / 17	1 / 8	0 / 6			
Percentage of transfers resulting in twin live births (%)	2 / 17	0 / 8	0 / 6			
Percentage of transfers resulting in live births (%)	10 / 17	1 / 8	0 / 6			
Percentage of transfers resulting in pregnancies (%)	11 / 17	4 / 8	1 / 6			
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	7	4
Number of transfers	7	4
Average number of embryos transferred	1.6	1.8
Percentage of embryos transferred resulting in implantation (%)	7 / 11	0 / 5
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	3 / 7	0 / 4
Percentage of transfers resulting in singleton live births (%)	3 / 7	0 / 4
Percentage of transfers resulting in twin live births (%)	2 / 7	0 / 4
Percentage of transfers resulting in live births (%)	5 / 7	0 / 4
Percentage of transfers resulting in pregnancies (%)	5 / 7	1 / 4

CURRENT SERVICES & PROFILE

Current Name: Tennessee Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

QUILLEN FERTILITY AND WOMEN'S SERVICES
JOHNSON CITY, TENNESSEE

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Norman A. Assad, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	62%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	1%		

Patient Diagnosis[b]

Tubal factor	16%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	39%	Male factor	17%	Female factors only	11%
Diminished ovarian reserve	7%	Other factor	0%	Female & male factors	11%
Endometriosis	38%	Unknown factor	2%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 84 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	40	15	10	2	1	1
Percentage of cancellations (%)	10.0	1 / 15	1 / 10	1 / 2	0 / 1	0 / 1
Average number of embryos transferred	2.0	1.9	2.2	2.0	3.0	4.0
Percentage of embryos transferred resulting in implantation (%)	35.8	24.0	15.0	0 / 2	0 / 3	0 / 4
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 11	0 / 8	0 / 1	0 / 1	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	27.5	5 / 15	1 / 10	0 / 2	0 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)	35.0	5 / 15	2 / 10	0 / 2	0 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)	7.5	0 / 15	0 / 10	0 / 2	0 / 1	0 / 1
Percentage of cycles resulting in live births (%)	42.5	5 / 15	2 / 10	0 / 2	0 / 1	0 / 1
Percentage of cycles resulting in pregnancies (%)	50.0	7 / 15	3 / 10	0 / 2	0 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	36	14	9	1	1	1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	30.6	5 / 14	1 / 9	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	38.9	5 / 14	2 / 9	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	8.3	0 / 14	0 / 9	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	47.2	5 / 14	2 / 9	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	55.6	7 / 14	3 / 9	0 / 1	0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	4	2	1	0	0
Number of transfers	5	3	1	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred	1.6	1.3	2.0			
Percentage of embryos transferred resulting in implantation (%)	1 / 8	0 / 4	2 / 2			
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 5	0 / 3	0 / 1			
Percentage of transfers resulting in singleton live births (%)	1 / 5	0 / 3	0 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 5	0 / 3	1 / 1			
Percentage of transfers resulting in live births (%)	1 / 5	0 / 3	1 / 1			
Percentage of transfers resulting in pregnancies (%)	1 / 5	0 / 3	1 / 1			
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	1	1
Number of transfers	1	0
Average number of embryos transferred	2.0	
Percentage of embryos transferred resulting in implantation (%)	1 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 1	
Percentage of transfers resulting in live births (%)	1 / 1	
Percentage of transfers resulting in pregnancies (%)	1 / 1	

CURRENT SERVICES & PROFILE

Current Name: Quillen Fertility and Women's Services

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

EAST TENNESSEE IVF AND ANDROLOGY CENTER
KNOXVILLE, TENNESSEE

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Gayla Harris, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	47%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	6%	Uterine factor	12%	*Multiple Factors:*	
Ovulatory dysfunction	12%	Male factor	29%	Female factors only	41%
Diminished ovarian reserve	35%	Other factor	0%	Female & male factors	0%
Endometriosis	47%	Unknown factor	0%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 17 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	9	2	4	0	0	0
Percentage of cancellations (%)	0 / 9	0 / 2	1 / 4			
Average number of embryos transferred	2.0	2.0	2.0			
Percentage of embryos transferred resulting in implantation (%)	5 / 18	1 / 4	1 / 6			
Percentage of elective single embryo transfers (eSET) (%)	0 / 8	0 / 2	0 / 2			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	2 / 9	1 / 2	1 / 4			
Percentage of cycles resulting in singleton live births (%)	4 / 9	1 / 2	1 / 4			
Percentage of cycles resulting in twin live births (%)	0 / 9	0 / 2	0 / 4			
Percentage of cycles resulting in live births (%)	4 / 9	1 / 2	1 / 4			
Percentage of cycles resulting in pregnancies (%)	5 / 9	1 / 2	1 / 4			
Outcomes per Transfer						
Number of transfers	9	2	3	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 9	1 / 2	1 / 3			
Percentage of transfers resulting in singleton live births (%)	4 / 9	1 / 2	1 / 3			
Percentage of transfers resulting in twin live births (%)	0 / 9	0 / 2	0 / 3			
Percentage of transfers resulting in live births (%)	4 / 9	1 / 2	1 / 3			
Percentage of transfers resulting in pregnancies (%)	5 / 9	1 / 2	1 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	1	0	0	0	0
Number of transfers	1	1	0	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred	2.0	2.0				
Percentage of embryos transferred resulting in implantation (%)	0 / 2	1 / 2				
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 1	1 / 1				
Percentage of transfers resulting in singleton live births (%)	0 / 1	1 / 1				
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1				
Percentage of transfers resulting in live births (%)	0 / 1	1 / 1				
Percentage of transfers resulting in pregnancies (%)	0 / 1	1 / 1				
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation (%)		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)		
Percentage of transfers resulting in singleton live births (%)		
Percentage of transfers resulting in twin live births (%)		
Percentage of transfers resulting in live births (%)		
Percentage of transfers resulting in pregnancies (%)		

CURRENT SERVICES & PROFILE

Current Name: East Tennessee IVF and Andrology Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTHEASTERN FERTILITY CENTER
JEFFREY A. KEENAN, MD, HCLD
KNOXVILLE, TENNESSEE

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Jeffrey A. Keenan, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	52%
Unstimulated	4%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	<1%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	5%	Male factor	46%	Female factors only	5%
Diminished ovarian reserve	21%	Other factor	12%	Female & male factors	12%
Endometriosis	15%	Unknown factor	15%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 177 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	16	5	1	0	3	0
Percentage of cancellations (%)	0 / 16	1 / 5	0 / 1		1 / 3	
Average number of embryos transferred	2.2	2.0	3.0		4.0	
Percentage of embryos transferred resulting in implantation (%)	24.2	2 / 8	1 / 3		0 / 8	
Percentage of elective single embryo transfers (eSET) (%)	0 / 15	0 / 4	0 / 1		0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	3 / 16	0 / 5	0 / 1		0 / 3	
Percentage of cycles resulting in singleton live births (%)	5 / 16	0 / 5	0 / 1		0 / 3	
Percentage of cycles resulting in twin live births (%)	1 / 16	1 / 5	0 / 1		0 / 3	
Percentage of cycles resulting in live births (%)	6 / 16	1 / 5	0 / 1		0 / 3	
Percentage of cycles resulting in pregnancies (%)	6 / 16	1 / 5	1 / 1		0 / 3	
Outcomes per Transfer						
Number of transfers	15	4	1	0	2	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	3 / 15	0 / 4	0 / 1		0 / 2	
Percentage of transfers resulting in singleton live births (%)	5 / 15	0 / 4	0 / 1		0 / 2	
Percentage of transfers resulting in twin live births (%)	1 / 15	1 / 4	0 / 1		0 / 2	
Percentage of transfers resulting in live births (%)	6 / 15	1 / 4	0 / 1		0 / 2	
Percentage of transfers resulting in pregnancies (%)	6 / 15	1 / 4	1 / 1		0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	4	2	0	1	0
Number of transfers	7	4	1	0	1	0
Estimated average number of transfers per retrieval	1.8	4.0			0.5	
Average number of embryos transferred	2.1	2.0	3.0		2.0	
Percentage of embryos transferred resulting in implantation (%)	2 / 15	2 / 8	2 / 3		0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 7	1 / 4	0 / 1		0 / 1	
Percentage of transfers resulting in singleton live births (%)	2 / 7	1 / 4	0 / 1		0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 7	0 / 4	0 / 1		0 / 1	
Percentage of transfers resulting in live births (%)	2 / 7	1 / 4	0 / 1		0 / 1	
Percentage of transfers resulting in pregnancies (%)	2 / 7	2 / 4	1 / 1		0 / 1	
Number of Egg/Embryo Banking Cycles	1	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	0	137
Number of transfers	0	128
Average number of embryos transferred		2.5
Percentage of embryos transferred resulting in implantation (%)		30.2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)		25.0
Percentage of transfers resulting in singleton live births (%)		35.9
Percentage of transfers resulting in twin live births (%)		10.2
Percentage of transfers resulting in live births (%)		47.7
Percentage of transfers resulting in pregnancies (%)		54.7

CURRENT SERVICES & PROFILE

Current Name: Southeastern Fertility Center, Jeffrey A. Keenan, MD, HCLD

Donor eggs?	No	Gestational carriers?	No	Single women?	No	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

KUTTEH KE FERTILITY ASSOCIATES OF MEMPHIS, PLLC
MEMPHIS, TENNESSEE

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Raymond W. Ke, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	74%
Unstimulated	0%	Used PGD	5%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	17%	Uterine factor	6%	*Multiple Factors:*	
Ovulatory dysfunction	19%	Male factor	36%	Female factors only	9%
Diminished ovarian reserve	31%	Other factor	6%	Female & male factors	17%
Endometriosis	8%	Unknown factor	7%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 403 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	95	33	25	10	5	1
Percentage of cancellations (%)	6.3	12.1	20.0	1 / 10	0 / 5	1 / 1
Average number of embryos transferred	1.9	2.0	2.2	2.3	1.7	
Percentage of embryos transferred resulting in implantation (%)	43.1	25.5	20.0	2 / 18	0 / 5	
Percentage of elective single embryo transfers (eSET) (%)	8.8	0.0	0 / 19	0 / 7	1 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	20.0	21.2	16.0	2 / 10	0 / 5	0 / 1
Percentage of cycles resulting in singleton live births (%)	22.1	21.2	16.0	2 / 10	0 / 5	0 / 1
Percentage of cycles resulting in twin live births (%)	18.9	6.1	8.0	0 / 10	0 / 5	0 / 1
Percentage of cycles resulting in live births (%)	41.1	27.3	24.0	2 / 10	0 / 5	0 / 1
Percentage of cycles resulting in pregnancies (%)	49.5	33.3	28.0	2 / 10	0 / 5	0 / 1
Outcomes per Transfer						
Number of transfers	83	28	19	8	3	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	22.9	25.0	4 / 19	2 / 8	0 / 3	
Percentage of transfers resulting in singleton live births (%)	25.3	25.0	4 / 19	2 / 8	0 / 3	
Percentage of transfers resulting in twin live births (%)	21.7	7.1	2 / 19	0 / 8	0 / 3	
Percentage of transfers resulting in live births (%)	47.0	32.1	6 / 19	2 / 8	0 / 3	
Percentage of transfers resulting in pregnancies (%)	56.6	39.3	7 / 19	2 / 8	0 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	84	28	17	9	3	1
Number of transfers	72	21	14	6	1	1
Estimated average number of transfers per retrieval	1.3	1.1	1.8	1.2	0.5	1.0
Average number of embryos transferred	2.0	1.6	2.1	2.0	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	43.2	50.0	20.8	4 / 12	0 / 2	1 / 1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	25.0	23.8	1 / 14	0 / 6	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	26.4	23.8	3 / 14	0 / 6	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	22.2	19.0	0 / 14	1 / 6	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	50.0	42.9	3 / 14	1 / 6	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	59.7	61.9	6 / 14	2 / 6	0 / 1	1 / 1
Number of Egg/Embryo Banking Cycles	36	9	3	2	1	1

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	16	23
Number of transfers	12	20
Average number of embryos transferred	1.9	2.1
Percentage of embryos transferred resulting in implantation (%)	4 / 19	35.0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 12	30.0
Percentage of transfers resulting in singleton live births (%)	1 / 12	35.0
Percentage of transfers resulting in twin live births (%)	1 / 12	10.0
Percentage of transfers resulting in live births (%)	2 / 12	45.0
Percentage of transfers resulting in pregnancies (%)	4 / 12	55.0

CURRENT SERVICES & PROFILE

Current Name: Kutteh Ke Fertility Associates of Memphis, PLLC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	No	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE CENTER FOR REPRODUCTIVE HEALTH
NASHVILLE, TENNESSEE

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Jaime M. Vasquez, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	92%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	17%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	48%	Male factor	73%	Female factors only	6%
Diminished ovarian reserve	36%	Other factor	4%	Female & male factors	57%
Endometriosis	9%	Unknown factor	2%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 129 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	49	15	9	5	0	0
Percentage of cancellations (%)	2.0	0 / 15	0 / 9	0 / 5		
Average number of embryos transferred	2.1	2.3	1.7	3.0		
Percentage of embryos transferred resulting in implantation (%)	18.8	14.3	0 / 12	1 / 15		
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 13	0 / 4	0 / 5		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	10.2	2 / 15	0 / 9	1 / 5		
Percentage of cycles resulting in singleton live births (%)	16.3	2 / 15	0 / 9	1 / 5		
Percentage of cycles resulting in twin live births (%)	2.0	0 / 15	0 / 9	0 / 5		
Percentage of cycles resulting in live births (%)	18.4	2 / 15	0 / 9	1 / 5		
Percentage of cycles resulting in pregnancies (%)	30.6	5 / 15	0 / 9	1 / 5		
Outcomes per Transfer						
Number of transfers	44	13	7	5	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	11.4	2 / 13	0 / 7	1 / 5		
Percentage of transfers resulting in singleton live births (%)	18.2	2 / 13	0 / 7	1 / 5		
Percentage of transfers resulting in twin live births (%)	2.3	0 / 13	0 / 7	0 / 5		
Percentage of transfers resulting in live births (%)	20.5	2 / 13	0 / 7	1 / 5		
Percentage of transfers resulting in pregnancies (%)	34.1	5 / 13	0 / 7	1 / 5		
Frozen Embryos from Nondonor Eggs						
Number of cycles	11	3	1	2	1	1
Number of transfers	11	3	1	2	1	1
Estimated average number of transfers per retrieval	1.4	3.0				
Average number of embryos transferred	2.6	2.3	3.0	2.5	3.0	2.0
Percentage of embryos transferred resulting in implantation (%)	37.9	2 / 5	0 / 3	0 / 2	0 / 3	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 11	0 / 3	0 / 1	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	3 / 11	0 / 3	0 / 1	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	3 / 11	1 / 3	0 / 1	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	6 / 11	1 / 3	0 / 1	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	7 / 11	2 / 3	0 / 1	1 / 2	0 / 1	0 / 1
Number of Egg/Embryo Banking Cycles	1	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	13	18
Number of transfers	13	17
Average number of embryos transferred	2.0	2.6
Percentage of embryos transferred resulting in implantation (%)	45.8	35.6
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	6 / 13	3 / 17
Percentage of transfers resulting in singleton live births (%)	7 / 13	3 / 17
Percentage of transfers resulting in twin live births (%)	2 / 13	6 / 17
Percentage of transfers resulting in live births (%)	9 / 13	9 / 17
Percentage of transfers resulting in pregnancies (%)	10 / 13	9 / 17

CURRENT SERVICES & PROFILE

Current Name: The Center for Reproductive Health

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NASHVILLE FERTILITY CENTER
NASHVILLE, TENNESSEE

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by George A. Hill, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	78%
Unstimulated	0%	Used PGD	26%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	19%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	19%	Male factor	40%	Female factors only	28%
Diminished ovarian reserve	27%	Other factor	35%	Female & male factors	26%
Endometriosis	23%	Unknown factor	5%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 556 (includes 39 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	142	65	42	7	6	1
Percentage of cancellations (%)	12.0	10.8	11.9	1 / 7	2 / 6	0 / 1
Average number of embryos transferred	1.7	2.1	2.2	3.0	1.0	2.0
Percentage of embryos transferred resulting in implantation (%)	43.9	30.4	27.1	1 / 18	0 / 1	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	37.5	4.1	3.8	0 / 4		0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	29.6	23.1	11.9	1 / 7	0 / 6	0 / 1
Percentage of cycles resulting in singleton live births (%)	33.8	26.2	23.8	1 / 7	0 / 6	0 / 1
Percentage of cycles resulting in twin live births (%)	9.2	12.3	4.8	0 / 7	0 / 6	0 / 1
Percentage of cycles resulting in live births (%)	43.0	38.5	31.0	1 / 7	0 / 6	0 / 1
Percentage of cycles resulting in pregnancies (%)	48.6	44.6	35.7	1 / 7	0 / 6	0 / 1
Outcomes per Transfer						
Number of transfers	115	57	33	6	1	1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	36.5	26.3	15.2	1 / 6	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	41.7	29.8	30.3	1 / 6	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	11.3	14.0	6.1	0 / 6	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	53.0	43.9	39.4	1 / 6	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	60.0	50.9	45.5	1 / 6	0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	94	48	17	9	0	1
Number of transfers	87	40	16	6	0	1
Estimated average number of transfers per retrieval	2.3	2.0	1.6	3.0		
Average number of embryos transferred	1.8	1.8	1.8	1.7		2.0
Percentage of embryos transferred resulting in implantation (%)	38.6	36.2	34.5	2 / 8		0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	33.3	32.5	6 / 16	0 / 6		0 / 1
Percentage of transfers resulting in singleton live births (%)	35.6	37.5	8 / 16	2 / 6		0 / 1
Percentage of transfers resulting in twin live births (%)	9.2	7.5	0 / 16	0 / 6		0 / 1
Percentage of transfers resulting in live births (%)	46.0	47.5	8 / 16	2 / 6		0 / 1
Percentage of transfers resulting in pregnancies (%)	56.3	52.5	9 / 16	3 / 6		0 / 1
Number of Egg/Embryo Banking Cycles	13	12	9	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	11	40
Number of transfers	6	36
Average number of embryos transferred	1.7	1.9
Percentage of embryos transferred resulting in implantation (%)	4 / 10	30.3
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 6	22.2
Percentage of transfers resulting in singleton live births (%)	2 / 6	25.0
Percentage of transfers resulting in twin live births (%)	1 / 6	11.1
Percentage of transfers resulting in live births (%)	3 / 6	36.1
Percentage of transfers resulting in pregnancies (%)	3 / 6	44.4

CURRENT SERVICES & PROFILE

Current Name: Nashville Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

AUSTIN FERTILITY AND REPRODUCTIVE MEDICINE-WESTLAKE IVF
AUSTIN, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Shahryar K. Kavoussi, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	88%
Unstimulated	0%	Used PGD	2%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	8%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	8%	Male factor	48%	Female factors only	10%
Diminished ovarian reserve	32%	Other factor	6%	Female & male factors	23%
Endometriosis	13%	Unknown factor	19%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 143 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	44	21	27	18	1	2
Percentage of cancellations (%)	2.3	4.8	14.8	1 / 18	1 / 1	0 / 2
Average number of embryos transferred	2.3	2.3	3.0	2.6		3.0
Percentage of embryos transferred resulting in implantation (%)	29.7	9.1	5.3	12.5		0 / 3
Percentage of elective single embryo transfers (eSET) (%)	2.6	0 / 19	0 / 17	0 / 12		0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	27.3	14.3	3.7	1 / 18	0 / 1	0 / 2
Percentage of cycles resulting in singleton live births (%)	29.5	14.3	3.7	1 / 18	0 / 1	0 / 2
Percentage of cycles resulting in twin live births (%)	9.1	0.0	0.0	0 / 18	0 / 1	0 / 2
Percentage of cycles resulting in live births (%)	38.6	14.3	3.7	1 / 18	0 / 1	0 / 2
Percentage of cycles resulting in pregnancies (%)	47.7	23.8	7.4	4 / 18	0 / 1	0 / 2
Outcomes per Transfer						
Number of transfers	39	20	19	14	0	1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	30.8	15.0	1 / 19	1 / 14		0 / 1
Percentage of transfers resulting in singleton live births (%)	33.3	15.0	1 / 19	1 / 14		0 / 1
Percentage of transfers resulting in twin live births (%)	10.3	0.0	0 / 19	0 / 14		0 / 1
Percentage of transfers resulting in live births (%)	43.6	15.0	1 / 19	1 / 14		0 / 1
Percentage of transfers resulting in pregnancies (%)	53.8	25.0	2 / 19	4 / 14		0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	11	2	8	2	1	0
Number of transfers	10	2	8	2	1	0
Estimated average number of transfers per retrieval	2.5	1.0	1.6	2.0		
Average number of embryos transferred	2.0	1.5	1.9	2.5	6.0	
Percentage of embryos transferred resulting in implantation (%)	15.0	1 / 3	3 / 15	0 / 5	0 / 6	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	3 / 10	1 / 2	1 / 8	0 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)	3 / 10	1 / 2	1 / 8	0 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 10	0 / 2	0 / 8	0 / 2	0 / 1	
Percentage of transfers resulting in live births (%)	3 / 10	1 / 2	1 / 8	0 / 2	0 / 1	
Percentage of transfers resulting in pregnancies (%)	3 / 10	1 / 2	2 / 8	0 / 2	0 / 1	
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	5	1
Number of transfers	5	1
Average number of embryos transferred	1.8	1.0
Percentage of embryos transferred resulting in implantation (%)	3 / 9	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 5	0 / 1
Percentage of transfers resulting in singleton live births (%)	1 / 5	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 5	0 / 1
Percentage of transfers resulting in live births (%)	2 / 5	0 / 1
Percentage of transfers resulting in pregnancies (%)	2 / 5	0 / 1

CURRENT SERVICES & PROFILE

Current Name: Austin Fertility and Reproductive Medicine-Westlake IVF

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

AUSTIN FERTILITY INSTITUTE, PA
AUSTIN, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Kenneth K. Moghadam, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	98%
Unstimulated	0%	Used PGD	13%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	14%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	21%	Male factor	33%	Female factors only	7%
Diminished ovarian reserve	13%	Other factor	13%	Female & male factors	13%
Endometriosis	19%	Unknown factor	8%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 237 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	73	27	22	10	1	0
Percentage of cancellations (%)	1.4	3.7	4.5	0 / 10	0 / 1	
Average number of embryos transferred	1.9	2.1	2.8	2.9	4.0	
Percentage of embryos transferred resulting in implantation (%)	33.0	35.9	20.0	7.7	0 / 4	
Percentage of elective single embryo transfers (eSET) (%)	16.0	1 / 19	0 / 12	0 / 9	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	16.4	14.8	0.0	0 / 10	0 / 1	
Percentage of cycles resulting in singleton live births (%)	19.2	22.2	4.5	1 / 10	0 / 1	
Percentage of cycles resulting in twin live births (%)	9.6	11.1	9.1	0 / 10	0 / 1	
Percentage of cycles resulting in live births (%)	28.8	33.3	13.6	1 / 10	0 / 1	
Percentage of cycles resulting in pregnancies (%)	30.1	37.0	22.7	2 / 10	0 / 1	
Outcomes per Transfer						
Number of transfers	51	19	12	9	1	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	23.5	4 / 19	0 / 12	0 / 9	0 / 1	
Percentage of transfers resulting in singleton live births (%)	27.5	6 / 19	1 / 12	1 / 9	0 / 1	
Percentage of transfers resulting in twin live births (%)	13.7	3 / 19	2 / 12	0 / 9	0 / 1	
Percentage of transfers resulting in live births (%)	41.2	9 / 19	3 / 12	1 / 9	0 / 1	
Percentage of transfers resulting in pregnancies (%)	43.1	10 / 19	5 / 12	2 / 9	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	45	22	13	4	1	0
Number of transfers	43	22	13	4	1	0
Estimated average number of transfers per retrieval	1.6	2.2	1.9	4.0	1.0	
Average number of embryos transferred	2.0	2.0	1.8	2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	43.9	34.1	20.8	2 / 8	1 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	23.3	22.7	3 / 13	0 / 4	0 / 1	
Percentage of transfers resulting in singleton live births (%)	34.9	27.3	3 / 13	0 / 4	0 / 1	
Percentage of transfers resulting in twin live births (%)	18.6	9.1	1 / 13	1 / 4	0 / 1	
Percentage of transfers resulting in live births (%)	53.5	36.4	4 / 13	1 / 4	0 / 1	
Percentage of transfers resulting in pregnancies (%)	60.5	45.5	4 / 13	1 / 4	1 / 1	
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	11	8
Number of transfers	11	8
Average number of embryos transferred	1.5	1.3
Percentage of embryos transferred resulting in implantation (%)	10 / 15	4 / 10
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	4 / 11	1 / 8
Percentage of transfers resulting in singleton live births (%)	5 / 11	1 / 8
Percentage of transfers resulting in twin live births (%)	2 / 11	1 / 8
Percentage of transfers resulting in live births (%)	7 / 11	2 / 8
Percentage of transfers resulting in pregnancies (%)	8 / 11	3 / 8

CURRENT SERVICES & PROFILE

Current Name: Austin Fertility Institute, PA

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

RMATX.COM, PLLC
RMA OF TEXAS-AUSTIN
AUSTIN, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Francisco Arredondo, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	100%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	14%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	14%	Male factor	29%	Female factors only	14%
Diminished ovarian reserve	36%	Other factor	7%	Female & male factors	14%
Endometriosis	0%	Unknown factor	29%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 15 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	5	1	3	1	2	1
Percentage of cancellations (%)	0 / 5	0 / 1	0 / 3	0 / 1	0 / 2	0 / 1
Average number of embryos transferred	1.2	1.0	2.5	3.0	3.0	4.0
Percentage of embryos transferred resulting in implantation (%)	5 / 6	0 / 1	2 / 5	0 / 3	0 / 6	0 / 4
Percentage of elective single embryo transfers (eSET) (%)	4 / 5		0 / 2	0 / 1	0 / 2	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	2 / 5	0 / 1	0 / 3	0 / 1	0 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	2 / 5	0 / 1	0 / 3	0 / 1	0 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	1 / 5	0 / 1	1 / 3	0 / 1	0 / 2	0 / 1
Percentage of cycles resulting in live births (%)	3 / 5	0 / 1	1 / 3	0 / 1	0 / 2	0 / 1
Percentage of cycles resulting in pregnancies (%)	4 / 5	0 / 1	1 / 3	0 / 1	0 / 2	0 / 1
Outcomes per Transfer						
Number of transfers	5	1	2	1	2	1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 5	0 / 1	0 / 2	0 / 1	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	2 / 5	0 / 1	0 / 2	0 / 1	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 5	0 / 1	1 / 2	0 / 1	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	3 / 5	0 / 1	1 / 2	0 / 1	0 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	4 / 5	0 / 1	1 / 2	0 / 1	0 / 2	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	0	0	0	0	0
Number of transfers	0	0	0	0	0	0
Estimated average number of transfers per retrieval			0.0			
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						
Number of Egg/Embryo Banking Cycles	0	0	1	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	0	1
Number of transfers	0	1
Average number of embryos transferred		2.0
Percentage of embryos transferred resulting in implantation (%)		1 / 2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)		1 / 1
Percentage of transfers resulting in singleton live births (%)		1 / 1
Percentage of transfers resulting in twin live births (%)		0 / 1
Percentage of transfers resulting in live births (%)		1 / 1
Percentage of transfers resulting in pregnancies (%)		1 / 1

CURRENT SERVICES & PROFILE

Current Name: RMATX.COM, PLLC, RMA of Texas-Austin

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Pending
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

TEXAS FERTILITY CENTER
VAUGHN, SILVERBERG & ASSOCIATES
AUSTIN, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Kaylen Silverberg, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	65%
Unstimulated	0%	Used PGD	8%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	10%	Uterine factor	18%	*Multiple Factors:*	
Ovulatory dysfunction	11%	Male factor	26%	Female factors only	21%
Diminished ovarian reserve	36%	Other factor	18%	Female & male factors	16%
Endometriosis	23%	Unknown factor	6%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 1,122 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	195	116	128	65	28	4
Percentage of cancellations (%)	4.1	5.2	8.6	21.5	14.3	0 / 4
Average number of embryos transferred	1.5	1.8	2.5	2.9	3.9	6.0
Percentage of embryos transferred resulting in implantation (%)	34.5	28.2	15.3	7.9	9.0	0 / 6
Percentage of elective single embryo transfers (eSET) (%)	52.0	27.9	4.6	3.3	0 / 16	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	21.5	10.3	10.2	3.1	7.1	0 / 4
Percentage of cycles resulting in singleton live births (%)	25.6	12.9	10.9	6.2	10.7	0 / 4
Percentage of cycles resulting in twin live births (%)	3.1	8.6	3.1	1.5	3.6	0 / 4
Percentage of cycles resulting in live births (%)	28.7	21.6	14.1	7.7	14.3	0 / 4
Percentage of cycles resulting in pregnancies (%)	32.3	23.3	19.5	13.8	17.9	0 / 4
Outcomes per Transfer						
Number of transfers	138	73	73	32	17	1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	30.4	16.4	17.8	6.3	2 / 17	0 / 1
Percentage of transfers resulting in singleton live births (%)	36.2	20.5	19.2	12.5	3 / 17	0 / 1
Percentage of transfers resulting in twin live births (%)	4.3	13.7	5.5	3.1	1 / 17	0 / 1
Percentage of transfers resulting in live births (%)	40.6	34.2	24.7	15.6	4 / 17	0 / 1
Percentage of transfers resulting in pregnancies (%)	45.7	37.0	34.2	28.1	5 / 17	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	145	98	75	26	8	4
Number of transfers	137	89	66	19	7	2
Estimated average number of transfers per retrieval	1.5	1.2	1.2	1.7	3.5	
Average number of embryos transferred	1.4	1.5	1.6	1.7	2.1	1.0
Percentage of embryos transferred resulting in implantation (%)	50.9	43.3	38.0	42.4	5 / 15	2 / 2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	33.6	24.7	27.3	8 / 19	3 / 7	2 / 2
Percentage of transfers resulting in singleton live births (%)	38.0	32.6	36.4	10 / 19	3 / 7	2 / 2
Percentage of transfers resulting in twin live births (%)	6.6	7.9	6.1	0 / 19	0 / 7	0 / 2
Percentage of transfers resulting in live births (%)	44.5	40.4	42.4	10 / 19	3 / 7	2 / 2
Percentage of transfers resulting in pregnancies (%)	64.2	56.2	53.0	12 / 19	4 / 7	2 / 2
Number of Egg/Embryo Banking Cycles	17	22	11	1	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	93	84
Number of transfers	85	79
Average number of embryos transferred	1.4	1.4
Percentage of embryos transferred resulting in implantation (%)	55.4	46.2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	34.1	25.3
Percentage of transfers resulting in singleton live births (%)	48.2	39.2
Percentage of transfers resulting in twin live births (%)	4.7	7.6
Percentage of transfers resulting in live births (%)	52.9	46.8
Percentage of transfers resulting in pregnancies (%)	68.2	58.2

CURRENT SERVICES & PROFILE

Current Name: Texas Fertility Center, Vaughn, Silverberg & Associates

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DR. JEFFREY YOUNGKIN
AUSTIN FERTILITY CENTER
AUSTIN, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Jeffrey T. Youngkin, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	44%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	15%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	0%	Male factor	15%	Female factors only	31%
Diminished ovarian reserve	0%	Other factor	31%	Female & male factors	8%
Endometriosis	46%	Unknown factor	31%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 14 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	3	3	3	0	0	0
Percentage of cancellations (%)	0 / 3	0 / 3	0 / 3			
Average number of embryos transferred	1.0	2.0	2.3			
Percentage of embryos transferred resulting in implantation (%)	0 / 3	3 / 4	3 / 7			
Percentage of elective single embryo transfers (eSET) (%)	3 / 3	0 / 2	0 / 3			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	0 / 3	1 / 3	1 / 3			
Percentage of cycles resulting in singleton live births (%)	0 / 3	1 / 3	1 / 3			
Percentage of cycles resulting in twin live births (%)	0 / 3	1 / 3	1 / 3			
Percentage of cycles resulting in live births (%)	0 / 3	2 / 3	2 / 3			
Percentage of cycles resulting in pregnancies (%)	0 / 3	2 / 3	2 / 3			
Outcomes per Transfer						
Number of transfers	3	2	3	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 3	1 / 2	1 / 3			
Percentage of transfers resulting in singleton live births (%)	0 / 3	1 / 2	1 / 3			
Percentage of transfers resulting in twin live births (%)	0 / 3	1 / 2	1 / 3			
Percentage of transfers resulting in live births (%)	0 / 3	2 / 2	2 / 3			
Percentage of transfers resulting in pregnancies (%)	0 / 3	2 / 2	2 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	0	2	0	0	0
Number of transfers	2	0	2	0	0	0
Estimated average number of transfers per retrieval	0.7		2.0			
Average number of embryos transferred	1.0		1.5			
Percentage of embryos transferred resulting in implantation (%)	2 / 2		0 / 3			
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 2		0 / 2			
Percentage of transfers resulting in singleton live births (%)	2 / 2		0 / 2			
Percentage of transfers resulting in twin live births (%)	0 / 2		0 / 2			
Percentage of transfers resulting in live births (%)	2 / 2		0 / 2			
Percentage of transfers resulting in pregnancies (%)	2 / 2		0 / 2			
Number of Egg/Embryo Banking Cycles	1	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation (%)		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)		
Percentage of transfers resulting in singleton live births (%)		
Percentage of transfers resulting in twin live births (%)		
Percentage of transfers resulting in live births (%)		
Percentage of transfers resulting in pregnancies (%)		

CURRENT SERVICES & PROFILE

Current Name: Dr. Jeffrey Youngkin, Austin Fertility Center

Donor eggs?	No	Gestational carriers?	No	Single women?	No	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR ASSISTED REPRODUCTION
BEDFORD, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Kevin J. Doody, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	68%
Unstimulated	<1%	Used PGD	4%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	14%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	18%	Male factor	37%	Female factors only	10%
Diminished ovarian reserve	37%	Other factor	11%	Female & male factors	22%
Endometriosis	9%	Unknown factor	6%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 522 (includes 7 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	134	56	37	18	15	2
Percentage of cancellations (%)	1.5	1.8	2.7	0 / 18	3 / 15	0 / 2
Average number of embryos transferred	1.8	1.7	2.1	2.1	2.2	1.5
Percentage of embryos transferred resulting in implantation (%)	46.8	27.4	18.2	10.0	0 / 13	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	18.3	17.9	0.0	1 / 11	0 / 4	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	20.9	21.4	18.9	0 / 18	0 / 15	0 / 2
Percentage of cycles resulting in singleton live births (%)	26.9	26.8	21.6	0 / 18	0 / 15	0 / 2
Percentage of cycles resulting in twin live births (%)	19.4	3.6	0.0	0 / 18	0 / 15	0 / 2
Percentage of cycles resulting in live births (%)	46.3	30.4	21.6	0 / 18	0 / 15	0 / 2
Percentage of cycles resulting in pregnancies (%)	54.5	41.1	27.0	4 / 18	0 / 15	0 / 2
Outcomes per Transfer						
Number of transfers	125	51	31	16	6	2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	22.4	23.5	22.6	0 / 16	0 / 6	0 / 2
Percentage of transfers resulting in singleton live births (%)	28.8	29.4	25.8	0 / 16	0 / 6	0 / 2
Percentage of transfers resulting in twin live births (%)	20.8	3.9	0.0	0 / 16	0 / 6	0 / 2
Percentage of transfers resulting in live births (%)	49.6	33.3	25.8	0 / 16	0 / 6	0 / 2
Percentage of transfers resulting in pregnancies (%)	58.4	45.1	32.3	4 / 16	0 / 6	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	79	40	23	19	2	0
Number of transfers	79	37	23	19	2	0
Estimated average number of transfers per retrieval	1.8	2.2	1.6	3.8	2.0	
Average number of embryos transferred	1.7	1.6	1.9	2.1	1.0	
Percentage of embryos transferred resulting in implantation (%)	33.6	25.0	20.5	24.3	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	10.1	16.2	17.4	7 / 19	0 / 2	
Percentage of transfers resulting in singleton live births (%)	16.5	21.6	21.7	8 / 19	0 / 2	
Percentage of transfers resulting in twin live births (%)	11.4	5.4	4.3	0 / 19	0 / 2	
Percentage of transfers resulting in live births (%)	29.1	27.0	26.1	8 / 19	0 / 2	
Percentage of transfers resulting in pregnancies (%)	45.6	40.5	34.8	10 / 19	1 / 2	
Number of Egg/Embryo Banking Cycles	14	11	10	4	1	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	13	37
Number of transfers	12	37
Average number of embryos transferred	1.8	1.8
Percentage of embryos transferred resulting in implantation (%)	66.7	48.4
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 12	18.9
Percentage of transfers resulting in singleton live births (%)	4 / 12	35.1
Percentage of transfers resulting in twin live births (%)	5 / 12	21.6
Percentage of transfers resulting in live births (%)	9 / 12	56.8
Percentage of transfers resulting in pregnancies (%)	9 / 12	64.9

CURRENT SERVICES & PROFILE

Current Name: Center for Assisted Reproduction

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2013 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2013 ART cycle data or the clinic's Medical Director did not approve the clinic's 2013 ART cycle data for inclusion in this report.

DALLAS-FORT WORTH FERTILITY ASSOCIATES
DALLAS, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Samuel J. Chantilis, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	43%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	15%	Uterine factor	13%	*Multiple Factors:*	
Ovulatory dysfunction	26%	Male factor	44%	Female factors only	22%
Diminished ovarian reserve	45%	Other factor	13%	Female & male factors	34%
Endometriosis	12%	Unknown factor	3%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 696 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	188	84	74	34	24	8
Percentage of cancellations (%)	8.0	9.5	20.3	29.4	41.7	2 / 8
Average number of embryos transferred	1.8	1.9	2.2	2.4	2.8	2.6
Percentage of embryos transferred resulting in implantation (%)	39.2	33.1	27.7	16.0	2.9	1 / 13
Percentage of elective single embryo transfers (eSET) (%)	17.8	18.8	2.0	0.0	0 / 10	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	25.0	19.0	12.2	8.8	0.0	1 / 8
Percentage of cycles resulting in singleton live births (%)	27.7	21.4	16.2	14.7	0.0	1 / 8
Percentage of cycles resulting in twin live births (%)	13.8	8.3	4.1	0.0	0.0	0 / 8
Percentage of cycles resulting in live births (%)	42.6	31.0	23.0	14.7	0.0	1 / 8
Percentage of cycles resulting in pregnancies (%)	44.7	39.3	32.4	26.5	4.2	1 / 8
Outcomes per Transfer						
Number of transfers	161	69	57	22	12	5
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	29.2	23.2	15.8	13.6	0 / 12	1 / 5
Percentage of transfers resulting in singleton live births (%)	32.3	26.1	21.1	22.7	0 / 12	1 / 5
Percentage of transfers resulting in twin live births (%)	16.1	10.1	5.3	0.0	0 / 12	0 / 5
Percentage of transfers resulting in live births (%)	49.7	37.7	29.8	22.7	0 / 12	1 / 5
Percentage of transfers resulting in pregnancies (%)	52.2	47.8	42.1	40.9	1 / 12	1 / 5
Frozen Embryos from Nondonor Eggs						
Number of cycles	60	43	19	6	5	0
Number of transfers	59	43	19	6	5	0
Estimated average number of transfers per retrieval	1.2	1.3	0.7	0.5	0.6	
Average number of embryos transferred	1.6	1.5	1.6	1.5	1.6	
Percentage of embryos transferred resulting in implantation (%)	34.9	38.3	39.3	1 / 8	3 / 8	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	32.2	25.6	3 / 19	1 / 6	0 / 5	
Percentage of transfers resulting in singleton live births (%)	33.9	34.9	5 / 19	1 / 6	0 / 5	
Percentage of transfers resulting in twin live births (%)	3.4	2.3	1 / 19	0 / 6	1 / 5	
Percentage of transfers resulting in live births (%)	37.3	37.2	7 / 19	1 / 6	1 / 5	
Percentage of transfers resulting in pregnancies (%)	50.8	58.1	9 / 19	2 / 6	2 / 5	
Number of Egg/Embryo Banking Cycles	18	16	23	9	8	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	41	36
Number of transfers	38	33
Average number of embryos transferred	1.6	1.5
Percentage of embryos transferred resulting in implantation (%)	72.6	34.8
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	44.7	12.1
Percentage of transfers resulting in singleton live births (%)	55.3	18.2
Percentage of transfers resulting in twin live births (%)	26.3	9.1
Percentage of transfers resulting in live births (%)	81.6	27.3
Percentage of transfers resulting in pregnancies (%)	89.5	36.4

CURRENT SERVICES & PROFILE

Current Name: Dallas-Fort Worth Fertility Associates

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	No	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY AND ADVANCED REPRODUCTIVE MEDICINE
DALLAS, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Orhan Bukulmez, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	43%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	9%	Uterine factor	11%	*Multiple Factors:*	
Ovulatory dysfunction	22%	Male factor	26%	Female factors only	20%
Diminished ovarian reserve	35%	Other factor	12%	Female & male factors	14%
Endometriosis	14%	Unknown factor	11%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 155 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	20	8	4	1	2	0
Percentage of cancellations (%)	0.0	0 / 8	1 / 4	0 / 1	0 / 2	
Average number of embryos transferred	1.7	2.1	2.7	2.0	3.5	
Percentage of embryos transferred resulting in implantation (%)	63.0	4 / 17	1 / 8	0 / 2	0 / 3	
Percentage of elective single embryo transfers (eSET) (%)	5 / 16	0 / 8	0 / 3	0 / 1	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	25.0	2 / 8	1 / 4	0 / 1	0 / 2	
Percentage of cycles resulting in singleton live births (%)	30.0	2 / 8	1 / 4	0 / 1	0 / 2	
Percentage of cycles resulting in twin live births (%)	10.0	1 / 8	0 / 4	0 / 1	0 / 2	
Percentage of cycles resulting in live births (%)	45.0	3 / 8	1 / 4	0 / 1	0 / 2	
Percentage of cycles resulting in pregnancies (%)	50.0	3 / 8	1 / 4	0 / 1	1 / 2	
Outcomes per Transfer						
Number of transfers	16	8	3	1	2	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	5 / 16	2 / 8	1 / 3	0 / 1	0 / 2	
Percentage of transfers resulting in singleton live births (%)	6 / 16	2 / 8	1 / 3	0 / 1	0 / 2	
Percentage of transfers resulting in twin live births (%)	2 / 16	1 / 8	0 / 3	0 / 1	0 / 2	
Percentage of transfers resulting in live births (%)	9 / 16	3 / 8	1 / 3	0 / 1	0 / 2	
Percentage of transfers resulting in pregnancies (%)	10 / 16	3 / 8	1 / 3	0 / 1	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	21	10	9	3	8	0
Number of transfers	18	8	8	2	7	0
Estimated average number of transfers per retrieval	0.6	0.4	0.5	0.7	0.8	0.0
Average number of embryos transferred	1.6	1.8	2.0	2.0	2.9	
Percentage of embryos transferred resulting in implantation (%)	34.5	4 / 14	1 / 16	2 / 4	25.0	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	4 / 18	3 / 8	1 / 8	1 / 2	1 / 7	
Percentage of transfers resulting in singleton live births (%)	4 / 18	3 / 8	1 / 8	1 / 2	2 / 7	
Percentage of transfers resulting in twin live births (%)	3 / 18	0 / 8	0 / 8	0 / 2	0 / 7	
Percentage of transfers resulting in live births (%)	7 / 18	3 / 8	1 / 8	1 / 2	2 / 7	
Percentage of transfers resulting in pregnancies (%)	7 / 18	4 / 8	1 / 8	1 / 2	4 / 7	
Number of Egg/Embryo Banking Cycles	25	18	14	3	8	1

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation (%)		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)		
Percentage of transfers resulting in singleton live births (%)		
Percentage of transfers resulting in twin live births (%)		
Percentage of transfers resulting in live births (%)		
Percentage of transfers resulting in pregnancies (%)		

CURRENT SERVICES & PROFILE

Current Name: Fertility and Advanced Reproductive Medicine

Donor eggs?	No	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF DALLAS
DALLAS, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by J. Michael Putman, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	88%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	26%	Uterine factor	21%	*Multiple Factors:*	
Ovulatory dysfunction	8%	Male factor	56%	Female factors only	14%
Diminished ovarian reserve	29%	Other factor	6%	Female & male factors	34%
Endometriosis	17%	Unknown factor	<1%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 163 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	31	9	10	4	1	1
Percentage of cancellations (%)	6.5	1 / 9	0 / 10	0 / 4	0 / 1	0 / 1
Average number of embryos transferred	1.9	2.0	2.1	3.0	1.0	3.0
Percentage of embryos transferred resulting in implantation (%)	62.5	8 / 16	4 / 17	1 / 6	0 / 1	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	11.1	0 / 8	1 / 7	0 / 2		0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	12.9	2 / 9	0 / 10	0 / 4	0 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)	19.4	3 / 9	2 / 10	0 / 4	0 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)	32.3	2 / 9	1 / 10	0 / 4	0 / 1	0 / 1
Percentage of cycles resulting in live births (%)	54.8	5 / 9	3 / 10	0 / 4	0 / 1	0 / 1
Percentage of cycles resulting in pregnancies (%)	64.5	5 / 9	3 / 10	1 / 4	0 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	27	8	8	2	1	1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	14.8	2 / 8	0 / 8	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	22.2	3 / 8	2 / 8	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	37.0	2 / 8	1 / 8	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	63.0	5 / 8	3 / 8	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	74.1	5 / 8	3 / 8	1 / 2	0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	23	14	12	4	3	0
Number of transfers	23	14	12	4	3	0
Estimated average number of transfers per retrieval	1.5	2.0	0.9	0.6	0.5	0.0
Average number of embryos transferred	1.7	2.3	2.4	2.3	3.7	
Percentage of embryos transferred resulting in implantation (%)	47.4	55.6	33.3	2 / 9	0 / 11	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	30.4	2 / 14	1 / 12	2 / 4	0 / 3	
Percentage of transfers resulting in singleton live births (%)	34.8	5 / 14	1 / 12	2 / 4	0 / 3	
Percentage of transfers resulting in twin live births (%)	21.7	1 / 14	3 / 12	0 / 4	0 / 3	
Percentage of transfers resulting in live births (%)	56.5	8 / 14	4 / 12	2 / 4	0 / 3	
Percentage of transfers resulting in pregnancies (%)	56.5	12 / 14	6 / 12	2 / 4	0 / 3	
Number of Egg/Embryo Banking Cycles	9	6	12	5	6	2

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	6	5
Number of transfers	6	5
Average number of embryos transferred	1.8	2.2
Percentage of embryos transferred resulting in implantation (%)	5 / 11	5 / 11
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	3 / 6	3 / 5
Percentage of transfers resulting in singleton live births (%)	3 / 6	3 / 5
Percentage of transfers resulting in twin live births (%)	1 / 6	1 / 5
Percentage of transfers resulting in live births (%)	4 / 6	4 / 5
Percentage of transfers resulting in pregnancies (%)	4 / 6	4 / 5

CURRENT SERVICES & PROFILE

Current Name: Fertility Center of Dallas

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF INSTITUTE, PA
DALLAS, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Noel Peng, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	100%
Unstimulated	0%	Used PGD	33%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	24%	Uterine factor	80%	*Multiple Factors:*	
Ovulatory dysfunction	44%	Male factor	48%	Female factors only	36%
Diminished ovarian reserve	36%	Other factor	0%	Female & male factors	44%
Endometriosis	4%	Unknown factor	0%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 60 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	4	2	3	0	0	0
Percentage of cancellations (%)	0 / 4	0 / 2	0 / 3			
Average number of embryos transferred	2.0	2.5	3.0			
Percentage of embryos transferred resulting in implantation (%)	6 / 8	2 / 5	2 / 9			
Percentage of elective single embryo transfers (eSET) (%)	0 / 4	0 / 2	0 / 3			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	2 / 4	2 / 2	0 / 3			
Percentage of cycles resulting in singleton live births (%)	2 / 4	2 / 2	1 / 3			
Percentage of cycles resulting in twin live births (%)	2 / 4	0 / 2	0 / 3			
Percentage of cycles resulting in live births (%)	4 / 4	2 / 2	1 / 3			
Percentage of cycles resulting in pregnancies (%)	4 / 4	2 / 2	2 / 3			
Outcomes per Transfer						
Number of transfers	4	2	3	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 4	2 / 2	0 / 3			
Percentage of transfers resulting in singleton live births (%)	2 / 4	2 / 2	1 / 3			
Percentage of transfers resulting in twin live births (%)	2 / 4	0 / 2	0 / 3			
Percentage of transfers resulting in live births (%)	4 / 4	2 / 2	1 / 3			
Percentage of transfers resulting in pregnancies (%)	4 / 4	2 / 2	2 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	8	0	1	0	0
Number of transfers	6	7	0	1	0	0
Estimated average number of transfers per retrieval	0.4	0.6	0.0	0.2	0.0	
Average number of embryos transferred	2.3	2.3		3.0		
Percentage of embryos transferred resulting in implantation (%)	6 / 14	10 / 16		1 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 6	2 / 7		1 / 1		
Percentage of transfers resulting in singleton live births (%)	2 / 6	2 / 7		1 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 6	2 / 7		0 / 1		
Percentage of transfers resulting in live births (%)	3 / 6	5 / 7		1 / 1		
Percentage of transfers resulting in pregnancies (%)	4 / 6	6 / 7		1 / 1		
Number of Egg/Embryo Banking Cycles	14	12	1	5	3	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	1	0
Number of transfers	1	0
Average number of embryos transferred	3.0	
Percentage of embryos transferred resulting in implantation (%)	0 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 1	
Percentage of transfers resulting in live births (%)	0 / 1	
Percentage of transfers resulting in pregnancies (%)	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: IVF Institute, PA

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPROMED FERTILITY CENTER
DALLAS, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Anil Pinto, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	95%
Unstimulated	2%	Used PGD	5%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	9%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	14%	Male factor	9%	Female factors only	2%
Diminished ovarian reserve	45%	Other factor	3%	Female & male factors	3%
Endometriosis	2%	Unknown factor	21%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 113 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	32	10	11	2	2	0
Percentage of cancellations (%)	0.0	0 / 10	2 / 11	0 / 2	0 / 2	
Average number of embryos transferred	2.0	1.9	2.0	2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	45.3	3 / 19	7 / 18	0 / 4	0 / 2	
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 9	0 / 9	0 / 2	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	0.0	0 / 10	0 / 11	0 / 2	0 / 2	
Percentage of cycles resulting in singleton live births (%)	34.4	3 / 10	3 / 11	0 / 2	0 / 2	
Percentage of cycles resulting in twin live births (%)	25.0	0 / 10	1 / 11	0 / 2	0 / 2	
Percentage of cycles resulting in live births (%)	59.4	3 / 10	4 / 11	0 / 2	0 / 2	
Percentage of cycles resulting in pregnancies (%)	65.6	3 / 10	6 / 11	0 / 2	0 / 2	
Outcomes per Transfer						
Number of transfers	32	10	9	2	1	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0.0	0 / 10	0 / 9	0 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)	34.4	3 / 10	3 / 9	0 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)	25.0	0 / 10	1 / 9	0 / 2	0 / 1	
Percentage of transfers resulting in live births (%)	59.4	3 / 10	4 / 9	0 / 2	0 / 1	
Percentage of transfers resulting in pregnancies (%)	65.6	3 / 10	6 / 9	0 / 2	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	12	8	3	1	0	0
Number of transfers	12	8	3	1	0	0
Estimated average number of transfers per retrieval	0.8	1.6	0.3	1.0	0.0	
Average number of embryos transferred	1.9	2.0	2.0	2.0		
Percentage of embryos transferred resulting in implantation (%)	60.9	7 / 16	5 / 6	0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 12	0 / 8	0 / 3	0 / 1		
Percentage of transfers resulting in singleton live births (%)	3 / 12	3 / 8	1 / 3	0 / 1		
Percentage of transfers resulting in twin live births (%)	4 / 12	2 / 8	2 / 3	0 / 1		
Percentage of transfers resulting in live births (%)	7 / 12	5 / 8	3 / 3	0 / 1		
Percentage of transfers resulting in pregnancies (%)	9 / 12	5 / 8	3 / 3	0 / 1		
Number of Egg/Embryo Banking Cycles	13	3	9	0	1	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	5	1
Number of transfers	5	1
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	3 / 10	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 5	0 / 1
Percentage of transfers resulting in singleton live births (%)	3 / 5	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 5	0 / 1
Percentage of transfers resulting in live births (%)	3 / 5	0 / 1
Percentage of transfers resulting in pregnancies (%)	3 / 5	0 / 1

CURRENT SERVICES & PROFILE

Current Name: ReproMed Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHER INSTITUTE FOR REPRODUCTIVE MEDICINE-DALLAS
DALLAS, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Walid Saleh, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	97%
Unstimulated	0%	Used PGD	32%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	15%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	7%	Male factor	17%	Female factors only	9%
Diminished ovarian reserve	52%	Other factor	13%	Female & male factors	9%
Endometriosis	3%	Unknown factor	8%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 274 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	74	31	13	13	5	0
Percentage of cancellations (%)	2.7	0.0	0 / 13	1 / 13	0 / 5	
Average number of embryos transferred	2.0	2.2	1.8	2.7	2.0	
Percentage of embryos transferred resulting in implantation (%)	50.8	37.5	10 / 16	0 / 8	0 / 2	
Percentage of elective single embryo transfers (eSET) (%)	8.5	1 / 19	2 / 9	0 / 3	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	25.7	16.1	3 / 13	0 / 13	0 / 5	
Percentage of cycles resulting in singleton live births (%)	28.4	22.6	4 / 13	0 / 13	0 / 5	
Percentage of cycles resulting in twin live births (%)	21.6	6.5	0 / 13	0 / 13	0 / 5	
Percentage of cycles resulting in live births (%)	51.4	35.5	4 / 13	0 / 13	0 / 5	
Percentage of cycles resulting in pregnancies (%)	59.5	38.7	6 / 13	0 / 13	0 / 5	
Outcomes per Transfer						
Number of transfers	65	22	9	3	1	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	29.2	22.7	3 / 9	0 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	32.3	31.8	4 / 9	0 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	24.6	9.1	0 / 9	0 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	58.5	50.0	4 / 9	0 / 3	0 / 1	
Percentage of transfers resulting in pregnancies (%)	67.7	54.5	6 / 9	0 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	30	15	11	3	1	0
Number of transfers	27	14	11	3	1	0
Estimated average number of transfers per retrieval	1.7	1.4	1.0	0.4	1.0	
Average number of embryos transferred	2.0	1.9	2.2	1.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	36.4	30.8	25.0	1 / 3	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	25.9	2 / 14	2 / 11	1 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	25.9	2 / 14	4 / 11	1 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	22.2	2 / 14	0 / 11	0 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	48.1	4 / 14	4 / 11	1 / 3	0 / 1	
Percentage of transfers resulting in pregnancies (%)	51.9	5 / 14	5 / 11	1 / 3	0 / 1	
Number of Egg/Embryo Banking Cycles	3	6	6	3	1	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	31	28
Number of transfers	24	27
Average number of embryos transferred	2.0	2.2
Percentage of embryos transferred resulting in implantation (%)	43.5	20.0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	16.7	25.9
Percentage of transfers resulting in singleton live births (%)	20.8	25.9
Percentage of transfers resulting in twin live births (%)	20.8	0.0
Percentage of transfers resulting in live births (%)	41.7	29.6
Percentage of transfers resulting in pregnancies (%)	58.3	40.7

CURRENT SERVICES & PROFILE

Current Name: Sher Institute for Reproductive Medicine-Dallas

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

TEXAS CENTER FOR REPRODUCTIVE HEALTH
DALLAS, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Samuel P. Marynick, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	100%
Unstimulated	0%	Used PGD	19%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	3%	Uterine factor	15%	*Multiple Factors:*	
Ovulatory dysfunction	6%	Male factor	35%	Female factors only	25%
Diminished ovarian reserve	57%	Other factor	45%	Female & male factors	31%
Endometriosis	6%	Unknown factor	0%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 76 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	17	9	6	3	0	2
Percentage of cancellations (%)	0 / 17	0 / 9	0 / 6	0 / 3		0 / 2
Average number of embryos transferred	1.8	2.0	2.6	2.0		1.0
Percentage of embryos transferred resulting in implantation (%)	62.1	6 / 18	2 / 13	0 / 4		0 / 1
Percentage of elective single embryo transfers (eSET) (%)	2 / 15	0 / 8	0 / 5	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	6 / 17	2 / 9	0 / 6	0 / 3		0 / 2
Percentage of cycles resulting in singleton live births (%)	7 / 17	2 / 9	0 / 6	0 / 3		0 / 2
Percentage of cycles resulting in twin live births (%)	5 / 17	2 / 9	1 / 6	0 / 3		0 / 2
Percentage of cycles resulting in live births (%)	12 / 17	4 / 9	1 / 6	0 / 3		0 / 2
Percentage of cycles resulting in pregnancies (%)	13 / 17	4 / 9	1 / 6	0 / 3		0 / 2
Outcomes per Transfer						
Number of transfers	16	9	5	2	0	1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	6 / 16	2 / 9	0 / 5	0 / 2		0 / 1
Percentage of transfers resulting in singleton live births (%)	7 / 16	2 / 9	0 / 5	0 / 2		0 / 1
Percentage of transfers resulting in twin live births (%)	5 / 16	2 / 9	1 / 5	0 / 2		0 / 1
Percentage of transfers resulting in live births (%)	12 / 16	4 / 9	1 / 5	0 / 2		0 / 1
Percentage of transfers resulting in pregnancies (%)	13 / 16	4 / 9	1 / 5	0 / 2		0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	2	3	1	0	0
Number of transfers	7	2	3	1	0	0
Estimated average number of transfers per retrieval	3.5	0.5	0.8	0.5	0.0	
Average number of embryos transferred	1.7	2.0	1.7	1.0		
Percentage of embryos transferred resulting in implantation (%)	6 / 12	3 / 4	1 / 5	0 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	5 / 7	0 / 2	1 / 3	0 / 1		
Percentage of transfers resulting in singleton live births (%)	5 / 7	1 / 2	1 / 3	0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 7	1 / 2	0 / 3	0 / 1		
Percentage of transfers resulting in live births (%)	5 / 7	2 / 2	1 / 3	0 / 1		
Percentage of transfers resulting in pregnancies (%)	6 / 7	2 / 2	1 / 3	0 / 1		
Number of Egg/Embryo Banking Cycles	2	4	4	0	1	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	5	10
Number of transfers	5	10
Average number of embryos transferred	1.8	2.0
Percentage of embryos transferred resulting in implantation (%)	3 / 9	25.0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 5	2 / 10
Percentage of transfers resulting in singleton live births (%)	1 / 5	2 / 10
Percentage of transfers resulting in twin live births (%)	1 / 5	1 / 10
Percentage of transfers resulting in live births (%)	2 / 5	3 / 10
Percentage of transfers resulting in pregnancies (%)	2 / 5	4 / 10

CURRENT SERVICES & PROFILE

Current Name: Texas Center for Reproductive Health

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE WOMEN'S PLACE
DeSOTO, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Lisa A. King, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	75%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	0%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	40%	Male factor	80%	Female factors only	0%
Diminished ovarian reserve	0%	Other factor	0%	Female & male factors	20%
Endometriosis	0%	Unknown factor	0%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 5 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	4	0	0	0	0	0
Percentage of cancellations (%)	0 / 4					
Average number of embryos transferred	1.8					
Percentage of embryos transferred resulting in implantation (%)	2 / 7					
Percentage of elective single embryo transfers (eSET) (%)	0 / 3					
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	0 / 4					
Percentage of cycles resulting in singleton live births (%)	0 / 4					
Percentage of cycles resulting in twin live births (%)	1 / 4					
Percentage of cycles resulting in live births (%)	1 / 4					
Percentage of cycles resulting in pregnancies (%)	1 / 4					
Outcomes per Transfer						
Number of transfers	4	0	0	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 4					
Percentage of transfers resulting in singleton live births (%)	0 / 4					
Percentage of transfers resulting in twin live births (%)	1 / 4					
Percentage of transfers resulting in live births (%)	1 / 4					
Percentage of transfers resulting in pregnancies (%)	1 / 4					
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	0	0	0	0	0
Number of transfers	1	0	0	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred	3.0					
Percentage of embryos transferred resulting in implantation (%)	0 / 3					
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 1					
Percentage of transfers resulting in singleton live births (%)	0 / 1					
Percentage of transfers resulting in twin live births (%)	0 / 1					
Percentage of transfers resulting in live births (%)	0 / 1					
Percentage of transfers resulting in pregnancies (%)	0 / 1					
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation (%)		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)		
Percentage of transfers resulting in singleton live births (%)		
Percentage of transfers resulting in twin live births (%)		
Percentage of transfers resulting in live births (%)		
Percentage of transfers resulting in pregnancies (%)		

CURRENT SERVICES & PROFILE

Current Name: The Women's Place

Donor eggs?	No	Gestational carriers?	No	Single women?	No	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	No	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY FERTILITY CENTER
DICKINSON, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by John Y. Phelps, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	86%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	27%	Uterine factor	17%	*Multiple Factors:*	
Ovulatory dysfunction	28%	Male factor	25%	Female factors only	32%
Diminished ovarian reserve	13%	Other factor	3%	Female & male factors	13%
Endometriosis	38%	Unknown factor	7%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 60 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	26	8	4	3	3	0
Percentage of cancellations (%)	0.0	0 / 8	0 / 4	0 / 3	0 / 3	
Average number of embryos transferred	2.6	2.4	2.5	3.7	3.3	
Percentage of embryos transferred resulting in implantation (%)	36.5	8 / 17	3 / 10	0 / 11	0 / 10	
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 7	0 / 4	0 / 3	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	26.9	1 / 8	1 / 4	0 / 3	0 / 3	
Percentage of cycles resulting in singleton live births (%)	30.8	1 / 8	1 / 4	0 / 3	0 / 3	
Percentage of cycles resulting in twin live births (%)	19.2	2 / 8	1 / 4	0 / 3	0 / 3	
Percentage of cycles resulting in live births (%)	50.0	4 / 8	2 / 4	0 / 3	0 / 3	
Percentage of cycles resulting in pregnancies (%)	57.7	4 / 8	2 / 4	0 / 3	0 / 3	
Outcomes per Transfer						
Number of transfers	22	7	4	3	3	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	31.8	1 / 7	1 / 4	0 / 3	0 / 3	
Percentage of transfers resulting in singleton live births (%)	36.4	1 / 7	1 / 4	0 / 3	0 / 3	
Percentage of transfers resulting in twin live births (%)	22.7	2 / 7	1 / 4	0 / 3	0 / 3	
Percentage of transfers resulting in live births (%)	59.1	4 / 7	2 / 4	0 / 3	0 / 3	
Percentage of transfers resulting in pregnancies (%)	68.2	4 / 7	2 / 4	0 / 3	0 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	3	4	0	0	0
Number of transfers	6	2	3	0	0	0
Estimated average number of transfers per retrieval		1.0	3.0			
Average number of embryos transferred	2.0	2.0	2.3			
Percentage of embryos transferred resulting in implantation (%)	3 / 9	1 / 4	2 / 7			
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 6	1 / 2	1 / 3			
Percentage of transfers resulting in singleton live births (%)	1 / 6	1 / 2	1 / 3			
Percentage of transfers resulting in twin live births (%)	1 / 6	0 / 2	0 / 3			
Percentage of transfers resulting in live births (%)	2 / 6	1 / 2	1 / 3			
Percentage of transfers resulting in pregnancies (%)	3 / 6	1 / 2	1 / 3			
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	1	2
Number of transfers	1	2
Average number of embryos transferred	1.0	2.0
Percentage of embryos transferred resulting in implantation (%)	1 / 1	0 / 4
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	1 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 2
Percentage of transfers resulting in live births (%)	1 / 1	0 / 2
Percentage of transfers resulting in pregnancies (%)	1 / 1	0 / 2

CURRENT SERVICES & PROFILE

Current Name: This clinic has closed or reorganized since 2013. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTHWEST CENTER FOR REPRODUCTIVE HEALTH, PA
EL PASO, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Luis S. Noble, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	89%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	20%	Uterine factor	6%	*Multiple Factors:*	
Ovulatory dysfunction	15%	Male factor	20%	Female factors only	19%
Diminished ovarian reserve	18%	Other factor	26%	Female & male factors	12%
Endometriosis	33%	Unknown factor	<1%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 112 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	23	13	12	5	1	0
Percentage of cancellations (%)	8.7	0 / 13	4 / 12	0 / 5	0 / 1	
Average number of embryos transferred	1.8	2.5	2.4	3.2		
Percentage of embryos transferred resulting in implantation (%)	58.8	13.3	4 / 17	1 / 16		
Percentage of elective single embryo transfers (eSET) (%)	1 / 13	0 / 11	0 / 7	0 / 5		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	30.4	1 / 13	2 / 12	0 / 5	0 / 1	
Percentage of cycles resulting in singleton live births (%)	39.1	1 / 13	3 / 12	0 / 5	0 / 1	
Percentage of cycles resulting in twin live births (%)	13.0	1 / 13	0 / 12	0 / 5	0 / 1	
Percentage of cycles resulting in live births (%)	52.2	2 / 13	3 / 12	0 / 5	0 / 1	
Percentage of cycles resulting in pregnancies (%)	65.2	3 / 13	4 / 12	1 / 5	0 / 1	
Outcomes per Transfer						
Number of transfers	19	12	7	5	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	7 / 19	1 / 12	2 / 7	0 / 5		
Percentage of transfers resulting in singleton live births (%)	9 / 19	1 / 12	3 / 7	0 / 5		
Percentage of transfers resulting in twin live births (%)	3 / 19	1 / 12	0 / 7	0 / 5		
Percentage of transfers resulting in live births (%)	12 / 19	2 / 12	3 / 7	0 / 5		
Percentage of transfers resulting in pregnancies (%)	15 / 19	3 / 12	4 / 7	1 / 5		
Frozen Embryos from Nondonor Eggs						
Number of cycles	13	7	15	4	1	1
Number of transfers	13	7	15	4	1	1
Estimated average number of transfers per retrieval	2.6	1.8	3.8			1.0
Average number of embryos transferred	1.9	2.1	1.9	2.3	1.0	2.0
Percentage of embryos transferred resulting in implantation (%)	44.0	4 / 15	27.6	1 / 9	1 / 1	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	3 / 13	1 / 7	2 / 15	0 / 4	1 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	4 / 13	1 / 7	2 / 15	0 / 4	1 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	2 / 13	0 / 7	1 / 15	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	6 / 13	1 / 7	3 / 15	0 / 4	1 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	9 / 13	3 / 7	7 / 15	1 / 4	1 / 1	0 / 1
Number of Egg/Embryo Banking Cycles	3	4	1	0	0	1

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	5	3
Number of transfers	5	2
Average number of embryos transferred	1.6	1.5
Percentage of embryos transferred resulting in implantation (%)	4 / 8	1 / 3
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 5	0 / 2
Percentage of transfers resulting in singleton live births (%)	2 / 5	1 / 2
Percentage of transfers resulting in twin live births (%)	1 / 5	0 / 2
Percentage of transfers resulting in live births (%)	3 / 5	1 / 2
Percentage of transfers resulting in pregnancies (%)	3 / 5	1 / 2

CURRENT SERVICES & PROFILE

Current Name: Southwest Center for Reproductive Health, PA

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BROOKE ARMY MEDICAL CENTER
FORT SAM HOUSTON, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Jamie A. Massie, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	58%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	37%	Uterine factor	11%	*Multiple Factors:*	
Ovulatory dysfunction	15%	Male factor	40%	Female factors only	18%
Diminished ovarian reserve	19%	Other factor	<1%	Female & male factors	20%
Endometriosis	14%	Unknown factor	11%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 119 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	64	34	21	0	0	0
Percentage of cancellations (%)	4.7	0.0	0.0			
Average number of embryos transferred	2.0	2.0	2.1			
Percentage of embryos transferred resulting in implantation (%)	41.2	36.8	12.2			
Percentage of elective single embryo transfers (eSET) (%)	6.7	6.5	1 / 18			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	26.6	26.5	19.0			
Percentage of cycles resulting in singleton live births (%)	35.9	26.5	23.8			
Percentage of cycles resulting in twin live births (%)	17.2	14.7	0.0			
Percentage of cycles resulting in live births (%)	53.1	41.2	23.8			
Percentage of cycles resulting in pregnancies (%)	56.3	55.9	23.8			
Outcomes per Transfer						
Number of transfers	61	33	20	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	27.9	27.3	20.0			
Percentage of transfers resulting in singleton live births (%)	37.7	27.3	25.0			
Percentage of transfers resulting in twin live births (%)	18.0	15.2	0.0			
Percentage of transfers resulting in live births (%)	55.7	42.4	25.0			
Percentage of transfers resulting in pregnancies (%)	59.0	57.6	25.0			
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	0	0	0	0	0
Number of transfers	0	0	0	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation (%)		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)		
Percentage of transfers resulting in singleton live births (%)		
Percentage of transfers resulting in twin live births (%)		
Percentage of transfers resulting in live births (%)		
Percentage of transfers resulting in pregnancies (%)		

CURRENT SERVICES & PROFILE

Current Name: Brooke Army Medical Center

Donor eggs?	No	Gestational carriers?	No	Single women?	No	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FORT WORTH FERTILITY, PA
FORT WORTH, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Robert Kaufmann, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	94%
Unstimulated	<1%	Used PGD	28%
Used gestational carrier	4%		

Patient Diagnosis[b]

Tubal factor	8%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	6%	Male factor	35%	Female factors only	4%
Diminished ovarian reserve	28%	Other factor	12%	Female & male factors	8%
Endometriosis	3%	Unknown factor	19%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 537 (includes 11 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	154	61	35	12	6	6
Percentage of cancellations (%)	2.6	4.9	8.6	1 / 12	1 / 6	1 / 6
Average number of embryos transferred	1.7	1.8	1.8	1.8	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	44.8	25.6	31.3	0 / 14	2 / 8	0 / 4
Percentage of elective single embryo transfers (eSET) (%)	21.3	4.9	0 / 13	0 / 5	0 / 3	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	19.5	23.0	17.1	0 / 12	2 / 6	0 / 6
Percentage of cycles resulting in singleton live births (%)	23.4	26.2	20.0	0 / 12	2 / 6	0 / 6
Percentage of cycles resulting in twin live births (%)	11.0	1.6	2.9	0 / 12	0 / 6	0 / 6
Percentage of cycles resulting in live births (%)	34.4	27.9	22.9	0 / 12	2 / 6	0 / 6
Percentage of cycles resulting in pregnancies (%)	37.0	34.4	25.7	0 / 12	2 / 6	0 / 6
Outcomes per Transfer						
Number of transfers	101	47	18	8	4	2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	29.7	29.8	6 / 18	0 / 8	2 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	35.6	34.0	7 / 18	0 / 8	2 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	16.8	2.1	1 / 18	0 / 8	0 / 4	0 / 2
Percentage of transfers resulting in live births (%)	52.5	36.2	8 / 18	0 / 8	2 / 4	0 / 2
Percentage of transfers resulting in pregnancies (%)	56.4	44.7	9 / 18	0 / 8	2 / 4	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	108	29	20	4	1	2
Number of transfers	108	28	20	4	1	2
Estimated average number of transfers per retrieval	1.8	1.9	1.7	1.3		
Average number of embryos transferred	1.7	1.6	1.7	1.8	2.0	3.0
Percentage of embryos transferred resulting in implantation (%)	34.5	25.6	21.9	2 / 7	2 / 2	1 / 6
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	20.4	14.3	20.0	1 / 4	1 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	26.9	14.3	25.0	1 / 4	1 / 1	1 / 2
Percentage of transfers resulting in twin live births (%)	9.3	3.6	5.0	0 / 4	0 / 1	0 / 2
Percentage of transfers resulting in live births (%)	36.1	17.9	30.0	1 / 4	1 / 1	1 / 2
Percentage of transfers resulting in pregnancies (%)	46.3	42.9	35.0	1 / 4	1 / 1	1 / 2
Number of Egg/Embryo Banking Cycles	7	4	3	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	47	27
Number of transfers	38	27
Average number of embryos transferred	1.9	1.7
Percentage of embryos transferred resulting in implantation (%)	52.9	28.9
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	26.3	18.5
Percentage of transfers resulting in singleton live births (%)	34.2	22.2
Percentage of transfers resulting in twin live births (%)	26.3	11.1
Percentage of transfers resulting in live births (%)	60.5	33.3
Percentage of transfers resulting in pregnancies (%)	68.4	40.7

CURRENT SERVICES & PROFILE

Current Name: Fort Worth Fertility, PA

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

OFFICE OF FRANK DELEON, MD
FORT WORTH, TEXAS

This clinic provided ART services during 2013 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2013 ART cycle data or the clinic's Medical Director did not approve the clinic's 2013 ART cycle data for inclusion in this report.

DALLAS IVF
FRISCO, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Brian D. Barnett, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	58%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	11%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	14%	Male factor	39%	Female factors only	5%
Diminished ovarian reserve	22%	Other factor	6%	Female & male factors	16%
Endometriosis	7%	Unknown factor	18%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 504 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	145	76	60	25	5	2
Percentage of cancellations (%)	4.1	3.9	21.7	8.0	0 / 5	0 / 2
Average number of embryos transferred	1.7	1.8	2.0	2.4	2.8	
Percentage of embryos transferred resulting in implantation (%)	44.0	36.4	33.8	10.8	0 / 8	
Percentage of elective single embryo transfers (eSET) (%)	25.2	15.0	0.0	0 / 15	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	25.5	17.1	18.3	8.0	0 / 5	0 / 2
Percentage of cycles resulting in singleton live births (%)	31.7	25.0	21.7	8.0	0 / 5	0 / 2
Percentage of cycles resulting in twin live births (%)	11.7	10.5	6.7	0.0	0 / 5	0 / 2
Percentage of cycles resulting in live births (%)	44.1	35.5	28.3	8.0	0 / 5	0 / 2
Percentage of cycles resulting in pregnancies (%)	47.6	44.7	35.0	20.0	1 / 5	0 / 2
Outcomes per Transfer						
Number of transfers	122	63	40	16	4	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	30.3	20.6	27.5	2 / 16	0 / 4	
Percentage of transfers resulting in singleton live births (%)	37.7	30.2	32.5	2 / 16	0 / 4	
Percentage of transfers resulting in twin live births (%)	13.9	12.7	10.0	0 / 16	0 / 4	
Percentage of transfers resulting in live births (%)	52.5	42.9	42.5	2 / 16	0 / 4	
Percentage of transfers resulting in pregnancies (%)	56.6	54.0	52.5	5 / 16	1 / 4	
Frozen Embryos from Nondonor Eggs						
Number of cycles	45	37	15	3	0	0
Number of transfers	45	37	15	3	0	0
Estimated average number of transfers per retrieval	0.9	1.6	1.1	0.4	0.0	
Average number of embryos transferred	1.6	1.6	1.3	2.3		
Percentage of embryos transferred resulting in implantation (%)	65.7	49.2	10 / 19	2 / 5		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	31.1	13.5	4 / 15	2 / 3		
Percentage of transfers resulting in singleton live births (%)	44.4	27.0	6 / 15	2 / 3		
Percentage of transfers resulting in twin live births (%)	24.4	10.8	1 / 15	0 / 3		
Percentage of transfers resulting in live births (%)	68.9	37.8	7 / 15	2 / 3		
Percentage of transfers resulting in pregnancies (%)	73.3	59.5	8 / 15	3 / 3		
Number of Egg/Embryo Banking Cycles	29	8	9	6	2	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	29	8
Number of transfers	26	8
Average number of embryos transferred	1.7	1.6
Percentage of embryos transferred resulting in implantation (%)	68.9	6 / 12
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	30.8	3 / 8
Percentage of transfers resulting in singleton live births (%)	38.5	4 / 8
Percentage of transfers resulting in twin live births (%)	30.8	1 / 8
Percentage of transfers resulting in live births (%)	69.2	5 / 8
Percentage of transfers resulting in pregnancies (%)	76.9	6 / 8

CURRENT SERVICES & PROFILE

Current Name: Dallas IVF

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY SPECIALISTS OF TEXAS, PLLC
FRISCO, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Jerald S. Goldstein, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	54%
Unstimulated	0%	Used PGD	6%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	16%	Uterine factor	<1%	*Multiple Factors:*	
Ovulatory dysfunction	18%	Male factor	36%	Female factors only	6%
Diminished ovarian reserve	23%	Other factor	8%	Female & male factors	13%
Endometriosis	6%	Unknown factor	12%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 302 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	109	39	52	21	6	0
Percentage of cancellations (%)	4.6	2.6	21.2	33.3	1 / 6	
Average number of embryos transferred	2.0	2.0	2.5	3.4	3.2	
Percentage of embryos transferred resulting in implantation (%)	51.1	42.7	27.3	4.5	2 / 16	
Percentage of elective single embryo transfers (eSET) (%)	6.5	0.0	0.0	0 / 12	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	21.1	35.9	23.1	9.5	1 / 6	
Percentage of cycles resulting in singleton live births (%)	23.9	43.6	25.0	9.5	1 / 6	
Percentage of cycles resulting in twin live births (%)	27.5	12.8	5.8	0.0	0 / 6	
Percentage of cycles resulting in live births (%)	51.4	56.4	30.8	9.5	1 / 6	
Percentage of cycles resulting in pregnancies (%)	58.7	61.5	38.5	9.5	1 / 6	
Outcomes per Transfer						
Number of transfers	96	37	37	13	5	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	24.0	37.8	32.4	2 / 13	1 / 5	
Percentage of transfers resulting in singleton live births (%)	27.1	45.9	35.1	2 / 13	1 / 5	
Percentage of transfers resulting in twin live births (%)	31.3	13.5	8.1	0 / 13	0 / 5	
Percentage of transfers resulting in live births (%)	58.3	59.5	43.2	2 / 13	1 / 5	
Percentage of transfers resulting in pregnancies (%)	66.7	64.9	54.1	2 / 13	1 / 5	
Frozen Embryos from Nondonor Eggs						
Number of cycles	23	9	3	0	0	0
Number of transfers	23	9	3	0	0	0
Estimated average number of transfers per retrieval	1.6	3.0	1.0			
Average number of embryos transferred	1.8	1.4	2.7			
Percentage of embryos transferred resulting in implantation (%)	48.8	2 / 13	1 / 8			
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	30.4	2 / 9	0 / 3			
Percentage of transfers resulting in singleton live births (%)	43.5	2 / 9	0 / 3			
Percentage of transfers resulting in twin live births (%)	17.4	0 / 9	0 / 3			
Percentage of transfers resulting in live births (%)	60.9	2 / 9	0 / 3			
Percentage of transfers resulting in pregnancies (%)	65.2	2 / 9	1 / 3			
Number of Egg/Embryo Banking Cycles	6	2	2	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	17	13
Number of transfers	15	12
Average number of embryos transferred	1.8	1.8
Percentage of embryos transferred resulting in implantation (%)	69.6	9 / 16
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	6 / 15	0 / 12
Percentage of transfers resulting in singleton live births (%)	6 / 15	1 / 12
Percentage of transfers resulting in twin live births (%)	4 / 15	3 / 12
Percentage of transfers resulting in live births (%)	10 / 15	4 / 12
Percentage of transfers resulting in pregnancies (%)	14 / 15	8 / 12

CURRENT SERVICES & PROFILE

Current Name: Fertility Specialists of Texas, PLLC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FRISCO INSTITUTE FOR REPRODUCTIVE MEDICINE
FRISCO, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Rinku V. Mehta, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	68%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	11%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	16%	Male factor	51%	Female factors only	4%
Diminished ovarian reserve	25%	Other factor	11%	Female & male factors	24%
Endometriosis	4%	Unknown factor	12%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 198 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	57	22	21	6	1	0
Percentage of cancellations (%)	1.8	9.1	19.0	0 / 6	0 / 1	
Average number of embryos transferred	1.7	1.9	2.2	3.5	1.0	
Percentage of embryos transferred resulting in implantation (%)	45.6	32.4	26.3	9.5	0 / 1	
Percentage of elective single embryo transfers (eSET) (%)	29.4	4 / 18	0 / 17	0 / 6		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	28.1	22.7	4.8	1 / 6	0 / 1	
Percentage of cycles resulting in singleton live births (%)	29.8	27.3	9.5	1 / 6	0 / 1	
Percentage of cycles resulting in twin live births (%)	15.8	13.6	14.3	0 / 6	0 / 1	
Percentage of cycles resulting in live births (%)	45.6	40.9	23.8	1 / 6	0 / 1	
Percentage of cycles resulting in pregnancies (%)	57.9	40.9	28.6	2 / 6	0 / 1	
Outcomes per Transfer						
Number of transfers	55	20	17	6	1	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	29.1	25.0	1 / 17	1 / 6	0 / 1	
Percentage of transfers resulting in singleton live births (%)	30.9	30.0	2 / 17	1 / 6	0 / 1	
Percentage of transfers resulting in twin live births (%)	16.4	15.0	3 / 17	0 / 6	0 / 1	
Percentage of transfers resulting in live births (%)	47.3	45.0	5 / 17	1 / 6	0 / 1	
Percentage of transfers resulting in pregnancies (%)	60.0	45.0	6 / 17	2 / 6	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	30	14	5	2	0	0
Number of transfers	27	14	3	2	0	0
Estimated average number of transfers per retrieval	0.8	1.6	0.4	2.0	0.0	
Average number of embryos transferred	1.7	1.8	2.0	1.5		
Percentage of embryos transferred resulting in implantation (%)	38.3	41.7	3 / 6	2 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	40.7	4 / 14	2 / 3	0 / 2		
Percentage of transfers resulting in singleton live births (%)	44.4	4 / 14	3 / 3	0 / 2		
Percentage of transfers resulting in twin live births (%)	7.4	1 / 14	0 / 3	1 / 2		
Percentage of transfers resulting in live births (%)	51.9	5 / 14	3 / 3	1 / 2		
Percentage of transfers resulting in pregnancies (%)	55.6	8 / 14	3 / 3	1 / 2		
Number of Egg/Embryo Banking Cycles	22	4	7	1	1	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	2	0
Number of transfers	2	0
Average number of embryos transferred	1.0	
Percentage of embryos transferred resulting in implantation (%)	2 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 2	
Percentage of transfers resulting in singleton live births (%)	2 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 2	
Percentage of transfers resulting in live births (%)	2 / 2	
Percentage of transfers resulting in pregnancies (%)	2 / 2	

CURRENT SERVICES & PROFILE

Current Name: Frisco Institute for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	No	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY CENTER OF TEXAS
HOUSTON, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Michael A. Allon, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	93%
Unstimulated	0%	Used PGD	7%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	15%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	33%	Male factor	18%	Female factors only	19%
Diminished ovarian reserve	29%	Other factor	23%	Female & male factors	14%
Endometriosis	14%	Unknown factor	4%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 343 (includes 4 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	14	7	5	1	1	2
Percentage of cancellations (%)	0 / 14	0 / 7	1 / 5	0 / 1	0 / 1	0 / 2
Average number of embryos transferred	2.2	2.1	2.3	2.0	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	22.6	5 / 15	2 / 6	0 / 2	0 / 2	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	0 / 14	0 / 7	0 / 4	0 / 1	0 / 1	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	3 / 14	3 / 7	0 / 5	0 / 1	0 / 1	0 / 2
Percentage of cycles resulting in singleton live births (%)	4 / 14	3 / 7	0 / 5	0 / 1	0 / 1	0 / 2
Percentage of cycles resulting in twin live births (%)	1 / 14	1 / 7	0 / 5	0 / 1	0 / 1	0 / 2
Percentage of cycles resulting in live births (%)	5 / 14	4 / 7	0 / 5	0 / 1	0 / 1	0 / 2
Percentage of cycles resulting in pregnancies (%)	5 / 14	4 / 7	2 / 5	0 / 1	0 / 1	0 / 2
Outcomes per Transfer						
Number of transfers	14	7	4	1	1	1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	3 / 14	3 / 7	0 / 4	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	4 / 14	3 / 7	0 / 4	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 14	1 / 7	0 / 4	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	5 / 14	4 / 7	0 / 4	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	5 / 14	4 / 7	2 / 4	0 / 1	0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	80	14	17	9	3	5
Number of transfers	80	14	17	9	2	5
Estimated average number of transfers per retrieval	1.3	0.6	0.5	0.5	0.4	0.4
Average number of embryos transferred	2.0	2.4	2.4	2.2	2.5	2.6
Percentage of embryos transferred resulting in implantation (%)	48.6	16.1	34.1	2 / 17	2 / 2	1 / 13
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	25.0	3 / 14	4 / 17	0 / 9	0 / 2	0 / 5
Percentage of transfers resulting in singleton live births (%)	35.0	3 / 14	5 / 17	0 / 9	0 / 2	0 / 5
Percentage of transfers resulting in twin live births (%)	23.8	1 / 14	3 / 17	1 / 9	1 / 2	0 / 5
Percentage of transfers resulting in live births (%)	58.8	4 / 14	8 / 17	1 / 9	1 / 2	0 / 5
Percentage of transfers resulting in pregnancies (%)	71.3	5 / 14	10 / 17	3 / 9	2 / 2	1 / 5
Number of Egg/Embryo Banking Cycles	61	22	30	16	5	14

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	15	18
Number of transfers	15	17
Average number of embryos transferred	2.1	1.9
Percentage of embryos transferred resulting in implantation (%)	45.2	24.2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	5 / 15	5 / 17
Percentage of transfers resulting in singleton live births (%)	6 / 15	6 / 17
Percentage of transfers resulting in twin live births (%)	2 / 15	0 / 17
Percentage of transfers resulting in live births (%)	8 / 15	6 / 17
Percentage of transfers resulting in pregnancies (%)	8 / 15	6 / 17

CURRENT SERVICES & PROFILE

Current Name: Advanced Fertility Center of Texas

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BAYLOR FAMILY FERTILITY PROGRAM
HOUSTON, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by William E. Gibbons, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	83%
Unstimulated	0%	Used PGD	9%
Used gestational carrier	1%		

Patient Diagnosis[b]

Tubal factor	10%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	16%	Male factor	33%	Female factors only	10%
Diminished ovarian reserve	40%	Other factor	11%	Female & male factors	19%
Endometriosis	11%	Unknown factor	5%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 196 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	41	24	15	17	2	1
Percentage of cancellations (%)	9.8	29.2	1 / 15	4 / 17	0 / 2	1 / 1
Average number of embryos transferred	1.7	1.9	2.9	3.2	2.5	
Percentage of embryos transferred resulting in implantation (%)	19.6	30.8	13.8	0.0	1 / 5	
Percentage of elective single embryo transfers (eSET) (%)	42.3	2 / 14	0 / 10	0 / 13	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	12.2	12.5	1 / 15	0 / 17	1 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	12.2	16.7	1 / 15	0 / 17	1 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	2.4	0.0	0 / 15	0 / 17	0 / 2	0 / 1
Percentage of cycles resulting in live births (%)	14.6	16.7	1 / 15	0 / 17	1 / 2	0 / 1
Percentage of cycles resulting in pregnancies (%)	19.5	29.2	2 / 15	0 / 17	1 / 2	0 / 1
Outcomes per Transfer						
Number of transfers	27	14	10	13	2	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	18.5	3 / 14	1 / 10	0 / 13	1 / 2	
Percentage of transfers resulting in singleton live births (%)	18.5	4 / 14	1 / 10	0 / 13	1 / 2	
Percentage of transfers resulting in twin live births (%)	3.7	0 / 14	0 / 10	0 / 13	0 / 2	
Percentage of transfers resulting in live births (%)	22.2	4 / 14	1 / 10	0 / 13	1 / 2	
Percentage of transfers resulting in pregnancies (%)	29.6	7 / 14	2 / 10	0 / 13	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	29	14	12	4	0	0
Number of transfers	26	12	9	3	0	0
Estimated average number of transfers per retrieval	1.4	1.5	1.0	1.0	0.0	
Average number of embryos transferred	1.7	1.8	1.8	2.7		
Percentage of embryos transferred resulting in implantation (%)	45.5	33.3	5 / 16	0 / 5		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	23.1	3 / 12	3 / 9	0 / 3		
Percentage of transfers resulting in singleton live births (%)	26.9	3 / 12	4 / 9	0 / 3		
Percentage of transfers resulting in twin live births (%)	7.7	1 / 12	0 / 9	0 / 3		
Percentage of transfers resulting in live births (%)	34.6	4 / 12	4 / 9	0 / 3		
Percentage of transfers resulting in pregnancies (%)	57.7	5 / 12	5 / 9	1 / 3		
Number of Egg/Embryo Banking Cycles	10	3	3	1	1	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	9	8
Number of transfers	4	6
Average number of embryos transferred	1.8	1.7
Percentage of embryos transferred resulting in implantation (%)	1 / 7	2 / 10
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 4	0 / 6
Percentage of transfers resulting in singleton live births (%)	0 / 4	0 / 6
Percentage of transfers resulting in twin live births (%)	0 / 4	1 / 6
Percentage of transfers resulting in live births (%)	0 / 4	1 / 6
Percentage of transfers resulting in pregnancies (%)	1 / 4	1 / 6

CURRENT SERVICES & PROFILE

Current Name: Baylor Family Fertility Program

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COOPER INSTITUTE FOR ADVANCED REPRODUCTIVE MEDICINE
HOUSTON, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by C. James Chuong, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	63%
Unstimulated	0%	Used PGD	7%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	41%	Uterine factor	25%	*Multiple Factors:*	
Ovulatory dysfunction	17%	Male factor	65%	Female factors only	13%
Diminished ovarian reserve	25%	Other factor	12%	Female & male factors	54%
Endometriosis	7%	Unknown factor	<1%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 144 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	38	10	16	12	5	1
Percentage of cancellations (%)	0.0	0 / 10	6 / 16	2 / 12	3 / 5	1 / 1
Average number of embryos transferred	2.4	2.8	3.1	3.8		
Percentage of embryos transferred resulting in implantation (%)	18.8	12.0	8.0	17.4		
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 8	0 / 8	0 / 6		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	15.8	2 / 10	1 / 16	1 / 12	0 / 5	0 / 1
Percentage of cycles resulting in singleton live births (%)	15.8	3 / 10	2 / 16	1 / 12	0 / 5	0 / 1
Percentage of cycles resulting in twin live births (%)	5.3	0 / 10	0 / 16	0 / 12	0 / 5	0 / 1
Percentage of cycles resulting in live births (%)	21.1	3 / 10	2 / 16	1 / 12	0 / 5	0 / 1
Percentage of cycles resulting in pregnancies (%)	23.7	3 / 10	2 / 16	2 / 12	0 / 5	0 / 1
Outcomes per Transfer						
Number of transfers	29	9	8	6	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	20.7	2 / 9	1 / 8	1 / 6		
Percentage of transfers resulting in singleton live births (%)	20.7	3 / 9	2 / 8	1 / 6		
Percentage of transfers resulting in twin live births (%)	6.9	0 / 9	0 / 8	0 / 6		
Percentage of transfers resulting in live births (%)	27.6	3 / 9	2 / 8	1 / 6		
Percentage of transfers resulting in pregnancies (%)	31.0	3 / 9	2 / 8	2 / 6		
Frozen Embryos from Nondonor Eggs						
Number of cycles	21	4	4	2	0	0
Number of transfers	19	4	4	1	0	0
Estimated average number of transfers per retrieval	1.3	0.8	1.3	0.5		0.0
Average number of embryos transferred	3.1	2.0	2.5	3.0		
Percentage of embryos transferred resulting in implantation (%)	18.2	0 / 8	3 / 10	0 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 19	0 / 4	1 / 4	0 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 19	0 / 4	1 / 4	0 / 1		
Percentage of transfers resulting in twin live births (%)	3 / 19	0 / 4	1 / 4	0 / 1		
Percentage of transfers resulting in live births (%)	5 / 19	0 / 4	2 / 4	0 / 1		
Percentage of transfers resulting in pregnancies (%)	6 / 19	0 / 4	2 / 4	0 / 1		
Number of Egg/Embryo Banking Cycles	0	0	2	2	0	2

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	14	11
Number of transfers	12	7
Average number of embryos transferred	2.5	2.9
Percentage of embryos transferred resulting in implantation (%)	20.0	25.0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 12	1 / 7
Percentage of transfers resulting in singleton live births (%)	2 / 12	1 / 7
Percentage of transfers resulting in twin live births (%)	2 / 12	2 / 7
Percentage of transfers resulting in live births (%)	4 / 12	3 / 7
Percentage of transfers resulting in pregnancies (%)	4 / 12	3 / 7

CURRENT SERVICES & PROFILE

Current Name: Cooper Institute for Advanced Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY SPECIALISTS OF HOUSTON
HOUSTON, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by George M. Grunert, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	85%
Unstimulated	0%	Used PGD	8%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	16%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	19%	Male factor	28%	Female factors only	19%
Diminished ovarian reserve	49%	Other factor	19%	Female & male factors	21%
Endometriosis	13%	Unknown factor	5%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 1,008 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	144	55	42	21	13	3
Percentage of cancellations (%)	13.2	9.1	9.5	9.5	1 / 13	0 / 3
Average number of embryos transferred	1.7	2.0	1.8	2.0	2.5	2.0
Percentage of embryos transferred resulting in implantation (%)	28.8	13.1	11.4	2 / 18	0 / 9	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	32.7	13.8	0 / 18	1 / 7	0 / 5	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	16.7	5.5	9.5	0.0	0 / 13	0 / 3
Percentage of cycles resulting in singleton live births (%)	16.7	7.3	9.5	0.0	0 / 13	0 / 3
Percentage of cycles resulting in twin live births (%)	7.6	3.6	0.0	0.0	0 / 13	0 / 3
Percentage of cycles resulting in live births (%)	24.3	10.9	9.5	0.0	0 / 13	0 / 3
Percentage of cycles resulting in pregnancies (%)	30.6	16.4	11.9	9.5	2 / 13	0 / 3
Outcomes per Transfer						
Number of transfers	112	34	25	9	6	1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	21.4	8.8	16.0	0 / 9	0 / 6	0 / 1
Percentage of transfers resulting in singleton live births (%)	21.4	11.8	16.0	0 / 9	0 / 6	0 / 1
Percentage of transfers resulting in twin live births (%)	9.8	5.9	0.0	0 / 9	0 / 6	0 / 1
Percentage of transfers resulting in live births (%)	31.3	17.6	16.0	0 / 9	0 / 6	0 / 1
Percentage of transfers resulting in pregnancies (%)	39.3	26.5	20.0	2 / 9	2 / 6	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	180	86	75	21	14	13
Number of transfers	165	74	67	15	10	12
Estimated average number of transfers per retrieval	1.3	1.1	0.8	0.4	0.7	0.9
Average number of embryos transferred	1.5	1.5	1.5	1.5	1.5	2.0
Percentage of embryos transferred resulting in implantation (%)	49.2	37.0	30.8	50.0	3 / 12	5.0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	27.3	24.3	22.4	5 / 15	0 / 10	1 / 12
Percentage of transfers resulting in singleton live births (%)	38.8	37.8	29.9	8 / 15	2 / 10	1 / 12
Percentage of transfers resulting in twin live births (%)	13.9	2.7	4.5	1 / 15	0 / 10	0 / 12
Percentage of transfers resulting in live births (%)	52.7	40.5	34.3	9 / 15	2 / 10	1 / 12
Percentage of transfers resulting in pregnancies (%)	61.8	58.1	43.3	10 / 15	5 / 10	3 / 12
Number of Egg/Embryo Banking Cycles	79	55	75	35	14	13

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	42	28
Number of transfers	38	24
Average number of embryos transferred	1.8	1.4
Percentage of embryos transferred resulting in implantation (%)	49.2	38.7
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	36.8	29.2
Percentage of transfers resulting in singleton live births (%)	50.0	33.3
Percentage of transfers resulting in twin live births (%)	13.2	4.2
Percentage of transfers resulting in live births (%)	63.2	37.5
Percentage of transfers resulting in pregnancies (%)	71.1	50.0

CURRENT SERVICES & PROFILE

Current Name: Fertility Specialists of Houston

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE HEARD CLINIC
HOUSTON, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Michael Heard, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	80%
Unstimulated	10%	Used PGD	20%
Used gestational carrier	10%		

Patient Diagnosis[b]

Tubal factor	8%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	23%	Male factor	39%	Female factors only	8%
Diminished ovarian reserve	0%	Other factor	23%	Female & male factors	15%
Endometriosis	0%	Unknown factor	31%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 18 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	5	4	1	0	0	0
Percentage of cancellations (%)	0 / 5	0 / 4	0 / 1			
Average number of embryos transferred	1.8	2.0	2.0			
Percentage of embryos transferred resulting in implantation (%)	0 / 9	0 / 4	0 / 2			
Percentage of elective single embryo transfers (eSET) (%)	0 / 4	0 / 2	0 / 1			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	0 / 5	0 / 4	0 / 1			
Percentage of cycles resulting in singleton live births (%)	0 / 5	0 / 4	0 / 1			
Percentage of cycles resulting in twin live births (%)	0 / 5	0 / 4	0 / 1			
Percentage of cycles resulting in live births (%)	0 / 5	0 / 4	0 / 1			
Percentage of cycles resulting in pregnancies (%)	0 / 5	0 / 4	0 / 1			
Outcomes per Transfer						
Number of transfers	5	2	1	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 5	0 / 2	0 / 1			
Percentage of transfers resulting in singleton live births (%)	0 / 5	0 / 2	0 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 5	0 / 2	0 / 1			
Percentage of transfers resulting in live births (%)	0 / 5	0 / 2	0 / 1			
Percentage of transfers resulting in pregnancies (%)	0 / 5	0 / 2	0 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	1	0	0	0	0
Number of transfers	0	1	0	0	0	0
Estimated average number of transfers per retrieval	0.0	1.0				
Average number of embryos transferred		2.0				
Percentage of embryos transferred resulting in implantation (%)		0 / 2				
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)		0 / 1				
Percentage of transfers resulting in singleton live births (%)		0 / 1				
Percentage of transfers resulting in twin live births (%)		0 / 1				
Percentage of transfers resulting in live births (%)		0 / 1				
Percentage of transfers resulting in pregnancies (%)		0 / 1				
Number of Egg/Embryo Banking Cycles	4	1	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	2	0
Number of transfers	2	0
Average number of embryos transferred	1.5	
Percentage of embryos transferred resulting in implantation (%)	0 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 2	
Percentage of transfers resulting in singleton live births (%)	0 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 2	
Percentage of transfers resulting in live births (%)	0 / 2	
Percentage of transfers resulting in pregnancies (%)	0 / 2	

CURRENT SERVICES & PROFILE

Current Name: The Heard Clinic

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 8 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HOUSTON FERTILITY INSTITUTE
HOUSTON, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Ghassan F. Haddad, MD

Type of ART and Procedural Factors[a]

IVF	>99%	With ICSI	93%
Unstimulated	<1%	Used PGD	5%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	14%	Uterine factor	9%	*Multiple Factors:*	
Ovulatory dysfunction	9%	Male factor	23%	Female factors only	17%
Diminished ovarian reserve	43%	Other factor	14%	Female & male factors	10%
Endometriosis	6%	Unknown factor	15%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 2,037 (includes 84 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	254	109	67	51	19	5
Percentage of cancellations (%)	1.6	3.7	6.0	7.8	4 / 19	0 / 5
Average number of embryos transferred	1.9	1.9	2.0	2.1	1.6	2.5
Percentage of embryos transferred resulting in implantation (%)	37.8	36.0	24.8	10.0	1 / 14	0 / 5
Percentage of elective single embryo transfers (eSET) (%)	7.9	4.8	4.5	0.0	0 / 5	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	21.7	17.4	16.4	5.9	1 / 19	0 / 5
Percentage of cycles resulting in singleton live births (%)	26.0	20.2	16.4	5.9	1 / 19	0 / 5
Percentage of cycles resulting in twin live births (%)	16.5	11.9	4.5	2.0	0 / 19	0 / 5
Percentage of cycles resulting in live births (%)	42.5	33.0	20.9	7.8	1 / 19	0 / 5
Percentage of cycles resulting in pregnancies (%)	46.9	45.0	34.3	13.7	3 / 19	0 / 5
Outcomes per Transfer						
Number of transfers	224	95	52	34	12	2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	24.6	20.0	21.2	8.8	1 / 12	0 / 2
Percentage of transfers resulting in singleton live births (%)	29.5	23.2	21.2	8.8	1 / 12	0 / 2
Percentage of transfers resulting in twin live births (%)	18.8	13.7	5.8	2.9	0 / 12	0 / 2
Percentage of transfers resulting in live births (%)	48.2	37.9	26.9	11.8	1 / 12	0 / 2
Percentage of transfers resulting in pregnancies (%)	53.1	51.6	44.2	20.6	3 / 12	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	352	153	108	45	16	11
Number of transfers	339	148	101	39	15	11
Estimated average number of transfers per retrieval	1.0	1.2	0.8	0.5	0.5	0.5
Average number of embryos transferred	1.8	1.6	1.7	1.6	2.0	1.6
Percentage of embryos transferred resulting in implantation (%)	55.9	56.1	45.2	41.8	10.3	7 / 18
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	30.1	30.4	35.6	30.8	1 / 15	2 / 11
Percentage of transfers resulting in singleton live births (%)	38.1	38.5	45.5	41.0	3 / 15	3 / 11
Percentage of transfers resulting in twin live births (%)	21.2	16.2	5.0	0.0	0 / 15	2 / 11
Percentage of transfers resulting in live births (%)	59.9	55.4	51.5	41.0	3 / 15	5 / 11
Percentage of transfers resulting in pregnancies (%)	72.0	70.3	66.3	66.7	4 / 15	5 / 11
Number of Egg/Embryo Banking Cycles	265	99	111	63	28	22

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	56	119
Number of transfers	54	112
Average number of embryos transferred	1.9	1.7
Percentage of embryos transferred resulting in implantation (%)	53.2	37.3
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	25.9	24.1
Percentage of transfers resulting in singleton live births (%)	33.3	32.1
Percentage of transfers resulting in twin live births (%)	24.1	8.9
Percentage of transfers resulting in live births (%)	57.4	41.1
Percentage of transfers resulting in pregnancies (%)	75.9	56.3

CURRENT SERVICES & PROFILE

Current Name: Houston Fertility Institute

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HOUSTON INFERTILITY CLINIC
SONJA KRISTIANSEN, MD
HOUSTON, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Sonja B. Kristiansen, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	73%
Unstimulated	0%	Used PGD	13%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	18%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	<1%	Male factor	35%	Female factors only	4%
Diminished ovarian reserve	26%	Other factor	17%	Female & male factors	10%
Endometriosis	2%	Unknown factor	17%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 133 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	47	20	15	7	9	8
Percentage of cancellations (%)	2.1	5.0	4 / 15	0 / 7	0 / 9	3 / 8
Average number of embryos transferred	2.8	2.6	2.3	1.3	1.9	1.7
Percentage of embryos transferred resulting in implantation (%)	18.6	24.0	33.3	2 / 5	0 / 13	2 / 5
Percentage of elective single embryo transfers (eSET) (%)	0.0	2 / 19	1 / 8	0 / 1	0 / 5	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	36.2	35.0	2 / 15	2 / 7	0 / 9	1 / 8
Percentage of cycles resulting in singleton live births (%)	38.3	35.0	3 / 15	2 / 7	0 / 9	1 / 8
Percentage of cycles resulting in twin live births (%)	4.3	10.0	2 / 15	0 / 7	0 / 9	0 / 8
Percentage of cycles resulting in live births (%)	42.6	45.0	5 / 15	2 / 7	0 / 9	1 / 8
Percentage of cycles resulting in pregnancies (%)	44.7	50.0	5 / 15	2 / 7	0 / 9	2 / 8
Outcomes per Transfer						
Number of transfers	44	19	9	4	7	3
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	38.6	7 / 19	2 / 9	2 / 4	0 / 7	1 / 3
Percentage of transfers resulting in singleton live births (%)	40.9	7 / 19	3 / 9	2 / 4	0 / 7	1 / 3
Percentage of transfers resulting in twin live births (%)	4.5	2 / 19	2 / 9	0 / 4	0 / 7	0 / 3
Percentage of transfers resulting in live births (%)	45.5	9 / 19	5 / 9	2 / 4	0 / 7	1 / 3
Percentage of transfers resulting in pregnancies (%)	47.7	10 / 19	5 / 9	2 / 4	0 / 7	2 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	9	4	1	4	1	1
Number of transfers	8	3	1	4	1	0
Estimated average number of transfers per retrieval	2.7	3.0		2.0		
Average number of embryos transferred	2.1	2.0	2.0	1.8	2.0	
Percentage of embryos transferred resulting in implantation (%)	3 / 15	4 / 6	1 / 2	1 / 7	1 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 8	2 / 3	0 / 1	1 / 4	1 / 1	
Percentage of transfers resulting in singleton live births (%)	2 / 8	2 / 3	0 / 1	1 / 4	1 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 8	1 / 3	0 / 1	0 / 4	0 / 1	
Percentage of transfers resulting in live births (%)	2 / 8	3 / 3	0 / 1	1 / 4	1 / 1	
Percentage of transfers resulting in pregnancies (%)	4 / 8	3 / 3	1 / 1	1 / 4	1 / 1	
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	6	1
Number of transfers	5	1
Average number of embryos transferred	2.8	2.0
Percentage of embryos transferred resulting in implantation (%)	4 / 14	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 5	0 / 1
Percentage of transfers resulting in singleton live births (%)	2 / 5	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 5	0 / 1
Percentage of transfers resulting in live births (%)	3 / 5	0 / 1
Percentage of transfers resulting in pregnancies (%)	3 / 5	0 / 1

CURRENT SERVICES & PROFILE

Current Name: Houston Infertility Clinic, Sonja Kristiansen, MD

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HOUSTON IVF
HOUSTON, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Timothy N. Hickman, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	97%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	1%		

Patient Diagnosis[b]

Tubal factor	11%	Uterine factor	6%	*Multiple Factors:*	
Ovulatory dysfunction	12%	Male factor	20%	Female factors only	13%
Diminished ovarian reserve	43%	Other factor	10%	Female & male factors	8%
Endometriosis	6%	Unknown factor	14%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 686 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	157	101	68	30	10	6
Percentage of cancellations (%)	0.0	2.0	5.9	3.3	0 / 10	1 / 6
Average number of embryos transferred	2.0	2.2	2.7	3.2	2.7	2.4
Percentage of embryos transferred resulting in implantation (%)	43.7	35.8	19.3	13.5	11.1	0 / 12
Percentage of elective single embryo transfers (eSET) (%)	4.5	0.0	0.0	0.0	0 / 9	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	26.8	19.8	19.1	13.3	1 / 10	0 / 6
Percentage of cycles resulting in singleton live births (%)	29.9	26.7	23.5	16.7	1 / 10	0 / 6
Percentage of cycles resulting in twin live births (%)	22.3	16.8	5.9	6.7	1 / 10	0 / 6
Percentage of cycles resulting in live births (%)	53.5	45.5	30.9	23.3	2 / 10	0 / 6
Percentage of cycles resulting in pregnancies (%)	59.2	52.5	38.2	33.3	2 / 10	0 / 6
Outcomes per Transfer						
Number of transfers	157	96	62	29	10	5
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	26.8	20.8	21.0	13.8	1 / 10	0 / 5
Percentage of transfers resulting in singleton live births (%)	29.9	28.1	25.8	17.2	1 / 10	0 / 5
Percentage of transfers resulting in twin live births (%)	22.3	17.7	6.5	6.9	1 / 10	0 / 5
Percentage of transfers resulting in live births (%)	53.5	47.9	33.9	24.1	2 / 10	0 / 5
Percentage of transfers resulting in pregnancies (%)	59.2	55.2	41.9	34.5	2 / 10	0 / 5
Frozen Embryos from Nondonor Eggs						
Number of cycles	85	49	30	8	0	1
Number of transfers	82	46	30	8	0	1
Estimated average number of transfers per retrieval	1.3	1.4	1.2	0.7	0.0	
Average number of embryos transferred	1.9	1.7	2.0	1.6		1.0
Percentage of embryos transferred resulting in implantation (%)	34.0	33.3	31.6	3 / 13		1 / 1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	31.7	34.8	23.3	2 / 8		1 / 1
Percentage of transfers resulting in singleton live births (%)	35.4	43.5	30.0	2 / 8		1 / 1
Percentage of transfers resulting in twin live births (%)	9.8	2.2	10.0	0 / 8		0 / 1
Percentage of transfers resulting in live births (%)	45.1	45.7	43.3	2 / 8		1 / 1
Percentage of transfers resulting in pregnancies (%)	54.9	54.3	50.0	2 / 8		1 / 1
Number of Egg/Embryo Banking Cycles	36	23	22	9	1	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	28	20
Number of transfers	28	20
Average number of embryos transferred	2.0	1.9
Percentage of embryos transferred resulting in implantation (%)	61.8	36.8
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	25.0	10.0
Percentage of transfers resulting in singleton live births (%)	32.1	20.0
Percentage of transfers resulting in twin live births (%)	39.3	25.0
Percentage of transfers resulting in live births (%)	71.4	45.0
Percentage of transfers resulting in pregnancies (%)	75.0	45.0

CURRENT SERVICES & PROFILE

Current Name: Houston IVF

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVFMD
IRVING, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Sy Le, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	54%
Unstimulated	0%	Used PGD	<1%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	25%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	17%	Male factor	38%	Female factors only	16%
Diminished ovarian reserve	33%	Other factor	8%	Female & male factors	21%
Endometriosis	11%	Unknown factor	5%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 518 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	126	34	38	7	1	2
Percentage of cancellations (%)	1.6	2.9	2.6	0 / 7	0 / 1	0 / 2
Average number of embryos transferred	1.8	2.0	2.0	2.1	3.0	1.5
Percentage of embryos transferred resulting in implantation (%)	50.3	30.2	28.1	0 / 13		0 / 3
Percentage of elective single embryo transfers (eSET) (%)	19.1	10.7	3.0	0 / 6	0 / 1	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	25.4	17.6	15.8	0 / 7	0 / 1	0 / 2
Percentage of cycles resulting in singleton live births (%)	34.1	23.5	26.3	0 / 7	0 / 1	0 / 2
Percentage of cycles resulting in twin live births (%)	16.7	8.8	7.9	0 / 7	0 / 1	0 / 2
Percentage of cycles resulting in live births (%)	51.6	32.4	34.2	0 / 7	0 / 1	0 / 2
Percentage of cycles resulting in pregnancies (%)	61.9	38.2	42.1	1 / 7	1 / 1	0 / 2
Outcomes per Transfer						
Number of transfers	117	28	36	7	1	2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	27.4	21.4	16.7	0 / 7	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	36.8	28.6	27.8	0 / 7	0 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	17.9	10.7	8.3	0 / 7	0 / 1	0 / 2
Percentage of transfers resulting in live births (%)	55.6	39.3	36.1	0 / 7	0 / 1	0 / 2
Percentage of transfers resulting in pregnancies (%)	66.7	46.4	44.4	1 / 7	1 / 1	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	78	39	35	10	1	1
Number of transfers	78	39	35	10	1	1
Estimated average number of transfers per retrieval	1.7	1.1	1.3	0.5	0.2	0.5
Average number of embryos transferred	1.7	1.8	1.8	2.0	2.0	5.0
Percentage of embryos transferred resulting in implantation (%)	39.2	22.0	36.4	10.0	1 / 2	0 / 5
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	29.5	10.3	28.6	2 / 10	1 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	35.9	10.3	37.1	2 / 10	1 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	11.5	10.3	8.6	0 / 10	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	47.4	20.5	45.7	2 / 10	1 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	51.3	41.0	57.1	2 / 10	1 / 1	0 / 1
Number of Egg/Embryo Banking Cycles	24	34	20	18	6	2

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	28	11
Number of transfers	25	11
Average number of embryos transferred	1.9	2.0
Percentage of embryos transferred resulting in implantation (%)	52.2	54.5
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	24.0	0 / 11
Percentage of transfers resulting in singleton live births (%)	28.0	0 / 11
Percentage of transfers resulting in twin live births (%)	32.0	4 / 11
Percentage of transfers resulting in live births (%)	60.0	4 / 11
Percentage of transfers resulting in pregnancies (%)	64.0	6 / 11

CURRENT SERVICES & PROFILE

Current Name: IVFMD

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR FERTILITY AND REPRODUCTIVE SURGERY
TEXAS TECH UNIVERSITY HEALTH SCIENCES CENTER
LUBBOCK, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Jennifer L. Phy, DO

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	78%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	5%		

Patient Diagnosis[b]

Tubal factor	14%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	33%	Male factor	41%	Female factors only	21%
Diminished ovarian reserve	22%	Other factor	19%	Female & male factors	26%
Endometriosis	22%	Unknown factor	0%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 64 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	26	5	4	1	1	0
Percentage of cancellations (%)	0.0	1 / 5	0 / 4	0 / 1	0 / 1	
Average number of embryos transferred	2.0	2.5	2.0	3.0		
Percentage of embryos transferred resulting in implantation (%)	40.4	2 / 10	1 / 6	0 / 3		
Percentage of elective single embryo transfers (eSET) (%)	11.5	0 / 4	0 / 2	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	26.9	0 / 5	1 / 4	0 / 1	0 / 1	
Percentage of cycles resulting in singleton live births (%)	34.6	0 / 5	1 / 4	0 / 1	0 / 1	
Percentage of cycles resulting in twin live births (%)	15.4	0 / 5	0 / 4	0 / 1	0 / 1	
Percentage of cycles resulting in live births (%)	50.0	0 / 5	1 / 4	0 / 1	0 / 1	
Percentage of cycles resulting in pregnancies (%)	61.5	2 / 5	1 / 4	0 / 1	0 / 1	
Outcomes per Transfer						
Number of transfers	26	4	3	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	26.9	0 / 4	1 / 3	0 / 1		
Percentage of transfers resulting in singleton live births (%)	34.6	0 / 4	1 / 3	0 / 1		
Percentage of transfers resulting in twin live births (%)	15.4	0 / 4	0 / 3	0 / 1		
Percentage of transfers resulting in live births (%)	50.0	0 / 4	1 / 3	0 / 1		
Percentage of transfers resulting in pregnancies (%)	61.5	2 / 4	1 / 3	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	12	3	3	1	0	0
Number of transfers	9	2	3	0	0	0
Estimated average number of transfers per retrieval	1.3		3.0			
Average number of embryos transferred	1.9	3.0	2.0			
Percentage of embryos transferred resulting in implantation (%)	9 / 17	0 / 6	1 / 6			
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 9	0 / 2	1 / 3			
Percentage of transfers resulting in singleton live births (%)	3 / 9	0 / 2	1 / 3			
Percentage of transfers resulting in twin live births (%)	1 / 9	0 / 2	0 / 3			
Percentage of transfers resulting in live births (%)	5 / 9	0 / 2	1 / 3			
Percentage of transfers resulting in pregnancies (%)	6 / 9	0 / 2	1 / 3			
Number of Egg/Embryo Banking Cycles	5	0	1	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	0	2
Number of transfers	0	2
Average number of embryos transferred		1.5
Percentage of embryos transferred resulting in implantation (%)		0 / 3
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)		0 / 2
Percentage of transfers resulting in singleton live births (%)		0 / 2
Percentage of transfers resulting in twin live births (%)		0 / 2
Percentage of transfers resulting in live births (%)		0 / 2
Percentage of transfers resulting in pregnancies (%)		0 / 2

CURRENT SERVICES & PROFILE

Current Name: Center for Fertility and Reproductive Surgery, Texas Tech University Health Sciences Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE CENTRE FOR REPRODUCTIVE MEDICINE
LUBBOCK, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Janelle O. Dorsett, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	24%
Unstimulated	0%	Used PGD	8%
Used gestational carrier	7%		

Patient Diagnosis[b]

Tubal factor	23%	Uterine factor	13%	*Multiple Factors:*	
Ovulatory dysfunction	25%	Male factor	40%	Female factors only	41%
Diminished ovarian reserve	28%	Other factor	40%	Female & male factors	35%
Endometriosis	36%	Unknown factor	0%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 154 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	40	6	10	5	1	0
Percentage of cancellations (%)	10.0	0 / 6	1 / 10	1 / 5	0 / 1	
Average number of embryos transferred	1.9	1.8	1.9	1.5	1.0	
Percentage of embryos transferred resulting in implantation (%)	40.0	6 / 9	4 / 13	0 / 3	0 / 1	
Percentage of elective single embryo transfers (eSET) (%)	0 / 14	0 / 4	0 / 5	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	12.5	1 / 6	1 / 10	0 / 5	0 / 1	
Percentage of cycles resulting in singleton live births (%)	12.5	1 / 6	1 / 10	0 / 5	0 / 1	
Percentage of cycles resulting in twin live births (%)	7.5	0 / 6	1 / 10	0 / 5	0 / 1	
Percentage of cycles resulting in live births (%)	20.0	2 / 6	2 / 10	0 / 5	0 / 1	
Percentage of cycles resulting in pregnancies (%)	20.0	3 / 6	3 / 10	0 / 5	0 / 1	
Outcomes per Transfer						
Number of transfers	16	5	7	2	1	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	5 / 16	1 / 5	1 / 7	0 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)	5 / 16	1 / 5	1 / 7	0 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)	3 / 16	0 / 5	1 / 7	0 / 2	0 / 1	
Percentage of transfers resulting in live births (%)	8 / 16	2 / 5	2 / 7	0 / 2	0 / 1	
Percentage of transfers resulting in pregnancies (%)	8 / 16	3 / 5	3 / 7	0 / 2	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	32	3	5	2	0	0
Number of transfers	32	3	3	2	0	0
Estimated average number of transfers per retrieval	0.7	0.6	0.6	0.5		
Average number of embryos transferred	1.8	2.0	2.0	1.0		
Percentage of embryos transferred resulting in implantation (%)	44.6	1 / 6	5 / 6	1 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	21.9	1 / 3	1 / 3	1 / 2		
Percentage of transfers resulting in singleton live births (%)	28.1	1 / 3	1 / 3	1 / 2		
Percentage of transfers resulting in twin live births (%)	21.9	0 / 3	0 / 3	0 / 2		
Percentage of transfers resulting in live births (%)	50.0	1 / 3	2 / 3	1 / 2		
Percentage of transfers resulting in pregnancies (%)	53.1	1 / 3	3 / 3	1 / 2		
Number of Egg/Embryo Banking Cycles	27	4	5	1	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	7	5
Number of transfers	5	4
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	8 / 10	5 / 8
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 5	1 / 4
Percentage of transfers resulting in singleton live births (%)	0 / 5	2 / 4
Percentage of transfers resulting in twin live births (%)	4 / 5	1 / 4
Percentage of transfers resulting in live births (%)	4 / 5	3 / 4
Percentage of transfers resulting in pregnancies (%)	4 / 5	4 / 4

CURRENT SERVICES & PROFILE

Current Name: The Centre for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE INSTITUTE OF SOUTH TEXAS
McALLEN, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Esteban O. Brown, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	93%
Unstimulated	0%	Used PGD	4%
Used gestational carrier	3%		

Patient Diagnosis[b]

Tubal factor	38%	Uterine factor	29%	*Multiple Factors:*	
Ovulatory dysfunction	24%	Male factor	50%	Female factors only	27%
Diminished ovarian reserve	20%	Other factor	41%	Female & male factors	34%
Endometriosis	4%	Unknown factor	3%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 154 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	65	23	18	7	0	0
Percentage of cancellations (%)	4.6	4.3	1 / 18	1 / 7		
Average number of embryos transferred	2.1	2.2	2.1	2.5		
Percentage of embryos transferred resulting in implantation (%)	33.3	20.0	15.4	1 / 11		
Percentage of elective single embryo transfers (eSET) (%)	0.0	1 / 19	0 / 11	0 / 5		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	10.8	17.4	2 / 18	1 / 7		
Percentage of cycles resulting in singleton live births (%)	13.8	21.7	2 / 18	1 / 7		
Percentage of cycles resulting in twin live births (%)	20.0	4.3	0 / 18	0 / 7		
Percentage of cycles resulting in live births (%)	33.8	26.1	2 / 18	1 / 7		
Percentage of cycles resulting in pregnancies (%)	33.8	34.8	4 / 18	1 / 7		
Outcomes per Transfer						
Number of transfers	55	19	14	6	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	12.7	4 / 19	2 / 14	1 / 6		
Percentage of transfers resulting in singleton live births (%)	16.4	5 / 19	2 / 14	1 / 6		
Percentage of transfers resulting in twin live births (%)	23.6	1 / 19	0 / 14	0 / 6		
Percentage of transfers resulting in live births (%)	40.0	6 / 19	2 / 14	1 / 6		
Percentage of transfers resulting in pregnancies (%)	40.0	8 / 19	4 / 14	1 / 6		
Frozen Embryos from Nondonor Eggs						
Number of cycles	13	5	2	3	1	5
Number of transfers	13	5	2	3	1	5
Estimated average number of transfers per retrieval	0.9	1.7				
Average number of embryos transferred	2.2	1.6	2.0	2.3	2.0	1.8
Percentage of embryos transferred resulting in implantation (%)	41.7	0 / 4	3 / 4	1 / 4	0 / 2	3 / 9
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	3 / 13	0 / 5	1 / 2	1 / 3	0 / 1	1 / 5
Percentage of transfers resulting in singleton live births (%)	4 / 13	0 / 5	1 / 2	1 / 3	0 / 1	3 / 5
Percentage of transfers resulting in twin live births (%)	3 / 13	0 / 5	1 / 2	0 / 3	0 / 1	0 / 5
Percentage of transfers resulting in live births (%)	7 / 13	0 / 5	2 / 2	1 / 3	0 / 1	3 / 5
Percentage of transfers resulting in pregnancies (%)	7 / 13	1 / 5	2 / 2	1 / 3	0 / 1	3 / 5
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	12	0
Number of transfers	12	0
Average number of embryos transferred	2.0	
Percentage of embryos transferred resulting in implantation (%)	7 / 15	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	3 / 12	
Percentage of transfers resulting in singleton live births (%)	3 / 12	
Percentage of transfers resulting in twin live births (%)	2 / 12	
Percentage of transfers resulting in live births (%)	5 / 12	
Percentage of transfers resulting in pregnancies (%)	5 / 12	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Institute of South Texas

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PRESBYTERIAN HOSPITAL PLANO ARTS
PLANO, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Alfred J. Rodriguez, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	35%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	11%	Uterine factor	36%	*Multiple Factors:*	
Ovulatory dysfunction	49%	Male factor	34%	Female factors only	40%
Diminished ovarian reserve	23%	Other factor	37%	Female & male factors	33%
Endometriosis	19%	Unknown factor	1%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 202 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	38	26	15	12	3	0
Percentage of cancellations (%)	0.0	15.4	1 / 15	1 / 12	1 / 3	
Average number of embryos transferred	2.0	2.3	3.1	3.4	3.0	
Percentage of embryos transferred resulting in implantation (%)	40.0	9.1	9.3	7.4	0 / 6	
Percentage of elective single embryo transfers (eSET) (%)	9.1	1 / 17	0 / 14	0 / 7	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	15.8	3.8	1 / 15	0 / 12	0 / 3	
Percentage of cycles resulting in singleton live births (%)	15.8	7.7	2 / 15	0 / 12	0 / 3	
Percentage of cycles resulting in twin live births (%)	18.4	3.8	0 / 15	0 / 12	0 / 3	
Percentage of cycles resulting in live births (%)	34.2	11.5	2 / 15	0 / 12	0 / 3	
Percentage of cycles resulting in pregnancies (%)	42.1	11.5	4 / 15	1 / 12	0 / 3	
Outcomes per Transfer						
Number of transfers	33	19	14	8	2	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	18.2	1 / 19	1 / 14	0 / 8	0 / 2	
Percentage of transfers resulting in singleton live births (%)	18.2	2 / 19	2 / 14	0 / 8	0 / 2	
Percentage of transfers resulting in twin live births (%)	21.2	1 / 19	0 / 14	0 / 8	0 / 2	
Percentage of transfers resulting in live births (%)	39.4	3 / 19	2 / 14	0 / 8	0 / 2	
Percentage of transfers resulting in pregnancies (%)	48.5	3 / 19	4 / 14	1 / 8	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	23	4	4	1	1	2
Number of transfers	22	4	4	1	1	2
Estimated average number of transfers per retrieval	0.8	0.3	0.4	0.1	0.5	
Average number of embryos transferred	1.8	1.8	2.0	2.0	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	37.8	4 / 6	3 / 8		1 / 2	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	36.4	1 / 4	1 / 4	0 / 1	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	40.9	1 / 4	1 / 4	0 / 1	0 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	4.5	1 / 4	1 / 4	0 / 1	0 / 1	0 / 2
Percentage of transfers resulting in live births (%)	45.5	2 / 4	2 / 4	0 / 1	0 / 1	0 / 2
Percentage of transfers resulting in pregnancies (%)	59.1	4 / 4	2 / 4	1 / 1	1 / 1	0 / 2
Number of Egg/Embryo Banking Cycles	21	14	8	12	2	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	15	1
Number of transfers	14	1
Average number of embryos transferred	2.1	2.0
Percentage of embryos transferred resulting in implantation (%)	55.2	1 / 2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	6 / 14	0 / 1
Percentage of transfers resulting in singleton live births (%)	6 / 14	1 / 1
Percentage of transfers resulting in twin live births (%)	2 / 14	0 / 1
Percentage of transfers resulting in live births (%)	9 / 14	1 / 1
Percentage of transfers resulting in pregnancies (%)	10 / 14	1 / 1

CURRENT SERVICES & PROFILE

Current Name: Presbyterian Hospital Plano ARTS

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF SAN ANTONIO
SAN ANTONIO, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Joseph E. Martin, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	74%
Unstimulated	0%	Used PGD	10%
Used gestational carrier	1%		

Patient Diagnosis[b]

Tubal factor	25%	Uterine factor	7%	*Multiple Factors:*	
Ovulatory dysfunction	18%	Male factor	37%	Female factors only	16%
Diminished ovarian reserve	20%	Other factor	9%	Female & male factors	18%
Endometriosis	12%	Unknown factor	12%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 543 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	154	61	65	29	13	7
Percentage of cancellations (%)	3.2	13.1	3.1	6.9	2 / 13	2 / 7
Average number of embryos transferred	1.9	1.9	2.2	2.5	2.1	1.8
Percentage of embryos transferred resulting in implantation (%)	48.0	25.9	20.5	17.0	2 / 15	1 / 7
Percentage of elective single embryo transfers (eSET) (%)	3.0	9.3	2.0	0.0	1 / 6	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	31.8	13.1	24.6	10.3	2 / 13	0 / 7
Percentage of cycles resulting in singleton live births (%)	37.0	16.4	24.6	17.2	2 / 13	1 / 7
Percentage of cycles resulting in twin live births (%)	15.6	6.6	4.6	0.0	0 / 13	0 / 7
Percentage of cycles resulting in live births (%)	52.6	23.0	29.2	17.2	2 / 13	1 / 7
Percentage of cycles resulting in pregnancies (%)	61.0	31.1	30.8	24.1	2 / 13	1 / 7
Outcomes per Transfer						
Number of transfers	139	47	57	22	7	4
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	35.3	17.0	28.1	13.6	2 / 7	0 / 4
Percentage of transfers resulting in singleton live births (%)	41.0	21.3	28.1	22.7	2 / 7	1 / 4
Percentage of transfers resulting in twin live births (%)	17.3	8.5	5.3	0.0	0 / 7	0 / 4
Percentage of transfers resulting in live births (%)	58.3	29.8	33.3	22.7	2 / 7	1 / 4
Percentage of transfers resulting in pregnancies (%)	67.6	40.4	35.1	31.8	2 / 7	1 / 4
Frozen Embryos from Nondonor Eggs						
Number of cycles	70	39	30	12	2	3
Number of transfers	70	39	28	12	2	3
Estimated average number of transfers per retrieval	2.5	2.2	2.3	4.0	2.0	3.0
Average number of embryos transferred	1.8	1.7	1.5	1.8	1.5	1.7
Percentage of embryos transferred resulting in implantation (%)	37.9	37.5	36.6	2 / 18	0 / 3	2 / 5
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	28.6	17.9	21.4	1 / 12	0 / 2	2 / 3
Percentage of transfers resulting in singleton live births (%)	37.1	28.2	28.6	2 / 12	0 / 2	2 / 3
Percentage of transfers resulting in twin live births (%)	10.0	12.8	7.1	0 / 12	0 / 2	0 / 3
Percentage of transfers resulting in live births (%)	47.1	41.0	35.7	2 / 12	0 / 2	2 / 3
Percentage of transfers resulting in pregnancies (%)	54.3	48.7	50.0	3 / 12	0 / 2	2 / 3
Number of Egg/Embryo Banking Cycles	4	3	2	0	0	1

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	36	11
Number of transfers	35	10
Average number of embryos transferred	2.0	1.8
Percentage of embryos transferred resulting in implantation (%)	42.0	5 / 16
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	42.9	3 / 10
Percentage of transfers resulting in singleton live births (%)	48.6	5 / 10
Percentage of transfers resulting in twin live births (%)	11.4	0 / 10
Percentage of transfers resulting in live births (%)	60.0	5 / 10
Percentage of transfers resulting in pregnancies (%)	62.9	6 / 10

CURRENT SERVICES & PROFILE

Current Name: Fertility Center of San Antonio

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY INSTITUTE OF TEXAS, PLLC
SAN ANTONIO, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Susan Hudson, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	100%
Unstimulated	0%	Used PGD	50%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	22%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	0%	Male factor	56%	Female factors only	0%
Diminished ovarian reserve	11%	Other factor	33%	Female & male factors	44%
Endometriosis	0%	Unknown factor	22%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 9 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	3	1	0	0	0	0
Percentage of cancellations (%)	0 / 3	0 / 1				
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of elective single embryo transfers (eSET) (%)						
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	0 / 3	0 / 1				
Percentage of cycles resulting in singleton live births (%)	0 / 3	0 / 1				
Percentage of cycles resulting in twin live births (%)	0 / 3	0 / 1				
Percentage of cycles resulting in live births (%)	0 / 3	0 / 1				
Percentage of cycles resulting in pregnancies (%)	0 / 3	0 / 1				
Outcomes per Transfer						
Number of transfers	0	0	0	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	0	0	0	0	0
Number of transfers	5	0	0	0	0	0
Estimated average number of transfers per retrieval	2.5					
Average number of embryos transferred	1.0					
Percentage of embryos transferred resulting in implantation (%)	1 / 4					
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 5					
Percentage of transfers resulting in singleton live births (%)	1 / 5					
Percentage of transfers resulting in twin live births (%)	0 / 5					
Percentage of transfers resulting in live births (%)	1 / 5					
Percentage of transfers resulting in pregnancies (%)	2 / 5					
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation (%)		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)		
Percentage of transfers resulting in singleton live births (%)		
Percentage of transfers resulting in twin live births (%)		
Percentage of transfers resulting in live births (%)		
Percentage of transfers resulting in pregnancies (%)		

CURRENT SERVICES & PROFILE

Current Name: Fertility Institute of Texas, PLLC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INSTITUTE FOR WOMEN'S HEALTH
ADVANCED FERTILITY CENTER
SAN ANTONIO, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Joseph R. Garza, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	55%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	14%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	53%	Male factor	41%	Female factors only	20%
Diminished ovarian reserve	22%	Other factor	39%	Female & male factors	35%
Endometriosis	2%	Unknown factor	0%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 52 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	11	6	11	2	7	1
Percentage of cancellations (%)	1 / 11	1 / 6	1 / 11	2 / 2	2 / 7	1 / 1
Average number of embryos transferred	1.5	2.2	2.8		1.4	
Percentage of embryos transferred resulting in implantation (%)	3 / 6	4 / 11	0 / 17		0 / 7	
Percentage of elective single embryo transfers (eSET) (%)	2 / 4	0 / 5	0 / 4		0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	1 / 11	0 / 6	0 / 11	0 / 2	0 / 7	0 / 1
Percentage of cycles resulting in singleton live births (%)	1 / 11	0 / 6	0 / 11	0 / 2	0 / 7	0 / 1
Percentage of cycles resulting in twin live births (%)	1 / 11	2 / 6	0 / 11	0 / 2	0 / 7	0 / 1
Percentage of cycles resulting in live births (%)	2 / 11	2 / 6	0 / 11	0 / 2	0 / 7	0 / 1
Percentage of cycles resulting in pregnancies (%)	2 / 11	2 / 6	0 / 11	0 / 2	0 / 7	0 / 1
Outcomes per Transfer						
Number of transfers	4	5	6	0	5	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 4	0 / 5	0 / 6		0 / 5	
Percentage of transfers resulting in singleton live births (%)	1 / 4	0 / 5	0 / 6		0 / 5	
Percentage of transfers resulting in twin live births (%)	1 / 4	2 / 5	0 / 6		0 / 5	
Percentage of transfers resulting in live births (%)	2 / 4	2 / 5	0 / 6		0 / 5	
Percentage of transfers resulting in pregnancies (%)	2 / 4	2 / 5	0 / 6		0 / 5	
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	1	4	0	0	0
Number of transfers	6	1	4	0	0	0
Estimated average number of transfers per retrieval	1.2	1.0	2.0	0.0	0.0	
Average number of embryos transferred	1.5	2.0	2.0			
Percentage of embryos transferred resulting in implantation (%)	2 / 9	0 / 2	4 / 8			
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 6	0 / 1	0 / 4			
Percentage of transfers resulting in singleton live births (%)	2 / 6	0 / 1	0 / 4			
Percentage of transfers resulting in twin live births (%)	0 / 6	0 / 1	1 / 4			
Percentage of transfers resulting in live births (%)	2 / 6	0 / 1	1 / 4			
Percentage of transfers resulting in pregnancies (%)	2 / 6	0 / 1	2 / 4			
Number of Egg/Embryo Banking Cycles	1	0	0	1	1	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation (%)		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)		
Percentage of transfers resulting in singleton live births (%)		
Percentage of transfers resulting in twin live births (%)		
Percentage of transfers resulting in live births (%)		
Percentage of transfers resulting in pregnancies (%)		

CURRENT SERVICES & PROFILE

Current Name: Institute for Women's Health, Advanced Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PERINATAL AND FERTILITY SPECIALISTS OF SAN ANTONIO
SAN ANTONIO, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Gerard M. Honoré, MD, PhD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	65%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	36%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	18%	Male factor	14%	Female factors only	32%
Diminished ovarian reserve	36%	Other factor	0%	Female & male factors	5%
Endometriosis	32%	Unknown factor	0%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 22 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	6	1	8	5	0	0
Percentage of cancellations (%)	0 / 6	0 / 1	2 / 8	1 / 5		
Average number of embryos transferred	2.0	3.0	3.0	3.3		
Percentage of embryos transferred resulting in implantation (%)	2 / 12	0 / 3	2 / 15	1 / 13		
Percentage of elective single embryo transfers (eSET) (%)	0 / 6	0 / 1	0 / 5	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	0 / 6	0 / 1	0 / 8	0 / 5		
Percentage of cycles resulting in singleton live births (%)	0 / 6	0 / 1	0 / 8	0 / 5		
Percentage of cycles resulting in twin live births (%)	1 / 6	0 / 1	0 / 8	0 / 5		
Percentage of cycles resulting in live births (%)	1 / 6	0 / 1	0 / 8	0 / 5		
Percentage of cycles resulting in pregnancies (%)	1 / 6	0 / 1	1 / 8	1 / 5		
Outcomes per Transfer						
Number of transfers	6	1	5	4	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 6	0 / 1	0 / 5	0 / 4		
Percentage of transfers resulting in singleton live births (%)	0 / 6	0 / 1	0 / 5	0 / 4		
Percentage of transfers resulting in twin live births (%)	1 / 6	0 / 1	0 / 5	0 / 4		
Percentage of transfers resulting in live births (%)	1 / 6	0 / 1	0 / 5	0 / 4		
Percentage of transfers resulting in pregnancies (%)	1 / 6	0 / 1	1 / 5	1 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	0	0	0	0	0
Number of transfers	2	0	0	0	0	0
Estimated average number of transfers per retrieval	1.0					
Average number of embryos transferred	1.5					
Percentage of embryos transferred resulting in implantation (%)	1 / 3					
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 2					
Percentage of transfers resulting in singleton live births (%)	1 / 2					
Percentage of transfers resulting in twin live births (%)	0 / 2					
Percentage of transfers resulting in live births (%)	1 / 2					
Percentage of transfers resulting in pregnancies (%)	1 / 2					
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation (%)		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)		
Percentage of transfers resulting in singleton live births (%)		
Percentage of transfers resulting in twin live births (%)		
Percentage of transfers resulting in live births (%)		
Percentage of transfers resulting in pregnancies (%)		

CURRENT SERVICES & PROFILE

Current Name: Fertility Specialists of San Antonio

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF TEXAS, PA
SAN ANTONIO, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Francisco Arredondo, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	88%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	12%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	37%	Male factor	40%	Female factors only	19%
Diminished ovarian reserve	23%	Other factor	12%	Female & male factors	21%
Endometriosis	12%	Unknown factor	6%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 387 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	103	39	28	7	6	0
Percentage of cancellations (%)	8.7	10.3	14.3	3 / 7	1 / 6	
Average number of embryos transferred	1.7	1.8	1.9	2.0	2.4	
Percentage of embryos transferred resulting in implantation (%)	58.6	32.8	35.6	0 / 6	0 / 12	
Percentage of elective single embryo transfers (eSET) (%)	27.6	3.3	0 / 18	0 / 2	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	32.0	23.1	17.9	0 / 7	0 / 6	
Percentage of cycles resulting in singleton live births (%)	37.9	28.2	21.4	0 / 7	0 / 6	
Percentage of cycles resulting in twin live births (%)	15.5	5.1	7.1	0 / 7	0 / 6	
Percentage of cycles resulting in live births (%)	55.3	33.3	28.6	0 / 7	0 / 6	
Percentage of cycles resulting in pregnancies (%)	63.1	46.2	50.0	0 / 7	0 / 6	
Outcomes per Transfer						
Number of transfers	93	35	24	3	5	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	35.5	25.7	20.8	0 / 3	0 / 5	
Percentage of transfers resulting in singleton live births (%)	41.9	31.4	25.0	0 / 3	0 / 5	
Percentage of transfers resulting in twin live births (%)	17.2	5.7	8.3	0 / 3	0 / 5	
Percentage of transfers resulting in live births (%)	61.3	37.1	33.3	0 / 3	0 / 5	
Percentage of transfers resulting in pregnancies (%)	69.9	51.4	58.3	0 / 3	0 / 5	
Frozen Embryos from Nondonor Eggs						
Number of cycles	60	21	22	2	1	0
Number of transfers	60	20	21	2	1	0
Estimated average number of transfers per retrieval	1.4	1.2	1.2	0.3	0.5	0.0
Average number of embryos transferred	1.4	1.6	1.5	1.0	3.0	
Percentage of embryos transferred resulting in implantation (%)	54.4	36.7	34.4	0 / 2	0 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	50.0	35.0	14.3	0 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)	51.7	45.0	19.0	0 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)	5.0	5.0	4.8	0 / 2	0 / 1	
Percentage of transfers resulting in live births (%)	56.7	50.0	23.8	0 / 2	0 / 1	
Percentage of transfers resulting in pregnancies (%)	65.0	55.0	42.9	0 / 2	0 / 1	
Number of Egg/Embryo Banking Cycles	29	13	17	6	2	1

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	11	19
Number of transfers	9	19
Average number of embryos transferred	1.6	1.4
Percentage of embryos transferred resulting in implantation (%)	8 / 14	29.6
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	3 / 9	4 / 19
Percentage of transfers resulting in singleton live births (%)	4 / 9	7 / 19
Percentage of transfers resulting in twin live births (%)	1 / 9	0 / 19
Percentage of transfers resulting in live births (%)	5 / 9	7 / 19
Percentage of transfers resulting in pregnancies (%)	7 / 9	8 / 19

CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine Associates of Texas, PA

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UT MEDICINE WOMEN'S HEALTH CENTER
SAN ANTONIO, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Randal D. Robinson, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	38%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	14%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	15%	Male factor	35%	Female factors only	11%
Diminished ovarian reserve	27%	Other factor	3%	Female & male factors	18%
Endometriosis	12%	Unknown factor	22%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 97 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	28	16	15	1	4	0
Percentage of cancellations (%)	3.6	2 / 16	3 / 15	1 / 1	1 / 4	
Average number of embryos transferred	1.7	1.9	2.3		3.0	
Percentage of embryos transferred resulting in implantation (%)	40.0	28.0	7.1		0 / 6	
Percentage of elective single embryo transfers (eSET) (%)	19.0	1 / 11	0 / 10		0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	28.6	4 / 16	1 / 15	0 / 1	0 / 4	
Percentage of cycles resulting in singleton live births (%)	28.6	4 / 16	2 / 15	0 / 1	0 / 4	
Percentage of cycles resulting in twin live births (%)	17.9	1 / 16	0 / 15	0 / 1	0 / 4	
Percentage of cycles resulting in live births (%)	46.4	5 / 16	2 / 15	0 / 1	0 / 4	
Percentage of cycles resulting in pregnancies (%)	46.4	6 / 16	2 / 15	0 / 1	0 / 4	
Outcomes per Transfer						
Number of transfers	26	13	12	0	2	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	30.8	4 / 13	1 / 12		0 / 2	
Percentage of transfers resulting in singleton live births (%)	30.8	4 / 13	2 / 12		0 / 2	
Percentage of transfers resulting in twin live births (%)	19.2	1 / 13	0 / 12		0 / 2	
Percentage of transfers resulting in live births (%)	50.0	5 / 13	2 / 12		0 / 2	
Percentage of transfers resulting in pregnancies (%)	50.0	6 / 13	2 / 12		0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	12	5	5	3	3	0
Number of transfers	12	5	5	2	3	0
Estimated average number of transfers per retrieval	1.3	1.7	1.7			
Average number of embryos transferred	1.5	1.8	2.0	1.5	1.3	
Percentage of embryos transferred resulting in implantation (%)	4 / 18	0 / 9	2 / 10	0 / 3	0 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 12	0 / 5	0 / 5	0 / 2	0 / 3	
Percentage of transfers resulting in singleton live births (%)	1 / 12	0 / 5	1 / 5	0 / 2	0 / 3	
Percentage of transfers resulting in twin live births (%)	1 / 12	0 / 5	0 / 5	0 / 2	0 / 3	
Percentage of transfers resulting in live births (%)	2 / 12	0 / 5	1 / 5	0 / 2	0 / 3	
Percentage of transfers resulting in pregnancies (%)	3 / 12	0 / 5	1 / 5	0 / 2	0 / 3	
Number of Egg/Embryo Banking Cycles	3	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	1	1
Number of transfers	1	1
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	0 / 2	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	0 / 1	0 / 1

CURRENT SERVICES & PROFILE

Current Name: UT Medicine Women's Health Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SCOTT & WHITE
TEMPLE, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Thomas J. Wincek, MD, PhD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	67%
Unstimulated	0%	Used PGD	1%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	30%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	6%	Male factor	29%	Female factors only	4%
Diminished ovarian reserve	0%	Other factor	6%	Female & male factors	5%
Endometriosis	8%	Unknown factor	30%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 98 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	47	13	10	2	0	0
Percentage of cancellations (%)	21.3	5 / 13	4 / 10	1 / 2		
Average number of embryos transferred	1.9	2.0	2.2			
Percentage of embryos transferred resulting in implantation (%)	50.7	2 / 16	5 / 13			
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 8	0 / 6			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	17.0	0 / 13	2 / 10	0 / 2		
Percentage of cycles resulting in singleton live births (%)	19.1	0 / 13	3 / 10	0 / 2		
Percentage of cycles resulting in twin live births (%)	14.9	0 / 13	0 / 10	0 / 2		
Percentage of cycles resulting in live births (%)	34.0	0 / 13	3 / 10	0 / 2		
Percentage of cycles resulting in pregnancies (%)	48.9	2 / 13	4 / 10	0 / 2		
Outcomes per Transfer						
Number of transfers	36	8	6	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	22.2	0 / 8	2 / 6			
Percentage of transfers resulting in singleton live births (%)	25.0	0 / 8	3 / 6			
Percentage of transfers resulting in twin live births (%)	19.4	0 / 8	0 / 6			
Percentage of transfers resulting in live births (%)	44.4	0 / 8	3 / 6			
Percentage of transfers resulting in pregnancies (%)	63.9	2 / 8	4 / 6			
Frozen Embryos from Nondonor Eggs						
Number of cycles	16	1	3	0	0	0
Number of transfers	16	1	3	0	0	0
Estimated average number of transfers per retrieval	2.0			0.0		
Average number of embryos transferred	1.8	2.0	1.7			
Percentage of embryos transferred resulting in implantation (%)	30.8	0 / 2	0 / 5			
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	4 / 16	0 / 1	0 / 3			
Percentage of transfers resulting in singleton live births (%)	4 / 16	0 / 1	0 / 3			
Percentage of transfers resulting in twin live births (%)	1 / 16	0 / 1	0 / 3			
Percentage of transfers resulting in live births (%)	5 / 16	0 / 1	0 / 3			
Percentage of transfers resulting in pregnancies (%)	7 / 16	0 / 1	0 / 3			
Number of Egg/Embryo Banking Cycles	0	0	0	1	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	1	4
Number of transfers	1	3
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	1 / 2	0 / 4
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 1	0 / 3
Percentage of transfers resulting in singleton live births (%)	0 / 1	0 / 3
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 3
Percentage of transfers resulting in live births (%)	0 / 1	0 / 3
Percentage of transfers resulting in pregnancies (%)	1 / 1	1 / 3

CURRENT SERVICES & PROFILE

Current Name: Scott & White

Donor eggs?	No	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTH HOUSTON CENTER FOR REPRODUCTIVE MEDICINE, PA (NHCRM)
THE WOODLANDS, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Dorothy J. Roach, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	85%
Unstimulated	2%	Used PGD	3%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	7%	Uterine factor	9%	*Multiple Factors:*	
Ovulatory dysfunction	47%	Male factor	21%	Female factors only	25%
Diminished ovarian reserve	14%	Other factor	30%	Female & male factors	17%
Endometriosis	9%	Unknown factor	15%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 81 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	32	12	8	6	0	2
Percentage of cancellations (%)	0.0	0 / 12	1 / 8	0 / 6		1 / 2
Average number of embryos transferred	1.8	1.8	2.3	2.2		3.0
Percentage of embryos transferred resulting in implantation (%)	51.8	54.5	5 / 16	1 / 13		1 / 3
Percentage of elective single embryo transfers (eSET) (%)	10.3	1 / 11	0 / 7	0 / 5		0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	31.3	5 / 12	0 / 8	0 / 6		0 / 2
Percentage of cycles resulting in singleton live births (%)	37.5	5 / 12	1 / 8	0 / 6		0 / 2
Percentage of cycles resulting in twin live births (%)	21.9	2 / 12	2 / 8	0 / 6		0 / 2
Percentage of cycles resulting in live births (%)	59.4	7 / 12	3 / 8	0 / 6		0 / 2
Percentage of cycles resulting in pregnancies (%)	65.6	8 / 12	3 / 8	1 / 6		1 / 2
Outcomes per Transfer						
Number of transfers	32	12	7	6	0	1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	31.3	5 / 12	0 / 7	0 / 6		0 / 1
Percentage of transfers resulting in singleton live births (%)	37.5	5 / 12	1 / 7	0 / 6		0 / 1
Percentage of transfers resulting in twin live births (%)	21.9	2 / 12	2 / 7	0 / 6		0 / 1
Percentage of transfers resulting in live births (%)	59.4	7 / 12	3 / 7	0 / 6		0 / 1
Percentage of transfers resulting in pregnancies (%)	65.6	8 / 12	3 / 7	1 / 6		1 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	11	2	4	1	0	0
Number of transfers	11	2	4	1	0	0
Estimated average number of transfers per retrieval	2.8		4.0			
Average number of embryos transferred	1.6	2.0	1.5	1.0		
Percentage of embryos transferred resulting in implantation (%)	8 / 18	1 / 4	2 / 6	0 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 11	1 / 2	0 / 4	0 / 1		
Percentage of transfers resulting in singleton live births (%)	3 / 11	1 / 2	1 / 4	0 / 1		
Percentage of transfers resulting in twin live births (%)	2 / 11	0 / 2	0 / 4	0 / 1		
Percentage of transfers resulting in live births (%)	5 / 11	1 / 2	1 / 4	0 / 1		
Percentage of transfers resulting in pregnancies (%)	6 / 11	1 / 2	2 / 4	0 / 1		
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	3	0
Number of transfers	3	0
Average number of embryos transferred	1.3	
Percentage of embryos transferred resulting in implantation (%)	2 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 3	
Percentage of transfers resulting in singleton live births (%)	2 / 3	
Percentage of transfers resulting in twin live births (%)	0 / 3	
Percentage of transfers resulting in live births (%)	2 / 3	
Percentage of transfers resulting in pregnancies (%)	2 / 3	

CURRENT SERVICES & PROFILE

Current Name: North Houston Center for Reproductive Medicine, PA, (NHCRM)

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER OF REPRODUCTIVE MEDICINE (CORM)
WEBSTER, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Vicki L. Schnell, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	69%
Unstimulated	0%	Used PGD	10%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	9%	Uterine factor	1%	*Multiple Factors:*	
Ovulatory dysfunction	35%	Male factor	8%	Female factors only	<1%
Diminished ovarian reserve	22%	Other factor	10%	Female & male factors	0%
Endometriosis	14%	Unknown factor	2%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 349 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	109	37	23	10	3	4
Percentage of cancellations (%)	4.6	5.4	21.7	2 / 10	0 / 3	1 / 4
Average number of embryos transferred	1.9	1.9	2.3	1.9	3.0	4.0
Percentage of embryos transferred resulting in implantation (%)	54.4	37.7	18.9	2 / 13	0 / 3	0 / 8
Percentage of elective single embryo transfers (eSET) (%)	17.0	11.1	0 / 14	0 / 5	0 / 1	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	30.3	27.0	4.3	1 / 10	0 / 3	0 / 4
Percentage of cycles resulting in singleton live births (%)	33.0	32.4	8.7	1 / 10	0 / 3	0 / 4
Percentage of cycles resulting in twin live births (%)	17.4	5.4	8.7	0 / 10	0 / 3	0 / 4
Percentage of cycles resulting in live births (%)	52.3	40.5	17.4	1 / 10	0 / 3	0 / 4
Percentage of cycles resulting in pregnancies (%)	58.7	40.5	21.7	2 / 10	0 / 3	0 / 4
Outcomes per Transfer						
Number of transfers	97	28	16	7	1	2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	34.0	35.7	1 / 16	1 / 7	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	37.1	42.9	2 / 16	1 / 7	0 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	19.6	7.1	2 / 16	0 / 7	0 / 1	0 / 2
Percentage of transfers resulting in live births (%)	58.8	53.6	4 / 16	1 / 7	0 / 1	0 / 2
Percentage of transfers resulting in pregnancies (%)	66.0	53.6	5 / 16	2 / 7	0 / 1	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	57	12	14	6	3	2
Number of transfers	52	11	11	4	3	2
Estimated average number of transfers per retrieval	3.5	1.8	3.7	2.0		
Average number of embryos transferred	1.9	2.0	2.0	2.8	2.0	2.5
Percentage of embryos transferred resulting in implantation (%)	24.2	18.2	18.2	3 / 11	2 / 6	0 / 5
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	25.0	2 / 11	3 / 11	1 / 4	0 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	30.8	2 / 11	4 / 11	1 / 4	0 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	5.8	1 / 11	0 / 11	1 / 4	0 / 3	0 / 2
Percentage of transfers resulting in live births (%)	36.5	3 / 11	4 / 11	2 / 4	0 / 3	0 / 2
Percentage of transfers resulting in pregnancies (%)	40.4	3 / 11	4 / 11	2 / 4	1 / 3	0 / 2
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	34	35
Number of transfers	29	29
Average number of embryos transferred	1.9	2.0
Percentage of embryos transferred resulting in implantation (%)	46.4	15.1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	37.9	13.8
Percentage of transfers resulting in singleton live births (%)	41.4	20.7
Percentage of transfers resulting in twin live births (%)	24.1	0.0
Percentage of transfers resulting in live births (%)	65.5	20.7
Percentage of transfers resulting in pregnancies (%)	65.5	31.0

CURRENT SERVICES & PROFILE

Current Name: Center of Reproductive Medicine (CORM)

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UTAH FERTILITY CENTER
PLEASANT GROVE, UTAH

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Russell Foulk, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	50%
Unstimulated	0%	Used PGD	<1%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	22%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	15%	Male factor	35%	Female factors only	18%
Diminished ovarian reserve	29%	Other factor	7%	Female & male factors	16%
Endometriosis	20%	Unknown factor	7%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 489 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	214	55	22	12	1	0
Percentage of cancellations (%)	0.5	7.3	13.6	2 / 12	0 / 1	
Average number of embryos transferred	1.9	1.9	2.1	2.4	2.0	
Percentage of embryos transferred resulting in implantation (%)	55.3	43.9	23.5	4 / 17	0 / 2	
Percentage of elective single embryo transfers (eSET) (%)	10.9	2.5	1 / 13	0 / 6	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	24.3	21.8	13.6	4 / 12	0 / 1	
Percentage of cycles resulting in singleton live births (%)	29.4	25.5	13.6	4 / 12	0 / 1	
Percentage of cycles resulting in twin live births (%)	26.2	12.7	4.5	0 / 12	0 / 1	
Percentage of cycles resulting in live births (%)	56.5	40.0	18.2	4 / 12	0 / 1	
Percentage of cycles resulting in pregnancies (%)	65.0	50.9	36.4	4 / 12	0 / 1	
Outcomes per Transfer						
Number of transfers	201	46	17	7	1	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	25.9	26.1	3 / 17	4 / 7	0 / 1	
Percentage of transfers resulting in singleton live births (%)	31.3	30.4	3 / 17	4 / 7	0 / 1	
Percentage of transfers resulting in twin live births (%)	27.9	15.2	1 / 17	0 / 7	0 / 1	
Percentage of transfers resulting in live births (%)	60.2	47.8	4 / 17	4 / 7	0 / 1	
Percentage of transfers resulting in pregnancies (%)	69.2	60.9	8 / 17	4 / 7	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	74	15	6	3	1	4
Number of transfers	48	9	3	1	1	1
Estimated average number of transfers per retrieval	1.4	1.1	0.4	0.3		0.5
Average number of embryos transferred	1.8	1.9	1.0	1.0	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	43.9	5 / 17	0 / 2	1 / 1	2 / 2	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	33.3	3 / 9	0 / 3	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	37.5	3 / 9	0 / 3	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	12.5	1 / 9	0 / 3	0 / 1	1 / 1	0 / 1
Percentage of transfers resulting in live births (%)	50.0	4 / 9	0 / 3	0 / 1	1 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	58.3	4 / 9	1 / 3	1 / 1	1 / 1	0 / 1
Number of Egg/Embryo Banking Cycles	20	4	7	3	0	2

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	34	10
Number of transfers	34	9
Average number of embryos transferred	1.9	1.8
Percentage of embryos transferred resulting in implantation (%)	58.6	11 / 16
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	26.5	2 / 9
Percentage of transfers resulting in singleton live births (%)	32.4	3 / 9
Percentage of transfers resulting in twin live births (%)	20.6	2 / 9
Percentage of transfers resulting in live births (%)	52.9	5 / 9
Percentage of transfers resulting in pregnancies (%)	73.5	5 / 9

CURRENT SERVICES & PROFILE

Current Name: Utah Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2013 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2013 ART cycle data or the clinic's Medical Director did not approve the clinic's 2013 ART cycle data for inclusion in this report.

UTAH CENTER FOR REPRODUCTIVE MEDICINE
SALT LAKE CITY, UTAH

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Erica B. Johnstone, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	48%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	10%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	12%	Male factor	43%	Female factors only	9%
Diminished ovarian reserve	21%	Other factor	16%	Female & male factors	18%
Endometriosis	15%	Unknown factor	12%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 579 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	223	53	28	17	1	0
Percentage of cancellations (%)	4.9	18.9	14.3	6 / 17	0 / 1	
Average number of embryos transferred	1.9	2.1	2.1	2.9		
Percentage of embryos transferred resulting in implantation (%)	46.1	36.9	31.7	2 / 17		
Percentage of elective single embryo transfers (eSET) (%)	13.2	2.6	0 / 18	0 / 7		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	23.3	22.6	7.1	0 / 17	0 / 1	
Percentage of cycles resulting in singleton live births (%)	28.3	26.4	10.7	0 / 17	0 / 1	
Percentage of cycles resulting in twin live births (%)	19.3	15.1	10.7	1 / 17	0 / 1	
Percentage of cycles resulting in live births (%)	47.5	41.5	21.4	1 / 17	0 / 1	
Percentage of cycles resulting in pregnancies (%)	50.7	41.5	35.7	3 / 17	0 / 1	
Outcomes per Transfer						
Number of transfers	186	40	21	8	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	28.0	30.0	9.5	0 / 8		
Percentage of transfers resulting in singleton live births (%)	33.9	35.0	14.3	0 / 8		
Percentage of transfers resulting in twin live births (%)	23.1	20.0	14.3	1 / 8		
Percentage of transfers resulting in live births (%)	57.0	55.0	28.6	1 / 8		
Percentage of transfers resulting in pregnancies (%)	60.8	55.0	47.6	3 / 8		
Frozen Embryos from Nondonor Eggs						
Number of cycles	77	30	15	13	2	2
Number of transfers	74	29	15	13	2	2
Estimated average number of transfers per retrieval	1.6	2.4	1.0	0.5	0.4	0.4
Average number of embryos transferred	1.9	1.7	1.8	1.7	1.5	2.0
Percentage of embryos transferred resulting in implantation (%)	33.3	40.0	44.4	19.0	1 / 3	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	23.0	34.5	5 / 15	3 / 13	0 / 2	0 / 2
Percentage of transfers resulting in singleton live births (%)	29.7	41.4	6 / 15	3 / 13	1 / 2	0 / 2
Percentage of transfers resulting in twin live births (%)	13.5	0.0	2 / 15	0 / 13	0 / 2	0 / 2
Percentage of transfers resulting in live births (%)	44.6	41.4	8 / 15	3 / 13	1 / 2	0 / 2
Percentage of transfers resulting in pregnancies (%)	47.3	62.1	9 / 15	5 / 13	1 / 2	1 / 2
Number of Egg/Embryo Banking Cycles	11	6	9	20	5	5

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	34	28
Number of transfers	30	25
Average number of embryos transferred	1.8	1.8
Percentage of embryos transferred resulting in implantation (%)	39.6	40.9
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	23.3	28.0
Percentage of transfers resulting in singleton live births (%)	33.3	40.0
Percentage of transfers resulting in twin live births (%)	16.7	8.0
Percentage of transfers resulting in live births (%)	50.0	48.0
Percentage of transfers resulting in pregnancies (%)	53.3	56.0

CURRENT SERVICES & PROFILE

Current Name: Utah Center for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE CARE CENTER
SANDY, UTAH

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Keith L. Blauer, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	69%
Unstimulated	0%	Used PGD	5%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	9%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	24%	Male factor	55%	Female factors only	7%
Diminished ovarian reserve	20%	Other factor	6%	Female & male factors	26%
Endometriosis	18%	Unknown factor	2%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 521 (includes 41 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	190	59	34	8	1	1
Percentage of cancellations (%)	5.3	3.4	5.9	1 / 8	0 / 1	0 / 1
Average number of embryos transferred	2.0	1.9	2.1	1.7	2.0	
Percentage of embryos transferred resulting in implantation (%)	33.3	21.6	10.9	1 / 10	0 / 2	
Percentage of elective single embryo transfers (eSET) (%)	9.9	12.5	7.7	1 / 5	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	19.5	20.3	11.8	1 / 8	0 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)	22.1	20.3	11.8	1 / 8	0 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)	13.2	5.1	2.9	0 / 8	0 / 1	0 / 1
Percentage of cycles resulting in live births (%)	35.3	25.4	14.7	1 / 8	0 / 1	0 / 1
Percentage of cycles resulting in pregnancies (%)	39.5	30.5	17.6	2 / 8	0 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	160	53	27	7	1	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	23.1	22.6	14.8	1 / 7	0 / 1	
Percentage of transfers resulting in singleton live births (%)	26.3	22.6	14.8	1 / 7	0 / 1	
Percentage of transfers resulting in twin live births (%)	15.6	5.7	3.7	0 / 7	0 / 1	
Percentage of transfers resulting in live births (%)	41.9	28.3	18.5	1 / 7	0 / 1	
Percentage of transfers resulting in pregnancies (%)	46.9	34.0	22.2	2 / 7	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	107	24	17	7	0	2
Number of transfers	102	23	16	7	0	2
Estimated average number of transfers per retrieval	2.0	2.1	1.5	1.8		2.0
Average number of embryos transferred	1.7	1.6	1.5	1.7		1.5
Percentage of embryos transferred resulting in implantation (%)	32.9	21.2	37.5	1 / 12		0 / 3
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	21.6	21.7	2 / 16	1 / 7		0 / 2
Percentage of transfers resulting in singleton live births (%)	24.5	26.1	2 / 16	1 / 7		0 / 2
Percentage of transfers resulting in twin live births (%)	11.8	0.0	3 / 16	0 / 7		0 / 2
Percentage of transfers resulting in live births (%)	36.3	26.1	5 / 16	1 / 7		0 / 2
Percentage of transfers resulting in pregnancies (%)	46.1	30.4	6 / 16	1 / 7		0 / 2
Number of Egg/Embryo Banking Cycles	4	0	3	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	8	15
Number of transfers	8	13
Average number of embryos transferred	2.1	1.5
Percentage of embryos transferred resulting in implantation (%)	3 / 17	7 / 19
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 8	2 / 13
Percentage of transfers resulting in singleton live births (%)	2 / 8	4 / 13
Percentage of transfers resulting in twin live births (%)	0 / 8	1 / 13
Percentage of transfers resulting in live births (%)	2 / 8	5 / 13
Percentage of transfers resulting in pregnancies (%)	3 / 8	5 / 13

CURRENT SERVICES & PROFILE

Current Name: Reproductive Care Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	No	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

VERMONT CENTER FOR REPRODUCTIVE MEDICINE
UNIVERSITY OF VERMONT MEDICAL CENTER FOR REPRODUCTIVE MEDICINE
BURLINGTON, VERMONT

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Elizabeth McGee, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	50%
Unstimulated	0%	Used PGD	1%
Used gestational carrier	3%		

Patient Diagnosis[b]

Tubal factor	6%	Uterine factor	<1%	*Multiple Factors:*	
Ovulatory dysfunction	9%	Male factor	40%	Female factors only	8%
Diminished ovarian reserve	33%	Other factor	13%	Female & male factors	16%
Endometriosis	7%	Unknown factor	16%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 129 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	30	26	25	10	2	0
Percentage of cancellations (%)	0.0	23.1	24.0	1 / 10	0 / 2	
Average number of embryos transferred	1.7	1.7	2.3	2.3	4.0	
Percentage of embryos transferred resulting in implantation (%)	56.1	32.3	26.8	1 / 16	0 / 4	
Percentage of elective single embryo transfers (eSET) (%)	23.8	5 / 15	1 / 17	1 / 6	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	20.0	11.5	16.0	0 / 10	0 / 2	
Percentage of cycles resulting in singleton live births (%)	30.0	11.5	16.0	0 / 10	0 / 2	
Percentage of cycles resulting in twin live births (%)	23.3	11.5	4.0	0 / 10	0 / 2	
Percentage of cycles resulting in live births (%)	53.3	23.1	24.0	0 / 10	0 / 2	
Percentage of cycles resulting in pregnancies (%)	53.3	26.9	28.0	1 / 10	0 / 2	
Outcomes per Transfer						
Number of transfers	24	18	18	7	1	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	25.0	3 / 18	4 / 18	0 / 7	0 / 1	
Percentage of transfers resulting in singleton live births (%)	37.5	3 / 18	4 / 18	0 / 7	0 / 1	
Percentage of transfers resulting in twin live births (%)	29.2	3 / 18	1 / 18	0 / 7	0 / 1	
Percentage of transfers resulting in live births (%)	66.7	6 / 18	6 / 18	0 / 7	0 / 1	
Percentage of transfers resulting in pregnancies (%)	66.7	7 / 18	7 / 18	1 / 7	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	4	4	2	0	1
Number of transfers	5	4	3	2	0	1
Estimated average number of transfers per retrieval	2.5	2.0		2.0		
Average number of embryos transferred	1.4	1.0	1.3	2.0		2.0
Percentage of embryos transferred resulting in implantation (%)	1 / 7	1 / 4	1 / 4	0 / 4		1 / 2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 5	1 / 4	1 / 3	0 / 2		1 / 1
Percentage of transfers resulting in singleton live births (%)	1 / 5	1 / 4	1 / 3	0 / 2		1 / 1
Percentage of transfers resulting in twin live births (%)	0 / 5	0 / 4	0 / 3	0 / 2		0 / 1
Percentage of transfers resulting in live births (%)	1 / 5	1 / 4	1 / 3	0 / 2		1 / 1
Percentage of transfers resulting in pregnancies (%)	1 / 5	1 / 4	1 / 3	0 / 2		1 / 1
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	12	8
Number of transfers	11	8
Average number of embryos transferred	1.5	1.4
Percentage of embryos transferred resulting in implantation (%)	5 / 15	4 / 9
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	4 / 11	1 / 8
Percentage of transfers resulting in singleton live births (%)	4 / 11	2 / 8
Percentage of transfers resulting in twin live births (%)	0 / 11	1 / 8
Percentage of transfers resulting in live births (%)	4 / 11	3 / 8
Percentage of transfers resulting in pregnancies (%)	6 / 11	4 / 8

CURRENT SERVICES & PROFILE

Current Name: This clinic has closed or reorganized since 2013. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WASHINGTON FERTILITY CENTER
ANNANDALE, VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Pierre Asmar, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	52%
Unstimulated	0%	Used PGD	<1%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	16%	Uterine factor	<1%	*Multiple Factors:*	
Ovulatory dysfunction	8%	Male factor	30%	Female factors only	4%
Diminished ovarian reserve	35%	Other factor	7%	Female & male factors	15%
Endometriosis	4%	Unknown factor	20%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 143 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	34	22	22	18	5	3
Percentage of cancellations (%)	0.0	0.0	4.5	0 / 18	0 / 5	0 / 3
Average number of embryos transferred	1.8	2.2	2.6	2.7	2.7	2.3
Percentage of embryos transferred resulting in implantation (%)	26.4	20.5	17.5	5.0	0 / 8	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	24.1	4.5	0 / 15	0 / 12	0 / 3	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	2.9	4.5	4.5	0 / 18	0 / 5	0 / 3
Percentage of cycles resulting in singleton live births (%)	2.9	9.1	4.5	0 / 18	0 / 5	0 / 3
Percentage of cycles resulting in twin live births (%)	2.9	0.0	0.0	0 / 18	0 / 5	0 / 3
Percentage of cycles resulting in live births (%)	5.9	9.1	4.5	0 / 18	0 / 5	0 / 3
Percentage of cycles resulting in pregnancies (%)	38.2	40.9	22.7	2 / 18	0 / 5	0 / 3
Outcomes per Transfer						
Number of transfers	31	22	18	15	3	3
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	3.2	4.5	1 / 18	0 / 15	0 / 3	0 / 3
Percentage of transfers resulting in singleton live births (%)	3.2	9.1	1 / 18	0 / 15	0 / 3	0 / 3
Percentage of transfers resulting in twin live births (%)	3.2	0.0	0 / 18	0 / 15	0 / 3	0 / 3
Percentage of transfers resulting in live births (%)	6.5	9.1	1 / 18	0 / 15	0 / 3	0 / 3
Percentage of transfers resulting in pregnancies (%)	41.9	40.9	5 / 18	2 / 15	0 / 3	0 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	3	2	0	0	0
Number of transfers	7	3	2	0	0	0
Estimated average number of transfers per retrieval	1.2	3.0	2.0		0.0	0.0
Average number of embryos transferred	1.9	1.7	1.5			
Percentage of embryos transferred resulting in implantation (%)	5 / 11	1 / 5	0 / 3			
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	3 / 7	0 / 3	0 / 2			
Percentage of transfers resulting in singleton live births (%)	3 / 7	0 / 3	0 / 2			
Percentage of transfers resulting in twin live births (%)	0 / 7	0 / 3	0 / 2			
Percentage of transfers resulting in live births (%)	3 / 7	0 / 3	0 / 2			
Percentage of transfers resulting in pregnancies (%)	5 / 7	1 / 3	0 / 2			
Number of Egg/Embryo Banking Cycles	1	0	0	0	2	1

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	15	8
Number of transfers	13	8
Average number of embryos transferred	1.8	1.8
Percentage of embryos transferred resulting in implantation (%)	52.4	3 / 14
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 13	2 / 8
Percentage of transfers resulting in singleton live births (%)	2 / 13	2 / 8
Percentage of transfers resulting in twin live births (%)	3 / 13	0 / 8
Percentage of transfers resulting in live births (%)	5 / 13	2 / 8
Percentage of transfers resulting in pregnancies (%)	7 / 13	3 / 8

CURRENT SERVICES & PROFILE

Current Name: Washington Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DOMINION FERTILITY AND ENDOCRINOLOGY
ARLINGTON, VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Michael DiMattina, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	68%
Unstimulated	70%	Used PGD	5%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	13%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	8%	Male factor	36%	Female factors only	26%
Diminished ovarian reserve	48%	Other factor	41%	Female & male factors	26%
Endometriosis	5%	Unknown factor	7%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 1,287 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	234	156	167	144	90	92
Percentage of cancellations (%)	10.7	10.9	19.8	20.1	25.6	27.2
Average number of embryos transferred	1.1	1.1	1.2	1.3	1.3	1.1
Percentage of embryos transferred resulting in implantation (%)	42.9	24.7	21.1	12.7	7.7	2.9
Percentage of elective single embryo transfers (eSET) (%)	72.7	9 / 16	1 / 14	1 / 12	0 / 5	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	16.2	9.6	4.8	3.5	1.1	0.0
Percentage of cycles resulting in singleton live births (%)	17.5	10.9	4.8	3.5	1.1	0.0
Percentage of cycles resulting in twin live births (%)	0.0	0.6	0.6	0.7	0.0	0.0
Percentage of cycles resulting in live births (%)	17.5	11.5	5.4	4.2	1.1	0.0
Percentage of cycles resulting in pregnancies (%)	20.5	12.2	9.0	6.3	5.6	2.2
Outcomes per Transfer						
Number of transfers	102	71	64	62	32	31
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	37.3	21.1	12.5	8.1	3.1	0.0
Percentage of transfers resulting in singleton live births (%)	40.2	23.9	12.5	8.1	3.1	0.0
Percentage of transfers resulting in twin live births (%)	0.0	1.4	1.6	1.6	0.0	0.0
Percentage of transfers resulting in live births (%)	40.2	25.4	14.1	9.7	3.1	0.0
Percentage of transfers resulting in pregnancies (%)	47.1	26.8	23.4	14.5	15.6	6.5
Frozen Embryos from Nondonor Eggs						
Number of cycles	106	64	40	26	11	5
Number of transfers	100	60	37	19	8	4
Estimated average number of transfers per retrieval	1.5	1.1	1.2	0.8	0.3	1.0
Average number of embryos transferred	1.1	1.3	1.6	1.7	1.1	1.3
Percentage of embryos transferred resulting in implantation (%)	48.1	29.7	30.4	27.3	1 / 9	1 / 5
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	35.0	33.3	18.9	6 / 19	1 / 8	0 / 4
Percentage of transfers resulting in singleton live births (%)	40.0	33.3	27.0	7 / 19	1 / 8	1 / 4
Percentage of transfers resulting in twin live births (%)	3.0	1.7	5.4	0 / 19	0 / 8	0 / 4
Percentage of transfers resulting in live births (%)	43.0	35.0	32.4	7 / 19	1 / 8	1 / 4
Percentage of transfers resulting in pregnancies (%)	51.0	40.0	45.9	7 / 19	1 / 8	1 / 4
Number of Egg/Embryo Banking Cycles	15	22	16	9	12	3

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	29	44
Number of transfers	18	39
Average number of embryos transferred	1.1	1.1
Percentage of embryos transferred resulting in implantation (%)	9 / 16	43.9
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	7 / 18	30.8
Percentage of transfers resulting in singleton live births (%)	8 / 18	38.5
Percentage of transfers resulting in twin live births (%)	0 / 18	2.6
Percentage of transfers resulting in live births (%)	8 / 18	41.0
Percentage of transfers resulting in pregnancies (%)	12 / 18	43.6

CURRENT SERVICES & PROFILE

Current Name: Dominion Fertility and Endocrinology

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE AND SURGERY CENTER OF VIRGINIA, PLC
CHARLOTTESVILLE, VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Christopher D. Williams, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	52%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	14%	Uterine factor	11%	*Multiple Factors:*	
Ovulatory dysfunction	17%	Male factor	46%	Female factors only	22%
Diminished ovarian reserve	22%	Other factor	12%	Female & male factors	26%
Endometriosis	26%	Unknown factor	7%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 225 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	67	34	18	6	2	0
Percentage of cancellations (%)	10.4	17.6	2 / 18	0 / 6	0 / 2	
Average number of embryos transferred	1.9	2.3	2.8	4.2	2.5	
Percentage of embryos transferred resulting in implantation (%)	42.3	26.4	26.2	3 / 13	1 / 5	
Percentage of elective single embryo transfers (eSET) (%)	13.0	8.0	0 / 13	0 / 5	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	31.3	14.7	2 / 18	1 / 6	1 / 2	
Percentage of cycles resulting in singleton live births (%)	34.3	26.5	3 / 18	1 / 6	1 / 2	
Percentage of cycles resulting in twin live births (%)	13.4	5.9	1 / 18	0 / 6	0 / 2	
Percentage of cycles resulting in live births (%)	47.8	32.4	5 / 18	1 / 6	1 / 2	
Percentage of cycles resulting in pregnancies (%)	49.3	38.2	7 / 18	3 / 6	1 / 2	
Outcomes per Transfer						
Number of transfers	56	25	15	5	2	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	37.5	20.0	2 / 15	1 / 5	1 / 2	
Percentage of transfers resulting in singleton live births (%)	41.1	36.0	3 / 15	1 / 5	1 / 2	
Percentage of transfers resulting in twin live births (%)	16.1	8.0	1 / 15	0 / 5	0 / 2	
Percentage of transfers resulting in live births (%)	57.1	44.0	5 / 15	1 / 5	1 / 2	
Percentage of transfers resulting in pregnancies (%)	58.9	52.0	7 / 15	3 / 5	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	32	12	5	1	1	0
Number of transfers	31	12	5	1	1	0
Estimated average number of transfers per retrieval	1.6	2.0	1.3	1.0		
Average number of embryos transferred	1.8	1.8	2.2	1.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	37.0	31.8	0 / 8	0 / 1	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	25.8	2 / 12	0 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	32.3	3 / 12	0 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	9.7	2 / 12	0 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	41.9	5 / 12	0 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	54.8	5 / 12	1 / 5	0 / 1	0 / 1	
Number of Egg/Embryo Banking Cycles	2	0	3	1	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	20	21
Number of transfers	18	21
Average number of embryos transferred	1.7	1.8
Percentage of embryos transferred resulting in implantation (%)	65.5	21.1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	5 / 18	14.3
Percentage of transfers resulting in singleton live births (%)	7 / 18	14.3
Percentage of transfers resulting in twin live births (%)	4 / 18	9.5
Percentage of transfers resulting in live births (%)	12 / 18	23.8
Percentage of transfers resulting in pregnancies (%)	14 / 18	28.6

CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine and Surgery Center of Virginia, PLC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GENETICS & IVF INSTITUTE
FAIRFAX, VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Laurence C. Udoff, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	88%
Unstimulated	0%	Used PGD	34%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	10%	Uterine factor	7%	*Multiple Factors:*	
Ovulatory dysfunction	9%	Male factor	34%	Female factors only	17%
Diminished ovarian reserve	55%	Other factor	30%	Female & male factors	25%
Endometriosis	4%	Unknown factor	6%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 618 (includes 74 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	75	43	52	24	12	7
Percentage of cancellations (%)	5.3	9.3	0.0	4.2	1 / 12	0 / 7
Average number of embryos transferred	1.6	1.6	1.8	2.1	2.6	2.7
Percentage of embryos transferred resulting in implantation (%)	25.9	12.5	22.9	8.6	4.8	0 / 16
Percentage of elective single embryo transfers (eSET) (%)	33.3	4 / 18	27.3	1 / 15	0 / 7	0 / 5
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	13.3	7.0	17.3	8.3	1 / 12	0 / 7
Percentage of cycles resulting in singleton live births (%)	14.7	11.6	19.2	8.3	1 / 12	0 / 7
Percentage of cycles resulting in twin live births (%)	4.0	0.0	0.0	0.0	0 / 12	0 / 7
Percentage of cycles resulting in live births (%)	18.7	11.6	19.2	8.3	1 / 12	0 / 7
Percentage of cycles resulting in pregnancies (%)	24.0	11.6	28.8	16.7	1 / 12	0 / 7
Outcomes per Transfer						
Number of transfers	53	25	40	17	8	6
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	18.9	12.0	22.5	2 / 17	1 / 8	0 / 6
Percentage of transfers resulting in singleton live births (%)	20.8	20.0	25.0	2 / 17	1 / 8	0 / 6
Percentage of transfers resulting in twin live births (%)	5.7	0.0	0.0	0 / 17	0 / 8	0 / 6
Percentage of transfers resulting in live births (%)	26.4	20.0	25.0	2 / 17	1 / 8	0 / 6
Percentage of transfers resulting in pregnancies (%)	34.0	20.0	37.5	4 / 17	1 / 8	0 / 6
Frozen Embryos from Nondonor Eggs						
Number of cycles	46	32	33	11	2	1
Number of transfers	45	30	31	9	2	0
Estimated average number of transfers per retrieval	1.3	2.3	1.1	2.3	0.5	0.0
Average number of embryos transferred	1.4	1.6	1.5	1.8	1.5	
Percentage of embryos transferred resulting in implantation (%)	50.8	44.7	30.0	5 / 16	1 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	26.7	30.0	22.6	2 / 9	0 / 2	
Percentage of transfers resulting in singleton live births (%)	35.6	36.7	32.3	2 / 9	0 / 2	
Percentage of transfers resulting in twin live births (%)	8.9	13.3	0.0	1 / 9	0 / 2	
Percentage of transfers resulting in live births (%)	44.4	50.0	32.3	3 / 9	0 / 2	
Percentage of transfers resulting in pregnancies (%)	60.0	53.3	48.4	3 / 9	1 / 2	
Number of Egg/Embryo Banking Cycles	10	2	5	0	3	2

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	83	101
Number of transfers	81	99
Average number of embryos transferred	1.6	1.6
Percentage of embryos transferred resulting in implantation (%)	50.8	36.5
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	25.9	22.2
Percentage of transfers resulting in singleton live births (%)	37.0	34.3
Percentage of transfers resulting in twin live births (%)	8.6	7.1
Percentage of transfers resulting in live births (%)	46.9	41.4
Percentage of transfers resulting in pregnancies (%)	61.7	48.5

CURRENT SERVICES & PROFILE

Current Name: Genetics & IVF Institute

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE MUASHER CENTER FOR FERTILITY AND IVF DBA PARTNERS FOR FERTILITY AND IVF FAIRFAX, VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Nancy Durso, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	75%
Unstimulated	1%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	4%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	9%	Male factor	16%	Female factors only	5%
Diminished ovarian reserve	5%	Other factor	9%	Female & male factors	1%
Endometriosis	4%	Unknown factor	61%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 85 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	40	14	16	3	3	0
Percentage of cancellations (%)	2.5	1 / 14	1 / 16	0 / 3	0 / 3	
Average number of embryos transferred	1.9	1.9	2.2	1.0	1.7	
Percentage of embryos transferred resulting in implantation (%)	20.3	2 / 19	6.9	0 / 2	0 / 5	
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 8	0 / 12		0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	17.5	2 / 14	1 / 16	0 / 3	0 / 3	
Percentage of cycles resulting in singleton live births (%)	17.5	2 / 14	1 / 16	0 / 3	0 / 3	
Percentage of cycles resulting in twin live births (%)	2.5	0 / 14	0 / 16	0 / 3	0 / 3	
Percentage of cycles resulting in live births (%)	20.0	2 / 14	1 / 16	0 / 3	0 / 3	
Percentage of cycles resulting in pregnancies (%)	27.5	3 / 14	2 / 16	0 / 3	0 / 3	
Outcomes per Transfer						
Number of transfers	33	11	13	2	3	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	21.2	2 / 11	1 / 13	0 / 2	0 / 3	
Percentage of transfers resulting in singleton live births (%)	21.2	2 / 11	1 / 13	0 / 2	0 / 3	
Percentage of transfers resulting in twin live births (%)	3.0	0 / 11	0 / 13	0 / 2	0 / 3	
Percentage of transfers resulting in live births (%)	24.2	2 / 11	1 / 13	0 / 2	0 / 3	
Percentage of transfers resulting in pregnancies (%)	33.3	3 / 11	2 / 13	0 / 2	0 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	1	0	0	1	0
Number of transfers	2	1	0	0	1	0
Estimated average number of transfers per retrieval	1.0				0.5	
Average number of embryos transferred	1.0	2.0			2.0	
Percentage of embryos transferred resulting in implantation (%)	0 / 2	0 / 2			0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 2	0 / 1			0 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 2	0 / 1			0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 1			0 / 1	
Percentage of transfers resulting in live births (%)	0 / 2	0 / 1			0 / 1	
Percentage of transfers resulting in pregnancies (%)	0 / 2	0 / 1			0 / 1	
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	1	1
Number of transfers	1	1
Average number of embryos transferred	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	0 / 2	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	0 / 1	0 / 1

CURRENT SERVICES & PROFILE

Current Name: The Muasher Center for Fertility and IVF dba, Partners for Fertility and IVF

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

JONES INSTITUTE FOR REPRODUCTIVE MEDICINE
NORFOLK, VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Laurel A. Stadtmauer, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	86%
Unstimulated	0%	Used PGD	7%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	21%	Uterine factor	7%	*Multiple Factors:*	
Ovulatory dysfunction	15%	Male factor	28%	Female factors only	15%
Diminished ovarian reserve	32%	Other factor	12%	Female & male factors	14%
Endometriosis	11%	Unknown factor	9%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 408 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	90	59	36	26	4	7
Percentage of cancellations (%)	6.7	5.1	5.6	11.5	0 / 4	4 / 7
Average number of embryos transferred	2.0	2.0	2.1	1.9	1.5	2.0
Percentage of embryos transferred resulting in implantation (%)	33.3	25.6	15.8	13.5	0 / 6	1 / 4
Percentage of elective single embryo transfers (eSET) (%)	0.0	0.0	0.0	0 / 14	0 / 2	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	23.3	18.6	11.1	3.8	0 / 4	1 / 7
Percentage of cycles resulting in singleton live births (%)	25.6	20.3	13.9	7.7	0 / 4	1 / 7
Percentage of cycles resulting in twin live births (%)	8.9	5.1	0.0	3.8	0 / 4	0 / 7
Percentage of cycles resulting in live births (%)	34.4	25.4	13.9	11.5	0 / 4	1 / 7
Percentage of cycles resulting in pregnancies (%)	44.4	33.9	25.0	15.4	0 / 4	1 / 7
Outcomes per Transfer						
Number of transfers	80	46	27	19	4	2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	26.3	23.9	14.8	1 / 19	0 / 4	1 / 2
Percentage of transfers resulting in singleton live births (%)	28.8	26.1	18.5	2 / 19	0 / 4	1 / 2
Percentage of transfers resulting in twin live births (%)	10.0	6.5	0.0	1 / 19	0 / 4	0 / 2
Percentage of transfers resulting in live births (%)	38.8	32.6	18.5	3 / 19	0 / 4	1 / 2
Percentage of transfers resulting in pregnancies (%)	50.0	43.5	33.3	4 / 19	0 / 4	1 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	50	25	18	10	3	0
Number of transfers	48	22	15	10	3	0
Estimated average number of transfers per retrieval	2.1	2.0	3.0	10.0	3.0	0.0
Average number of embryos transferred	2.0	2.0	1.9	2.1	2.3	
Percentage of embryos transferred resulting in implantation (%)	20.8	25.6	31.0	9.5	0 / 7	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	20.8	4.5	3 / 15	1 / 10	0 / 3	
Percentage of transfers resulting in singleton live births (%)	22.9	13.6	4 / 15	2 / 10	0 / 3	
Percentage of transfers resulting in twin live births (%)	6.3	13.6	1 / 15	0 / 10	0 / 3	
Percentage of transfers resulting in live births (%)	29.2	27.3	5 / 15	2 / 10	0 / 3	
Percentage of transfers resulting in pregnancies (%)	33.3	36.4	8 / 15	2 / 10	0 / 3	
Number of Egg/Embryo Banking Cycles	3	4	2	0	0	1

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	36	34
Number of transfers	20	32
Average number of embryos transferred	2.0	2.2
Percentage of embryos transferred resulting in implantation (%)	30.8	29.0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	25.0	25.0
Percentage of transfers resulting in singleton live births (%)	30.0	28.1
Percentage of transfers resulting in twin live births (%)	10.0	6.3
Percentage of transfers resulting in live births (%)	40.0	34.4
Percentage of transfers resulting in pregnancies (%)	50.0	46.9

CURRENT SERVICES & PROFILE

Current Name: Jones Institute for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

VIRGINIA CENTER FOR REPRODUCTIVE MEDICINE
RESTON, VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Fady I. Sharara, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	100%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	23%	Uterine factor	17%	*Multiple Factors:*	
Ovulatory dysfunction	29%	Male factor	64%	Female factors only	27%
Diminished ovarian reserve	44%	Other factor	50%	Female & male factors	60%
Endometriosis	9%	Unknown factor	<1%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 167 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	39	21	37	9	5	2
Percentage of cancellations (%)	0.0	0.0	0.0	0 / 9	0 / 5	0 / 2
Average number of embryos transferred	1.4	1.5	2.2	2.0	1.6	1.5
Percentage of embryos transferred resulting in implantation (%)	47.3	74.2	31.8	4 / 16	1 / 8	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	51.4	50.0	6.5	0 / 6	0 / 2	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	38.5	28.6	24.3	1 / 9	0 / 5	0 / 2
Percentage of cycles resulting in singleton live births (%)	46.2	33.3	24.3	2 / 9	0 / 5	0 / 2
Percentage of cycles resulting in twin live births (%)	5.1	33.3	10.8	0 / 9	0 / 5	0 / 2
Percentage of cycles resulting in live births (%)	51.3	66.7	35.1	2 / 9	0 / 5	0 / 2
Percentage of cycles resulting in pregnancies (%)	59.0	76.2	59.5	4 / 9	1 / 5	0 / 2
Outcomes per Transfer						
Number of transfers	39	21	34	9	5	2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	38.5	28.6	26.5	1 / 9	0 / 5	0 / 2
Percentage of transfers resulting in singleton live births (%)	46.2	33.3	26.5	2 / 9	0 / 5	0 / 2
Percentage of transfers resulting in twin live births (%)	5.1	33.3	11.8	0 / 9	0 / 5	0 / 2
Percentage of transfers resulting in live births (%)	51.3	66.7	38.2	2 / 9	0 / 5	0 / 2
Percentage of transfers resulting in pregnancies (%)	59.0	76.2	64.7	4 / 9	1 / 5	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	5	5	2	1	0
Number of transfers	6	5	5	2	1	0
Estimated average number of transfers per retrieval	0.8	1.7	0.8	0.5	1.0	0.0
Average number of embryos transferred	1.3	1.6	2.0	1.5	2.0	
Percentage of embryos transferred resulting in implantation (%)	2 / 8	7 / 8	3 / 10	2 / 3	0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 6	3 / 5	1 / 5	0 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)	2 / 6	3 / 5	1 / 5	0 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 6	1 / 5	1 / 5	1 / 2	0 / 1	
Percentage of transfers resulting in live births (%)	2 / 6	4 / 5	2 / 5	1 / 2	0 / 1	
Percentage of transfers resulting in pregnancies (%)	2 / 6	4 / 5	2 / 5	1 / 2	0 / 1	
Number of Egg/Embryo Banking Cycles	4	2	6	2	1	1

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	13	6
Number of transfers	13	6
Average number of embryos transferred	1.7	1.7
Percentage of embryos transferred resulting in implantation (%)	75.0	2 / 6
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	6 / 13	1 / 6
Percentage of transfers resulting in singleton live births (%)	7 / 13	2 / 6
Percentage of transfers resulting in twin live births (%)	4 / 13	0 / 6
Percentage of transfers resulting in live births (%)	11 / 13	2 / 6
Percentage of transfers resulting in pregnancies (%)	12 / 13	4 / 6

CURRENT SERVICES & PROFILE

Current Name: Virginia Center for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY INSTITUTE OF VIRGINIA
RICHMOND, VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Kenneth A. Steingold, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	89%
Unstimulated	0%	Used PGD	4%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	17%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	15%	Male factor	38%	Female factors only	5%
Diminished ovarian reserve	16%	Other factor	3%	Female & male factors	10%
Endometriosis	8%	Unknown factor	14%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 297 (includes 7 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	70	25	29	14	6	0
Percentage of cancellations (%)	0.0	4.0	13.8	3 / 14	2 / 6	
Average number of embryos transferred	2.0	2.1	2.7	3.1	3.5	
Percentage of embryos transferred resulting in implantation (%)	36.5	9.4	13.3	12.0	0 / 14	
Percentage of elective single embryo transfers (eSET) (%)	8.1	3 / 17	0.0	0 / 7	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	7.1	12.0	10.3	3 / 14	0 / 6	
Percentage of cycles resulting in singleton live births (%)	8.6	12.0	13.8	3 / 14	0 / 6	
Percentage of cycles resulting in twin live births (%)	12.9	0.0	6.9	0 / 14	0 / 6	
Percentage of cycles resulting in live births (%)	21.4	12.0	20.7	3 / 14	0 / 6	
Percentage of cycles resulting in pregnancies (%)	25.7	20.0	24.1	3 / 14	0 / 6	
Outcomes per Transfer						
Number of transfers	38	18	23	8	4	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	13.2	3 / 18	13.0	3 / 8	0 / 4	
Percentage of transfers resulting in singleton live births (%)	15.8	3 / 18	17.4	3 / 8	0 / 4	
Percentage of transfers resulting in twin live births (%)	23.7	0 / 18	8.7	0 / 8	0 / 4	
Percentage of transfers resulting in live births (%)	39.5	3 / 18	26.1	3 / 8	0 / 4	
Percentage of transfers resulting in pregnancies (%)	47.4	5 / 18	30.4	3 / 8	0 / 4	
Frozen Embryos from Nondonor Eggs						
Number of cycles	66	33	21	3	0	0
Number of transfers	66	33	20	3	0	0
Estimated average number of transfers per retrieval	1.7	2.2	4.0	1.5		
Average number of embryos transferred	1.9	1.7	2.5	2.7		
Percentage of embryos transferred resulting in implantation (%)	34.5	34.0	33.3	1 / 8		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	40.9	30.3	30.0	1 / 3		
Percentage of transfers resulting in singleton live births (%)	43.9	33.3	40.0	1 / 3		
Percentage of transfers resulting in twin live births (%)	4.5	3.0	10.0	0 / 3		
Percentage of transfers resulting in live births (%)	48.5	36.4	50.0	1 / 3		
Percentage of transfers resulting in pregnancies (%)	60.6	48.5	60.0	1 / 3		
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	8	15
Number of transfers	8	15
Average number of embryos transferred	1.9	2.0
Percentage of embryos transferred resulting in implantation (%)	10 / 13	46.4
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	3 / 8	4 / 15
Percentage of transfers resulting in singleton live births (%)	4 / 8	8 / 15
Percentage of transfers resulting in twin live births (%)	2 / 8	2 / 15
Percentage of transfers resulting in live births (%)	6 / 8	10 / 15
Percentage of transfers resulting in pregnancies (%)	7 / 8	12 / 15

CURRENT SERVICES & PROFILE

Current Name: Fertility Institute of Virginia

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

LIFESOURCE FERTILITY CENTER
RICHMOND, VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Joseph G. Gianfortoni, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	79%
Unstimulated	0%	Used PGD	2%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	14%	Uterine factor	9%	*Multiple Factors:*	
Ovulatory dysfunction	22%	Male factor	68%	Female factors only	13%
Diminished ovarian reserve	47%	Other factor	10%	Female & male factors	52%
Endometriosis	16%	Unknown factor	0%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 115 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	20	18	7	7	0	0
Percentage of cancellations (%)	10.0	2 / 18	1 / 7	2 / 7		
Average number of embryos transferred	1.3	1.9	1.8	1.8		
Percentage of embryos transferred resulting in implantation (%)	8 / 19	33.3	3 / 9	1 / 6		
Percentage of elective single embryo transfers (eSET) (%)	10 / 14	1 / 10	0 / 4	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	20.0	1 / 18	1 / 7	0 / 7		
Percentage of cycles resulting in singleton live births (%)	40.0	2 / 18	1 / 7	1 / 7		
Percentage of cycles resulting in twin live births (%)	0.0	2 / 18	1 / 7	0 / 7		
Percentage of cycles resulting in live births (%)	40.0	4 / 18	2 / 7	1 / 7		
Percentage of cycles resulting in pregnancies (%)	40.0	5 / 18	2 / 7	2 / 7		
Outcomes per Transfer						
Number of transfers	15	11	5	4	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	4 / 15	1 / 11	1 / 5	0 / 4		
Percentage of transfers resulting in singleton live births (%)	8 / 15	2 / 11	1 / 5	1 / 4		
Percentage of transfers resulting in twin live births (%)	0 / 15	2 / 11	1 / 5	0 / 4		
Percentage of transfers resulting in live births (%)	8 / 15	4 / 11	2 / 5	1 / 4		
Percentage of transfers resulting in pregnancies (%)	8 / 15	5 / 11	2 / 5	2 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	18	17	3	1	0	0
Number of transfers	17	17	3	1	0	0
Estimated average number of transfers per retrieval	1.9	1.9	3.0	1.0		
Average number of embryos transferred	1.3	1.5	1.7	2.0		
Percentage of embryos transferred resulting in implantation (%)	66.7	19.2	1 / 5	1 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	8 / 17	1 / 17	1 / 3	1 / 1		
Percentage of transfers resulting in singleton live births (%)	9 / 17	1 / 17	1 / 3	1 / 1		
Percentage of transfers resulting in twin live births (%)	2 / 17	1 / 17	0 / 3	0 / 1		
Percentage of transfers resulting in live births (%)	11 / 17	2 / 17	1 / 3	1 / 1		
Percentage of transfers resulting in pregnancies (%)	13 / 17	4 / 17	1 / 3	1 / 1		
Number of Egg/Embryo Banking Cycles	1	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	3	17
Number of transfers	3	14
Average number of embryos transferred	1.0	1.3
Percentage of embryos transferred resulting in implantation (%)	3 / 3	9 / 18
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 3	3 / 14
Percentage of transfers resulting in singleton live births (%)	2 / 3	3 / 14
Percentage of transfers resulting in twin live births (%)	0 / 3	1 / 14
Percentage of transfers resulting in live births (%)	2 / 3	4 / 14
Percentage of transfers resulting in pregnancies (%)	3 / 3	6 / 14

CURRENT SERVICES & PROFILE

Current Name: LifeSource Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE RICHMOND CENTER FOR FERTILITY AND ENDOCRINOLOGY
RICHMOND, VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by George F. Tidey, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	77%
Unstimulated	0%	Used PGD	7%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	16%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	17%	Male factor	59%	Female factors only	8%
Diminished ovarian reserve	23%	Other factor	16%	Female & male factors	35%
Endometriosis	9%	Unknown factor	6%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 133 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	28	15	8	7	3	0
Percentage of cancellations (%)	0.0	1 / 15	1 / 8	2 / 7	2 / 3	
Average number of embryos transferred	1.8	2.1	2.3	2.5	5.0	
Percentage of embryos transferred resulting in implantation (%)	27.7	4 / 15	2 / 14	0 / 10	1 / 5	
Percentage of elective single embryo transfers (eSET) (%)	23.1	0 / 9	0 / 6	0 / 3	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	17.9	1 / 15	2 / 8	0 / 7	1 / 3	
Percentage of cycles resulting in singleton live births (%)	17.9	2 / 15	2 / 8	0 / 7	1 / 3	
Percentage of cycles resulting in twin live births (%)	14.3	1 / 15	0 / 8	0 / 7	0 / 3	
Percentage of cycles resulting in live births (%)	32.1	3 / 15	2 / 8	0 / 7	1 / 3	
Percentage of cycles resulting in pregnancies (%)	32.1	5 / 15	3 / 8	0 / 7	1 / 3	
Outcomes per Transfer						
Number of transfers	26	9	7	4	1	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	19.2	1 / 9	2 / 7	0 / 4	1 / 1	
Percentage of transfers resulting in singleton live births (%)	19.2	2 / 9	2 / 7	0 / 4	1 / 1	
Percentage of transfers resulting in twin live births (%)	15.4	1 / 9	0 / 7	0 / 4	0 / 1	
Percentage of transfers resulting in live births (%)	34.6	3 / 9	2 / 7	0 / 4	1 / 1	
Percentage of transfers resulting in pregnancies (%)	34.6	5 / 9	3 / 7	0 / 4	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	24	15	6	3	0	0
Number of transfers	24	14	6	3	0	0
Estimated average number of transfers per retrieval	1.8	2.3	3.0	3.0		
Average number of embryos transferred	1.6	1.6	1.8	1.7		
Percentage of embryos transferred resulting in implantation (%)	45.9	39.1	3 / 11	2 / 5		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	37.5	2 / 14	3 / 6	2 / 3		
Percentage of transfers resulting in singleton live births (%)	41.7	4 / 14	3 / 6	2 / 3		
Percentage of transfers resulting in twin live births (%)	12.5	2 / 14	0 / 6	0 / 3		
Percentage of transfers resulting in live births (%)	54.2	6 / 14	3 / 6	2 / 3		
Percentage of transfers resulting in pregnancies (%)	62.5	7 / 14	3 / 6	2 / 3		
Number of Egg/Embryo Banking Cycles	1	1	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	8	11
Number of transfers	8	11
Average number of embryos transferred	1.6	1.6
Percentage of embryos transferred resulting in implantation (%)	10 / 13	3 / 12
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	4 / 8	3 / 11
Percentage of transfers resulting in singleton live births (%)	4 / 8	3 / 11
Percentage of transfers resulting in twin live births (%)	2 / 8	0 / 11
Percentage of transfers resulting in live births (%)	6 / 8	3 / 11
Percentage of transfers resulting in pregnancies (%)	7 / 8	7 / 11

CURRENT SERVICES & PROFILE

Current Name: The Richmond Center for Fertility and Endocrinology

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY CENTER FOR ADVANCED REPRODUCTIVE MEDICINE
RICHMOND, VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Richard S. Lucidi, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	85%
Unstimulated	0%	Used PGD	3%
Used gestational carrier	6%		

Patient Diagnosis[b]

Tubal factor	20%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	14%	Male factor	28%	Female factors only	8%
Diminished ovarian reserve	8%	Other factor	31%	Female & male factors	13%
Endometriosis	5%	Unknown factor	16%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 71 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	12	7	10	4	0	0
Percentage of cancellations (%)	2 / 12	1 / 7	2 / 10	0 / 4		
Average number of embryos transferred	1.9	1.8	2.6	2.8		
Percentage of embryos transferred resulting in implantation (%)	7 / 17	1 / 9	23.8	0 / 11		
Percentage of elective single embryo transfers (eSET) (%)	2 / 9	0 / 5	0 / 8	0 / 4		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	1 / 12	0 / 7	1 / 10	0 / 4		
Percentage of cycles resulting in singleton live births (%)	1 / 12	0 / 7	1 / 10	0 / 4		
Percentage of cycles resulting in twin live births (%)	3 / 12	0 / 7	1 / 10	0 / 4		
Percentage of cycles resulting in live births (%)	4 / 12	0 / 7	2 / 10	0 / 4		
Percentage of cycles resulting in pregnancies (%)	4 / 12	2 / 7	3 / 10	0 / 4		
Outcomes per Transfer						
Number of transfers	9	6	8	4	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 9	0 / 6	1 / 8	0 / 4		
Percentage of transfers resulting in singleton live births (%)	1 / 9	0 / 6	1 / 8	0 / 4		
Percentage of transfers resulting in twin live births (%)	3 / 9	0 / 6	1 / 8	0 / 4		
Percentage of transfers resulting in live births (%)	4 / 9	0 / 6	2 / 8	0 / 4		
Percentage of transfers resulting in pregnancies (%)	4 / 9	2 / 6	3 / 8	0 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	11	9	6	0	2	0
Number of transfers	7	9	5	0	1	0
Estimated average number of transfers per retrieval	2.3	4.5	0.5	0.0		
Average number of embryos transferred	1.7	1.2	1.6		2.0	
Percentage of embryos transferred resulting in implantation (%)	3 / 12	5 / 11	4 / 8		0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 7	5 / 9	2 / 5		0 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 7	5 / 9	2 / 5		0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 7	0 / 9	0 / 5		0 / 1	
Percentage of transfers resulting in live births (%)	1 / 7	5 / 9	2 / 5		0 / 1	
Percentage of transfers resulting in pregnancies (%)	2 / 7	5 / 9	4 / 5		0 / 1	
Number of Egg/Embryo Banking Cycles	0	1	5	1	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	0	3
Number of transfers	0	2
Average number of embryos transferred		2.5
Percentage of embryos transferred resulting in implantation (%)		0 / 5
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)		0 / 2
Percentage of transfers resulting in singleton live births (%)		0 / 2
Percentage of transfers resulting in twin live births (%)		0 / 2
Percentage of transfers resulting in live births (%)		0 / 2
Percentage of transfers resulting in pregnancies (%)		0 / 2

CURRENT SERVICES & PROFILE

Current Name: University Center for Advanced Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2013 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2013 ART cycle data or the clinic's Medical Director did not approve the clinic's 2013 ART cycle data for inclusion in this report.

THE NEW HOPE CENTER FOR REPRODUCTIVE MEDICINE
VIRGINIA BEACH, VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Robin L. Poe-Zeigler, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	87%
Unstimulated	3%	Used PGD	12%
Used gestational carrier	3%		

Patient Diagnosis[b]

Tubal factor	12%	Uterine factor	13%	*Multiple Factors:*	
Ovulatory dysfunction	19%	Male factor	31%	Female factors only	13%
Diminished ovarian reserve	47%	Other factor	9%	Female & male factors	23%
Endometriosis	12%	Unknown factor	2%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 283 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	68	28	33	14	6	8
Percentage of cancellations (%)	2.9	3.6	12.1	0 / 14	1 / 6	1 / 8
Average number of embryos transferred	2.0	2.0	2.4	2.6	2.0	3.0
Percentage of embryos transferred resulting in implantation (%)	29.2	18.8	15.4	4.3	1 / 6	0 / 6
Percentage of elective single embryo transfers (eSET) (%)	2.1	0 / 10	0 / 13	0 / 6	0 / 2	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	8.8	10.7	15.2	0 / 14	1 / 6	0 / 8
Percentage of cycles resulting in singleton live births (%)	13.2	10.7	15.2	0 / 14	1 / 6	0 / 8
Percentage of cycles resulting in twin live births (%)	10.3	3.6	0.0	0 / 14	0 / 6	0 / 8
Percentage of cycles resulting in live births (%)	23.5	14.3	15.2	0 / 14	1 / 6	0 / 8
Percentage of cycles resulting in pregnancies (%)	33.8	17.9	21.2	1 / 14	1 / 6	0 / 8
Outcomes per Transfer						
Number of transfers	49	16	17	9	3	2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	12.2	3 / 16	5 / 17	0 / 9	1 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	18.4	3 / 16	5 / 17	0 / 9	1 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	14.3	1 / 16	0 / 17	0 / 9	0 / 3	0 / 2
Percentage of transfers resulting in live births (%)	32.7	4 / 16	5 / 17	0 / 9	1 / 3	0 / 2
Percentage of transfers resulting in pregnancies (%)	46.9	5 / 16	7 / 17	1 / 9	1 / 3	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	29	18	16	5	3	9
Number of transfers	26	17	15	5	3	9
Estimated average number of transfers per retrieval	1.6	1.4	1.7	2.5	1.5	1.5
Average number of embryos transferred	1.9	2.2	1.9	2.0	1.7	2.1
Percentage of embryos transferred resulting in implantation (%)	28.0	22.2	17.2	2 / 10	3 / 5	3 / 19
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	23.1	7 / 17	3 / 15	1 / 5	0 / 3	0 / 9
Percentage of transfers resulting in singleton live births (%)	26.9	8 / 17	4 / 15	2 / 5	0 / 3	1 / 9
Percentage of transfers resulting in twin live births (%)	7.7	0 / 17	0 / 15	0 / 5	1 / 3	0 / 9
Percentage of transfers resulting in live births (%)	34.6	8 / 17	4 / 15	2 / 5	1 / 3	1 / 9
Percentage of transfers resulting in pregnancies (%)	42.3	9 / 17	5 / 15	2 / 5	1 / 3	3 / 9
Number of Egg/Embryo Banking Cycles	4	1	2	2	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	21	14
Number of transfers	16	14
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	60.0	35.7
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	4 / 16	9 / 14
Percentage of transfers resulting in singleton live births (%)	5 / 16	9 / 14
Percentage of transfers resulting in twin live births (%)	5 / 16	0 / 14
Percentage of transfers resulting in live births (%)	10 / 16	9 / 14
Percentage of transfers resulting in pregnancies (%)	13 / 16	9 / 14

CURRENT SERVICES & PROFILE

Current Name: The New Hope Center for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FRANCISCO M. IRIANNI, MD
WINCHESTER, VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Francisco M. Irianni, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	67%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	4%	Uterine factor	7%	*Multiple Factors:*	
Ovulatory dysfunction	7%	Male factor	39%	Female factors only	0%
Diminished ovarian reserve	36%	Other factor	0%	Female & male factors	14%
Endometriosis	18%	Unknown factor	11%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 28 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	13	0	4	0	1	0
Percentage of cancellations (%)	1 / 13		1 / 4		0 / 1	
Average number of embryos transferred	2.1		2.3		5.0	
Percentage of embryos transferred resulting in implantation (%)	57.1		2 / 7		0 / 5	
Percentage of elective single embryo transfers (eSET) (%)	0 / 10		0 / 3		0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	1 / 13		0 / 4		0 / 1	
Percentage of cycles resulting in singleton live births (%)	2 / 13		1 / 4		0 / 1	
Percentage of cycles resulting in twin live births (%)	3 / 13		0 / 4		0 / 1	
Percentage of cycles resulting in live births (%)	6 / 13		1 / 4		0 / 1	
Percentage of cycles resulting in pregnancies (%)	7 / 13		2 / 4		0 / 1	
Outcomes per Transfer						
Number of transfers	10	0	3	0	1	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 10		0 / 3		0 / 1	
Percentage of transfers resulting in singleton live births (%)	2 / 10		1 / 3		0 / 1	
Percentage of transfers resulting in twin live births (%)	3 / 10		0 / 3		0 / 1	
Percentage of transfers resulting in live births (%)	6 / 10		1 / 3		0 / 1	
Percentage of transfers resulting in pregnancies (%)	7 / 10		2 / 3		0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	1	0	0	0	0
Number of transfers	5	1	0	0	0	0
Estimated average number of transfers per retrieval	1.3					
Average number of embryos transferred	1.6	1.0				
Percentage of embryos transferred resulting in implantation (%)	1 / 8	0 / 1				
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 5	0 / 1				
Percentage of transfers resulting in singleton live births (%)	1 / 5	0 / 1				
Percentage of transfers resulting in twin live births (%)	0 / 5	0 / 1				
Percentage of transfers resulting in live births (%)	1 / 5	0 / 1				
Percentage of transfers resulting in pregnancies (%)	1 / 5	0 / 1				
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	3	1
Number of transfers	3	1
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	0 / 6	1 / 2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	0 / 3	1 / 1
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	0 / 3	1 / 1
Percentage of transfers resulting in pregnancies (%)	0 / 3	1 / 1

CURRENT SERVICES & PROFILE

Current Name: Francisco M. Irianni, MD

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

OVERLAKE REPRODUCTIVE HEALTH, INC., PS
BELLEVUE, WASHINGTON

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Kevin M. Johnson, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	52%
Unstimulated	0%	Used PGD	6%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	55%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	50%	Male factor	47%	Female factors only	36%
Diminished ovarian reserve	84%	Other factor	1%	Female & male factors	45%
Endometriosis	10%	Unknown factor	1%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 164 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	46	27	16	14	6	0
Percentage of cancellations (%)	15.2	22.2	3 / 16	3 / 14	3 / 6	
Average number of embryos transferred	1.9	1.9	2.8	2.4	3.0	
Percentage of embryos transferred resulting in implantation (%)	37.0	24.0	27.3	16.7	1 / 6	
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 9	0 / 7	0 / 8	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	21.7	7.4	0 / 16	2 / 14	1 / 6	
Percentage of cycles resulting in singleton live births (%)	26.1	7.4	1 / 16	2 / 14	1 / 6	
Percentage of cycles resulting in twin live births (%)	6.5	3.7	2 / 16	1 / 14	0 / 6	
Percentage of cycles resulting in live births (%)	32.6	11.1	3 / 16	3 / 14	1 / 6	
Percentage of cycles resulting in pregnancies (%)	34.8	18.5	3 / 16	3 / 14	1 / 6	
Outcomes per Transfer						
Number of transfers	30	13	8	10	2	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	33.3	2 / 13	0 / 8	2 / 10	1 / 2	
Percentage of transfers resulting in singleton live births (%)	40.0	2 / 13	1 / 8	2 / 10	1 / 2	
Percentage of transfers resulting in twin live births (%)	10.0	1 / 13	2 / 8	1 / 10	0 / 2	
Percentage of transfers resulting in live births (%)	50.0	3 / 13	3 / 8	3 / 10	1 / 2	
Percentage of transfers resulting in pregnancies (%)	53.3	5 / 13	3 / 8	3 / 10	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	10	8	5	0	0	0
Number of transfers	9	8	5	0	0	0
Estimated average number of transfers per retrieval	2.3	4.0	1.7			0.0
Average number of embryos transferred	2.0	1.8	1.8			
Percentage of embryos transferred resulting in implantation (%)	9 / 18	2 / 14	2 / 9			
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 9	2 / 8	0 / 5			
Percentage of transfers resulting in singleton live births (%)	2 / 9	2 / 8	0 / 5			
Percentage of transfers resulting in twin live births (%)	3 / 9	0 / 8	1 / 5			
Percentage of transfers resulting in live births (%)	5 / 9	2 / 8	1 / 5			
Percentage of transfers resulting in pregnancies (%)	5 / 9	2 / 8	1 / 5			
Number of Egg/Embryo Banking Cycles	2	1	2	0	0	1

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	19	6
Number of transfers	18	5
Average number of embryos transferred	1.8	1.8
Percentage of embryos transferred resulting in implantation (%)	78.1	1 / 9
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	6 / 18	1 / 5
Percentage of transfers resulting in singleton live births (%)	9 / 18	1 / 5
Percentage of transfers resulting in twin live births (%)	7 / 18	0 / 5
Percentage of transfers resulting in live births (%)	16 / 18	1 / 5
Percentage of transfers resulting in pregnancies (%)	16 / 18	1 / 5

CURRENT SERVICES & PROFILE

Current Name: Overlake Reproductive Health, Inc., PS

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WASHINGTON CENTER FOR REPRODUCTIVE MEDICINE
BELLEVUE, WASHINGTON

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by James I. Kustin, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	54%
Unstimulated	<1%	Used PGD	71%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	4%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	1%	Male factor	15%	Female factors only	9%
Diminished ovarian reserve	25%	Other factor	63%	Female & male factors	5%
Endometriosis	0%	Unknown factor	5%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 152 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	56	26	24	4	1	0
Percentage of cancellations (%)	0.0	0.0	8.3	0 / 4	0 / 1	
Average number of embryos transferred	1.9	1.9	1.9	2.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	41.5	40.0	3.7	2 / 6	0 / 1	
Percentage of elective single embryo transfers (eSET) (%)	20.9	1 / 17	0 / 9	1 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	21.4	7.7	4.2	0 / 4	0 / 1	
Percentage of cycles resulting in singleton live births (%)	23.2	7.7	4.2	0 / 4	0 / 1	
Percentage of cycles resulting in twin live births (%)	8.9	15.4	0.0	1 / 4	0 / 1	
Percentage of cycles resulting in live births (%)	32.1	23.1	4.2	1 / 4	0 / 1	
Percentage of cycles resulting in pregnancies (%)	42.9	38.5	4.2	1 / 4	0 / 1	
Outcomes per Transfer						
Number of transfers	44	21	14	3	1	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	27.3	9.5	1 / 14	0 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	29.5	9.5	1 / 14	0 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	11.4	19.0	0 / 14	1 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	40.9	28.6	1 / 14	1 / 3	0 / 1	
Percentage of transfers resulting in pregnancies (%)	54.5	47.6	1 / 14	1 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	4	7	1	0	2
Number of transfers	7	4	7	1	0	2
Estimated average number of transfers per retrieval	1.8	4.0	1.8	1.0		
Average number of embryos transferred	2.1	1.8	2.3	3.0		2.5
Percentage of embryos transferred resulting in implantation (%)	5 / 15	0 / 7	6 / 16	0 / 3		0 / 5
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 7	0 / 4	1 / 7	0 / 1		0 / 2
Percentage of transfers resulting in singleton live births (%)	1 / 7	0 / 4	2 / 7	0 / 1		0 / 2
Percentage of transfers resulting in twin live births (%)	2 / 7	0 / 4	1 / 7	0 / 1		0 / 2
Percentage of transfers resulting in live births (%)	3 / 7	0 / 4	3 / 7	0 / 1		0 / 2
Percentage of transfers resulting in pregnancies (%)	3 / 7	0 / 4	4 / 7	0 / 1		0 / 2
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	14	6
Number of transfers	12	6
Average number of embryos transferred	2.1	2.3
Percentage of embryos transferred resulting in implantation (%)	32.0	3 / 14
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	3 / 12	1 / 6
Percentage of transfers resulting in singleton live births (%)	4 / 12	1 / 6
Percentage of transfers resulting in twin live births (%)	1 / 12	1 / 6
Percentage of transfers resulting in live births (%)	5 / 12	2 / 6
Percentage of transfers resulting in pregnancies (%)	7 / 12	2 / 6

CURRENT SERVICES & PROFILE

Current Name: Washington Center for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BELLINGHAM IVF & FERTILITY CARE
BELLINGHAM, WASHINGTON

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Emmett Branigan, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	76%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	3%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	33%	Male factor	67%	Female factors only	6%
Diminished ovarian reserve	39%	Other factor	6%	Female & male factors	46%
Endometriosis	7%	Unknown factor	2%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 104 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	21	11	6	2	0	2
Percentage of cancellations (%)	0.0	0 / 11	0 / 6	0 / 2		1 / 2
Average number of embryos transferred	2.0	2.0	1.8	2.0		
Percentage of embryos transferred resulting in implantation (%)	34.2	31.8	0 / 9	0 / 4		
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 11	0 / 5	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	28.6	1 / 11	0 / 6	0 / 2		0 / 2
Percentage of cycles resulting in singleton live births (%)	52.4	5 / 11	0 / 6	0 / 2		0 / 2
Percentage of cycles resulting in twin live births (%)	4.8	1 / 11	0 / 6	0 / 2		0 / 2
Percentage of cycles resulting in live births (%)	57.1	6 / 11	0 / 6	0 / 2		0 / 2
Percentage of cycles resulting in pregnancies (%)	57.1	6 / 11	1 / 6	0 / 2		0 / 2
Outcomes per Transfer						
Number of transfers	20	11	6	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	30.0	1 / 11	0 / 6	0 / 2		
Percentage of transfers resulting in singleton live births (%)	55.0	5 / 11	0 / 6	0 / 2		
Percentage of transfers resulting in twin live births (%)	5.0	1 / 11	0 / 6	0 / 2		
Percentage of transfers resulting in live births (%)	60.0	6 / 11	0 / 6	0 / 2		
Percentage of transfers resulting in pregnancies (%)	60.0	6 / 11	1 / 6	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	18	10	5	1	0	1
Number of transfers	18	10	5	1	0	1
Estimated average number of transfers per retrieval	3.6	1.7	1.7	1.0		1.0
Average number of embryos transferred	2.1	2.1	1.6	2.0		2.0
Percentage of embryos transferred resulting in implantation (%)	20.0	1 / 19	0 / 8	0 / 2		0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	4 / 18	1 / 10	0 / 5	0 / 1		0 / 1
Percentage of transfers resulting in singleton live births (%)	7 / 18	1 / 10	0 / 5	0 / 1		0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 18	0 / 10	0 / 5	0 / 1		0 / 1
Percentage of transfers resulting in live births (%)	7 / 18	1 / 10	0 / 5	0 / 1		0 / 1
Percentage of transfers resulting in pregnancies (%)	8 / 18	2 / 10	0 / 5	0 / 1		0 / 1
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	21	6
Number of transfers	21	6
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	50.0	3 / 10
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	23.8	0 / 6
Percentage of transfers resulting in singleton live births (%)	52.4	3 / 6
Percentage of transfers resulting in twin live births (%)	19.0	0 / 6
Percentage of transfers resulting in live births (%)	71.4	3 / 6
Percentage of transfers resulting in pregnancies (%)	81.0	4 / 6

CURRENT SERVICES & PROFILE

Current Name: Bellingham IVF & Fertility Care

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

POMA FERTILITY
KIRKLAND, WASHINGTON

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Michael S. Opsahl, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	43%
Unstimulated	0%	Used PGD	8%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	9%	Uterine factor	9%	*Multiple Factors:*	
Ovulatory dysfunction	13%	Male factor	38%	Female factors only	14%
Diminished ovarian reserve	36%	Other factor	7%	Female & male factors	17%
Endometriosis	5%	Unknown factor	18%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 94 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	38	10	7	9	1	0
Percentage of cancellations (%)	5.3	2 / 10	0 / 7	1 / 9	0 / 1	
Average number of embryos transferred	1.6	1.8	2.4	3.0	3.0	
Percentage of embryos transferred resulting in implantation (%)	57.9	7 / 14	5 / 12	8.3	0 / 3	
Percentage of elective single embryo transfers (eSET) (%)	40.6	3 / 8	0 / 4	0 / 7	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	36.8	4 / 10	3 / 7	1 / 9	0 / 1	
Percentage of cycles resulting in singleton live births (%)	44.7	4 / 10	4 / 7	1 / 9	0 / 1	
Percentage of cycles resulting in twin live births (%)	10.5	1 / 10	0 / 7	0 / 9	0 / 1	
Percentage of cycles resulting in live births (%)	57.9	5 / 10	4 / 7	1 / 9	0 / 1	
Percentage of cycles resulting in pregnancies (%)	63.2	6 / 10	4 / 7	2 / 9	0 / 1	
Outcomes per Transfer						
Number of transfers	35	8	5	8	1	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	40.0	4 / 8	3 / 5	1 / 8	0 / 1	
Percentage of transfers resulting in singleton live births (%)	48.6	4 / 8	4 / 5	1 / 8	0 / 1	
Percentage of transfers resulting in twin live births (%)	11.4	1 / 8	0 / 5	0 / 8	0 / 1	
Percentage of transfers resulting in live births (%)	62.9	5 / 8	4 / 5	1 / 8	0 / 1	
Percentage of transfers resulting in pregnancies (%)	68.6	6 / 8	4 / 5	2 / 8	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	3	0	2	1	0
Number of transfers	2	3	0	2	1	0
Estimated average number of transfers per retrieval	0.5	0.4	0.0	0.3	0.5	
Average number of embryos transferred	1.0	1.3		1.5	4.0	
Percentage of embryos transferred resulting in implantation (%)	1 / 2	2 / 4		0 / 2	0 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 2	1 / 3		0 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 2	1 / 3		0 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 3		0 / 2	0 / 1	
Percentage of transfers resulting in live births (%)	1 / 2	1 / 3		0 / 2	0 / 1	
Percentage of transfers resulting in pregnancies (%)	1 / 2	2 / 3		1 / 2	0 / 1	
Number of Egg/Embryo Banking Cycles	2	7	3	3	2	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	1	3
Number of transfers	1	3
Average number of embryos transferred	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	1 / 2	3 / 3
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 1	1 / 3
Percentage of transfers resulting in singleton live births (%)	1 / 1	1 / 3
Percentage of transfers resulting in twin live births (%)	0 / 1	1 / 3
Percentage of transfers resulting in live births (%)	1 / 1	2 / 3
Percentage of transfers resulting in pregnancies (%)	1 / 1	2 / 3

CURRENT SERVICES & PROFILE

Current Name: Poma Fertility

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

OLYMPIA WOMEN'S HEALTH
OLYMPIA, WASHINGTON

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by James F. Moruzzi, MD, PhD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	0%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	13%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	19%	Male factor	9%	Female factors only	9%
Diminished ovarian reserve	13%	Other factor	0%	Female & male factors	3%
Endometriosis	22%	Unknown factor	38%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 32 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	13	6	4	2	0	0
Percentage of cancellations (%)	0 / 13	0 / 6	0 / 4	0 / 2		
Average number of embryos transferred	1.9	2.2	2.3	2.0		
Percentage of embryos transferred resulting in implantation (%)	30.4	2 / 11	0 / 7	1 / 4		
Percentage of elective single embryo transfers (eSET) (%)	1 / 11	0 / 5	0 / 3	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	3 / 13	1 / 6	0 / 4	1 / 2		
Percentage of cycles resulting in singleton live births (%)	4 / 13	2 / 6	0 / 4	1 / 2		
Percentage of cycles resulting in twin live births (%)	0 / 13	0 / 6	0 / 4	0 / 2		
Percentage of cycles resulting in live births (%)	4 / 13	2 / 6	0 / 4	1 / 2		
Percentage of cycles resulting in pregnancies (%)	7 / 13	2 / 6	0 / 4	1 / 2		
Outcomes per Transfer						
Number of transfers	12	5	3	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	3 / 12	1 / 5	0 / 3	1 / 2		
Percentage of transfers resulting in singleton live births (%)	4 / 12	2 / 5	0 / 3	1 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 12	0 / 5	0 / 3	0 / 2		
Percentage of transfers resulting in live births (%)	4 / 12	2 / 5	0 / 3	1 / 2		
Percentage of transfers resulting in pregnancies (%)	7 / 12	2 / 5	0 / 3	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	1	1	0	0	0
Number of transfers	3	1	1	0	0	0
Estimated average number of transfers per retrieval	3.0					
Average number of embryos transferred	1.7	2.0	2.0			
Percentage of embryos transferred resulting in implantation (%)	1 / 5	1 / 2	0 / 2			
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 3	1 / 1	0 / 1			
Percentage of transfers resulting in singleton live births (%)	1 / 3	1 / 1	0 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 1	0 / 1			
Percentage of transfers resulting in live births (%)	1 / 3	1 / 1	0 / 1			
Percentage of transfers resulting in pregnancies (%)	1 / 3	1 / 1	0 / 1			
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	1	0
Number of transfers	1	0
Average number of embryos transferred	2.0	
Percentage of embryos transferred resulting in implantation (%)	2 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 1	
Percentage of transfers resulting in live births (%)	1 / 1	
Percentage of transfers resulting in pregnancies (%)	1 / 1	

CURRENT SERVICES & PROFILE

Current Name: Olympia Women's Health

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PACIFIC NORTHWEST FERTILITY AND IVF SPECIALISTS
SEATTLE, WASHINGTON

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Lorna A. Marshall, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	94%
Unstimulated	<1%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	6%	Uterine factor	1%	*Multiple Factors:*	
Ovulatory dysfunction	4%	Male factor	22%	Female factors only	4%
Diminished ovarian reserve	44%	Other factor	10%	Female & male factors	5%
Endometriosis	6%	Unknown factor	16%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 1,020 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	70	50	45	23	6	3
Percentage of cancellations (%)	0.0	4.0	6.7	8.7	2 / 6	1 / 3
Average number of embryos transferred	1.8	1.9	2.4	2.7	3.0	4.0
Percentage of embryos transferred resulting in implantation (%)	42.9	28.0	21.9	8.7	0 / 12	0 / 8
Percentage of elective single embryo transfers (eSET) (%)	22.0	9.1	5.0	0 / 18	0 / 4	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	28.6	24.0	20.0	4.3	0 / 6	0 / 3
Percentage of cycles resulting in singleton live births (%)	32.9	24.0	20.0	8.7	0 / 6	0 / 3
Percentage of cycles resulting in twin live births (%)	4.3	10.0	8.9	0.0	0 / 6	0 / 3
Percentage of cycles resulting in live births (%)	38.6	34.0	28.9	8.7	0 / 6	0 / 3
Percentage of cycles resulting in pregnancies (%)	50.0	40.0	37.8	21.7	0 / 6	0 / 3
Outcomes per Transfer						
Number of transfers	55	46	41	20	4	2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	36.4	26.1	22.0	5.0	0 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	41.8	26.1	22.0	10.0	0 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	5.5	10.9	9.8	0.0	0 / 4	0 / 2
Percentage of transfers resulting in live births (%)	49.1	37.0	31.7	10.0	0 / 4	0 / 2
Percentage of transfers resulting in pregnancies (%)	63.6	43.5	41.5	25.0	0 / 4	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	144	52	73	32	10	2
Number of transfers	121	47	67	29	10	2
Estimated average number of transfers per retrieval	1.2	1.0	0.8	0.5	0.3	0.1
Average number of embryos transferred	1.5	1.4	1.4	1.4	1.6	2.0
Percentage of embryos transferred resulting in implantation (%)	58.0	60.3	34.4	25.7	9 / 16	1 / 4
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	34.7	21.3	23.9	27.6	2 / 10	0 / 2
Percentage of transfers resulting in singleton live births (%)	40.5	27.7	25.4	31.0	2 / 10	0 / 2
Percentage of transfers resulting in twin live births (%)	13.2	14.9	9.0	0.0	2 / 10	0 / 2
Percentage of transfers resulting in live births (%)	53.7	42.6	34.3	31.0	4 / 10	0 / 2
Percentage of transfers resulting in pregnancies (%)	67.8	68.1	43.3	41.4	5 / 10	1 / 2
Number of Egg/Embryo Banking Cycles	70	35	76	53	28	14

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	14	220
Number of transfers	13	198
Average number of embryos transferred	1.7	1.3
Percentage of embryos transferred resulting in implantation (%)	50.0	56.7
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	6 / 13	34.8
Percentage of transfers resulting in singleton live births (%)	8 / 13	41.9
Percentage of transfers resulting in twin live births (%)	1 / 13	10.1
Percentage of transfers resulting in live births (%)	9 / 13	52.0
Percentage of transfers resulting in pregnancies (%)	10 / 13	62.6

CURRENT SERVICES & PROFILE

Current Name: Pacific Northwest Fertility and IVF Specialists

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SEATTLE REPRODUCTIVE MEDICINE
INTEGRAMED AMERICA
SEATTLE, WASHINGTON

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Lynn B. Davis, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	60%
Unstimulated	0%	Used PGD	2%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	14%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	11%	Male factor	35%	Female factors only	9%
Diminished ovarian reserve	30%	Other factor	11%	Female & male factors	13%
Endometriosis	10%	Unknown factor	11%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 1,881 (includes 268 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	347	171	174	98	21	10
Percentage of cancellations (%)	5.2	12.9	19.0	19.4	9.5	3 / 10
Average number of embryos transferred	1.5	1.6	1.8	2.3	2.7	2.0
Percentage of embryos transferred resulting in implantation (%)	41.2	39.1	24.2	12.1	4.3	0 / 14
Percentage of elective single embryo transfers (eSET) (%)	46.1	31.4	14.2	1.8	0 / 16	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	25.9	26.9	16.7	8.2	9.5	0 / 10
Percentage of cycles resulting in singleton live births (%)	28.5	28.7	17.8	10.2	9.5	0 / 10
Percentage of cycles resulting in twin live births (%)	8.6	8.2	2.9	0.0	0.0	0 / 10
Percentage of cycles resulting in live births (%)	37.8	36.8	21.3	10.2	9.5	0 / 10
Percentage of cycles resulting in pregnancies (%)	44.4	43.9	31.6	22.4	19.0	0 / 10
Outcomes per Transfer						
Number of transfers	305	142	131	68	19	7
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	29.5	32.4	22.1	11.8	2 / 19	0 / 7
Percentage of transfers resulting in singleton live births (%)	32.5	34.5	23.7	14.7	2 / 19	0 / 7
Percentage of transfers resulting in twin live births (%)	9.8	9.9	3.8	0.0	0 / 19	0 / 7
Percentage of transfers resulting in live births (%)	43.0	44.4	28.2	14.7	2 / 19	0 / 7
Percentage of transfers resulting in pregnancies (%)	50.5	52.8	42.0	32.4	4 / 19	0 / 7
Frozen Embryos from Nondonor Eggs						
Number of cycles	205	112	98	29	6	9
Number of transfers	183	96	80	24	4	5
Estimated average number of transfers per retrieval	1.5	2.1	1.3	0.9	0.7	1.3
Average number of embryos transferred	1.4	1.4	1.4	1.3	1.5	1.8
Percentage of embryos transferred resulting in implantation (%)	39.4	33.3	21.5	19.4	0 / 4	1 / 9
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	27.9	28.1	17.5	12.5	0 / 4	0 / 5
Percentage of transfers resulting in singleton live births (%)	29.0	31.3	18.8	16.7	0 / 4	0 / 5
Percentage of transfers resulting in twin live births (%)	9.3	3.1	1.3	0.0	0 / 4	0 / 5
Percentage of transfers resulting in live births (%)	38.3	34.4	20.0	16.7	0 / 4	0 / 5
Percentage of transfers resulting in pregnancies (%)	48.6	42.7	33.8	29.2	1 / 4	1 / 5
Number of Egg/Embryo Banking Cycles	32	18	27	16	4	3

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	56	177
Number of transfers	49	161
Average number of embryos transferred	1.4	1.4
Percentage of embryos transferred resulting in implantation (%)	57.6	33.0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	34.7	24.8
Percentage of transfers resulting in singleton live births (%)	40.8	29.8
Percentage of transfers resulting in twin live births (%)	12.2	4.3
Percentage of transfers resulting in live births (%)	53.1	34.2
Percentage of transfers resulting in pregnancies (%)	69.4	44.7

CURRENT SERVICES & PROFILE

Current Name: Seattle Reproductive Medicine, Integramed America

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY REPRODUCTIVE CARE
UNIVERSITY OF WASHINGTON
SEATTLE, WASHINGTON

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Diane Woodford, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	80%
Unstimulated	0%	Used PGD	20%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	10%	Uterine factor	9%	*Multiple Factors:*	
Ovulatory dysfunction	17%	Male factor	37%	Female factors only	16%
Diminished ovarian reserve	39%	Other factor	27%	Female & male factors	29%
Endometriosis	6%	Unknown factor	10%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 71 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	20	9	7	9	0	0
Percentage of cancellations (%)	20.0	1 / 9	3 / 7	1 / 9		
Average number of embryos transferred	1.6	2.2	2.0	2.7		
Percentage of embryos transferred resulting in implantation (%)	9 / 14	0 / 11	0 / 4	0 / 8		
Percentage of elective single embryo transfers (eSET) (%)	3 / 8	0 / 5	0 / 2	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	15.0	0 / 9	0 / 7	0 / 9		
Percentage of cycles resulting in singleton live births (%)	15.0	0 / 9	0 / 7	0 / 9		
Percentage of cycles resulting in twin live births (%)	10.0	0 / 9	0 / 7	0 / 9		
Percentage of cycles resulting in live births (%)	25.0	0 / 9	0 / 7	0 / 9		
Percentage of cycles resulting in pregnancies (%)	30.0	0 / 9	0 / 7	0 / 9		
Outcomes per Transfer						
Number of transfers	9	5	2	3	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	3 / 9	0 / 5	0 / 2	0 / 3		
Percentage of transfers resulting in singleton live births (%)	3 / 9	0 / 5	0 / 2	0 / 3		
Percentage of transfers resulting in twin live births (%)	2 / 9	0 / 5	0 / 2	0 / 3		
Percentage of transfers resulting in live births (%)	5 / 9	0 / 5	0 / 2	0 / 3		
Percentage of transfers resulting in pregnancies (%)	6 / 9	0 / 5	0 / 2	0 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	10	10	2	3	0	0
Number of transfers	9	7	2	2	0	0
Estimated average number of transfers per retrieval	3.0	1.8	2.0	1.0		
Average number of embryos transferred	1.2	1.4	1.0	1.5		
Percentage of embryos transferred resulting in implantation (%)	7 / 11	4 / 9	1 / 2	0 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 9	1 / 7	1 / 2	0 / 2		
Percentage of transfers resulting in singleton live births (%)	3 / 9	2 / 7	1 / 2	0 / 2		
Percentage of transfers resulting in twin live births (%)	1 / 9	0 / 7	0 / 2	0 / 2		
Percentage of transfers resulting in live births (%)	4 / 9	2 / 7	1 / 2	0 / 2		
Percentage of transfers resulting in pregnancies (%)	6 / 9	4 / 7	1 / 2	0 / 2		
Number of Egg/Embryo Banking Cycles	0	0	0	1	0	0

Donor Eggs	**Fresh Embryos[f]**	**Frozen Embryos[f]**
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation (%)		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)		
Percentage of transfers resulting in singleton live births (%)		
Percentage of transfers resulting in twin live births (%)		
Percentage of transfers resulting in live births (%)		
Percentage of transfers resulting in pregnancies (%)		

CURRENT SERVICES & PROFILE

Current Name: University Reproductive Care, University of Washington

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE CENTER FOR REPRODUCTIVE HEALTH
SPOKANE, WASHINGTON

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Edwin Robins, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	95%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	11%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	11%	Male factor	71%	Female factors only	4%
Diminished ovarian reserve	24%	Other factor	10%	Female & male factors	33%
Endometriosis	5%	Unknown factor	12%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 332 (includes 28 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	83	15	3	0	0	0
Percentage of cancellations (%)	0.0	0 / 15	0 / 3			
Average number of embryos transferred	1.8	1.7	1.7			
Percentage of embryos transferred resulting in implantation (%)	46.5	38.5	3 / 5			
Percentage of elective single embryo transfers (eSET) (%)	12.5	0 / 11	0 / 2			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	33.7	5 / 15	3 / 3			
Percentage of cycles resulting in singleton live births (%)	38.6	6 / 15	3 / 3			
Percentage of cycles resulting in twin live births (%)	14.5	1 / 15	0 / 3			
Percentage of cycles resulting in live births (%)	53.0	7 / 15	3 / 3			
Percentage of cycles resulting in pregnancies (%)	61.4	8 / 15	3 / 3			
Outcomes per Transfer						
Number of transfers	83	15	3	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	33.7	5 / 15	3 / 3			
Percentage of transfers resulting in singleton live births (%)	38.6	6 / 15	3 / 3			
Percentage of transfers resulting in twin live births (%)	14.5	1 / 15	0 / 3			
Percentage of transfers resulting in live births (%)	53.0	7 / 15	3 / 3			
Percentage of transfers resulting in pregnancies (%)	61.4	8 / 15	3 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	56	28	16	2	0	0
Number of transfers	54	28	16	2	0	0
Estimated average number of transfers per retrieval	0.8	1.5	0.8	0.7	0.0	
Average number of embryos transferred	2.0	1.5	1.6	1.0		
Percentage of embryos transferred resulting in implantation (%)	39.6	44.2	52.0	1 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	25.9	32.1	3 / 16	1 / 2		
Percentage of transfers resulting in singleton live births (%)	25.9	39.3	5 / 16	1 / 2		
Percentage of transfers resulting in twin live births (%)	16.7	14.3	2 / 16	0 / 2		
Percentage of transfers resulting in live births (%)	44.4	53.6	7 / 16	1 / 2		
Percentage of transfers resulting in pregnancies (%)	55.6	53.6	10 / 16	1 / 2		
Number of Egg/Embryo Banking Cycles	51	16	19	3	1	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	3	8
Number of transfers	3	8
Average number of embryos transferred	2.0	1.9
Percentage of embryos transferred resulting in implantation (%)	3 / 6	2 / 14
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	3 / 3	2 / 8
Percentage of transfers resulting in singleton live births (%)	3 / 3	2 / 8
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 8
Percentage of transfers resulting in live births (%)	3 / 3	2 / 8
Percentage of transfers resulting in pregnancies (%)	3 / 3	3 / 8

CURRENT SERVICES & PROFILE

Current Name: The Center for Reproductive Health

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GYFT CLINIC, PLLC
TACOMA, WASHINGTON

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Robert Z. McLees, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	69%
Unstimulated	0%	Used PGD	4%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	13%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	13%	Male factor	39%	Female factors only	8%
Diminished ovarian reserve	22%	Other factor	6%	Female & male factors	8%
Endometriosis	5%	Unknown factor	14%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 64 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	28	9	6	8	0	1
Percentage of cancellations (%)	7.1	2 / 9	0 / 6	0 / 8		1 / 1
Average number of embryos transferred	2.2	3.3	3.3	3.4		
Percentage of embryos transferred resulting in implantation (%)	32.8	21.7	5.0	3.7		
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 7	0 / 6	0 / 7		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	10.7	0 / 9	1 / 6	0 / 8		0 / 1
Percentage of cycles resulting in singleton live births (%)	17.9	0 / 9	1 / 6	0 / 8		0 / 1
Percentage of cycles resulting in twin live births (%)	17.9	2 / 9	0 / 6	0 / 8		0 / 1
Percentage of cycles resulting in live births (%)	35.7	2 / 9	1 / 6	0 / 8		0 / 1
Percentage of cycles resulting in pregnancies (%)	39.3	2 / 9	1 / 6	1 / 8		0 / 1
Outcomes per Transfer						
Number of transfers	26	7	6	8	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	11.5	0 / 7	1 / 6	0 / 8		
Percentage of transfers resulting in singleton live births (%)	19.2	0 / 7	1 / 6	0 / 8		
Percentage of transfers resulting in twin live births (%)	19.2	2 / 7	0 / 6	0 / 8		
Percentage of transfers resulting in live births (%)	38.5	2 / 7	1 / 6	0 / 8		
Percentage of transfers resulting in pregnancies (%)	42.3	2 / 7	1 / 6	1 / 8		
Frozen Embryos from Nondonor Eggs						
Number of cycles	9	0	1	0	0	0
Number of transfers	9	0	1	0	0	0
Estimated average number of transfers per retrieval	4.5					
Average number of embryos transferred	2.2		3.0			
Percentage of embryos transferred resulting in implantation (%)	30.0		2 / 3			
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	3 / 9		0 / 1			
Percentage of transfers resulting in singleton live births (%)	4 / 9		0 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 9		1 / 1			
Percentage of transfers resulting in live births (%)	4 / 9		1 / 1			
Percentage of transfers resulting in pregnancies (%)	5 / 9		1 / 1			
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	2	0
Number of transfers	2	0
Average number of embryos transferred	2.5	
Percentage of embryos transferred resulting in implantation (%)	3 / 5	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 2	
Percentage of transfers resulting in singleton live births (%)	1 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 2	
Percentage of transfers resulting in live births (%)	1 / 2	
Percentage of transfers resulting in pregnancies (%)	2 / 2	

CURRENT SERVICES & PROFILE

Current Name: GYFT Clinic, PLLC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MADIGAN ARMY MEDICAL CENTER
TACOMA, WASHINGTON

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Greg E. Chow, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	50%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	31%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	13%	Male factor	27%	Female factors only	14%
Diminished ovarian reserve	32%	Other factor	11%	Female & male factors	14%
Endometriosis	7%	Unknown factor	9%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 155 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	59	20	22	17	3	0
Percentage of cancellations (%)	13.6	15.0	9.1	2 / 17	1 / 3	
Average number of embryos transferred	1.7	1.8	2.0	2.3	2.5	
Percentage of embryos transferred resulting in implantation (%)	32.6	26.7	16.7	3.6	1 / 5	
Percentage of elective single embryo transfers (eSET) (%)	30.6	1 / 12	0 / 14	0 / 9	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	27.1	10.0	0.0	1 / 17	0 / 3	
Percentage of cycles resulting in singleton live births (%)	28.8	15.0	4.5	1 / 17	1 / 3	
Percentage of cycles resulting in twin live births (%)	8.5	10.0	9.1	0 / 17	0 / 3	
Percentage of cycles resulting in live births (%)	37.3	25.0	13.6	1 / 17	1 / 3	
Percentage of cycles resulting in pregnancies (%)	40.7	30.0	18.2	1 / 17	1 / 3	
Outcomes per Transfer						
Number of transfers	51	17	18	12	2	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	31.4	2 / 17	0 / 18	1 / 12	0 / 2	
Percentage of transfers resulting in singleton live births (%)	33.3	3 / 17	1 / 18	1 / 12	1 / 2	
Percentage of transfers resulting in twin live births (%)	9.8	2 / 17	2 / 18	0 / 12	0 / 2	
Percentage of transfers resulting in live births (%)	43.1	5 / 17	3 / 18	1 / 12	1 / 2	
Percentage of transfers resulting in pregnancies (%)	47.1	6 / 17	4 / 18	1 / 12	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	21	6	2	3	2	0
Number of transfers	21	6	2	3	2	0
Estimated average number of transfers per retrieval	3.5	2.0	2.0	1.0		
Average number of embryos transferred	1.9	2.2	2.0	2.3	2.0	
Percentage of embryos transferred resulting in implantation (%)	31.6	3 / 12	1 / 4	1 / 7	1 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	14.3	1 / 6	1 / 2	1 / 3	1 / 2	
Percentage of transfers resulting in singleton live births (%)	23.8	1 / 6	1 / 2	1 / 3	1 / 2	
Percentage of transfers resulting in twin live births (%)	4.8	1 / 6	0 / 2	0 / 3	0 / 2	
Percentage of transfers resulting in live births (%)	33.3	2 / 6	1 / 2	1 / 3	1 / 2	
Percentage of transfers resulting in pregnancies (%)	42.9	3 / 6	1 / 2	1 / 3	1 / 2	
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation (%)		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)		
Percentage of transfers resulting in singleton live births (%)		
Percentage of transfers resulting in twin live births (%)		
Percentage of transfers resulting in live births (%)		
Percentage of transfers resulting in pregnancies (%)		

CURRENT SERVICES & PROFILE

Current Name: Madigan Army Medical Center

Donor eggs?	Yes	Gestational carriers?	No	Single women?	No	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WEST VIRGINIA UNIVERSITY FERTILITY CENTER
CHARLESTON, WEST VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Pickens A. Gantt, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	89%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	24%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	8%	Male factor	19%	Female factors only	0%
Diminished ovarian reserve	27%	Other factor	0%	Female & male factors	0%
Endometriosis	3%	Unknown factor	16%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 37 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	13	6	5	1	3	0
Percentage of cancellations (%)	2 / 13	0 / 6	0 / 5	0 / 1	0 / 3	
Average number of embryos transferred	2.3	2.2	2.0	3.0	2.7	
Percentage of embryos transferred resulting in implantation (%)	26.1	2 / 11	2 / 10	0 / 3	1 / 8	
Percentage of elective single embryo transfers (eSET) (%)	0 / 10	0 / 4	0 / 4	0 / 1	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	2 / 13	1 / 6	1 / 5	0 / 1	0 / 3	
Percentage of cycles resulting in singleton live births (%)	3 / 13	2 / 6	2 / 5	0 / 1	1 / 3	
Percentage of cycles resulting in twin live births (%)	1 / 13	0 / 6	0 / 5	0 / 1	0 / 3	
Percentage of cycles resulting in live births (%)	4 / 13	2 / 6	2 / 5	0 / 1	1 / 3	
Percentage of cycles resulting in pregnancies (%)	5 / 13	2 / 6	2 / 5	0 / 1	1 / 3	
Outcomes per Transfer						
Number of transfers	10	5	5	1	3	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 10	1 / 5	1 / 5	0 / 1	0 / 3	
Percentage of transfers resulting in singleton live births (%)	3 / 10	2 / 5	2 / 5	0 / 1	1 / 3	
Percentage of transfers resulting in twin live births (%)	1 / 10	0 / 5	0 / 5	0 / 1	0 / 3	
Percentage of transfers resulting in live births (%)	4 / 10	2 / 5	2 / 5	0 / 1	1 / 3	
Percentage of transfers resulting in pregnancies (%)	5 / 10	2 / 5	2 / 5	0 / 1	1 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	3	0	0	0	0
Number of transfers	4	2	0	0	0	0
Estimated average number of transfers per retrieval	4.0	2.0				
Average number of embryos transferred	2.5	3.0				
Percentage of embryos transferred resulting in implantation (%)	2 / 10	2 / 6				
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 4	0 / 2				
Percentage of transfers resulting in singleton live births (%)	1 / 4	0 / 2				
Percentage of transfers resulting in twin live births (%)	0 / 4	1 / 2				
Percentage of transfers resulting in live births (%)	1 / 4	1 / 2				
Percentage of transfers resulting in pregnancies (%)	2 / 4	1 / 2				
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	1	1
Number of transfers	1	1
Average number of embryos transferred	3.0	2.0
Percentage of embryos transferred resulting in implantation (%)	2 / 3	1 / 2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 1	1 / 1
Percentage of transfers resulting in singleton live births (%)	0 / 1	1 / 1
Percentage of transfers resulting in twin live births (%)	1 / 1	0 / 1
Percentage of transfers resulting in live births (%)	1 / 1	1 / 1
Percentage of transfers resulting in pregnancies (%)	1 / 1	1 / 1

CURRENT SERVICES & PROFILE

Current Name: West Virginia University Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CABELL HUNTINGTON HOSPITAL
CENTER FOR ADVANCED REPRODUCTIVE MEDICINE
HUNTINGTON, WEST VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by William N. Burns, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	67%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	4%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	24%	Male factor	16%	Female factors only	12%
Diminished ovarian reserve	4%	Other factor	44%	Female & male factors	4%
Endometriosis	24%	Unknown factor	0%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 25 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	10	5	6	0	0	0
Percentage of cancellations (%)	0 / 10	0 / 5	0 / 6			
Average number of embryos transferred	2.4	2.8	2.4			
Percentage of embryos transferred resulting in implantation (%)	12.5	3 / 11	3 / 12			
Percentage of elective single embryo transfers (eSET) (%)	1 / 10	0 / 3	0 / 3			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	3 / 10	3 / 5	0 / 6			
Percentage of cycles resulting in singleton live births (%)	3 / 10	3 / 5	2 / 6			
Percentage of cycles resulting in twin live births (%)	0 / 10	0 / 5	0 / 6			
Percentage of cycles resulting in live births (%)	3 / 10	3 / 5	2 / 6			
Percentage of cycles resulting in pregnancies (%)	3 / 10	3 / 5	2 / 6			
Outcomes per Transfer						
Number of transfers	10	4	5	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	3 / 10	3 / 4	0 / 5			
Percentage of transfers resulting in singleton live births (%)	3 / 10	3 / 4	2 / 5			
Percentage of transfers resulting in twin live births (%)	0 / 10	0 / 4	0 / 5			
Percentage of transfers resulting in live births (%)	3 / 10	3 / 4	2 / 5			
Percentage of transfers resulting in pregnancies (%)	3 / 10	3 / 4	2 / 5			
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	1	0	1	0	0
Number of transfers	2	1	0	1	0	0
Estimated average number of transfers per retrieval	2.0					
Average number of embryos transferred	1.5	1.0		1.0		
Percentage of embryos transferred resulting in implantation (%)	3 / 3	0 / 1		0 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 2	0 / 1		0 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 2	0 / 1		0 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 2	0 / 1		0 / 1		
Percentage of transfers resulting in live births (%)	2 / 2	0 / 1		0 / 1		
Percentage of transfers resulting in pregnancies (%)	2 / 2	0 / 1		0 / 1		
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation (%)		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)		
Percentage of transfers resulting in singleton live births (%)		
Percentage of transfers resulting in twin live births (%)		
Percentage of transfers resulting in live births (%)		
Percentage of transfers resulting in pregnancies (%)		

CURRENT SERVICES & PROFILE

Current Name: Cabell Huntington Hospital, Center for Advanced Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WEST VIRGINIA UNIVERSITY CENTER FOR REPRODUCTIVE MEDICINE
MORGANTOWN, WEST VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Roger C. Toffle, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	57%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	32%	Uterine factor	10%	*Multiple Factors:*	
Ovulatory dysfunction	17%	Male factor	62%	Female factors only	18%
Diminished ovarian reserve	17%	Other factor	28%	Female & male factors	47%
Endometriosis	18%	Unknown factor	3%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 60 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	33	6	5	3	0	0
Percentage of cancellations (%)	18.2	1 / 6	1 / 5	0 / 3		
Average number of embryos transferred	2.2	2.0	2.3	1.0		
Percentage of embryos transferred resulting in implantation (%)	18.8	2 / 8	0 / 7	0 / 1		
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 4	0 / 2			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	15.2	0 / 6	0 / 5	0 / 3		
Percentage of cycles resulting in singleton live births (%)	21.2	0 / 6	0 / 5	0 / 3		
Percentage of cycles resulting in twin live births (%)	3.0	1 / 6	0 / 5	0 / 3		
Percentage of cycles resulting in live births (%)	24.2	1 / 6	0 / 5	0 / 3		
Percentage of cycles resulting in pregnancies (%)	24.2	1 / 6	0 / 5	0 / 3		
Outcomes per Transfer						
Number of transfers	22	4	3	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	22.7	0 / 4	0 / 3	0 / 1		
Percentage of transfers resulting in singleton live births (%)	31.8	0 / 4	0 / 3	0 / 1		
Percentage of transfers resulting in twin live births (%)	4.5	1 / 4	0 / 3	0 / 1		
Percentage of transfers resulting in live births (%)	36.4	1 / 4	0 / 3	0 / 1		
Percentage of transfers resulting in pregnancies (%)	36.4	1 / 4	0 / 3	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	8	5	0	0	0	0
Number of transfers	7	4	0	0	0	0
Estimated average number of transfers per retrieval	1.4	4.0				
Average number of embryos transferred	1.9	1.0				
Percentage of embryos transferred resulting in implantation (%)	0 / 13	0 / 4				
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 7	0 / 4				
Percentage of transfers resulting in singleton live births (%)	0 / 7	0 / 4				
Percentage of transfers resulting in twin live births (%)	0 / 7	0 / 4				
Percentage of transfers resulting in live births (%)	0 / 7	0 / 4				
Percentage of transfers resulting in pregnancies (%)	0 / 7	0 / 4				
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation (%)		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)		
Percentage of transfers resulting in singleton live births (%)		
Percentage of transfers resulting in twin live births (%)		
Percentage of transfers resulting in live births (%)		
Percentage of transfers resulting in pregnancies (%)		

CURRENT SERVICES & PROFILE

Current Name: West Virginia University Center for Reproductive Medicine

Donor eggs?	No	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

AURORA HEALTH CARE-AURORA FERTILITY SERVICES
THE WOMEN'S CENTER AT AURORA BAYCARE MEDICAL CENTER
GREEN BAY, WISCONSIN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Aida Shanti, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	91%
Unstimulated	0%	Used PGD	5%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	19%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	28%	Male factor	83%	Female factors only	9%
Diminished ovarian reserve	13%	Other factor	22%	Female & male factors	47%
Endometriosis	8%	Unknown factor	<1%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 127 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	42	17	5	3	0	0
Percentage of cancellations (%)	4.8	2 / 17	0 / 5	0 / 3		
Average number of embryos transferred	1.9	1.9	2.0	1.0		
Percentage of embryos transferred resulting in implantation (%)	30.4	22.2	0 / 4	0 / 1		
Percentage of elective single embryo transfers (eSET) (%)	2.9	1 / 14	0 / 2			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	21.4	3 / 17	0 / 5	0 / 3		
Percentage of cycles resulting in singleton live births (%)	23.8	3 / 17	0 / 5	0 / 3		
Percentage of cycles resulting in twin live births (%)	7.1	1 / 17	0 / 5	0 / 3		
Percentage of cycles resulting in live births (%)	33.3	4 / 17	0 / 5	0 / 3		
Percentage of cycles resulting in pregnancies (%)	38.1	5 / 17	0 / 5	0 / 3		
Outcomes per Transfer						
Number of transfers	37	14	2	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	24.3	3 / 14	0 / 2	0 / 1		
Percentage of transfers resulting in singleton live births (%)	27.0	3 / 14	0 / 2	0 / 1		
Percentage of transfers resulting in twin live births (%)	8.1	1 / 14	0 / 2	0 / 1		
Percentage of transfers resulting in live births (%)	37.8	4 / 14	0 / 2	0 / 1		
Percentage of transfers resulting in pregnancies (%)	43.2	5 / 14	0 / 2	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	28	17	4	1	2	0
Number of transfers	27	16	4	1	2	0
Estimated average number of transfers per retrieval	2.7	2.7	4.0	0.5		
Average number of embryos transferred	1.9	1.8	1.5	1.0	1.5	
Percentage of embryos transferred resulting in implantation (%)	32.7	32.1	1 / 6	0 / 1	1 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	25.9	5 / 16	0 / 4	0 / 1	1 / 2	
Percentage of transfers resulting in singleton live births (%)	29.6	8 / 16	1 / 4	0 / 1	1 / 2	
Percentage of transfers resulting in twin live births (%)	11.1	0 / 16	0 / 4	0 / 1	0 / 2	
Percentage of transfers resulting in live births (%)	40.7	8 / 16	1 / 4	0 / 1	1 / 2	
Percentage of transfers resulting in pregnancies (%)	48.1	9 / 16	1 / 4	0 / 1	1 / 2	
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	4	4
Number of transfers	4	4
Average number of embryos transferred	2.0	2.3
Percentage of embryos transferred resulting in implantation (%)	5 / 8	4 / 9
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	3 / 4	1 / 4
Percentage of transfers resulting in singleton live births (%)	3 / 4	1 / 4
Percentage of transfers resulting in twin live births (%)	1 / 4	0 / 4
Percentage of transfers resulting in live births (%)	4 / 4	2 / 4
Percentage of transfers resulting in pregnancies (%)	4 / 4	2 / 4

CURRENT SERVICES & PROFILE

Current Name: This clinic has closed or reorganized since 2013. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF WISCONSIN-GENERATIONS FERTILITY CARE
MIDDLETON, WISCONSIN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Dan I. Lebovic, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	49%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	17%	Uterine factor	6%	*Multiple Factors:*	
Ovulatory dysfunction	22%	Male factor	51%	Female factors only	14%
Diminished ovarian reserve	23%	Other factor	2%	Female & male factors	25%
Endometriosis	12%	Unknown factor	12%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 194 (includes 11 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	76	28	16	0	0	0
Percentage of cancellations (%)	6.6	7.1	3 / 16			
Average number of embryos transferred	1.4	1.5	1.6			
Percentage of embryos transferred resulting in implantation (%)	53.6	51.7	6 / 19			
Percentage of elective single embryo transfers (eSET) (%)	59.6	8 / 17	2 / 10			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	38.2	39.3	4 / 16			
Percentage of cycles resulting in singleton live births (%)	43.4	39.3	4 / 16			
Percentage of cycles resulting in twin live births (%)	5.3	3.6	1 / 16			
Percentage of cycles resulting in live births (%)	48.7	42.9	5 / 16			
Percentage of cycles resulting in pregnancies (%)	57.9	50.0	6 / 16			
Outcomes per Transfer						
Number of transfers	64	20	13	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	45.3	55.0	4 / 13			
Percentage of transfers resulting in singleton live births (%)	51.6	55.0	4 / 13			
Percentage of transfers resulting in twin live births (%)	6.3	5.0	1 / 13			
Percentage of transfers resulting in live births (%)	57.8	60.0	5 / 13			
Percentage of transfers resulting in pregnancies (%)	68.8	70.0	6 / 13			
Frozen Embryos from Nondonor Eggs						
Number of cycles	32	12	6	2	1	0
Number of transfers	31	11	5	2	1	0
Estimated average number of transfers per retrieval	1.9	1.8	1.3			
Average number of embryos transferred	1.6	1.8	1.6	1.5	1.0	
Percentage of embryos transferred resulting in implantation (%)	46.8	5 / 17	3 / 6	0 / 3	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	22.6	4 / 11	1 / 5	0 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)	22.6	4 / 11	1 / 5	0 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)	22.6	0 / 11	1 / 5	0 / 2	0 / 1	
Percentage of transfers resulting in live births (%)	45.2	4 / 11	2 / 5	0 / 2	0 / 1	
Percentage of transfers resulting in pregnancies (%)	51.6	6 / 11	3 / 5	0 / 2	0 / 1	
Number of Egg/Embryo Banking Cycles	4	2	1	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	1	2
Number of transfers	1	2
Average number of embryos transferred	1.0	1.0
Percentage of embryos transferred resulting in implantation (%)	1 / 1	1 / 2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 1	1 / 2
Percentage of transfers resulting in singleton live births (%)	1 / 1	1 / 2
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 2
Percentage of transfers resulting in live births (%)	1 / 1	1 / 2
Percentage of transfers resulting in pregnancies (%)	1 / 1	1 / 2

CURRENT SERVICES & PROFILE

Current Name: University of Wisconsin-Generations Fertility Care

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WISCONSIN FERTILITY INSTITUTE
MIDDLETON, WISCONSIN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by David L. Olive, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	78%
Unstimulated	0%	Used PGD	7%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	7%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	14%	Male factor	18%	Female factors only	6%
Diminished ovarian reserve	44%	Other factor	6%	Female & male factors	6%
Endometriosis	5%	Unknown factor	16%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 266 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	27	9	6	3	0	0
Percentage of cancellations (%)	3.7	1 / 9	0 / 6	2 / 3		
Average number of embryos transferred	2.1	2.3	2.8	3.0		
Percentage of embryos transferred resulting in implantation (%)	28.0	2 / 16	2 / 17			
Percentage of elective single embryo transfers (eSET) (%)	4.3	0 / 6	0 / 5	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	11.1	0 / 9	0 / 6	0 / 3		
Percentage of cycles resulting in singleton live births (%)	14.8	0 / 9	0 / 6	0 / 3		
Percentage of cycles resulting in twin live births (%)	18.5	1 / 9	1 / 6	0 / 3		
Percentage of cycles resulting in live births (%)	33.3	1 / 9	1 / 6	0 / 3		
Percentage of cycles resulting in pregnancies (%)	40.7	1 / 9	1 / 6	1 / 3		
Outcomes per Transfer						
Number of transfers	26	7	6	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	11.5	0 / 7	0 / 6	0 / 1		
Percentage of transfers resulting in singleton live births (%)	15.4	0 / 7	0 / 6	0 / 1		
Percentage of transfers resulting in twin live births (%)	19.2	1 / 7	1 / 6	0 / 1		
Percentage of transfers resulting in live births (%)	34.6	1 / 7	1 / 6	0 / 1		
Percentage of transfers resulting in pregnancies (%)	42.3	1 / 7	1 / 6	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	77	19	8	5	0	0
Number of transfers	73	18	8	5	0	0
Estimated average number of transfers per retrieval	1.8	1.4	1.3	5.0	0.0	0.0
Average number of embryos transferred	2.1	2.1	1.8	2.2		
Percentage of embryos transferred resulting in implantation (%)	18.1	18.9	0 / 14	3 / 11		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	19.2	4 / 18	0 / 8	0 / 5		
Percentage of transfers resulting in singleton live births (%)	20.5	5 / 18	0 / 8	0 / 5		
Percentage of transfers resulting in twin live births (%)	2.7	1 / 18	0 / 8	0 / 5		
Percentage of transfers resulting in live births (%)	23.3	6 / 18	0 / 8	0 / 5		
Percentage of transfers resulting in pregnancies (%)	32.9	7 / 18	0 / 8	1 / 5		
Number of Egg/Embryo Banking Cycles	34	10	5	1	2	1

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	24	35
Number of transfers	23	34
Average number of embryos transferred	2.0	2.2
Percentage of embryos transferred resulting in implantation (%)	52.3	23.9
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	8.7	14.7
Percentage of transfers resulting in singleton live births (%)	17.4	20.6
Percentage of transfers resulting in twin live births (%)	34.8	8.8
Percentage of transfers resulting in live births (%)	52.2	29.4
Percentage of transfers resulting in pregnancies (%)	65.2	44.1

CURRENT SERVICES & PROFILE

Current Name: Wisconsin Fertility Institute

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FROEDTERT & MEDICAL COLLEGE OF WISCONSIN
REPRODUCTIVE MEDICINE CENTER
MILWAUKEE, WISCONSIN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Estil Strawn, Jr., MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	93%
Unstimulated	0%	Used PGD	<1%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	7%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	18%	Male factor	46%	Female factors only	6%
Diminished ovarian reserve	38%	Other factor	<1%	Female & male factors	19%
Endometriosis	8%	Unknown factor	10%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 391 (includes 17 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	85	42	26	5	2	0
Percentage of cancellations (%)	2.4	7.1	11.5	1 / 5	1 / 2	
Average number of embryos transferred	1.4	1.7	2.1	2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	38.6	25.0	14.3	1 / 8	0 / 2	
Percentage of elective single embryo transfers (eSET) (%)	56.5	30.3	1 / 18	0 / 3	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	21.2	16.7	11.5	1 / 5	0 / 2	
Percentage of cycles resulting in singleton live births (%)	30.6	19.0	15.4	1 / 5	0 / 2	
Percentage of cycles resulting in twin live births (%)	5.9	2.4	0.0	0 / 5	0 / 2	
Percentage of cycles resulting in live births (%)	36.5	21.4	15.4	1 / 5	0 / 2	
Percentage of cycles resulting in pregnancies (%)	37.6	28.6	19.2	1 / 5	0 / 2	
Outcomes per Transfer						
Number of transfers	72	35	20	4	1	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	25.0	20.0	15.0	1 / 4	0 / 1	
Percentage of transfers resulting in singleton live births (%)	36.1	22.9	20.0	1 / 4	0 / 1	
Percentage of transfers resulting in twin live births (%)	6.9	2.9	0.0	0 / 4	0 / 1	
Percentage of transfers resulting in live births (%)	43.1	25.7	20.0	1 / 4	0 / 1	
Percentage of transfers resulting in pregnancies (%)	44.4	34.3	25.0	1 / 4	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	82	48	13	1	2	0
Number of transfers	77	43	11	1	2	0
Estimated average number of transfers per retrieval	2.2	3.1	1.2			0.0
Average number of embryos transferred	1.5	1.4	1.6	2.0	1.5	
Percentage of embryos transferred resulting in implantation (%)	34.5	26.7	5 / 18	0 / 2	0 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	26.0	23.3	3 / 11	0 / 1	0 / 2	
Percentage of transfers resulting in singleton live births (%)	32.5	25.6	4 / 11	0 / 1	0 / 2	
Percentage of transfers resulting in twin live births (%)	6.5	4.7	0 / 11	0 / 1	0 / 2	
Percentage of transfers resulting in live births (%)	39.0	30.2	4 / 11	0 / 1	0 / 2	
Percentage of transfers resulting in pregnancies (%)	41.6	32.6	4 / 11	0 / 1	0 / 2	
Number of Egg/Embryo Banking Cycles	12	0	1	0	0	1

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	13	41
Number of transfers	10	34
Average number of embryos transferred	1.5	1.4
Percentage of embryos transferred resulting in implantation (%)	4 / 15	23.9
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 10	20.6
Percentage of transfers resulting in singleton live births (%)	2 / 10	23.5
Percentage of transfers resulting in twin live births (%)	1 / 10	2.9
Percentage of transfers resulting in live births (%)	3 / 10	26.5
Percentage of transfers resulting in pregnancies (%)	3 / 10	29.4

CURRENT SERVICES & PROFILE

Current Name: Froedtert & Medical College of Wisconsin, Reproductive Medicine Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE SPECIALTY CENTER
MILWAUKEE, WISCONSIN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Grace M. Janik, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	75%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	18%	Uterine factor	9%	*Multiple Factors:*	
Ovulatory dysfunction	3%	Male factor	77%	Female factors only	3%
Diminished ovarian reserve	21%	Other factor	0%	Female & male factors	35%
Endometriosis	27%	Unknown factor	3%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 35 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	9	7	7	1	0	0
Percentage of cancellations (%)	0 / 9	0 / 7	0 / 7	0 / 1		
Average number of embryos transferred	1.8	2.3	1.7	3.0		
Percentage of embryos transferred resulting in implantation (%)	6 / 16	3 / 14	3 / 12	1 / 3		
Percentage of elective single embryo transfers (eSET) (%)	2 / 8	0 / 7	2 / 6	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	4 / 9	1 / 7	1 / 7	1 / 1		
Percentage of cycles resulting in singleton live births (%)	4 / 9	1 / 7	1 / 7	1 / 1		
Percentage of cycles resulting in twin live births (%)	1 / 9	1 / 7	1 / 7	0 / 1		
Percentage of cycles resulting in live births (%)	5 / 9	2 / 7	2 / 7	1 / 1		
Percentage of cycles resulting in pregnancies (%)	5 / 9	3 / 7	2 / 7	1 / 1		
Outcomes per Transfer						
Number of transfers	9	7	7	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	4 / 9	1 / 7	1 / 7	1 / 1		
Percentage of transfers resulting in singleton live births (%)	4 / 9	1 / 7	1 / 7	1 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 9	1 / 7	1 / 7	0 / 1		
Percentage of transfers resulting in live births (%)	5 / 9	2 / 7	2 / 7	1 / 1		
Percentage of transfers resulting in pregnancies (%)	5 / 9	3 / 7	2 / 7	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	3	1	3	1	1	0
Number of transfers	3	1	3	1	1	0
Estimated average number of transfers per retrieval		0.3	3.0	1.0		
Average number of embryos transferred	2.0	2.0	1.3	2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	2 / 6		5 / 4	0 / 2	0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 3	0 / 1	1 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	2 / 3	0 / 1	2 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 1	0 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	2 / 3	0 / 1	2 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	2 / 3	1 / 1	3 / 3	0 / 1	0 / 1	
Number of Egg/Embryo Banking Cycles	0	1	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	1	0
Number of transfers	1	0
Average number of embryos transferred	2.0	
Percentage of embryos transferred resulting in implantation (%)	1 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 1	
Percentage of transfers resulting in live births (%)	1 / 1	
Percentage of transfers resulting in pregnancies (%)	1 / 1	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Specialty Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GUNDERSEN FERTILITY CENTER
ONALASKA, WISCONSIN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Sana Salih, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	100%
Unstimulated	0%	Used PGD	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	24%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	32%	Male factor	35%	Female factors only	29%
Diminished ovarian reserve	35%	Other factor	9%	Female & male factors	27%
Endometriosis	35%	Unknown factor	3%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 34 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	8	2	4	1	1	0
Percentage of cancellations (%)	0 / 8	0 / 2	0 / 4	0 / 1	0 / 1	
Average number of embryos transferred	1.4	1.0	2.0	3.0		
Percentage of embryos transferred resulting in implantation (%)	9 / 10	1 / 2	0 / 6	0 / 3		
Percentage of elective single embryo transfers (eSET) (%)	3 / 6	2 / 2	0 / 3	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	3 / 8	1 / 2	0 / 4	0 / 1	0 / 1	
Percentage of cycles resulting in singleton live births (%)	3 / 8	1 / 2	0 / 4	0 / 1	0 / 1	
Percentage of cycles resulting in twin live births (%)	3 / 8	0 / 2	0 / 4	0 / 1	0 / 1	
Percentage of cycles resulting in live births (%)	6 / 8	1 / 2	0 / 4	0 / 1	0 / 1	
Percentage of cycles resulting in pregnancies (%)	6 / 8	1 / 2	0 / 4	0 / 1	0 / 1	
Outcomes per Transfer						
Number of transfers	7	2	3	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	3 / 7	1 / 2	0 / 3	0 / 1		
Percentage of transfers resulting in singleton live births (%)	3 / 7	1 / 2	0 / 3	0 / 1		
Percentage of transfers resulting in twin live births (%)	3 / 7	0 / 2	0 / 3	0 / 1		
Percentage of transfers resulting in live births (%)	6 / 7	1 / 2	0 / 3	0 / 1		
Percentage of transfers resulting in pregnancies (%)	6 / 7	1 / 2	0 / 3	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	6	1	0	0	0
Number of transfers	6	5	1	0	0	0
Estimated average number of transfers per retrieval	6.0	5.0				
Average number of embryos transferred	1.7	2.2	2.0			
Percentage of embryos transferred resulting in implantation (%)	3 / 10	3 / 11	0 / 2			
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	3 / 6	1 / 5	0 / 1			
Percentage of transfers resulting in singleton live births (%)	3 / 6	2 / 5	0 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 6	0 / 5	0 / 1			
Percentage of transfers resulting in live births (%)	3 / 6	2 / 5	0 / 1			
Percentage of transfers resulting in pregnancies (%)	3 / 6	2 / 5	0 / 1			
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	1	4
Number of transfers	1	4
Average number of embryos transferred	1.0	1.5
Percentage of embryos transferred resulting in implantation (%)	1 / 1	3 / 6
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 1	1 / 4
Percentage of transfers resulting in singleton live births (%)	0 / 1	1 / 4
Percentage of transfers resulting in twin live births (%)	0 / 1	1 / 4
Percentage of transfers resulting in live births (%)	0 / 1	2 / 4
Percentage of transfers resulting in pregnancies (%)	1 / 1	2 / 4

CURRENT SERVICES & PROFILE

Current Name: Gundersen Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

AURORA HEALTH CARE-AURORA FERTILITY SERVICES, WEST ALLIS
WEST ALLIS, WISCONSIN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE

Data verified by Aida Shanti, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	98%
Unstimulated	0%	Used PGD	11%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	13%	Uterine factor	7%	*Multiple Factors:*	
Ovulatory dysfunction	15%	Male factor	69%	Female factors only	5%
Diminished ovarian reserve	43%	Other factor	24%	Female & male factors	54%
Endometriosis	3%	Unknown factor	8%		

2013 ART SUCCESS RATES[c]

Total number of cycles[d]: 164 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	52	26	13	5	6	0
Percentage of cancellations (%)	0.0	7.7	0 / 13	0 / 5	0 / 6	
Average number of embryos transferred	1.9	1.9	2.4	2.3	2.5	
Percentage of embryos transferred resulting in implantation (%)	48.8	24.2	30.8	1 / 7	2 / 10	
Percentage of elective single embryo transfers (eSET) (%)	2.4	0 / 15	0 / 11	0 / 3	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	32.7	15.4	3 / 13	0 / 5	1 / 6	
Percentage of cycles resulting in singleton live births (%)	36.5	15.4	5 / 13	0 / 5	1 / 6	
Percentage of cycles resulting in twin live births (%)	17.3	7.7	1 / 13	0 / 5	0 / 6	
Percentage of cycles resulting in live births (%)	53.8	23.1	6 / 13	0 / 5	1 / 6	
Percentage of cycles resulting in pregnancies (%)	59.6	23.1	6 / 13	1 / 5	2 / 6	
Outcomes per Transfer						
Number of transfers	45	17	11	3	4	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	37.8	4 / 17	3 / 11	0 / 3	1 / 4	
Percentage of transfers resulting in singleton live births (%)	42.2	4 / 17	5 / 11	0 / 3	1 / 4	
Percentage of transfers resulting in twin live births (%)	20.0	2 / 17	1 / 11	0 / 3	0 / 4	
Percentage of transfers resulting in live births (%)	62.2	6 / 17	6 / 11	0 / 3	1 / 4	
Percentage of transfers resulting in pregnancies (%)	68.9	6 / 17	6 / 11	1 / 3	2 / 4	
Frozen Embryos from Nondonor Eggs						
Number of cycles	27	8	7	3	1	0
Number of transfers	26	8	6	3	1	0
Estimated average number of transfers per retrieval	2.4	1.1	2.0	1.5	0.5	
Average number of embryos transferred	1.8	1.8	1.7	2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	52.2	9 / 14	1 / 10	0 / 6	0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	23.1	4 / 8	1 / 6	0 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	26.9	6 / 8	1 / 6	0 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	26.9	1 / 8	0 / 6	0 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	53.8	7 / 8	1 / 6	0 / 3	0 / 1	
Percentage of transfers resulting in pregnancies (%)	61.5	7 / 8	1 / 6	0 / 3	0 / 1	
Number of Egg/Embryo Banking Cycles	1	2	1	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	7	5
Number of transfers	6	5
Average number of embryos transferred	2.0	2.2
Percentage of embryos transferred resulting in implantation (%)	8 / 12	5 / 11
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 6	0 / 5
Percentage of transfers resulting in singleton live births (%)	2 / 6	1 / 5
Percentage of transfers resulting in twin live births (%)	3 / 6	2 / 5
Percentage of transfers resulting in live births (%)	5 / 6	3 / 5
Percentage of transfers resulting in pregnancies (%)	5 / 6	3 / 5

CURRENT SERVICES & PROFILE

Current Name: This clinic has closed or reorganized since 2013. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

[a] Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.