

# 2014

## Fertility Clinic Tables

ALABAMA-HAWAII



# ALABAMA FERTILITY SPECIALISTS BIRMINGHAM, ALABAMA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Michael P. Steinkampf, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	50%	Tubal factor	38%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 24% Female & male factors 38%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	26%	Male factor	46%	
Used gestational carrier	0%			Diminished ovarian reserve	18%	Other factor	13%	
				Endometriosis	31%	Unknown factor	4%	

2014 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 81 (includes 1 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		28	16	4	4	0	0
Percentage of cancellations before retrieval (%)		10.7	4 / 16	1 / 4	2 / 4		
Average number of embryos transferred		2.1	2.7	3.0	5.0		
Percentage of embryos transferred resulting in implantation (%)		26.9	21.9	1 / 6	0 / 5		
Percentage of elective single embryo transfers (eSET) (%)		4.0	0 / 12	0 / 3	0 / 1		
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		14.3	1 / 16	1 / 4	0 / 4		
Percentage of cycles resulting in singleton live births (%)		21.4	2 / 16	1 / 4	0 / 4		
Percentage of cycles resulting in twin live births (%)		14.3	2 / 16	0 / 4	0 / 4		
Percentage of cycles resulting in live births (%)		35.7	4 / 16	1 / 4	0 / 4		
Percentage of cycles resulting in pregnancies (%)		35.7	5 / 16	2 / 4	0 / 4		
<b>Outcomes per Transfer</b>							
Number of transfers		25	12	3	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		16.0	1 / 12	1 / 3	0 / 1		
Percentage of transfers resulting in singleton live births (%)		24.0	2 / 12	1 / 3	0 / 1		
Percentage of transfers resulting in twin live births (%)		16.0	2 / 12	0 / 3	0 / 1		
Percentage of transfers resulting in live births (%)		40.0	4 / 12	1 / 3	0 / 1		
Percentage of transfers resulting in pregnancies (%)		40.0	5 / 12	2 / 3	0 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		19	3	1	0	0	0
Number of transfers		18	3	1	0	0	0
Estimated average number of transfers per retrieval		3.0	3.0				
Average number of embryos transferred		2.0	2.0	4.0			
Percentage of embryos transferred resulting in implantation (%)		8.6	1 / 4	1 / 4			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 18	0 / 3	1 / 1			
Percentage of transfers resulting in singleton live births (%)		2 / 18	1 / 3	1 / 1			
Percentage of transfers resulting in twin live births (%)		0 / 18	0 / 3	0 / 1			
Percentage of transfers resulting in live births (%)		2 / 18	1 / 3	1 / 1			
Percentage of transfers resulting in pregnancies (%)		4 / 18	2 / 3	1 / 1			
<b>Number of Egg/Embryo Banking Cycles</b>							
		0	0	0	0	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		2			3		
Number of transfers		2			3		
Average number of embryos transferred		1.5			1.3		
Percentage of embryos transferred resulting in implantation (%)		0 / 1			1 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0 / 2			0 / 3		
Percentage of transfers resulting in singleton live births (%)		0 / 2			1 / 3		
Percentage of transfers resulting in twin live births (%)		0 / 2			0 / 3		
Percentage of transfers resulting in live births (%)		0 / 2			1 / 3		
Percentage of transfers resulting in pregnancies (%)		1 / 2			2 / 3		

CURRENT SERVICES & PROFILE		Current Name: Alabama Fertility Specialists					
Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# ART FERTILITY PROGRAM OF ALABAMA BIRMINGHAM, ALABAMA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Virginia L. Houserman, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	80%	Tubal factor	29%	Uterine factor	6%	<i>Multiple Factors:</i> Female factors only 24% Female & male factors 51%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	9%	Male factor	60%	
Used gestational carrier	<1%			Diminished ovarian reserve	15%	Other factor	65%	
				Endometriosis	34%	Unknown factor	<1%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 449 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	158	46	30	13	7	0
Percentage of cancellations before retrieval (%)	9.5	6.5	10.0	4 / 13	1 / 7	
Average number of embryos transferred	1.9	1.9	2.6	2.7	3.0	
Percentage of embryos transferred resulting in implantation (%)	27.7	30.4	21.0	2 / 19	1 / 12	
Percentage of elective single embryo transfers (eSET) (%)	11.5	6.5	0.0	0 / 6	0 / 3	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	15.8	17.4	23.3	0 / 13	1 / 7	
Percentage of cycles resulting in singleton live births (%)	19.0	23.9	26.7	0 / 13	1 / 7	
Percentage of cycles resulting in twin live births (%)	4.4	2.2	6.7	0 / 13	0 / 7	
Percentage of cycles resulting in live births (%)	23.4	26.1	33.3	0 / 13	1 / 7	
Percentage of cycles resulting in pregnancies (%)	30.4	34.8	33.3	2 / 13	1 / 7	
<b>Outcomes per Transfer</b>						
Number of transfers	106	36	24	7	4	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	23.6	22.2	29.2	0 / 7	1 / 4	
Percentage of transfers resulting in singleton live births (%)	28.3	30.6	33.3	0 / 7	1 / 4	
Percentage of transfers resulting in twin live births (%)	6.6	2.8	8.3	0 / 7	0 / 4	
Percentage of transfers resulting in live births (%)	34.9	33.3	41.7	0 / 7	1 / 4	
Percentage of transfers resulting in pregnancies (%)	45.3	44.4	41.7	2 / 7	1 / 4	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	90	23	6	2	2	1
Number of transfers	82	20	6	1	1	0
Estimated average number of transfers per retrieval	1.2	1.7	1.5	1.0	1.0	
Average number of embryos transferred	1.7	1.6	1.8	4.0	3.0	
Percentage of embryos transferred resulting in implantation (%)	38.2	36.7	3 / 10	3 / 4	1 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	19.5	30.0	3 / 6	1 / 1	1 / 1	
Percentage of transfers resulting in singleton live births (%)	26.8	35.0	3 / 6	1 / 1	1 / 1	
Percentage of transfers resulting in twin live births (%)	13.4	5.0	0 / 6	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	41.5	40.0	3 / 6	1 / 1	1 / 1	
Percentage of transfers resulting in pregnancies (%)	48.8	45.0	4 / 6	1 / 1	1 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>						
	7	1	3	1	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		23			33	
Number of transfers		15			30	
Average number of embryos transferred		1.7			1.8	
Percentage of embryos transferred resulting in implantation (%)		56.0			35.4	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		3 / 15			23.3	
Percentage of transfers resulting in singleton live births (%)		5 / 15			36.7	
Percentage of transfers resulting in twin live births (%)		4 / 15			6.7	
Percentage of transfers resulting in live births (%)		9 / 15			43.3	
Percentage of transfers resulting in pregnancies (%)		10 / 15			60.0	

## CURRENT SERVICES & PROFILE

Current Name: ART Fertility Program of Alabama

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY OF ALABAMA AT BIRMINGHAM  
REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY  
BIRMINGHAM, ALABAMA**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

<b>2014 ART CYCLE PROFILE</b>				Data verified by Janet M. Bouknight, MD				
<b>Type of ART and Procedural Factors<sup>a</sup></b>				<b>Patient Diagnosis<sup>b</sup></b>				
IVF	100%	With ICSI	74%	Tubal factor	15%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 16% Female & male factors 15%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	11%	Male factor	37%	
Used gestational carrier	0%			Diminished ovarian reserve	32%	Other factor	7%	
				Endometriosis	18%	Unknown factor	11%	

<b>2014 ART SUCCESS RATES<sup>c</sup></b>		Total number of cycles <sup>d</sup> : 190 (includes 2 cycle[s] using frozen eggs)					
<b>Type of Cycle</b>		<b>Age of Woman</b>					
		<b>&lt;35</b>	<b>35–37</b>	<b>38–40</b>	<b>41–42</b>	<b>43–44</b>	<b>&gt;44</b>
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		67	10	14	6	1	0
Percentage of cancellations before retrieval (%)		4.5	1 / 10	4 / 14	1 / 6	0 / 1	
Average number of embryos transferred		1.8	2.1	2.0	1.3		
Percentage of embryos transferred resulting in implantation (%)		39.8	5 / 13	5 / 14	0 / 4		
Percentage of elective single embryo transfers (eSET) (%)		18.9	0 / 8	0 / 7	0 / 1		
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		16.4	3 / 10	0 / 14	0 / 6	0 / 1	
Percentage of cycles resulting in singleton live births (%)		19.4	3 / 10	0 / 14	0 / 6	0 / 1	
Percentage of cycles resulting in twin live births (%)		14.9	1 / 10	2 / 14	0 / 6	0 / 1	
Percentage of cycles resulting in live births (%)		35.8	4 / 10	2 / 14	0 / 6	0 / 1	
Percentage of cycles resulting in pregnancies (%)		43.3	6 / 10	3 / 14	0 / 6	0 / 1	
<b>Outcomes per Transfer</b>							
Number of transfers		56	8	7	3	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		19.6	3 / 8	0 / 7	0 / 3		
Percentage of transfers resulting in singleton live births (%)		23.2	3 / 8	0 / 7	0 / 3		
Percentage of transfers resulting in twin live births (%)		17.9	1 / 8	2 / 7	0 / 3		
Percentage of transfers resulting in live births (%)		42.9	4 / 8	2 / 7	0 / 3		
Percentage of transfers resulting in pregnancies (%)		51.8	6 / 8	3 / 7	0 / 3		
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		37	6	3	2	1	0
Number of transfers		36	5	3	2	1	0
Estimated average number of transfers per retrieval		1.1	1.3	0.4		1.0	
Average number of embryos transferred		1.7	1.6	2.0	2.0	1.0	
Percentage of embryos transferred resulting in implantation (%)		29.5	3 / 8	1 / 6	0 / 2	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		25.0	3 / 5	1 / 3	0 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)		30.6	3 / 5	1 / 3	0 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)		8.3	0 / 5	0 / 3	0 / 2	0 / 1	
Percentage of transfers resulting in live births (%)		38.9	3 / 5	1 / 3	0 / 2	0 / 1	
Percentage of transfers resulting in pregnancies (%)		44.4	3 / 5	1 / 3	1 / 2	0 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>							
		14	4	4	0	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		9			10		
Number of transfers		5			9		
Average number of embryos transferred		2.0			1.4		
Percentage of embryos transferred resulting in implantation (%)		2 / 10			3 / 13		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 5			1 / 9		
Percentage of transfers resulting in singleton live births (%)		2 / 5			1 / 9		
Percentage of transfers resulting in twin live births (%)		0 / 5			1 / 9		
Percentage of transfers resulting in live births (%)		2 / 5			2 / 9		
Percentage of transfers resulting in pregnancies (%)		2 / 5			2 / 9		

<b>CURRENT SERVICES &amp; PROFILE</b>		Current Name: University of Alabama at Birmingham, Reproductive Endocrinology and Infertility					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# HUNTSVILLE REPRODUCTIVE MEDICINE, PC MADISON, ALABAMA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Andrew J. Harper, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	97%	Tubal factor	26%	Uterine factor	8%	<i>Multiple Factors:</i> Female factors only 29% Female & male factors 24%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	28%	Male factor	39%	
Used gestational carrier	0%			Diminished ovarian reserve	29%	Other factor	11%	
				Endometriosis	9%	Unknown factor	4%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 143 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	61	19	8	5	3	0
Percentage of cancellations before retrieval (%)	1.6	0 / 19	0 / 8	0 / 5	0 / 3	
Average number of embryos transferred	1.9	2.3	2.8	3.3	3.0	
Percentage of embryos transferred resulting in implantation (%)	44.0	38.1	13.6	0 / 9	0 / 3	
Percentage of elective single embryo transfers (eSET) (%)	10.2	0 / 17	0 / 8	0 / 4	0 / 2	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	21.3	4 / 19	2 / 8	0 / 5	0 / 3	
Percentage of cycles resulting in singleton live births (%)	26.2	7 / 19	2 / 8	0 / 5	0 / 3	
Percentage of cycles resulting in twin live births (%)	23.0	2 / 19	0 / 8	0 / 5	0 / 3	
Percentage of cycles resulting in live births (%)	49.2	10 / 19	2 / 8	0 / 5	0 / 3	
Percentage of cycles resulting in pregnancies (%)	50.8	11 / 19	3 / 8	1 / 5	1 / 3	
<b>Outcomes per Transfer</b>						
Number of transfers	54	18	8	4	2	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	24.1	4 / 18	2 / 8	0 / 4	0 / 2	
Percentage of transfers resulting in singleton live births (%)	29.6	7 / 18	2 / 8	0 / 4	0 / 2	
Percentage of transfers resulting in twin live births (%)	25.9	2 / 18	0 / 8	0 / 4	0 / 2	
Percentage of transfers resulting in live births (%)	55.6	10 / 18	2 / 8	0 / 4	0 / 2	
Percentage of transfers resulting in pregnancies (%)	57.4	11 / 18	3 / 8	1 / 4	1 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	21	7	4	2	1	1
Number of transfers	20	7	4	2	1	1
Estimated average number of transfers per retrieval	2.9	3.5	4.0		1.0	
Average number of embryos transferred	1.4	2.1	1.0	1.5	1.0	2.0
Percentage of embryos transferred resulting in implantation (%)	21.4	2 / 15	1 / 4	1 / 3	0 / 1	1 / 2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	20.0	2 / 7	1 / 4	1 / 2	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	25.0	2 / 7	1 / 4	1 / 2	0 / 1	1 / 1
Percentage of transfers resulting in twin live births (%)	0.0	0 / 7	0 / 4	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	25.0	2 / 7	1 / 4	1 / 2	0 / 1	1 / 1
Percentage of transfers resulting in pregnancies (%)	30.0	2 / 7	1 / 4	1 / 2	0 / 1	1 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	10			1		
Number of transfers	10			1		
Average number of embryos transferred	1.7			2.0		
Percentage of embryos transferred resulting in implantation (%)	9 / 16			0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 10			0 / 1		
Percentage of transfers resulting in singleton live births (%)	3 / 10			0 / 1		
Percentage of transfers resulting in twin live births (%)	2 / 10			0 / 1		
Percentage of transfers resulting in live births (%)	5 / 10			0 / 1		
Percentage of transfers resulting in pregnancies (%)	8 / 10			0 / 1		

## CURRENT SERVICES & PROFILE

Current Name: Huntsville Reproductive Medicine, PC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# CENTER FOR REPRODUCTIVE MEDICINE MOBILE, ALABAMA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by George T. Koulianos, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	82%	Tubal factor	23%	Uterine factor	<1%	
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	14%	Male factor	42%	
Used gestational carrier	<1%			Diminished ovarian reserve	16%	Other factor	16%	
				Endometriosis	19%	Unknown factor	1%	
				Multiple Factors:				
				Female factors only				11%
				Female & male factors				21%

2014 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 266 (includes 16 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		84	27	28	9	4	1
Percentage of cancellations before retrieval (%)		14.3	11.1	14.3	2 / 9	2 / 4	0 / 1
Average number of embryos transferred		1.6	1.7	2.6	4.0	1.0	
Percentage of embryos transferred resulting in implantation (%)		65.6	57.5	13.0	20.8	0 / 1	
Percentage of elective single embryo transfers (eSET) (%)		40.7	22.7	0 / 18	0 / 6		
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		35.7	25.9	3.6	0 / 9	0 / 4	0 / 1
Percentage of cycles resulting in singleton live births (%)		38.1	33.3	7.1	1 / 9	0 / 4	0 / 1
Percentage of cycles resulting in twin live births (%)		14.3	14.8	3.6	1 / 9	0 / 4	0 / 1
Percentage of cycles resulting in live births (%)		53.6	51.9	10.7	2 / 9	0 / 4	0 / 1
Percentage of cycles resulting in pregnancies (%)		56.0	59.3	21.4	4 / 9	0 / 4	0 / 1
<b>Outcomes per Transfer</b>							
Number of transfers		61	23	21	6	1	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		49.2	30.4	4.8	0 / 6	0 / 1	
Percentage of transfers resulting in singleton live births (%)		52.5	39.1	9.5	1 / 6	0 / 1	
Percentage of transfers resulting in twin live births (%)		19.7	17.4	4.8	1 / 6	0 / 1	
Percentage of transfers resulting in live births (%)		73.8	60.9	14.3	2 / 6	0 / 1	
Percentage of transfers resulting in pregnancies (%)		77.0	69.6	28.6	4 / 6	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		29	13	11	3	2	1
Number of transfers		26	13	11	1	2	1
Estimated average number of transfers per retrieval		1.2	2.2	1.1	0.5	0.5	1.0
Average number of embryos transferred		1.7	1.7	1.7	4.0	2.5	3.0
Percentage of embryos transferred resulting in implantation (%)		46.3	27.3	5 / 19	1 / 4	0 / 5	0 / 3
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		38.5	2 / 13	3 / 11	0 / 1	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)		42.3	4 / 13	4 / 11	1 / 1	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)		15.4	0 / 13	0 / 11	0 / 1	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)		57.7	4 / 13	4 / 11	1 / 1	0 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)		61.5	6 / 13	5 / 11	1 / 1	0 / 2	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>							
		10	1	6	2	4	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		5			10		
Number of transfers		5			9		
Average number of embryos transferred		1.8			1.7		
Percentage of embryos transferred resulting in implantation (%)		2 / 9			5 / 13		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 5			3 / 9		
Percentage of transfers resulting in singleton live births (%)		1 / 5			3 / 9		
Percentage of transfers resulting in twin live births (%)		0 / 5			1 / 9		
Percentage of transfers resulting in live births (%)		1 / 5			4 / 9		
Percentage of transfers resulting in pregnancies (%)		2 / 5			5 / 9		

CURRENT SERVICES & PROFILE		Current Name: Center for Reproductive Medicine					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# UNIVERSITY OF SOUTH ALABAMA IVF AND ART PROGRAM MOBILE, ALABAMA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Botros M. Rizk, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	84%	Tubal factor	49%	Uterine factor	51%	<i>Multiple Factors:</i> Female factors only 43% Female & male factors 26%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	31%	Male factor	29%	
Used gestational carrier	0%			Diminished ovarian reserve	49%	Other factor	3%	
				Endometriosis	31%	Unknown factor	0%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 39 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	14	7	6	0	3	1
Percentage of cancellations before retrieval (%)	0 / 14	1 / 7	2 / 6		0 / 3	0 / 1
Average number of embryos transferred	2.5	2.0	2.0		4.0	
Percentage of embryos transferred resulting in implantation (%)	16.7	0 / 8	0 / 6		0 / 8	
Percentage of elective single embryo transfers (eSET) (%)	0 / 10	0 / 3	0 / 2		0 / 2	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 14	0 / 7	0 / 6		0 / 3	0 / 1
Percentage of cycles resulting in singleton live births (%)	3 / 14	0 / 7	0 / 6		0 / 3	0 / 1
Percentage of cycles resulting in twin live births (%)	1 / 14	0 / 7	0 / 6		0 / 3	0 / 1
Percentage of cycles resulting in live births (%)	4 / 14	0 / 7	0 / 6		0 / 3	0 / 1
Percentage of cycles resulting in pregnancies (%)	4 / 14	0 / 7	0 / 6		0 / 3	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	12	4	3	0	2	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 12	0 / 4	0 / 3		0 / 2	
Percentage of transfers resulting in singleton live births (%)	3 / 12	0 / 4	0 / 3		0 / 2	
Percentage of transfers resulting in twin live births (%)	1 / 12	0 / 4	0 / 3		0 / 2	
Percentage of transfers resulting in live births (%)	4 / 12	0 / 4	0 / 3		0 / 2	
Percentage of transfers resulting in pregnancies (%)	4 / 12	0 / 4	0 / 3		0 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	2	1	0	0	0	1
Number of transfers	2	1	0	0	0	1
Estimated average number of transfers per retrieval	0.5	1.0	0.0			1.0
Average number of embryos transferred	3.0	1.0				3.0
Percentage of embryos transferred resulting in implantation (%)	3 / 6	0 / 1				0 / 3
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 2	0 / 1				0 / 1
Percentage of transfers resulting in singleton live births (%)	1 / 2	0 / 1				0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 2	0 / 1				0 / 1
Percentage of transfers resulting in live births (%)	2 / 2	0 / 1				0 / 1
Percentage of transfers resulting in pregnancies (%)	2 / 2	0 / 1				0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	2	1	1	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

## CURRENT SERVICES & PROFILE

Current Name: University of South Alabama IVF and ART Program

Donor eggs?	No	Gestational carriers?	No	Single women?	No	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**PENINSULA MEDICAL CENTER  
JOHN NELS ANDERSON, MD  
SOLDOTNA, ALASKA**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

**2014 ART CYCLE PROFILE**

Data verified by John N. Anderson, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	51%	Tubal factor	25%	Uterine factor	0%	Multiple Factors: Female factors only 6% Female & male factors 8%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	8%	Male factor	38%	
Used gestational carrier	0%			Diminished ovarian reserve	11%	Other factor	6%	
				Endometriosis	5%	Unknown factor	21%	

**2014 ART SUCCESS RATES<sup>c</sup>**

Total number of cycles<sup>d</sup>: 64 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	23	10	5	2	1	0
Percentage of cancellations before retrieval (%)	0.0	0 / 10	0 / 5	0 / 2	0 / 1	
Average number of embryos transferred	2.2	2.3	2.5	2.0	3.0	
Percentage of embryos transferred resulting in implantation (%)	21.3	17.4	2 / 10	0 / 2	3 / 3	
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 8	0 / 4	0 / 1	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4.3	2 / 10	1 / 5	0 / 2	0 / 1	
Percentage of cycles resulting in singleton live births (%)	4.3	2 / 10	1 / 5	0 / 2	0 / 1	
Percentage of cycles resulting in twin live births (%)	13.0	1 / 10	0 / 5	0 / 2	1 / 1	
Percentage of cycles resulting in live births (%)	21.7	3 / 10	1 / 5	0 / 2	1 / 1	
Percentage of cycles resulting in pregnancies (%)	21.7	3 / 10	2 / 5	0 / 2	1 / 1	
<b>Outcomes per Transfer</b>						
Number of transfers	21	10	4	1	1	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4.8	2 / 10	1 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	4.8	2 / 10	1 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	14.3	1 / 10	0 / 4	0 / 1	1 / 1	
Percentage of transfers resulting in live births (%)	23.8	3 / 10	1 / 4	0 / 1	1 / 1	
Percentage of transfers resulting in pregnancies (%)	23.8	3 / 10	2 / 4	0 / 1	1 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	4	2	2	1	1	1
Number of transfers	3	2	2	1	1	1
Estimated average number of transfers per retrieval	1.5	1.0				
Average number of embryos transferred	2.0	2.5	2.0	1.0	2.0	4.0
Percentage of embryos transferred resulting in implantation (%)	3 / 6	1 / 5	1 / 4	1 / 1	0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 3	0 / 2	1 / 2	1 / 1	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	0 / 3	1 / 2	1 / 2	1 / 1	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 2	0 / 2	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	1 / 3	1 / 2	1 / 2	1 / 1	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	1 / 3	1 / 2	1 / 2	1 / 1	0 / 1	1 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	1	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	5			6		
Number of transfers	5			6		
Average number of embryos transferred	3.0			2.8		
Percentage of embryos transferred resulting in implantation (%)	0 / 15			0 / 17		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 5			0 / 6		
Percentage of transfers resulting in singleton live births (%)	0 / 5			0 / 6		
Percentage of transfers resulting in twin live births (%)	0 / 5			0 / 6		
Percentage of transfers resulting in live births (%)	0 / 5			0 / 6		
Percentage of transfers resulting in pregnancies (%)	0 / 5			0 / 6		

**CURRENT SERVICES & PROFILE**

This clinic has closed since 2014. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for further information.

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# TROCHÉ FERTILITY CENTERS GLENDALE, ARIZONA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Vladimir Troché, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	91%	Tubal factor	12%	Uterine factor	<1%	<i>Multiple Factors:</i> Female factors only 4% Female & male factors 47%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	21%	Male factor	75%	
Used gestational carrier	2%			Diminished ovarian reserve	38%	Other factor	4%	
				Endometriosis	6%	Unknown factor	<1%	

2014 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 245 (includes 2 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		74	24	27	9	0	0
Percentage of cancellations before retrieval (%)		5.4	4.2	3.7	3 / 9		
Average number of embryos transferred		1.8	2.3	3.0	2.8		
Percentage of embryos transferred resulting in implantation (%)		37.3	19.5	19.7	0 / 11		
Percentage of elective single embryo transfers (eSET) (%)		25.4	1 / 17	0 / 19	0 / 3		
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		32.4	16.7	29.6	0 / 9		
Percentage of cycles resulting in singleton live births (%)		32.4	16.7	29.6	0 / 9		
Percentage of cycles resulting in twin live births (%)		8.1	4.2	0.0	0 / 9		
Percentage of cycles resulting in live births (%)		40.5	20.8	29.6	0 / 9		
Percentage of cycles resulting in pregnancies (%)		48.6	25.0	37.0	0 / 9		
<b>Outcomes per Transfer</b>							
Number of transfers		63	18	22	4	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		38.1	4 / 18	36.4	0 / 4		
Percentage of transfers resulting in singleton live births (%)		38.1	4 / 18	36.4	0 / 4		
Percentage of transfers resulting in twin live births (%)		9.5	1 / 18	0.0	0 / 4		
Percentage of transfers resulting in live births (%)		47.6	5 / 18	36.4	0 / 4		
Percentage of transfers resulting in pregnancies (%)		57.1	6 / 18	45.5	0 / 4		
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		31	17	7	1	0	0
Number of transfers		28	16	7	1	0	0
Estimated average number of transfers per retrieval		1.6	2.7	1.2	0.3	0.0	
Average number of embryos transferred		1.6	1.4	1.6	3.0		
Percentage of embryos transferred resulting in implantation (%)		31.1	28.6	4 / 11	0 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		32.1	2 / 16	3 / 7	0 / 1		
Percentage of transfers resulting in singleton live births (%)		42.9	3 / 16	3 / 7	0 / 1		
Percentage of transfers resulting in twin live births (%)		0.0	1 / 16	0 / 7	0 / 1		
Percentage of transfers resulting in live births (%)		42.9	4 / 16	3 / 7	0 / 1		
Percentage of transfers resulting in pregnancies (%)		50.0	6 / 16	3 / 7	0 / 1		
<b>Number of Egg/Embryo Banking Cycles</b>							
		5	3	2	2	1	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		16			24		
Number of transfers		14			22		
Average number of embryos transferred		1.7			1.8		
Percentage of embryos transferred resulting in implantation (%)		50.0			17.9		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		2 / 14			9.1		
Percentage of transfers resulting in singleton live births (%)		3 / 14			9.1		
Percentage of transfers resulting in twin live births (%)		4 / 14			9.1		
Percentage of transfers resulting in live births (%)		7 / 14			18.2		
Percentage of transfers resulting in pregnancies (%)		8 / 14			22.7		

CURRENT SERVICES & PROFILE		Current Name: Troché Fertility Centers					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# ARIZONA REPRODUCTIVE MEDICINE SPECIALISTS PHOENIX, ARIZONA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Drew V. Moffitt, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	72%	Tubal factor	17%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 8% Female & male factors 31%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	14%	Male factor	52%	
Used gestational carrier	0%			Diminished ovarian reserve	50%	Other factor	5%	
				Endometriosis	8%	Unknown factor	3%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 311 (includes 10 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	57	18	18	8	3	1
Percentage of cancellations before retrieval (%)	3.5	0 / 18	3 / 18	3 / 8	1 / 3	1 / 1
Average number of embryos transferred	1.6	1.9	1.7	2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	34.4	4 / 13	4 / 12	0 / 2	0 / 2	
Percentage of elective single embryo transfers (eSET) (%)	35.0	1 / 7	1 / 6	0 / 1	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	8.8	4 / 18	2 / 18	0 / 8	0 / 3	0 / 1
Percentage of cycles resulting in singleton live births (%)	12.3	4 / 18	2 / 18	0 / 8	0 / 3	0 / 1
Percentage of cycles resulting in twin live births (%)	1.8	0 / 18	0 / 18	0 / 8	0 / 3	0 / 1
Percentage of cycles resulting in live births (%)	14.0	4 / 18	2 / 18	0 / 8	0 / 3	0 / 1
Percentage of cycles resulting in pregnancies (%)	19.3	4 / 18	3 / 18	0 / 8	0 / 3	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	21	7	7	1	1	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	23.8	4 / 7	2 / 7	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	33.3	4 / 7	2 / 7	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	4.8	0 / 7	0 / 7	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	38.1	4 / 7	2 / 7	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	52.4	4 / 7	3 / 7	0 / 1	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	69	37	20	5	4	1
Number of transfers	66	31	20	4	4	0
Estimated average number of transfers per retrieval	1.3	1.3	1.3	0.6	4.0	
Average number of embryos transferred	1.5	1.5	1.5	2.0	1.5	
Percentage of embryos transferred resulting in implantation (%)	53.7	38.1	39.3	3 / 8	2 / 5	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	24.2	22.6	25.0	0 / 4	2 / 4	
Percentage of transfers resulting in singleton live births (%)	30.3	38.7	40.0	1 / 4	2 / 4	
Percentage of transfers resulting in twin live births (%)	15.2	0.0	0.0	0 / 4	0 / 4	
Percentage of transfers resulting in live births (%)	45.5	38.7	40.0	1 / 4	2 / 4	
Percentage of transfers resulting in pregnancies (%)	63.6	61.3	55.0	2 / 4	3 / 4	
<b>Number of Egg/Embryo Banking Cycles</b>						
	13	8	7	5	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		8			19	
Number of transfers		7			14	
Average number of embryos transferred		1.1			1.4	
Percentage of embryos transferred resulting in implantation (%)		5 / 8			12 / 18	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		4 / 7			5 / 14	
Percentage of transfers resulting in singleton live births (%)		4 / 7			6 / 14	
Percentage of transfers resulting in twin live births (%)		0 / 7			1 / 14	
Percentage of transfers resulting in live births (%)		4 / 7			7 / 14	
Percentage of transfers resulting in pregnancies (%)		4 / 7			10 / 14	

## CURRENT SERVICES & PROFILE

Current Name: Arizona Reproductive Medicine Specialists

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# SOUTHWEST FERTILITY CENTER PHOENIX, ARIZONA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Sujatha Gunnala, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	71%	Tubal factor	19%	Uterine factor	11%	<i>Multiple Factors:</i> Female factors only 16% Female & male factors 30%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	16%	Male factor	44%	
Used gestational carrier	0%			Diminished ovarian reserve	34%	Other factor	6%	
				Endometriosis	16%	Unknown factor	6%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 99 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	30	17	18	1	2	0
Percentage of cancellations before retrieval (%)	0.0	0 / 17	2 / 18	0 / 1	0 / 2	
Average number of embryos transferred	1.8	2.0	2.0	3.0	2.5	
Percentage of embryos transferred resulting in implantation (%)	34.8	25.0	15.4	0 / 3	0 / 5	
Percentage of elective single embryo transfers (eSET) (%)	13.0	0 / 13	0 / 13	0 / 1	0 / 2	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	16.7	4 / 17	0 / 18	0 / 1	0 / 2	
Percentage of cycles resulting in singleton live births (%)	20.0	4 / 17	0 / 18	0 / 1	0 / 2	
Percentage of cycles resulting in twin live births (%)	16.7	0 / 17	1 / 18	0 / 1	0 / 2	
Percentage of cycles resulting in live births (%)	36.7	4 / 17	1 / 18	0 / 1	0 / 2	
Percentage of cycles resulting in pregnancies (%)	36.7	7 / 17	4 / 18	0 / 1	0 / 2	
<b>Outcomes per Transfer</b>						
Number of transfers	25	14	14	1	2	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	20.0	4 / 14	0 / 14	0 / 1	0 / 2	
Percentage of transfers resulting in singleton live births (%)	24.0	4 / 14	0 / 14	0 / 1	0 / 2	
Percentage of transfers resulting in twin live births (%)	20.0	0 / 14	1 / 14	0 / 1	0 / 2	
Percentage of transfers resulting in live births (%)	44.0	4 / 14	1 / 14	0 / 1	0 / 2	
Percentage of transfers resulting in pregnancies (%)	44.0	7 / 14	4 / 14	0 / 1	0 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	11	5	4	0	0	0
Number of transfers	11	5	4	0	0	0
Estimated average number of transfers per retrieval	3.7	2.5	2.0			
Average number of embryos transferred	2.0	1.8	1.8			
Percentage of embryos transferred resulting in implantation (%)	36.4	2 / 9	3 / 7			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 11	0 / 5	1 / 4			
Percentage of transfers resulting in singleton live births (%)	4 / 11	0 / 5	2 / 4			
Percentage of transfers resulting in twin live births (%)	1 / 11	1 / 5	0 / 4			
Percentage of transfers resulting in live births (%)	5 / 11	1 / 5	2 / 4			
Percentage of transfers resulting in pregnancies (%)	7 / 11	1 / 5	2 / 4			
<b>Number of Egg/Embryo Banking Cycles</b>						
	1	1	2	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	4			3		
Number of transfers	2			3		
Average number of embryos transferred	2.0			2.0		
Percentage of embryos transferred resulting in implantation (%)	2 / 4			1 / 6		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 2			1 / 3		
Percentage of transfers resulting in singleton live births (%)	2 / 2			1 / 3		
Percentage of transfers resulting in twin live births (%)	0 / 2			0 / 3		
Percentage of transfers resulting in live births (%)	2 / 2			1 / 3		
Percentage of transfers resulting in pregnancies (%)	2 / 2			1 / 3		

## CURRENT SERVICES & PROFILE

Current Name: Southwest Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## ADVANCED FERTILITY CARE, PLLC SCOTTSDALE, ARIZONA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Frederick W. Larsen, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	69%	Tubal factor	16%	Uterine factor	15%	<i>Multiple Factors:</i> Female factors only 11% Female & male factors 37%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	18%	Male factor	58%	
Used gestational carrier	<1%			Diminished ovarian reserve	32%	Other factor	5%	
				Endometriosis	7%	Unknown factor	13%	

2014 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 290 (includes 2 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		77	29	17	8	3	0
Percentage of cancellations before retrieval (%)		3.9	0.0	1 / 17	2 / 8	1 / 3	
Average number of embryos transferred		1.6	1.9	2.1	3.0	2.5	
Percentage of embryos transferred resulting in implantation (%)		45.8	33.3	33.3	4 / 18	0 / 5	
Percentage of elective single embryo transfers (eSET) (%)		47.1	14.3	0 / 15	0 / 6	0 / 2	
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		29.9	31.0	4 / 17	2 / 8	0 / 3	
Percentage of cycles resulting in singleton live births (%)		44.2	34.5	4 / 17	3 / 8	0 / 3	
Percentage of cycles resulting in twin live births (%)		5.2	0.0	3 / 17	0 / 8	0 / 3	
Percentage of cycles resulting in live births (%)		49.4	37.9	7 / 17	3 / 8	0 / 3	
Percentage of cycles resulting in pregnancies (%)		55.8	51.7	7 / 17	3 / 8	0 / 3	
<b>Outcomes per Transfer</b>							
Number of transfers		69	28	16	6	2	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		33.3	32.1	4 / 16	2 / 6	0 / 2	
Percentage of transfers resulting in singleton live births (%)		49.3	35.7	4 / 16	3 / 6	0 / 2	
Percentage of transfers resulting in twin live births (%)		5.8	0.0	3 / 16	0 / 6	0 / 2	
Percentage of transfers resulting in live births (%)		55.1	39.3	7 / 16	3 / 6	0 / 2	
Percentage of transfers resulting in pregnancies (%)		62.3	53.6	7 / 16	3 / 6	0 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		54	19	17	1	0	0
Number of transfers		52	19	17	1	0	0
Estimated average number of transfers per retrieval		2.3	2.1	1.2	1.0	0.0	
Average number of embryos transferred		1.5	1.5	1.5	2.0		
Percentage of embryos transferred resulting in implantation (%)		41.9	72.4	44.0	0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		25.0	10 / 19	6 / 17	0 / 1		
Percentage of transfers resulting in singleton live births (%)		32.7	10 / 19	8 / 17	0 / 1		
Percentage of transfers resulting in twin live births (%)		7.7	4 / 19	1 / 17	0 / 1		
Percentage of transfers resulting in live births (%)		40.4	14 / 19	9 / 17	0 / 1		
Percentage of transfers resulting in pregnancies (%)		57.7	15 / 19	10 / 17	0 / 1		
<b>Number of Egg/Embryo Banking Cycles</b>							
		7	7	11	1	1	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		19			17		
Number of transfers		17			17		
Average number of embryos transferred		1.4			1.5		
Percentage of embryos transferred resulting in implantation (%)		54.2			53.8		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		3 / 17			8 / 17		
Percentage of transfers resulting in singleton live births (%)		8 / 17			9 / 17		
Percentage of transfers resulting in twin live births (%)		2 / 17			1 / 17		
Percentage of transfers resulting in live births (%)		10 / 17			10 / 17		
Percentage of transfers resulting in pregnancies (%)		11 / 17			12 / 17		

CURRENT SERVICES & PROFILE		Current Name: Advanced Fertility Care, PLLC					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# ARIZONA ASSOCIATES FOR REPRODUCTIVE HEALTH SCOTTSDALE, ARIZONA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Ketan S. Patel, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	68%	Tubal factor	6%	Uterine factor	<1%	<i>Multiple Factors:</i> Female factors only 6% Female & male factors 8%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	9%	Male factor	34%	
Used gestational carrier	<1%			Diminished ovarian reserve	35%	Other factor	10%	
				Endometriosis	5%	Unknown factor	16%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 321 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	71	35	30	13	2	1
Percentage of cancellations before retrieval (%)	2.8	28.6	13.3	6 / 13	0 / 2	0 / 1
Average number of embryos transferred	1.5	1.7	2.1	1.3	1.0	2.0
Percentage of embryos transferred resulting in implantation (%)	41.5	28.1	29.0	1 / 5	0 / 1	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	43.2	2 / 14	1 / 15	1 / 2		0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	22.5	14.3	16.7	0 / 13	0 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	25.4	17.1	16.7	0 / 13	0 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	4.2	0.0	3.3	0 / 13	0 / 2	0 / 1
Percentage of cycles resulting in live births (%)	29.6	17.1	20.0	0 / 13	0 / 2	0 / 1
Percentage of cycles resulting in pregnancies (%)	33.8	22.9	26.7	1 / 13	0 / 2	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	44	19	16	4	1	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	36.4	5 / 19	5 / 16	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	40.9	6 / 19	5 / 16	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	6.8	0 / 19	1 / 16	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	47.7	6 / 19	6 / 16	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	54.5	8 / 19	8 / 16	1 / 4	0 / 1	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	46	25	19	8	0	0
Number of transfers	46	25	19	6	0	0
Estimated average number of transfers per retrieval	1.2	1.3	1.0	0.8		
Average number of embryos transferred	1.5	1.5	1.4	1.5		
Percentage of embryos transferred resulting in implantation (%)	57.7	47.2	55.6	2 / 9		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	47.8	48.0	8 / 19	2 / 6		
Percentage of transfers resulting in singleton live births (%)	54.3	48.0	11 / 19	2 / 6		
Percentage of transfers resulting in twin live births (%)	10.9	8.0	1 / 19	0 / 6		
Percentage of transfers resulting in live births (%)	65.2	56.0	12 / 19	2 / 6		
Percentage of transfers resulting in pregnancies (%)	78.3	64.0	13 / 19	2 / 6		
<b>Number of Egg/Embryo Banking Cycles</b>						
	12	18	9	7	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	13			11		
Number of transfers	11			11		
Average number of embryos transferred	1.5			1.5		
Percentage of embryos transferred resulting in implantation (%)	13 / 17			4 / 17		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	6 / 11			4 / 11		
Percentage of transfers resulting in singleton live births (%)	7 / 11			4 / 11		
Percentage of transfers resulting in twin live births (%)	2 / 11			0 / 11		
Percentage of transfers resulting in live births (%)	9 / 11			4 / 11		
Percentage of transfers resulting in pregnancies (%)	10 / 11			4 / 11		

## CURRENT SERVICES & PROFILE

Current Name: Arizona Associates for Reproductive Health

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# ARIZONA CENTER FOR FERTILITY STUDIES SCOTTSDALE, ARIZONA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Jay S. Nemiro, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	50%	With ICSI	100%	Tubal factor	7%	Uterine factor	<1%	<i>Multiple Factors:</i> Female factors only 6% Female & male factors 14%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	13%	Male factor	35%	
Used gestational carrier	0%			Diminished ovarian reserve	34%	Other factor	11%	
				Endometriosis	17%	Unknown factor	5%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 273 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	2	0	0	0	0	0
Percentage of cancellations before retrieval (%)	0 / 2					
Average number of embryos transferred	2.5					
Percentage of embryos transferred resulting in implantation (%)	0 / 5					
Percentage of elective single embryo transfers (eSET) (%)	0 / 2					
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 2					
Percentage of cycles resulting in singleton live births (%)	0 / 2					
Percentage of cycles resulting in twin live births (%)	0 / 2					
Percentage of cycles resulting in live births (%)	0 / 2					
Percentage of cycles resulting in pregnancies (%)	0 / 2					
<b>Outcomes per Transfer</b>						
Number of transfers	2	0	0	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 2					
Percentage of transfers resulting in singleton live births (%)	0 / 2					
Percentage of transfers resulting in twin live births (%)	0 / 2					
Percentage of transfers resulting in live births (%)	0 / 2					
Percentage of transfers resulting in pregnancies (%)	0 / 2					
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	35	14	19	7	4	1
Number of transfers	35	14	15	7	4	1
Estimated average number of transfers per retrieval	0.8	0.5	0.4	0.3	0.2	0.0
Average number of embryos transferred	1.9	1.9	2.1	1.9	1.5	2.0
Percentage of embryos transferred resulting in implantation (%)	56.7	59.3	46.9	11 / 13	5 / 6	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	40.0	6 / 14	3 / 15	3 / 7	2 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	45.7	7 / 14	5 / 15	3 / 7	2 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	22.9	2 / 14	2 / 15	4 / 7	1 / 4	0 / 1
Percentage of transfers resulting in live births (%)	68.6	9 / 14	8 / 15	7 / 7	3 / 4	0 / 1
Percentage of transfers resulting in pregnancies (%)	74.3	11 / 14	9 / 15	7 / 7	3 / 4	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	43	26	40	23	17	21
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			21		
Number of transfers	0			21		
Average number of embryos transferred				1.9		
Percentage of embryos transferred resulting in implantation (%)				46.2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)				23.8		
Percentage of transfers resulting in singleton live births (%)				38.1		
Percentage of transfers resulting in twin live births (%)				14.3		
Percentage of transfers resulting in live births (%)				52.4		
Percentage of transfers resulting in pregnancies (%)				61.9		

## CURRENT SERVICES & PROFILE

Current Name: Arizona Center for Fertility Studies

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# BOSTON IVF, THE ARIZONA CENTER SCOTTSDALE, ARIZONA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Alan Penzias, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	73%	Tubal factor	5%	Uterine factor	5%	Multiple Factors: Female factors only 0% Female & male factors 7%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	7%	Male factor	17%	
Used gestational carrier	0%			Diminished ovarian reserve	42%	Other factor	10%	
				Endometriosis	2%	Unknown factor	20%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 55 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	8	4	3	0	0	0
Percentage of cancellations before retrieval (%)	0 / 8	1 / 4	0 / 3			
Average number of embryos transferred	1.8	2.5	3.0			
Percentage of embryos transferred resulting in implantation (%)	5 / 14	0 / 5	0 / 9			
Percentage of elective single embryo transfers (eSET) (%)	1 / 7	0 / 2	0 / 3			
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 8	0 / 4	0 / 3			
Percentage of cycles resulting in singleton live births (%)	3 / 8	0 / 4	0 / 3			
Percentage of cycles resulting in twin live births (%)	0 / 8	0 / 4	0 / 3			
Percentage of cycles resulting in live births (%)	3 / 8	0 / 4	0 / 3			
Percentage of cycles resulting in pregnancies (%)	4 / 8	0 / 4	0 / 3			
<b>Outcomes per Transfer</b>						
Number of transfers	8	2	3	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 8	0 / 2	0 / 3			
Percentage of transfers resulting in singleton live births (%)	3 / 8	0 / 2	0 / 3			
Percentage of transfers resulting in twin live births (%)	0 / 8	0 / 2	0 / 3			
Percentage of transfers resulting in live births (%)	3 / 8	0 / 2	0 / 3			
Percentage of transfers resulting in pregnancies (%)	4 / 8	0 / 2	0 / 3			
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	6	6	3	0	3	0
Number of transfers	6	5	2	0	3	0
Estimated average number of transfers per retrieval	1.0	1.0	0.3	0.0		
Average number of embryos transferred	2.0	1.8	2.0		1.3	
Percentage of embryos transferred resulting in implantation (%)	3 / 10	5 / 9	0 / 4		0 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 6	3 / 5	0 / 2		0 / 3	
Percentage of transfers resulting in singleton live births (%)	1 / 6	4 / 5	0 / 2		0 / 3	
Percentage of transfers resulting in twin live births (%)	0 / 6	0 / 5	0 / 2		0 / 3	
Percentage of transfers resulting in live births (%)	1 / 6	4 / 5	0 / 2		0 / 3	
Percentage of transfers resulting in pregnancies (%)	3 / 6	4 / 5	0 / 2		0 / 3	
<b>Number of Egg/Embryo Banking Cycles</b>						
	3	4	6	1	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	1			7		
Number of transfers	1			5		
Average number of embryos transferred	2.0			1.6		
Percentage of embryos transferred resulting in implantation (%)	1 / 2			3 / 8		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 1			0 / 5		
Percentage of transfers resulting in singleton live births (%)	1 / 1			1 / 5		
Percentage of transfers resulting in twin live births (%)	0 / 1			1 / 5		
Percentage of transfers resulting in live births (%)	1 / 1			2 / 5		
Percentage of transfers resulting in pregnancies (%)	1 / 1			2 / 5		

## CURRENT SERVICES & PROFILE

Current Name: Boston IVF, The Arizona Center

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# IVF PHOENIX SCOTTSDALE, ARIZONA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by John L. Couvaras, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	83%	Tubal factor	12%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 2% Female & male factors 31%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	2%	Male factor	48%	
Used gestational carrier	2%			Diminished ovarian reserve	61%	Other factor	9%	
				Endometriosis	3%	Unknown factor	5%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 109 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	14	12	7	11	2	1
Percentage of cancellations before retrieval (%)	1 / 14	1 / 12	2 / 7	2 / 11	0 / 2	1 / 1
Average number of embryos transferred	1.7	2.2	2.2	1.6	2.0	
Percentage of embryos transferred resulting in implantation (%)	5 / 18	27.3	2 / 11	2 / 9	0 / 4	
Percentage of elective single embryo transfers (eSET) (%)	3 / 11	0 / 11	0 / 5	0 / 4	0 / 2	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4 / 14	2 / 12	2 / 7	1 / 11	0 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	4 / 14	2 / 12	2 / 7	1 / 11	0 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	0 / 14	1 / 12	0 / 7	0 / 11	0 / 2	0 / 1
Percentage of cycles resulting in live births (%)	4 / 14	3 / 12	2 / 7	1 / 11	0 / 2	0 / 1
Percentage of cycles resulting in pregnancies (%)	6 / 14	5 / 12	2 / 7	2 / 11	0 / 2	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	12	11	5	7	2	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4 / 12	2 / 11	2 / 5	1 / 7	0 / 2	
Percentage of transfers resulting in singleton live births (%)	4 / 12	2 / 11	2 / 5	1 / 7	0 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 12	1 / 11	0 / 5	0 / 7	0 / 2	
Percentage of transfers resulting in live births (%)	4 / 12	3 / 11	2 / 5	1 / 7	0 / 2	
Percentage of transfers resulting in pregnancies (%)	6 / 12	5 / 11	2 / 5	2 / 7	0 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	16	9	2	3	1	0
Number of transfers	13	6	2	3	0	0
Estimated average number of transfers per retrieval	1.6	1.0	0.7	0.8	0.0	
Average number of embryos transferred	1.6	2.0	2.0	1.3		
Percentage of embryos transferred resulting in implantation (%)	19.0	2 / 12	2 / 4	0 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 13	0 / 6	0 / 2	0 / 3		
Percentage of transfers resulting in singleton live births (%)	1 / 13	0 / 6	1 / 2	0 / 3		
Percentage of transfers resulting in twin live births (%)	1 / 13	1 / 6	0 / 2	0 / 3		
Percentage of transfers resulting in live births (%)	2 / 13	1 / 6	1 / 2	0 / 3		
Percentage of transfers resulting in pregnancies (%)	2 / 13	1 / 6	2 / 2	0 / 3		
<b>Number of Egg/Embryo Banking Cycles</b>						
	4	4	1	3	2	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	5			11		
Number of transfers	3			11		
Average number of embryos transferred	1.7			1.9		
Percentage of embryos transferred resulting in implantation (%)	3 / 5			1 / 19		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 3			0 / 11		
Percentage of transfers resulting in singleton live births (%)	2 / 3			0 / 11		
Percentage of transfers resulting in twin live births (%)	0 / 3			0 / 11		
Percentage of transfers resulting in live births (%)	2 / 3			0 / 11		
Percentage of transfers resulting in pregnancies (%)	2 / 3			2 / 11		

## CURRENT SERVICES & PROFILE

Current Name: IVF Phoenix

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FERTILITY TREATMENT CENTER TEMPE, ARIZONA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by H. Randall Craig, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	92%	Tubal factor	5%	Uterine factor	<1%	<i>Multiple Factors:</i> Female factors only 7% Female & male factors <1%
Unstimulated	4%	PGD/PGS	6%	Ovulatory dysfunction	64%	Male factor	<1%	
Used gestational carrier	0%			Diminished ovarian reserve	22%	Other factor	2%	
				Endometriosis	8%	Unknown factor	7%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 759 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	17	11	9	9	5	0
Percentage of cancellations before retrieval (%)	0 / 17	0 / 11	0 / 9	3 / 9	0 / 5	
Average number of embryos transferred	2.0	2.2	2.1	2.0	1.8	
Percentage of embryos transferred resulting in implantation (%)	25.0	3 / 19	3 / 12	3 / 12	0 / 8	
Percentage of elective single embryo transfers (eSET) (%)	1 / 14	0 / 8	0 / 5	1 / 6	0 / 2	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 17	3 / 11	2 / 9	2 / 9	0 / 5	
Percentage of cycles resulting in singleton live births (%)	5 / 17	3 / 11	3 / 9	2 / 9	0 / 5	
Percentage of cycles resulting in twin live births (%)	1 / 17	0 / 11	0 / 9	0 / 9	0 / 5	
Percentage of cycles resulting in live births (%)	6 / 17	3 / 11	3 / 9	2 / 9	0 / 5	
Percentage of cycles resulting in pregnancies (%)	6 / 17	4 / 11	4 / 9	3 / 9	1 / 5	
<b>Outcomes per Transfer</b>						
Number of transfers	16	10	7	6	5	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 16	3 / 10	2 / 7	2 / 6	0 / 5	
Percentage of transfers resulting in singleton live births (%)	5 / 16	3 / 10	3 / 7	2 / 6	0 / 5	
Percentage of transfers resulting in twin live births (%)	1 / 16	0 / 10	0 / 7	0 / 6	0 / 5	
Percentage of transfers resulting in live births (%)	6 / 16	3 / 10	3 / 7	2 / 6	0 / 5	
Percentage of transfers resulting in pregnancies (%)	6 / 16	4 / 10	4 / 7	3 / 6	1 / 5	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	138	76	56	31	15	3
Number of transfers	133	72	51	30	13	3
Estimated average number of transfers per retrieval	1.0	0.9	0.8	0.7	0.5	0.3
Average number of embryos transferred	2.0	2.2	2.2	2.1	2.2	2.7
Percentage of embryos transferred resulting in implantation (%)	52.5	46.4	30.5	17.2	17.9	0 / 8
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	33.1	26.4	23.5	16.7	1 / 13	0 / 3
Percentage of transfers resulting in singleton live births (%)	42.1	44.4	27.5	23.3	2 / 13	0 / 3
Percentage of transfers resulting in twin live births (%)	18.0	12.5	9.8	0.0	1 / 13	0 / 3
Percentage of transfers resulting in live births (%)	63.2	58.3	37.3	23.3	3 / 13	0 / 3
Percentage of transfers resulting in pregnancies (%)	72.2	73.6	51.0	30.0	4 / 13	0 / 3
<b>Number of Egg/Embryo Banking Cycles</b>						
	125	78	61	43	21	9
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	2			50		
Number of transfers	2			46		
Average number of embryos transferred	2.0			2.2		
Percentage of embryos transferred resulting in implantation (%)	1 / 2			42.2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 2			19.6		
Percentage of transfers resulting in singleton live births (%)	1 / 2			32.6		
Percentage of transfers resulting in twin live births (%)	0 / 2			21.7		
Percentage of transfers resulting in live births (%)	1 / 2			56.5		
Percentage of transfers resulting in pregnancies (%)	2 / 2			60.9		

## CURRENT SERVICES & PROFILE

Current Name: Fertility Treatment Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# ARIZONA CENTER FOR REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY TUCSON, ARIZONA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Timothy J. Gelety, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	56%	Tubal factor	12%	Uterine factor	9%	<i>Multiple Factors:</i> Female factors only 8% Female & male factors 4%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	7%	Male factor	23%	
Used gestational carrier	0%			Diminished ovarian reserve	21%	Other factor	<1%	
				Endometriosis	32%	Unknown factor	7%	

2014 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 295 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		82	43	31	10	5	3
Percentage of cancellations before retrieval (%)		0.0	0.0	0.0	0 / 10	0 / 5	0 / 3
Average number of embryos transferred		2.1	2.4	2.7	2.6	2.5	2.7
Percentage of embryos transferred resulting in implantation (%)		42.8	22.3	13.6	3.8	0 / 10	0 / 8
Percentage of elective single embryo transfers (eSET) (%)		0.0	0.0	0.0	0 / 8	0 / 2	0 / 3
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		15.9	23.3	19.4	0 / 10	0 / 5	0 / 3
Percentage of cycles resulting in singleton live births (%)		19.5	23.3	22.6	0 / 10	0 / 5	0 / 3
Percentage of cycles resulting in twin live births (%)		20.7	9.3	0.0	0 / 10	0 / 5	0 / 3
Percentage of cycles resulting in live births (%)		42.7	32.6	22.6	0 / 10	0 / 5	0 / 3
Percentage of cycles resulting in pregnancies (%)		54.9	39.5	32.3	1 / 10	0 / 5	0 / 3
<b>Outcomes per Transfer</b>							
Number of transfers		74	39	30	10	4	3
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		17.6	25.6	20.0	0 / 10	0 / 4	0 / 3
Percentage of transfers resulting in singleton live births (%)		21.6	25.6	23.3	0 / 10	0 / 4	0 / 3
Percentage of transfers resulting in twin live births (%)		23.0	10.3	0.0	0 / 10	0 / 4	0 / 3
Percentage of transfers resulting in live births (%)		47.3	35.9	23.3	0 / 10	0 / 4	0 / 3
Percentage of transfers resulting in pregnancies (%)		60.8	43.6	33.3	1 / 10	0 / 4	0 / 3
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		50	22	13	2	7	3
Number of transfers		48	21	13	2	7	3
Estimated average number of transfers per retrieval		3.0	1.8	2.6		3.5	
Average number of embryos transferred		2.5	2.8	2.5	2.0	2.9	3.3
Percentage of embryos transferred resulting in implantation (%)		12.6	12.1	3.1	1 / 4	10.0	0 / 10
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		20.8	14.3	1 / 13	0 / 2	1 / 7	0 / 3
Percentage of transfers resulting in singleton live births (%)		20.8	14.3	1 / 13	0 / 2	1 / 7	0 / 3
Percentage of transfers resulting in twin live births (%)		0.0	4.8	0 / 13	0 / 2	0 / 7	0 / 3
Percentage of transfers resulting in live births (%)		22.9	19.0	1 / 13	0 / 2	1 / 7	0 / 3
Percentage of transfers resulting in pregnancies (%)		27.1	28.6	1 / 13	1 / 2	2 / 7	0 / 3
<b>Number of Egg/Embryo Banking Cycles</b>							
		1	2	2	0	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		14			5		
Number of transfers		13			4		
Average number of embryos transferred		2.5			2.5		
Percentage of embryos transferred resulting in implantation (%)		24.2			2 / 10		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		4 / 13			1 / 4		
Percentage of transfers resulting in singleton live births (%)		4 / 13			1 / 4		
Percentage of transfers resulting in twin live births (%)		2 / 13			0 / 4		
Percentage of transfers resulting in live births (%)		6 / 13			1 / 4		
Percentage of transfers resulting in pregnancies (%)		6 / 13			2 / 4		

CURRENT SERVICES & PROFILE		Current Name: Arizona Center for Reproductive Endocrinology and Infertility					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**ARIZONA REPRODUCTIVE INSTITUTE  
TUCSON, ARIZONA**

---

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

**REPRODUCTIVE HEALTH CENTER  
TUCSON, ARIZONA**

---

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

# VIVERE ARIZONA REPRODUCTIVE INSTITUTE TUCSON, ARIZONA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Christine W. Mansfield, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	80%	Tubal factor	0%	Uterine factor	20%	<i>Multiple Factors:</i> Female factors only 0% Female & male factors 20%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	20%	Male factor	20%	
Used gestational carrier	0%			Diminished ovarian reserve	80%	Other factor	0%	
				Endometriosis	0%	Unknown factor	0%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 6 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	0	3	1	0	0	1
Percentage of cancellations before retrieval (%)		1 / 3	0 / 1			0 / 1
Average number of embryos transferred		2.0	2.0			
Percentage of embryos transferred resulting in implantation (%)		1 / 4	0 / 2			
Percentage of elective single embryo transfers (eSET) (%)		0 / 2	0 / 1			
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 3	0 / 1			0 / 1
Percentage of cycles resulting in singleton live births (%)		1 / 3	0 / 1			0 / 1
Percentage of cycles resulting in twin live births (%)		0 / 3	0 / 1			0 / 1
Percentage of cycles resulting in live births (%)		1 / 3	0 / 1			0 / 1
Percentage of cycles resulting in pregnancies (%)		1 / 3	0 / 1			0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	0	2	1	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 2	0 / 1			
Percentage of transfers resulting in singleton live births (%)		1 / 2	0 / 1			
Percentage of transfers resulting in twin live births (%)		0 / 2	0 / 1			
Percentage of transfers resulting in live births (%)		1 / 2	0 / 1			
Percentage of transfers resulting in pregnancies (%)		1 / 2	0 / 1			
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	0	0	0	0	0	0
Number of transfers	0	0	0	0	0	0
Estimated average number of transfers per retrieval			0.0			
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						
<b>Number of Egg/Embryo Banking Cycles</b>	0	0	1	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		0			0	
Number of transfers		0			0	
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

## CURRENT SERVICES & PROFILE

Current Name: Vivere Arizona Reproductive Institute

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# ARKANSAS FERTILITY CENTER LITTLE ROCK FERTILITY CENTER LITTLE ROCK, ARKANSAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Dean M. Moutos, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	59%	Tubal factor	20%	Uterine factor	2%	Multiple Factors: Female factors only 12% Female & male factors 18%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	15%	Male factor	34%	
Used gestational carrier	1%			Diminished ovarian reserve	34%	Other factor	2%	
				Endometriosis	12%	Unknown factor	13%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 278 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	105	38	19	4	4	0
Percentage of cancellations before retrieval (%)	14.3	10.5	3 / 19	0 / 4	1 / 4	
Average number of embryos transferred	1.8	2.0	2.1	3.0	1.5	
Percentage of embryos transferred resulting in implantation (%)	32.6	32.8	24.1	0 / 9	0 / 3	
Percentage of elective single embryo transfers (eSET) (%)	18.1	3.6	0 / 11	0 / 3	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	16.2	28.9	2 / 19	0 / 4	0 / 4	
Percentage of cycles resulting in singleton live births (%)	21.0	28.9	3 / 19	0 / 4	0 / 4	
Percentage of cycles resulting in twin live births (%)	8.6	7.9	1 / 19	0 / 4	0 / 4	
Percentage of cycles resulting in live births (%)	29.5	36.8	4 / 19	0 / 4	0 / 4	
Percentage of cycles resulting in pregnancies (%)	35.2	44.7	5 / 19	0 / 4	0 / 4	
<b>Outcomes per Transfer</b>						
Number of transfers	82	31	14	3	2	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	20.7	35.5	2 / 14	0 / 3	0 / 2	
Percentage of transfers resulting in singleton live births (%)	26.8	35.5	3 / 14	0 / 3	0 / 2	
Percentage of transfers resulting in twin live births (%)	11.0	9.7	1 / 14	0 / 3	0 / 2	
Percentage of transfers resulting in live births (%)	37.8	45.2	4 / 14	0 / 3	0 / 2	
Percentage of transfers resulting in pregnancies (%)	45.1	54.8	5 / 14	0 / 3	0 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	50	12	11	4	1	0
Number of transfers	50	11	10	4	1	0
Estimated average number of transfers per retrieval	2.8	2.8	5.0	4.0		
Average number of embryos transferred	1.6	1.5	1.4	1.5	2.0	
Percentage of embryos transferred resulting in implantation (%)	17.8	4 / 16	3 / 14	1 / 6	0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	18.0	3 / 11	0 / 10	1 / 4	0 / 1	
Percentage of transfers resulting in singleton live births (%)	22.0	4 / 11	1 / 10	1 / 4	0 / 1	
Percentage of transfers resulting in twin live births (%)	2.0	0 / 11	1 / 10	0 / 4	0 / 1	
Percentage of transfers resulting in live births (%)	24.0	4 / 11	2 / 10	1 / 4	0 / 1	
Percentage of transfers resulting in pregnancies (%)	32.0	5 / 11	2 / 10	1 / 4	0 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>						
	4	1	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	8			16		
Number of transfers	8			15		
Average number of embryos transferred	1.8			1.9		
Percentage of embryos transferred resulting in implantation (%)	7 / 14			27.6		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 8			4 / 15		
Percentage of transfers resulting in singleton live births (%)	3 / 8			4 / 15		
Percentage of transfers resulting in twin live births (%)	2 / 8			2 / 15		
Percentage of transfers resulting in live births (%)	5 / 8			6 / 15		
Percentage of transfers resulting in pregnancies (%)	5 / 8			6 / 15		

## CURRENT SERVICES & PROFILE

Current Name: Arkansas Fertility Center, Little Rock Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## LIFESTART FERTILITY CENTER AGOURA HILLS, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Anita P. Singh, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	50%	Tubal factor	18%	Uterine factor	6%	<i>Multiple Factors:</i> Female factors only 18% Female & male factors 24%
Unstimulated	0%	PGD/PGS	10%	Ovulatory dysfunction	6%	Male factor	35%	
Used gestational carrier	0%			Diminished ovarian reserve	29%	Other factor	47%	
				Endometriosis	6%	Unknown factor	0%	

### 2014 ART SUCCESS RATES<sup>c</sup> Total number of cycles<sup>d</sup>: 17 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	5	3	0	1	1	0
Percentage of cancellations before retrieval (%)	0 / 5	0 / 3		1 / 1	0 / 1	
Average number of embryos transferred	1.6	2.7				
Percentage of embryos transferred resulting in implantation (%)	3 / 8	4 / 8				
Percentage of elective single embryo transfers (eSET) (%)	2 / 5	0 / 3				
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 5	0 / 3		0 / 1	0 / 1	
Percentage of cycles resulting in singleton live births (%)	1 / 5	0 / 3		0 / 1	0 / 1	
Percentage of cycles resulting in twin live births (%)	1 / 5	0 / 3		0 / 1	0 / 1	
Percentage of cycles resulting in live births (%)	2 / 5	0 / 3		0 / 1	0 / 1	
Percentage of cycles resulting in pregnancies (%)	2 / 5	2 / 3		0 / 1	0 / 1	
<b>Outcomes per Transfer</b>						
Number of transfers	5	3	0	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 5	0 / 3				
Percentage of transfers resulting in singleton live births (%)	1 / 5	0 / 3				
Percentage of transfers resulting in twin live births (%)	1 / 5	0 / 3				
Percentage of transfers resulting in live births (%)	2 / 5	0 / 3				
Percentage of transfers resulting in pregnancies (%)	2 / 5	2 / 3				
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	3	0	1	0	0	0
Number of transfers	3	0	1	0	0	0
Estimated average number of transfers per retrieval	3.0		1.0			
Average number of embryos transferred	1.3		3.0			
Percentage of embryos transferred resulting in implantation (%)	3 / 4		0 / 3			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 3		0 / 1			
Percentage of transfers resulting in singleton live births (%)	3 / 3		0 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 3		0 / 1			
Percentage of transfers resulting in live births (%)	3 / 3		0 / 1			
Percentage of transfers resulting in pregnancies (%)	3 / 3		0 / 1			
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	1			2		
Number of transfers	1			2		
Average number of embryos transferred	2.0			1.5		
Percentage of embryos transferred resulting in implantation (%)	0 / 2			0 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 1			0 / 2		
Percentage of transfers resulting in singleton live births (%)	0 / 1			0 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 1			0 / 2		
Percentage of transfers resulting in live births (%)	0 / 1			0 / 2		
Percentage of transfers resulting in pregnancies (%)	0 / 1			0 / 2		

### CURRENT SERVICES & PROFILE Current Name: LifeStart Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# ALTA BATES IN VITRO FERTILIZATION PROGRAM BERKELEY, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Ryszard J. Chetkowski, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	71%	Tubal factor	9%	Uterine factor	18%	<i>Multiple Factors:</i> Female factors only 11% Female & male factors 22%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	14%	Male factor	39%	
Used gestational carrier	0%			Diminished ovarian reserve	52%	Other factor	8%	
				Endometriosis	9%	Unknown factor	3%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 130 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	7	8	10	10	4	2
Percentage of cancellations before retrieval (%)	1 / 7	2 / 8	1 / 10	1 / 10	0 / 4	0 / 2
Average number of embryos transferred	1.7	2.0	2.4	4.0	4.3	4.5
Percentage of embryos transferred resulting in implantation (%)	3 / 10	4 / 10	3 / 8	6.3	2 / 13	0 / 9
Percentage of elective single embryo transfers (eSET) (%)	2 / 6	0 / 5	0 / 4	0 / 9	0 / 2	0 / 2
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 7	4 / 8	1 / 10	1 / 10	0 / 4	0 / 2
Percentage of cycles resulting in singleton live births (%)	1 / 7	4 / 8	1 / 10	1 / 10	0 / 4	0 / 2
Percentage of cycles resulting in twin live births (%)	1 / 7	0 / 8	1 / 10	0 / 10	1 / 4	0 / 2
Percentage of cycles resulting in live births (%)	2 / 7	4 / 8	2 / 10	1 / 10	1 / 4	0 / 2
Percentage of cycles resulting in pregnancies (%)	2 / 7	4 / 8	3 / 10	3 / 10	1 / 4	0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	6	5	5	9	3	2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 6	4 / 5	1 / 5	1 / 9	0 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	1 / 6	4 / 5	1 / 5	1 / 9	0 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	1 / 6	0 / 5	1 / 5	0 / 9	1 / 3	0 / 2
Percentage of transfers resulting in live births (%)	2 / 6	4 / 5	2 / 5	1 / 9	1 / 3	0 / 2
Percentage of transfers resulting in pregnancies (%)	2 / 6	4 / 5	3 / 5	3 / 9	1 / 3	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	6	11	7	5	4	1
Number of transfers	5	11	6	3	3	1
Estimated average number of transfers per retrieval	1.3	1.4	0.5	0.6	1.5	1.0
Average number of embryos transferred	2.0	1.5	1.3	1.0	1.7	2.0
Percentage of embryos transferred resulting in implantation (%)	6 / 10	2 / 17	3 / 8	1 / 3	2 / 5	1 / 2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4 / 5	2 / 11	3 / 6	0 / 3	2 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	4 / 5	2 / 11	3 / 6	0 / 3	2 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 5	0 / 11	0 / 6	0 / 3	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	5 / 5	2 / 11	3 / 6	0 / 3	2 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)	5 / 5	2 / 11	3 / 6	1 / 3	2 / 3	1 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	4	8	8	5	1	1
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	7			21		
Number of transfers	7			16		
Average number of embryos transferred	1.4			1.7		
Percentage of embryos transferred resulting in implantation (%)	5 / 10			44.4		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 7			2 / 16		
Percentage of transfers resulting in singleton live births (%)	5 / 7			3 / 16		
Percentage of transfers resulting in twin live births (%)	0 / 7			4 / 16		
Percentage of transfers resulting in live births (%)	5 / 7			7 / 16		
Percentage of transfers resulting in pregnancies (%)	5 / 7			8 / 16		

## CURRENT SERVICES & PROFILE

Current Name: Alta Bates In Vitro Fertilization Program

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**CENTER FOR REPRODUCTIVE HEALTH & GYNECOLOGY  
(CRH&G)  
BEVERLY HILLS, CALIFORNIA**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

**2014 ART CYCLE PROFILE**

Data verified by Sam Najmabadi, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	64%	Tubal factor	14%	Uterine factor	1%	Multiple Factors: Female factors only 11% Female & male factors 43%
Unstimulated	0%	PGD/PGS	23%	Ovulatory dysfunction	1%	Male factor	67%	
Used gestational carrier	2%			Diminished ovarian reserve	42%	Other factor	33%	
				Endometriosis	7%	Unknown factor	0%	

**2014 ART SUCCESS RATES<sup>c</sup>**

Total number of cycles<sup>d</sup>: 121 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	13	9	13	12	5	1
Percentage of cancellations before retrieval (%)	0 / 13	0 / 9	2 / 13	3 / 12	1 / 5	0 / 1
Average number of embryos transferred	2.2	2.0	1.9	2.0	2.8	
Percentage of embryos transferred resulting in implantation (%)	46.4	8 / 18	38.1	6 / 16	1 / 11	
Percentage of elective single embryo transfers (eSET) (%)	0 / 13	0 / 7	2 / 8	0 / 4	0 / 3	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 13	2 / 9	6 / 13	4 / 12	1 / 5	0 / 1
Percentage of cycles resulting in singleton live births (%)	4 / 13	2 / 9	6 / 13	4 / 12	1 / 5	0 / 1
Percentage of cycles resulting in twin live births (%)	4 / 13	2 / 9	1 / 13	0 / 12	0 / 5	0 / 1
Percentage of cycles resulting in live births (%)	8 / 13	4 / 9	7 / 13	4 / 12	1 / 5	0 / 1
Percentage of cycles resulting in pregnancies (%)	8 / 13	5 / 9	7 / 13	5 / 12	1 / 5	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	13	9	11	8	4	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 13	2 / 9	6 / 11	4 / 8	1 / 4	
Percentage of transfers resulting in singleton live births (%)	4 / 13	2 / 9	6 / 11	4 / 8	1 / 4	
Percentage of transfers resulting in twin live births (%)	4 / 13	2 / 9	1 / 11	0 / 8	0 / 4	
Percentage of transfers resulting in live births (%)	8 / 13	4 / 9	7 / 11	4 / 8	1 / 4	
Percentage of transfers resulting in pregnancies (%)	8 / 13	5 / 9	7 / 11	5 / 8	1 / 4	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	6	2	7	2	1	1
Number of transfers	6	2	7	2	1	1
Estimated average number of transfers per retrieval	0.9	0.3	1.0	0.7	0.1	0.3
Average number of embryos transferred	2.5	1.5	3.0	2.5	1.0	2.0
Percentage of embryos transferred resulting in implantation (%)	5 / 15	1 / 3	47.6	2 / 5	0 / 1	1 / 2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 6	1 / 2	1 / 7	1 / 2	0 / 1	1 / 1
Percentage of transfers resulting in singleton live births (%)	3 / 6	1 / 2	1 / 7	1 / 2	0 / 1	1 / 1
Percentage of transfers resulting in twin live births (%)	1 / 6	0 / 2	4 / 7	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	4 / 6	1 / 2	5 / 7	1 / 2	0 / 1	1 / 1
Percentage of transfers resulting in pregnancies (%)	4 / 6	1 / 2	5 / 7	1 / 2	0 / 1	1 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	5	7	6	3	11	3
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	7			7		
Number of transfers	7			7		
Average number of embryos transferred	2.0			3.0		
Percentage of embryos transferred resulting in implantation (%)	10 / 14			23.8		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	5 / 7			3 / 7		
Percentage of transfers resulting in singleton live births (%)	5 / 7			3 / 7		
Percentage of transfers resulting in twin live births (%)	2 / 7			1 / 7		
Percentage of transfers resulting in live births (%)	7 / 7			4 / 7		
Percentage of transfers resulting in pregnancies (%)	7 / 7			4 / 7		

**CURRENT SERVICES & PROFILE**

Current Name: Center for Reproductive Health & Gynecology, (CRH&G)

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# SOUTHERN CALIFORNIA REPRODUCTIVE CENTER BEVERLY HILLS, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Mark W. Surrey, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	67%	Tubal factor	5%	Uterine factor	4%	Multiple Factors: Female factors only 3% Female & male factors 6%
Unstimulated	0%	PGD/PGS	33%	Ovulatory dysfunction	4%	Male factor	20%	
Used gestational carrier	0%			Diminished ovarian reserve	30%	Other factor	24%	
				Endometriosis	3%	Unknown factor	21%	

2014 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 600 (includes 3 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		23	23	27	14	7	2
Percentage of cancellations before retrieval (%)		0.0	0.0	3.7	3 / 14	4 / 7	0 / 2
Average number of embryos transferred		1.5	1.4	2.2	1.7	3.0	1.5
Percentage of embryos transferred resulting in implantation (%)		46.2	25.0	17.1	1 / 10	0 / 3	2 / 3
Percentage of elective single embryo transfers (eSET) (%)		9 / 16	9 / 14	3 / 15	0 / 4	0 / 1	0 / 1
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		30.4	17.4	22.2	1 / 14	0 / 7	0 / 2
Percentage of cycles resulting in singleton live births (%)		30.4	21.7	25.9	1 / 14	0 / 7	0 / 2
Percentage of cycles resulting in twin live births (%)		8.7	0.0	0.0	0 / 14	0 / 7	0 / 2
Percentage of cycles resulting in live births (%)		39.1	21.7	25.9	1 / 14	0 / 7	0 / 2
Percentage of cycles resulting in pregnancies (%)		39.1	26.1	25.9	1 / 14	0 / 7	1 / 2
<b>Outcomes per Transfer</b>							
Number of transfers		17	17	19	6	1	2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		7 / 17	4 / 17	6 / 19	1 / 6	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)		7 / 17	5 / 17	7 / 19	1 / 6	0 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)		2 / 17	0 / 17	0 / 19	0 / 6	0 / 1	0 / 2
Percentage of transfers resulting in live births (%)		9 / 17	5 / 17	7 / 19	1 / 6	0 / 1	0 / 2
Percentage of transfers resulting in pregnancies (%)		9 / 17	6 / 17	7 / 19	1 / 6	0 / 1	1 / 2
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		57	43	34	17	8	7
Number of transfers		55	40	32	15	7	1
Estimated average number of transfers per retrieval		0.8	0.6	0.4	0.4	0.3	0.2
Average number of embryos transferred		1.4	1.4	1.4	1.3	2.4	2.0
Percentage of embryos transferred resulting in implantation (%)		59.5	66.7	55.8	12 / 19	8 / 17	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		45.5	57.5	43.8	7 / 15	5 / 7	0 / 1
Percentage of transfers resulting in singleton live births (%)		54.5	60.0	46.9	8 / 15	5 / 7	0 / 1
Percentage of transfers resulting in twin live births (%)		10.9	15.0	9.4	1 / 15	1 / 7	0 / 1
Percentage of transfers resulting in live births (%)		65.5	75.0	56.3	9 / 15	6 / 7	0 / 1
Percentage of transfers resulting in pregnancies (%)		72.7	80.0	68.8	11 / 15	6 / 7	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>							
		63	67	81	39	26	6
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		31			22		
Number of transfers		27			21		
Average number of embryos transferred		1.3			1.1		
Percentage of embryos transferred resulting in implantation (%)		70.6			78.3		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		48.1			42.9		
Percentage of transfers resulting in singleton live births (%)		59.3			57.1		
Percentage of transfers resulting in twin live births (%)		7.4			9.5		
Percentage of transfers resulting in live births (%)		66.7			66.7		
Percentage of transfers resulting in pregnancies (%)		81.5			81.0		

CURRENT SERVICES & PROFILE		Current Name: Southern California Reproductive Center					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FERTILITY CARE OF ORANGE COUNTY BREA, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Changin T. Lee, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	80%	Tubal factor	13%	Uterine factor	1%	<i>Multiple Factors:</i> Female factors only 10% Female & male factors 6%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	3%	Male factor	23%	
Used gestational carrier	0%			Diminished ovarian reserve	41%	Other factor	11%	
				Endometriosis	0%	Unknown factor	25%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 180 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	5	2	3	2	2	1
Percentage of cancellations before retrieval (%)	1 / 5	1 / 2	0 / 3	0 / 2	0 / 2	0 / 1
Average number of embryos transferred	1.8	2.0	2.0	2.5	1.5	2.0
Percentage of embryos transferred resulting in implantation (%)	2 / 7	0 / 2	0 / 4	0 / 5	0 / 3	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	1 / 3	0 / 1	0 / 2	0 / 2	0 / 1	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 5	0 / 2	0 / 3	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	0 / 5	0 / 2	0 / 3	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	1 / 5	0 / 2	0 / 3	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in live births (%)	1 / 5	0 / 2	0 / 3	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in pregnancies (%)	1 / 5	0 / 2	0 / 3	0 / 2	0 / 2	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	4	1	2	2	2	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 4	0 / 1	0 / 2	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	0 / 4	0 / 1	0 / 2	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 4	0 / 1	0 / 2	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	1 / 4	0 / 1	0 / 2	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	1 / 4	0 / 1	0 / 2	0 / 2	0 / 2	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	32	11	19	2	2	0
Number of transfers	32	10	19	2	2	0
Estimated average number of transfers per retrieval	1.0	0.4	1.0	0.7	0.3	0.0
Average number of embryos transferred	1.3	1.5	1.7	2.0	1.5	
Percentage of embryos transferred resulting in implantation (%)	58.1	9 / 15	39.3	1 / 4	0 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	34.4	3 / 10	3 / 19	1 / 2	0 / 2	
Percentage of transfers resulting in singleton live births (%)	50.0	4 / 10	4 / 19	1 / 2	0 / 2	
Percentage of transfers resulting in twin live births (%)	12.5	2 / 10	2 / 19	0 / 2	0 / 2	
Percentage of transfers resulting in live births (%)	62.5	6 / 10	6 / 19	1 / 2	0 / 2	
Percentage of transfers resulting in pregnancies (%)	65.6	7 / 10	11 / 19	1 / 2	0 / 2	
<b>Number of Egg/Embryo Banking Cycles</b>						
	30	21	17	3	7	5
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	1			15		
Number of transfers	1			14		
Average number of embryos transferred	2.0			1.6		
Percentage of embryos transferred resulting in implantation (%)	0 / 2			66.7		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 1			3 / 14		
Percentage of transfers resulting in singleton live births (%)	0 / 1			4 / 14		
Percentage of transfers resulting in twin live births (%)	0 / 1			5 / 14		
Percentage of transfers resulting in live births (%)	0 / 1			9 / 14		
Percentage of transfers resulting in pregnancies (%)	0 / 1			10 / 14		

## CURRENT SERVICES & PROFILE

Current Name: Fertility Care of Orange County

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# CENTRAL CALIFORNIA IVF PROGRAM WOMEN'S SPECIALTY AND FERTILITY CENTER CLOVIS, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by H. Michael Synn, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	81%	Tubal factor	15%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 6% Female & male factors 15%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	16%	Male factor	32%	
Used gestational carrier	0%			Diminished ovarian reserve	40%	Other factor	2%	
				Endometriosis	10%	Unknown factor	8%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 279 (includes 5 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	81	32	21	4	5	3
Percentage of cancellations before retrieval (%)	11.1	18.8	4.8	2 / 4	1 / 5	0 / 3
Average number of embryos transferred	1.9	1.9	2.3	2.0	2.3	2.0
Percentage of embryos transferred resulting in implantation (%)	35.7	29.5	25.6	0 / 2	0 / 7	0 / 6
Percentage of elective single embryo transfers (eSET) (%)	13.4	4.3	0 / 18	0 / 1	0 / 3	0 / 2
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	9.9	3.1	4.8	0 / 4	0 / 5	0 / 3
Percentage of cycles resulting in singleton live births (%)	16.0	9.4	14.3	0 / 4	0 / 5	0 / 3
Percentage of cycles resulting in twin live births (%)	11.1	12.5	14.3	0 / 4	0 / 5	0 / 3
Percentage of cycles resulting in live births (%)	29.6	21.9	28.6	0 / 4	0 / 5	0 / 3
Percentage of cycles resulting in pregnancies (%)	40.7	28.1	38.1	0 / 4	1 / 5	0 / 3
<b>Outcomes per Transfer</b>						
Number of transfers	71	24	18	1	4	3
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	11.3	4.2	1 / 18	0 / 1	0 / 4	0 / 3
Percentage of transfers resulting in singleton live births (%)	18.3	12.5	3 / 18	0 / 1	0 / 4	0 / 3
Percentage of transfers resulting in twin live births (%)	12.7	16.7	3 / 18	0 / 1	0 / 4	0 / 3
Percentage of transfers resulting in live births (%)	33.8	29.2	6 / 18	0 / 1	0 / 4	0 / 3
Percentage of transfers resulting in pregnancies (%)	46.5	37.5	8 / 18	0 / 1	1 / 4	0 / 3
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	46	16	17	4	3	0
Number of transfers	44	15	15	4	3	0
Estimated average number of transfers per retrieval	1.3	1.2	1.9		3.0	0.0
Average number of embryos transferred	1.7	1.8	1.6	2.5	1.7	
Percentage of embryos transferred resulting in implantation (%)	16.9	4.3	21.7	2 / 8	0 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	13.6	1 / 15	3 / 15	1 / 4	0 / 3	
Percentage of transfers resulting in singleton live births (%)	13.6	1 / 15	3 / 15	1 / 4	0 / 3	
Percentage of transfers resulting in twin live births (%)	6.8	0 / 15	0 / 15	0 / 4	0 / 3	
Percentage of transfers resulting in live births (%)	20.5	1 / 15	3 / 15	1 / 4	0 / 3	
Percentage of transfers resulting in pregnancies (%)	25.0	3 / 15	6 / 15	3 / 4	1 / 3	
<b>Number of Egg/Embryo Banking Cycles</b>						
	12	4	4	0	0	1
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	9			12		
Number of transfers	9			9		
Average number of embryos transferred	1.9			1.8		
Percentage of embryos transferred resulting in implantation (%)	6 / 17			4 / 14		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 9			2 / 9		
Percentage of transfers resulting in singleton live births (%)	3 / 9			2 / 9		
Percentage of transfers resulting in twin live births (%)	1 / 9			1 / 9		
Percentage of transfers resulting in live births (%)	4 / 9			3 / 9		
Percentage of transfers resulting in pregnancies (%)	4 / 9			4 / 9		

## CURRENT SERVICES & PROFILE

Current Name: Central California IVF Program, Women's Specialty and Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# CALIFORNIA IVF FERTILITY CENTER DAVIS, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Ernest J. Zeringue, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	62%	Tubal factor	7%	Uterine factor	4%	<i>Multiple Factors:</i> Female factors only 14% Female & male factors 27%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	12%	Male factor	40%	
Used gestational carrier	2%			Diminished ovarian reserve	23%	Other factor	51%	
				Endometriosis	7%	Unknown factor	3%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 602 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	74	29	28	13	11	2
Percentage of cancellations before retrieval (%)	1.4	0.0	10.7	1 / 13	1 / 11	0 / 2
Average number of embryos transferred	1.9	2.0	2.4	2.8	3.4	3.0
Percentage of embryos transferred resulting in implantation (%)	21.1	26.9	12.5	2.9	8.3	0 / 6
Percentage of elective single embryo transfers (eSET) (%)	12.9	8.0	9.5	0 / 11	0 / 7	0 / 2
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	16.2	20.7	7.1	0 / 13	0 / 11	0 / 2
Percentage of cycles resulting in singleton live births (%)	24.3	24.1	10.7	0 / 13	0 / 11	0 / 2
Percentage of cycles resulting in twin live births (%)	5.4	10.3	3.6	0 / 13	1 / 11	0 / 2
Percentage of cycles resulting in live births (%)	29.7	34.5	14.3	0 / 13	1 / 11	0 / 2
Percentage of cycles resulting in pregnancies (%)	35.1	44.8	25.0	1 / 13	1 / 11	0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	71	27	23	12	7	2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	16.9	22.2	8.7	0 / 12	0 / 7	0 / 2
Percentage of transfers resulting in singleton live births (%)	25.4	25.9	13.0	0 / 12	0 / 7	0 / 2
Percentage of transfers resulting in twin live births (%)	5.6	11.1	4.3	0 / 12	1 / 7	0 / 2
Percentage of transfers resulting in live births (%)	31.0	37.0	17.4	0 / 12	1 / 7	0 / 2
Percentage of transfers resulting in pregnancies (%)	36.6	48.1	30.4	1 / 12	1 / 7	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	65	33	26	8	3	1
Number of transfers	65	33	26	7	3	1
Estimated average number of transfers per retrieval	1.5	1.3	1.7	1.0	3.0	0.3
Average number of embryos transferred	1.7	1.8	1.7	1.7	1.7	2.0
Percentage of embryos transferred resulting in implantation (%)	45.9	40.7	33.3	0 / 10	4 / 5	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	36.9	24.2	23.1	0 / 7	2 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	40.0	24.2	38.5	0 / 7	2 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	13.8	15.2	0.0	0 / 7	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	53.8	42.4	38.5	0 / 7	2 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)	66.2	48.5	57.7	1 / 7	3 / 3	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	17	15	7	5	1	4
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		133			127	
Number of transfers		133			127	
Average number of embryos transferred		1.8			1.8	
Percentage of embryos transferred resulting in implantation (%)		56.7			33.8	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		37.6			18.1	
Percentage of transfers resulting in singleton live births (%)		44.4			24.4	
Percentage of transfers resulting in twin live births (%)		23.3			14.2	
Percentage of transfers resulting in live births (%)		67.7			38.6	
Percentage of transfers resulting in pregnancies (%)		73.7			47.2	

## CURRENT SERVICES & PROFILE

Current Name: California IVF Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Pending
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# CALIFORNIA CENTER FOR REPRODUCTIVE MEDICINE ENCINITAS, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Lori L. Arnold, MD					
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>					
IVF	100%	With ICSI	100%	Tubal factor	6%	Uterine factor	15%	<i>Multiple Factors:</i>	
Unstimulated	0%	PGD/PGS	11%	Ovulatory dysfunction	11%	Male factor	30%	Female factors only	8%
Used gestational carrier	11%			Diminished ovarian reserve	25%	Other factor	34%	Female & male factors	16%
				Endometriosis	4%	Unknown factor	6%		

2014 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 114 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		7	7	3	1	0	0
Percentage of cancellations before retrieval (%)		0 / 7	0 / 7	0 / 3	0 / 1		
Average number of embryos transferred		1.7	1.7	2.3	2.0		
Percentage of embryos transferred resulting in implantation (%)		3 / 12	5 / 12	2 / 4	0 / 2		
Percentage of elective single embryo transfers (eSET) (%)		1 / 6	2 / 7	1 / 3	0 / 1		
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 7	3 / 7	1 / 3	0 / 1		
Percentage of cycles resulting in singleton live births (%)		1 / 7	4 / 7	1 / 3	0 / 1		
Percentage of cycles resulting in twin live births (%)		1 / 7	0 / 7	0 / 3	0 / 1		
Percentage of cycles resulting in live births (%)		2 / 7	4 / 7	1 / 3	0 / 1		
Percentage of cycles resulting in pregnancies (%)		2 / 7	4 / 7	3 / 3	0 / 1		
<b>Outcomes per Transfer</b>							
Number of transfers		7	7	3	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 7	3 / 7	1 / 3	0 / 1		
Percentage of transfers resulting in singleton live births (%)		1 / 7	4 / 7	1 / 3	0 / 1		
Percentage of transfers resulting in twin live births (%)		1 / 7	0 / 7	0 / 3	0 / 1		
Percentage of transfers resulting in live births (%)		2 / 7	4 / 7	1 / 3	0 / 1		
Percentage of transfers resulting in pregnancies (%)		2 / 7	4 / 7	3 / 3	0 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		15	5	1	3	0	0
Number of transfers		15	5	1	3	0	0
Estimated average number of transfers per retrieval		0.8	1.7	0.1	0.6	0.0	0.0
Average number of embryos transferred		1.5	1.6	3.0	1.3		
Percentage of embryos transferred resulting in implantation (%)		42.9	5 / 8	2 / 3	3 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		7 / 15	2 / 5	0 / 1	1 / 3		
Percentage of transfers resulting in singleton live births (%)		8 / 15	2 / 5	0 / 1	1 / 3		
Percentage of transfers resulting in twin live births (%)		0 / 15	1 / 5	1 / 1	1 / 3		
Percentage of transfers resulting in live births (%)		8 / 15	3 / 5	1 / 1	2 / 3		
Percentage of transfers resulting in pregnancies (%)		10 / 15	4 / 5	1 / 1	2 / 3		
<b>Number of Egg/Embryo Banking Cycles</b>							
		16	3	12	4	2	4
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		7			24		
Number of transfers		7			24		
Average number of embryos transferred		1.9			1.8		
Percentage of embryos transferred resulting in implantation (%)		5 / 13			62.8		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		4 / 7			29.2		
Percentage of transfers resulting in singleton live births (%)		4 / 7			33.3		
Percentage of transfers resulting in twin live births (%)		0 / 7			25.0		
Percentage of transfers resulting in live births (%)		4 / 7			58.3		
Percentage of transfers resulting in pregnancies (%)		4 / 7			66.7		

CURRENT SERVICES & PROFILE		Current Name: California Center for Reproductive Medicine					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# THE FERTILITY INSTITUTES-LOS ANGELES, NEW YORK, GUADALAJARA ENCINO, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Jeffrey Steinberg, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	98%	Tubal factor	3%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 5% Female & male factors 3%
Unstimulated	0%	PGD/PGS	86%	Ovulatory dysfunction	0%	Male factor	6%	
Used gestational carrier	2%			Diminished ovarian reserve	8%	Other factor	85%	
				Endometriosis	1%	Unknown factor	5%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 141 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	18	11	9	3	1	0
Percentage of cancellations before retrieval (%)	0 / 18	0 / 11	1 / 9	0 / 3	0 / 1	
Average number of embryos transferred	1.7	1.5	1.8	1.0		
Percentage of embryos transferred resulting in implantation (%)	41.4	6 / 17	4 / 14	0 / 2		
Percentage of elective single embryo transfers (eSET) (%)	4 / 14	2 / 6	2 / 7			
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4 / 18	2 / 11	2 / 9	0 / 3	0 / 1	
Percentage of cycles resulting in singleton live births (%)	6 / 18	2 / 11	2 / 9	0 / 3	0 / 1	
Percentage of cycles resulting in twin live births (%)	3 / 18	2 / 11	0 / 9	0 / 3	0 / 1	
Percentage of cycles resulting in live births (%)	9 / 18	4 / 11	2 / 9	0 / 3	0 / 1	
Percentage of cycles resulting in pregnancies (%)	9 / 18	4 / 11	4 / 9	0 / 3	0 / 1	
<b>Outcomes per Transfer</b>						
Number of transfers	17	11	8	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4 / 17	2 / 11	2 / 8	0 / 2		
Percentage of transfers resulting in singleton live births (%)	6 / 17	2 / 11	2 / 8	0 / 2		
Percentage of transfers resulting in twin live births (%)	3 / 17	2 / 11	0 / 8	0 / 2		
Percentage of transfers resulting in live births (%)	9 / 17	4 / 11	2 / 8	0 / 2		
Percentage of transfers resulting in pregnancies (%)	9 / 17	4 / 11	4 / 8	0 / 2		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	7	6	5	2	4	0
Number of transfers	7	5	5	2	4	0
Estimated average number of transfers per retrieval	0.4	0.2	0.5	0.3	1.3	0.0
Average number of embryos transferred	2.3	2.4	1.6	2.5	2.5	
Percentage of embryos transferred resulting in implantation (%)	7 / 16	6 / 12	0 / 8	2 / 5	3 / 10	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 7	0 / 5	0 / 5	2 / 2	1 / 4	
Percentage of transfers resulting in singleton live births (%)	1 / 7	0 / 5	0 / 5	2 / 2	1 / 4	
Percentage of transfers resulting in twin live births (%)	2 / 7	1 / 5	0 / 5	0 / 2	1 / 4	
Percentage of transfers resulting in live births (%)	3 / 7	2 / 5	0 / 5	2 / 2	2 / 4	
Percentage of transfers resulting in pregnancies (%)	3 / 7	3 / 5	0 / 5	2 / 2	2 / 4	
<b>Number of Egg/Embryo Banking Cycles</b>						
	16	22	11	7	2	4
<b>Donor Eggs</b>						
		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		7			5	
Number of transfers		7			5	
Average number of embryos transferred		2.0			2.2	
Percentage of embryos transferred resulting in implantation (%)		6 / 14			3 / 11	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 7			1 / 5	
Percentage of transfers resulting in singleton live births (%)		1 / 7			1 / 5	
Percentage of transfers resulting in twin live births (%)		2 / 7			1 / 5	
Percentage of transfers resulting in live births (%)		3 / 7			2 / 5	
Percentage of transfers resulting in pregnancies (%)		4 / 7			2 / 5	

## CURRENT SERVICES & PROFILE

Current Name: The Fertility Institutes-Los Angeles, New York, Guadalajara

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## HRC FERTILITY-ENCINO ENCINO, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2014 ART CYCLE PROFILE

Data verified by Michael A. Feinman, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	83%	Tubal factor	3%	Uterine factor	<1%	<i>Multiple Factors:</i> Female factors only 8% Female & male factors 3%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	4%	Male factor	7%	
Used gestational carrier	3%			Diminished ovarian reserve	33%	Other factor	34%	
				Endometriosis	7%	Unknown factor	22%	

### 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 686 (includes 5 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	95	62	71	44	26	5
Percentage of cancellations before retrieval (%)	2.1	6.5	1.4	6.8	7.7	1 / 5
Average number of embryos transferred	2.0	2.1	2.3	2.3	3.1	1.0
Percentage of embryos transferred resulting in implantation (%)	52.4	46.4	28.6	18.3	2.4	0 / 1
Percentage of elective single embryo transfers (eSET) (%)	13.5	8.5	14.3	0.0	0 / 13	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	35.8	19.4	29.6	18.2	3.8	0 / 5
Percentage of cycles resulting in singleton live births (%)	38.9	25.8	32.4	18.2	3.8	0 / 5
Percentage of cycles resulting in twin live births (%)	18.9	17.7	2.8	2.3	0.0	0 / 5
Percentage of cycles resulting in live births (%)	58.9	43.5	35.2	20.5	3.8	0 / 5
Percentage of cycles resulting in pregnancies (%)	63.2	54.8	53.5	29.5	7.7	0 / 5
<b>Outcomes per Transfer</b>						
Number of transfers	77	50	58	30	14	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	44.2	24.0	36.2	26.7	1 / 14	0 / 1
Percentage of transfers resulting in singleton live births (%)	48.1	32.0	39.7	26.7	1 / 14	0 / 1
Percentage of transfers resulting in twin live births (%)	23.4	22.0	3.4	3.3	0 / 14	0 / 1
Percentage of transfers resulting in live births (%)	72.7	54.0	43.1	30.0	1 / 14	0 / 1
Percentage of transfers resulting in pregnancies (%)	77.9	68.0	65.5	43.3	2 / 14	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	54	33	37	16	13	19
Number of transfers	53	32	35	12	12	17
Estimated average number of transfers per retrieval	1.8	2.0	1.7	1.2	1.2	
Average number of embryos transferred	1.9	1.8	1.9	2.3	2.1	1.8
Percentage of embryos transferred resulting in implantation (%)	48.5	46.9	43.6	25.0	25.0	7.7
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	54.7	43.8	37.1	3 / 12	1 / 12	1 / 17
Percentage of transfers resulting in singleton live births (%)	62.3	43.8	45.7	4 / 12	1 / 12	2 / 17
Percentage of transfers resulting in twin live births (%)	11.3	12.5	11.4	1 / 12	2 / 12	0 / 17
Percentage of transfers resulting in live births (%)	73.6	56.3	57.1	5 / 12	3 / 12	2 / 17
Percentage of transfers resulting in pregnancies (%)	81.1	71.9	68.6	6 / 12	4 / 12	4 / 17
<b>Number of Egg/Embryo Banking Cycles</b>						
	2	0	8	7	4	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		120			65	
Number of transfers		87			64	
Average number of embryos transferred		1.8			1.9	
Percentage of embryos transferred resulting in implantation (%)		57.8			54.2	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		41.4			39.1	
Percentage of transfers resulting in singleton live births (%)		48.3			40.6	
Percentage of transfers resulting in twin live births (%)		20.7			28.1	
Percentage of transfers resulting in live births (%)		69.0			68.8	
Percentage of transfers resulting in pregnancies (%)		79.3			76.6	

### CURRENT SERVICES & PROFILE

Current Name: HRC Fertility-Encino

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## ZOUVES FERTILITY CENTER FOSTER CITY, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Christo Zouves, MD					
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>					
IVF	100%	With ICSI	86%	Tubal factor	8%	Uterine factor	3%	<i>Multiple Factors:</i>	
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	20%	Male factor	33%	Female factors only	5%
Used gestational carrier	14%			Diminished ovarian reserve	33%	Other factor	9%	Female & male factors	14%
				Endometriosis	11%	Unknown factor	5%		

2014 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 650 (includes 9 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		2	1	1	3	0	0
Percentage of cancellations before retrieval (%)		0 / 2	0 / 1	0 / 1	1 / 3		
Average number of embryos transferred		1.5	2.0	3.0	2.5		
Percentage of embryos transferred resulting in implantation (%)		0 / 3	0 / 2	0 / 3	1 / 5		
Percentage of elective single embryo transfers (eSET) (%)		0 / 1	0 / 1	0 / 1	0 / 2		
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0 / 2	0 / 1	0 / 1	1 / 3		
Percentage of cycles resulting in singleton live births (%)		0 / 2	0 / 1	0 / 1	1 / 3		
Percentage of cycles resulting in twin live births (%)		0 / 2	0 / 1	0 / 1	0 / 3		
Percentage of cycles resulting in live births (%)		0 / 2	0 / 1	0 / 1	1 / 3		
Percentage of cycles resulting in pregnancies (%)		0 / 2	0 / 1	0 / 1	1 / 3		
<b>Outcomes per Transfer</b>							
Number of transfers		2	1	1	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0 / 2	0 / 1	0 / 1	1 / 2		
Percentage of transfers resulting in singleton live births (%)		0 / 2	0 / 1	0 / 1	1 / 2		
Percentage of transfers resulting in twin live births (%)		0 / 2	0 / 1	0 / 1	0 / 2		
Percentage of transfers resulting in live births (%)		0 / 2	0 / 1	0 / 1	1 / 2		
Percentage of transfers resulting in pregnancies (%)		0 / 2	0 / 1	0 / 1	1 / 2		
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		57	70	42	14	9	0
Number of transfers		56	70	42	14	9	0
Estimated average number of transfers per retrieval		0.9	0.9	0.5	0.3	0.2	0.0
Average number of embryos transferred		1.5	1.3	1.3	1.2	1.1	
Percentage of embryos transferred resulting in implantation (%)		43.9	43.3	54.5	8 / 17	0 / 10	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		37.5	34.3	47.6	4 / 14	0 / 9	
Percentage of transfers resulting in singleton live births (%)		44.6	42.9	54.8	4 / 14	0 / 9	
Percentage of transfers resulting in twin live births (%)		7.1	2.9	2.4	1 / 14	0 / 9	
Percentage of transfers resulting in live births (%)		51.8	45.7	57.1	5 / 14	0 / 9	
Percentage of transfers resulting in pregnancies (%)		60.7	55.7	61.9	6 / 14	0 / 9	
<b>Number of Egg/Embryo Banking Cycles</b>							
		61	81	82	56	44	22
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		6			90		
Number of transfers		6			88		
Average number of embryos transferred		2.0			1.5		
Percentage of embryos transferred resulting in implantation (%)		5 / 12			34.1		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0 / 6			21.6		
Percentage of transfers resulting in singleton live births (%)		1 / 6			25.0		
Percentage of transfers resulting in twin live births (%)		2 / 6			6.8		
Percentage of transfers resulting in live births (%)		3 / 6			31.8		
Percentage of transfers resulting in pregnancies (%)		3 / 6			44.3		

CURRENT SERVICES & PROFILE		Current Name: Zouves Fertility Center					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# WEST COAST FERTILITY CENTERS FOUNTAIN VALLEY, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by David G. Diaz, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	84%	Tubal factor	32%	Uterine factor	11%	Multiple Factors: Female factors only 23% Female & male factors 21%
Unstimulated	0%	PGD/PGS	25%	Ovulatory dysfunction	20%	Male factor	34%	
Used gestational carrier	0%			Diminished ovarian reserve	28%	Other factor	13%	
				Endometriosis	9%	Unknown factor	6%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 197 (includes 31 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	19	13	14	3	0	0
Percentage of cancellations before retrieval (%)	1 / 19	2 / 13	4 / 14	0 / 3		
Average number of embryos transferred	1.6	1.8	2.0	2.5		
Percentage of embryos transferred resulting in implantation (%)	14 / 19	4 / 13	3 / 18	0 / 5		
Percentage of elective single embryo transfers (eSET) (%)	5 / 12	1 / 6	2 / 9	0 / 2		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4 / 19	1 / 13	1 / 14	0 / 3		
Percentage of cycles resulting in singleton live births (%)	6 / 19	1 / 13	1 / 14	0 / 3		
Percentage of cycles resulting in twin live births (%)	2 / 19	0 / 13	1 / 14	0 / 3		
Percentage of cycles resulting in live births (%)	9 / 19	2 / 13	2 / 14	0 / 3		
Percentage of cycles resulting in pregnancies (%)	9 / 19	3 / 13	2 / 14	0 / 3		
<b>Outcomes per Transfer</b>						
Number of transfers	12	8	9	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4 / 12	1 / 8	1 / 9	0 / 2		
Percentage of transfers resulting in singleton live births (%)	6 / 12	1 / 8	1 / 9	0 / 2		
Percentage of transfers resulting in twin live births (%)	2 / 12	0 / 8	1 / 9	0 / 2		
Percentage of transfers resulting in live births (%)	9 / 12	2 / 8	2 / 9	0 / 2		
Percentage of transfers resulting in pregnancies (%)	9 / 12	3 / 8	2 / 9	0 / 2		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	38	16	16	9	0	0
Number of transfers	34	16	15	9	0	0
Estimated average number of transfers per retrieval	2.4	2.3	1.2	1.3	0.0	
Average number of embryos transferred	1.8	1.9	1.6	1.6		
Percentage of embryos transferred resulting in implantation (%)	30.8	25.0	16.7	4 / 14		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	8.8	4 / 16	3 / 15	3 / 9		
Percentage of transfers resulting in singleton live births (%)	11.8	5 / 16	3 / 15	4 / 9		
Percentage of transfers resulting in twin live births (%)	8.8	0 / 16	0 / 15	0 / 9		
Percentage of transfers resulting in live births (%)	20.6	5 / 16	3 / 15	4 / 9		
Percentage of transfers resulting in pregnancies (%)	41.2	7 / 16	4 / 15	4 / 9		
<b>Number of Egg/Embryo Banking Cycles</b>						
	6	3	9	5	1	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	3			11		
Number of transfers	3			10		
Average number of embryos transferred	1.7			1.5		
Percentage of embryos transferred resulting in implantation (%)	1 / 3			6 / 15		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 3			2 / 10		
Percentage of transfers resulting in singleton live births (%)	1 / 3			4 / 10		
Percentage of transfers resulting in twin live births (%)	0 / 3			1 / 10		
Percentage of transfers resulting in live births (%)	1 / 3			5 / 10		
Percentage of transfers resulting in pregnancies (%)	2 / 3			5 / 10		

## CURRENT SERVICES & PROFILE

Current Name: West Coast Fertility Centers

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**XPert FERTILITY CARE OF CALIFORNIA  
MINH N. HO, MD, FACOG  
FOUNTAIN VALLEY, CALIFORNIA**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

**2014 ART CYCLE PROFILE**

Data verified by Minh N. Ho, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	60%	Tubal factor	21%	Uterine factor	7%	<i>Multiple Factors:</i> Female factors only 3% Female & male factors 14%
Unstimulated	0%	PGD/PGS	27%	Ovulatory dysfunction	21%	Male factor	31%	
Used gestational carrier	0%			Diminished ovarian reserve	38%	Other factor	0%	
				Endometriosis	0%	Unknown factor	0%	

**2014 ART SUCCESS RATES<sup>c</sup>**

Total number of cycles<sup>d</sup>: 29 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	7	3	3	0	1	1
Percentage of cancellations before retrieval (%)	0/7	0/3	0/3		0/1	0/1
Average number of embryos transferred	2.2	2.0	3.0		5.0	3.0
Percentage of embryos transferred resulting in implantation (%)	5/11	4/6	2/9		0/5	0/3
Percentage of elective single embryo transfers (eSET) (%)	0/5	0/3	0/3		0/1	0/1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2/7	2/3	2/3		0/1	0/1
Percentage of cycles resulting in singleton live births (%)	3/7	2/3	2/3		0/1	0/1
Percentage of cycles resulting in twin live births (%)	1/7	1/3	0/3		0/1	0/1
Percentage of cycles resulting in live births (%)	4/7	3/3	2/3		0/1	0/1
Percentage of cycles resulting in pregnancies (%)	4/7	3/3	2/3		0/1	0/1
<b>Outcomes per Transfer</b>						
Number of transfers	5	3	3	0	1	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2/5	2/3	2/3		0/1	0/1
Percentage of transfers resulting in singleton live births (%)	3/5	2/3	2/3		0/1	0/1
Percentage of transfers resulting in twin live births (%)	1/5	1/3	0/3		0/1	0/1
Percentage of transfers resulting in live births (%)	4/5	3/3	2/3		0/1	0/1
Percentage of transfers resulting in pregnancies (%)	4/5	3/3	2/3		0/1	0/1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	4	0	2	0	0	0
Number of transfers	4	0	2	0	0	0
Estimated average number of transfers per retrieval	1.3					
Average number of embryos transferred	2.3		2.5			
Percentage of embryos transferred resulting in implantation (%)	4/9		1/5			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3/4		0/2			
Percentage of transfers resulting in singleton live births (%)	4/4		1/2			
Percentage of transfers resulting in twin live births (%)	0/4		0/2			
Percentage of transfers resulting in live births (%)	4/4		1/2			
Percentage of transfers resulting in pregnancies (%)	4/4		1/2			
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	6			2		
Number of transfers	6			2		
Average number of embryos transferred	2.5			2.5		
Percentage of embryos transferred resulting in implantation (%)	7/15			2/5		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2/6			1/2		
Percentage of transfers resulting in singleton live births (%)	2/6			2/2		
Percentage of transfers resulting in twin live births (%)	2/6			0/2		
Percentage of transfers resulting in live births (%)	4/6			2/2		
Percentage of transfers resulting in pregnancies (%)	5/6			2/2		

**CURRENT SERVICES & PROFILE**

Current Name: Xpert Fertility Care of California, Minh N. Ho, MD, FACOG

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# KAISER PERMANENTE CENTER FOR REPRODUCTIVE HEALTH FREMONT, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Lisa Farah-Eways, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	85%	Tubal factor	9%	Uterine factor	7%	Multiple Factors: Female factors only 9% Female & male factors 25%
Unstimulated	<1%	PGD/PGS	1%	Ovulatory dysfunction	14%	Male factor	43%	
Used gestational carrier	<1%			Diminished ovarian reserve	49%	Other factor	6%	
				Endometriosis	2%	Unknown factor	9%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 983 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	223	160	116	60	27	8
Percentage of cancellations before retrieval (%)	3.1	7.5	9.5	13.3	14.8	3 / 8
Average number of embryos transferred	1.6	2.0	2.6	3.3	3.9	3.0
Percentage of embryos transferred resulting in implantation (%)	49.8	38.9	23.0	15.0	6.6	0 / 9
Percentage of elective single embryo transfers (eSET) (%)	45.4	25.4	5.4	0.0	0.0	0 / 2
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	34.5	30.0	17.2	18.3	7.4	0 / 8
Percentage of cycles resulting in singleton live births (%)	40.8	32.5	21.6	18.3	7.4	0 / 8
Percentage of cycles resulting in twin live births (%)	11.2	11.9	8.6	5.0	3.7	0 / 8
Percentage of cycles resulting in live births (%)	52.0	45.0	30.2	23.3	11.1	0 / 8
Percentage of cycles resulting in pregnancies (%)	57.8	51.3	40.5	40.0	18.5	0 / 8
<b>Outcomes per Transfer</b>						
Number of transfers	200	140	98	50	21	3
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	38.5	34.3	20.4	22.0	9.5	0 / 3
Percentage of transfers resulting in singleton live births (%)	45.5	37.1	25.5	22.0	9.5	0 / 3
Percentage of transfers resulting in twin live births (%)	12.5	13.6	10.2	6.0	4.8	0 / 3
Percentage of transfers resulting in live births (%)	58.0	51.4	35.7	28.0	14.3	0 / 3
Percentage of transfers resulting in pregnancies (%)	64.5	58.6	48.0	48.0	23.8	0 / 3
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	127	73	51	13	10	0
Number of transfers	125	70	48	12	8	0
Estimated average number of transfers per retrieval	2.2	2.1	2.7	1.5	1.0	0.0
Average number of embryos transferred	1.5	1.6	1.7	1.8	2.0	
Percentage of embryos transferred resulting in implantation (%)	55.4	49.5	42.7	3 / 19	6 / 16	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	25.6	34.3	41.7	2 / 12	2 / 8	
Percentage of transfers resulting in singleton live births (%)	35.2	37.1	50.0	3 / 12	3 / 8	
Percentage of transfers resulting in twin live births (%)	16.8	14.3	4.2	0 / 12	1 / 8	
Percentage of transfers resulting in live births (%)	52.0	51.4	54.2	3 / 12	4 / 8	
Percentage of transfers resulting in pregnancies (%)	63.2	64.3	66.7	4 / 12	4 / 8	
<b>Number of Egg/Embryo Banking Cycles</b>						
	9	5	5	3	8	1
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		50			34	
Number of transfers		44			33	
Average number of embryos transferred		1.3			1.6	
Percentage of embryos transferred resulting in implantation (%)		64.9			65.9	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		54.5			42.4	
Percentage of transfers resulting in singleton live births (%)		61.4			42.4	
Percentage of transfers resulting in twin live births (%)		9.1			3.0	
Percentage of transfers resulting in live births (%)		70.5			48.5	
Percentage of transfers resulting in pregnancies (%)		77.3			75.8	

## CURRENT SERVICES & PROFILE

Current Name: Kaiser Permanente Center for Reproductive Health

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## CARE FERTILITY GLENDALE, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2014 ART CYCLE PROFILE

Data verified by Rudy Quintero, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	86%	Tubal factor	22%	Uterine factor	5%	<i>Multiple Factors:</i> Female factors only 9% Female & male factors 6%
Unstimulated	<1%	PGD/PGS	<1%	Ovulatory dysfunction	5%	Male factor	26%	
Used gestational carrier	<1%			Diminished ovarian reserve	25%	Other factor	20%	
				Endometriosis	6%	Unknown factor	8%	

### 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 359 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	44	31	40	13	6	4
Percentage of cancellations before retrieval (%)	0.0	6.5	5.0	3 / 13	2 / 6	0 / 4
Average number of embryos transferred	1.8	2.0	2.1	2.8	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	8 / 18	5 / 16	7.4	3 / 11	1 / 4	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	2 / 9	0 / 8	0 / 11	0 / 4	0 / 2	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4.5	9.7	0.0	1 / 13	1 / 6	0 / 4
Percentage of cycles resulting in singleton live births (%)	6.8	9.7	0.0	1 / 13	1 / 6	0 / 4
Percentage of cycles resulting in twin live births (%)	4.5	3.2	2.5	0 / 13	0 / 6	0 / 4
Percentage of cycles resulting in live births (%)	11.4	12.9	2.5	1 / 13	1 / 6	0 / 4
Percentage of cycles resulting in pregnancies (%)	11.4	12.9	2.5	2 / 13	1 / 6	0 / 4
<b>Outcomes per Transfer</b>						
Number of transfers	10	8	13	4	2	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 10	3 / 8	0 / 13	1 / 4	1 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	3 / 10	3 / 8	0 / 13	1 / 4	1 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	2 / 10	1 / 8	1 / 13	0 / 4	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	5 / 10	4 / 8	1 / 13	1 / 4	1 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	5 / 10	4 / 8	1 / 13	2 / 4	1 / 2	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	70	34	35	9	8	7
Number of transfers	66	31	34	9	7	4
Estimated average number of transfers per retrieval	1.7	1.3	1.1	1.8	3.5	1.3
Average number of embryos transferred	1.7	1.5	1.7	1.9	1.6	1.3
Percentage of embryos transferred resulting in implantation (%)	40.4	44.7	25.9	4 / 11	1 / 11	0 / 5
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	18.2	32.3	23.5	2 / 9	1 / 7	0 / 4
Percentage of transfers resulting in singleton live births (%)	28.8	48.4	26.5	3 / 9	1 / 7	0 / 4
Percentage of transfers resulting in twin live births (%)	13.6	6.5	0.0	0 / 9	0 / 7	0 / 4
Percentage of transfers resulting in live births (%)	42.4	54.8	26.5	3 / 9	1 / 7	0 / 4
Percentage of transfers resulting in pregnancies (%)	50.0	61.3	38.2	5 / 9	1 / 7	0 / 4
<b>Number of Egg/Embryo Banking Cycles</b>						
	8	9	11	1	1	1
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	12			14		
Number of transfers	3			13		
Average number of embryos transferred	1.7			1.5		
Percentage of embryos transferred resulting in implantation (%)	2 / 5			45.0		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 3			3 / 13		
Percentage of transfers resulting in singleton live births (%)	2 / 3			5 / 13		
Percentage of transfers resulting in twin live births (%)	0 / 3			1 / 13		
Percentage of transfers resulting in live births (%)	2 / 3			6 / 13		
Percentage of transfers resulting in pregnancies (%)	2 / 3			7 / 13		

### CURRENT SERVICES & PROFILE

Current Name: CARE Fertility

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

# MARIN FERTILITY CENTER GREENBRAE, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Peter S. Uzelac, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	47%	Tubal factor	8%	Uterine factor	0%	
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	5%	Male factor	20%	
Used gestational carrier	0%			Diminished ovarian reserve	24%	Other factor	1%	
				Endometriosis	2%	Unknown factor	44%	
				Multiple Factors:				
				Female factors only				0%
				Female & male factors				4%

2014 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 145 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		15	4	10	8	6	4
Percentage of cancellations before retrieval (%)		1 / 15	0 / 4	1 / 10	0 / 8	1 / 6	1 / 4
Average number of embryos transferred		2.0	2.3	2.6	2.1	3.3	2.0
Percentage of embryos transferred resulting in implantation (%)		32.1	3 / 9	9.5	4 / 15	0 / 5	0 / 4
Percentage of elective single embryo transfers (eSET) (%)		2 / 14	0 / 4	0 / 8	0 / 6	0 / 3	0 / 2
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		3 / 15	1 / 4	1 / 10	3 / 8	0 / 6	0 / 4
Percentage of cycles resulting in singleton live births (%)		3 / 15	1 / 4	2 / 10	3 / 8	0 / 6	0 / 4
Percentage of cycles resulting in twin live births (%)		3 / 15	1 / 4	0 / 10	0 / 8	0 / 6	0 / 4
Percentage of cycles resulting in live births (%)		6 / 15	2 / 4	2 / 10	3 / 8	0 / 6	0 / 4
Percentage of cycles resulting in pregnancies (%)		6 / 15	2 / 4	2 / 10	5 / 8	2 / 6	0 / 4
<b>Outcomes per Transfer</b>							
Number of transfers		14	4	8	8	3	2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		3 / 14	1 / 4	1 / 8	3 / 8	0 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)		3 / 14	1 / 4	2 / 8	3 / 8	0 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)		3 / 14	1 / 4	0 / 8	0 / 8	0 / 3	0 / 2
Percentage of transfers resulting in live births (%)		6 / 14	2 / 4	2 / 8	3 / 8	0 / 3	0 / 2
Percentage of transfers resulting in pregnancies (%)		6 / 14	2 / 4	2 / 8	5 / 8	2 / 3	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		20	9	4	4	1	0
Number of transfers		20	9	4	4	1	0
Estimated average number of transfers per retrieval		1.1	1.3	0.3	0.6	0.5	0.0
Average number of embryos transferred		1.9	1.9	1.0	1.8	1.0	
Percentage of embryos transferred resulting in implantation (%)		24.2	3 / 14	2 / 4	1 / 7	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		20.0	1 / 9	1 / 4	0 / 4	0 / 1	
Percentage of transfers resulting in singleton live births (%)		30.0	3 / 9	2 / 4	1 / 4	0 / 1	
Percentage of transfers resulting in twin live births (%)		5.0	0 / 9	0 / 4	0 / 4	0 / 1	
Percentage of transfers resulting in live births (%)		35.0	3 / 9	2 / 4	1 / 4	0 / 1	
Percentage of transfers resulting in pregnancies (%)		45.0	5 / 9	2 / 4	1 / 4	0 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>							
		16	7	13	7	2	4
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		6			5		
Number of transfers		6			5		
Average number of embryos transferred		2.0			1.4		
Percentage of embryos transferred resulting in implantation (%)		5 / 12			3 / 5		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		3 / 6			3 / 5		
Percentage of transfers resulting in singleton live births (%)		3 / 6			3 / 5		
Percentage of transfers resulting in twin live births (%)		0 / 6			0 / 5		
Percentage of transfers resulting in live births (%)		3 / 6			3 / 5		
Percentage of transfers resulting in pregnancies (%)		5 / 6			4 / 5		

CURRENT SERVICES & PROFILE		Current Name: Marin Fertility Center					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 3 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# COASTAL FERTILITY MEDICAL CENTER, INC. IRVINE, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Lawrence B. Werlin, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	84%	Tubal factor	11%	Uterine factor	4%	<i>Multiple Factors:</i> Female factors only 14% Female & male factors 7%
Unstimulated	<1%	PGD/PGS	5%	Ovulatory dysfunction	3%	Male factor	22%	
Used gestational carrier	0%			Diminished ovarian reserve	46%	Other factor	20%	
				Endometriosis	5%	Unknown factor	12%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 318 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	47	33	18	10	2	0
Percentage of cancellations before retrieval (%)	8.5	24.2	1 / 18	2 / 10	0 / 2	
Average number of embryos transferred	2.2	2.3	2.1	2.0	3.5	
Percentage of embryos transferred resulting in implantation (%)	14.6	15.6	4.3	0 / 4	0 / 7	
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 19	0 / 8	0 / 2	0 / 2	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	17.0	12.1	0 / 18	0 / 10	0 / 2	
Percentage of cycles resulting in singleton live births (%)	19.1	18.2	0 / 18	0 / 10	0 / 2	
Percentage of cycles resulting in twin live births (%)	0.0	0.0	0 / 18	0 / 10	0 / 2	
Percentage of cycles resulting in live births (%)	19.1	18.2	0 / 18	0 / 10	0 / 2	
Percentage of cycles resulting in pregnancies (%)	21.3	18.2	1 / 18	0 / 10	0 / 2	
<b>Outcomes per Transfer</b>						
Number of transfers	37	20	11	2	2	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	21.6	20.0	0 / 11	0 / 2	0 / 2	
Percentage of transfers resulting in singleton live births (%)	24.3	30.0	0 / 11	0 / 2	0 / 2	
Percentage of transfers resulting in twin live births (%)	0.0	0.0	0 / 11	0 / 2	0 / 2	
Percentage of transfers resulting in live births (%)	24.3	30.0	0 / 11	0 / 2	0 / 2	
Percentage of transfers resulting in pregnancies (%)	27.0	30.0	1 / 11	0 / 2	0 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	17	24	21	8	3	2
Number of transfers	16	23	18	8	2	1
Estimated average number of transfers per retrieval	0.6	0.7	0.5	0.5	0.5	
Average number of embryos transferred	2.1	2.3	2.2	2.5	3.5	2.0
Percentage of embryos transferred resulting in implantation (%)	3.0	15.4	25.0	0.0	0 / 7	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 16	13.0	3 / 18	0 / 8	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	1 / 16	17.4	5 / 18	0 / 8	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 16	0.0	1 / 18	0 / 8	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	1 / 16	17.4	6 / 18	0 / 8	0 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	1 / 16	34.8	8 / 18	0 / 8	0 / 2	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	16	27	30	14	4	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		14			26	
Number of transfers		11			23	
Average number of embryos transferred		2.1			2.3	
Percentage of embryos transferred resulting in implantation (%)		39.1			25.9	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 11			13.0	
Percentage of transfers resulting in singleton live births (%)		4 / 11			21.7	
Percentage of transfers resulting in twin live births (%)		0 / 11			8.7	
Percentage of transfers resulting in live births (%)		4 / 11			30.4	
Percentage of transfers resulting in pregnancies (%)		7 / 11			39.1	

## CURRENT SERVICES & PROFILE

Current Name: Coastal Fertility Medical Center, Inc.

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FERTILITY CENTER OF SOUTHERN CALIFORNIA IRVINE, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Ilene E. Hatch, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	91%	Tubal factor	8%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 21% Female & male factors 24%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	15%	Male factor	33%	
Used gestational carrier	0%			Diminished ovarian reserve	59%	Other factor	15%	
				Endometriosis	14%	Unknown factor	7%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 193 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	13	19	12	9	1	1
Percentage of cancellations before retrieval (%)	1 / 13	1 / 19	2 / 12	1 / 9	0 / 1	0 / 1
Average number of embryos transferred	1.6	1.5	2.4	2.5		1.0
Percentage of embryos transferred resulting in implantation (%)	4 / 13	3 / 10	2 / 17	2 / 10		0 / 1
Percentage of elective single embryo transfers (eSET) (%)	4 / 8	4 / 8	1 / 7	0 / 3		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4 / 13	3 / 19	1 / 12	1 / 9	0 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)	4 / 13	3 / 19	1 / 12	1 / 9	0 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)	0 / 13	0 / 19	0 / 12	0 / 9	0 / 1	0 / 1
Percentage of cycles resulting in live births (%)	4 / 13	3 / 19	1 / 12	1 / 9	0 / 1	0 / 1
Percentage of cycles resulting in pregnancies (%)	4 / 13	4 / 19	2 / 12	1 / 9	0 / 1	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	8	8	7	4	0	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4 / 8	3 / 8	1 / 7	1 / 4		0 / 1
Percentage of transfers resulting in singleton live births (%)	4 / 8	3 / 8	1 / 7	1 / 4		0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 8	0 / 8	0 / 7	0 / 4		0 / 1
Percentage of transfers resulting in live births (%)	4 / 8	3 / 8	1 / 7	1 / 4		0 / 1
Percentage of transfers resulting in pregnancies (%)	4 / 8	4 / 8	2 / 7	1 / 4		0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	24	16	13	6	2	1
Number of transfers	23	14	13	6	2	1
Estimated average number of transfers per retrieval	2.1	1.1	0.6	0.8	0.3	0.3
Average number of embryos transferred	1.5	1.7	1.6	2.2	4.5	3.0
Percentage of embryos transferred resulting in implantation (%)	69.7	81.8	47.6	4 / 13	0 / 9	3 / 3
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	52.2	7 / 14	5 / 13	2 / 6	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	60.9	8 / 14	6 / 13	2 / 6	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	13.0	4 / 14	1 / 13	1 / 6	0 / 2	1 / 1
Percentage of transfers resulting in live births (%)	73.9	12 / 14	7 / 13	3 / 6	0 / 2	1 / 1
Percentage of transfers resulting in pregnancies (%)	87.0	14 / 14	9 / 13	3 / 6	0 / 2	1 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	8	7	17	3	7	3
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		8			22	
Number of transfers		7			20	
Average number of embryos transferred		1.9			1.5	
Percentage of embryos transferred resulting in implantation (%)		11 / 13			56.7	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		3 / 7			30.0	
Percentage of transfers resulting in singleton live births (%)		4 / 7			35.0	
Percentage of transfers resulting in twin live births (%)		2 / 7			20.0	
Percentage of transfers resulting in live births (%)		6 / 7			55.0	
Percentage of transfers resulting in pregnancies (%)		6 / 7			55.0	

## CURRENT SERVICES & PROFILE

Current Name: Fertility Center of Southern California

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**HOPE IVF AND FERTILITY CENTER  
IRVINE, CALIFORNIA**

---

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

# LIFE IVF CENTER IRVINE, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Frank D. Yelian, MD, PhD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	98%	Tubal factor	13%	Uterine factor	13%	Multiple Factors: Female factors only 21% Female & male factors 17%
Unstimulated	77%	PGD/PGS	9%	Ovulatory dysfunction	6%	Male factor	29%	
Used gestational carrier	2%			Diminished ovarian reserve	28%	Other factor	35%	
				Endometriosis	13%	Unknown factor	15%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 3,099 (includes 10 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	29	13	23	8	16	15
Percentage of cancellations before retrieval (%)	0.0	1 / 13	0.0	0 / 8	0 / 16	0 / 15
Average number of embryos transferred	1.3	1.4	1.2	1.5	1.4	1.3
Percentage of embryos transferred resulting in implantation (%)	51.4	6 / 17	30.8	3 / 10	4.3	0 / 18
Percentage of elective single embryo transfers (eSET) (%)	3 / 11	1 / 6	1 / 5	0 / 4	0 / 7	0 / 5
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	27.6	0 / 13	21.7	0 / 8	1 / 16	0 / 15
Percentage of cycles resulting in singleton live births (%)	34.5	0 / 13	21.7	1 / 8	1 / 16	0 / 15
Percentage of cycles resulting in twin live births (%)	13.8	2 / 13	0.0	1 / 8	0 / 16	0 / 15
Percentage of cycles resulting in live births (%)	48.3	2 / 13	21.7	2 / 8	1 / 16	0 / 15
Percentage of cycles resulting in pregnancies (%)	51.7	3 / 13	34.8	3 / 8	1 / 16	2 / 15
<b>Outcomes per Transfer</b>						
Number of transfers	29	12	23	8	16	15
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	27.6	0 / 12	21.7	0 / 8	1 / 16	0 / 15
Percentage of transfers resulting in singleton live births (%)	34.5	0 / 12	21.7	1 / 8	1 / 16	0 / 15
Percentage of transfers resulting in twin live births (%)	13.8	2 / 12	0.0	1 / 8	0 / 16	0 / 15
Percentage of transfers resulting in live births (%)	48.3	2 / 12	21.7	2 / 8	1 / 16	0 / 15
Percentage of transfers resulting in pregnancies (%)	51.7	3 / 12	34.8	3 / 8	1 / 16	2 / 15
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	113	100	135	95	68	65
Number of transfers	113	100	133	95	66	61
Estimated average number of transfers per retrieval	0.4	0.3	0.3	0.2	0.1	0.1
Average number of embryos transferred	1.3	1.3	1.2	1.3	1.3	1.4
Percentage of embryos transferred resulting in implantation (%)	60.0	62.2	45.8	33.3	20.5	9.0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	36.3	43.0	31.6	29.5	15.2	9.8
Percentage of transfers resulting in singleton live births (%)	46.0	48.0	37.6	31.6	15.2	9.8
Percentage of transfers resulting in twin live births (%)	10.6	6.0	3.8	0.0	1.5	0.0
Percentage of transfers resulting in live births (%)	56.6	54.0	41.4	31.6	16.7	9.8
Percentage of transfers resulting in pregnancies (%)	64.6	72.0	53.4	46.3	25.8	18.0
<b>Number of Egg/Embryo Banking Cycles</b>	281	287	477	456	462	417
<b>Donor Eggs</b>						
		<b>Fresh Embryos<sup>f</sup></b>		<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		0		29		
Number of transfers		0		28		
Average number of embryos transferred				1.3		
Percentage of embryos transferred resulting in implantation (%)				79.4		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)				46.4		
Percentage of transfers resulting in singleton live births (%)				57.1		
Percentage of transfers resulting in twin live births (%)				14.3		
Percentage of transfers resulting in live births (%)				71.4		
Percentage of transfers resulting in pregnancies (%)				82.1		

## CURRENT SERVICES & PROFILE

Current Name: Life IVF Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# REPRODUCTIVE FERTILITY CENTER-OC IRVINE, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by James Lin, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	99%	Tubal factor	8%	Uterine factor	5%	Multiple Factors: Female factors only 8% Female & male factors 10%
Unstimulated	1%	PGD/PGS	19%	Ovulatory dysfunction	7%	Male factor	26%	
Used gestational carrier	1%			Diminished ovarian reserve	33%	Other factor	19%	
				Endometriosis	2%	Unknown factor	20%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 626 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	163	85	54	34	11	1
Percentage of cancellations before retrieval (%)	0.0	0.0	0.0	0.0	2 / 11	0 / 1
Average number of embryos transferred	1.9	2.1	2.4	2.4	2.8	
Percentage of embryos transferred resulting in implantation (%)	41.3	31.5	15.7	7.5	1 / 8	
Percentage of elective single embryo transfers (eSET) (%)	8.0	3.1	7.3	0 / 18	0 / 4	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	22.1	21.2	11.1	5.9	0 / 11	0 / 1
Percentage of cycles resulting in singleton live births (%)	31.3	24.7	14.8	5.9	1 / 11	0 / 1
Percentage of cycles resulting in twin live births (%)	14.1	8.2	5.6	0.0	0 / 11	0 / 1
Percentage of cycles resulting in live births (%)	45.4	34.1	20.4	5.9	1 / 11	0 / 1
Percentage of cycles resulting in pregnancies (%)	50.3	42.4	25.9	8.8	2 / 11	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	152	75	45	23	4	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	23.7	24.0	13.3	8.7	0 / 4	
Percentage of transfers resulting in singleton live births (%)	33.6	28.0	17.8	8.7	1 / 4	
Percentage of transfers resulting in twin live births (%)	15.1	9.3	6.7	0.0	0 / 4	
Percentage of transfers resulting in live births (%)	48.7	38.7	24.4	8.7	1 / 4	
Percentage of transfers resulting in pregnancies (%)	53.9	48.0	31.1	13.0	2 / 4	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	49	31	12	12	2	2
Number of transfers	49	31	12	12	2	2
Estimated average number of transfers per retrieval	1.1	1.1	0.4	0.6	0.1	0.2
Average number of embryos transferred	2.0	2.0	2.3	2.5	2.5	2.0
Percentage of embryos transferred resulting in implantation (%)	32.6	34.4	21.4	7.4	0 / 4	2 / 4
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	18.4	25.8	2 / 12	2 / 12	0 / 2	1 / 2
Percentage of transfers resulting in singleton live births (%)	28.6	25.8	2 / 12	2 / 12	0 / 2	1 / 2
Percentage of transfers resulting in twin live births (%)	12.2	12.9	1 / 12	0 / 12	0 / 2	0 / 2
Percentage of transfers resulting in live births (%)	40.8	38.7	3 / 12	2 / 12	0 / 2	1 / 2
Percentage of transfers resulting in pregnancies (%)	51.0	54.8	4 / 12	2 / 12	1 / 2	1 / 2
<b>Number of Egg/Embryo Banking Cycles</b>						
	17	16	30	15	15	9
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		41			27	
Number of transfers		39			27	
Average number of embryos transferred		1.8			2.0	
Percentage of embryos transferred resulting in implantation (%)		59.7			45.8	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		33.3			14.8	
Percentage of transfers resulting in singleton live births (%)		33.3			18.5	
Percentage of transfers resulting in twin live births (%)		30.8			25.9	
Percentage of transfers resulting in live births (%)		64.1			44.4	
Percentage of transfers resulting in pregnancies (%)		71.8			51.9	

## CURRENT SERVICES & PROFILE

Current Name: Reproductive Fertility Center-OC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**LA JOLLA IVF  
LA JOLLA, CALIFORNIA**

---

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

**REPRODUCTIVE SCIENCES CENTER  
LA JOLLA, CALIFORNIA**

---

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

**ACACIO FERTILITY CENTER  
LAGUNA NIGUEL, CALIFORNIA**

---

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

# LOMA LINDA UNIVERSITY CENTER FOR FERTILITY AND IVF LOMA LINDA, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by John D. Jacobson, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	81%	Tubal factor	27%	Uterine factor	15%	<i>Multiple Factors:</i> Female factors only 25% Female & male factors 30%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	23%	Male factor	41%	
Used gestational carrier	0%			Diminished ovarian reserve	47%	Other factor	7%	
				Endometriosis	14%	Unknown factor	2%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 207 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	45	29	20	7	4	1
Percentage of cancellations before retrieval (%)	13.3	13.8	20.0	1 / 7	1 / 4	0 / 1
Average number of embryos transferred	1.8	1.7	2.8	2.0	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	52.5	48.3	18.9	0 / 8	0 / 4	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	19.4	2 / 14	0 / 13	2 / 4	0 / 2	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	22.2	20.7	10.0	0 / 7	0 / 4	0 / 1
Percentage of cycles resulting in singleton live births (%)	26.7	20.7	15.0	0 / 7	0 / 4	0 / 1
Percentage of cycles resulting in twin live births (%)	15.6	6.9	5.0	0 / 7	0 / 4	0 / 1
Percentage of cycles resulting in live births (%)	42.2	31.0	20.0	0 / 7	0 / 4	0 / 1
Percentage of cycles resulting in pregnancies (%)	44.4	37.9	20.0	0 / 7	0 / 4	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	33	18	13	4	2	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	30.3	6 / 18	2 / 13	0 / 4	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	36.4	6 / 18	3 / 13	0 / 4	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	21.2	2 / 18	1 / 13	0 / 4	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	57.6	9 / 18	4 / 13	0 / 4	0 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	60.6	11 / 18	4 / 13	0 / 4	0 / 2	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	31	18	13	2	0	0
Number of transfers	31	16	13	2	0	0
Estimated average number of transfers per retrieval	3.4	2.0	1.1	0.5		
Average number of embryos transferred	1.8	2.0	2.2	1.0		
Percentage of embryos transferred resulting in implantation (%)	40.7	31.3	31.0	0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	38.7	7 / 16	2 / 13	0 / 2		
Percentage of transfers resulting in singleton live births (%)	54.8	7 / 16	3 / 13	0 / 2		
Percentage of transfers resulting in twin live births (%)	3.2	1 / 16	1 / 13	0 / 2		
Percentage of transfers resulting in live births (%)	58.1	8 / 16	5 / 13	0 / 2		
Percentage of transfers resulting in pregnancies (%)	61.3	9 / 16	5 / 13	0 / 2		
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	6	7	2	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	6			15		
Number of transfers	6			15		
Average number of embryos transferred	1.7			2.3		
Percentage of embryos transferred resulting in implantation (%)	8 / 10			23.5		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 6			0 / 15		
Percentage of transfers resulting in singleton live births (%)	3 / 6			0 / 15		
Percentage of transfers resulting in twin live births (%)	1 / 6			3 / 15		
Percentage of transfers resulting in live births (%)	4 / 6			3 / 15		
Percentage of transfers resulting in pregnancies (%)	5 / 6			4 / 15		

## CURRENT SERVICES & PROFILE

Current Name: Loma Linda University Center for Fertility and IVF

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# CALIFORNIA FERTILITY PARTNERS LOS ANGELES, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Richard P. Marrs, MD					
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>					
IVF	100%	With ICSI	70%	Tubal factor	9%	Uterine factor	29%	<i>Multiple Factors:</i>	
Unstimulated	1%	PGD/PGS	5%	Ovulatory dysfunction	4%	Male factor	26%	Female factors only	25%
Used gestational carrier	11%			Diminished ovarian reserve	57%	Other factor	20%	Female & male factors	20%
				Endometriosis	8%	Unknown factor	5%		

2014 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 1,122 (includes 4 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
	Number of cycles	49	50	79	58	65	28
	Percentage of cancellations before retrieval (%)	16.3	8.0	26.6	39.7	32.3	50.0
	Average number of embryos transferred	2.0	2.3	2.5	2.4	3.3	2.9
	Percentage of embryos transferred resulting in implantation (%)	14.8	15.7	19.1	13.6	4.4	0.0
	Percentage of elective single embryo transfers (eSET) (%)	11.5	6.5	0.0	0.0	0.0	0 / 10
<b>Outcomes per Cycle</b>							
	Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2.0	8.0	7.6	6.9	0.0	0.0
	Percentage of cycles resulting in singleton live births (%)	4.1	12.0	8.9	8.6	0.0	0.0
	Percentage of cycles resulting in twin live births (%)	4.1	4.0	3.8	1.7	1.5	0.0
	Percentage of cycles resulting in live births (%)	8.2	16.0	12.7	10.3	1.5	0.0
	Percentage of cycles resulting in pregnancies (%)	12.2	20.0	15.2	15.5	4.6	0.0
<b>Outcomes per Transfer</b>							
	Number of transfers	28	32	37	28	28	11
	Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3.6	12.5	16.2	14.3	0.0	0 / 11
	Percentage of transfers resulting in singleton live births (%)	7.1	18.8	18.9	17.9	0.0	0 / 11
	Percentage of transfers resulting in twin live births (%)	7.1	6.3	8.1	3.6	3.6	0 / 11
	Percentage of transfers resulting in live births (%)	14.3	25.0	27.0	21.4	3.6	0 / 11
	Percentage of transfers resulting in pregnancies (%)	21.4	31.3	32.4	32.1	10.7	0 / 11
<b>Frozen Embryos from Nondonor Eggs</b>							
	Number of cycles	41	51	41	31	13	8
	Number of transfers	32	47	37	29	12	4
	Estimated average number of transfers per retrieval	0.7	0.6	0.4	0.5	0.3	0.2
	Average number of embryos transferred	1.6	1.6	1.6	2.0	2.2	3.0
	Percentage of embryos transferred resulting in implantation (%)	37.0	43.1	43.6	32.1	25.0	1 / 12
	Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	37.5	25.5	40.5	20.7	0 / 12	0 / 4
	Percentage of transfers resulting in singleton live births (%)	37.5	34.0	43.2	27.6	3 / 12	0 / 4
	Percentage of transfers resulting in twin live births (%)	0.0	8.5	0.0	6.9	1 / 12	0 / 4
	Percentage of transfers resulting in live births (%)	37.5	42.6	43.2	34.5	4 / 12	0 / 4
	Percentage of transfers resulting in pregnancies (%)	53.1	61.7	59.5	58.6	5 / 12	1 / 4
<b>Number of Egg/Embryo Banking Cycles</b>		39	59	75	53	39	18
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
	Number of cycles	144			177		
	Number of transfers	106			147		
	Average number of embryos transferred	1.7			1.7		
	Percentage of embryos transferred resulting in implantation (%)	60.4			44.9		
	Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	37.7			25.2		
	Percentage of transfers resulting in singleton live births (%)	40.6			34.0		
	Percentage of transfers resulting in twin live births (%)	21.7			12.2		
	Percentage of transfers resulting in live births (%)	62.3			46.3		
	Percentage of transfers resulting in pregnancies (%)	76.4			57.8		

CURRENT SERVICES & PROFILE		Current Name: California Fertility Partners					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**CEDARS SINAI MEDICAL CENTER  
CENTER FOR FERTILITY AND REPRODUCTIVE MEDICINE  
LOS ANGELES, CALIFORNIA**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

**2014 ART CYCLE PROFILE**

Data verified by Margareta D. Pisarska, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	79%	Tubal factor	19%	Uterine factor	21%	<i>Multiple Factors:</i> Female factors only 20% Female & male factors 25%
Unstimulated	0%	PGD/PGS	13%	Ovulatory dysfunction	15%	Male factor	28%	
Used gestational carrier	2%			Diminished ovarian reserve	51%	Other factor	9%	
				Endometriosis	8%	Unknown factor	9%	

**2014 ART SUCCESS RATES<sup>c</sup>**

Total number of cycles<sup>d</sup>: 125 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	15	6	15	13	5	2
Percentage of cancellations before retrieval (%)	0 / 15	0 / 6	1 / 15	1 / 13	0 / 5	2 / 2
Average number of embryos transferred	1.4	1.4	1.9	2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	4 / 10	1 / 7	2 / 17	4 / 18	0 / 6	
Percentage of elective single embryo transfers (eSET) (%)	4 / 7	3 / 5	0 / 6	2 / 9	0 / 2	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4 / 15	1 / 6	2 / 15	1 / 13	0 / 5	0 / 2
Percentage of cycles resulting in singleton live births (%)	4 / 15	1 / 6	2 / 15	1 / 13	0 / 5	0 / 2
Percentage of cycles resulting in twin live births (%)	0 / 15	0 / 6	0 / 15	0 / 13	0 / 5	0 / 2
Percentage of cycles resulting in live births (%)	4 / 15	1 / 6	2 / 15	1 / 13	0 / 5	0 / 2
Percentage of cycles resulting in pregnancies (%)	4 / 15	1 / 6	2 / 15	2 / 13	0 / 5	0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	7	5	9	9	3	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4 / 7	1 / 5	2 / 9	1 / 9	0 / 3	
Percentage of transfers resulting in singleton live births (%)	4 / 7	1 / 5	2 / 9	1 / 9	0 / 3	
Percentage of transfers resulting in twin live births (%)	0 / 7	0 / 5	0 / 9	0 / 9	0 / 3	
Percentage of transfers resulting in live births (%)	4 / 7	1 / 5	2 / 9	1 / 9	0 / 3	
Percentage of transfers resulting in pregnancies (%)	4 / 7	1 / 5	2 / 9	2 / 9	0 / 3	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	10	2	10	3	2	0
Number of transfers	10	1	8	3	2	0
Estimated average number of transfers per retrieval	0.7	0.1	0.5	0.6	1.0	0.0
Average number of embryos transferred	1.3	2.0	1.4	1.7	3.5	
Percentage of embryos transferred resulting in implantation (%)	2 / 11	1 / 2	1 / 10	2 / 5	2 / 7	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 10	0 / 1	0 / 8	0 / 3	1 / 2	
Percentage of transfers resulting in singleton live births (%)	2 / 10	1 / 1	0 / 8	0 / 3	2 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 10	0 / 1	0 / 8	1 / 3	0 / 2	
Percentage of transfers resulting in live births (%)	2 / 10	1 / 1	0 / 8	1 / 3	2 / 2	
Percentage of transfers resulting in pregnancies (%)	3 / 10	1 / 1	2 / 8	1 / 3	2 / 2	
<b>Number of Egg/Embryo Banking Cycles</b>						
	7	6	13	4	2	1
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	4			5		
Number of transfers	2			5		
Average number of embryos transferred	1.5			2.4		
Percentage of embryos transferred resulting in implantation (%)	2 / 3			3 / 12		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 2			1 / 5		
Percentage of transfers resulting in singleton live births (%)	2 / 2			1 / 5		
Percentage of transfers resulting in twin live births (%)	0 / 2			1 / 5		
Percentage of transfers resulting in live births (%)	2 / 2			2 / 5		
Percentage of transfers resulting in pregnancies (%)	2 / 2			2 / 5		

**CURRENT SERVICES & PROFILE**

Current Name: Cedars Sinai Medical Center, Center for Fertility and Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## CHA FERTILITY CENTER LOS ANGELES, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2014 ART CYCLE PROFILE

Data verified by Vicken P. Sepilian, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	99%	Tubal factor	4%	Uterine factor	4%	Multiple Factors: Female factors only 3% Female & male factors 4%
Unstimulated	3%	PGD/PGS	13%	Ovulatory dysfunction	6%	Male factor	15%	
Used gestational carrier	0%			Diminished ovarian reserve	56%	Other factor	7%	
				Endometriosis	2%	Unknown factor	14%	

### 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 345 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	20	14	19	8	9	5
Percentage of cancellations before retrieval (%)	0.0	0 / 14	1 / 19	0 / 8	0 / 9	0 / 5
Average number of embryos transferred	1.9	2.0	2.1	1.9	2.2	3.0
Percentage of embryos transferred resulting in implantation (%)	37.8	17.9	7.9	1 / 15	10.0	1 / 15
Percentage of elective single embryo transfers (eSET) (%)	1 / 17	1 / 14	0 / 15	0 / 5	0 / 6	0 / 5
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	30.0	3 / 14	0 / 19	1 / 8	0 / 9	0 / 5
Percentage of cycles resulting in singleton live births (%)	30.0	3 / 14	0 / 19	1 / 8	0 / 9	0 / 5
Percentage of cycles resulting in twin live births (%)	20.0	1 / 14	0 / 19	0 / 8	0 / 9	0 / 5
Percentage of cycles resulting in live births (%)	50.0	4 / 14	0 / 19	1 / 8	0 / 9	0 / 5
Percentage of cycles resulting in pregnancies (%)	50.0	4 / 14	2 / 19	1 / 8	2 / 9	1 / 5
<b>Outcomes per Transfer</b>						
Number of transfers	19	14	18	8	9	5
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	6 / 19	3 / 14	0 / 18	1 / 8	0 / 9	0 / 5
Percentage of transfers resulting in singleton live births (%)	6 / 19	3 / 14	0 / 18	1 / 8	0 / 9	0 / 5
Percentage of transfers resulting in twin live births (%)	4 / 19	1 / 14	0 / 18	0 / 8	0 / 9	0 / 5
Percentage of transfers resulting in live births (%)	10 / 19	4 / 14	0 / 18	1 / 8	0 / 9	0 / 5
Percentage of transfers resulting in pregnancies (%)	10 / 19	4 / 14	2 / 18	1 / 8	2 / 9	1 / 5
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	41	21	9	1	3	1
Number of transfers	41	21	9	1	3	1
Estimated average number of transfers per retrieval	1.0	1.2	0.6	0.3	0.3	0.1
Average number of embryos transferred	1.7	2.1	2.0	2.0	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	47.9	48.8	7 / 18	2 / 2	2 / 6	1 / 2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	26.8	47.6	1 / 9	0 / 1	0 / 3	1 / 1
Percentage of transfers resulting in singleton live births (%)	31.7	47.6	1 / 9	0 / 1	0 / 3	1 / 1
Percentage of transfers resulting in twin live births (%)	17.1	19.0	2 / 9	0 / 1	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	48.8	66.7	3 / 9	0 / 1	0 / 3	1 / 1
Percentage of transfers resulting in pregnancies (%)	61.0	76.2	5 / 9	1 / 1	2 / 3	1 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	38	14	12	3	10	12
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		34			69	
Number of transfers		34			68	
Average number of embryos transferred		1.9			2.0	
Percentage of embryos transferred resulting in implantation (%)		59.1			49.3	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		29.4			25.0	
Percentage of transfers resulting in singleton live births (%)		35.3			29.4	
Percentage of transfers resulting in twin live births (%)		32.4			17.6	
Percentage of transfers resulting in live births (%)		70.6			48.5	
Percentage of transfers resulting in pregnancies (%)		76.5			66.2	

### CURRENT SERVICES & PROFILE

Current Name: CHA Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# PACIFIC FERTILITY CENTER-LOS ANGELES LOS ANGELES, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Vicken Sahakian, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	88%	Tubal factor	6%	Uterine factor	5%	<i>Multiple Factors:</i> Female factors only 7% Female & male factors 8%
Unstimulated	0%	PGD/PGS	28%	Ovulatory dysfunction	3%	Male factor	15%	
Used gestational carrier	3%			Diminished ovarian reserve	22%	Other factor	50%	
				Endometriosis	3%	Unknown factor	16%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 512 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	64	30	24	16	24	2
Percentage of cancellations before retrieval (%)	0.0	0.0	4.2	0 / 16	0.0	0 / 2
Average number of embryos transferred	1.7	1.7	2.5	1.8	3.0	2.0
Percentage of embryos transferred resulting in implantation (%)	34.5	28.9	14.3	2 / 16	2.5	0 / 4
Percentage of elective single embryo transfers (eSET) (%)	22.0	13.6	1 / 17	0 / 4	0 / 13	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	10.9	20.0	8.3	2 / 16	0.0	0 / 2
Percentage of cycles resulting in singleton live births (%)	18.8	26.7	16.7	2 / 16	0.0	0 / 2
Percentage of cycles resulting in twin live births (%)	7.8	3.3	4.2	0 / 16	0.0	0 / 2
Percentage of cycles resulting in live births (%)	26.6	30.0	20.8	2 / 16	0.0	0 / 2
Percentage of cycles resulting in pregnancies (%)	32.8	43.3	20.8	2 / 16	8.3	0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	51	27	17	9	15	2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	13.7	22.2	2 / 17	2 / 9	0 / 15	0 / 2
Percentage of transfers resulting in singleton live births (%)	23.5	29.6	4 / 17	2 / 9	0 / 15	0 / 2
Percentage of transfers resulting in twin live births (%)	9.8	3.7	1 / 17	0 / 9	0 / 15	0 / 2
Percentage of transfers resulting in live births (%)	33.3	33.3	5 / 17	2 / 9	0 / 15	0 / 2
Percentage of transfers resulting in pregnancies (%)	41.2	48.1	5 / 17	2 / 9	2 / 15	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	56	21	17	3	5	2
Number of transfers	55	19	16	2	5	2
Estimated average number of transfers per retrieval	1.2	0.7	0.8	0.2	0.8	1.0
Average number of embryos transferred	1.6	1.9	1.8	1.0	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	37.9	27.0	11.5	0 / 2	2 / 10	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	12.7	1 / 19	0 / 16	0 / 2	1 / 5	0 / 2
Percentage of transfers resulting in singleton live births (%)	20.0	4 / 19	3 / 16	0 / 2	2 / 5	0 / 2
Percentage of transfers resulting in twin live births (%)	16.4	3 / 19	0 / 16	0 / 2	0 / 5	0 / 2
Percentage of transfers resulting in live births (%)	36.4	7 / 19	3 / 16	0 / 2	2 / 5	0 / 2
Percentage of transfers resulting in pregnancies (%)	43.6	7 / 19	4 / 16	0 / 2	2 / 5	0 / 2
<b>Number of Egg/Embryo Banking Cycles</b>						
	27	21	18	11	6	2
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		109			54	
Number of transfers		94			54	
Average number of embryos transferred		1.6			1.6	
Percentage of embryos transferred resulting in implantation (%)		64.8			34.9	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		10.6			1.9	
Percentage of transfers resulting in singleton live births (%)		21.3			22.2	
Percentage of transfers resulting in twin live births (%)		10.6			7.4	
Percentage of transfers resulting in live births (%)		31.9			29.6	
Percentage of transfers resulting in pregnancies (%)		73.4			48.1	

## CURRENT SERVICES & PROFILE

Current Name: Pacific Fertility Center-Los Angeles

Donor eggs?	No	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# UCLA FERTILITY CENTER LOS ANGELES, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by T.C. Jackson Wu, MD, PhD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	76%	Tubal factor	3%	Uterine factor	2%	Multiple Factors: Female factors only 4% Female & male factors 7%
Unstimulated	0%	PGD/PGS	12%	Ovulatory dysfunction	8%	Male factor	26%	
Used gestational carrier	0%			Diminished ovarian reserve	4%	Other factor	41%	
				Endometriosis	5%	Unknown factor	22%	

2014 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 243 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		27	14	17	10	4	2
Percentage of cancellations before retrieval (%)		0.0	0 / 14	0 / 17	0 / 10	0 / 4	1 / 2
Average number of embryos transferred		1.4	1.5	1.9	1.9	2.3	2.0
Percentage of embryos transferred resulting in implantation (%)		23.5	2 / 19	3.1	2 / 19	0 / 9	0 / 2
Percentage of elective single embryo transfers (eSET) (%)		65.4	5 / 11	1 / 15	1 / 8	0 / 3	0 / 1
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		14.8	2 / 14	1 / 17	2 / 10	0 / 4	0 / 2
Percentage of cycles resulting in singleton live births (%)		14.8	2 / 14	1 / 17	2 / 10	0 / 4	0 / 2
Percentage of cycles resulting in twin live births (%)		3.7	0 / 14	0 / 17	0 / 10	0 / 4	0 / 2
Percentage of cycles resulting in live births (%)		18.5	2 / 14	1 / 17	2 / 10	0 / 4	0 / 2
Percentage of cycles resulting in pregnancies (%)		33.3	2 / 14	1 / 17	2 / 10	0 / 4	0 / 2
<b>Outcomes per Transfer</b>							
Number of transfers		27	13	17	10	4	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		14.8	2 / 13	1 / 17	2 / 10	0 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)		14.8	2 / 13	1 / 17	2 / 10	0 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)		3.7	0 / 13	0 / 17	0 / 10	0 / 4	0 / 1
Percentage of transfers resulting in live births (%)		18.5	2 / 13	1 / 17	2 / 10	0 / 4	0 / 1
Percentage of transfers resulting in pregnancies (%)		33.3	2 / 13	1 / 17	2 / 10	0 / 4	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		35	18	12	5	4	2
Number of transfers		35	17	12	5	4	2
Estimated average number of transfers per retrieval		1.1	0.9	0.4	0.6	0.7	0.5
Average number of embryos transferred		1.3	1.3	1.5	1.6	1.5	2.5
Percentage of embryos transferred resulting in implantation (%)		36.4	40.0	3 / 17	2 / 6	0 / 6	0 / 5
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		25.7	4 / 17	3 / 12	2 / 5	0 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)		25.7	6 / 17	3 / 12	2 / 5	0 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)		5.7	0 / 17	0 / 12	0 / 5	0 / 4	0 / 2
Percentage of transfers resulting in live births (%)		31.4	6 / 17	3 / 12	2 / 5	0 / 4	0 / 2
Percentage of transfers resulting in pregnancies (%)		37.1	9 / 17	4 / 12	3 / 5	0 / 4	0 / 2
<b>Number of Egg/Embryo Banking Cycles</b>							
		22	15	21	7	6	3
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		1			18		
Number of transfers		1			18		
Average number of embryos transferred		1.0			1.5		
Percentage of embryos transferred resulting in implantation (%)		1 / 1			40.7		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 1			7 / 18		
Percentage of transfers resulting in singleton live births (%)		1 / 1			9 / 18		
Percentage of transfers resulting in twin live births (%)		0 / 1			1 / 18		
Percentage of transfers resulting in live births (%)		1 / 1			10 / 18		
Percentage of transfers resulting in pregnancies (%)		1 / 1			10 / 18		

CURRENT SERVICES & PROFILE		Current Name: UCLA Fertility Center					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# USC REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY LOS ANGELES, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Richard J. Paulson, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	76%	Tubal factor	9%	Uterine factor	9%	<i>Multiple Factors:</i> Female factors only 13% Female & male factors 39%
Unstimulated	2%	PGD/PGS	2%	Ovulatory dysfunction	7%	Male factor	51%	
Used gestational carrier	2%			Diminished ovarian reserve	61%	Other factor	10%	
				Endometriosis	8%	Unknown factor	6%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 641 (includes 23 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	56	60	73	38	26	11
Percentage of cancellations before retrieval (%)	1.8	5.0	8.2	0.0	15.4	2 / 11
Average number of embryos transferred	1.9	2.4	3.1	3.6	4.3	4.6
Percentage of embryos transferred resulting in implantation (%)	34.0	25.0	15.7	7.4	1.1	3.1
Percentage of elective single embryo transfers (eSET) (%)	10.0	1.9	0.0	0.0	0 / 18	0 / 6
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	30.4	20.0	11.0	13.2	0.0	0 / 11
Percentage of cycles resulting in singleton live births (%)	35.7	21.7	11.0	15.8	0.0	0 / 11
Percentage of cycles resulting in twin live births (%)	7.1	11.7	4.1	0.0	0.0	0 / 11
Percentage of cycles resulting in live births (%)	42.9	33.3	16.4	15.8	0.0	0 / 11
Percentage of cycles resulting in pregnancies (%)	53.6	40.0	27.4	28.9	3.8	1 / 11
<b>Outcomes per Transfer</b>						
Number of transfers	54	56	63	36	21	7
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	31.5	21.4	12.7	13.9	0.0	0 / 7
Percentage of transfers resulting in singleton live births (%)	37.0	23.2	12.7	16.7	0.0	0 / 7
Percentage of transfers resulting in twin live births (%)	7.4	12.5	4.8	0.0	0.0	0 / 7
Percentage of transfers resulting in live births (%)	44.4	35.7	19.0	16.7	0.0	0 / 7
Percentage of transfers resulting in pregnancies (%)	55.6	42.9	31.7	30.6	4.8	1 / 7
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	38	31	34	9	6	7
Number of transfers	38	31	34	9	6	6
Estimated average number of transfers per retrieval	0.7	0.5	0.6	0.5	0.4	1.2
Average number of embryos transferred	1.7	1.9	2.5	3.2	2.8	5.3
Percentage of embryos transferred resulting in implantation (%)	17.5	30.5	13.9	13.8	0 / 17	0.0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	15.8	25.8	11.8	2 / 9	0 / 6	0 / 6
Percentage of transfers resulting in singleton live births (%)	21.1	25.8	17.6	2 / 9	0 / 6	0 / 6
Percentage of transfers resulting in twin live births (%)	0.0	9.7	5.9	1 / 9	0 / 6	0 / 6
Percentage of transfers resulting in live births (%)	21.1	35.5	23.5	3 / 9	0 / 6	0 / 6
Percentage of transfers resulting in pregnancies (%)	36.8	41.9	29.4	3 / 9	0 / 6	0 / 6
<b>Number of Egg/Embryo Banking Cycles</b>						
	41	52	41	15	10	4
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		24			42	
Number of transfers		24			42	
Average number of embryos transferred		1.8			2.1	
Percentage of embryos transferred resulting in implantation (%)		45.9			27.8	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		16.7			19.0	
Percentage of transfers resulting in singleton live births (%)		25.0			26.2	
Percentage of transfers resulting in twin live births (%)		16.7			4.8	
Percentage of transfers resulting in live births (%)		41.7			31.0	
Percentage of transfers resulting in pregnancies (%)		66.7			50.0	

## CURRENT SERVICES & PROFILE

Current Name: USC Reproductive Endocrinology and Infertility

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# CARE FOR THE BAY AREA LOS GATOS, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Karen J. Purcell, MD, PhD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	38%	Tubal factor	11%	Uterine factor	12%	Multiple Factors: Female factors only 18% Female & male factors 14%
Unstimulated	2%	PGD/PGS	47%	Ovulatory dysfunction	11%	Male factor	27%	
Used gestational carrier	0%			Diminished ovarian reserve	43%	Other factor	8%	
				Endometriosis	6%	Unknown factor	15%	

2014 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 184 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		28	14	23	14	10	8
Percentage of cancellations before retrieval (%)		0.0	0 / 14	0.0	0 / 14	3 / 10	2 / 8
Average number of embryos transferred		1.5	1.8	1.5	1.3	1.0	4.0
Percentage of embryos transferred resulting in implantation (%)		37.5	40.9	9 / 16	0 / 4	1 / 2	0 / 4
Percentage of elective single embryo transfers (eSET) (%)		55.0	2 / 11	0 / 4	0 / 1		0 / 1
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		28.6	2 / 14	8.7	0 / 14	1 / 10	0 / 8
Percentage of cycles resulting in singleton live births (%)		35.7	3 / 14	13.0	0 / 14	1 / 10	0 / 8
Percentage of cycles resulting in twin live births (%)		3.6	3 / 14	4.3	0 / 14	0 / 10	0 / 8
Percentage of cycles resulting in live births (%)		39.3	6 / 14	21.7	0 / 14	1 / 10	0 / 8
Percentage of cycles resulting in pregnancies (%)		39.3	6 / 14	26.1	0 / 14	1 / 10	0 / 8
<b>Outcomes per Transfer</b>							
Number of transfers		22	12	11	3	2	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		36.4	2 / 12	2 / 11	0 / 3	1 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)		45.5	3 / 12	3 / 11	0 / 3	1 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)		4.5	3 / 12	1 / 11	0 / 3	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)		50.0	6 / 12	5 / 11	0 / 3	1 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)		50.0	6 / 12	6 / 11	0 / 3	1 / 2	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		23	6	3	3	2	0
Number of transfers		23	6	2	2	2	0
Estimated average number of transfers per retrieval		1.8	0.5	0.1	0.3	0.2	0.0
Average number of embryos transferred		1.6	1.5	1.5	1.5	2.5	
Percentage of embryos transferred resulting in implantation (%)		27.8	1 / 9	0 / 3	0 / 3	0 / 5	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		17.4	1 / 6	0 / 2	0 / 2	0 / 2	
Percentage of transfers resulting in singleton live births (%)		17.4	1 / 6	0 / 2	0 / 2	0 / 2	
Percentage of transfers resulting in twin live births (%)		8.7	0 / 6	0 / 2	0 / 2	0 / 2	
Percentage of transfers resulting in live births (%)		26.1	1 / 6	0 / 2	0 / 2	0 / 2	
Percentage of transfers resulting in pregnancies (%)		30.4	1 / 6	0 / 2	0 / 2	0 / 2	
<b>Number of Egg/Embryo Banking Cycles</b>							
		7	9	12	8	9	3
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		1			1		
Number of transfers		1			1		
Average number of embryos transferred		2.0			1.0		
Percentage of embryos transferred resulting in implantation (%)		1 / 2			1 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 1			1 / 1		
Percentage of transfers resulting in singleton live births (%)		1 / 1			1 / 1		
Percentage of transfers resulting in twin live births (%)		0 / 1			0 / 1		
Percentage of transfers resulting in live births (%)		1 / 1			1 / 1		
Percentage of transfers resulting in pregnancies (%)		1 / 1			1 / 1		

CURRENT SERVICES & PROFILE		Current Name: CARE for the Bay Area					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Pending
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## INNOVATIVE FERTILITY CENTER MANHATTAN BEACH, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Mark Rispler, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	97%	Tubal factor	5%	Uterine factor	0%	Multiple Factors: Female factors only 0% Female & male factors 9%
Unstimulated	3%	PGD/PGS	0%	Ovulatory dysfunction	0%	Male factor	42%	
Used gestational carrier	0%			Diminished ovarian reserve	9%	Other factor	39%	
				Endometriosis	0%	Unknown factor	15%	

2014 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 99 (includes 2 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		6	12	7	4	5	1
Percentage of cancellations before retrieval (%)		0 / 6	0 / 12	0 / 7	0 / 4	0 / 5	0 / 1
Average number of embryos transferred		2.7	2.5	2.3	2.5	2.3	3.0
Percentage of embryos transferred resulting in implantation (%)		1 / 16	29.6	2 / 14	0 / 5	0 / 9	0 / 3
Percentage of elective single embryo transfers (eSET) (%)		0 / 6	1 / 11	0 / 4	0 / 2	0 / 3	0 / 1
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 6	4 / 12	1 / 7	0 / 4	0 / 5	0 / 1
Percentage of cycles resulting in singleton live births (%)		1 / 6	4 / 12	1 / 7	0 / 4	0 / 5	0 / 1
Percentage of cycles resulting in twin live births (%)		0 / 6	2 / 12	0 / 7	0 / 4	0 / 5	0 / 1
Percentage of cycles resulting in live births (%)		1 / 6	6 / 12	1 / 7	0 / 4	0 / 5	0 / 1
Percentage of cycles resulting in pregnancies (%)		1 / 6	6 / 12	2 / 7	0 / 4	0 / 5	0 / 1
<b>Outcomes per Transfer</b>							
Number of transfers		6	11	6	2	4	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 6	4 / 11	1 / 6	0 / 2	0 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)		1 / 6	4 / 11	1 / 6	0 / 2	0 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)		0 / 6	2 / 11	0 / 6	0 / 2	0 / 4	0 / 1
Percentage of transfers resulting in live births (%)		1 / 6	6 / 11	1 / 6	0 / 2	0 / 4	0 / 1
Percentage of transfers resulting in pregnancies (%)		1 / 6	6 / 11	2 / 6	0 / 2	0 / 4	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		14	4	5	4	1	0
Number of transfers		14	4	5	4	1	0
Estimated average number of transfers per retrieval		1.4	0.6	1.0	0.3	1.0	
Average number of embryos transferred		1.6	1.8	2.4	3.5	4.0	
Percentage of embryos transferred resulting in implantation (%)		30.4	2 / 7	5 / 12	2 / 14	0 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		3 / 14	1 / 4	0 / 5	1 / 4	0 / 1	
Percentage of transfers resulting in singleton live births (%)		3 / 14	2 / 4	2 / 5	1 / 4	0 / 1	
Percentage of transfers resulting in twin live births (%)		1 / 14	0 / 4	1 / 5	0 / 4	0 / 1	
Percentage of transfers resulting in live births (%)		4 / 14	2 / 4	3 / 5	1 / 4	0 / 1	
Percentage of transfers resulting in pregnancies (%)		6 / 14	2 / 4	4 / 5	1 / 4	0 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>							
		9	6	4	12	1	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		2			0		
Number of transfers		2			0		
Average number of embryos transferred		1.5					
Percentage of embryos transferred resulting in implantation (%)		3 / 3					
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0 / 2					
Percentage of transfers resulting in singleton live births (%)		1 / 2					
Percentage of transfers resulting in twin live births (%)		1 / 2					
Percentage of transfers resulting in live births (%)		2 / 2					
Percentage of transfers resulting in pregnancies (%)		2 / 2					

CURRENT SERVICES & PROFILE		Current Name: Innovative Fertility Center					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**THE FERTILITY AND GYNECOLOGY CENTER  
MONTEREY BAY IVF PROGRAM  
MONTEREY, CALIFORNIA**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

<b>2014 ART CYCLE PROFILE</b>				Data verified by Edward J. Ramirez, MD						
<b>Type of ART and Procedural Factors<sup>a</sup></b>				<b>Patient Diagnosis<sup>b</sup></b>						
IVF	100%	With ICSI	81%	Tubal factor	20%	Uterine factor	0%	<i>Multiple Factors:</i>		
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	25%	Male factor	40%		Female factors only	8%
Used gestational carrier	0%			Diminished ovarian reserve	15%	Other factor	25%		Female & male factors	21%
				Endometriosis	1%	Unknown factor	6%			

<b>2014 ART SUCCESS RATES<sup>c</sup></b>		Total number of cycles <sup>d</sup> : 99 (includes 0 cycle[s] using frozen eggs)					
<b>Type of Cycle</b>		<b>Age of Woman</b>					
		<b>&lt;35</b>	<b>35–37</b>	<b>38–40</b>	<b>41–42</b>	<b>43–44</b>	<b>&gt;44</b>
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		24	15	12	4	0	4
Percentage of cancellations before retrieval (%)		4.2	0 / 15	2 / 12	1 / 4		1 / 4
Average number of embryos transferred		2.3	2.6	3.6	1.3		1.0
Percentage of embryos transferred resulting in implantation (%)		40.4	16.7	3.4	0 / 4		0 / 3
Percentage of elective single embryo transfers (eSET) (%)		13.6	3 / 14	0 / 7	0 / 1		
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		16.7	3 / 15	1 / 12	0 / 4		0 / 4
Percentage of cycles resulting in singleton live births (%)		20.8	4 / 15	1 / 12	0 / 4		0 / 4
Percentage of cycles resulting in twin live births (%)		25.0	0 / 15	0 / 12	0 / 4		0 / 4
Percentage of cycles resulting in live births (%)		45.8	4 / 15	1 / 12	0 / 4		0 / 4
Percentage of cycles resulting in pregnancies (%)		54.2	7 / 15	1 / 12	0 / 4		0 / 4
<b>Outcomes per Transfer</b>							
Number of transfers		23	15	8	3	0	3
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		17.4	3 / 15	1 / 8	0 / 3		0 / 3
Percentage of transfers resulting in singleton live births (%)		21.7	4 / 15	1 / 8	0 / 3		0 / 3
Percentage of transfers resulting in twin live births (%)		26.1	0 / 15	0 / 8	0 / 3		0 / 3
Percentage of transfers resulting in live births (%)		47.8	4 / 15	1 / 8	0 / 3		0 / 3
Percentage of transfers resulting in pregnancies (%)		56.5	7 / 15	1 / 8	0 / 3		0 / 3
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		14	2	3	1	0	1
Number of transfers		14	2	3	1	0	1
Estimated average number of transfers per retrieval		1.0	0.3	0.8			
Average number of embryos transferred		1.4	1.0	1.3	2.0		2.0
Percentage of embryos transferred resulting in implantation (%)		5 / 18	0 / 2	3 / 4	0 / 2		1 / 2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		2 / 14	0 / 2	1 / 3	0 / 1		1 / 1
Percentage of transfers resulting in singleton live births (%)		3 / 14	0 / 2	1 / 3	0 / 1		1 / 1
Percentage of transfers resulting in twin live births (%)		0 / 14	0 / 2	1 / 3	0 / 1		0 / 1
Percentage of transfers resulting in live births (%)		3 / 14	0 / 2	2 / 3	0 / 1		1 / 1
Percentage of transfers resulting in pregnancies (%)		5 / 14	0 / 2	2 / 3	0 / 1		1 / 1
<b>Number of Egg/Embryo Banking Cycles</b>							
		6	5	3	0	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		4			1		
Number of transfers		4			1		
Average number of embryos transferred		2.0			2.0		
Percentage of embryos transferred resulting in implantation (%)		7 / 8			3 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0 / 4			0 / 1		
Percentage of transfers resulting in singleton live births (%)		0 / 4			0 / 1		
Percentage of transfers resulting in twin live births (%)		3 / 4			0 / 1		
Percentage of transfers resulting in live births (%)		3 / 4			1 / 1		
Percentage of transfers resulting in pregnancies (%)		4 / 4			1 / 1		

<b>CURRENT SERVICES &amp; PROFILE</b>		Current Name: The Fertility and Gynecology Center, Monterey Bay IVF Program					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## NOVA IN VITRO FERTILIZATION MOUNTAIN VIEW, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Richard J. Schmidt, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	26%	Tubal factor	18%	Uterine factor	5%	<i>Multiple Factors:</i> Female factors only 12% Female & male factors 6%
Unstimulated	0%	PGD/PGS	8%	Ovulatory dysfunction	19%	Male factor	17%	
Used gestational carrier	4%			Diminished ovarian reserve	42%	Other factor	6%	
				Endometriosis	7%	Unknown factor	6%	

2014 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 526 (includes 1 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		45	39	28	12	13	3
Percentage of cancellations before retrieval (%)		0.0	2.6	0.0	1 / 12	0 / 13	0 / 3
Average number of embryos transferred		1.9	2.1	2.5	3.7	4.4	3.7
Percentage of embryos transferred resulting in implantation (%)		47.9	43.0	21.2	2.7	0.0	0 / 11
Percentage of elective single embryo transfers (eSET) (%)		20.5	10.8	7.4	0 / 10	0 / 10	0 / 3
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		20.0	25.6	17.9	0 / 12	0 / 13	0 / 3
Percentage of cycles resulting in singleton live births (%)		31.1	30.8	21.4	0 / 12	0 / 13	0 / 3
Percentage of cycles resulting in twin live births (%)		20.0	12.8	7.1	0 / 12	0 / 13	0 / 3
Percentage of cycles resulting in live births (%)		51.1	46.2	28.6	0 / 12	0 / 13	0 / 3
Percentage of cycles resulting in pregnancies (%)		66.7	59.0	50.0	1 / 12	3 / 13	0 / 3
<b>Outcomes per Transfer</b>							
Number of transfers		45	38	28	10	11	3
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		20.0	26.3	17.9	0 / 10	0 / 11	0 / 3
Percentage of transfers resulting in singleton live births (%)		31.1	31.6	21.4	0 / 10	0 / 11	0 / 3
Percentage of transfers resulting in twin live births (%)		20.0	13.2	7.1	0 / 10	0 / 11	0 / 3
Percentage of transfers resulting in live births (%)		51.1	47.4	28.6	0 / 10	0 / 11	0 / 3
Percentage of transfers resulting in pregnancies (%)		66.7	60.5	50.0	1 / 10	3 / 11	0 / 3
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		58	54	49	13	12	2
Number of transfers		58	54	49	13	12	2
Estimated average number of transfers per retrieval		1.3	1.0	0.8	0.7	0.4	0.3
Average number of embryos transferred		2.0	2.0	2.8	2.9	4.3	2.5
Percentage of embryos transferred resulting in implantation (%)		41.1	41.0	28.6	14.7	13.5	4 / 5
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		29.3	35.2	28.6	4 / 13	1 / 12	2 / 2
Percentage of transfers resulting in singleton live births (%)		34.5	44.4	34.7	5 / 13	1 / 12	2 / 2
Percentage of transfers resulting in twin live births (%)		12.1	7.4	10.2	0 / 13	1 / 12	0 / 2
Percentage of transfers resulting in live births (%)		46.6	51.9	44.9	5 / 13	2 / 12	2 / 2
Percentage of transfers resulting in pregnancies (%)		65.5	70.4	57.1	6 / 13	5 / 12	2 / 2
<b>Number of Egg/Embryo Banking Cycles</b>							
		32	40	43	18	22	8
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		11			23		
Number of transfers		11			23		
Average number of embryos transferred		1.7			1.9		
Percentage of embryos transferred resulting in implantation (%)		13 / 17			39.5		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		6 / 11			47.8		
Percentage of transfers resulting in singleton live births (%)		6 / 11			56.5		
Percentage of transfers resulting in twin live births (%)		3 / 11			4.3		
Percentage of transfers resulting in live births (%)		9 / 11			60.9		
Percentage of transfers resulting in pregnancies (%)		10 / 11			69.6		

CURRENT SERVICES & PROFILE		Current Name: Nova In Vitro Fertilization					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# HRC FERTILITY-ORANGE COUNTY NEWPORT BEACH, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Daniel A. Potter, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	98%	Tubal factor	5%	Uterine factor	4%	Multiple Factors: Female factors only 9% Female & male factors 13%
Unstimulated	0%	PGD/PGS	62%	Ovulatory dysfunction	11%	Male factor	33%	
Used gestational carrier	1%			Diminished ovarian reserve	26%	Other factor	40%	
				Endometriosis	4%	Unknown factor	5%	

2014 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 507 (includes 4 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
	Number of cycles	133	76	53	20	5	5
	Percentage of cancellations before retrieval (%)	0.0	1.3	0.0	15.0	0 / 5	1 / 5
	Average number of embryos transferred	1.4	1.4	1.6	1.5	2.0	2.0
	Percentage of embryos transferred resulting in implantation (%)	68.3	63.4	47.3	38.5	1 / 8	0 / 2
	Percentage of elective single embryo transfers (eSET) (%)	51.0	47.3	18.8	3 / 9	0 / 2	0 / 1
<b>Outcomes per Cycle</b>							
	Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	45.1	47.4	37.7	30.0	1 / 5	0 / 5
	Percentage of cycles resulting in singleton live births (%)	50.4	55.3	41.5	40.0	1 / 5	0 / 5
	Percentage of cycles resulting in twin live births (%)	13.5	10.5	9.4	5.0	0 / 5	0 / 5
	Percentage of cycles resulting in live births (%)	65.4	65.8	52.8	45.0	1 / 5	0 / 5
	Percentage of cycles resulting in pregnancies (%)	70.7	76.3	56.6	45.0	1 / 5	0 / 5
<b>Outcomes per Transfer</b>							
	Number of transfers	121	73	47	17	4	1
	Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	49.6	49.3	42.6	6 / 17	1 / 4	0 / 1
	Percentage of transfers resulting in singleton live births (%)	55.4	57.5	46.8	8 / 17	1 / 4	0 / 1
	Percentage of transfers resulting in twin live births (%)	14.9	11.0	10.6	1 / 17	0 / 4	0 / 1
	Percentage of transfers resulting in live births (%)	71.9	68.5	59.6	9 / 17	1 / 4	0 / 1
	Percentage of transfers resulting in pregnancies (%)	77.7	79.5	63.8	9 / 17	1 / 4	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>							
	Number of cycles	60	25	15	4	2	6
	Number of transfers	59	25	14	3	2	6
	Estimated average number of transfers per retrieval	2.7	1.9	1.4	0.3	0.2	0.7
	Average number of embryos transferred	1.6	1.4	1.5	1.7	1.5	1.8
	Percentage of embryos transferred resulting in implantation (%)	69.9	65.6	52.4	2 / 5	0 / 3	7 / 11
	Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	59.3	40.0	8 / 14	2 / 3	0 / 2	2 / 6
	Percentage of transfers resulting in singleton live births (%)	69.5	52.0	9 / 14	2 / 3	0 / 2	2 / 6
	Percentage of transfers resulting in twin live births (%)	20.3	16.0	1 / 14	0 / 3	0 / 2	2 / 6
	Percentage of transfers resulting in live births (%)	89.8	68.0	10 / 14	2 / 3	0 / 2	4 / 6
	Percentage of transfers resulting in pregnancies (%)	91.5	76.0	10 / 14	2 / 3	0 / 2	5 / 6
<b>Number of Egg/Embryo Banking Cycles</b>		3	4	8	12	9	9
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
	Number of cycles	42			12		
	Number of transfers	41			12		
	Average number of embryos transferred	1.5			1.4		
	Percentage of embryos transferred resulting in implantation (%)	69.4			14 / 17		
	Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	46.3			5 / 12		
	Percentage of transfers resulting in singleton live births (%)	56.1			9 / 12		
	Percentage of transfers resulting in twin live births (%)	24.4			2 / 12		
	Percentage of transfers resulting in live births (%)	80.5			11 / 12		
	Percentage of transfers resulting in pregnancies (%)	82.9			12 / 12		

CURRENT SERVICES & PROFILE		Current Name: HRC Fertility-Orange County					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## NEWPORT FERTILITY CENTER NEWPORT BEACH, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Mark T. Kan, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	100%	Tubal factor	10%	Uterine factor	18%	<i>Multiple Factors:</i> Female factors only 28% Female & male factors 8%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	7%	Male factor	12%	
Used gestational carrier	0%			Diminished ovarian reserve	64%	Other factor	19%	
				Endometriosis	10%	Unknown factor	5%	

2014 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 122 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		9	5	3	0	4	0
Percentage of cancellations before retrieval (%)		0 / 9	0 / 5	0 / 3		0 / 4	
Average number of embryos transferred		1.7	1.4	2.0		2.3	
Percentage of embryos transferred resulting in implantation (%)		7 / 15	3 / 7	3 / 4		1 / 9	
Percentage of elective single embryo transfers (eSET) (%)		3 / 9	3 / 5	0 / 3		0 / 3	
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		3 / 9	3 / 5	1 / 3		0 / 4	
Percentage of cycles resulting in singleton live births (%)		3 / 9	3 / 5	1 / 3		0 / 4	
Percentage of cycles resulting in twin live births (%)		1 / 9	0 / 5	1 / 3		0 / 4	
Percentage of cycles resulting in live births (%)		4 / 9	3 / 5	2 / 3		0 / 4	
Percentage of cycles resulting in pregnancies (%)		5 / 9	3 / 5	3 / 3		1 / 4	
<b>Outcomes per Transfer</b>							
Number of transfers		9	5	3	0	4	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		3 / 9	3 / 5	1 / 3		0 / 4	
Percentage of transfers resulting in singleton live births (%)		3 / 9	3 / 5	1 / 3		0 / 4	
Percentage of transfers resulting in twin live births (%)		1 / 9	0 / 5	1 / 3		0 / 4	
Percentage of transfers resulting in live births (%)		4 / 9	3 / 5	2 / 3		0 / 4	
Percentage of transfers resulting in pregnancies (%)		5 / 9	3 / 5	3 / 3		1 / 4	
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		14	10	12	3	4	1
Number of transfers		14	10	12	3	4	1
Estimated average number of transfers per retrieval		1.8	0.8	0.9	1.0	1.3	0.3
Average number of embryos transferred		1.6	1.5	1.4	1.7	1.8	2.0
Percentage of embryos transferred resulting in implantation (%)		65.2	5 / 14	8 / 17	2 / 5	1 / 7	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		5 / 14	3 / 10	4 / 12	1 / 3	1 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)		5 / 14	4 / 10	4 / 12	1 / 3	1 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)		3 / 14	0 / 10	2 / 12	0 / 3	0 / 4	0 / 1
Percentage of transfers resulting in live births (%)		8 / 14	4 / 10	6 / 12	1 / 3	1 / 4	0 / 1
Percentage of transfers resulting in pregnancies (%)		9 / 14	6 / 10	6 / 12	2 / 3	1 / 4	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>							
		7	12	13	3	1	3
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		2			16		
Number of transfers		2			16		
Average number of embryos transferred		1.5			1.3		
Percentage of embryos transferred resulting in implantation (%)		1 / 3			10 / 19		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0 / 2			3 / 16		
Percentage of transfers resulting in singleton live births (%)		1 / 2			4 / 16		
Percentage of transfers resulting in twin live births (%)		0 / 2			3 / 16		
Percentage of transfers resulting in live births (%)		1 / 2			7 / 16		
Percentage of transfers resulting in pregnancies (%)		1 / 2			8 / 16		

CURRENT SERVICES & PROFILE		Current Name: Newport Fertility Center					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# OC FERTILITY NEWPORT BEACH, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Sharon E. Moayeri, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	93%	Tubal factor	4%	Uterine factor	23%	<i>Multiple Factors:</i> Female factors only 20% Female & male factors 29%
Unstimulated	0%	PGD/PGS	7%	Ovulatory dysfunction	18%	Male factor	38%	
Used gestational carrier	0%			Diminished ovarian reserve	27%	Other factor	24%	
				Endometriosis	18%	Unknown factor	12%	

2014 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 218 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		8	2	2	0	2	0
Percentage of cancellations before retrieval (%)		0 / 8	0 / 2	1 / 2		0 / 2	
Average number of embryos transferred		1.0	2.0	1.0		3.0	
Percentage of embryos transferred resulting in implantation (%)		2 / 5	0 / 4	0 / 1		0 / 3	
Percentage of elective single embryo transfers (eSET) (%)		2 / 2	0 / 2			0 / 2	
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0 / 8	0 / 2	0 / 2		0 / 2	
Percentage of cycles resulting in singleton live births (%)		1 / 8	0 / 2	0 / 2		0 / 2	
Percentage of cycles resulting in twin live births (%)		0 / 8	0 / 2	0 / 2		0 / 2	
Percentage of cycles resulting in live births (%)		1 / 8	0 / 2	0 / 2		0 / 2	
Percentage of cycles resulting in pregnancies (%)		2 / 8	0 / 2	0 / 2		1 / 2	
<b>Outcomes per Transfer</b>							
Number of transfers		5	2	1	0	2	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0 / 5	0 / 2	0 / 1		0 / 2	
Percentage of transfers resulting in singleton live births (%)		1 / 5	0 / 2	0 / 1		0 / 2	
Percentage of transfers resulting in twin live births (%)		0 / 5	0 / 2	0 / 1		0 / 2	
Percentage of transfers resulting in live births (%)		1 / 5	0 / 2	0 / 1		0 / 2	
Percentage of transfers resulting in pregnancies (%)		2 / 5	0 / 2	0 / 1		1 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		38	19	12	3	3	2
Number of transfers		32	15	11	3	2	2
Estimated average number of transfers per retrieval		0.9	0.6	0.3	0.2	0.4	0.4
Average number of embryos transferred		1.2	1.2	1.4	1.0	1.0	1.0
Percentage of embryos transferred resulting in implantation (%)		78.4	14 / 17	7 / 15	1 / 2	2 / 2	1 / 2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		18.8	3 / 15	0 / 11	0 / 3	0 / 2	0 / 2
Percentage of transfers resulting in singleton live births (%)		65.6	10 / 15	6 / 11	1 / 3	2 / 2	1 / 2
Percentage of transfers resulting in twin live births (%)		12.5	1 / 15	0 / 11	0 / 3	0 / 2	0 / 2
Percentage of transfers resulting in live births (%)		78.1	11 / 15	6 / 11	1 / 3	2 / 2	1 / 2
Percentage of transfers resulting in pregnancies (%)		81.3	12 / 15	7 / 11	2 / 3	2 / 2	1 / 2
<b>Number of Egg/Embryo Banking Cycles</b>							
		33	27	35	16	5	5
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		0			6		
Number of transfers		0			5		
Average number of embryos transferred					1.0		
Percentage of embryos transferred resulting in implantation (%)					4 / 5		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)					1 / 5		
Percentage of transfers resulting in singleton live births (%)					4 / 5		
Percentage of transfers resulting in twin live births (%)					0 / 5		
Percentage of transfers resulting in live births (%)					4 / 5		
Percentage of transfers resulting in pregnancies (%)					4 / 5		

CURRENT SERVICES & PROFILE		Current Name: OC Fertility					
Donor eggs?	No	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# REPRODUCTIVE SPECIALTY MEDICAL CENTER NEWPORT BEACH, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Beth A. Ary, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	89%	Tubal factor	8%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 8% Female & male factors 46%
Unstimulated	0%	PGD/PGS	31%	Ovulatory dysfunction	20%	Male factor	60%	
Used gestational carrier	0%			Diminished ovarian reserve	36%	Other factor	26%	
				Endometriosis	4%	Unknown factor	8%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 53 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	11	8	5	1	1	0
Percentage of cancellations before retrieval (%)	0 / 11	0 / 8	0 / 5	0 / 1	0 / 1	
Average number of embryos transferred	2.5	2.4	2.7	4.0	3.0	
Percentage of embryos transferred resulting in implantation (%)	17.9	7 / 19	3 / 8	0 / 4	0 / 3	
Percentage of elective single embryo transfers (eSET) (%)	1 / 11	0 / 5	0 / 3	0 / 1	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 11	1 / 8	2 / 5	0 / 1	0 / 1	
Percentage of cycles resulting in singleton live births (%)	3 / 11	1 / 8	2 / 5	0 / 1	0 / 1	
Percentage of cycles resulting in twin live births (%)	1 / 11	2 / 8	0 / 5	0 / 1	0 / 1	
Percentage of cycles resulting in live births (%)	4 / 11	3 / 8	2 / 5	0 / 1	0 / 1	
Percentage of cycles resulting in pregnancies (%)	4 / 11	3 / 8	2 / 5	0 / 1	0 / 1	
<b>Outcomes per Transfer</b>						
Number of transfers	11	8	3	1	1	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 11	1 / 8	2 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	3 / 11	1 / 8	2 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 11	2 / 8	0 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	4 / 11	3 / 8	2 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	4 / 11	3 / 8	2 / 3	0 / 1	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	6	1	1	0	2	0
Number of transfers	6	1	1	0	2	0
Estimated average number of transfers per retrieval	3.0	1.0			2.0	
Average number of embryos transferred	2.2	3.0	2.0		2.0	
Percentage of embryos transferred resulting in implantation (%)	1 / 13	1 / 3	1 / 2		0 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 6	1 / 1	0 / 1		0 / 2	
Percentage of transfers resulting in singleton live births (%)	1 / 6	1 / 1	1 / 1		0 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 6	0 / 1	0 / 1		0 / 2	
Percentage of transfers resulting in live births (%)	1 / 6	1 / 1	1 / 1		0 / 2	
Percentage of transfers resulting in pregnancies (%)	1 / 6	1 / 1	1 / 1		0 / 2	
<b>Number of Egg/Embryo Banking Cycles</b>						
	1	1	0	0	1	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	6			8		
Number of transfers	5			8		
Average number of embryos transferred	2.0			2.1		
Percentage of embryos transferred resulting in implantation (%)	2 / 10			5 / 17		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 5			2 / 8		
Percentage of transfers resulting in singleton live births (%)	1 / 5			3 / 8		
Percentage of transfers resulting in twin live births (%)	0 / 5			1 / 8		
Percentage of transfers resulting in live births (%)	1 / 5			4 / 8		
Percentage of transfers resulting in pregnancies (%)	1 / 5			4 / 8		

## CURRENT SERVICES & PROFILE

Current Name: Reproductive Specialty Medical Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# SOUTHERN CALIFORNIA CENTER FOR REPRODUCTIVE MEDICINE NEWPORT BEACH, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Robert E. Anderson, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	73%	Tubal factor	10%	Uterine factor	8%	<i>Multiple Factors:</i> Female factors only 38% Female & male factors 27%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	7%	Male factor	40%	
Used gestational carrier	0%			Diminished ovarian reserve	44%	Other factor	68%	
				Endometriosis	10%	Unknown factor	3%	

2014 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 640 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		8	5	13	7	18	0
Percentage of cancellations before retrieval (%)		3 / 8	1 / 5	4 / 13	3 / 7	3 / 18	
Average number of embryos transferred							
Percentage of embryos transferred resulting in implantation (%)							
Percentage of elective single embryo transfers (eSET) (%)							
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0 / 8	0 / 5	0 / 13	0 / 7	0 / 18	
Percentage of cycles resulting in singleton live births (%)		0 / 8	0 / 5	0 / 13	0 / 7	0 / 18	
Percentage of cycles resulting in twin live births (%)		0 / 8	0 / 5	0 / 13	0 / 7	0 / 18	
Percentage of cycles resulting in live births (%)		0 / 8	0 / 5	0 / 13	0 / 7	0 / 18	
Percentage of cycles resulting in pregnancies (%)		0 / 8	0 / 5	0 / 13	0 / 7	0 / 18	
<b>Outcomes per Transfer</b>							
Number of transfers		0	0	0	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)							
Percentage of transfers resulting in singleton live births (%)							
Percentage of transfers resulting in twin live births (%)							
Percentage of transfers resulting in live births (%)							
Percentage of transfers resulting in pregnancies (%)							
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		82	75	72	27	9	0
Number of transfers		78	71	60	23	9	0
Estimated average number of transfers per retrieval		1.1	1.2	0.7	0.6	0.5	0.0
Average number of embryos transferred		1.1	1.2	1.2	1.1	1.4	
Percentage of embryos transferred resulting in implantation (%)		77.9	61.0	60.0	84.0	6 / 13	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		56.4	56.3	48.3	69.6	4 / 9	
Percentage of transfers resulting in singleton live births (%)		65.4	62.0	55.0	69.6	4 / 9	
Percentage of transfers resulting in twin live births (%)		7.7	4.2	0.0	8.7	1 / 9	
Percentage of transfers resulting in live births (%)		73.1	66.2	55.0	78.3	5 / 9	
Percentage of transfers resulting in pregnancies (%)		82.1	69.0	68.3	87.0	5 / 9	
<b>Number of Egg/Embryo Banking Cycles</b>							
		69	57	77	34	16	7
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles			5			59	
Number of transfers			0			49	
Average number of embryos transferred						1.3	
Percentage of embryos transferred resulting in implantation (%)						57.4	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)						40.8	
Percentage of transfers resulting in singleton live births (%)						46.9	
Percentage of transfers resulting in twin live births (%)						10.2	
Percentage of transfers resulting in live births (%)						57.1	
Percentage of transfers resulting in pregnancies (%)						65.3	

CURRENT SERVICES & PROFILE		Current Name: Southern California Center for Reproductive Medicine					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**NORTHRIDGE CENTER FOR REPRODUCTIVE MEDICINE  
NORTHRIDGE, CALIFORNIA**

---

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

# LANE FERTILITY INSTITUTE NOVATO, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Danielle E. Lane, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	86%	Tubal factor	3%	Uterine factor	1%	Multiple Factors: Female factors only 3% Female & male factors 7%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	3%	Male factor	12%	
Used gestational carrier	0%			Diminished ovarian reserve	58%	Other factor	17%	
				Endometriosis	3%	Unknown factor	12%	

2014 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 158 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		5	7	18	7	1	4
Percentage of cancellations before retrieval (%)		0 / 5	0 / 7	2 / 18	0 / 7	1 / 1	2 / 4
Average number of embryos transferred		1.0	2.2	2.7	2.7		2.5
Percentage of embryos transferred resulting in implantation (%)		1 / 4	1 / 9	9.4	0 / 19		0 / 5
Percentage of elective single embryo transfers (eSET) (%)		4 / 4	1 / 6	0 / 10	0 / 5		0 / 1
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0 / 5	0 / 7	1 / 18	0 / 7	0 / 1	0 / 4
Percentage of cycles resulting in singleton live births (%)		1 / 5	0 / 7	1 / 18	0 / 7	0 / 1	0 / 4
Percentage of cycles resulting in twin live births (%)		0 / 5	0 / 7	0 / 18	0 / 7	0 / 1	0 / 4
Percentage of cycles resulting in live births (%)		1 / 5	0 / 7	1 / 18	0 / 7	0 / 1	0 / 4
Percentage of cycles resulting in pregnancies (%)		1 / 5	2 / 7	3 / 18	0 / 7	0 / 1	0 / 4
<b>Outcomes per Transfer</b>							
Number of transfers		4	6	12	7	0	2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0 / 4	0 / 6	1 / 12	0 / 7		0 / 2
Percentage of transfers resulting in singleton live births (%)		1 / 4	0 / 6	1 / 12	0 / 7		0 / 2
Percentage of transfers resulting in twin live births (%)		0 / 4	0 / 6	0 / 12	0 / 7		0 / 2
Percentage of transfers resulting in live births (%)		1 / 4	0 / 6	1 / 12	0 / 7		0 / 2
Percentage of transfers resulting in pregnancies (%)		1 / 4	2 / 6	3 / 12	0 / 7		0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		11	10	12	5	0	0
Number of transfers		11	10	12	5	0	0
Estimated average number of transfers per retrieval		0.8	0.6	0.4	0.5	0.0	0.0
Average number of embryos transferred		1.5	1.6	2.1	1.8		
Percentage of embryos transferred resulting in implantation (%)		7 / 15	7 / 16	24.0	3 / 9		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		6 / 11	1 / 10	4 / 12	2 / 5		
Percentage of transfers resulting in singleton live births (%)		6 / 11	1 / 10	4 / 12	2 / 5		
Percentage of transfers resulting in twin live births (%)		0 / 11	1 / 10	0 / 12	0 / 5		
Percentage of transfers resulting in live births (%)		6 / 11	2 / 10	4 / 12	2 / 5		
Percentage of transfers resulting in pregnancies (%)		8 / 11	5 / 10	6 / 12	3 / 5		
<b>Number of Egg/Embryo Banking Cycles</b>							
		11	13	25	9	5	3
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		4			8		
Number of transfers		4			8		
Average number of embryos transferred		1.8			1.5		
Percentage of embryos transferred resulting in implantation (%)		5 / 7			7 / 12		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 4			4 / 8		
Percentage of transfers resulting in singleton live births (%)		1 / 4			5 / 8		
Percentage of transfers resulting in twin live births (%)		2 / 4			1 / 8		
Percentage of transfers resulting in live births (%)		3 / 4			6 / 8		
Percentage of transfers resulting in pregnancies (%)		3 / 4			6 / 8		

CURRENT SERVICES & PROFILE		Current Name: Lane Fertility Institute					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**IVF-ORANGE SURGERY CENTER  
ORANGE, CALIFORNIA**

---

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

## AMERICAN REPRODUCTIVE CENTERS PALM SPRINGS, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2014 ART CYCLE PROFILE

Data verified by Maher A. Abdallah, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	97%	Tubal factor	21%	Uterine factor	37%	<i>Multiple Factors:</i> Female factors only 33% Female & male factors 27%
Unstimulated	0%	PGD/PGS	25%	Ovulatory dysfunction	9%	Male factor	38%	
Used gestational carrier	0%			Diminished ovarian reserve	45%	Other factor	24%	
				Endometriosis	12%	Unknown factor	<1%	

### 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 170 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	54	35	24	13	10	2
Percentage of cancellations before retrieval (%)	1.9	0.0	4.2	0 / 13	0 / 10	0 / 2
Average number of embryos transferred	2.3	2.2	2.5	2.6	2.5	1.0
Percentage of embryos transferred resulting in implantation (%)	40.6	23.9	32.6	17.4	10.0	0 / 1
Percentage of elective single embryo transfers (eSET) (%)	2.3	0.0	0 / 17	0 / 8	0 / 4	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	31.5	20.0	37.5	0 / 13	1 / 10	0 / 2
Percentage of cycles resulting in singleton live births (%)	37.0	25.7	37.5	0 / 13	1 / 10	0 / 2
Percentage of cycles resulting in twin live births (%)	14.8	5.7	12.5	0 / 13	0 / 10	0 / 2
Percentage of cycles resulting in live births (%)	51.9	31.4	50.0	1 / 13	1 / 10	0 / 2
Percentage of cycles resulting in pregnancies (%)	61.1	40.0	54.2	2 / 13	2 / 10	0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	46	31	20	9	8	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	37.0	22.6	45.0	0 / 9	1 / 8	0 / 1
Percentage of transfers resulting in singleton live births (%)	43.5	29.0	45.0	0 / 9	1 / 8	0 / 1
Percentage of transfers resulting in twin live births (%)	17.4	6.5	15.0	0 / 9	0 / 8	0 / 1
Percentage of transfers resulting in live births (%)	60.9	35.5	60.0	1 / 9	1 / 8	0 / 1
Percentage of transfers resulting in pregnancies (%)	71.7	45.2	65.0	2 / 9	2 / 8	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	2	6	1	1	0	0
Number of transfers	2	6	1	1	0	0
Estimated average number of transfers per retrieval	1.0	1.0	1.0	1.0		
Average number of embryos transferred	2.0	1.7	2.0	2.0		
Percentage of embryos transferred resulting in implantation (%)	0 / 4	4 / 10	0 / 2	0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 2	2 / 6	0 / 1	0 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 2	2 / 6	0 / 1	0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 2	1 / 6	0 / 1	0 / 1		
Percentage of transfers resulting in live births (%)	0 / 2	3 / 6	0 / 1	0 / 1		
Percentage of transfers resulting in pregnancies (%)	0 / 2	3 / 6	0 / 1	0 / 1		
<b>Number of Egg/Embryo Banking Cycles</b>						
	1	3	1	1	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	9			7		
Number of transfers	8			7		
Average number of embryos transferred	1.9			1.9		
Percentage of embryos transferred resulting in implantation (%)	9 / 15			3 / 13		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 8			2 / 7		
Percentage of transfers resulting in singleton live births (%)	3 / 8			3 / 7		
Percentage of transfers resulting in twin live births (%)	3 / 8			0 / 7		
Percentage of transfers resulting in live births (%)	6 / 8			3 / 7		
Percentage of transfers resulting in pregnancies (%)	6 / 8			3 / 7		

### CURRENT SERVICES & PROFILE

Current Name: American Reproductive Centers

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Pending
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# BAY IN VITRO FERTILIZATION CENTER FOR REPRODUCTIVE MEDICINE PALO ALTO, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Francis Polansky, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	58%	Tubal factor	23%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 13% Female & male factors 34%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	23%	Male factor	39%	
Used gestational carrier	0%			Diminished ovarian reserve	58%	Other factor	8%	
				Endometriosis	2%	Unknown factor	<1%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 150 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	16	21	17	8	5	0
Percentage of cancellations before retrieval (%)	0 / 16	0.0	1 / 17	1 / 8	0 / 5	
Average number of embryos transferred	1.8	1.8	2.5	3.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	2 / 7	35.7	20.0	0 / 12	0 / 6	
Percentage of elective single embryo transfers (eSET) (%)	2 / 4	4 / 14	1 / 13	0 / 4	0 / 2	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 16	23.8	1 / 17	0 / 8	0 / 5	
Percentage of cycles resulting in singleton live births (%)	2 / 16	23.8	2 / 17	0 / 8	0 / 5	
Percentage of cycles resulting in twin live births (%)	0 / 16	4.8	1 / 17	0 / 8	0 / 5	
Percentage of cycles resulting in live births (%)	2 / 16	28.6	3 / 17	0 / 8	0 / 5	
Percentage of cycles resulting in pregnancies (%)	2 / 16	33.3	5 / 17	0 / 8	0 / 5	
<b>Outcomes per Transfer</b>						
Number of transfers	4	16	14	4	3	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 4	5 / 16	1 / 14	0 / 4	0 / 3	
Percentage of transfers resulting in singleton live births (%)	2 / 4	5 / 16	2 / 14	0 / 4	0 / 3	
Percentage of transfers resulting in twin live births (%)	0 / 4	1 / 16	1 / 14	0 / 4	0 / 3	
Percentage of transfers resulting in live births (%)	2 / 4	6 / 16	3 / 14	0 / 4	0 / 3	
Percentage of transfers resulting in pregnancies (%)	2 / 4	7 / 16	5 / 14	0 / 4	0 / 3	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	16	9	12	7	0	0
Number of transfers	16	9	12	7	0	0
Estimated average number of transfers per retrieval	0.8	0.7	1.7	2.3		0.0
Average number of embryos transferred	1.6	1.7	1.9	2.0		
Percentage of embryos transferred resulting in implantation (%)	38.5	5 / 15	21.7	1 / 14		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	5 / 16	4 / 9	2 / 12	1 / 7		
Percentage of transfers resulting in singleton live births (%)	6 / 16	4 / 9	4 / 12	1 / 7		
Percentage of transfers resulting in twin live births (%)	1 / 16	0 / 9	0 / 12	0 / 7		
Percentage of transfers resulting in live births (%)	7 / 16	4 / 9	4 / 12	1 / 7		
Percentage of transfers resulting in pregnancies (%)	9 / 16	5 / 9	5 / 12	1 / 7		
<b>Number of Egg/Embryo Banking Cycles</b>						
	15	11	1	0	0	1
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	5			4		
Number of transfers	5			4		
Average number of embryos transferred	1.8			1.8		
Percentage of embryos transferred resulting in implantation (%)	7 / 9			2 / 6		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 5			2 / 4		
Percentage of transfers resulting in singleton live births (%)	2 / 5			2 / 4		
Percentage of transfers resulting in twin live births (%)	2 / 5			0 / 4		
Percentage of transfers resulting in live births (%)	4 / 5			2 / 4		
Percentage of transfers resulting in pregnancies (%)	5 / 5			3 / 4		

## CURRENT SERVICES & PROFILE

Current Name: Bay In Vitro Fertilization Center for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# STANFORD FERTILITY AND REPRODUCTIVE MEDICINE CENTER PALO ALTO, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Valerie Baker, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	58%	Tubal factor	12%	Uterine factor	3%	Multiple Factors: Female factors only 5% Female & male factors 40%
Unstimulated	<1%	PGD/PGS	25%	Ovulatory dysfunction	11%	Male factor	72%	
Used gestational carrier	1%			Diminished ovarian reserve	36%	Other factor	8%	
				Endometriosis	7%	Unknown factor	4%	

2014 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 951 (includes 8 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		111	67	109	70	55	19
Percentage of cancellations before retrieval (%)		4.5	4.5	8.3	24.3	18.2	6 / 19
Average number of embryos transferred		1.4	1.7	2.0	2.1	2.6	2.6
Percentage of embryos transferred resulting in implantation (%)		31.5	20.5	12.9	12.2	2.2	0.0
Percentage of elective single embryo transfers (eSET) (%)		54.3	35.0	14.5	0.0	1 / 15	0 / 5
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		18.9	14.9	6.4	1.4	1.8	0 / 19
Percentage of cycles resulting in singleton live births (%)		21.6	14.9	8.3	2.9	1.8	0 / 19
Percentage of cycles resulting in twin live births (%)		2.7	3.0	1.8	2.9	0.0	0 / 19
Percentage of cycles resulting in live births (%)		24.3	17.9	10.1	5.7	1.8	0 / 19
Percentage of cycles resulting in pregnancies (%)		28.8	22.4	17.4	11.4	3.6	1 / 19
<b>Outcomes per Transfer</b>							
Number of transfers		79	46	69	37	20	8
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		26.6	21.7	10.1	2.7	5.0	0 / 8
Percentage of transfers resulting in singleton live births (%)		30.4	21.7	13.0	5.4	5.0	0 / 8
Percentage of transfers resulting in twin live births (%)		3.8	4.3	2.9	5.4	0.0	0 / 8
Percentage of transfers resulting in live births (%)		34.2	26.1	15.9	10.8	5.0	0 / 8
Percentage of transfers resulting in pregnancies (%)		40.5	32.6	27.5	21.6	10.0	1 / 8
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		82	73	61	32	17	7
Number of transfers		71	64	48	24	14	7
Estimated average number of transfers per retrieval		0.8	0.9	0.6	0.6	0.6	2.3
Average number of embryos transferred		1.2	1.2	1.4	1.4	1.7	1.6
Percentage of embryos transferred resulting in implantation (%)		51.2	37.0	22.8	35.5	28.6	2 / 11
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		38.0	26.6	18.8	41.7	4 / 14	1 / 7
Percentage of transfers resulting in singleton live births (%)		46.5	29.7	20.8	41.7	4 / 14	1 / 7
Percentage of transfers resulting in twin live births (%)		4.2	4.7	2.1	0.0	1 / 14	0 / 7
Percentage of transfers resulting in live births (%)		52.1	34.4	22.9	41.7	5 / 14	1 / 7
Percentage of transfers resulting in pregnancies (%)		56.3	45.3	37.5	50.0	6 / 14	2 / 7
<b>Number of Egg/Embryo Banking Cycles</b>							
		55	42	50	20	11	3
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		23			36		
Number of transfers		21			33		
Average number of embryos transferred		1.4			1.4		
Percentage of embryos transferred resulting in implantation (%)		75.9			28.9		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		28.6			18.2		
Percentage of transfers resulting in singleton live births (%)		47.6			27.3		
Percentage of transfers resulting in twin live births (%)		28.6			3.0		
Percentage of transfers resulting in live births (%)		76.2			30.3		
Percentage of transfers resulting in pregnancies (%)		81.0			36.4		

## CURRENT SERVICES & PROFILE This clinic has reorganized since 2014. Contact the NASS Help Desk for further information.

<b>Current Name:</b> Stanford Medicine Fertility & Reproductive Health							
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## HRC FERTILITY-PASADENA PASADENA, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by John G. Wilcox, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	>99%	With ICSI	80%	Tubal factor	<1%	Uterine factor	6%	<i>Multiple Factors:</i> Female factors only 7% Female & male factors 5%
Unstimulated	0%	PGD/PGS	9%	Ovulatory dysfunction	2%	Male factor	9%	
Used gestational carrier	5%			Diminished ovarian reserve	37%	Other factor	28%	
				Endometriosis	1%	Unknown factor	28%	

2014 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 1,434 (includes 7 cycle[s] using frozen eggs)					
Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles	196	112	101	71	56	22	
Percentage of cancellations before retrieval (%)	4.6	9.8	16.8	23.9	16.1	22.7	
Average number of embryos transferred	1.9	2.0	2.0	2.6	2.2	2.8	
Percentage of embryos transferred resulting in implantation (%)	36.3	26.7	31.5	18.8	10.3	0.0	
Percentage of elective single embryo transfers (eSET) (%)	16.4	11.9	14.8	10.3	0 / 14	0 / 7	
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	22.4	17.9	22.8	12.7	3.6	0.0	
Percentage of cycles resulting in singleton live births (%)	28.1	23.2	25.7	15.5	3.6	0.0	
Percentage of cycles resulting in twin live births (%)	9.2	6.3	3.0	1.4	1.8	0.0	
Percentage of cycles resulting in live births (%)	37.2	29.5	30.7	16.9	5.4	0.0	
Percentage of cycles resulting in pregnancies (%)	43.9	33.0	37.6	28.2	7.1	0.0	
<b>Outcomes per Transfer</b>							
Number of transfers	148	83	68	36	19	10	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	29.7	24.1	33.8	25.0	2 / 19	0 / 10	
Percentage of transfers resulting in singleton live births (%)	37.2	31.3	38.2	30.6	2 / 19	0 / 10	
Percentage of transfers resulting in twin live births (%)	12.2	8.4	4.4	2.8	1 / 19	0 / 10	
Percentage of transfers resulting in live births (%)	49.3	39.8	45.6	33.3	3 / 19	0 / 10	
Percentage of transfers resulting in pregnancies (%)	58.1	44.6	55.9	55.6	4 / 19	0 / 10	
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles	105	43	38	30	20	18	
Number of transfers	91	40	33	23	13	11	
Estimated average number of transfers per retrieval	0.8	0.4	0.3	0.4	0.3	0.4	
Average number of embryos transferred	1.6	1.7	1.5	1.6	1.9	2.5	
Percentage of embryos transferred resulting in implantation (%)	48.4	51.5	25.0	14.7	20.8	17.4	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	29.7	35.0	24.2	17.4	2 / 13	0 / 11	
Percentage of transfers resulting in singleton live births (%)	40.7	47.5	27.3	21.7	5 / 13	1 / 11	
Percentage of transfers resulting in twin live births (%)	12.1	17.5	3.0	0.0	0 / 13	0 / 11	
Percentage of transfers resulting in live births (%)	52.7	65.0	30.3	21.7	5 / 13	2 / 11	
Percentage of transfers resulting in pregnancies (%)	67.0	70.0	42.4	26.1	6 / 13	3 / 11	
<b>Number of Egg/Embryo Banking Cycles</b>							
	78	81	89	59	45	27	
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		149			87		
Number of transfers		115			87		
Average number of embryos transferred		1.8			1.5		
Percentage of embryos transferred resulting in implantation (%)		52.4			43.8		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		37.4			28.7		
Percentage of transfers resulting in singleton live births (%)		42.6			35.6		
Percentage of transfers resulting in twin live births (%)		20.9			9.2		
Percentage of transfers resulting in live births (%)		64.3			44.8		
Percentage of transfers resulting in pregnancies (%)		71.3			57.5		

CURRENT SERVICES & PROFILE		Current Name: HRC Fertility-Pasadena					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# REPRODUCTIVE PARTNERS-BEVERLY HILLS, REDONDO BEACH & WESTMINSTER REDONDO BEACH, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Bill Yee, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	56%	Tubal factor	6%	Uterine factor	3%	Multiple Factors: Female factors only 4% Female & male factors 4%
Unstimulated	<1%	PGD/PGS	<1%	Ovulatory dysfunction	5%	Male factor	13%	
Used gestational carrier	<1%			Diminished ovarian reserve	26%	Other factor	35%	
				Endometriosis	5%	Unknown factor	17%	

2014 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 1,425 (includes 36 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		100	90	132	85	49	17
Percentage of cancellations before retrieval (%)		9.0	7.8	15.2	21.2	16.3	8 / 17
Average number of embryos transferred		1.5	2.0	2.5	3.3	2.8	3.8
Percentage of embryos transferred resulting in implantation (%)		41.7	36.3	21.6	9.8	6.8	0 / 10
Percentage of elective single embryo transfers (eSET) (%)		46.4	12.2	4.2	0.0	1 / 16	0 / 3
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		18.0	14.4	10.6	7.1	0.0	0 / 17
Percentage of cycles resulting in singleton live births (%)		21.0	18.9	12.1	7.1	0.0	0 / 17
Percentage of cycles resulting in twin live births (%)		5.0	2.2	6.1	0.0	0.0	0 / 17
Percentage of cycles resulting in live births (%)		26.0	21.1	18.2	7.1	0.0	0 / 17
Percentage of cycles resulting in pregnancies (%)		31.0	31.1	21.2	14.1	8.2	1 / 17
<b>Outcomes per Transfer</b>							
Number of transfers		57	52	75	44	21	4
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		31.6	25.0	18.7	13.6	0.0	0 / 4
Percentage of transfers resulting in singleton live births (%)		36.8	32.7	21.3	13.6	0.0	0 / 4
Percentage of transfers resulting in twin live births (%)		8.8	3.8	10.7	0.0	0.0	0 / 4
Percentage of transfers resulting in live births (%)		45.6	36.5	32.0	13.6	0.0	0 / 4
Percentage of transfers resulting in pregnancies (%)		54.4	53.8	37.3	27.3	19.0	1 / 4
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		132	111	116	55	44	18
Number of transfers		118	103	103	50	39	15
Estimated average number of transfers per retrieval		1.1	0.9	0.8	0.6	1.0	0.4
Average number of embryos transferred		1.4	1.5	1.6	2.2	2.6	2.8
Percentage of embryos transferred resulting in implantation (%)		52.5	51.0	35.5	23.8	12.8	2.5
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		41.5	37.9	31.1	32.0	17.9	1 / 15
Percentage of transfers resulting in singleton live births (%)		47.5	46.6	35.0	38.0	17.9	1 / 15
Percentage of transfers resulting in twin live births (%)		7.6	4.9	4.9	0.0	0.0	0 / 15
Percentage of transfers resulting in live births (%)		55.1	52.4	39.8	38.0	17.9	1 / 15
Percentage of transfers resulting in pregnancies (%)		65.3	67.0	49.5	56.0	35.9	2 / 15
<b>Number of Egg/Embryo Banking Cycles</b>							
		70	86	96	62	25	28
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		18			55		
Number of transfers		13			44		
Average number of embryos transferred		1.3			1.4		
Percentage of embryos transferred resulting in implantation (%)		12 / 17			33.9		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		6 / 13			36.4		
Percentage of transfers resulting in singleton live births (%)		8 / 13			38.6		
Percentage of transfers resulting in twin live births (%)		1 / 13			2.3		
Percentage of transfers resulting in live births (%)		9 / 13			40.9		
Percentage of transfers resulting in pregnancies (%)		10 / 13			50.0		

CURRENT SERVICES & PROFILE		Current Name: Reproductive Partners-Beverly Hills, Redondo Beach & Westminster					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# NORTHERN CALIFORNIA FERTILITY MEDICAL CENTER ROSEVILLE, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Carlos E. Soto-Albors, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	76%	Tubal factor	13%	Uterine factor	5%	<i>Multiple Factors:</i> Female factors only 21% Female & male factors 36%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	24%	Male factor	51%	
Used gestational carrier	<1%			Diminished ovarian reserve	29%	Other factor	38%	
				Endometriosis	11%	Unknown factor	5%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 635 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	115	69	58	16	15	3
Percentage of cancellations before retrieval (%)	2.6	5.8	6.9	2 / 16	5 / 15	1 / 3
Average number of embryos transferred	1.9	1.9	2.2	2.6	3.2	3.5
Percentage of embryos transferred resulting in implantation (%)	34.5	30.6	24.5	8.7	0 / 19	0 / 7
Percentage of elective single embryo transfers (eSET) (%)	15.1	8.3	0.0	0 / 6	0 / 6	0 / 2
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	13.0	15.9	19.0	1 / 16	0 / 15	0 / 3
Percentage of cycles resulting in singleton live births (%)	14.8	21.7	20.7	1 / 16	0 / 15	0 / 3
Percentage of cycles resulting in twin live births (%)	10.4	4.3	5.2	0 / 16	0 / 15	0 / 3
Percentage of cycles resulting in live births (%)	25.2	29.0	25.9	1 / 16	0 / 15	0 / 3
Percentage of cycles resulting in pregnancies (%)	29.6	34.8	37.9	1 / 16	0 / 15	0 / 3
<b>Outcomes per Transfer</b>						
Number of transfers	78	54	47	9	6	2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	19.2	20.4	23.4	1 / 9	0 / 6	0 / 2
Percentage of transfers resulting in singleton live births (%)	21.8	27.8	25.5	1 / 9	0 / 6	0 / 2
Percentage of transfers resulting in twin live births (%)	15.4	5.6	6.4	0 / 9	0 / 6	0 / 2
Percentage of transfers resulting in live births (%)	37.2	37.0	31.9	1 / 9	0 / 6	0 / 2
Percentage of transfers resulting in pregnancies (%)	43.6	44.4	46.8	1 / 9	0 / 6	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	114	56	35	7	4	2
Number of transfers	98	48	33	7	3	2
Estimated average number of transfers per retrieval	1.5	1.5	1.4	0.8	0.3	1.0
Average number of embryos transferred	1.6	1.8	1.7	1.6	1.0	1.0
Percentage of embryos transferred resulting in implantation (%)	37.2	35.4	26.3	3 / 9	0 / 3	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	25.5	18.8	21.2	2 / 7	0 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	29.6	27.1	33.3	2 / 7	0 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	10.2	12.5	6.1	0 / 7	0 / 3	0 / 2
Percentage of transfers resulting in live births (%)	39.8	39.6	39.4	2 / 7	0 / 3	0 / 2
Percentage of transfers resulting in pregnancies (%)	49.0	45.8	39.4	4 / 7	0 / 3	0 / 2
<b>Number of Egg/Embryo Banking Cycles</b>						
	24	19	14	8	8	2
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		26			40	
Number of transfers		22			36	
Average number of embryos transferred		1.9			1.7	
Percentage of embryos transferred resulting in implantation (%)		46.2			22.0	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		18.2			22.2	
Percentage of transfers resulting in singleton live births (%)		31.8			30.6	
Percentage of transfers resulting in twin live births (%)		18.2			0.0	
Percentage of transfers resulting in live births (%)		50.0			30.6	
Percentage of transfers resulting in pregnancies (%)		63.6			36.1	

## CURRENT SERVICES & PROFILE

Current Name: Northern California Fertility Medical Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# KAISER PERMANENTE CENTER FOR REPRODUCTIVE HEALTH-SACRAMENTO SACRAMENTO, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Sae Sohn, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	65%	Tubal factor	11%	Uterine factor	4%	Multiple Factors: Female factors only 3% Female & male factors 17%
Unstimulated	<1%	PGD/PGS	0%	Ovulatory dysfunction	13%	Male factor	44%	
Used gestational carrier	<1%			Diminished ovarian reserve	24%	Other factor	6%	
				Endometriosis	4%	Unknown factor	15%	

2014 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 415 (includes 3 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		116	65	40	18	6	0
Percentage of cancellations before retrieval (%)		6.0	9.2	17.5	4 / 18	0 / 6	
Average number of embryos transferred		1.4	1.8	2.4	2.7	3.8	
Percentage of embryos transferred resulting in implantation (%)		56.2	39.4	25.7	12.5	0 / 15	
Percentage of elective single embryo transfers (eSET) (%)		56.6	31.6	0.0	0 / 9	0 / 4	
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		37.1	32.3	25.0	1 / 18	0 / 6	
Percentage of cycles resulting in singleton live births (%)		41.4	33.8	25.0	1 / 18	0 / 6	
Percentage of cycles resulting in twin live births (%)		9.5	9.2	10.0	1 / 18	0 / 6	
Percentage of cycles resulting in live births (%)		50.9	44.6	35.0	2 / 18	0 / 6	
Percentage of cycles resulting in pregnancies (%)		59.5	49.2	35.0	3 / 18	0 / 6	
<b>Outcomes per Transfer</b>							
Number of transfers		100	57	31	10	4	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		43.0	36.8	32.3	1 / 10	0 / 4	
Percentage of transfers resulting in singleton live births (%)		48.0	38.6	32.3	1 / 10	0 / 4	
Percentage of transfers resulting in twin live births (%)		11.0	10.5	12.9	1 / 10	0 / 4	
Percentage of transfers resulting in live births (%)		59.0	50.9	45.2	2 / 10	0 / 4	
Percentage of transfers resulting in pregnancies (%)		69.0	56.1	45.2	3 / 10	0 / 4	
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		65	39	18	4	2	2
Number of transfers		61	36	18	3	2	1
Estimated average number of transfers per retrieval		2.9	1.8	2.0	1.5	0.7	
Average number of embryos transferred		1.6	1.4	1.8	2.3	1.5	4.0
Percentage of embryos transferred resulting in implantation (%)		48.9	41.7	16.1	1 / 7	1 / 3	0 / 4
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		37.7	36.1	5 / 18	1 / 3	1 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)		42.6	36.1	5 / 18	1 / 3	1 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)		13.1	2.8	0 / 18	0 / 3	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)		55.7	38.9	5 / 18	1 / 3	1 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)		63.9	52.8	6 / 18	1 / 3	1 / 2	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>							
		2	2	1	1	1	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		18			12		
Number of transfers		17			12		
Average number of embryos transferred		1.4			1.4		
Percentage of embryos transferred resulting in implantation (%)		69.6			6 / 17		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		3 / 17			2 / 12		
Percentage of transfers resulting in singleton live births (%)		3 / 17			2 / 12		
Percentage of transfers resulting in twin live births (%)		6 / 17			2 / 12		
Percentage of transfers resulting in live births (%)		9 / 17			4 / 12		
Percentage of transfers resulting in pregnancies (%)		11 / 17			4 / 12		

CURRENT SERVICES & PROFILE		Current Name: Kaiser Permanente Center for Reproductive Health-Sacramento					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FERTILITY SPECIALISTS MEDICAL GROUP SAN DIEGO, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Arlene J. Morales, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	77%	Tubal factor	9%	Uterine factor	9%	<i>Multiple Factors:</i> Female factors only 8% Female & male factors 28%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	13%	Male factor	46%	
Used gestational carrier	2%			Diminished ovarian reserve	48%	Other factor	10%	
				Endometriosis	1%	Unknown factor	5%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 494 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	66	38	21	14	11	1
Percentage of cancellations before retrieval (%)	19.7	15.8	28.6	3 / 14	4 / 11	1 / 1
Average number of embryos transferred	1.7	1.8	2.2	2.3	3.0	
Percentage of embryos transferred resulting in implantation (%)	34.8	17.2	1 / 10	0 / 9	0 / 3	
Percentage of elective single embryo transfers (eSET) (%)	24.0	4 / 17	1 / 5	0 / 3	0 / 2	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	15.2	2.6	4.8	0 / 14	0 / 11	0 / 1
Percentage of cycles resulting in singleton live births (%)	16.7	2.6	4.8	0 / 14	0 / 11	0 / 1
Percentage of cycles resulting in twin live births (%)	3.0	5.3	0.0	0 / 14	0 / 11	0 / 1
Percentage of cycles resulting in live births (%)	19.7	7.9	4.8	0 / 14	0 / 11	0 / 1
Percentage of cycles resulting in pregnancies (%)	19.7	13.2	14.3	0 / 14	1 / 11	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	27	18	6	4	2	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	37.0	1 / 18	1 / 6	0 / 4	0 / 2	
Percentage of transfers resulting in singleton live births (%)	40.7	1 / 18	1 / 6	0 / 4	0 / 2	
Percentage of transfers resulting in twin live births (%)	7.4	2 / 18	0 / 6	0 / 4	0 / 2	
Percentage of transfers resulting in live births (%)	48.1	3 / 18	1 / 6	0 / 4	0 / 2	
Percentage of transfers resulting in pregnancies (%)	48.1	5 / 18	3 / 6	0 / 4	1 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	66	37	24	8	2	0
Number of transfers	66	35	22	8	2	0
Estimated average number of transfers per retrieval	1.0	0.8	0.5	0.5	0.3	0.0
Average number of embryos transferred	1.4	1.3	1.3	1.4	1.0	
Percentage of embryos transferred resulting in implantation (%)	39.1	31.1	33.3	3 / 10	0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	30.3	25.7	27.3	2 / 8	0 / 2	
Percentage of transfers resulting in singleton live births (%)	37.9	25.7	40.9	3 / 8	0 / 2	
Percentage of transfers resulting in twin live births (%)	6.1	5.7	0.0	0 / 8	0 / 2	
Percentage of transfers resulting in live births (%)	43.9	31.4	40.9	3 / 8	0 / 2	
Percentage of transfers resulting in pregnancies (%)	53.0	34.3	45.5	4 / 8	0 / 2	
<b>Number of Egg/Embryo Banking Cycles</b>	37	35	42	12	3	3
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		33			41	
Number of transfers		22			41	
Average number of embryos transferred		1.4			1.3	
Percentage of embryos transferred resulting in implantation (%)		55.2			33.3	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		36.4			29.3	
Percentage of transfers resulting in singleton live births (%)		40.9			39.0	
Percentage of transfers resulting in twin live births (%)		9.1			0.0	
Percentage of transfers resulting in live births (%)		50.0			39.0	
Percentage of transfers resulting in pregnancies (%)		59.1			51.2	

## CURRENT SERVICES & PROFILE

Current Name: Fertility Specialists Medical Group

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# NAVAL MEDICAL CENTER SAN DIEGO INFERTILITY SAN DIEGO, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Larry R. Laufer, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	94%	Tubal factor	26%	Uterine factor	2%	Multiple Factors: Female factors only 3% Female & male factors 10%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	19%	Male factor	35%	
Used gestational carrier	<1%			Diminished ovarian reserve	12%	Other factor	5%	
				Endometriosis	4%	Unknown factor	12%	

2014 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 228 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		68	20	25	2	0	0
Percentage of cancellations before retrieval (%)		4.4	0.0	12.0	0 / 2		
Average number of embryos transferred		1.8	2.1	1.9	3.0		
Percentage of embryos transferred resulting in implantation (%)		65.8	61.3	43.8	0 / 3		
Percentage of elective single embryo transfers (eSET) (%)		19.0	0 / 16	0 / 17	0 / 1		
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		22.1	5.0	16.0	0 / 2		
Percentage of cycles resulting in singleton live births (%)		29.4	10.0	24.0	0 / 2		
Percentage of cycles resulting in twin live births (%)		11.8	35.0	8.0	0 / 2		
Percentage of cycles resulting in live births (%)		44.1	45.0	32.0	0 / 2		
Percentage of cycles resulting in pregnancies (%)		51.5	65.0	44.0	0 / 2		
<b>Outcomes per Transfer</b>							
Number of transfers		44	16	19	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		34.1	1 / 16	4 / 19	0 / 1		
Percentage of transfers resulting in singleton live births (%)		45.5	2 / 16	6 / 19	0 / 1		
Percentage of transfers resulting in twin live births (%)		18.2	7 / 16	2 / 19	0 / 1		
Percentage of transfers resulting in live births (%)		68.2	9 / 16	8 / 19	0 / 1		
Percentage of transfers resulting in pregnancies (%)		79.5	13 / 16	11 / 19	0 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		48	16	23	2	3	0
Number of transfers		48	16	23	2	3	0
Estimated average number of transfers per retrieval		2.0	3.2	3.3			
Average number of embryos transferred		1.5	1.7	1.7	3.0	2.0	
Percentage of embryos transferred resulting in implantation (%)		48.4	36.0	37.8	0 / 3	4 / 6	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		20.8	4 / 16	17.4	0 / 2	0 / 3	
Percentage of transfers resulting in singleton live births (%)		33.3	5 / 16	26.1	0 / 2	1 / 3	
Percentage of transfers resulting in twin live births (%)		6.3	1 / 16	4.3	0 / 2	0 / 3	
Percentage of transfers resulting in live births (%)		39.6	6 / 16	30.4	0 / 2	1 / 3	
Percentage of transfers resulting in pregnancies (%)		60.4	7 / 16	56.5	0 / 2	3 / 3	
<b>Number of Egg/Embryo Banking Cycles</b>							
		4	2	1	0	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		5			9		
Number of transfers		4			9		
Average number of embryos transferred		2.0			1.3		
Percentage of embryos transferred resulting in implantation (%)		4 / 8			4 / 11		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0 / 4			1 / 9		
Percentage of transfers resulting in singleton live births (%)		0 / 4			4 / 9		
Percentage of transfers resulting in twin live births (%)		1 / 4			0 / 9		
Percentage of transfers resulting in live births (%)		1 / 4			4 / 9		
Percentage of transfers resulting in pregnancies (%)		2 / 4			5 / 9		

CURRENT SERVICES & PROFILE		Current Name: Naval Medical Center San Diego Infertility					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# SAN DIEGO FERTILITY CENTER SAN DIEGO, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by L. Michael Kettel, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	83%	Tubal factor	7%	Uterine factor	7%	
Unstimulated	2%	PGD/PGS	12%	Ovulatory dysfunction	4%	Male factor	29%	
Used gestational carrier	3%			Diminished ovarian reserve	63%	Other factor	8%	
				Endometriosis	2%	Unknown factor	5%	
				Multiple Factors:				
				Female factors only				10%
				Female & male factors				13%

2014 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 1,144 (includes 1 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		111	66	72	45	13	5
Percentage of cancellations before retrieval (%)		12.6	15.2	16.7	22.2	3 / 13	2 / 5
Average number of embryos transferred		2.0	2.2	2.4	2.4	2.4	2.5
Percentage of embryos transferred resulting in implantation (%)		32.5	22.8	19.8	5.9	3 / 12	0 / 5
Percentage of elective single embryo transfers (eSET) (%)		10.2	8.1	4.3	0 / 17	0 / 3	0 / 2
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		11.7	10.6	16.7	2.2	2 / 13	0 / 5
Percentage of cycles resulting in singleton live births (%)		15.3	13.6	16.7	2.2	2 / 13	0 / 5
Percentage of cycles resulting in twin live births (%)		8.1	6.1	4.2	2.2	0 / 13	0 / 5
Percentage of cycles resulting in live births (%)		23.4	21.2	20.8	4.4	2 / 13	0 / 5
Percentage of cycles resulting in pregnancies (%)		25.2	21.2	26.4	4.4	3 / 13	0 / 5
<b>Outcomes per Transfer</b>							
Number of transfers		61	42	47	21	5	2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		21.3	16.7	25.5	4.8	2 / 5	0 / 2
Percentage of transfers resulting in singleton live births (%)		27.9	21.4	25.5	4.8	2 / 5	0 / 2
Percentage of transfers resulting in twin live births (%)		14.8	9.5	6.4	4.8	0 / 5	0 / 2
Percentage of transfers resulting in live births (%)		42.6	33.3	31.9	9.5	2 / 5	0 / 2
Percentage of transfers resulting in pregnancies (%)		45.9	33.3	40.4	9.5	3 / 5	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		86	49	37	23	10	0
Number of transfers		80	48	33	19	9	0
Estimated average number of transfers per retrieval		1.2	0.9	0.5	0.4	0.5	0.0
Average number of embryos transferred		1.8	1.9	1.9	2.1	1.9	
Percentage of embryos transferred resulting in implantation (%)		39.7	29.3	14.0	12.5	4 / 17	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		26.3	12.5	12.1	4 / 19	2 / 9	
Percentage of transfers resulting in singleton live births (%)		30.0	20.8	15.2	4 / 19	2 / 9	
Percentage of transfers resulting in twin live births (%)		16.3	12.5	0.0	0 / 19	0 / 9	
Percentage of transfers resulting in live births (%)		46.3	35.4	15.2	4 / 19	2 / 9	
Percentage of transfers resulting in pregnancies (%)		55.0	37.5	39.4	5 / 19	4 / 9	
<b>Number of Egg/Embryo Banking Cycles</b>							
		23	21	45	35	15	9
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		207			271		
Number of transfers		181			241		
Average number of embryos transferred		1.7			1.8		
Percentage of embryos transferred resulting in implantation (%)		54.7			31.6		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		27.6			24.1		
Percentage of transfers resulting in singleton live births (%)		36.5			28.6		
Percentage of transfers resulting in twin live births (%)		22.7			7.1		
Percentage of transfers resulting in live births (%)		59.1			36.1		
Percentage of transfers resulting in pregnancies (%)		69.1			47.3		

## CURRENT SERVICES & PROFILE This clinic has reorganized since 2014. Contact the NASS Help Desk for further information.

<b>Current Name:</b> San Diego Fertility Center							
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# WILLIAMS OB/GYN & ASSOCIATES SAN DIMAS, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Richard A. Williams, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	100%	Tubal factor	6%	Uterine factor	0%	Multiple Factors: Female factors only 25% Female & male factors 0%
Unstimulated	0%	PGD/PGS	13%	Ovulatory dysfunction	63%	Male factor	19%	
Used gestational carrier	0%			Diminished ovarian reserve	19%	Other factor	0%	
				Endometriosis	19%	Unknown factor	0%	

2014 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 19 (includes 3 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		3	3	7	2	1	0
Percentage of cancellations before retrieval (%)		0 / 3	0 / 3	0 / 7	0 / 2	0 / 1	
Average number of embryos transferred		2.0	1.7	2.5	1.0		
Percentage of embryos transferred resulting in implantation (%)		3 / 6	1 / 5	2 / 15	0 / 1		
Percentage of elective single embryo transfers (eSET) (%)		0 / 3	0 / 2	0 / 6			
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0 / 3	0 / 3	1 / 7	0 / 2	0 / 1	
Percentage of cycles resulting in singleton live births (%)		0 / 3	0 / 3	1 / 7	0 / 2	0 / 1	
Percentage of cycles resulting in twin live births (%)		0 / 3	0 / 3	0 / 7	0 / 2	0 / 1	
Percentage of cycles resulting in live births (%)		0 / 3	0 / 3	1 / 7	0 / 2	0 / 1	
Percentage of cycles resulting in pregnancies (%)		2 / 3	1 / 3	2 / 7	0 / 2	0 / 1	
<b>Outcomes per Transfer</b>							
Number of transfers		3	3	6	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0 / 3	0 / 3	1 / 6	0 / 1		
Percentage of transfers resulting in singleton live births (%)		0 / 3	0 / 3	1 / 6	0 / 1		
Percentage of transfers resulting in twin live births (%)		0 / 3	0 / 3	0 / 6	0 / 1		
Percentage of transfers resulting in live births (%)		0 / 3	0 / 3	1 / 6	0 / 1		
Percentage of transfers resulting in pregnancies (%)		2 / 3	1 / 3	2 / 6	0 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		0	0	0	0	0	0
Number of transfers		0	0	0	0	0	0
Estimated average number of transfers per retrieval							
Average number of embryos transferred							
Percentage of embryos transferred resulting in implantation (%)							
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)							
Percentage of transfers resulting in singleton live births (%)							
Percentage of transfers resulting in twin live births (%)							
Percentage of transfers resulting in live births (%)							
Percentage of transfers resulting in pregnancies (%)							
<b>Number of Egg/Embryo Banking Cycles</b>		0	0	0	0	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		0			0		
Number of transfers		0			0		
Average number of embryos transferred							
Percentage of embryos transferred resulting in implantation (%)							
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)							
Percentage of transfers resulting in singleton live births (%)							
Percentage of transfers resulting in twin live births (%)							
Percentage of transfers resulting in live births (%)							
Percentage of transfers resulting in pregnancies (%)							

CURRENT SERVICES & PROFILE		Current Name: Williams OB/GYN & Associates					
Donor eggs?	No	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## LAUREL FERTILITY CARE SAN FRANCISCO, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2014 ART CYCLE PROFILE

Data verified by Collin B. Smikle, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	97%	Tubal factor	10%	Uterine factor	7%	Multiple Factors: Female factors only 7% Female & male factors 14%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	15%	Male factor	36%	
Used gestational carrier	1%			Diminished ovarian reserve	17%	Other factor	6%	
				Endometriosis	4%	Unknown factor	26%	

### 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 234 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	41	13	15	4	4	1
Percentage of cancellations before retrieval (%)	2.4	0 / 13	1 / 15	0 / 4	0 / 4	0 / 1
Average number of embryos transferred	1.8	1.8	3.0	2.3	1.7	
Percentage of embryos transferred resulting in implantation (%)	27.1	27.3	8.3	0 / 7	0 / 5	
Percentage of elective single embryo transfers (eSET) (%)	13.8	2 / 10	0 / 12	0 / 3	0 / 2	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	14.6	2 / 13	2 / 15	0 / 4	0 / 4	0 / 1
Percentage of cycles resulting in singleton live births (%)	14.6	3 / 13	2 / 15	0 / 4	0 / 4	0 / 1
Percentage of cycles resulting in twin live births (%)	7.3	0 / 13	0 / 15	0 / 4	0 / 4	0 / 1
Percentage of cycles resulting in live births (%)	22.0	3 / 13	2 / 15	0 / 4	0 / 4	0 / 1
Percentage of cycles resulting in pregnancies (%)	29.3	6 / 13	3 / 15	0 / 4	0 / 4	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	33	12	12	3	3	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	18.2	2 / 12	2 / 12	0 / 3	0 / 3	
Percentage of transfers resulting in singleton live births (%)	18.2	3 / 12	2 / 12	0 / 3	0 / 3	
Percentage of transfers resulting in twin live births (%)	9.1	0 / 12	0 / 12	0 / 3	0 / 3	
Percentage of transfers resulting in live births (%)	27.3	3 / 12	2 / 12	0 / 3	0 / 3	
Percentage of transfers resulting in pregnancies (%)	36.4	6 / 12	3 / 12	0 / 3	0 / 3	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	25	20	15	6	4	0
Number of transfers	25	20	15	6	4	0
Estimated average number of transfers per retrieval	1.0	1.3	0.7	0.3	0.4	
Average number of embryos transferred	1.5	1.6	1.7	1.5	1.8	
Percentage of embryos transferred resulting in implantation (%)	64.9	61.3	60.0	4 / 9	0 / 7	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	44.0	40.0	8 / 15	1 / 6	0 / 4	
Percentage of transfers resulting in singleton live births (%)	44.0	60.0	9 / 15	1 / 6	0 / 4	
Percentage of transfers resulting in twin live births (%)	12.0	5.0	0 / 15	0 / 6	0 / 4	
Percentage of transfers resulting in live births (%)	56.0	65.0	9 / 15	1 / 6	0 / 4	
Percentage of transfers resulting in pregnancies (%)	80.0	85.0	13 / 15	4 / 6	0 / 4	
<b>Number of Egg/Embryo Banking Cycles</b>						
	13	14	18	16	9	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		1			14	
Number of transfers		0			14	
Average number of embryos transferred					1.7	
Percentage of embryos transferred resulting in implantation (%)					37.5	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)					5 / 14	
Percentage of transfers resulting in singleton live births (%)					5 / 14	
Percentage of transfers resulting in twin live births (%)					1 / 14	
Percentage of transfers resulting in live births (%)					6 / 14	
Percentage of transfers resulting in pregnancies (%)					8 / 14	

### CURRENT SERVICES & PROFILE

Current Name: Laurel Fertility Care

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# PACIFIC FERTILITY CENTER SAN FRANCISCO, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Philip E. Chenette, MD					
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>					
IVF	100%	With ICSI	38%	Tubal factor	6%	Uterine factor	10%	<i>Multiple Factors:</i>	
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	9%	Male factor	31%	Female factors only	16%
Used gestational carrier	1%			Diminished ovarian reserve	50%	Other factor	19%	Female & male factors	22%
				Endometriosis	6%	Unknown factor	14%		

2014 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 1,825 (includes 59 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
	Number of cycles	84	52	68	41	25	9
	Percentage of cancellations before retrieval (%)	20.2	26.9	27.9	17.1	36.0	0 / 9
	Average number of embryos transferred	1.3	1.6	2.3	2.8	3.8	2.5
	Percentage of embryos transferred resulting in implantation (%)	43.5	22.9	10.3	8.8	4.5	0 / 5
	Percentage of elective single embryo transfers (eSET) (%)	68.9	42.9	11.1	1 / 13	0 / 5	0 / 2
<b>Outcomes per Cycle</b>							
	Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	22.6	7.7	7.4	7.3	4.0	0 / 9
	Percentage of cycles resulting in singleton live births (%)	25.0	7.7	7.4	7.3	4.0	0 / 9
	Percentage of cycles resulting in twin live births (%)	2.4	3.8	1.5	0.0	0.0	0 / 9
	Percentage of cycles resulting in live births (%)	27.4	11.5	8.8	7.3	4.0	0 / 9
	Percentage of cycles resulting in pregnancies (%)	31.0	15.4	11.8	14.6	8.0	0 / 9
<b>Outcomes per Transfer</b>							
	Number of transfers	52	24	31	15	6	2
	Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	36.5	16.7	16.1	3 / 15	1 / 6	0 / 2
	Percentage of transfers resulting in singleton live births (%)	40.4	16.7	16.1	3 / 15	1 / 6	0 / 2
	Percentage of transfers resulting in twin live births (%)	3.8	8.3	3.2	0 / 15	0 / 6	0 / 2
	Percentage of transfers resulting in live births (%)	44.2	25.0	19.4	3 / 15	1 / 6	0 / 2
	Percentage of transfers resulting in pregnancies (%)	50.0	33.3	25.8	6 / 15	2 / 6	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>							
	Number of cycles	128	168	158	45	19	7
	Number of transfers	114	152	138	42	14	6
	Estimated average number of transfers per retrieval	0.8	0.7	0.7	0.4	0.4	0.2
	Average number of embryos transferred	1.1	1.1	1.1	1.1	1.4	1.0
	Percentage of embryos transferred resulting in implantation (%)	52.8	58.3	54.2	57.4	7 / 18	2 / 5
	Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	43.9	42.1	37.7	38.1	6 / 14	2 / 6
	Percentage of transfers resulting in singleton live births (%)	50.0	51.3	43.5	45.2	6 / 14	2 / 6
	Percentage of transfers resulting in twin live births (%)	1.8	2.0	3.6	2.4	0 / 14	0 / 6
	Percentage of transfers resulting in live births (%)	51.8	53.3	47.1	50.0	6 / 14	2 / 6
	Percentage of transfers resulting in pregnancies (%)	58.8	61.8	56.5	57.1	9 / 14	3 / 6
<b>Number of Egg/Embryo Banking Cycles</b>		125	197	193	93	39	33
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
	Number of cycles	49			233		
	Number of transfers	45			217		
	Average number of embryos transferred	1.2			1.2		
	Percentage of embryos transferred resulting in implantation (%)	56.9			40.5		
	Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	42.2			27.2		
	Percentage of transfers resulting in singleton live births (%)	44.4			33.6		
	Percentage of transfers resulting in twin live births (%)	4.4			1.8		
	Percentage of transfers resulting in live births (%)	48.9			35.5		
	Percentage of transfers resulting in pregnancies (%)	62.2			46.1		

CURRENT SERVICES & PROFILE		Current Name: Pacific Fertility Center					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# UCSF CENTER FOR REPRODUCTIVE HEALTH SAN FRANCISCO, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Marcelle I. Cedars, MD					
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>					
IVF	100%	With ICSI	59%	Tubal factor	10%	Uterine factor	3%	<i>Multiple Factors:</i>	
Unstimulated	<1%	PGD/PGS	2%	Ovulatory dysfunction	4%	Male factor	22%	Female factors only	8%
Used gestational carrier	<1%			Diminished ovarian reserve	45%	Other factor	9%	Female & male factors	9%
				Endometriosis	4%	Unknown factor	21%		

2014 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 1,965 (includes 15 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		144	164	212	150	77	18
Percentage of cancellations before retrieval (%)		10.4	19.5	24.1	24.7	22.1	5 / 18
Average number of embryos transferred		1.6	1.9	2.7	4.1	4.4	5.4
Percentage of embryos transferred resulting in implantation (%)		41.1	31.5	16.5	8.6	8.0	1.9
Percentage of elective single embryo transfers (eSET) (%)		45.8	21.1	3.3	0.0	2.0	0 / 8
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		27.1	21.3	9.0	7.3	7.8	1 / 18
Percentage of cycles resulting in singleton live births (%)		30.6	24.4	10.8	8.7	10.4	1 / 18
Percentage of cycles resulting in twin live births (%)		4.9	6.1	4.2	1.3	0.0	0 / 18
Percentage of cycles resulting in live births (%)		35.4	30.5	15.1	10.0	10.4	1 / 18
Percentage of cycles resulting in pregnancies (%)		41.7	34.8	24.5	19.3	27.3	1 / 18
<b>Outcomes per Transfer</b>							
Number of transfers		105	116	134	80	54	11
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		37.1	30.2	14.2	13.8	11.1	1 / 11
Percentage of transfers resulting in singleton live births (%)		41.9	34.5	17.2	16.3	14.8	1 / 11
Percentage of transfers resulting in twin live births (%)		6.7	8.6	6.7	2.5	0.0	0 / 11
Percentage of transfers resulting in live births (%)		48.6	43.1	23.9	18.8	14.8	1 / 11
Percentage of transfers resulting in pregnancies (%)		57.1	49.1	38.8	36.3	38.9	1 / 11
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		111	157	151	61	34	12
Number of transfers		105	142	139	58	30	11
Estimated average number of transfers per retrieval		0.8	0.7	0.8	0.6	0.5	0.6
Average number of embryos transferred		1.6	1.6	2.0	2.7	3.7	3.1
Percentage of embryos transferred resulting in implantation (%)		35.8	38.6	26.8	16.6	7.2	8.8
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		33.3	26.1	23.0	13.8	16.7	0 / 11
Percentage of transfers resulting in singleton live births (%)		41.9	31.0	27.3	15.5	20.0	0 / 11
Percentage of transfers resulting in twin live births (%)		3.8	7.7	6.5	6.9	0.0	0 / 11
Percentage of transfers resulting in live births (%)		45.7	39.4	33.8	22.4	20.0	0 / 11
Percentage of transfers resulting in pregnancies (%)		52.4	50.7	43.2	39.7	33.3	3 / 11
<b>Number of Egg/Embryo Banking Cycles</b>							
		89	139	120	79	43	14
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		73			102		
Number of transfers		63			101		
Average number of embryos transferred		1.3			1.5		
Percentage of embryos transferred resulting in implantation (%)		62.3			34.2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		33.3			30.7		
Percentage of transfers resulting in singleton live births (%)		38.1			34.7		
Percentage of transfers resulting in twin live births (%)		12.7			5.9		
Percentage of transfers resulting in live births (%)		50.8			40.6		
Percentage of transfers resulting in pregnancies (%)		71.4			48.5		

CURRENT SERVICES & PROFILE		Current Name: UCSF Center for Reproductive Health					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**PALO ALTO MEDICAL FOUNDATION  
FERTILITY PHYSICIANS OF NORTHERN CALIFORNIA  
SAN JOSE, CALIFORNIA**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

**2014 ART CYCLE PROFILE**

Data verified by G. David Adamson, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	71%	Tubal factor	11%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 11% Female & male factors 21%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	10%	Male factor	37%	
Used gestational carrier	<1%			Diminished ovarian reserve	34%	Other factor	16%	
				Endometriosis	8%	Unknown factor	17%	

**2014 ART SUCCESS RATES<sup>c</sup>**

Total number of cycles<sup>d</sup>: 914 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	175	94	139	71	38	14
Percentage of cancellations before retrieval (%)	8.6	9.6	24.5	16.9	10.5	5 / 14
Average number of embryos transferred	1.5	1.7	2.3	2.9	3.0	2.1
Percentage of embryos transferred resulting in implantation (%)	28.4	28.8	14.2	8.1	1.1	0 / 15
Percentage of elective single embryo transfers (eSET) (%)	49.6	31.0	9.8	4.2	0.0	0 / 4
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	22.3	24.5	10.8	9.9	0.0	0 / 14
Percentage of cycles resulting in singleton live births (%)	24.6	29.8	14.4	9.9	2.6	0 / 14
Percentage of cycles resulting in twin live births (%)	2.3	1.1	2.2	0.0	0.0	0 / 14
Percentage of cycles resulting in live births (%)	26.9	30.9	16.5	9.9	2.6	0 / 14
Percentage of cycles resulting in pregnancies (%)	31.4	38.3	22.3	19.7	2.6	0 / 14
<b>Outcomes per Transfer</b>						
Number of transfers	143	79	93	54	31	7
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	27.3	29.1	16.1	13.0	0.0	0 / 7
Percentage of transfers resulting in singleton live births (%)	30.1	35.4	21.5	13.0	3.2	0 / 7
Percentage of transfers resulting in twin live births (%)	2.8	1.3	3.2	0.0	0.0	0 / 7
Percentage of transfers resulting in live births (%)	32.9	36.7	24.7	13.0	3.2	0 / 7
Percentage of transfers resulting in pregnancies (%)	38.5	45.6	33.3	25.9	3.2	0 / 7
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	87	74	62	21	11	4
Number of transfers	87	74	62	21	11	4
Estimated average number of transfers per retrieval	1.4	1.7	1.6	1.0	1.1	4.0
Average number of embryos transferred	1.5	1.4	1.5	1.5	2.8	2.3
Percentage of embryos transferred resulting in implantation (%)	26.8	17.5	23.5	16.1	0.0	2 / 9
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	24.1	23.0	16.1	9.5	0 / 11	0 / 4
Percentage of transfers resulting in singleton live births (%)	25.3	24.3	19.4	14.3	0 / 11	0 / 4
Percentage of transfers resulting in twin live births (%)	2.3	0.0	3.2	0.0	0 / 11	1 / 4
Percentage of transfers resulting in live births (%)	27.6	24.3	22.6	14.3	0 / 11	1 / 4
Percentage of transfers resulting in pregnancies (%)	36.8	29.7	37.1	28.6	0 / 11	1 / 4
<b>Number of Egg/Embryo Banking Cycles</b>						
	11	16	17	15	6	1
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		30			26	
Number of transfers		29			26	
Average number of embryos transferred		1.3			1.3	
Percentage of embryos transferred resulting in implantation (%)		50.0			34.3	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		37.9			19.2	
Percentage of transfers resulting in singleton live births (%)		41.4			19.2	
Percentage of transfers resulting in twin live births (%)		6.9			3.8	
Percentage of transfers resulting in live births (%)		48.3			26.9	
Percentage of transfers resulting in pregnancies (%)		58.6			26.9	

**CURRENT SERVICES & PROFILE**

Current Name: Palo Alto Medical Foundation Fertility Physicians of Northern California

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# ALEX STEINLEITNER, MD SAN LUIS OBISPO, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Alex J. Steinleitner, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	52%	Tubal factor	13%	Uterine factor	5%	<i>Multiple Factors:</i> Female factors only 1% Female & male factors 18%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	13%	Male factor	45%	
Used gestational carrier	8%			Diminished ovarian reserve	14%	Other factor	6%	
				Endometriosis	4%	Unknown factor	21%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 176 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	30	10	13	9	4	0
Percentage of cancellations before retrieval (%)	43.3	4 / 10	3 / 13	1 / 9	1 / 4	
Average number of embryos transferred	2.1	1.8	3.3	3.5	3.0	
Percentage of embryos transferred resulting in implantation (%)	51.7	6 / 9	25.0	14.3	0 / 9	
Percentage of elective single embryo transfers (eSET) (%)	0 / 13	0 / 4	0 / 7	0 / 6	0 / 2	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3.3	3 / 10	2 / 13	0 / 9	0 / 4	
Percentage of cycles resulting in singleton live births (%)	3.3	3 / 10	2 / 13	0 / 9	0 / 4	
Percentage of cycles resulting in twin live births (%)	23.3	1 / 10	1 / 13	1 / 9	0 / 4	
Percentage of cycles resulting in live births (%)	26.7	4 / 10	3 / 13	1 / 9	0 / 4	
Percentage of cycles resulting in pregnancies (%)	26.7	4 / 10	4 / 13	2 / 9	0 / 4	
<b>Outcomes per Transfer</b>						
Number of transfers	14	5	7	6	3	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 14	3 / 5	2 / 7	0 / 6	0 / 3	
Percentage of transfers resulting in singleton live births (%)	1 / 14	3 / 5	2 / 7	0 / 6	0 / 3	
Percentage of transfers resulting in twin live births (%)	7 / 14	1 / 5	1 / 7	1 / 6	0 / 3	
Percentage of transfers resulting in live births (%)	8 / 14	4 / 5	3 / 7	1 / 6	0 / 3	
Percentage of transfers resulting in pregnancies (%)	8 / 14	4 / 5	4 / 7	2 / 6	0 / 3	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	34	12	8	3	0	0
Number of transfers	32	12	8	3	0	0
Estimated average number of transfers per retrieval	1.0	1.1	1.1	1.5		
Average number of embryos transferred	1.8	1.7	2.0	1.7		
Percentage of embryos transferred resulting in implantation (%)	32.7	1 / 18	4 / 14	0 / 5		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	18.8	1 / 12	2 / 8	0 / 3		
Percentage of transfers resulting in singleton live births (%)	25.0	1 / 12	2 / 8	0 / 3		
Percentage of transfers resulting in twin live births (%)	9.4	0 / 12	1 / 8	0 / 3		
Percentage of transfers resulting in live births (%)	34.4	1 / 12	3 / 8	0 / 3		
Percentage of transfers resulting in pregnancies (%)	50.0	2 / 12	4 / 8	0 / 3		
<b>Number of Egg/Embryo Banking Cycles</b>						
	24	5	5	0	0	0
<b>Donor Eggs</b>						
		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		6			12	
Number of transfers		3			12	
Average number of embryos transferred		2.0			1.9	
Percentage of embryos transferred resulting in implantation (%)		5 / 6			15.0	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0 / 3			1 / 12	
Percentage of transfers resulting in singleton live births (%)		1 / 3			1 / 12	
Percentage of transfers resulting in twin live births (%)		2 / 3			1 / 12	
Percentage of transfers resulting in live births (%)		3 / 3			2 / 12	
Percentage of transfers resulting in pregnancies (%)		3 / 3			4 / 12	

## CURRENT SERVICES & PROFILE

Current Name: Alex Steinleitner, MD

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

# REPRODUCTIVE SCIENCE CENTER OF THE SAN FRANCISCO BAY AREA SAN RAMON, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Louis N. Weckstein, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	70%	Tubal factor	13%	Uterine factor	7%	<i>Multiple Factors:</i> Female factors only 25% Female & male factors 20%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	17%	Male factor	29%	
Used gestational carrier	<1%			Diminished ovarian reserve	38%	Other factor	33%	
				Endometriosis	9%	Unknown factor	10%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 1,562 (includes 20 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	191	140	106	51	21	3
Percentage of cancellations before retrieval (%)	7.9	11.4	19.8	27.5	4.8	1 / 3
Average number of embryos transferred	1.4	1.4	1.9	2.2	2.1	3.0
Percentage of embryos transferred resulting in implantation (%)	58.0	51.5	30.4	22.2	0 / 12	0 / 6
Percentage of elective single embryo transfers (eSET) (%)	63.6	60.0	5.5	0.0	0 / 5	0 / 2
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	37.7	27.1	14.2	7.8	0.0	0 / 3
Percentage of cycles resulting in singleton live births (%)	42.9	31.4	17.0	9.8	0.0	0 / 3
Percentage of cycles resulting in twin live births (%)	5.2	6.4	4.7	2.0	0.0	0 / 3
Percentage of cycles resulting in live births (%)	48.7	37.9	21.7	11.8	0.0	0 / 3
Percentage of cycles resulting in pregnancies (%)	55.0	47.1	30.2	19.6	14.3	0 / 3
<b>Outcomes per Transfer</b>						
Number of transfers	151	102	62	21	8	2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	47.7	37.3	24.2	19.0	0 / 8	0 / 2
Percentage of transfers resulting in singleton live births (%)	54.3	43.1	29.0	23.8	0 / 8	0 / 2
Percentage of transfers resulting in twin live births (%)	6.6	8.8	8.1	4.8	0 / 8	0 / 2
Percentage of transfers resulting in live births (%)	61.6	52.0	37.1	28.6	0 / 8	0 / 2
Percentage of transfers resulting in pregnancies (%)	69.5	64.7	51.6	47.6	3 / 8	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	188	121	138	67	33	5
Number of transfers	170	110	119	56	24	5
Estimated average number of transfers per retrieval	1.7	1.2	0.9	0.8	0.8	0.7
Average number of embryos transferred	1.3	1.3	1.3	1.3	1.3	1.2
Percentage of embryos transferred resulting in implantation (%)	47.7	53.3	38.9	34.3	18.5	3 / 6
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	29.4	33.6	29.4	30.4	12.5	1 / 5
Percentage of transfers resulting in singleton live births (%)	34.7	40.9	34.5	37.5	12.5	1 / 5
Percentage of transfers resulting in twin live births (%)	9.4	7.3	3.4	0.0	4.2	1 / 5
Percentage of transfers resulting in live births (%)	44.1	48.2	37.8	37.5	16.7	2 / 5
Percentage of transfers resulting in pregnancies (%)	53.5	60.9	47.9	48.2	29.2	2 / 5
<b>Number of Egg/Embryo Banking Cycles</b>						
	50	52	105	59	20	6
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		75			111	
Number of transfers		67			97	
Average number of embryos transferred		1.3			1.3	
Percentage of embryos transferred resulting in implantation (%)		68.8			48.0	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		47.8			34.0	
Percentage of transfers resulting in singleton live births (%)		55.2			43.3	
Percentage of transfers resulting in twin live births (%)		9.0			6.2	
Percentage of transfers resulting in live births (%)		64.2			49.5	
Percentage of transfers resulting in pregnancies (%)		77.6			52.6	

## CURRENT SERVICES & PROFILE

Current Name: Reproductive Science Center of the San Francisco Bay Area

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# SANTA BARBARA FERTILITY CENTER SANTA BARBARA, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by René B. Allen, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	91%	Tubal factor	7%	Uterine factor	6%	<i>Multiple Factors:</i> Female factors only 12% Female & male factors 6%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	2%	Male factor	10%	
Used gestational carrier	2%			Diminished ovarian reserve	43%	Other factor	23%	
				Endometriosis	<1%	Unknown factor	26%	

2014 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 150 (includes 1 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		14	9	22	10	12	0
Percentage of cancellations before retrieval (%)		0 / 14	0 / 9	13.6	0 / 10	1 / 12	
Average number of embryos transferred		1.4	2.3	2.3	3.1	4.5	
Percentage of embryos transferred resulting in implantation (%)		8 / 18	19.0	12.5	16.0	0.0	
Percentage of elective single embryo transfers (eSET) (%)		8 / 13	1 / 9	2 / 16	0 / 7	0 / 8	
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		7 / 14	1 / 9	0.0	1 / 10	0 / 12	
Percentage of cycles resulting in singleton live births (%)		7 / 14	1 / 9	4.5	1 / 10	0 / 12	
Percentage of cycles resulting in twin live births (%)		0 / 14	1 / 9	4.5	0 / 10	0 / 12	
Percentage of cycles resulting in live births (%)		7 / 14	2 / 9	9.1	1 / 10	0 / 12	
Percentage of cycles resulting in pregnancies (%)		8 / 14	3 / 9	22.7	2 / 10	0 / 12	
<b>Outcomes per Transfer</b>							
Number of transfers		13	9	18	8	8	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		7 / 13	1 / 9	0 / 18	1 / 8	0 / 8	
Percentage of transfers resulting in singleton live births (%)		7 / 13	1 / 9	1 / 18	1 / 8	0 / 8	
Percentage of transfers resulting in twin live births (%)		0 / 13	1 / 9	1 / 18	0 / 8	0 / 8	
Percentage of transfers resulting in live births (%)		7 / 13	2 / 9	2 / 18	1 / 8	0 / 8	
Percentage of transfers resulting in pregnancies (%)		8 / 13	3 / 9	5 / 18	2 / 8	0 / 8	
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		13	8	5	6	3	1
Number of transfers		11	6	5	4	3	1
Estimated average number of transfers per retrieval		1.0	0.5	0.4	4.0	1.5	1.0
Average number of embryos transferred		1.5	1.8	2.0	2.3	5.0	1.0
Percentage of embryos transferred resulting in implantation (%)		6 / 15	4 / 11	3 / 10	1 / 9	1 / 15	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		3 / 11	4 / 6	1 / 5	1 / 4	1 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)		3 / 11	4 / 6	3 / 5	1 / 4	1 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)		1 / 11	0 / 6	0 / 5	0 / 4	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)		4 / 11	4 / 6	3 / 5	1 / 4	1 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)		6 / 11	4 / 6	3 / 5	1 / 4	1 / 3	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>							
		6	7	9	0	1	1
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		10			12		
Number of transfers		9			11		
Average number of embryos transferred		1.4			1.3		
Percentage of embryos transferred resulting in implantation (%)		4 / 13			5 / 13		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 9			4 / 11		
Percentage of transfers resulting in singleton live births (%)		1 / 9			5 / 11		
Percentage of transfers resulting in twin live births (%)		1 / 9			0 / 11		
Percentage of transfers resulting in live births (%)		2 / 9			5 / 11		
Percentage of transfers resulting in pregnancies (%)		3 / 9			6 / 11		

CURRENT SERVICES & PROFILE		Current Name: Santa Barbara Fertility Center					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## SANTA MONICA FERTILITY SANTA MONICA, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2014 ART CYCLE PROFILE

Data verified by John K. Jain, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	91%	Tubal factor	4%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 9% Female & male factors 6%
Unstimulated	0%	PGD/PGS	18%	Ovulatory dysfunction	2%	Male factor	6%	
Used gestational carrier	0%			Diminished ovarian reserve	9%	Other factor	90%	
				Endometriosis	0%	Unknown factor	2%	

### 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 240 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	0	1	8	2	0	0
Percentage of cancellations before retrieval (%)		0 / 1	1 / 8	0 / 2		
Average number of embryos transferred		2.0	2.8	4.0		
Percentage of embryos transferred resulting in implantation (%)		0 / 2	4 / 11	0 / 8		
Percentage of elective single embryo transfers (eSET) (%)		0 / 1	0 / 3	0 / 2		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0 / 1	1 / 8	0 / 2		
Percentage of cycles resulting in singleton live births (%)		0 / 1	2 / 8	0 / 2		
Percentage of cycles resulting in twin live births (%)		0 / 1	1 / 8	0 / 2		
Percentage of cycles resulting in live births (%)		0 / 1	3 / 8	0 / 2		
Percentage of cycles resulting in pregnancies (%)		0 / 1	3 / 8	0 / 2		
<b>Outcomes per Transfer</b>						
Number of transfers	0	1	5	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0 / 1	1 / 5	0 / 2		
Percentage of transfers resulting in singleton live births (%)		0 / 1	2 / 5	0 / 2		
Percentage of transfers resulting in twin live births (%)		0 / 1	1 / 5	0 / 2		
Percentage of transfers resulting in live births (%)		0 / 1	3 / 5	0 / 2		
Percentage of transfers resulting in pregnancies (%)		0 / 1	3 / 5	0 / 2		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	4	4	8	3	4	3
Number of transfers	4	4	8	3	4	3
Estimated average number of transfers per retrieval	0.3	0.2	0.3	0.3	0.3	0.1
Average number of embryos transferred	1.3	1.3	1.0	1.7	2.5	4.3
Percentage of embryos transferred resulting in implantation (%)	4 / 5	4 / 4	7 / 7	4 / 5	3 / 10	0 / 13
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 4	2 / 4	3 / 8	1 / 3	1 / 4	0 / 3
Percentage of transfers resulting in singleton live births (%)	3 / 4	2 / 4	4 / 8	1 / 3	1 / 4	0 / 3
Percentage of transfers resulting in twin live births (%)	0 / 4	1 / 4	0 / 8	0 / 3	0 / 4	0 / 3
Percentage of transfers resulting in live births (%)	3 / 4	3 / 4	4 / 8	1 / 3	1 / 4	0 / 3
Percentage of transfers resulting in pregnancies (%)	4 / 4	4 / 4	7 / 8	3 / 3	2 / 4	0 / 3
<b>Number of Egg/Embryo Banking Cycles</b>						
	15	20	25	11	15	27
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		31			59	
Number of transfers		31			59	
Average number of embryos transferred		1.2			1.2	
Percentage of embryos transferred resulting in implantation (%)		78.9			71.8	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		45.2			37.3	
Percentage of transfers resulting in singleton live births (%)		61.3			50.8	
Percentage of transfers resulting in twin live births (%)		16.1			13.6	
Percentage of transfers resulting in live births (%)		77.4			64.4	
Percentage of transfers resulting in pregnancies (%)		80.6			71.2	

### CURRENT SERVICES & PROFILE

Current Name: Santa Monica Fertility

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# SANTA MONICA UCLA GYN SUBSPECIALTIES GROUP SANTA MONICA, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Ingrid A. Rodi, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	48%	Tubal factor	2%	Uterine factor	7%	Multiple Factors: Female factors only 7% Female & male factors 22%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	15%	Male factor	32%	
Used gestational carrier	0%			Diminished ovarian reserve	57%	Other factor	13%	
				Endometriosis	4%	Unknown factor	6%	

2014 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 101 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		6	5	3	5	3	1
Percentage of cancellations before retrieval (%)		2 / 6	2 / 5	1 / 3	1 / 5	3 / 3	0 / 1
Average number of embryos transferred		2.0	2.0	1.0	4.0		3.0
Percentage of embryos transferred resulting in implantation (%)		0 / 2	3 / 4	0 / 1	0 / 4		0 / 3
Percentage of elective single embryo transfers (eSET) (%)		0 / 1	0 / 2		0 / 1		0 / 1
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0 / 6	0 / 5	0 / 3	0 / 5	0 / 3	0 / 1
Percentage of cycles resulting in singleton live births (%)		0 / 6	0 / 5	0 / 3	0 / 5	0 / 3	0 / 1
Percentage of cycles resulting in twin live births (%)		0 / 6	1 / 5	0 / 3	0 / 5	0 / 3	0 / 1
Percentage of cycles resulting in live births (%)		0 / 6	1 / 5	0 / 3	0 / 5	0 / 3	0 / 1
Percentage of cycles resulting in pregnancies (%)		0 / 6	2 / 5	0 / 3	0 / 5	0 / 3	0 / 1
<b>Outcomes per Transfer</b>							
Number of transfers		1	2	1	1	0	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0 / 1	0 / 2	0 / 1	0 / 1		0 / 1
Percentage of transfers resulting in singleton live births (%)		0 / 1	0 / 2	0 / 1	0 / 1		0 / 1
Percentage of transfers resulting in twin live births (%)		0 / 1	1 / 2	0 / 1	0 / 1		0 / 1
Percentage of transfers resulting in live births (%)		0 / 1	1 / 2	0 / 1	0 / 1		0 / 1
Percentage of transfers resulting in pregnancies (%)		0 / 1	2 / 2	0 / 1	0 / 1		0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		10	6	7	4	0	0
Number of transfers		10	5	6	2	0	0
Estimated average number of transfers per retrieval		1.0	0.3	0.5	0.3	0.0	
Average number of embryos transferred		1.3	1.4	1.5	1.5		
Percentage of embryos transferred resulting in implantation (%)		6 / 13	4 / 7	0 / 9	0 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		3 / 10	3 / 5	0 / 6	0 / 2		
Percentage of transfers resulting in singleton live births (%)		3 / 10	4 / 5	0 / 6	0 / 2		
Percentage of transfers resulting in twin live births (%)		1 / 10	0 / 5	0 / 6	0 / 2		
Percentage of transfers resulting in live births (%)		4 / 10	4 / 5	0 / 6	0 / 2		
Percentage of transfers resulting in pregnancies (%)		4 / 10	4 / 5	0 / 6	0 / 2		
<b>Number of Egg/Embryo Banking Cycles</b>							
		10	16	12	6	3	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles			1			3	
Number of transfers			0			2	
Average number of embryos transferred						1.5	
Percentage of embryos transferred resulting in implantation (%)						0 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)						0 / 2	
Percentage of transfers resulting in singleton live births (%)						0 / 2	
Percentage of transfers resulting in twin live births (%)						0 / 2	
Percentage of transfers resulting in live births (%)						0 / 2	
Percentage of transfers resulting in pregnancies (%)						0 / 2	

CURRENT SERVICES & PROFILE		Current Name: Santa Monica UCLA GYN Subspecialties Group					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# ADVANCED FERTILITY ASSOCIATES MEDICAL GROUP, INC. SANTA ROSA, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Jennifer V. Ratcliffe, MD, PhD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	90%	Tubal factor	19%	Uterine factor	<1%	<i>Multiple Factors:</i> Female factors only 18% Female & male factors 11%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	9%	Male factor	25%	
Used gestational carrier	0%			Diminished ovarian reserve	45%	Other factor	12%	
				Endometriosis	8%	Unknown factor	15%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 195 (includes 7 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	33	13	18	13	3	0
Percentage of cancellations before retrieval (%)	3.0	0 / 13	0 / 18	4 / 13	0 / 3	
Average number of embryos transferred	1.9	2.3	3.5	4.7	4.3	
Percentage of embryos transferred resulting in implantation (%)	41.4	39.3	13.0	10.8	0 / 13	
Percentage of elective single embryo transfers (eSET) (%)	3.4	0 / 12	0 / 16	0 / 9	0 / 3	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	30.3	5 / 13	5 / 18	3 / 13	0 / 3	
Percentage of cycles resulting in singleton live births (%)	33.3	5 / 13	5 / 18	3 / 13	0 / 3	
Percentage of cycles resulting in twin live births (%)	18.2	3 / 13	0 / 18	0 / 13	0 / 3	
Percentage of cycles resulting in live births (%)	51.5	8 / 13	5 / 18	3 / 13	0 / 3	
Percentage of cycles resulting in pregnancies (%)	54.5	8 / 13	9 / 18	5 / 13	0 / 3	
<b>Outcomes per Transfer</b>						
Number of transfers	31	12	16	9	3	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	32.3	5 / 12	5 / 16	3 / 9	0 / 3	
Percentage of transfers resulting in singleton live births (%)	35.5	5 / 12	5 / 16	3 / 9	0 / 3	
Percentage of transfers resulting in twin live births (%)	19.4	3 / 12	0 / 16	0 / 9	0 / 3	
Percentage of transfers resulting in live births (%)	54.8	8 / 12	5 / 16	3 / 9	0 / 3	
Percentage of transfers resulting in pregnancies (%)	58.1	8 / 12	9 / 16	5 / 9	0 / 3	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	25	9	10	2	1	1
Number of transfers	25	9	10	2	1	1
Estimated average number of transfers per retrieval	1.4	3.0	0.9	0.3	1.0	
Average number of embryos transferred	1.8	1.6	2.4	1.5	2.0	5.0
Percentage of embryos transferred resulting in implantation (%)	43.2	6 / 14	25.0	1 / 3	1 / 2	0 / 5
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	28.0	3 / 9	2 / 10	1 / 2	1 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	36.0	3 / 9	2 / 10	1 / 2	1 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	20.0	0 / 9	2 / 10	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	56.0	3 / 9	4 / 10	1 / 2	1 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	60.0	5 / 9	4 / 10	1 / 2	1 / 1	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	11	2	5	3	1	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	10			28		
Number of transfers	9			26		
Average number of embryos transferred	1.9			2.0		
Percentage of embryos transferred resulting in implantation (%)	10 / 17			45.7		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 9			23.1		
Percentage of transfers resulting in singleton live births (%)	3 / 9			23.1		
Percentage of transfers resulting in twin live births (%)	3 / 9			15.4		
Percentage of transfers resulting in live births (%)	6 / 9			42.3		
Percentage of transfers resulting in pregnancies (%)	7 / 9			69.2		

## CURRENT SERVICES & PROFILE

Current Name: Advanced Fertility Associates Medical Group, Inc.

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**VALLEY CENTER FOR REPRODUCTIVE HEALTH**  
**TINA KOOPERSMITH, MD**  
**SHERMAN OAKS, CALIFORNIA**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

**2014 ART CYCLE PROFILE**

Data verified by Tina B. Koopersmith, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	63%	Tubal factor	20%	Uterine factor	9%	Multiple Factors: Female factors only 14% Female & male factors 13%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	14%	Male factor	21%	
Used gestational carrier	0%			Diminished ovarian reserve	17%	Other factor	14%	
				Endometriosis	6%	Unknown factor	29%	

**2014 ART SUCCESS RATES<sup>c</sup>**

Total number of cycles<sup>d</sup>: 90 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	14	3	7	3	4	1
Percentage of cancellations before retrieval (%)	0 / 14	0 / 3	1 / 7	1 / 3	1 / 4	0 / 1
Average number of embryos transferred	1.8	2.0	2.0	2.0	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	2 / 12	1 / 4	1 / 10	0 / 2	0 / 2	1 / 1
Percentage of elective single embryo transfers (eSET) (%)	2 / 7	0 / 2	1 / 5	0 / 1	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 14	0 / 3	1 / 7	0 / 3	0 / 4	0 / 1
Percentage of cycles resulting in singleton live births (%)	2 / 14	0 / 3	1 / 7	0 / 3	0 / 4	1 / 1
Percentage of cycles resulting in twin live births (%)	0 / 14	0 / 3	0 / 7	0 / 3	0 / 4	0 / 1
Percentage of cycles resulting in live births (%)	2 / 14	0 / 3	1 / 7	0 / 3	0 / 4	1 / 1
Percentage of cycles resulting in pregnancies (%)	3 / 14	1 / 3	1 / 7	0 / 3	0 / 4	1 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	8	2	5	1	1	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 8	0 / 2	1 / 5	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	2 / 8	0 / 2	1 / 5	0 / 1	0 / 1	1 / 1
Percentage of transfers resulting in twin live births (%)	0 / 8	0 / 2	0 / 5	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	2 / 8	0 / 2	1 / 5	0 / 1	0 / 1	1 / 1
Percentage of transfers resulting in pregnancies (%)	3 / 8	1 / 2	1 / 5	0 / 1	0 / 1	1 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	21	7	3	1	2	0
Number of transfers	21	7	3	1	2	0
Estimated average number of transfers per retrieval	1.8	1.8	0.6	0.2	0.5	
Average number of embryos transferred	1.8	1.6	1.3	1.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	31.6	5 / 10	2 / 4	0 / 1	1 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	23.8	3 / 7	0 / 3	0 / 1	0 / 2	
Percentage of transfers resulting in singleton live births (%)	33.3	3 / 7	0 / 3	0 / 1	0 / 2	
Percentage of transfers resulting in twin live births (%)	9.5	1 / 7	1 / 3	0 / 1	0 / 2	
Percentage of transfers resulting in live births (%)	42.9	4 / 7	1 / 3	0 / 1	0 / 2	
Percentage of transfers resulting in pregnancies (%)	42.9	5 / 7	1 / 3	0 / 1	1 / 2	
<b>Number of Egg/Embryo Banking Cycles</b>						
	6	2	5	4	3	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	2			2		
Number of transfers	2			2		
Average number of embryos transferred	1.0			1.5		
Percentage of embryos transferred resulting in implantation (%)	2 / 2			0 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 2			0 / 2		
Percentage of transfers resulting in singleton live births (%)	2 / 2			0 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 2			0 / 2		
Percentage of transfers resulting in live births (%)	2 / 2			0 / 2		
Percentage of transfers resulting in pregnancies (%)	2 / 2			0 / 2		

**CURRENT SERVICES & PROFILE**

Current Name: Valley Center for Reproductive Health, Tina Koopersmith, MD

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**GARFIELD FERTILITY CENTER  
SOUTH PASADENA, CALIFORNIA**

---

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

**THE CENTER FOR FERTILITY AND GYNECOLOGY  
VERMESH CENTER FOR FERTILITY  
TARZANA, CALIFORNIA**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

**2014 ART CYCLE PROFILE**

Data verified by Michael Vermesh, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	90%	Tubal factor	7%	Uterine factor	2%	Multiple Factors: Female factors only 7% Female & male factors 10%
Unstimulated	5%	PGD/PGS	5%	Ovulatory dysfunction	3%	Male factor	29%	
Used gestational carrier	3%			Diminished ovarian reserve	41%	Other factor	17%	
				Endometriosis	3%	Unknown factor	15%	

**2014 ART SUCCESS RATES<sup>c</sup>**

Total number of cycles<sup>d</sup>: 345 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	26	20	26	15	8	7
Percentage of cancellations before retrieval (%)	0.0	5.0	7.7	1 / 15	1 / 8	1 / 7
Average number of embryos transferred	1.8	1.9	2.3	2.6	2.0	2.5
Percentage of embryos transferred resulting in implantation (%)	55.3	32.4	21.8	13.5	1 / 12	0 / 15
Percentage of elective single embryo transfers (eSET) (%)	8.7	1 / 15	5.0	0 / 11	0 / 3	0 / 4
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	42.3	30.0	19.2	2 / 15	1 / 8	0 / 7
Percentage of cycles resulting in singleton live births (%)	42.3	35.0	19.2	3 / 15	1 / 8	0 / 7
Percentage of cycles resulting in twin live births (%)	11.5	10.0	7.7	1 / 15	0 / 8	0 / 7
Percentage of cycles resulting in live births (%)	53.8	45.0	26.9	4 / 15	1 / 8	0 / 7
Percentage of cycles resulting in pregnancies (%)	65.4	50.0	34.6	4 / 15	1 / 8	0 / 7
<b>Outcomes per Transfer</b>						
Number of transfers	26	19	24	14	6	6
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	42.3	6 / 19	20.8	2 / 14	1 / 6	0 / 6
Percentage of transfers resulting in singleton live births (%)	42.3	7 / 19	20.8	3 / 14	1 / 6	0 / 6
Percentage of transfers resulting in twin live births (%)	11.5	2 / 19	8.3	1 / 14	0 / 6	0 / 6
Percentage of transfers resulting in live births (%)	53.8	9 / 19	29.2	4 / 14	1 / 6	0 / 6
Percentage of transfers resulting in pregnancies (%)	65.4	10 / 19	37.5	4 / 14	1 / 6	0 / 6
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	23	18	21	7	2	0
Number of transfers	23	18	21	7	2	0
Estimated average number of transfers per retrieval	0.8	0.8	0.5	0.4	0.1	0.0
Average number of embryos transferred	1.9	1.7	1.9	1.4	2.5	
Percentage of embryos transferred resulting in implantation (%)	53.5	51.7	33.3	3 / 10	0 / 5	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	43.5	11 / 18	14.3	3 / 7	0 / 2	
Percentage of transfers resulting in singleton live births (%)	47.8	12 / 18	28.6	3 / 7	0 / 2	
Percentage of transfers resulting in twin live births (%)	26.1	1 / 18	9.5	0 / 7	0 / 2	
Percentage of transfers resulting in live births (%)	73.9	13 / 18	38.1	3 / 7	0 / 2	
Percentage of transfers resulting in pregnancies (%)	73.9	15 / 18	47.6	3 / 7	0 / 2	
<b>Number of Egg/Embryo Banking Cycles</b>	25	20	36	17	19	10
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		20			23	
Number of transfers		20			23	
Average number of embryos transferred		1.8			1.7	
Percentage of embryos transferred resulting in implantation (%)		63.9			57.5	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		30.0			52.2	
Percentage of transfers resulting in singleton live births (%)		40.0			65.2	
Percentage of transfers resulting in twin live births (%)		35.0			8.7	
Percentage of transfers resulting in live births (%)		75.0			73.9	
Percentage of transfers resulting in pregnancies (%)		75.0			82.6	

**CURRENT SERVICES & PROFILE**

Current Name: The Center for Fertility and Gynecology, Vermesh Center for Fertility

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**TREE OF LIFE CENTER FOR FERTILITY  
SNUNIT BEN-OZER, MD  
TARZANA, CALIFORNIA**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

**2014 ART CYCLE PROFILE**

Data verified by Snunit Ben-Ozer, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	100%	Tubal factor	3%	Uterine factor	7%	Multiple Factors: Female factors only 10% Female & male factors 45%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	10%	Male factor	59%	
Used gestational carrier	0%			Diminished ovarian reserve	66%	Other factor	10%	
				Endometriosis	0%	Unknown factor	0%	

**2014 ART SUCCESS RATES<sup>c</sup>**

Total number of cycles<sup>d</sup>: 41 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	4	3	6	2	0	0
Percentage of cancellations before retrieval (%)	0/4	0/3	0/6	0/2		
Average number of embryos transferred	1.5	1.0	1.8	1.0		
Percentage of embryos transferred resulting in implantation (%)	2/6	1/3	2/9	0/1		
Percentage of elective single embryo transfers (eSET) (%)	1/3	1/1	0/4			
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0/4	1/3	0/6	0/2		
Percentage of cycles resulting in singleton live births (%)	0/4	1/3	0/6	0/2		
Percentage of cycles resulting in twin live births (%)	0/4	0/3	1/6	0/2		
Percentage of cycles resulting in live births (%)	0/4	1/3	1/6	0/2		
Percentage of cycles resulting in pregnancies (%)	2/4	1/3	1/6	0/2		
<b>Outcomes per Transfer</b>						
Number of transfers	4	3	5	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0/4	1/3	0/5	0/1		
Percentage of transfers resulting in singleton live births (%)	0/4	1/3	0/5	0/1		
Percentage of transfers resulting in twin live births (%)	0/4	0/3	1/5	0/1		
Percentage of transfers resulting in live births (%)	0/4	1/3	1/5	0/1		
Percentage of transfers resulting in pregnancies (%)	2/4	1/3	1/5	0/1		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	4	1	2	1	3	1
Number of transfers	4	1	2	1	3	1
Estimated average number of transfers per retrieval	1.0	0.5	1.0	0.3	1.0	
Average number of embryos transferred	1.8	1.0	2.0	2.0	2.0	3.0
Percentage of embryos transferred resulting in implantation (%)	4/7	2/1	0/2	2/2	1/6	2/3
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3/4	0/1	0/2	0/1	1/3	0/1
Percentage of transfers resulting in singleton live births (%)	3/4	0/1	0/2	0/1	1/3	0/1
Percentage of transfers resulting in twin live births (%)	0/4	1/1	0/2	1/1	0/3	1/1
Percentage of transfers resulting in live births (%)	3/4	1/1	0/2	1/1	1/3	1/1
Percentage of transfers resulting in pregnancies (%)	4/4	1/1	1/2	1/1	1/3	1/1
<b>Number of Egg/Embryo Banking Cycles</b>						
	3	2	0	4	3	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	1			1		
Number of transfers	1			1		
Average number of embryos transferred	2.0			2.0		
Percentage of embryos transferred resulting in implantation (%)	3/2			2/2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1/1			1/1		
Percentage of transfers resulting in singleton live births (%)	1/1			1/1		
Percentage of transfers resulting in twin live births (%)	0/1			0/1		
Percentage of transfers resulting in live births (%)	1/1			1/1		
Percentage of transfers resulting in pregnancies (%)	1/1			1/1		

**CURRENT SERVICES & PROFILE**

Current Name: Tree of Life Center for Fertility, Snunit Ben-Ozer, MD

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FERTILITY AND SURGICAL ASSOCIATES OF CALIFORNIA THOUSAND OAKS, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Gary Hubert, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	67%	Tubal factor	6%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 2% Female & male factors 8%
Unstimulated	<1%	PGD/PGS	3%	Ovulatory dysfunction	9%	Male factor	20%	
Used gestational carrier	2%			Diminished ovarian reserve	53%	Other factor	12%	
				Endometriosis	5%	Unknown factor	3%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 1,413 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	31	14	19	26	13	14
Percentage of cancellations before retrieval (%)	3.2	0 / 14	1 / 19	7.7	0 / 13	1 / 14
Average number of embryos transferred	1.8	1.6	2.5		2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	36.7	5 / 10	0 / 5		0 / 2	0 / 1
Percentage of elective single embryo transfers (eSET) (%)	4 / 18	2 / 7	0 / 2		0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	22.6	2 / 14	0 / 19	0.0	0 / 13	0 / 14
Percentage of cycles resulting in singleton live births (%)	22.6	3 / 14	0 / 19	0.0	0 / 13	0 / 14
Percentage of cycles resulting in twin live births (%)	3.2	1 / 14	0 / 19	0.0	0 / 13	0 / 14
Percentage of cycles resulting in live births (%)	25.8	4 / 14	0 / 19	0.0	0 / 13	0 / 14
Percentage of cycles resulting in pregnancies (%)	35.5	6 / 14	0 / 19	0.0	0 / 13	0 / 14
<b>Outcomes per Transfer</b>						
Number of transfers	18	8	2	0	1	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	7 / 18	2 / 8	0 / 2		0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	7 / 18	3 / 8	0 / 2		0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 18	1 / 8	0 / 2		0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	8 / 18	4 / 8	0 / 2		0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	11 / 18	6 / 8	0 / 2		0 / 1	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	194	94	97	38	15	4
Number of transfers	191	94	96	38	15	4
Estimated average number of transfers per retrieval	1.3	0.9	0.6	0.4	0.3	0.1
Average number of embryos transferred	1.5	1.4	1.3	1.4	1.5	1.8
Percentage of embryos transferred resulting in implantation (%)	52.1	54.0	48.8	42.3	31.8	0 / 5
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	30.9	33.0	28.1	31.6	4 / 15	0 / 4
Percentage of transfers resulting in singleton live births (%)	37.2	40.4	38.5	47.4	4 / 15	0 / 4
Percentage of transfers resulting in twin live births (%)	15.2	11.7	9.4	5.3	1 / 15	0 / 4
Percentage of transfers resulting in live births (%)	52.4	52.1	47.9	52.6	5 / 15	0 / 4
Percentage of transfers resulting in pregnancies (%)	64.9	61.7	56.3	55.3	6 / 15	1 / 4
<b>Number of Egg/Embryo Banking Cycles</b>						
	136	95	155	93	58	58
<b>Donor Eggs</b>						
		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		19			239	
Number of transfers		18			232	
Average number of embryos transferred		1.8			1.7	
Percentage of embryos transferred resulting in implantation (%)		55.2			45.3	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		5 / 18			21.1	
Percentage of transfers resulting in singleton live births (%)		7 / 18			37.9	
Percentage of transfers resulting in twin live births (%)		4 / 18			13.8	
Percentage of transfers resulting in live births (%)		11 / 18			51.7	
Percentage of transfers resulting in pregnancies (%)		13 / 18			60.8	

## CURRENT SERVICES & PROFILE

Current Name: Fertility and Surgical Associates of California

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# PACIFIC REPRODUCTIVE CENTER TORRANCE, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Rifaat Salem, MD, PhD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	100%	Tubal factor	13%	Uterine factor	2%	
Unstimulated	<1%	PGD/PGS	38%	Ovulatory dysfunction	14%	Male factor	45%	
Used gestational carrier	<1%			Diminished ovarian reserve	31%	Other factor	15%	
				Endometriosis	7%	Unknown factor	2%	
				Multiple Factors:				
				Female factors only				8%
				Female & male factors				18%

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 287 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	98	49	37	20	7	6
Percentage of cancellations before retrieval (%)	0.0	0.0	0.0	0.0	0 / 7	0 / 6
Average number of embryos transferred	1.8	1.9	2.4	2.8	2.3	2.5
Percentage of embryos transferred resulting in implantation (%)	48.9	41.9	22.6	11.8	2 / 16	0 / 15
Percentage of elective single embryo transfers (eSET) (%)	8.4	0.0	6.5	0 / 16	0 / 5	0 / 4
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	34.7	26.5	27.0	20.0	0 / 7	0 / 6
Percentage of cycles resulting in singleton live births (%)	41.8	36.7	32.4	20.0	0 / 7	0 / 6
Percentage of cycles resulting in twin live births (%)	15.3	14.3	5.4	0.0	0 / 7	0 / 6
Percentage of cycles resulting in live births (%)	57.1	53.1	37.8	20.0	0 / 7	0 / 6
Percentage of cycles resulting in pregnancies (%)	66.3	61.2	45.9	25.0	1 / 7	0 / 6
<b>Outcomes per Transfer</b>						
Number of transfers	98	49	36	18	7	6
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	34.7	26.5	27.8	4 / 18	0 / 7	0 / 6
Percentage of transfers resulting in singleton live births (%)	41.8	36.7	33.3	4 / 18	0 / 7	0 / 6
Percentage of transfers resulting in twin live births (%)	15.3	14.3	5.6	0 / 18	0 / 7	0 / 6
Percentage of transfers resulting in live births (%)	57.1	53.1	38.9	4 / 18	0 / 7	0 / 6
Percentage of transfers resulting in pregnancies (%)	66.3	61.2	47.2	5 / 18	1 / 7	0 / 6
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	6	2	3	1	1	0
Number of transfers	6	2	3	1	0	0
Estimated average number of transfers per retrieval	0.8	0.3	0.3	0.1	0.0	0.0
Average number of embryos transferred	1.8	1.5	1.7	2.0		
Percentage of embryos transferred resulting in implantation (%)	5 / 11	1 / 3	2 / 5	0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 6	0 / 2	1 / 3	0 / 1		
Percentage of transfers resulting in singleton live births (%)	3 / 6	1 / 2	2 / 3	0 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 6	0 / 2	0 / 3	0 / 1		
Percentage of transfers resulting in live births (%)	4 / 6	1 / 2	2 / 3	0 / 1		
Percentage of transfers resulting in pregnancies (%)	4 / 6	1 / 2	2 / 3	0 / 1		
<b>Number of Egg/Embryo Banking Cycles</b>						
	6	6	11	8	3	2
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	18			3		
Number of transfers	18			3		
Average number of embryos transferred	2.1			2.0		
Percentage of embryos transferred resulting in implantation (%)	52.6			2 / 6		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	7 / 18			0 / 3		
Percentage of transfers resulting in singleton live births (%)	10 / 18			2 / 3		
Percentage of transfers resulting in twin live births (%)	4 / 18			0 / 3		
Percentage of transfers resulting in live births (%)	14 / 18			2 / 3		
Percentage of transfers resulting in pregnancies (%)	16 / 18			2 / 3		

## CURRENT SERVICES & PROFILE

Current Name: Pacific Reproductive Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# UNIVERSITY FERTILITY CENTER TORRANCE, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Omid A. Khorram, MD, PhD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	62%	Tubal factor	19%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 4% Female & male factors 4%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	10%	Male factor	19%	
Used gestational carrier	0%			Diminished ovarian reserve	17%	Other factor	19%	
				Endometriosis	2%	Unknown factor	22%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 235 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	46	37	34	26	7	1
Percentage of cancellations before retrieval (%)	6.5	2.7	2.9	11.5	1 / 7	0 / 1
Average number of embryos transferred	2.2	2.3	2.6	2.7	1.8	4.0
Percentage of embryos transferred resulting in implantation (%)	46.5	30.7	21.1	11.3	0 / 10	0 / 4
Percentage of elective single embryo transfers (eSET) (%)	0.0	0.0	0.0	0 / 18	0 / 3	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	26.1	10.8	17.6	3.8	0 / 7	0 / 1
Percentage of cycles resulting in singleton live births (%)	30.4	18.9	20.6	3.8	0 / 7	0 / 1
Percentage of cycles resulting in twin live births (%)	13.0	10.8	0.0	3.8	0 / 7	0 / 1
Percentage of cycles resulting in live births (%)	43.5	32.4	20.6	7.7	0 / 7	0 / 1
Percentage of cycles resulting in pregnancies (%)	63.0	40.5	41.2	19.2	1 / 7	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	40	33	30	23	6	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	30.0	12.1	20.0	4.3	0 / 6	0 / 1
Percentage of transfers resulting in singleton live births (%)	35.0	21.2	23.3	4.3	0 / 6	0 / 1
Percentage of transfers resulting in twin live births (%)	15.0	12.1	0.0	4.3	0 / 6	0 / 1
Percentage of transfers resulting in live births (%)	50.0	36.4	23.3	8.7	0 / 6	0 / 1
Percentage of transfers resulting in pregnancies (%)	72.5	45.5	46.7	21.7	1 / 6	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	20	15	8	7	0	0
Number of transfers	20	14	8	7	0	0
Estimated average number of transfers per retrieval	1.8	1.6	1.0	7.0		
Average number of embryos transferred	2.5	2.7	3.4	3.7		
Percentage of embryos transferred resulting in implantation (%)	36.7	28.9	29.2	13.0		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	15.0	0 / 14	2 / 8	2 / 7		
Percentage of transfers resulting in singleton live births (%)	20.0	1 / 14	3 / 8	2 / 7		
Percentage of transfers resulting in twin live births (%)	20.0	2 / 14	0 / 8	0 / 7		
Percentage of transfers resulting in live births (%)	40.0	3 / 14	3 / 8	2 / 7		
Percentage of transfers resulting in pregnancies (%)	55.0	6 / 14	5 / 8	4 / 7		
<b>Number of Egg/Embryo Banking Cycles</b>						
	3	3	4	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	15			9		
Number of transfers	13			9		
Average number of embryos transferred	2.3			2.4		
Percentage of embryos transferred resulting in implantation (%)	44.0			27.3		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 13			0 / 9		
Percentage of transfers resulting in singleton live births (%)	4 / 13			1 / 9		
Percentage of transfers resulting in twin live births (%)	3 / 13			0 / 9		
Percentage of transfers resulting in live births (%)	7 / 13			1 / 9		
Percentage of transfers resulting in pregnancies (%)	9 / 13			4 / 9		

## CURRENT SERVICES & PROFILE

Current Name: University Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# REPRODUCTIVE FERTILITY CENTER CALIFORNIA CENTER FOR REPRODUCTIVE HEALTH WEST HOLLYWOOD, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Eliran Mor, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	98%	Tubal factor	10%	Uterine factor	5%	<i>Multiple Factors:</i> Female factors only 10% Female & male factors 18%
Unstimulated	2%	PGD/PGS	8%	Ovulatory dysfunction	12%	Male factor	32%	
Used gestational carrier	1%			Diminished ovarian reserve	52%	Other factor	13%	
				Endometriosis	4%	Unknown factor	4%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 421 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	53	40	43	21	19	16
Percentage of cancellations before retrieval (%)	0.0	0.0	0.0	0.0	0 / 19	0 / 16
Average number of embryos transferred	2.3	2.6	2.6	3.7	3.1	2.4
Percentage of embryos transferred resulting in implantation (%)	37.5	35.0	28.4	11.9	6.5	0.0
Percentage of elective single embryo transfers (eSET) (%)	8.2	5.4	0.0	0 / 17	0 / 12	0 / 7
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	22.6	20.0	18.6	14.3	0 / 19	0 / 16
Percentage of cycles resulting in singleton live births (%)	32.1	30.0	27.9	14.3	0 / 19	0 / 16
Percentage of cycles resulting in twin live births (%)	18.9	20.0	9.3	0.0	0 / 19	0 / 16
Percentage of cycles resulting in live births (%)	50.9	50.0	37.2	14.3	0 / 19	0 / 16
Percentage of cycles resulting in pregnancies (%)	60.4	65.0	48.8	38.1	3 / 19	0 / 16
<b>Outcomes per Transfer</b>						
Number of transfers	52	40	39	19	15	13
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	23.1	20.0	20.5	3 / 19	0 / 15	0 / 13
Percentage of transfers resulting in singleton live births (%)	32.7	30.0	30.8	3 / 19	0 / 15	0 / 13
Percentage of transfers resulting in twin live births (%)	19.2	20.0	10.3	0 / 19	0 / 15	0 / 13
Percentage of transfers resulting in live births (%)	51.9	50.0	41.0	3 / 19	0 / 15	0 / 13
Percentage of transfers resulting in pregnancies (%)	61.5	65.0	53.8	8 / 19	3 / 15	0 / 13
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	26	17	14	5	6	6
Number of transfers	26	17	14	5	6	6
Estimated average number of transfers per retrieval	0.8	0.6	0.3	0.2	0.3	0.6
Average number of embryos transferred	2.0	2.1	2.8	2.4	3.3	2.0
Percentage of embryos transferred resulting in implantation (%)	37.3	16.7	15.4	1 / 11	5.0	3 / 12
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	15.4	1 / 17	2 / 14	1 / 5	0 / 6	0 / 6
Percentage of transfers resulting in singleton live births (%)	19.2	1 / 17	3 / 14	1 / 5	0 / 6	0 / 6
Percentage of transfers resulting in twin live births (%)	19.2	2 / 17	0 / 14	0 / 5	0 / 6	0 / 6
Percentage of transfers resulting in live births (%)	38.5	3 / 17	3 / 14	1 / 5	0 / 6	0 / 6
Percentage of transfers resulting in pregnancies (%)	53.8	4 / 17	6 / 14	2 / 5	1 / 6	2 / 6
<b>Number of Egg/Embryo Banking Cycles</b>						
	29	21	36	15	21	9
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	10			12		
Number of transfers	10			12		
Average number of embryos transferred	2.1			2.4		
Percentage of embryos transferred resulting in implantation (%)	66.7			33.3		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4 / 10			1 / 12		
Percentage of transfers resulting in singleton live births (%)	4 / 10			2 / 12		
Percentage of transfers resulting in twin live births (%)	3 / 10			3 / 12		
Percentage of transfers resulting in live births (%)	7 / 10			5 / 12		
Percentage of transfers resulting in pregnancies (%)	9 / 10			6 / 12		

## CURRENT SERVICES & PROFILE

Current Name: Reproductive Fertility Center, California Center for Reproductive Health

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**ADVANCED REPRODUCTIVE MEDICINE  
UNIVERSITY OF COLORADO  
AURORA, COLORADO**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

**2014 ART CYCLE PROFILE**

Data verified by Alex Polotsky, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	73%	Tubal factor	18%	Uterine factor	7%	<i>Multiple Factors:</i> Female factors only 20% Female & male factors 16%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	5%	Male factor	29%	
Used gestational carrier	2%			Diminished ovarian reserve	46%	Other factor	30%	
				Endometriosis	2%	Unknown factor	9%	

**2014 ART SUCCESS RATES<sup>c</sup>**

Total number of cycles<sup>d</sup>: 188 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	42	16	7	2	0	0
Percentage of cancellations before retrieval (%)	4.8	1 / 16	0 / 7	0 / 2		
Average number of embryos transferred	1.8	1.9	2.2	2.5		
Percentage of embryos transferred resulting in implantation (%)	39.3	51.9	2 / 11	0 / 5		
Percentage of elective single embryo transfers (eSET) (%)	25.0	0 / 13	0 / 4	0 / 2		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	31.0	2 / 16	2 / 7	0 / 2		
Percentage of cycles resulting in singleton live births (%)	33.3	4 / 16	2 / 7	0 / 2		
Percentage of cycles resulting in twin live births (%)	9.5	4 / 16	0 / 7	0 / 2		
Percentage of cycles resulting in live births (%)	42.9	8 / 16	2 / 7	0 / 2		
Percentage of cycles resulting in pregnancies (%)	45.2	9 / 16	2 / 7	0 / 2		
<b>Outcomes per Transfer</b>						
Number of transfers	33	14	5	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	39.4	2 / 14	2 / 5	0 / 2		
Percentage of transfers resulting in singleton live births (%)	42.4	4 / 14	2 / 5	0 / 2		
Percentage of transfers resulting in twin live births (%)	12.1	4 / 14	0 / 5	0 / 2		
Percentage of transfers resulting in live births (%)	54.5	8 / 14	2 / 5	0 / 2		
Percentage of transfers resulting in pregnancies (%)	57.6	9 / 14	2 / 5	0 / 2		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	27	10	8	1	0	1
Number of transfers	27	10	8	1	0	1
Estimated average number of transfers per retrieval	1.0	1.1	0.8	0.5	0.0	
Average number of embryos transferred	1.5	1.3	1.5	1.0		3.0
Percentage of embryos transferred resulting in implantation (%)	41.5	5 / 11	4 / 12	0 / 1		1 / 3
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	37.0	1 / 10	2 / 8	0 / 1		0 / 1
Percentage of transfers resulting in singleton live births (%)	44.4	4 / 10	2 / 8	0 / 1		0 / 1
Percentage of transfers resulting in twin live births (%)	3.7	0 / 10	1 / 8	0 / 1		0 / 1
Percentage of transfers resulting in live births (%)	48.1	4 / 10	3 / 8	0 / 1		0 / 1
Percentage of transfers resulting in pregnancies (%)	59.3	6 / 10	3 / 8	0 / 1		1 / 1
<b>Number of Egg/Embryo Banking Cycles</b>	15	6	8	2	3	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>		<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		14		26		
Number of transfers		13		26		
Average number of embryos transferred		1.7		1.5		
Percentage of embryos transferred resulting in implantation (%)		18.2		30.8		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0 / 13		15.4		
Percentage of transfers resulting in singleton live births (%)		0 / 13		23.1		
Percentage of transfers resulting in twin live births (%)		2 / 13		7.7		
Percentage of transfers resulting in live births (%)		2 / 13		30.8		
Percentage of transfers resulting in pregnancies (%)		2 / 13		42.3		

**CURRENT SERVICES & PROFILE**

This clinic has reorganized since 2014. Contact the NASS Help Desk for further information.

**Current Name:** Advanced Reproductive Medicine, University of Colorado

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# REPRODUCTIVE MEDICINE & FERTILITY CENTER COLORADO SPRINGS, COLORADO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Paul C. Magarelli, MD, PhD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	97%	Tubal factor	4%	Uterine factor	<1%	<i>Multiple Factors:</i> Female factors only 2% Female & male factors 70%
Unstimulated	0%	PGD/PGS	36%	Ovulatory dysfunction	54%	Male factor	85%	
Used gestational carrier	0%			Diminished ovarian reserve	20%	Other factor	11%	
				Endometriosis	<1%	Unknown factor	3%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 218 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	68	16	12	1	3	0
Percentage of cancellations before retrieval (%)	1.5	0 / 16	0 / 12	0 / 1	0 / 3	
Average number of embryos transferred	1.7	1.3	1.4	2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	43.8	2 / 8	1 / 6	0 / 2	0 / 2	
Percentage of elective single embryo transfers (eSET) (%)	2 / 16	1 / 3	0 / 2	0 / 1	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	7.4	0 / 16	1 / 12	0 / 1	0 / 3	
Percentage of cycles resulting in singleton live births (%)	10.3	0 / 16	1 / 12	0 / 1	0 / 3	
Percentage of cycles resulting in twin live births (%)	2.9	0 / 16	0 / 12	0 / 1	0 / 3	
Percentage of cycles resulting in live births (%)	13.2	0 / 16	1 / 12	0 / 1	0 / 3	
Percentage of cycles resulting in pregnancies (%)	19.1	2 / 16	2 / 12	0 / 1	0 / 3	
<b>Outcomes per Transfer</b>						
Number of transfers	21	6	5	1	1	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	23.8	0 / 6	1 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	33.3	0 / 6	1 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	9.5	0 / 6	0 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	42.9	0 / 6	1 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	61.9	2 / 6	2 / 5	0 / 1	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	32	11	2	0	2	1
Number of transfers	31	11	2	0	2	1
Estimated average number of transfers per retrieval	0.8	0.5	0.1	0.0	0.4	
Average number of embryos transferred	1.9	1.7	2.0		1.0	2.0
Percentage of embryos transferred resulting in implantation (%)	50.0	8 / 19	1 / 4		0 / 1	1 / 2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	32.3	5 / 11	1 / 2		0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	35.5	5 / 11	1 / 2		0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	12.9	1 / 11	0 / 2		0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	48.4	6 / 11	1 / 2		0 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	71.0	7 / 11	1 / 2		1 / 2	1 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	17	15	16	7	5	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	4			6		
Number of transfers	2			6		
Average number of embryos transferred	1.5			1.7		
Percentage of embryos transferred resulting in implantation (%)	0 / 3			5 / 10		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 2			0 / 6		
Percentage of transfers resulting in singleton live births (%)	0 / 2			0 / 6		
Percentage of transfers resulting in twin live births (%)	0 / 2			1 / 6		
Percentage of transfers resulting in live births (%)	0 / 2			1 / 6		
Percentage of transfers resulting in pregnancies (%)	0 / 2			3 / 6		

## CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine & Fertility Center

Donor eggs?	No	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 1 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

# COLORADO REPRODUCTIVE ENDOCRINOLOGY DENVER, COLORADO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Susan W. Trout, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	29%	Tubal factor	9%	Uterine factor	1%	<i>Multiple Factors:</i> Female factors only 4% Female & male factors 8%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	24%	Male factor	21%	
Used gestational carrier	0%			Diminished ovarian reserve	23%	Other factor	9%	
				Endometriosis	4%	Unknown factor	21%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 81 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	26	11	9	1	2	0
Percentage of cancellations before retrieval (%)	3.8	0 / 11	2 / 9	0 / 1	2 / 2	
Average number of embryos transferred	1.9	2.1	2.9	2.0		
Percentage of embryos transferred resulting in implantation (%)	31.4	1 / 19	10.0	0 / 2		
Percentage of elective single embryo transfers (eSET) (%)	2 / 18	0 / 9	0 / 7	0 / 1		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	7.7	1 / 11	0 / 9	0 / 1	0 / 2	
Percentage of cycles resulting in singleton live births (%)	15.4	1 / 11	0 / 9	0 / 1	0 / 2	
Percentage of cycles resulting in twin live births (%)	11.5	0 / 11	1 / 9	0 / 1	0 / 2	
Percentage of cycles resulting in live births (%)	26.9	1 / 11	1 / 9	0 / 1	0 / 2	
Percentage of cycles resulting in pregnancies (%)	38.5	1 / 11	1 / 9	0 / 1	0 / 2	
<b>Outcomes per Transfer</b>						
Number of transfers	21	9	7	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	9.5	1 / 9	0 / 7	0 / 1		
Percentage of transfers resulting in singleton live births (%)	19.0	1 / 9	0 / 7	0 / 1		
Percentage of transfers resulting in twin live births (%)	14.3	0 / 9	1 / 7	0 / 1		
Percentage of transfers resulting in live births (%)	33.3	1 / 9	1 / 7	0 / 1		
Percentage of transfers resulting in pregnancies (%)	47.6	1 / 9	1 / 7	0 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	10	3	1	2	0	0
Number of transfers	9	3	1	2	0	0
Estimated average number of transfers per retrieval	1.5	1.0	0.3			0.0
Average number of embryos transferred	1.7	1.7	2.0	1.5		
Percentage of embryos transferred resulting in implantation (%)	5 / 11	0 / 5	0 / 2	0 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 9	0 / 3	0 / 1	0 / 2		
Percentage of transfers resulting in singleton live births (%)	3 / 9	0 / 3	0 / 1	0 / 2		
Percentage of transfers resulting in twin live births (%)	1 / 9	0 / 3	0 / 1	0 / 2		
Percentage of transfers resulting in live births (%)	4 / 9	0 / 3	0 / 1	0 / 2		
Percentage of transfers resulting in pregnancies (%)	6 / 9	0 / 3	0 / 1	0 / 2		
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	1	4	0	0	1
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	1			9		
Number of transfers	1			7		
Average number of embryos transferred	2.0			1.6		
Percentage of embryos transferred resulting in implantation (%)	0 / 2			3 / 10		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 1			3 / 7		
Percentage of transfers resulting in singleton live births (%)	0 / 1			3 / 7		
Percentage of transfers resulting in twin live births (%)	0 / 1			0 / 7		
Percentage of transfers resulting in live births (%)	0 / 1			3 / 7		
Percentage of transfers resulting in pregnancies (%)	0 / 1			4 / 7		

## CURRENT SERVICES & PROFILE

Current Name: Colorado Reproductive Endocrinology

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FERTILE HOPE IVF ALBRECHT WOMEN'S CARE DENVER IVF ENGLEWOOD, COLORADO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Bruce H. Albrecht, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	73%	Tubal factor	17%	Uterine factor	1%	<i>Multiple Factors:</i> Female factors only 16% Female & male factors 19%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	17%	Male factor	28%	
Used gestational carrier	0%			Diminished ovarian reserve	48%	Other factor	17%	
				Endometriosis	11%	Unknown factor	3%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 78 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	22	10	10	1	5	0
Percentage of cancellations before retrieval (%)	9.1	0 / 10	2 / 10	0 / 1	0 / 5	
Average number of embryos transferred	1.7	2.0	2.1	4.0	2.5	
Percentage of embryos transferred resulting in implantation (%)	43.3	25.0	4 / 17	0 / 4	0 / 5	
Percentage of elective single embryo transfers (eSET) (%)	5 / 17	1 / 8	1 / 7	0 / 1	0 / 2	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	40.9	2 / 10	2 / 10	0 / 1	0 / 5	
Percentage of cycles resulting in singleton live births (%)	40.9	2 / 10	3 / 10	0 / 1	0 / 5	
Percentage of cycles resulting in twin live births (%)	4.5	0 / 10	0 / 10	0 / 1	0 / 5	
Percentage of cycles resulting in live births (%)	45.5	2 / 10	3 / 10	0 / 1	0 / 5	
Percentage of cycles resulting in pregnancies (%)	59.1	3 / 10	4 / 10	0 / 1	0 / 5	
<b>Outcomes per Transfer</b>						
Number of transfers	18	10	8	1	2	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	9 / 18	2 / 10	2 / 8	0 / 1	0 / 2	
Percentage of transfers resulting in singleton live births (%)	9 / 18	2 / 10	3 / 8	0 / 1	0 / 2	
Percentage of transfers resulting in twin live births (%)	1 / 18	0 / 10	0 / 8	0 / 1	0 / 2	
Percentage of transfers resulting in live births (%)	10 / 18	2 / 10	3 / 8	0 / 1	0 / 2	
Percentage of transfers resulting in pregnancies (%)	13 / 18	3 / 10	4 / 8	0 / 1	0 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	4	7	5	0	0	0
Number of transfers	4	6	4	0	0	0
Estimated average number of transfers per retrieval	1.0	1.5	4.0			
Average number of embryos transferred	1.8	1.8	1.5			
Percentage of embryos transferred resulting in implantation (%)	3 / 7	0 / 11	1 / 4			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 4	0 / 6	0 / 4			
Percentage of transfers resulting in singleton live births (%)	1 / 4	0 / 6	0 / 4			
Percentage of transfers resulting in twin live births (%)	1 / 4	0 / 6	0 / 4			
Percentage of transfers resulting in live births (%)	2 / 4	0 / 6	0 / 4			
Percentage of transfers resulting in pregnancies (%)	2 / 4	0 / 6	2 / 4			
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	2	1	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	9			2		
Number of transfers	7			2		
Average number of embryos transferred	1.4			1.5		
Percentage of embryos transferred resulting in implantation (%)	8 / 10			1 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 7			1 / 2		
Percentage of transfers resulting in singleton live births (%)	3 / 7			1 / 2		
Percentage of transfers resulting in twin live births (%)	1 / 7			0 / 2		
Percentage of transfers resulting in live births (%)	4 / 7			1 / 2		
Percentage of transfers resulting in pregnancies (%)	6 / 7			1 / 2		

## CURRENT SERVICES & PROFILE

Current Name: Fertile Hope IVF, Albrecht Women's Care Denver IVF

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# ROCKY MOUNTAIN CENTER FOR REPRODUCTIVE MEDICINE FORT COLLINS, COLORADO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Kevin E. Bachus, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	100%	Tubal factor	19%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 12% Female & male factors 15%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	4%	Male factor	19%	
Used gestational carrier	0%			Diminished ovarian reserve	41%	Other factor	10%	
				Endometriosis	5%	Unknown factor	27%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 74 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	24	11	8	1	0	0
Percentage of cancellations before retrieval (%)	0.0	0 / 11	0 / 8	0 / 1		
Average number of embryos transferred	2.1	2.2	3.3	3.0		
Percentage of embryos transferred resulting in implantation (%)	36.0	29.2	15.4	0 / 3		
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 10	0 / 8	0 / 1		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	54.2	6 / 11	1 / 8	0 / 1		
Percentage of cycles resulting in singleton live births (%)	58.3	6 / 11	1 / 8	0 / 1		
Percentage of cycles resulting in twin live births (%)	4.2	0 / 11	0 / 8	0 / 1		
Percentage of cycles resulting in live births (%)	62.5	6 / 11	1 / 8	0 / 1		
Percentage of cycles resulting in pregnancies (%)	62.5	7 / 11	4 / 8	0 / 1		
<b>Outcomes per Transfer</b>						
Number of transfers	24	11	8	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	54.2	6 / 11	1 / 8	0 / 1		
Percentage of transfers resulting in singleton live births (%)	58.3	6 / 11	1 / 8	0 / 1		
Percentage of transfers resulting in twin live births (%)	4.2	0 / 11	0 / 8	0 / 1		
Percentage of transfers resulting in live births (%)	62.5	6 / 11	1 / 8	0 / 1		
Percentage of transfers resulting in pregnancies (%)	62.5	7 / 11	4 / 8	0 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	10	6	2	2	0	0
Number of transfers	10	5	2	2	0	0
Estimated average number of transfers per retrieval	2.0	5.0	0.7			
Average number of embryos transferred	2.0	1.8	2.5	2.0		
Percentage of embryos transferred resulting in implantation (%)	20.0	5 / 9	1 / 5	0 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 10	0 / 5	0 / 2	0 / 2		
Percentage of transfers resulting in singleton live births (%)	0 / 10	1 / 5	1 / 2	0 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 10	0 / 5	0 / 2	0 / 2		
Percentage of transfers resulting in live births (%)	0 / 10	2 / 5	1 / 2	0 / 2		
Percentage of transfers resulting in pregnancies (%)	3 / 10	3 / 5	1 / 2	0 / 2		
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	6			4		
Number of transfers	6			4		
Average number of embryos transferred	1.8			2.0		
Percentage of embryos transferred resulting in implantation (%)	9 / 11			1 / 8		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 6			0 / 4		
Percentage of transfers resulting in singleton live births (%)	3 / 6			1 / 4		
Percentage of transfers resulting in twin live births (%)	3 / 6			0 / 4		
Percentage of transfers resulting in live births (%)	6 / 6			1 / 4		
Percentage of transfers resulting in pregnancies (%)	6 / 6			1 / 4		

## CURRENT SERVICES & PROFILE

Current Name: Rocky Mountain Center for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# CONCEPTIONS REPRODUCTIVE ASSOCIATES OF COLORADO LITTLETON, COLORADO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Mark R. Bush, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	95%	Tubal factor	6%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 5% Female & male factors 23%
Unstimulated	0%	PGD/PGS	41%	Ovulatory dysfunction	14%	Male factor	44%	
Used gestational carrier	0%			Diminished ovarian reserve	44%	Other factor	8%	
				Endometriosis	4%	Unknown factor	10%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 829 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	19	8	9	2	1	0
Percentage of cancellations before retrieval (%)	1 / 19	1 / 8	0 / 9	0 / 2	0 / 1	
Average number of embryos transferred	1.4	2.3	1.0		2.0	
Percentage of embryos transferred resulting in implantation (%)	12 / 18	2 / 7	1 / 3		0 / 2	
Percentage of elective single embryo transfers (eSET) (%)	6 / 11	1 / 2			0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 19	2 / 8	0 / 9	0 / 2	0 / 1	
Percentage of cycles resulting in singleton live births (%)	5 / 19	2 / 8	1 / 9	0 / 2	0 / 1	
Percentage of cycles resulting in twin live births (%)	2 / 19	0 / 8	0 / 9	0 / 2	0 / 1	
Percentage of cycles resulting in live births (%)	7 / 19	2 / 8	1 / 9	0 / 2	0 / 1	
Percentage of cycles resulting in pregnancies (%)	9 / 19	2 / 8	1 / 9	0 / 2	0 / 1	
<b>Outcomes per Transfer</b>						
Number of transfers	13	3	3	0	1	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 13	2 / 3	0 / 3		0 / 1	
Percentage of transfers resulting in singleton live births (%)	5 / 13	2 / 3	1 / 3		0 / 1	
Percentage of transfers resulting in twin live births (%)	2 / 13	0 / 3	0 / 3		0 / 1	
Percentage of transfers resulting in live births (%)	7 / 13	2 / 3	1 / 3		0 / 1	
Percentage of transfers resulting in pregnancies (%)	9 / 13	2 / 3	1 / 3		0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	148	71	40	14	5	0
Number of transfers	143	69	38	14	5	0
Estimated average number of transfers per retrieval	0.8	0.6	0.6	0.3	0.3	0.0
Average number of embryos transferred	1.2	1.2	1.1	1.1	1.2	
Percentage of embryos transferred resulting in implantation (%)	72.2	77.5	74.4	9 / 14	1 / 6	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	49.7	43.5	63.2	8 / 14	0 / 5	
Percentage of transfers resulting in singleton live births (%)	54.5	58.0	68.4	9 / 14	1 / 5	
Percentage of transfers resulting in twin live births (%)	8.4	14.5	5.3	0 / 14	0 / 5	
Percentage of transfers resulting in live births (%)	63.6	72.5	73.7	9 / 14	1 / 5	
Percentage of transfers resulting in pregnancies (%)	76.2	78.3	76.3	11 / 14	1 / 5	
<b>Number of Egg/Embryo Banking Cycles</b>						
	171	109	67	51	18	2
<b>Donor Eggs</b>						
		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		11			81	
Number of transfers		6			75	
Average number of embryos transferred		1.3			1.2	
Percentage of embryos transferred resulting in implantation (%)		5 / 8			75.0	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		4 / 6			48.0	
Percentage of transfers resulting in singleton live births (%)		4 / 6			54.7	
Percentage of transfers resulting in twin live births (%)		0 / 6			9.3	
Percentage of transfers resulting in live births (%)		4 / 6			65.3	
Percentage of transfers resulting in pregnancies (%)		5 / 6			78.7	

## CURRENT SERVICES & PROFILE

Current Name: Conceptions Reproductive Associates of Colorado

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# COLORADO CENTER FOR REPRODUCTIVE MEDICINE LONE TREE, COLORADO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by William B. Schoolcraft, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	91%	Tubal factor	5%	Uterine factor	14%	<i>Multiple Factors:</i> Female factors only 25% Female & male factors 24%
Unstimulated	<1%	PGD/PGS	38%	Ovulatory dysfunction	10%	Male factor	33%	
Used gestational carrier	<1%			Diminished ovarian reserve	56%	Other factor	28%	
				Endometriosis	11%	Unknown factor	12%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 3,373 (includes 118 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	161	66	78	48	32	15
Percentage of cancellations before retrieval (%)	4.3	9.1	3.8	14.6	6.3	5 / 15
Average number of embryos transferred	1.8	1.6	2.4	3.0	4.0	4.0
Percentage of embryos transferred resulting in implantation (%)	59.8	60.0	4 / 12	1 / 3	1 / 4	0 / 4
Percentage of elective single embryo transfers (eSET) (%)	25.0	5 / 15	0 / 5	0 / 1	0 / 1	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	14.3	6.1	1.3	0.0	0.0	0 / 15
Percentage of cycles resulting in singleton live births (%)	17.4	9.1	1.3	0.0	0.0	0 / 15
Percentage of cycles resulting in twin live births (%)	3.7	3.0	0.0	0.0	0.0	0 / 15
Percentage of cycles resulting in live births (%)	21.1	13.6	1.3	0.0	0.0	0 / 15
Percentage of cycles resulting in pregnancies (%)	24.2	18.2	3.8	2.1	3.1	0 / 15
<b>Outcomes per Transfer</b>						
Number of transfers	48	17	5	1	1	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	47.9	4 / 17	1 / 5	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	58.3	6 / 17	1 / 5	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	12.5	2 / 17	0 / 5	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	70.8	9 / 17	1 / 5	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	81.3	12 / 17	3 / 5	1 / 1	1 / 1	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	408	289	261	136	58	23
Number of transfers	407	289	260	136	58	21
Estimated average number of transfers per retrieval	0.9	0.9	0.6	0.5	0.4	0.5
Average number of embryos transferred	1.6	1.5	1.4	1.4	1.4	2.2
Percentage of embryos transferred resulting in implantation (%)	64.8	61.4	59.9	69.9	50.6	28.6
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	38.3	43.6	43.5	41.2	37.9	28.6
Percentage of transfers resulting in singleton live births (%)	45.9	50.2	50.8	50.0	44.8	28.6
Percentage of transfers resulting in twin live births (%)	19.4	15.6	10.0	11.8	5.2	4.8
Percentage of transfers resulting in live births (%)	66.3	66.4	60.8	61.8	50.0	33.3
Percentage of transfers resulting in pregnancies (%)	77.1	74.7	71.9	77.9	62.1	61.9
<b>Number of Egg/Embryo Banking Cycles</b>						
	377	286	369	245	138	42
<b>Donor Eggs</b>						
		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		70			153	
Number of transfers		46			153	
Average number of embryos transferred		1.6			1.5	
Percentage of embryos transferred resulting in implantation (%)		69.4			54.8	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		41.3			28.1	
Percentage of transfers resulting in singleton live births (%)		41.3			35.3	
Percentage of transfers resulting in twin live births (%)		26.1			16.3	
Percentage of transfers resulting in live births (%)		67.4			51.6	
Percentage of transfers resulting in pregnancies (%)		82.6			66.0	

## CURRENT SERVICES & PROFILE

Current Name: Colorado Center for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## ROCKY MOUNTAIN FERTILITY CENTER PARKER, COLORADO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2014 ART CYCLE PROFILE

Data verified by Deborah L. Smith, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	97%	Tubal factor	21%	Uterine factor	1%	<i>Multiple Factors:</i> Female factors only 6% Female & male factors 7%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	8%	Male factor	24%	
Used gestational carrier	0%			Diminished ovarian reserve	44%	Other factor	9%	
				Endometriosis	1%	Unknown factor	6%	

### 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 115 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	40	15	4	1	0	0
Percentage of cancellations before retrieval (%)	0.0	0 / 15	1 / 4	0 / 1		
Average number of embryos transferred	1.9	2.5	2.3	5.0		
Percentage of embryos transferred resulting in implantation (%)	42.3	18.9	1 / 7	1 / 5		
Percentage of elective single embryo transfers (eSET) (%)	8.1	0 / 15	0 / 3	0 / 1		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	20.0	2 / 15	1 / 4	0 / 1		
Percentage of cycles resulting in singleton live births (%)	30.0	2 / 15	1 / 4	1 / 1		
Percentage of cycles resulting in twin live births (%)	15.0	0 / 15	0 / 4	0 / 1		
Percentage of cycles resulting in live births (%)	45.0	3 / 15	1 / 4	1 / 1		
Percentage of cycles resulting in pregnancies (%)	60.0	5 / 15	1 / 4	1 / 1		
<b>Outcomes per Transfer</b>						
Number of transfers	39	15	3	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	20.5	2 / 15	1 / 3	0 / 1		
Percentage of transfers resulting in singleton live births (%)	30.8	2 / 15	1 / 3	1 / 1		
Percentage of transfers resulting in twin live births (%)	15.4	0 / 15	0 / 3	0 / 1		
Percentage of transfers resulting in live births (%)	46.2	3 / 15	1 / 3	1 / 1		
Percentage of transfers resulting in pregnancies (%)	61.5	5 / 15	1 / 3	1 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	15	4	0	1	0	0
Number of transfers	15	4	0	1	0	0
Estimated average number of transfers per retrieval	1.2	0.7	0.0	0.3		0.0
Average number of embryos transferred	1.5	1.8		1.0		
Percentage of embryos transferred resulting in implantation (%)	9 / 19	3 / 7		1 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	5 / 15	1 / 4		1 / 1		
Percentage of transfers resulting in singleton live births (%)	5 / 15	1 / 4		1 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 15	0 / 4		0 / 1		
Percentage of transfers resulting in live births (%)	6 / 15	1 / 4		1 / 1		
Percentage of transfers resulting in pregnancies (%)	9 / 15	2 / 4		1 / 1		
<b>Number of Egg/Embryo Banking Cycles</b>						
	11	5	3	3	0	2
<b>Donor Eggs</b>						
		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		8			3	
Number of transfers		8			2	
Average number of embryos transferred		1.8			1.5	
Percentage of embryos transferred resulting in implantation (%)		10 / 14			2 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		3 / 8			1 / 2	
Percentage of transfers resulting in singleton live births (%)		3 / 8			1 / 2	
Percentage of transfers resulting in twin live births (%)		3 / 8			0 / 2	
Percentage of transfers resulting in live births (%)		6 / 8			1 / 2	
Percentage of transfers resulting in pregnancies (%)		7 / 8			1 / 2	

### CURRENT SERVICES & PROFILE

Current Name: Rocky Mountain Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# CT FERTILITY BRIDGEPORT, CONNECTICUT

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Michael B. Doyle, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	28%	Tubal factor	6%	Uterine factor	7%	<i>Multiple Factors:</i> Female factors only 6% Female & male factors 4%
Unstimulated	0%	PGD/PGS	15%	Ovulatory dysfunction	2%	Male factor	10%	
Used gestational carrier	4%			Diminished ovarian reserve	29%	Other factor	49%	
				Endometriosis	1%	Unknown factor	5%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 274 (includes 5 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	26	4	8	5	1	3
Percentage of cancellations before retrieval (%)	0.0	0 / 4	1 / 8	0 / 5	0 / 1	0 / 3
Average number of embryos transferred	2.0	2.5	1.7	2.6		3.0
Percentage of embryos transferred resulting in implantation (%)	37.3	3 / 10	1 / 10	2 / 13		0 / 9
Percentage of elective single embryo transfers (eSET) (%)	8.0	0 / 4	1 / 5	0 / 5		0 / 3
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	23.1	1 / 4	1 / 8	0 / 5	0 / 1	0 / 3
Percentage of cycles resulting in singleton live births (%)	30.8	1 / 4	1 / 8	0 / 5	0 / 1	0 / 3
Percentage of cycles resulting in twin live births (%)	19.2	1 / 4	0 / 8	0 / 5	0 / 1	0 / 3
Percentage of cycles resulting in live births (%)	50.0	2 / 4	1 / 8	0 / 5	0 / 1	0 / 3
Percentage of cycles resulting in pregnancies (%)	53.8	2 / 4	1 / 8	1 / 5	0 / 1	0 / 3
<b>Outcomes per Transfer</b>						
Number of transfers	26	4	6	5	0	3
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	23.1	1 / 4	1 / 6	0 / 5		0 / 3
Percentage of transfers resulting in singleton live births (%)	30.8	1 / 4	1 / 6	0 / 5		0 / 3
Percentage of transfers resulting in twin live births (%)	19.2	1 / 4	0 / 6	0 / 5		0 / 3
Percentage of transfers resulting in live births (%)	50.0	2 / 4	1 / 6	0 / 5		0 / 3
Percentage of transfers resulting in pregnancies (%)	53.8	2 / 4	1 / 6	1 / 5		0 / 3
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	5	4	2	0	0	1
Number of transfers	5	4	2	0	0	1
Estimated average number of transfers per retrieval	0.1	1.3	0.7	0.0	0.0	0.1
Average number of embryos transferred	2.0	1.8	2.0			2.0
Percentage of embryos transferred resulting in implantation (%)	3 / 10	4 / 7	2 / 4			0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 5	4 / 4	2 / 2			0 / 1
Percentage of transfers resulting in singleton live births (%)	1 / 5	4 / 4	2 / 2			0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 5	0 / 4	0 / 2			0 / 1
Percentage of transfers resulting in live births (%)	2 / 5	4 / 4	2 / 2			0 / 1
Percentage of transfers resulting in pregnancies (%)	2 / 5	4 / 4	2 / 2			0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>	33	3	3	2	3	8
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		77			81	
Number of transfers		77			81	
Average number of embryos transferred		1.8			2.0	
Percentage of embryos transferred resulting in implantation (%)		59.8			41.3	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		42.9			42.0	
Percentage of transfers resulting in singleton live births (%)		46.8			48.1	
Percentage of transfers resulting in twin live births (%)		23.4			7.4	
Percentage of transfers resulting in live births (%)		70.1			55.6	
Percentage of transfers resulting in pregnancies (%)		79.2			71.6	

## CURRENT SERVICES & PROFILE

Current Name: CT Fertility

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# THE CENTER FOR ADVANCED REPRODUCTIVE SERVICES FARMINGTON, CONNECTICUT

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by John C. Nulsen, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	79%	Tubal factor	12%	Uterine factor	7%	
Unstimulated	<1%	PGD/PGS	2%	Ovulatory dysfunction	15%	Male factor	33%	
Used gestational carrier	<1%			Diminished ovarian reserve	10%	Other factor	26%	
				Endometriosis	11%	Unknown factor	20%	
				Multiple Factors:				
				Female factors only				12%
				Female & male factors				20%

2014 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 1,275 (includes 36 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		385	178	199	52	54	5
Percentage of cancellations before retrieval (%)		9.1	12.4	24.6	23.1	24.1	0 / 5
Average number of embryos transferred		1.5	1.8	2.3	2.9	3.0	4.0
Percentage of embryos transferred resulting in implantation (%)		44.5	48.5	23.3	18.3	2.5	0 / 16
Percentage of elective single embryo transfers (eSET) (%)		48.5	17.9	0.0	0.0	0.0	0 / 3
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		31.2	28.7	15.1	15.4	1.9	0 / 5
Percentage of cycles resulting in singleton live births (%)		34.8	32.6	16.1	15.4	1.9	0 / 5
Percentage of cycles resulting in twin live births (%)		5.5	7.9	5.0	0.0	0.0	0 / 5
Percentage of cycles resulting in live births (%)		40.8	41.6	21.6	15.4	1.9	0 / 5
Percentage of cycles resulting in pregnancies (%)		44.9	52.8	27.6	28.8	5.6	0 / 5
<b>Outcomes per Transfer</b>							
Number of transfers		303	136	126	33	28	4
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		39.6	37.5	23.8	24.2	3.6	0 / 4
Percentage of transfers resulting in singleton live births (%)		44.2	42.6	25.4	24.2	3.6	0 / 4
Percentage of transfers resulting in twin live births (%)		6.9	10.3	7.9	0.0	0.0	0 / 4
Percentage of transfers resulting in live births (%)		51.8	54.4	34.1	24.2	3.6	0 / 4
Percentage of transfers resulting in pregnancies (%)		57.1	69.1	43.7	45.5	10.7	0 / 4
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		139	63	40	13	9	3
Number of transfers		132	59	36	13	9	3
Estimated average number of transfers per retrieval		1.4	1.4	0.9	0.9	1.3	0.5
Average number of embryos transferred		1.4	1.4	1.7	2.2	2.2	2.0
Percentage of embryos transferred resulting in implantation (%)		64.4	37.8	37.7	27.6	15.0	0 / 6
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		41.7	23.7	25.0	4 / 13	2 / 9	0 / 3
Percentage of transfers resulting in singleton live births (%)		46.2	28.8	30.6	5 / 13	2 / 9	0 / 3
Percentage of transfers resulting in twin live births (%)		15.2	6.8	13.9	1 / 13	0 / 9	0 / 3
Percentage of transfers resulting in live births (%)		62.1	35.6	44.4	6 / 13	2 / 9	0 / 3
Percentage of transfers resulting in pregnancies (%)		73.5	42.4	50.0	7 / 13	3 / 9	0 / 3
<b>Number of Egg/Embryo Banking Cycles</b>							
		19	13	18	7	6	1
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		20			15		
Number of transfers		19			12		
Average number of embryos transferred		1.8			1.4		
Percentage of embryos transferred resulting in implantation (%)		71.4			7 / 17		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		6 / 19			4 / 12		
Percentage of transfers resulting in singleton live births (%)		8 / 19			4 / 12		
Percentage of transfers resulting in twin live births (%)		6 / 19			0 / 12		
Percentage of transfers resulting in live births (%)		14 / 19			4 / 12		
Percentage of transfers resulting in pregnancies (%)		16 / 19			7 / 12		

CURRENT SERVICES & PROFILE		Current Name: The Center for Advanced Reproductive Services					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# GREENWICH FERTILITY AND IVF CENTER, PC GREENWICH, CONNECTICUT

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Barry R. Witt, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>						
IVF	100%	With ICSI	32%	Tubal factor	9%	Uterine factor	0%	<i>Multiple Factors:</i>		
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	15%	Male factor	24%		Female factors only	3%
Used gestational carrier	0%			Diminished ovarian reserve	24%	Other factor	8%		Female & male factors	8%
				Endometriosis	3%	Unknown factor	31%			

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 251 (includes 4 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	41	26	35	17	9	3
Percentage of cancellations before retrieval (%)	2.4	0.0	11.4	7 / 17	3 / 9	0 / 3
Average number of embryos transferred	1.5	1.8	1.9	2.4	3.2	2.0
Percentage of embryos transferred resulting in implantation (%)	44.0	47.7	22.9	9.1	4 / 16	0 / 4
Percentage of elective single embryo transfers (eSET) (%)	50.0	9.1	7.7	1 / 9	0 / 5	0 / 2
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	34.1	26.9	14.3	1 / 17	2 / 9	0 / 3
Percentage of cycles resulting in singleton live births (%)	34.1	42.3	17.1	1 / 17	2 / 9	0 / 3
Percentage of cycles resulting in twin live births (%)	7.3	15.4	5.7	0 / 17	0 / 9	0 / 3
Percentage of cycles resulting in live births (%)	41.5	57.7	22.9	1 / 17	2 / 9	0 / 3
Percentage of cycles resulting in pregnancies (%)	51.2	57.7	34.3	2 / 17	3 / 9	0 / 3
<b>Outcomes per Transfer</b>						
Number of transfers	35	24	29	9	5	2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	40.0	29.2	17.2	1 / 9	2 / 5	0 / 2
Percentage of transfers resulting in singleton live births (%)	40.0	45.8	20.7	1 / 9	2 / 5	0 / 2
Percentage of transfers resulting in twin live births (%)	8.6	16.7	6.9	0 / 9	0 / 5	0 / 2
Percentage of transfers resulting in live births (%)	48.6	62.5	27.6	1 / 9	2 / 5	0 / 2
Percentage of transfers resulting in pregnancies (%)	60.0	62.5	41.4	2 / 9	3 / 5	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	29	19	22	12	0	0
Number of transfers	28	19	20	10	0	0
Estimated average number of transfers per retrieval	1.2	1.1	1.2	1.3	0.0	
Average number of embryos transferred	1.4	1.5	1.4	1.5		
Percentage of embryos transferred resulting in implantation (%)	39.4	40.9	42.9	7 / 15		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	17.9	7 / 19	25.0	5 / 10		
Percentage of transfers resulting in singleton live births (%)	28.6	7 / 19	30.0	7 / 10		
Percentage of transfers resulting in twin live births (%)	3.6	1 / 19	10.0	0 / 10		
Percentage of transfers resulting in live births (%)	32.1	8 / 19	40.0	7 / 10		
Percentage of transfers resulting in pregnancies (%)	53.6	11 / 19	50.0	7 / 10		
<b>Number of Egg/Embryo Banking Cycles</b>						
	8	8	13	4	1	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

## CURRENT SERVICES & PROFILE

Current Name: Greenwich Fertility and IVF Center, PC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# YALE FERTILITY CENTER NEW HAVEN, CONNECTICUT

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Pasquale Patrizio, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	78%	Tubal factor	7%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 5% Female & male factors 4%
Unstimulated	1%	PGD/PGS	4%	Ovulatory dysfunction	6%	Male factor	23%	
Used gestational carrier	<1%			Diminished ovarian reserve	19%	Other factor	31%	
				Endometriosis	4%	Unknown factor	18%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 640 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	183	109	121	38	33	7
Percentage of cancellations before retrieval (%)	7.1	10.1	9.9	31.6	30.3	1 / 7
Average number of embryos transferred	1.7	1.8	2.1	2.3	2.7	2.6
Percentage of embryos transferred resulting in implantation (%)	35.6	31.9	18.9	7.3	2.2	0 / 13
Percentage of elective single embryo transfers (eSET) (%)	14.2	9.7	0.0	0.0	0 / 13	0 / 4
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	21.9	20.2	16.5	7.9	0.0	0 / 7
Percentage of cycles resulting in singleton live births (%)	25.7	23.9	19.0	7.9	3.0	0 / 7
Percentage of cycles resulting in twin live births (%)	10.9	7.3	2.5	0.0	0.0	0 / 7
Percentage of cycles resulting in live births (%)	36.6	32.1	21.5	7.9	3.0	0 / 7
Percentage of cycles resulting in pregnancies (%)	42.1	36.7	28.1	13.2	3.0	0 / 7
<b>Outcomes per Transfer</b>						
Number of transfers	160	91	96	25	17	5
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	25.0	24.2	20.8	12.0	0 / 17	0 / 5
Percentage of transfers resulting in singleton live births (%)	29.4	28.6	24.0	12.0	1 / 17	0 / 5
Percentage of transfers resulting in twin live births (%)	12.5	8.8	3.1	0.0	0 / 17	0 / 5
Percentage of transfers resulting in live births (%)	41.9	38.5	27.1	12.0	1 / 17	0 / 5
Percentage of transfers resulting in pregnancies (%)	48.1	44.0	35.4	20.0	1 / 17	0 / 5
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	23	13	6	6	4	0
Number of transfers	23	12	6	6	4	0
Estimated average number of transfers per retrieval	0.6	0.9	0.3	0.8	0.5	0.0
Average number of embryos transferred	1.3	1.3	1.3	1.3	1.8	
Percentage of embryos transferred resulting in implantation (%)	31.0	1 / 15	2 / 8	2 / 8	0 / 7	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	26.1	1 / 12	1 / 6	2 / 6	0 / 4	
Percentage of transfers resulting in singleton live births (%)	34.8	1 / 12	1 / 6	2 / 6	0 / 4	
Percentage of transfers resulting in twin live births (%)	0.0	0 / 12	0 / 6	0 / 6	0 / 4	
Percentage of transfers resulting in live births (%)	34.8	1 / 12	1 / 6	2 / 6	0 / 4	
Percentage of transfers resulting in pregnancies (%)	39.1	1 / 12	2 / 6	2 / 6	0 / 4	
<b>Number of Egg/Embryo Banking Cycles</b>						
	24	8	15	7	7	1
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		21			14	
Number of transfers		21			14	
Average number of embryos transferred		1.9			2.0	
Percentage of embryos transferred resulting in implantation (%)		60.0			23.1	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		23.8			2 / 14	
Percentage of transfers resulting in singleton live births (%)		28.6			2 / 14	
Percentage of transfers resulting in twin live births (%)		38.1			1 / 14	
Percentage of transfers resulting in live births (%)		66.7			3 / 14	
Percentage of transfers resulting in pregnancies (%)		76.2			6 / 14	

## CURRENT SERVICES & PROFILE

Current Name: Yale Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# REPRODUCTIVE MEDICINE ASSOCIATES OF CONNECTICUT NORWALK, CONNECTICUT

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Mark P. Leondires, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	63%	Tubal factor	10%	Uterine factor	9%	<i>Multiple Factors:</i> Female factors only 19% Female & male factors 11%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	11%	Male factor	19%	
Used gestational carrier	<1%			Diminished ovarian reserve	25%	Other factor	36%	
				Endometriosis	5%	Unknown factor	20%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 1,270 (includes 15 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	195	103	93	37	20	9
Percentage of cancellations before retrieval (%)	3.1	8.7	24.7	29.7	35.0	0 / 9
Average number of embryos transferred	1.6	1.7	1.7	1.7	1.7	1.0
Percentage of embryos transferred resulting in implantation (%)	46.5	46.3	27.1	1 / 10	0 / 5	0 / 1
Percentage of elective single embryo transfers (eSET) (%)	33.3	16.7	4.2	0 / 4	0 / 2	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	14.4	14.6	5.4	0.0	0.0	0 / 9
Percentage of cycles resulting in singleton live births (%)	18.5	15.5	6.5	0.0	0.0	0 / 9
Percentage of cycles resulting in twin live births (%)	9.2	7.8	2.2	0.0	0.0	0 / 9
Percentage of cycles resulting in live births (%)	28.2	23.3	8.6	0.0	0.0	0 / 9
Percentage of cycles resulting in pregnancies (%)	33.8	29.1	14.0	2.7	0.0	0 / 9
<b>Outcomes per Transfer</b>						
Number of transfers	126	51	31	6	3	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	22.2	29.4	16.1	0 / 6	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	28.6	31.4	19.4	0 / 6	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	14.3	15.7	6.5	0 / 6	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	43.7	47.1	25.8	0 / 6	0 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)	52.4	58.8	41.9	1 / 6	0 / 3	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	155	107	95	25	7	3
Number of transfers	134	93	75	20	6	2
Estimated average number of transfers per retrieval	1.1	1.1	0.7	0.5	0.6	0.3
Average number of embryos transferred	1.4	1.4	1.3	1.4	1.2	1.0
Percentage of embryos transferred resulting in implantation (%)	52.5	50.0	45.3	40.0	3 / 6	2 / 2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	36.6	30.1	40.0	20.0	2 / 6	0 / 2
Percentage of transfers resulting in singleton live births (%)	44.0	34.4	44.0	25.0	3 / 6	0 / 2
Percentage of transfers resulting in twin live births (%)	9.0	9.7	4.0	5.0	0 / 6	0 / 2
Percentage of transfers resulting in live births (%)	53.0	44.1	48.0	30.0	3 / 6	0 / 2
Percentage of transfers resulting in pregnancies (%)	61.9	55.9	54.7	55.0	4 / 6	2 / 2
<b>Number of Egg/Embryo Banking Cycles</b>						
	70	61	89	33	10	8
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		46			89	
Number of transfers		31			77	
Average number of embryos transferred		1.5			1.3	
Percentage of embryos transferred resulting in implantation (%)		67.4			55.8	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		45.2			33.8	
Percentage of transfers resulting in singleton live births (%)		48.4			42.9	
Percentage of transfers resulting in twin live births (%)		22.6			9.1	
Percentage of transfers resulting in live births (%)		71.0			51.9	
Percentage of transfers resulting in pregnancies (%)		80.6			61.0	

## CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine Associates of Connecticut

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# NEW ENGLAND FERTILITY INSTITUTE STAMFORD, CONNECTICUT

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Gad Lavy, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	79%	Tubal factor	2%	Uterine factor	2%	Multiple Factors: Female factors only <1% Female & male factors 1%
Unstimulated	12%	PGD/PGS	17%	Ovulatory dysfunction	5%	Male factor	3%	
Used gestational carrier	4%			Diminished ovarian reserve	5%	Other factor	<1%	
				Endometriosis	<1%	Unknown factor	84%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 419 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	62	32	42	23	14	11
Percentage of cancellations before retrieval (%)	9.7	25.0	4.8	8.7	4 / 14	4 / 11
Average number of embryos transferred	2.1	2.2	2.4	2.4	1.7	3.0
Percentage of embryos transferred resulting in implantation (%)	38.5	18.2	9.4	7.4	0 / 12	0 / 15
Percentage of elective single embryo transfers (eSET) (%)	2.8	1 / 14	4.8	1 / 12	0 / 3	0 / 4
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	14.5	6.3	4.8	8.7	0 / 14	0 / 11
Percentage of cycles resulting in singleton live births (%)	19.4	6.3	7.1	8.7	0 / 14	0 / 11
Percentage of cycles resulting in twin live births (%)	14.5	3.1	0.0	0.0	0 / 14	0 / 11
Percentage of cycles resulting in live births (%)	33.9	9.4	7.1	8.7	0 / 14	0 / 11
Percentage of cycles resulting in pregnancies (%)	35.5	18.8	11.9	8.7	0 / 14	0 / 11
<b>Outcomes per Transfer</b>						
Number of transfers	39	16	26	12	7	5
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	23.1	2 / 16	7.7	2 / 12	0 / 7	0 / 5
Percentage of transfers resulting in singleton live births (%)	30.8	2 / 16	11.5	2 / 12	0 / 7	0 / 5
Percentage of transfers resulting in twin live births (%)	23.1	1 / 16	0.0	0 / 12	0 / 7	0 / 5
Percentage of transfers resulting in live births (%)	53.8	3 / 16	11.5	2 / 12	0 / 7	0 / 5
Percentage of transfers resulting in pregnancies (%)	56.4	6 / 16	19.2	2 / 12	0 / 7	0 / 5
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	26	18	12	0	2	5
Number of transfers	22	15	12	0	2	5
Estimated average number of transfers per retrieval	1.0	1.5	1.5			2.5
Average number of embryos transferred	2.0	2.0	1.8		2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	28.6	27.3	50.0		1 / 2	2 / 10
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	9.1	0 / 15	4 / 12		0 / 2	2 / 5
Percentage of transfers resulting in singleton live births (%)	13.6	2 / 15	5 / 12		0 / 2	2 / 5
Percentage of transfers resulting in twin live births (%)	9.1	1 / 15	2 / 12		0 / 2	0 / 5
Percentage of transfers resulting in live births (%)	27.3	3 / 15	7 / 12		0 / 2	2 / 5
Percentage of transfers resulting in pregnancies (%)	45.5	7 / 15	9 / 12		2 / 2	2 / 5
<b>Number of Egg/Embryo Banking Cycles</b>						
	10	2	6	0	0	1
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	63			90		
Number of transfers	45			79		
Average number of embryos transferred	1.9			1.8		
Percentage of embryos transferred resulting in implantation (%)	43.0			36.0		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	28.9			19.0		
Percentage of transfers resulting in singleton live births (%)	31.1			26.6		
Percentage of transfers resulting in twin live births (%)	15.6			15.2		
Percentage of transfers resulting in live births (%)	46.7			41.8		
Percentage of transfers resulting in pregnancies (%)	62.2			48.1		

## CURRENT SERVICES & PROFILE

Current Name: New England Fertility Institute

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# THE STAMFORD HOSPITAL STAMFORD, CONNECTICUT

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Frances W. Ginsburg, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	13%	Tubal factor	36%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 36% Female & male factors 0%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	18%	Male factor	18%	
Used gestational carrier	0%			Diminished ovarian reserve	36%	Other factor	18%	
				Endometriosis	0%	Unknown factor	9%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 11 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	4	1	2	1	0	0
Percentage of cancellations before retrieval (%)	0 / 4	0 / 1	0 / 2	0 / 1		
Average number of embryos transferred	2.0		2.0	2.0		
Percentage of embryos transferred resulting in implantation (%)	3 / 8		0 / 2	0 / 2		
Percentage of elective single embryo transfers (eSET) (%)	0 / 4		0 / 1	0 / 1		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 4	0 / 1	0 / 2	0 / 1		
Percentage of cycles resulting in singleton live births (%)	1 / 4	0 / 1	0 / 2	0 / 1		
Percentage of cycles resulting in twin live births (%)	1 / 4	0 / 1	0 / 2	0 / 1		
Percentage of cycles resulting in live births (%)	2 / 4	0 / 1	0 / 2	0 / 1		
Percentage of cycles resulting in pregnancies (%)	2 / 4	0 / 1	0 / 2	0 / 1		
<b>Outcomes per Transfer</b>						
Number of transfers	4	0	1	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 4		0 / 1	0 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 4		0 / 1	0 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 4		0 / 1	0 / 1		
Percentage of transfers resulting in live births (%)	2 / 4		0 / 1	0 / 1		
Percentage of transfers resulting in pregnancies (%)	2 / 4		0 / 1	0 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	2	1	0	0	0	0
Number of transfers	2	1	0	0	0	0
Estimated average number of transfers per retrieval	2.0	1.0				
Average number of embryos transferred	1.5	2.0				
Percentage of embryos transferred resulting in implantation (%)	1 / 2	1 / 2				
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 2	0 / 1				
Percentage of transfers resulting in singleton live births (%)	1 / 2	1 / 1				
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 1				
Percentage of transfers resulting in live births (%)	1 / 2	1 / 1				
Percentage of transfers resulting in pregnancies (%)	2 / 2	1 / 1				
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		0			0	
Number of transfers		0			0	
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

## CURRENT SERVICES & PROFILE

Current Name: The Stamford Hospital

Donor eggs?	No	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# WOMEN'S FERTILITY CENTER STAMFORD, CONNECTICUT

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Nora Miller, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	75%	Tubal factor	13%	Uterine factor	2%	Multiple Factors: Female factors only 21% Female & male factors 9%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	3%	Male factor	16%	
Used gestational carrier	0%			Diminished ovarian reserve	40%	Other factor	39%	
				Endometriosis	2%	Unknown factor	15%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 68 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	19	13	17	5	2	4
Percentage of cancellations before retrieval (%)	0 / 19	1 / 13	0 / 17	0 / 5	0 / 2	1 / 4
Average number of embryos transferred	2.0	2.2	2.3	2.4	3.5	1.7
Percentage of embryos transferred resulting in implantation (%)	23.7	16.7	8.6	2 / 12	1 / 7	0 / 5
Percentage of elective single embryo transfers (eSET) (%)	0 / 18	0 / 10	0 / 12	0 / 5	0 / 2	0 / 2
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	6 / 19	1 / 13	0 / 17	1 / 5	1 / 2	0 / 4
Percentage of cycles resulting in singleton live births (%)	8 / 19	2 / 13	1 / 17	2 / 5	1 / 2	0 / 4
Percentage of cycles resulting in twin live births (%)	0 / 19	1 / 13	0 / 17	0 / 5	0 / 2	0 / 4
Percentage of cycles resulting in live births (%)	8 / 19	3 / 13	1 / 17	2 / 5	1 / 2	0 / 4
Percentage of cycles resulting in pregnancies (%)	8 / 19	3 / 13	3 / 17	2 / 5	1 / 2	0 / 4
<b>Outcomes per Transfer</b>						
Number of transfers	19	11	15	5	2	3
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	6 / 19	1 / 11	0 / 15	1 / 5	1 / 2	0 / 3
Percentage of transfers resulting in singleton live births (%)	8 / 19	2 / 11	1 / 15	2 / 5	1 / 2	0 / 3
Percentage of transfers resulting in twin live births (%)	0 / 19	1 / 11	0 / 15	0 / 5	0 / 2	0 / 3
Percentage of transfers resulting in live births (%)	8 / 19	3 / 11	1 / 15	2 / 5	1 / 2	0 / 3
Percentage of transfers resulting in pregnancies (%)	8 / 19	3 / 11	3 / 15	2 / 5	1 / 2	0 / 3
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	2	2	0	1	0	0
Number of transfers	2	2	0	1	0	0
Estimated average number of transfers per retrieval	2.0	2.0	0.0			
Average number of embryos transferred	2.0	2.0		1.0		
Percentage of embryos transferred resulting in implantation (%)	0 / 2	1 / 4		0 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 2	0 / 2		0 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 2	1 / 2		0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 2		0 / 1		
Percentage of transfers resulting in live births (%)	0 / 2	1 / 2		0 / 1		
Percentage of transfers resulting in pregnancies (%)	1 / 2	1 / 2		0 / 1		
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	1	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			2		
Number of transfers	0			2		
Average number of embryos transferred				2.0		
Percentage of embryos transferred resulting in implantation (%)				1 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)				0 / 2		
Percentage of transfers resulting in singleton live births (%)				0 / 2		
Percentage of transfers resulting in twin live births (%)				0 / 2		
Percentage of transfers resulting in live births (%)				0 / 2		
Percentage of transfers resulting in pregnancies (%)				2 / 2		

## CURRENT SERVICES & PROFILE

This clinic has closed since 2014. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for further information.

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# PARK AVENUE FERTILITY AND REPRODUCTIVE MEDICINE TRUMBULL, CONNECTICUT

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Andrew Levi, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	81%	Tubal factor	9%	Uterine factor	<1%	<i>Multiple Factors:</i> Female factors only 3% Female & male factors 10%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	8%	Male factor	26%	
Used gestational carrier	0%			Diminished ovarian reserve	28%	Other factor	3%	
				Endometriosis	5%	Unknown factor	34%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 215 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	59	23	26	23	13	3
Percentage of cancellations before retrieval (%)	10.2	8.7	19.2	21.7	3 / 13	1 / 3
Average number of embryos transferred	1.6	1.6	1.9	2.6	2.2	2.5
Percentage of embryos transferred resulting in implantation (%)	47.7	39.1	29.7	2.7	0 / 18	0 / 5
Percentage of elective single embryo transfers (eSET) (%)	28.1	3 / 11	1 / 16	0 / 13	0 / 7	0 / 2
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	20.3	17.4	23.1	0.0	0 / 13	0 / 3
Percentage of cycles resulting in singleton live births (%)	25.4	21.7	26.9	0.0	0 / 13	0 / 3
Percentage of cycles resulting in twin live births (%)	8.5	4.3	0.0	0.0	0 / 13	0 / 3
Percentage of cycles resulting in live births (%)	33.9	26.1	26.9	0.0	0 / 13	0 / 3
Percentage of cycles resulting in pregnancies (%)	39.0	34.8	38.5	4.3	1 / 13	0 / 3
<b>Outcomes per Transfer</b>						
Number of transfers	41	15	19	14	9	2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	29.3	4 / 15	6 / 19	0 / 14	0 / 9	0 / 2
Percentage of transfers resulting in singleton live births (%)	36.6	5 / 15	7 / 19	0 / 14	0 / 9	0 / 2
Percentage of transfers resulting in twin live births (%)	12.2	1 / 15	0 / 19	0 / 14	0 / 9	0 / 2
Percentage of transfers resulting in live births (%)	48.8	6 / 15	7 / 19	0 / 14	0 / 9	0 / 2
Percentage of transfers resulting in pregnancies (%)	56.1	8 / 15	10 / 19	1 / 14	1 / 9	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	24	12	4	3	2	0
Number of transfers	23	11	3	2	2	0
Estimated average number of transfers per retrieval	1.4	1.6		0.4	0.5	0.0
Average number of embryos transferred	1.5	1.5	1.0	2.5	1.5	
Percentage of embryos transferred resulting in implantation (%)	57.1	3 / 16	2 / 3	0 / 5	0 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	47.8	2 / 11	2 / 3	0 / 2	0 / 2	
Percentage of transfers resulting in singleton live births (%)	47.8	3 / 11	2 / 3	0 / 2	0 / 2	
Percentage of transfers resulting in twin live births (%)	8.7	0 / 11	0 / 3	0 / 2	0 / 2	
Percentage of transfers resulting in live births (%)	56.5	3 / 11	2 / 3	0 / 2	0 / 2	
Percentage of transfers resulting in pregnancies (%)	73.9	4 / 11	2 / 3	0 / 2	0 / 2	
<b>Number of Egg/Embryo Banking Cycles</b>						
	4	2	0	0	2	1
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	5			9		
Number of transfers	3			8		
Average number of embryos transferred	2.0			1.5		
Percentage of embryos transferred resulting in implantation (%)	2 / 6			5 / 12		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 3			1 / 8		
Percentage of transfers resulting in singleton live births (%)	0 / 3			1 / 8		
Percentage of transfers resulting in twin live births (%)	0 / 3			1 / 8		
Percentage of transfers resulting in live births (%)	0 / 3			2 / 8		
Percentage of transfers resulting in pregnancies (%)	1 / 3			4 / 8		

## CURRENT SERVICES & PROFILE

Current Name: Park Avenue Fertility and Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# DELAWARE INSTITUTE FOR REPRODUCTIVE MEDICINE, PA NEWARK, DELAWARE

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Jeffrey B. Russell, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	81%	Tubal factor	44%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 25% Female & male factors 8%
Unstimulated	0%	PGD/PGS	19%	Ovulatory dysfunction	24%	Male factor	21%	
Used gestational carrier	0%			Diminished ovarian reserve	10%	Other factor	5%	
				Endometriosis	27%	Unknown factor	8%	

2014 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 291 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		16	11	8	0	2	0
Percentage of cancellations before retrieval (%)		1 / 16	2 / 11	2 / 8		1 / 2	
Average number of embryos transferred		1.4	1.6	1.0			
Percentage of embryos transferred resulting in implantation (%)		6 / 9	1 / 8	0 / 1			
Percentage of elective single embryo transfers (eSET) (%)		5 / 8	2 / 5	1 / 1			
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 16	1 / 11	0 / 8		0 / 2	
Percentage of cycles resulting in singleton live births (%)		2 / 16	1 / 11	0 / 8		0 / 2	
Percentage of cycles resulting in twin live births (%)		0 / 16	0 / 11	0 / 8		0 / 2	
Percentage of cycles resulting in live births (%)		2 / 16	1 / 11	0 / 8		0 / 2	
Percentage of cycles resulting in pregnancies (%)		6 / 16	1 / 11	0 / 8		0 / 2	
<b>Outcomes per Transfer</b>							
Number of transfers		8	5	1	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 8	1 / 5	0 / 1			
Percentage of transfers resulting in singleton live births (%)		2 / 8	1 / 5	0 / 1			
Percentage of transfers resulting in twin live births (%)		0 / 8	0 / 5	0 / 1			
Percentage of transfers resulting in live births (%)		2 / 8	1 / 5	0 / 1			
Percentage of transfers resulting in pregnancies (%)		6 / 8	1 / 5	0 / 1			
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		82	36	14	5	3	1
Number of transfers		73	32	14	5	3	1
Estimated average number of transfers per retrieval		1.4	1.2	1.3	1.0	1.0	0.5
Average number of embryos transferred		1.4	1.7	1.3	1.6	1.3	2.0
Percentage of embryos transferred resulting in implantation (%)		46.5	23.3	9 / 18	0 / 4	1 / 4	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		35.6	9.4	6 / 14	0 / 5	1 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)		41.1	18.8	6 / 14	0 / 5	1 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)		8.2	3.1	1 / 14	0 / 5	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)		49.3	21.9	7 / 14	0 / 5	1 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)		57.5	43.8	8 / 14	2 / 5	1 / 3	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>							
		42	25	9	5	2	2
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles			1			27	
Number of transfers			1			26	
Average number of embryos transferred			2.0			1.4	
Percentage of embryos transferred resulting in implantation (%)			1 / 2			33.3	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)			1 / 1			23.1	
Percentage of transfers resulting in singleton live births (%)			1 / 1			38.5	
Percentage of transfers resulting in twin live births (%)			0 / 1			0.0	
Percentage of transfers resulting in live births (%)			1 / 1			38.5	
Percentage of transfers resulting in pregnancies (%)			1 / 1			46.2	

CURRENT SERVICES & PROFILE		Current Name: Delaware Institute for Reproductive Medicine, PA					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# REPRODUCTIVE ASSOCIATES OF DELAWARE NEWARK, DELAWARE

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Ronald F. Feinberg, MD, PhD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	85%	Tubal factor	52%	Uterine factor	70%	<i>Multiple Factors:</i> Female factors only 52% Female & male factors 35%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	29%	Male factor	40%	
Used gestational carrier	0%			Diminished ovarian reserve	23%	Other factor	27%	
				Endometriosis	52%	Unknown factor	<1%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 574 (includes 22 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	116	31	10	10	1	0
Percentage of cancellations before retrieval (%)	8.6	22.6	1 / 10	5 / 10	0 / 1	
Average number of embryos transferred	1.0	1.1	1.4	2.0		
Percentage of embryos transferred resulting in implantation (%)	66.2	3 / 15	1 / 7			
Percentage of elective single embryo transfers (eSET) (%)	95.6	9 / 11	2 / 4	0 / 1		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	31.0	6.5	1 / 10	0 / 10	0 / 1	
Percentage of cycles resulting in singleton live births (%)	37.1	6.5	1 / 10	0 / 10	0 / 1	
Percentage of cycles resulting in twin live births (%)	0.9	0.0	0 / 10	0 / 10	0 / 1	
Percentage of cycles resulting in live births (%)	37.9	6.5	1 / 10	0 / 10	0 / 1	
Percentage of cycles resulting in pregnancies (%)	42.2	12.9	1 / 10	1 / 10	0 / 1	
<b>Outcomes per Transfer</b>						
Number of transfers	73	14	5	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	49.3	2 / 14	1 / 5	0 / 1		
Percentage of transfers resulting in singleton live births (%)	58.9	2 / 14	1 / 5	0 / 1		
Percentage of transfers resulting in twin live births (%)	1.4	0 / 14	0 / 5	0 / 1		
Percentage of transfers resulting in live births (%)	60.3	2 / 14	1 / 5	0 / 1		
Percentage of transfers resulting in pregnancies (%)	67.1	4 / 14	1 / 5	1 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	137	69	41	14	7	1
Number of transfers	131	66	38	12	6	1
Estimated average number of transfers per retrieval	1.7	1.7	2.5	0.9	1.2	1.0
Average number of embryos transferred	1.0	1.0	1.1	1.0	1.0	1.0
Percentage of embryos transferred resulting in implantation (%)	62.6	61.5	51.3	7 / 12	3 / 6	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	48.9	42.4	39.5	3 / 12	2 / 6	0 / 1
Percentage of transfers resulting in singleton live births (%)	55.0	51.5	44.7	7 / 12	3 / 6	0 / 1
Percentage of transfers resulting in twin live births (%)	1.5	1.5	2.6	0 / 12	0 / 6	0 / 1
Percentage of transfers resulting in live births (%)	56.5	53.0	47.4	7 / 12	3 / 6	0 / 1
Percentage of transfers resulting in pregnancies (%)	64.1	60.6	52.6	7 / 12	3 / 6	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>	40	20	13	13	5	1
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>		<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		0		23		
Number of transfers		0		23		
Average number of embryos transferred				1.1		
Percentage of embryos transferred resulting in implantation (%)				45.8		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)				34.8		
Percentage of transfers resulting in singleton live births (%)				43.5		
Percentage of transfers resulting in twin live births (%)				0.0		
Percentage of transfers resulting in live births (%)				43.5		
Percentage of transfers resulting in pregnancies (%)				52.2		

## CURRENT SERVICES & PROFILE

Current Name: Reproductive Associates of Delaware

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## COLUMBIA FERTILITY ASSOCIATES WASHINGTON, DISTRICT OF COLUMBIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2014 ART CYCLE PROFILE

Data verified by Safa Rifka, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	62%	Tubal factor	5%	Uterine factor	5%	<i>Multiple Factors:</i> Female factors only 9% Female & male factors 14%
Unstimulated	5%	PGD/PGS	<1%	Ovulatory dysfunction	8%	Male factor	36%	
Used gestational carrier	<1%			Diminished ovarian reserve	32%	Other factor	32%	
				Endometriosis	5%	Unknown factor	4%	

### 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 781 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	98	66	102	77	50	30
Percentage of cancellations before retrieval (%)	7.1	10.6	9.8	14.3	12.0	26.7
Average number of embryos transferred	1.7	1.8	1.9	1.9	2.4	2.0
Percentage of embryos transferred resulting in implantation (%)	30.5	17.0	9.3	6.0	1.5	0.0
Percentage of elective single embryo transfers (eSET) (%)	33.3	14.0	3.2	5.4	0.0	0 / 9
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	19.4	15.2	7.8	5.2	2.0	0.0
Percentage of cycles resulting in singleton live births (%)	23.5	15.2	9.8	6.5	2.0	0.0
Percentage of cycles resulting in twin live births (%)	6.1	3.0	1.0	0.0	0.0	0.0
Percentage of cycles resulting in live births (%)	29.6	18.2	10.8	6.5	2.0	0.0
Percentage of cycles resulting in pregnancies (%)	32.7	21.2	12.7	7.8	2.0	0.0
<b>Outcomes per Transfer</b>						
Number of transfers	79	49	80	52	27	15
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	24.1	20.4	10.0	7.7	3.7	0 / 15
Percentage of transfers resulting in singleton live births (%)	29.1	20.4	12.5	9.6	3.7	0 / 15
Percentage of transfers resulting in twin live births (%)	7.6	4.1	1.3	0.0	0.0	0 / 15
Percentage of transfers resulting in live births (%)	36.7	24.5	13.8	9.6	3.7	0 / 15
Percentage of transfers resulting in pregnancies (%)	40.5	28.6	16.3	11.5	3.7	0 / 15
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	73	38	44	15	10	6
Number of transfers	70	36	39	14	10	5
Estimated average number of transfers per retrieval	1.7	1.0	0.6	0.7	0.5	1.3
Average number of embryos transferred	1.6	1.3	1.4	1.3	1.9	1.8
Percentage of embryos transferred resulting in implantation (%)	29.1	19.1	21.8	1 / 18	3 / 18	0 / 9
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	15.7	13.9	20.5	0 / 14	2 / 10	0 / 5
Percentage of transfers resulting in singleton live births (%)	20.0	13.9	20.5	1 / 14	3 / 10	0 / 5
Percentage of transfers resulting in twin live births (%)	8.6	2.8	0.0	0 / 14	0 / 10	0 / 5
Percentage of transfers resulting in live births (%)	28.6	16.7	20.5	1 / 14	3 / 10	0 / 5
Percentage of transfers resulting in pregnancies (%)	32.9	25.0	28.2	1 / 14	4 / 10	0 / 5
<b>Number of Egg/Embryo Banking Cycles</b>						
	16	19	51	12	15	4
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		13			39	
Number of transfers		12			36	
Average number of embryos transferred		1.8			1.6	
Percentage of embryos transferred resulting in implantation (%)		40.9			34.5	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		3 / 12			27.8	
Percentage of transfers resulting in singleton live births (%)		4 / 12			38.9	
Percentage of transfers resulting in twin live births (%)		1 / 12			2.8	
Percentage of transfers resulting in live births (%)		5 / 12			41.7	
Percentage of transfers resulting in pregnancies (%)		7 / 12			52.8	

### CURRENT SERVICES & PROFILE

Current Name: Columbia Fertility Associates

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# GEORGE WASHINGTON UNIVERSITY MEDICAL FACULTY ASSOCIATES WASHINGTON, DISTRICT OF COLUMBIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by David Frankfurter, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	80%	Tubal factor	2%	Uterine factor	0%	Multiple Factors: Female factors only <1% Female & male factors 0%
Unstimulated	0%	PGD/PGS	7%	Ovulatory dysfunction	2%	Male factor	14%	
Used gestational carrier	0%			Diminished ovarian reserve	17%	Other factor	5%	
				Endometriosis	2%	Unknown factor	59%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 330 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	37	33	39	17	26	0
Percentage of cancellations before retrieval (%)	13.5	6.1	23.1	2 / 17	7.7	
Average number of embryos transferred	1.2	1.5	1.6	2.3	3.1	
Percentage of embryos transferred resulting in implantation (%)	40.0	15.6	30.4	8.0	6.5	
Percentage of elective single embryo transfers (eSET) (%)	13 / 18	10 / 17	3 / 10	0 / 10	0 / 11	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	16.2	9.1	10.3	1 / 17	3.8	
Percentage of cycles resulting in singleton live births (%)	16.2	9.1	10.3	1 / 17	3.8	
Percentage of cycles resulting in twin live births (%)	2.7	0.0	0.0	0 / 17	3.8	
Percentage of cycles resulting in live births (%)	18.9	9.1	10.3	1 / 17	7.7	
Percentage of cycles resulting in pregnancies (%)	27.0	15.2	12.8	2 / 17	7.7	
<b>Outcomes per Transfer</b>						
Number of transfers	21	22	14	11	15	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	28.6	13.6	4 / 14	1 / 11	1 / 15	
Percentage of transfers resulting in singleton live births (%)	28.6	13.6	4 / 14	1 / 11	1 / 15	
Percentage of transfers resulting in twin live births (%)	4.8	0.0	0 / 14	0 / 11	1 / 15	
Percentage of transfers resulting in live births (%)	33.3	13.6	4 / 14	1 / 11	2 / 15	
Percentage of transfers resulting in pregnancies (%)	47.6	22.7	5 / 14	2 / 11	2 / 15	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	22	28	20	14	8	2
Number of transfers	19	27	20	12	8	1
Estimated average number of transfers per retrieval	0.8	0.8	0.7	1.1	1.3	
Average number of embryos transferred	1.1	1.3	1.2	1.8	2.4	2.0
Percentage of embryos transferred resulting in implantation (%)	30.0	50.0	33.3	4.8	3 / 19	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4 / 19	37.0	25.0	0 / 12	2 / 8	0 / 1
Percentage of transfers resulting in singleton live births (%)	6 / 19	37.0	25.0	1 / 12	2 / 8	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 19	7.4	5.0	0 / 12	0 / 8	0 / 1
Percentage of transfers resulting in live births (%)	6 / 19	44.4	30.0	1 / 12	2 / 8	0 / 1
Percentage of transfers resulting in pregnancies (%)	6 / 19	63.0	40.0	1 / 12	2 / 8	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	17	20	18	8	4	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	2			12		
Number of transfers	2			9		
Average number of embryos transferred	1.5			1.1		
Percentage of embryos transferred resulting in implantation (%)	0 / 3			2 / 8		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 2			1 / 9		
Percentage of transfers resulting in singleton live births (%)	0 / 2			2 / 9		
Percentage of transfers resulting in twin live births (%)	0 / 2			0 / 9		
Percentage of transfers resulting in live births (%)	0 / 2			2 / 9		
Percentage of transfers resulting in pregnancies (%)	0 / 2			3 / 9		

## CURRENT SERVICES & PROFILE

Current Name: George Washington University Medical Faculty Associates

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## JAMES A. SIMON, MD, PC WASHINGTON, DISTRICT OF COLUMBIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2014 ART CYCLE PROFILE

Data verified by James A. Simon, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	0%	Tubal factor	0%	Uterine factor	0%	Multiple Factors: Female factors only 0% Female & male factors 0%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	0%	Male factor	33%	
Used gestational carrier	0%			Diminished ovarian reserve	67%	Other factor	0%	
				Endometriosis	0%	Unknown factor	0%	

### 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 3 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	0	0	1	0	0	0
Percentage of cancellations before retrieval (%)			0 / 1			
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of elective single embryo transfers (eSET) (%)						
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)			0 / 1			
Percentage of cycles resulting in singleton live births (%)			0 / 1			
Percentage of cycles resulting in twin live births (%)			0 / 1			
Percentage of cycles resulting in live births (%)			0 / 1			
Percentage of cycles resulting in pregnancies (%)			0 / 1			
<b>Outcomes per Transfer</b>						
Number of transfers	0	0	0	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	0	0	2	0	0	0
Number of transfers	0	0	2	0	0	0
Estimated average number of transfers per retrieval			2.0			
Average number of embryos transferred			1.0			
Percentage of embryos transferred resulting in implantation (%)			1 / 2			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)			0 / 2			
Percentage of transfers resulting in singleton live births (%)			0 / 2			
Percentage of transfers resulting in twin live births (%)			0 / 2			
Percentage of transfers resulting in live births (%)			0 / 2			
Percentage of transfers resulting in pregnancies (%)			1 / 2			
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		0			0	
Number of transfers		0			0	
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

### CURRENT SERVICES & PROFILE

Current Name: James A. Simon, MD, PC

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# BOCAFERTILITY BOCA RATON, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Maurice (Moshe) R. Peress, MD					
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>					
IVF	100%	With ICSI	78%	Tubal factor	7%	Uterine factor	5%	<i>Multiple Factors:</i>	
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	15%	Male factor	33%	Female factors only	6%
Used gestational carrier	4%			Diminished ovarian reserve	61%	Other factor	4%	Female & male factors	17%
				Endometriosis	<1%	Unknown factor	<1%		

2014 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 111 (includes 2 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		15	5	13	7	7	3
Percentage of cancellations before retrieval (%)		0 / 15	0 / 5	1 / 13	0 / 7	0 / 7	2 / 3
Average number of embryos transferred		1.7	1.2	1.5	2.7	2.6	2.0
Percentage of embryos transferred resulting in implantation (%)		50.0	1 / 6	3 / 17	3 / 19	0 / 13	0 / 2
Percentage of elective single embryo transfers (eSET) (%)		1 / 12	1 / 2	0 / 6	0 / 7	0 / 4	0 / 1
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		4 / 15	1 / 5	1 / 13	1 / 7	0 / 7	0 / 3
Percentage of cycles resulting in singleton live births (%)		4 / 15	1 / 5	1 / 13	1 / 7	0 / 7	0 / 3
Percentage of cycles resulting in twin live births (%)		4 / 15	0 / 5	0 / 13	0 / 7	0 / 7	0 / 3
Percentage of cycles resulting in live births (%)		8 / 15	1 / 5	1 / 13	1 / 7	0 / 7	0 / 3
Percentage of cycles resulting in pregnancies (%)		9 / 15	1 / 5	3 / 13	2 / 7	0 / 7	0 / 3
<b>Outcomes per Transfer</b>							
Number of transfers		15	5	11	7	5	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		4 / 15	1 / 5	1 / 11	1 / 7	0 / 5	0 / 1
Percentage of transfers resulting in singleton live births (%)		4 / 15	1 / 5	1 / 11	1 / 7	0 / 5	0 / 1
Percentage of transfers resulting in twin live births (%)		4 / 15	0 / 5	0 / 11	0 / 7	0 / 5	0 / 1
Percentage of transfers resulting in live births (%)		8 / 15	1 / 5	1 / 11	1 / 7	0 / 5	0 / 1
Percentage of transfers resulting in pregnancies (%)		9 / 15	1 / 5	3 / 11	2 / 7	0 / 5	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		8	5	4	0	2	1
Number of transfers		6	4	4	0	2	1
Estimated average number of transfers per retrieval		0.9	2.0	1.0		0.5	1.0
Average number of embryos transferred		1.7	1.8	2.3		1.5	1.0
Percentage of embryos transferred resulting in implantation (%)		3 / 10	4 / 7	2 / 9		0 / 3	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 6	2 / 4	2 / 4		0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)		1 / 6	2 / 4	2 / 4		0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)		1 / 6	0 / 4	0 / 4		0 / 2	0 / 1
Percentage of transfers resulting in live births (%)		2 / 6	2 / 4	2 / 4		0 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)		2 / 6	3 / 4	2 / 4		0 / 2	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>							
		5	1	0	0	1	1
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		19			12		
Number of transfers		19			12		
Average number of embryos transferred		1.7			1.6		
Percentage of embryos transferred resulting in implantation (%)		48.5			7 / 19		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		6 / 19			1 / 12		
Percentage of transfers resulting in singleton live births (%)		8 / 19			4 / 12		
Percentage of transfers resulting in twin live births (%)		3 / 19			1 / 12		
Percentage of transfers resulting in live births (%)		11 / 19			5 / 12		
Percentage of transfers resulting in pregnancies (%)		11 / 19			6 / 12		

CURRENT SERVICES & PROFILE		Current Name: BocaFertility					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## PALM BEACH FERTILITY CENTER BOCA RATON, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2014 ART CYCLE PROFILE

Data verified by Mark S. Denker, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	83%	Tubal factor	15%	Uterine factor	7%	<i>Multiple Factors:</i> Female factors only 13% Female & male factors 49%
Unstimulated	0%	PGD/PGS	17%	Ovulatory dysfunction	13%	Male factor	59%	
Used gestational carrier	2%			Diminished ovarian reserve	61%	Other factor	16%	
				Endometriosis	7%	Unknown factor	2%	

### 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 130 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	26	14	5	7	1	1
Percentage of cancellations before retrieval (%)	11.5	1 / 14	1 / 5	3 / 7	0 / 1	0 / 1
Average number of embryos transferred	1.9	1.8	1.5	1.5	2.0	
Percentage of embryos transferred resulting in implantation (%)	30.6	10.0	2 / 6	0 / 3	0 / 2	
Percentage of elective single embryo transfers (eSET) (%)	1 / 17	0 / 8	0 / 1	0 / 1	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	15.4	1 / 14	2 / 5	0 / 7	0 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)	19.2	2 / 14	2 / 5	0 / 7	0 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)	7.7	0 / 14	0 / 5	0 / 7	0 / 1	0 / 1
Percentage of cycles resulting in live births (%)	26.9	2 / 14	2 / 5	0 / 7	0 / 1	0 / 1
Percentage of cycles resulting in pregnancies (%)	34.6	2 / 14	2 / 5	0 / 7	0 / 1	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	20	11	4	2	1	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	20.0	1 / 11	2 / 4	0 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)	25.0	2 / 11	2 / 4	0 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)	10.0	0 / 11	0 / 4	0 / 2	0 / 1	
Percentage of transfers resulting in live births (%)	35.0	2 / 11	2 / 4	0 / 2	0 / 1	
Percentage of transfers resulting in pregnancies (%)	45.0	2 / 11	2 / 4	0 / 2	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	6	3	0	2	0	1
Number of transfers	4	3	0	2	0	1
Estimated average number of transfers per retrieval	0.6	1.0	0.0	0.7		0.3
Average number of embryos transferred	2.0	1.3		2.0		1.0
Percentage of embryos transferred resulting in implantation (%)	0 / 8	1 / 4		0 / 4		0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 4	1 / 3		0 / 2		0 / 1
Percentage of transfers resulting in singleton live births (%)	0 / 4	1 / 3		0 / 2		0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 4	0 / 3		0 / 2		0 / 1
Percentage of transfers resulting in live births (%)	0 / 4	1 / 3		0 / 2		0 / 1
Percentage of transfers resulting in pregnancies (%)	0 / 4	1 / 3		0 / 2		0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	5	3	6	3	0	3
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		22			20	
Number of transfers		17			19	
Average number of embryos transferred		1.7			1.8	
Percentage of embryos transferred resulting in implantation (%)		20.7			14.7	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		4 / 17			2 / 19	
Percentage of transfers resulting in singleton live births (%)		5 / 17			2 / 19	
Percentage of transfers resulting in twin live births (%)		0 / 17			1 / 19	
Percentage of transfers resulting in live births (%)		5 / 17			3 / 19	
Percentage of transfers resulting in pregnancies (%)		6 / 17			4 / 19	

### CURRENT SERVICES & PROFILE

Current Name: Palm Beach Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**POLCZ FERTILITY CENTER  
BOYNTON BEACH, FLORIDA**

---

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

# FLORIDA FERTILITY INSTITUTE CLEARWATER, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Mark D. Sanchez, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	76%	Tubal factor	22%	Uterine factor	4%	Multiple Factors: Female factors only 18% Female & male factors 34%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	17%	Male factor	47%	
Used gestational carrier	2%			Diminished ovarian reserve	50%	Other factor	16%	
				Endometriosis	8%	Unknown factor	5%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 164 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	27	29	17	10	4	1
Percentage of cancellations before retrieval (%)	3.7	3.4	0 / 17	1 / 10	1 / 4	0 / 1
Average number of embryos transferred	2.1	2.4	2.6	2.6	2.5	4.0
Percentage of embryos transferred resulting in implantation (%)	41.7	27.0	20.5	13.0	4 / 5	0 / 4
Percentage of elective single embryo transfers (eSET) (%)	0.0	0.0	0 / 16	0 / 7	0 / 1	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	11.1	27.6	1 / 17	1 / 10	0 / 4	0 / 1
Percentage of cycles resulting in singleton live births (%)	22.2	31.0	1 / 17	1 / 10	0 / 4	0 / 1
Percentage of cycles resulting in twin live births (%)	22.2	3.4	2 / 17	1 / 10	0 / 4	0 / 1
Percentage of cycles resulting in live births (%)	44.4	37.9	4 / 17	2 / 10	1 / 4	0 / 1
Percentage of cycles resulting in pregnancies (%)	59.3	48.3	5 / 17	2 / 10	1 / 4	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	25	27	17	9	2	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	12.0	29.6	1 / 17	1 / 9	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	24.0	33.3	1 / 17	1 / 9	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	24.0	3.7	2 / 17	1 / 9	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	48.0	40.7	4 / 17	2 / 9	1 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	64.0	51.9	5 / 17	2 / 9	1 / 2	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	18	11	7	0	3	1
Number of transfers	18	10	7	0	3	1
Estimated average number of transfers per retrieval	1.3	1.7	1.8	0.0	3.0	0.3
Average number of embryos transferred	1.9	2.1	2.4		1.0	1.0
Percentage of embryos transferred resulting in implantation (%)	31.4	19.0	5 / 17		0 / 3	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 18	2 / 10	2 / 7		0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	6 / 18	2 / 10	3 / 7		0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	2 / 18	1 / 10	0 / 7		0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	8 / 18	3 / 10	3 / 7		0 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)	9 / 18	3 / 10	5 / 7		0 / 3	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	6	0	2	1	1	2
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	9			15		
Number of transfers	9			15		
Average number of embryos transferred	2.0			1.9		
Percentage of embryos transferred resulting in implantation (%)	10 / 18			17.9		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 9			4 / 15		
Percentage of transfers resulting in singleton live births (%)	2 / 9			4 / 15		
Percentage of transfers resulting in twin live births (%)	4 / 9			0 / 15		
Percentage of transfers resulting in live births (%)	6 / 9			4 / 15		
Percentage of transfers resulting in pregnancies (%)	6 / 9			4 / 15		

## CURRENT SERVICES & PROFILE

Current Name: Florida Fertility Institute

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# INFERTILITY AND REPRODUCTIVE MEDICINE OF SOUTH BROWARD COOPER CITY, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Kenneth Gelman, MD

Type of ART and Procedural Factors <sup>a</sup>		Patient Diagnosis <sup>b</sup>				
IVF	With ICSI	Tubal factor	0%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 100% Female & male factors 0%
Unstimulated	PGD/PGS	Ovulatory dysfunction	0%	Male factor	0%	
Used gestational carrier		Diminished ovarian reserve	100%	Other factor	100%	
		Endometriosis	0%	Unknown factor	0%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 2 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	0	0	0	0	0	0
Percentage of cancellations before retrieval (%)						
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of elective single embryo transfers (eSET) (%)						
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)						
Percentage of cycles resulting in singleton live births (%)						
Percentage of cycles resulting in twin live births (%)						
Percentage of cycles resulting in live births (%)						
Percentage of cycles resulting in pregnancies (%)						
<b>Outcomes per Transfer</b>						
Number of transfers	0	0	0	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	0	1	1	0	0	0
Number of transfers	0	1	1	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred		1.0	1.0			
Percentage of embryos transferred resulting in implantation (%)		0 / 1	0 / 1			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0 / 1	0 / 1			
Percentage of transfers resulting in singleton live births (%)		0 / 1	0 / 1			
Percentage of transfers resulting in twin live births (%)		0 / 1	0 / 1			
Percentage of transfers resulting in live births (%)		0 / 1	0 / 1			
Percentage of transfers resulting in pregnancies (%)		0 / 1	0 / 1			
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

## CURRENT SERVICES & PROFILE

This clinic has closed since 2014. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for further information.

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## SOUTHWEST FLORIDA FERTILITY CENTER, PA FORT MYERS, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2014 ART CYCLE PROFILE

Data verified by Jacob L. Glock, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	46%	Tubal factor	29%	Uterine factor	10%	<i>Multiple Factors:</i> Female factors only 0% Female & male factors 0%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	5%	Male factor	21%	
Used gestational carrier	0%			Diminished ovarian reserve	21%	Other factor	0%	
				Endometriosis	2%	Unknown factor	12%	

### 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 42 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	16	9	2	6	2	0
Percentage of cancellations before retrieval (%)	0 / 16	0 / 9	0 / 2	0 / 6	0 / 2	
Average number of embryos transferred	2.3	2.3	1.5	2.3	2.0	
Percentage of embryos transferred resulting in implantation (%)	17.6	23.8	1 / 3	0 / 10	0 / 4	
Percentage of elective single embryo transfers (eSET) (%)	1 / 15	0 / 8	0 / 1	0 / 4	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4 / 16	1 / 9	0 / 2	0 / 6	0 / 2	
Percentage of cycles resulting in singleton live births (%)	4 / 16	3 / 9	1 / 2	0 / 6	0 / 2	
Percentage of cycles resulting in twin live births (%)	1 / 16	1 / 9	0 / 2	0 / 6	0 / 2	
Percentage of cycles resulting in live births (%)	5 / 16	4 / 9	1 / 2	0 / 6	0 / 2	
Percentage of cycles resulting in pregnancies (%)	5 / 16	4 / 9	1 / 2	1 / 6	0 / 2	
<b>Outcomes per Transfer</b>						
Number of transfers	15	9	2	6	2	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4 / 15	1 / 9	0 / 2	0 / 6	0 / 2	
Percentage of transfers resulting in singleton live births (%)	4 / 15	3 / 9	1 / 2	0 / 6	0 / 2	
Percentage of transfers resulting in twin live births (%)	1 / 15	1 / 9	0 / 2	0 / 6	0 / 2	
Percentage of transfers resulting in live births (%)	5 / 15	4 / 9	1 / 2	0 / 6	0 / 2	
Percentage of transfers resulting in pregnancies (%)	5 / 15	4 / 9	1 / 2	1 / 6	0 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	3	1	1	0	0	0
Number of transfers	3	1	1	0	0	0
Estimated average number of transfers per retrieval	3.0					
Average number of embryos transferred	2.0	2.0	2.0			
Percentage of embryos transferred resulting in implantation (%)	1 / 6	0 / 2	0 / 2			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 3	0 / 1	0 / 1			
Percentage of transfers resulting in singleton live births (%)	1 / 3	0 / 1	0 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 1	0 / 1			
Percentage of transfers resulting in live births (%)	1 / 3	0 / 1	0 / 1			
Percentage of transfers resulting in pregnancies (%)	1 / 3	0 / 1	0 / 1			
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	1			1		
Number of transfers	1			1		
Average number of embryos transferred	2.0			2.0		
Percentage of embryos transferred resulting in implantation (%)	0 / 2			0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 1			0 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 1			0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 1			0 / 1		
Percentage of transfers resulting in live births (%)	0 / 1			0 / 1		
Percentage of transfers resulting in pregnancies (%)	0 / 1			0 / 1		

### CURRENT SERVICES & PROFILE

Current Name: Southwest Florida Fertility Center, PA

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# SPECIALISTS IN REPRODUCTIVE MEDICINE AND SURGERY, PA EMBRYO DONATION INTERNATIONAL, PL FORT MYERS, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Craig R. Sweet, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	59%	Tubal factor	19%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 16% Female & male factors 17%
Unstimulated	0%	PGD/PGS	10%	Ovulatory dysfunction	17%	Male factor	28%	
Used gestational carrier	0%			Diminished ovarian reserve	51%	Other factor	7%	
				Endometriosis	10%	Unknown factor	0%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 107 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	26	4	8	1	0	0
Percentage of cancellations before retrieval (%)	3.8	0 / 4	0 / 8	0 / 1		
Average number of embryos transferred	2.5	2.3	2.5	1.0		
Percentage of embryos transferred resulting in implantation (%)	29.8	0 / 9	0 / 16	0 / 1		
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 3	0 / 7			
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	26.9	0 / 4	0 / 8	0 / 1		
Percentage of cycles resulting in singleton live births (%)	26.9	0 / 4	0 / 8	0 / 1		
Percentage of cycles resulting in twin live births (%)	11.5	0 / 4	0 / 8	0 / 1		
Percentage of cycles resulting in live births (%)	42.3	0 / 4	0 / 8	0 / 1		
Percentage of cycles resulting in pregnancies (%)	42.3	0 / 4	1 / 8	0 / 1		
<b>Outcomes per Transfer</b>						
Number of transfers	23	4	8	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	30.4	0 / 4	0 / 8	0 / 1		
Percentage of transfers resulting in singleton live births (%)	30.4	0 / 4	0 / 8	0 / 1		
Percentage of transfers resulting in twin live births (%)	13.0	0 / 4	0 / 8	0 / 1		
Percentage of transfers resulting in live births (%)	47.8	0 / 4	0 / 8	0 / 1		
Percentage of transfers resulting in pregnancies (%)	47.8	0 / 4	1 / 8	0 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	11	4	4	1	1	0
Number of transfers	9	4	4	1	1	0
Estimated average number of transfers per retrieval	1.1	4.0	4.0	0.5		
Average number of embryos transferred	2.3	2.3	3.5	3.0	3.0	
Percentage of embryos transferred resulting in implantation (%)	23.8	0 / 9	3 / 14	0 / 3	1 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 9	0 / 4	1 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	4 / 9	0 / 4	1 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 9	0 / 4	1 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	4 / 9	0 / 4	2 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	5 / 9	0 / 4	2 / 4	0 / 1	1 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>						
	1	1	0	2	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	8			35		
Number of transfers	8			33		
Average number of embryos transferred	2.0			3.0		
Percentage of embryos transferred resulting in implantation (%)	6 / 14			20.4		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 8			21.2		
Percentage of transfers resulting in singleton live births (%)	3 / 8			30.3		
Percentage of transfers resulting in twin live births (%)	1 / 8			9.1		
Percentage of transfers resulting in live births (%)	4 / 8			39.4		
Percentage of transfers resulting in pregnancies (%)	5 / 8			45.5		

## CURRENT SERVICES & PROFILE

Current Name: Specialists in Reproductive Medicine and Surgery, PA,  
Embryo Donation International, PL

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## UF HEALTH REPRODUCTIVE MEDICINE AT SPRINGHILL GAINESVILLE, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Alice Rhoton-Vlasak, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	74%	Tubal factor	6%	Uterine factor	0%	
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	5%	Male factor	49%	
Used gestational carrier	0%			Diminished ovarian reserve	20%	Other factor	33%	
				Endometriosis	25%	Unknown factor	1%	
				Multiple Factors:				
				Female factors only				14%
				Female & male factors				20%

2014 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 99 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		42	11	6	1	2	0
Percentage of cancellations before retrieval (%)		11.9	1 / 11	2 / 6	0 / 1	0 / 2	
Average number of embryos transferred		1.6	2.1	1.5	1.0	3.0	
Percentage of embryos transferred resulting in implantation (%)		36.0	33.3	0 / 6	0 / 1	0 / 6	
Percentage of elective single embryo transfers (eSET) (%)		40.0	1 / 10	0 / 2		0 / 2	
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		28.6	3 / 11	0 / 6	0 / 1	0 / 2	
Percentage of cycles resulting in singleton live births (%)		28.6	3 / 11	0 / 6	0 / 1	0 / 2	
Percentage of cycles resulting in twin live births (%)		7.1	2 / 11	0 / 6	0 / 1	0 / 2	
Percentage of cycles resulting in live births (%)		35.7	5 / 11	0 / 6	0 / 1	0 / 2	
Percentage of cycles resulting in pregnancies (%)		35.7	5 / 11	0 / 6	0 / 1	0 / 2	
<b>Outcomes per Transfer</b>							
Number of transfers		32	10	4	1	2	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		37.5	3 / 10	0 / 4	0 / 1	0 / 2	
Percentage of transfers resulting in singleton live births (%)		37.5	3 / 10	0 / 4	0 / 1	0 / 2	
Percentage of transfers resulting in twin live births (%)		9.4	2 / 10	0 / 4	0 / 1	0 / 2	
Percentage of transfers resulting in live births (%)		46.9	5 / 10	0 / 4	0 / 1	0 / 2	
Percentage of transfers resulting in pregnancies (%)		46.9	5 / 10	0 / 4	0 / 1	0 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		16	4	1	1	0	0
Number of transfers		15	3	1	1	0	0
Estimated average number of transfers per retrieval		2.1					
Average number of embryos transferred		1.8	2.0	2.0	4.0		
Percentage of embryos transferred resulting in implantation (%)		51.9	3 / 6	0 / 2	0 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		3 / 15	1 / 3	0 / 1	0 / 1		
Percentage of transfers resulting in singleton live births (%)		6 / 15	1 / 3	0 / 1	0 / 1		
Percentage of transfers resulting in twin live births (%)		2 / 15	1 / 3	0 / 1	0 / 1		
Percentage of transfers resulting in live births (%)		9 / 15	2 / 3	0 / 1	0 / 1		
Percentage of transfers resulting in pregnancies (%)		9 / 15	2 / 3	0 / 1	0 / 1		
<b>Number of Egg/Embryo Banking Cycles</b>							
		1	0	0	0	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		7			7		
Number of transfers		5			7		
Average number of embryos transferred		1.6			1.7		
Percentage of embryos transferred resulting in implantation (%)		6 / 8			6 / 12		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		2 / 5			3 / 7		
Percentage of transfers resulting in singleton live births (%)		2 / 5			5 / 7		
Percentage of transfers resulting in twin live births (%)		2 / 5			0 / 7		
Percentage of transfers resulting in live births (%)		4 / 5			5 / 7		
Percentage of transfers resulting in pregnancies (%)		4 / 5			5 / 7		

CURRENT SERVICES & PROFILE		Current Name: UF Health Reproductive Medicine at Springhill					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## ASSISTED FERTILITY PROGRAM JACKSONVILLE, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2014 ART CYCLE PROFILE

Data verified by Marwan M. Shaykh, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	62%	Tubal factor	17%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 2% Female & male factors 2%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	4%	Male factor	11%	
Used gestational carrier	2%			Diminished ovarian reserve	21%	Other factor	16%	
				Endometriosis	6%	Unknown factor	28%	

### 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 97 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	28	11	10	2	1	1
Percentage of cancellations before retrieval (%)	0.0	0 / 11	0 / 10	0 / 2	0 / 1	0 / 1
Average number of embryos transferred	1.9	2.6	2.9	3.0	4.0	3.0
Percentage of embryos transferred resulting in implantation (%)	20.0	6 / 18	6.9	0 / 6	0 / 4	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	6 / 16	0 / 7	0 / 9	0 / 2	0 / 1	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	7.1	2 / 11	0 / 10	0 / 2	0 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)	10.7	3 / 11	0 / 10	0 / 2	0 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)	3.6	1 / 11	1 / 10	0 / 2	0 / 1	0 / 1
Percentage of cycles resulting in live births (%)	14.3	4 / 11	1 / 10	0 / 2	0 / 1	0 / 1
Percentage of cycles resulting in pregnancies (%)	25.0	4 / 11	1 / 10	0 / 2	0 / 1	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	17	7	10	2	1	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 17	2 / 7	0 / 10	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	3 / 17	3 / 7	0 / 10	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 17	1 / 7	1 / 10	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	4 / 17	4 / 7	1 / 10	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	7 / 17	4 / 7	1 / 10	0 / 2	0 / 1	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	17	5	0	1	1	0
Number of transfers	17	5	0	1	1	0
Estimated average number of transfers per retrieval	1.4	1.0				
Average number of embryos transferred	1.5	2.2		2.0	3.0	
Percentage of embryos transferred resulting in implantation (%)	19.2	2 / 11		0 / 2	0 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 17	2 / 5		0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	4 / 17	2 / 5		0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 17	0 / 5		0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	4 / 17	2 / 5		0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	5 / 17	2 / 5		0 / 1	0 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	11			9		
Number of transfers	10			9		
Average number of embryos transferred	1.9			1.7		
Percentage of embryos transferred resulting in implantation (%)	6 / 17			1 / 13		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 10			1 / 9		
Percentage of transfers resulting in singleton live births (%)	1 / 10			1 / 9		
Percentage of transfers resulting in twin live births (%)	1 / 10			0 / 9		
Percentage of transfers resulting in live births (%)	2 / 10			1 / 9		
Percentage of transfers resulting in pregnancies (%)	4 / 10			2 / 9		

### CURRENT SERVICES & PROFILE

Current Name: Assisted Fertility Program

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# BROWN FERTILITY JACKSONVILLE, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Samuel E. Brown, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	96%	Tubal factor	10%	Uterine factor	1%	<i>Multiple Factors:</i> Female factors only 15% Female & male factors 7%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	19%	Male factor	14%	
Used gestational carrier	2%			Diminished ovarian reserve	35%	Other factor	13%	
				Endometriosis	23%	Unknown factor	9%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 493 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	114	64	43	20	10	2
Percentage of cancellations before retrieval (%)	0.0	3.1	2.3	5.0	0 / 10	1 / 2
Average number of embryos transferred	1.5	2.0	2.2	2.6	3.0	
Percentage of embryos transferred resulting in implantation (%)	42.1	24.7	13.9	11.9	3.3	
Percentage of elective single embryo transfers (eSET) (%)	48.8	7.5	5.7	0 / 17	0 / 9	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	21.1	12.5	9.3	5.0	0 / 10	0 / 2
Percentage of cycles resulting in singleton live births (%)	28.1	12.5	9.3	5.0	0 / 10	0 / 2
Percentage of cycles resulting in twin live births (%)	6.1	3.1	0.0	5.0	0 / 10	0 / 2
Percentage of cycles resulting in live births (%)	35.1	15.6	9.3	10.0	0 / 10	0 / 2
Percentage of cycles resulting in pregnancies (%)	51.8	40.6	25.6	30.0	1 / 10	0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	101	55	36	18	10	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	23.8	14.5	11.1	1 / 18	0 / 10	
Percentage of transfers resulting in singleton live births (%)	31.7	14.5	11.1	1 / 18	0 / 10	
Percentage of transfers resulting in twin live births (%)	6.9	3.6	0.0	1 / 18	0 / 10	
Percentage of transfers resulting in live births (%)	39.6	18.2	11.1	2 / 18	0 / 10	
Percentage of transfers resulting in pregnancies (%)	58.4	47.3	30.6	6 / 18	1 / 10	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	81	50	22	10	4	0
Number of transfers	81	50	22	10	4	0
Estimated average number of transfers per retrieval	2.1	1.8	2.2	3.3		
Average number of embryos transferred	2.0	2.2	2.3	2.8	2.8	
Percentage of embryos transferred resulting in implantation (%)	25.3	17.7	17.1	0.0	0 / 8	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	14.8	16.0	4.5	0 / 10	0 / 4	
Percentage of transfers resulting in singleton live births (%)	16.0	20.0	4.5	0 / 10	0 / 4	
Percentage of transfers resulting in twin live births (%)	9.9	2.0	4.5	0 / 10	0 / 4	
Percentage of transfers resulting in live births (%)	25.9	22.0	13.6	0 / 10	0 / 4	
Percentage of transfers resulting in pregnancies (%)	48.1	42.0	36.4	0 / 10	1 / 4	
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		55			18	
Number of transfers		53			18	
Average number of embryos transferred		1.5			2.1	
Percentage of embryos transferred resulting in implantation (%)		55.9			30.3	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		41.5			2 / 18	
Percentage of transfers resulting in singleton live births (%)		50.9			4 / 18	
Percentage of transfers resulting in twin live births (%)		7.5			2 / 18	
Percentage of transfers resulting in live births (%)		60.4			6 / 18	
Percentage of transfers resulting in pregnancies (%)		71.7			9 / 18	

## CURRENT SERVICES & PROFILE

Current Name: Brown Fertility

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 1 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FLORIDA INSTITUTE FOR REPRODUCTIVE MEDICINE JACKSONVILLE, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Kevin L. Winslow, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	85%	Tubal factor	12%	Uterine factor	6%	<i>Multiple Factors:</i> Female factors only 13% Female & male factors 26%
Unstimulated	<1%	PGD/PGS	0%	Ovulatory dysfunction	20%	Male factor	47%	
Used gestational carrier	<1%			Diminished ovarian reserve	34%	Other factor	6%	
				Endometriosis	15%	Unknown factor	8%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 848 (includes 24 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	142	54	48	14	13	11
Percentage of cancellations before retrieval (%)	0.7	1.9	6.3	0 / 14	2 / 13	1 / 11
Average number of embryos transferred	1.7	2.0	2.2	2.3	2.8	3.0
Percentage of embryos transferred resulting in implantation (%)	35.5	42.7	19.7	9.5	0.0	4.8
Percentage of elective single embryo transfers (eSET) (%)	33.3	5.6	3.4	0 / 9	0 / 6	0 / 6
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	17.6	16.7	10.4	1 / 14	0 / 13	1 / 11
Percentage of cycles resulting in singleton live births (%)	21.1	18.5	12.5	1 / 14	0 / 13	1 / 11
Percentage of cycles resulting in twin live births (%)	7.0	14.8	4.2	0 / 14	0 / 13	0 / 11
Percentage of cycles resulting in live births (%)	28.2	33.3	16.7	1 / 14	0 / 13	1 / 11
Percentage of cycles resulting in pregnancies (%)	33.1	37.0	25.0	1 / 14	0 / 13	1 / 11
<b>Outcomes per Transfer</b>						
Number of transfers	99	39	33	10	8	7
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	25.3	23.1	15.2	1 / 10	0 / 8	1 / 7
Percentage of transfers resulting in singleton live births (%)	30.3	25.6	18.2	1 / 10	0 / 8	1 / 7
Percentage of transfers resulting in twin live births (%)	10.1	20.5	6.1	0 / 10	0 / 8	0 / 7
Percentage of transfers resulting in live births (%)	40.4	46.2	24.2	1 / 10	0 / 8	1 / 7
Percentage of transfers resulting in pregnancies (%)	47.5	51.3	36.4	1 / 10	0 / 8	1 / 7
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	171	69	39	21	2	3
Number of transfers	170	69	38	21	2	3
Estimated average number of transfers per retrieval	2.0	1.8	2.1	1.1	1.0	0.3
Average number of embryos transferred	1.6	1.6	1.8	2.1	2.0	1.3
Percentage of embryos transferred resulting in implantation (%)	42.1	44.9	25.0	14.6	2 / 4	0 / 4
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	22.9	26.1	13.2	19.0	1 / 2	0 / 3
Percentage of transfers resulting in singleton live births (%)	28.8	26.1	21.1	23.8	1 / 2	0 / 3
Percentage of transfers resulting in twin live births (%)	11.8	14.5	5.3	0.0	0 / 2	0 / 3
Percentage of transfers resulting in live births (%)	41.2	40.6	28.9	23.8	1 / 2	0 / 3
Percentage of transfers resulting in pregnancies (%)	52.9	55.1	36.8	33.3	2 / 2	0 / 3
<b>Number of Egg/Embryo Banking Cycles</b>						
	20	19	11	10	2	8
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		42			125	
Number of transfers		41			121	
Average number of embryos transferred		1.7			1.7	
Percentage of embryos transferred resulting in implantation (%)		49.3			34.8	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		26.8			20.7	
Percentage of transfers resulting in singleton live births (%)		41.5			29.8	
Percentage of transfers resulting in twin live births (%)		14.6			10.7	
Percentage of transfers resulting in live births (%)		56.1			40.5	
Percentage of transfers resulting in pregnancies (%)		68.3			48.8	

## CURRENT SERVICES & PROFILE

Current Name: Florida Institute for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# JACKSONVILLE CENTER FOR REPRODUCTIVE MEDICINE JACKSONVILLE, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Michael D. Fox, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	31%	Tubal factor	6%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 0% Female & male factors 0%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	14%	Male factor	13%	
Used gestational carrier	0%			Diminished ovarian reserve	35%	Other factor	3%	
				Endometriosis	27%	Unknown factor	<1%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 304 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	85	23	36	16	10	0
Percentage of cancellations before retrieval (%)	7.1	21.7	19.4	2 / 16	1 / 10	
Average number of embryos transferred	1.9	1.8	2.0	2.3	1.6	
Percentage of embryos transferred resulting in implantation (%)	29.1	44.4	30.4	0.0	0 / 8	
Percentage of elective single embryo transfers (eSET) (%)	9.7	1 / 13	0.0	0 / 11	0 / 3	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	15.3	21.7	13.9	0 / 16	0 / 10	
Percentage of cycles resulting in singleton live births (%)	17.6	26.1	19.4	0 / 16	0 / 10	
Percentage of cycles resulting in twin live births (%)	10.6	4.3	5.6	0 / 16	0 / 10	
Percentage of cycles resulting in live births (%)	28.2	30.4	25.0	0 / 16	0 / 10	
Percentage of cycles resulting in pregnancies (%)	32.9	39.1	30.6	0 / 16	0 / 10	
<b>Outcomes per Transfer</b>						
Number of transfers	68	15	23	11	5	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	19.1	5 / 15	21.7	0 / 11	0 / 5	
Percentage of transfers resulting in singleton live births (%)	22.1	6 / 15	30.4	0 / 11	0 / 5	
Percentage of transfers resulting in twin live births (%)	13.2	1 / 15	8.7	0 / 11	0 / 5	
Percentage of transfers resulting in live births (%)	35.3	7 / 15	39.1	0 / 11	0 / 5	
Percentage of transfers resulting in pregnancies (%)	41.2	9 / 15	47.8	0 / 11	0 / 5	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	42	18	7	2	1	0
Number of transfers	38	18	6	2	1	0
Estimated average number of transfers per retrieval	1.9	1.8	0.4	2.0	0.2	0.0
Average number of embryos transferred	1.4	1.4	1.7	2.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	28.6	24.0	0 / 10	3 / 4	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	18.4	3 / 18	0 / 6	0 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)	21.1	3 / 18	0 / 6	0 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)	5.3	1 / 18	0 / 6	1 / 2	0 / 1	
Percentage of transfers resulting in live births (%)	26.3	4 / 18	0 / 6	1 / 2	0 / 1	
Percentage of transfers resulting in pregnancies (%)	39.5	5 / 18	0 / 6	2 / 2	0 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>						
	7	7	10	1	3	1
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		19			15	
Number of transfers		18			13	
Average number of embryos transferred		2.1			1.6	
Percentage of embryos transferred resulting in implantation (%)		23.7			5 / 19	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 18			2 / 13	
Percentage of transfers resulting in singleton live births (%)		2 / 18			3 / 13	
Percentage of transfers resulting in twin live births (%)		3 / 18			0 / 13	
Percentage of transfers resulting in live births (%)		5 / 18			3 / 13	
Percentage of transfers resulting in pregnancies (%)		6 / 18			6 / 13	

## CURRENT SERVICES & PROFILE

Current Name: Jacksonville Center for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

# IVF FLORIDA REPRODUCTIVE ASSOCIATES MARGATE, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by David I. Hoffman, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	53%	Tubal factor	17%	Uterine factor	4%	<i>Multiple Factors:</i> Female factors only 6% Female & male factors 10%
Unstimulated	<1%	PGD/PGS	<1%	Ovulatory dysfunction	13%	Male factor	33%	
Used gestational carrier	2%			Diminished ovarian reserve	23%	Other factor	9%	
				Endometriosis	10%	Unknown factor	8%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 1,137 (includes 54 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	255	146	134	58	32	6
Percentage of cancellations before retrieval (%)	6.7	9.6	14.2	24.1	15.6	3 / 6
Average number of embryos transferred	1.6	1.9	2.2	2.7	2.7	4.0
Percentage of embryos transferred resulting in implantation (%)	35.7	26.6	22.6	15.8	5.5	0 / 8
Percentage of elective single embryo transfers (eSET) (%)	32.3	13.8	3.6	0.0	0 / 18	0 / 2
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	24.7	18.5	11.9	12.1	6.3	0 / 6
Percentage of cycles resulting in singleton live births (%)	27.8	21.2	14.2	12.1	6.3	0 / 6
Percentage of cycles resulting in twin live births (%)	6.3	4.1	6.7	0.0	0.0	0 / 6
Percentage of cycles resulting in live births (%)	34.5	26.7	20.9	12.1	6.3	0 / 6
Percentage of cycles resulting in pregnancies (%)	39.2	33.6	30.6	24.1	12.5	0 / 6
<b>Outcomes per Transfer</b>						
Number of transfers	202	116	101	36	22	2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	31.2	23.3	15.8	19.4	9.1	0 / 2
Percentage of transfers resulting in singleton live births (%)	35.1	26.7	18.8	19.4	9.1	0 / 2
Percentage of transfers resulting in twin live births (%)	7.9	5.2	8.9	0.0	0.0	0 / 2
Percentage of transfers resulting in live births (%)	43.6	33.6	27.7	19.4	9.1	0 / 2
Percentage of transfers resulting in pregnancies (%)	49.5	42.2	40.6	38.9	18.2	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	144	68	39	19	9	7
Number of transfers	135	67	37	18	6	7
Estimated average number of transfers per retrieval	1.4	1.2	1.2	0.9	0.7	0.6
Average number of embryos transferred	1.6	1.7	1.6	2.6	2.2	2.0
Percentage of embryos transferred resulting in implantation (%)	38.5	25.7	36.8	6.5	0 / 13	0 / 14
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	23.7	26.9	35.1	0 / 18	0 / 6	0 / 7
Percentage of transfers resulting in singleton live births (%)	27.4	31.3	35.1	1 / 18	0 / 6	0 / 7
Percentage of transfers resulting in twin live births (%)	11.1	1.5	0.0	0 / 18	0 / 6	0 / 7
Percentage of transfers resulting in live births (%)	38.5	32.8	35.1	1 / 18	0 / 6	0 / 7
Percentage of transfers resulting in pregnancies (%)	52.6	43.3	51.4	3 / 18	0 / 6	0 / 7
<b>Number of Egg/Embryo Banking Cycles</b>						
	27	23	21	16	2	12
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		18			47	
Number of transfers		14			43	
Average number of embryos transferred		1.7			1.4	
Percentage of embryos transferred resulting in implantation (%)		33.3			23.6	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		4 / 14			23.3	
Percentage of transfers resulting in singleton live births (%)		4 / 14			25.6	
Percentage of transfers resulting in twin live births (%)		2 / 14			0.0	
Percentage of transfers resulting in live births (%)		6 / 14			25.6	
Percentage of transfers resulting in pregnancies (%)		6 / 14			39.5	

## CURRENT SERVICES & PROFILE

Current Name: IVF Florida Reproductive Associates

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# VIERA FERTILITY CENTER FERTILITY AND REPRODUCTIVE MEDICINE CENTER FOR WOMEN MELBOURNE, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Diran Chamoun, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	41%	Tubal factor	19%	Uterine factor	16%	<i>Multiple Factors:</i> Female factors only 26% Female & male factors 19%
Unstimulated	0%	PGD/PGS	19%	Ovulatory dysfunction	33%	Male factor	37%	
Used gestational carrier	3%			Diminished ovarian reserve	26%	Other factor	19%	
				Endometriosis	2%	Unknown factor	2%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 49 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	19	7	8	3	0	0
Percentage of cancellations before retrieval (%)	0 / 19	2 / 7	0 / 8	0 / 3		
Average number of embryos transferred	1.8	2.2	2.1	2.7		
Percentage of embryos transferred resulting in implantation (%)	39.4	4 / 11	2 / 17	0 / 8		
Percentage of elective single embryo transfers (eSET) (%)	1 / 16	0 / 5	0 / 6	0 / 3		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	6 / 19	1 / 7	1 / 8	0 / 3		
Percentage of cycles resulting in singleton live births (%)	6 / 19	1 / 7	2 / 8	0 / 3		
Percentage of cycles resulting in twin live births (%)	3 / 19	0 / 7	0 / 8	0 / 3		
Percentage of cycles resulting in live births (%)	9 / 19	2 / 7	2 / 8	0 / 3		
Percentage of cycles resulting in pregnancies (%)	10 / 19	2 / 7	2 / 8	0 / 3		
<b>Outcomes per Transfer</b>						
Number of transfers	18	5	8	3	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	6 / 18	1 / 5	1 / 8	0 / 3		
Percentage of transfers resulting in singleton live births (%)	6 / 18	1 / 5	2 / 8	0 / 3		
Percentage of transfers resulting in twin live births (%)	3 / 18	0 / 5	0 / 8	0 / 3		
Percentage of transfers resulting in live births (%)	9 / 18	2 / 5	2 / 8	0 / 3		
Percentage of transfers resulting in pregnancies (%)	10 / 18	2 / 5	2 / 8	0 / 3		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	1	2	1	0	0	0
Number of transfers	1	1	1	0	0	0
Estimated average number of transfers per retrieval	0.5		1.0	0.0		
Average number of embryos transferred	1.0	2.0	3.0			
Percentage of embryos transferred resulting in implantation (%)	0 / 1	1 / 2	0 / 3			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 1	0 / 1	0 / 1			
Percentage of transfers resulting in singleton live births (%)	0 / 1	0 / 1	0 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1	0 / 1			
Percentage of transfers resulting in live births (%)	0 / 1	0 / 1	0 / 1			
Percentage of transfers resulting in pregnancies (%)	0 / 1	1 / 1	0 / 1			
<b>Number of Egg/Embryo Banking Cycles</b>						
	2	0	0	1	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		0			2	
Number of transfers		0			2	
Average number of embryos transferred					2.0	
Percentage of embryos transferred resulting in implantation (%)					0 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)					0 / 2	
Percentage of transfers resulting in singleton live births (%)					0 / 2	
Percentage of transfers resulting in twin live births (%)					0 / 2	
Percentage of transfers resulting in live births (%)					0 / 2	
Percentage of transfers resulting in pregnancies (%)					0 / 2	

## CURRENT SERVICES & PROFILE

Current Name: Viera Fertility Center, Fertility and Reproductive Medicine Center for Women

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# CONCEPTIONS FLORIDA: CENTER FOR FERTILITY AND GENETICS MIAMI, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Armando E. Hernandez-Rey, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	52%	Tubal factor	7%	Uterine factor	6%	<i>Multiple Factors:</i> Female factors only 3% Female & male factors 7%
Unstimulated	2%	PGD/PGS	2%	Ovulatory dysfunction	7%	Male factor	25%	
Used gestational carrier	4%			Diminished ovarian reserve	44%	Other factor	6%	
				Endometriosis	6%	Unknown factor	7%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 83 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	18	13	7	6	3	1
Percentage of cancellations before retrieval (%)	1 / 18	4 / 13	1 / 7	2 / 6	0 / 3	0 / 1
Average number of embryos transferred	1.9	1.7	2.0		2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	11.5	2 / 10	3 / 10		0 / 6	1 / 2
Percentage of elective single embryo transfers (eSET) (%)	3 / 15	1 / 5	0 / 4		0 / 3	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 18	0 / 13	1 / 7	0 / 6	0 / 3	1 / 1
Percentage of cycles resulting in singleton live births (%)	3 / 18	0 / 13	1 / 7	0 / 6	0 / 3	1 / 1
Percentage of cycles resulting in twin live births (%)	0 / 18	1 / 13	1 / 7	0 / 6	0 / 3	0 / 1
Percentage of cycles resulting in live births (%)	3 / 18	1 / 13	2 / 7	0 / 6	0 / 3	1 / 1
Percentage of cycles resulting in pregnancies (%)	5 / 18	1 / 13	2 / 7	0 / 6	0 / 3	1 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	16	6	5	0	3	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 16	0 / 6	1 / 5		0 / 3	1 / 1
Percentage of transfers resulting in singleton live births (%)	3 / 16	0 / 6	1 / 5		0 / 3	1 / 1
Percentage of transfers resulting in twin live births (%)	0 / 16	1 / 6	1 / 5		0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	3 / 16	1 / 6	2 / 5		0 / 3	1 / 1
Percentage of transfers resulting in pregnancies (%)	5 / 16	1 / 6	2 / 5		0 / 3	1 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	3	8	5	4	0	0
Number of transfers	3	8	4	4	0	0
Estimated average number of transfers per retrieval	1.5	2.7	2.0	2.0		
Average number of embryos transferred	1.7	1.8	1.8	2.3		
Percentage of embryos transferred resulting in implantation (%)	2 / 5	7 / 14	3 / 7	0 / 7		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 3	1 / 8	3 / 4	0 / 4		
Percentage of transfers resulting in singleton live births (%)	2 / 3	2 / 8	3 / 4	0 / 4		
Percentage of transfers resulting in twin live births (%)	0 / 3	2 / 8	0 / 4	0 / 4		
Percentage of transfers resulting in live births (%)	2 / 3	4 / 8	3 / 4	0 / 4		
Percentage of transfers resulting in pregnancies (%)	2 / 3	5 / 8	3 / 4	1 / 4		
<b>Number of Egg/Embryo Banking Cycles</b>						
	1	0	1	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	11			2		
Number of transfers	9			2		
Average number of embryos transferred	1.8			2.0		
Percentage of embryos transferred resulting in implantation (%)	6 / 16			1 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 9			1 / 2		
Percentage of transfers resulting in singleton live births (%)	4 / 9			1 / 2		
Percentage of transfers resulting in twin live births (%)	1 / 9			0 / 2		
Percentage of transfers resulting in live births (%)	5 / 9			1 / 2		
Percentage of transfers resulting in pregnancies (%)	5 / 9			1 / 2		

## CURRENT SERVICES & PROFILE

Current Name: Conceptions Florida: Center for Fertility and Genetics

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FERTILITY & IVF CENTER OF MIAMI, INC. MIAMI, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Michael H. Jacobs, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	84%	Tubal factor	9%	Uterine factor	9%	<i>Multiple Factors:</i> Female factors only 23% Female & male factors 38%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	15%	Male factor	47%	
Used gestational carrier	2%			Diminished ovarian reserve	39%	Other factor	50%	
				Endometriosis	9%	Unknown factor	<1%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 564 (includes 14 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	85	51	47	23	17	8
Percentage of cancellations before retrieval (%)	8.2	9.8	25.5	13.0	5 / 17	2 / 8
Average number of embryos transferred	2.0	2.1	1.9	2.8	2.0	2.3
Percentage of embryos transferred resulting in implantation (%)	28.5	39.4	16.1	8.3	0 / 14	0 / 9
Percentage of elective single embryo transfers (eSET) (%)	6.8	0.0	4.3	0 / 11	0 / 5	0 / 2
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	11.8	9.8	6.4	4.3	0 / 17	0 / 8
Percentage of cycles resulting in singleton live births (%)	12.9	17.6	6.4	4.3	0 / 17	0 / 8
Percentage of cycles resulting in twin live births (%)	9.4	7.8	4.3	4.3	0 / 17	0 / 8
Percentage of cycles resulting in live births (%)	22.4	25.5	10.6	8.7	0 / 17	0 / 8
Percentage of cycles resulting in pregnancies (%)	27.1	33.3	14.9	8.7	0 / 17	0 / 8
<b>Outcomes per Transfer</b>						
Number of transfers	63	32	29	13	7	4
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	15.9	15.6	10.3	1 / 13	0 / 7	0 / 4
Percentage of transfers resulting in singleton live births (%)	17.5	28.1	10.3	1 / 13	0 / 7	0 / 4
Percentage of transfers resulting in twin live births (%)	12.7	12.5	6.9	1 / 13	0 / 7	0 / 4
Percentage of transfers resulting in live births (%)	30.2	40.6	17.2	2 / 13	0 / 7	0 / 4
Percentage of transfers resulting in pregnancies (%)	36.5	53.1	24.1	2 / 13	0 / 7	0 / 4
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	61	38	31	20	10	7
Number of transfers	60	35	30	17	10	7
Estimated average number of transfers per retrieval	1.0	0.9	1.1	0.7	0.8	2.3
Average number of embryos transferred	1.8	1.7	1.7	1.6	1.7	2.1
Percentage of embryos transferred resulting in implantation (%)	41.3	43.1	40.0	32.1	9 / 17	6 / 15
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	21.7	22.9	30.0	2 / 17	3 / 10	2 / 7
Percentage of transfers resulting in singleton live births (%)	31.7	25.7	43.3	4 / 17	3 / 10	2 / 7
Percentage of transfers resulting in twin live births (%)	13.3	14.3	3.3	0 / 17	2 / 10	2 / 7
Percentage of transfers resulting in live births (%)	45.0	40.0	46.7	4 / 17	5 / 10	4 / 7
Percentage of transfers resulting in pregnancies (%)	55.0	54.3	60.0	6 / 17	6 / 10	4 / 7
<b>Number of Egg/Embryo Banking Cycles</b>						
	43	24	19	22	12	2
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		26			4	
Number of transfers		22			4	
Average number of embryos transferred		2.0			1.8	
Percentage of embryos transferred resulting in implantation (%)		46.5			4 / 7	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		27.3			0 / 4	
Percentage of transfers resulting in singleton live births (%)		27.3			0 / 4	
Percentage of transfers resulting in twin live births (%)		27.3			1 / 4	
Percentage of transfers resulting in live births (%)		54.5			1 / 4	
Percentage of transfers resulting in pregnancies (%)		59.1			2 / 4	

## CURRENT SERVICES & PROFILE

Current Name: Fertility & IVF Center of Miami, Inc.

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# UNIVERSITY OF MIAMI INFERTILITY CENTER MIAMI, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by George R. Attia, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	86%	Tubal factor	20%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 3% Female & male factors 15%
Unstimulated	0%	PGD/PGS	9%	Ovulatory dysfunction	4%	Male factor	42%	
Used gestational carrier	<1%			Diminished ovarian reserve	32%	Other factor	4%	
				Endometriosis	4%	Unknown factor	12%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 201 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	50	41	31	11	6	0
Percentage of cancellations before retrieval (%)	4.0	9.8	19.4	1 / 11	1 / 6	
Average number of embryos transferred	2.0	2.0	2.5	2.4	2.8	
Percentage of embryos transferred resulting in implantation (%)	36.0	31.9	16.1	7 / 19	0 / 11	
Percentage of elective single embryo transfers (eSET) (%)	0.0	6.3	8.7	0 / 7	0 / 4	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	20.0	22.0	6.5	2 / 11	0 / 6	
Percentage of cycles resulting in singleton live births (%)	28.0	29.3	9.7	2 / 11	0 / 6	
Percentage of cycles resulting in twin live births (%)	16.0	9.8	3.2	1 / 11	0 / 6	
Percentage of cycles resulting in live births (%)	44.0	39.0	12.9	3 / 11	0 / 6	
Percentage of cycles resulting in pregnancies (%)	52.0	43.9	25.8	6 / 11	0 / 6	
<b>Outcomes per Transfer</b>						
Number of transfers	46	36	24	8	4	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	21.7	25.0	8.3	2 / 8	0 / 4	
Percentage of transfers resulting in singleton live births (%)	30.4	33.3	12.5	2 / 8	0 / 4	
Percentage of transfers resulting in twin live births (%)	17.4	11.1	4.2	1 / 8	0 / 4	
Percentage of transfers resulting in live births (%)	47.8	44.4	16.7	3 / 8	0 / 4	
Percentage of transfers resulting in pregnancies (%)	56.5	50.0	33.3	6 / 8	0 / 4	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	22	7	4	1	0	0
Number of transfers	22	7	4	1	0	0
Estimated average number of transfers per retrieval	1.6	1.0	0.8	0.5	0.0	
Average number of embryos transferred	2.0	2.0	2.3	3.0		
Percentage of embryos transferred resulting in implantation (%)	30.2	2 / 9	1 / 9	0 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	22.7	2 / 7	0 / 4	0 / 1		
Percentage of transfers resulting in singleton live births (%)	27.3	2 / 7	0 / 4	0 / 1		
Percentage of transfers resulting in twin live births (%)	9.1	0 / 7	0 / 4	0 / 1		
Percentage of transfers resulting in live births (%)	36.4	2 / 7	0 / 4	0 / 1		
Percentage of transfers resulting in pregnancies (%)	54.5	5 / 7	1 / 4	0 / 1		
<b>Number of Egg/Embryo Banking Cycles</b>						
	3	4	5	2	3	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	7			4		
Number of transfers	5			4		
Average number of embryos transferred	1.8			1.5		
Percentage of embryos transferred resulting in implantation (%)	3 / 9			0 / 6		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 5			0 / 4		
Percentage of transfers resulting in singleton live births (%)	2 / 5			0 / 4		
Percentage of transfers resulting in twin live births (%)	0 / 5			0 / 4		
Percentage of transfers resulting in live births (%)	2 / 5			0 / 4		
Percentage of transfers resulting in pregnancies (%)	3 / 5			0 / 4		

## CURRENT SERVICES & PROFILE

Current Name: University of Miami Infertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# CENTER FOR REPRODUCTIVE MEDICINE, PA ORLANDO, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Randall A. Loy, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	61%	Tubal factor	11%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 9% Female & male factors 8%
Unstimulated	1%	PGD/PGS	<1%	Ovulatory dysfunction	39%	Male factor	20%	
Used gestational carrier	<1%			Diminished ovarian reserve	19%	Other factor	12%	
				Endometriosis	12%	Unknown factor	2%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 971 (includes 73 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	186	98	96	29	16	2
Percentage of cancellations before retrieval (%)	5.4	7.1	16.7	17.2	3 / 16	0 / 2
Average number of embryos transferred	1.5	1.7	2.0	1.6	2.2	2.0
Percentage of embryos transferred resulting in implantation (%)	40.1	35.6	18.4	2 / 11	0 / 19	0 / 4
Percentage of elective single embryo transfers (eSET) (%)	38.3	22.4	7.3	0 / 4	0 / 6	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	11.3	18.4	8.3	3.4	0 / 16	0 / 2
Percentage of cycles resulting in singleton live births (%)	16.1	21.4	9.4	3.4	0 / 16	0 / 2
Percentage of cycles resulting in twin live births (%)	7.0	3.1	3.1	0.0	0 / 16	0 / 2
Percentage of cycles resulting in live births (%)	23.1	25.5	12.5	3.4	0 / 16	0 / 2
Percentage of cycles resulting in pregnancies (%)	24.7	30.6	15.6	3.4	2 / 16	0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	95	57	51	7	11	2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	22.1	31.6	15.7	1 / 7	0 / 11	0 / 2
Percentage of transfers resulting in singleton live births (%)	31.6	36.8	17.6	1 / 7	0 / 11	0 / 2
Percentage of transfers resulting in twin live births (%)	13.7	5.3	5.9	0 / 7	0 / 11	0 / 2
Percentage of transfers resulting in live births (%)	45.3	43.9	23.5	1 / 7	0 / 11	0 / 2
Percentage of transfers resulting in pregnancies (%)	48.4	52.6	29.4	1 / 7	2 / 11	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	135	101	61	27	9	1
Number of transfers	121	77	55	22	6	1
Estimated average number of transfers per retrieval	1.4	1.4	1.0	1.5	0.6	
Average number of embryos transferred	1.6	1.6	1.8	2.0	1.3	4.0
Percentage of embryos transferred resulting in implantation (%)	39.6	39.6	24.4	33.3	3 / 8	0 / 4
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	25.6	26.0	27.3	22.7	1 / 6	0 / 1
Percentage of transfers resulting in singleton live births (%)	31.4	31.2	34.5	31.8	1 / 6	0 / 1
Percentage of transfers resulting in twin live births (%)	9.9	10.4	1.8	4.5	1 / 6	0 / 1
Percentage of transfers resulting in live births (%)	42.1	41.6	36.4	36.4	2 / 6	0 / 1
Percentage of transfers resulting in pregnancies (%)	52.9	51.9	43.6	50.0	2 / 6	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	15	19	24	8	6	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		18			47	
Number of transfers		9			35	
Average number of embryos transferred		1.6			1.5	
Percentage of embryos transferred resulting in implantation (%)		8 / 14			41.7	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		2 / 9			22.9	
Percentage of transfers resulting in singleton live births (%)		3 / 9			34.3	
Percentage of transfers resulting in twin live births (%)		2 / 9			11.4	
Percentage of transfers resulting in live births (%)		5 / 9			45.7	
Percentage of transfers resulting in pregnancies (%)		5 / 9			51.4	

## CURRENT SERVICES & PROFILE

Current Name: Center for Reproductive Medicine, PA

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# REPRODUCTIVE MEDICINE INSTITUTE ORLANDO, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Fernando L. Gomez, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	54%	Tubal factor	24%	Uterine factor	0%	
Unstimulated	0%	PGD/PGS	20%	Ovulatory dysfunction	71%	Male factor	33%	
Used gestational carrier	0%			Diminished ovarian reserve	36%	Other factor	49%	
				Endometriosis	7%	Unknown factor	2%	
				Multiple Factors:				
				Female factors only				49%
				Female & male factors				27%

2014 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 55 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		22	11	6	2	0	0
Percentage of cancellations before retrieval (%)		0.0	0 / 11	0 / 6	0 / 2		
Average number of embryos transferred		1.8	2.1	2.0			
Percentage of embryos transferred resulting in implantation (%)		44.4	3 / 15	2 / 10			
Percentage of elective single embryo transfers (eSET) (%)		1 / 17	0 / 8	0 / 5			
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		4.5	0 / 11	0 / 6	0 / 2		
Percentage of cycles resulting in singleton live births (%)		45.5	3 / 11	0 / 6	0 / 2		
Percentage of cycles resulting in twin live births (%)		13.6	0 / 11	1 / 6	0 / 2		
Percentage of cycles resulting in live births (%)		59.1	3 / 11	1 / 6	0 / 2		
Percentage of cycles resulting in pregnancies (%)		59.1	4 / 11	1 / 6	0 / 2		
<b>Outcomes per Transfer</b>							
Number of transfers		20	8	5	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		5.0	0 / 8	0 / 5			
Percentage of transfers resulting in singleton live births (%)		50.0	3 / 8	0 / 5			
Percentage of transfers resulting in twin live births (%)		15.0	0 / 8	1 / 5			
Percentage of transfers resulting in live births (%)		65.0	3 / 8	1 / 5			
Percentage of transfers resulting in pregnancies (%)		65.0	4 / 8	1 / 5			
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		2	3	0	0	0	0
Number of transfers		1	3	0	0	0	0
Estimated average number of transfers per retrieval			3.0				
Average number of embryos transferred		1.0	1.7				
Percentage of embryos transferred resulting in implantation (%)		0 / 1	3 / 5				
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0 / 1	0 / 3				
Percentage of transfers resulting in singleton live births (%)		0 / 1	3 / 3				
Percentage of transfers resulting in twin live births (%)		0 / 1	0 / 3				
Percentage of transfers resulting in live births (%)		0 / 1	3 / 3				
Percentage of transfers resulting in pregnancies (%)		0 / 1	3 / 3				
<b>Number of Egg/Embryo Banking Cycles</b>							
		0	0	0	0	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		4			5		
Number of transfers		4			5		
Average number of embryos transferred		2.3			1.6		
Percentage of embryos transferred resulting in implantation (%)		1 / 9			3 / 8		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0 / 4			0 / 5		
Percentage of transfers resulting in singleton live births (%)		0 / 4			3 / 5		
Percentage of transfers resulting in twin live births (%)		0 / 4			0 / 5		
Percentage of transfers resulting in live births (%)		0 / 4			3 / 5		
Percentage of transfers resulting in pregnancies (%)		1 / 4			3 / 5		

CURRENT SERVICES & PROFILE		Current Name: Reproductive Medicine Institute					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Pending
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# NEW LEADERS IN FERTILITY & ENDOCRINOLOGY, LLC PENSACOLA, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Barry A. Ripps, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	91%	Tubal factor	23%	Uterine factor	4%	<i>Multiple Factors:</i> Female factors only 11% Female & male factors 12%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	10%	Male factor	41%	
Used gestational carrier	0%			Diminished ovarian reserve	21%	Other factor	2%	
				Endometriosis	16%	Unknown factor	9%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 227 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	107	30	20	13	5	0
Percentage of cancellations before retrieval (%)	7.5	6.7	10.0	0 / 13	1 / 5	
Average number of embryos transferred	1.7	2.2	1.9	1.9	1.5	
Percentage of embryos transferred resulting in implantation (%)	45.2	44.7	10.3	4 / 19	0 / 2	
Percentage of elective single embryo transfers (eSET) (%)	20.6	0.0	0 / 9	0 / 8	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	23.4	16.7	10.0	1 / 13	0 / 5	
Percentage of cycles resulting in singleton live births (%)	27.1	26.7	10.0	2 / 13	0 / 5	
Percentage of cycles resulting in twin live births (%)	15.0	13.3	0.0	0 / 13	0 / 5	
Percentage of cycles resulting in live births (%)	42.1	43.3	10.0	2 / 13	0 / 5	
Percentage of cycles resulting in pregnancies (%)	45.8	50.0	20.0	4 / 13	1 / 5	
<b>Outcomes per Transfer</b>						
Number of transfers	88	22	17	10	2	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	28.4	22.7	2 / 17	1 / 10	0 / 2	
Percentage of transfers resulting in singleton live births (%)	33.0	36.4	2 / 17	2 / 10	0 / 2	
Percentage of transfers resulting in twin live births (%)	18.2	18.2	0 / 17	0 / 10	0 / 2	
Percentage of transfers resulting in live births (%)	51.1	59.1	2 / 17	2 / 10	0 / 2	
Percentage of transfers resulting in pregnancies (%)	55.7	68.2	4 / 17	4 / 10	1 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	22	7	2	2	0	1
Number of transfers	21	6	1	2	0	1
Estimated average number of transfers per retrieval	1.0	1.0	0.3		0.0	
Average number of embryos transferred	1.6	2.2	1.0	1.5		1.0
Percentage of embryos transferred resulting in implantation (%)	26.5	6 / 13	0 / 1	0 / 3		0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	28.6	1 / 6	0 / 1	0 / 2		0 / 1
Percentage of transfers resulting in singleton live births (%)	33.3	2 / 6	0 / 1	0 / 2		0 / 1
Percentage of transfers resulting in twin live births (%)	0.0	2 / 6	0 / 1	0 / 2		0 / 1
Percentage of transfers resulting in live births (%)	33.3	4 / 6	0 / 1	0 / 2		0 / 1
Percentage of transfers resulting in pregnancies (%)	38.1	4 / 6	0 / 1	0 / 2		0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	5	4	4	0	2	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

## CURRENT SERVICES & PROFILE

Current Name: New Leaders in Fertility & Endocrinology, LLC

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FERTILITY & GENETICS PLANTATION, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Mick Abaé, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	76%	Tubal factor	24%	Uterine factor	30%	Multiple Factors: Female factors only 25% Female & male factors 54%
Unstimulated	<1%	PGD/PGS	0%	Ovulatory dysfunction	20%	Male factor	58%	
Used gestational carrier	0%			Diminished ovarian reserve	51%	Other factor	21%	
				Endometriosis	12%	Unknown factor	<1%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 232 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	47	23	37	18	15	3
Percentage of cancellations before retrieval (%)	2.1	8.7	5.4	3 / 18	3 / 15	1 / 3
Average number of embryos transferred	1.9	1.7	2.1	2.7	2.8	3.0
Percentage of embryos transferred resulting in implantation (%)	28.2	36.4	30.4	3.1	8.0	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	17.9	1 / 14	0.0	0 / 10	0 / 7	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	19.1	26.1	24.3	0 / 18	0 / 15	0 / 3
Percentage of cycles resulting in singleton live births (%)	19.1	30.4	27.0	0 / 18	0 / 15	0 / 3
Percentage of cycles resulting in twin live births (%)	10.6	0.0	5.4	0 / 18	1 / 15	0 / 3
Percentage of cycles resulting in live births (%)	29.8	30.4	32.4	0 / 18	1 / 15	0 / 3
Percentage of cycles resulting in pregnancies (%)	38.3	43.5	35.1	1 / 18	1 / 15	0 / 3
<b>Outcomes per Transfer</b>						
Number of transfers	43	20	27	12	9	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	20.9	30.0	33.3	0 / 12	0 / 9	0 / 1
Percentage of transfers resulting in singleton live births (%)	20.9	35.0	37.0	0 / 12	0 / 9	0 / 1
Percentage of transfers resulting in twin live births (%)	11.6	0.0	7.4	0 / 12	1 / 9	0 / 1
Percentage of transfers resulting in live births (%)	32.6	35.0	44.4	0 / 12	1 / 9	0 / 1
Percentage of transfers resulting in pregnancies (%)	41.9	50.0	48.1	1 / 12	1 / 9	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	38	6	8	2	0	0
Number of transfers	38	6	8	2	0	0
Estimated average number of transfers per retrieval	1.3	1.0	0.8	0.4	0.0	
Average number of embryos transferred	1.8	1.7	2.0	3.5		
Percentage of embryos transferred resulting in implantation (%)	41.8	3 / 10	2 / 16	2 / 7		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	23.7	3 / 6	0 / 8	0 / 2		
Percentage of transfers resulting in singleton live births (%)	26.3	3 / 6	0 / 8	0 / 2		
Percentage of transfers resulting in twin live births (%)	15.8	0 / 6	1 / 8	1 / 2		
Percentage of transfers resulting in live births (%)	42.1	3 / 6	1 / 8	1 / 2		
Percentage of transfers resulting in pregnancies (%)	52.6	3 / 6	1 / 8	1 / 2		
<b>Number of Egg/Embryo Banking Cycles</b>						
	15	3	7	2	1	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	6			1		
Number of transfers	6			1		
Average number of embryos transferred	2.0			2.0		
Percentage of embryos transferred resulting in implantation (%)	5 / 12			0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 6			0 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 6			0 / 1		
Percentage of transfers resulting in twin live births (%)	2 / 6			0 / 1		
Percentage of transfers resulting in live births (%)	3 / 6			0 / 1		
Percentage of transfers resulting in pregnancies (%)	3 / 6			0 / 1		

## CURRENT SERVICES & PROFILE

Current Name: Fertility & Genetics

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FERTILITY CENTER & APPLIED GENETICS OF FLORIDA SARASOTA, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Julio E. Pabon, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	83%	Tubal factor	15%	Uterine factor	13%	<i>Multiple Factors:</i> Female factors only 18% Female & male factors 31%
Unstimulated	0%	PGD/PGS	50%	Ovulatory dysfunction	4%	Male factor	45%	
Used gestational carrier	0%			Diminished ovarian reserve	50%	Other factor	25%	
				Endometriosis	6%	Unknown factor	3%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 172 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	5	7	4	2	0	0
Percentage of cancellations before retrieval (%)	0 / 5	0 / 7	0 / 4	1 / 2		
Average number of embryos transferred	1.5	1.7	2.0			
Percentage of embryos transferred resulting in implantation (%)	3 / 3	2 / 10	2 / 4			
Percentage of elective single embryo transfers (eSET) (%)	1 / 2	1 / 5	0 / 2			
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 5	1 / 7	0 / 4	0 / 2		
Percentage of cycles resulting in singleton live births (%)	2 / 5	2 / 7	0 / 4	0 / 2		
Percentage of cycles resulting in twin live births (%)	0 / 5	0 / 7	1 / 4	0 / 2		
Percentage of cycles resulting in live births (%)	2 / 5	2 / 7	1 / 4	0 / 2		
Percentage of cycles resulting in pregnancies (%)	2 / 5	2 / 7	1 / 4	0 / 2		
<b>Outcomes per Transfer</b>						
Number of transfers	2	6	2	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 2	1 / 6	0 / 2			
Percentage of transfers resulting in singleton live births (%)	2 / 2	2 / 6	0 / 2			
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 6	1 / 2			
Percentage of transfers resulting in live births (%)	2 / 2	2 / 6	1 / 2			
Percentage of transfers resulting in pregnancies (%)	2 / 2	2 / 6	1 / 2			
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	29	16	13	1	0	0
Number of transfers	28	13	12	1	0	0
Estimated average number of transfers per retrieval	0.8	1.2	0.6	0.1	0.0	0.0
Average number of embryos transferred	1.2	1.2	1.2	1.0		
Percentage of embryos transferred resulting in implantation (%)	53.3	6 / 10	3 / 13	1 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	28.6	4 / 13	2 / 12	1 / 1		
Percentage of transfers resulting in singleton live births (%)	42.9	5 / 13	3 / 12	1 / 1		
Percentage of transfers resulting in twin live births (%)	3.6	0 / 13	0 / 12	0 / 1		
Percentage of transfers resulting in live births (%)	46.4	5 / 13	3 / 12	1 / 1		
Percentage of transfers resulting in pregnancies (%)	64.3	10 / 13	4 / 12	1 / 1		
<b>Number of Egg/Embryo Banking Cycles</b>						
	32	11	17	8	2	8
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		4			13	
Number of transfers		4			12	
Average number of embryos transferred		1.0			1.2	
Percentage of embryos transferred resulting in implantation (%)		3 / 4			9 / 14	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		2 / 4			7 / 12	
Percentage of transfers resulting in singleton live births (%)		2 / 4			8 / 12	
Percentage of transfers resulting in twin live births (%)		0 / 4			0 / 12	
Percentage of transfers resulting in live births (%)		2 / 4			8 / 12	
Percentage of transfers resulting in pregnancies (%)		3 / 4			8 / 12	

## CURRENT SERVICES & PROFILE

Current Name: Fertility Center & Applied Genetics of Florida

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# SOUTH FLORIDA INSTITUTE FOR REPRODUCTIVE MEDICINE SOUTH MIAMI, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Juergen Eisermann, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	66%	Tubal factor	16%	Uterine factor	6%	<i>Multiple Factors:</i> Female factors only 18% Female & male factors 34%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	12%	Male factor	51%	
Used gestational carrier	<1%			Diminished ovarian reserve	28%	Other factor	41%	
				Endometriosis	11%	Unknown factor	3%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 1,181 (includes 40 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	273	161	168	98	27	1
Percentage of cancellations before retrieval (%)	8.1	12.4	16.1	22.4	14.8	1 / 1
Average number of embryos transferred	1.7	1.8	1.8	1.8	2.1	
Percentage of embryos transferred resulting in implantation (%)	50.8	40.7	23.7	18.0	8.6	
Percentage of elective single embryo transfers (eSET) (%)	27.1	13.9	6.7	0.0	0 / 14	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	23.8	21.7	17.3	8.2	7.4	0 / 1
Percentage of cycles resulting in singleton live births (%)	27.1	28.0	19.6	11.2	7.4	0 / 1
Percentage of cycles resulting in twin live births (%)	14.7	9.3	3.0	1.0	0.0	0 / 1
Percentage of cycles resulting in live births (%)	43.2	37.3	22.6	12.2	7.4	0 / 1
Percentage of cycles resulting in pregnancies (%)	49.5	43.5	29.2	20.4	18.5	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	223	124	123	65	18	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	29.1	28.2	23.6	12.3	2 / 18	
Percentage of transfers resulting in singleton live births (%)	33.2	36.3	26.8	16.9	2 / 18	
Percentage of transfers resulting in twin live births (%)	17.9	12.1	4.1	1.5	0 / 18	
Percentage of transfers resulting in live births (%)	52.9	48.4	30.9	18.5	2 / 18	
Percentage of transfers resulting in pregnancies (%)	60.5	56.5	39.8	30.8	5 / 18	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	109	49	59	16	9	1
Number of transfers	104	46	58	16	9	1
Estimated average number of transfers per retrieval	1.3	1.1	1.1	0.6	1.8	1.0
Average number of embryos transferred	1.6	1.6	1.6	1.6	1.6	2.0
Percentage of embryos transferred resulting in implantation (%)	50.9	38.2	44.4	28.0	4 / 14	1 / 2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	35.6	30.4	41.4	3 / 16	4 / 9	1 / 1
Percentage of transfers resulting in singleton live births (%)	40.4	34.8	46.6	4 / 16	4 / 9	1 / 1
Percentage of transfers resulting in twin live births (%)	13.5	6.5	6.9	0 / 16	0 / 9	0 / 1
Percentage of transfers resulting in live births (%)	53.8	41.3	53.4	4 / 16	4 / 9	1 / 1
Percentage of transfers resulting in pregnancies (%)	67.3	54.3	63.8	5 / 16	4 / 9	1 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	27	24	26	19	4	1
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		41			28	
Number of transfers		34			27	
Average number of embryos transferred		1.5			1.8	
Percentage of embryos transferred resulting in implantation (%)		70.0			43.5	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		29.4			37.0	
Percentage of transfers resulting in singleton live births (%)		47.1			37.0	
Percentage of transfers resulting in twin live births (%)		14.7			11.1	
Percentage of transfers resulting in live births (%)		64.7			48.1	
Percentage of transfers resulting in pregnancies (%)		76.5			63.0	

## CURRENT SERVICES & PROFILE

Current Name: South Florida Institute for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**REPRODUCTIVE HEALTH ASSOCIATES, PA  
CATHERINE L. COWART, MD, FACOG  
TAMPA, FLORIDA**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

**2014 ART CYCLE PROFILE**

Data verified by Catherine L. Cowart, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	64%	Tubal factor	33%	Uterine factor	0%	Multiple Factors: Female factors only 10% Female & male factors 17%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	10%	Male factor	77%	
Used gestational carrier	0%			Diminished ovarian reserve	0%	Other factor	10%	
				Endometriosis	0%	Unknown factor	0%	

**2014 ART SUCCESS RATES<sup>c</sup>**

Total number of cycles<sup>d</sup>: 30 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	13	5	6	1	0	0
Percentage of cancellations before retrieval (%)	3 / 13	1 / 5	2 / 6	1 / 1		
Average number of embryos transferred	2.1	2.7	3.5			
Percentage of embryos transferred resulting in implantation (%)	4 / 17	1 / 8	1 / 14			
Percentage of elective single embryo transfers (eSET) (%)	0 / 9	0 / 3	0 / 4			
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 13	0 / 5	1 / 6	0 / 1		
Percentage of cycles resulting in singleton live births (%)	0 / 13	0 / 5	1 / 6	0 / 1		
Percentage of cycles resulting in twin live births (%)	2 / 13	0 / 5	0 / 6	0 / 1		
Percentage of cycles resulting in live births (%)	2 / 13	0 / 5	1 / 6	0 / 1		
Percentage of cycles resulting in pregnancies (%)	3 / 13	1 / 5	1 / 6	0 / 1		
<b>Outcomes per Transfer</b>						
Number of transfers	9	3	4	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 9	0 / 3	1 / 4			
Percentage of transfers resulting in singleton live births (%)	0 / 9	0 / 3	1 / 4			
Percentage of transfers resulting in twin live births (%)	2 / 9	0 / 3	0 / 4			
Percentage of transfers resulting in live births (%)	2 / 9	0 / 3	1 / 4			
Percentage of transfers resulting in pregnancies (%)	3 / 9	1 / 3	1 / 4			
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	3	0	2	0	0	0
Number of transfers	2	0	2	0	0	0
Estimated average number of transfers per retrieval	2.0		2.0			
Average number of embryos transferred	2.0		3.0			
Percentage of embryos transferred resulting in implantation (%)	0 / 2		3 / 6			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 2		0 / 2			
Percentage of transfers resulting in singleton live births (%)	0 / 2		0 / 2			
Percentage of transfers resulting in twin live births (%)	0 / 2		0 / 2			
Percentage of transfers resulting in live births (%)	0 / 2		1 / 2			
Percentage of transfers resulting in pregnancies (%)	1 / 2		1 / 2			
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

**CURRENT SERVICES & PROFILE**

Current Name: Reproductive Health Associates, PA, Catherine L. Cowart, MD, FACOG

Donor eggs?	No	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## THE REPRODUCTIVE MEDICINE GROUP TAMPA, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Timothy Yeko, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	43%	Tubal factor	20%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 7% Female & male factors 10%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	11%	Male factor	37%	
Used gestational carrier	<1%			Diminished ovarian reserve	14%	Other factor	8%	
				Endometriosis	10%	Unknown factor	16%	

2014 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 730 (includes 5 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		174	73	52	21	6	1
Percentage of cancellations before retrieval (%)		5.2	13.7	13.5	28.6	1 / 6	0 / 1
Average number of embryos transferred		1.7	2.0	2.4	3.4	2.7	2.0
Percentage of embryos transferred resulting in implantation (%)		42.4	35.5	17.4	5.9	0 / 8	0 / 2
Percentage of elective single embryo transfers (eSET) (%)		21.6	4.3	0.0	0 / 9	0 / 3	0 / 1
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		21.3	17.8	21.2	0.0	0 / 6	0 / 1
Percentage of cycles resulting in singleton live births (%)		23.6	17.8	23.1	0.0	0 / 6	0 / 1
Percentage of cycles resulting in twin live births (%)		13.8	11.0	1.9	0.0	0 / 6	0 / 1
Percentage of cycles resulting in live births (%)		37.9	28.8	25.0	0.0	0 / 6	0 / 1
Percentage of cycles resulting in pregnancies (%)		46.6	32.9	26.9	9.5	0 / 6	0 / 1
<b>Outcomes per Transfer</b>							
Number of transfers		150	48	38	10	3	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		24.7	27.1	28.9	0 / 10	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)		27.3	27.1	31.6	0 / 10	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)		16.0	16.7	2.6	0 / 10	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)		44.0	43.8	34.2	0 / 10	0 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)		54.0	50.0	36.8	2 / 10	0 / 3	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		84	46	36	15	1	1
Number of transfers		83	44	35	13	1	1
Estimated average number of transfers per retrieval		1.4	1.0	0.8	0.5	0.3	
Average number of embryos transferred		1.5	1.3	1.3	1.2	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)		58.2	45.6	40.5	5 / 15	0 / 2	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		39.8	47.7	31.4	4 / 13	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)		48.2	47.7	34.3	4 / 13	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)		13.3	2.3	2.9	0 / 13	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)		62.7	50.0	37.1	4 / 13	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)		67.5	56.8	48.6	5 / 13	0 / 1	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>							
		32	32	36	24	3	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		51			37		
Number of transfers		45			31		
Average number of embryos transferred		1.7			1.5		
Percentage of embryos transferred resulting in implantation (%)		64.9			41.3		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		37.8			29.0		
Percentage of transfers resulting in singleton live births (%)		44.4			38.7		
Percentage of transfers resulting in twin live births (%)		28.9			0.0		
Percentage of transfers resulting in live births (%)		73.3			38.7		
Percentage of transfers resulting in pregnancies (%)		80.0			51.6		

CURRENT SERVICES & PROFILE		Current Name: The Reproductive Medicine Group					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# UNIVERSITY OF SOUTH FLORIDA IVF TAMPA, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Shayne Plosker, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	65%	Tubal factor	19%	Uterine factor	4%	Multiple Factors: Female factors only 6% Female & male factors 19%
Unstimulated	<1%	PGD/PGS	3%	Ovulatory dysfunction	9%	Male factor	45%	
Used gestational carrier	<1%			Diminished ovarian reserve	27%	Other factor	7%	
				Endometriosis	8%	Unknown factor	10%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 255 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	81	28	33	14	8	0
Percentage of cancellations before retrieval (%)	6.2	3.6	9.1	2 / 14	5 / 8	
Average number of embryos transferred	1.9	2.1	2.6	2.8	2.0	
Percentage of embryos transferred resulting in implantation (%)	40.0	41.1	24.1	9.1	1 / 4	
Percentage of elective single embryo transfers (eSET) (%)	14.5	0.0	0.0	1 / 11	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	25.9	25.0	24.2	1 / 14	1 / 8	
Percentage of cycles resulting in singleton live births (%)	30.9	32.1	24.2	2 / 14	1 / 8	
Percentage of cycles resulting in twin live births (%)	12.3	17.9	15.2	0 / 14	0 / 8	
Percentage of cycles resulting in live births (%)	43.2	50.0	39.4	2 / 14	1 / 8	
Percentage of cycles resulting in pregnancies (%)	44.4	53.6	42.4	3 / 14	1 / 8	
<b>Outcomes per Transfer</b>						
Number of transfers	72	27	30	12	2	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	29.2	25.9	26.7	1 / 12	1 / 2	
Percentage of transfers resulting in singleton live births (%)	34.7	33.3	26.7	2 / 12	1 / 2	
Percentage of transfers resulting in twin live births (%)	13.9	18.5	16.7	0 / 12	0 / 2	
Percentage of transfers resulting in live births (%)	48.6	51.9	43.3	2 / 12	1 / 2	
Percentage of transfers resulting in pregnancies (%)	50.0	55.6	46.7	3 / 12	1 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	28	15	12	4	2	0
Number of transfers	26	15	11	4	2	0
Estimated average number of transfers per retrieval	2.2	1.9	3.7	4.0	2.0	
Average number of embryos transferred	1.7	1.7	1.8	1.3	2.0	
Percentage of embryos transferred resulting in implantation (%)	29.5	28.0	30.0	4 / 5	1 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	26.9	2 / 15	3 / 11	1 / 4	0 / 2	
Percentage of transfers resulting in singleton live births (%)	26.9	3 / 15	3 / 11	2 / 4	0 / 2	
Percentage of transfers resulting in twin live births (%)	7.7	2 / 15	1 / 11	0 / 4	0 / 2	
Percentage of transfers resulting in live births (%)	34.6	5 / 15	4 / 11	2 / 4	0 / 2	
Percentage of transfers resulting in pregnancies (%)	38.5	5 / 15	4 / 11	3 / 4	1 / 2	
<b>Number of Egg/Embryo Banking Cycles</b>						
	2	1	2	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	17			8		
Number of transfers	13			8		
Average number of embryos transferred	1.7			1.8		
Percentage of embryos transferred resulting in implantation (%)	31.8			4 / 14		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	5 / 13			3 / 8		
Percentage of transfers resulting in singleton live births (%)	5 / 13			4 / 8		
Percentage of transfers resulting in twin live births (%)	1 / 13			0 / 8		
Percentage of transfers resulting in live births (%)	6 / 13			4 / 8		
Percentage of transfers resulting in pregnancies (%)	6 / 13			4 / 8		

## CURRENT SERVICES & PROFILE

Current Name: University of South Florida IVF

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**F.I.R.S.T.**  
**FLORIDA INSTITUTE FOR REPRODUCTIVE SCIENCES AND TECHNOLOGIES**  
**WESTON, FLORIDA**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Minna R. Selub, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	87%	With ICSI	67%	Tubal factor	12%	Uterine factor	5%	Multiple Factors: Female factors only 12% Female & male factors 17%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	15%	Male factor	17%	
Used gestational carrier	0%			Diminished ovarian reserve	83%	Other factor	2%	
				Endometriosis	7%	Unknown factor	0%	

2014 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 41 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		5	3	4	1	2	0
Percentage of cancellations before retrieval (%)		0 / 5	1 / 3	0 / 4	0 / 1	1 / 2	
Average number of embryos transferred		2.6	2.5	2.0	1.0		
Percentage of embryos transferred resulting in implantation (%)		3 / 13	0 / 5	0 / 8	0 / 1		
Percentage of elective single embryo transfers (eSET) (%)		0 / 4	0 / 2	0 / 2			
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		3 / 5	0 / 3	0 / 4	0 / 1	0 / 2	
Percentage of cycles resulting in singleton live births (%)		3 / 5	0 / 3	0 / 4	0 / 1	0 / 2	
Percentage of cycles resulting in twin live births (%)		0 / 5	0 / 3	0 / 4	0 / 1	0 / 2	
Percentage of cycles resulting in live births (%)		3 / 5	0 / 3	0 / 4	0 / 1	0 / 2	
Percentage of cycles resulting in pregnancies (%)		3 / 5	0 / 3	0 / 4	0 / 1	0 / 2	
<b>Outcomes per Transfer</b>							
Number of transfers		5	2	4	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		3 / 5	0 / 2	0 / 4	0 / 1		
Percentage of transfers resulting in singleton live births (%)		3 / 5	0 / 2	0 / 4	0 / 1		
Percentage of transfers resulting in twin live births (%)		0 / 5	0 / 2	0 / 4	0 / 1		
Percentage of transfers resulting in live births (%)		3 / 5	0 / 2	0 / 4	0 / 1		
Percentage of transfers resulting in pregnancies (%)		3 / 5	0 / 2	0 / 4	0 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		1	1	0	0	0	0
Number of transfers		1	1	0	0	0	0
Estimated average number of transfers per retrieval							
Average number of embryos transferred		2.0	2.0				
Percentage of embryos transferred resulting in implantation (%)		0 / 2	1 / 2				
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0 / 1	0 / 1				
Percentage of transfers resulting in singleton live births (%)		0 / 1	0 / 1				
Percentage of transfers resulting in twin live births (%)		0 / 1	0 / 1				
Percentage of transfers resulting in live births (%)		0 / 1	0 / 1				
Percentage of transfers resulting in pregnancies (%)		0 / 1	1 / 1				
<b>Number of Egg/Embryo Banking Cycles</b>							
		0	0	0	0	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		23			1		
Number of transfers		22			1		
Average number of embryos transferred		2.6			5.0		
Percentage of embryos transferred resulting in implantation (%)		12.3			0 / 5		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		18.2			0 / 1		
Percentage of transfers resulting in singleton live births (%)		22.7			0 / 1		
Percentage of transfers resulting in twin live births (%)		4.5			0 / 1		
Percentage of transfers resulting in live births (%)		27.3			0 / 1		
Percentage of transfers resulting in pregnancies (%)		27.3			0 / 1		

CURRENT SERVICES & PROFILE		Current Name: F.I.R.S.T., Florida Institute for Reproductive Sciences and Technologies					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## ADVANCED REPRODUCTIVE SPECIALISTS, LLC WINTER PARK, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2014 ART CYCLE PROFILE

Data verified by Michael D. Fox, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	43%	Tubal factor	27%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 7% Female & male factors 27%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	20%	Male factor	27%	
Used gestational carrier	0%			Diminished ovarian reserve	53%	Other factor	0%	
				Endometriosis	13%	Unknown factor	0%	

### 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 15 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	5	4	4	1	0	0
Percentage of cancellations before retrieval (%)	0 / 5	0 / 4	2 / 4	0 / 1		
Average number of embryos transferred	2.0	2.0	1.5	2.0		
Percentage of embryos transferred resulting in implantation (%)	3 / 6	2 / 6	0 / 3	0 / 2		
Percentage of elective single embryo transfers (eSET) (%)	0 / 3	0 / 3	0 / 1	0 / 1		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 5	0 / 4	0 / 4	0 / 1		
Percentage of cycles resulting in singleton live births (%)	1 / 5	0 / 4	0 / 4	0 / 1		
Percentage of cycles resulting in twin live births (%)	1 / 5	1 / 4	0 / 4	0 / 1		
Percentage of cycles resulting in live births (%)	2 / 5	1 / 4	0 / 4	0 / 1		
Percentage of cycles resulting in pregnancies (%)	2 / 5	1 / 4	0 / 4	0 / 1		
<b>Outcomes per Transfer</b>						
Number of transfers	3	3	2	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 3	0 / 3	0 / 2	0 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 3	0 / 3	0 / 2	0 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 3	1 / 3	0 / 2	0 / 1		
Percentage of transfers resulting in live births (%)	2 / 3	1 / 3	0 / 2	0 / 1		
Percentage of transfers resulting in pregnancies (%)	2 / 3	1 / 3	0 / 2	0 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	1	0	0	0	0	0
Number of transfers	1	0	0	0	0	0
Estimated average number of transfers per retrieval	1.0					
Average number of embryos transferred	2.0					
Percentage of embryos transferred resulting in implantation (%)	2 / 2					
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 1					
Percentage of transfers resulting in singleton live births (%)	0 / 1					
Percentage of transfers resulting in twin live births (%)	1 / 1					
Percentage of transfers resulting in live births (%)	1 / 1					
Percentage of transfers resulting in pregnancies (%)	1 / 1					
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

### CURRENT SERVICES & PROFILE

Current Name: Advanced Reproductive Specialists, LLC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FERTILITY CENTER OF ASSISTED REPRODUCTION & ENDOCRINOLOGY WINTER PARK, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Mark P. Trolice, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	86%	Tubal factor	17%	Uterine factor	9%	<i>Multiple Factors:</i> Female factors only 23% Female & male factors 18%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	26%	Male factor	28%	
Used gestational carrier	0%			Diminished ovarian reserve	31%	Other factor	14%	
				Endometriosis	11%	Unknown factor	13%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 224 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	48	21	25	8	0	1
Percentage of cancellations before retrieval (%)	0.0	4.8	8.0	1 / 8		1 / 1
Average number of embryos transferred	1.9	2.5	2.8	2.4		
Percentage of embryos transferred resulting in implantation (%)	39.4	18.8	13.9	0 / 12		
Percentage of elective single embryo transfers (eSET) (%)	3.0	0 / 13	0 / 13	0 / 3		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	14.6	4.8	20.0	0 / 8		0 / 1
Percentage of cycles resulting in singleton live births (%)	18.8	4.8	20.0	0 / 8		0 / 1
Percentage of cycles resulting in twin live births (%)	14.6	9.5	0.0	0 / 8		0 / 1
Percentage of cycles resulting in live births (%)	33.3	14.3	20.0	0 / 8		0 / 1
Percentage of cycles resulting in pregnancies (%)	39.6	19.0	20.0	0 / 8		0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	35	13	13	5	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	20.0	1 / 13	5 / 13	0 / 5		
Percentage of transfers resulting in singleton live births (%)	25.7	1 / 13	5 / 13	0 / 5		
Percentage of transfers resulting in twin live births (%)	20.0	2 / 13	0 / 13	0 / 5		
Percentage of transfers resulting in live births (%)	45.7	3 / 13	5 / 13	0 / 5		
Percentage of transfers resulting in pregnancies (%)	54.3	4 / 13	5 / 13	0 / 5		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	29	19	19	3	1	1
Number of transfers	29	19	18	2	1	1
Estimated average number of transfers per retrieval	1.2	1.5	0.9	0.7		1.0
Average number of embryos transferred	1.7	1.8	2.0	3.0	1.0	2.0
Percentage of embryos transferred resulting in implantation (%)	43.8	45.7	33.3	0 / 6	0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	34.5	8 / 19	6 / 18	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	44.8	8 / 19	7 / 18	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	13.8	4 / 19	2 / 18	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	58.6	12 / 19	9 / 18	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	58.6	12 / 19	10 / 18	0 / 2	0 / 1	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	7	3	10	1	0	1
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		19			8	
Number of transfers		18			8	
Average number of embryos transferred		1.6			1.4	
Percentage of embryos transferred resulting in implantation (%)		58.6			7 / 11	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		10 / 18			3 / 8	
Percentage of transfers resulting in singleton live births (%)		13 / 18			5 / 8	
Percentage of transfers resulting in twin live births (%)		1 / 18			1 / 8	
Percentage of transfers resulting in live births (%)		14 / 18			6 / 8	
Percentage of transfers resulting in pregnancies (%)		14 / 18			6 / 8	

## CURRENT SERVICES & PROFILE

Current Name: Fertility Center of Assisted Reproduction & Endocrinology

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# ATLANTA CENTER FOR REPRODUCTIVE MEDICINE ATLANTA, GEORGIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by James P. Toner, MD, PhD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	76%	Tubal factor	13%	Uterine factor	5%	<i>Multiple Factors:</i> Female factors only 12% Female & male factors 9%
Unstimulated	<1%	PGD/PGS	2%	Ovulatory dysfunction	19%	Male factor	18%	
Used gestational carrier	<1%			Diminished ovarian reserve	26%	Other factor	17%	
				Endometriosis	9%	Unknown factor	16%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 1,045 (includes 72 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	299	108	84	34	12	1
Percentage of cancellations before retrieval (%)	6.7	8.3	19.0	14.7	2 / 12	0 / 1
Average number of embryos transferred	1.5	1.8	2.2	2.2	2.9	2.0
Percentage of embryos transferred resulting in implantation (%)	48.4	36.0	28.2	17.4	4.3	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	42.3	8.1	0.0	0 / 14	0 / 8	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	27.8	23.1	17.9	5.9	0 / 12	0 / 1
Percentage of cycles resulting in singleton live births (%)	33.1	25.0	22.6	5.9	0 / 12	0 / 1
Percentage of cycles resulting in twin live births (%)	8.7	6.5	4.8	2.9	0 / 12	0 / 1
Percentage of cycles resulting in live births (%)	42.8	31.5	27.4	8.8	0 / 12	0 / 1
Percentage of cycles resulting in pregnancies (%)	48.5	41.7	34.5	17.6	2 / 12	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	247	87	60	22	9	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	33.6	28.7	25.0	9.1	0 / 9	0 / 1
Percentage of transfers resulting in singleton live births (%)	40.1	31.0	31.7	9.1	0 / 9	0 / 1
Percentage of transfers resulting in twin live births (%)	10.5	8.0	6.7	4.5	0 / 9	0 / 1
Percentage of transfers resulting in live births (%)	51.8	39.1	38.3	13.6	0 / 9	0 / 1
Percentage of transfers resulting in pregnancies (%)	58.7	51.7	48.3	27.3	2 / 9	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	144	54	37	12	2	0
Number of transfers	139	52	34	12	2	0
Estimated average number of transfers per retrieval	1.3	1.1	1.0	1.0		
Average number of embryos transferred	1.4	1.5	1.4	1.1	2.0	
Percentage of embryos transferred resulting in implantation (%)	48.4	45.3	43.5	4 / 12	1 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	26.6	40.4	29.4	2 / 12	0 / 2	
Percentage of transfers resulting in singleton live births (%)	36.7	42.3	29.4	2 / 12	1 / 2	
Percentage of transfers resulting in twin live births (%)	7.2	7.7	8.8	0 / 12	0 / 2	
Percentage of transfers resulting in live births (%)	44.6	50.0	38.2	2 / 12	1 / 2	
Percentage of transfers resulting in pregnancies (%)	56.8	59.6	52.9	5 / 12	1 / 2	
<b>Number of Egg/Embryo Banking Cycles</b>						
	39	35	26	9	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	22			55		
Number of transfers	21			53		
Average number of embryos transferred	1.4			1.5		
Percentage of embryos transferred resulting in implantation (%)	41.4			43.4		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	33.3			37.7		
Percentage of transfers resulting in singleton live births (%)	38.1			50.9		
Percentage of transfers resulting in twin live births (%)	4.8			0.0		
Percentage of transfers resulting in live births (%)	42.9			50.9		
Percentage of transfers resulting in pregnancies (%)	52.4			58.5		

## CURRENT SERVICES & PROFILE

Current Name: Atlanta Center for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## EMORY REPRODUCTIVE CENTER ATLANTA, GEORGIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2014 ART CYCLE PROFILE

Data verified by Jessica B. Spencer, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	87%	Tubal factor	28%	Uterine factor	12%	Multiple Factors: Female factors only 22% Female & male factors 29%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	19%	Male factor	40%	
Used gestational carrier	0%			Diminished ovarian reserve	37%	Other factor	5%	
				Endometriosis	11%	Unknown factor	10%	

### 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 319 (includes 5 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	75	46	32	14	5	2
Percentage of cancellations before retrieval (%)	5.3	13.0	3.1	2 / 14	1 / 5	0 / 2
Average number of embryos transferred	1.8	1.8	2.8	3.9	2.3	3.5
Percentage of embryos transferred resulting in implantation (%)	52.1	37.5	26.0	8.5	1 / 7	0 / 7
Percentage of elective single embryo transfers (eSET) (%)	20.9	21.1	0.0	0 / 12	0 / 1	0 / 2
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	40.0	26.1	25.0	3 / 14	1 / 5	0 / 2
Percentage of cycles resulting in singleton live births (%)	44.0	30.4	28.1	3 / 14	1 / 5	0 / 2
Percentage of cycles resulting in twin live births (%)	13.3	8.7	6.3	0 / 14	0 / 5	0 / 2
Percentage of cycles resulting in live births (%)	57.3	39.1	34.4	3 / 14	1 / 5	0 / 2
Percentage of cycles resulting in pregnancies (%)	65.3	47.8	46.9	4 / 14	1 / 5	0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	68	40	29	12	3	2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	44.1	30.0	27.6	3 / 12	1 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	48.5	35.0	31.0	3 / 12	1 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	14.7	10.0	6.9	0 / 12	0 / 3	0 / 2
Percentage of transfers resulting in live births (%)	63.2	45.0	37.9	3 / 12	1 / 3	0 / 2
Percentage of transfers resulting in pregnancies (%)	72.1	55.0	51.7	4 / 12	1 / 3	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	34	33	23	6	3	2
Number of transfers	33	32	20	6	3	2
Estimated average number of transfers per retrieval	1.4	1.3	1.2	1.5	3.0	
Average number of embryos transferred	1.7	1.8	1.9	3.3	3.3	4.0
Percentage of embryos transferred resulting in implantation (%)	48.1	35.1	32.4	10.0	1 / 10	0 / 8
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	33.3	31.3	35.0	0 / 6	1 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	42.4	31.3	35.0	0 / 6	1 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	15.2	12.5	5.0	1 / 6	0 / 3	0 / 2
Percentage of transfers resulting in live births (%)	57.6	43.8	40.0	1 / 6	1 / 3	0 / 2
Percentage of transfers resulting in pregnancies (%)	60.6	50.0	55.0	1 / 6	1 / 3	0 / 2
<b>Number of Egg/Embryo Banking Cycles</b>						
	14	8	7	1	1	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		5		3		
Number of transfers		4		3		
Average number of embryos transferred		1.8		2.3		
Percentage of embryos transferred resulting in implantation (%)		3 / 7		0 / 7		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		3 / 4		0 / 3		
Percentage of transfers resulting in singleton live births (%)		3 / 4		0 / 3		
Percentage of transfers resulting in twin live births (%)		0 / 4		0 / 3		
Percentage of transfers resulting in live births (%)		3 / 4		0 / 3		
Percentage of transfers resulting in pregnancies (%)		3 / 4		0 / 3		

### CURRENT SERVICES & PROFILE

Current Name: Emory Reproductive Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# GEORGIA REPRODUCTIVE SPECIALISTS, LLC

## ATLANTA, GEORGIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2014 ART CYCLE PROFILE

Data verified by Mark Perloe, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	59%	Tubal factor	25%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 22% Female & male factors 18%
Unstimulated	<1%	PGD/PGS	4%	Ovulatory dysfunction	25%	Male factor	26%	
Used gestational carrier	<1%			Diminished ovarian reserve	37%	Other factor	14%	
				Endometriosis	13%	Unknown factor	10%	

### 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 413 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	66	46	40	19	1	0
Percentage of cancellations before retrieval (%)	7.6	4.3	10.0	5 / 19	0 / 1	
Average number of embryos transferred	1.7	2.1	2.5	2.4	2.0	
Percentage of embryos transferred resulting in implantation (%)	32.6	17.7	18.5	7.7	0 / 2	
Percentage of elective single embryo transfers (eSET) (%)	30.8	2.9	0.0	0 / 11	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	22.7	17.4	17.5	1 / 19	0 / 1	
Percentage of cycles resulting in singleton live births (%)	25.8	17.4	17.5	2 / 19	0 / 1	
Percentage of cycles resulting in twin live births (%)	6.1	6.5	5.0	0 / 19	0 / 1	
Percentage of cycles resulting in live births (%)	31.8	23.9	22.5	2 / 19	0 / 1	
Percentage of cycles resulting in pregnancies (%)	37.9	23.9	30.0	3 / 19	0 / 1	
<b>Outcomes per Transfer</b>						
Number of transfers	53	38	32	12	1	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	28.3	21.1	21.9	1 / 12	0 / 1	
Percentage of transfers resulting in singleton live births (%)	32.1	21.1	21.9	2 / 12	0 / 1	
Percentage of transfers resulting in twin live births (%)	7.5	7.9	6.3	0 / 12	0 / 1	
Percentage of transfers resulting in live births (%)	39.6	28.9	28.1	2 / 12	0 / 1	
Percentage of transfers resulting in pregnancies (%)	47.2	28.9	37.5	3 / 12	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	83	28	38	6	2	2
Number of transfers	80	28	35	4	2	2
Estimated average number of transfers per retrieval	2.4	1.2	2.2	1.0	2.0	
Average number of embryos transferred	1.4	1.6	1.5	1.5	1.0	1.5
Percentage of embryos transferred resulting in implantation (%)	42.6	46.5	44.7	3 / 6	0 / 1	0 / 3
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	30.0	32.1	37.1	2 / 4	0 / 2	0 / 2
Percentage of transfers resulting in singleton live births (%)	36.3	39.3	40.0	3 / 4	0 / 2	0 / 2
Percentage of transfers resulting in twin live births (%)	7.5	10.7	5.7	0 / 4	0 / 2	0 / 2
Percentage of transfers resulting in live births (%)	43.8	50.0	45.7	3 / 4	0 / 2	0 / 2
Percentage of transfers resulting in pregnancies (%)	52.5	64.3	62.9	3 / 4	1 / 2	0 / 2
<b>Number of Egg/Embryo Banking Cycles</b>						
	14	16	8	4	1	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		18		19		
Number of transfers		17		16		
Average number of embryos transferred		1.6		1.6		
Percentage of embryos transferred resulting in implantation (%)		38.5		41.7		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		7 / 17		5 / 16		
Percentage of transfers resulting in singleton live births (%)		7 / 17		6 / 16		
Percentage of transfers resulting in twin live births (%)		1 / 17		0 / 16		
Percentage of transfers resulting in live births (%)		8 / 17		6 / 16		
Percentage of transfers resulting in pregnancies (%)		10 / 17		8 / 16		

### CURRENT SERVICES & PROFILE

Current Name: Georgia Reproductive Specialists, LLC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# REPRODUCTIVE MEDICINE AND INFERTILITY ASSOCIATES AUGUSTA, GEORGIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Larisa Gavrilova-Jordan, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	59%	Tubal factor	31%	Uterine factor	6%	<i>Multiple Factors:</i> Female factors only 12% Female & male factors 6%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	12%	Male factor	29%	
Used gestational carrier	0%			Diminished ovarian reserve	25%	Other factor	0%	
				Endometriosis	10%	Unknown factor	6%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 54 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	15	4	6	4	0	0
Percentage of cancellations before retrieval (%)	1 / 15	1 / 4	0 / 6	1 / 4		
Average number of embryos transferred	1.8	2.3	2.5	3.0		
Percentage of embryos transferred resulting in implantation (%)	34.8	2 / 7	1 / 7	0 / 9		
Percentage of elective single embryo transfers (eSET) (%)	4 / 13	0 / 3	1 / 4	0 / 2		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	5 / 15	1 / 4	1 / 6	0 / 4		
Percentage of cycles resulting in singleton live births (%)	8 / 15	2 / 4	1 / 6	0 / 4		
Percentage of cycles resulting in twin live births (%)	0 / 15	0 / 4	0 / 6	0 / 4		
Percentage of cycles resulting in live births (%)	8 / 15	2 / 4	1 / 6	0 / 4		
Percentage of cycles resulting in pregnancies (%)	8 / 15	2 / 4	2 / 6	0 / 4		
<b>Outcomes per Transfer</b>						
Number of transfers	13	3	4	3	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	5 / 13	1 / 3	1 / 4	0 / 3		
Percentage of transfers resulting in singleton live births (%)	8 / 13	2 / 3	1 / 4	0 / 3		
Percentage of transfers resulting in twin live births (%)	0 / 13	0 / 3	0 / 4	0 / 3		
Percentage of transfers resulting in live births (%)	8 / 13	2 / 3	1 / 4	0 / 3		
Percentage of transfers resulting in pregnancies (%)	8 / 13	2 / 3	2 / 4	0 / 3		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	13	3	4	0	1	0
Number of transfers	12	3	4	0	1	0
Estimated average number of transfers per retrieval	2.4		1.0			
Average number of embryos transferred	1.7	1.3	1.8		1.0	
Percentage of embryos transferred resulting in implantation (%)	25.0	1 / 4	1 / 7		0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 12	1 / 3	0 / 4		0 / 1	
Percentage of transfers resulting in singleton live births (%)	3 / 12	1 / 3	1 / 4		0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 12	0 / 3	0 / 4		0 / 1	
Percentage of transfers resulting in live births (%)	4 / 12	1 / 3	1 / 4		0 / 1	
Percentage of transfers resulting in pregnancies (%)	4 / 12	1 / 3	1 / 4		0 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>						
	2	0	0	0	0	0
<b>Donor Eggs</b>						
		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		2			0	
Number of transfers		1			0	
Average number of embryos transferred		2.0				
Percentage of embryos transferred resulting in implantation (%)		2 / 2				
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0 / 1				
Percentage of transfers resulting in singleton live births (%)		0 / 1				
Percentage of transfers resulting in twin live births (%)		1 / 1				
Percentage of transfers resulting in live births (%)		1 / 1				
Percentage of transfers resulting in pregnancies (%)		1 / 1				

## CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine and Infertility Associates

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**SERVY MASSEY FERTILITY INSTITUTE**  
**SERVY INSTITUTE FOR REPRODUCTIVE ENDOCRINOLOGY**  
**AUGUSTA, GEORGIA**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

**2014 ART CYCLE PROFILE**

Data verified by Edouard Servy, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	49%	Tubal factor	17%	Uterine factor	3%	Multiple Factors: Female factors only 4% Female & male factors 10%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	8%	Male factor	33%	
Used gestational carrier	2%			Diminished ovarian reserve	28%	Other factor	15%	
				Endometriosis	3%	Unknown factor	8%	

**2014 ART SUCCESS RATES<sup>c</sup>**

Total number of cycles<sup>d</sup>: 293 (includes 5 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	73	45	34	13	9	5
Percentage of cancellations before retrieval (%)	13.7	17.8	20.6	1 / 13	1 / 9	0 / 5
Average number of embryos transferred	1.9	2.0	2.3	2.2	2.2	2.0
Percentage of embryos transferred resulting in implantation (%)	28.4	19.2	13.0	5.0	1 / 13	0 / 8
Percentage of elective single embryo transfers (eSET) (%)	6.3	0.0	0.0	0 / 7	0 / 4	1 / 4
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	15.1	6.7	5.9	0 / 13	1 / 9	0 / 5
Percentage of cycles resulting in singleton live births (%)	19.2	15.6	11.8	1 / 13	1 / 9	0 / 5
Percentage of cycles resulting in twin live births (%)	8.2	4.4	2.9	0 / 13	0 / 9	0 / 5
Percentage of cycles resulting in live births (%)	27.4	20.0	14.7	1 / 13	1 / 9	0 / 5
Percentage of cycles resulting in pregnancies (%)	28.8	24.4	17.6	1 / 13	1 / 9	0 / 5
<b>Outcomes per Transfer</b>						
Number of transfers	51	36	24	9	6	4
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	21.6	8.3	8.3	0 / 9	1 / 6	0 / 4
Percentage of transfers resulting in singleton live births (%)	27.5	19.4	16.7	1 / 9	1 / 6	0 / 4
Percentage of transfers resulting in twin live births (%)	11.8	5.6	4.2	0 / 9	0 / 6	0 / 4
Percentage of transfers resulting in live births (%)	39.2	25.0	20.8	1 / 9	1 / 6	0 / 4
Percentage of transfers resulting in pregnancies (%)	41.2	30.6	25.0	1 / 9	1 / 6	0 / 4
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	39	12	8	2	1	0
Number of transfers	38	12	8	2	1	0
Estimated average number of transfers per retrieval	1.6	2.4	1.1	2.0	0.5	0.0
Average number of embryos transferred	1.8	2.1	1.9	2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	33.8	45.5	2 / 15	1 / 4	0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	18.4	3 / 12	1 / 8	1 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)	21.1	4 / 12	1 / 8	1 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)	18.4	2 / 12	0 / 8	0 / 2	0 / 1	
Percentage of transfers resulting in live births (%)	39.5	6 / 12	1 / 8	1 / 2	0 / 1	
Percentage of transfers resulting in pregnancies (%)	42.1	9 / 12	2 / 8	1 / 2	0 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>						
	9	1	3	0	1	1
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	12			20		
Number of transfers	12			19		
Average number of embryos transferred	1.8			1.9		
Percentage of embryos transferred resulting in implantation (%)	18.2			27.8		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 12			3 / 19		
Percentage of transfers resulting in singleton live births (%)	2 / 12			5 / 19		
Percentage of transfers resulting in twin live births (%)	1 / 12			2 / 19		
Percentage of transfers resulting in live births (%)	3 / 12			7 / 19		
Percentage of transfers resulting in pregnancies (%)	3 / 12			7 / 19		

**CURRENT SERVICES & PROFILE**

Current Name: Servy Massey Fertility Institute, Servy Institute for Reproductive Endocrinology

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# COLUMBUS CENTER FOR REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY, LLC COLUMBUS, GEORGIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Prakash J. Thirupathi, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	85%	Tubal factor	40%	Uterine factor	16%	<i>Multiple Factors:</i> Female factors only 43% Female & male factors 35%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	80%	Male factor	39%	
Used gestational carrier	0%			Diminished ovarian reserve	12%	Other factor	0%	
				Endometriosis	34%	Unknown factor	2%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 117 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	51	14	5	5	0	0
Percentage of cancellations before retrieval (%)	17.6	2 / 14	0 / 5	0 / 5		
Average number of embryos transferred	2.0	2.2	2.0	2.5		
Percentage of embryos transferred resulting in implantation (%)	30.2	20.0	0 / 6	1 / 5		
Percentage of elective single embryo transfers (eSET) (%)	6.7	0 / 9	0 / 2	0 / 4		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	9.8	2 / 14	0 / 5	0 / 5		
Percentage of cycles resulting in singleton live births (%)	13.7	2 / 14	0 / 5	0 / 5		
Percentage of cycles resulting in twin live births (%)	11.8	1 / 14	0 / 5	0 / 5		
Percentage of cycles resulting in live births (%)	25.5	3 / 14	0 / 5	0 / 5		
Percentage of cycles resulting in pregnancies (%)	27.5	3 / 14	0 / 5	3 / 5		
<b>Outcomes per Transfer</b>						
Number of transfers	32	9	3	4	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	15.6	2 / 9	0 / 3	0 / 4		
Percentage of transfers resulting in singleton live births (%)	21.9	2 / 9	0 / 3	0 / 4		
Percentage of transfers resulting in twin live births (%)	18.8	1 / 9	0 / 3	0 / 4		
Percentage of transfers resulting in live births (%)	40.6	3 / 9	0 / 3	0 / 4		
Percentage of transfers resulting in pregnancies (%)	43.8	3 / 9	0 / 3	3 / 4		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	24	5	1	0	0	0
Number of transfers	23	5	1	0	0	0
Estimated average number of transfers per retrieval	1.4	5.0				
Average number of embryos transferred	2.0	1.6	2.0			
Percentage of embryos transferred resulting in implantation (%)	42.9	6 / 8	2 / 2			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	21.7	2 / 5	0 / 1			
Percentage of transfers resulting in singleton live births (%)	21.7	4 / 5	0 / 1			
Percentage of transfers resulting in twin live births (%)	21.7	0 / 5	1 / 1			
Percentage of transfers resulting in live births (%)	43.5	4 / 5	1 / 1			
Percentage of transfers resulting in pregnancies (%)	65.2	4 / 5	1 / 1			
<b>Number of Egg/Embryo Banking Cycles</b>						
	1	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	8			3		
Number of transfers	6			3		
Average number of embryos transferred	2.0			2.3		
Percentage of embryos transferred resulting in implantation (%)	7 / 12			2 / 7		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 6			1 / 3		
Percentage of transfers resulting in singleton live births (%)	3 / 6			2 / 3		
Percentage of transfers resulting in twin live births (%)	1 / 6			0 / 3		
Percentage of transfers resulting in live births (%)	4 / 6			2 / 3		
Percentage of transfers resulting in pregnancies (%)	5 / 6			2 / 3		

## CURRENT SERVICES & PROFILE

Current Name: Columbus Center for Reproductive Endocrinology and Infertility, LLC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# REPRODUCTIVE BIOLOGY ASSOCIATES SANDY SPRINGS, GEORGIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Daniel Shapiro, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	85%	Tubal factor	9%	Uterine factor	5%	<i>Multiple Factors:</i> Female factors only 20% Female & male factors 23%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	15%	Male factor	32%	
Used gestational carrier	<1%			Diminished ovarian reserve	54%	Other factor	21%	
				Endometriosis	8%	Unknown factor	6%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 1,676 (includes 232 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	216	96	86	36	16	6
Percentage of cancellations before retrieval (%)	11.1	9.4	15.1	27.8	2 / 16	1 / 6
Average number of embryos transferred	1.2	1.9	2.1	2.4	3.6	3.0
Percentage of embryos transferred resulting in implantation (%)	43.8	20.7	19.8	17.6	6.9	0 / 9
Percentage of elective single embryo transfers (eSET) (%)	75.9	23.6	17.1	0 / 13	0 / 8	0 / 2
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	18.5	7.3	7.0	2.8	0 / 16	0 / 6
Percentage of cycles resulting in singleton live births (%)	22.2	7.3	9.3	8.3	0 / 16	0 / 6
Percentage of cycles resulting in twin live births (%)	2.3	4.2	2.3	0.0	1 / 16	0 / 6
Percentage of cycles resulting in live births (%)	24.5	12.5	11.6	8.3	1 / 16	0 / 6
Percentage of cycles resulting in pregnancies (%)	27.3	15.6	20.9	13.9	1 / 16	0 / 6
<b>Outcomes per Transfer</b>						
Number of transfers	120	57	45	15	8	3
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	33.3	12.3	13.3	1 / 15	0 / 8	0 / 3
Percentage of transfers resulting in singleton live births (%)	40.0	12.3	17.8	3 / 15	0 / 8	0 / 3
Percentage of transfers resulting in twin live births (%)	4.2	7.0	4.4	0 / 15	1 / 8	0 / 3
Percentage of transfers resulting in live births (%)	44.2	21.1	22.2	3 / 15	1 / 8	0 / 3
Percentage of transfers resulting in pregnancies (%)	49.2	26.3	40.0	5 / 15	1 / 8	0 / 3
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	231	161	97	53	13	6
Number of transfers	228	161	97	53	13	6
Estimated average number of transfers per retrieval	1.5	1.8	1.3	1.2	0.7	1.0
Average number of embryos transferred	1.4	1.5	1.6	1.8	2.4	2.7
Percentage of embryos transferred resulting in implantation (%)	57.3	47.8	38.6	31.1	20.0	1 / 16
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	46.5	37.3	26.8	24.5	3 / 13	1 / 6
Percentage of transfers resulting in singleton live births (%)	50.0	43.5	35.1	30.2	3 / 13	1 / 6
Percentage of transfers resulting in twin live births (%)	6.1	8.1	3.1	5.7	1 / 13	0 / 6
Percentage of transfers resulting in live births (%)	56.6	52.2	38.1	35.8	4 / 13	1 / 6
Percentage of transfers resulting in pregnancies (%)	69.7	58.4	54.6	47.2	5 / 13	1 / 6
<b>Number of Egg/Embryo Banking Cycles</b>						
	52	44	50	32	11	3
<b>Donor Eggs</b>						
		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		1			234	
Number of transfers		1			232	
Average number of embryos transferred		1.0			1.2	
Percentage of embryos transferred resulting in implantation (%)		1 / 1			46.2	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 1			27.2	
Percentage of transfers resulting in singleton live births (%)		1 / 1			34.9	
Percentage of transfers resulting in twin live births (%)		0 / 1			4.3	
Percentage of transfers resulting in live births (%)		1 / 1			39.7	
Percentage of transfers resulting in pregnancies (%)		1 / 1			52.2	

## CURRENT SERVICES & PROFILE

Current Name: Reproductive Biology Associates

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# THE GEORGIA CENTER FOR REPRODUCTIVE MEDICINE SAVANNAH, GEORGIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Patrick L. Blohm, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	74%	Tubal factor	18%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 9% Female & male factors 32%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	16%	Male factor	63%	
Used gestational carrier	2%			Diminished ovarian reserve	29%	Other factor	3%	
				Endometriosis	9%	Unknown factor	3%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 153 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	67	26	9	2	1	0
Percentage of cancellations before retrieval (%)	3.0	15.4	1 / 9	1 / 2	0 / 1	
Average number of embryos transferred	1.9	2.0	2.0	2.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	61.9	41.5	8 / 14	0 / 2	0 / 1	
Percentage of elective single embryo transfers (eSET) (%)	3.3	0.0	0 / 7	0 / 1		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	19.4	11.5	1 / 9	0 / 2	0 / 1	
Percentage of cycles resulting in singleton live births (%)	32.8	15.4	2 / 9	0 / 2	0 / 1	
Percentage of cycles resulting in twin live births (%)	23.9	19.2	3 / 9	0 / 2	0 / 1	
Percentage of cycles resulting in live births (%)	59.7	34.6	5 / 9	0 / 2	0 / 1	
Percentage of cycles resulting in pregnancies (%)	70.1	50.0	5 / 9	0 / 2	0 / 1	
<b>Outcomes per Transfer</b>						
Number of transfers	63	22	7	1	1	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	20.6	13.6	1 / 7	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	34.9	18.2	2 / 7	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	25.4	22.7	3 / 7	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	63.5	40.9	5 / 7	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	74.6	59.1	5 / 7	0 / 1	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	18	6	5	1	0	1
Number of transfers	17	6	5	1	0	1
Estimated average number of transfers per retrieval	2.4	1.5	5.0			
Average number of embryos transferred	1.7	1.7	1.6	2.0		2.0
Percentage of embryos transferred resulting in implantation (%)	44.4	0 / 10	7 / 8	0 / 2		0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	5 / 17	0 / 6	1 / 5	0 / 1		0 / 1
Percentage of transfers resulting in singleton live births (%)	6 / 17	0 / 6	1 / 5	0 / 1		0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 17	0 / 6	1 / 5	0 / 1		0 / 1
Percentage of transfers resulting in live births (%)	6 / 17	0 / 6	2 / 5	0 / 1		0 / 1
Percentage of transfers resulting in pregnancies (%)	11 / 17	0 / 6	4 / 5	0 / 1		0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	14			2		
Number of transfers	14			2		
Average number of embryos transferred	2.0			1.5		
Percentage of embryos transferred resulting in implantation (%)	76.9			3 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 14			0 / 2		
Percentage of transfers resulting in singleton live births (%)	6 / 14			1 / 2		
Percentage of transfers resulting in twin live births (%)	4 / 14			1 / 2		
Percentage of transfers resulting in live births (%)	11 / 14			2 / 2		
Percentage of transfers resulting in pregnancies (%)	13 / 14			2 / 2		

## CURRENT SERVICES & PROFILE

Current Name: The Georgia Center for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# ADVANCED REPRODUCTIVE CENTER OF HAWAII HONOLULU, HAWAII

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Christopher T. Huang, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	88%	Tubal factor	15%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 2% Female & male factors 43%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	<1%	Male factor	88%	
Used gestational carrier	0%			Diminished ovarian reserve	32%	Other factor	2%	
				Endometriosis	9%	Unknown factor	<1%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 214 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	31	24	24	17	14	6
Percentage of cancellations before retrieval (%)	6.5	0.0	12.5	1 / 17	1 / 14	0 / 6
Average number of embryos transferred	2.1	2.7	2.7	2.9	2.5	2.3
Percentage of embryos transferred resulting in implantation (%)	5 / 17	20.8	8.3	5.0	1 / 12	0 / 9
Percentage of elective single embryo transfers (eSET) (%)	0 / 8	0 / 9	0 / 7	0 / 6	0 / 4	0 / 2
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	12.9	12.5	4.2	1 / 17	1 / 14	0 / 6
Percentage of cycles resulting in singleton live births (%)	12.9	12.5	4.2	1 / 17	1 / 14	0 / 6
Percentage of cycles resulting in twin live births (%)	0.0	0.0	0.0	0 / 17	0 / 14	0 / 6
Percentage of cycles resulting in live births (%)	12.9	12.5	4.2	1 / 17	1 / 14	0 / 6
Percentage of cycles resulting in pregnancies (%)	16.1	16.7	8.3	1 / 17	2 / 14	0 / 6
<b>Outcomes per Transfer</b>						
Number of transfers	8	9	9	7	6	4
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4 / 8	3 / 9	1 / 9	1 / 7	1 / 6	0 / 4
Percentage of transfers resulting in singleton live births (%)	4 / 8	3 / 9	1 / 9	1 / 7	1 / 6	0 / 4
Percentage of transfers resulting in twin live births (%)	0 / 8	0 / 9	0 / 9	0 / 7	0 / 6	0 / 4
Percentage of transfers resulting in live births (%)	4 / 8	3 / 9	1 / 9	1 / 7	1 / 6	0 / 4
Percentage of transfers resulting in pregnancies (%)	5 / 8	4 / 9	2 / 9	1 / 7	2 / 6	0 / 4
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	19	18	24	6	5	1
Number of transfers	19	15	19	4	4	1
Estimated average number of transfers per retrieval	1.4	1.4	1.3	1.3	0.6	1.0
Average number of embryos transferred	1.8	2.0	2.1	3.0	2.8	3.0
Percentage of embryos transferred resulting in implantation (%)	51.4	36.7	45.0	1 / 12	0 / 7	0 / 3
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	9 / 19	6 / 15	4 / 19	1 / 4	0 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	11 / 19	9 / 15	8 / 19	1 / 4	0 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	3 / 19	1 / 15	1 / 19	0 / 4	0 / 4	0 / 1
Percentage of transfers resulting in live births (%)	14 / 19	10 / 15	10 / 19	1 / 4	0 / 4	0 / 1
Percentage of transfers resulting in pregnancies (%)	14 / 19	10 / 15	13 / 19	1 / 4	1 / 4	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	2	6	1	1	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	9			6		
Number of transfers	6			5		
Average number of embryos transferred	1.3			1.2		
Percentage of embryos transferred resulting in implantation (%)	5 / 8			6 / 6		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4 / 6			3 / 5		
Percentage of transfers resulting in singleton live births (%)	5 / 6			3 / 5		
Percentage of transfers resulting in twin live births (%)	0 / 6			0 / 5		
Percentage of transfers resulting in live births (%)	5 / 6			4 / 5		
Percentage of transfers resulting in pregnancies (%)	5 / 6			4 / 5		

## CURRENT SERVICES & PROFILE

Current Name: Advanced Reproductive Center of Hawaii

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# ADVANCED REPRODUCTIVE MEDICINE & GYNECOLOGY OF HAWAII, INC. HONOLULU, HAWAII

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by John L. Frattarelli, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	81%	Tubal factor	23%	Uterine factor	5%	<i>Multiple Factors:</i> Female factors only <1% Female & male factors 60%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	28%	Male factor	91%	
Used gestational carrier	0%			Diminished ovarian reserve	12%	Other factor	1%	
				Endometriosis	8%	Unknown factor	3%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 472 (includes 15 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	24	25	22	14	4	1
Percentage of cancellations before retrieval (%)	20.8	24.0	13.6	2 / 14	0 / 4	1 / 1
Average number of embryos transferred	1.8	2.2	2.4	2.3	2.7	
Percentage of embryos transferred resulting in implantation (%)	48.5	60.5	20.0	29.2	1 / 8	
Percentage of elective single embryo transfers (eSET) (%)	3 / 18	0 / 17	2 / 18	0 / 11	0 / 3	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	37.5	32.0	13.6	3 / 14	1 / 4	0 / 1
Percentage of cycles resulting in singleton live births (%)	41.7	32.0	27.3	3 / 14	1 / 4	0 / 1
Percentage of cycles resulting in twin live births (%)	12.5	20.0	4.5	1 / 14	0 / 4	0 / 1
Percentage of cycles resulting in live births (%)	54.2	56.0	31.8	4 / 14	1 / 4	0 / 1
Percentage of cycles resulting in pregnancies (%)	54.2	64.0	36.4	7 / 14	1 / 4	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	18	18	19	12	3	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	9 / 18	8 / 18	3 / 19	3 / 12	1 / 3	
Percentage of transfers resulting in singleton live births (%)	10 / 18	8 / 18	6 / 19	3 / 12	1 / 3	
Percentage of transfers resulting in twin live births (%)	3 / 18	5 / 18	1 / 19	1 / 12	0 / 3	
Percentage of transfers resulting in live births (%)	13 / 18	14 / 18	7 / 19	4 / 12	1 / 3	
Percentage of transfers resulting in pregnancies (%)	13 / 18	16 / 18	8 / 19	7 / 12	1 / 3	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	76	35	33	15	1	2
Number of transfers	76	34	33	15	1	2
Estimated average number of transfers per retrieval	1.1	1.0	1.0	0.9	0.3	0.2
Average number of embryos transferred	1.7	1.7	1.6	1.7	2.0	2.5
Percentage of embryos transferred resulting in implantation (%)	67.2	52.0	70.5	4 / 17	0 / 2	0 / 5
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	40.8	32.4	27.3	3 / 15	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	46.1	41.2	45.5	3 / 15	0 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	23.7	17.6	18.2	0 / 15	0 / 1	0 / 2
Percentage of transfers resulting in live births (%)	72.4	58.8	63.6	3 / 15	0 / 1	0 / 2
Percentage of transfers resulting in pregnancies (%)	77.6	67.6	87.9	8 / 15	0 / 1	0 / 2
<b>Number of Egg/Embryo Banking Cycles</b>						
	67	33	33	17	3	11
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		2			39	
Number of transfers		2			38	
Average number of embryos transferred		2.0			1.4	
Percentage of embryos transferred resulting in implantation (%)		1 / 4			74.5	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 2			47.4	
Percentage of transfers resulting in singleton live births (%)		1 / 2			68.4	
Percentage of transfers resulting in twin live births (%)		0 / 2			13.2	
Percentage of transfers resulting in live births (%)		1 / 2			81.6	
Percentage of transfers resulting in pregnancies (%)		1 / 2			92.1	

## CURRENT SERVICES & PROFILE

Current Name: Advanced Reproductive Medicine & Gynecology of Hawaii, Inc.

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# IVF HAWAII HONOLULU, HAWAII

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Benton HH Chun, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	82%	Tubal factor	27%	Uterine factor	<1%	<i>Multiple Factors:</i> Female factors only 28% Female & male factors 48%
Unstimulated	1%	PGD/PGS	5%	Ovulatory dysfunction	15%	Male factor	60%	
Used gestational carrier	0%			Diminished ovarian reserve	48%	Other factor	9%	
				Endometriosis	52%	Unknown factor	0%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 212 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	34	38	30	31	11	4
Percentage of cancellations before retrieval (%)	8.8	15.8	6.7	22.6	0 / 11	3 / 4
Average number of embryos transferred	1.4	2.2	2.5	3.3	4.4	1.0
Percentage of embryos transferred resulting in implantation (%)	47.1	30.2	27.5	14.3	3.2	0 / 1
Percentage of elective single embryo transfers (eSET) (%)	62.5	18.2	0 / 19	0 / 13	0 / 6	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	29.4	21.1	13.3	12.9	1 / 11	0 / 4
Percentage of cycles resulting in singleton live births (%)	29.4	28.9	16.7	16.1	1 / 11	0 / 4
Percentage of cycles resulting in twin live births (%)	8.8	5.3	6.7	3.2	0 / 11	0 / 4
Percentage of cycles resulting in live births (%)	38.2	34.2	23.3	19.4	1 / 11	0 / 4
Percentage of cycles resulting in pregnancies (%)	47.1	36.8	40.0	19.4	1 / 11	0 / 4
<b>Outcomes per Transfer</b>						
Number of transfers	28	24	21	15	7	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	35.7	33.3	19.0	4 / 15	1 / 7	0 / 1
Percentage of transfers resulting in singleton live births (%)	35.7	45.8	23.8	5 / 15	1 / 7	0 / 1
Percentage of transfers resulting in twin live births (%)	10.7	8.3	9.5	1 / 15	0 / 7	0 / 1
Percentage of transfers resulting in live births (%)	46.4	54.2	33.3	6 / 15	1 / 7	0 / 1
Percentage of transfers resulting in pregnancies (%)	57.1	58.3	57.1	6 / 15	1 / 7	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	17	9	14	4	1	1
Number of transfers	17	8	13	3	1	0
Estimated average number of transfers per retrieval	5.7	2.7	1.6	1.5	0.5	
Average number of embryos transferred	1.4	1.5	2.2	2.3	2.0	
Percentage of embryos transferred resulting in implantation (%)	50.0	1 / 7	23.1	0 / 7	0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	5 / 17	1 / 8	2 / 13	0 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	6 / 17	1 / 8	4 / 13	0 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	2 / 17	0 / 8	1 / 13	0 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	8 / 17	1 / 8	5 / 13	0 / 3	0 / 1	
Percentage of transfers resulting in pregnancies (%)	10 / 17	4 / 8	6 / 13	0 / 3	0 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>						
	1	0	1	1	1	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	2			12		
Number of transfers	1			12		
Average number of embryos transferred	1.0			1.6		
Percentage of embryos transferred resulting in implantation (%)	0 / 1			10 / 17		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 1			7 / 12		
Percentage of transfers resulting in singleton live births (%)	0 / 1			8 / 12		
Percentage of transfers resulting in twin live births (%)	0 / 1			1 / 12		
Percentage of transfers resulting in live births (%)	0 / 1			9 / 12		
Percentage of transfers resulting in pregnancies (%)	0 / 1			10 / 12		

## CURRENT SERVICES & PROFILE

Current Name: IVF Hawaii

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# PACIFIC IN VITRO FERTILIZATION INSTITUTE HONOLULU, HAWAII

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Thomas S. Kosasa, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	84%	Tubal factor	13%	Uterine factor	1%	<i>Multiple Factors:</i> Female factors only 9% Female & male factors 21%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	3%	Male factor	35%	
Used gestational carrier	0%			Diminished ovarian reserve	42%	Other factor	7%	
				Endometriosis	33%	Unknown factor	<1%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 527 (includes 5 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	53	39	55	29	12	8
Percentage of cancellations before retrieval (%)	5.7	12.8	10.9	10.3	2 / 12	4 / 8
Average number of embryos transferred	2.1	2.4	2.7	3.4	2.8	2.0
Percentage of embryos transferred resulting in implantation (%)	43.1	21.7	10.6	2.8	0 / 14	0 / 8
Percentage of elective single embryo transfers (eSET) (%)	3.3	0.0	3.4	0 / 19	0 / 4	0 / 2
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	7.5	20.5	5.5	3.4	0 / 12	0 / 8
Percentage of cycles resulting in singleton live births (%)	9.4	20.5	7.3	3.4	0 / 12	0 / 8
Percentage of cycles resulting in twin live births (%)	20.8	5.1	0.0	0.0	0 / 12	0 / 8
Percentage of cycles resulting in live births (%)	30.2	25.6	7.3	3.4	0 / 12	0 / 8
Percentage of cycles resulting in pregnancies (%)	30.2	25.6	16.4	6.9	0 / 12	0 / 8
<b>Outcomes per Transfer</b>						
Number of transfers	31	25	33	21	5	4
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	12.9	32.0	9.1	4.8	0 / 5	0 / 4
Percentage of transfers resulting in singleton live births (%)	16.1	32.0	12.1	4.8	0 / 5	0 / 4
Percentage of transfers resulting in twin live births (%)	35.5	8.0	0.0	0.0	0 / 5	0 / 4
Percentage of transfers resulting in live births (%)	51.6	40.0	12.1	4.8	0 / 5	0 / 4
Percentage of transfers resulting in pregnancies (%)	51.6	40.0	27.3	9.5	0 / 5	0 / 4
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	29	18	24	7	3	3
Number of transfers	26	17	24	5	2	3
Estimated average number of transfers per retrieval	2.6	1.4	0.9	1.3		
Average number of embryos transferred	1.9	1.9	2.1	2.6	3.0	2.7
Percentage of embryos transferred resulting in implantation (%)	40.8	32.3	33.3	2 / 13	0 / 6	3 / 8
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	15.4	6 / 17	33.3	2 / 5	0 / 2	0 / 3
Percentage of transfers resulting in singleton live births (%)	34.6	7 / 17	37.5	2 / 5	0 / 2	1 / 3
Percentage of transfers resulting in twin live births (%)	15.4	1 / 17	8.3	0 / 5	0 / 2	0 / 3
Percentage of transfers resulting in live births (%)	50.0	8 / 17	45.8	2 / 5	0 / 2	1 / 3
Percentage of transfers resulting in pregnancies (%)	57.7	10 / 17	62.5	2 / 5	0 / 2	1 / 3
<b>Number of Egg/Embryo Banking Cycles</b>						
	2	5	16	2	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	80			137		
Number of transfers	71			133		
Average number of embryos transferred	1.9			1.9		
Percentage of embryos transferred resulting in implantation (%)	47.0			30.9		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	26.8			12.0		
Percentage of transfers resulting in singleton live births (%)	32.4			18.8		
Percentage of transfers resulting in twin live births (%)	25.4			17.3		
Percentage of transfers resulting in live births (%)	57.7			36.1		
Percentage of transfers resulting in pregnancies (%)	63.4			41.4		

## CURRENT SERVICES & PROFILE

Current Name: Pacific In Vitro Fertilization Institute

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# TRIPLER ARMY MEDICAL CENTER IVF INSTITUTE TRIPLER AMC, HAWAII

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Nia Middleton, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	80%	Tubal factor	28%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 5% Female & male factors 29%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	10%	Male factor	55%	
Used gestational carrier	0%			Diminished ovarian reserve	26%	Other factor	4%	
				Endometriosis	8%	Unknown factor	9%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 94 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	39	14	16	2	0	0
Percentage of cancellations before retrieval (%)	10.3	2 / 14	3 / 16	0 / 2		
Average number of embryos transferred	2.1	2.2	2.1	2.0		
Percentage of embryos transferred resulting in implantation (%)	46.2	50.0	23.8	2 / 4		
Percentage of elective single embryo transfers (eSET) (%)	3.2	0 / 11	1 / 10	0 / 1		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	28.2	1 / 14	3 / 16	0 / 2		
Percentage of cycles resulting in singleton live births (%)	33.3	2 / 14	3 / 16	0 / 2		
Percentage of cycles resulting in twin live births (%)	17.9	5 / 14	1 / 16	1 / 2		
Percentage of cycles resulting in live births (%)	51.3	7 / 14	4 / 16	1 / 2		
Percentage of cycles resulting in pregnancies (%)	56.4	7 / 14	4 / 16	1 / 2		
<b>Outcomes per Transfer</b>						
Number of transfers	32	12	10	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	34.4	1 / 12	3 / 10	0 / 2		
Percentage of transfers resulting in singleton live births (%)	40.6	2 / 12	3 / 10	0 / 2		
Percentage of transfers resulting in twin live births (%)	21.9	5 / 12	1 / 10	1 / 2		
Percentage of transfers resulting in live births (%)	62.5	7 / 12	4 / 10	1 / 2		
Percentage of transfers resulting in pregnancies (%)	68.8	7 / 12	4 / 10	1 / 2		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	13	3	1	3	0	0
Number of transfers	12	2	1	1	0	0
Estimated average number of transfers per retrieval	1.3		1.0	1.0		
Average number of embryos transferred	2.0	3.0	2.0	1.0		
Percentage of embryos transferred resulting in implantation (%)	45.0	0 / 6	2 / 2	0 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 12	0 / 2	0 / 1	0 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 12	0 / 2	0 / 1	0 / 1		
Percentage of transfers resulting in twin live births (%)	4 / 12	0 / 2	1 / 1	0 / 1		
Percentage of transfers resulting in live births (%)	5 / 12	0 / 2	1 / 1	0 / 1		
Percentage of transfers resulting in pregnancies (%)	7 / 12	0 / 2	1 / 1	0 / 1		
<b>Number of Egg/Embryo Banking Cycles</b>						
	2	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			1		
Number of transfers	0			1		
Average number of embryos transferred				2.0		
Percentage of embryos transferred resulting in implantation (%)				0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)				0 / 1		
Percentage of transfers resulting in singleton live births (%)				0 / 1		
Percentage of transfers resulting in twin live births (%)				0 / 1		
Percentage of transfers resulting in live births (%)				0 / 1		
Percentage of transfers resulting in pregnancies (%)				0 / 1		

## CURRENT SERVICES & PROFILE

Current Name: Tripler Army Medical Center IVF Institute

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.