2014 Fertility Clinic Tables

IDAHO–NEW YORK

IDAHO CENTER FOR REPRODUCTIVE MEDICINE
BOISE, IDAHO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Cristin C. Slater, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	51%
Unstimulated	<1%	PGD/PGS	1%
Used gestational carrier	4%		

Patient Diagnosis[b]

Tubal factor	11%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	12%	Male factor	32%	Female factors only	6%
Diminished ovarian reserve	30%	Other factor	10%	Female & male factors	12%
Endometriosis	8%	Unknown factor	14%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 397 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	90	36	25	9	6	0
Percentage of cancellations before retrieval (%)	3.3	5.6	16.0	3 / 9	4 / 6	
Average number of embryos transferred	1.9	2.2	2.1	2.2	1.0	
Percentage of embryos transferred resulting in implantation (%)	41.6	25.4	20.6	0 / 9	1 / 1	
Percentage of elective single embryo transfers (eSET) (%)	6.7	0.0	1 / 14	0 / 4		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	24.4	11.1	4.0	0 / 9	0 / 6	
Percentage of cycles resulting in singleton live births (%)	27.8	13.9	4.0	0 / 9	0 / 6	
Percentage of cycles resulting in twin live births (%)	16.7	11.1	8.0	0 / 9	0 / 6	
Percentage of cycles resulting in live births (%)	45.6	25.0	12.0	0 / 9	0 / 6	
Percentage of cycles resulting in pregnancies (%)	50.0	36.1	24.0	1 / 9	1 / 6	
Outcomes per Transfer						
Number of transfers	79	30	17	5	1	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	27.8	13.3	1 / 17	0 / 5	0 / 1	
Percentage of transfers resulting in singleton live births (%)	31.6	16.7	1 / 17	0 / 5	0 / 1	
Percentage of transfers resulting in twin live births (%)	19.0	13.3	2 / 17	0 / 5	0 / 1	
Percentage of transfers resulting in live births (%)	51.9	30.0	3 / 17	0 / 5	0 / 1	
Percentage of transfers resulting in pregnancies (%)	57.0	43.3	6 / 17	1 / 5	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	38	34	21	2	5	2
Number of transfers	36	33	21	2	3	1
Estimated average number of transfers per retrieval	1.2	1.4	1.0	0.7	0.8	1.0
Average number of embryos transferred	1.8	1.8	1.7	2.5	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	46.4	36.5	32.3	0 / 5	0 / 3	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	27.8	21.2	28.6	0 / 2	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	30.6	27.3	28.6	0 / 2	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	19.4	9.1	9.5	0 / 2	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	50.0	36.4	38.1	0 / 2	0 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)	61.1	60.6	47.6	0 / 2	1 / 3	0 / 1
Number of Egg/Embryo Banking Cycles	13	14	16	3	3	1

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	29	49
Number of transfers	27	49
Average number of embryos transferred	1.9	1.9
Percentage of embryos transferred resulting in implantation (%)	70.6	36.5
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	22.2	20.4
Percentage of transfers resulting in singleton live births (%)	29.6	30.6
Percentage of transfers resulting in twin live births (%)	40.7	12.2
Percentage of transfers resulting in live births (%)	70.4	42.9
Percentage of transfers resulting in pregnancies (%)	85.2	59.2

CURRENT SERVICES & PROFILE

Current Name: Idaho Center for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

RUSH-COPLEY CENTER FOR REPRODUCTIVE HEALTH
AURORA, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Zvi Binor, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	77%
Unstimulated	0%	PGD/PGS	0%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	19%	Uterine factor	8%	*Multiple Factors:*	
Ovulatory dysfunction	22%	Male factor	11%	Female factors only	29%
Diminished ovarian reserve	24%	Other factor	35%	Female & male factors	7%
Endometriosis	16%	Unknown factor	3%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 161 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	47	24	28	8	16	5
Percentage of cancellations before retrieval (%)	4.3	16.7	21.4	4 / 8	4 / 16	2 / 5
Average number of embryos transferred	2.1	2.1	2.1	1.5	1.4	3.0
Percentage of embryos transferred resulting in implantation (%)	17.1	5.6	18.9	3 / 6	0 / 13	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 16	0 / 17	0 / 2	0 / 3	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	21.3	4.2	3.6	1 / 8	0 / 16	0 / 5
Percentage of cycles resulting in singleton live births (%)	25.5	8.3	3.6	1 / 8	0 / 16	0 / 5
Percentage of cycles resulting in twin live births (%)	0.0	0.0	7.1	1 / 8	0 / 16	0 / 5
Percentage of cycles resulting in live births (%)	25.5	8.3	10.7	2 / 8	0 / 16	0 / 5
Percentage of cycles resulting in pregnancies (%)	27.7	8.3	21.4	2 / 8	0 / 16	0 / 5
Outcomes per Transfer						
Number of transfers	40	17	19	4	9	1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	25.0	1 / 17	1 / 19	1 / 4	0 / 9	0 / 1
Percentage of transfers resulting in singleton live births (%)	30.0	2 / 17	1 / 19	1 / 4	0 / 9	0 / 1
Percentage of transfers resulting in twin live births (%)	0.0	0 / 17	2 / 19	1 / 4	0 / 9	0 / 1
Percentage of transfers resulting in live births (%)	30.0	2 / 17	3 / 19	2 / 4	0 / 9	0 / 1
Percentage of transfers resulting in pregnancies (%)	32.5	2 / 17	6 / 19	2 / 4	0 / 9	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	16	4	0	0	0	0
Number of transfers	16	4	0	0	0	0
Estimated average number of transfers per retrieval	3.2	2.0				
Average number of embryos transferred	1.8	1.8				
Percentage of embryos transferred resulting in implantation (%)	10.7	1 / 7				
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 16	1 / 4				
Percentage of transfers resulting in singleton live births (%)	3 / 16	1 / 4				
Percentage of transfers resulting in twin live births (%)	0 / 16	0 / 4				
Percentage of transfers resulting in live births (%)	3 / 16	1 / 4				
Percentage of transfers resulting in pregnancies (%)	3 / 16	1 / 4				
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	10	3
Number of transfers	9	3
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	2 / 16	1 / 6
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 9	1 / 3
Percentage of transfers resulting in singleton live births (%)	2 / 9	1 / 3
Percentage of transfers resulting in twin live births (%)	0 / 9	0 / 3
Percentage of transfers resulting in live births (%)	2 / 9	1 / 3
Percentage of transfers resulting in pregnancies (%)	3 / 9	1 / 3

CURRENT SERVICES & PROFILE

Current Name: Rush-Copley Center for Reproductive Health

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

CENTER FOR REPRODUCTIVE MEDICINE AND FERTILITY
THE UNIVERSITY OF CHICAGO
CHICAGO, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Helen Kim, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	58%
Unstimulated	0%	PGD/PGS	3%
Used gestational carrier	1%		

Patient Diagnosis[b]

Tubal factor	14%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	18%	Male factor	21%	Female factors only	8%
Diminished ovarian reserve	23%	Other factor	14%	Female & male factors	11%
Endometriosis	4%	Unknown factor	25%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 235 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	39	30	23	4	3	1
Percentage of cancellations before retrieval (%)	15.4	20.0	17.4	2 / 4	2 / 3	0 / 1
Average number of embryos transferred	1.3	1.8	1.9		3.0	
Percentage of embryos transferred resulting in implantation (%)	50.0	22.2	23.3		0 / 3	
Percentage of elective single embryo transfers (eSET) (%)	65.0	3 / 18	2 / 15		0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	20.5	20.0	17.4	0 / 4	0 / 3	0 / 1
Percentage of cycles resulting in singleton live births (%)	30.8	20.0	21.7	0 / 4	0 / 3	0 / 1
Percentage of cycles resulting in twin live births (%)	2.6	3.3	0.0	0 / 4	0 / 3	0 / 1
Percentage of cycles resulting in live births (%)	33.3	23.3	21.7	0 / 4	0 / 3	0 / 1
Percentage of cycles resulting in pregnancies (%)	35.9	23.3	26.1	0 / 4	0 / 3	0 / 1
Outcomes per Transfer						
Number of transfers	23	20	16	0	1	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	34.8	30.0	4 / 16		0 / 1	
Percentage of transfers resulting in singleton live births (%)	52.2	30.0	5 / 16		0 / 1	
Percentage of transfers resulting in twin live births (%)	4.3	5.0	0 / 16		0 / 1	
Percentage of transfers resulting in live births (%)	56.5	35.0	5 / 16		0 / 1	
Percentage of transfers resulting in pregnancies (%)	60.9	35.0	6 / 16		0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	41	21	17	3	2	0
Number of transfers	40	18	17	3	2	0
Estimated average number of transfers per retrieval	1.5	1.1	2.1	1.0		0.0
Average number of embryos transferred	1.4	1.8	2.0	1.3	2.0	
Percentage of embryos transferred resulting in implantation (%)	26.4	34.5	14.7	2 / 4	0 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	20.0	4 / 18	1 / 17	1 / 3	0 / 2	
Percentage of transfers resulting in singleton live births (%)	22.5	4 / 18	2 / 17	2 / 3	0 / 2	
Percentage of transfers resulting in twin live births (%)	5.0	2 / 18	0 / 17	0 / 3	0 / 2	
Percentage of transfers resulting in live births (%)	27.5	6 / 18	2 / 17	2 / 3	0 / 2	
Percentage of transfers resulting in pregnancies (%)	35.0	9 / 18	5 / 17	2 / 3	0 / 2	
Number of Egg/Embryo Banking Cycles	18	10	3	2	0	1

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	4	11
Number of transfers	3	11
Average number of embryos transferred	1.0	1.6
Percentage of embryos transferred resulting in implantation (%)	2 / 3	3 / 17
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 3	1 / 11
Percentage of transfers resulting in singleton live births (%)	2 / 3	1 / 11
Percentage of transfers resulting in twin live births (%)	0 / 3	1 / 11
Percentage of transfers resulting in live births (%)	2 / 3	2 / 11
Percentage of transfers resulting in pregnancies (%)	2 / 3	3 / 11

CURRENT SERVICES & PROFILE

Current Name: University of Chicago Medicine Center for Reproductive Medicine and Fertility

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTERS OF ILLINOIS-RIVER NORTH IVF
CHICAGO, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Edward Marut, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	82%
Unstimulated	0%	PGD/PGS	<1%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	7%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	21%	Male factor	24%	Female factors only	8%
Diminished ovarian reserve	30%	Other factor	12%	Female & male factors	9%
Endometriosis	5%	Unknown factor	18%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 2,419 (includes 45 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	504	261	274	158	85	15
Percentage of cancellations before retrieval (%)	7.7	13.8	19.3	29.1	27.1	5 / 15
Average number of embryos transferred	1.5	1.8	2.1	2.2	2.3	2.2
Percentage of embryos transferred resulting in implantation (%)	46.6	35.3	21.4	13.0	3.5	0 / 13
Percentage of elective single embryo transfers (eSET) (%)	48.5	20.9	4.4	0.0	0.0	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	30.2	20.7	12.0	8.2	2.4	0 / 15
Percentage of cycles resulting in singleton live births (%)	34.5	24.1	13.9	9.5	2.4	0 / 15
Percentage of cycles resulting in twin live births (%)	6.0	6.1	2.9	0.0	0.0	0 / 15
Percentage of cycles resulting in live births (%)	40.5	30.3	17.2	9.5	2.4	0 / 15
Percentage of cycles resulting in pregnancies (%)	45.6	36.8	25.5	14.6	5.9	0 / 15
Outcomes per Transfer						
Number of transfers	385	189	181	82	51	6
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	39.5	28.6	18.2	15.9	3.9	0 / 6
Percentage of transfers resulting in singleton live births (%)	45.2	33.3	21.0	18.3	3.9	0 / 6
Percentage of transfers resulting in twin live births (%)	7.8	8.5	4.4	0.0	0.0	0 / 6
Percentage of transfers resulting in live births (%)	53.0	41.8	26.0	18.3	3.9	0 / 6
Percentage of transfers resulting in pregnancies (%)	59.7	50.8	38.7	28.0	9.8	0 / 6
Frozen Embryos from Nondonor Eggs						
Number of cycles	321	165	107	49	26	5
Number of transfers	296	154	100	44	23	4
Estimated average number of transfers per retrieval	1.6	1.2	1.0	0.8	0.7	0.5
Average number of embryos transferred	1.5	1.5	1.7	1.6	1.5	2.5
Percentage of embryos transferred resulting in implantation (%)	47.5	43.9	35.2	25.0	35.7	0 / 10
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	33.1	29.2	27.0	20.5	17.4	0 / 4
Percentage of transfers resulting in singleton live births (%)	39.9	32.5	33.0	27.3	21.7	0 / 4
Percentage of transfers resulting in twin live births (%)	9.8	10.4	4.0	4.5	8.7	0 / 4
Percentage of transfers resulting in live births (%)	49.7	43.5	37.0	31.8	30.4	0 / 4
Percentage of transfers resulting in pregnancies (%)	58.4	55.2	51.0	38.6	43.5	0 / 4
Number of Egg/Embryo Banking Cycles	65	68	55	38	23	4

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	60	91
Number of transfers	47	86
Average number of embryos transferred	1.4	1.5
Percentage of embryos transferred resulting in implantation (%)	62.5	40.0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	40.4	26.7
Percentage of transfers resulting in singleton live births (%)	51.1	36.0
Percentage of transfers resulting in twin live births (%)	10.6	7.0
Percentage of transfers resulting in live births (%)	61.7	43.0
Percentage of transfers resulting in pregnancies (%)	72.3	51.2

CURRENT SERVICES & PROFILE

Current Name: Fertility Centers of Illinois-River North IVF

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INSTITUTE FOR HUMAN REPRODUCTION (IHR)
CHICAGO, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Ilan Tur-Kaspa, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	56%
Unstimulated	0%	PGD/PGS	3%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	6%	Uterine factor	<1%	*Multiple Factors:*	
Ovulatory dysfunction	13%	Male factor	32%	Female factors only	0%
Diminished ovarian reserve	26%	Other factor	32%	Female & male factors	17%
Endometriosis	4%	Unknown factor	4%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 350 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	49	30	16	15	6	4
Percentage of cancellations before retrieval (%)	4.1	3.3	0 / 16	2 / 15	1 / 6	0 / 4
Average number of embryos transferred	1.5	2.0	2.0	2.4	2.7	3.7
Percentage of embryos transferred resulting in implantation (%)	38.2	22.4	16.7	0.0	0 / 8	0 / 6
Percentage of elective single embryo transfers (eSET) (%)	45.7	12.5	0 / 9	0 / 8	0 / 3	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	22.4	13.3	2 / 16	0 / 15	0 / 6	0 / 4
Percentage of cycles resulting in singleton live births (%)	22.4	16.7	2 / 16	0 / 15	0 / 6	0 / 4
Percentage of cycles resulting in twin live births (%)	6.1	6.7	1 / 16	0 / 15	0 / 6	0 / 4
Percentage of cycles resulting in live births (%)	28.6	23.3	3 / 16	0 / 15	0 / 6	0 / 4
Percentage of cycles resulting in pregnancies (%)	40.8	23.3	3 / 16	1 / 15	0 / 6	1 / 4
Outcomes per Transfer						
Number of transfers	38	25	12	10	3	3
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	28.9	16.0	2 / 12	0 / 10	0 / 3	0 / 3
Percentage of transfers resulting in singleton live births (%)	28.9	20.0	2 / 12	0 / 10	0 / 3	0 / 3
Percentage of transfers resulting in twin live births (%)	7.9	8.0	1 / 12	0 / 10	0 / 3	0 / 3
Percentage of transfers resulting in live births (%)	36.8	28.0	3 / 12	0 / 10	0 / 3	0 / 3
Percentage of transfers resulting in pregnancies (%)	52.6	28.0	3 / 12	1 / 10	0 / 3	1 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	64	23	18	16	6	10
Number of transfers	63	22	18	16	6	10
Estimated average number of transfers per retrieval	1.4	1.5	1.4	0.7	0.5	2.5
Average number of embryos transferred	1.3	1.2	1.3	1.4	1.2	1.1
Percentage of embryos transferred resulting in implantation (%)	50.0	48.0	33.3	22.7	1 / 7	7 / 11
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	41.3	45.5	3 / 18	2 / 16	1 / 6	2 / 10
Percentage of transfers resulting in singleton live births (%)	42.9	54.5	4 / 18	3 / 16	1 / 6	3 / 10
Percentage of transfers resulting in twin live births (%)	9.5	0.0	0 / 18	0 / 16	0 / 6	1 / 10
Percentage of transfers resulting in live births (%)	52.4	54.5	4 / 18	3 / 16	1 / 6	4 / 10
Percentage of transfers resulting in pregnancies (%)	58.7	59.1	8 / 18	5 / 16	1 / 6	6 / 10
Number of Egg/Embryo Banking Cycles	32	9	12	16	11	4

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	3	6
Number of transfers	3	5
Average number of embryos transferred	1.7	1.8
Percentage of embryos transferred resulting in implantation (%)	2 / 2	2 / 7
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 3	0 / 5
Percentage of transfers resulting in singleton live births (%)	0 / 3	0 / 5
Percentage of transfers resulting in twin live births (%)	1 / 3	1 / 5
Percentage of transfers resulting in live births (%)	1 / 3	1 / 5
Percentage of transfers resulting in pregnancies (%)	3 / 3	2 / 5

CURRENT SERVICES & PROFILE

Current Name: Institute for Human Reproduction (IHR)

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTHWESTERN UNIVERSITY
CHICAGO, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Mary Ellen Pavone, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	80%
Unstimulated	<1%	PGD/PGS	1%
Used gestational carrier	1%		

Patient Diagnosis[b]

Tubal factor	8%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	10%	Male factor	28%	Female factors only	5%
Diminished ovarian reserve	30%	Other factor	7%	Female & male factors	9%
Endometriosis	5%	Unknown factor	25%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 914 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	260	127	105	66	28	2
Percentage of cancellations before retrieval (%)	5.0	10.2	17.1	15.2	14.3	0 / 2
Average number of embryos transferred	1.7	1.9	2.3	2.9	3.0	2.5
Percentage of embryos transferred resulting in implantation (%)	31.6	33.0	16.1	12.0	8.5	0 / 5
Percentage of elective single embryo transfers (eSET) (%)	25.7	12.6	1.4	0.0	0 / 19	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	20.8	21.3	14.3	12.1	0.0	0 / 2
Percentage of cycles resulting in singleton live births (%)	24.6	23.6	16.2	12.1	0.0	0 / 2
Percentage of cycles resulting in twin live births (%)	8.8	11.0	3.8	0.0	0.0	0 / 2
Percentage of cycles resulting in live births (%)	33.5	34.6	20.0	12.1	0.0	0 / 2
Percentage of cycles resulting in pregnancies (%)	39.6	40.2	23.8	22.7	17.9	0 / 2
Outcomes per Transfer						
Number of transfers	230	105	81	50	21	2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	23.5	25.7	18.5	16.0	0.0	0 / 2
Percentage of transfers resulting in singleton live births (%)	27.8	28.6	21.0	16.0	0.0	0 / 2
Percentage of transfers resulting in twin live births (%)	10.0	13.3	4.9	0.0	0.0	0 / 2
Percentage of transfers resulting in live births (%)	37.8	41.9	25.9	16.0	0.0	0 / 2
Percentage of transfers resulting in pregnancies (%)	44.8	48.6	30.9	30.0	23.8	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	100	41	23	8	3	1
Number of transfers	85	36	22	8	3	1
Estimated average number of transfers per retrieval	0.8	0.9	0.6	2.0	1.5	
Average number of embryos transferred	1.7	1.6	1.6	2.9	1.7	3.0
Percentage of embryos transferred resulting in implantation (%)	43.5	31.6	33.3	13.0	0 / 5	0 / 3
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	34.1	38.9	18.2	1 / 8	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	41.2	38.9	27.3	1 / 8	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	10.6	2.8	4.5	1 / 8	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	51.8	41.7	31.8	2 / 8	0 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)	58.8	50.0	50.0	2 / 8	0 / 3	0 / 1
Number of Egg/Embryo Banking Cycles	55	22	16	4	2	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	22	27
Number of transfers	19	21
Average number of embryos transferred	1.8	1.7
Percentage of embryos transferred resulting in implantation (%)	41.2	36.1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	4 / 19	19.0
Percentage of transfers resulting in singleton live births (%)	7 / 19	19.0
Percentage of transfers resulting in twin live births (%)	3 / 19	14.3
Percentage of transfers resulting in live births (%)	10 / 19	33.3
Percentage of transfers resulting in pregnancies (%)	11 / 19	42.9

CURRENT SERVICES & PROFILE

Current Name: Northwestern University

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF ILLINOIS AT CHICAGO IVF PROGRAM
CHICAGO, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Humberto Scoccia, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	54%
Unstimulated	0%	PGD/PGS	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	21%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	12%	Male factor	33%	Female factors only	16%
Diminished ovarian reserve	35%	Other factor	8%	Female & male factors	18%
Endometriosis	13%	Unknown factor	15%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 162 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	48	21	26	13	8	3
Percentage of cancellations before retrieval (%)	14.6	9.5	42.3	3 / 13	1 / 8	3 / 3
Average number of embryos transferred	1.5	1.7	2.4	2.7	2.8	
Percentage of embryos transferred resulting in implantation (%)	44.7	42.3	3.7	4.2	0 / 17	
Percentage of elective single embryo transfers (eSET) (%)	46.4	4 / 14	0 / 12	0 / 8	0 / 5	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	18.8	14.3	3.8	0 / 13	0 / 8	0 / 3
Percentage of cycles resulting in singleton live births (%)	22.9	14.3	3.8	0 / 13	0 / 8	0 / 3
Percentage of cycles resulting in twin live births (%)	6.3	9.5	0.0	0 / 13	0 / 8	0 / 3
Percentage of cycles resulting in live births (%)	29.2	23.8	3.8	0 / 13	0 / 8	0 / 3
Percentage of cycles resulting in pregnancies (%)	35.4	33.3	7.7	1 / 13	0 / 8	0 / 3
Outcomes per Transfer						
Number of transfers	32	15	12	9	6	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	28.1	3 / 15	1 / 12	0 / 9	0 / 6	
Percentage of transfers resulting in singleton live births (%)	34.4	3 / 15	1 / 12	0 / 9	0 / 6	
Percentage of transfers resulting in twin live births (%)	9.4	2 / 15	0 / 12	0 / 9	0 / 6	
Percentage of transfers resulting in live births (%)	43.8	5 / 15	1 / 12	0 / 9	0 / 6	
Percentage of transfers resulting in pregnancies (%)	53.1	7 / 15	2 / 12	1 / 9	0 / 6	
Frozen Embryos from Nondonor Eggs						
Number of cycles	12	8	5	2	2	2
Number of transfers	12	7	5	2	1	1
Estimated average number of transfers per retrieval	1.7	1.8	1.3	2.0		
Average number of embryos transferred	1.4	1.3	1.8	2.0	1.0	3.0
Percentage of embryos transferred resulting in implantation (%)	13 / 16	6 / 9	2 / 9	0 / 2	1 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	7 / 12	3 / 7	1 / 5	0 / 2	1 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	9 / 12	3 / 7	1 / 5	0 / 2	1 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 12	1 / 7	0 / 5	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	10 / 12	4 / 7	1 / 5	0 / 2	1 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	11 / 12	5 / 7	2 / 5	1 / 2	1 / 1	1 / 1
Number of Egg/Embryo Banking Cycles	2	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	6	4
Number of transfers	5	4
Average number of embryos transferred	1.6	1.3
Percentage of embryos transferred resulting in implantation (%)	2 / 8	2 / 5
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 5	1 / 4
Percentage of transfers resulting in singleton live births (%)	2 / 5	2 / 4
Percentage of transfers resulting in twin live births (%)	0 / 5	0 / 4
Percentage of transfers resulting in live births (%)	2 / 5	2 / 4
Percentage of transfers resulting in pregnancies (%)	2 / 5	2 / 4

CURRENT SERVICES & PROFILE

Current Name: University of Illinois at Chicago IVF Program

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WOMEN'S HEALTH CONSULTANTS
CHICAGO, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Mary W. Molo, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	86%
Unstimulated	0%	PGD/PGS	7%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	26%	Uterine factor	38%	*Multiple Factors:*	
Ovulatory dysfunction	41%	Male factor	41%	Female factors only	48%
Diminished ovarian reserve	54%	Other factor	26%	Female & male factors	35%
Endometriosis	21%	Unknown factor	0%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 281 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	50	36	37	17	13	18
Percentage of cancellations before retrieval (%)	4.0	8.3	2.7	1 / 17	2 / 13	5 / 18
Average number of embryos transferred	1.8	2.0	2.0	2.3	2.2	1.7
Percentage of embryos transferred resulting in implantation (%)	44.0	18.6	22.2	4.8	4.5	0 / 15
Percentage of elective single embryo transfers (eSET) (%)	10.5	4.0	7.4	0 / 8	0 / 6	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	24.0	11.1	5.4	0 / 17	0 / 13	0 / 18
Percentage of cycles resulting in singleton live births (%)	26.0	11.1	8.1	0 / 17	0 / 13	0 / 18
Percentage of cycles resulting in twin live births (%)	10.0	5.6	10.8	0 / 17	0 / 13	0 / 18
Percentage of cycles resulting in live births (%)	36.0	16.7	18.9	0 / 17	0 / 13	0 / 18
Percentage of cycles resulting in pregnancies (%)	48.0	22.2	24.3	1 / 17	1 / 13	0 / 18
Outcomes per Transfer						
Number of transfers	41	30	32	9	10	9
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	29.3	13.3	6.3	0 / 9	0 / 10	0 / 9
Percentage of transfers resulting in singleton live births (%)	31.7	13.3	9.4	0 / 9	0 / 10	0 / 9
Percentage of transfers resulting in twin live births (%)	12.2	6.7	12.5	0 / 9	0 / 10	0 / 9
Percentage of transfers resulting in live births (%)	43.9	20.0	21.9	0 / 9	0 / 10	0 / 9
Percentage of transfers resulting in pregnancies (%)	58.5	26.7	28.1	1 / 9	1 / 10	0 / 9
Frozen Embryos from Nondonor Eggs						
Number of cycles	27	19	14	4	1	1
Number of transfers	26	14	11	4	0	1
Estimated average number of transfers per retrieval	1.2	1.2	1.2	0.8	0.0	0.5
Average number of embryos transferred	2.0	2.1	2.0	2.3		3.0
Percentage of embryos transferred resulting in implantation (%)	25.5	34.5	4.5	2 / 9		1 / 3
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	19.2	5 / 14	1 / 11	1 / 4		0 / 1
Percentage of transfers resulting in singleton live births (%)	26.9	6 / 14	1 / 11	1 / 4		0 / 1
Percentage of transfers resulting in twin live births (%)	7.7	1 / 14	0 / 11	0 / 4		0 / 1
Percentage of transfers resulting in live births (%)	34.6	7 / 14	1 / 11	1 / 4		0 / 1
Percentage of transfers resulting in pregnancies (%)	38.5	9 / 14	1 / 11	2 / 4		1 / 1
Number of Egg/Embryo Banking Cycles	10	6	5	4	4	2

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	3	10
Number of transfers	3	9
Average number of embryos transferred	1.7	2.1
Percentage of embryos transferred resulting in implantation (%)	3 / 5	5 / 19
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 3	2 / 9
Percentage of transfers resulting in singleton live births (%)	1 / 3	2 / 9
Percentage of transfers resulting in twin live births (%)	1 / 3	1 / 9
Percentage of transfers resulting in live births (%)	2 / 3	3 / 9
Percentage of transfers resulting in pregnancies (%)	2 / 3	4 / 9

CURRENT SERVICES & PROFILE

Current Name: Women's Health Consultants

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE HEALTH/JOLIET IVF
CREST HILL, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by R. Scott Springer, DO

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	92%
Unstimulated	0%	PGD/PGS	1%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	7%	Uterine factor	1%	*Multiple Factors:*	
Ovulatory dysfunction	19%	Male factor	34%	Female factors only	6%
Diminished ovarian reserve	34%	Other factor	1%	Female & male factors	11%
Endometriosis	4%	Unknown factor	17%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 206 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	48	10	9	1	5	0
Percentage of cancellations before retrieval (%)	6.3	1 / 10	0 / 9	0 / 1	0 / 5	
Average number of embryos transferred	1.9	2.3	2.0		2.3	
Percentage of embryos transferred resulting in implantation (%)	29.0	3 / 14	2 / 6		0 / 7	
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 6	0 / 2		0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	12.5	1 / 10	0 / 9	0 / 1	0 / 5	
Percentage of cycles resulting in singleton live births (%)	12.5	2 / 10	0 / 9	0 / 1	0 / 5	
Percentage of cycles resulting in twin live births (%)	8.3	0 / 10	0 / 9	0 / 1	0 / 5	
Percentage of cycles resulting in live births (%)	20.8	2 / 10	0 / 9	0 / 1	0 / 5	
Percentage of cycles resulting in pregnancies (%)	27.1	2 / 10	1 / 9	0 / 1	0 / 5	
Outcomes per Transfer						
Number of transfers	33	6	3	0	3	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	18.2	1 / 6	0 / 3		0 / 3	
Percentage of transfers resulting in singleton live births (%)	18.2	2 / 6	0 / 3		0 / 3	
Percentage of transfers resulting in twin live births (%)	12.1	0 / 6	0 / 3		0 / 3	
Percentage of transfers resulting in live births (%)	30.3	2 / 6	0 / 3		0 / 3	
Percentage of transfers resulting in pregnancies (%)	39.4	2 / 6	1 / 3		0 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	48	17	7	4	1	0
Number of transfers	47	17	7	4	1	0
Estimated average number of transfers per retrieval	1.0	1.0	0.6	1.3	0.5	
Average number of embryos transferred	1.8	1.8	1.7	1.8	2.0	
Percentage of embryos transferred resulting in implantation (%)	36.5	23.3	4 / 12	2 / 7	1 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	25.5	4 / 17	1 / 7	0 / 4	1 / 1	
Percentage of transfers resulting in singleton live births (%)	29.8	4 / 17	1 / 7	1 / 4	1 / 1	
Percentage of transfers resulting in twin live births (%)	10.6	0 / 17	1 / 7	0 / 4	0 / 1	
Percentage of transfers resulting in live births (%)	40.4	4 / 17	2 / 7	1 / 4	1 / 1	
Percentage of transfers resulting in pregnancies (%)	51.1	7 / 17	3 / 7	1 / 4	1 / 1	
Number of Egg/Embryo Banking Cycles	24	13	4	1	2	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	3	9
Number of transfers	1	9
Average number of embryos transferred	2.0	1.7
Percentage of embryos transferred resulting in implantation (%)	2 / 2	8 / 15
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 1	5 / 9
Percentage of transfers resulting in singleton live births (%)	0 / 1	5 / 9
Percentage of transfers resulting in twin live births (%)	1 / 1	1 / 9
Percentage of transfers resulting in live births (%)	1 / 1	6 / 9
Percentage of transfers resulting in pregnancies (%)	1 / 1	7 / 9

CURRENT SERVICES & PROFILE

Current Name: Center for Reproductive Health/Joliet IVF

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MIDWEST FERTILITY CENTER
DOWNERS GROVE, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Amos E. Madanes, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	60%
Unstimulated	0%	PGD/PGS	4%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	29%	Uterine factor	7%	*Multiple Factors:*	
Ovulatory dysfunction	15%	Male factor	41%	Female factors only	5%
Diminished ovarian reserve	20%	Other factor	9%	Female & male factors	22%
Endometriosis	9%	Unknown factor	3%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 155 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	50	31	15	8	0	5
Percentage of cancellations before retrieval (%)	2.0	9.7	3 / 15	2 / 8		0 / 5
Average number of embryos transferred	2.1	2.5	2.7	4.0		4.8
Percentage of embryos transferred resulting in implantation (%)	22.7	15.9	15.6	8.3		0 / 19
Percentage of elective single embryo transfers (eSET) (%)	0.0	0.0	0 / 9	0 / 5		0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	24.0	12.9	1 / 15	0 / 8		0 / 5
Percentage of cycles resulting in singleton live births (%)	24.0	19.4	2 / 15	0 / 8		0 / 5
Percentage of cycles resulting in twin live births (%)	8.0	6.5	0 / 15	0 / 8		0 / 5
Percentage of cycles resulting in live births (%)	32.0	25.8	3 / 15	0 / 8		0 / 5
Percentage of cycles resulting in pregnancies (%)	34.0	29.0	3 / 15	1 / 8		0 / 5
Outcomes per Transfer						
Number of transfers	47	28	12	6	0	4
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	25.5	14.3	1 / 12	0 / 6		0 / 4
Percentage of transfers resulting in singleton live births (%)	25.5	21.4	2 / 12	0 / 6		0 / 4
Percentage of transfers resulting in twin live births (%)	8.5	7.1	0 / 12	0 / 6		0 / 4
Percentage of transfers resulting in live births (%)	34.0	28.6	3 / 12	0 / 6		0 / 4
Percentage of transfers resulting in pregnancies (%)	36.2	32.1	3 / 12	1 / 6		0 / 4
Frozen Embryos from Nondonor Eggs						
Number of cycles	12	10	10	0	1	1
Number of transfers	12	9	10	0	1	1
Estimated average number of transfers per retrieval	1.5	3.0	10.0		1.0	
Average number of embryos transferred	2.2	2.1	2.0		1.0	2.0
Percentage of embryos transferred resulting in implantation (%)	11.5	2 / 19	5.0		1 / 1	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 12	2 / 9	1 / 10		1 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	3 / 12	2 / 9	1 / 10		1 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 12	0 / 9	0 / 10		0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	3 / 12	2 / 9	1 / 10		1 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	3 / 12	2 / 9	1 / 10		1 / 1	0 / 1
Number of Egg/Embryo Banking Cycles	1	0	0	0	1	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	7	3
Number of transfers	6	3
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	3 / 12	1 / 6
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 6	0 / 3
Percentage of transfers resulting in singleton live births (%)	2 / 6	0 / 3
Percentage of transfers resulting in twin live births (%)	0 / 6	0 / 3
Percentage of transfers resulting in live births (%)	2 / 6	0 / 3
Percentage of transfers resulting in pregnancies (%)	3 / 6	1 / 3

CURRENT SERVICES & PROFILE

Current Name: Midwest Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CHICAGO INFERTILITY ASSOCIATES, LTD.
ELK GROVE VILLAGE, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Ketan N. Jobanputra, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	81%
Unstimulated	0%	PGD/PGS	23%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	10%	Uterine factor	7%	*Multiple Factors:*	
Ovulatory dysfunction	21%	Male factor	17%	Female factors only	7%
Diminished ovarian reserve	28%	Other factor	0%	Female & male factors	7%
Endometriosis	3%	Unknown factor	28%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 29 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	12	3	6	4	1	0
Percentage of cancellations before retrieval (%)	0 / 12	0 / 3	0 / 6	0 / 4	0 / 1	
Average number of embryos transferred	2.3	1.7	2.3	2.3	2.0	
Percentage of embryos transferred resulting in implantation (%)	44.0	1 / 5	1 / 9	2 / 9	1 / 2	
Percentage of elective single embryo transfers (eSET) (%)	0 / 10	0 / 2	0 / 4	0 / 3	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	1 / 12	0 / 3	1 / 6	1 / 4	0 / 1	
Percentage of cycles resulting in singleton live births (%)	3 / 12	1 / 3	1 / 6	2 / 4	1 / 1	
Percentage of cycles resulting in twin live births (%)	2 / 12	0 / 3	0 / 6	0 / 4	0 / 1	
Percentage of cycles resulting in live births (%)	6 / 12	1 / 3	1 / 6	2 / 4	1 / 1	
Percentage of cycles resulting in pregnancies (%)	7 / 12	1 / 3	1 / 6	2 / 4	1 / 1	
Outcomes per Transfer						
Number of transfers	11	3	4	4	1	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 11	0 / 3	1 / 4	1 / 4	0 / 1	
Percentage of transfers resulting in singleton live births (%)	3 / 11	1 / 3	1 / 4	2 / 4	1 / 1	
Percentage of transfers resulting in twin live births (%)	2 / 11	0 / 3	0 / 4	0 / 4	0 / 1	
Percentage of transfers resulting in live births (%)	6 / 11	1 / 3	1 / 4	2 / 4	1 / 1	
Percentage of transfers resulting in pregnancies (%)	7 / 11	1 / 3	1 / 4	2 / 4	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	1	0	0	0	0
Number of transfers	0	1	0	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred		3.0				
Percentage of embryos transferred resulting in implantation (%)		0 / 3				
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)		0 / 1				
Percentage of transfers resulting in singleton live births (%)		0 / 1				
Percentage of transfers resulting in twin live births (%)		0 / 1				
Percentage of transfers resulting in live births (%)		0 / 1				
Percentage of transfers resulting in pregnancies (%)		0 / 1				
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	1	1
Number of transfers	1	1
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	0 / 2	1 / 2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 1	1 / 1
Percentage of transfers resulting in singleton live births (%)	0 / 1	1 / 1
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	0 / 1	1 / 1
Percentage of transfers resulting in pregnancies (%)	0 / 1	1 / 1

CURRENT SERVICES & PROFILE

Current Name: Chicago Infertility Associates, Ltd.

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DAVIES FERTILITY & IVF SPECIALISTS, SC
GLENVIEW, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Susan Davies, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	83%
Unstimulated	0%	PGD/PGS	1%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	12%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	22%	Male factor	6%	Female factors only	10%
Diminished ovarian reserve	31%	Other factor	15%	Female & male factors	<1%
Endometriosis	6%	Unknown factor	14%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 198 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	57	27	34	16	10	1
Percentage of cancellations before retrieval (%)	7.0	22.2	11.8	2 / 16	6 / 10	0 / 1
Average number of embryos transferred	1.8	2.2	2.3	3.0	3.0	
Percentage of embryos transferred resulting in implantation (%)	31.6	20.0	11.9	0.0	1 / 3	
Percentage of elective single embryo transfers (eSET) (%)	7.1	0 / 14	0 / 13	0 / 7	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	17.5	7.4	5.9	0 / 16	0 / 10	0 / 1
Percentage of cycles resulting in singleton live births (%)	19.3	7.4	8.8	0 / 16	0 / 10	0 / 1
Percentage of cycles resulting in twin live births (%)	3.5	0.0	0.0	0 / 16	0 / 10	0 / 1
Percentage of cycles resulting in live births (%)	22.8	7.4	8.8	0 / 16	0 / 10	0 / 1
Percentage of cycles resulting in pregnancies (%)	29.8	14.8	11.8	0 / 16	1 / 10	0 / 1
Outcomes per Transfer						
Number of transfers	32	16	18	9	1	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	31.3	2 / 16	2 / 18	0 / 9	0 / 1	
Percentage of transfers resulting in singleton live births (%)	34.4	2 / 16	3 / 18	0 / 9	0 / 1	
Percentage of transfers resulting in twin live births (%)	6.3	0 / 16	0 / 18	0 / 9	0 / 1	
Percentage of transfers resulting in live births (%)	40.6	2 / 16	3 / 18	0 / 9	0 / 1	
Percentage of transfers resulting in pregnancies (%)	53.1	4 / 16	4 / 18	0 / 9	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	16	10	2	1	1	1
Number of transfers	15	10	2	1	1	1
Estimated average number of transfers per retrieval	0.6	1.0	0.2	0.3	0.5	
Average number of embryos transferred	2.0	2.0	2.5	4.0	3.0	2.0
Percentage of embryos transferred resulting in implantation (%)	30.8	15.0	1 / 5	0 / 4	0 / 3	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	5 / 15	3 / 10	1 / 2	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	5 / 15	3 / 10	1 / 2	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 15	0 / 10	0 / 2	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	6 / 15	3 / 10	1 / 2	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	9 / 15	3 / 10	1 / 2	0 / 1	0 / 1	0 / 1
Number of Egg/Embryo Banking Cycles	4	2	8	1	2	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	1	4
Number of transfers	1	3
Average number of embryos transferred	2.0	1.7
Percentage of embryos transferred resulting in implantation (%)	1 / 2	2 / 5
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 1	0 / 3
Percentage of transfers resulting in singleton live births (%)	1 / 1	2 / 3
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 3
Percentage of transfers resulting in live births (%)	1 / 1	2 / 3
Percentage of transfers resulting in pregnancies (%)	1 / 1	2 / 3

CURRENT SERVICES & PROFILE

Current Name: Davies Fertility & IVF Specialists, SC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Pending
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY CENTER OF CHICAGO
GURNEE, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Richard P. Sherbahn, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	90%
Unstimulated	0%	PGD/PGS	<1%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	8%	Uterine factor	1%	*Multiple Factors:*	
Ovulatory dysfunction	9%	Male factor	33%	Female factors only	4%
Diminished ovarian reserve	38%	Other factor	5%	Female & male factors	12%
Endometriosis	5%	Unknown factor	18%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 754 (includes 12 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	230	95	61	32	10	3
Percentage of cancellations before retrieval (%)	4.8	7.4	6.6	12.5	2 / 10	2 / 3
Average number of embryos transferred	1.9	2.0	2.5	3.2	3.8	6.0
Percentage of embryos transferred resulting in implantation (%)	51.5	36.9	21.5	11.1	10.0	0 / 6
Percentage of elective single embryo transfers (eSET) (%)	7.4	7.8	2.0	0.0	0 / 8	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	27.8	26.3	21.3	15.6	1 / 10	0 / 3
Percentage of cycles resulting in singleton live births (%)	33.9	28.4	24.6	15.6	1 / 10	0 / 3
Percentage of cycles resulting in twin live births (%)	21.3	13.7	6.6	3.1	0 / 10	0 / 3
Percentage of cycles resulting in live births (%)	56.5	42.1	31.1	18.8	1 / 10	0 / 3
Percentage of cycles resulting in pregnancies (%)	62.6	52.6	41.0	31.3	3 / 10	0 / 3
Outcomes per Transfer						
Number of transfers	217	84	53	27	8	1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	29.5	29.8	24.5	18.5	1 / 8	0 / 1
Percentage of transfers resulting in singleton live births (%)	35.9	32.1	28.3	18.5	1 / 8	0 / 1
Percentage of transfers resulting in twin live births (%)	22.6	15.5	7.5	3.7	0 / 8	0 / 1
Percentage of transfers resulting in live births (%)	59.9	47.6	35.8	22.2	1 / 8	0 / 1
Percentage of transfers resulting in pregnancies (%)	66.4	59.5	47.2	37.0	3 / 8	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	80	55	19	6	1	0
Number of transfers	75	54	19	6	1	0
Estimated average number of transfers per retrieval	1.8	3.0	1.6	2.0		
Average number of embryos transferred	1.6	1.6	1.4	1.3	3.0	
Percentage of embryos transferred resulting in implantation (%)	58.9	60.2	48.0	5 / 8	3 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	36.0	40.7	9 / 19	1 / 6	0 / 1	
Percentage of transfers resulting in singleton live births (%)	45.3	44.4	10 / 19	2 / 6	1 / 1	
Percentage of transfers resulting in twin live births (%)	13.3	18.5	1 / 19	1 / 6	0 / 1	
Percentage of transfers resulting in live births (%)	58.7	63.0	11 / 19	3 / 6	1 / 1	
Percentage of transfers resulting in pregnancies (%)	73.3	77.8	12 / 19	4 / 6	1 / 1	
Number of Egg/Embryo Banking Cycles	3	6	8	3	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	78	52
Number of transfers	73	47
Average number of embryos transferred	1.7	1.4
Percentage of embryos transferred resulting in implantation (%)	81.8	64.4
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	24.7	51.1
Percentage of transfers resulting in singleton live births (%)	31.5	59.6
Percentage of transfers resulting in twin live births (%)	46.6	8.5
Percentage of transfers resulting in live births (%)	78.1	68.1
Percentage of transfers resulting in pregnancies (%)	84.9	78.7

CURRENT SERVICES & PROFILE

Current Name: Advanced Fertility Center of Chicago

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HIGHLAND PARK IVF CENTER DBA aPARENT IVF CENTER HIGHLAND PARK, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Angeline Beltsos, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	86%
Unstimulated	<1%	PGD/PGS	3%
Used gestational carrier	1%		

Patient Diagnosis[b]

Tubal factor	5%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	19%	Male factor	24%	Female factors only	25%
Diminished ovarian reserve	42%	Other factor	40%	Female & male factors	13%
Endometriosis	3%	Unknown factor	11%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 2,275 (includes 70 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	297	152	137	93	51	11
Percentage of cancellations before retrieval (%)	6.4	7.2	18.2	17.2	21.6	2 / 11
Average number of embryos transferred	1.6	1.8	1.9	2.3	2.2	4.3
Percentage of embryos transferred resulting in implantation (%)	44.7	35.6	25.0	11.5	0.0	11.5
Percentage of elective single embryo transfers (eSET) (%)	38.7	20.7	11.9	0.0	0 / 16	0 / 6
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	21.2	19.7	9.5	6.5	0.0	0 / 11
Percentage of cycles resulting in singleton live births (%)	24.2	23.0	13.1	6.5	0.0	0 / 11
Percentage of cycles resulting in twin live births (%)	8.8	3.3	2.9	0.0	0.0	1 / 11
Percentage of cycles resulting in live births (%)	33.3	26.3	16.1	6.5	0.0	1 / 11
Percentage of cycles resulting in pregnancies (%)	38.4	33.6	23.4	10.8	0.0	2 / 11
Outcomes per Transfer						
Number of transfers	206	99	79	46	21	6
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	30.6	30.3	16.5	13.0	0.0	0 / 6
Percentage of transfers resulting in singleton live births (%)	35.0	35.4	22.8	13.0	0.0	0 / 6
Percentage of transfers resulting in twin live births (%)	12.6	5.1	5.1	0.0	0.0	1 / 6
Percentage of transfers resulting in live births (%)	48.1	40.4	27.8	13.0	0.0	1 / 6
Percentage of transfers resulting in pregnancies (%)	55.3	51.5	40.5	21.7	0.0	2 / 6
Frozen Embryos from Nondonor Eggs						
Number of cycles	274	177	147	52	15	7
Number of transfers	249	163	133	51	15	7
Estimated average number of transfers per retrieval	1.2	1.0	0.8	0.5	0.4	0.3
Average number of embryos transferred	1.5	1.5	1.4	1.6	1.6	1.6
Percentage of embryos transferred resulting in implantation (%)	42.8	45.0	43.7	28.2	39.1	4 / 11
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	32.9	33.1	27.8	19.6	3 / 15	1 / 7
Percentage of transfers resulting in singleton live births (%)	36.5	41.7	30.1	25.5	3 / 15	1 / 7
Percentage of transfers resulting in twin live births (%)	6.8	8.6	7.5	2.0	3 / 15	0 / 7
Percentage of transfers resulting in live births (%)	43.8	50.3	37.6	27.5	6 / 15	1 / 7
Percentage of transfers resulting in pregnancies (%)	54.2	56.4	54.1	45.1	7 / 15	4 / 7
Number of Egg/Embryo Banking Cycles	110	115	139	78	32	21

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	95	202
Number of transfers	75	180
Average number of embryos transferred	1.7	1.6
Percentage of embryos transferred resulting in implantation (%)	53.3	50.0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	32.0	27.2
Percentage of transfers resulting in singleton live births (%)	38.7	36.7
Percentage of transfers resulting in twin live births (%)	18.7	12.8
Percentage of transfers resulting in live births (%)	57.3	50.0
Percentage of transfers resulting in pregnancies (%)	68.0	61.1

CURRENT SERVICES & PROFILE

Current Name: Highland Park IVF Center dba, aParent IVF Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HINSDALE CENTER FOR REPRODUCTION
HINSDALE, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Michael J. Hickey, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	75%
Unstimulated	0%	PGD/PGS	3%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	1%	Uterine factor	15%	*Multiple Factors:*	
Ovulatory dysfunction	10%	Male factor	33%	Female factors only	1%
Diminished ovarian reserve	11%	Other factor	35%	Female & male factors	8%
Endometriosis	4%	Unknown factor	0%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 81 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	20	11	7	0	2	0
Percentage of cancellations before retrieval (%)	30.0	2 / 11	2 / 7		0 / 2	
Average number of embryos transferred	2.1	2.1	2.5		2.0	
Percentage of embryos transferred resulting in implantation (%)	8 / 19	4 / 15	2 / 10		1 / 2	
Percentage of elective single embryo transfers (eSET) (%)	0 / 9	0 / 7	0 / 4		0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	10.0	2 / 11	0 / 7		1 / 2	
Percentage of cycles resulting in singleton live births (%)	10.0	2 / 11	1 / 7		1 / 2	
Percentage of cycles resulting in twin live births (%)	10.0	1 / 11	0 / 7		0 / 2	
Percentage of cycles resulting in live births (%)	20.0	3 / 11	1 / 7		1 / 2	
Percentage of cycles resulting in pregnancies (%)	25.0	3 / 11	1 / 7		1 / 2	
Outcomes per Transfer						
Number of transfers	9	7	4	0	1	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 9	2 / 7	0 / 4		1 / 1	
Percentage of transfers resulting in singleton live births (%)	2 / 9	2 / 7	1 / 4		1 / 1	
Percentage of transfers resulting in twin live births (%)	2 / 9	1 / 7	0 / 4		0 / 1	
Percentage of transfers resulting in live births (%)	4 / 9	3 / 7	1 / 4		1 / 1	
Percentage of transfers resulting in pregnancies (%)	5 / 9	3 / 7	1 / 4		1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	18	6	7	0	0	0
Number of transfers	16	5	7	0	0	0
Estimated average number of transfers per retrieval	1.5	1.3	7.0			
Average number of embryos transferred	2.1	2.0	2.1			
Percentage of embryos transferred resulting in implantation (%)	8.8	1 / 10	1 / 15			
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 16	1 / 5	1 / 7			
Percentage of transfers resulting in singleton live births (%)	1 / 16	1 / 5	1 / 7			
Percentage of transfers resulting in twin live births (%)	1 / 16	0 / 5	0 / 7			
Percentage of transfers resulting in live births (%)	2 / 16	1 / 5	1 / 7			
Percentage of transfers resulting in pregnancies (%)	2 / 16	1 / 5	1 / 7			
Number of Egg/Embryo Banking Cycles	6	2	1	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	0	1
Number of transfers	0	1
Average number of embryos transferred		2.0
Percentage of embryos transferred resulting in implantation (%)		0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)		0 / 1
Percentage of transfers resulting in singleton live births (%)		0 / 1
Percentage of transfers resulting in twin live births (%)		0 / 1
Percentage of transfers resulting in live births (%)		0 / 1
Percentage of transfers resulting in pregnancies (%)		0 / 1

CURRENT SERVICES & PROFILE

Current Name: Hinsdale Center for Reproduction

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INVIA FERTILITY SPECIALISTS
HOFFMAN ESTATES, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Vishvanath C. Karande, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	65%
Unstimulated	0%	PGD/PGS	<1%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	7%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	17%	Male factor	18%	Female factors only	2%
Diminished ovarian reserve	16%	Other factor	7%	Female & male factors	5%
Endometriosis	7%	Unknown factor	33%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 632 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	176	58	46	23	17	9
Percentage of cancellations before retrieval (%)	9.1	8.6	6.5	13.0	1 / 17	2 / 9
Average number of embryos transferred	1.7	1.8	2.4	2.3	3.1	2.0
Percentage of embryos transferred resulting in implantation (%)	43.8	42.6	23.8	3.6	3.6	0 / 12
Percentage of elective single embryo transfers (eSET) (%)	24.0	11.8	0.0	0 / 7	0 / 8	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	17.6	19.0	19.6	4.3	0 / 17	0 / 9
Percentage of cycles resulting in singleton live births (%)	21.6	20.7	21.7	4.3	0 / 17	0 / 9
Percentage of cycles resulting in twin live births (%)	9.7	8.6	4.3	0.0	0 / 17	0 / 9
Percentage of cycles resulting in live births (%)	31.3	31.0	26.1	4.3	0 / 17	0 / 9
Percentage of cycles resulting in pregnancies (%)	33.5	34.5	37.0	4.3	1 / 17	0 / 9
Outcomes per Transfer						
Number of transfers	105	37	34	12	9	6
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	29.5	29.7	26.5	1 / 12	0 / 9	0 / 6
Percentage of transfers resulting in singleton live births (%)	36.2	32.4	29.4	1 / 12	0 / 9	0 / 6
Percentage of transfers resulting in twin live births (%)	16.2	13.5	5.9	0 / 12	0 / 9	0 / 6
Percentage of transfers resulting in live births (%)	52.4	48.6	35.3	1 / 12	0 / 9	0 / 6
Percentage of transfers resulting in pregnancies (%)	56.2	54.1	50.0	1 / 12	1 / 9	0 / 6
Frozen Embryos from Nondonor Eggs						
Number of cycles	114	37	18	3	2	0
Number of transfers	112	37	17	3	2	0
Estimated average number of transfers per retrieval	1.4	1.3	0.8	0.5	0.2	0.0
Average number of embryos transferred	1.6	1.3	1.8	1.0	4.0	
Percentage of embryos transferred resulting in implantation (%)	48.3	49.0	46.7	0 / 3	2 / 8	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	33.0	27.0	5 / 17	0 / 3	1 / 2	
Percentage of transfers resulting in singleton live births (%)	34.8	32.4	6 / 17	0 / 3	1 / 2	
Percentage of transfers resulting in twin live births (%)	16.1	8.1	1 / 17	0 / 3	0 / 2	
Percentage of transfers resulting in live births (%)	50.9	40.5	8 / 17	0 / 3	1 / 2	
Percentage of transfers resulting in pregnancies (%)	58.9	56.8	9 / 17	0 / 3	2 / 2	
Number of Egg/Embryo Banking Cycles	21	14	13	4	9	2

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	28	38
Number of transfers	26	36
Average number of embryos transferred	1.7	1.4
Percentage of embryos transferred resulting in implantation (%)	56.8	51.0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	34.6	36.1
Percentage of transfers resulting in singleton live births (%)	38.5	44.4
Percentage of transfers resulting in twin live births (%)	23.1	8.3
Percentage of transfers resulting in live births (%)	61.5	52.8
Percentage of transfers resulting in pregnancies (%)	69.2	66.7

CURRENT SERVICES & PROFILE

Current Name: InVia Fertility Specialists

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REENA JABAMONI, MD, SC
HOFFMAN ESTATES, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Reena Jabamoni, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	82%
Unstimulated	0%	PGD/PGS	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	2%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	52%	Male factor	10%	Female factors only	6%
Diminished ovarian reserve	27%	Other factor	9%	Female & male factors	2%
Endometriosis	3%	Unknown factor	4%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 75 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	16	12	4	4	0	3
Percentage of cancellations before retrieval (%)	2 / 16	1 / 12	1 / 4	1 / 4		0 / 3
Average number of embryos transferred	1.4	2.1	2.0			2.3
Percentage of embryos transferred resulting in implantation (%)	4 / 10	3 / 15	0 / 4			0 / 7
Percentage of elective single embryo transfers (eSET) (%)	3 / 6	0 / 6	0 / 2			0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	4 / 16	1 / 12	0 / 4	0 / 4		0 / 3
Percentage of cycles resulting in singleton live births (%)	4 / 16	1 / 12	0 / 4	0 / 4		0 / 3
Percentage of cycles resulting in twin live births (%)	0 / 16	1 / 12	0 / 4	0 / 4		0 / 3
Percentage of cycles resulting in live births (%)	4 / 16	2 / 12	0 / 4	0 / 4		0 / 3
Percentage of cycles resulting in pregnancies (%)	4 / 16	2 / 12	0 / 4	0 / 4		0 / 3
Outcomes per Transfer						
Number of transfers	7	7	2	0	0	3
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	4 / 7	1 / 7	0 / 2			0 / 3
Percentage of transfers resulting in singleton live births (%)	4 / 7	1 / 7	0 / 2			0 / 3
Percentage of transfers resulting in twin live births (%)	0 / 7	1 / 7	0 / 2			0 / 3
Percentage of transfers resulting in live births (%)	4 / 7	2 / 7	0 / 2			0 / 3
Percentage of transfers resulting in pregnancies (%)	4 / 7	2 / 7	0 / 2			0 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	14	5	5	3	0	0
Number of transfers	12	5	4	3	0	0
Estimated average number of transfers per retrieval	1.2	2.5	1.0	1.5		
Average number of embryos transferred	1.4	1.8	1.8	1.0		
Percentage of embryos transferred resulting in implantation (%)	6 / 17	5 / 9	0 / 7	2 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	4 / 12	1 / 5	0 / 4	1 / 3		
Percentage of transfers resulting in singleton live births (%)	6 / 12	1 / 5	0 / 4	2 / 3		
Percentage of transfers resulting in twin live births (%)	0 / 12	2 / 5	0 / 4	0 / 3		
Percentage of transfers resulting in live births (%)	6 / 12	3 / 5	0 / 4	2 / 3		
Percentage of transfers resulting in pregnancies (%)	6 / 12	3 / 5	0 / 4	2 / 3		
Number of Egg/Embryo Banking Cycles	3	2	2	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	2	0
Number of transfers	2	0
Average number of embryos transferred	1.5	
Percentage of embryos transferred resulting in implantation (%)	1 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 2	
Percentage of transfers resulting in singleton live births (%)	1 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 2	
Percentage of transfers resulting in live births (%)	1 / 2	
Percentage of transfers resulting in pregnancies (%)	1 / 2	

CURRENT SERVICES & PROFILE

Current Name: Reena Jabamoni, MD, SC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE HEALTH SPECIALISTS, LTD.
JOLIET, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Marek W. Piekos, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	98%
Unstimulated	0%	PGD/PGS	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	10%	Uterine factor	6%	*Multiple Factors:*	
Ovulatory dysfunction	45%	Male factor	39%	Female factors only	2%
Diminished ovarian reserve	12%	Other factor	8%	Female & male factors	26%
Endometriosis	16%	Unknown factor	0%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 51 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	21	8	5	4	2	0
Percentage of cancellations before retrieval (%)	0.0	0 / 8	0 / 5	0 / 4	0 / 2	
Average number of embryos transferred	2.1	1.6	2.0	2.0	1.5	
Percentage of embryos transferred resulting in implantation (%)	28.6	0 / 11	0 / 10	0 / 8	1 / 3	
Percentage of elective single embryo transfers (eSET) (%)	1 / 19	0 / 5	1 / 5	0 / 3	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	23.8	0 / 8	0 / 5	0 / 4	0 / 2	
Percentage of cycles resulting in singleton live births (%)	28.6	0 / 8	0 / 5	0 / 4	1 / 2	
Percentage of cycles resulting in twin live births (%)	4.8	0 / 8	0 / 5	0 / 4	0 / 2	
Percentage of cycles resulting in live births (%)	38.1	0 / 8	0 / 5	0 / 4	1 / 2	
Percentage of cycles resulting in pregnancies (%)	42.9	1 / 8	0 / 5	0 / 4	1 / 2	
Outcomes per Transfer						
Number of transfers	20	8	5	4	2	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	25.0	0 / 8	0 / 5	0 / 4	0 / 2	
Percentage of transfers resulting in singleton live births (%)	30.0	0 / 8	0 / 5	0 / 4	1 / 2	
Percentage of transfers resulting in twin live births (%)	5.0	0 / 8	0 / 5	0 / 4	0 / 2	
Percentage of transfers resulting in live births (%)	40.0	0 / 8	0 / 5	0 / 4	1 / 2	
Percentage of transfers resulting in pregnancies (%)	45.0	1 / 8	0 / 5	0 / 4	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	0	2	0	0	0
Number of transfers	7	0	2	0	0	0
Estimated average number of transfers per retrieval	1.4					
Average number of embryos transferred	1.9		2.5			
Percentage of embryos transferred resulting in implantation (%)	2 / 13		1 / 5			
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 7		1 / 2			
Percentage of transfers resulting in singleton live births (%)	0 / 7		1 / 2			
Percentage of transfers resulting in twin live births (%)	1 / 7		0 / 2			
Percentage of transfers resulting in live births (%)	1 / 7		1 / 2			
Percentage of transfers resulting in pregnancies (%)	1 / 7		1 / 2			
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	2	0
Number of transfers	2	0
Average number of embryos transferred	1.5	
Percentage of embryos transferred resulting in implantation (%)	0 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 2	
Percentage of transfers resulting in singleton live births (%)	0 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 2	
Percentage of transfers resulting in live births (%)	0 / 2	
Percentage of transfers resulting in pregnancies (%)	0 / 2	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Health Specialists, Ltd.

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE ADVANCED IVF INSTITUTE
CHARLES E. MILLER, MD, SC & ASSOCIATES
NAPERVILLE, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Charles E. Miller, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	82%
Unstimulated	0%	PGD/PGS	0%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	10%	Uterine factor	8%	*Multiple Factors:*	
Ovulatory dysfunction	23%	Male factor	33%	Female factors only	11%
Diminished ovarian reserve	37%	Other factor	5%	Female & male factors	22%
Endometriosis	9%	Unknown factor	15%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 546 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	155	76	83	33	11	1
Percentage of cancellations before retrieval (%)	15.5	13.2	26.5	12.1	2 / 11	1 / 1
Average number of embryos transferred	1.8	2.0	2.2	2.6	2.6	
Percentage of embryos transferred resulting in implantation (%)	54.9	28.4	14.0	3.6	10.0	
Percentage of elective single embryo transfers (eSET) (%)	10.3	0.0	0.0	0.0	1 / 7	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	17.4	15.8	4.8	6.1	2 / 11	0 / 1
Percentage of cycles resulting in singleton live births (%)	18.7	17.1	6.0	6.1	2 / 11	0 / 1
Percentage of cycles resulting in twin live births (%)	11.6	7.9	3.6	0.0	0 / 11	0 / 1
Percentage of cycles resulting in live births (%)	30.3	25.0	9.6	6.1	2 / 11	0 / 1
Percentage of cycles resulting in pregnancies (%)	35.5	30.3	14.5	9.1	3 / 11	0 / 1
Outcomes per Transfer						
Number of transfers	77	51	47	22	9	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	35.1	23.5	8.5	9.1	2 / 9	
Percentage of transfers resulting in singleton live births (%)	37.7	25.5	10.6	9.1	2 / 9	
Percentage of transfers resulting in twin live births (%)	23.4	11.8	6.4	0.0	0 / 9	
Percentage of transfers resulting in live births (%)	61.0	37.3	17.0	9.1	2 / 9	
Percentage of transfers resulting in pregnancies (%)	71.4	45.1	25.5	13.6	3 / 9	
Frozen Embryos from Nondonor Eggs						
Number of cycles	78	34	9	3	1	0
Number of transfers	72	33	9	3	0	0
Estimated average number of transfers per retrieval	1.4	1.0	0.8	0.8		
Average number of embryos transferred	1.8	1.8	2.0	2.0		
Percentage of embryos transferred resulting in implantation (%)	43.8	23.3	5 / 18	0 / 6		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	29.2	27.3	1 / 9	0 / 3		
Percentage of transfers resulting in singleton live births (%)	37.5	33.3	2 / 9	0 / 3		
Percentage of transfers resulting in twin live births (%)	16.7	3.0	1 / 9	0 / 3		
Percentage of transfers resulting in live births (%)	54.2	36.4	3 / 9	0 / 3		
Percentage of transfers resulting in pregnancies (%)	63.9	36.4	4 / 9	0 / 3		
Number of Egg/Embryo Banking Cycles	12	13	6	3	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	19	9
Number of transfers	16	9
Average number of embryos transferred	1.9	1.9
Percentage of embryos transferred resulting in implantation (%)	71.4	9 / 13
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	4 / 16	2 / 9
Percentage of transfers resulting in singleton live births (%)	5 / 16	3 / 9
Percentage of transfers resulting in twin live births (%)	4 / 16	3 / 9
Percentage of transfers resulting in live births (%)	10 / 16	6 / 9
Percentage of transfers resulting in pregnancies (%)	13 / 16	8 / 9

CURRENT SERVICES & PROFILE

Current Name: The Advanced IVF Institute, Charles E. Miller, MD, SC & Associates

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF1
NAPERVILLE, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Randy S. Morris, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	84%
Unstimulated	0%	PGD/PGS	3%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	18%	Uterine factor	10%	*Multiple Factors:*	
Ovulatory dysfunction	14%	Male factor	39%	Female factors only	14%
Diminished ovarian reserve	32%	Other factor	11%	Female & male factors	21%
Endometriosis	10%	Unknown factor	14%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 550 (includes 4 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	70	31	28	14	9	2
Percentage of cancellations before retrieval (%)	0.0	9.7	35.7	6 / 14	3 / 9	0 / 2
Average number of embryos transferred	1.9	2.0	2.6	2.7	2.5	3.0
Percentage of embryos transferred resulting in implantation (%)	45.2	28.9	19.0	0 / 8	1 / 5	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	11.3	4.5	0 / 8	0 / 3	0 / 2	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	28.6	9.7	7.1	0 / 14	1 / 9	0 / 2
Percentage of cycles resulting in singleton live births (%)	31.4	9.7	10.7	0 / 14	1 / 9	0 / 2
Percentage of cycles resulting in twin live births (%)	15.7	12.9	0.0	0 / 14	0 / 9	0 / 2
Percentage of cycles resulting in live births (%)	47.1	22.6	10.7	0 / 14	1 / 9	0 / 2
Percentage of cycles resulting in pregnancies (%)	55.7	25.8	14.3	0 / 14	1 / 9	0 / 2
Outcomes per Transfer						
Number of transfers	65	23	8	3	2	1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	30.8	13.0	2 / 8	0 / 3	1 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	33.8	13.0	3 / 8	0 / 3	1 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	16.9	17.4	0 / 8	0 / 3	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	50.8	30.4	3 / 8	0 / 3	1 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	60.0	34.8	4 / 8	0 / 3	1 / 2	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	80	61	27	14	8	1
Number of transfers	77	51	21	12	7	1
Estimated average number of transfers per retrieval	1.5	1.3	0.6	0.4	0.6	0.3
Average number of embryos transferred	1.7	1.7	1.5	1.8	1.3	2.0
Percentage of embryos transferred resulting in implantation (%)	53.1	54.1	50.0	7 / 15	3 / 9	1 / 2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	35.1	27.5	42.9	3 / 12	1 / 7	0 / 1
Percentage of transfers resulting in singleton live births (%)	39.0	39.2	47.6	6 / 12	1 / 7	0 / 1
Percentage of transfers resulting in twin live births (%)	19.5	17.6	9.5	0 / 12	0 / 7	0 / 1
Percentage of transfers resulting in live births (%)	58.4	56.9	57.1	6 / 12	1 / 7	0 / 1
Percentage of transfers resulting in pregnancies (%)	70.1	68.6	66.7	10 / 12	3 / 7	1 / 1
Number of Egg/Embryo Banking Cycles	39	30	31	26	9	3

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	22	41
Number of transfers	20	37
Average number of embryos transferred	2.0	1.7
Percentage of embryos transferred resulting in implantation (%)	84.6	45.2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	30.0	21.6
Percentage of transfers resulting in singleton live births (%)	40.0	37.8
Percentage of transfers resulting in twin live births (%)	50.0	10.8
Percentage of transfers resulting in live births (%)	90.0	51.4
Percentage of transfers resulting in pregnancies (%)	100.0	56.8

CURRENT SERVICES & PROFILE

Current Name: IVF1

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE INSTITUTE
OAK BROOK, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Nasiruddin Rana, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	85%
Unstimulated	0%	PGD/PGS	2%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	8%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	22%	Male factor	25%	Female factors only	10%
Diminished ovarian reserve	32%	Other factor	16%	Female & male factors	10%
Endometriosis	7%	Unknown factor	10%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 1,019 (includes 10 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	204	74	94	50	25	14
Percentage of cancellations before retrieval (%)	4.9	6.8	13.8	10.0	20.0	5 / 14
Average number of embryos transferred	1.7	2.0	1.9	2.4	2.6	2.2
Percentage of embryos transferred resulting in implantation (%)	36.9	34.0	18.4	9.3	3.4	0 / 13
Percentage of elective single embryo transfers (eSET) (%)	25.6	10.9	2.7	0.0	0 / 10	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	18.6	20.3	10.6	2.0	4.0	0 / 14
Percentage of cycles resulting in singleton live births (%)	22.5	21.6	10.6	2.0	4.0	0 / 14
Percentage of cycles resulting in twin live births (%)	5.4	8.1	3.2	2.0	0.0	0 / 14
Percentage of cycles resulting in live births (%)	27.9	29.7	13.8	4.0	4.0	0 / 14
Percentage of cycles resulting in pregnancies (%)	32.8	32.4	18.1	12.0	4.0	0 / 14
Outcomes per Transfer						
Number of transfers	130	48	52	31	11	6
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	29.2	31.3	19.2	3.2	1 / 11	0 / 6
Percentage of transfers resulting in singleton live births (%)	35.4	33.3	19.2	3.2	1 / 11	0 / 6
Percentage of transfers resulting in twin live births (%)	8.5	12.5	5.8	3.2	0 / 11	0 / 6
Percentage of transfers resulting in live births (%)	43.8	45.8	25.0	6.5	1 / 11	0 / 6
Percentage of transfers resulting in pregnancies (%)	51.5	50.0	32.7	19.4	1 / 11	0 / 6
Frozen Embryos from Nondonor Eggs						
Number of cycles	178	72	57	17	6	2
Number of transfers	169	66	49	15	4	2
Estimated average number of transfers per retrieval	1.4	1.5	1.1	0.6	1.0	0.3
Average number of embryos transferred	1.8	1.7	1.8	1.8	2.5	2.5
Percentage of embryos transferred resulting in implantation (%)	43.3	41.4	25.0	18.5	5 / 7	0 / 5
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	26.6	36.4	22.4	4 / 15	1 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	33.1	45.5	30.6	4 / 15	1 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	14.2	7.6	4.1	0 / 15	2 / 4	0 / 2
Percentage of transfers resulting in live births (%)	47.3	53.0	34.7	4 / 15	3 / 4	0 / 2
Percentage of transfers resulting in pregnancies (%)	59.2	60.6	42.9	5 / 15	4 / 4	0 / 2
Number of Egg/Embryo Banking Cycles	40	29	27	15	3	5

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	27	70
Number of transfers	24	61
Average number of embryos transferred	1.9	1.8
Percentage of embryos transferred resulting in implantation (%)	51.1	27.7
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	33.3	9.8
Percentage of transfers resulting in singleton live births (%)	50.0	9.8
Percentage of transfers resulting in twin live births (%)	20.8	9.8
Percentage of transfers resulting in live births (%)	70.8	21.3
Percentage of transfers resulting in pregnancies (%)	70.8	39.3

CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine Institute

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DANIEL ROSTEIN, MD, SC
OAK BROOK, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Daniel A. Rostein, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	67%
Unstimulated	0%	PGD/PGS	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	0%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	33%	Male factor	17%	Female factors only	17%
Diminished ovarian reserve	17%	Other factor	17%	Female & male factors	0%
Endometriosis	33%	Unknown factor	0%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 6 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	2	1	0	0	0	0
Percentage of cancellations before retrieval (%)	0 / 2	0 / 1				
Average number of embryos transferred	2.0	2.0				
Percentage of embryos transferred resulting in implantation (%)	0 / 2	0 / 2				
Percentage of elective single embryo transfers (eSET) (%)	0 / 1	0 / 1				
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	0 / 2	0 / 1				
Percentage of cycles resulting in singleton live births (%)	0 / 2	0 / 1				
Percentage of cycles resulting in twin live births (%)	0 / 2	0 / 1				
Percentage of cycles resulting in live births (%)	0 / 2	0 / 1				
Percentage of cycles resulting in pregnancies (%)	0 / 2	0 / 1				
Outcomes per Transfer						
Number of transfers	1	1	0	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 1	0 / 1				
Percentage of transfers resulting in singleton live births (%)	0 / 1	0 / 1				
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1				
Percentage of transfers resulting in live births (%)	0 / 1	0 / 1				
Percentage of transfers resulting in pregnancies (%)	0 / 1	0 / 1				
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	0	0	0	0	0
Number of transfers	1	0	0	0	0	0
Estimated average number of transfers per retrieval	1.0					
Average number of embryos transferred	2.0					
Percentage of embryos transferred resulting in implantation (%)	2 / 2					
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 1					
Percentage of transfers resulting in singleton live births (%)	0 / 1					
Percentage of transfers resulting in twin live births (%)	1 / 1					
Percentage of transfers resulting in live births (%)	1 / 1					
Percentage of transfers resulting in pregnancies (%)	1 / 1					
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	2	0
Number of transfers	1	0
Average number of embryos transferred	2.0	
Percentage of embryos transferred resulting in implantation (%)	2 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 1	
Percentage of transfers resulting in live births (%)	1 / 1	
Percentage of transfers resulting in pregnancies (%)	1 / 1	

CURRENT SERVICES & PROFILE

Current Name: Daniel Rostein, MD, SC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHER INSTITUTE FOR REPRODUCTIVE MEDICINE-CENTRAL ILLINOIS
PEORIA, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Gary M. Horowitz, MD

Type of ART and Procedural Factors[a]

IVF	93%	With ICSI	80%
Unstimulated	0%	PGD/PGS	12%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	10%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	17%	Male factor	44%	Female factors only	22%
Diminished ovarian reserve	35%	Other factor	55%	Female & male factors	35%
Endometriosis	13%	Unknown factor	2%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 207 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	80	21	12	3	4	1
Percentage of cancellations before retrieval (%)	12.5	4.8	2 / 12	1 / 3	2 / 4	1 / 1
Average number of embryos transferred	1.8	1.8	1.7	3.5	3.0	
Percentage of embryos transferred resulting in implantation (%)	20.8	17.2	4 / 14	0 / 7	0 / 3	
Percentage of elective single embryo transfers (eSET) (%)	37.3	0 / 12	1 / 4	0 / 2	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	11.3	9.5	1 / 12	0 / 3	0 / 4	0 / 1
Percentage of cycles resulting in singleton live births (%)	18.8	14.3	1 / 12	0 / 3	0 / 4	0 / 1
Percentage of cycles resulting in twin live births (%)	3.8	4.8	0 / 12	0 / 3	0 / 4	0 / 1
Percentage of cycles resulting in live births (%)	22.5	19.0	2 / 12	0 / 3	0 / 4	0 / 1
Percentage of cycles resulting in pregnancies (%)	22.5	19.0	2 / 12	0 / 3	0 / 4	0 / 1
Outcomes per Transfer						
Number of transfers	55	16	9	2	1	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	16.4	2 / 16	1 / 9	0 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)	27.3	3 / 16	1 / 9	0 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)	5.5	1 / 16	0 / 9	0 / 2	0 / 1	
Percentage of transfers resulting in live births (%)	32.7	4 / 16	2 / 9	0 / 2	0 / 1	
Percentage of transfers resulting in pregnancies (%)	32.7	4 / 16	2 / 9	0 / 2	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	46	21	11	0	1	0
Number of transfers	43	21	11	0	1	0
Estimated average number of transfers per retrieval	2.4	2.1	3.7		1.0	
Average number of embryos transferred	1.2	1.5	1.5		3.0	
Percentage of embryos transferred resulting in implantation (%)	26.4	29.6	4 / 16		0 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	14.0	19.0	0 / 11		0 / 1	
Percentage of transfers resulting in singleton live births (%)	25.6	23.8	2 / 11		0 / 1	
Percentage of transfers resulting in twin live births (%)	2.3	4.8	0 / 11		0 / 1	
Percentage of transfers resulting in live births (%)	27.9	28.6	2 / 11		0 / 1	
Percentage of transfers resulting in pregnancies (%)	30.2	42.9	3 / 11		0 / 1	
Number of Egg/Embryo Banking Cycles	0	1	2	0	1	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	1	2
Number of transfers	1	2
Average number of embryos transferred	1.0	2.0
Percentage of embryos transferred resulting in implantation (%)	0 / 1	0 / 4
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	0 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 2
Percentage of transfers resulting in live births (%)	0 / 1	0 / 2
Percentage of transfers resulting in pregnancies (%)	0 / 1	0 / 2

CURRENT SERVICES & PROFILE

Current Name: Sher Institute for Reproductive Medicine-Central Illinois

Donor eggs?	No	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE HEALTH AND FERTILITY CENTER
ROCKFORD, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Chiravudh Sawetawan, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	87%
Unstimulated	0%	PGD/PGS	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	31%	Uterine factor	6%	*Multiple Factors:*	
Ovulatory dysfunction	18%	Male factor	31%	Female factors only	26%
Diminished ovarian reserve	14%	Other factor	24%	Female & male factors	17%
Endometriosis	32%	Unknown factor	5%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 201 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	39	28	10	7	1	0
Percentage of cancellations before retrieval (%)	7.7	0.0	2 / 10	1 / 7	1 / 1	
Average number of embryos transferred	1.8	1.9	2.0	2.5		
Percentage of embryos transferred resulting in implantation (%)	20.0	23.9	4 / 16	3 / 10		
Percentage of elective single embryo transfers (eSET) (%)	25.0	28.6	1 / 8	0 / 4		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	10.3	14.3	1 / 10	1 / 7	0 / 1	
Percentage of cycles resulting in singleton live births (%)	15.4	17.9	1 / 10	2 / 7	0 / 1	
Percentage of cycles resulting in twin live births (%)	5.1	3.6	0 / 10	0 / 7	0 / 1	
Percentage of cycles resulting in live births (%)	20.5	21.4	1 / 10	2 / 7	0 / 1	
Percentage of cycles resulting in pregnancies (%)	25.6	35.7	3 / 10	2 / 7	0 / 1	
Outcomes per Transfer						
Number of transfers	33	24	8	4	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	12.1	16.7	1 / 8	1 / 4		
Percentage of transfers resulting in singleton live births (%)	18.2	20.8	1 / 8	2 / 4		
Percentage of transfers resulting in twin live births (%)	6.1	4.2	0 / 8	0 / 4		
Percentage of transfers resulting in live births (%)	24.2	25.0	1 / 8	2 / 4		
Percentage of transfers resulting in pregnancies (%)	30.3	41.7	3 / 8	2 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	37	23	5	0	0	0
Number of transfers	34	19	5	0	0	0
Estimated average number of transfers per retrieval	2.6	1.9	1.3			
Average number of embryos transferred	1.6	1.7	2.0			
Percentage of embryos transferred resulting in implantation (%)	38.5	9.4	1 / 10			
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	32.4	2 / 19	1 / 5			
Percentage of transfers resulting in singleton live births (%)	35.3	2 / 19	1 / 5			
Percentage of transfers resulting in twin live births (%)	8.8	0 / 19	0 / 5			
Percentage of transfers resulting in live births (%)	44.1	2 / 19	1 / 5			
Percentage of transfers resulting in pregnancies (%)	55.9	3 / 19	1 / 5			
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	16	35
Number of transfers	16	31
Average number of embryos transferred	1.8	1.8
Percentage of embryos transferred resulting in implantation (%)	35.7	19.2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	4 / 16	19.4
Percentage of transfers resulting in singleton live births (%)	4 / 16	25.8
Percentage of transfers resulting in twin live births (%)	2 / 16	3.2
Percentage of transfers resulting in live births (%)	6 / 16	29.0
Percentage of transfers resulting in pregnancies (%)	7 / 16	38.7

CURRENT SERVICES & PROFILE

Current Name: Reproductive Health and Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CHICAGO IVF
SKOKIE, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Joel G. Brasch, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	93%
Unstimulated	0%	PGD/PGS	3%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	19%	Uterine factor	6%	*Multiple Factors:*	
Ovulatory dysfunction	14%	Male factor	32%	Female factors only	10%
Diminished ovarian reserve	36%	Other factor	6%	Female & male factors	22%
Endometriosis	6%	Unknown factor	23%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 612 (includes 14 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	160	75	71	32	10	19
Percentage of cancellations before retrieval (%)	0.0	2.7	0.0	0.0	0 / 10	1 / 19
Average number of embryos transferred	2.0	2.1	2.4	3.4	2.0	2.8
Percentage of embryos transferred resulting in implantation (%)	33.0	20.3	12.8	5.6	0 / 18	0.0
Percentage of elective single embryo transfers (eSET) (%)	10.0	3.8	5.1	0.0	0 / 6	0 / 11
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	18.8	12.0	14.1	6.3	0 / 10	0 / 19
Percentage of cycles resulting in singleton live births (%)	23.8	12.0	14.1	6.3	0 / 10	0 / 19
Percentage of cycles resulting in twin live births (%)	14.4	4.0	2.8	3.1	0 / 10	0 / 19
Percentage of cycles resulting in live births (%)	38.1	18.7	16.9	9.4	0 / 10	0 / 19
Percentage of cycles resulting in pregnancies (%)	53.1	26.7	35.2	21.9	0 / 10	0 / 19
Outcomes per Transfer						
Number of transfers	157	64	67	30	9	15
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	19.1	14.1	14.9	6.7	0 / 9	0 / 15
Percentage of transfers resulting in singleton live births (%)	24.2	14.1	14.9	6.7	0 / 9	0 / 15
Percentage of transfers resulting in twin live births (%)	14.6	4.7	3.0	3.3	0 / 9	0 / 15
Percentage of transfers resulting in live births (%)	38.9	21.9	17.9	10.0	0 / 9	0 / 15
Percentage of transfers resulting in pregnancies (%)	54.1	31.3	37.3	23.3	0 / 9	0 / 15
Frozen Embryos from Nondonor Eggs						
Number of cycles	93	45	18	5	1	0
Number of transfers	93	44	18	5	1	0
Estimated average number of transfers per retrieval	1.7	2.3	1.4	0.5	0.5	0.0
Average number of embryos transferred	1.9	2.1	2.0	2.6	2.0	
Percentage of embryos transferred resulting in implantation (%)	17.3	15.6	14.7	1 / 10	1 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	18.3	6.8	0 / 18	1 / 5	1 / 1	
Percentage of transfers resulting in singleton live births (%)	19.4	9.1	1 / 18	1 / 5	1 / 1	
Percentage of transfers resulting in twin live births (%)	4.3	4.5	2 / 18	0 / 5	0 / 1	
Percentage of transfers resulting in live births (%)	23.7	13.6	3 / 18	1 / 5	1 / 1	
Percentage of transfers resulting in pregnancies (%)	40.9	38.6	4 / 18	2 / 5	1 / 1	
Number of Egg/Embryo Banking Cycles	17	3	4	6	2	2

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	8	27
Number of transfers	8	27
Average number of embryos transferred	2.0	2.3
Percentage of embryos transferred resulting in implantation (%)	4 / 14	5.6
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 8	7.4
Percentage of transfers resulting in singleton live births (%)	2 / 8	11.1
Percentage of transfers resulting in twin live births (%)	1 / 8	0.0
Percentage of transfers resulting in live births (%)	3 / 8	11.1
Percentage of transfers resulting in pregnancies (%)	4 / 8	18.5

CURRENT SERVICES & PROFILE

Current Name: Chicago IVF

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

SOUTHERN ILLINOIS UNIVERSITY SCHOOL OF MEDICINE FERTILITY AND IVF CENTER SPRINGFIELD, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by J. Ricardo Loret de Mola, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	38%
Unstimulated	0%	PGD/PGS	0%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	24%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	26%	Male factor	29%	Female factors only	13%
Diminished ovarian reserve	14%	Other factor	9%	Female & male factors	14%
Endometriosis	21%	Unknown factor	6%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 163 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	88	19	9	4	0	0
Percentage of cancellations before retrieval (%)	10.2	1 / 19	0 / 9	0 / 4		
Average number of embryos transferred	1.8	2.0	2.4	3.0		
Percentage of embryos transferred resulting in implantation (%)	57.1	35.3	31.8	1 / 12		
Percentage of elective single embryo transfers (eSET) (%)	15.1	0 / 18	0 / 9	0 / 4		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	21.6	7 / 19	4 / 9	1 / 4		
Percentage of cycles resulting in singleton live births (%)	28.4	8 / 19	6 / 9	1 / 4		
Percentage of cycles resulting in twin live births (%)	26.1	2 / 19	0 / 9	0 / 4		
Percentage of cycles resulting in live births (%)	54.5	10 / 19	6 / 9	1 / 4		
Percentage of cycles resulting in pregnancies (%)	58.0	10 / 19	6 / 9	1 / 4		
Outcomes per Transfer						
Number of transfers	76	18	9	4	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	25.0	7 / 18	4 / 9	1 / 4		
Percentage of transfers resulting in singleton live births (%)	32.9	8 / 18	6 / 9	1 / 4		
Percentage of transfers resulting in twin live births (%)	30.3	2 / 18	0 / 9	0 / 4		
Percentage of transfers resulting in live births (%)	63.2	10 / 18	6 / 9	1 / 4		
Percentage of transfers resulting in pregnancies (%)	67.1	10 / 18	6 / 9	1 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	15	0	1	2	0	0
Number of transfers	15	0	1	2	0	0
Estimated average number of transfers per retrieval	2.5			1.0		
Average number of embryos transferred	2.1		3.0	2.5		
Percentage of embryos transferred resulting in implantation (%)	22.6		1 / 3	3 / 5		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	4 / 15		1 / 1	0 / 2		
Percentage of transfers resulting in singleton live births (%)	4 / 15		1 / 1	0 / 2		
Percentage of transfers resulting in twin live births (%)	1 / 15		0 / 1	1 / 2		
Percentage of transfers resulting in live births (%)	5 / 15		1 / 1	1 / 2		
Percentage of transfers resulting in pregnancies (%)	5 / 15		1 / 1	2 / 2		
Number of Egg/Embryo Banking Cycles	1	0	0	2	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	19	3
Number of transfers	17	3
Average number of embryos transferred	1.5	1.7
Percentage of embryos transferred resulting in implantation (%)	65.4	4 / 5
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	8 / 17	0 / 3
Percentage of transfers resulting in singleton live births (%)	9 / 17	0 / 3
Percentage of transfers resulting in twin live births (%)	3 / 17	2 / 3
Percentage of transfers resulting in live births (%)	12 / 17	2 / 3
Percentage of transfers resulting in pregnancies (%)	12 / 17	2 / 3

CURRENT SERVICES & PROFILE

Current Name: Southern Illinois University School of Medicine Fertility and IVF Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SETH LEVRANT, MD, PC
PARTNERS IN REPRODUCTIVE HEALTH
TINLEY PARK, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Seth G. Levrant, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	49%
Unstimulated	0%	PGD/PGS	4%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	33%	Uterine factor	22%	*Multiple Factors:*	
Ovulatory dysfunction	36%	Male factor	28%	Female factors only	42%
Diminished ovarian reserve	24%	Other factor	39%	Female & male factors	25%
Endometriosis	19%	Unknown factor	10%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 87 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	30	8	9	10	0	0
Percentage of cancellations before retrieval (%)	10.0	0 / 8	0 / 9	3 / 10		
Average number of embryos transferred	1.6	1.9	1.5	2.4		
Percentage of embryos transferred resulting in implantation (%)	40.5	3 / 15	1 / 12	1 / 17		
Percentage of elective single embryo transfers (eSET) (%)	30.4	0 / 7	0 / 4	0 / 6		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	30.0	1 / 8	1 / 9	0 / 10		
Percentage of cycles resulting in singleton live births (%)	30.0	1 / 8	1 / 9	0 / 10		
Percentage of cycles resulting in twin live births (%)	3.3	1 / 8	0 / 9	0 / 10		
Percentage of cycles resulting in live births (%)	33.3	2 / 8	1 / 9	0 / 10		
Percentage of cycles resulting in pregnancies (%)	46.7	2 / 8	1 / 9	1 / 10		
Outcomes per Transfer						
Number of transfers	25	8	8	7	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	36.0	1 / 8	1 / 8	0 / 7		
Percentage of transfers resulting in singleton live births (%)	36.0	1 / 8	1 / 8	0 / 7		
Percentage of transfers resulting in twin live births (%)	4.0	1 / 8	0 / 8	0 / 7		
Percentage of transfers resulting in live births (%)	40.0	2 / 8	1 / 8	0 / 7		
Percentage of transfers resulting in pregnancies (%)	56.0	2 / 8	1 / 8	1 / 7		
Frozen Embryos from Nondonor Eggs						
Number of cycles	8	7	6	1	3	0
Number of transfers	8	7	5	1	1	0
Estimated average number of transfers per retrieval	1.6	7.0		1.0		
Average number of embryos transferred	1.6	2.0	2.0	2.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	4 / 13	4 / 14	0 / 10	1 / 2	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 8	4 / 7	0 / 5	1 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	2 / 8	4 / 7	0 / 5	1 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 8	0 / 7	0 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	3 / 8	4 / 7	0 / 5	1 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	3 / 8	4 / 7	0 / 5	1 / 1	0 / 1	
Number of Egg/Embryo Banking Cycles	1	0	0	1	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	1	0
Number of transfers	1	0
Average number of embryos transferred	1.0	
Percentage of embryos transferred resulting in implantation (%)	1 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 1	
Percentage of transfers resulting in live births (%)	1 / 1	
Percentage of transfers resulting in pregnancies (%)	1 / 1	

CURRENT SERVICES & PROFILE

Current Name: Seth Levrant, MD, PC, Partners in Reproductive Health

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MIDWEST FERTILITY SPECIALISTS
CARMEL, INDIANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Laura M. Reuter, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	80%
Unstimulated	0%	PGD/PGS	2%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	11%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	12%	Male factor	39%	Female factors only	8%
Diminished ovarian reserve	19%	Other factor	22%	Female & male factors	13%
Endometriosis	9%	Unknown factor	11%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 706 (includes 7 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	286	79	55	13	5	0
Percentage of cancellations before retrieval (%)	8.7	16.5	21.8	5 / 13	2 / 5	
Average number of embryos transferred	2.0	2.1	2.1	2.1	2.5	
Percentage of embryos transferred resulting in implantation (%)	32.1	30.3	16.3	1 / 15	0 / 5	
Percentage of elective single embryo transfers (eSET) (%)	3.4	4.9	0.0	0 / 5	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	22.7	21.5	16.4	1 / 13	0 / 5	
Percentage of cycles resulting in singleton live births (%)	26.2	22.8	16.4	1 / 13	0 / 5	
Percentage of cycles resulting in twin live births (%)	10.1	8.9	0.0	0 / 13	0 / 5	
Percentage of cycles resulting in live births (%)	36.7	31.6	16.4	1 / 13	0 / 5	
Percentage of cycles resulting in pregnancies (%)	42.3	39.2	27.3	1 / 13	0 / 5	
Outcomes per Transfer						
Number of transfers	243	62	40	7	2	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	26.7	27.4	22.5	1 / 7	0 / 2	
Percentage of transfers resulting in singleton live births (%)	30.9	29.0	22.5	1 / 7	0 / 2	
Percentage of transfers resulting in twin live births (%)	11.9	11.3	0.0	0 / 7	0 / 2	
Percentage of transfers resulting in live births (%)	43.2	40.3	22.5	1 / 7	0 / 2	
Percentage of transfers resulting in pregnancies (%)	49.8	50.0	37.5	1 / 7	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	77	33	13	2	2	0
Number of transfers	65	27	10	2	1	0
Estimated average number of transfers per retrieval	1.4	1.8	1.1		1.0	0.0
Average number of embryos transferred	1.8	1.8	1.6	2.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	32.7	30.4	4 / 16	0 / 4	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	27.7	14.8	4 / 10	0 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)	32.3	22.2	4 / 10	0 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)	10.8	11.1	0 / 10	0 / 2	0 / 1	
Percentage of transfers resulting in live births (%)	43.1	33.3	4 / 10	0 / 2	0 / 1	
Percentage of transfers resulting in pregnancies (%)	50.8	40.7	4 / 10	0 / 2	0 / 1	
Number of Egg/Embryo Banking Cycles	7	2	1	0	1	1

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	63	59
Number of transfers	56	54
Average number of embryos transferred	1.9	1.9
Percentage of embryos transferred resulting in implantation (%)	48.5	27.4
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	28.6	24.1
Percentage of transfers resulting in singleton live births (%)	33.9	24.1
Percentage of transfers resulting in twin live births (%)	21.4	7.4
Percentage of transfers resulting in live births (%)	57.1	33.3
Percentage of transfers resulting in pregnancies (%)	62.5	42.6

CURRENT SERVICES & PROFILE

Current Name: Midwest Fertility Specialists

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTION INSTITUTE, LLC
ADVANCED FERTILITY GROUP
EVANSVILLE, INDIANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by William L. Gentry, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	31%
Unstimulated	0%	PGD/PGS	0%
Used gestational carrier	1%		

Patient Diagnosis[b]

Tubal factor	22%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	44%	Male factor	29%	Female factors only	13%
Diminished ovarian reserve	10%	Other factor	5%	Female & male factors	16%
Endometriosis	17%	Unknown factor	<1%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 136 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	56	7	11	2	0	2
Percentage of cancellations before retrieval (%)	10.7	0 / 7	4 / 11	0 / 2		1 / 2
Average number of embryos transferred	1.8	1.6	1.8	2.0		2.0
Percentage of embryos transferred resulting in implantation (%)	38.8	5 / 11	6 / 9	0 / 4		2 / 2
Percentage of elective single embryo transfers (eSET) (%)	20.9	3 / 7	1 / 6	0 / 2		0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	19.6	2 / 7	1 / 11	0 / 2		0 / 2
Percentage of cycles resulting in singleton live births (%)	25.0	2 / 7	1 / 11	0 / 2		0 / 2
Percentage of cycles resulting in twin live births (%)	10.7	0 / 7	1 / 11	0 / 2		1 / 2
Percentage of cycles resulting in live births (%)	35.7	2 / 7	2 / 11	0 / 2		1 / 2
Percentage of cycles resulting in pregnancies (%)	42.9	3 / 7	4 / 11	0 / 2		1 / 2
Outcomes per Transfer						
Number of transfers	47	7	6	2	0	1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	23.4	2 / 7	1 / 6	0 / 2		0 / 1
Percentage of transfers resulting in singleton live births (%)	29.8	2 / 7	1 / 6	0 / 2		0 / 1
Percentage of transfers resulting in twin live births (%)	12.8	0 / 7	1 / 6	0 / 2		1 / 1
Percentage of transfers resulting in live births (%)	42.6	2 / 7	2 / 6	0 / 2		1 / 1
Percentage of transfers resulting in pregnancies (%)	51.1	3 / 7	4 / 6	0 / 2		1 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	22	12	8	0	1	0
Number of transfers	22	12	8	0	1	0
Estimated average number of transfers per retrieval	2.8	4.0	4.0		1.0	
Average number of embryos transferred	2.0	1.8	1.4		2.0	
Percentage of embryos transferred resulting in implantation (%)	30.2	9.5	3 / 10		0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	22.7	1 / 12	2 / 8		0 / 1	
Percentage of transfers resulting in singleton live births (%)	22.7	1 / 12	3 / 8		0 / 1	
Percentage of transfers resulting in twin live births (%)	13.6	0 / 12	0 / 8		0 / 1	
Percentage of transfers resulting in live births (%)	36.4	1 / 12	3 / 8		0 / 1	
Percentage of transfers resulting in pregnancies (%)	50.0	2 / 12	4 / 8		0 / 1	
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	9	5
Number of transfers	9	4
Average number of embryos transferred	2.1	1.8
Percentage of embryos transferred resulting in implantation (%)	13 / 19	2 / 7
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	3 / 9	2 / 4
Percentage of transfers resulting in singleton live births (%)	4 / 9	2 / 4
Percentage of transfers resulting in twin live births (%)	4 / 9	0 / 4
Percentage of transfers resulting in live births (%)	8 / 9	2 / 4
Percentage of transfers resulting in pregnancies (%)	9 / 9	2 / 4

CURRENT SERVICES & PROFILE

Current Name: Advanced Reproduction Institute, LLC, Advanced Fertility Group

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY GROUP
INDIANAPOLIS, INDIANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by William Gentry, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	27%
Unstimulated	0%	PGD/PGS	3%
Used gestational carrier	5%		

Patient Diagnosis[b]

Tubal factor	11%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	31%	Male factor	36%	Female factors only	4%
Diminished ovarian reserve	18%	Other factor	1%	Female & male factors	16%
Endometriosis	15%	Unknown factor	3%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 83 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	30	10	16	4	1	1
Percentage of cancellations before retrieval (%)	20.0	2 / 10	0 / 16	2 / 4	0 / 1	0 / 1
Average number of embryos transferred	1.7	1.8	2.2	2.0	3.0	
Percentage of embryos transferred resulting in implantation (%)	50.0	5 / 14	25.8	0 / 2	1 / 3	
Percentage of elective single embryo transfers (eSET) (%)	15.0	1 / 6	0 / 11	0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	16.7	2 / 10	2 / 16	0 / 4	0 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)	23.3	2 / 10	3 / 16	0 / 4	0 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)	20.0	1 / 10	1 / 16	0 / 4	0 / 1	0 / 1
Percentage of cycles resulting in live births (%)	43.3	3 / 10	4 / 16	0 / 4	0 / 1	0 / 1
Percentage of cycles resulting in pregnancies (%)	46.7	4 / 10	5 / 16	0 / 4	1 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	23	8	14	1	1	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	21.7	2 / 8	2 / 14	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	30.4	2 / 8	3 / 14	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	26.1	1 / 8	1 / 14	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	56.5	3 / 8	4 / 14	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	60.9	4 / 8	5 / 14	0 / 1	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	2	4	2	0	2
Number of transfers	5	2	4	2	0	2
Estimated average number of transfers per retrieval	0.8	2.0	1.3	2.0		2.0
Average number of embryos transferred	1.8	2.0	2.0	2.5		2.0
Percentage of embryos transferred resulting in implantation (%)	2 / 6	2 / 4	3 / 8	0 / 5		1 / 4
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 5	0 / 2	1 / 4	0 / 2		0 / 2
Percentage of transfers resulting in singleton live births (%)	2 / 5	0 / 2	1 / 4	0 / 2		0 / 2
Percentage of transfers resulting in twin live births (%)	0 / 5	1 / 2	1 / 4	0 / 2		0 / 2
Percentage of transfers resulting in live births (%)	2 / 5	1 / 2	2 / 4	0 / 2		0 / 2
Percentage of transfers resulting in pregnancies (%)	3 / 5	1 / 2	2 / 4	0 / 2		1 / 2
Number of Egg/Embryo Banking Cycles	1	1	1	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	1	2
Number of transfers	1	2
Average number of embryos transferred	2.0	1.5
Percentage of embryos transferred resulting in implantation (%)	1 / 2	1 / 3
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 1	1 / 2
Percentage of transfers resulting in singleton live births (%)	1 / 1	1 / 2
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 2
Percentage of transfers resulting in live births (%)	1 / 1	1 / 2
Percentage of transfers resulting in pregnancies (%)	1 / 1	1 / 2

CURRENT SERVICES & PROFILE

Current Name: Advanced Fertility Group

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

COMMUNITY REPRODUCTIVE ENDOCRINOLOGY
INDIANAPOLIS, INDIANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by David E. Carnovale, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	87%
Unstimulated	0%	PGD/PGS	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	5%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	30%	Male factor	65%	Female factors only	13%
Diminished ovarian reserve	14%	Other factor	4%	Female & male factors	38%
Endometriosis	38%	Unknown factor	3%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 141 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	66	17	16	10	0	0
Percentage of cancellations before retrieval (%)	3.0	2 / 17	0 / 16	1 / 10		
Average number of embryos transferred	1.8	1.6	1.8	1.6		
Percentage of embryos transferred resulting in implantation (%)	54.6	43.5	33.3	1 / 13		
Percentage of elective single embryo transfers (eSET) (%)	13.8	4 / 13	0 / 12	0 / 5		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	33.3	4 / 17	3 / 16	1 / 10		
Percentage of cycles resulting in singleton live births (%)	37.9	4 / 17	4 / 16	1 / 10		
Percentage of cycles resulting in twin live births (%)	16.7	2 / 17	2 / 16	0 / 10		
Percentage of cycles resulting in live births (%)	56.1	6 / 17	6 / 16	1 / 10		
Percentage of cycles resulting in pregnancies (%)	66.7	7 / 17	8 / 16	1 / 10		
Outcomes per Transfer						
Number of transfers	60	14	16	8	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	36.7	4 / 14	3 / 16	1 / 8		
Percentage of transfers resulting in singleton live births (%)	41.7	4 / 14	4 / 16	1 / 8		
Percentage of transfers resulting in twin live births (%)	18.3	2 / 14	2 / 16	0 / 8		
Percentage of transfers resulting in live births (%)	61.7	6 / 14	6 / 16	1 / 8		
Percentage of transfers resulting in pregnancies (%)	73.3	7 / 14	8 / 16	1 / 8		
Frozen Embryos from Nondonor Eggs						
Number of cycles	15	7	1	0	1	0
Number of transfers	15	7	1	0	1	0
Estimated average number of transfers per retrieval	2.1	1.4				
Average number of embryos transferred	1.5	1.3	2.0		2.0	
Percentage of embryos transferred resulting in implantation (%)	31.8	3 / 9	1 / 2		0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	5 / 15	2 / 7	1 / 1		0 / 1	
Percentage of transfers resulting in singleton live births (%)	5 / 15	3 / 7	1 / 1		0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 15	0 / 7	0 / 1		0 / 1	
Percentage of transfers resulting in live births (%)	5 / 15	3 / 7	1 / 1		0 / 1	
Percentage of transfers resulting in pregnancies (%)	7 / 15	3 / 7	1 / 1		0 / 1	
Number of Egg/Embryo Banking Cycles	2	2	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	2	1
Number of transfers	2	1
Average number of embryos transferred	1.5	2.0
Percentage of embryos transferred resulting in implantation (%)	2 / 3	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	1 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	1 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	2 / 2	0 / 1

CURRENT SERVICES & PROFILE

Current Name: Community Reproductive Endocrinology

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FAMILY BEGINNINGS, PC
INDIANAPOLIS, INDIANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by James G. Donahue, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	72%
Unstimulated	0%	PGD/PGS	1%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	17%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	17%	Male factor	27%	Female factors only	<1%
Diminished ovarian reserve	9%	Other factor	6%	Female & male factors	2%
Endometriosis	8%	Unknown factor	18%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 165 (includes 10 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	51	21	6	5	0	0
Percentage of cancellations before retrieval (%)	11.8	33.3	2 / 6	2 / 5		
Average number of embryos transferred	1.9	2.2	2.7	2.5		
Percentage of embryos transferred resulting in implantation (%)	29.9	8.3	1 / 8	1 / 5		
Percentage of elective single embryo transfers (eSET) (%)	9.4	1 / 11	0 / 3	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	15.7	0.0	1 / 6	1 / 5		
Percentage of cycles resulting in singleton live births (%)	21.6	0.0	1 / 6	1 / 5		
Percentage of cycles resulting in twin live births (%)	5.9	4.8	0 / 6	0 / 5		
Percentage of cycles resulting in live births (%)	27.5	4.8	1 / 6	1 / 5		
Percentage of cycles resulting in pregnancies (%)	31.4	9.5	1 / 6	1 / 5		
Outcomes per Transfer						
Number of transfers	36	12	3	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	22.2	0 / 12	1 / 3	1 / 2		
Percentage of transfers resulting in singleton live births (%)	30.6	0 / 12	1 / 3	1 / 2		
Percentage of transfers resulting in twin live births (%)	8.3	1 / 12	0 / 3	0 / 2		
Percentage of transfers resulting in live births (%)	38.9	1 / 12	1 / 3	1 / 2		
Percentage of transfers resulting in pregnancies (%)	44.4	2 / 12	1 / 3	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	23	9	4	0	0	0
Number of transfers	20	7	4	0	0	0
Estimated average number of transfers per retrieval	0.9	1.0	0.6	0.0	0.0	0.0
Average number of embryos transferred	1.5	1.7	1.5			
Percentage of embryos transferred resulting in implantation (%)	19.2	2 / 10	2 / 6			
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	10.0	1 / 7	0 / 4			
Percentage of transfers resulting in singleton live births (%)	15.0	2 / 7	1 / 4			
Percentage of transfers resulting in twin live births (%)	5.0	0 / 7	0 / 4			
Percentage of transfers resulting in live births (%)	20.0	2 / 7	1 / 4			
Percentage of transfers resulting in pregnancies (%)	30.0	3 / 7	1 / 4			
Number of Egg/Embryo Banking Cycles	12	6	6	2	1	1

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	1	7
Number of transfers	1	6
Average number of embryos transferred	2.0	1.5
Percentage of embryos transferred resulting in implantation (%)	1 / 2	4 / 8
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 1	2 / 6
Percentage of transfers resulting in singleton live births (%)	1 / 1	2 / 6
Percentage of transfers resulting in twin live births (%)	0 / 1	1 / 6
Percentage of transfers resulting in live births (%)	1 / 1	3 / 6
Percentage of transfers resulting in pregnancies (%)	1 / 1	4 / 6

CURRENT SERVICES & PROFILE

Current Name: Family Beginnings, PC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INDIANA UNIVERSITY HOSPITAL
INDIANAPOLIS, INDIANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Marguerite K. Shepard, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	39%
Unstimulated	0%	PGD/PGS	6%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	17%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	31%	Male factor	10%	Female factors only	3%
Diminished ovarian reserve	7%	Other factor	41%	Female & male factors	10%
Endometriosis	7%	Unknown factor	0%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 29 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	6	5	7	0	0	0
Percentage of cancellations before retrieval (%)	2 / 6	2 / 5	1 / 7			
Average number of embryos transferred	1.3	1.3	1.6			
Percentage of embryos transferred resulting in implantation (%)	0 / 5	0 / 4	0 / 8			
Percentage of elective single embryo transfers (eSET) (%)	3 / 4	1 / 2	1 / 3			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	0 / 6	0 / 5	0 / 7			
Percentage of cycles resulting in singleton live births (%)	0 / 6	0 / 5	0 / 7			
Percentage of cycles resulting in twin live births (%)	0 / 6	0 / 5	0 / 7			
Percentage of cycles resulting in live births (%)	0 / 6	0 / 5	0 / 7			
Percentage of cycles resulting in pregnancies (%)	0 / 6	0 / 5	0 / 7			
Outcomes per Transfer						
Number of transfers	4	3	5	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 4	0 / 3	0 / 5			
Percentage of transfers resulting in singleton live births (%)	0 / 4	0 / 3	0 / 5			
Percentage of transfers resulting in twin live births (%)	0 / 4	0 / 3	0 / 5			
Percentage of transfers resulting in live births (%)	0 / 4	0 / 3	0 / 5			
Percentage of transfers resulting in pregnancies (%)	0 / 4	0 / 3	0 / 5			
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	3	1	0	0	0
Number of transfers	7	3	1	0	0	0
Estimated average number of transfers per retrieval	3.5	3.0	0.5			
Average number of embryos transferred	2.3	2.3	2.0			
Percentage of embryos transferred resulting in implantation (%)	4 / 16	2 / 7	2 / 2			
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 7	1 / 3	0 / 1			
Percentage of transfers resulting in singleton live births (%)	2 / 7	1 / 3	0 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 7	0 / 3	1 / 1			
Percentage of transfers resulting in live births (%)	2 / 7	1 / 3	1 / 1			
Percentage of transfers resulting in pregnancies (%)	3 / 7	2 / 3	1 / 1			
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation (%)		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)		
Percentage of transfers resulting in singleton live births (%)		
Percentage of transfers resulting in twin live births (%)		
Percentage of transfers resulting in live births (%)		
Percentage of transfers resulting in pregnancies (%)		

CURRENT SERVICES & PROFILE

Current Name: Indiana University Hospital

Donor eggs?	No	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

JOHN C. JARRETT, II, MD
AMERICAN HEALTH NETWORK REPRODUCTIVE MEDICINE
INDIANAPOLIS, INDIANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by John C. Jarrett, II, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	69%
Unstimulated	<1%	PGD/PGS	0%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	9%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	25%	Male factor	21%	Female factors only	15%
Diminished ovarian reserve	19%	Other factor	21%	Female & male factors	11%
Endometriosis	22%	Unknown factor	11%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 506 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	181	67	35	9	12	2
Percentage of cancellations before retrieval (%)	16.0	19.4	25.7	0 / 9	1 / 12	1 / 2
Average number of embryos transferred	1.7	1.9	2.2	2.7	2.8	2.0
Percentage of embryos transferred resulting in implantation (%)	47.2	37.1	20.4	0 / 19	0.0	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	18.5	8.7	0 / 19	0 / 6	0 / 9	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	23.8	26.9	14.3	0 / 9	0 / 12	0 / 2
Percentage of cycles resulting in singleton live births (%)	30.4	29.9	14.3	0 / 9	0 / 12	0 / 2
Percentage of cycles resulting in twin live births (%)	13.3	6.0	5.7	0 / 9	0 / 12	0 / 2
Percentage of cycles resulting in live births (%)	43.6	35.8	20.0	0 / 9	0 / 12	0 / 2
Percentage of cycles resulting in pregnancies (%)	48.6	46.3	22.9	0 / 9	0 / 12	0 / 2
Outcomes per Transfer						
Number of transfers	140	51	23	7	9	1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	30.7	35.3	21.7	0 / 7	0 / 9	0 / 1
Percentage of transfers resulting in singleton live births (%)	39.3	39.2	21.7	0 / 7	0 / 9	0 / 1
Percentage of transfers resulting in twin live births (%)	17.1	7.8	8.7	0 / 7	0 / 9	0 / 1
Percentage of transfers resulting in live births (%)	56.4	47.1	30.4	0 / 7	0 / 9	0 / 1
Percentage of transfers resulting in pregnancies (%)	62.9	60.8	34.8	0 / 7	0 / 9	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	67	28	10	3	0	1
Number of transfers	65	22	9	2	0	1
Estimated average number of transfers per retrieval	2.0	1.2	0.8	2.0		
Average number of embryos transferred	1.5	1.8	1.9	2.0		2.0
Percentage of embryos transferred resulting in implantation (%)	23.5	12.5	0 / 17	1 / 4		0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	15.4	9.1	0 / 9	1 / 2		0 / 1
Percentage of transfers resulting in singleton live births (%)	18.5	9.1	0 / 9	1 / 2		0 / 1
Percentage of transfers resulting in twin live births (%)	4.6	4.5	0 / 9	0 / 2		0 / 1
Percentage of transfers resulting in live births (%)	23.1	13.6	0 / 9	1 / 2		0 / 1
Percentage of transfers resulting in pregnancies (%)	30.8	18.2	0 / 9	1 / 2		0 / 1
Number of Egg/Embryo Banking Cycles	10	9	3	1	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	46	21
Number of transfers	34	20
Average number of embryos transferred	1.9	1.7
Percentage of embryos transferred resulting in implantation (%)	36.2	24.2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	23.5	15.0
Percentage of transfers resulting in singleton live births (%)	29.4	20.0
Percentage of transfers resulting in twin live births (%)	11.8	10.0
Percentage of transfers resulting in live births (%)	41.2	30.0
Percentage of transfers resulting in pregnancies (%)	52.9	30.0

CURRENT SERVICES & PROFILE

Current Name: Indiana Fertility Institute

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE CARE OF INDIANA
INDIANAPOLIS, INDIANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Michael A. Henry, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	36%
Unstimulated	0%	PGD/PGS	6%
Used gestational carrier	3%		

Patient Diagnosis[b]

Tubal factor	16%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	21%	Male factor	20%	Female factors only	12%
Diminished ovarian reserve	33%	Other factor	16%	Female & male factors	10%
Endometriosis	7%	Unknown factor	7%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 124 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	45	20	9	3	1	0
Percentage of cancellations before retrieval (%)	11.1	25.0	2 / 9	0 / 3	0 / 1	
Average number of embryos transferred	1.9	2.2	2.7	2.7	3.0	
Percentage of embryos transferred resulting in implantation (%)	50.7	38.7	4 / 16	3 / 8	1 / 3	
Percentage of elective single embryo transfers (eSET) (%)	5.9	1 / 13	0 / 6	0 / 3	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	26.7	25.0	2 / 9	0 / 3	1 / 1	
Percentage of cycles resulting in singleton live births (%)	31.1	30.0	2 / 9	0 / 3	1 / 1	
Percentage of cycles resulting in twin live births (%)	17.8	0.0	0 / 9	1 / 3	0 / 1	
Percentage of cycles resulting in live births (%)	48.9	35.0	2 / 9	1 / 3	1 / 1	
Percentage of cycles resulting in pregnancies (%)	57.8	45.0	4 / 9	1 / 3	1 / 1	
Outcomes per Transfer						
Number of transfers	38	14	6	3	1	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	31.6	5 / 14	2 / 6	0 / 3	1 / 1	
Percentage of transfers resulting in singleton live births (%)	36.8	6 / 14	2 / 6	0 / 3	1 / 1	
Percentage of transfers resulting in twin live births (%)	21.1	0 / 14	0 / 6	1 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	57.9	7 / 14	2 / 6	1 / 3	1 / 1	
Percentage of transfers resulting in pregnancies (%)	68.4	9 / 14	4 / 6	1 / 3	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	12	8	3	0	1	0
Number of transfers	11	8	3	0	1	0
Estimated average number of transfers per retrieval	2.2	2.7	3.0			
Average number of embryos transferred	2.2	2.3	2.3		4.0	
Percentage of embryos transferred resulting in implantation (%)	37.5	3 / 18	0 / 7		0 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	5 / 11	2 / 8	0 / 3		0 / 1	
Percentage of transfers resulting in singleton live births (%)	5 / 11	3 / 8	0 / 3		0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 11	0 / 8	0 / 3		0 / 1	
Percentage of transfers resulting in live births (%)	6 / 11	3 / 8	0 / 3		0 / 1	
Percentage of transfers resulting in pregnancies (%)	8 / 11	3 / 8	0 / 3		0 / 1	
Number of Egg/Embryo Banking Cycles	1	0	1	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	12	8
Number of transfers	8	8
Average number of embryos transferred	1.9	2.3
Percentage of embryos transferred resulting in implantation (%)	5 / 15	4 / 18
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	3 / 8	2 / 8
Percentage of transfers resulting in singleton live births (%)	4 / 8	4 / 8
Percentage of transfers resulting in twin live births (%)	0 / 8	0 / 8
Percentage of transfers resulting in live births (%)	4 / 8	4 / 8
Percentage of transfers resulting in pregnancies (%)	4 / 8	4 / 8

CURRENT SERVICES & PROFILE

Current Name: Reproductive Care of Indiana

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BOSTON IVF AT THE WOMEN'S HOSPITAL
NEWBURGH, INDIANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Daniel W. Griffin, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	68%
Unstimulated	0%	PGD/PGS	5%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	13%	Uterine factor	8%	*Multiple Factors:*	
Ovulatory dysfunction	19%	Male factor	35%	Female factors only	8%
Diminished ovarian reserve	25%	Other factor	6%	Female & male factors	22%
Endometriosis	14%	Unknown factor	14%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 178 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	78	15	6	11	2	0
Percentage of cancellations before retrieval (%)	6.4	0 / 15	1 / 6	1 / 11	1 / 2	
Average number of embryos transferred	1.8	1.8	2.0	2.7	4.0	
Percentage of embryos transferred resulting in implantation (%)	36.6	26.1	3 / 8	0.0	0 / 4	
Percentage of elective single embryo transfers (eSET) (%)	18.6	3 / 14	1 / 4	0 / 7	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	20.5	3 / 15	1 / 6	0 / 11	0 / 2	
Percentage of cycles resulting in singleton live births (%)	20.5	5 / 15	1 / 6	0 / 11	0 / 2	
Percentage of cycles resulting in twin live births (%)	11.5	0 / 15	0 / 6	0 / 11	0 / 2	
Percentage of cycles resulting in live births (%)	33.3	5 / 15	1 / 6	0 / 11	0 / 2	
Percentage of cycles resulting in pregnancies (%)	37.2	7 / 15	2 / 6	1 / 11	0 / 2	
Outcomes per Transfer						
Number of transfers	64	14	4	9	1	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	25.0	3 / 14	1 / 4	0 / 9	0 / 1	
Percentage of transfers resulting in singleton live births (%)	25.0	5 / 14	1 / 4	0 / 9	0 / 1	
Percentage of transfers resulting in twin live births (%)	14.1	0 / 14	0 / 4	0 / 9	0 / 1	
Percentage of transfers resulting in live births (%)	40.6	5 / 14	1 / 4	0 / 9	0 / 1	
Percentage of transfers resulting in pregnancies (%)	45.3	7 / 14	2 / 4	1 / 9	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	41	8	2	2	0	0
Number of transfers	35	7	2	2	0	0
Estimated average number of transfers per retrieval	1.1	1.0	1.0	0.7		0.0
Average number of embryos transferred	1.5	1.7	1.5	1.5		
Percentage of embryos transferred resulting in implantation (%)	32.7	7 / 9	0 / 3	1 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	25.7	1 / 7	0 / 2	1 / 2		
Percentage of transfers resulting in singleton live births (%)	31.4	1 / 7	0 / 2	1 / 2		
Percentage of transfers resulting in twin live births (%)	5.7	3 / 7	0 / 2	0 / 2		
Percentage of transfers resulting in live births (%)	37.1	4 / 7	0 / 2	1 / 2		
Percentage of transfers resulting in pregnancies (%)	42.9	6 / 7	0 / 2	1 / 2		
Number of Egg/Embryo Banking Cycles	5	1	0	1	0	1

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	0	2
Number of transfers	0	2
Average number of embryos transferred		1.5
Percentage of embryos transferred resulting in implantation (%)		0 / 3
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)		0 / 2
Percentage of transfers resulting in singleton live births (%)		0 / 2
Percentage of transfers resulting in twin live births (%)		0 / 2
Percentage of transfers resulting in live births (%)		0 / 2
Percentage of transfers resulting in pregnancies (%)		0 / 2

CURRENT SERVICES & PROFILE

Current Name: Boston IVF at the Women's Hospital

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WOMEN'S SPECIALTY HEALTH CENTERS, PC
NOBLESVILLE, INDIANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by David S. McLaughlin, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	29%
Unstimulated	0%	PGD/PGS	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	6%	Uterine factor	6%	*Multiple Factors:*	
Ovulatory dysfunction	88%	Male factor	31%	Female factors only	19%
Diminished ovarian reserve	13%	Other factor	13%	Female & male factors	31%
Endometriosis	38%	Unknown factor	0%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 22 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	2	2	2	0	1	0
Percentage of cancellations before retrieval (%)	0 / 2	0 / 2	2 / 2		1 / 1	
Average number of embryos transferred		4.0				
Percentage of embryos transferred resulting in implantation (%)		2 / 4				
Percentage of elective single embryo transfers (eSET) (%)		0 / 1				
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	0 / 2	0 / 2	0 / 2		0 / 1	
Percentage of cycles resulting in singleton live births (%)	0 / 2	0 / 2	0 / 2		0 / 1	
Percentage of cycles resulting in twin live births (%)	0 / 2	0 / 2	0 / 2		0 / 1	
Percentage of cycles resulting in live births (%)	0 / 2	0 / 2	0 / 2		0 / 1	
Percentage of cycles resulting in pregnancies (%)	0 / 2	1 / 2	0 / 2		0 / 1	
Outcomes per Transfer						
Number of transfers	0	1	0	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)		0 / 1				
Percentage of transfers resulting in singleton live births (%)		0 / 1				
Percentage of transfers resulting in twin live births (%)		0 / 1				
Percentage of transfers resulting in live births (%)		0 / 1				
Percentage of transfers resulting in pregnancies (%)		1 / 1				
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	0	1	0	0	0
Number of transfers	7	0	1	0	0	0
Estimated average number of transfers per retrieval	1.4	0.0				
Average number of embryos transferred	1.6		2.0			
Percentage of embryos transferred resulting in implantation (%)	4 / 11		1 / 2			
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	3 / 7		1 / 1			
Percentage of transfers resulting in singleton live births (%)	3 / 7		1 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 7		0 / 1			
Percentage of transfers resulting in live births (%)	3 / 7		1 / 1			
Percentage of transfers resulting in pregnancies (%)	3 / 7		1 / 1			
Number of Egg/Embryo Banking Cycles	4	2	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	0	1
Number of transfers	0	1
Average number of embryos transferred		2.0
Percentage of embryos transferred resulting in implantation (%)		0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)		0 / 1
Percentage of transfers resulting in singleton live births (%)		0 / 1
Percentage of transfers resulting in twin live births (%)		0 / 1
Percentage of transfers resulting in live births (%)		0 / 1
Percentage of transfers resulting in pregnancies (%)		0 / 1

CURRENT SERVICES & PROFILE

Current Name: Women's Specialty Health Centers, PC

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MID-IOWA FERTILITY, PC
CLIVE, IOWA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Donald C. Young, DO

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	82%
Unstimulated	0%	PGD/PGS	2%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	8%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	13%	Male factor	29%	Female factors only	0%
Diminished ovarian reserve	18%	Other factor	6%	Female & male factors	<1%
Endometriosis	12%	Unknown factor	11%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 570 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	164	37	18	4	3	1
Percentage of cancellations before retrieval (%)	12.8	21.6	7 / 18	0 / 4	3 / 3	1 / 1
Average number of embryos transferred	1.8	1.9	2.0	2.0		
Percentage of embryos transferred resulting in implantation (%)	50.5	32.4	4 / 12	3 / 8		
Percentage of elective single embryo transfers (eSET) (%)	13.1	2 / 18	0 / 7	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	23.2	16.2	1 / 18	1 / 4	0 / 3	0 / 1
Percentage of cycles resulting in singleton live births (%)	25.0	18.9	2 / 18	1 / 4	0 / 3	0 / 1
Percentage of cycles resulting in twin live births (%)	14.0	5.4	0 / 18	1 / 4	0 / 3	0 / 1
Percentage of cycles resulting in live births (%)	39.0	24.3	2 / 18	2 / 4	0 / 3	0 / 1
Percentage of cycles resulting in pregnancies (%)	47.6	32.4	4 / 18	2 / 4	0 / 3	0 / 1
Outcomes per Transfer						
Number of transfers	120	22	7	4	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	31.7	27.3	1 / 7	1 / 4		
Percentage of transfers resulting in singleton live births (%)	34.2	31.8	2 / 7	1 / 4		
Percentage of transfers resulting in twin live births (%)	19.2	9.1	0 / 7	1 / 4		
Percentage of transfers resulting in live births (%)	53.3	40.9	2 / 7	2 / 4		
Percentage of transfers resulting in pregnancies (%)	65.0	54.5	4 / 7	2 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	117	42	22	0	1	0
Number of transfers	116	42	22	0	1	0
Estimated average number of transfers per retrieval	1.5	1.1	1.2	0.0		
Average number of embryos transferred	1.5	1.4	1.6		1.0	
Percentage of embryos transferred resulting in implantation (%)	55.5	61.4	62.5		1 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	39.7	38.1	13.6		0 / 1	
Percentage of transfers resulting in singleton live births (%)	50.9	47.6	22.7		1 / 1	
Percentage of transfers resulting in twin live births (%)	8.6	16.7	31.8		0 / 1	
Percentage of transfers resulting in live births (%)	59.5	64.3	54.5		1 / 1	
Percentage of transfers resulting in pregnancies (%)	69.8	71.4	72.7		1 / 1	
Number of Egg/Embryo Banking Cycles	45	33	16	6	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	20	40
Number of transfers	16	40
Average number of embryos transferred	1.8	1.6
Percentage of embryos transferred resulting in implantation (%)	72.4	34.5
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	3 / 16	17.5
Percentage of transfers resulting in singleton live births (%)	5 / 16	22.5
Percentage of transfers resulting in twin live births (%)	6 / 16	7.5
Percentage of transfers resulting in live births (%)	11 / 16	30.0
Percentage of transfers resulting in pregnancies (%)	13 / 16	52.5

CURRENT SERVICES & PROFILE

Current Name: Mid-Iowa Fertility, PC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF IOWA HOSPITALS AND CLINICS
CENTER FOR ADVANCED REPRODUCTIVE CARE
IOWA CITY, IOWA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Bradley J. Van Voorhis, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	50%
Unstimulated	0%	PGD/PGS	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	18%	Uterine factor	7%	*Multiple Factors:*	
Ovulatory dysfunction	20%	Male factor	36%	Female factors only	17%
Diminished ovarian reserve	19%	Other factor	17%	Female & male factors	16%
Endometriosis	12%	Unknown factor	14%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 653 (includes 4 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	189	63	48	34	3	0
Percentage of cancellations before retrieval (%)	6.9	7.9	31.3	20.6	1 / 3	
Average number of embryos transferred	1.3	1.6	2.3	2.5	1.5	
Percentage of embryos transferred resulting in implantation (%)	58.8	50.6	32.9	21.1	0 / 3	
Percentage of elective single embryo transfers (eSET) (%)	64.5	37.5	10.0	0.0	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	42.3	33.3	18.8	8.8	0 / 3	
Percentage of cycles resulting in singleton live births (%)	46.6	34.9	20.8	11.8	0 / 3	
Percentage of cycles resulting in twin live births (%)	6.3	9.5	6.3	2.9	0 / 3	
Percentage of cycles resulting in live births (%)	52.9	44.4	27.1	14.7	0 / 3	
Percentage of cycles resulting in pregnancies (%)	59.8	54.0	33.3	38.2	0 / 3	
Outcomes per Transfer						
Number of transfers	159	54	32	25	2	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	50.3	38.9	28.1	12.0	0 / 2	
Percentage of transfers resulting in singleton live births (%)	55.3	40.7	31.3	16.0	0 / 2	
Percentage of transfers resulting in twin live births (%)	7.5	11.1	9.4	4.0	0 / 2	
Percentage of transfers resulting in live births (%)	62.9	51.9	40.6	20.0	0 / 2	
Percentage of transfers resulting in pregnancies (%)	71.1	63.0	50.0	52.0	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	134	54	29	7	3	0
Number of transfers	119	46	27	6	2	0
Estimated average number of transfers per retrieval	2.0	2.2	1.8	1.0		
Average number of embryos transferred	1.2	1.2	1.3	1.5	2.0	
Percentage of embryos transferred resulting in implantation (%)	57.1	66.7	37.5	2 / 9	1 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	26.9	34.8	40.7	1 / 6	0 / 2	
Percentage of transfers resulting in singleton live births (%)	37.0	37.0	40.7	1 / 6	0 / 2	
Percentage of transfers resulting in twin live births (%)	10.1	6.5	0.0	0 / 6	0 / 2	
Percentage of transfers resulting in live births (%)	47.1	45.7	40.7	1 / 6	0 / 2	
Percentage of transfers resulting in pregnancies (%)	58.8	67.4	55.6	2 / 6	1 / 2	
Number of Egg/Embryo Banking Cycles	19	7	7	6	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	11	35
Number of transfers	10	30
Average number of embryos transferred	1.1	1.1
Percentage of embryos transferred resulting in implantation (%)	8 / 11	48.4
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	4 / 10	36.7
Percentage of transfers resulting in singleton live births (%)	5 / 10	36.7
Percentage of transfers resulting in twin live births (%)	1 / 10	0.0
Percentage of transfers resulting in live births (%)	6 / 10	36.7
Percentage of transfers resulting in pregnancies (%)	7 / 10	56.7

CURRENT SERVICES & PROFILE

Current Name: University of Iowa Hospitals and Clinics, Center for Advanced Reproductive Care

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MIDWEST REPRODUCTIVE CENTER, PA
OLATHE, KANSAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Dan L. Gehlbach, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	83%
Unstimulated	0%	PGD/PGS	<1%
Used gestational carrier	3%		

Patient Diagnosis[b]

Tubal factor	18%	Uterine factor	8%	*Multiple Factors:*	
Ovulatory dysfunction	28%	Male factor	56%	Female factors only	9%
Diminished ovarian reserve	28%	Other factor	9%	Female & male factors	40%
Endometriosis	14%	Unknown factor	5%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 287 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	92	37	19	9	4	0
Percentage of cancellations before retrieval (%)	3.3	2.7	2 / 19	3 / 9	0 / 4	
Average number of embryos transferred	1.9	2.1	2.3	2.3	2.0	
Percentage of embryos transferred resulting in implantation (%)	26.7	28.6	10.0	3 / 14	0 / 8	
Percentage of elective single embryo transfers (eSET) (%)	5.4	9.1	0 / 13	0 / 4	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	14.1	8.1	1 / 19	1 / 9	0 / 4	
Percentage of cycles resulting in singleton live births (%)	17.4	8.1	1 / 19	1 / 9	0 / 4	
Percentage of cycles resulting in twin live births (%)	9.8	13.5	1 / 19	0 / 9	0 / 4	
Percentage of cycles resulting in live births (%)	28.3	21.6	2 / 19	1 / 9	0 / 4	
Percentage of cycles resulting in pregnancies (%)	31.5	37.8	2 / 19	3 / 9	0 / 4	
Outcomes per Transfer						
Number of transfers	77	34	13	6	4	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	16.9	8.8	1 / 13	1 / 6	0 / 4	
Percentage of transfers resulting in singleton live births (%)	20.8	8.8	1 / 13	1 / 6	0 / 4	
Percentage of transfers resulting in twin live births (%)	11.7	14.7	1 / 13	0 / 6	0 / 4	
Percentage of transfers resulting in live births (%)	33.8	23.5	2 / 13	1 / 6	0 / 4	
Percentage of transfers resulting in pregnancies (%)	37.7	41.2	2 / 13	3 / 6	0 / 4	
Frozen Embryos from Nondonor Eggs						
Number of cycles	47	25	7	4	0	0
Number of transfers	46	24	6	4	0	0
Estimated average number of transfers per retrieval	2.4	1.7	1.2	0.8		
Average number of embryos transferred	2.3	2.0	2.5	2.0		
Percentage of embryos transferred resulting in implantation (%)	17.9	14.6	1 / 15	0 / 8		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	19.6	20.8	0 / 6	0 / 4		
Percentage of transfers resulting in singleton live births (%)	21.7	20.8	0 / 6	0 / 4		
Percentage of transfers resulting in twin live births (%)	4.3	4.2	0 / 6	0 / 4		
Percentage of transfers resulting in live births (%)	28.3	25.0	0 / 6	0 / 4		
Percentage of transfers resulting in pregnancies (%)	32.6	25.0	1 / 6	0 / 4		
Number of Egg/Embryo Banking Cycles	4	0	2	4	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	13	19
Number of transfers	11	18
Average number of embryos transferred	1.7	2.0
Percentage of embryos transferred resulting in implantation (%)	5 / 19	19.4
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 11	3 / 18
Percentage of transfers resulting in singleton live births (%)	2 / 11	4 / 18
Percentage of transfers resulting in twin live births (%)	1 / 11	1 / 18
Percentage of transfers resulting in live births (%)	3 / 11	5 / 18
Percentage of transfers resulting in pregnancies (%)	4 / 11	6 / 18

CURRENT SERVICES & PROFILE

Current Name: Midwest Reproductive Center, PA

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR ADVANCED REPRODUCTIVE MEDICINE
OVERLAND PARK, KANSAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Courtney A. Marsh, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	66%
Unstimulated	<1%	PGD/PGS	<1%
Used gestational carrier	1%		

Patient Diagnosis[b]

Tubal factor	16%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	10%	Male factor	42%	Female factors only	8%
Diminished ovarian reserve	14%	Other factor	18%	Female & male factors	14%
Endometriosis	10%	Unknown factor	12%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 628 (includes 5 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	181	47	35	5	4	1
Percentage of cancellations before retrieval (%)	16.0	40.4	31.4	4 / 5	2 / 4	0 / 1
Average number of embryos transferred	1.7	2.0	1.7			
Percentage of embryos transferred resulting in implantation (%)	44.0	42.3	2 / 5			
Percentage of elective single embryo transfers (eSET) (%)	28.8	0 / 12	0 / 2			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	13.3	10.6	2.9	0 / 5	0 / 4	0 / 1
Percentage of cycles resulting in singleton live births (%)	17.1	10.6	2.9	0 / 5	0 / 4	0 / 1
Percentage of cycles resulting in twin live births (%)	7.2	4.3	0.0	0 / 5	0 / 4	0 / 1
Percentage of cycles resulting in live births (%)	24.3	14.9	2.9	0 / 5	0 / 4	0 / 1
Percentage of cycles resulting in pregnancies (%)	28.2	17.0	5.7	0 / 5	0 / 4	0 / 1
Outcomes per Transfer						
Number of transfers	87	13	3	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	27.6	5 / 13	1 / 3			
Percentage of transfers resulting in singleton live births (%)	35.6	5 / 13	1 / 3			
Percentage of transfers resulting in twin live births (%)	14.9	2 / 13	0 / 3			
Percentage of transfers resulting in live births (%)	50.6	7 / 13	1 / 3			
Percentage of transfers resulting in pregnancies (%)	58.6	8 / 13	2 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	154	34	30	6	1	0
Number of transfers	114	23	21	4	1	0
Estimated average number of transfers per retrieval	1.1	1.0	0.6	0.6	0.3	
Average number of embryos transferred	1.5	1.4	1.4	1.5	2.0	
Percentage of embryos transferred resulting in implantation (%)	42.6	33.3	46.7	2 / 6	0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	28.1	34.8	57.1	1 / 4	0 / 1	
Percentage of transfers resulting in singleton live births (%)	31.6	39.1	57.1	1 / 4	0 / 1	
Percentage of transfers resulting in twin live births (%)	9.6	0.0	4.8	0 / 4	0 / 1	
Percentage of transfers resulting in live births (%)	41.2	39.1	61.9	1 / 4	0 / 1	
Percentage of transfers resulting in pregnancies (%)	53.5	43.5	61.9	1 / 4	0 / 1	
Number of Egg/Embryo Banking Cycles	39	16	29	7	3	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	10	21
Number of transfers	6	16
Average number of embryos transferred	1.5	1.6
Percentage of embryos transferred resulting in implantation (%)	4 / 9	26.1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 6	5 / 16
Percentage of transfers resulting in singleton live births (%)	1 / 6	6 / 16
Percentage of transfers resulting in twin live births (%)	1 / 6	0 / 16
Percentage of transfers resulting in live births (%)	2 / 6	6 / 16
Percentage of transfers resulting in pregnancies (%)	3 / 6	7 / 16

CURRENT SERVICES & PROFILE

Current Name: Center for Advanced Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE RESOURCE CENTER OF GREATER KANSAS CITY
OVERLAND PARK, KANSAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Celeste Brabec, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	89%
Unstimulated	<1%	PGD/PGS	2%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	9%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	28%	Male factor	33%	Female factors only	22%
Diminished ovarian reserve	39%	Other factor	24%	Female & male factors	25%
Endometriosis	12%	Unknown factor	8%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 313 (includes 26 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	117	23	18	7	0	0
Percentage of cancellations before retrieval (%)	5.1	13.0	3 / 18	1 / 7		
Average number of embryos transferred	1.8	1.9	2.0	2.3		
Percentage of embryos transferred resulting in implantation (%)	50.3	28.6	25.0	0 / 9		
Percentage of elective single embryo transfers (eSET) (%)	9.0	0 / 14	0 / 8	0 / 4		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	22.2	26.1	2 / 18	0 / 7		
Percentage of cycles resulting in singleton live births (%)	26.5	34.8	2 / 18	0 / 7		
Percentage of cycles resulting in twin live births (%)	17.9	0.0	0 / 18	0 / 7		
Percentage of cycles resulting in live births (%)	44.4	34.8	2 / 18	0 / 7		
Percentage of cycles resulting in pregnancies (%)	48.7	39.1	4 / 18	0 / 7		
Outcomes per Transfer						
Number of transfers	88	16	10	4	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	29.5	6 / 16	2 / 10	0 / 4		
Percentage of transfers resulting in singleton live births (%)	35.2	8 / 16	2 / 10	0 / 4		
Percentage of transfers resulting in twin live births (%)	23.9	0 / 16	0 / 10	0 / 4		
Percentage of transfers resulting in live births (%)	59.1	8 / 16	2 / 10	0 / 4		
Percentage of transfers resulting in pregnancies (%)	64.8	9 / 16	4 / 10	0 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	54	17	11	6	1	0
Number of transfers	52	17	9	6	1	0
Estimated average number of transfers per retrieval	2.6	3.4	1.3	6.0	0.5	
Average number of embryos transferred	1.5	1.3	1.4	1.5	1.0	
Percentage of embryos transferred resulting in implantation (%)	48.0	68.2	7 / 13	4 / 9	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	34.6	7 / 17	4 / 9	2 / 6	0 / 1	
Percentage of transfers resulting in singleton live births (%)	42.3	8 / 17	4 / 9	2 / 6	0 / 1	
Percentage of transfers resulting in twin live births (%)	11.5	1 / 17	0 / 9	1 / 6	0 / 1	
Percentage of transfers resulting in live births (%)	53.8	10 / 17	4 / 9	3 / 6	0 / 1	
Percentage of transfers resulting in pregnancies (%)	57.7	11 / 17	6 / 9	3 / 6	0 / 1	
Number of Egg/Embryo Banking Cycles	5	1	6	0	2	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	12	7
Number of transfers	10	6
Average number of embryos transferred	1.8	1.3
Percentage of embryos transferred resulting in implantation (%)	9 / 18	6 / 8
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	6 / 10	2 / 6
Percentage of transfers resulting in singleton live births (%)	8 / 10	4 / 6
Percentage of transfers resulting in twin live births (%)	0 / 10	1 / 6
Percentage of transfers resulting in live births (%)	8 / 10	5 / 6
Percentage of transfers resulting in pregnancies (%)	9 / 10	5 / 6

CURRENT SERVICES & PROFILE

Current Name: Reproductive Resource Center of Greater Kansas City

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE CENTER FOR REPRODUCTIVE MEDICINE
WICHITA, KANSAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Bruce L. Tjaden, DO

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	68%
Unstimulated	0%	PGD/PGS	0%
Used gestational carrier	3%		

Patient Diagnosis[b]

Tubal factor	12%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	24%	Male factor	37%	Female factors only	12%
Diminished ovarian reserve	23%	Other factor	5%	Female & male factors	20%
Endometriosis	22%	Unknown factor	6%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 233 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	69	19	17	4	1	1
Percentage of cancellations before retrieval (%)	5.8	4 / 19	0 / 17	0 / 4	0 / 1	1 / 1
Average number of embryos transferred	1.6	1.8	1.9	1.7	2.0	
Percentage of embryos transferred resulting in implantation (%)	41.1	24.0	30.0	0 / 3	1 / 2	
Percentage of elective single embryo transfers (eSET) (%)	40.0	1 / 11	1 / 14	0 / 2	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	24.6	5 / 19	5 / 17	0 / 4	1 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)	30.4	6 / 19	6 / 17	0 / 4	1 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)	8.7	0 / 19	1 / 17	0 / 4	0 / 1	0 / 1
Percentage of cycles resulting in live births (%)	39.1	6 / 19	7 / 17	0 / 4	1 / 1	0 / 1
Percentage of cycles resulting in pregnancies (%)	49.3	6 / 19	7 / 17	1 / 4	1 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	62	14	16	3	1	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	27.4	5 / 14	5 / 16	0 / 3	1 / 1	
Percentage of transfers resulting in singleton live births (%)	33.9	6 / 14	6 / 16	0 / 3	1 / 1	
Percentage of transfers resulting in twin live births (%)	9.7	0 / 14	1 / 16	0 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	43.5	6 / 14	7 / 16	0 / 3	1 / 1	
Percentage of transfers resulting in pregnancies (%)	54.8	6 / 14	7 / 16	1 / 3	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	66	18	7	2	2	0
Number of transfers	62	17	7	1	2	0
Estimated average number of transfers per retrieval	1.9	4.3	3.5	0.2		
Average number of embryos transferred	1.5	1.6	1.7	2.0	3.0	
Percentage of embryos transferred resulting in implantation (%)	34.1	37.0	1 / 12	0 / 2	1 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	19.4	6 / 17	1 / 7	0 / 1	1 / 2	
Percentage of transfers resulting in singleton live births (%)	27.4	7 / 17	1 / 7	0 / 1	1 / 2	
Percentage of transfers resulting in twin live births (%)	8.1	1 / 17	0 / 7	0 / 1	0 / 2	
Percentage of transfers resulting in live births (%)	37.1	8 / 17	1 / 7	0 / 1	1 / 2	
Percentage of transfers resulting in pregnancies (%)	40.3	9 / 17	1 / 7	0 / 1	2 / 2	
Number of Egg/Embryo Banking Cycles	8	2	0	5	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	3	9
Number of transfers	3	7
Average number of embryos transferred	1.3	1.3
Percentage of embryos transferred resulting in implantation (%)	1 / 4	7 / 9
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 3	3 / 7
Percentage of transfers resulting in singleton live births (%)	1 / 3	4 / 7
Percentage of transfers resulting in twin live births (%)	0 / 3	1 / 7
Percentage of transfers resulting in live births (%)	1 / 3	5 / 7
Percentage of transfers resulting in pregnancies (%)	1 / 3	5 / 7

CURRENT SERVICES & PROFILE

Current Name: The Center for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BLUEGRASS FERTILITY CENTER
LEXINGTON, KENTUCKY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by James W. Akin, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	79%
Unstimulated	0%	PGD/PGS	3%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	17%	Uterine factor	1%	*Multiple Factors:*	
Ovulatory dysfunction	13%	Male factor	68%	Female factors only	6%
Diminished ovarian reserve	20%	Other factor	3%	Female & male factors	35%
Endometriosis	20%	Unknown factor	2%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 194 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	81	26	16	13	3	0
Percentage of cancellations before retrieval (%)	6.2	11.5	1 / 16	3 / 13	1 / 3	
Average number of embryos transferred	2.1	2.0	2.6	2.6	2.0	
Percentage of embryos transferred resulting in implantation (%)	31.3	31.0	17.6	4.3	0 / 4	
Percentage of elective single embryo transfers (eSET) (%)	1.4	0.0	1 / 15	0 / 8	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	25.9	15.4	3 / 16	1 / 13	0 / 3	
Percentage of cycles resulting in singleton live births (%)	29.6	23.1	4 / 16	1 / 13	0 / 3	
Percentage of cycles resulting in twin live births (%)	11.1	11.5	0 / 16	0 / 13	0 / 3	
Percentage of cycles resulting in live births (%)	40.7	34.6	4 / 16	1 / 13	0 / 3	
Percentage of cycles resulting in pregnancies (%)	44.4	42.3	7 / 16	1 / 13	0 / 3	
Outcomes per Transfer						
Number of transfers	72	22	15	9	2	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	29.2	18.2	3 / 15	1 / 9	0 / 2	
Percentage of transfers resulting in singleton live births (%)	33.3	27.3	4 / 15	1 / 9	0 / 2	
Percentage of transfers resulting in twin live births (%)	12.5	13.6	0 / 15	0 / 9	0 / 2	
Percentage of transfers resulting in live births (%)	45.8	40.9	4 / 15	1 / 9	0 / 2	
Percentage of transfers resulting in pregnancies (%)	50.0	50.0	7 / 15	1 / 9	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	31	4	3	2	0	0
Number of transfers	31	4	3	2	0	0
Estimated average number of transfers per retrieval	2.1	1.0	1.5	1.0		
Average number of embryos transferred	2.0	2.0	2.0	2.0		
Percentage of embryos transferred resulting in implantation (%)	19.2	0 / 8	1 / 6	0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	12.9	0 / 4	0 / 3	0 / 2		
Percentage of transfers resulting in singleton live births (%)	16.1	0 / 4	1 / 3	0 / 2		
Percentage of transfers resulting in twin live births (%)	3.2	0 / 4	0 / 3	0 / 2		
Percentage of transfers resulting in live births (%)	19.4	0 / 4	1 / 3	0 / 2		
Percentage of transfers resulting in pregnancies (%)	38.7	0 / 4	1 / 3	1 / 2		
Number of Egg/Embryo Banking Cycles	1	0	1	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	7	6
Number of transfers	7	6
Average number of embryos transferred	2.4	1.7
Percentage of embryos transferred resulting in implantation (%)	0 / 17	0 / 10
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 7	0 / 6
Percentage of transfers resulting in singleton live births (%)	0 / 7	0 / 6
Percentage of transfers resulting in twin live births (%)	0 / 7	0 / 6
Percentage of transfers resulting in live births (%)	0 / 7	0 / 6
Percentage of transfers resulting in pregnancies (%)	0 / 7	0 / 6

CURRENT SERVICES & PROFILE

Current Name: Bluegrass Fertility Center

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

LEXINGTON FERTILITY CENTER
LEXINGTON, KENTUCKY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by George M. Veloudis, DO

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	100%
Unstimulated	0%	PGD/PGS	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	39%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	28%	Male factor	61%	Female factors only	0%
Diminished ovarian reserve	11%	Other factor	6%	Female & male factors	44%
Endometriosis	0%	Unknown factor	0%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 19 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	7	3	0	0	0	0
Percentage of cancellations before retrieval (%)	0 / 7	0 / 3				
Average number of embryos transferred	2.1	2.0				
Percentage of embryos transferred resulting in implantation (%)	2 / 12	0 / 6				
Percentage of elective single embryo transfers (eSET) (%)	1 / 7	0 / 3				
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	2 / 7	0 / 3				
Percentage of cycles resulting in singleton live births (%)	2 / 7	0 / 3				
Percentage of cycles resulting in twin live births (%)	0 / 7	0 / 3				
Percentage of cycles resulting in live births (%)	2 / 7	0 / 3				
Percentage of cycles resulting in pregnancies (%)	2 / 7	0 / 3				
Outcomes per Transfer						
Number of transfers	7	3	0	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 7	0 / 3				
Percentage of transfers resulting in singleton live births (%)	2 / 7	0 / 3				
Percentage of transfers resulting in twin live births (%)	0 / 7	0 / 3				
Percentage of transfers resulting in live births (%)	2 / 7	0 / 3				
Percentage of transfers resulting in pregnancies (%)	2 / 7	0 / 3				
Frozen Embryos from Nondonor Eggs						
Number of cycles	8	0	0	0	0	0
Number of transfers	8	0	0	0	0	0
Estimated average number of transfers per retrieval	2.7					
Average number of embryos transferred	2.1					
Percentage of embryos transferred resulting in implantation (%)	2 / 15					
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 8					
Percentage of transfers resulting in singleton live births (%)	2 / 8					
Percentage of transfers resulting in twin live births (%)	0 / 8					
Percentage of transfers resulting in live births (%)	2 / 8					
Percentage of transfers resulting in pregnancies (%)	2 / 8					
Number of Egg/Embryo Banking Cycles	1	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation (%)		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)		
Percentage of transfers resulting in singleton live births (%)		
Percentage of transfers resulting in twin live births (%)		
Percentage of transfers resulting in live births (%)		
Percentage of transfers resulting in pregnancies (%)		

CURRENT SERVICES & PROFILE

Current Name: Lexington Fertility Center

Donor eggs?	No	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

FERTILITY AND ENDOCRINE ASSOCIATES
LOUISVILLE REPRODUCTIVE CENTER
LOUISVILLE, KENTUCKY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Robert J. Homm, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	90%
Unstimulated	1%	PGD/PGS	4%
Used gestational carrier	6%		

Patient Diagnosis[b]

Tubal factor	11%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	7%	Male factor	54%	Female factors only	14%
Diminished ovarian reserve	63%	Other factor	9%	Female & male factors	48%
Endometriosis	35%	Unknown factor	2%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 180 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	43	24	11	1	2	0
Percentage of cancellations before retrieval (%)	9.3	0.0	1 / 11	0 / 1	0 / 2	
Average number of embryos transferred	1.9	1.9	2.1	2.0		
Percentage of embryos transferred resulting in implantation (%)	21.1	24.4	6 / 19	0 / 2		
Percentage of elective single embryo transfers (eSET) (%)	13.2	13.0	0 / 10	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	11.6	8.3	1 / 11	0 / 1	0 / 2	
Percentage of cycles resulting in singleton live births (%)	16.3	16.7	1 / 11	0 / 1	0 / 2	
Percentage of cycles resulting in twin live births (%)	4.7	12.5	2 / 11	0 / 1	0 / 2	
Percentage of cycles resulting in live births (%)	20.9	29.2	3 / 11	0 / 1	0 / 2	
Percentage of cycles resulting in pregnancies (%)	27.9	33.3	5 / 11	0 / 1	0 / 2	
Outcomes per Transfer						
Number of transfers	38	23	10	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	13.2	8.7	1 / 10	0 / 1		
Percentage of transfers resulting in singleton live births (%)	18.4	17.4	1 / 10	0 / 1		
Percentage of transfers resulting in twin live births (%)	5.3	13.0	2 / 10	0 / 1		
Percentage of transfers resulting in live births (%)	23.7	30.4	3 / 10	0 / 1		
Percentage of transfers resulting in pregnancies (%)	31.6	34.8	5 / 10	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	47	9	11	3	1	3
Number of transfers	47	9	11	3	1	3
Estimated average number of transfers per retrieval	2.9	2.3	1.6	3.0		
Average number of embryos transferred	1.7	1.8	1.5	1.7	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	15.8	1 / 15	5 / 15	1 / 5		2 / 6
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	6.4	1 / 9	2 / 11	1 / 3	0 / 1	0 / 3
Percentage of transfers resulting in singleton live births (%)	10.6	1 / 9	2 / 11	1 / 3	0 / 1	2 / 3
Percentage of transfers resulting in twin live births (%)	2.1	0 / 9	1 / 11	0 / 3	0 / 1	0 / 3
Percentage of transfers resulting in live births (%)	12.8	1 / 9	3 / 11	1 / 3	0 / 1	2 / 3
Percentage of transfers resulting in pregnancies (%)	23.4	2 / 9	4 / 11	1 / 3	1 / 1	2 / 3
Number of Egg/Embryo Banking Cycles	0	0	3	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	9	13
Number of transfers	6	12
Average number of embryos transferred	2.0	1.6
Percentage of embryos transferred resulting in implantation (%)	1 / 8	6 / 15
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 6	2 / 12
Percentage of transfers resulting in singleton live births (%)	0 / 6	2 / 12
Percentage of transfers resulting in twin live births (%)	0 / 6	2 / 12
Percentage of transfers resulting in live births (%)	0 / 6	4 / 12
Percentage of transfers resulting in pregnancies (%)	3 / 6	6 / 12

CURRENT SERVICES & PROFILE

Current Name: Fertility and Endocrine Associates, Louisville Reproductive Center

Donor eggs?	No	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY FIRST
REPRODUCTIVE ENDOCRINE SERVICES
LOUISVILLE, KENTUCKY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Johanna S. Archer, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	85%
Unstimulated	0%	PGD/PGS	7%
Used gestational carrier	4%		

Patient Diagnosis[b]

Tubal factor	15%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	21%	Male factor	39%	Female factors only	21%
Diminished ovarian reserve	21%	Other factor	12%	Female & male factors	12%
Endometriosis	12%	Unknown factor	15%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 34 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	12	5	10	0	0	0
Percentage of cancellations before retrieval (%)	0 / 12	0 / 5	1 / 10			
Average number of embryos transferred	1.9	1.5	2.1			
Percentage of embryos transferred resulting in implantation (%)	43.5	0 / 6	2 / 19			
Percentage of elective single embryo transfers (eSET) (%)	0 / 11	0 / 2	0 / 7			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	1 / 12	0 / 5	1 / 10			
Percentage of cycles resulting in singleton live births (%)	2 / 12	0 / 5	2 / 10			
Percentage of cycles resulting in twin live births (%)	4 / 12	0 / 5	0 / 10			
Percentage of cycles resulting in live births (%)	6 / 12	0 / 5	2 / 10			
Percentage of cycles resulting in pregnancies (%)	6 / 12	0 / 5	2 / 10			
Outcomes per Transfer						
Number of transfers	12	4	9	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 12	0 / 4	1 / 9			
Percentage of transfers resulting in singleton live births (%)	2 / 12	0 / 4	2 / 9			
Percentage of transfers resulting in twin live births (%)	4 / 12	0 / 4	0 / 9			
Percentage of transfers resulting in live births (%)	6 / 12	0 / 4	2 / 9			
Percentage of transfers resulting in pregnancies (%)	6 / 12	0 / 4	2 / 9			
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	0	4	0	0	0
Number of transfers	2	0	4	0	0	0
Estimated average number of transfers per retrieval	1.0		1.3	0.0		
Average number of embryos transferred	1.5		2.8			
Percentage of embryos transferred resulting in implantation (%)	1 / 3		6 / 11			
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 2		2 / 4			
Percentage of transfers resulting in singleton live births (%)	1 / 2		3 / 4			
Percentage of transfers resulting in twin live births (%)	0 / 2		1 / 4			
Percentage of transfers resulting in live births (%)	1 / 2		4 / 4			
Percentage of transfers resulting in pregnancies (%)	1 / 2		4 / 4			
Number of Egg/Embryo Banking Cycles	0	0	0	1	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation (%)		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)		
Percentage of transfers resulting in singleton live births (%)		
Percentage of transfers resulting in twin live births (%)		
Percentage of transfers resulting in live births (%)		
Percentage of transfers resulting in pregnancies (%)		

CURRENT SERVICES & PROFILE

Current Name: Fertility First, Reproductive Endocrine Services

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF LOUISVILLE PHYSICIANS OB/GYN & WOMEN'S HEALTH FERTILITY CENTER LOUISVILLE, KENTUCKY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Henry C. Bohler, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	53%
Unstimulated	0%	PGD/PGS	4%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	17%	Uterine factor	8%	*Multiple Factors:*	
Ovulatory dysfunction	26%	Male factor	44%	Female factors only	11%
Diminished ovarian reserve	11%	Other factor	13%	Female & male factors	28%
Endometriosis	20%	Unknown factor	3%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 138 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	45	15	10	0	3	0
Percentage of cancellations before retrieval (%)	6.7	1 / 15	3 / 10		0 / 3	
Average number of embryos transferred	1.9	1.8	2.5		2.0	
Percentage of embryos transferred resulting in implantation (%)	60.4	6 / 15	5 / 10		0 / 4	
Percentage of elective single embryo transfers (eSET) (%)	16.0	0 / 6	0 / 4		0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	6.7	1 / 15	3 / 10		0 / 3	
Percentage of cycles resulting in singleton live births (%)	6.7	2 / 15	3 / 10		0 / 3	
Percentage of cycles resulting in twin live births (%)	22.2	1 / 15	1 / 10		0 / 3	
Percentage of cycles resulting in live births (%)	31.1	3 / 15	4 / 10		0 / 3	
Percentage of cycles resulting in pregnancies (%)	37.8	6 / 15	4 / 10		0 / 3	
Outcomes per Transfer						
Number of transfers	27	9	4	0	2	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	11.1	1 / 9	3 / 4		0 / 2	
Percentage of transfers resulting in singleton live births (%)	11.1	2 / 9	3 / 4		0 / 2	
Percentage of transfers resulting in twin live births (%)	37.0	1 / 9	1 / 4		0 / 2	
Percentage of transfers resulting in live births (%)	51.9	3 / 9	4 / 4		0 / 2	
Percentage of transfers resulting in pregnancies (%)	63.0	6 / 9	4 / 4		0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	30	9	4	1	1	0
Number of transfers	28	9	4	1	1	0
Estimated average number of transfers per retrieval	2.0	1.3	4.0	0.3	0.5	
Average number of embryos transferred	1.6	1.8	2.3	2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	40.0	5 / 16	2 / 9	0 / 2	0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	14.3	4 / 9	2 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	21.4	5 / 9	2 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	7.1	0 / 9	0 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	32.1	5 / 9	2 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	50.0	5 / 9	2 / 4	0 / 1	0 / 1	
Number of Egg/Embryo Banking Cycles	1	1	0	2	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	11	4
Number of transfers	7	4
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	8 / 14	4 / 8
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	3 / 7	1 / 4
Percentage of transfers resulting in singleton live births (%)	4 / 7	1 / 4
Percentage of transfers resulting in twin live births (%)	2 / 7	1 / 4
Percentage of transfers resulting in live births (%)	6 / 7	2 / 4
Percentage of transfers resulting in pregnancies (%)	6 / 7	3 / 4

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2014. Contact the NASS Help Desk for further information.

Current Name: University of Louisville Physicians OB/GYN & Women's Health Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

A WOMAN'S CENTER FOR REPRODUCTIVE MEDICINE
BATON ROUGE, LOUISIANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by John Storment, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	86%
Unstimulated	0%	PGD/PGS	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	13%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	12%	Male factor	64%	Female factors only	12%
Diminished ovarian reserve	24%	Other factor	22%	Female & male factors	32%
Endometriosis	8%	Unknown factor	3%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 125 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	39	5	7	4	3	1
Percentage of cancellations before retrieval (%)	12.8	0 / 5	1 / 7	1 / 4	1 / 3	0 / 1
Average number of embryos transferred	1.9	1.6	2.0	2.5	3.0	
Percentage of embryos transferred resulting in implantation (%)	36.7	2 / 8	0 / 10	1 / 5	0 / 6	
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 3	0 / 5	0 / 2	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	20.5	0 / 5	0 / 7	1 / 4	0 / 3	0 / 1
Percentage of cycles resulting in singleton live births (%)	20.5	0 / 5	0 / 7	1 / 4	0 / 3	0 / 1
Percentage of cycles resulting in twin live births (%)	12.8	0 / 5	0 / 7	0 / 4	0 / 3	0 / 1
Percentage of cycles resulting in live births (%)	33.3	0 / 5	0 / 7	1 / 4	0 / 3	0 / 1
Percentage of cycles resulting in pregnancies (%)	33.3	1 / 5	0 / 7	1 / 4	0 / 3	0 / 1
Outcomes per Transfer						
Number of transfers	26	5	5	2	2	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	30.8	0 / 5	0 / 5	1 / 2	0 / 2	
Percentage of transfers resulting in singleton live births (%)	30.8	0 / 5	0 / 5	1 / 2	0 / 2	
Percentage of transfers resulting in twin live births (%)	19.2	0 / 5	0 / 5	0 / 2	0 / 2	
Percentage of transfers resulting in live births (%)	50.0	0 / 5	0 / 5	1 / 2	0 / 2	
Percentage of transfers resulting in pregnancies (%)	50.0	1 / 5	0 / 5	1 / 2	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	19	4	7	0	1	0
Number of transfers	19	4	7	0	1	0
Estimated average number of transfers per retrieval	0.8	2.0	2.3	0.0	0.5	0.0
Average number of embryos transferred	1.6	1.8	2.1		1.0	
Percentage of embryos transferred resulting in implantation (%)	48.3	0 / 7	4 / 15		0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	5 / 19	0 / 4	1 / 7		0 / 1	
Percentage of transfers resulting in singleton live births (%)	6 / 19	0 / 4	1 / 7		0 / 1	
Percentage of transfers resulting in twin live births (%)	2 / 19	0 / 4	1 / 7		0 / 1	
Percentage of transfers resulting in live births (%)	8 / 19	0 / 4	2 / 7		0 / 1	
Percentage of transfers resulting in pregnancies (%)	12 / 19	0 / 4	3 / 7		0 / 1	
Number of Egg/Embryo Banking Cycles	18	2	2	2	1	1

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	3	4
Number of transfers	3	4
Average number of embryos transferred	2.0	1.8
Percentage of embryos transferred resulting in implantation (%)	0 / 6	4 / 7
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 3	0 / 4
Percentage of transfers resulting in singleton live births (%)	0 / 3	0 / 4
Percentage of transfers resulting in twin live births (%)	0 / 3	2 / 4
Percentage of transfers resulting in live births (%)	0 / 3	2 / 4
Percentage of transfers resulting in pregnancies (%)	0 / 3	2 / 4

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2014. Contact the NASS Help Desk for further information.

Current Name: Fertility Answers, LLC-Baton Rouge

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY AND WOMEN'S HEALTH CENTER OF LOUISIANA
LAFAYETTE, LOUISIANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by John Storment, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	89%
Unstimulated	0%	PGD/PGS	<1%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	24%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	11%	Male factor	43%	Female factors only	6%
Diminished ovarian reserve	7%	Other factor	0%	Female & male factors	6%
Endometriosis	12%	Unknown factor	13%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 177 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	86	11	14	4	2	0
Percentage of cancellations before retrieval (%)	9.3	0 / 11	0 / 14	1 / 4	0 / 2	
Average number of embryos transferred	1.9	1.9	2.0	2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	35.7	5 / 13	20.0	0 / 4		
Percentage of elective single embryo transfers (eSET) (%)	1.6	0 / 6	0 / 8	0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	20.9	2 / 11	1 / 14	0 / 4	0 / 2	
Percentage of cycles resulting in singleton live births (%)	23.3	2 / 11	1 / 14	0 / 4	0 / 2	
Percentage of cycles resulting in twin live births (%)	9.3	1 / 11	0 / 14	0 / 4	0 / 2	
Percentage of cycles resulting in live births (%)	32.6	3 / 11	1 / 14	0 / 4	0 / 2	
Percentage of cycles resulting in pregnancies (%)	40.7	4 / 11	4 / 14	0 / 4	1 / 2	
Outcomes per Transfer						
Number of transfers	68	7	11	2	1	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	26.5	2 / 7	1 / 11	0 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)	29.4	2 / 7	1 / 11	0 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)	11.8	1 / 7	0 / 11	0 / 2	0 / 1	
Percentage of transfers resulting in live births (%)	41.2	3 / 7	1 / 11	0 / 2	0 / 1	
Percentage of transfers resulting in pregnancies (%)	51.5	4 / 7	4 / 11	0 / 2	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	34	3	5	3	0	0
Number of transfers	33	3	5	3	0	0
Estimated average number of transfers per retrieval	1.8	1.0	5.0	1.5	0.0	
Average number of embryos transferred	1.7	1.7	1.6	2.0		
Percentage of embryos transferred resulting in implantation (%)	33.3	2 / 5	0 / 8	1 / 6		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	30.3	1 / 3	0 / 5	0 / 3		
Percentage of transfers resulting in singleton live births (%)	36.4	2 / 3	0 / 5	1 / 3		
Percentage of transfers resulting in twin live births (%)	6.1	0 / 3	0 / 5	0 / 3		
Percentage of transfers resulting in live births (%)	42.4	2 / 3	0 / 5	1 / 3		
Percentage of transfers resulting in pregnancies (%)	51.5	2 / 3	0 / 5	1 / 3		
Number of Egg/Embryo Banking Cycles	5	2	1	2	1	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	0	2
Number of transfers	0	2
Average number of embryos transferred		1.5
Percentage of embryos transferred resulting in implantation (%)		2 / 3
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)		2 / 2
Percentage of transfers resulting in singleton live births (%)		2 / 2
Percentage of transfers resulting in twin live births (%)		0 / 2
Percentage of transfers resulting in live births (%)		2 / 2
Percentage of transfers resulting in pregnancies (%)		2 / 2

CURRENT SERVICES & PROFILE

Current Name: Fertility Answers, LLC-Lafayette

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY INSTITUTE OF NEW ORLEANS
MANDEVILLE, LOUISIANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Richard P. Dickey, MD, PhD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	62%
Unstimulated	0%	PGD/PGS	2%
Used gestational carrier	1%		

Patient Diagnosis[b]

Tubal factor	22%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	27%	Male factor	29%	Female factors only	7%
Diminished ovarian reserve	9%	Other factor	19%	Female & male factors	11%
Endometriosis	12%	Unknown factor	1%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 644 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	169	62	39	31	8	0
Percentage of cancellations before retrieval (%)	8.9	22.6	12.8	19.4	3 / 8	
Average number of embryos transferred	2.0	2.0	1.8	2.3	3.0	
Percentage of embryos transferred resulting in implantation (%)	41.0	42.2	16.7	8.1	0 / 9	
Percentage of elective single embryo transfers (eSET) (%)	6.6	6.7	14.3	0 / 13	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	17.2	16.1	5.1	6.5	0 / 8	
Percentage of cycles resulting in singleton live births (%)	21.3	17.7	7.7	6.5	0 / 8	
Percentage of cycles resulting in twin live births (%)	13.0	8.1	2.6	0.0	0 / 8	
Percentage of cycles resulting in live births (%)	34.3	25.8	10.3	6.5	0 / 8	
Percentage of cycles resulting in pregnancies (%)	39.1	30.6	12.8	6.5	0 / 8	
Outcomes per Transfer						
Number of transfers	116	32	26	16	3	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	25.0	31.3	7.7	2 / 16	0 / 3	
Percentage of transfers resulting in singleton live births (%)	31.0	34.4	11.5	2 / 16	0 / 3	
Percentage of transfers resulting in twin live births (%)	19.0	15.6	3.8	0 / 16	0 / 3	
Percentage of transfers resulting in live births (%)	50.0	50.0	15.4	2 / 16	0 / 3	
Percentage of transfers resulting in pregnancies (%)	56.9	59.4	19.2	2 / 16	0 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	135	58	34	6	6	0
Number of transfers	113	51	31	6	6	0
Estimated average number of transfers per retrieval	1.4	1.5	1.4	0.5	2.0	
Average number of embryos transferred	1.9	1.8	1.8	2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	33.2	29.2	23.2	2 / 12	0 / 12	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	23.0	23.5	9.7	1 / 6	0 / 6	
Percentage of transfers resulting in singleton live births (%)	30.1	27.5	22.6	1 / 6	0 / 6	
Percentage of transfers resulting in twin live births (%)	11.5	7.8	3.2	0 / 6	0 / 6	
Percentage of transfers resulting in live births (%)	42.5	35.3	25.8	1 / 6	0 / 6	
Percentage of transfers resulting in pregnancies (%)	46.9	45.1	35.5	2 / 6	0 / 6	
Number of Egg/Embryo Banking Cycles	26	13	12	7	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	16	19
Number of transfers	14	17
Average number of embryos transferred	1.9	1.9
Percentage of embryos transferred resulting in implantation (%)	29.6	21.9
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 14	6 / 17
Percentage of transfers resulting in singleton live births (%)	2 / 14	7 / 17
Percentage of transfers resulting in twin live births (%)	3 / 14	0 / 17
Percentage of transfers resulting in live births (%)	5 / 14	7 / 17
Percentage of transfers resulting in pregnancies (%)	5 / 14	7 / 17

CURRENT SERVICES & PROFILE

Current Name: Fertility Institute of New Orleans

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

AUDUBON FERTILITY & REPRODUCTIVE MEDICINE
NEW ORLEANS, LOUISIANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Lindsay Wells, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	81%
Unstimulated	0%	PGD/PGS	2%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	23%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	21%	Male factor	31%	Female factors only	27%
Diminished ovarian reserve	24%	Other factor	25%	Female & male factors	16%
Endometriosis	12%	Unknown factor	8%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 178 (includes 8 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	42	13	5	6	1	0
Percentage of cancellations before retrieval (%)	9.5	3 / 13	2 / 5	3 / 6	0 / 1	
Average number of embryos transferred	1.3	1.9	1.7		1.0	
Percentage of embryos transferred resulting in implantation (%)	38.7	3 / 13	3 / 5			
Percentage of elective single embryo transfers (eSET) (%)	69.6	1 / 7	1 / 3			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	21.4	2 / 13	1 / 5	0 / 6	0 / 1	
Percentage of cycles resulting in singleton live births (%)	23.8	3 / 13	1 / 5	0 / 6	0 / 1	
Percentage of cycles resulting in twin live births (%)	2.4	0 / 13	1 / 5	0 / 6	0 / 1	
Percentage of cycles resulting in live births (%)	26.2	3 / 13	2 / 5	0 / 6	0 / 1	
Percentage of cycles resulting in pregnancies (%)	28.6	3 / 13	2 / 5	0 / 6	1 / 1	
Outcomes per Transfer						
Number of transfers	25	7	3	0	1	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	36.0	2 / 7	1 / 3		0 / 1	
Percentage of transfers resulting in singleton live births (%)	40.0	3 / 7	1 / 3		0 / 1	
Percentage of transfers resulting in twin live births (%)	4.0	0 / 7	1 / 3		0 / 1	
Percentage of transfers resulting in live births (%)	44.0	3 / 7	2 / 3		0 / 1	
Percentage of transfers resulting in pregnancies (%)	48.0	3 / 7	2 / 3		1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	31	7	8	3	0	0
Number of transfers	28	7	8	3	0	0
Estimated average number of transfers per retrieval	0.9	0.6	0.5	0.6	0.0	
Average number of embryos transferred	1.5	1.3	1.9	2.7		
Percentage of embryos transferred resulting in implantation (%)	59.5	6 / 9	3 / 7	1 / 8		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	39.3	4 / 7	1 / 8	1 / 3		
Percentage of transfers resulting in singleton live births (%)	53.6	4 / 7	2 / 8	1 / 3		
Percentage of transfers resulting in twin live births (%)	7.1	1 / 7	0 / 8	0 / 3		
Percentage of transfers resulting in live births (%)	64.3	5 / 7	2 / 8	1 / 3		
Percentage of transfers resulting in pregnancies (%)	75.0	5 / 7	6 / 8	1 / 3		
Number of Egg/Embryo Banking Cycles	10	9	13	4	1	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	0	17
Number of transfers	0	14
Average number of embryos transferred		1.4
Percentage of embryos transferred resulting in implantation (%)		10 / 19
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)		4 / 14
Percentage of transfers resulting in singleton live births (%)		4 / 14
Percentage of transfers resulting in twin live births (%)		1 / 14
Percentage of transfers resulting in live births (%)		5 / 14
Percentage of transfers resulting in pregnancies (%)		8 / 14

CURRENT SERVICES & PROFILE

Current Name: Audubon Fertility & Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ARKLATEX FERTILITY AND REPRODUCTIVE MEDICINE
SHREVEPORT, LOUISIANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by David T. Vandermolen, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	80%
Unstimulated	0%	PGD/PGS	<1%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	28%	Uterine factor	1%	*Multiple Factors:*	
Ovulatory dysfunction	14%	Male factor	30%	Female factors only	13%
Diminished ovarian reserve	23%	Other factor	5%	Female & male factors	12%
Endometriosis	15%	Unknown factor	12%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 144 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	57	18	16	9	3	1
Percentage of cancellations before retrieval (%)	7.0	1 / 18	3 / 16	0 / 9	0 / 3	1 / 1
Average number of embryos transferred	2.0	2.0	2.2	3.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	37.5	26.7	27.6	3.7	0 / 6	
Percentage of elective single embryo transfers (eSET) (%)	13.7	1 / 13	1 / 11	0 / 8	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	29.8	2 / 18	3 / 16	1 / 9	0 / 3	0 / 1
Percentage of cycles resulting in singleton live births (%)	33.3	2 / 18	4 / 16	1 / 9	0 / 3	0 / 1
Percentage of cycles resulting in twin live births (%)	10.5	3 / 18	2 / 16	0 / 9	0 / 3	0 / 1
Percentage of cycles resulting in live births (%)	45.6	5 / 18	6 / 16	1 / 9	0 / 3	0 / 1
Percentage of cycles resulting in pregnancies (%)	49.1	5 / 18	6 / 16	1 / 9	0 / 3	0 / 1
Outcomes per Transfer						
Number of transfers	52	15	13	9	3	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	32.7	2 / 15	3 / 13	1 / 9	0 / 3	
Percentage of transfers resulting in singleton live births (%)	36.5	2 / 15	4 / 13	1 / 9	0 / 3	
Percentage of transfers resulting in twin live births (%)	11.5	3 / 15	2 / 13	0 / 9	0 / 3	
Percentage of transfers resulting in live births (%)	50.0	5 / 15	6 / 13	1 / 9	0 / 3	
Percentage of transfers resulting in pregnancies (%)	53.8	5 / 15	6 / 13	1 / 9	0 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	18	9	4	1	0	0
Number of transfers	18	8	4	1	0	0
Estimated average number of transfers per retrieval	3.0	2.7	2.0			
Average number of embryos transferred	1.6	1.8	1.5	2.0		
Percentage of embryos transferred resulting in implantation (%)	71.4	8 / 14	0 / 6	0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	9 / 18	3 / 8	0 / 4	0 / 1		
Percentage of transfers resulting in singleton live births (%)	13 / 18	3 / 8	0 / 4	0 / 1		
Percentage of transfers resulting in twin live births (%)	3 / 18	2 / 8	0 / 4	0 / 1		
Percentage of transfers resulting in live births (%)	16 / 18	5 / 8	0 / 4	0 / 1		
Percentage of transfers resulting in pregnancies (%)	17 / 18	6 / 8	0 / 4	0 / 1		
Number of Egg/Embryo Banking Cycles	2	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	3	3
Number of transfers	3	2
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	5 / 6	3 / 4
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	1 / 3	1 / 2
Percentage of transfers resulting in twin live births (%)	2 / 3	1 / 2
Percentage of transfers resulting in live births (%)	3 / 3	2 / 2
Percentage of transfers resulting in pregnancies (%)	3 / 3	2 / 2

CURRENT SERVICES & PROFILE

Current Name: Arklatex Fertility and Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BOSTON IVF, THE MAINE CENTER
SOUTH PORTLAND, MAINE

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Michael M. Alper, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	43%
Unstimulated	<1%	PGD/PGS	2%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	16%	Uterine factor	1%	*Multiple Factors:*	
Ovulatory dysfunction	10%	Male factor	31%	Female factors only	4%
Diminished ovarian reserve	7%	Other factor	15%	Female & male factors	9%
Endometriosis	9%	Unknown factor	25%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 334 (includes 11 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	90	46	49	9	4	5
Percentage of cancellations before retrieval (%)	7.8	4.3	6.1	0 / 9	2 / 4	2 / 5
Average number of embryos transferred	1.4	1.5	1.8	2.8	3.5	1.0
Percentage of embryos transferred resulting in implantation (%)	35.0	31.0	14.9	2 / 17	0 / 2	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	58.1	37.5	13.3	0 / 8	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	23.3	21.7	12.2	0 / 9	0 / 4	0 / 5
Percentage of cycles resulting in singleton live births (%)	26.7	26.1	12.2	0 / 9	0 / 4	0 / 5
Percentage of cycles resulting in twin live births (%)	3.3	0.0	0.0	1 / 9	0 / 4	0 / 5
Percentage of cycles resulting in live births (%)	30.0	28.3	12.2	1 / 9	0 / 4	0 / 5
Percentage of cycles resulting in pregnancies (%)	35.6	37.0	22.4	3 / 9	1 / 4	0 / 5
Outcomes per Transfer						
Number of transfers	73	40	41	8	2	3
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	28.8	25.0	14.6	0 / 8	0 / 2	0 / 3
Percentage of transfers resulting in singleton live births (%)	32.9	30.0	14.6	0 / 8	0 / 2	0 / 3
Percentage of transfers resulting in twin live births (%)	4.1	0.0	0.0	1 / 8	0 / 2	0 / 3
Percentage of transfers resulting in live births (%)	37.0	32.5	14.6	1 / 8	0 / 2	0 / 3
Percentage of transfers resulting in pregnancies (%)	43.8	42.5	26.8	3 / 8	1 / 2	0 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	54	27	15	1	1	0
Number of transfers	54	24	15	1	1	0
Estimated average number of transfers per retrieval	2.3	1.2	1.1	0.5		
Average number of embryos transferred	1.5	1.6	1.3	1.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	28.2	32.4	8 / 19	0 / 1	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	20.4	8.3	4 / 15	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	22.2	16.7	5 / 15	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	9.3	8.3	1 / 15	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	31.5	25.0	6 / 15	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	35.2	41.7	8 / 15	0 / 1	0 / 1	
Number of Egg/Embryo Banking Cycles	4	5	7	2	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	2	2
Number of transfers	2	2
Average number of embryos transferred	1.5	1.5
Percentage of embryos transferred resulting in implantation (%)	2 / 3	3 / 3
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 2	1 / 2
Percentage of transfers resulting in singleton live births (%)	0 / 2	1 / 2
Percentage of transfers resulting in twin live births (%)	1 / 2	1 / 2
Percentage of transfers resulting in live births (%)	1 / 2	2 / 2
Percentage of transfers resulting in pregnancies (%)	1 / 2	2 / 2

CURRENT SERVICES & PROFILE

Current Name: Boston IVF, The Maine Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

THE A.R.T. INSTITUTE OF WASHINGTON, INC.
WALTER REED NATIONAL MILITARY MEDICAL CENTER
BETHESDA, MARYLAND

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by John Csokmay, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	83%
Unstimulated	0%	PGD/PGS	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	27%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	13%	Male factor	43%	Female factors only	8%
Diminished ovarian reserve	7%	Other factor	<1%	Female & male factors	13%
Endometriosis	10%	Unknown factor	17%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 547 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	231	86	71	33	1	0
Percentage of cancellations before retrieval (%)	6.5	8.1	9.9	15.2	0 / 1	
Average number of embryos transferred	1.4	1.7	2.1	2.3	3.0	
Percentage of embryos transferred resulting in implantation (%)	45.0	30.4	15.7	11.5	1 / 3	
Percentage of elective single embryo transfers (eSET) (%)	57.0	23.0	7.7	0.0	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	31.6	22.1	11.3	6.1	1 / 1	
Percentage of cycles resulting in singleton live births (%)	36.8	23.3	15.5	12.1	1 / 1	
Percentage of cycles resulting in twin live births (%)	2.2	5.8	1.4	3.0	0 / 1	
Percentage of cycles resulting in live births (%)	39.0	30.2	16.9	15.2	1 / 1	
Percentage of cycles resulting in pregnancies (%)	46.8	33.7	25.4	18.2	1 / 1	
Outcomes per Transfer						
Number of transfers	188	67	59	27	1	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	38.8	28.4	13.6	7.4	1 / 1	
Percentage of transfers resulting in singleton live births (%)	45.2	29.9	18.6	14.8	1 / 1	
Percentage of transfers resulting in twin live births (%)	2.7	7.5	1.7	3.7	0 / 1	
Percentage of transfers resulting in live births (%)	47.9	38.8	20.3	18.5	1 / 1	
Percentage of transfers resulting in pregnancies (%)	57.4	43.3	30.5	22.2	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	73	22	24	2	2	0
Number of transfers	72	22	22	2	2	0
Estimated average number of transfers per retrieval	1.8	2.8	1.8	2.0		
Average number of embryos transferred	1.5	1.5	1.6	1.5	1.5	
Percentage of embryos transferred resulting in implantation (%)	42.3	50.0	35.3	1 / 3	0 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	29.2	36.4	31.8	1 / 2	0 / 2	
Percentage of transfers resulting in singleton live births (%)	37.5	45.5	40.9	1 / 2	0 / 2	
Percentage of transfers resulting in twin live births (%)	8.3	9.1	0.0	0 / 2	0 / 2	
Percentage of transfers resulting in live births (%)	45.8	54.5	40.9	1 / 2	0 / 2	
Percentage of transfers resulting in pregnancies (%)	54.2	63.6	59.1	1 / 2	0 / 2	
Number of Egg/Embryo Banking Cycles	0	1	1	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation (%)		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)		
Percentage of transfers resulting in singleton live births (%)		
Percentage of transfers resulting in twin live births (%)		
Percentage of transfers resulting in live births (%)		
Percentage of transfers resulting in pregnancies (%)		

CURRENT SERVICES & PROFILE

Current Name: The A.R.T. Institute of Washington, Inc., Walter Reed National Military Medical Center

Donor eggs?	No	Gestational carriers?	No	Single women?	No	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ENDRIKA HINTON, MD
LUTHERVILLE, MARYLAND

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Endrika L. Hinton, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	38%
Unstimulated	0%	PGD/PGS	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	26%	Uterine factor	15%	*Multiple Factors:*	
Ovulatory dysfunction	22%	Male factor	26%	Female factors only	37%
Diminished ovarian reserve	15%	Other factor	0%	Female & male factors	19%
Endometriosis	70%	Unknown factor	0%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 35 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	9	9	2	0	1	0
Percentage of cancellations before retrieval (%)	0 / 9	2 / 9	0 / 2		0 / 1	
Average number of embryos transferred	1.9	1.5	2.0		3.0	
Percentage of embryos transferred resulting in implantation (%)	6 / 15	1 / 3	3 / 4		0 / 3	
Percentage of elective single embryo transfers (eSET) (%)	0 / 7	1 / 2	0 / 2		0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	3 / 9	1 / 9	1 / 2		0 / 1	
Percentage of cycles resulting in singleton live births (%)	4 / 9	1 / 9	1 / 2		0 / 1	
Percentage of cycles resulting in twin live births (%)	1 / 9	0 / 9	1 / 2		0 / 1	
Percentage of cycles resulting in live births (%)	5 / 9	1 / 9	2 / 2		0 / 1	
Percentage of cycles resulting in pregnancies (%)	5 / 9	1 / 9	2 / 2		0 / 1	
Outcomes per Transfer						
Number of transfers	8	2	2	0	1	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	3 / 8	1 / 2	1 / 2		0 / 1	
Percentage of transfers resulting in singleton live births (%)	4 / 8	1 / 2	1 / 2		0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 8	0 / 2	1 / 2		0 / 1	
Percentage of transfers resulting in live births (%)	5 / 8	1 / 2	2 / 2		0 / 1	
Percentage of transfers resulting in pregnancies (%)	5 / 8	1 / 2	2 / 2		0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	3	1	0	0	0
Number of transfers	2	3	1	0	0	0
Estimated average number of transfers per retrieval	0.5	0.8	0.5			
Average number of embryos transferred	1.5	2.0	1.0			
Percentage of embryos transferred resulting in implantation (%)	1 / 3	2 / 6	1 / 1			
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 2	0 / 3	1 / 1			
Percentage of transfers resulting in singleton live births (%)	1 / 2	0 / 3	1 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 2	1 / 3	0 / 1			
Percentage of transfers resulting in live births (%)	1 / 2	1 / 3	1 / 1			
Percentage of transfers resulting in pregnancies (%)	1 / 2	1 / 3	1 / 1			
Number of Egg/Embryo Banking Cycles	3	3	2	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation (%)		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)		
Percentage of transfers resulting in singleton live births (%)		
Percentage of transfers resulting in twin live births (%)		
Percentage of transfers resulting in live births (%)		
Percentage of transfers resulting in pregnancies (%)		

CURRENT SERVICES & PROFILE

Current Name: Endrika Hinton, MD

Donor eggs?	No	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

JOHNS HOPKINS FERTILITY CENTER
LUTHERVILLE, MARYLAND

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Jairo E. Garcia, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	48%
Unstimulated	<1%	PGD/PGS	4%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	17%	Uterine factor	10%	*Multiple Factors:*	
Ovulatory dysfunction	12%	Male factor	30%	Female factors only	11%
Diminished ovarian reserve	31%	Other factor	9%	Female & male factors	12%
Endometriosis	11%	Unknown factor	8%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 433 (includes 4 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	94	54	53	32	26	5
Percentage of cancellations before retrieval (%)	6.4	13.0	22.6	18.8	15.4	1 / 5
Average number of embryos transferred	1.6	1.7	1.8	1.7	1.8	2.0
Percentage of embryos transferred resulting in implantation (%)	37.5	27.3	23.6	8.3	8.7	0 / 6
Percentage of elective single embryo transfers (eSET) (%)	33.3	30.6	12.5	0 / 10	0 / 7	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	14.9	14.8	15.1	3.1	3.8	0 / 5
Percentage of cycles resulting in singleton live births (%)	20.2	18.5	15.1	3.1	7.7	0 / 5
Percentage of cycles resulting in twin live births (%)	10.6	3.7	3.8	0.0	0.0	0 / 5
Percentage of cycles resulting in live births (%)	31.9	22.2	18.9	3.1	7.7	0 / 5
Percentage of cycles resulting in pregnancies (%)	34.0	29.6	22.6	6.3	7.7	0 / 5
Outcomes per Transfer						
Number of transfers	75	40	32	14	13	3
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	18.7	20.0	25.0	1 / 14	1 / 13	0 / 3
Percentage of transfers resulting in singleton live births (%)	25.3	25.0	25.0	1 / 14	2 / 13	0 / 3
Percentage of transfers resulting in twin live births (%)	13.3	5.0	6.3	0 / 14	0 / 13	0 / 3
Percentage of transfers resulting in live births (%)	40.0	30.0	31.3	1 / 14	2 / 13	0 / 3
Percentage of transfers resulting in pregnancies (%)	42.7	40.0	37.5	2 / 14	2 / 13	0 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	38	26	23	8	2	2
Number of transfers	38	26	22	8	2	2
Estimated average number of transfers per retrieval	0.9	1.2	1.3	0.7	1.0	2.0
Average number of embryos transferred	1.6	1.6	1.5	1.4	1.5	1.5
Percentage of embryos transferred resulting in implantation (%)	35.6	41.5	38.2	3 / 11	0 / 3	0 / 3
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	26.3	42.3	45.5	2 / 8	0 / 2	0 / 2
Percentage of transfers resulting in singleton live births (%)	34.2	53.8	50.0	2 / 8	0 / 2	0 / 2
Percentage of transfers resulting in twin live births (%)	5.3	3.8	0.0	0 / 8	0 / 2	0 / 2
Percentage of transfers resulting in live births (%)	39.5	57.7	50.0	2 / 8	0 / 2	0 / 2
Percentage of transfers resulting in pregnancies (%)	50.0	61.5	54.5	2 / 8	0 / 2	0 / 2
Number of Egg/Embryo Banking Cycles	24	6	11	10	1	1

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	7	6
Number of transfers	5	6
Average number of embryos transferred	1.8	1.7
Percentage of embryos transferred resulting in implantation (%)	5 / 9	3 / 10
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 5	0 / 6
Percentage of transfers resulting in singleton live births (%)	1 / 5	2 / 6
Percentage of transfers resulting in twin live births (%)	1 / 5	0 / 6
Percentage of transfers resulting in live births (%)	2 / 5	2 / 6
Percentage of transfers resulting in pregnancies (%)	4 / 5	3 / 6

CURRENT SERVICES & PROFILE

Current Name: Johns Hopkins Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

SHADY GROVE FERTILITY REPRODUCTIVE SCIENCE CENTER
ROCKVILLE, MARYLAND

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Michael J. Levy, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	59%
Unstimulated	0%	PGD/PGS	2%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	9%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	11%	Male factor	24%	Female factors only	5%
Diminished ovarian reserve	27%	Other factor	11%	Female & male factors	7%
Endometriosis	4%	Unknown factor	23%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 7,648 (includes 189 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	1,334	821	809	374	204	21
Percentage of cancellations before retrieval (%)	6.2	10.0	12.1	16.6	16.2	14.3
Average number of embryos transferred	1.4	1.5	1.9	2.5	2.8	2.7
Percentage of embryos transferred resulting in implantation (%)	43.2	36.7	27.6	16.7	6.5	0.0
Percentage of elective single embryo transfers (eSET) (%)	53.7	43.2	17.6	2.1	0.0	0 / 13
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	29.6	26.2	17.3	11.2	4.4	0.0
Percentage of cycles resulting in singleton live births (%)	33.6	28.5	20.1	13.9	5.4	0.0
Percentage of cycles resulting in twin live births (%)	4.9	3.9	3.1	2.4	0.5	0.0
Percentage of cycles resulting in live births (%)	38.8	32.6	23.5	16.3	5.9	0.0
Percentage of cycles resulting in pregnancies (%)	44.6	41.2	34.4	25.9	14.7	4.8
Outcomes per Transfer						
Number of transfers	1,109	667	625	258	147	16
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	35.6	32.2	22.4	16.3	6.1	0 / 16
Percentage of transfers resulting in singleton live births (%)	40.4	35.1	26.1	20.2	7.5	0 / 16
Percentage of transfers resulting in twin live births (%)	5.9	4.8	4.0	3.5	0.7	0 / 16
Percentage of transfers resulting in live births (%)	46.6	40.2	30.4	23.6	8.2	0 / 16
Percentage of transfers resulting in pregnancies (%)	53.7	50.7	44.5	37.6	20.4	1 / 16
Frozen Embryos from Nondonor Eggs						
Number of cycles	778	465	356	146	47	12
Number of transfers	746	435	329	133	43	10
Estimated average number of transfers per retrieval	1.6	1.1	0.9	1.0	0.9	1.7
Average number of embryos transferred	1.3	1.3	1.4	1.5	1.7	2.1
Percentage of embryos transferred resulting in implantation (%)	54.5	47.7	40.1	36.3	46.9	14.3
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	37.0	34.9	28.3	26.3	23.3	1 / 10
Percentage of transfers resulting in singleton live births (%)	42.4	40.7	31.0	27.1	25.6	1 / 10
Percentage of transfers resulting in twin live births (%)	7.1	5.1	4.0	2.3	2.3	0 / 10
Percentage of transfers resulting in live births (%)	49.5	45.7	35.0	29.3	27.9	1 / 10
Percentage of transfers resulting in pregnancies (%)	62.2	55.9	49.5	51.1	65.1	2 / 10
Number of Egg/Embryo Banking Cycles	153	205	212	80	27	4

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	774	637
Number of transfers	644	570
Average number of embryos transferred	1.3	1.2
Percentage of embryos transferred resulting in implantation (%)	52.8	43.8
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	37.3	25.1
Percentage of transfers resulting in singleton live births (%)	44.4	33.9
Percentage of transfers resulting in twin live births (%)	5.9	4.4
Percentage of transfers resulting in live births (%)	50.5	38.2
Percentage of transfers resulting in pregnancies (%)	61.5	51.8

CURRENT SERVICES & PROFILE

Current Name: Shady Grove Fertility Reproductive Science Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MONTGOMERY FERTILITY CENTER
SILVER SPRING, MARYLAND

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Yemi Famuyiwa, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	66%
Unstimulated	0%	PGD/PGS	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	31%	Uterine factor	37%	*Multiple Factors:*	
Ovulatory dysfunction	16%	Male factor	19%	Female factors only	27%
Diminished ovarian reserve	31%	Other factor	5%	Female & male factors	11%
Endometriosis	1%	Unknown factor	4%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 81 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	20	6	16	7	1	5
Percentage of cancellations before retrieval (%)	10.0	0 / 6	3 / 16	1 / 7	1 / 1	1 / 5
Average number of embryos transferred	2.0	1.8	1.7	1.8		3.0
Percentage of embryos transferred resulting in implantation (%)	14.3	3 / 11	1 / 17	0 / 9		0 / 6
Percentage of elective single embryo transfers (eSET) (%)	0 / 11	0 / 4	0 / 8	0 / 3		0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	0.0	2 / 6	1 / 16	0 / 7	0 / 1	0 / 5
Percentage of cycles resulting in singleton live births (%)	0.0	2 / 6	1 / 16	0 / 7	0 / 1	0 / 5
Percentage of cycles resulting in twin live births (%)	10.0	0 / 6	0 / 16	0 / 7	0 / 1	0 / 5
Percentage of cycles resulting in live births (%)	10.0	2 / 6	1 / 16	0 / 7	0 / 1	0 / 5
Percentage of cycles resulting in pregnancies (%)	10.0	2 / 6	2 / 16	0 / 7	0 / 1	0 / 5
Outcomes per Transfer						
Number of transfers	14	6	11	5	0	2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 14	2 / 6	1 / 11	0 / 5		0 / 2
Percentage of transfers resulting in singleton live births (%)	0 / 14	2 / 6	1 / 11	0 / 5		0 / 2
Percentage of transfers resulting in twin live births (%)	2 / 14	0 / 6	0 / 11	0 / 5		0 / 2
Percentage of transfers resulting in live births (%)	2 / 14	2 / 6	1 / 11	0 / 5		0 / 2
Percentage of transfers resulting in pregnancies (%)	2 / 14	2 / 6	2 / 11	0 / 5		0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	1	1	0	0	0
Number of transfers	5	1	1	0	0	0
Estimated average number of transfers per retrieval	0.6	1.0			0.0	0.0
Average number of embryos transferred	1.4	3.0	2.0			
Percentage of embryos transferred resulting in implantation (%)	0 / 5	0 / 3	0 / 2			
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 5	0 / 1	0 / 1			
Percentage of transfers resulting in singleton live births (%)	0 / 5	0 / 1	0 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 5	0 / 1	0 / 1			
Percentage of transfers resulting in live births (%)	0 / 5	0 / 1	0 / 1			
Percentage of transfers resulting in pregnancies (%)	1 / 5	0 / 1	0 / 1			
Number of Egg/Embryo Banking Cycles	0	1	0	0	1	5

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	4	8
Number of transfers	2	7
Average number of embryos transferred	2.5	2.0
Percentage of embryos transferred resulting in implantation (%)	3 / 5	2 / 14
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 2	1 / 7
Percentage of transfers resulting in singleton live births (%)	0 / 2	1 / 7
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 7
Percentage of transfers resulting in live births (%)	0 / 2	1 / 7
Percentage of transfers resulting in pregnancies (%)	1 / 2	1 / 7

CURRENT SERVICES & PROFILE

Current Name: Montgomery Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF MARYLAND
TOWSON, MARYLAND

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Santiago L. Padilla, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	36%
Unstimulated	0%	PGD/PGS	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	23%	Uterine factor	15%	*Multiple Factors:*	
Ovulatory dysfunction	21%	Male factor	39%	Female factors only	24%
Diminished ovarian reserve	29%	Other factor	8%	Female & male factors	23%
Endometriosis	13%	Unknown factor	8%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 333 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	110	55	40	22	9	4
Percentage of cancellations before retrieval (%)	14.5	21.8	17.5	36.4	4 / 9	3 / 4
Average number of embryos transferred	1.5	1.7	2.2	3.8	3.4	5.0
Percentage of embryos transferred resulting in implantation (%)	39.1	13.2	22.9	13.3	0 / 17	0 / 5
Percentage of elective single embryo transfers (eSET) (%)	40.5	25.0	3.1	0 / 13	0 / 4	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	27.3	12.7	10.0	9.1	0 / 9	0 / 4
Percentage of cycles resulting in singleton live births (%)	31.8	12.7	20.0	9.1	0 / 9	0 / 4
Percentage of cycles resulting in twin live births (%)	4.5	0.0	5.0	4.5	0 / 9	0 / 4
Percentage of cycles resulting in live births (%)	36.4	12.7	25.0	13.6	0 / 9	0 / 4
Percentage of cycles resulting in pregnancies (%)	40.9	18.2	35.0	22.7	0 / 9	0 / 4
Outcomes per Transfer						
Number of transfers	86	41	33	13	5	1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	34.9	17.1	12.1	2 / 13	0 / 5	0 / 1
Percentage of transfers resulting in singleton live births (%)	40.7	17.1	24.2	2 / 13	0 / 5	0 / 1
Percentage of transfers resulting in twin live births (%)	5.8	0.0	6.1	1 / 13	0 / 5	0 / 1
Percentage of transfers resulting in live births (%)	46.5	17.1	30.3	3 / 13	0 / 5	0 / 1
Percentage of transfers resulting in pregnancies (%)	52.3	24.4	42.4	5 / 13	0 / 5	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	53	19	6	1	1	4
Number of transfers	46	17	6	1	1	3
Estimated average number of transfers per retrieval	1.7	2.1	1.5	0.5		3.0
Average number of embryos transferred	1.8	1.7	1.8	2.0	1.0	3.0
Percentage of embryos transferred resulting in implantation (%)	32.1	34.5	2 / 11	0 / 2	0 / 1	3 / 9
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	28.3	6 / 17	2 / 6	0 / 1	0 / 1	1 / 3
Percentage of transfers resulting in singleton live births (%)	28.3	8 / 17	2 / 6	0 / 1	0 / 1	1 / 3
Percentage of transfers resulting in twin live births (%)	8.7	1 / 17	0 / 6	0 / 1	0 / 1	0 / 3
Percentage of transfers resulting in live births (%)	37.0	9 / 17	2 / 6	0 / 1	0 / 1	1 / 3
Percentage of transfers resulting in pregnancies (%)	52.2	9 / 17	2 / 6	0 / 1	0 / 1	2 / 3
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	3	6
Number of transfers	3	5
Average number of embryos transferred	1.7	2.0
Percentage of embryos transferred resulting in implantation (%)	1 / 5	4 / 10
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 3	0 / 5
Percentage of transfers resulting in singleton live births (%)	1 / 3	1 / 5
Percentage of transfers resulting in twin live births (%)	0 / 3	1 / 5
Percentage of transfers resulting in live births (%)	1 / 3	2 / 5
Percentage of transfers resulting in pregnancies (%)	1 / 3	3 / 5

CURRENT SERVICES & PROFILE

Current Name: Fertility Center of Maryland

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHADY GROVE FERTILITY RSC-TOWSON
TOWSON, MARYLAND

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Eugene Katz, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	63%
Unstimulated	0%	PGD/PGS	<1%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	12%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	15%	Male factor	29%	Female factors only	7%
Diminished ovarian reserve	23%	Other factor	8%	Female & male factors	9%
Endometriosis	7%	Unknown factor	20%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 1,715 (includes 25 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	475	236	153	84	33	5
Percentage of cancellations before retrieval (%)	4.0	10.6	11.1	15.5	6.1	1 / 5
Average number of embryos transferred	1.3	1.6	2.1	2.6	2.8	2.7
Percentage of embryos transferred resulting in implantation (%)	46.5	35.3	19.5	14.3	5.3	0 / 8
Percentage of elective single embryo transfers (eSET) (%)	56.6	29.6	6.6	0.0	0.0	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	31.2	24.6	12.4	9.5	3.0	0 / 5
Percentage of cycles resulting in singleton live births (%)	38.7	29.7	14.4	9.5	3.0	0 / 5
Percentage of cycles resulting in twin live births (%)	4.0	7.6	2.6	2.4	0.0	0 / 5
Percentage of cycles resulting in live births (%)	43.6	37.3	17.0	11.9	3.0	0 / 5
Percentage of cycles resulting in pregnancies (%)	48.6	41.5	29.4	22.6	15.2	0 / 5
Outcomes per Transfer						
Number of transfers	423	203	120	59	28	3
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	35.0	28.6	15.8	13.6	3.6	0 / 3
Percentage of transfers resulting in singleton live births (%)	43.5	34.5	18.3	13.6	3.6	0 / 3
Percentage of transfers resulting in twin live births (%)	4.5	8.9	3.3	3.4	0.0	0 / 3
Percentage of transfers resulting in live births (%)	48.9	43.3	21.7	16.9	3.6	0 / 3
Percentage of transfers resulting in pregnancies (%)	54.6	48.3	37.5	32.2	17.9	0 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	220	71	58	14	3	2
Number of transfers	208	67	56	12	3	2
Estimated average number of transfers per retrieval	1.5	1.2	0.9	0.8	3.0	1.0
Average number of embryos transferred	1.3	1.3	1.6	1.8	2.3	1.0
Percentage of embryos transferred resulting in implantation (%)	56.3	52.4	40.2	3 / 12	0 / 7	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	38.9	34.3	26.8	3 / 12	0 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	46.6	35.8	37.5	3 / 12	0 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	4.8	7.5	5.4	0 / 12	0 / 3	0 / 2
Percentage of transfers resulting in live births (%)	51.4	43.3	42.9	3 / 12	0 / 3	0 / 2
Percentage of transfers resulting in pregnancies (%)	65.9	53.7	58.9	7 / 12	0 / 3	0 / 2
Number of Egg/Embryo Banking Cycles	36	23	28	12	0	2

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	162	73
Number of transfers	142	70
Average number of embryos transferred	1.2	1.2
Percentage of embryos transferred resulting in implantation (%)	49.7	37.0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	31.0	21.4
Percentage of transfers resulting in singleton live births (%)	38.0	25.7
Percentage of transfers resulting in twin live births (%)	4.2	2.9
Percentage of transfers resulting in live births (%)	42.3	28.6
Percentage of transfers resulting in pregnancies (%)	58.5	44.3

CURRENT SERVICES & PROFILE

Current Name: Shady Grove Fertility RSC-Towson

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BRIGHAM AND WOMEN'S HOSPITAL CENTER FOR ASSISTED REPRODUCTIVE TECHNOLOGY
BOSTON, MASSACHUSETTS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Elizabeth S. Ginsburg, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	51%
Unstimulated	<1%	PGD/PGS	<1%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	9%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	11%	Male factor	28%	Female factors only	8%
Diminished ovarian reserve	27%	Other factor	9%	Female & male factors	13%
Endometriosis	6%	Unknown factor	27%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 2,134 (includes 14 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	390	277	298	182	86	4
Percentage of cancellations before retrieval (%)	3.8	5.4	6.7	8.8	5.8	0 / 4
Average number of embryos transferred	1.5	1.9	2.2	3.6	4.4	4.7
Percentage of embryos transferred resulting in implantation (%)	40.7	33.4	16.3	5.4	2.0	0 / 8
Percentage of elective single embryo transfers (eSET) (%)	43.0	23.0	10.0	2.2	0.0	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	26.2	20.2	11.7	8.2	1.2	0 / 4
Percentage of cycles resulting in singleton live births (%)	32.3	24.5	13.1	9.3	1.2	0 / 4
Percentage of cycles resulting in twin live births (%)	8.2	10.8	4.4	1.1	2.3	0 / 4
Percentage of cycles resulting in live births (%)	40.5	35.7	17.8	10.4	3.5	0 / 4
Percentage of cycles resulting in pregnancies (%)	47.2	40.4	27.2	18.7	11.6	1 / 4
Outcomes per Transfer						
Number of transfers	354	239	251	151	75	3
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	28.8	23.4	13.9	9.9	1.3	0 / 3
Percentage of transfers resulting in singleton live births (%)	35.6	28.5	15.5	11.3	1.3	0 / 3
Percentage of transfers resulting in twin live births (%)	9.0	12.6	5.2	1.3	2.7	0 / 3
Percentage of transfers resulting in live births (%)	44.6	41.4	21.1	12.6	4.0	0 / 3
Percentage of transfers resulting in pregnancies (%)	52.0	46.9	32.3	22.5	13.3	1 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	203	124	139	53	16	3
Number of transfers	193	116	129	44	15	2
Estimated average number of transfers per retrieval	1.0	1.2	1.0	0.8	2.5	1.0
Average number of embryos transferred	1.4	1.4	1.6	2.1	2.2	2.5
Percentage of embryos transferred resulting in implantation (%)	46.0	51.3	35.2	10.6	17.2	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	29.5	37.1	20.2	11.4	2 / 15	0 / 2
Percentage of transfers resulting in singleton live births (%)	36.8	40.5	24.0	15.9	2 / 15	0 / 2
Percentage of transfers resulting in twin live births (%)	9.3	11.2	11.6	0.0	1 / 15	0 / 2
Percentage of transfers resulting in live births (%)	46.1	51.7	35.7	15.9	3 / 15	0 / 2
Percentage of transfers resulting in pregnancies (%)	56.0	60.3	45.7	27.3	5 / 15	1 / 2
Number of Egg/Embryo Banking Cycles	97	49	57	33	4	2

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	53	50
Number of transfers	49	49
Average number of embryos transferred	1.5	1.6
Percentage of embryos transferred resulting in implantation (%)	59.4	42.6
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	42.9	26.5
Percentage of transfers resulting in singleton live births (%)	51.0	30.6
Percentage of transfers resulting in twin live births (%)	12.2	8.2
Percentage of transfers resulting in live births (%)	63.3	38.8
Percentage of transfers resulting in pregnancies (%)	73.5	59.2

CURRENT SERVICES & PROFILE

Current Name: Brigham and Women's Hospital Center for Assisted Reproductive Technology

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MASSACHUSETTS GENERAL HOSPITAL FERTILITY CENTER
BOSTON, MASSACHUSETTS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Thomas L. Toth, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	44%
Unstimulated	0%	PGD/PGS	3%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	14%	Uterine factor	6%	*Multiple Factors:*	
Ovulatory dysfunction	9%	Male factor	35%	Female factors only	8%
Diminished ovarian reserve	24%	Other factor	10%	Female & male factors	17%
Endometriosis	5%	Unknown factor	25%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 813 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	229	140	121	79	19	0
Percentage of cancellations before retrieval (%)	3.1	5.7	4.1	10.1	2 / 19	
Average number of embryos transferred	1.5	1.6	2.4	3.3	3.5	
Percentage of embryos transferred resulting in implantation (%)	41.6	38.9	22.9	11.3	8.3	
Percentage of elective single embryo transfers (eSET) (%)	37.1	35.5	3.8	0.0	0 / 16	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	33.6	30.0	19.0	15.2	2 / 19	
Percentage of cycles resulting in singleton live births (%)	40.2	35.0	25.6	16.5	3 / 19	
Percentage of cycles resulting in twin live births (%)	5.2	5.7	5.8	1.3	0 / 19	
Percentage of cycles resulting in live births (%)	45.4	40.7	31.4	17.7	3 / 19	
Percentage of cycles resulting in pregnancies (%)	52.0	47.1	42.1	27.8	5 / 19	
Outcomes per Transfer						
Number of transfers	213	124	113	64	17	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	36.2	33.9	20.4	18.8	2 / 17	
Percentage of transfers resulting in singleton live births (%)	43.2	39.5	27.4	20.3	3 / 17	
Percentage of transfers resulting in twin live births (%)	5.6	6.5	6.2	1.6	0 / 17	
Percentage of transfers resulting in live births (%)	48.8	46.0	33.6	21.9	3 / 17	
Percentage of transfers resulting in pregnancies (%)	55.9	53.2	45.1	34.4	5 / 17	
Frozen Embryos from Nondonor Eggs						
Number of cycles	42	54	24	5	2	1
Number of transfers	42	52	21	5	2	1
Estimated average number of transfers per retrieval	1.1	1.0	1.3	1.3		1.0
Average number of embryos transferred	1.5	1.4	1.4	1.2	2.5	3.0
Percentage of embryos transferred resulting in implantation (%)	60.0	38.9	28.6	1 / 6	1 / 5	0 / 3
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	45.2	28.8	28.6	1 / 5	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	52.4	30.8	33.3	1 / 5	1 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	11.9	9.6	0.0	0 / 5	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	64.3	40.4	33.3	1 / 5	1 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	76.2	46.2	42.9	1 / 5	1 / 2	0 / 1
Number of Egg/Embryo Banking Cycles	18	26	8	1	0	1

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	28	15
Number of transfers	28	14
Average number of embryos transferred	1.5	1.3
Percentage of embryos transferred resulting in implantation (%)	43.9	6 / 17
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	42.9	4 / 14
Percentage of transfers resulting in singleton live births (%)	50.0	5 / 14
Percentage of transfers resulting in twin live births (%)	7.1	0 / 14
Percentage of transfers resulting in live births (%)	57.1	5 / 14
Percentage of transfers resulting in pregnancies (%)	57.1	7 / 14

CURRENT SERVICES & PROFILE

Current Name: Massachusetts General Hospital Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

FERTILITY SOLUTIONS, PC DBA MASSACHUSETTS FERTILITY CENTER, LLC DEDHAM, MASSACHUSETTS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Ania Kowalik, MD

Type of ART and Procedural Factors[a]

IVF	>99%	With ICSI	52%
Unstimulated	0%	PGD/PGS	1%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	9%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	10%	Male factor	32%	Female factors only	4%
Diminished ovarian reserve	15%	Other factor	6%	Female & male factors	12%
Endometriosis	3%	Unknown factor	38%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 617 (includes 26 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	143	76	75	42	8	3
Percentage of cancellations before retrieval (%)	7.0	5.3	6.7	11.9	0 / 8	1 / 3
Average number of embryos transferred	1.3	1.7	2.1	3.0	2.3	4.0
Percentage of embryos transferred resulting in implantation (%)	39.0	34.0	18.0	9.6	0 / 14	0 / 4
Percentage of elective single embryo transfers (eSET) (%)	66.0	40.0	19.3	0.0	0 / 4	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	26.6	27.6	13.3	9.5	0 / 8	0 / 3
Percentage of cycles resulting in singleton live births (%)	32.2	32.9	16.0	9.5	0 / 8	0 / 3
Percentage of cycles resulting in twin live births (%)	1.4	3.9	5.3	0.0	0 / 8	0 / 3
Percentage of cycles resulting in live births (%)	33.6	36.8	21.3	9.5	0 / 8	0 / 3
Percentage of cycles resulting in pregnancies (%)	40.6	42.1	28.0	21.4	0 / 8	0 / 3
Outcomes per Transfer						
Number of transfers	115	62	63	29	6	1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	33.0	33.9	15.9	13.8	0 / 6	0 / 1
Percentage of transfers resulting in singleton live births (%)	40.0	40.3	19.0	13.8	0 / 6	0 / 1
Percentage of transfers resulting in twin live births (%)	1.7	4.8	6.3	0.0	0 / 6	0 / 1
Percentage of transfers resulting in live births (%)	41.7	45.2	25.4	13.8	0 / 6	0 / 1
Percentage of transfers resulting in pregnancies (%)	50.4	51.6	33.3	31.0	0 / 6	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	104	56	31	12	1	1
Number of transfers	95	53	28	10	1	1
Estimated average number of transfers per retrieval	2.0	1.7	1.6	1.3	0.3	1.0
Average number of embryos transferred	1.4	1.6	1.6	2.6	1.0	1.0
Percentage of embryos transferred resulting in implantation (%)	47.2	36.9	30.2	15.0	0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	34.7	26.4	21.4	2 / 10	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	37.9	28.3	28.6	3 / 10	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	7.4	7.5	3.6	0 / 10	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	45.3	35.8	32.1	3 / 10	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	57.9	49.1	42.9	4 / 10	0 / 1	0 / 1
Number of Egg/Embryo Banking Cycles	3	3	7	3	1	1

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	8	13
Number of transfers	8	12
Average number of embryos transferred	1.3	1.8
Percentage of embryos transferred resulting in implantation (%)	8 / 10	45.0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	5 / 8	5 / 12
Percentage of transfers resulting in singleton live births (%)	6 / 8	7 / 12
Percentage of transfers resulting in twin live births (%)	1 / 8	1 / 12
Percentage of transfers resulting in live births (%)	7 / 8	8 / 12
Percentage of transfers resulting in pregnancies (%)	7 / 8	9 / 12

CURRENT SERVICES & PROFILE

Current Name: Fertility Solutions, PC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE SCIENCE CENTER
LEXINGTON, MASSACHUSETTS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Samuel C. Pang, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	41%
Unstimulated	<1%	PGD/PGS	2%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	15%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	13%	Male factor	38%	Female factors only	7%
Diminished ovarian reserve	22%	Other factor	9%	Female & male factors	17%
Endometriosis	7%	Unknown factor	21%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 2,722 (includes 94 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	759	386	370	168	48	2
Percentage of cancellations before retrieval (%)	3.7	7.0	6.2	9.5	12.5	0 / 2
Average number of embryos transferred	1.3	1.6	2.1	2.9	3.1	1.5
Percentage of embryos transferred resulting in implantation (%)	41.7	37.9	22.5	8.7	5.5	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	60.6	36.6	6.6	2.5	0.0	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	28.5	23.8	13.5	10.7	6.3	0 / 2
Percentage of cycles resulting in singleton live births (%)	31.9	28.0	15.7	11.3	8.3	0 / 2
Percentage of cycles resulting in twin live births (%)	5.1	6.7	5.9	1.8	0.0	0 / 2
Percentage of cycles resulting in live births (%)	37.2	34.7	22.2	13.1	8.3	0 / 2
Percentage of cycles resulting in pregnancies (%)	42.7	41.2	31.9	22.0	16.7	0 / 2
Outcomes per Transfer						
Number of transfers	651	323	306	133	37	2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	33.2	28.5	16.3	13.5	8.1	0 / 2
Percentage of transfers resulting in singleton live births (%)	37.2	33.4	19.0	14.3	10.8	0 / 2
Percentage of transfers resulting in twin live births (%)	6.0	8.0	7.2	2.3	0.0	0 / 2
Percentage of transfers resulting in live births (%)	43.3	41.5	26.8	16.5	10.8	0 / 2
Percentage of transfers resulting in pregnancies (%)	49.8	49.2	38.6	27.8	21.6	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	362	189	114	47	17	3
Number of transfers	320	165	98	38	14	1
Estimated average number of transfers per retrieval	1.3	1.4	1.1	1.0	1.6	
Average number of embryos transferred	1.3	1.3	1.6	2.2	2.6	2.0
Percentage of embryos transferred resulting in implantation (%)	50.5	45.8	38.1	24.1	8.3	1 / 2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	40.0	38.2	33.7	21.1	2 / 14	0 / 1
Percentage of transfers resulting in singleton live births (%)	43.4	41.8	39.8	21.1	2 / 14	0 / 1
Percentage of transfers resulting in twin live births (%)	6.6	3.0	6.1	2.6	0 / 14	0 / 1
Percentage of transfers resulting in live births (%)	50.3	45.5	45.9	26.3	2 / 14	0 / 1
Percentage of transfers resulting in pregnancies (%)	58.4	54.5	54.1	39.5	3 / 14	1 / 1
Number of Egg/Embryo Banking Cycles	33	28	21	9	4	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	19	49
Number of transfers	19	45
Average number of embryos transferred	1.2	1.2
Percentage of embryos transferred resulting in implantation (%)	43.5	51.0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	6 / 19	44.4
Percentage of transfers resulting in singleton live births (%)	9 / 19	46.7
Percentage of transfers resulting in twin live births (%)	0 / 19	2.2
Percentage of transfers resulting in live births (%)	9 / 19	48.9
Percentage of transfers resulting in pregnancies (%)	10 / 19	57.8

CURRENT SERVICES & PROFILE

Current Name: IVF New England

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTERS OF NEW ENGLAND, INC.
NEW ENGLAND CLINICS OF REPRODUCTIVE MEDICINE, INC.
READING, MASSACHUSETTS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Danielle Vitiello, MD, PhD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	62%
Unstimulated	<1%	PGD/PGS	2%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	9%	Uterine factor	7%	*Multiple Factors:*	
Ovulatory dysfunction	15%	Male factor	28%	Female factors only	7%
Diminished ovarian reserve	14%	Other factor	20%	Female & male factors	10%
Endometriosis	5%	Unknown factor	22%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 1,061 (includes 8 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	281	147	113	56	23	0
Percentage of cancellations before retrieval (%)	2.5	4.8	7.1	7.1	4.3	
Average number of embryos transferred	1.1	1.3	1.5	2.0	2.4	
Percentage of embryos transferred resulting in implantation (%)	51.0	40.3	30.0	9.4	4.9	
Percentage of elective single embryo transfers (eSET) (%)	79.3	50.0	28.8	5.6	1 / 14	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	34.9	25.9	12.4	10.7	4.3	
Percentage of cycles resulting in singleton live births (%)	38.4	27.9	13.3	10.7	4.3	
Percentage of cycles resulting in twin live births (%)	2.5	5.4	4.4	0.0	0.0	
Percentage of cycles resulting in live births (%)	40.9	33.3	17.7	10.7	4.3	
Percentage of cycles resulting in pregnancies (%)	45.2	38.8	29.2	16.1	8.7	
Outcomes per Transfer						
Number of transfers	230	120	77	43	17	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	42.6	31.7	18.2	14.0	1 / 17	
Percentage of transfers resulting in singleton live births (%)	47.0	34.2	19.5	14.0	1 / 17	
Percentage of transfers resulting in twin live births (%)	3.0	6.7	6.5	0.0	0 / 17	
Percentage of transfers resulting in live births (%)	50.0	40.8	26.0	14.0	1 / 17	
Percentage of transfers resulting in pregnancies (%)	55.2	47.5	42.9	20.9	2 / 17	
Frozen Embryos from Nondonor Eggs						
Number of cycles	138	48	59	18	9	0
Number of transfers	133	46	59	16	8	0
Estimated average number of transfers per retrieval	1.5	1.2	1.4	0.7	1.0	0.0
Average number of embryos transferred	1.2	1.2	1.4	1.6	1.4	
Percentage of embryos transferred resulting in implantation (%)	55.2	67.3	41.7	40.0	4 / 11	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	36.1	50.0	25.4	5 / 16	2 / 8	
Percentage of transfers resulting in singleton live births (%)	43.6	56.5	33.9	6 / 16	3 / 8	
Percentage of transfers resulting in twin live births (%)	6.0	6.5	6.8	1 / 16	0 / 8	
Percentage of transfers resulting in live births (%)	50.4	63.0	40.7	7 / 16	3 / 8	
Percentage of transfers resulting in pregnancies (%)	57.1	67.4	50.8	9 / 16	4 / 8	
Number of Egg/Embryo Banking Cycles	33	21	16	14	6	6

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	21	44
Number of transfers	14	40
Average number of embryos transferred	1.4	1.3
Percentage of embryos transferred resulting in implantation (%)	60.0	46.0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	4 / 14	37.5
Percentage of transfers resulting in singleton live births (%)	6 / 14	45.0
Percentage of transfers resulting in twin live births (%)	3 / 14	5.0
Percentage of transfers resulting in live births (%)	9 / 14	50.0
Percentage of transfers resulting in pregnancies (%)	9 / 14	52.5

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2014. Contact the NASS Help Desk for further information.

Current Name: Fertility Centers of New England, Inc., New England Clinics of Reproductive Medicine, Inc.

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BAYSTATE REPRODUCTIVE MEDICINE
SPRINGFIELD, MASSACHUSETTS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Kelly Lynch, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	39%
Unstimulated	0%	PGD/PGS	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	13%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	21%	Male factor	25%	Female factors only	10%
Diminished ovarian reserve	18%	Other factor	9%	Female & male factors	11%
Endometriosis	10%	Unknown factor	23%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 596 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	135	70	63	36	7	0
Percentage of cancellations before retrieval (%)	6.7	2.9	11.1	13.9	1 / 7	
Average number of embryos transferred	1.3	1.4	2.0	2.8	2.0	
Percentage of embryos transferred resulting in implantation (%)	45.0	36.8	33.7	9.2	1 / 8	
Percentage of elective single embryo transfers (eSET) (%)	65.2	53.5	4.8	7.4	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	29.6	24.3	19.0	8.3	0 / 7	
Percentage of cycles resulting in singleton live births (%)	32.6	28.6	20.6	8.3	1 / 7	
Percentage of cycles resulting in twin live births (%)	3.0	2.9	6.3	2.8	0 / 7	
Percentage of cycles resulting in live births (%)	35.6	31.4	27.0	11.1	1 / 7	
Percentage of cycles resulting in pregnancies (%)	42.2	35.7	39.7	22.2	1 / 7	
Outcomes per Transfer						
Number of transfers	107	56	48	30	4	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	37.4	30.4	25.0	10.0	0 / 4	
Percentage of transfers resulting in singleton live births (%)	41.1	35.7	27.1	10.0	1 / 4	
Percentage of transfers resulting in twin live births (%)	3.7	3.6	8.3	3.3	0 / 4	
Percentage of transfers resulting in live births (%)	44.9	39.3	35.4	13.3	1 / 4	
Percentage of transfers resulting in pregnancies (%)	53.3	44.6	52.1	26.7	1 / 4	
Frozen Embryos from Nondonor Eggs						
Number of cycles	120	66	20	14	4	2
Number of transfers	108	52	20	12	3	2
Estimated average number of transfers per retrieval	1.4	1.9	1.5	1.7	1.5	
Average number of embryos transferred	1.2	1.4	1.5	1.8	1.7	1.0
Percentage of embryos transferred resulting in implantation (%)	48.4	33.3	28.0	23.8	2 / 5	2 / 2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	37.0	32.7	20.0	4 / 12	0 / 3	1 / 2
Percentage of transfers resulting in singleton live births (%)	41.7	34.6	35.0	4 / 12	0 / 3	2 / 2
Percentage of transfers resulting in twin live births (%)	3.7	1.9	0.0	0 / 12	0 / 3	0 / 2
Percentage of transfers resulting in live births (%)	45.4	36.5	35.0	4 / 12	0 / 3	2 / 2
Percentage of transfers resulting in pregnancies (%)	54.6	44.2	50.0	5 / 12	1 / 3	2 / 2
Number of Egg/Embryo Banking Cycles	14	4	3	1	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	19	16
Number of transfers	15	14
Average number of embryos transferred	1.3	1.3
Percentage of embryos transferred resulting in implantation (%)	11 / 18	9 / 18
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	5 / 15	5 / 14
Percentage of transfers resulting in singleton live births (%)	7 / 15	6 / 14
Percentage of transfers resulting in twin live births (%)	1 / 15	1 / 14
Percentage of transfers resulting in live births (%)	8 / 15	7 / 14
Percentage of transfers resulting in pregnancies (%)	11 / 15	8 / 14

CURRENT SERVICES & PROFILE

Current Name: Baystate Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CARDONE REPRODUCTIVE MEDICINE AND INFERTILITY, LLC
STONEHAM, MASSACHUSETTS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Vito R. Cardone, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	35%
Unstimulated	4%	PGD/PGS	2%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	11%	Uterine factor	8%	*Multiple Factors:*	
Ovulatory dysfunction	17%	Male factor	9%	Female factors only	10%
Diminished ovarian reserve	31%	Other factor	9%	Female & male factors	4%
Endometriosis	12%	Unknown factor	20%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 237 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	39	36	32	26	10	2
Percentage of cancellations before retrieval (%)	2.6	13.9	12.5	15.4	0 / 10	1 / 2
Average number of embryos transferred	1.8	1.8	2.1	2.7	3.2	3.0
Percentage of embryos transferred resulting in implantation (%)	27.9	18.6	17.4	4.7	2 / 19	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	10.3	2 / 18	9.5	0 / 15	0 / 4	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	25.6	16.7	9.4	3.8	1 / 10	0 / 2
Percentage of cycles resulting in singleton live births (%)	28.2	16.7	12.5	3.8	1 / 10	0 / 2
Percentage of cycles resulting in twin live births (%)	5.1	0.0	0.0	0.0	0 / 10	0 / 2
Percentage of cycles resulting in live births (%)	33.3	16.7	12.5	3.8	1 / 10	0 / 2
Percentage of cycles resulting in pregnancies (%)	35.9	22.2	28.1	7.7	2 / 10	0 / 2
Outcomes per Transfer						
Number of transfers	34	24	23	16	6	1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	29.4	25.0	13.0	1 / 16	1 / 6	0 / 1
Percentage of transfers resulting in singleton live births (%)	32.4	25.0	17.4	1 / 16	1 / 6	0 / 1
Percentage of transfers resulting in twin live births (%)	5.9	0.0	0.0	0 / 16	0 / 6	0 / 1
Percentage of transfers resulting in live births (%)	38.2	25.0	17.4	1 / 16	1 / 6	0 / 1
Percentage of transfers resulting in pregnancies (%)	41.2	33.3	39.1	2 / 16	2 / 6	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	19	9	7	5	2	0
Number of transfers	16	8	7	5	2	0
Estimated average number of transfers per retrieval	1.2	2.0	0.8	5.0	0.5	0.0
Average number of embryos transferred	1.9	1.5	1.6	2.6	3.0	
Percentage of embryos transferred resulting in implantation (%)	32.3	4 / 12	3 / 11	4 / 8	3 / 6	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	4 / 16	3 / 8	2 / 7	2 / 5	0 / 2	
Percentage of transfers resulting in singleton live births (%)	4 / 16	3 / 8	3 / 7	2 / 5	0 / 2	
Percentage of transfers resulting in twin live births (%)	2 / 16	0 / 8	0 / 7	0 / 5	1 / 2	
Percentage of transfers resulting in live births (%)	6 / 16	3 / 8	3 / 7	2 / 5	1 / 2	
Percentage of transfers resulting in pregnancies (%)	7 / 16	3 / 8	3 / 7	4 / 5	2 / 2	
Number of Egg/Embryo Banking Cycles	1	1	2	1	3	3

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	19	19
Number of transfers	18	18
Average number of embryos transferred	1.9	1.9
Percentage of embryos transferred resulting in implantation (%)	35.3	26.5
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	9 / 18	3 / 18
Percentage of transfers resulting in singleton live births (%)	10 / 18	3 / 18
Percentage of transfers resulting in twin live births (%)	0 / 18	3 / 18
Percentage of transfers resulting in live births (%)	10 / 18	6 / 18
Percentage of transfers resulting in pregnancies (%)	10 / 18	6 / 18

CURRENT SERVICES & PROFILE

Current Name: Cardone Reproductive Medicine and Infertility, LLC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BOSTON IVF
WALTHAM, MASSACHUSETTS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Michael M. Alper, MD

Type of ART and Procedural Factors[a]

IVF	>99%	With ICSI	42%
Unstimulated	0%	PGD/PGS	5%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	7%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	13%	Male factor	27%	Female factors only	7%
Diminished ovarian reserve	30%	Other factor	7%	Female & male factors	12%
Endometriosis	5%	Unknown factor	28%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 2,889 (includes 127 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	529	361	330	230	123	12
Percentage of cancellations before retrieval (%)	3.6	4.2	6.4	7.0	8.9	0 / 12
Average number of embryos transferred	1.5	1.7	2.1	2.7	3.0	3.6
Percentage of embryos transferred resulting in implantation (%)	39.9	27.9	19.3	8.7	4.6	0.0
Percentage of elective single embryo transfers (eSET) (%)	44.4	25.7	12.8	5.3	4.2	0 / 10
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	25.0	20.2	14.2	8.3	3.3	0 / 12
Percentage of cycles resulting in singleton live births (%)	30.1	23.5	16.7	9.1	4.9	0 / 12
Percentage of cycles resulting in twin live births (%)	7.4	4.2	2.4	0.9	0.0	0 / 12
Percentage of cycles resulting in live births (%)	37.4	27.7	19.4	10.0	4.9	0 / 12
Percentage of cycles resulting in pregnancies (%)	41.6	34.3	27.0	16.1	11.4	0 / 12
Outcomes per Transfer						
Number of transfers	446	291	266	182	90	10
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	29.6	25.1	17.7	10.4	4.4	0 / 10
Percentage of transfers resulting in singleton live births (%)	35.7	29.2	20.7	11.5	6.7	0 / 10
Percentage of transfers resulting in twin live births (%)	8.7	5.2	3.0	1.1	0.0	0 / 10
Percentage of transfers resulting in live births (%)	44.4	34.4	24.1	12.6	6.7	0 / 10
Percentage of transfers resulting in pregnancies (%)	49.3	42.6	33.5	20.3	15.6	0 / 10
Frozen Embryos from Nondonor Eggs						
Number of cycles	283	210	160	62	18	4
Number of transfers	266	194	148	51	16	4
Estimated average number of transfers per retrieval	1.4	1.1	0.9	0.9	0.9	0.8
Average number of embryos transferred	1.4	1.4	1.5	1.8	2.2	1.5
Percentage of embryos transferred resulting in implantation (%)	41.4	38.7	34.0	17.4	9.4	2 / 6
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	28.2	30.4	27.7	23.5	0 / 16	2 / 4
Percentage of transfers resulting in singleton live births (%)	33.1	34.0	32.4	27.5	0 / 16	2 / 4
Percentage of transfers resulting in twin live births (%)	7.1	4.6	4.7	0.0	0 / 16	0 / 4
Percentage of transfers resulting in live births (%)	40.2	38.7	37.2	27.5	0 / 16	2 / 4
Percentage of transfers resulting in pregnancies (%)	48.9	49.0	50.0	33.3	4 / 16	2 / 4
Number of Egg/Embryo Banking Cycles	41	80	80	28	10	5

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	57	139
Number of transfers	54	128
Average number of embryos transferred	1.7	1.4
Percentage of embryos transferred resulting in implantation (%)	57.0	34.8
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	27.8	21.1
Percentage of transfers resulting in singleton live births (%)	35.2	28.9
Percentage of transfers resulting in twin live births (%)	22.2	6.3
Percentage of transfers resulting in live births (%)	57.4	35.2
Percentage of transfers resulting in pregnancies (%)	70.4	42.2

CURRENT SERVICES & PROFILE

Current Name: Boston IVF

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE
UNIVERSITY OF MICHIGAN REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY
ANN ARBOR, MICHIGAN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Michael Lanham, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	72%
Unstimulated	0%	PGD/PGS	<1%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	17%	Uterine factor	12%	*Multiple Factors:*	
Ovulatory dysfunction	37%	Male factor	54%	Female factors only	17%
Diminished ovarian reserve	28%	Other factor	11%	Female & male factors	36%
Endometriosis	6%	Unknown factor	3%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 276 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	56	43	16	7	2	0
Percentage of cancellations before retrieval (%)	5.4	16.3	4 / 16	0 / 7	2 / 2	
Average number of embryos transferred	1.4	1.5	1.6	1.8		
Percentage of embryos transferred resulting in implantation (%)	45.9	25.0	6 / 19	2 / 11		
Percentage of elective single embryo transfers (eSET) (%)	56.5	46.7	3 / 10	0 / 5		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	33.9	16.3	1 / 16	1 / 7	0 / 2	
Percentage of cycles resulting in singleton live births (%)	35.7	20.9	4 / 16	1 / 7	0 / 2	
Percentage of cycles resulting in twin live births (%)	5.4	2.3	0 / 16	0 / 7	0 / 2	
Percentage of cycles resulting in live births (%)	41.1	23.3	4 / 16	1 / 7	0 / 2	
Percentage of cycles resulting in pregnancies (%)	50.0	25.6	5 / 16	2 / 7	0 / 2	
Outcomes per Transfer						
Number of transfers	46	32	12	6	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	41.3	21.9	1 / 12	1 / 6		
Percentage of transfers resulting in singleton live births (%)	43.5	28.1	4 / 12	1 / 6		
Percentage of transfers resulting in twin live births (%)	6.5	3.1	0 / 12	0 / 6		
Percentage of transfers resulting in live births (%)	50.0	31.3	4 / 12	1 / 6		
Percentage of transfers resulting in pregnancies (%)	60.9	34.4	5 / 12	2 / 6		
Frozen Embryos from Nondonor Eggs						
Number of cycles	44	29	16	4	1	0
Number of transfers	41	22	14	4	1	0
Estimated average number of transfers per retrieval	1.2	1.6	1.1	0.6	0.5	
Average number of embryos transferred	1.5	1.5	1.5	1.8	2.0	
Percentage of embryos transferred resulting in implantation (%)	27.9	24.2	9.5	2 / 7	0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	17.1	18.2	1 / 14	2 / 4	0 / 1	
Percentage of transfers resulting in singleton live births (%)	22.0	18.2	1 / 14	2 / 4	0 / 1	
Percentage of transfers resulting in twin live births (%)	4.9	9.1	0 / 14	0 / 4	0 / 1	
Percentage of transfers resulting in live births (%)	26.8	27.3	1 / 14	2 / 4	0 / 1	
Percentage of transfers resulting in pregnancies (%)	34.1	27.3	2 / 14	2 / 4	0 / 1	
Number of Egg/Embryo Banking Cycles	23	4	12	4	2	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	7	6
Number of transfers	7	5
Average number of embryos transferred	1.4	1.8
Percentage of embryos transferred resulting in implantation (%)	5 / 10	2 / 7
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 7	2 / 5
Percentage of transfers resulting in singleton live births (%)	1 / 7	2 / 5
Percentage of transfers resulting in twin live births (%)	1 / 7	0 / 5
Percentage of transfers resulting in live births (%)	2 / 7	2 / 5
Percentage of transfers resulting in pregnancies (%)	4 / 7	3 / 5

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2014. Contact the NASS Help Desk for further information.

Current Name: Center for Reproductive Medicine, University of Michigan Reproductive Endocrinology and Infertility

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTIVE MEDICINE AND SURGERY, PC
BLOOMFIELD HILLS, MICHIGAN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Carole L. Kowalczyk, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	77%
Unstimulated	0%	PGD/PGS	6%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	13%	Uterine factor	6%	*Multiple Factors:*	
Ovulatory dysfunction	13%	Male factor	27%	Female factors only	25%
Diminished ovarian reserve	39%	Other factor	25%	Female & male factors	21%
Endometriosis	28%	Unknown factor	8%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 121 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	20	12	12	5	3	0
Percentage of cancellations before retrieval (%)	10.0	2 / 12	4 / 12	3 / 5	0 / 3	
Average number of embryos transferred	1.9	2.2	2.1	2.5	3.5	
Percentage of embryos transferred resulting in implantation (%)	34.4	8 / 17	5 / 15	0 / 2	0 / 7	
Percentage of elective single embryo transfers (eSET) (%)	5 / 16	2 / 9	0 / 6	0 / 2	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	25.0	1 / 12	3 / 12	0 / 5	0 / 3	
Percentage of cycles resulting in singleton live births (%)	35.0	1 / 12	3 / 12	0 / 5	0 / 3	
Percentage of cycles resulting in twin live births (%)	10.0	2 / 12	0 / 12	0 / 5	0 / 3	
Percentage of cycles resulting in live births (%)	45.0	3 / 12	3 / 12	0 / 5	0 / 3	
Percentage of cycles resulting in pregnancies (%)	45.0	6 / 12	4 / 12	1 / 5	0 / 3	
Outcomes per Transfer						
Number of transfers	17	9	7	2	2	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	5 / 17	1 / 9	3 / 7	0 / 2	0 / 2	
Percentage of transfers resulting in singleton live births (%)	7 / 17	1 / 9	3 / 7	0 / 2	0 / 2	
Percentage of transfers resulting in twin live births (%)	2 / 17	2 / 9	0 / 7	0 / 2	0 / 2	
Percentage of transfers resulting in live births (%)	9 / 17	3 / 9	3 / 7	0 / 2	0 / 2	
Percentage of transfers resulting in pregnancies (%)	9 / 17	6 / 9	4 / 7	1 / 2	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	16	10	2	2	1	2
Number of transfers	14	9	2	2	0	2
Estimated average number of transfers per retrieval	1.6	1.8	0.5	0.7		2.0
Average number of embryos transferred	1.6	1.8	2.0	1.5		2.0
Percentage of embryos transferred resulting in implantation (%)	33.3	4 / 16	1 / 4	1 / 3		0 / 4
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 14	3 / 9	0 / 2	0 / 2		0 / 2
Percentage of transfers resulting in singleton live births (%)	2 / 14	4 / 9	0 / 2	1 / 2		0 / 2
Percentage of transfers resulting in twin live births (%)	2 / 14	0 / 9	0 / 2	0 / 2		0 / 2
Percentage of transfers resulting in live births (%)	4 / 14	4 / 9	0 / 2	1 / 2		0 / 2
Percentage of transfers resulting in pregnancies (%)	6 / 14	4 / 9	1 / 2	1 / 2		0 / 2
Number of Egg/Embryo Banking Cycles	5	2	4	3	0	1

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	12	8
Number of transfers	7	7
Average number of embryos transferred	1.9	1.6
Percentage of embryos transferred resulting in implantation (%)	6 / 13	4 / 11
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 7	0 / 7
Percentage of transfers resulting in singleton live births (%)	2 / 7	1 / 7
Percentage of transfers resulting in twin live births (%)	2 / 7	1 / 7
Percentage of transfers resulting in live births (%)	4 / 7	2 / 7
Percentage of transfers resulting in pregnancies (%)	4 / 7	3 / 7

CURRENT SERVICES & PROFILE

Current Name: Advanced Reproductive Medicine and Surgery, PC

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MICHIGAN REPRODUCTIVE MEDICINE
BLOOMFIELD HILLS, MICHIGAN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Michael S. Mersol-Barg, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	86%
Unstimulated	0%	PGD/PGS	47%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	8%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	21%	Male factor	38%	Female factors only	6%
Diminished ovarian reserve	31%	Other factor	10%	Female & male factors	16%
Endometriosis	5%	Unknown factor	13%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 206 (includes 38 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	38	20	38	6	2	4
Percentage of cancellations before retrieval (%)	2.6	10.0	5.3	0 / 6	0 / 2	3 / 4
Average number of embryos transferred	1.4	1.4	1.4	1.3	2.0	
Percentage of embryos transferred resulting in implantation (%)	39.1	9 / 14	25.9	0 / 4	1 / 2	
Percentage of elective single embryo transfers (eSET) (%)	40.9	2 / 6	5 / 11	0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	18.4	20.0	18.4	0 / 6	0 / 2	0 / 4
Percentage of cycles resulting in singleton live births (%)	28.9	25.0	18.4	0 / 6	0 / 2	0 / 4
Percentage of cycles resulting in twin live births (%)	2.6	5.0	0.0	0 / 6	0 / 2	0 / 4
Percentage of cycles resulting in live births (%)	31.6	30.0	18.4	0 / 6	0 / 2	0 / 4
Percentage of cycles resulting in pregnancies (%)	44.7	35.0	23.7	0 / 6	1 / 2	0 / 4
Outcomes per Transfer						
Number of transfers	33	10	22	3	1	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	21.2	4 / 10	31.8	0 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	33.3	5 / 10	31.8	0 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	3.0	1 / 10	0.0	0 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	36.4	6 / 10	31.8	0 / 3	0 / 1	
Percentage of transfers resulting in pregnancies (%)	51.5	7 / 10	40.9	0 / 3	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	24	5	8	2	1	0
Number of transfers	23	5	8	2	1	0
Estimated average number of transfers per retrieval	1.9	1.7	0.7	0.5		
Average number of embryos transferred	1.3	1.4	1.4	1.5	1.0	
Percentage of embryos transferred resulting in implantation (%)	29.0	2 / 7	5 / 11	1 / 2	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	26.1	2 / 5	2 / 8	1 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)	34.8	2 / 5	2 / 8	1 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)	0.0	0 / 5	1 / 8	0 / 2	0 / 1	
Percentage of transfers resulting in live births (%)	34.8	2 / 5	3 / 8	1 / 2	0 / 1	
Percentage of transfers resulting in pregnancies (%)	39.1	2 / 5	3 / 8	2 / 2	0 / 1	
Number of Egg/Embryo Banking Cycles	5	2	3	3	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	3	4
Number of transfers	1	4
Average number of embryos transferred	2.0	1.8
Percentage of embryos transferred resulting in implantation (%)	0 / 2	2 / 7
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 1	2 / 4
Percentage of transfers resulting in singleton live births (%)	0 / 1	2 / 4
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 4
Percentage of transfers resulting in live births (%)	0 / 1	2 / 4
Percentage of transfers resulting in pregnancies (%)	0 / 1	2 / 4

CURRENT SERVICES & PROFILE

Current Name: Michigan Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GAGO IVF
BRIGHTON, MICHIGAN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Laura A. Gago, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	89%
Unstimulated	0%	PGD/PGS	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	8%	Uterine factor	7%	*Multiple Factors:*	
Ovulatory dysfunction	24%	Male factor	35%	Female factors only	28%
Diminished ovarian reserve	48%	Other factor	24%	Female & male factors	25%
Endometriosis	19%	Unknown factor	4%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 147 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	28	10	4	10	1	1
Percentage of cancellations before retrieval (%)	0.0	0 / 10	0 / 4	0 / 10	0 / 1	0 / 1
Average number of embryos transferred	2.0	1.7	1.0			
Percentage of embryos transferred resulting in implantation (%)	44.7	1 / 12	0 / 1			
Percentage of elective single embryo transfers (eSET) (%)	1 / 19	2 / 6				
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	28.6	1 / 10	0 / 4	0 / 10	0 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)	28.6	1 / 10	0 / 4	0 / 10	0 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)	7.1	0 / 10	0 / 4	0 / 10	0 / 1	0 / 1
Percentage of cycles resulting in live births (%)	39.3	1 / 10	0 / 4	0 / 10	0 / 1	0 / 1
Percentage of cycles resulting in pregnancies (%)	42.9	1 / 10	0 / 4	0 / 10	0 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	19	7	1	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	8 / 19	1 / 7	0 / 1			
Percentage of transfers resulting in singleton live births (%)	8 / 19	1 / 7	0 / 1			
Percentage of transfers resulting in twin live births (%)	2 / 19	0 / 7	0 / 1			
Percentage of transfers resulting in live births (%)	11 / 19	1 / 7	0 / 1			
Percentage of transfers resulting in pregnancies (%)	12 / 19	1 / 7	0 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	27	7	4	0	2	0
Number of transfers	27	7	4	0	2	0
Estimated average number of transfers per retrieval	1.1	1.2	0.6	0.0	1.0	0.0
Average number of embryos transferred	1.9	1.4	1.3		2.0	
Percentage of embryos transferred resulting in implantation (%)	51.0	2 / 8	1 / 5		3 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	44.4	2 / 7	1 / 4		1 / 2	
Percentage of transfers resulting in singleton live births (%)	48.1	2 / 7	1 / 4		1 / 2	
Percentage of transfers resulting in twin live births (%)	18.5	0 / 7	0 / 4		1 / 2	
Percentage of transfers resulting in live births (%)	66.7	2 / 7	1 / 4		2 / 2	
Percentage of transfers resulting in pregnancies (%)	70.4	3 / 7	1 / 4		2 / 2	
Number of Egg/Embryo Banking Cycles	15	5	7	4	0	1

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	6	15
Number of transfers	5	15
Average number of embryos transferred	1.8	1.6
Percentage of embryos transferred resulting in implantation (%)	2 / 9	19.0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 5	1 / 15
Percentage of transfers resulting in singleton live births (%)	1 / 5	2 / 15
Percentage of transfers resulting in twin live births (%)	0 / 5	1 / 15
Percentage of transfers resulting in live births (%)	1 / 5	3 / 15
Percentage of transfers resulting in pregnancies (%)	2 / 5	5 / 15

CURRENT SERVICES & PROFILE

Current Name: Gago IVF

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Pending
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MICHIGAN COMPREHENSIVE FERTILITY CENTER
DEARBORN, MICHIGAN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by David M. Magyar, DO

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	83%
Unstimulated	0%	PGD/PGS	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	11%	Uterine factor	1%	*Multiple Factors:*	
Ovulatory dysfunction	25%	Male factor	48%	Female factors only	9%
Diminished ovarian reserve	29%	Other factor	5%	Female & male factors	24%
Endometriosis	11%	Unknown factor	10%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 172 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	69	26	14	9	1	0
Percentage of cancellations before retrieval (%)	15.9	11.5	1 / 14	2 / 9	1 / 1	
Average number of embryos transferred	1.9	1.9	1.7	2.8		
Percentage of embryos transferred resulting in implantation (%)	19.0	25.6	1 / 19	0 / 17		
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 19	0 / 5	0 / 5		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	21.7	23.1	1 / 14	0 / 9	0 / 1	
Percentage of cycles resulting in singleton live births (%)	21.7	23.1	1 / 14	0 / 9	0 / 1	
Percentage of cycles resulting in twin live births (%)	1.4	3.8	0 / 14	0 / 9	0 / 1	
Percentage of cycles resulting in live births (%)	23.2	26.9	1 / 14	0 / 9	0 / 1	
Percentage of cycles resulting in pregnancies (%)	26.1	34.6	1 / 14	0 / 9	0 / 1	
Outcomes per Transfer						
Number of transfers	56	22	11	7	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	26.8	27.3	1 / 11	0 / 7		
Percentage of transfers resulting in singleton live births (%)	26.8	27.3	1 / 11	0 / 7		
Percentage of transfers resulting in twin live births (%)	1.8	4.5	0 / 11	0 / 7		
Percentage of transfers resulting in live births (%)	28.6	31.8	1 / 11	0 / 7		
Percentage of transfers resulting in pregnancies (%)	32.1	40.9	1 / 11	0 / 7		
Frozen Embryos from Nondonor Eggs						
Number of cycles	19	10	2	0	0	0
Number of transfers	15	9	2	0	0	0
Estimated average number of transfers per retrieval	7.5	4.5		0.0	0.0	
Average number of embryos transferred	1.3	1.4	1.5			
Percentage of embryos transferred resulting in implantation (%)	6 / 18	5 / 13	1 / 3			
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	5 / 15	2 / 9	0 / 2			
Percentage of transfers resulting in singleton live births (%)	6 / 15	2 / 9	1 / 2			
Percentage of transfers resulting in twin live births (%)	0 / 15	1 / 9	0 / 2			
Percentage of transfers resulting in live births (%)	6 / 15	3 / 9	1 / 2			
Percentage of transfers resulting in pregnancies (%)	7 / 15	3 / 9	1 / 2			
Number of Egg/Embryo Banking Cycles	0	0	0	1	2	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	6	12
Number of transfers	5	10
Average number of embryos transferred	2.0	1.6
Percentage of embryos transferred resulting in implantation (%)	0 / 8	5 / 14
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 5	1 / 10
Percentage of transfers resulting in singleton live births (%)	0 / 5	2 / 10
Percentage of transfers resulting in twin live births (%)	0 / 5	1 / 10
Percentage of transfers resulting in live births (%)	0 / 5	3 / 10
Percentage of transfers resulting in pregnancies (%)	1 / 5	5 / 10

CURRENT SERVICES & PROFILE

Current Name: Michigan Comprehensive Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MICHIGAN REPRODUCTIVE & IVF CENTER, PC
GRAND RAPIDS, MICHIGAN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by William G. Dodds, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	87%
Unstimulated	0%	PGD/PGS	0%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	15%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	15%	Male factor	65%	Female factors only	9%
Diminished ovarian reserve	20%	Other factor	8%	Female & male factors	30%
Endometriosis	18%	Unknown factor	5%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 934 (includes 5 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	277	84	62	25	4	0
Percentage of cancellations before retrieval (%)	8.3	11.9	19.4	24.0	0 / 4	
Average number of embryos transferred	2.0	2.3	2.7	3.6	3.3	
Percentage of embryos transferred resulting in implantation (%)	31.3	31.6	19.0	10.6	0 / 9	
Percentage of elective single embryo transfers (eSET) (%)	3.9	0.0	0.0	0 / 16	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	20.2	19.0	14.5	4.0	0 / 4	
Percentage of cycles resulting in singleton live births (%)	26.0	22.6	16.1	4.0	0 / 4	
Percentage of cycles resulting in twin live births (%)	11.2	14.3	6.5	4.0	0 / 4	
Percentage of cycles resulting in live births (%)	37.5	38.1	22.6	8.0	0 / 4	
Percentage of cycles resulting in pregnancies (%)	41.9	40.5	32.3	24.0	1 / 4	
Outcomes per Transfer						
Number of transfers	242	68	50	16	4	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	23.1	23.5	18.0	1 / 16	0 / 4	
Percentage of transfers resulting in singleton live births (%)	29.8	27.9	20.0	1 / 16	0 / 4	
Percentage of transfers resulting in twin live births (%)	12.8	17.6	8.0	1 / 16	0 / 4	
Percentage of transfers resulting in live births (%)	43.0	47.1	28.0	2 / 16	0 / 4	
Percentage of transfers resulting in pregnancies (%)	47.9	50.0	40.0	6 / 16	1 / 4	
Frozen Embryos from Nondonor Eggs						
Number of cycles	201	78	31	11	3	0
Number of transfers	195	73	30	9	2	0
Estimated average number of transfers per retrieval	2.2	3.5	3.0	3.0	0.7	0.0
Average number of embryos transferred	2.2	2.3	2.3	2.8	5.5	
Percentage of embryos transferred resulting in implantation (%)	20.2	17.2	11.8	16.0	1 / 11	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	19.5	16.4	20.0	2 / 9	1 / 2	
Percentage of transfers resulting in singleton live births (%)	21.0	20.5	20.0	3 / 9	1 / 2	
Percentage of transfers resulting in twin live births (%)	5.1	4.1	3.3	0 / 9	0 / 2	
Percentage of transfers resulting in live births (%)	26.2	24.7	23.3	3 / 9	1 / 2	
Percentage of transfers resulting in pregnancies (%)	39.0	35.6	23.3	3 / 9	1 / 2	
Number of Egg/Embryo Banking Cycles	10	2	4	0	2	1

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	32	102
Number of transfers	25	97
Average number of embryos transferred	2.0	2.2
Percentage of embryos transferred resulting in implantation (%)	31.9	22.2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	16.0	14.4
Percentage of transfers resulting in singleton live births (%)	20.0	19.6
Percentage of transfers resulting in twin live births (%)	16.0	9.3
Percentage of transfers resulting in live births (%)	36.0	28.9
Percentage of transfers resulting in pregnancies (%)	44.0	39.2

CURRENT SERVICES & PROFILE

Current Name: Michigan Reproductive & IVF Center, PC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF MICHIGAN, PC
ROCHESTER HILLS, MICHIGAN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Mostafa I. Abuzeid, MD

Type of ART and Procedural Factors[a]

IVF	>99%	With ICSI	86%
Unstimulated	6%	PGD/PGS	11%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	14%	Uterine factor	17%	*Multiple Factors:*	
Ovulatory dysfunction	25%	Male factor	42%	Female factors only	17%
Diminished ovarian reserve	34%	Other factor	12%	Female & male factors	27%
Endometriosis	14%	Unknown factor	3%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 1,207 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	352	129	134	54	21	15
Percentage of cancellations before retrieval (%)	7.4	10.9	14.9	22.2	23.8	2 / 15
Average number of embryos transferred	1.9	2.0	2.1	2.3	2.2	2.0
Percentage of embryos transferred resulting in implantation (%)	43.0	31.9	31.2	19.0	4.3	0 / 9
Percentage of elective single embryo transfers (eSET) (%)	8.8	7.1	3.7	3.6	1 / 8	0 / 5
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	17.9	22.5	11.2	14.8	4.8	0 / 15
Percentage of cycles resulting in singleton live births (%)	24.7	28.7	19.4	16.7	4.8	0 / 15
Percentage of cycles resulting in twin live births (%)	15.6	7.8	5.2	1.9	0.0	0 / 15
Percentage of cycles resulting in live births (%)	40.9	36.4	24.6	18.5	4.8	0 / 15
Percentage of cycles resulting in pregnancies (%)	49.4	42.6	40.3	25.9	14.3	2 / 15
Outcomes per Transfer						
Number of transfers	296	107	103	36	13	7
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	21.3	27.1	14.6	22.2	1 / 13	0 / 7
Percentage of transfers resulting in singleton live births (%)	29.4	34.6	25.2	25.0	1 / 13	0 / 7
Percentage of transfers resulting in twin live births (%)	18.6	9.3	6.8	2.8	0 / 13	0 / 7
Percentage of transfers resulting in live births (%)	48.6	43.9	32.0	27.8	1 / 13	0 / 7
Percentage of transfers resulting in pregnancies (%)	58.8	51.4	52.4	38.9	3 / 13	2 / 7
Frozen Embryos from Nondonor Eggs						
Number of cycles	176	73	31	8	6	5
Number of transfers	160	59	27	7	5	3
Estimated average number of transfers per retrieval	1.8	2.6	1.0	0.4	0.4	0.3
Average number of embryos transferred	1.9	1.9	2.0	2.0	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	37.5	35.0	30.8	7 / 14	3 / 10	0 / 6
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	29.4	22.0	14.8	2 / 7	0 / 5	0 / 3
Percentage of transfers resulting in singleton live births (%)	33.1	27.1	18.5	2 / 7	0 / 5	0 / 3
Percentage of transfers resulting in twin live births (%)	11.3	10.2	14.8	2 / 7	0 / 5	0 / 3
Percentage of transfers resulting in live births (%)	45.6	37.3	33.3	4 / 7	0 / 5	0 / 3
Percentage of transfers resulting in pregnancies (%)	56.3	50.8	40.7	4 / 7	2 / 5	0 / 3
Number of Egg/Embryo Banking Cycles	16	10	20	17	12	9

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	78	38
Number of transfers	65	34
Average number of embryos transferred	2.0	1.8
Percentage of embryos transferred resulting in implantation (%)	53.8	36.4
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	27.7	23.5
Percentage of transfers resulting in singleton live births (%)	30.8	26.5
Percentage of transfers resulting in twin live births (%)	30.8	5.9
Percentage of transfers resulting in live births (%)	61.5	32.4
Percentage of transfers resulting in pregnancies (%)	70.8	52.9

CURRENT SERVICES & PROFILE

This clinic has closed or reorganized since 2014. Information on current clinic services and profile therefore is not provided here.
Contact the NASS Help Desk for further information.

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WAYNE STATE UNIVERSITY PHYSICIAN GROUP
UNIVERSITY WOMEN'S CARE
SOUTHFIELD, MICHIGAN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Elizabeth E. Puscheck, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	97%
Unstimulated	0%	PGD/PGS	3%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	13%	Uterine factor	9%	*Multiple Factors:*	
Ovulatory dysfunction	21%	Male factor	53%	Female factors only	8%
Diminished ovarian reserve	13%	Other factor	21%	Female & male factors	26%
Endometriosis	12%	Unknown factor	8%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 144 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	34	20	13	5	3	0
Percentage of cancellations before retrieval (%)	2.9	0.0	0 / 13	0 / 5	1 / 3	
Average number of embryos transferred	1.9	2.3	2.6	2.6	1.5	
Percentage of embryos transferred resulting in implantation (%)	45.5	37.0	24.1	3 / 13	1 / 3	
Percentage of elective single embryo transfers (eSET) (%)	9.7	0.0	0 / 12	0 / 5	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	23.5	25.0	2 / 13	1 / 5	1 / 3	
Percentage of cycles resulting in singleton live births (%)	26.5	40.0	3 / 13	2 / 5	1 / 3	
Percentage of cycles resulting in twin live births (%)	23.5	5.0	0 / 13	0 / 5	0 / 3	
Percentage of cycles resulting in live births (%)	50.0	45.0	4 / 13	2 / 5	1 / 3	
Percentage of cycles resulting in pregnancies (%)	58.8	65.0	6 / 13	3 / 5	1 / 3	
Outcomes per Transfer						
Number of transfers	32	20	12	5	2	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	25.0	25.0	2 / 12	1 / 5	1 / 2	
Percentage of transfers resulting in singleton live births (%)	28.1	40.0	3 / 12	2 / 5	1 / 2	
Percentage of transfers resulting in twin live births (%)	25.0	5.0	0 / 12	0 / 5	0 / 2	
Percentage of transfers resulting in live births (%)	53.1	45.0	4 / 12	2 / 5	1 / 2	
Percentage of transfers resulting in pregnancies (%)	62.5	65.0	6 / 12	3 / 5	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	28	23	6	1	0	0
Number of transfers	28	18	6	1	0	0
Estimated average number of transfers per retrieval	4.0	2.0	1.5	1.0		
Average number of embryos transferred	2.1	2.4	2.3	3.0		
Percentage of embryos transferred resulting in implantation (%)	22.6	15.9	1 / 14	1 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	10.7	3 / 18	0 / 6	1 / 1		
Percentage of transfers resulting in singleton live births (%)	10.7	4 / 18	0 / 6	1 / 1		
Percentage of transfers resulting in twin live births (%)	10.7	1 / 18	0 / 6	0 / 1		
Percentage of transfers resulting in live births (%)	21.4	5 / 18	0 / 6	1 / 1		
Percentage of transfers resulting in pregnancies (%)	39.3	6 / 18	1 / 6	1 / 1		
Number of Egg/Embryo Banking Cycles	1	1	1	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	3	5
Number of transfers	3	4
Average number of embryos transferred	1.7	2.3
Percentage of embryos transferred resulting in implantation (%)	3 / 5	1 / 9
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 3	0 / 4
Percentage of transfers resulting in singleton live births (%)	1 / 3	0 / 4
Percentage of transfers resulting in twin live births (%)	1 / 3	0 / 4
Percentage of transfers resulting in live births (%)	2 / 3	0 / 4
Percentage of transfers resulting in pregnancies (%)	2 / 3	1 / 4

CURRENT SERVICES & PROFILE

Current Name: Wayne State University Physician Group, University Women's Care

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HENRY FORD REPRODUCTIVE MEDICINE
TROY, MICHIGAN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Nicole Budrys, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	90%
Unstimulated	0%	PGD/PGS	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	33%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	0%	Male factor	50%	Female factors only	6%
Diminished ovarian reserve	17%	Other factor	3%	Female & male factors	22%
Endometriosis	17%	Unknown factor	8%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 37 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	8	7	4	0	0	1
Percentage of cancellations before retrieval (%)	0 / 8	0 / 7	1 / 4			0 / 1
Average number of embryos transferred	1.6	1.8	2.7			1.0
Percentage of embryos transferred resulting in implantation (%)	3 / 11	2 / 7	0 / 8			0 / 1
Percentage of elective single embryo transfers (eSET) (%)	3 / 7	1 / 4	0 / 3			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	2 / 8	0 / 7	0 / 4			0 / 1
Percentage of cycles resulting in singleton live births (%)	3 / 8	0 / 7	0 / 4			0 / 1
Percentage of cycles resulting in twin live births (%)	0 / 8	1 / 7	0 / 4			0 / 1
Percentage of cycles resulting in live births (%)	3 / 8	1 / 7	0 / 4			0 / 1
Percentage of cycles resulting in pregnancies (%)	3 / 8	1 / 7	0 / 4			0 / 1
Outcomes per Transfer						
Number of transfers	7	4	3	0	0	1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 7	0 / 4	0 / 3			0 / 1
Percentage of transfers resulting in singleton live births (%)	3 / 7	0 / 4	0 / 3			0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 7	1 / 4	0 / 3			0 / 1
Percentage of transfers resulting in live births (%)	3 / 7	1 / 4	0 / 3			0 / 1
Percentage of transfers resulting in pregnancies (%)	3 / 7	1 / 4	0 / 3			0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	6	4	1	0	0
Number of transfers	5	5	4	1	0	0
Estimated average number of transfers per retrieval	2.5	2.5	2.0	1.0		
Average number of embryos transferred	1.8	1.6	1.3	2.0		
Percentage of embryos transferred resulting in implantation (%)	4 / 9	3 / 8	0 / 5	1 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	3 / 5	2 / 5	0 / 4	1 / 1		
Percentage of transfers resulting in singleton live births (%)	4 / 5	2 / 5	0 / 4	1 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 5	0 / 5	0 / 4	0 / 1		
Percentage of transfers resulting in live births (%)	4 / 5	2 / 5	0 / 4	1 / 1		
Percentage of transfers resulting in pregnancies (%)	4 / 5	3 / 5	0 / 4	1 / 1		
Number of Egg/Embryo Banking Cycles	0	0	0	1	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation (%)		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)		
Percentage of transfers resulting in singleton live births (%)		
Percentage of transfers resulting in twin live births (%)		
Percentage of transfers resulting in live births (%)		
Percentage of transfers resulting in pregnancies (%)		

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2014. Contact the NASS Help Desk for further information.

Current Name: Henry Ford Reproductive Medicine

Donor eggs?	No	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

BRENDA L. MOSKOVITZ, MD, PC
TROY, MICHIGAN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Brenda L. Moskovitz, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	88%
Unstimulated	0%	PGD/PGS	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	17%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	25%	Male factor	67%	Female factors only	25%
Diminished ovarian reserve	33%	Other factor	0%	Female & male factors	42%
Endometriosis	25%	Unknown factor	8%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 14 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	1	3	1	2	1	0
Percentage of cancellations before retrieval (%)	0 / 1	0 / 3	0 / 1	0 / 2	0 / 1	
Average number of embryos transferred	2.0	1.5	2.0	2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	3 / 2	1 / 3	0 / 2	0 / 2	1 / 2	
Percentage of elective single embryo transfers (eSET) (%)	0 / 1	0 / 1	0 / 1	0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	0 / 1	1 / 3	0 / 1	0 / 2	0 / 1	
Percentage of cycles resulting in singleton live births (%)	0 / 1	1 / 3	0 / 1	0 / 2	0 / 1	
Percentage of cycles resulting in twin live births (%)	1 / 1	0 / 3	0 / 1	0 / 2	0 / 1	
Percentage of cycles resulting in live births (%)	1 / 1	1 / 3	0 / 1	0 / 2	0 / 1	
Percentage of cycles resulting in pregnancies (%)	1 / 1	1 / 3	0 / 1	0 / 2	1 / 1	
Outcomes per Transfer						
Number of transfers	1	2	1	1	1	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 1	1 / 2	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 1	1 / 2	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 1	0 / 2	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	1 / 1	1 / 2	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	1 / 1	1 / 2	0 / 1	0 / 1	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	3	1	0	0	0	0
Number of transfers	3	1	0	0	0	0
Estimated average number of transfers per retrieval		1.0	0.0			
Average number of embryos transferred	1.3	2.0				
Percentage of embryos transferred resulting in implantation (%)	1 / 4	1 / 2				
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 3	1 / 1				
Percentage of transfers resulting in singleton live births (%)	1 / 3	1 / 1				
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 1				
Percentage of transfers resulting in live births (%)	1 / 3	1 / 1				
Percentage of transfers resulting in pregnancies (%)	1 / 3	1 / 1				
Number of Egg/Embryo Banking Cycles	0	0	1	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation (%)		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)		
Percentage of transfers resulting in singleton live births (%)		
Percentage of transfers resulting in twin live births (%)		
Percentage of transfers resulting in live births (%)		
Percentage of transfers resulting in pregnancies (%)		

CURRENT SERVICES & PROFILE

Current Name: Brenda L. Moskovitz, MD, PC

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF MICHIGAN
TROY, MICHIGAN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Brad T. Miller, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	51%
Unstimulated	0%	PGD/PGS	1%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	13%	Uterine factor	8%	*Multiple Factors:*	
Ovulatory dysfunction	14%	Male factor	31%	Female factors only	10%
Diminished ovarian reserve	19%	Other factor	15%	Female & male factors	13%
Endometriosis	13%	Unknown factor	12%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 575 (includes 15 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	147	36	31	15	8	6
Percentage of cancellations before retrieval (%)	6.1	11.1	9.7	2 / 15	2 / 8	1 / 6
Average number of embryos transferred	1.7	2.2	2.2	2.7	3.8	2.0
Percentage of embryos transferred resulting in implantation (%)	42.3	23.2	30.8	23.3	0 / 12	0 / 6
Percentage of elective single embryo transfers (eSET) (%)	31.1	11.5	2 / 19	0 / 9	0 / 4	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	25.2	25.0	19.4	1 / 15	0 / 8	0 / 6
Percentage of cycles resulting in singleton live births (%)	31.3	25.0	25.8	1 / 15	0 / 8	0 / 6
Percentage of cycles resulting in twin live births (%)	9.5	2.8	6.5	1 / 15	0 / 8	0 / 6
Percentage of cycles resulting in live births (%)	40.8	27.8	32.3	2 / 15	0 / 8	0 / 6
Percentage of cycles resulting in pregnancies (%)	44.2	33.3	38.7	5 / 15	1 / 8	0 / 6
Outcomes per Transfer						
Number of transfers	112	26	24	11	4	3
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	33.0	34.6	25.0	1 / 11	0 / 4	0 / 3
Percentage of transfers resulting in singleton live births (%)	41.1	34.6	33.3	1 / 11	0 / 4	0 / 3
Percentage of transfers resulting in twin live births (%)	12.5	3.8	8.3	1 / 11	0 / 4	0 / 3
Percentage of transfers resulting in live births (%)	53.6	38.5	41.7	2 / 11	0 / 4	0 / 3
Percentage of transfers resulting in pregnancies (%)	58.0	46.2	50.0	5 / 11	1 / 4	0 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	93	45	26	6	5	0
Number of transfers	89	39	24	5	4	0
Estimated average number of transfers per retrieval	1.2	1.8	1.0	0.7	0.7	
Average number of embryos transferred	1.6	1.4	1.5	1.4	1.8	
Percentage of embryos transferred resulting in implantation (%)	44.1	42.3	39.4	2 / 7	2 / 7	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	37.1	30.8	20.8	1 / 5	2 / 4	
Percentage of transfers resulting in singleton live births (%)	41.6	41.0	25.0	1 / 5	2 / 4	
Percentage of transfers resulting in twin live births (%)	6.7	5.1	4.2	0 / 5	0 / 4	
Percentage of transfers resulting in live births (%)	49.4	46.2	29.2	1 / 5	2 / 4	
Percentage of transfers resulting in pregnancies (%)	61.8	56.4	50.0	2 / 5	2 / 4	
Number of Egg/Embryo Banking Cycles	34	11	20	7	6	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	26	38
Number of transfers	21	31
Average number of embryos transferred	2.0	1.9
Percentage of embryos transferred resulting in implantation (%)	45.0	29.6
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	28.6	16.1
Percentage of transfers resulting in singleton live births (%)	28.6	19.4
Percentage of transfers resulting in twin live births (%)	23.8	12.9
Percentage of transfers resulting in live births (%)	52.4	32.3
Percentage of transfers resulting in pregnancies (%)	66.7	48.4

CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine Associates of Michigan

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MICHIGAN CENTER FOR FERTILITY AND WOMEN'S HEALTH, PLC
WARREN, MICHIGAN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Carole L. Kowalczyk, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	76%
Unstimulated	0%	PGD/PGS	3%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	9%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	6%	Male factor	46%	Female factors only	3%
Diminished ovarian reserve	37%	Other factor	5%	Female & male factors	15%
Endometriosis	<1%	Unknown factor	12%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 178 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	30	18	14	4	4	2
Percentage of cancellations before retrieval (%)	3.3	3 / 18	7 / 14	2 / 4	2 / 4	0 / 2
Average number of embryos transferred	1.8	1.8	1.8	2.0	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	44.7	50.0	1 / 9	0 / 2	0 / 2	0 / 1
Percentage of elective single embryo transfers (eSET) (%)	16.0	2 / 11	0 / 4	0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	30.0	4 / 18	0 / 14	0 / 4	0 / 4	0 / 2
Percentage of cycles resulting in singleton live births (%)	33.3	5 / 18	1 / 14	0 / 4	0 / 4	0 / 2
Percentage of cycles resulting in twin live births (%)	13.3	2 / 18	0 / 14	0 / 4	0 / 4	0 / 2
Percentage of cycles resulting in live births (%)	46.7	7 / 18	1 / 14	0 / 4	0 / 4	0 / 2
Percentage of cycles resulting in pregnancies (%)	53.3	7 / 18	1 / 14	0 / 4	0 / 4	0 / 2
Outcomes per Transfer						
Number of transfers	26	11	5	1	1	1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	34.6	4 / 11	0 / 5	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	38.5	5 / 11	1 / 5	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	15.4	2 / 11	0 / 5	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	53.8	7 / 11	1 / 5	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	61.5	7 / 11	1 / 5	0 / 1	0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	27	9	8	7	1	0
Number of transfers	27	9	8	7	1	0
Estimated average number of transfers per retrieval	3.0	1.1	0.6	1.2	1.0	0.0
Average number of embryos transferred	1.8	1.3	1.8	1.4	1.0	
Percentage of embryos transferred resulting in implantation (%)	43.8	4 / 12	4 / 14	5 / 10	1 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	14.8	4 / 9	4 / 8	0 / 7	1 / 1	
Percentage of transfers resulting in singleton live births (%)	18.5	4 / 9	4 / 8	0 / 7	1 / 1	
Percentage of transfers resulting in twin live births (%)	14.8	0 / 9	0 / 8	1 / 7	0 / 1	
Percentage of transfers resulting in live births (%)	37.0	4 / 9	4 / 8	1 / 7	1 / 1	
Percentage of transfers resulting in pregnancies (%)	48.1	4 / 9	4 / 8	3 / 7	1 / 1	
Number of Egg/Embryo Banking Cycles	5	7	12	5	1	2

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	12	10
Number of transfers	12	10
Average number of embryos transferred	1.9	1.5
Percentage of embryos transferred resulting in implantation (%)	43.5	6 / 15
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 12	2 / 10
Percentage of transfers resulting in singleton live births (%)	3 / 12	4 / 10
Percentage of transfers resulting in twin live births (%)	3 / 12	1 / 10
Percentage of transfers resulting in live births (%)	6 / 12	5 / 10
Percentage of transfers resulting in pregnancies (%)	7 / 12	5 / 10

CURRENT SERVICES & PROFILE

Current Name: Michigan Center for Fertility and Women's Health, PLC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE MIDWEST CENTER FOR REPRODUCTIVE HEALTH, PA
MAPLE GROVE, MINNESOTA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Randle S. Corfman, MD, PhD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	70%
Unstimulated	0%	PGD/PGS	1%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	8%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	64%	Male factor	36%	Female factors only	10%
Diminished ovarian reserve	3%	Other factor	4%	Female & male factors	24%
Endometriosis	11%	Unknown factor	10%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 239 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	114	22	14	5	0	0
Percentage of cancellations before retrieval (%)	5.3	4.5	3 / 14	1 / 5		
Average number of embryos transferred	1.9	1.7	1.7	1.8		
Percentage of embryos transferred resulting in implantation (%)	49.7	38.7	2 / 15	0 / 7		
Percentage of elective single embryo transfers (eSET) (%)	9.2	4 / 18	1 / 8	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	25.4	22.7	2 / 14	0 / 5		
Percentage of cycles resulting in singleton live births (%)	28.9	27.3	2 / 14	0 / 5		
Percentage of cycles resulting in twin live births (%)	25.4	13.6	0 / 14	0 / 5		
Percentage of cycles resulting in live births (%)	54.4	40.9	2 / 14	0 / 5		
Percentage of cycles resulting in pregnancies (%)	57.9	50.0	3 / 14	0 / 5		
Outcomes per Transfer						
Number of transfers	104	21	10	4	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	27.9	23.8	2 / 10	0 / 4		
Percentage of transfers resulting in singleton live births (%)	31.7	28.6	2 / 10	0 / 4		
Percentage of transfers resulting in twin live births (%)	27.9	14.3	0 / 10	0 / 4		
Percentage of transfers resulting in live births (%)	59.6	42.9	2 / 10	0 / 4		
Percentage of transfers resulting in pregnancies (%)	63.5	52.4	3 / 10	0 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	26	12	6	0	1	0
Number of transfers	25	12	5	0	0	0
Estimated average number of transfers per retrieval	2.3	4.0	5.0			
Average number of embryos transferred	1.6	1.4	1.4			
Percentage of embryos transferred resulting in implantation (%)	32.4	6 / 14	3 / 7			
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	40.0	5 / 12	1 / 5			
Percentage of transfers resulting in singleton live births (%)	44.0	5 / 12	1 / 5			
Percentage of transfers resulting in twin live births (%)	0.0	0 / 12	0 / 5			
Percentage of transfers resulting in live births (%)	44.0	5 / 12	1 / 5			
Percentage of transfers resulting in pregnancies (%)	52.0	8 / 12	3 / 5			
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	25	14
Number of transfers	23	14
Average number of embryos transferred	1.9	1.4
Percentage of embryos transferred resulting in implantation (%)	45.2	7 / 19
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	34.8	2 / 14
Percentage of transfers resulting in singleton live births (%)	39.1	3 / 14
Percentage of transfers resulting in twin live births (%)	21.7	2 / 14
Percentage of transfers resulting in live births (%)	60.9	5 / 14
Percentage of transfers resulting in pregnancies (%)	65.2	5 / 14

CURRENT SERVICES & PROFILE

Current Name: The Midwest Center for Reproductive Health, PA

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE
ADVANCED REPRODUCTIVE TECHNOLOGIES
MINNEAPOLIS, MINNESOTA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Lisa Erickson, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	57%
Unstimulated	0%	PGD/PGS	2%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	12%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	13%	Male factor	33%	Female factors only	8%
Diminished ovarian reserve	27%	Other factor	9%	Female & male factors	13%
Endometriosis	9%	Unknown factor	16%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 1,148 (includes 19 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	331	119	91	40	19	4
Percentage of cancellations before retrieval (%)	4.2	9.2	7.7	15.0	3 / 19	0 / 4
Average number of embryos transferred	1.6	1.7	1.9	1.7	2.3	2.0
Percentage of embryos transferred resulting in implantation (%)	52.6	38.7	29.5	8.5	4.0	0 / 4
Percentage of elective single embryo transfers (eSET) (%)	32.4	21.6	14.9	0 / 18	0 / 10	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	32.3	23.5	26.4	5.0	1 / 19	0 / 4
Percentage of cycles resulting in singleton live births (%)	37.5	28.6	30.8	5.0	1 / 19	0 / 4
Percentage of cycles resulting in twin live births (%)	16.3	9.2	5.5	2.5	0 / 19	0 / 4
Percentage of cycles resulting in live births (%)	53.8	37.8	36.3	7.5	1 / 19	0 / 4
Percentage of cycles resulting in pregnancies (%)	57.7	46.2	41.8	15.0	1 / 19	0 / 4
Outcomes per Transfer						
Number of transfers	298	100	73	30	11	2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	35.9	28.0	32.9	6.7	1 / 11	0 / 2
Percentage of transfers resulting in singleton live births (%)	41.6	34.0	38.4	6.7	1 / 11	0 / 2
Percentage of transfers resulting in twin live births (%)	18.1	11.0	6.8	3.3	0 / 11	0 / 2
Percentage of transfers resulting in live births (%)	59.7	45.0	45.2	10.0	1 / 11	0 / 2
Percentage of transfers resulting in pregnancies (%)	64.1	55.0	52.1	20.0	1 / 11	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	133	69	43	16	5	0
Number of transfers	122	64	39	15	5	0
Estimated average number of transfers per retrieval	1.4	1.7	1.1	1.4	0.6	0.0
Average number of embryos transferred	1.5	1.4	1.6	1.8	1.2	
Percentage of embryos transferred resulting in implantation (%)	65.9	41.7	37.7	37.0	2 / 6	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	47.5	25.0	41.0	6 / 15	1 / 5	
Percentage of transfers resulting in singleton live births (%)	50.8	28.1	43.6	6 / 15	1 / 5	
Percentage of transfers resulting in twin live births (%)	15.6	9.4	5.1	1 / 15	0 / 5	
Percentage of transfers resulting in live births (%)	67.2	37.5	48.7	7 / 15	1 / 5	
Percentage of transfers resulting in pregnancies (%)	78.7	50.0	56.4	8 / 15	2 / 5	
Number of Egg/Embryo Banking Cycles	34	15	25	10	6	1

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	104	64
Number of transfers	98	57
Average number of embryos transferred	1.5	1.6
Percentage of embryos transferred resulting in implantation (%)	56.5	55.7
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	39.8	31.6
Percentage of transfers resulting in singleton live births (%)	46.9	42.1
Percentage of transfers resulting in twin live births (%)	14.3	17.5
Percentage of transfers resulting in live births (%)	61.2	59.6
Percentage of transfers resulting in pregnancies (%)	68.4	70.2

CURRENT SERVICES & PROFILE

Current Name: Center for Reproductive Medicine, Advanced Reproductive Technologies

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

MAYO CLINIC ASSISTED REPRODUCTIVE TECHNOLOGIES
ROCHESTER, MINNESOTA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Jani R. Jensen, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	52%
Unstimulated	0%	PGD/PGS	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	8%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	29%	Male factor	32%	Female factors only	10%
Diminished ovarian reserve	28%	Other factor	11%	Female & male factors	17%
Endometriosis	6%	Unknown factor	12%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 386 (includes 11 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	92	34	24	11	5	0
Percentage of cancellations before retrieval (%)	10.9	35.3	29.2	1 / 11	2 / 5	
Average number of embryos transferred	1.6	1.8	2.1	2.3	3.0	
Percentage of embryos transferred resulting in implantation (%)	43.5	41.9	27.6	19.0	1 / 9	
Percentage of elective single embryo transfers (eSET) (%)	38.6	4 / 16	2 / 15	0 / 10	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	32.6	14.7	8.3	2 / 11	0 / 5	
Percentage of cycles resulting in singleton live births (%)	34.8	14.7	8.3	2 / 11	0 / 5	
Percentage of cycles resulting in twin live births (%)	4.3	5.9	8.3	1 / 11	0 / 5	
Percentage of cycles resulting in live births (%)	40.2	20.6	16.7	3 / 11	0 / 5	
Percentage of cycles resulting in pregnancies (%)	47.8	32.4	29.2	4 / 11	1 / 5	
Outcomes per Transfer						
Number of transfers	73	17	15	10	3	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	41.1	5 / 17	2 / 15	2 / 10	0 / 3	
Percentage of transfers resulting in singleton live births (%)	43.8	5 / 17	2 / 15	2 / 10	0 / 3	
Percentage of transfers resulting in twin live births (%)	5.5	2 / 17	2 / 15	1 / 10	0 / 3	
Percentage of transfers resulting in live births (%)	50.7	7 / 17	4 / 15	3 / 10	0 / 3	
Percentage of transfers resulting in pregnancies (%)	60.3	11 / 17	7 / 15	4 / 10	1 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	71	33	20	3	2	0
Number of transfers	69	30	20	2	2	0
Estimated average number of transfers per retrieval	1.5	1.2	2.2		0.4	
Average number of embryos transferred	1.6	1.7	1.8	1.5	2.5	
Percentage of embryos transferred resulting in implantation (%)	36.3	24.5	40.6	1 / 2	1 / 5	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	31.9	23.3	15.0	1 / 2	1 / 2	
Percentage of transfers resulting in singleton live births (%)	31.9	30.0	20.0	1 / 2	1 / 2	
Percentage of transfers resulting in twin live births (%)	8.7	3.3	5.0	0 / 2	0 / 2	
Percentage of transfers resulting in live births (%)	40.6	33.3	25.0	1 / 2	1 / 2	
Percentage of transfers resulting in pregnancies (%)	50.7	40.0	60.0	2 / 2	1 / 2	
Number of Egg/Embryo Banking Cycles	26	13	2	0	4	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	12	23
Number of transfers	4	22
Average number of embryos transferred	1.3	1.8
Percentage of embryos transferred resulting in implantation (%)	4 / 5	37.5
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 4	27.3
Percentage of transfers resulting in singleton live births (%)	1 / 4	36.4
Percentage of transfers resulting in twin live births (%)	0 / 4	13.6
Percentage of transfers resulting in live births (%)	1 / 4	50.0
Percentage of transfers resulting in pregnancies (%)	3 / 4	54.5

CURRENT SERVICES & PROFILE

Current Name: Mayo Clinic Assisted Reproductive Technologies

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE & INFERTILITY ASSOCIATES
WOODBURY, MINNESOTA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Jacques P. Stassart, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	94%
Unstimulated	0%	PGD/PGS	2%
Used gestational carrier	1%		

Patient Diagnosis[b]

Tubal factor	19%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	19%	Male factor	67%	Female factors only	7%
Diminished ovarian reserve	11%	Other factor	15%	Female & male factors	41%
Endometriosis	19%	Unknown factor	6%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 553 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	191	62	40	12	4	1
Percentage of cancellations before retrieval (%)	2.1	0.0	20.0	1 / 12	0 / 4	0 / 1
Average number of embryos transferred	1.7	2.1	2.4	2.8	2.3	2.0
Percentage of embryos transferred resulting in implantation (%)	40.6	32.2	29.0	18.2	0 / 7	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	31.7	0.0	0.0	0 / 7	0 / 2	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	29.3	27.4	17.5	2 / 12	0 / 4	0 / 1
Percentage of cycles resulting in singleton live births (%)	35.6	29.0	30.0	2 / 12	0 / 4	0 / 1
Percentage of cycles resulting in twin live births (%)	11.0	11.3	2.5	0 / 12	0 / 4	0 / 1
Percentage of cycles resulting in live births (%)	46.6	40.3	32.5	2 / 12	0 / 4	0 / 1
Percentage of cycles resulting in pregnancies (%)	50.8	48.4	42.5	5 / 12	0 / 4	0 / 1
Outcomes per Transfer						
Number of transfers	181	60	28	9	3	1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	30.9	28.3	25.0	2 / 9	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	37.6	30.0	42.9	2 / 9	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	11.6	11.7	3.6	0 / 9	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	49.2	41.7	46.4	2 / 9	0 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)	53.6	50.0	60.7	5 / 9	0 / 3	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	108	29	15	3	2	0
Number of transfers	104	27	15	3	2	0
Estimated average number of transfers per retrieval	1.6	1.0	0.8	0.8	0.7	
Average number of embryos transferred	1.5	1.4	1.5	2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	26.0	13.5	22.7	3 / 6	1 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	24.0	18.5	3 / 15	2 / 3	1 / 2	
Percentage of transfers resulting in singleton live births (%)	29.8	18.5	5 / 15	2 / 3	1 / 2	
Percentage of transfers resulting in twin live births (%)	2.9	0.0	0 / 15	0 / 3	0 / 2	
Percentage of transfers resulting in live births (%)	32.7	18.5	5 / 15	2 / 3	1 / 2	
Percentage of transfers resulting in pregnancies (%)	34.6	22.2	5 / 15	2 / 3	1 / 2	
Number of Egg/Embryo Banking Cycles	12	7	10	3	3	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	29	20
Number of transfers	29	19
Average number of embryos transferred	1.7	1.7
Percentage of embryos transferred resulting in implantation (%)	40.8	25.8
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	44.8	5 / 19
Percentage of transfers resulting in singleton live births (%)	48.3	6 / 19
Percentage of transfers resulting in twin live births (%)	3.4	1 / 19
Percentage of transfers resulting in live births (%)	51.7	7 / 19
Percentage of transfers resulting in pregnancies (%)	65.5	8 / 19

CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine & Infertility Associates

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MISSISSIPPI REPRODUCTIVE MEDICINE, PLLC
FLOWOOD, MISSISSIPPI

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Randall S. Hines, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	97%
Unstimulated	3%	PGD/PGS	3%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	25%	Uterine factor	36%	*Multiple Factors:*	
Ovulatory dysfunction	29%	Male factor	32%	Female factors only	52%
Diminished ovarian reserve	41%	Other factor	25%	Female & male factors	26%
Endometriosis	32%	Unknown factor	2%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 189 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	23	5	4	3	0	0
Percentage of cancellations before retrieval (%)	4.3	0 / 5	0 / 4	0 / 3		
Average number of embryos transferred	1.6	1.0	2.0	1.5		
Percentage of embryos transferred resulting in implantation (%)	4 / 16	0 / 1	0 / 4	0 / 3		
Percentage of elective single embryo transfers (eSET) (%)	2 / 8		0 / 1	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	13.0	0 / 5	0 / 4	0 / 3		
Percentage of cycles resulting in singleton live births (%)	13.0	0 / 5	0 / 4	0 / 3		
Percentage of cycles resulting in twin live births (%)	0.0	0 / 5	0 / 4	0 / 3		
Percentage of cycles resulting in live births (%)	13.0	0 / 5	0 / 4	0 / 3		
Percentage of cycles resulting in pregnancies (%)	17.4	0 / 5	0 / 4	0 / 3		
Outcomes per Transfer						
Number of transfers	10	1	2	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	3 / 10	0 / 1	0 / 2	0 / 2		
Percentage of transfers resulting in singleton live births (%)	3 / 10	0 / 1	0 / 2	0 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 10	0 / 1	0 / 2	0 / 2		
Percentage of transfers resulting in live births (%)	3 / 10	0 / 1	0 / 2	0 / 2		
Percentage of transfers resulting in pregnancies (%)	4 / 10	0 / 1	0 / 2	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	47	10	6	1	0	0
Number of transfers	45	9	6	1	0	0
Estimated average number of transfers per retrieval	1.2	0.8	0.5	0.3	0.0	0.0
Average number of embryos transferred	1.5	1.3	2.0	1.0		
Percentage of embryos transferred resulting in implantation (%)	30.2	3 / 12	4 / 12	0 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	17.8	2 / 9	1 / 6	0 / 1		
Percentage of transfers resulting in singleton live births (%)	26.7	3 / 9	2 / 6	0 / 1		
Percentage of transfers resulting in twin live births (%)	6.7	0 / 9	1 / 6	0 / 1		
Percentage of transfers resulting in live births (%)	33.3	3 / 9	3 / 6	0 / 1		
Percentage of transfers resulting in pregnancies (%)	37.8	3 / 9	3 / 6	0 / 1		
Number of Egg/Embryo Banking Cycles	30	10	10	3	4	2

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	5	26
Number of transfers	4	25
Average number of embryos transferred	1.8	1.5
Percentage of embryos transferred resulting in implantation (%)	7 / 7	27.0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 4	20.0
Percentage of transfers resulting in singleton live births (%)	0 / 4	32.0
Percentage of transfers resulting in twin live births (%)	3 / 4	0.0
Percentage of transfers resulting in live births (%)	3 / 4	32.0
Percentage of transfers resulting in pregnancies (%)	4 / 4	40.0

CURRENT SERVICES & PROFILE

Current Name: Mississippi Reproductive Medicine, PLLC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF MISSISSIPPI MEDICAL CENTER
FLOWOOD, MISSISSIPPI

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by J. Preston Parry, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	85%
Unstimulated	0%	PGD/PGS	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	32%	Uterine factor	8%	*Multiple Factors:*	
Ovulatory dysfunction	19%	Male factor	23%	Female factors only	11%
Diminished ovarian reserve	11%	Other factor	9%	Female & male factors	21%
Endometriosis	17%	Unknown factor	17%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 53 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	28	8	6	4	0	0
Percentage of cancellations before retrieval (%)	17.9	0 / 8	0 / 6	0 / 4		
Average number of embryos transferred	1.6	2.4	1.7	2.5		
Percentage of embryos transferred resulting in implantation (%)	33.3	3 / 17	3 / 10	0 / 10		
Percentage of elective single embryo transfers (eSET) (%)	50.0	0 / 7	0 / 2	0 / 4		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	25.0	1 / 8	1 / 6	0 / 4		
Percentage of cycles resulting in singleton live births (%)	32.1	1 / 8	1 / 6	0 / 4		
Percentage of cycles resulting in twin live births (%)	3.6	1 / 8	0 / 6	0 / 4		
Percentage of cycles resulting in live births (%)	35.7	2 / 8	1 / 6	0 / 4		
Percentage of cycles resulting in pregnancies (%)	42.9	2 / 8	2 / 6	0 / 4		
Outcomes per Transfer						
Number of transfers	22	7	6	4	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	31.8	1 / 7	1 / 6	0 / 4		
Percentage of transfers resulting in singleton live births (%)	40.9	1 / 7	1 / 6	0 / 4		
Percentage of transfers resulting in twin live births (%)	4.5	1 / 7	0 / 6	0 / 4		
Percentage of transfers resulting in live births (%)	45.5	2 / 7	1 / 6	0 / 4		
Percentage of transfers resulting in pregnancies (%)	54.5	2 / 7	2 / 6	0 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	2	0	0	0	0
Number of transfers	2	1	0	0	0	0
Estimated average number of transfers per retrieval	1.0	0.5				
Average number of embryos transferred	2.0	2.0				
Percentage of embryos transferred resulting in implantation (%)	0 / 4	0 / 2				
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 2	0 / 1				
Percentage of transfers resulting in singleton live births (%)	0 / 2	0 / 1				
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 1				
Percentage of transfers resulting in live births (%)	0 / 2	0 / 1				
Percentage of transfers resulting in pregnancies (%)	0 / 2	0 / 1				
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	2	1
Number of transfers	2	1
Average number of embryos transferred	1.0	1.0
Percentage of embryos transferred resulting in implantation (%)	2 / 2	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	2 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	2 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	2 / 2	0 / 1

CURRENT SERVICES & PROFILE

Current Name: University of Mississippi Medical Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MISSISSIPPI FERTILITY INSTITUTE
JACKSON, MISSISSIPPI

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by John D. Isaacs, Jr, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	87%
Unstimulated	0%	PGD/PGS	<1%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	18%	Uterine factor	9%	*Multiple Factors:*	
Ovulatory dysfunction	3%	Male factor	36%	Female factors only	8%
Diminished ovarian reserve	17%	Other factor	1%	Female & male factors	12%
Endometriosis	15%	Unknown factor	29%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 160 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	60	23	21	4	1	0
Percentage of cancellations before retrieval (%)	5.0	8.7	4.8	1 / 4	0 / 1	
Average number of embryos transferred	1.9	1.8	1.8	2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	51.7	23.5	19.4	1 / 4	0 / 2	
Percentage of elective single embryo transfers (eSET) (%)	4.4	1 / 16	0 / 14	0 / 2	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	16.7	17.4	4.8	0 / 4	0 / 1	
Percentage of cycles resulting in singleton live births (%)	25.0	17.4	14.3	0 / 4	0 / 1	
Percentage of cycles resulting in twin live births (%)	20.0	8.7	4.8	0 / 4	0 / 1	
Percentage of cycles resulting in live births (%)	46.7	26.1	19.0	0 / 4	0 / 1	
Percentage of cycles resulting in pregnancies (%)	50.0	26.1	23.8	1 / 4	0 / 1	
Outcomes per Transfer						
Number of transfers	46	19	17	2	1	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	21.7	4 / 19	1 / 17	0 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)	32.6	4 / 19	3 / 17	0 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)	26.1	2 / 19	1 / 17	0 / 2	0 / 1	
Percentage of transfers resulting in live births (%)	60.9	6 / 19	4 / 17	0 / 2	0 / 1	
Percentage of transfers resulting in pregnancies (%)	65.2	6 / 19	5 / 17	1 / 2	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	27	4	2	2	0	0
Number of transfers	27	4	2	2	0	0
Estimated average number of transfers per retrieval	2.3	2.0	2.0	2.0		
Average number of embryos transferred	1.8	1.3	1.0	2.0		
Percentage of embryos transferred resulting in implantation (%)	37.5	1 / 5	0 / 2	1 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	33.3	1 / 4	0 / 2	0 / 2		
Percentage of transfers resulting in singleton live births (%)	33.3	1 / 4	0 / 2	0 / 2		
Percentage of transfers resulting in twin live births (%)	14.8	0 / 4	0 / 2	0 / 2		
Percentage of transfers resulting in live births (%)	48.1	1 / 4	0 / 2	0 / 2		
Percentage of transfers resulting in pregnancies (%)	51.9	1 / 4	0 / 2	1 / 2		
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	6	10
Number of transfers	4	10
Average number of embryos transferred	2.0	1.7
Percentage of embryos transferred resulting in implantation (%)	0 / 8	6 / 17
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 4	1 / 10
Percentage of transfers resulting in singleton live births (%)	0 / 4	3 / 10
Percentage of transfers resulting in twin live births (%)	0 / 4	0 / 10
Percentage of transfers resulting in live births (%)	0 / 4	3 / 10
Percentage of transfers resulting in pregnancies (%)	0 / 4	4 / 10

CURRENT SERVICES & PROFILE

Current Name: Mississippi Fertility Institute

Donor eggs?	Yes	Gestational carriers?	No	Single women?	No	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INFERTILITY CENTER OF ST. LOUIS
CHESTERFIELD, MISSOURI

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Sherman J. Silber, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	87%
Unstimulated	0%	PGD/PGS	0%
Used gestational carrier	3%		

Patient Diagnosis[b]

Tubal factor	9%	Uterine factor	9%	*Multiple Factors:*	
Ovulatory dysfunction	18%	Male factor	36%	Female factors only	16%
Diminished ovarian reserve	48%	Other factor	8%	Female & male factors	18%
Endometriosis	2%	Unknown factor	8%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 1,012 (includes 7 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	81	15	8	2	0	0
Percentage of cancellations before retrieval (%)	4.9	0 / 15	0 / 8	0 / 2		
Average number of embryos transferred	1.8	1.9	1.9	4.0		
Percentage of embryos transferred resulting in implantation (%)	33.6	15.4	3 / 13	0 / 8		
Percentage of elective single embryo transfers (eSET) (%)	9.8	0 / 12	0 / 6	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	18.5	3 / 15	2 / 8	0 / 2		
Percentage of cycles resulting in singleton live births (%)	24.7	4 / 15	2 / 8	0 / 2		
Percentage of cycles resulting in twin live births (%)	7.4	0 / 15	0 / 8	0 / 2		
Percentage of cycles resulting in live births (%)	33.3	4 / 15	2 / 8	0 / 2		
Percentage of cycles resulting in pregnancies (%)	38.3	5 / 15	2 / 8	0 / 2		
Outcomes per Transfer						
Number of transfers	65	15	7	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	23.1	3 / 15	2 / 7	0 / 2		
Percentage of transfers resulting in singleton live births (%)	30.8	4 / 15	2 / 7	0 / 2		
Percentage of transfers resulting in twin live births (%)	9.2	0 / 15	0 / 7	0 / 2		
Percentage of transfers resulting in live births (%)	41.5	4 / 15	2 / 7	0 / 2		
Percentage of transfers resulting in pregnancies (%)	47.7	5 / 15	2 / 7	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	136	74	44	30	19	38
Number of transfers	131	71	41	28	18	34
Estimated average number of transfers per retrieval	1.0	1.0	0.5	0.4	0.3	0.6
Average number of embryos transferred	1.9	1.8	2.0	2.3	2.1	2.4
Percentage of embryos transferred resulting in implantation (%)	21.6	21.8	14.3	9.8	0.0	2.4
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	16.8	18.3	4.9	3.6	0 / 18	2.9
Percentage of transfers resulting in singleton live births (%)	17.6	26.8	4.9	3.6	0 / 18	2.9
Percentage of transfers resulting in twin live births (%)	6.9	4.2	0.0	3.6	0 / 18	0.0
Percentage of transfers resulting in live births (%)	25.2	31.0	4.9	7.1	0 / 18	2.9
Percentage of transfers resulting in pregnancies (%)	32.8	39.4	24.4	25.0	0 / 18	8.8
Number of Egg/Embryo Banking Cycles	123	71	83	67	70	56

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	45	43
Number of transfers	38	39
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	18.8	21.1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	7.9	17.9
Percentage of transfers resulting in singleton live births (%)	13.2	23.1
Percentage of transfers resulting in twin live births (%)	5.3	5.1
Percentage of transfers resulting in live births (%)	18.4	28.2
Percentage of transfers resulting in pregnancies (%)	34.2	43.6

CURRENT SERVICES & PROFILE

Current Name: Infertility Center of St. Louis

Donor eggs?	No	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MID-MISSOURI REPRODUCTIVE MEDICINE AND SURGERY, INC.
COLUMBIA, MISSOURI

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Gilbert Wilshire, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	80%
Unstimulated	0%	PGD/PGS	5%
Used gestational carrier	5%		

Patient Diagnosis[b]

Tubal factor	14%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	44%	Male factor	58%	Female factors only	18%
Diminished ovarian reserve	33%	Other factor	5%	Female & male factors	46%
Endometriosis	20%	Unknown factor	0%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 129 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	50	10	4	2	0	0
Percentage of cancellations before retrieval (%)	4.0	1 / 10	0 / 4	0 / 2		
Average number of embryos transferred	2.0	2.6	1.8	3.5		
Percentage of embryos transferred resulting in implantation (%)	31.9	8.7	0 / 7	0 / 7		
Percentage of elective single embryo transfers (eSET) (%)	7.0	0 / 9	0 / 3	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	26.0	2 / 10	0 / 4	0 / 2		
Percentage of cycles resulting in singleton live births (%)	28.0	2 / 10	0 / 4	0 / 2		
Percentage of cycles resulting in twin live births (%)	12.0	0 / 10	0 / 4	0 / 2		
Percentage of cycles resulting in live births (%)	40.0	2 / 10	0 / 4	0 / 2		
Percentage of cycles resulting in pregnancies (%)	46.0	2 / 10	0 / 4	0 / 2		
Outcomes per Transfer						
Number of transfers	45	9	4	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	28.9	2 / 9	0 / 4	0 / 2		
Percentage of transfers resulting in singleton live births (%)	31.1	2 / 9	0 / 4	0 / 2		
Percentage of transfers resulting in twin live births (%)	13.3	0 / 9	0 / 4	0 / 2		
Percentage of transfers resulting in live births (%)	44.4	2 / 9	0 / 4	0 / 2		
Percentage of transfers resulting in pregnancies (%)	51.1	2 / 9	0 / 4	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	24	4	5	3	0	1
Number of transfers	24	4	4	3	0	1
Estimated average number of transfers per retrieval	2.4		1.0	1.5		
Average number of embryos transferred	2.0	2.0	2.0	2.7		1.0
Percentage of embryos transferred resulting in implantation (%)	17.0	1 / 8	0 / 8	0 / 8		0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	4.2	0 / 4	0 / 4	0 / 3		0 / 1
Percentage of transfers resulting in singleton live births (%)	8.3	0 / 4	0 / 4	0 / 3		0 / 1
Percentage of transfers resulting in twin live births (%)	12.5	0 / 4	0 / 4	0 / 3		0 / 1
Percentage of transfers resulting in live births (%)	20.8	0 / 4	0 / 4	0 / 3		0 / 1
Percentage of transfers resulting in pregnancies (%)	20.8	1 / 4	0 / 4	0 / 3		0 / 1
Number of Egg/Embryo Banking Cycles	1	0	2	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	12	11
Number of transfers	11	10
Average number of embryos transferred	1.9	1.9
Percentage of embryos transferred resulting in implantation (%)	33.3	3 / 19
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 11	2 / 10
Percentage of transfers resulting in singleton live births (%)	2 / 11	3 / 10
Percentage of transfers resulting in twin live births (%)	1 / 11	0 / 10
Percentage of transfers resulting in live births (%)	3 / 11	3 / 10
Percentage of transfers resulting in pregnancies (%)	5 / 11	3 / 10

CURRENT SERVICES & PROFILE

Current Name: Mid-Missouri Reproductive Medicine and Surgery, Inc.

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MISSOURI CENTER FOR REPRODUCTIVE MEDICINE AND FERTILITY
UNIVERSITY OF MISSOURI
COLUMBIA, MISSOURI

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Mira G. Aubuchon, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	31%
Unstimulated	0%	PGD/PGS	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	39%	Uterine factor	33%	*Multiple Factors:*	
Ovulatory dysfunction	6%	Male factor	50%	Female factors only	0%
Diminished ovarian reserve	50%	Other factor	0%	Female & male factors	50%
Endometriosis	6%	Unknown factor	17%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 18 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	6	7	0	0	0	0
Percentage of cancellations before retrieval (%)	0 / 6	1 / 7				
Average number of embryos transferred	2.0	1.8				
Percentage of embryos transferred resulting in implantation (%)	3 / 10	6 / 9				
Percentage of elective single embryo transfers (eSET) (%)	0 / 5	0 / 4				
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	0 / 6	2 / 7				
Percentage of cycles resulting in singleton live births (%)	1 / 6	2 / 7				
Percentage of cycles resulting in twin live births (%)	0 / 6	0 / 7				
Percentage of cycles resulting in live births (%)	1 / 6	2 / 7				
Percentage of cycles resulting in pregnancies (%)	2 / 6	3 / 7				
Outcomes per Transfer						
Number of transfers	5	5	0	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 5	2 / 5				
Percentage of transfers resulting in singleton live births (%)	1 / 5	2 / 5				
Percentage of transfers resulting in twin live births (%)	0 / 5	0 / 5				
Percentage of transfers resulting in live births (%)	1 / 5	2 / 5				
Percentage of transfers resulting in pregnancies (%)	2 / 5	3 / 5				
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	2	0	0	0	0
Number of transfers	2	2	0	0	0	0
Estimated average number of transfers per retrieval	1.0					
Average number of embryos transferred	2.0	2.0				
Percentage of embryos transferred resulting in implantation (%)	0 / 4	0 / 4				
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 2	0 / 2				
Percentage of transfers resulting in singleton live births (%)	0 / 2	0 / 2				
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 2				
Percentage of transfers resulting in live births (%)	0 / 2	0 / 2				
Percentage of transfers resulting in pregnancies (%)	0 / 2	0 / 2				
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	1	0
Number of transfers	1	0
Average number of embryos transferred	2.0	
Percentage of embryos transferred resulting in implantation (%)	0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 1	
Percentage of transfers resulting in live births (%)	0 / 1	
Percentage of transfers resulting in pregnancies (%)	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Missouri Center for Reproductive Medicine and Fertility, University of Missouri

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHER INSTITUTE FOR REPRODUCTIVE MEDICINE-ST. LOUIS
CREVE COEUR, MISSOURI

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Molina Dayal, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	98%
Unstimulated	0%	PGD/PGS	5%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	3%	Uterine factor	1%	*Multiple Factors:*	
Ovulatory dysfunction	11%	Male factor	23%	Female factors only	5%
Diminished ovarian reserve	27%	Other factor	38%	Female & male factors	8%
Endometriosis	4%	Unknown factor	6%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 522 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	163	45	25	3	5	0
Percentage of cancellations before retrieval (%)	0.6	0.0	8.0	0 / 3	0 / 5	
Average number of embryos transferred	1.8	1.6	1.6	1.7	2.0	
Percentage of embryos transferred resulting in implantation (%)	40.0	36.8	4.8	1 / 5	0 / 2	
Percentage of elective single embryo transfers (eSET) (%)	16.1	16.0	0 / 8	0 / 2	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	13.5	13.3	0.0	0 / 3	0 / 5	
Percentage of cycles resulting in singleton live births (%)	26.4	22.2	4.0	0 / 3	0 / 5	
Percentage of cycles resulting in twin live births (%)	12.3	6.7	0.0	0 / 3	0 / 5	
Percentage of cycles resulting in live births (%)	38.7	28.9	4.0	0 / 3	0 / 5	
Percentage of cycles resulting in pregnancies (%)	42.9	37.8	4.0	1 / 3	0 / 5	
Outcomes per Transfer						
Number of transfers	130	37	13	3	1	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	16.9	16.2	0 / 13	0 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	33.1	27.0	1 / 13	0 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	15.4	8.1	0 / 13	0 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	48.5	35.1	1 / 13	0 / 3	0 / 1	
Percentage of transfers resulting in pregnancies (%)	53.8	45.9	1 / 13	1 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	66	39	20	6	3	1
Number of transfers	64	39	19	6	2	1
Estimated average number of transfers per retrieval	1.3	1.1	0.5	0.4	0.4	0.2
Average number of embryos transferred	1.5	1.4	1.2	1.7	1.5	2.0
Percentage of embryos transferred resulting in implantation (%)	47.9	36.5	22.7	1 / 10	2 / 3	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	18.8	17.9	3 / 19	0 / 6	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	37.5	33.3	5 / 19	1 / 6	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	12.5	2.6	0 / 19	0 / 6	1 / 2	0 / 1
Percentage of transfers resulting in live births (%)	50.0	35.9	5 / 19	1 / 6	1 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	57.8	46.2	6 / 19	1 / 6	1 / 2	0 / 1
Number of Egg/Embryo Banking Cycles	22	24	34	13	5	5

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	17	26
Number of transfers	15	25
Average number of embryos transferred	1.9	1.6
Percentage of embryos transferred resulting in implantation (%)	34.5	31.4
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 15	8.0
Percentage of transfers resulting in singleton live births (%)	4 / 15	24.0
Percentage of transfers resulting in twin live births (%)	3 / 15	4.0
Percentage of transfers resulting in live births (%)	7 / 15	28.0
Percentage of transfers resulting in pregnancies (%)	7 / 15	44.0

CURRENT SERVICES & PROFILE

Current Name: Sher Institute for Reproductive Medicine-St. Louis

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MIDWEST WOMEN'S HEALTHCARE SPECIALISTS
KANSAS CITY, MISSOURI

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Gregory C. Starks, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	91%
Unstimulated	0%	PGD/PGS	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	36%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	26%	Male factor	51%	Female factors only	28%
Diminished ovarian reserve	37%	Other factor	1%	Female & male factors	39%
Endometriosis	39%	Unknown factor	1%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 115 (includes 15 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	47	11	5	0	0	0
Percentage of cancellations before retrieval (%)	10.6	0 / 11	0 / 5			
Average number of embryos transferred	1.9	2.0	2.0			
Percentage of embryos transferred resulting in implantation (%)	43.4	22.7	3 / 10			
Percentage of elective single embryo transfers (eSET) (%)	2.6	0 / 11	0 / 5			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	25.5	1 / 11	2 / 5			
Percentage of cycles resulting in singleton live births (%)	25.5	1 / 11	2 / 5			
Percentage of cycles resulting in twin live births (%)	14.9	1 / 11	0 / 5			
Percentage of cycles resulting in live births (%)	42.6	2 / 11	2 / 5			
Percentage of cycles resulting in pregnancies (%)	51.1	4 / 11	3 / 5			
Outcomes per Transfer						
Number of transfers	39	11	5	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	30.8	1 / 11	2 / 5			
Percentage of transfers resulting in singleton live births (%)	30.8	1 / 11	2 / 5			
Percentage of transfers resulting in twin live births (%)	17.9	1 / 11	0 / 5			
Percentage of transfers resulting in live births (%)	51.3	2 / 11	2 / 5			
Percentage of transfers resulting in pregnancies (%)	61.5	4 / 11	3 / 5			
Frozen Embryos from Nondonor Eggs						
Number of cycles	14	8	1	3	0	0
Number of transfers	14	8	1	3	0	0
Estimated average number of transfers per retrieval	2.8	8.0				
Average number of embryos transferred	1.8	1.3	1.0	2.0		
Percentage of embryos transferred resulting in implantation (%)	34.8	2 / 10	1 / 1	0 / 6		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 14	2 / 8	1 / 1	0 / 3		
Percentage of transfers resulting in singleton live births (%)	3 / 14	2 / 8	1 / 1	0 / 3		
Percentage of transfers resulting in twin live births (%)	2 / 14	0 / 8	0 / 1	0 / 3		
Percentage of transfers resulting in live births (%)	5 / 14	2 / 8	1 / 1	0 / 3		
Percentage of transfers resulting in pregnancies (%)	7 / 14	2 / 8	1 / 1	0 / 3		
Number of Egg/Embryo Banking Cycles	1	1	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	2	7
Number of transfers	2	6
Average number of embryos transferred	2.0	1.8
Percentage of embryos transferred resulting in implantation (%)	4 / 4	2 / 11
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 2	1 / 6
Percentage of transfers resulting in singleton live births (%)	0 / 2	1 / 6
Percentage of transfers resulting in twin live births (%)	2 / 2	0 / 6
Percentage of transfers resulting in live births (%)	2 / 2	1 / 6
Percentage of transfers resulting in pregnancies (%)	2 / 2	2 / 6

CURRENT SERVICES & PROFILE

Current Name: Midwest Women's Healthcare Specialists

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY PARTNERSHIP
SAINT PETERS, MISSOURI

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by David E. Simckes, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	97%
Unstimulated	0%	PGD/PGS	10%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	15%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	21%	Male factor	34%	Female factors only	14%
Diminished ovarian reserve	24%	Other factor	2%	Female & male factors	14%
Endometriosis	18%	Unknown factor	9%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 191 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	61	30	14	3	4	2
Percentage of cancellations before retrieval (%)	0.0	3.3	0 / 14	0 / 3	0 / 4	2 / 2
Average number of embryos transferred	1.9	2.2	2.3	2.0	2.7	
Percentage of embryos transferred resulting in implantation (%)	33.0	33.3	16.7	1 / 4	0 / 8	
Percentage of elective single embryo transfers (eSET) (%)	7.4	3.7	0 / 11	0 / 1	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	34.4	23.3	3 / 14	1 / 3	0 / 4	0 / 2
Percentage of cycles resulting in singleton live births (%)	37.7	36.7	4 / 14	1 / 3	0 / 4	0 / 2
Percentage of cycles resulting in twin live births (%)	4.9	0.0	0 / 14	0 / 3	0 / 4	0 / 2
Percentage of cycles resulting in live births (%)	42.6	36.7	4 / 14	1 / 3	0 / 4	0 / 2
Percentage of cycles resulting in pregnancies (%)	52.5	63.3	5 / 14	1 / 3	0 / 4	0 / 2
Outcomes per Transfer						
Number of transfers	58	27	13	2	3	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	36.2	25.9	3 / 13	1 / 2	0 / 3	
Percentage of transfers resulting in singleton live births (%)	39.7	40.7	4 / 13	1 / 2	0 / 3	
Percentage of transfers resulting in twin live births (%)	5.2	0.0	0 / 13	0 / 2	0 / 3	
Percentage of transfers resulting in live births (%)	44.8	40.7	4 / 13	1 / 2	0 / 3	
Percentage of transfers resulting in pregnancies (%)	55.2	70.4	5 / 13	1 / 2	0 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	32	15	10	3	3	0
Number of transfers	30	13	9	2	3	0
Estimated average number of transfers per retrieval	1.9	1.9	1.8	2.0		
Average number of embryos transferred	1.9	1.8	2.6	2.0	2.3	
Percentage of embryos transferred resulting in implantation (%)	22.8	29.2	13.0	1 / 4	2 / 7	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	23.3	2 / 13	1 / 9	0 / 2	0 / 3	
Percentage of transfers resulting in singleton live births (%)	23.3	2 / 13	1 / 9	0 / 2	0 / 3	
Percentage of transfers resulting in twin live births (%)	6.7	0 / 13	1 / 9	0 / 2	1 / 3	
Percentage of transfers resulting in live births (%)	30.0	2 / 13	2 / 9	0 / 2	1 / 3	
Percentage of transfers resulting in pregnancies (%)	36.7	6 / 13	2 / 9	1 / 2	1 / 3	
Number of Egg/Embryo Banking Cycles	4	2	1	1	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	1	5
Number of transfers	1	4
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	2 / 2	2 / 8
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 1	1 / 4
Percentage of transfers resulting in singleton live births (%)	1 / 1	1 / 4
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 4
Percentage of transfers resulting in live births (%)	1 / 1	1 / 4
Percentage of transfers resulting in pregnancies (%)	1 / 1	2 / 4

CURRENT SERVICES & PROFILE

Current Name: Fertility Partnership

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE & ROBOTIC SURGERY
ST. LOUIS, MISSOURI

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Saji Jacob, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	92%
Unstimulated	0%	PGD/PGS	8%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	37%	Uterine factor	7%	*Multiple Factors:*	
Ovulatory dysfunction	16%	Male factor	21%	Female factors only	30%
Diminished ovarian reserve	9%	Other factor	23%	Female & male factors	16%
Endometriosis	33%	Unknown factor	0%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 51 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	16	11	10	1	0	0
Percentage of cancellations before retrieval (%)	0 / 16	0 / 11	3 / 10	0 / 1		
Average number of embryos transferred	1.9	2.0	2.3	3.0		
Percentage of embryos transferred resulting in implantation (%)	33.3	35.0	6 / 16	0 / 3		
Percentage of elective single embryo transfers (eSET) (%)	0 / 12	1 / 9	0 / 7	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	3 / 16	2 / 11	2 / 10	0 / 1		
Percentage of cycles resulting in singleton live births (%)	3 / 16	2 / 11	2 / 10	0 / 1		
Percentage of cycles resulting in twin live births (%)	1 / 16	1 / 11	0 / 10	0 / 1		
Percentage of cycles resulting in live births (%)	4 / 16	3 / 11	2 / 10	0 / 1		
Percentage of cycles resulting in pregnancies (%)	9 / 16	6 / 11	5 / 10	0 / 1		
Outcomes per Transfer						
Number of transfers	15	10	7	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	3 / 15	2 / 10	2 / 7	0 / 1		
Percentage of transfers resulting in singleton live births (%)	3 / 15	2 / 10	2 / 7	0 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 15	1 / 10	0 / 7	0 / 1		
Percentage of transfers resulting in live births (%)	4 / 15	3 / 10	2 / 7	0 / 1		
Percentage of transfers resulting in pregnancies (%)	9 / 15	6 / 10	5 / 7	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	0	0	0	0	0
Number of transfers	2	0	0	0	0	0
Estimated average number of transfers per retrieval	0.7	0.0	0.0	0.0		
Average number of embryos transferred	2.0					
Percentage of embryos transferred resulting in implantation (%)	1 / 2					
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 2					
Percentage of transfers resulting in singleton live births (%)	0 / 2					
Percentage of transfers resulting in twin live births (%)	0 / 2					
Percentage of transfers resulting in live births (%)	0 / 2					
Percentage of transfers resulting in pregnancies (%)	2 / 2					
Number of Egg/Embryo Banking Cycles	3	3	1	1	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	3	0
Number of transfers	3	0
Average number of embryos transferred	2.3	
Percentage of embryos transferred resulting in implantation (%)	4 / 7	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 3	
Percentage of transfers resulting in singleton live births (%)	2 / 3	
Percentage of transfers resulting in twin live births (%)	0 / 3	
Percentage of transfers resulting in live births (%)	2 / 3	
Percentage of transfers resulting in pregnancies (%)	3 / 3	

CURRENT SERVICES & PROFILE

Current Name: Center for Reproductive Medicine & Robotic Surgery

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE INFERTILITY AND REPRODUCTIVE MEDICINE CENTER AT WASHINGTON UNIVERSITY SCHOOL OF MEDICINE AND BARNES-JEWISH HOSPITAL ST. LOUIS, MISSOURI

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Randall R. Odem, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	61%
Unstimulated	<1%	PGD/PGS	<1%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	17%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	26%	Male factor	31%	Female factors only	8%
Diminished ovarian reserve	16%	Other factor	7%	Female & male factors	14%
Endometriosis	9%	Unknown factor	17%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 684 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	240	80	64	42	12	0
Percentage of cancellations before retrieval (%)	5.8	7.5	17.2	21.4	4 / 12	
Average number of embryos transferred	1.8	2.0	2.8	3.3	3.6	
Percentage of embryos transferred resulting in implantation (%)	42.6	37.2	29.0	6.3	0 / 18	
Percentage of elective single embryo transfers (eSET) (%)	18.5	7.7	0.0	0.0	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	29.2	26.3	23.4	2.4	0 / 12	
Percentage of cycles resulting in singleton live births (%)	36.3	33.8	26.6	4.8	0 / 12	
Percentage of cycles resulting in twin live births (%)	10.8	11.3	7.8	2.4	0 / 12	
Percentage of cycles resulting in live births (%)	48.3	45.0	35.9	7.1	0 / 12	
Percentage of cycles resulting in pregnancies (%)	55.0	53.8	43.8	14.3	0 / 12	
Outcomes per Transfer						
Number of transfers	221	73	51	31	5	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	31.7	28.8	29.4	3.2	0 / 5	
Percentage of transfers resulting in singleton live births (%)	39.4	37.0	33.3	6.5	0 / 5	
Percentage of transfers resulting in twin live births (%)	11.8	12.3	9.8	3.2	0 / 5	
Percentage of transfers resulting in live births (%)	52.5	49.3	45.1	9.7	0 / 5	
Percentage of transfers resulting in pregnancies (%)	59.7	58.9	54.9	19.4	0 / 5	
Frozen Embryos from Nondonor Eggs						
Number of cycles	85	35	19	8	2	0
Number of transfers	82	33	16	7	2	0
Estimated average number of transfers per retrieval	1.2	1.4	1.1	0.5	0.5	
Average number of embryos transferred	1.6	1.5	1.5	1.9	2.5	
Percentage of embryos transferred resulting in implantation (%)	41.9	51.1	43.5	3 / 9	0 / 5	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	37.8	24.2	7 / 16	1 / 7	0 / 2	
Percentage of transfers resulting in singleton live births (%)	46.3	30.3	8 / 16	1 / 7	0 / 2	
Percentage of transfers resulting in twin live births (%)	4.9	15.2	0 / 16	1 / 7	0 / 2	
Percentage of transfers resulting in live births (%)	51.2	45.5	8 / 16	2 / 7	0 / 2	
Percentage of transfers resulting in pregnancies (%)	58.5	60.6	10 / 16	4 / 7	0 / 2	
Number of Egg/Embryo Banking Cycles	30	13	11	7	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	15	18
Number of transfers	14	18
Average number of embryos transferred	2.0	1.5
Percentage of embryos transferred resulting in implantation (%)	53.8	40.0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	5 / 14	4 / 18
Percentage of transfers resulting in singleton live births (%)	5 / 14	5 / 18
Percentage of transfers resulting in twin live births (%)	3 / 14	2 / 18
Percentage of transfers resulting in live births (%)	8 / 14	7 / 18
Percentage of transfers resulting in pregnancies (%)	11 / 14	9 / 18

CURRENT SERVICES & PROFILE

Current Name: Fertility and Reproductive Medicine Center at Washington University School of Medicine and Barnes-Jewish Hospital

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BILLINGS CLINIC
REPRODUCTIVE MEDICINE AND FERTILITY CARE
BILLINGS, MONTANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Stacy Shomento, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	37%
Unstimulated	0%	PGD/PGS	0%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	19%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	27%	Male factor	29%	Female factors only	11%
Diminished ovarian reserve	21%	Other factor	<1%	Female & male factors	18%
Endometriosis	12%	Unknown factor	20%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 144 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	67	19	19	6	1	0
Percentage of cancellations before retrieval (%)	9.0	5 / 19	3 / 19	0 / 6	0 / 1	
Average number of embryos transferred	1.6	2.3	2.9	4.3	5.0	
Percentage of embryos transferred resulting in implantation (%)	47.8	50.0	32.5	15.4	1 / 5	
Percentage of elective single embryo transfers (eSET) (%)	38.2	0 / 12	0 / 15	0 / 6	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	34.3	7 / 19	2 / 19	1 / 6	0 / 1	
Percentage of cycles resulting in singleton live births (%)	35.8	7 / 19	3 / 19	1 / 6	0 / 1	
Percentage of cycles resulting in twin live births (%)	10.4	3 / 19	4 / 19	1 / 6	0 / 1	
Percentage of cycles resulting in live births (%)	46.3	10 / 19	7 / 19	2 / 6	0 / 1	
Percentage of cycles resulting in pregnancies (%)	52.2	10 / 19	9 / 19	3 / 6	1 / 1	
Outcomes per Transfer						
Number of transfers	57	12	15	6	1	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	40.4	7 / 12	2 / 15	1 / 6	0 / 1	
Percentage of transfers resulting in singleton live births (%)	42.1	7 / 12	3 / 15	1 / 6	0 / 1	
Percentage of transfers resulting in twin live births (%)	12.3	3 / 12	4 / 15	1 / 6	0 / 1	
Percentage of transfers resulting in live births (%)	54.4	10 / 12	7 / 15	2 / 6	0 / 1	
Percentage of transfers resulting in pregnancies (%)	61.4	10 / 12	9 / 15	3 / 6	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	24	6	0	0	0	0
Number of transfers	22	6	0	0	0	0
Estimated average number of transfers per retrieval	1.8					
Average number of embryos transferred	1.8	2.0				
Percentage of embryos transferred resulting in implantation (%)	33.3	4 / 12				
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	13.6	2 / 6				
Percentage of transfers resulting in singleton live births (%)	18.2	2 / 6				
Percentage of transfers resulting in twin live births (%)	18.2	0 / 6				
Percentage of transfers resulting in live births (%)	36.4	2 / 6				
Percentage of transfers resulting in pregnancies (%)	40.9	4 / 6				
Number of Egg/Embryo Banking Cycles	1	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	1	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation (%)		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)		
Percentage of transfers resulting in singleton live births (%)		
Percentage of transfers resulting in twin live births (%)		
Percentage of transfers resulting in live births (%)		
Percentage of transfers resulting in pregnancies (%)		

CURRENT SERVICES & PROFILE

Current Name: Billings Clinic, Reproductive Medicine and Fertility Care

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE HEALTH SPECIALISTS
ELKHORN, NEBRASKA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Carolyn M. Doherty, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	89%
Unstimulated	0%	PGD/PGS	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	21%	Uterine factor	8%	*Multiple Factors:*	
Ovulatory dysfunction	24%	Male factor	43%	Female factors only	16%
Diminished ovarian reserve	6%	Other factor	25%	Female & male factors	25%
Endometriosis	14%	Unknown factor	5%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 487 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	164	50	24	5	0	0
Percentage of cancellations before retrieval (%)	6.7	16.0	16.7	1 / 5		
Average number of embryos transferred	1.8	1.9	2.6	4.0		
Percentage of embryos transferred resulting in implantation (%)	40.9	40.3	6.1	0 / 12		
Percentage of elective single embryo transfers (eSET) (%)	15.3	12.5	0 / 18	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	17.7	22.0	4.2	0 / 5		
Percentage of cycles resulting in singleton live births (%)	21.3	24.0	4.2	0 / 5		
Percentage of cycles resulting in twin live births (%)	12.8	10.0	4.2	0 / 5		
Percentage of cycles resulting in live births (%)	34.8	34.0	8.3	0 / 5		
Percentage of cycles resulting in pregnancies (%)	37.8	42.0	8.3	0 / 5		
Outcomes per Transfer						
Number of transfers	120	37	19	3	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	24.2	29.7	1 / 19	0 / 3		
Percentage of transfers resulting in singleton live births (%)	29.2	32.4	1 / 19	0 / 3		
Percentage of transfers resulting in twin live births (%)	17.5	13.5	1 / 19	0 / 3		
Percentage of transfers resulting in live births (%)	47.5	45.9	2 / 19	0 / 3		
Percentage of transfers resulting in pregnancies (%)	51.7	56.8	2 / 19	0 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	145	36	11	4	0	0
Number of transfers	120	27	11	3	0	0
Estimated average number of transfers per retrieval	2.0	2.7	2.2	3.0		
Average number of embryos transferred	1.7	1.6	2.0	2.3		
Percentage of embryos transferred resulting in implantation (%)	52.0	48.6	35.0	0 / 7		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	38.3	18.5	3 / 11	0 / 3		
Percentage of transfers resulting in singleton live births (%)	44.2	29.6	3 / 11	0 / 3		
Percentage of transfers resulting in twin live births (%)	11.7	14.8	2 / 11	0 / 3		
Percentage of transfers resulting in live births (%)	55.8	44.4	5 / 11	0 / 3		
Percentage of transfers resulting in pregnancies (%)	70.0	66.7	6 / 11	0 / 3		
Number of Egg/Embryo Banking Cycles	6	3	1	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	19	18
Number of transfers	14	16
Average number of embryos transferred	1.8	1.8
Percentage of embryos transferred resulting in implantation (%)	60.9	25.0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	4 / 14	5 / 16
Percentage of transfers resulting in singleton live births (%)	4 / 14	6 / 16
Percentage of transfers resulting in twin live births (%)	5 / 14	0 / 16
Percentage of transfers resulting in live births (%)	9 / 14	6 / 16
Percentage of transfers resulting in pregnancies (%)	11 / 14	7 / 16

CURRENT SERVICES & PROFILE

Current Name: Reproductive Health Specialists

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HEARTLAND CENTER FOR REPRODUCTIVE MEDICINE, PC
OMAHA, NEBRASKA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Victoria M. Maclin, MD

Type of ART and Procedural Factors[a]

IVF	>99%	With ICSI	50%
Unstimulated	0%	PGD/PGS	0%
Used gestational carrier	3%		

Patient Diagnosis[b]

Tubal factor	13%	Uterine factor	<1%	*Multiple Factors:*	
Ovulatory dysfunction	4%	Male factor	44%	Female factors only	11%
Diminished ovarian reserve	38%	Other factor	5%	Female & male factors	19%
Endometriosis	14%	Unknown factor	13%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 353 (includes 5 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	145	49	33	10	1	0
Percentage of cancellations before retrieval (%)	4.1	6.1	12.1	3 / 10	0 / 1	
Average number of embryos transferred	1.8	1.7	2.0	2.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	45.9	45.8	34.8	4 / 10	1 / 1	
Percentage of elective single embryo transfers (eSET) (%)	12.8	0.0	0 / 18	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	23.4	22.4	18.2	1 / 10	0 / 1	
Percentage of cycles resulting in singleton live births (%)	26.2	26.5	30.3	1 / 10	1 / 1	
Percentage of cycles resulting in twin live births (%)	13.8	12.2	3.0	0 / 10	0 / 1	
Percentage of cycles resulting in live births (%)	40.7	38.8	33.3	1 / 10	1 / 1	
Percentage of cycles resulting in pregnancies (%)	43.4	42.9	36.4	2 / 10	1 / 1	
Outcomes per Transfer						
Number of transfers	104	35	23	5	1	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	32.7	31.4	26.1	1 / 5	0 / 1	
Percentage of transfers resulting in singleton live births (%)	36.5	37.1	43.5	1 / 5	1 / 1	
Percentage of transfers resulting in twin live births (%)	19.2	17.1	4.3	0 / 5	0 / 1	
Percentage of transfers resulting in live births (%)	56.7	54.3	47.8	1 / 5	1 / 1	
Percentage of transfers resulting in pregnancies (%)	60.6	60.0	52.2	2 / 5	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	36	14	4	0	1	0
Number of transfers	33	14	4	0	1	0
Estimated average number of transfers per retrieval	1.5	1.2				
Average number of embryos transferred	1.7	1.7	2.0		1.0	
Percentage of embryos transferred resulting in implantation (%)	43.4	25.0	3 / 8		1 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	21.2	4 / 14	1 / 4		1 / 1	
Percentage of transfers resulting in singleton live births (%)	27.3	4 / 14	1 / 4		1 / 1	
Percentage of transfers resulting in twin live births (%)	9.1	0 / 14	1 / 4		0 / 1	
Percentage of transfers resulting in live births (%)	39.4	4 / 14	2 / 4		1 / 1	
Percentage of transfers resulting in pregnancies (%)	48.5	6 / 14	2 / 4		1 / 1	
Number of Egg/Embryo Banking Cycles	8	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	38	9
Number of transfers	37	9
Average number of embryos transferred	1.8	1.2
Percentage of embryos transferred resulting in implantation (%)	59.7	3 / 11
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	32.4	0 / 9
Percentage of transfers resulting in singleton live births (%)	35.1	2 / 9
Percentage of transfers resulting in twin live births (%)	27.0	0 / 9
Percentage of transfers resulting in live births (%)	62.2	2 / 9
Percentage of transfers resulting in pregnancies (%)	70.3	3 / 9

CURRENT SERVICES & PROFILE

Current Name: Heartland Center for Reproductive Medicine, PC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GREEN VALLEY FERTILITY PARTNERS
HENDERSON, NEVADA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Jeffrey D. Fisch, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	92%
Unstimulated	0%	PGD/PGS	10%
Used gestational carrier	3%		

Patient Diagnosis[b]

Tubal factor	27%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	6%	Male factor	38%	Female factors only	11%
Diminished ovarian reserve	5%	Other factor	16%	Female & male factors	7%
Endometriosis	13%	Unknown factor	14%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 117 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	35	16	18	9	1	0
Percentage of cancellations before retrieval (%)	0.0	0 / 16	3 / 18	1 / 9	0 / 1	
Average number of embryos transferred	1.5	1.6	1.3	1.6		
Percentage of embryos transferred resulting in implantation (%)	37.0	52.2	7 / 13	1 / 8		
Percentage of elective single embryo transfers (eSET) (%)	46.2	4 / 13	3 / 6	1 / 4		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	25.7	6 / 16	1 / 18	0 / 9	0 / 1	
Percentage of cycles resulting in singleton live births (%)	34.3	7 / 16	4 / 18	0 / 9	0 / 1	
Percentage of cycles resulting in twin live births (%)	2.9	1 / 16	0 / 18	0 / 9	0 / 1	
Percentage of cycles resulting in live births (%)	37.1	8 / 16	4 / 18	0 / 9	0 / 1	
Percentage of cycles resulting in pregnancies (%)	42.9	10 / 16	7 / 18	1 / 9	0 / 1	
Outcomes per Transfer						
Number of transfers	31	14	11	5	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	29.0	6 / 14	1 / 11	0 / 5		
Percentage of transfers resulting in singleton live births (%)	38.7	7 / 14	4 / 11	0 / 5		
Percentage of transfers resulting in twin live births (%)	3.2	1 / 14	0 / 11	0 / 5		
Percentage of transfers resulting in live births (%)	41.9	8 / 14	4 / 11	0 / 5		
Percentage of transfers resulting in pregnancies (%)	48.4	10 / 14	7 / 11	1 / 5		
Frozen Embryos from Nondonor Eggs						
Number of cycles	13	10	4	2	2	0
Number of transfers	10	10	4	2	2	0
Estimated average number of transfers per retrieval	1.3	1.1	1.0	1.0	2.0	
Average number of embryos transferred	1.4	1.6	1.8	1.0	1.5	
Percentage of embryos transferred resulting in implantation (%)	5 / 12	6 / 16	1 / 7	0 / 2	0 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 10	3 / 10	0 / 4	0 / 2	0 / 2	
Percentage of transfers resulting in singleton live births (%)	3 / 10	3 / 10	1 / 4	0 / 2	0 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 10	1 / 10	0 / 4	0 / 2	0 / 2	
Percentage of transfers resulting in live births (%)	3 / 10	4 / 10	1 / 4	0 / 2	0 / 2	
Percentage of transfers resulting in pregnancies (%)	6 / 10	4 / 10	1 / 4	0 / 2	0 / 2	
Number of Egg/Embryo Banking Cycles	2	2	1	1	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	0	1
Number of transfers	0	1
Average number of embryos transferred		1.0
Percentage of embryos transferred resulting in implantation (%)		1 / 1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)		1 / 1
Percentage of transfers resulting in singleton live births (%)		1 / 1
Percentage of transfers resulting in twin live births (%)		0 / 1
Percentage of transfers resulting in live births (%)		1 / 1
Percentage of transfers resulting in pregnancies (%)		1 / 1

CURRENT SERVICES & PROFILE

Current Name: Green Valley Fertility Partners

Donor eggs?	No	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF LAS VEGAS
LAS VEGAS, NEVADA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Bruce S. Shapiro, MD, PhD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	79%
Unstimulated	0%	PGD/PGS	13%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	11%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	4%	Male factor	37%	Female factors only	9%
Diminished ovarian reserve	57%	Other factor	12%	Female & male factors	22%
Endometriosis	4%	Unknown factor	6%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 845 (includes 4 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	85	42	23	10	8	1
Percentage of cancellations before retrieval (%)	14.1	14.3	30.4	2 / 10	5 / 8	1 / 1
Average number of embryos transferred	1.5	1.6	1.5	2.0		
Percentage of embryos transferred resulting in implantation (%)	56.0	6 / 14	3 / 4	0 / 2		
Percentage of elective single embryo transfers (eSET) (%)	7 / 15	2 / 7	1 / 3	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	5.9	7.1	8.7	0 / 10	0 / 8	0 / 1
Percentage of cycles resulting in singleton live births (%)	8.2	7.1	8.7	0 / 10	0 / 8	0 / 1
Percentage of cycles resulting in twin live births (%)	2.4	2.4	0.0	0 / 10	0 / 8	0 / 1
Percentage of cycles resulting in live births (%)	11.8	9.5	8.7	0 / 10	0 / 8	0 / 1
Percentage of cycles resulting in pregnancies (%)	11.8	11.9	17.4	0 / 10	0 / 8	0 / 1
Outcomes per Transfer						
Number of transfers	17	9	4	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	5 / 17	3 / 9	2 / 4	0 / 1		
Percentage of transfers resulting in singleton live births (%)	7 / 17	3 / 9	2 / 4	0 / 1		
Percentage of transfers resulting in twin live births (%)	2 / 17	1 / 9	0 / 4	0 / 1		
Percentage of transfers resulting in live births (%)	10 / 17	4 / 9	2 / 4	0 / 1		
Percentage of transfers resulting in pregnancies (%)	10 / 17	5 / 9	4 / 4	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	132	84	47	15	5	3
Number of transfers	125	70	41	12	5	0
Estimated average number of transfers per retrieval	1.0	0.8	0.6	0.5	0.4	0.0
Average number of embryos transferred	1.4	1.6	1.4	1.5	1.0	
Percentage of embryos transferred resulting in implantation (%)	58.9	55.9	54.7	11 / 15	1 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	37.6	25.7	24.4	5 / 12	1 / 5	
Percentage of transfers resulting in singleton live births (%)	42.4	32.9	31.7	5 / 12	1 / 5	
Percentage of transfers resulting in twin live births (%)	13.6	18.6	14.6	1 / 12	0 / 5	
Percentage of transfers resulting in live births (%)	56.0	51.4	46.3	6 / 12	1 / 5	
Percentage of transfers resulting in pregnancies (%)	69.6	65.7	61.0	10 / 12	2 / 5	
Number of Egg/Embryo Banking Cycles	76	72	57	19	12	11

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	70	69
Number of transfers	61	63
Average number of embryos transferred	1.6	1.5
Percentage of embryos transferred resulting in implantation (%)	62.4	60.4
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	50.8	44.4
Percentage of transfers resulting in singleton live births (%)	55.7	52.4
Percentage of transfers resulting in twin live births (%)	14.8	12.7
Percentage of transfers resulting in live births (%)	70.5	65.1
Percentage of transfers resulting in pregnancies (%)	77.0	71.4

CURRENT SERVICES & PROFILE

Current Name: Fertility Center of Las Vegas

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

RED ROCK FERTILITY CENTER
LAS VEGAS, NEVADA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Eva D. Littman, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	87%
Unstimulated	0%	PGD/PGS	59%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	4%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	5%	Male factor	17%	Female factors only	0%
Diminished ovarian reserve	18%	Other factor	3%	Female & male factors	0%
Endometriosis	3%	Unknown factor	50%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 223 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	44	26	9	12	4	1
Percentage of cancellations before retrieval (%)	4.5	11.5	2 / 9	3 / 12	0 / 4	0 / 1
Average number of embryos transferred	1.8	1.6	1.7	1.3	1.3	
Percentage of embryos transferred resulting in implantation (%)	35.7	28.1	7 / 12	0 / 4	2 / 4	
Percentage of elective single embryo transfers (eSET) (%)	11.8	1 / 13	0 / 4	0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	25.0	7.7	2 / 9	0 / 12	1 / 4	0 / 1
Percentage of cycles resulting in singleton live births (%)	29.5	11.5	4 / 9	0 / 12	1 / 4	0 / 1
Percentage of cycles resulting in twin live births (%)	6.8	3.8	1 / 9	0 / 12	0 / 4	0 / 1
Percentage of cycles resulting in live births (%)	36.4	15.4	5 / 9	0 / 12	1 / 4	0 / 1
Percentage of cycles resulting in pregnancies (%)	43.2	30.8	6 / 9	0 / 12	2 / 4	0 / 1
Outcomes per Transfer						
Number of transfers	40	21	7	3	3	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	27.5	9.5	2 / 7	0 / 3	1 / 3	
Percentage of transfers resulting in singleton live births (%)	32.5	14.3	4 / 7	0 / 3	1 / 3	
Percentage of transfers resulting in twin live births (%)	7.5	4.8	1 / 7	0 / 3	0 / 3	
Percentage of transfers resulting in live births (%)	40.0	19.0	5 / 7	0 / 3	1 / 3	
Percentage of transfers resulting in pregnancies (%)	47.5	38.1	6 / 7	0 / 3	2 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	27	11	3	1	2	0
Number of transfers	27	10	3	1	1	0
Estimated average number of transfers per retrieval	1.2	0.4	0.2	0.3	0.1	0.0
Average number of embryos transferred	1.8	1.3	1.7	2.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	32.6	9 / 12	1 / 5	2 / 2	1 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	25.9	1 / 10	1 / 3	0 / 1	1 / 1	
Percentage of transfers resulting in singleton live births (%)	29.6	1 / 10	1 / 3	0 / 1	1 / 1	
Percentage of transfers resulting in twin live births (%)	11.1	4 / 10	0 / 3	1 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	40.7	5 / 10	1 / 3	1 / 1	1 / 1	
Percentage of transfers resulting in pregnancies (%)	48.1	6 / 10	1 / 3	1 / 1	1 / 1	
Number of Egg/Embryo Banking Cycles	17	24	13	4	7	1

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	7	10
Number of transfers	6	10
Average number of embryos transferred	2.0	1.8
Percentage of embryos transferred resulting in implantation (%)	7 / 12	9 / 18
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 6	2 / 10
Percentage of transfers resulting in singleton live births (%)	1 / 6	5 / 10
Percentage of transfers resulting in twin live births (%)	3 / 6	2 / 10
Percentage of transfers resulting in live births (%)	4 / 6	7 / 10
Percentage of transfers resulting in pregnancies (%)	4 / 6	7 / 10

CURRENT SERVICES & PROFILE

Current Name: Red Rock Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHER INSTITUTE FOR REPRODUCTIVE MEDICINE-LAS VEGAS
LAS VEGAS, NEVADA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Geoffrey Sher, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	98%
Unstimulated	0%	PGD/PGS	9%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	8%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	15%	Male factor	15%	Female factors only	52%
Diminished ovarian reserve	32%	Other factor	88%	Female & male factors	14%
Endometriosis	18%	Unknown factor	1%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 475 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	102	30	29	9	2	0
Percentage of cancellations before retrieval (%)	0.0	0.0	0.0	1 / 9	1 / 2	
Average number of embryos transferred	1.8	1.8	1.6	1.5	1.0	
Percentage of embryos transferred resulting in implantation (%)	44.4	33.3	13.5	0 / 3	0 / 1	
Percentage of elective single embryo transfers (eSET) (%)	11.1	13.6	4 / 19	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	10.8	20.0	10.3	0 / 9	0 / 2	
Percentage of cycles resulting in singleton live births (%)	11.8	23.3	13.8	0 / 9	0 / 2	
Percentage of cycles resulting in twin live births (%)	19.6	10.0	0.0	0 / 9	0 / 2	
Percentage of cycles resulting in live births (%)	31.4	33.3	13.8	0 / 9	0 / 2	
Percentage of cycles resulting in pregnancies (%)	37.3	36.7	20.7	0 / 9	0 / 2	
Outcomes per Transfer						
Number of transfers	74	25	24	2	1	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	14.9	24.0	12.5	0 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)	16.2	28.0	16.7	0 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)	27.0	12.0	0.0	0 / 2	0 / 1	
Percentage of transfers resulting in live births (%)	43.2	40.0	16.7	0 / 2	0 / 1	
Percentage of transfers resulting in pregnancies (%)	51.4	44.0	25.0	0 / 2	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	46	18	16	12	9	4
Number of transfers	40	18	14	12	9	4
Estimated average number of transfers per retrieval	1.1	1.2	0.3	0.3	0.3	0.6
Average number of embryos transferred	1.6	1.6	1.8	1.6	1.3	1.5
Percentage of embryos transferred resulting in implantation (%)	23.4	29.6	36.0	6 / 19	1 / 12	1 / 6
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	12.5	4 / 18	2 / 14	2 / 12	1 / 9	0 / 4
Percentage of transfers resulting in singleton live births (%)	12.5	6 / 18	3 / 14	4 / 12	1 / 9	1 / 4
Percentage of transfers resulting in twin live births (%)	7.5	0 / 18	3 / 14	1 / 12	0 / 9	0 / 4
Percentage of transfers resulting in live births (%)	20.0	6 / 18	6 / 14	5 / 12	1 / 9	1 / 4
Percentage of transfers resulting in pregnancies (%)	30.0	10 / 18	6 / 14	5 / 12	1 / 9	1 / 4
Number of Egg/Embryo Banking Cycles	15	9	50	45	33	7

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	16	23
Number of transfers	13	22
Average number of embryos transferred	1.8	1.6
Percentage of embryos transferred resulting in implantation (%)	29.2	37.1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 13	18.2
Percentage of transfers resulting in singleton live births (%)	3 / 13	27.3
Percentage of transfers resulting in twin live births (%)	1 / 13	9.1
Percentage of transfers resulting in live births (%)	4 / 13	40.9
Percentage of transfers resulting in pregnancies (%)	6 / 13	40.9

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2014. Contact the NASS Help Desk for further information.

Current Name: Sher Institute for Reproductive Medicine-Las Vegas

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE NEVADA CENTER FOR REPRODUCTIVE MEDICINE
RENO, NEVADA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Scott J. Whitten, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	75%
Unstimulated	0%	PGD/PGS	0%
Used gestational carrier	1%		

Patient Diagnosis[b]

Tubal factor	23%	Uterine factor	17%	*Multiple Factors:*	
Ovulatory dysfunction	21%	Male factor	36%	Female factors only	29%
Diminished ovarian reserve	45%	Other factor	11%	Female & male factors	26%
Endometriosis	15%	Unknown factor	3%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 318 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	67	32	32	15	5	3
Percentage of cancellations before retrieval (%)	6.0	0.0	6.3	0 / 15	0 / 5	0 / 3
Average number of embryos transferred	1.8	1.9	2.0	2.1	2.3	4.0
Percentage of embryos transferred resulting in implantation (%)	49.5	32.5	16.4	3 / 19	0 / 9	0 / 8
Percentage of elective single embryo transfers (eSET) (%)	25.5	2 / 19	0.0	0 / 9	0 / 3	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	34.3	18.8	15.6	2 / 15	0 / 5	0 / 3
Percentage of cycles resulting in singleton live births (%)	37.3	28.1	18.8	2 / 15	0 / 5	0 / 3
Percentage of cycles resulting in twin live births (%)	11.9	6.3	0.0	0 / 15	0 / 5	0 / 3
Percentage of cycles resulting in live births (%)	50.7	34.4	18.8	2 / 15	0 / 5	0 / 3
Percentage of cycles resulting in pregnancies (%)	52.2	34.4	25.0	4 / 15	0 / 5	0 / 3
Outcomes per Transfer						
Number of transfers	53	21	28	10	4	2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	43.4	28.6	17.9	2 / 10	0 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	47.2	42.9	21.4	2 / 10	0 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	15.1	9.5	0.0	0 / 10	0 / 4	0 / 2
Percentage of transfers resulting in live births (%)	64.2	52.4	21.4	2 / 10	0 / 4	0 / 2
Percentage of transfers resulting in pregnancies (%)	66.0	52.4	28.6	4 / 10	0 / 4	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	35	20	13	5	1	0
Number of transfers	35	20	13	5	1	0
Estimated average number of transfers per retrieval	1.8	2.0	1.0	1.0	0.3	0.0
Average number of embryos transferred	1.7	1.7	1.9	2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	59.6	54.5	40.0	2 / 10	1 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	31.4	45.0	5 / 13	0 / 5	0 / 1	
Percentage of transfers resulting in singleton live births (%)	45.7	50.0	6 / 13	1 / 5	1 / 1	
Percentage of transfers resulting in twin live births (%)	20.0	10.0	0 / 13	0 / 5	0 / 1	
Percentage of transfers resulting in live births (%)	65.7	60.0	6 / 13	1 / 5	1 / 1	
Percentage of transfers resulting in pregnancies (%)	71.4	70.0	8 / 13	2 / 5	1 / 1	
Number of Egg/Embryo Banking Cycles	1	4	9	3	2	2

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	21	48
Number of transfers	18	48
Average number of embryos transferred	1.9	1.6
Percentage of embryos transferred resulting in implantation (%)	71.9	45.9
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	7 / 18	41.7
Percentage of transfers resulting in singleton live births (%)	8 / 18	52.1
Percentage of transfers resulting in twin live births (%)	7 / 18	8.3
Percentage of transfers resulting in live births (%)	15 / 18	60.4
Percentage of transfers resulting in pregnancies (%)	17 / 18	66.7

CURRENT SERVICES & PROFILE

Current Name: The Nevada Center for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DARTMOUTH-HITCHCOCK MEDICAL CENTER
LEBANON, NEW HAMPSHIRE

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Misty B. Porter, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	26%
Unstimulated	0%	PGD/PGS	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	15%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	7%	Male factor	32%	Female factors only	0%
Diminished ovarian reserve	7%	Other factor	5%	Female & male factors	0%
Endometriosis	4%	Unknown factor	29%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 140 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	50	30	11	11	0	0
Percentage of cancellations before retrieval (%)	2.0	16.7	3 / 11	2 / 11		
Average number of embryos transferred	1.8	2.0	2.8	4.2		
Percentage of embryos transferred resulting in implantation (%)	33.3	20.0	3 / 12	10.7		
Percentage of elective single embryo transfers (eSET) (%)	21.4	17.4	0 / 8	0 / 9		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	18.0	16.7	2 / 11	1 / 11		
Percentage of cycles resulting in singleton live births (%)	20.0	16.7	3 / 11	1 / 11		
Percentage of cycles resulting in twin live births (%)	16.0	6.7	0 / 11	1 / 11		
Percentage of cycles resulting in live births (%)	36.0	23.3	3 / 11	2 / 11		
Percentage of cycles resulting in pregnancies (%)	40.0	26.7	6 / 11	4 / 11		
Outcomes per Transfer						
Number of transfers	46	24	8	9	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	19.6	20.8	2 / 8	1 / 9		
Percentage of transfers resulting in singleton live births (%)	21.7	20.8	3 / 8	1 / 9		
Percentage of transfers resulting in twin live births (%)	17.4	8.3	0 / 8	1 / 9		
Percentage of transfers resulting in live births (%)	39.1	29.2	3 / 8	2 / 9		
Percentage of transfers resulting in pregnancies (%)	43.5	33.3	6 / 8	4 / 9		
Frozen Embryos from Nondonor Eggs						
Number of cycles	10	15	2	2	0	0
Number of transfers	9	15	2	1	0	0
Estimated average number of transfers per retrieval	1.1	3.8		0.5		
Average number of embryos transferred	1.7	1.8	2.0	2.0		
Percentage of embryos transferred resulting in implantation (%)	2 / 15	12.5	1 / 4	0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 9	3 / 15	1 / 2	0 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 9	3 / 15	1 / 2	0 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 9	0 / 15	0 / 2	0 / 1		
Percentage of transfers resulting in live births (%)	1 / 9	3 / 15	1 / 2	0 / 1		
Percentage of transfers resulting in pregnancies (%)	1 / 9	5 / 15	1 / 2	0 / 1		
Number of Egg/Embryo Banking Cycles	0	0	0	1	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	4	4
Number of transfers	4	3
Average number of embryos transferred	2.0	1.3
Percentage of embryos transferred resulting in implantation (%)	6 / 8	3 / 4
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 4	0 / 3
Percentage of transfers resulting in singleton live births (%)	0 / 4	1 / 3
Percentage of transfers resulting in twin live births (%)	3 / 4	1 / 3
Percentage of transfers resulting in live births (%)	3 / 4	2 / 3
Percentage of transfers resulting in pregnancies (%)	3 / 4	2 / 3

CURRENT SERVICES & PROFILE

Current Name: Dartmouth-Hitchcock Medical Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHER INSTITUTE FOR REPRODUCTIVE MEDICINE-NEW JERSEY
ASBURY, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Albert J. Peters, DO

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	80%
Unstimulated	0%	PGD/PGS	23%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	12%	Uterine factor	8%	*Multiple Factors:*	
Ovulatory dysfunction	12%	Male factor	28%	Female factors only	16%
Diminished ovarian reserve	52%	Other factor	22%	Female & male factors	19%
Endometriosis	5%	Unknown factor	3%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 243 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	42	21	26	17	14	4
Percentage of cancellations before retrieval (%)	2.4	19.0	26.9	4 / 17	7 / 14	1 / 4
Average number of embryos transferred	1.8	1.6	1.8	2.0	1.7	4.0
Percentage of embryos transferred resulting in implantation (%)	35.0	10.0	2 / 16	1 / 18	0 / 5	0 / 8
Percentage of elective single embryo transfers (eSET) (%)	10.7	3 / 10	0 / 5	0 / 6	0 / 1	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	16.7	4.8	7.7	1 / 17	0 / 14	0 / 4
Percentage of cycles resulting in singleton live births (%)	16.7	4.8	7.7	1 / 17	0 / 14	0 / 4
Percentage of cycles resulting in twin live births (%)	14.3	0.0	0.0	0 / 17	0 / 14	0 / 4
Percentage of cycles resulting in live births (%)	31.0	4.8	7.7	1 / 17	0 / 14	0 / 4
Percentage of cycles resulting in pregnancies (%)	38.1	14.3	7.7	1 / 17	0 / 14	0 / 4
Outcomes per Transfer						
Number of transfers	34	14	9	9	3	2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	20.6	1 / 14	2 / 9	1 / 9	0 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	20.6	1 / 14	2 / 9	1 / 9	0 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	17.6	0 / 14	0 / 9	0 / 9	0 / 3	0 / 2
Percentage of transfers resulting in live births (%)	38.2	1 / 14	2 / 9	1 / 9	0 / 3	0 / 2
Percentage of transfers resulting in pregnancies (%)	47.1	3 / 14	2 / 9	1 / 9	0 / 3	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	29	11	8	4	5	0
Number of transfers	28	11	8	4	4	0
Estimated average number of transfers per retrieval	1.6	1.6	2.7	0.7	0.4	0.0
Average number of embryos transferred	1.6	1.5	1.4	1.8	1.8	
Percentage of embryos transferred resulting in implantation (%)	39.5	6 / 16	2 / 11	2 / 7	3 / 7	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	17.9	4 / 11	0 / 8	1 / 4	1 / 4	
Percentage of transfers resulting in singleton live births (%)	25.0	4 / 11	2 / 8	2 / 4	1 / 4	
Percentage of transfers resulting in twin live births (%)	14.3	0 / 11	0 / 8	0 / 4	0 / 4	
Percentage of transfers resulting in live births (%)	39.3	4 / 11	2 / 8	2 / 4	1 / 4	
Percentage of transfers resulting in pregnancies (%)	53.6	6 / 11	2 / 8	2 / 4	2 / 4	
Number of Egg/Embryo Banking Cycles	4	7	3	4	9	3

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	5	27
Number of transfers	5	24
Average number of embryos transferred	1.6	1.7
Percentage of embryos transferred resulting in implantation (%)	3 / 8	20.5
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 5	16.7
Percentage of transfers resulting in singleton live births (%)	2 / 5	20.8
Percentage of transfers resulting in twin live births (%)	0 / 5	0.0
Percentage of transfers resulting in live births (%)	2 / 5	20.8
Percentage of transfers resulting in pregnancies (%)	3 / 5	33.3

CURRENT SERVICES & PROFILE

Current Name: Sher Institute for Reproductive Medicine-New Jersey

Donor eggs?	No	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF NEW JERSEY
BASKING RIDGE, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Michael R. Drews, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	85%
Unstimulated	<1%	PGD/PGS	36%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	12%	Uterine factor	6%	*Multiple Factors:*	
Ovulatory dysfunction	21%	Male factor	62%	Female factors only	11%
Diminished ovarian reserve	24%	Other factor	32%	Female & male factors	43%
Endometriosis	5%	Unknown factor	0%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 4,975 (includes 34 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	581	278	219	97	50	26
Percentage of cancellations before retrieval (%)	4.6	8.6	15.5	21.6	24.0	7.7
Average number of embryos transferred	1.4	1.4	1.4	1.4	1.5	
Percentage of embryos transferred resulting in implantation (%)	63.9	63.1	64.8	35.7	5 / 18	
Percentage of elective single embryo transfers (eSET) (%)	56.9	53.5	45.3	6 / 17	1 / 7	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	20.8	15.1	11.4	3.1	8.0	0.0
Percentage of cycles resulting in singleton live births (%)	24.3	19.4	12.8	6.2	8.0	0.0
Percentage of cycles resulting in twin live births (%)	7.1	5.8	4.1	1.0	0.0	0.0
Percentage of cycles resulting in live births (%)	31.5	25.2	16.9	7.2	8.0	0.0
Percentage of cycles resulting in pregnancies (%)	34.9	28.4	22.4	15.5	10.0	0.0
Outcomes per Transfer						
Number of transfers	287	115	69	26	12	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	42.2	36.5	36.2	11.5	4 / 12	
Percentage of transfers resulting in singleton live births (%)	49.1	47.0	40.6	23.1	4 / 12	
Percentage of transfers resulting in twin live births (%)	14.3	13.9	13.0	3.8	0 / 12	
Percentage of transfers resulting in live births (%)	63.8	60.9	53.6	26.9	4 / 12	
Percentage of transfers resulting in pregnancies (%)	70.7	68.7	71.0	57.7	5 / 12	
Frozen Embryos from Nondonor Eggs						
Number of cycles	898	508	376	167	53	17
Number of transfers	860	485	341	154	46	12
Estimated average number of transfers per retrieval	1.1	1.1	0.8	0.7	0.5	0.3
Average number of embryos transferred	1.4	1.3	1.3	1.3	1.3	1.6
Percentage of embryos transferred resulting in implantation (%)	63.9	63.2	60.2	51.4	29.1	6 / 15
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	41.7	44.3	38.4	26.6	26.1	4 / 12
Percentage of transfers resulting in singleton live births (%)	48.7	51.8	44.3	34.4	34.8	4 / 12
Percentage of transfers resulting in twin live births (%)	12.9	9.9	9.1	9.1	0.0	0 / 12
Percentage of transfers resulting in live births (%)	61.7	61.6	53.4	43.5	34.8	4 / 12
Percentage of transfers resulting in pregnancies (%)	72.3	72.6	67.4	59.7	41.3	7 / 12
Number of Egg/Embryo Banking Cycles	490	310	349	187	82	26

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	68	159
Number of transfers	55	150
Average number of embryos transferred	1.3	1.4
Percentage of embryos transferred resulting in implantation (%)	65.2	54.4
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	32.7	32.0
Percentage of transfers resulting in singleton live births (%)	41.8	39.3
Percentage of transfers resulting in twin live births (%)	14.5	10.7
Percentage of transfers resulting in live births (%)	56.4	50.0
Percentage of transfers resulting in pregnancies (%)	70.9	61.3

CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine Associates of New Jersey

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CLIFTON LOW COST IVF
CLIFTON, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Charles Haddad, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	44%
Unstimulated	0%	PGD/PGS	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	6%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	12%	Male factor	18%	Female factors only	0%
Diminished ovarian reserve	0%	Other factor	0%	Female & male factors	6%
Endometriosis	0%	Unknown factor	71%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 17 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	8	3	3	1	1	0
Percentage of cancellations before retrieval (%)	0 / 8	1 / 3	1 / 3	0 / 1	0 / 1	
Average number of embryos transferred	1.8	2.0	1.5	3.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	5 / 14	0 / 4	1 / 3	0 / 3	0 / 2	
Percentage of elective single embryo transfers (eSET) (%)	0 / 6	0 / 2	0 / 1	0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	0 / 8	0 / 3	0 / 3	0 / 1	0 / 1	
Percentage of cycles resulting in singleton live births (%)	1 / 8	0 / 3	0 / 3	0 / 1	0 / 1	
Percentage of cycles resulting in twin live births (%)	2 / 8	0 / 3	0 / 3	0 / 1	0 / 1	
Percentage of cycles resulting in live births (%)	3 / 8	0 / 3	0 / 3	0 / 1	0 / 1	
Percentage of cycles resulting in pregnancies (%)	3 / 8	0 / 3	1 / 3	0 / 1	0 / 1	
Outcomes per Transfer						
Number of transfers	8	2	2	1	1	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 8	0 / 2	0 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 8	0 / 2	0 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	2 / 8	0 / 2	0 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	3 / 8	0 / 2	0 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	3 / 8	0 / 2	1 / 2	0 / 1	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	1	0	0	0	0
Number of transfers	0	1	0	0	0	0
Estimated average number of transfers per retrieval		1.0				
Average number of embryos transferred		3.0				
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)		0 / 1				
Percentage of transfers resulting in singleton live births (%)		0 / 1				
Percentage of transfers resulting in twin live births (%)		0 / 1				
Percentage of transfers resulting in live births (%)		0 / 1				
Percentage of transfers resulting in pregnancies (%)		0 / 1				
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation (%)		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)		
Percentage of transfers resulting in singleton live births (%)		
Percentage of transfers resulting in twin live births (%)		
Percentage of transfers resulting in live births (%)		
Percentage of transfers resulting in pregnancies (%)		

CURRENT SERVICES & PROFILE

Current Name: Clifton Low Cost IVF

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

REPRODUCTIVE SCIENCE CENTER OF NEW JERSEY
EATONTOWN, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by William Ziegler, DO

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	53%
Unstimulated	0%	PGD/PGS	7%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	14%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	21%	Male factor	63%	Female factors only	6%
Diminished ovarian reserve	45%	Other factor	3%	Female & male factors	50%
Endometriosis	16%	Unknown factor	2%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 264 (includes 21 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	82	37	39	13	6	0
Percentage of cancellations before retrieval (%)	3.7	2.7	10.3	1 / 13	0 / 6	
Average number of embryos transferred	1.5	1.9	2.4	3.3	2.4	
Percentage of embryos transferred resulting in implantation (%)	41.4	50.9	16.9	0.0	1 / 12	
Percentage of elective single embryo transfers (eSET) (%)	38.3	10.7	0.0	0 / 8	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	26.8	29.7	15.4	0 / 13	0 / 6	
Percentage of cycles resulting in singleton live births (%)	31.7	40.5	17.9	0 / 13	0 / 6	
Percentage of cycles resulting in twin live births (%)	11.0	16.2	7.7	0 / 13	0 / 6	
Percentage of cycles resulting in live births (%)	42.7	56.8	25.6	0 / 13	0 / 6	
Percentage of cycles resulting in pregnancies (%)	46.3	62.2	28.2	2 / 13	1 / 6	
Outcomes per Transfer						
Number of transfers	76	31	33	10	5	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	28.9	35.5	18.2	0 / 10	0 / 5	
Percentage of transfers resulting in singleton live births (%)	34.2	48.4	21.2	0 / 10	0 / 5	
Percentage of transfers resulting in twin live births (%)	11.8	19.4	9.1	0 / 10	0 / 5	
Percentage of transfers resulting in live births (%)	46.1	67.7	30.3	0 / 10	0 / 5	
Percentage of transfers resulting in pregnancies (%)	50.0	74.2	33.3	2 / 10	1 / 5	
Frozen Embryos from Nondonor Eggs						
Number of cycles	24	8	2	3	0	0
Number of transfers	23	8	2	3	0	0
Estimated average number of transfers per retrieval	2.3	1.6	1.0	0.6	0.0	0.0
Average number of embryos transferred	1.4	1.5	1.0	1.7		
Percentage of embryos transferred resulting in implantation (%)	34.5	7 / 12	0 / 2	2 / 5		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	17.4	1 / 8	0 / 2	0 / 3		
Percentage of transfers resulting in singleton live births (%)	26.1	1 / 8	0 / 2	0 / 3		
Percentage of transfers resulting in twin live births (%)	8.7	3 / 8	0 / 2	1 / 3		
Percentage of transfers resulting in live births (%)	34.8	4 / 8	0 / 2	1 / 3		
Percentage of transfers resulting in pregnancies (%)	47.8	4 / 8	0 / 2	1 / 3		
Number of Egg/Embryo Banking Cycles	1	1	1	2	2	2

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	8	12
Number of transfers	7	12
Average number of embryos transferred	1.3	1.3
Percentage of embryos transferred resulting in implantation (%)	5 / 9	11 / 16
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	3 / 7	3 / 12
Percentage of transfers resulting in singleton live births (%)	4 / 7	4 / 12
Percentage of transfers resulting in twin live births (%)	0 / 7	3 / 12
Percentage of transfers resulting in live births (%)	4 / 7	7 / 12
Percentage of transfers resulting in pregnancies (%)	4 / 7	8 / 12

CURRENT SERVICES & PROFILE

Current Name: Reproductive Science Center of New Jersey

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR ADVANCED REPRODUCTIVE MEDICINE & FERTILITY
EDISON, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Gregory H. Corsan, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	58%
Unstimulated	<1%	PGD/PGS	<1%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	12%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	15%	Male factor	38%	Female factors only	4%
Diminished ovarian reserve	33%	Other factor	<1%	Female & male factors	11%
Endometriosis	5%	Unknown factor	12%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 395 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	72	29	37	13	10	3
Percentage of cancellations before retrieval (%)	2.8	6.9	8.1	3 / 13	3 / 10	1 / 3
Average number of embryos transferred	1.6	1.8	2.2	2.6	2.3	3.0
Percentage of embryos transferred resulting in implantation (%)	49.5	33.3	17.9	4 / 13	1 / 9	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	37.7	19.0	4.5	0 / 5	0 / 3	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	16.7	24.1	16.2	0 / 13	1 / 10	0 / 3
Percentage of cycles resulting in singleton live births (%)	22.2	31.0	16.2	2 / 13	1 / 10	0 / 3
Percentage of cycles resulting in twin live births (%)	15.3	3.4	2.7	0 / 13	0 / 10	0 / 3
Percentage of cycles resulting in live births (%)	37.5	34.5	18.9	2 / 13	1 / 10	0 / 3
Percentage of cycles resulting in pregnancies (%)	45.8	41.4	21.6	2 / 13	1 / 10	0 / 3
Outcomes per Transfer						
Number of transfers	60	23	26	5	4	1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	20.0	30.4	23.1	0 / 5	1 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	26.7	39.1	23.1	2 / 5	1 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	18.3	4.3	3.8	0 / 5	0 / 4	0 / 1
Percentage of transfers resulting in live births (%)	45.0	43.5	26.9	2 / 5	1 / 4	0 / 1
Percentage of transfers resulting in pregnancies (%)	55.0	52.2	30.8	2 / 5	1 / 4	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	59	32	23	3	2	1
Number of transfers	57	31	23	3	2	1
Estimated average number of transfers per retrieval	1.4	1.0	0.8	0.6	0.3	0.3
Average number of embryos transferred	1.3	1.5	1.6	1.3	1.5	1.0
Percentage of embryos transferred resulting in implantation (%)	41.7	46.7	45.5	1 / 3	1 / 3	1 / 1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	24.6	16.1	21.7	1 / 3	1 / 2	1 / 1
Percentage of transfers resulting in singleton live births (%)	31.6	25.8	34.8	1 / 3	1 / 2	1 / 1
Percentage of transfers resulting in twin live births (%)	1.8	9.7	8.7	0 / 3	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	33.3	35.5	43.5	1 / 3	1 / 2	1 / 1
Percentage of transfers resulting in pregnancies (%)	50.9	41.9	65.2	2 / 3	1 / 2	1 / 1
Number of Egg/Embryo Banking Cycles	24	23	26	5	7	4

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	6	16
Number of transfers	6	16
Average number of embryos transferred	1.8	1.6
Percentage of embryos transferred resulting in implantation (%)	6 / 11	52.2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 6	5 / 16
Percentage of transfers resulting in singleton live births (%)	2 / 6	6 / 16
Percentage of transfers resulting in twin live births (%)	2 / 6	1 / 16
Percentage of transfers resulting in live births (%)	4 / 6	7 / 16
Percentage of transfers resulting in pregnancies (%)	4 / 6	10 / 16

CURRENT SERVICES & PROFILE

Current Name: Center for Advanced Reproductive Medicine & Fertility

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WOMEN'S FERTILITY CENTER
ENGLEWOOD, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Philip R. Lesorgen, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	80%
Unstimulated	2%	PGD/PGS	2%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	18%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	26%	Male factor	20%	Female factors only	13%
Diminished ovarian reserve	55%	Other factor	2%	Female & male factors	18%
Endometriosis	2%	Unknown factor	7%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 55 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	11	8	13	5	5	3
Percentage of cancellations before retrieval (%)	0 / 11	1 / 8	1 / 13	0 / 5	1 / 5	1 / 3
Average number of embryos transferred	2.2	2.0	1.8	2.3	4.0	2.0
Percentage of embryos transferred resulting in implantation (%)	2 / 18	2 / 12	30.0	1 / 9	0 / 8	0 / 4
Percentage of elective single embryo transfers (eSET) (%)	0 / 9	1 / 5	0 / 5	0 / 2	0 / 2	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	0 / 11	0 / 8	2 / 13	1 / 5	0 / 5	0 / 3
Percentage of cycles resulting in singleton live births (%)	0 / 11	2 / 8	3 / 13	1 / 5	0 / 5	0 / 3
Percentage of cycles resulting in twin live births (%)	1 / 11	0 / 8	0 / 13	0 / 5	0 / 5	0 / 3
Percentage of cycles resulting in live births (%)	1 / 11	2 / 8	4 / 13	1 / 5	0 / 5	0 / 3
Percentage of cycles resulting in pregnancies (%)	2 / 11	2 / 8	4 / 13	1 / 5	0 / 5	0 / 3
Outcomes per Transfer						
Number of transfers	9	6	11	4	2	2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 9	0 / 6	2 / 11	1 / 4	0 / 2	0 / 2
Percentage of transfers resulting in singleton live births (%)	0 / 9	2 / 6	3 / 11	1 / 4	0 / 2	0 / 2
Percentage of transfers resulting in twin live births (%)	1 / 9	0 / 6	0 / 11	0 / 4	0 / 2	0 / 2
Percentage of transfers resulting in live births (%)	1 / 9	2 / 6	4 / 11	1 / 4	0 / 2	0 / 2
Percentage of transfers resulting in pregnancies (%)	2 / 9	2 / 6	4 / 11	1 / 4	0 / 2	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	8	1	0	0	0	0
Number of transfers	8	1	0	0	0	0
Estimated average number of transfers per retrieval	1.6	1.0				
Average number of embryos transferred	2.4	1.0				
Percentage of embryos transferred resulting in implantation (%)	1 / 17	1 / 1				
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 8	0 / 1				
Percentage of transfers resulting in singleton live births (%)	1 / 8	1 / 1				
Percentage of transfers resulting in twin live births (%)	0 / 8	0 / 1				
Percentage of transfers resulting in live births (%)	1 / 8	1 / 1				
Percentage of transfers resulting in pregnancies (%)	2 / 8	1 / 1				
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	1	0
Number of transfers	1	0
Average number of embryos transferred	4.0	
Percentage of embryos transferred resulting in implantation (%)	0 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 1	
Percentage of transfers resulting in live births (%)	0 / 1	
Percentage of transfers resulting in pregnancies (%)	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Women's Fertility Center

Donor eggs?	No	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTH HUDSON I.V.F.
CENTER FOR FERTILITY AND GYNECOLOGY
ENGLEWOOD CLIFFS, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Jane E. Miller, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	100%
Unstimulated	0%	PGD/PGS	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	16%	Uterine factor	16%	*Multiple Factors:*	
Ovulatory dysfunction	11%	Male factor	21%	Female factors only	21%
Diminished ovarian reserve	58%	Other factor	0%	Female & male factors	16%
Endometriosis	11%	Unknown factor	11%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 23 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	0	1	2	1	0	0
Percentage of cancellations before retrieval (%)		0 / 1	0 / 2	0 / 1		
Average number of embryos transferred		2.0	3.0	3.0		
Percentage of embryos transferred resulting in implantation (%)			0 / 3	0 / 3		
Percentage of elective single embryo transfers (eSET) (%)		0 / 1	0 / 1	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)		0 / 1	0 / 2	0 / 1		
Percentage of cycles resulting in singleton live births (%)		0 / 1	0 / 2	0 / 1		
Percentage of cycles resulting in twin live births (%)		0 / 1	0 / 2	0 / 1		
Percentage of cycles resulting in live births (%)		0 / 1	0 / 2	0 / 1		
Percentage of cycles resulting in pregnancies (%)		1 / 1	0 / 2	0 / 1		
Outcomes per Transfer						
Number of transfers	0	1	1	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)		0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in singleton live births (%)		0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in twin live births (%)		0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in live births (%)		0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in pregnancies (%)		1 / 1	0 / 1	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	3	0	0	0	0
Number of transfers	1	3	0	0	0	0
Estimated average number of transfers per retrieval	0.5	1.0				
Average number of embryos transferred	3.0	1.3				
Percentage of embryos transferred resulting in implantation (%)	0 / 3	1 / 4				
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 1	0 / 3				
Percentage of transfers resulting in singleton live births (%)	0 / 1	1 / 3				
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 3				
Percentage of transfers resulting in live births (%)	0 / 1	1 / 3				
Percentage of transfers resulting in pregnancies (%)	0 / 1	1 / 3				
Number of Egg/Embryo Banking Cycles	2	2	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	4	7
Number of transfers	4	7
Average number of embryos transferred	2.0	1.7
Percentage of embryos transferred resulting in implantation (%)	4 / 8	2 / 12
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 4	1 / 7
Percentage of transfers resulting in singleton live births (%)	0 / 4	2 / 7
Percentage of transfers resulting in twin live births (%)	2 / 4	0 / 7
Percentage of transfers resulting in live births (%)	2 / 4	2 / 7
Percentage of transfers resulting in pregnancies (%)	2 / 4	2 / 7

CURRENT SERVICES & PROFILE

Current Name: North Hudson I.V.F., Center for Fertility and Gynecology

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

UNIVERSITY REPRODUCTIVE ASSOCIATES, PC
HASBROUCK HEIGHTS, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Peter G. McGovern, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	76%
Unstimulated	0%	PGD/PGS	2%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	17%	Uterine factor	10%	*Multiple Factors:*	
Ovulatory dysfunction	16%	Male factor	63%	Female factors only	8%
Diminished ovarian reserve	34%	Other factor	7%	Female & male factors	41%
Endometriosis	7%	Unknown factor	7%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 492 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	100	49	56	20	24	6
Percentage of cancellations before retrieval (%)	3.0	2.0	12.5	10.0	20.8	0 / 6
Average number of embryos transferred	1.8	1.8	1.9	1.8	2.3	1.3
Percentage of embryos transferred resulting in implantation (%)	37.7	44.6	18.8	9.5	3.7	0 / 4
Percentage of elective single embryo transfers (eSET) (%)	4.9	8.3	0.0	0 / 7	0 / 9	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	23.0	22.4	7.1	10.0	0.0	0 / 6
Percentage of cycles resulting in singleton live births (%)	24.0	28.6	8.9	10.0	0.0	0 / 6
Percentage of cycles resulting in twin live births (%)	13.0	12.2	1.8	0.0	0.0	0 / 6
Percentage of cycles resulting in live births (%)	37.0	40.8	10.7	10.0	0.0	0 / 6
Percentage of cycles resulting in pregnancies (%)	49.0	53.1	19.6	10.0	4.2	0 / 6
Outcomes per Transfer						
Number of transfers	91	41	37	12	12	3
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	25.3	26.8	10.8	2 / 12	0 / 12	0 / 3
Percentage of transfers resulting in singleton live births (%)	26.4	34.1	13.5	2 / 12	0 / 12	0 / 3
Percentage of transfers resulting in twin live births (%)	14.3	14.6	2.7	0 / 12	0 / 12	0 / 3
Percentage of transfers resulting in live births (%)	40.7	48.8	16.2	2 / 12	0 / 12	0 / 3
Percentage of transfers resulting in pregnancies (%)	53.8	63.4	29.7	2 / 12	1 / 12	0 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	40	23	14	3	4	3
Number of transfers	40	23	13	3	4	3
Estimated average number of transfers per retrieval	0.8	0.7	0.3	0.3	1.0	1.5
Average number of embryos transferred	1.5	1.7	1.6	1.0	2.5	1.0
Percentage of embryos transferred resulting in implantation (%)	45.8	26.3	28.6	3 / 3	1 / 10	0 / 3
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	30.0	21.7	1 / 13	1 / 3	0 / 4	0 / 3
Percentage of transfers resulting in singleton live births (%)	45.0	26.1	5 / 13	1 / 3	1 / 4	0 / 3
Percentage of transfers resulting in twin live births (%)	7.5	0.0	0 / 13	1 / 3	0 / 4	0 / 3
Percentage of transfers resulting in live births (%)	52.5	26.1	5 / 13	2 / 3	1 / 4	0 / 3
Percentage of transfers resulting in pregnancies (%)	60.0	34.8	6 / 13	2 / 3	1 / 4	0 / 3
Number of Egg/Embryo Banking Cycles	41	26	37	11	3	2

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	6	24
Number of transfers	3	24
Average number of embryos transferred	2.0	1.5
Percentage of embryos transferred resulting in implantation (%)	3 / 6	44.4
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 3	33.3
Percentage of transfers resulting in singleton live births (%)	2 / 3	50.0
Percentage of transfers resulting in twin live births (%)	0 / 3	4.2
Percentage of transfers resulting in live births (%)	2 / 3	54.2
Percentage of transfers resulting in pregnancies (%)	2 / 3	62.5

CURRENT SERVICES & PROFILE

Current Name: University Reproductive Associates, PC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHORE INSTITUTE FOR REPRODUCTIVE MEDICINE
LAKEWOOD, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Allen Morgan, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	32%
Unstimulated	0%	PGD/PGS	2%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	22%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	22%	Male factor	26%	Female factors only	7%
Diminished ovarian reserve	12%	Other factor	4%	Female & male factors	6%
Endometriosis	7%	Unknown factor	17%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 85 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	25	14	13	11	3	0
Percentage of cancellations before retrieval (%)	8.0	2 / 14	3 / 13	5 / 11	1 / 3	
Average number of embryos transferred	1.9	2.0	1.4	2.0	2.5	
Percentage of embryos transferred resulting in implantation (%)	50.0	60.0	2 / 11	2 / 10	0 / 5	
Percentage of elective single embryo transfers (eSET) (%)	5.0	0 / 10	0 / 4	0 / 3	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	12.0	1 / 14	2 / 13	2 / 11	0 / 3	
Percentage of cycles resulting in singleton live births (%)	32.0	3 / 14	2 / 13	2 / 11	0 / 3	
Percentage of cycles resulting in twin live births (%)	24.0	4 / 14	0 / 13	0 / 11	0 / 3	
Percentage of cycles resulting in live births (%)	56.0	7 / 14	2 / 13	2 / 11	0 / 3	
Percentage of cycles resulting in pregnancies (%)	56.0	8 / 14	3 / 13	2 / 11	0 / 3	
Outcomes per Transfer						
Number of transfers	21	10	9	5	2	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	14.3	1 / 10	2 / 9	2 / 5	0 / 2	
Percentage of transfers resulting in singleton live births (%)	38.1	3 / 10	2 / 9	2 / 5	0 / 2	
Percentage of transfers resulting in twin live births (%)	28.6	4 / 10	0 / 9	0 / 5	0 / 2	
Percentage of transfers resulting in live births (%)	66.7	7 / 10	2 / 9	2 / 5	0 / 2	
Percentage of transfers resulting in pregnancies (%)	66.7	8 / 10	3 / 9	2 / 5	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	2	4	0	0	0
Number of transfers	4	2	2	0	0	0
Estimated average number of transfers per retrieval		0.5	1.0			
Average number of embryos transferred	2.0	2.0	3.0			
Percentage of embryos transferred resulting in implantation (%)	3 / 8	1 / 2	0 / 6			
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	3 / 4	1 / 2	0 / 2			
Percentage of transfers resulting in singleton live births (%)	3 / 4	1 / 2	0 / 2			
Percentage of transfers resulting in twin live births (%)	0 / 4	0 / 2	0 / 2			
Percentage of transfers resulting in live births (%)	3 / 4	1 / 2	0 / 2			
Percentage of transfers resulting in pregnancies (%)	3 / 4	2 / 2	0 / 2			
Number of Egg/Embryo Banking Cycles	0	2	0	0	0	0

Donor Eggs	**Fresh Embryos[f]**	**Frozen Embryos[f]**
Number of cycles	6	0
Number of transfers	5	0
Average number of embryos transferred	2.2	
Percentage of embryos transferred resulting in implantation (%)	7 / 11	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 5	
Percentage of transfers resulting in singleton live births (%)	1 / 5	
Percentage of transfers resulting in twin live births (%)	3 / 5	
Percentage of transfers resulting in live births (%)	4 / 5	
Percentage of transfers resulting in pregnancies (%)	4 / 5	

CURRENT SERVICES & PROFILE

Current Name: Shore Institute for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DELAWARE VALLEY OBGYN & INFERTILITY GROUP, PC
PRINCETON IVF
LAWRENCEVILLE, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Seth G. Derman, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	60%
Unstimulated	0%	PGD/PGS	0%
Used gestational carrier	5%		

Patient Diagnosis[b]

Tubal factor	18%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	43%	Male factor	45%	Female factors only	20%
Diminished ovarian reserve	43%	Other factor	8%	Female & male factors	33%
Endometriosis	10%	Unknown factor	1%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 86 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	24	16	20	2	4	1
Percentage of cancellations before retrieval (%)	4.2	0 / 16	15.0	0 / 2	1 / 4	0 / 1
Average number of embryos transferred	2.0	2.5	2.6	2.5	3.0	2.0
Percentage of embryos transferred resulting in implantation (%)	39.5	14.7	19.4	1 / 5	1 / 9	
Percentage of elective single embryo transfers (eSET) (%)	0 / 18	0 / 14	0 / 11	0 / 1	0 / 2	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	16.7	2 / 16	25.0	0 / 2	0 / 4	0 / 1
Percentage of cycles resulting in singleton live births (%)	25.0	3 / 16	25.0	0 / 2	1 / 4	0 / 1
Percentage of cycles resulting in twin live births (%)	12.5	1 / 16	0.0	0 / 2	0 / 4	0 / 1
Percentage of cycles resulting in live births (%)	37.5	4 / 16	25.0	0 / 2	1 / 4	0 / 1
Percentage of cycles resulting in pregnancies (%)	41.7	5 / 16	30.0	1 / 2	1 / 4	1 / 1
Outcomes per Transfer						
Number of transfers	19	15	14	2	3	1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	4 / 19	2 / 15	5 / 14	0 / 2	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	6 / 19	3 / 15	5 / 14	0 / 2	1 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	3 / 19	1 / 15	0 / 14	0 / 2	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	9 / 19	4 / 15	5 / 14	0 / 2	1 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)	10 / 19	5 / 15	6 / 14	1 / 2	1 / 3	1 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	8	3	2	0	0	0
Number of transfers	7	3	2	0	0	0
Estimated average number of transfers per retrieval	7.0	3.0				
Average number of embryos transferred	1.6	1.0	2.0			
Percentage of embryos transferred resulting in implantation (%)	4 / 11	2 / 3	2 / 4			
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 7	1 / 3	0 / 2			
Percentage of transfers resulting in singleton live births (%)	2 / 7	2 / 3	0 / 2			
Percentage of transfers resulting in twin live births (%)	0 / 7	0 / 3	1 / 2			
Percentage of transfers resulting in live births (%)	2 / 7	2 / 3	1 / 2			
Percentage of transfers resulting in pregnancies (%)	4 / 7	2 / 3	1 / 2			
Number of Egg/Embryo Banking Cycles	0	1	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	3	1
Number of transfers	3	1
Average number of embryos transferred	2.3	3.0
Percentage of embryos transferred resulting in implantation (%)	1 / 7	2 / 3
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 3	1 / 1
Percentage of transfers resulting in live births (%)	0 / 3	1 / 1
Percentage of transfers resulting in pregnancies (%)	1 / 3	1 / 1

CURRENT SERVICES & PROFILE

Current Name: Delaware Valley OBGYN & Infertility Group, PC, Princeton IVF

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

EAST COAST INFERTILITY AND IVF
LITTLE SILVER, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Miguel Damien, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	60%
Unstimulated	0%	PGD/PGS	5%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	10%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	4%	Male factor	45%	Female factors only	9%
Diminished ovarian reserve	24%	Other factor	17%	Female & male factors	21%
Endometriosis	15%	Unknown factor	13%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 274 (includes 19 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	78	38	41	19	9	2
Percentage of cancellations before retrieval (%)	2.6	2.6	2.4	1 / 19	0 / 9	0 / 2
Average number of embryos transferred	1.9	1.9	2.2	2.6	3.0	2.5
Percentage of embryos transferred resulting in implantation (%)	48.0	40.0	14.3	9.8	0.0	0 / 5
Percentage of elective single embryo transfers (eSET) (%)	1.6	0.0	0.0	0 / 14	0 / 7	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	12.8	10.5	14.6	0 / 19	0 / 9	0 / 2
Percentage of cycles resulting in singleton live births (%)	20.5	18.4	17.1	0 / 19	0 / 9	0 / 2
Percentage of cycles resulting in twin live births (%)	21.8	15.8	0.0	1 / 19	0 / 9	0 / 2
Percentage of cycles resulting in live births (%)	42.3	34.2	17.1	1 / 19	0 / 9	0 / 2
Percentage of cycles resulting in pregnancies (%)	51.3	39.5	26.8	4 / 19	0 / 9	0 / 2
Outcomes per Transfer						
Number of transfers	68	29	32	17	9	2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	14.7	13.8	18.8	0 / 17	0 / 9	0 / 2
Percentage of transfers resulting in singleton live births (%)	23.5	24.1	21.9	0 / 17	0 / 9	0 / 2
Percentage of transfers resulting in twin live births (%)	25.0	20.7	0.0	1 / 17	0 / 9	0 / 2
Percentage of transfers resulting in live births (%)	48.5	44.8	21.9	1 / 17	0 / 9	0 / 2
Percentage of transfers resulting in pregnancies (%)	58.8	51.7	34.4	4 / 17	0 / 9	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	14	9	3	1	2	0
Number of transfers	14	8	3	0	2	0
Estimated average number of transfers per retrieval	0.9	0.9	0.6	0.0	2.0	0.0
Average number of embryos transferred	1.6	1.6	3.0		1.5	
Percentage of embryos transferred resulting in implantation (%)	65.0	7 / 13	3 / 9		1 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	4 / 14	2 / 8	1 / 3		1 / 2	
Percentage of transfers resulting in singleton live births (%)	6 / 14	2 / 8	1 / 3		1 / 2	
Percentage of transfers resulting in twin live births (%)	2 / 14	2 / 8	1 / 3		0 / 2	
Percentage of transfers resulting in live births (%)	8 / 14	4 / 8	2 / 3		1 / 2	
Percentage of transfers resulting in pregnancies (%)	12 / 14	5 / 8	2 / 3		1 / 2	
Number of Egg/Embryo Banking Cycles	6	6	3	2	1	2

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	8	11
Number of transfers	6	10
Average number of embryos transferred	1.8	2.1
Percentage of embryos transferred resulting in implantation (%)	8 / 8	57.1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 6	2 / 10
Percentage of transfers resulting in singleton live births (%)	1 / 6	4 / 10
Percentage of transfers resulting in twin live births (%)	3 / 6	3 / 10
Percentage of transfers resulting in live births (%)	4 / 6	7 / 10
Percentage of transfers resulting in pregnancies (%)	6 / 6	7 / 10

CURRENT SERVICES & PROFILE

Current Name: Damien Fertility Partners

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INSTITUTE FOR REPRODUCTIVE MEDICINE AND SCIENCE
SAINT BARNABAS MEDICAL CENTER
LIVINGSTON, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Margaret G. Garrisi, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	68%
Unstimulated	0%	PGD/PGS	3%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	14%	Uterine factor	6%	*Multiple Factors:*	
Ovulatory dysfunction	11%	Male factor	31%	Female factors only	11%
Diminished ovarian reserve	49%	Other factor	5%	Female & male factors	19%
Endometriosis	7%	Unknown factor	10%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 918 (includes 26 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	170	116	99	51	38	10
Percentage of cancellations before retrieval (%)	5.9	15.5	10.1	21.6	47.4	4 / 10
Average number of embryos transferred	1.4	1.5	1.8	2.4	1.9	2.3
Percentage of embryos transferred resulting in implantation (%)	44.6	34.4	14.9	11.5	4.0	0 / 14
Percentage of elective single embryo transfers (eSET) (%)	55.4	35.7	23.8	4.3	0 / 7	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	30.0	22.4	13.1	3.9	2.6	0 / 10
Percentage of cycles resulting in singleton live births (%)	34.7	25.0	15.2	5.9	2.6	0 / 10
Percentage of cycles resulting in twin live births (%)	5.3	4.3	1.0	2.0	0.0	0 / 10
Percentage of cycles resulting in live births (%)	40.0	29.3	17.2	7.8	2.6	0 / 10
Percentage of cycles resulting in pregnancies (%)	45.3	33.6	19.2	15.7	2.6	0 / 10
Outcomes per Transfer						
Number of transfers	148	88	80	32	13	6
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	34.5	29.5	16.3	6.3	1 / 13	0 / 6
Percentage of transfers resulting in singleton live births (%)	39.9	33.0	18.8	9.4	1 / 13	0 / 6
Percentage of transfers resulting in twin live births (%)	6.1	5.7	1.3	3.1	0 / 13	0 / 6
Percentage of transfers resulting in live births (%)	45.9	38.6	21.3	12.5	1 / 13	0 / 6
Percentage of transfers resulting in pregnancies (%)	52.0	44.3	23.8	25.0	1 / 13	0 / 6
Frozen Embryos from Nondonor Eggs						
Number of cycles	95	58	51	9	3	1
Number of transfers	93	55	49	8	2	1
Estimated average number of transfers per retrieval	1.1	1.0	0.9	0.7	0.4	
Average number of embryos transferred	1.1	1.1	1.2	1.3	1.0	2.0
Percentage of embryos transferred resulting in implantation (%)	50.0	42.4	44.8	5 / 10	0 / 2	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	37.6	23.6	36.7	4 / 8	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	43.0	29.1	38.8	5 / 8	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	1.1	5.5	4.1	0 / 8	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	44.1	34.5	42.9	5 / 8	0 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	54.8	43.6	49.0	5 / 8	0 / 2	0 / 1
Number of Egg/Embryo Banking Cycles	42	31	36	9	4	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	26	43
Number of transfers	25	42
Average number of embryos transferred	1.2	1.1
Percentage of embryos transferred resulting in implantation (%)	46.4	43.2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	28.0	33.3
Percentage of transfers resulting in singleton live births (%)	36.0	40.5
Percentage of transfers resulting in twin live births (%)	4.0	0.0
Percentage of transfers resulting in live births (%)	40.0	40.5
Percentage of transfers resulting in pregnancies (%)	52.0	50.0

CURRENT SERVICES & PROFILE

Current Name: Institute for Reproductive Medicine and Science, Saint Barnabas Medical Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COOPER INSTITUTE FOR REPRODUCTIVE HORMONAL DISORDERS
MARLTON, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Jerome H. Check, MD, PhD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	41%
Unstimulated	4%	PGD/PGS	0%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	16%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	7%	Male factor	35%	Female factors only	7%
Diminished ovarian reserve	43%	Other factor	4%	Female & male factors	12%
Endometriosis	3%	Unknown factor	10%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 747 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	135	87	122	72	56	33
Percentage of cancellations before retrieval (%)	7.4	11.5	18.0	20.8	33.9	33.3
Average number of embryos transferred	1.9	1.9	1.9	2.0	1.6	1.6
Percentage of embryos transferred resulting in implantation (%)	37.8	26.7	22.0	7.2	6.5	1 / 14
Percentage of elective single embryo transfers (eSET) (%)	7.3	7.3	5.5	0.0	0 / 7	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	23.0	14.9	9.8	2.8	1.8	0.0
Percentage of cycles resulting in singleton live births (%)	25.9	19.5	11.5	2.8	1.8	0.0
Percentage of cycles resulting in twin live births (%)	8.9	3.4	2.5	0.0	0.0	0.0
Percentage of cycles resulting in live births (%)	35.6	23.0	14.8	2.8	1.8	0.0
Percentage of cycles resulting in pregnancies (%)	40.7	29.9	19.7	12.5	3.6	3.0
Outcomes per Transfer						
Number of transfers	103	64	76	40	20	9
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	30.1	20.3	15.8	5.0	5.0	0 / 9
Percentage of transfers resulting in singleton live births (%)	34.0	26.6	18.4	5.0	5.0	0 / 9
Percentage of transfers resulting in twin live births (%)	11.7	4.7	3.9	0.0	0.0	0 / 9
Percentage of transfers resulting in live births (%)	46.6	31.3	23.7	5.0	5.0	0 / 9
Percentage of transfers resulting in pregnancies (%)	53.4	40.6	31.6	22.5	10.0	1 / 9
Frozen Embryos from Nondonor Eggs						
Number of cycles	60	41	25	18	3	3
Number of transfers	52	31	15	13	3	3
Estimated average number of transfers per retrieval	1.5	1.4	0.8	0.8	0.4	0.4
Average number of embryos transferred	2.0	2.0	1.9	2.3	1.7	1.7
Percentage of embryos transferred resulting in implantation (%)	27.9	34.9	21.4	13.3	0 / 5	0 / 5
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	30.8	38.7	4 / 15	0 / 13	0 / 3	0 / 3
Percentage of transfers resulting in singleton live births (%)	38.5	45.2	4 / 15	1 / 13	0 / 3	0 / 3
Percentage of transfers resulting in twin live births (%)	7.7	3.2	0 / 15	0 / 13	0 / 3	0 / 3
Percentage of transfers resulting in live births (%)	46.2	51.6	4 / 15	1 / 13	0 / 3	0 / 3
Percentage of transfers resulting in pregnancies (%)	46.2	51.6	4 / 15	3 / 13	0 / 3	0 / 3
Number of Egg/Embryo Banking Cycles	4	4	6	2	6	7

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	19	44
Number of transfers	13	38
Average number of embryos transferred	2.0	1.9
Percentage of embryos transferred resulting in implantation (%)	30.8	26.1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	6 / 13	13.2
Percentage of transfers resulting in singleton live births (%)	7 / 13	18.4
Percentage of transfers resulting in twin live births (%)	0 / 13	10.5
Percentage of transfers resulting in live births (%)	7 / 13	28.9
Percentage of transfers resulting in pregnancies (%)	8 / 13	36.8

CURRENT SERVICES & PROFILE

Current Name: Cooper Institute for Reproductive Hormonal Disorders

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DELAWARE VALLEY INSTITUTE OF FERTILITY AND GENETICS
MARLTON, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by George S. Taliadouros, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	33%
Unstimulated	0%	PGD/PGS	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	18%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	20%	Male factor	44%	Female factors only	5%
Diminished ovarian reserve	19%	Other factor	11%	Female & male factors	16%
Endometriosis	2%	Unknown factor	9%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 138 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	54	18	11	6	4	1
Percentage of cancellations before retrieval (%)	0.0	0 / 18	0 / 11	0 / 6	0 / 4	0 / 1
Average number of embryos transferred	2.1	2.2	2.6	3.3	4.8	5.0
Percentage of embryos transferred resulting in implantation (%)	44.9	42.9	17.2	20.0	0 / 19	0 / 5
Percentage of elective single embryo transfers (eSET) (%)	11.5	0 / 16	0 / 11	0 / 5	0 / 4	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	33.3	2 / 18	3 / 11	2 / 6	0 / 4	0 / 1
Percentage of cycles resulting in singleton live births (%)	37.0	5 / 18	3 / 11	2 / 6	0 / 4	0 / 1
Percentage of cycles resulting in twin live births (%)	13.0	3 / 18	0 / 11	0 / 6	0 / 4	0 / 1
Percentage of cycles resulting in live births (%)	50.0	9 / 18	3 / 11	2 / 6	0 / 4	0 / 1
Percentage of cycles resulting in pregnancies (%)	68.5	11 / 18	5 / 11	3 / 6	0 / 4	0 / 1
Outcomes per Transfer						
Number of transfers	52	17	11	6	4	1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	34.6	2 / 17	3 / 11	2 / 6	0 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	38.5	5 / 17	3 / 11	2 / 6	0 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	13.5	3 / 17	0 / 11	0 / 6	0 / 4	0 / 1
Percentage of transfers resulting in live births (%)	51.9	9 / 17	3 / 11	2 / 6	0 / 4	0 / 1
Percentage of transfers resulting in pregnancies (%)	71.2	11 / 17	5 / 11	3 / 6	0 / 4	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	13	6	3	0	1	0
Number of transfers	12	6	3	0	1	0
Estimated average number of transfers per retrieval	1.7	6.0				
Average number of embryos transferred	2.0	1.8	1.0		3.0	
Percentage of embryos transferred resulting in implantation (%)	4 / 19	4 / 10	3 / 3		0 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 12	2 / 6	2 / 3		0 / 1	
Percentage of transfers resulting in singleton live births (%)	2 / 12	2 / 6	2 / 3		0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 12	1 / 6	0 / 3		0 / 1	
Percentage of transfers resulting in live births (%)	2 / 12	3 / 6	2 / 3		0 / 1	
Percentage of transfers resulting in pregnancies (%)	6 / 12	4 / 6	3 / 3		0 / 1	
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	11	9
Number of transfers	11	8
Average number of embryos transferred	2.0	1.9
Percentage of embryos transferred resulting in implantation (%)	80.0	6 / 13
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	3 / 11	2 / 8
Percentage of transfers resulting in singleton live births (%)	4 / 11	2 / 8
Percentage of transfers resulting in twin live births (%)	5 / 11	1 / 8
Percentage of transfers resulting in live births (%)	9 / 11	3 / 8
Percentage of transfers resulting in pregnancies (%)	10 / 11	5 / 8

CURRENT SERVICES & PROFILE

Current Name: Delaware Valley Institute of Fertility and Genetics

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTH JERSEY FERTILITY CENTER
MARLTON, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Robert A. Skaf, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	57%
Unstimulated	0%	PGD/PGS	1%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	24%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	20%	Male factor	44%	Female factors only	18%
Diminished ovarian reserve	34%	Other factor	27%	Female & male factors	28%
Endometriosis	11%	Unknown factor	9%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 433 (includes 5 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	130	59	39	27	5	2
Percentage of cancellations before retrieval (%)	8.5	8.5	2.6	11.1	0 / 5	0 / 2
Average number of embryos transferred	1.6	2.0	2.3	3.6	4.3	4.0
Percentage of embryos transferred resulting in implantation (%)	51.4	25.3	15.3	13.3	1 / 13	0 / 8
Percentage of elective single embryo transfers (eSET) (%)	38.5	8.9	7.4	0.0	0 / 3	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	29.2	16.9	15.4	11.1	0 / 5	0 / 2
Percentage of cycles resulting in singleton live births (%)	34.6	22.0	15.4	11.1	1 / 5	0 / 2
Percentage of cycles resulting in twin live births (%)	12.3	6.8	2.6	7.4	0 / 5	0 / 2
Percentage of cycles resulting in live births (%)	47.7	28.8	17.9	18.5	1 / 5	0 / 2
Percentage of cycles resulting in pregnancies (%)	53.1	33.9	23.1	25.9	1 / 5	0 / 2
Outcomes per Transfer						
Number of transfers	110	46	31	21	3	2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	34.5	21.7	19.4	14.3	0 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	40.9	28.3	19.4	14.3	1 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	14.5	8.7	3.2	9.5	0 / 3	0 / 2
Percentage of transfers resulting in live births (%)	56.4	37.0	22.6	23.8	1 / 3	0 / 2
Percentage of transfers resulting in pregnancies (%)	62.7	43.5	29.0	33.3	1 / 3	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	71	23	12	5	2	0
Number of transfers	68	22	11	5	2	0
Estimated average number of transfers per retrieval	1.7	1.5	1.2	1.3	0.3	
Average number of embryos transferred	1.8	1.8	2.2	1.8	4.0	
Percentage of embryos transferred resulting in implantation (%)	44.3	48.4	12.5	2 / 9	1 / 8	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	32.4	22.7	1 / 11	1 / 5	0 / 2	
Percentage of transfers resulting in singleton live births (%)	38.2	22.7	2 / 11	2 / 5	0 / 2	
Percentage of transfers resulting in twin live births (%)	13.2	13.6	0 / 11	0 / 5	0 / 2	
Percentage of transfers resulting in live births (%)	51.5	36.4	2 / 11	2 / 5	0 / 2	
Percentage of transfers resulting in pregnancies (%)	60.3	59.1	3 / 11	2 / 5	1 / 2	
Number of Egg/Embryo Banking Cycles	9	2	0	3	2	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	12	25
Number of transfers	11	24
Average number of embryos transferred	1.5	1.7
Percentage of embryos transferred resulting in implantation (%)	8 / 17	28.2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	3 / 11	25.0
Percentage of transfers resulting in singleton live births (%)	4 / 11	37.5
Percentage of transfers resulting in twin live births (%)	2 / 11	0.0
Percentage of transfers resulting in live births (%)	6 / 11	37.5
Percentage of transfers resulting in pregnancies (%)	6 / 11	41.7

CURRENT SERVICES & PROFILE

Current Name: South Jersey Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DIAMOND INSTITUTE FOR INFERTILITY
MILLBURN, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Arie Birkenfeld, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	64%
Unstimulated	0%	PGD/PGS	<1%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	14%	Uterine factor	1%	*Multiple Factors:*	
Ovulatory dysfunction	11%	Male factor	24%	Female factors only	6%
Diminished ovarian reserve	61%	Other factor	<1%	Female & male factors	16%
Endometriosis	2%	Unknown factor	12%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 338 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	50	26	37	12	7	3
Percentage of cancellations before retrieval (%)	6.0	11.5	18.9	2 / 12	1 / 7	2 / 3
Average number of embryos transferred	1.8	2.0	2.0	2.1	2.8	2.0
Percentage of embryos transferred resulting in implantation (%)	39.5	32.5	28.6	4.8	0 / 14	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	15.8	5.0	8.3	0 / 8	0 / 5	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	28.0	15.4	10.8	0 / 12	0 / 7	0 / 3
Percentage of cycles resulting in singleton live births (%)	36.0	19.2	13.5	0 / 12	0 / 7	0 / 3
Percentage of cycles resulting in twin live births (%)	6.0	11.5	2.7	0 / 12	0 / 7	0 / 3
Percentage of cycles resulting in live births (%)	42.0	30.8	16.2	0 / 12	0 / 7	0 / 3
Percentage of cycles resulting in pregnancies (%)	50.0	34.6	37.8	1 / 12	0 / 7	0 / 3
Outcomes per Transfer						
Number of transfers	43	21	28	10	5	1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	32.6	19.0	14.3	0 / 10	0 / 5	0 / 1
Percentage of transfers resulting in singleton live births (%)	41.9	23.8	17.9	0 / 10	0 / 5	0 / 1
Percentage of transfers resulting in twin live births (%)	7.0	14.3	3.6	0 / 10	0 / 5	0 / 1
Percentage of transfers resulting in live births (%)	48.8	38.1	21.4	0 / 10	0 / 5	0 / 1
Percentage of transfers resulting in pregnancies (%)	58.1	42.9	50.0	1 / 10	0 / 5	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	44	24	17	5	3	1
Number of transfers	41	24	17	5	3	1
Estimated average number of transfers per retrieval	1.4	1.1	0.9	1.3	0.4	0.1
Average number of embryos transferred	1.6	1.8	1.4	1.0	1.7	1.0
Percentage of embryos transferred resulting in implantation (%)	42.6	45.0	50.0	2 / 5	2 / 5	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	22.0	50.0	5 / 17	2 / 5	1 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	22.0	50.0	5 / 17	2 / 5	1 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	4.9	8.3	2 / 17	0 / 5	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	31.7	58.3	7 / 17	2 / 5	1 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)	48.8	66.7	10 / 17	2 / 5	2 / 3	0 / 1
Number of Egg/Embryo Banking Cycles	18	12	12	4	7	10

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	14	31
Number of transfers	10	26
Average number of embryos transferred	1.5	1.6
Percentage of embryos transferred resulting in implantation (%)	9 / 15	44.7
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 10	7.7
Percentage of transfers resulting in singleton live births (%)	4 / 10	11.5
Percentage of transfers resulting in twin live births (%)	1 / 10	19.2
Percentage of transfers resulting in live births (%)	5 / 10	30.8
Percentage of transfers resulting in pregnancies (%)	7 / 10	50.0

CURRENT SERVICES & PROFILE

Current Name: Diamond Institute for Infertility

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

VALLEY HOSPITAL FERTILITY CENTER
PARAMUS, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Ali Nasseri, MD, PhD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	36%
Unstimulated	<1%	PGD/PGS	1%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	16%	Uterine factor	10%	*Multiple Factors:*	
Ovulatory dysfunction	13%	Male factor	28%	Female factors only	12%
Diminished ovarian reserve	32%	Other factor	7%	Female & male factors	10%
Endometriosis	7%	Unknown factor	12%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 463 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	79	32	33	13	16	3
Percentage of cancellations before retrieval (%)	6.3	9.4	24.2	2 / 13	6 / 16	1 / 3
Average number of embryos transferred	1.6	1.8	1.7	2.2	1.6	3.0
Percentage of embryos transferred resulting in implantation (%)	45.4	43.1	23.1	4.5	2 / 10	1 / 6
Percentage of elective single embryo transfers (eSET) (%)	37.1	8.3	2 / 19	0 / 9	0 / 4	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	25.3	15.6	15.2	0 / 13	1 / 16	1 / 3
Percentage of cycles resulting in singleton live births (%)	30.4	18.8	18.2	0 / 13	1 / 16	1 / 3
Percentage of cycles resulting in twin live births (%)	11.4	21.9	0.0	0 / 13	0 / 16	0 / 3
Percentage of cycles resulting in live births (%)	41.8	40.6	18.2	0 / 13	1 / 16	1 / 3
Percentage of cycles resulting in pregnancies (%)	44.3	46.9	27.3	1 / 13	3 / 16	1 / 3
Outcomes per Transfer						
Number of transfers	69	28	24	10	8	2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	29.0	17.9	20.8	0 / 10	1 / 8	1 / 2
Percentage of transfers resulting in singleton live births (%)	34.8	21.4	25.0	0 / 10	1 / 8	1 / 2
Percentage of transfers resulting in twin live births (%)	13.0	25.0	0.0	0 / 10	0 / 8	0 / 2
Percentage of transfers resulting in live births (%)	47.8	46.4	25.0	0 / 10	1 / 8	1 / 2
Percentage of transfers resulting in pregnancies (%)	50.7	53.6	37.5	1 / 10	3 / 8	1 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	59	37	30	11	3	2
Number of transfers	57	37	30	10	3	2
Estimated average number of transfers per retrieval	1.2	1.0	0.9	0.5	0.4	
Average number of embryos transferred	1.7	1.2	1.3	1.2	1.0	2.0
Percentage of embryos transferred resulting in implantation (%)	25.3	51.2	41.0	7 / 12	0 / 3	3 / 4
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	17.5	45.9	33.3	5 / 10	0 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	22.8	51.4	36.7	5 / 10	0 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	8.8	2.7	6.7	0 / 10	0 / 3	1 / 2
Percentage of transfers resulting in live births (%)	31.6	54.1	43.3	5 / 10	0 / 3	1 / 2
Percentage of transfers resulting in pregnancies (%)	33.3	62.2	50.0	7 / 10	0 / 3	2 / 2
Number of Egg/Embryo Banking Cycles	31	28	29	17	8	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	10	20
Number of transfers	10	20
Average number of embryos transferred	1.5	1.6
Percentage of embryos transferred resulting in implantation (%)	6 / 13	40.6
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 10	25.0
Percentage of transfers resulting in singleton live births (%)	2 / 10	35.0
Percentage of transfers resulting in twin live births (%)	1 / 10	10.0
Percentage of transfers resulting in live births (%)	3 / 10	45.0
Percentage of transfers resulting in pregnancies (%)	6 / 10	55.0

CURRENT SERVICES & PROFILE

Current Name: Valley Hospital Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

LOUIS R. MANARA, DO
VOORHEES, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Louis R. Manara, DO

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	44%
Unstimulated	0%	PGD/PGS	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	3%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	16%	Male factor	29%	Female factors only	4%
Diminished ovarian reserve	25%	Other factor	13%	Female & male factors	15%
Endometriosis	4%	Unknown factor	28%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 206 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	42	41	30	4	5	2
Percentage of cancellations before retrieval (%)	4.8	19.5	20.0	0 / 4	0 / 5	1 / 2
Average number of embryos transferred	1.5	1.8	1.9	2.3	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	34.3	26.3	17.1	1 / 7	0 / 8	0 / 1
Percentage of elective single embryo transfers (eSET) (%)	5 / 17	2 / 17	0 / 16	0 / 3	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	14.3	7.3	13.3	1 / 4	0 / 5	0 / 2
Percentage of cycles resulting in singleton live births (%)	19.0	7.3	16.7	1 / 4	0 / 5	0 / 2
Percentage of cycles resulting in twin live births (%)	4.8	7.3	0.0	0 / 4	0 / 5	0 / 2
Percentage of cycles resulting in live births (%)	23.8	14.6	16.7	1 / 4	0 / 5	0 / 2
Percentage of cycles resulting in pregnancies (%)	23.8	14.6	20.0	2 / 4	0 / 5	0 / 2
Outcomes per Transfer						
Number of transfers	23	21	18	4	4	1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	26.1	14.3	4 / 18	1 / 4	0 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	34.8	14.3	5 / 18	1 / 4	0 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	8.7	14.3	0 / 18	0 / 4	0 / 4	0 / 1
Percentage of transfers resulting in live births (%)	43.5	28.6	5 / 18	1 / 4	0 / 4	0 / 1
Percentage of transfers resulting in pregnancies (%)	43.5	28.6	6 / 18	2 / 4	0 / 4	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	34	15	12	1	0	0
Number of transfers	34	15	12	1	0	0
Estimated average number of transfers per retrieval	1.5	0.9	1.2	0.3		0.0
Average number of embryos transferred	1.2	1.7	1.4	2.0		
Percentage of embryos transferred resulting in implantation (%)	45.0	40.0	9 / 17	2 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	38.2	7 / 15	2 / 12	0 / 1		
Percentage of transfers resulting in singleton live births (%)	41.2	7 / 15	3 / 12	0 / 1		
Percentage of transfers resulting in twin live births (%)	0.0	1 / 15	3 / 12	0 / 1		
Percentage of transfers resulting in live births (%)	41.2	8 / 15	6 / 12	0 / 1		
Percentage of transfers resulting in pregnancies (%)	50.0	8 / 15	6 / 12	1 / 1		
Number of Egg/Embryo Banking Cycles	0	0	0	1	0	1

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	11	7
Number of transfers	10	6
Average number of embryos transferred	1.4	1.0
Percentage of embryos transferred resulting in implantation (%)	11 / 14	2 / 6
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	3 / 10	0 / 6
Percentage of transfers resulting in singleton live births (%)	5 / 10	0 / 6
Percentage of transfers resulting in twin live births (%)	2 / 10	0 / 6
Percentage of transfers resulting in live births (%)	7 / 10	0 / 6
Percentage of transfers resulting in pregnancies (%)	8 / 10	2 / 6

CURRENT SERVICES & PROFILE

Current Name: Louis R. Manara, DO

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

FERTILITY INSTITUTE OF NEW JERSEY AND NEW YORK
WESTWOOD, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Zalman Levine, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	83%
Unstimulated	0%	PGD/PGS	0%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	23%	Uterine factor	31%	*Multiple Factors:*	
Ovulatory dysfunction	38%	Male factor	51%	Female factors only	26%
Diminished ovarian reserve	53%	Other factor	16%	Female & male factors	46%
Endometriosis	7%	Unknown factor	1%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 272 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	53	27	33	18	10	3
Percentage of cancellations before retrieval (%)	1.9	3.7	9.1	3 / 18	1 / 10	1 / 3
Average number of embryos transferred	2.1	2.1	2.6	3.0	3.2	2.0
Percentage of embryos transferred resulting in implantation (%)	38.4	43.1	17.7	7.1	0 / 11	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	7.3	1 / 19	0.0	0 / 12	0 / 5	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	30.2	14.8	18.2	2 / 18	0 / 10	0 / 3
Percentage of cycles resulting in singleton live births (%)	32.1	25.9	18.2	2 / 18	0 / 10	0 / 3
Percentage of cycles resulting in twin live births (%)	11.3	18.5	3.0	0 / 18	0 / 10	0 / 3
Percentage of cycles resulting in live births (%)	43.4	44.4	21.2	2 / 18	0 / 10	0 / 3
Percentage of cycles resulting in pregnancies (%)	45.3	51.9	36.4	2 / 18	2 / 10	0 / 3
Outcomes per Transfer						
Number of transfers	43	24	26	14	6	1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	37.2	16.7	23.1	2 / 14	0 / 6	0 / 1
Percentage of transfers resulting in singleton live births (%)	39.5	29.2	23.1	2 / 14	0 / 6	0 / 1
Percentage of transfers resulting in twin live births (%)	14.0	20.8	3.8	0 / 14	0 / 6	0 / 1
Percentage of transfers resulting in live births (%)	53.5	50.0	26.9	2 / 14	0 / 6	0 / 1
Percentage of transfers resulting in pregnancies (%)	55.8	58.3	46.2	2 / 14	2 / 6	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	25	15	10	4	0	1
Number of transfers	23	13	10	4	0	1
Estimated average number of transfers per retrieval	0.9	1.1	0.8	0.3	0.0	
Average number of embryos transferred	1.8	2.0	2.1	1.5		3.0
Percentage of embryos transferred resulting in implantation (%)	21.1	41.7	28.6	3 / 6		0 / 3
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	13.0	6 / 13	2 / 10	0 / 4		0 / 1
Percentage of transfers resulting in singleton live births (%)	13.0	6 / 13	4 / 10	0 / 4		0 / 1
Percentage of transfers resulting in twin live births (%)	8.7	2 / 13	0 / 10	1 / 4		0 / 1
Percentage of transfers resulting in live births (%)	21.7	8 / 13	4 / 10	1 / 4		0 / 1
Percentage of transfers resulting in pregnancies (%)	34.8	9 / 13	5 / 10	2 / 4		0 / 1
Number of Egg/Embryo Banking Cycles	16	8	12	12	2	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	11	12
Number of transfers	11	12
Average number of embryos transferred	2.2	2.0
Percentage of embryos transferred resulting in implantation (%)	50.0	25.0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	3 / 11	2 / 12
Percentage of transfers resulting in singleton live births (%)	4 / 11	3 / 12
Percentage of transfers resulting in twin live births (%)	4 / 11	1 / 12
Percentage of transfers resulting in live births (%)	8 / 11	4 / 12
Percentage of transfers resulting in pregnancies (%)	8 / 11	5 / 12

CURRENT SERVICES & PROFILE

Current Name: Fertility Institute of New Jersey and New York

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE OF NEW MEXICO
ALBUQUERQUE, NEW MEXICO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Douglas J. Thompson, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	61%
Unstimulated	0%	PGD/PGS	11%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	12%	Uterine factor	25%	*Multiple Factors:*	
Ovulatory dysfunction	12%	Male factor	80%	Female factors only	4%
Diminished ovarian reserve	24%	Other factor	5%	Female & male factors	49%
Endometriosis	5%	Unknown factor	4%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 287 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	19	10	6	2	0	1
Percentage of cancellations before retrieval (%)	3 / 19	4 / 10	2 / 6	0 / 2		1 / 1
Average number of embryos transferred	1.8	2.0	2.3	2.5		
Percentage of embryos transferred resulting in implantation (%)	48.0	7 / 10	1 / 7	1 / 5		
Percentage of elective single embryo transfers (eSET) (%)	2 / 13	0 / 5	0 / 2	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	4 / 19	2 / 10	1 / 6	1 / 2		0 / 1
Percentage of cycles resulting in singleton live births (%)	5 / 19	2 / 10	1 / 6	1 / 2		0 / 1
Percentage of cycles resulting in twin live births (%)	2 / 19	2 / 10	0 / 6	0 / 2		0 / 1
Percentage of cycles resulting in live births (%)	8 / 19	4 / 10	1 / 6	1 / 2		0 / 1
Percentage of cycles resulting in pregnancies (%)	8 / 19	5 / 10	1 / 6	1 / 2		0 / 1
Outcomes per Transfer						
Number of transfers	14	5	3	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	4 / 14	2 / 5	1 / 3	1 / 2		
Percentage of transfers resulting in singleton live births (%)	5 / 14	2 / 5	1 / 3	1 / 2		
Percentage of transfers resulting in twin live births (%)	2 / 14	2 / 5	0 / 3	0 / 2		
Percentage of transfers resulting in live births (%)	8 / 14	4 / 5	1 / 3	1 / 2		
Percentage of transfers resulting in pregnancies (%)	8 / 14	5 / 5	1 / 3	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	57	27	26	3	0	1
Number of transfers	56	26	19	2	0	1
Estimated average number of transfers per retrieval	1.1	1.2	0.7	0.4	0.0	0.5
Average number of embryos transferred	1.6	1.5	1.3	1.5		2.0
Percentage of embryos transferred resulting in implantation (%)	38.8	37.8	22.7	1 / 3		0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	32.1	23.1	2 / 19	1 / 2		0 / 1
Percentage of transfers resulting in singleton live births (%)	35.7	38.5	4 / 19	1 / 2		0 / 1
Percentage of transfers resulting in twin live births (%)	10.7	7.7	0 / 19	0 / 2		0 / 1
Percentage of transfers resulting in live births (%)	46.4	46.2	4 / 19	1 / 2		0 / 1
Percentage of transfers resulting in pregnancies (%)	50.0	50.0	7 / 19	1 / 2		0 / 1
Number of Egg/Embryo Banking Cycles	42	21	27	5	5	2

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	7	26
Number of transfers	7	24
Average number of embryos transferred	1.6	1.8
Percentage of embryos transferred resulting in implantation (%)	7 / 11	34.1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	3 / 7	33.3
Percentage of transfers resulting in singleton live births (%)	4 / 7	50.0
Percentage of transfers resulting in twin live births (%)	1 / 7	0.0
Percentage of transfers resulting in live births (%)	5 / 7	50.0
Percentage of transfers resulting in pregnancies (%)	6 / 7	54.2

CURRENT SERVICES & PROFILE

Current Name: Center for Reproductive Medicine of New Mexico

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE FERTILITY INSTITUTE AT NEW YORK METHODIST HOSPITAL
BROOKLYN, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by George D. Kofinas, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	85%
Unstimulated	0%	PGD/PGS	<1%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	39%	Uterine factor	21%	*Multiple Factors:*	
Ovulatory dysfunction	7%	Male factor	12%	Female factors only	33%
Diminished ovarian reserve	28%	Other factor	9%	Female & male factors	9%
Endometriosis	40%	Unknown factor	<1%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 447 (includes 8 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	47	40	49	46	34	10
Percentage of cancellations before retrieval (%)	6.4	7.5	6.1	13.0	17.6	3 / 10
Average number of embryos transferred	1.9	2.4	2.9	2.9	3.3	3.0
Percentage of embryos transferred resulting in implantation (%)	43.1	20.2	19.7	15.2	7.1	0 / 12
Percentage of elective single embryo transfers (eSET) (%)	23.5	0.0	2.6	0.0	0.0	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	29.8	12.5	14.3	10.9	2.9	0 / 10
Percentage of cycles resulting in singleton live births (%)	31.9	17.5	14.3	10.9	2.9	0 / 10
Percentage of cycles resulting in twin live births (%)	10.6	10.0	8.2	0.0	0.0	0 / 10
Percentage of cycles resulting in live births (%)	42.6	27.5	22.4	10.9	2.9	0 / 10
Percentage of cycles resulting in pregnancies (%)	46.8	30.0	32.7	21.7	14.7	0 / 10
Outcomes per Transfer						
Number of transfers	38	35	41	32	26	4
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	36.8	14.3	17.1	15.6	3.8	0 / 4
Percentage of transfers resulting in singleton live births (%)	39.5	20.0	17.1	15.6	3.8	0 / 4
Percentage of transfers resulting in twin live births (%)	13.2	11.4	9.8	0.0	0.0	0 / 4
Percentage of transfers resulting in live births (%)	52.6	31.4	26.8	15.6	3.8	0 / 4
Percentage of transfers resulting in pregnancies (%)	57.9	34.3	39.0	31.3	19.2	0 / 4
Frozen Embryos from Nondonor Eggs						
Number of cycles	53	19	35	10	9	4
Number of transfers	52	19	35	8	9	4
Estimated average number of transfers per retrieval	1.5	1.1	1.3	0.8	0.8	0.5
Average number of embryos transferred	1.8	2.1	2.3	2.4	3.3	1.8
Percentage of embryos transferred resulting in implantation (%)	41.1	30.0	15.2	6 / 19	6.7	1 / 7
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	23.1	5 / 19	22.9	2 / 8	0 / 9	1 / 4
Percentage of transfers resulting in singleton live births (%)	28.8	5 / 19	28.6	2 / 8	1 / 9	1 / 4
Percentage of transfers resulting in twin live births (%)	13.5	2 / 19	2.9	1 / 8	0 / 9	0 / 4
Percentage of transfers resulting in live births (%)	44.2	8 / 19	31.4	3 / 8	1 / 9	1 / 4
Percentage of transfers resulting in pregnancies (%)	55.8	8 / 19	31.4	4 / 8	2 / 9	1 / 4
Number of Egg/Embryo Banking Cycles	22	9	11	6	4	5

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	10	16
Number of transfers	8	16
Average number of embryos transferred	1.9	1.9
Percentage of embryos transferred resulting in implantation (%)	4 / 15	26.7
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 8	3 / 16
Percentage of transfers resulting in singleton live births (%)	2 / 8	4 / 16
Percentage of transfers resulting in twin live births (%)	1 / 8	1 / 16
Percentage of transfers resulting in live births (%)	3 / 8	5 / 16
Percentage of transfers resulting in pregnancies (%)	3 / 8	6 / 16

CURRENT SERVICES & PROFILE

Current Name: The Fertility Institute at New York Methodist Hospital

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GENESIS FERTILITY & REPRODUCTIVE MEDICINE
BROOKLYN, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Richard V. Grazi, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	49%
Unstimulated	0%	PGD/PGS	6%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	19%	Uterine factor	<1%	*Multiple Factors:*	
Ovulatory dysfunction	13%	Male factor	57%	Female factors only	6%
Diminished ovarian reserve	25%	Other factor	18%	Female & male factors	32%
Endometriosis	1%	Unknown factor	8%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 609 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	117	58	46	30	35	7
Percentage of cancellations before retrieval (%)	8.5	22.4	17.4	36.7	14.3	1 / 7
Average number of embryos transferred	1.6	1.8	2.2	2.9	2.9	4.0
Percentage of embryos transferred resulting in implantation (%)	37.4	35.7	23.6	15.0	2.3	0 / 8
Percentage of elective single embryo transfers (eSET) (%)	33.8	14.7	16.1	0 / 6	0 / 13	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	19.7	24.1	19.6	6.7	0.0	0 / 7
Percentage of cycles resulting in singleton live births (%)	22.2	29.3	21.7	6.7	0.0	0 / 7
Percentage of cycles resulting in twin live births (%)	6.8	3.4	0.0	0.0	0.0	0 / 7
Percentage of cycles resulting in live births (%)	29.1	32.8	21.7	6.7	0.0	0 / 7
Percentage of cycles resulting in pregnancies (%)	38.5	37.9	32.6	6.7	2.9	0 / 7
Outcomes per Transfer						
Number of transfers	93	41	33	7	15	2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	24.7	34.1	27.3	2 / 7	0 / 15	0 / 2
Percentage of transfers resulting in singleton live births (%)	28.0	41.5	30.3	2 / 7	0 / 15	0 / 2
Percentage of transfers resulting in twin live births (%)	8.6	4.9	0.0	0 / 7	0 / 15	0 / 2
Percentage of transfers resulting in live births (%)	36.6	46.3	30.3	2 / 7	0 / 15	0 / 2
Percentage of transfers resulting in pregnancies (%)	48.4	53.7	45.5	2 / 7	1 / 15	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	90	37	24	9	9	6
Number of transfers	80	36	18	9	9	6
Estimated average number of transfers per retrieval	1.4	1.3	0.8	0.5	0.4	0.8
Average number of embryos transferred	1.5	1.8	1.7	2.1	1.8	2.2
Percentage of embryos transferred resulting in implantation (%)	46.2	29.2	26.7	3 / 19	3 / 16	0 / 13
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	30.0	27.8	3 / 18	1 / 9	2 / 9	0 / 6
Percentage of transfers resulting in singleton live births (%)	33.8	27.8	5 / 18	2 / 9	2 / 9	0 / 6
Percentage of transfers resulting in twin live births (%)	7.5	11.1	1 / 18	0 / 9	0 / 9	0 / 6
Percentage of transfers resulting in live births (%)	41.3	38.9	6 / 18	2 / 9	2 / 9	0 / 6
Percentage of transfers resulting in pregnancies (%)	56.3	41.7	7 / 18	3 / 9	2 / 9	0 / 6
Number of Egg/Embryo Banking Cycles	32	19	18	11	19	8

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	23	8
Number of transfers	20	7
Average number of embryos transferred	1.9	2.0
Percentage of embryos transferred resulting in implantation (%)	51.4	4 / 14
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	40.0	0 / 7
Percentage of transfers resulting in singleton live births (%)	45.0	0 / 7
Percentage of transfers resulting in twin live births (%)	15.0	1 / 7
Percentage of transfers resulting in live births (%)	60.0	1 / 7
Percentage of transfers resulting in pregnancies (%)	65.0	2 / 7

CURRENT SERVICES & PROFILE

Current Name: Genesis Fertility & Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INFERTILITY & IVF MEDICAL ASSOCIATES OF WESTERN NEW YORK
BUFFALO, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Adam M. Griffin, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	69%
Unstimulated	<1%	PGD/PGS	0%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	19%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	17%	Male factor	34%	Female factors only	7%
Diminished ovarian reserve	16%	Other factor	2%	Female & male factors	10%
Endometriosis	11%	Unknown factor	20%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 429 (includes 9 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	163	79	60	22	9	3
Percentage of cancellations before retrieval (%)	8.6	13.9	8.3	22.7	3 / 9	0 / 3
Average number of embryos transferred	2.0	2.1	2.8	2.9	3.8	2.3
Percentage of embryos transferred resulting in implantation (%)	35.7	26.9	14.3	5.0	8.7	0 / 7
Percentage of elective single embryo transfers (eSET) (%)	9.0	6.5	0.0	0 / 11	0 / 6	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	19.6	21.5	10.0	0.0	2 / 9	0 / 3
Percentage of cycles resulting in singleton live births (%)	25.2	29.1	11.7	4.5	2 / 9	0 / 3
Percentage of cycles resulting in twin live births (%)	13.5	3.8	6.7	0.0	0 / 9	0 / 3
Percentage of cycles resulting in live births (%)	39.9	32.9	18.3	4.5	2 / 9	0 / 3
Percentage of cycles resulting in pregnancies (%)	43.6	41.8	26.7	9.1	2 / 9	0 / 3
Outcomes per Transfer						
Number of transfers	138	64	51	14	6	3
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	23.2	26.6	11.8	0 / 14	2 / 6	0 / 3
Percentage of transfers resulting in singleton live births (%)	29.7	35.9	13.7	1 / 14	2 / 6	0 / 3
Percentage of transfers resulting in twin live births (%)	15.9	4.7	7.8	0 / 14	0 / 6	0 / 3
Percentage of transfers resulting in live births (%)	47.1	40.6	21.6	1 / 14	2 / 6	0 / 3
Percentage of transfers resulting in pregnancies (%)	51.4	51.6	31.4	2 / 14	2 / 6	0 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	45	12	5	0	0	0
Number of transfers	38	12	2	0	0	0
Estimated average number of transfers per retrieval	1.0	0.7	1.0	0.0		
Average number of embryos transferred	1.7	1.8	2.0			
Percentage of embryos transferred resulting in implantation (%)	38.3	14.3	0 / 4			
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	18.4	3 / 12	0 / 2			
Percentage of transfers resulting in singleton live births (%)	21.1	3 / 12	0 / 2			
Percentage of transfers resulting in twin live births (%)	13.2	0 / 12	0 / 2			
Percentage of transfers resulting in live births (%)	34.2	3 / 12	0 / 2			
Percentage of transfers resulting in pregnancies (%)	52.6	3 / 12	0 / 2			
Number of Egg/Embryo Banking Cycles	11	4	0	1	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	4	2
Number of transfers	3	2
Average number of embryos transferred	2.3	1.5
Percentage of embryos transferred resulting in implantation (%)	4 / 7	1 / 3
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 3	1 / 2
Percentage of transfers resulting in singleton live births (%)	2 / 3	1 / 2
Percentage of transfers resulting in twin live births (%)	1 / 3	0 / 2
Percentage of transfers resulting in live births (%)	3 / 3	1 / 2
Percentage of transfers resulting in pregnancies (%)	3 / 3	1 / 2

CURRENT SERVICES & PROFILE

Current Name: Infertility & IVF Medical Associates of Western New York

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HUDSON VALLEY FERTILITY, PLLC
FISHKILL, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Daniel W. Levine, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	92%
Unstimulated	0%	PGD/PGS	1%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	9%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	36%	Male factor	29%	Female factors only	11%
Diminished ovarian reserve	40%	Other factor	5%	Female & male factors	21%
Endometriosis	4%	Unknown factor	10%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 250 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	38	15	17	16	4	2
Percentage of cancellations before retrieval (%)	10.5	0 / 15	1 / 17	0 / 16	0 / 4	0 / 2
Average number of embryos transferred	1.9	2.6	2.8	2.3	2.3	3.0
Percentage of embryos transferred resulting in implantation (%)	28.3	5.6	7.1	2.7	0 / 6	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	18.8	0 / 13	0 / 15	0 / 14	0 / 3	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	15.8	1 / 15	1 / 17	1 / 16	0 / 4	0 / 2
Percentage of cycles resulting in singleton live births (%)	18.4	2 / 15	3 / 17	1 / 16	0 / 4	0 / 2
Percentage of cycles resulting in twin live births (%)	10.5	0 / 15	0 / 17	0 / 16	0 / 4	0 / 2
Percentage of cycles resulting in live births (%)	28.9	2 / 15	3 / 17	1 / 16	0 / 4	0 / 2
Percentage of cycles resulting in pregnancies (%)	31.6	2 / 15	3 / 17	1 / 16	1 / 4	0 / 2
Outcomes per Transfer						
Number of transfers	33	14	15	16	4	1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	18.2	1 / 14	1 / 15	1 / 16	0 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	21.2	2 / 14	3 / 15	1 / 16	0 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	12.1	0 / 14	0 / 15	0 / 16	0 / 4	0 / 1
Percentage of transfers resulting in live births (%)	33.3	2 / 14	3 / 15	1 / 16	0 / 4	0 / 1
Percentage of transfers resulting in pregnancies (%)	36.4	2 / 14	3 / 15	1 / 16	1 / 4	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	39	11	12	5	5	3
Number of transfers	36	11	12	3	5	2
Estimated average number of transfers per retrieval	0.8	0.5	0.5	0.5	0.7	0.7
Average number of embryos transferred	1.9	2.1	2.0	2.0	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	27.1	13.0	16.7	0 / 6	0 / 10	0 / 4
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	16.7	2 / 11	2 / 12	0 / 3	0 / 5	0 / 2
Percentage of transfers resulting in singleton live births (%)	19.4	3 / 11	3 / 12	0 / 3	0 / 5	0 / 2
Percentage of transfers resulting in twin live births (%)	11.1	0 / 11	0 / 12	0 / 3	0 / 5	0 / 2
Percentage of transfers resulting in live births (%)	30.6	3 / 11	3 / 12	0 / 3	0 / 5	0 / 2
Percentage of transfers resulting in pregnancies (%)	38.9	3 / 11	4 / 12	0 / 3	0 / 5	0 / 2
Number of Egg/Embryo Banking Cycles	25	15	22	6	7	2

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	1	3
Number of transfers	1	3
Average number of embryos transferred	1.0	1.7
Percentage of embryos transferred resulting in implantation (%)	2 / 1	2 / 5
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 1	1 / 3
Percentage of transfers resulting in singleton live births (%)	0 / 1	2 / 3
Percentage of transfers resulting in twin live births (%)	1 / 1	0 / 3
Percentage of transfers resulting in live births (%)	1 / 1	2 / 3
Percentage of transfers resulting in pregnancies (%)	1 / 1	2 / 3

CURRENT SERVICES & PROFILE

Current Name: Hudson Valley Fertility, PLLC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE NEW YORK FERTILITY CENTER
FLUSHING, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Tony Tsai, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	88%
Unstimulated	2%	PGD/PGS	5%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	10%	Uterine factor	8%	*Multiple Factors:*	
Ovulatory dysfunction	13%	Male factor	8%	Female factors only	0%
Diminished ovarian reserve	<1%	Other factor	7%	Female & male factors	<1%
Endometriosis	4%	Unknown factor	49%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 251 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	80	34	37	24	16	28
Percentage of cancellations before retrieval (%)	6.3	14.7	10.8	4.2	1 / 16	14.3
Average number of embryos transferred	3.2	3.3	3.3	3.0	3.1	2.2
Percentage of embryos transferred resulting in implantation (%)	16.0	6.7	11.5	3.6	2.9	0 / 18
Percentage of elective single embryo transfers (eSET) (%)	0.0	0.0	0.0	0 / 13	0 / 9	0 / 6
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	6.3	2.9	8.1	0.0	0 / 16	0.0
Percentage of cycles resulting in singleton live births (%)	11.3	5.9	8.1	4.2	0 / 16	0.0
Percentage of cycles resulting in twin live births (%)	3.8	2.9	2.7	0.0	0 / 16	0.0
Percentage of cycles resulting in live births (%)	15.0	8.8	10.8	4.2	0 / 16	0.0
Percentage of cycles resulting in pregnancies (%)	36.3	17.6	21.6	12.5	1 / 16	3.6
Outcomes per Transfer						
Number of transfers	65	26	26	19	11	12
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	7.7	3.8	11.5	0 / 19	0 / 11	0 / 12
Percentage of transfers resulting in singleton live births (%)	13.8	7.7	11.5	1 / 19	0 / 11	0 / 12
Percentage of transfers resulting in twin live births (%)	4.6	3.8	3.8	0 / 19	0 / 11	0 / 12
Percentage of transfers resulting in live births (%)	18.5	11.5	15.4	1 / 19	0 / 11	0 / 12
Percentage of transfers resulting in pregnancies (%)	44.6	23.1	30.8	3 / 19	1 / 11	1 / 12
Frozen Embryos from Nondonor Eggs						
Number of cycles	12	8	0	1	3	2
Number of transfers	11	8	0	1	3	2
Estimated average number of transfers per retrieval	1.6	1.1			0.8	0.7
Average number of embryos transferred	3.2	3.5		1.0	3.0	1.0
Percentage of embryos transferred resulting in implantation (%)	3.1	3.6		0 / 1	0 / 9	1 / 2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 11	0 / 8		0 / 1	0 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	0 / 11	0 / 8		0 / 1	0 / 3	1 / 2
Percentage of transfers resulting in twin live births (%)	0 / 11	0 / 8		0 / 1	0 / 3	0 / 2
Percentage of transfers resulting in live births (%)	0 / 11	0 / 8		0 / 1	0 / 3	1 / 2
Percentage of transfers resulting in pregnancies (%)	2 / 11	1 / 8		0 / 1	0 / 3	1 / 2
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	0	6
Number of transfers	0	6
Average number of embryos transferred		3.3
Percentage of embryos transferred resulting in implantation (%)		0.0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)		0 / 6
Percentage of transfers resulting in singleton live births (%)		0 / 6
Percentage of transfers resulting in twin live births (%)		0 / 6
Percentage of transfers resulting in live births (%)		0 / 6
Percentage of transfers resulting in pregnancies (%)		0 / 6

CURRENT SERVICES & PROFILE

Current Name: The New York Fertility Center

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MONTEFIORE'S INSTITUTE FOR REPRODUCTIVE MEDICINE AND HEALTH
HARTSDALE, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Harry J. Lieman, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	49%
Unstimulated	0%	PGD/PGS	1%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	32%	Uterine factor	12%	*Multiple Factors:*	
Ovulatory dysfunction	11%	Male factor	34%	Female factors only	27%
Diminished ovarian reserve	42%	Other factor	15%	Female & male factors	22%
Endometriosis	8%	Unknown factor	6%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 292 (includes 10 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	51	52	54	35	18	1
Percentage of cancellations before retrieval (%)	3.9	7.7	13.0	28.6	4 / 18	0 / 1
Average number of embryos transferred	1.7	1.8	2.1	2.7	2.3	1.0
Percentage of embryos transferred resulting in implantation (%)	22.5	24.6	16.0	12.8	0.0	0 / 1
Percentage of elective single embryo transfers (eSET) (%)	28.2	6.5	0.0	0 / 19	0 / 7	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	19.6	17.3	9.3	5.7	0 / 18	0 / 1
Percentage of cycles resulting in singleton live births (%)	25.5	21.2	13.0	5.7	0 / 18	0 / 1
Percentage of cycles resulting in twin live births (%)	2.0	3.8	3.7	2.9	0 / 18	0 / 1
Percentage of cycles resulting in live births (%)	27.5	25.0	16.7	8.6	0 / 18	0 / 1
Percentage of cycles resulting in pregnancies (%)	31.4	28.8	29.6	20.0	0 / 18	0 / 1
Outcomes per Transfer						
Number of transfers	43	39	41	20	10	1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	23.3	23.1	12.2	10.0	0 / 10	0 / 1
Percentage of transfers resulting in singleton live births (%)	30.2	28.2	17.1	10.0	0 / 10	0 / 1
Percentage of transfers resulting in twin live births (%)	2.3	5.1	4.9	5.0	0 / 10	0 / 1
Percentage of transfers resulting in live births (%)	32.6	33.3	22.0	15.0	0 / 10	0 / 1
Percentage of transfers resulting in pregnancies (%)	37.2	38.5	39.0	35.0	0 / 10	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	16	6	3	0	3	2
Number of transfers	15	5	3	0	2	2
Estimated average number of transfers per retrieval	0.7	1.3	0.4	0.0	0.2	
Average number of embryos transferred	1.5	2.2	3.0		1.5	2.5
Percentage of embryos transferred resulting in implantation (%)	45.5	5 / 11	1 / 9		0 / 3	0 / 5
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	6 / 15	3 / 5	1 / 3		0 / 2	0 / 2
Percentage of transfers resulting in singleton live births (%)	6 / 15	3 / 5	1 / 3		0 / 2	0 / 2
Percentage of transfers resulting in twin live births (%)	2 / 15	1 / 5	0 / 3		0 / 2	0 / 2
Percentage of transfers resulting in live births (%)	8 / 15	4 / 5	1 / 3		0 / 2	0 / 2
Percentage of transfers resulting in pregnancies (%)	9 / 15	4 / 5	1 / 3		0 / 2	0 / 2
Number of Egg/Embryo Banking Cycles	13	3	4	1	8	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	2	10
Number of transfers	2	8
Average number of embryos transferred	2.5	1.5
Percentage of embryos transferred resulting in implantation (%)	1 / 5	1 / 12
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 2	1 / 8
Percentage of transfers resulting in singleton live births (%)	1 / 2	1 / 8
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 8
Percentage of transfers resulting in live births (%)	1 / 2	1 / 8
Percentage of transfers resulting in pregnancies (%)	1 / 2	1 / 8

CURRENT SERVICES & PROFILE

Current Name: Montefiore's Institute for Reproductive Medicine and Health

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW YORK REPRODUCTIVE WELLNESS
JERICHO, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Gregory Zapantis, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	90%
Unstimulated	0%	PGD/PGS	1%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	18%	Uterine factor	<1%	*Multiple Factors:*	
Ovulatory dysfunction	10%	Male factor	40%	Female factors only	33%
Diminished ovarian reserve	44%	Other factor	58%	Female & male factors	37%
Endometriosis	9%	Unknown factor	3%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 164 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	15	23	25	11	0	5
Percentage of cancellations before retrieval (%)	0 / 15	4.3	4.0	1 / 11		2 / 5
Average number of embryos transferred	1.8	1.7	2.0	2.2		2.0
Percentage of embryos transferred resulting in implantation (%)	52.0	25.8	12.5	0 / 13		0 / 6
Percentage of elective single embryo transfers (eSET) (%)	3 / 14	4 / 17	0 / 14	0 / 4		0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	5 / 15	30.4	8.0	0 / 11		0 / 5
Percentage of cycles resulting in singleton live births (%)	5 / 15	30.4	12.0	0 / 11		0 / 5
Percentage of cycles resulting in twin live births (%)	3 / 15	0.0	0.0	0 / 11		0 / 5
Percentage of cycles resulting in live births (%)	8 / 15	30.4	12.0	0 / 11		0 / 5
Percentage of cycles resulting in pregnancies (%)	9 / 15	39.1	24.0	0 / 11		0 / 5
Outcomes per Transfer						
Number of transfers	14	19	18	6	0	3
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	5 / 14	7 / 19	2 / 18	0 / 6		0 / 3
Percentage of transfers resulting in singleton live births (%)	5 / 14	7 / 19	3 / 18	0 / 6		0 / 3
Percentage of transfers resulting in twin live births (%)	3 / 14	0 / 19	0 / 18	0 / 6		0 / 3
Percentage of transfers resulting in live births (%)	8 / 14	7 / 19	3 / 18	0 / 6		0 / 3
Percentage of transfers resulting in pregnancies (%)	9 / 14	9 / 19	6 / 18	0 / 6		0 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	15	10	12	3	3	0
Number of transfers	14	10	12	3	3	0
Estimated average number of transfers per retrieval	1.6	0.6	0.5	0.8	0.8	
Average number of embryos transferred	1.4	1.5	1.8	1.0	1.7	
Percentage of embryos transferred resulting in implantation (%)	45.0	7 / 15	40.0	1 / 3	0 / 5	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 14	1 / 10	5 / 12	0 / 3	0 / 3	
Percentage of transfers resulting in singleton live births (%)	7 / 14	2 / 10	6 / 12	0 / 3	0 / 3	
Percentage of transfers resulting in twin live births (%)	1 / 14	2 / 10	0 / 12	0 / 3	0 / 3	
Percentage of transfers resulting in live births (%)	8 / 14	4 / 10	6 / 12	0 / 3	0 / 3	
Percentage of transfers resulting in pregnancies (%)	8 / 14	5 / 10	8 / 12	1 / 3	0 / 3	
Number of Egg/Embryo Banking Cycles	8	10	14	3	4	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	2	1
Number of transfers	2	1
Average number of embryos transferred	1.5	1.0
Percentage of embryos transferred resulting in implantation (%)	1 / 3	1 / 1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 2	1 / 1
Percentage of transfers resulting in singleton live births (%)	1 / 2	1 / 1
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	1 / 2	1 / 1
Percentage of transfers resulting in pregnancies (%)	1 / 2	1 / 1

CURRENT SERVICES & PROFILE

Current Name: New York Reproductive Wellness

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ALBANY IVF FERTILITY
LOUDONVILLE, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Steven Bayer, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	42%
Unstimulated	0%	PGD/PGS	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	16%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	15%	Male factor	35%	Female factors only	13%
Diminished ovarian reserve	45%	Other factor	2%	Female & male factors	18%
Endometriosis	7%	Unknown factor	11%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 222 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	79	35	29	13	4	0
Percentage of cancellations before retrieval (%)	2.5	8.6	17.2	3 / 13	0 / 4	
Average number of embryos transferred	1.7	1.9	2.2	2.7	2.0	
Percentage of embryos transferred resulting in implantation (%)	40.0	26.3	12.2	1 / 19	1 / 8	
Percentage of elective single embryo transfers (eSET) (%)	18.6	7.7	0 / 15	0 / 6	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	26.6	31.4	13.8	1 / 13	1 / 4	
Percentage of cycles resulting in singleton live births (%)	27.8	31.4	13.8	1 / 13	1 / 4	
Percentage of cycles resulting in twin live births (%)	13.9	2.9	0.0	0 / 13	0 / 4	
Percentage of cycles resulting in live births (%)	41.8	34.3	13.8	1 / 13	1 / 4	
Percentage of cycles resulting in pregnancies (%)	43.0	37.1	20.7	1 / 13	1 / 4	
Outcomes per Transfer						
Number of transfers	71	30	20	7	4	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	29.6	36.7	20.0	1 / 7	1 / 4	
Percentage of transfers resulting in singleton live births (%)	31.0	36.7	20.0	1 / 7	1 / 4	
Percentage of transfers resulting in twin live births (%)	15.5	3.3	0.0	0 / 7	0 / 4	
Percentage of transfers resulting in live births (%)	46.5	40.0	20.0	1 / 7	1 / 4	
Percentage of transfers resulting in pregnancies (%)	47.9	43.3	30.0	1 / 7	1 / 4	
Frozen Embryos from Nondonor Eggs						
Number of cycles	32	8	2	2	0	0
Number of transfers	29	8	2	2	0	0
Estimated average number of transfers per retrieval	1.5	1.3	2.0	2.0		
Average number of embryos transferred	1.3	1.4	1.5	2.0		
Percentage of embryos transferred resulting in implantation (%)	18.4	3 / 11	1 / 3	0 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	13.8	1 / 8	1 / 2	0 / 2		
Percentage of transfers resulting in singleton live births (%)	17.2	1 / 8	1 / 2	0 / 2		
Percentage of transfers resulting in twin live births (%)	3.4	1 / 8	0 / 2	0 / 2		
Percentage of transfers resulting in live births (%)	20.7	2 / 8	1 / 2	0 / 2		
Percentage of transfers resulting in pregnancies (%)	24.1	2 / 8	1 / 2	0 / 2		
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	12	6
Number of transfers	11	6
Average number of embryos transferred	1.7	1.3
Percentage of embryos transferred resulting in implantation (%)	12 / 19	2 / 8
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 11	0 / 6
Percentage of transfers resulting in singleton live births (%)	2 / 11	0 / 6
Percentage of transfers resulting in twin live births (%)	4 / 11	0 / 6
Percentage of transfers resulting in live births (%)	6 / 11	0 / 6
Percentage of transfers resulting in pregnancies (%)	8 / 11	1 / 6

CURRENT SERVICES & PROFILE

Current Name: Albany IVF Fertility

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTH SHORE UNIVERSITY HOSPITAL
THE CENTER FOR HUMAN REPRODUCTION
MANHASSET, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Avner Hershlag, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	87%
Unstimulated	0%	PGD/PGS	2%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	9%	Uterine factor	1%	*Multiple Factors:*	
Ovulatory dysfunction	8%	Male factor	21%	Female factors only	4%
Diminished ovarian reserve	31%	Other factor	6%	Female & male factors	5%
Endometriosis	3%	Unknown factor	31%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 1,263 (includes 37 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	242	113	133	62	37	6
Percentage of cancellations before retrieval (%)	5.4	4.4	15.8	19.4	35.1	0 / 6
Average number of embryos transferred	1.4	1.9	2.3	2.7	2.9	3.2
Percentage of embryos transferred resulting in implantation (%)	31.6	29.7	16.7	4.0	4.3	0 / 16
Percentage of elective single embryo transfers (eSET) (%)	54.7	15.1	3.8	0.0	0 / 12	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	24.4	16.8	10.5	3.2	2.7	0 / 6
Percentage of cycles resulting in singleton live births (%)	27.7	21.2	12.8	3.2	5.4	0 / 6
Percentage of cycles resulting in twin live births (%)	3.3	8.0	3.0	0.0	0.0	0 / 6
Percentage of cycles resulting in live births (%)	31.0	29.2	15.8	3.2	5.4	0 / 6
Percentage of cycles resulting in pregnancies (%)	34.3	35.4	20.3	8.1	5.4	0 / 6
Outcomes per Transfer						
Number of transfers	197	93	91	38	16	5
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	29.9	20.4	15.4	5.3	1 / 16	0 / 5
Percentage of transfers resulting in singleton live births (%)	34.0	25.8	18.7	5.3	2 / 16	0 / 5
Percentage of transfers resulting in twin live births (%)	4.1	9.7	4.4	0.0	0 / 16	0 / 5
Percentage of transfers resulting in live births (%)	38.1	35.5	23.1	5.3	2 / 16	0 / 5
Percentage of transfers resulting in pregnancies (%)	42.1	43.0	29.7	13.2	2 / 16	0 / 5
Frozen Embryos from Nondonor Eggs						
Number of cycles	156	106	89	32	15	2
Number of transfers	153	106	84	32	15	2
Estimated average number of transfers per retrieval	1.2	1.4	1.2	0.7	1.0	1.0
Average number of embryos transferred	1.5	1.5	1.6	1.8	1.7	1.5
Percentage of embryos transferred resulting in implantation (%)	44.8	35.6	24.6	35.7	4.0	0 / 3
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	21.6	22.6	17.9	12.5	0 / 15	0 / 2
Percentage of transfers resulting in singleton live births (%)	28.8	27.4	26.2	21.9	1 / 15	0 / 2
Percentage of transfers resulting in twin live births (%)	12.4	7.5	1.2	12.5	0 / 15	0 / 2
Percentage of transfers resulting in live births (%)	41.8	34.9	27.4	34.4	1 / 15	0 / 2
Percentage of transfers resulting in pregnancies (%)	52.9	47.2	39.3	46.9	2 / 15	0 / 2
Number of Egg/Embryo Banking Cycles	44	43	52	31	10	2

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	17	34
Number of transfers	15	34
Average number of embryos transferred	1.5	1.7
Percentage of embryos transferred resulting in implantation (%)	33.3	28.1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	7 / 15	26.5
Percentage of transfers resulting in singleton live births (%)	7 / 15	38.2
Percentage of transfers resulting in twin live births (%)	0 / 15	2.9
Percentage of transfers resulting in live births (%)	7 / 15	41.2
Percentage of transfers resulting in pregnancies (%)	8 / 15	44.1

CURRENT SERVICES & PROFILE

Current Name: North Shore University Hospital, The Center for Human Reproduction

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

LONG ISLAND IVF
MELVILLE, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Daniel Kenigsberg, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	73%
Unstimulated	<1%	PGD/PGS	2%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	15%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	6%	Male factor	29%	Female factors only	3%
Diminished ovarian reserve	17%	Other factor	<1%	Female & male factors	6%
Endometriosis	5%	Unknown factor	34%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 1,214 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	221	127	127	99	61	14
Percentage of cancellations before retrieval (%)	3.2	5.5	12.6	14.1	14.8	3 / 14
Average number of embryos transferred	1.7	1.9	2.2	2.7	2.8	2.1
Percentage of embryos transferred resulting in implantation (%)	39.8	35.9	20.9	11.0	4.8	0 / 19
Percentage of elective single embryo transfers (eSET) (%)	23.8	12.9	5.4	1.5	2.4	0 / 5
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	22.6	18.9	16.5	11.1	3.3	0 / 14
Percentage of cycles resulting in singleton live births (%)	27.6	24.4	20.5	14.1	4.9	0 / 14
Percentage of cycles resulting in twin live births (%)	10.9	8.7	2.4	1.0	0.0	0 / 14
Percentage of cycles resulting in live births (%)	38.5	33.1	22.8	15.2	4.9	0 / 14
Percentage of cycles resulting in pregnancies (%)	48.0	50.4	33.9	22.2	11.5	0 / 14
Outcomes per Transfer						
Number of transfers	204	115	103	79	47	9
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	24.5	20.9	20.4	13.9	4.3	0 / 9
Percentage of transfers resulting in singleton live births (%)	29.9	27.0	25.2	17.7	6.4	0 / 9
Percentage of transfers resulting in twin live births (%)	11.8	9.6	2.9	1.3	0.0	0 / 9
Percentage of transfers resulting in live births (%)	41.7	36.5	28.2	19.0	6.4	0 / 9
Percentage of transfers resulting in pregnancies (%)	52.0	55.7	41.7	27.8	14.9	0 / 9
Frozen Embryos from Nondonor Eggs						
Number of cycles	144	84	85	35	29	23
Number of transfers	139	79	79	32	25	20
Estimated average number of transfers per retrieval	1.9	2.2	1.5	1.8	1.2	6.7
Average number of embryos transferred	1.8	1.7	1.9	2.4	2.2	1.5
Percentage of embryos transferred resulting in implantation (%)	24.9	19.0	19.3	13.0	14.8	20.7
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	25.2	22.8	19.0	15.6	12.0	10.0
Percentage of transfers resulting in singleton live births (%)	27.3	24.1	21.5	15.6	20.0	20.0
Percentage of transfers resulting in twin live births (%)	3.6	1.3	3.8	3.1	4.0	0.0
Percentage of transfers resulting in live births (%)	30.9	25.3	25.3	18.8	24.0	20.0
Percentage of transfers resulting in pregnancies (%)	39.6	30.4	31.6	25.0	32.0	30.0
Number of Egg/Embryo Banking Cycles	26	12	20	8	10	3

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	51	33
Number of transfers	48	33
Average number of embryos transferred	1.9	1.9
Percentage of embryos transferred resulting in implantation (%)	39.1	28.6
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	25.0	21.2
Percentage of transfers resulting in singleton live births (%)	27.1	27.3
Percentage of transfers resulting in twin live births (%)	10.4	9.1
Percentage of transfers resulting in live births (%)	37.5	36.4
Percentage of transfers resulting in pregnancies (%)	56.3	42.4

CURRENT SERVICES & PROFILE

Current Name: Long Island IVF

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE SPECIALISTS OF NEW YORK
MINEOLA, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by James Stelling, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	64%
Unstimulated	1%	PGD/PGS	4%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	18%	Uterine factor	8%	*Multiple Factors:*	
Ovulatory dysfunction	12%	Male factor	38%	Female factors only	14%
Diminished ovarian reserve	31%	Other factor	20%	Female & male factors	21%
Endometriosis	6%	Unknown factor	13%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 1,331 (includes 12 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	208	134	161	124	93	42
Percentage of cancellations before retrieval (%)	5.3	4.5	9.3	11.3	14.0	33.3
Average number of embryos transferred	1.6	1.9	2.0	2.3	2.7	1.9
Percentage of embryos transferred resulting in implantation (%)	35.8	30.7	18.8	7.8	2.9	0.0
Percentage of elective single embryo transfers (eSET) (%)	32.1	17.3	10.1	8.2	0.0	0 / 11
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	22.6	22.4	10.6	7.3	0.0	0.0
Percentage of cycles resulting in singleton live births (%)	27.9	23.9	14.3	7.3	1.1	0.0
Percentage of cycles resulting in twin live births (%)	7.7	6.7	3.1	0.8	1.1	0.0
Percentage of cycles resulting in live births (%)	35.6	30.6	18.0	8.1	2.2	0.0
Percentage of cycles resulting in pregnancies (%)	41.8	37.3	26.1	14.5	4.3	0.0
Outcomes per Transfer						
Number of transfers	171	105	130	81	66	17
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	27.5	28.6	13.1	11.1	0.0	0 / 17
Percentage of transfers resulting in singleton live births (%)	33.9	30.5	17.7	11.1	1.5	0 / 17
Percentage of transfers resulting in twin live births (%)	9.4	8.6	3.8	1.2	1.5	0 / 17
Percentage of transfers resulting in live births (%)	43.3	39.0	22.3	12.3	3.0	0 / 17
Percentage of transfers resulting in pregnancies (%)	50.9	47.6	32.3	22.2	6.1	0 / 17
Frozen Embryos from Nondonor Eggs						
Number of cycles	152	105	55	35	17	5
Number of transfers	146	102	53	33	17	4
Estimated average number of transfers per retrieval	1.4	1.5	0.8	0.8	0.8	0.7
Average number of embryos transferred	1.5	1.5	1.4	1.9	1.7	1.5
Percentage of embryos transferred resulting in implantation (%)	40.7	29.8	40.6	9.3	14.3	1 / 6
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	25.3	13.7	28.3	6.1	3 / 17	1 / 4
Percentage of transfers resulting in singleton live births (%)	29.5	20.6	30.2	9.1	4 / 17	1 / 4
Percentage of transfers resulting in twin live births (%)	8.9	6.9	5.7	3.0	0 / 17	0 / 4
Percentage of transfers resulting in live births (%)	38.4	27.5	35.8	12.1	4 / 17	1 / 4
Percentage of transfers resulting in pregnancies (%)	47.9	40.2	50.9	24.2	5 / 17	1 / 4
Number of Egg/Embryo Banking Cycles	44	31	32	19	16	6

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	20	20
Number of transfers	20	19
Average number of embryos transferred	1.6	1.3
Percentage of embryos transferred resulting in implantation (%)	44.8	39.1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	25.0	4 / 19
Percentage of transfers resulting in singleton live births (%)	35.0	5 / 19
Percentage of transfers resulting in twin live births (%)	10.0	1 / 19
Percentage of transfers resulting in live births (%)	45.0	6 / 19
Percentage of transfers resulting in pregnancies (%)	60.0	9 / 19

CURRENT SERVICES & PROFILE

Current Name: Reproductive Specialists of New York

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WESTCHESTER REPRODUCTIVE MEDICINE
MT. KISCO, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Rachel A. Bennett, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	54%
Unstimulated	0%	PGD/PGS	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	11%	Uterine factor	8%	*Multiple Factors:*	
Ovulatory dysfunction	8%	Male factor	42%	Female factors only	19%
Diminished ovarian reserve	47%	Other factor	11%	Female & male factors	31%
Endometriosis	17%	Unknown factor	14%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 38 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	7	8	2	3	5	3
Percentage of cancellations before retrieval (%)	2 / 7	1 / 8	0 / 2	2 / 3	1 / 5	0 / 3
Average number of embryos transferred	1.5	2.0	3.0	2.0	4.5	4.7
Percentage of embryos transferred resulting in implantation (%)	3 / 6	5 / 10	1 / 6	0 / 2	0 / 18	1 / 14
Percentage of elective single embryo transfers (eSET) (%)	2 / 4	1 / 5	0 / 2	0 / 1	0 / 4	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	3 / 7	1 / 8	1 / 2	0 / 3	0 / 5	0 / 3
Percentage of cycles resulting in singleton live births (%)	3 / 7	1 / 8	1 / 2	0 / 3	0 / 5	1 / 3
Percentage of cycles resulting in twin live births (%)	0 / 7	2 / 8	0 / 2	0 / 3	0 / 5	0 / 3
Percentage of cycles resulting in live births (%)	3 / 7	3 / 8	1 / 2	0 / 3	0 / 5	1 / 3
Percentage of cycles resulting in pregnancies (%)	3 / 7	3 / 8	1 / 2	0 / 3	0 / 5	1 / 3
Outcomes per Transfer						
Number of transfers	4	5	2	1	4	3
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	3 / 4	1 / 5	1 / 2	0 / 1	0 / 4	0 / 3
Percentage of transfers resulting in singleton live births (%)	3 / 4	1 / 5	1 / 2	0 / 1	0 / 4	1 / 3
Percentage of transfers resulting in twin live births (%)	0 / 4	2 / 5	0 / 2	0 / 1	0 / 4	0 / 3
Percentage of transfers resulting in live births (%)	3 / 4	3 / 5	1 / 2	0 / 1	0 / 4	1 / 3
Percentage of transfers resulting in pregnancies (%)	3 / 4	3 / 5	1 / 2	0 / 1	0 / 4	1 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	5	0	1	0	0
Number of transfers	2	4	0	1	0	0
Estimated average number of transfers per retrieval	0.7	1.0				
Average number of embryos transferred	1.0	1.5		2.0		
Percentage of embryos transferred resulting in implantation (%)	2 / 2	4 / 6		1 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 2	1 / 4		1 / 1		
Percentage of transfers resulting in singleton live births (%)	2 / 2	2 / 4		1 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 2	1 / 4		0 / 1		
Percentage of transfers resulting in live births (%)	2 / 2	3 / 4		1 / 1		
Percentage of transfers resulting in pregnancies (%)	2 / 2	3 / 4		1 / 1		
Number of Egg/Embryo Banking Cycles	0	2	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation (%)		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)		
Percentage of transfers resulting in singleton live births (%)		
Percentage of transfers resulting in twin live births (%)		
Percentage of transfers resulting in live births (%)		
Percentage of transfers resulting in pregnancies (%)		

CURRENT SERVICES & PROFILE

Current Name: Westchester Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY SERVICES
NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Hugh D. Melnick, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	90%
Unstimulated	<1%	PGD/PGS	3%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	24%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	5%	Male factor	12%	Female factors only	0%
Diminished ovarian reserve	29%	Other factor	9%	Female & male factors	<1%
Endometriosis	1%	Unknown factor	20%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 163 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	40	19	18	29	4	5
Percentage of cancellations before retrieval (%)	2.5	0 / 19	0 / 18	0.0	0 / 4	0 / 5
Average number of embryos transferred	1.8	2.0	1.9	2.2	2.0	3.0
Percentage of embryos transferred resulting in implantation (%)	26.9	18.8	26.1	10.2	0 / 8	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 13	1 / 9	0 / 16	0 / 3	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	12.5	2 / 19	2 / 18	6.9	0 / 4	0 / 5
Percentage of cycles resulting in singleton live births (%)	15.0	2 / 19	2 / 18	6.9	0 / 4	0 / 5
Percentage of cycles resulting in twin live births (%)	2.5	2 / 19	1 / 18	0.0	0 / 4	0 / 5
Percentage of cycles resulting in live births (%)	20.0	4 / 19	3 / 18	6.9	0 / 4	0 / 5
Percentage of cycles resulting in pregnancies (%)	27.5	5 / 19	5 / 18	13.8	0 / 4	0 / 5
Outcomes per Transfer						
Number of transfers	29	17	13	22	4	1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	17.2	2 / 17	2 / 13	9.1	0 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	20.7	2 / 17	2 / 13	9.1	0 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	3.4	2 / 17	1 / 13	0.0	0 / 4	0 / 1
Percentage of transfers resulting in live births (%)	27.6	4 / 17	3 / 13	9.1	0 / 4	0 / 1
Percentage of transfers resulting in pregnancies (%)	37.9	5 / 17	5 / 13	18.2	0 / 4	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	8	1	6	6	0	9
Number of transfers	8	1	6	6	0	6
Estimated average number of transfers per retrieval	0.8	0.3	2.0	0.5	0.0	1.2
Average number of embryos transferred	1.8	2.0	2.2	2.0		1.8
Percentage of embryos transferred resulting in implantation (%)	1 / 13	0 / 2	1 / 13	0 / 12		1 / 11
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 8	0 / 1	0 / 6	0 / 6		1 / 6
Percentage of transfers resulting in singleton live births (%)	1 / 8	0 / 1	0 / 6	0 / 6		1 / 6
Percentage of transfers resulting in twin live births (%)	0 / 8	0 / 1	0 / 6	0 / 6		0 / 6
Percentage of transfers resulting in live births (%)	1 / 8	0 / 1	0 / 6	0 / 6		1 / 6
Percentage of transfers resulting in pregnancies (%)	1 / 8	0 / 1	1 / 6	0 / 6		1 / 6
Number of Egg/Embryo Banking Cycles	1	2	3	1	4	5

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	2	0
Number of transfers	2	0
Average number of embryos transferred	2.0	
Percentage of embryos transferred resulting in implantation (%)	3 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 2	
Percentage of transfers resulting in singleton live births (%)	1 / 2	
Percentage of transfers resulting in twin live births (%)	1 / 2	
Percentage of transfers resulting in live births (%)	2 / 2	
Percentage of transfers resulting in pregnancies (%)	2 / 2	

CURRENT SERVICES & PROFILE

Current Name: Advanced Fertility Services

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

BROOKLYN/WESTSIDE FERTILITY CENTER
BROOKLYN FERTILITY CENTER
NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Dov B. Goldstein, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	64%
Unstimulated	0%	PGD/PGS	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	58%	Uterine factor	89%	*Multiple Factors:*	
Ovulatory dysfunction	50%	Male factor	69%	Female factors only	27%
Diminished ovarian reserve	27%	Other factor	0%	Female & male factors	69%
Endometriosis	0%	Unknown factor	0%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 27 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	4	5	1	0	4	0
Percentage of cancellations before retrieval (%)	0 / 4	0 / 5	0 / 1		0 / 4	
Average number of embryos transferred	2.0	2.0	3.0		2.0	
Percentage of embryos transferred resulting in implantation (%)	0 / 8	0 / 6	2 / 3		0 / 6	
Percentage of elective single embryo transfers (eSET) (%)	0 / 4	0 / 3	0 / 1		0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	0 / 4	0 / 5	0 / 1		0 / 4	
Percentage of cycles resulting in singleton live births (%)	0 / 4	0 / 5	0 / 1		0 / 4	
Percentage of cycles resulting in twin live births (%)	0 / 4	0 / 5	1 / 1		0 / 4	
Percentage of cycles resulting in live births (%)	0 / 4	0 / 5	1 / 1		0 / 4	
Percentage of cycles resulting in pregnancies (%)	0 / 4	0 / 5	1 / 1		0 / 4	
Outcomes per Transfer						
Number of transfers	4	3	1	0	3	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 4	0 / 3	0 / 1		0 / 3	
Percentage of transfers resulting in singleton live births (%)	0 / 4	0 / 3	0 / 1		0 / 3	
Percentage of transfers resulting in twin live births (%)	0 / 4	0 / 3	1 / 1		0 / 3	
Percentage of transfers resulting in live births (%)	0 / 4	0 / 3	1 / 1		0 / 3	
Percentage of transfers resulting in pregnancies (%)	0 / 4	0 / 3	1 / 1		0 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	2	0	0	0	0
Number of transfers	2	2	0	0	0	0
Estimated average number of transfers per retrieval	2.0	1.0			0.0	
Average number of embryos transferred	2.0	2.0				
Percentage of embryos transferred resulting in implantation (%)	0 / 4	1 / 4				
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 2	1 / 2				
Percentage of transfers resulting in singleton live births (%)	0 / 2	1 / 2				
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 2				
Percentage of transfers resulting in live births (%)	0 / 2	1 / 2				
Percentage of transfers resulting in pregnancies (%)	0 / 2	1 / 2				
Number of Egg/Embryo Banking Cycles	0	0	0	0	1	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	4	4
Number of transfers	4	4
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	1 / 8	0 / 8
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 4	0 / 4
Percentage of transfers resulting in singleton live births (%)	0 / 4	0 / 4
Percentage of transfers resulting in twin live births (%)	0 / 4	0 / 4
Percentage of transfers resulting in live births (%)	0 / 4	0 / 4
Percentage of transfers resulting in pregnancies (%)	1 / 4	0 / 4

CURRENT SERVICES & PROFILE

Current Name: Brooklyn/Westside Fertility Center, Brooklyn Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COLUMBIA UNIVERSITY CENTER FOR WOMEN'S REPRODUCTIVE CARE
NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Michael M. Guarnaccia, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	61%
Unstimulated	<1%	PGD/PGS	<1%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	8%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	9%	Male factor	38%	Female factors only	8%
Diminished ovarian reserve	55%	Other factor	11%	Female & male factors	22%
Endometriosis	3%	Unknown factor	6%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 1,611 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	203	225	244	161	118	29
Percentage of cancellations before retrieval (%)	9.9	11.1	14.3	23.6	33.1	24.1
Average number of embryos transferred	1.5	1.7	1.9	1.8	1.9	2.1
Percentage of embryos transferred resulting in implantation (%)	35.9	30.3	21.1	8.5	6.1	4.8
Percentage of elective single embryo transfers (eSET) (%)	35.2	15.9	3.6	2.2	3.7	0 / 5
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	20.2	16.9	9.8	3.1	2.5	3.4
Percentage of cycles resulting in singleton live births (%)	22.7	19.1	11.5	3.7	2.5	3.4
Percentage of cycles resulting in twin live births (%)	6.9	4.9	3.7	1.2	0.0	0.0
Percentage of cycles resulting in live births (%)	30.0	24.4	15.2	5.0	2.5	3.4
Percentage of cycles resulting in pregnancies (%)	35.5	30.7	22.1	9.9	5.9	3.4
Outcomes per Transfer						
Number of transfers	159	164	147	79	39	10
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	25.8	23.2	16.3	6.3	7.7	1 / 10
Percentage of transfers resulting in singleton live births (%)	28.9	26.2	19.0	7.6	7.7	1 / 10
Percentage of transfers resulting in twin live births (%)	8.8	6.7	6.1	2.5	0.0	0 / 10
Percentage of transfers resulting in live births (%)	38.4	33.5	25.2	10.1	7.7	1 / 10
Percentage of transfers resulting in pregnancies (%)	45.3	42.1	36.7	20.3	17.9	1 / 10
Frozen Embryos from Nondonor Eggs						
Number of cycles	79	69	67	15	15	8
Number of transfers	77	63	67	14	13	8
Estimated average number of transfers per retrieval	1.0	0.8	0.6	0.5	0.7	0.6
Average number of embryos transferred	1.5	1.4	1.8	1.6	1.5	1.8
Percentage of embryos transferred resulting in implantation (%)	35.2	36.5	29.5	6 / 19	5 / 17	5 / 14
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	32.5	30.2	20.9	3 / 14	3 / 13	1 / 8
Percentage of transfers resulting in singleton live births (%)	35.1	31.7	26.9	4 / 14	3 / 13	1 / 8
Percentage of transfers resulting in twin live births (%)	3.9	6.3	6.0	1 / 14	1 / 13	2 / 8
Percentage of transfers resulting in live births (%)	39.0	38.1	32.8	5 / 14	4 / 13	3 / 8
Percentage of transfers resulting in pregnancies (%)	48.1	42.9	55.2	6 / 14	6 / 13	3 / 8
Number of Egg/Embryo Banking Cycles	49	57	81	27	14	13

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	80	55
Number of transfers	68	46
Average number of embryos transferred	1.8	1.6
Percentage of embryos transferred resulting in implantation (%)	47.9	24.2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	29.4	4.3
Percentage of transfers resulting in singleton live births (%)	32.4	6.5
Percentage of transfers resulting in twin live births (%)	17.6	8.7
Percentage of transfers resulting in live births (%)	50.0	15.2
Percentage of transfers resulting in pregnancies (%)	64.7	37.0

CURRENT SERVICES & PROFILE

Current Name: Columbia University Center for Women's Reproductive Care

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

ANDREW LOUCOPOULOS, MD, PhD
NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Andrew Loucopoulos, MD, PhD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	21%
Unstimulated	0%	PGD/PGS	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	12%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	6%	Male factor	6%	Female factors only	0%
Diminished ovarian reserve	65%	Other factor	0%	Female & male factors	0%
Endometriosis	0%	Unknown factor	12%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 17 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	3	0	4	5	2	0
Percentage of cancellations before retrieval (%)	0 / 3		0 / 4	0 / 5	0 / 2	
Average number of embryos transferred	2.0			2.5		
Percentage of embryos transferred resulting in implantation (%)				0 / 7		
Percentage of elective single embryo transfers (eSET) (%)	0 / 1			0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	0 / 3		0 / 4	0 / 5	0 / 2	
Percentage of cycles resulting in singleton live births (%)	0 / 3		0 / 4	0 / 5	0 / 2	
Percentage of cycles resulting in twin live births (%)	0 / 3		0 / 4	0 / 5	0 / 2	
Percentage of cycles resulting in live births (%)	0 / 3		0 / 4	0 / 5	0 / 2	
Percentage of cycles resulting in pregnancies (%)	1 / 3		0 / 4	1 / 5	0 / 2	
Outcomes per Transfer						
Number of transfers	1	0	0	4	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 1			0 / 4		
Percentage of transfers resulting in singleton live births (%)	0 / 1			0 / 4		
Percentage of transfers resulting in twin live births (%)	0 / 1			0 / 4		
Percentage of transfers resulting in live births (%)	0 / 1			0 / 4		
Percentage of transfers resulting in pregnancies (%)	1 / 1			1 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	0	2	0	0	0
Number of transfers	1	0	2	0	0	0
Estimated average number of transfers per retrieval	1.0		1.0			
Average number of embryos transferred	2.0		1.5			
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 1		0 / 2			
Percentage of transfers resulting in singleton live births (%)	0 / 1		0 / 2			
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 2			
Percentage of transfers resulting in live births (%)	0 / 1		0 / 2			
Percentage of transfers resulting in pregnancies (%)	1 / 1		1 / 2			
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation (%)		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)		
Percentage of transfers resulting in singleton live births (%)		
Percentage of transfers resulting in twin live births (%)		
Percentage of transfers resulting in live births (%)		
Percentage of transfers resulting in pregnancies (%)		

CURRENT SERVICES & PROFILE

Current Name: Andrew Loucopoulos, MD, PhD

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MANHATTAN REPRODUCTIVE MEDICINE
NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Hanna Jesionowska, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	94%
Unstimulated	0%	PGD/PGS	0%
Used gestational carrier	3%		

Patient Diagnosis[b]

Tubal factor	54%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	2%	Male factor	53%	Female factors only	29%
Diminished ovarian reserve	63%	Other factor	9%	Female & male factors	42%
Endometriosis	9%	Unknown factor	2%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 64 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	14	8	6	7	0	0
Percentage of cancellations before retrieval (%)	0 / 14	0 / 8	0 / 6	1 / 7		
Average number of embryos transferred	2.0	1.9	2.2	2.7		
Percentage of embryos transferred resulting in implantation (%)	50.0	5 / 11	1 / 11	4 / 13		
Percentage of elective single embryo transfers (eSET) (%)	0 / 13	0 / 5	0 / 4	0 / 6		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	4 / 14	3 / 8	1 / 6	2 / 7		
Percentage of cycles resulting in singleton live births (%)	4 / 14	4 / 8	1 / 6	2 / 7		
Percentage of cycles resulting in twin live births (%)	2 / 14	0 / 8	0 / 6	0 / 7		
Percentage of cycles resulting in live births (%)	6 / 14	4 / 8	1 / 6	2 / 7		
Percentage of cycles resulting in pregnancies (%)	9 / 14	5 / 8	1 / 6	5 / 7		
Outcomes per Transfer						
Number of transfers	14	7	5	6	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	4 / 14	3 / 7	1 / 5	2 / 6		
Percentage of transfers resulting in singleton live births (%)	4 / 14	4 / 7	1 / 5	2 / 6		
Percentage of transfers resulting in twin live births (%)	2 / 14	0 / 7	0 / 5	0 / 6		
Percentage of transfers resulting in live births (%)	6 / 14	4 / 7	1 / 5	2 / 6		
Percentage of transfers resulting in pregnancies (%)	9 / 14	5 / 7	1 / 5	5 / 6		
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	0	1	1	0	2
Number of transfers	0	0	1	1	0	2
Estimated average number of transfers per retrieval	0.0	0.0		1.0		
Average number of embryos transferred			2.0	2.0		2.0
Percentage of embryos transferred resulting in implantation (%)			2 / 2	0 / 2		1 / 4
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)			0 / 1	0 / 1		1 / 2
Percentage of transfers resulting in singleton live births (%)			0 / 1	0 / 1		1 / 2
Percentage of transfers resulting in twin live births (%)			1 / 1	0 / 1		0 / 2
Percentage of transfers resulting in live births (%)			1 / 1	0 / 1		1 / 2
Percentage of transfers resulting in pregnancies (%)			1 / 1	0 / 1		1 / 2
Number of Egg/Embryo Banking Cycles	2	2	0	1	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	20	0
Number of transfers	20	0
Average number of embryos transferred	2.5	
Percentage of embryos transferred resulting in implantation (%)	32.6	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	35.0	
Percentage of transfers resulting in singleton live births (%)	40.0	
Percentage of transfers resulting in twin live births (%)	5.0	
Percentage of transfers resulting in live births (%)	50.0	
Percentage of transfers resulting in pregnancies (%)	65.0	

CURRENT SERVICES & PROFILE

Current Name: Manhattan Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MEDICAL OFFICES FOR HUMAN REPRODUCTION
CENTER FOR HUMAN REPRODUCTION (CHR)
NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Norbert Gleicher, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	78%
Unstimulated	<1%	PGD/PGS	9%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	8%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	4%	Male factor	21%	Female factors only	27%
Diminished ovarian reserve	87%	Other factor	23%	Female & male factors	20%
Endometriosis	10%	Unknown factor	<1%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 610 (includes 5 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	64	41	54	74	66	73
Percentage of cancellations before retrieval (%)	9.4	22.0	13.0	17.6	6.1	24.7
Average number of embryos transferred	1.8	1.8	2.0	2.6	3.1	2.6
Percentage of embryos transferred resulting in implantation (%)	28.6	21.2	14.1	4.4	2.3	0.0
Percentage of elective single embryo transfers (eSET) (%)	14.3	15.4	3.4	0.0	0.0	0.0
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	26.6	12.2	13.0	5.4	3.0	0.0
Percentage of cycles resulting in singleton live births (%)	29.7	12.2	13.0	5.4	3.0	0.0
Percentage of cycles resulting in twin live births (%)	3.1	7.3	1.9	0.0	0.0	0.0
Percentage of cycles resulting in live births (%)	32.8	19.5	14.8	5.4	3.0	0.0
Percentage of cycles resulting in pregnancies (%)	37.5	22.0	20.4	8.1	6.1	0.0
Outcomes per Transfer						
Number of transfers	52	30	42	52	55	40
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	32.7	16.7	16.7	7.7	3.6	0.0
Percentage of transfers resulting in singleton live births (%)	36.5	16.7	16.7	7.7	3.6	0.0
Percentage of transfers resulting in twin live births (%)	3.8	10.0	2.4	0.0	0.0	0.0
Percentage of transfers resulting in live births (%)	40.4	26.7	19.0	7.7	3.6	0.0
Percentage of transfers resulting in pregnancies (%)	46.2	30.0	26.2	11.5	7.3	0.0
Frozen Embryos from Nondonor Eggs						
Number of cycles	9	13	6	2	5	2
Number of transfers	9	13	6	2	5	2
Estimated average number of transfers per retrieval	0.8	0.8	0.9	0.2	0.2	0.2
Average number of embryos transferred	1.8	2.0	2.3	2.5	2.8	2.0
Percentage of embryos transferred resulting in implantation (%)	1 / 16	30.8	2 / 14	2 / 5	0 / 14	0 / 4
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 9	3 / 13	1 / 6	1 / 2	0 / 5	0 / 2
Percentage of transfers resulting in singleton live births (%)	1 / 9	3 / 13	1 / 6	1 / 2	0 / 5	0 / 2
Percentage of transfers resulting in twin live births (%)	0 / 9	1 / 13	0 / 6	0 / 2	0 / 5	0 / 2
Percentage of transfers resulting in live births (%)	1 / 9	4 / 13	1 / 6	1 / 2	0 / 5	0 / 2
Percentage of transfers resulting in pregnancies (%)	1 / 9	5 / 13	1 / 6	1 / 2	0 / 5	0 / 2
Number of Egg/Embryo Banking Cycles	7	12	6	8	16	10

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	63	74
Number of transfers	60	71
Average number of embryos transferred	1.8	1.8
Percentage of embryos transferred resulting in implantation (%)	45.8	18.0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	25.0	18.3
Percentage of transfers resulting in singleton live births (%)	35.0	22.5
Percentage of transfers resulting in twin live births (%)	20.0	2.8
Percentage of transfers resulting in live births (%)	55.0	25.4
Percentage of transfers resulting in pregnancies (%)	58.3	28.2

CURRENT SERVICES & PROFILE

Current Name: Medical Offices for Human Reproduction, Center for Human Reproduction (CHR)

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

METROPOLITAN REPRODUCTIVE MEDICINE, PC
NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Susan Lobel, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	38%
Unstimulated	0%	PGD/PGS	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	12%	Uterine factor	14%	*Multiple Factors:*	
Ovulatory dysfunction	16%	Male factor	44%	Female factors only	20%
Diminished ovarian reserve	16%	Other factor	4%	Female & male factors	18%
Endometriosis	16%	Unknown factor	20%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 52 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	13	8	2	7	5	2
Percentage of cancellations before retrieval (%)	1 / 13	1 / 8	0 / 2	3 / 7	0 / 5	0 / 2
Average number of embryos transferred	2.0	2.2	2.0	2.7	3.8	5.0
Percentage of embryos transferred resulting in implantation (%)	45.8	2 / 11	1 / 4	0 / 8	1 / 15	0 / 10
Percentage of elective single embryo transfers (eSET) (%)	2 / 12	0 / 5	0 / 2	0 / 3	0 / 4	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	3 / 13	2 / 8	1 / 2	0 / 7	0 / 5	0 / 2
Percentage of cycles resulting in singleton live births (%)	4 / 13	2 / 8	1 / 2	0 / 7	0 / 5	0 / 2
Percentage of cycles resulting in twin live births (%)	2 / 13	0 / 8	0 / 2	0 / 7	0 / 5	0 / 2
Percentage of cycles resulting in live births (%)	6 / 13	2 / 8	1 / 2	0 / 7	0 / 5	0 / 2
Percentage of cycles resulting in pregnancies (%)	8 / 13	2 / 8	1 / 2	0 / 7	1 / 5	0 / 2
Outcomes per Transfer						
Number of transfers	12	5	2	3	4	2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	3 / 12	2 / 5	1 / 2	0 / 3	0 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	4 / 12	2 / 5	1 / 2	0 / 3	0 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	2 / 12	0 / 5	0 / 2	0 / 3	0 / 4	0 / 2
Percentage of transfers resulting in live births (%)	6 / 12	2 / 5	1 / 2	0 / 3	0 / 4	0 / 2
Percentage of transfers resulting in pregnancies (%)	8 / 12	2 / 5	1 / 2	0 / 3	1 / 4	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	4	1	1	2	0
Number of transfers	1	4	1	1	2	0
Estimated average number of transfers per retrieval	1.0	2.0	1.0	0.5	0.7	
Average number of embryos transferred	2.0	2.0	2.0	3.0	2.5	
Percentage of embryos transferred resulting in implantation (%)	1 / 2	2 / 8	0 / 2		0 / 5	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 1	0 / 4	0 / 1	0 / 1	0 / 2	
Percentage of transfers resulting in singleton live births (%)	1 / 1	0 / 4	0 / 1	0 / 1	0 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 1	1 / 4	0 / 1	0 / 1	0 / 2	
Percentage of transfers resulting in live births (%)	1 / 1	1 / 4	0 / 1	0 / 1	0 / 2	
Percentage of transfers resulting in pregnancies (%)	1 / 1	1 / 4	0 / 1	1 / 1	0 / 2	
Number of Egg/Embryo Banking Cycles	0	0	0	0	2	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	2	2
Number of transfers	2	2
Average number of embryos transferred	1.5	1.5
Percentage of embryos transferred resulting in implantation (%)	1 / 3	1 / 1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 2	1 / 2
Percentage of transfers resulting in singleton live births (%)	1 / 2	1 / 2
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 2
Percentage of transfers resulting in live births (%)	1 / 2	1 / 2
Percentage of transfers resulting in pregnancies (%)	1 / 2	2 / 2

CURRENT SERVICES & PROFILE

Current Name: Metropolitan Reproductive Medicine, PC

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW HOPE FERTILITY CENTER-WEST SIDE
NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by John J. Zhang, MD, PhD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	52%
Unstimulated	31%	PGD/PGS	3%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	12%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	3%	Male factor	14%	Female factors only	11%
Diminished ovarian reserve	76%	Other factor	2%	Female & male factors	9%
Endometriosis	3%	Unknown factor	8%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 5,482 (includes 95 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	176	159	321	262	320	461
Percentage of cancellations before retrieval (%)	8.5	14.5	15.9	18.7	14.7	23.6
Average number of embryos transferred	1.3	1.3	1.4	1.5	1.4	1.5
Percentage of embryos transferred resulting in implantation (%)	35.3	23.7	22.5	6.6	5.1	4.5
Percentage of elective single embryo transfers (eSET) (%)	54.1	58.5	36.6	20.0	23.3	0.0
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	17.6	7.5	4.0	0.4	0.0	0.7
Percentage of cycles resulting in singleton live births (%)	19.3	9.4	4.7	0.8	0.0	0.7
Percentage of cycles resulting in twin live births (%)	1.7	0.0	0.6	0.0	0.3	0.2
Percentage of cycles resulting in live births (%)	21.0	9.4	5.3	0.8	0.3	0.9
Percentage of cycles resulting in pregnancies (%)	23.9	11.3	7.2	2.3	1.6	1.3
Outcomes per Transfer						
Number of transfers	95	59	74	44	57	78
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	32.6	20.3	17.6	2.3	0.0	3.8
Percentage of transfers resulting in singleton live births (%)	35.8	25.4	20.3	4.5	0.0	3.8
Percentage of transfers resulting in twin live births (%)	3.2	0.0	2.7	0.0	1.8	1.3
Percentage of transfers resulting in live births (%)	38.9	25.4	23.0	4.5	1.8	5.1
Percentage of transfers resulting in pregnancies (%)	44.2	30.5	31.1	13.6	8.8	7.7
Frozen Embryos from Nondonor Eggs						
Number of cycles	205	170	206	146	137	172
Number of transfers	203	167	201	142	135	169
Estimated average number of transfers per retrieval	0.7	0.5	0.3	0.3	0.3	0.3
Average number of embryos transferred	1.3	1.3	1.2	1.3	1.4	1.6
Percentage of embryos transferred resulting in implantation (%)	55.5	45.4	42.1	28.0	11.1	2.3
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	39.9	29.9	33.3	14.8	4.4	2.4
Percentage of transfers resulting in singleton live births (%)	45.3	34.1	37.8	19.7	5.2	2.4
Percentage of transfers resulting in twin live births (%)	7.4	4.2	0.5	0.7	0.0	0.0
Percentage of transfers resulting in live births (%)	52.7	38.3	38.3	20.4	5.2	2.4
Percentage of transfers resulting in pregnancies (%)	60.1	52.1	52.2	36.6	18.5	5.3
Number of Egg/Embryo Banking Cycles	216	293	506	428	457	558

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	19	175
Number of transfers	6	173
Average number of embryos transferred	1.2	1.2
Percentage of embryos transferred resulting in implantation (%)	3 / 7	57.3
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	3 / 6	28.9
Percentage of transfers resulting in singleton live births (%)	3 / 6	38.7
Percentage of transfers resulting in twin live births (%)	0 / 6	8.1
Percentage of transfers resulting in live births (%)	3 / 6	46.8
Percentage of transfers resulting in pregnancies (%)	3 / 6	56.6

CURRENT SERVICES & PROFILE

Current Name: New Hope Fertility Center-West Side

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW YORK FERTILITY INSTITUTE
NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Majid Fateh, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	97%
Unstimulated	0%	PGD/PGS	21%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	4%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	14%	Male factor	19%	Female factors only	3%
Diminished ovarian reserve	11%	Other factor	13%	Female & male factors	3%
Endometriosis	25%	Unknown factor	19%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 97 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	12	12	7	1	2	0
Percentage of cancellations before retrieval (%)	0 / 12	0 / 12	0 / 7	0 / 1	0 / 2	
Average number of embryos transferred	1.7	2.5	2.2	2.0	2.5	
Percentage of embryos transferred resulting in implantation (%)	2 / 17	3.8	1 / 13	0 / 2	0 / 5	
Percentage of elective single embryo transfers (eSET) (%)	4 / 10	1 / 11	0 / 5	0 / 1	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	1 / 12	0 / 12	1 / 7	0 / 1	0 / 2	
Percentage of cycles resulting in singleton live births (%)	1 / 12	0 / 12	1 / 7	0 / 1	0 / 2	
Percentage of cycles resulting in twin live births (%)	0 / 12	0 / 12	0 / 7	0 / 1	0 / 2	
Percentage of cycles resulting in live births (%)	1 / 12	0 / 12	1 / 7	0 / 1	0 / 2	
Percentage of cycles resulting in pregnancies (%)	2 / 12	2 / 12	1 / 7	0 / 1	0 / 2	
Outcomes per Transfer						
Number of transfers	10	12	6	1	2	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 10	0 / 12	1 / 6	0 / 1	0 / 2	
Percentage of transfers resulting in singleton live births (%)	1 / 10	0 / 12	1 / 6	0 / 1	0 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 10	0 / 12	0 / 6	0 / 1	0 / 2	
Percentage of transfers resulting in live births (%)	1 / 10	0 / 12	1 / 6	0 / 1	0 / 2	
Percentage of transfers resulting in pregnancies (%)	2 / 10	2 / 12	1 / 6	0 / 1	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	17	7	4	2	1	2
Number of transfers	17	6	4	2	1	2
Estimated average number of transfers per retrieval	1.3	0.6	1.3	0.2	0.2	
Average number of embryos transferred	1.5	1.5	1.0	2.5	2.0	1.5
Percentage of embryos transferred resulting in implantation (%)	4.0	3 / 9	1 / 4	0 / 5	0 / 2	0 / 3
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 17	2 / 6	0 / 4	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	1 / 17	2 / 6	0 / 4	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	0 / 17	0 / 6	0 / 4	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in live births (%)	1 / 17	2 / 6	0 / 4	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in pregnancies (%)	1 / 17	3 / 6	1 / 4	0 / 2	0 / 1	0 / 2
Number of Egg/Embryo Banking Cycles	3	5	3	7	6	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	1	4
Number of transfers	0	4
Average number of embryos transferred		2.3
Percentage of embryos transferred resulting in implantation (%)		1 / 9
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)		1 / 4
Percentage of transfers resulting in singleton live births (%)		1 / 4
Percentage of transfers resulting in twin live births (%)		0 / 4
Percentage of transfers resulting in live births (%)		1 / 4
Percentage of transfers resulting in pregnancies (%)		1 / 4

CURRENT SERVICES & PROFILE

Current Name: New York Fertility Institute

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW YORK FERTILITY SERVICES, PC
BATZOFIN FERTILITY SERVICES, PC
NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Joel Batzofin, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	88%
Unstimulated	2%	PGD/PGS	5%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	8%	Uterine factor	3%	*Multiple Factors:*	
Ovulatory dysfunction	11%	Male factor	10%	Female factors only	4%
Diminished ovarian reserve	37%	Other factor	31%	Female & male factors	3%
Endometriosis	3%	Unknown factor	5%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 171 (includes 9 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	16	8	14	14	1	3
Percentage of cancellations before retrieval (%)	1 / 16	0 / 8	0 / 14	1 / 14	0 / 1	0 / 3
Average number of embryos transferred	1.9	1.6	2.5	2.2	3.0	1.0
Percentage of embryos transferred resulting in implantation (%)	3 / 17	4 / 11	2 / 15	5.0	0 / 3	0 / 1
Percentage of elective single embryo transfers (eSET) (%)	0 / 6	3 / 6	0 / 5	2 / 8	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	0 / 16	0 / 8	0 / 14	0 / 14	0 / 1	0 / 3
Percentage of cycles resulting in singleton live births (%)	0 / 16	1 / 8	0 / 14	1 / 14	0 / 1	0 / 3
Percentage of cycles resulting in twin live births (%)	0 / 16	0 / 8	0 / 14	0 / 14	0 / 1	0 / 3
Percentage of cycles resulting in live births (%)	0 / 16	1 / 8	0 / 14	1 / 14	0 / 1	0 / 3
Percentage of cycles resulting in pregnancies (%)	3 / 16	3 / 8	2 / 14	1 / 14	0 / 1	0 / 3
Outcomes per Transfer						
Number of transfers	9	7	6	9	1	1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 9	0 / 7	0 / 6	0 / 9	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	0 / 9	1 / 7	0 / 6	1 / 9	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 9	0 / 7	0 / 6	0 / 9	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	0 / 9	1 / 7	0 / 6	1 / 9	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	3 / 9	3 / 7	2 / 6	1 / 9	0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	8	10	5	3	0
Number of transfers	7	8	9	5	3	0
Estimated average number of transfers per retrieval	0.6	0.6	0.5	0.4	0.8	0.0
Average number of embryos transferred	1.9	1.4	1.3	1.2	2.3	
Percentage of embryos transferred resulting in implantation (%)	2 / 13	4 / 11	3 / 12	1 / 6	0 / 7	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 7	1 / 8	0 / 9	1 / 5	0 / 3	
Percentage of transfers resulting in singleton live births (%)	2 / 7	2 / 8	0 / 9	1 / 5	0 / 3	
Percentage of transfers resulting in twin live births (%)	0 / 7	0 / 8	0 / 9	0 / 5	0 / 3	
Percentage of transfers resulting in live births (%)	2 / 7	2 / 8	0 / 9	1 / 5	0 / 3	
Percentage of transfers resulting in pregnancies (%)	2 / 7	4 / 8	3 / 9	1 / 5	0 / 3	
Number of Egg/Embryo Banking Cycles	7	11	16	10	3	3

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	4	19
Number of transfers	3	18
Average number of embryos transferred	1.7	1.8
Percentage of embryos transferred resulting in implantation (%)	4 / 5	9.4
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 3	1 / 18
Percentage of transfers resulting in singleton live births (%)	1 / 3	1 / 18
Percentage of transfers resulting in twin live births (%)	1 / 3	0 / 18
Percentage of transfers resulting in live births (%)	2 / 3	1 / 18
Percentage of transfers resulting in pregnancies (%)	3 / 3	3 / 18

CURRENT SERVICES & PROFILE

Current Name: New York Fertility Services, PC, Batzofin Fertility Services, PC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW YORK REPRODUCTIVE MEDICAL SERVICES, PC
NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Galina Karpenko, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	87%
Unstimulated	35%	PGD/PGS	11%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	3%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	6%	Male factor	12%	Female factors only	5%
Diminished ovarian reserve	42%	Other factor	<1%	Female & male factors	6%
Endometriosis	12%	Unknown factor	35%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 150 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	20	9	12	15	7	8
Percentage of cancellations before retrieval (%)	0.0	0 / 9	0 / 12	0 / 15	0 / 7	1 / 8
Average number of embryos transferred	1.7	1.8	1.9	1.7	2.7	2.3
Percentage of embryos transferred resulting in implantation (%)	20.0	3 / 16	2 / 17	13.6	1 / 19	0 / 14
Percentage of elective single embryo transfers (eSET) (%)	3 / 15	2 / 7	0 / 6	0 / 8	0 / 7	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	25.0	2 / 9	2 / 12	3 / 15	0 / 7	0 / 8
Percentage of cycles resulting in singleton live births (%)	25.0	2 / 9	2 / 12	3 / 15	0 / 7	0 / 8
Percentage of cycles resulting in twin live births (%)	0.0	0 / 9	0 / 12	0 / 15	0 / 7	0 / 8
Percentage of cycles resulting in live births (%)	25.0	2 / 9	2 / 12	3 / 15	0 / 7	0 / 8
Percentage of cycles resulting in pregnancies (%)	30.0	3 / 9	2 / 12	3 / 15	1 / 7	0 / 8
Outcomes per Transfer						
Number of transfers	18	9	9	13	7	6
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	5 / 18	2 / 9	2 / 9	3 / 13	0 / 7	0 / 6
Percentage of transfers resulting in singleton live births (%)	5 / 18	2 / 9	2 / 9	3 / 13	0 / 7	0 / 6
Percentage of transfers resulting in twin live births (%)	0 / 18	0 / 9	0 / 9	0 / 13	0 / 7	0 / 6
Percentage of transfers resulting in live births (%)	5 / 18	2 / 9	2 / 9	3 / 13	0 / 7	0 / 6
Percentage of transfers resulting in pregnancies (%)	6 / 18	3 / 9	2 / 9	3 / 13	1 / 7	0 / 6
Frozen Embryos from Nondonor Eggs						
Number of cycles	12	6	8	3	0	3
Number of transfers	12	5	7	2	0	3
Estimated average number of transfers per retrieval	2.0	0.8	0.5	0.2	0.0	1.0
Average number of embryos transferred	1.4	1.8	2.0	2.0		1.7
Percentage of embryos transferred resulting in implantation (%)	4 / 17	3 / 9	4 / 14	0 / 4		0 / 5
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	4 / 12	3 / 5	2 / 7	0 / 2		0 / 3
Percentage of transfers resulting in singleton live births (%)	4 / 12	3 / 5	2 / 7	0 / 2		0 / 3
Percentage of transfers resulting in twin live births (%)	0 / 12	0 / 5	0 / 7	0 / 2		0 / 3
Percentage of transfers resulting in live births (%)	4 / 12	3 / 5	2 / 7	0 / 2		0 / 3
Percentage of transfers resulting in pregnancies (%)	4 / 12	3 / 5	3 / 7	0 / 2		0 / 3
Number of Egg/Embryo Banking Cycles	2	4	13	11	5	3

Donor Eggs	**Fresh Embryos[f]**	**Frozen Embryos[f]**
Number of cycles	0	9
Number of transfers	0	9
Average number of embryos transferred		1.4
Percentage of embryos transferred resulting in implantation (%)		11 / 13
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)		5 / 9
Percentage of transfers resulting in singleton live births (%)		5 / 9
Percentage of transfers resulting in twin live births (%)		1 / 9
Percentage of transfers resulting in live births (%)		6 / 9
Percentage of transfers resulting in pregnancies (%)		8 / 9

CURRENT SERVICES & PROFILE

Current Name: New York Reproductive Medical Services, PC

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEWAY MEDICAL
NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Janelle Luk, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	69%
Unstimulated	14%	PGD/PGS	1%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	10%	Uterine factor	2%	*Multiple Factors:*	
Ovulatory dysfunction	20%	Male factor	12%	Female factors only	8%
Diminished ovarian reserve	55%	Other factor	6%	Female & male factors	8%
Endometriosis	3%	Unknown factor	9%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 387 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	59	28	40	24	22	15
Percentage of cancellations before retrieval (%)	3.4	3.6	7.5	8.3	13.6	4 / 15
Average number of embryos transferred	1.6	1.8	2.5	2.6	3.4	1.8
Percentage of embryos transferred resulting in implantation (%)	43.6	36.4	18.8	17.4	1 / 17	0 / 9
Percentage of elective single embryo transfers (eSET) (%)	37.5	1 / 11	0.0	0 / 7	0 / 4	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	23.7	14.3	10.0	8.3	0.0	0 / 15
Percentage of cycles resulting in singleton live births (%)	25.4	14.3	10.0	12.5	0.0	0 / 15
Percentage of cycles resulting in twin live births (%)	5.1	7.1	2.5	0.0	0.0	0 / 15
Percentage of cycles resulting in live births (%)	30.5	21.4	12.5	12.5	0.0	0 / 15
Percentage of cycles resulting in pregnancies (%)	33.9	21.4	22.5	12.5	4.5	0 / 15
Outcomes per Transfer						
Number of transfers	35	12	26	9	5	5
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	40.0	4 / 12	15.4	2 / 9	0 / 5	0 / 5
Percentage of transfers resulting in singleton live births (%)	42.9	4 / 12	15.4	3 / 9	0 / 5	0 / 5
Percentage of transfers resulting in twin live births (%)	8.6	2 / 12	3.8	0 / 9	0 / 5	0 / 5
Percentage of transfers resulting in live births (%)	51.4	6 / 12	19.2	3 / 9	0 / 5	0 / 5
Percentage of transfers resulting in pregnancies (%)	57.1	6 / 12	34.6	3 / 9	1 / 5	0 / 5
Frozen Embryos from Nondonor Eggs						
Number of cycles	35	11	16	7	3	0
Number of transfers	34	11	16	7	3	0
Estimated average number of transfers per retrieval	0.7	0.6	0.4	0.2	0.2	0.0
Average number of embryos transferred	1.4	1.9	1.4	1.6	2.0	
Percentage of embryos transferred resulting in implantation (%)	52.2	47.6	13.6	4 / 11	1 / 6	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	41.2	5 / 11	1 / 16	2 / 7	1 / 3	
Percentage of transfers resulting in singleton live births (%)	44.1	5 / 11	1 / 16	3 / 7	1 / 3	
Percentage of transfers resulting in twin live births (%)	2.9	1 / 11	0 / 16	0 / 7	0 / 3	
Percentage of transfers resulting in live births (%)	50.0	6 / 11	1 / 16	3 / 7	1 / 3	
Percentage of transfers resulting in pregnancies (%)	61.8	8 / 11	3 / 16	3 / 7	1 / 3	
Number of Egg/Embryo Banking Cycles	25	15	30	32	13	10

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	1	1
Number of transfers	1	1
Average number of embryos transferred	1.0	1.0
Percentage of embryos transferred resulting in implantation (%)	1 / 1	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	1 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	1 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	1 / 1	0 / 1

CURRENT SERVICES & PROFILE

Current Name: Neway Medical

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NYU FERTILITY CENTER
NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by James A. Grifo, MD, PhD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	28%
Unstimulated	<1%	PGD/PGS	2%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	6%	Uterine factor	7%	*Multiple Factors:*	
Ovulatory dysfunction	8%	Male factor	15%	Female factors only	18%
Diminished ovarian reserve	22%	Other factor	46%	Female & male factors	9%
Endometriosis	5%	Unknown factor	23%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 2,372 (includes 77 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	133	101	125	75	65	12
Percentage of cancellations before retrieval (%)	8.3	23.8	35.2	45.3	33.8	3 / 12
Average number of embryos transferred	1.3	1.4	1.8	2.1	2.5	3.6
Percentage of embryos transferred resulting in implantation (%)	42.0	47.8	33.0	9.7	6.4	1 / 18
Percentage of elective single embryo transfers (eSET) (%)	66.3	50.9	19.2	0.0	0.0	0 / 5
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	24.8	20.8	4.8	1.3	1.5	0 / 12
Percentage of cycles resulting in singleton live births (%)	31.6	22.8	10.4	1.3	1.5	0 / 12
Percentage of cycles resulting in twin live births (%)	3.0	5.0	4.0	0.0	0.0	0 / 12
Percentage of cycles resulting in live births (%)	34.6	27.7	14.4	1.3	1.5	0 / 12
Percentage of cycles resulting in pregnancies (%)	41.4	38.6	24.8	8.0	9.2	1 / 12
Outcomes per Transfer						
Number of transfers	107	67	63	31	32	5
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	30.8	31.3	9.5	3.2	3.1	0 / 5
Percentage of transfers resulting in singleton live births (%)	39.3	34.3	20.6	3.2	3.1	0 / 5
Percentage of transfers resulting in twin live births (%)	3.7	7.5	7.9	0.0	0.0	0 / 5
Percentage of transfers resulting in live births (%)	43.0	41.8	28.6	3.2	3.1	0 / 5
Percentage of transfers resulting in pregnancies (%)	51.4	58.2	49.2	19.4	18.8	1 / 5
Frozen Embryos from Nondonor Eggs						
Number of cycles	188	120	157	105	47	6
Number of transfers	171	110	138	91	39	6
Estimated average number of transfers per retrieval	0.8	0.4	0.5	0.5	0.5	0.2
Average number of embryos transferred	1.2	1.1	1.2	1.3	1.3	1.2
Percentage of embryos transferred resulting in implantation (%)	52.3	61.1	54.0	44.2	26.5	3 / 6
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	22.8	40.0	34.8	34.1	28.2	3 / 6
Percentage of transfers resulting in singleton live births (%)	39.2	46.4	44.9	41.8	30.8	3 / 6
Percentage of transfers resulting in twin live births (%)	2.9	2.7	1.4	1.1	0.0	0 / 6
Percentage of transfers resulting in live births (%)	42.1	49.1	46.4	42.9	30.8	3 / 6
Percentage of transfers resulting in pregnancies (%)	59.6	63.6	63.0	54.9	38.5	4 / 6
Number of Egg/Embryo Banking Cycles	187	269	283	179	79	34

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	29	101
Number of transfers	27	89
Average number of embryos transferred	1.3	1.2
Percentage of embryos transferred resulting in implantation (%)	54.3	50.0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	29.6	33.7
Percentage of transfers resulting in singleton live births (%)	44.4	42.7
Percentage of transfers resulting in twin live births (%)	3.7	4.5
Percentage of transfers resulting in live births (%)	48.1	47.2
Percentage of transfers resulting in pregnancies (%)	63.0	56.2

CURRENT SERVICES & PROFILE

Current Name: NYU Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

OFFICES FOR FERTILITY AND REPRODUCTIVE MEDICINE, PC
NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Cecilia Schmidt-Sarosi, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	92%
Unstimulated	0%	PGD/PGS	17%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	25%	Uterine factor	17%	*Multiple Factors:*	
Ovulatory dysfunction	32%	Male factor	62%	Female factors only	15%
Diminished ovarian reserve	53%	Other factor	21%	Female & male factors	62%
Endometriosis	8%	Unknown factor	0%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 131 (includes 16 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	2	1	3	4	1	1
Percentage of cancellations before retrieval (%)	0 / 2	0 / 1	0 / 3	0 / 4	0 / 1	1 / 1
Average number of embryos transferred	1.5	1.0	1.5	1.5		
Percentage of embryos transferred resulting in implantation (%)	3 / 3	1 / 1	1 / 3	1 / 6		
Percentage of elective single embryo transfers (eSET) (%)	0 / 1	1 / 1	0 / 1	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	1 / 2	1 / 1	1 / 3	0 / 4	0 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)	1 / 2	1 / 1	1 / 3	1 / 4	0 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)	1 / 2	0 / 1	0 / 3	0 / 4	0 / 1	0 / 1
Percentage of cycles resulting in live births (%)	2 / 2	1 / 1	1 / 3	1 / 4	0 / 1	0 / 1
Percentage of cycles resulting in pregnancies (%)	2 / 2	1 / 1	1 / 3	1 / 4	0 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	2	1	2	4	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 2	1 / 1	1 / 2	0 / 4		
Percentage of transfers resulting in singleton live births (%)	1 / 2	1 / 1	1 / 2	1 / 4		
Percentage of transfers resulting in twin live births (%)	1 / 2	0 / 1	0 / 2	0 / 4		
Percentage of transfers resulting in live births (%)	2 / 2	1 / 1	1 / 2	1 / 4		
Percentage of transfers resulting in pregnancies (%)	2 / 2	1 / 1	1 / 2	1 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	11	6	5	0	0
Number of transfers	6	11	6	5	0	0
Estimated average number of transfers per retrieval	0.5	0.8	0.3	0.5	0.0	0.0
Average number of embryos transferred	1.5	1.4	1.3	1.4		
Percentage of embryos transferred resulting in implantation (%)	2 / 9	4 / 15	2 / 8	2 / 7		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 6	4 / 11	1 / 6	2 / 5		
Percentage of transfers resulting in singleton live births (%)	1 / 6	4 / 11	1 / 6	2 / 5		
Percentage of transfers resulting in twin live births (%)	0 / 6	0 / 11	0 / 6	0 / 5		
Percentage of transfers resulting in live births (%)	1 / 6	4 / 11	1 / 6	2 / 5		
Percentage of transfers resulting in pregnancies (%)	2 / 6	4 / 11	2 / 6	2 / 5		
Number of Egg/Embryo Banking Cycles	13	13	21	9	5	1

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	3	10
Number of transfers	3	10
Average number of embryos transferred	1.3	1.6
Percentage of embryos transferred resulting in implantation (%)	1 / 4	6 / 16
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 3	3 / 10
Percentage of transfers resulting in singleton live births (%)	1 / 3	3 / 10
Percentage of transfers resulting in twin live births (%)	0 / 3	1 / 10
Percentage of transfers resulting in live births (%)	1 / 3	4 / 10
Percentage of transfers resulting in pregnancies (%)	1 / 3	4 / 10

CURRENT SERVICES & PROFILE

Current Name: Offices for Fertility and Reproductive Medicine, PC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF NEW YORK, LLP
NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Lawrence Grunfeld, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	54%
Unstimulated	0%	PGD/PGS	11%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	11%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	11%	Male factor	24%	Female factors only	6%
Diminished ovarian reserve	26%	Other factor	11%	Female & male factors	9%
Endometriosis	6%	Unknown factor	23%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 3,370 (includes 48 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	475	336	421	206	157	35
Percentage of cancellations before retrieval (%)	6.9	9.5	18.3	20.9	26.1	25.7
Average number of embryos transferred	1.6	1.7	1.7	2.1	2.1	2.1
Percentage of embryos transferred resulting in implantation (%)	48.7	38.2	29.0	17.6	6.5	9.1
Percentage of elective single embryo transfers (eSET) (%)	38.0	23.6	20.7	12.0	0.0	0 / 11
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	28.0	21.7	13.8	8.3	4.5	5.7
Percentage of cycles resulting in singleton live births (%)	32.0	28.3	16.6	10.7	5.1	8.6
Percentage of cycles resulting in twin live births (%)	11.4	7.4	5.0	2.4	0.0	0.0
Percentage of cycles resulting in live births (%)	43.6	35.7	21.6	13.1	5.1	8.6
Percentage of cycles resulting in pregnancies (%)	51.2	41.7	26.8	19.9	8.3	11.4
Outcomes per Transfer						
Number of transfers	398	271	273	114	77	18
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	33.4	26.9	21.2	14.9	9.1	2 / 18
Percentage of transfers resulting in singleton live births (%)	38.2	35.1	25.6	19.3	10.4	3 / 18
Percentage of transfers resulting in twin live births (%)	13.6	9.2	7.7	4.4	0.0	0 / 18
Percentage of transfers resulting in live births (%)	52.0	44.3	33.3	23.7	10.4	3 / 18
Percentage of transfers resulting in pregnancies (%)	61.1	51.7	41.4	36.0	16.9	4 / 18
Frozen Embryos from Nondonor Eggs						
Number of cycles	261	191	178	54	22	9
Number of transfers	239	176	155	41	21	6
Estimated average number of transfers per retrieval	1.0	0.7	0.5	0.4	0.4	0.4
Average number of embryos transferred	1.5	1.4	1.4	1.3	1.3	1.7
Percentage of embryos transferred resulting in implantation (%)	56.0	54.7	46.5	42.0	26.9	1 / 6
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	38.1	39.2	38.1	36.6	14.3	1 / 6
Percentage of transfers resulting in singleton live births (%)	42.7	44.9	42.6	46.3	28.6	1 / 6
Percentage of transfers resulting in twin live births (%)	14.2	10.2	4.5	2.4	0.0	0 / 6
Percentage of transfers resulting in live births (%)	56.9	55.1	47.1	48.8	28.6	1 / 6
Percentage of transfers resulting in pregnancies (%)	68.2	65.3	61.3	53.7	38.1	3 / 6
Number of Egg/Embryo Banking Cycles	133	203	226	87	45	14

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	172	97
Number of transfers	150	94
Average number of embryos transferred	1.6	1.4
Percentage of embryos transferred resulting in implantation (%)	61.2	45.0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	31.3	30.9
Percentage of transfers resulting in singleton live births (%)	42.7	36.2
Percentage of transfers resulting in twin live births (%)	20.7	9.6
Percentage of transfers resulting in live births (%)	63.3	45.7
Percentage of transfers resulting in pregnancies (%)	70.7	53.2

CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine Associates of New York, LLP

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GEOFFREY SHER, MD, PC
NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Drew V. Tortoriello, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	80%
Unstimulated	3%	PGD/PGS	5%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	6%	Uterine factor	<1%	*Multiple Factors:*	
Ovulatory dysfunction	2%	Male factor	11%	Female factors only	7%
Diminished ovarian reserve	57%	Other factor	5%	Female & male factors	4%
Endometriosis	6%	Unknown factor	25%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 1,186 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	115	104	109	91	82	34
Percentage of cancellations before retrieval (%)	6.1	11.5	15.6	12.1	22.0	32.4
Average number of embryos transferred	2.0	2.0	2.1	2.2	2.9	2.5
Percentage of embryos transferred resulting in implantation (%)	25.9	29.9	16.1	11.1	5.4	5.0
Percentage of elective single embryo transfers (eSET) (%)	12.8	6.8	8.9	0.0	0.0	0 / 5
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	14.8	17.3	7.3	4.4	3.7	0.0
Percentage of cycles resulting in singleton live births (%)	18.3	20.2	8.3	8.8	3.7	0.0
Percentage of cycles resulting in twin live births (%)	8.7	3.8	1.8	0.0	0.0	0.0
Percentage of cycles resulting in live births (%)	27.0	24.0	10.1	8.8	3.7	0.0
Percentage of cycles resulting in pregnancies (%)	29.6	32.7	14.7	11.0	7.3	2.9
Outcomes per Transfer						
Number of transfers	86	71	55	43	34	8
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	19.8	25.4	14.5	9.3	8.8	0 / 8
Percentage of transfers resulting in singleton live births (%)	24.4	29.6	16.4	18.6	8.8	0 / 8
Percentage of transfers resulting in twin live births (%)	11.6	5.6	3.6	0.0	0.0	0 / 8
Percentage of transfers resulting in live births (%)	36.0	35.2	20.0	18.6	8.8	0 / 8
Percentage of transfers resulting in pregnancies (%)	39.5	47.9	29.1	23.3	17.6	1 / 8
Frozen Embryos from Nondonor Eggs						
Number of cycles	92	58	42	12	20	8
Number of transfers	87	55	41	12	20	5
Estimated average number of transfers per retrieval	0.7	0.6	0.4	0.2	0.3	0.3
Average number of embryos transferred	1.8	1.6	1.6	1.8	2.1	2.0
Percentage of embryos transferred resulting in implantation (%)	28.2	35.2	30.3	38.1	14.6	0 / 10
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	24.1	30.9	29.3	3 / 12	20.0	0 / 5
Percentage of transfers resulting in singleton live births (%)	26.4	36.4	31.7	3 / 12	20.0	0 / 5
Percentage of transfers resulting in twin live births (%)	9.2	9.1	4.9	2 / 12	0.0	0 / 5
Percentage of transfers resulting in live births (%)	35.6	45.5	36.6	5 / 12	20.0	0 / 5
Percentage of transfers resulting in pregnancies (%)	39.1	47.3	41.5	6 / 12	25.0	0 / 5
Number of Egg/Embryo Banking Cycles	94	77	88	46	51	11

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	17	35
Number of transfers	15	35
Average number of embryos transferred	1.7	1.8
Percentage of embryos transferred resulting in implantation (%)	46.2	18.0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	4 / 15	11.4
Percentage of transfers resulting in singleton live births (%)	6 / 15	14.3
Percentage of transfers resulting in twin live births (%)	3 / 15	2.9
Percentage of transfers resulting in live births (%)	9 / 15	17.1
Percentage of transfers resulting in pregnancies (%)	9 / 15	28.6

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2014. Contact the NASS Help Desk for further information.

Current Name: Libera Medical, PLLC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WEILL MEDICAL COLLEGE OF CORNELL UNIVERSITY
CENTER FOR REPRODUCTIVE MEDICINE
NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Zev Rosenwaks, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	68%
Unstimulated	<1%	PGD/PGS	2%
Used gestational carrier	<1%		

Patient Diagnosis[b]

Tubal factor	16%	Uterine factor	6%	*Multiple Factors:*	
Ovulatory dysfunction	7%	Male factor	35%	Female factors only	18%
Diminished ovarian reserve	61%	Other factor	6%	Female & male factors	21%
Endometriosis	10%	Unknown factor	4%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 4,221 (includes 64 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	535	468	542	408	332	95
Percentage of cancellations before retrieval (%)	6.7	12.0	11.8	21.8	25.0	31.6
Average number of embryos transferred	1.7	2.1	2.5	3.0	3.4	3.4
Percentage of embryos transferred resulting in implantation (%)	39.6	27.9	16.9	8.8	4.5	2.9
Percentage of elective single embryo transfers (eSET) (%)	25.7	11.5	5.0	1.2	1.6	0.0
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	23.0	19.2	16.8	6.1	3.6	1.1
Percentage of cycles resulting in singleton live births (%)	28.0	23.3	21.8	7.6	3.9	2.1
Percentage of cycles resulting in twin live births (%)	9.3	7.9	3.5	1.7	0.0	0.0
Percentage of cycles resulting in live births (%)	37.4	31.4	25.3	9.6	3.9	2.1
Percentage of cycles resulting in pregnancies (%)	44.7	37.8	31.7	16.2	12.3	9.5
Outcomes per Transfer						
Number of transfers	453	394	445	285	223	56
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	27.2	22.8	20.4	8.8	5.4	1.8
Percentage of transfers resulting in singleton live births (%)	33.1	27.7	26.5	10.9	5.8	3.6
Percentage of transfers resulting in twin live births (%)	11.0	9.4	4.3	2.5	0.0	0.0
Percentage of transfers resulting in live births (%)	44.2	37.3	30.8	13.7	5.8	3.6
Percentage of transfers resulting in pregnancies (%)	52.8	44.9	38.7	23.2	18.4	16.1
Frozen Embryos from Nondonor Eggs						
Number of cycles	305	199	188	65	43	8
Number of transfers	269	174	166	64	38	7
Estimated average number of transfers per retrieval	1.0	0.7	0.6	0.5	0.3	0.5
Average number of embryos transferred	1.5	1.4	1.5	1.6	2.1	3.3
Percentage of embryos transferred resulting in implantation (%)	45.6	40.4	33.3	32.3	13.5	9.1
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	29.4	32.8	27.7	21.9	10.5	0 / 7
Percentage of transfers resulting in singleton live births (%)	36.1	35.6	33.7	29.7	13.2	0 / 7
Percentage of transfers resulting in twin live births (%)	10.8	7.5	3.6	0.0	2.6	1 / 7
Percentage of transfers resulting in live births (%)	46.8	43.1	37.3	29.7	15.8	1 / 7
Percentage of transfers resulting in pregnancies (%)	54.6	50.6	48.2	53.1	31.6	2 / 7
Number of Egg/Embryo Banking Cycles	172	181	221	106	89	13

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	105	82
Number of transfers	105	75
Average number of embryos transferred	1.8	1.5
Percentage of embryos transferred resulting in implantation (%)	58.2	43.3
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	34.3	29.3
Percentage of transfers resulting in singleton live births (%)	46.7	40.0
Percentage of transfers resulting in twin live births (%)	19.0	6.7
Percentage of transfers resulting in live births (%)	65.7	46.7
Percentage of transfers resulting in pregnancies (%)	76.2	58.7

CURRENT SERVICES & PROFILE

Current Name: Weill Medical College of Cornell University, Center for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ROCHESTER FERTILITY CARE, PC
ROCHESTER, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Rosalind A. Hayes, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	80%
Unstimulated	0%	PGD/PGS	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	16%	Uterine factor	0%	*Multiple Factors:*	
Ovulatory dysfunction	23%	Male factor	39%	Female factors only	17%
Diminished ovarian reserve	14%	Other factor	22%	Female & male factors	21%
Endometriosis	26%	Unknown factor	4%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 131 (includes 7 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	41	16	12	4	0	0
Percentage of cancellations before retrieval (%)	19.5	2 / 16	2 / 12	2 / 4		
Average number of embryos transferred	1.8	2.5	2.5	3.0		
Percentage of embryos transferred resulting in implantation (%)	26.8	16.7	30.0	1 / 6		
Percentage of elective single embryo transfers (eSET) (%)	20.0	0 / 11	0 / 6	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	19.5	3 / 16	3 / 12	0 / 4		
Percentage of cycles resulting in singleton live births (%)	24.4	5 / 16	4 / 12	0 / 4		
Percentage of cycles resulting in twin live births (%)	0.0	0 / 16	1 / 12	0 / 4		
Percentage of cycles resulting in live births (%)	24.4	5 / 16	5 / 12	0 / 4		
Percentage of cycles resulting in pregnancies (%)	26.8	5 / 16	5 / 12	1 / 4		
Outcomes per Transfer						
Number of transfers	23	12	8	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	34.8	3 / 12	3 / 8	0 / 2		
Percentage of transfers resulting in singleton live births (%)	43.5	5 / 12	4 / 8	0 / 2		
Percentage of transfers resulting in twin live births (%)	0.0	0 / 12	1 / 8	0 / 2		
Percentage of transfers resulting in live births (%)	43.5	5 / 12	5 / 8	0 / 2		
Percentage of transfers resulting in pregnancies (%)	47.8	5 / 12	5 / 8	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	28	7	2	1	2	0
Number of transfers	24	3	2	1	2	0
Estimated average number of transfers per retrieval	1.4	3.0	2.0			
Average number of embryos transferred	1.8	1.7	1.0	2.0	1.5	
Percentage of embryos transferred resulting in implantation (%)	27.9	0 / 5	1 / 2	0 / 2	1 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	20.8	0 / 3	1 / 2	0 / 1	0 / 2	
Percentage of transfers resulting in singleton live births (%)	25.0	0 / 3	1 / 2	0 / 1	0 / 2	
Percentage of transfers resulting in twin live births (%)	8.3	0 / 3	0 / 2	0 / 1	0 / 2	
Percentage of transfers resulting in live births (%)	33.3	0 / 3	1 / 2	0 / 1	0 / 2	
Percentage of transfers resulting in pregnancies (%)	37.5	0 / 3	1 / 2	0 / 1	1 / 2	
Number of Egg/Embryo Banking Cycles	1	0	1	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	2	7
Number of transfers	2	6
Average number of embryos transferred	2.0	1.5
Percentage of embryos transferred resulting in implantation (%)	1 / 4	1 / 9
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 2	1 / 6
Percentage of transfers resulting in singleton live births (%)	1 / 2	1 / 6
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 6
Percentage of transfers resulting in live births (%)	1 / 2	1 / 6
Percentage of transfers resulting in pregnancies (%)	1 / 2	1 / 6

CURRENT SERVICES & PROFILE

Current Name: Rochester Fertility Care, PC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

STRONG FERTILITY CENTER
ROCHESTER, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by John T. Queenan, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	80%
Unstimulated	0%	PGD/PGS	4%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	18%	Uterine factor	4%	*Multiple Factors:*	
Ovulatory dysfunction	7%	Male factor	38%	Female factors only	14%
Diminished ovarian reserve	22%	Other factor	13%	Female & male factors	16%
Endometriosis	13%	Unknown factor	16%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 348 (includes 33 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	81	46	27	6	3	0
Percentage of cancellations before retrieval (%)	4.9	10.9	18.5	0 / 6	0 / 3	
Average number of embryos transferred	1.9	2.1	2.5	4.8	4.3	
Percentage of embryos transferred resulting in implantation (%)	33.1	25.0	8.5	4.2	0 / 13	
Percentage of elective single embryo transfers (eSET) (%)	11.1	6.3	1 / 15	0 / 5	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	23.5	21.7	3.7	0 / 6	0 / 3	
Percentage of cycles resulting in singleton live births (%)	25.9	23.9	7.4	1 / 6	0 / 3	
Percentage of cycles resulting in twin live births (%)	8.6	6.5	3.7	0 / 6	0 / 3	
Percentage of cycles resulting in live births (%)	35.8	30.4	11.1	1 / 6	0 / 3	
Percentage of cycles resulting in pregnancies (%)	37.0	32.6	11.1	1 / 6	0 / 3	
Outcomes per Transfer						
Number of transfers	66	36	19	5	3	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	28.8	27.8	1 / 19	0 / 5	0 / 3	
Percentage of transfers resulting in singleton live births (%)	31.8	30.6	2 / 19	1 / 5	0 / 3	
Percentage of transfers resulting in twin live births (%)	10.6	8.3	1 / 19	0 / 5	0 / 3	
Percentage of transfers resulting in live births (%)	43.9	38.9	3 / 19	1 / 5	0 / 3	
Percentage of transfers resulting in pregnancies (%)	45.5	41.7	3 / 19	1 / 5	0 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	58	28	14	2	2	0
Number of transfers	51	27	12	2	2	0
Estimated average number of transfers per retrieval	1.3	1.8	1.2	0.5	2.0	
Average number of embryos transferred	1.7	1.8	1.8	3.0	3.5	
Percentage of embryos transferred resulting in implantation (%)	33.0	21.3	45.0	0 / 6	0 / 7	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	17.6	18.5	2 / 12	0 / 2	0 / 2	
Percentage of transfers resulting in singleton live births (%)	19.6	22.2	4 / 12	0 / 2	0 / 2	
Percentage of transfers resulting in twin live births (%)	11.8	0.0	0 / 12	0 / 2	0 / 2	
Percentage of transfers resulting in live births (%)	31.4	22.2	4 / 12	0 / 2	0 / 2	
Percentage of transfers resulting in pregnancies (%)	41.2	29.6	8 / 12	0 / 2	0 / 2	
Number of Egg/Embryo Banking Cycles	14	5	3	1	1	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	10	14
Number of transfers	9	14
Average number of embryos transferred	2.0	1.8
Percentage of embryos transferred resulting in implantation (%)	3 / 16	32.0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	2 / 9	3 / 14
Percentage of transfers resulting in singleton live births (%)	2 / 9	4 / 14
Percentage of transfers resulting in twin live births (%)	0 / 9	2 / 14
Percentage of transfers resulting in live births (%)	2 / 9	6 / 14
Percentage of transfers resulting in pregnancies (%)	4 / 9	6 / 14

CURRENT SERVICES & PROFILE

Current Name: Strong Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ISLAND REPRODUCTIVE SERVICES, PC
STATEN ISLAND, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Eric S. Knochenhauer, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	88%
Unstimulated	0%	PGD/PGS	35%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	27%	Uterine factor	12%	*Multiple Factors:*	
Ovulatory dysfunction	19%	Male factor	56%	Female factors only	16%
Diminished ovarian reserve	52%	Other factor	5%	Female & male factors	44%
Endometriosis	16%	Unknown factor	4%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 325 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	64	22	28	14	10	6
Percentage of cancellations before retrieval (%)	10.9	4.5	14.3	2 / 14	2 / 10	0 / 6
Average number of embryos transferred	1.6	1.8	2.1	3.0	2.0	2.4
Percentage of embryos transferred resulting in implantation (%)	51.8	43.2	14.6	12.1	5 / 14	0 / 12
Percentage of elective single embryo transfers (eSET) (%)	37.3	2 / 17	1 / 17	0 / 10	0 / 5	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	35.9	27.3	10.7	3 / 14	1 / 10	0 / 6
Percentage of cycles resulting in singleton live births (%)	37.5	40.9	14.3	4 / 14	1 / 10	0 / 6
Percentage of cycles resulting in twin live births (%)	6.3	4.5	0.0	0 / 14	1 / 10	0 / 6
Percentage of cycles resulting in live births (%)	43.8	45.5	14.3	4 / 14	2 / 10	0 / 6
Percentage of cycles resulting in pregnancies (%)	51.6	54.5	17.9	4 / 14	4 / 10	0 / 6
Outcomes per Transfer						
Number of transfers	55	21	20	11	7	5
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	41.8	28.6	15.0	3 / 11	1 / 7	0 / 5
Percentage of transfers resulting in singleton live births (%)	43.6	42.9	20.0	4 / 11	1 / 7	0 / 5
Percentage of transfers resulting in twin live births (%)	7.3	4.8	0.0	0 / 11	1 / 7	0 / 5
Percentage of transfers resulting in live births (%)	50.9	47.6	20.0	4 / 11	2 / 7	0 / 5
Percentage of transfers resulting in pregnancies (%)	60.0	57.1	25.0	4 / 11	4 / 7	0 / 5
Frozen Embryos from Nondonor Eggs						
Number of cycles	48	26	16	1	3	0
Number of transfers	46	24	16	1	3	0
Estimated average number of transfers per retrieval	1.2	2.0	1.1	0.3	1.0	0.0
Average number of embryos transferred	1.5	1.5	1.7	1.0	1.7	
Percentage of embryos transferred resulting in implantation (%)	40.0	40.0	25.9	0 / 1	2 / 5	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	34.8	33.3	4 / 16	0 / 1	1 / 3	
Percentage of transfers resulting in singleton live births (%)	37.0	33.3	5 / 16	0 / 1	1 / 3	
Percentage of transfers resulting in twin live births (%)	8.7	4.2	0 / 16	0 / 1	0 / 3	
Percentage of transfers resulting in live births (%)	45.7	37.5	5 / 16	0 / 1	1 / 3	
Percentage of transfers resulting in pregnancies (%)	54.3	50.0	6 / 16	0 / 1	2 / 3	
Number of Egg/Embryo Banking Cycles	21	10	7	2	2	2

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	16	24
Number of transfers	15	23
Average number of embryos transferred	1.7	1.7
Percentage of embryos transferred resulting in implantation (%)	42.3	15.4
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	3 / 15	13.0
Percentage of transfers resulting in singleton live births (%)	4 / 15	17.4
Percentage of transfers resulting in twin live births (%)	2 / 15	0.0
Percentage of transfers resulting in live births (%)	6 / 15	17.4
Percentage of transfers resulting in pregnancies (%)	8 / 15	26.1

CURRENT SERVICES & PROFILE

Current Name: Island Reproductive Services, PC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CNY FERTILITY CENTER
SYRACUSE, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Robert J. Kiltz, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	87%
Unstimulated	2%	PGD/PGS	3%
Used gestational carrier	2%		

Patient Diagnosis[b]

Tubal factor	20%	Uterine factor	11%	*Multiple Factors:*	
Ovulatory dysfunction	15%	Male factor	26%	Female factors only	22%
Diminished ovarian reserve	27%	Other factor	21%	Female & male factors	14%
Endometriosis	13%	Unknown factor	11%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 2,867 (includes 53 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	643	308	299	179	84	38
Percentage of cancellations before retrieval (%)	5.4	7.1	11.4	15.6	15.5	36.8
Average number of embryos transferred	1.7	1.9	2.1	2.3	1.9	2.5
Percentage of embryos transferred resulting in implantation (%)	37.7	25.6	17.7	10.6	1.0	3.8
Percentage of elective single embryo transfers (eSET) (%)	25.5	9.3	5.2	2.0	0.0	0 / 7
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	19.4	14.9	10.0	6.1	1.2	0.0
Percentage of cycles resulting in singleton live births (%)	25.5	20.5	13.4	7.3	1.2	0.0
Percentage of cycles resulting in twin live births (%)	10.6	5.8	3.3	1.7	0.0	0.0
Percentage of cycles resulting in live births (%)	36.2	26.3	17.1	9.5	1.2	0.0
Percentage of cycles resulting in pregnancies (%)	43.2	33.1	24.4	15.1	3.6	2.6
Outcomes per Transfer						
Number of transfers	556	260	229	127	56	11
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	22.5	17.7	13.1	8.7	1.8	0 / 11
Percentage of transfers resulting in singleton live births (%)	29.5	24.2	17.5	10.2	1.8	0 / 11
Percentage of transfers resulting in twin live births (%)	12.2	6.9	4.4	2.4	0.0	0 / 11
Percentage of transfers resulting in live births (%)	41.9	31.2	22.3	13.4	1.8	0 / 11
Percentage of transfers resulting in pregnancies (%)	50.0	39.2	31.9	21.3	5.4	1 / 11
Frozen Embryos from Nondonor Eggs						
Number of cycles	353	176	136	26	15	4
Number of transfers	326	162	127	21	15	3
Estimated average number of transfers per retrieval	1.4	1.3	1.2	0.6	0.8	0.1
Average number of embryos transferred	1.7	1.7	1.9	1.8	2.3	1.3
Percentage of embryos transferred resulting in implantation (%)	20.7	18.8	10.5	6.3	0.0	0 / 4
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	17.8	9.3	9.4	4.8	0 / 15	0 / 3
Percentage of transfers resulting in singleton live births (%)	22.7	12.3	11.8	9.5	0 / 15	0 / 3
Percentage of transfers resulting in twin live births (%)	4.0	4.9	2.4	0.0	0 / 15	0 / 3
Percentage of transfers resulting in live births (%)	26.7	17.3	14.2	9.5	0 / 15	0 / 3
Percentage of transfers resulting in pregnancies (%)	34.0	26.5	22.0	14.3	0 / 15	0 / 3
Number of Egg/Embryo Banking Cycles	77	36	39	16	11	17

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	175	182
Number of transfers	137	162
Average number of embryos transferred	1.9	1.7
Percentage of embryos transferred resulting in implantation (%)	30.0	12.5
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	19.0	8.0
Percentage of transfers resulting in singleton live births (%)	25.5	15.4
Percentage of transfers resulting in twin live births (%)	10.2	1.2
Percentage of transfers resulting in live births (%)	35.8	16.7
Percentage of transfers resulting in pregnancies (%)	44.5	22.8

CURRENT SERVICES & PROFILE

Current Name: CNY Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY IVF
SUNY UPSTATE MEDICAL UNIVERSITY
SYRACUSE, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Shawky Z. Badawy, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	83%
Unstimulated	0%	PGD/PGS	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	17%	Uterine factor	33%	*Multiple Factors:*	
Ovulatory dysfunction	0%	Male factor	50%	Female factors only	0%
Diminished ovarian reserve	0%	Other factor	0%	Female & male factors	33%
Endometriosis	0%	Unknown factor	33%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 6 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	4	0	1	1	0	0
Percentage of cancellations before retrieval (%)	1 / 4		0 / 1	0 / 1		
Average number of embryos transferred	3.3		2.0	2.0		
Percentage of embryos transferred resulting in implantation (%)	4 / 10		0 / 2	0 / 2		
Percentage of elective single embryo transfers (eSET) (%)	0 / 3		0 / 1	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	0 / 4		0 / 1	0 / 1		
Percentage of cycles resulting in singleton live births (%)	0 / 4		0 / 1	0 / 1		
Percentage of cycles resulting in twin live births (%)	2 / 4		0 / 1	0 / 1		
Percentage of cycles resulting in live births (%)	2 / 4		0 / 1	0 / 1		
Percentage of cycles resulting in pregnancies (%)	2 / 4		0 / 1	0 / 1		
Outcomes per Transfer						
Number of transfers	3	0	1	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 3		0 / 1	0 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 3		0 / 1	0 / 1		
Percentage of transfers resulting in twin live births (%)	2 / 3		0 / 1	0 / 1		
Percentage of transfers resulting in live births (%)	2 / 3		0 / 1	0 / 1		
Percentage of transfers resulting in pregnancies (%)	2 / 3		0 / 1	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	0	0	0	0	0
Number of transfers	0	0	0	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	0	0
Number of transfers	0	0
Average number of embryos transferred		
Percentage of embryos transferred resulting in implantation (%)		
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)		
Percentage of transfers resulting in singleton live births (%)		
Percentage of transfers resulting in twin live births (%)		
Percentage of transfers resulting in live births (%)		
Percentage of transfers resulting in pregnancies (%)		

CURRENT SERVICES & PROFILE

Current Name: University IVF, SUNY Upstate Medical University

Donor eggs?	No	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WESTCHESTER FERTILITY AND REPRODUCTIVE ENDOCRINOLOGY
WHITE PLAINS, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Michael B. Blotner, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	83%
Unstimulated	0%	PGD/PGS	8%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	42%	Uterine factor	22%	*Multiple Factors:*	
Ovulatory dysfunction	19%	Male factor	28%	Female factors only	29%
Diminished ovarian reserve	36%	Other factor	<1%	Female & male factors	15%
Endometriosis	2%	Unknown factor	7%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 157 (includes 5 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman <35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	31	22	11	13	9	4
Percentage of cancellations before retrieval (%)	9.7	9.1	2 / 11	2 / 13	2 / 9	1 / 4
Average number of embryos transferred	1.8	1.9	1.9	2.0	1.8	2.0
Percentage of embryos transferred resulting in implantation (%)	48.8	29.0	1 / 13	10.0	1 / 11	0 / 4
Percentage of elective single embryo transfers (eSET) (%)	18.2	1 / 13	2 / 6	0 / 9	0 / 4	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	25.8	18.2	0 / 11	1 / 13	0 / 9	0 / 4
Percentage of cycles resulting in singleton live births (%)	29.0	18.2	0 / 11	1 / 13	0 / 9	0 / 4
Percentage of cycles resulting in twin live births (%)	12.9	9.1	0 / 11	0 / 13	0 / 9	0 / 4
Percentage of cycles resulting in live births (%)	45.2	27.3	0 / 11	1 / 13	0 / 9	0 / 4
Percentage of cycles resulting in pregnancies (%)	48.4	31.8	1 / 11	3 / 13	1 / 9	0 / 4
Outcomes per Transfer						
Number of transfers	24	16	7	11	6	2
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	33.3	4 / 16	0 / 7	1 / 11	0 / 6	0 / 2
Percentage of transfers resulting in singleton live births (%)	37.5	4 / 16	0 / 7	1 / 11	0 / 6	0 / 2
Percentage of transfers resulting in twin live births (%)	16.7	2 / 16	0 / 7	0 / 11	0 / 6	0 / 2
Percentage of transfers resulting in live births (%)	58.3	6 / 16	0 / 7	1 / 11	0 / 6	0 / 2
Percentage of transfers resulting in pregnancies (%)	62.5	7 / 16	1 / 7	3 / 11	1 / 6	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	18	5	10	2	2	1
Number of transfers	15	5	9	1	1	1
Estimated average number of transfers per retrieval	1.1	0.8	1.3	0.5	0.3	
Average number of embryos transferred	1.5	1.6	1.7	2.0	1.0	3.0
Percentage of embryos transferred resulting in implantation (%)	13.0	3 / 8	4 / 15	0 / 2	0 / 1	0 / 3
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	1 / 15	1 / 5	1 / 9	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	1 / 15	1 / 5	1 / 9	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 15	0 / 5	1 / 9	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	2 / 15	1 / 5	2 / 9	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	2 / 15	3 / 5	3 / 9	0 / 1	0 / 1	0 / 1
Number of Egg/Embryo Banking Cycles	5	2	2	1	2	0

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	6	6
Number of transfers	4	5
Average number of embryos transferred	2.3	1.6
Percentage of embryos transferred resulting in implantation (%)	3 / 9	3 / 8
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 4	2 / 5
Percentage of transfers resulting in singleton live births (%)	0 / 4	3 / 5
Percentage of transfers resulting in twin live births (%)	0 / 4	0 / 5
Percentage of transfers resulting in live births (%)	1 / 4	3 / 5
Percentage of transfers resulting in pregnancies (%)	1 / 4	3 / 5

CURRENT SERVICES & PROFILE

Current Name: Westchester Fertility and Reproductive Endocrinology

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

GOLD COAST IVF
REPRODUCTIVE MEDICINE AND SURGERY CENTER
WOODBURY, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE

Data verified by Steven F. Palter, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	95%
Unstimulated	0%	PGD/PGS	0%
Used gestational carrier	0%		

Patient Diagnosis[b]

Tubal factor	20%	Uterine factor	5%	*Multiple Factors:*	
Ovulatory dysfunction	12%	Male factor	42%	Female factors only	11%
Diminished ovarian reserve	45%	Other factor	5%	Female & male factors	26%
Endometriosis	10%	Unknown factor	7%		

2014 ART SUCCESS RATES[c]

Total number of cycles[d]: 217 (includes 9 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	42	32	24	26	13	3
Percentage of cancellations before retrieval (%)	2.4	0.0	8.3	3.8	0 / 13	0 / 3
Average number of embryos transferred	1.8	1.9	2.3	3.1	3.0	2.3
Percentage of embryos transferred resulting in implantation (%)	66.7	56.9	22.2	12.3	3.0	0 / 7
Percentage of elective single embryo transfers (eSET) (%)	10.3	0.0	0 / 13	0.0	0 / 9	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births[e] (%)	31.0	25.0	12.5	15.4	1 / 13	0 / 3
Percentage of cycles resulting in singleton live births (%)	31.0	31.3	12.5	15.4	1 / 13	0 / 3
Percentage of cycles resulting in twin live births (%)	26.2	25.0	8.3	0.0	0 / 13	0 / 3
Percentage of cycles resulting in live births (%)	57.1	56.3	20.8	15.4	1 / 13	0 / 3
Percentage of cycles resulting in pregnancies (%)	59.5	62.5	25.0	30.8	1 / 13	0 / 3
Outcomes per Transfer						
Number of transfers	31	27	16	21	11	3
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	41.9	29.6	3 / 16	19.0	1 / 11	0 / 3
Percentage of transfers resulting in singleton live births (%)	41.9	37.0	3 / 16	19.0	1 / 11	0 / 3
Percentage of transfers resulting in twin live births (%)	35.5	29.6	2 / 16	0.0	0 / 11	0 / 3
Percentage of transfers resulting in live births (%)	77.4	66.7	5 / 16	19.0	1 / 11	0 / 3
Percentage of transfers resulting in pregnancies (%)	80.6	74.1	6 / 16	38.1	1 / 11	0 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	16	15	3	1	4	0
Number of transfers	16	15	3	1	4	0
Estimated average number of transfers per retrieval	2.3	1.4	0.4	0.2	0.8	0.0
Average number of embryos transferred	1.5	1.7	1.7	3.0	1.8	
Percentage of embryos transferred resulting in implantation (%)	66.7	40.0	3 / 5	1 / 3	2 / 7	
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	4 / 16	5 / 15	1 / 3	0 / 1	1 / 4	
Percentage of transfers resulting in singleton live births (%)	5 / 16	6 / 15	1 / 3	0 / 1	1 / 4	
Percentage of transfers resulting in twin live births (%)	4 / 16	0 / 15	1 / 3	0 / 1	0 / 4	
Percentage of transfers resulting in live births (%)	9 / 16	6 / 15	2 / 3	0 / 1	1 / 4	
Percentage of transfers resulting in pregnancies (%)	12 / 16	10 / 15	2 / 3	1 / 1	2 / 4	
Number of Egg/Embryo Banking Cycles	1	8	6	3	3	2

Donor Eggs	Fresh Embryos[f]	Frozen Embryos[f]
Number of cycles	1	5
Number of transfers	1	5
Average number of embryos transferred	2.0	1.8
Percentage of embryos transferred resulting in implantation (%)	2 / 2	1 / 9
Percentage of transfers resulting in term, normal weight & singleton live births[e] (%)	0 / 1	0 / 5
Percentage of transfers resulting in singleton live births (%)	0 / 1	1 / 5
Percentage of transfers resulting in twin live births (%)	1 / 1	0 / 5
Percentage of transfers resulting in live births (%)	1 / 1	1 / 5
Percentage of transfers resulting in pregnancies (%)	1 / 1	1 / 5

CURRENT SERVICES & PROFILE

Current Name: Gold Coast IVF, Reproductive Medicine and Surgery Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

[a] Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.