


2015

Fertility Clinic Tables

ALABAMA-HAWAII



ALABAMA FERTILITY SPECIALISTS BIRMINGHAM, ALABAMA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Michael P. Steinkampf, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	43%	Tubal factor	23%	Uterine factor	4%	<i>Multiple Factors:</i> Female factors only 24% Female & male factors 29%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	26%	Male factor	37%	
Used gestational carrier	0%			Diminished ovarian reserve	14%	Other factor	20%	
				Endometriosis	39%	Unknown factor	4%	

2015 ART SUCCESS RATES ^c		Total number of cycles ^d : 75 (includes 4 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		20	12	3	2	0	0
Percentage of cancellations before retrieval (%)		15.0	3 / 12	0 / 3	0 / 2		
Average number of embryos transferred		2.1	2.4	3.0	3.0		
Percentage of embryos transferred resulting in implantation (%)		27.6	2 / 19	3 / 9	2 / 6		
Percentage of elective single embryo transfers (eSET) (%)		0 / 14	0 / 8	0 / 3	0 / 1		
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		10.0	1 / 12	1 / 3	0 / 2		
Percentage of cycles resulting in singleton live births (%)		15.0	2 / 12	1 / 3	0 / 2		
Percentage of cycles resulting in twin live births (%)		5.0	0 / 12	1 / 3	0 / 2		
Percentage of cycles resulting in live births (%)		20.0	2 / 12	2 / 3	0 / 2		
Percentage of cycles resulting in pregnancies (%)		25.0	2 / 12	2 / 3	1 / 2		
Outcomes per Transfer							
Number of transfers		14	8	3	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		2 / 14	1 / 8	1 / 3	0 / 2		
Percentage of transfers resulting in singleton live births (%)		3 / 14	2 / 8	1 / 3	0 / 2		
Percentage of transfers resulting in twin live births (%)		1 / 14	0 / 8	1 / 3	0 / 2		
Percentage of transfers resulting in live births (%)		4 / 14	2 / 8	2 / 3	0 / 2		
Percentage of transfers resulting in pregnancies (%)		5 / 14	2 / 8	2 / 3	1 / 2		
Frozen Embryos from Nondonor Eggs							
Number of cycles		15	7	1	1	0	0
Number of transfers		12	6	0	1	0	0
Estimated average number of transfers per retrieval		2.0	1.0		1.0		
Average number of embryos transferred		1.8	1.8		4.0		
Percentage of embryos transferred resulting in implantation (%)		23.8	2 / 11				
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		3 / 12	1 / 6		0 / 1		
Percentage of transfers resulting in singleton live births (%)		4 / 12	2 / 6		0 / 1		
Percentage of transfers resulting in twin live births (%)		0 / 12	0 / 6		0 / 1		
Percentage of transfers resulting in live births (%)		4 / 12	2 / 6		0 / 1		
Percentage of transfers resulting in pregnancies (%)		5 / 12	2 / 6		1 / 1		
Number of Egg/Embryo Banking Cycles							
		1	0	0	0	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles			0			9	
Number of transfers			0			9	
Average number of embryos transferred						1.9	
Percentage of embryos transferred resulting in implantation (%)						1 / 16	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						0 / 9	
Percentage of transfers resulting in singleton live births (%)						1 / 9	
Percentage of transfers resulting in twin live births (%)						0 / 9	
Percentage of transfers resulting in live births (%)						1 / 9	
Percentage of transfers resulting in pregnancies (%)						2 / 9	

CURRENT SERVICES & PROFILE		Current Name: Alabama Fertility Specialists					
Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ART FERTILITY PROGRAM OF ALABAMA BIRMINGHAM, ALABAMA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Virginia L. Houserman, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	74%	Tubal factor	31%	Uterine factor	5%	<i>Multiple Factors:</i> Female factors only 22% Female & male factors 49%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	8%	Male factor	59%	
Used gestational carrier	0%			Diminished ovarian reserve	15%	Other factor	61%	
				Endometriosis	28%	Unknown factor	3%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 424 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	129	31	23	7	6	0
Percentage of cancellations before retrieval (%)	17.1	9.7	39.1	0 / 7	1 / 6	
Average number of embryos transferred	1.9	1.9	2.8	2.3	2.7	
Percentage of embryos transferred resulting in implantation (%)	34.7	40.5	1 / 19	1 / 9	0 / 8	
Percentage of elective single embryo transfers (eSET) (%)	5.5	4.8	0 / 7	0 / 3	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	16.3	12.9	0.0	0 / 7	0 / 6	
Percentage of cycles resulting in singleton live births (%)	18.6	16.1	0.0	1 / 7	0 / 6	
Percentage of cycles resulting in twin live births (%)	7.8	16.1	0.0	0 / 7	0 / 6	
Percentage of cycles resulting in live births (%)	26.4	32.3	0.0	1 / 7	0 / 6	
Percentage of cycles resulting in pregnancies (%)	29.5	38.7	8.7	1 / 7	0 / 6	
Outcomes per Transfer						
Number of transfers	77	24	8	4	3	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	27.3	16.7	0 / 8	0 / 4	0 / 3	
Percentage of transfers resulting in singleton live births (%)	31.2	20.8	0 / 8	1 / 4	0 / 3	
Percentage of transfers resulting in twin live births (%)	13.0	20.8	0 / 8	0 / 4	0 / 3	
Percentage of transfers resulting in live births (%)	44.2	41.7	0 / 8	1 / 4	0 / 3	
Percentage of transfers resulting in pregnancies (%)	49.4	50.0	2 / 8	1 / 4	0 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	96	21	18	5	0	0
Number of transfers	89	21	18	4	0	0
Estimated average number of transfers per retrieval	1.4	4.2	1.1	0.8	0.0	
Average number of embryos transferred	1.7	1.6	1.6	1.3		
Percentage of embryos transferred resulting in implantation (%)	34.0	37.9	29.2	1 / 5		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	25.8	14.3	2 / 18	1 / 4		
Percentage of transfers resulting in singleton live births (%)	33.7	19.0	3 / 18	1 / 4		
Percentage of transfers resulting in twin live births (%)	5.6	4.8	1 / 18	0 / 4		
Percentage of transfers resulting in live births (%)	39.3	28.6	4 / 18	1 / 4		
Percentage of transfers resulting in pregnancies (%)	47.2	47.6	8 / 18	1 / 4		
Number of Egg/Embryo Banking Cycles						
	19	3	10	3	1	0
Donor Eggs						
		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		11			39	
Number of transfers		8			34	
Average number of embryos transferred		1.3			1.9	
Percentage of embryos transferred resulting in implantation (%)		4 / 9			37.3	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		2 / 8			17.6	
Percentage of transfers resulting in singleton live births (%)		2 / 8			29.4	
Percentage of transfers resulting in twin live births (%)		1 / 8			14.7	
Percentage of transfers resulting in live births (%)		3 / 8			44.1	
Percentage of transfers resulting in pregnancies (%)		4 / 8			55.9	

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2015. Contact the NASS Help Desk for further information.

Current Name: ART Fertility Program of Alabama

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY OF ALABAMA AT BIRMINGHAM
REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY
BIRMINGHAM, ALABAMA**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Janet M. Bouknight, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	60%	Tubal factor	24%	Uterine factor	6%	Multiple Factors: Female factors only 9% Female & male factors 16%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	12%	Male factor	33%	
Used gestational carrier	0%			Diminished ovarian reserve	20%	Other factor	9%	
				Endometriosis	15%	Unknown factor	13%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 239 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	70	12	13	7	4	0
Percentage of cancellations before retrieval (%)	11.4	1 / 12	2 / 13	0 / 7	2 / 4	
Average number of embryos transferred	1.7	1.9	1.9	2.2	1.0	
Percentage of embryos transferred resulting in implantation (%)	42.7	9 / 17	6 / 13	1 / 9	0 / 1	
Percentage of elective single embryo transfers (eSET) (%)	22.2	0 / 8	0 / 6	0 / 4		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	15.7	3 / 12	4 / 13	1 / 7	0 / 4	
Percentage of cycles resulting in singleton live births (%)	17.1	3 / 12	4 / 13	1 / 7	0 / 4	
Percentage of cycles resulting in twin live births (%)	14.3	3 / 12	0 / 13	0 / 7	0 / 4	
Percentage of cycles resulting in live births (%)	31.4	6 / 12	4 / 13	1 / 7	0 / 4	
Percentage of cycles resulting in pregnancies (%)	35.7	6 / 12	5 / 13	2 / 7	0 / 4	
Outcomes per Transfer						
Number of transfers	47	9	7	5	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	23.4	3 / 9	4 / 7	1 / 5	0 / 1	
Percentage of transfers resulting in singleton live births (%)	25.5	3 / 9	4 / 7	1 / 5	0 / 1	
Percentage of transfers resulting in twin live births (%)	21.3	3 / 9	0 / 7	0 / 5	0 / 1	
Percentage of transfers resulting in live births (%)	46.8	6 / 9	4 / 7	1 / 5	0 / 1	
Percentage of transfers resulting in pregnancies (%)	53.2	6 / 9	5 / 7	2 / 5	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	53	10	10	1	1	0
Number of transfers	48	9	9	1	1	0
Estimated average number of transfers per retrieval	1.3	1.0	0.9		0.3	0.0
Average number of embryos transferred	1.6	1.0	1.4	1.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	52.7	2 / 8	7 / 13	1 / 1	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	39.6	2 / 9	2 / 9	1 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	52.1	2 / 9	4 / 9	1 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	12.5	0 / 9	1 / 9	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	64.6	2 / 9	5 / 9	1 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	70.8	3 / 9	6 / 9	1 / 1	0 / 1	
Number of Egg/Embryo Banking Cycles	16	9	8	0	3	1
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		8			10	
Number of transfers		7			8	
Average number of embryos transferred		1.7			1.6	
Percentage of embryos transferred resulting in implantation (%)		7 / 12			5 / 13	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		3 / 7			2 / 8	
Percentage of transfers resulting in singleton live births (%)		3 / 7			3 / 8	
Percentage of transfers resulting in twin live births (%)		2 / 7			1 / 8	
Percentage of transfers resulting in live births (%)		5 / 7			4 / 8	
Percentage of transfers resulting in pregnancies (%)		5 / 7			4 / 8	

CURRENT SERVICES & PROFILE

Current Name: University of Alabama at Birmingham, Reproductive Endocrinology and Infertility

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HUNTSVILLE REPRODUCTIVE MEDICINE, PC MADISON, ALABAMA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Andrew J. Harper, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	96%	Tubal factor	2%	Uterine factor	5%	<i>Multiple Factors:</i> Female factors only 15% Female & male factors 21%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	20%	Male factor	42%	
Used gestational carrier	0%			Diminished ovarian reserve	27%	Other factor	17%	
				Endometriosis	9%	Unknown factor	14%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 176 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	73	19	15	4	1	0
Percentage of cancellations before retrieval (%)	1.4	0 / 19	0 / 15	0 / 4	0 / 1	
Average number of embryos transferred	1.8	1.9	2.5	2.3	1.0	
Percentage of embryos transferred resulting in implantation (%)	61.1	3 / 13	3 / 17	1 / 5		
Percentage of elective single embryo transfers (eSET) (%)	24.1	2 / 16	0 / 8	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	20.5	1 / 19	3 / 15	0 / 4	0 / 1	
Percentage of cycles resulting in singleton live births (%)	27.4	1 / 19	3 / 15	1 / 4	0 / 1	
Percentage of cycles resulting in twin live births (%)	12.3	1 / 19	0 / 15	0 / 4	0 / 1	
Percentage of cycles resulting in live births (%)	41.1	2 / 19	3 / 15	1 / 4	0 / 1	
Percentage of cycles resulting in pregnancies (%)	53.4	3 / 19	4 / 15	1 / 4	0 / 1	
Outcomes per Transfer						
Number of transfers	59	17	11	4	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	25.4	1 / 17	3 / 11	0 / 4	0 / 1	
Percentage of transfers resulting in singleton live births (%)	33.9	1 / 17	3 / 11	1 / 4	0 / 1	
Percentage of transfers resulting in twin live births (%)	15.3	1 / 17	0 / 11	0 / 4	0 / 1	
Percentage of transfers resulting in live births (%)	50.8	2 / 17	3 / 11	1 / 4	0 / 1	
Percentage of transfers resulting in pregnancies (%)	66.1	3 / 17	4 / 11	1 / 4	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	33	12	4	3	1	1
Number of transfers	31	12	3	3	1	1
Estimated average number of transfers per retrieval	1.4	2.4	1.5			
Average number of embryos transferred	1.5	1.6	1.7	1.7	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	64.1	7 / 13	1 / 5		0 / 2	1 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	35.5	3 / 12	1 / 3	0 / 3	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	35.5	4 / 12	1 / 3	0 / 3	0 / 1	1 / 1
Percentage of transfers resulting in twin live births (%)	9.7	0 / 12	0 / 3	0 / 3	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	48.4	5 / 12	1 / 3	0 / 3	0 / 1	1 / 1
Percentage of transfers resulting in pregnancies (%)	64.5	7 / 12	1 / 3	1 / 3	0 / 1	1 / 1
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	7			3		
Number of transfers	7			3		
Average number of embryos transferred	1.7			1.7		
Percentage of embryos transferred resulting in implantation (%)	7 / 9			2 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 7			0 / 3		
Percentage of transfers resulting in singleton live births (%)	3 / 7			0 / 3		
Percentage of transfers resulting in twin live births (%)	2 / 7			1 / 3		
Percentage of transfers resulting in live births (%)	5 / 7			1 / 3		
Percentage of transfers resulting in pregnancies (%)	5 / 7			1 / 3		

CURRENT SERVICES & PROFILE

Current Name: Huntsville Reproductive Medicine, PC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE MOBILE, ALABAMA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by George T. Koulianos, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	78%	Tubal factor	16%	Uterine factor	3%	Multiple Factors: Female factors only 7% Female & male factors 12%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	11%	Male factor	44%	
Used gestational carrier	2%			Diminished ovarian reserve	17%	Other factor	8%	
				Endometriosis	19%	Unknown factor	<1%	

2015 ART SUCCESS RATES ^c		Total number of cycles ^d : 292 (includes 20 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		76	37	25	8	3	0
Percentage of cancellations before retrieval (%)		13.2	24.3	40.0	2 / 8	1 / 3	
Average number of embryos transferred		1.5	2.0	2.7	4.0		
Percentage of embryos transferred resulting in implantation (%)		54.5	27.3	11.8	2 / 16		
Percentage of elective single embryo transfers (eSET) (%)		49.0	0.0	0 / 13	0 / 4		
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		30.3	16.2	8.0	1 / 8	0 / 3	
Percentage of cycles resulting in singleton live births (%)		32.9	18.9	8.0	2 / 8	0 / 3	
Percentage of cycles resulting in twin live births (%)		7.9	2.7	4.0	0 / 8	0 / 3	
Percentage of cycles resulting in live births (%)		40.8	21.6	12.0	2 / 8	0 / 3	
Percentage of cycles resulting in pregnancies (%)		46.1	21.6	16.0	2 / 8	0 / 3	
Outcomes per Transfer							
Number of transfers		53	22	14	4	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		43.4	27.3	2 / 14	1 / 4		
Percentage of transfers resulting in singleton live births (%)		47.2	31.8	2 / 14	2 / 4		
Percentage of transfers resulting in twin live births (%)		11.3	4.5	1 / 14	0 / 4		
Percentage of transfers resulting in live births (%)		58.5	36.4	3 / 14	2 / 4		
Percentage of transfers resulting in pregnancies (%)		66.0	36.4	4 / 14	2 / 4		
Frozen Embryos from Nondonor Eggs							
Number of cycles		40	19	12	7	2	0
Number of transfers		40	18	11	7	1	0
Estimated average number of transfers per retrieval		1.2	1.5	2.8	0.6	0.5	
Average number of embryos transferred		1.7	1.6	1.5	1.6	1.0	
Percentage of embryos transferred resulting in implantation (%)		46.2	32.0	7 / 16	4 / 11	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		30.0	6 / 18	5 / 11	2 / 7	0 / 1	
Percentage of transfers resulting in singleton live births (%)		37.5	7 / 18	5 / 11	2 / 7	0 / 1	
Percentage of transfers resulting in twin live births (%)		17.5	0 / 18	1 / 11	1 / 7	0 / 1	
Percentage of transfers resulting in live births (%)		55.0	7 / 18	6 / 11	3 / 7	0 / 1	
Percentage of transfers resulting in pregnancies (%)		57.5	10 / 18	6 / 11	3 / 7	0 / 1	
Number of Egg/Embryo Banking Cycles							
		11	2	3	10	2	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		4			11		
Number of transfers		3			11		
Average number of embryos transferred		1.3			1.7		
Percentage of embryos transferred resulting in implantation (%)		3 / 4			6 / 17		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 3			3 / 11		
Percentage of transfers resulting in singleton live births (%)		1 / 3			3 / 11		
Percentage of transfers resulting in twin live births (%)		1 / 3			1 / 11		
Percentage of transfers resulting in live births (%)		2 / 3			4 / 11		
Percentage of transfers resulting in pregnancies (%)		2 / 3			6 / 11		

CURRENT SERVICES & PROFILE		Current Name: Center for Reproductive Medicine					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF SOUTH ALABAMA IVF AND ART PROGRAM MOBILE, ALABAMA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Botros M. Rizk, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	92%	Tubal factor	47%	Uterine factor	57%	<i>Multiple Factors:</i> Female factors only 33% Female & male factors 53%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	43%	Male factor	53%	
Used gestational carrier	0%			Diminished ovarian reserve	35%	Other factor	6%	
				Endometriosis	20%	Unknown factor	0%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 49 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	27	4	4	2	2	0
Percentage of cancellations before retrieval (%)	3.7	0 / 4	0 / 4	0 / 2	0 / 2	
Average number of embryos transferred	2.7	2.8	3.7		1.0	
Percentage of embryos transferred resulting in implantation (%)	12.9	4 / 11	4 / 11		0 / 1	
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 3	0 / 3			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	14.8	0 / 4	1 / 4	0 / 2	0 / 2	
Percentage of cycles resulting in singleton live births (%)	18.5	1 / 4	1 / 4	0 / 2	0 / 2	
Percentage of cycles resulting in twin live births (%)	3.7	0 / 4	0 / 4	0 / 2	0 / 2	
Percentage of cycles resulting in live births (%)	22.2	2 / 4	2 / 4	0 / 2	0 / 2	
Percentage of cycles resulting in pregnancies (%)	22.2	2 / 4	2 / 4	0 / 2	0 / 2	
Outcomes per Transfer						
Number of transfers	23	4	3	0	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	17.4	0 / 4	1 / 3		0 / 1	
Percentage of transfers resulting in singleton live births (%)	21.7	1 / 4	1 / 3		0 / 1	
Percentage of transfers resulting in twin live births (%)	4.3	0 / 4	0 / 3		0 / 1	
Percentage of transfers resulting in live births (%)	26.1	2 / 4	2 / 3		0 / 1	
Percentage of transfers resulting in pregnancies (%)	26.1	2 / 4	2 / 3		0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	2	0	1	0	0
Number of transfers	7	2	0	0	0	0
Estimated average number of transfers per retrieval	1.0	2.0				
Average number of embryos transferred	2.6	2.0				
Percentage of embryos transferred resulting in implantation (%)	1 / 18	1 / 4				
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 7	0 / 2				
Percentage of transfers resulting in singleton live births (%)	1 / 7	1 / 2				
Percentage of transfers resulting in twin live births (%)	0 / 7	0 / 2				
Percentage of transfers resulting in live births (%)	1 / 7	1 / 2				
Percentage of transfers resulting in pregnancies (%)	1 / 7	1 / 2				
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

CURRENT SERVICES & PROFILE

Current Name: University of South Alabama IVF and ART Program

Donor eggs?	No	Gestational carriers?	No	Single women?	No	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**PENINSULA MEDICAL CENTER
JOHN NELS ANDERSON, MD
SOLDOTNA, ALASKA**

This clinic provided ART services during 2015 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2015 ART cycle data or the clinic's Medical Director did not approve the clinic's 2015 ART cycle data for inclusion in this report.

NEW DIRECTION FERTILITY CENTERS GILBERT, ARIZONA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Mark Amols, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	71%	Tubal factor	9%	Uterine factor	<1%	Multiple Factors: Female factors only 6% Female & male factors 11%
Unstimulated	0%	PGD/PGS	21%	Ovulatory dysfunction	20%	Male factor	39%	
Used gestational carrier	0%			Diminished ovarian reserve	15%	Other factor	4%	
				Endometriosis	13%	Unknown factor	18%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 324 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	9	3	2	0	0	0
Percentage of cancellations before retrieval (%)	0 / 9	0 / 3	0 / 2			
Average number of embryos transferred	1.8	2.0	2.0			
Percentage of embryos transferred resulting in implantation (%)	3 / 12	2 / 6	0 / 4			
Percentage of elective single embryo transfers (eSET) (%)	1 / 7	0 / 3	0 / 2			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	1 / 9	1 / 3	0 / 2			
Percentage of cycles resulting in singleton live births (%)	1 / 9	1 / 3	0 / 2			
Percentage of cycles resulting in twin live births (%)	1 / 9	0 / 3	0 / 2			
Percentage of cycles resulting in live births (%)	2 / 9	1 / 3	0 / 2			
Percentage of cycles resulting in pregnancies (%)	3 / 9	2 / 3	0 / 2			
Outcomes per Transfer						
Number of transfers	8	3	2	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 8	1 / 3	0 / 2			
Percentage of transfers resulting in singleton live births (%)	1 / 8	1 / 3	0 / 2			
Percentage of transfers resulting in twin live births (%)	1 / 8	0 / 3	0 / 2			
Percentage of transfers resulting in live births (%)	2 / 8	1 / 3	0 / 2			
Percentage of transfers resulting in pregnancies (%)	3 / 8	2 / 3	0 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	72	29	19	6	1	1
Number of transfers	71	28	19	6	1	1
Estimated average number of transfers per retrieval	0.8	0.7	0.6	0.4	0.5	0.2
Average number of embryos transferred	1.8	1.6	1.4	1.2	1.0	4.0
Percentage of embryos transferred resulting in implantation (%)	60.8	65.1	40.0	3 / 7	1 / 1	0 / 4
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	36.6	25.0	7 / 19	2 / 6	1 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	40.8	32.1	9 / 19	3 / 6	1 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	26.8	21.4	0 / 19	0 / 6	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	67.6	57.1	9 / 19	3 / 6	1 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	80.3	71.4	10 / 19	3 / 6	1 / 1	0 / 1
Number of Egg/Embryo Banking Cycles	85	39	34	14	2	6
Donor Eggs						
		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		1			1	
Number of transfers		1			1	
Average number of embryos transferred		2.0			1.0	
Percentage of embryos transferred resulting in implantation (%)		2 / 2			1 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 1			1 / 1	
Percentage of transfers resulting in singleton live births (%)		0 / 1			1 / 1	
Percentage of transfers resulting in twin live births (%)		1 / 1			0 / 1	
Percentage of transfers resulting in live births (%)		1 / 1			1 / 1	
Percentage of transfers resulting in pregnancies (%)		1 / 1			1 / 1	

CURRENT SERVICES & PROFILE

Current Name: New Direction Fertility Centers

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Pending
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

TROCHÉ FERTILITY CENTERS GLENDALE, ARIZONA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Vladimir Troché, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	95%	Tubal factor	12%	Uterine factor	1%	<i>Multiple Factors:</i> Female factors only 4% Female & male factors 48%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	19%	Male factor	74%	
Used gestational carrier	0%			Diminished ovarian reserve	31%	Other factor	11%	
				Endometriosis	11%	Unknown factor	1%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 242 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	65	16	16	10	0	1
Percentage of cancellations before retrieval (%)	3.1	1 / 16	0 / 16	0 / 10		0 / 1
Average number of embryos transferred	1.8	2.0	2.3	3.0		1.0
Percentage of embryos transferred resulting in implantation (%)	44.6	38.5	18.8	4.2		0 / 1
Percentage of elective single embryo transfers (eSET) (%)	17.3	0 / 10	0 / 13	0 / 6		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	26.2	2 / 16	0 / 16	0 / 10		0 / 1
Percentage of cycles resulting in singleton live births (%)	27.7	2 / 16	1 / 16	0 / 10		0 / 1
Percentage of cycles resulting in twin live births (%)	9.2	3 / 16	2 / 16	0 / 10		0 / 1
Percentage of cycles resulting in live births (%)	40.0	5 / 16	3 / 16	0 / 10		0 / 1
Percentage of cycles resulting in pregnancies (%)	47.7	7 / 16	5 / 16	1 / 10		0 / 1
Outcomes per Transfer						
Number of transfers	58	13	15	8	0	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	29.3	2 / 13	0 / 15	0 / 8		0 / 1
Percentage of transfers resulting in singleton live births (%)	31.0	2 / 13	1 / 15	0 / 8		0 / 1
Percentage of transfers resulting in twin live births (%)	10.3	3 / 13	2 / 15	0 / 8		0 / 1
Percentage of transfers resulting in live births (%)	44.8	5 / 13	3 / 15	0 / 8		0 / 1
Percentage of transfers resulting in pregnancies (%)	53.4	7 / 13	5 / 15	1 / 8		0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	43	19	8	1	0	0
Number of transfers	41	16	8	1	0	0
Estimated average number of transfers per retrieval	2.4	2.3	1.6	0.5		
Average number of embryos transferred	1.7	1.7	1.8	2.0		
Percentage of embryos transferred resulting in implantation (%)	26.1	26.9	9 / 14	0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	26.8	4 / 16	0 / 8	0 / 1		
Percentage of transfers resulting in singleton live births (%)	31.7	4 / 16	0 / 8	0 / 1		
Percentage of transfers resulting in twin live births (%)	4.9	1 / 16	4 / 8	0 / 1		
Percentage of transfers resulting in live births (%)	36.6	5 / 16	4 / 8	0 / 1		
Percentage of transfers resulting in pregnancies (%)	39.0	7 / 16	5 / 8	0 / 1		
Number of Egg/Embryo Banking Cycles						
	5	6	2	2	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	18			29		
Number of transfers	16			25		
Average number of embryos transferred	1.6			1.6		
Percentage of embryos transferred resulting in implantation (%)	26.9			30.8		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 16			16.0		
Percentage of transfers resulting in singleton live births (%)	4 / 16			32.0		
Percentage of transfers resulting in twin live births (%)	1 / 16			4.0		
Percentage of transfers resulting in live births (%)	5 / 16			36.0		
Percentage of transfers resulting in pregnancies (%)	6 / 16			44.0		

CURRENT SERVICES & PROFILE

Current Name: Troché Fertility Centers

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ARIZONA REPRODUCTIVE MEDICINE SPECIALISTS PHOENIX, ARIZONA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Drew V. Moffitt, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	68%	Tubal factor	19%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 4% Female & male factors 12%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	17%	Male factor	36%	
Used gestational carrier	0%			Diminished ovarian reserve	42%	Other factor	3%	
				Endometriosis	2%	Unknown factor	3%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 319 (includes 15 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	47	18	13	6	3	3
Percentage of cancellations before retrieval (%)	4.3	4 / 18	2 / 13	2 / 6	1 / 3	3 / 3
Average number of embryos transferred	1.7		2.0	1.0		
Percentage of embryos transferred resulting in implantation (%)	2 / 5		1 / 2	0 / 1		
Percentage of elective single embryo transfers (eSET) (%)	0 / 2		0 / 1	1 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	2.1	0 / 18	1 / 13	0 / 6	0 / 3	0 / 3
Percentage of cycles resulting in singleton live births (%)	4.3	0 / 18	1 / 13	0 / 6	0 / 3	0 / 3
Percentage of cycles resulting in twin live births (%)	0.0	0 / 18	0 / 13	0 / 6	0 / 3	0 / 3
Percentage of cycles resulting in live births (%)	4.3	0 / 18	1 / 13	0 / 6	0 / 3	0 / 3
Percentage of cycles resulting in pregnancies (%)	4.3	0 / 18	1 / 13	0 / 6	0 / 3	0 / 3
Outcomes per Transfer						
Number of transfers	3	0	1	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 3		1 / 1	0 / 1		
Percentage of transfers resulting in singleton live births (%)	2 / 3		1 / 1	0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 3		0 / 1	0 / 1		
Percentage of transfers resulting in live births (%)	2 / 3		1 / 1	0 / 1		
Percentage of transfers resulting in pregnancies (%)	2 / 3		1 / 1	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	79	30	21	7	3	1
Number of transfers	74	27	19	7	3	1
Estimated average number of transfers per retrieval	1.2	1.2	0.9	1.2	1.5	
Average number of embryos transferred	1.5	1.4	1.5	1.3	2.0	3.0
Percentage of embryos transferred resulting in implantation (%)	41.3	23.1	42.9	1 / 9	2 / 6	0 / 3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	20.3	18.5	6 / 19	1 / 7	1 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	27.0	22.2	6 / 19	1 / 7	1 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	12.2	3.7	2 / 19	0 / 7	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	39.2	25.9	8 / 19	1 / 7	1 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)	54.1	29.6	10 / 19	1 / 7	2 / 3	0 / 1
Number of Egg/Embryo Banking Cycles						
	25	9	16	1	1	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		3		18		
Number of transfers		0		17		
Average number of embryos transferred				1.4		
Percentage of embryos transferred resulting in implantation (%)				56.5		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				6 / 17		
Percentage of transfers resulting in singleton live births (%)				7 / 17		
Percentage of transfers resulting in twin live births (%)				1 / 17		
Percentage of transfers resulting in live births (%)				8 / 17		
Percentage of transfers resulting in pregnancies (%)				10 / 17		

CURRENT SERVICES & PROFILE

Current Name: Arizona Reproductive Medicine Specialists

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTHWEST FERTILITY CENTER PHOENIX, ARIZONA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Sujatha Gunnala, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	82%	Tubal factor	38%	Uterine factor	20%	<i>Multiple Factors:</i> Female factors only 33% Female & male factors 24%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	16%	Male factor	30%	
Used gestational carrier	0%			Diminished ovarian reserve	25%	Other factor	7%	
				Endometriosis	29%	Unknown factor	6%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 98 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	27	16	5	2	3	1
Percentage of cancellations before retrieval (%)	3.7	0 / 16	0 / 5	1 / 2	0 / 3	0 / 1
Average number of embryos transferred	2.1	2.0	2.5	5.0	4.0	6.0
Percentage of embryos transferred resulting in implantation (%)	28.6	9.1	1 / 10	0 / 5	0 / 8	0 / 6
Percentage of elective single embryo transfers (eSET) (%)	1 / 18	1 / 11	0 / 4	0 / 1	0 / 2	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	7.4	1 / 16	1 / 5	0 / 2	0 / 3	0 / 1
Percentage of cycles resulting in singleton live births (%)	11.1	1 / 16	1 / 5	0 / 2	0 / 3	0 / 1
Percentage of cycles resulting in twin live births (%)	11.1	0 / 16	0 / 5	0 / 2	0 / 3	0 / 1
Percentage of cycles resulting in live births (%)	22.2	1 / 16	1 / 5	0 / 2	0 / 3	0 / 1
Percentage of cycles resulting in pregnancies (%)	29.6	2 / 16	1 / 5	0 / 2	0 / 3	0 / 1
Outcomes per Transfer						
Number of transfers	18	11	4	1	2	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 18	1 / 11	1 / 4	0 / 1	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	3 / 18	1 / 11	1 / 4	0 / 1	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	3 / 18	0 / 11	0 / 4	0 / 1	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	6 / 18	1 / 11	1 / 4	0 / 1	0 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	8 / 18	2 / 11	1 / 4	0 / 1	0 / 2	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	14	5	5	0	0	0
Number of transfers	14	5	5	0	0	0
Estimated average number of transfers per retrieval	14.0	5.0	1.3	0.0	0.0	
Average number of embryos transferred	1.8	1.8	2.4			
Percentage of embryos transferred resulting in implantation (%)	16.0	2 / 9	2 / 12			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 14	0 / 5	2 / 5			
Percentage of transfers resulting in singleton live births (%)	2 / 14	0 / 5	2 / 5			
Percentage of transfers resulting in twin live births (%)	1 / 14	1 / 5	0 / 5			
Percentage of transfers resulting in live births (%)	3 / 14	1 / 5	2 / 5			
Percentage of transfers resulting in pregnancies (%)	3 / 14	1 / 5	2 / 5			
Number of Egg/Embryo Banking Cycles						
	1	1	4	2	3	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	7			2		
Number of transfers	6			2		
Average number of embryos transferred	1.7			1.5		
Percentage of embryos transferred resulting in implantation (%)	4 / 8			0 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 6			0 / 2		
Percentage of transfers resulting in singleton live births (%)	1 / 6			0 / 2		
Percentage of transfers resulting in twin live births (%)	1 / 6			0 / 2		
Percentage of transfers resulting in live births (%)	2 / 6			0 / 2		
Percentage of transfers resulting in pregnancies (%)	4 / 6			0 / 2		

CURRENT SERVICES & PROFILE

Current Name: Southwest Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY CARE, PLLC SCOTTSDALE, ARIZONA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Frederick W. Larsen, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	72%	Tubal factor	16%	Uterine factor	11%	<i>Multiple Factors:</i> Female factors only 8% Female & male factors 35%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	16%	Male factor	53%	
Used gestational carrier	0%			Diminished ovarian reserve	30%	Other factor	8%	
				Endometriosis	7%	Unknown factor	11%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 321 (includes 15 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	71	22	9	5	1	0
Percentage of cancellations before retrieval (%)	7.0	9.1	2 / 9	2 / 5	0 / 1	
Average number of embryos transferred	1.6	1.7	2.5	2.3	3.0	
Percentage of embryos transferred resulting in implantation (%)	49.5	46.7	3 / 15	0 / 7	0 / 3	
Percentage of elective single embryo transfers (eSET) (%)	42.4	6 / 18	0 / 6	0 / 2	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	26.8	45.5	1 / 9	0 / 5	0 / 1	
Percentage of cycles resulting in singleton live births (%)	31.0	45.5	2 / 9	0 / 5	0 / 1	
Percentage of cycles resulting in twin live births (%)	11.3	4.5	0 / 9	0 / 5	0 / 1	
Percentage of cycles resulting in live births (%)	42.3	50.0	2 / 9	0 / 5	0 / 1	
Percentage of cycles resulting in pregnancies (%)	53.5	59.1	3 / 9	0 / 5	0 / 1	
Outcomes per Transfer						
Number of transfers	60	18	6	3	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	31.7	10 / 18	1 / 6	0 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	36.7	10 / 18	2 / 6	0 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	13.3	1 / 18	0 / 6	0 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	50.0	11 / 18	2 / 6	0 / 3	0 / 1	
Percentage of transfers resulting in pregnancies (%)	63.3	13 / 18	3 / 6	0 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	62	31	17	5	0	0
Number of transfers	60	31	17	5	0	0
Estimated average number of transfers per retrieval	1.8	2.6	0.9	0.6	0.0	
Average number of embryos transferred	1.4	1.4	1.2	1.2		
Percentage of embryos transferred resulting in implantation (%)	67.9	54.8	57.1	1 / 6		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	50.0	41.9	9 / 17	1 / 5		
Percentage of transfers resulting in singleton live births (%)	55.0	41.9	10 / 17	1 / 5		
Percentage of transfers resulting in twin live births (%)	11.7	9.7	1 / 17	0 / 5		
Percentage of transfers resulting in live births (%)	68.3	51.6	11 / 17	1 / 5		
Percentage of transfers resulting in pregnancies (%)	76.7	64.5	11 / 17	1 / 5		
Number of Egg/Embryo Banking Cycles						
	16	10	14	7	1	0
Donor Eggs						
		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		12			23	
Number of transfers		10			22	
Average number of embryos transferred		1.4			1.3	
Percentage of embryos transferred resulting in implantation (%)		10 / 14			58.6	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		2 / 10			45.5	
Percentage of transfers resulting in singleton live births (%)		2 / 10			50.0	
Percentage of transfers resulting in twin live births (%)		3 / 10			4.5	
Percentage of transfers resulting in live births (%)		5 / 10			54.5	
Percentage of transfers resulting in pregnancies (%)		7 / 10			72.7	

CURRENT SERVICES & PROFILE

Current Name: Advanced Fertility Care, PLLC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ARIZONA ASSOCIATES FOR REPRODUCTIVE HEALTH SCOTTSDALE, ARIZONA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Mark D. Johnson, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	79%	Tubal factor	9%	Uterine factor	5%	<i>Multiple Factors:</i> Female factors only 7% Female & male factors 9%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	9%	Male factor	31%	
Used gestational carrier	0%			Diminished ovarian reserve	34%	Other factor	7%	
				Endometriosis	3%	Unknown factor	20%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 354 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	80	27	30	9	7	5
Percentage of cancellations before retrieval (%)	7.5	7.4	3.3	2 / 9	2 / 7	1 / 5
Average number of embryos transferred	1.6	1.5	1.7	2.0	1.8	
Percentage of embryos transferred resulting in implantation (%)	30.2	9 / 18	15.6	0 / 8	0 / 7	
Percentage of elective single embryo transfers (eSET) (%)	35.5	2 / 9	3 / 14	0 / 4	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	12.5	22.2	6.7	0 / 9	0 / 7	0 / 5
Percentage of cycles resulting in singleton live births (%)	12.5	22.2	10.0	0 / 9	0 / 7	0 / 5
Percentage of cycles resulting in twin live births (%)	2.5	3.7	0.0	0 / 9	0 / 7	0 / 5
Percentage of cycles resulting in live births (%)	15.0	25.9	10.0	0 / 9	0 / 7	0 / 5
Percentage of cycles resulting in pregnancies (%)	17.5	29.6	16.7	0 / 9	0 / 7	0 / 5
Outcomes per Transfer						
Number of transfers	33	13	19	4	4	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	30.3	6 / 13	2 / 19	0 / 4	0 / 4	
Percentage of transfers resulting in singleton live births (%)	30.3	6 / 13	3 / 19	0 / 4	0 / 4	
Percentage of transfers resulting in twin live births (%)	6.1	1 / 13	0 / 19	0 / 4	0 / 4	
Percentage of transfers resulting in live births (%)	36.4	7 / 13	3 / 19	0 / 4	0 / 4	
Percentage of transfers resulting in pregnancies (%)	42.4	8 / 13	5 / 19	0 / 4	0 / 4	
Frozen Embryos from Nondonor Eggs						
Number of cycles	67	36	28	5	0	0
Number of transfers	63	35	28	5	0	0
Estimated average number of transfers per retrieval	1.2	1.7	1.9	1.0	0.0	0.0
Average number of embryos transferred	1.3	1.1	1.3	1.0		
Percentage of embryos transferred resulting in implantation (%)	61.7	65.0	51.4	2 / 5		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	39.7	31.4	35.7	0 / 5		
Percentage of transfers resulting in singleton live births (%)	47.6	48.6	39.3	1 / 5		
Percentage of transfers resulting in twin live births (%)	11.1	5.7	0.0	0 / 5		
Percentage of transfers resulting in live births (%)	58.7	54.3	39.3	1 / 5		
Percentage of transfers resulting in pregnancies (%)	69.8	68.6	64.3	2 / 5		
Number of Egg/Embryo Banking Cycles						
	8	13	10	5	5	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	8			8		
Number of transfers	7			8		
Average number of embryos transferred	1.1			1.4		
Percentage of embryos transferred resulting in implantation (%)	5 / 8			5 / 11		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 7			3 / 8		
Percentage of transfers resulting in singleton live births (%)	5 / 7			4 / 8		
Percentage of transfers resulting in twin live births (%)	0 / 7			0 / 8		
Percentage of transfers resulting in live births (%)	5 / 7			4 / 8		
Percentage of transfers resulting in pregnancies (%)	5 / 7			5 / 8		

CURRENT SERVICES & PROFILE

Current Name: Arizona Associates for Reproductive Health

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**ARIZONA CENTER FOR FERTILITY STUDIES
(ACFS)
SCOTTSDALE, ARIZONA**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Jay S. Nemiro, MD

Type of ART and Procedural Factors ^a		Patient Diagnosis ^b				
IVF	With ICSI	Tubal factor	14%	Uterine factor	11%	Multiple Factors: Female factors only 8% Female & male factors 11%
Unstimulated	PGD/PGS	Ovulatory dysfunction	17%	Male factor	25%	
Used gestational carrier		Diminished ovarian reserve	21%	Other factor	12%	
		Endometriosis	13%	Unknown factor	7%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 312 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	0	0	0	0	0	0
Percentage of cancellations before retrieval (%)						
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of elective single embryo transfers (eSET) (%)						
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)						
Percentage of cycles resulting in singleton live births (%)						
Percentage of cycles resulting in twin live births (%)						
Percentage of cycles resulting in live births (%)						
Percentage of cycles resulting in pregnancies (%)						
Outcomes per Transfer						
Number of transfers	0	0	0	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						
Frozen Embryos from Nondonor Eggs						
Number of cycles	52	20	11	7	2	9
Number of transfers	50	18	11	6	2	8
Estimated average number of transfers per retrieval	0.8	0.4	0.3	0.3	0.2	0.5
Average number of embryos transferred	2.0	1.8	1.8	2.0	1.5	1.8
Percentage of embryos transferred resulting in implantation (%)	55.2	43.8	55.0	3 / 12	3 / 3	10 / 14
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	34.0	5 / 18	5 / 11	1 / 6	0 / 2	2 / 8
Percentage of transfers resulting in singleton live births (%)	46.0	5 / 18	5 / 11	3 / 6	0 / 2	3 / 8
Percentage of transfers resulting in twin live births (%)	12.0	1 / 18	2 / 11	0 / 6	1 / 2	2 / 8
Percentage of transfers resulting in live births (%)	58.0	6 / 18	7 / 11	3 / 6	1 / 2	5 / 8
Percentage of transfers resulting in pregnancies (%)	74.0	10 / 18	8 / 11	3 / 6	1 / 2	6 / 8
Number of Egg/Embryo Banking Cycles	60	44	44	23	9	17
Donor Eggs		Fresh Embryos^f		Frozen Embryos^f		
Number of cycles		0		14		
Number of transfers		0		14		
Average number of embryos transferred				2.0		
Percentage of embryos transferred resulting in implantation (%)				50.0		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				3 / 14		
Percentage of transfers resulting in singleton live births (%)				3 / 14		
Percentage of transfers resulting in twin live births (%)				4 / 14		
Percentage of transfers resulting in live births (%)				7 / 14		
Percentage of transfers resulting in pregnancies (%)				9 / 14		

CURRENT SERVICES & PROFILE

Current Name: Arizona Center for Fertility Studies, (ACFS)

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BOSTON IVF, THE ARIZONA CENTER SCOTTSDALE, ARIZONA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Alan Penzias, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	73%	Tubal factor	11%	Uterine factor	9%	Multiple Factors: Female factors only 15% Female & male factors 25%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	21%	Male factor	36%	
Used gestational carrier	2%			Diminished ovarian reserve	57%	Other factor	4%	
				Endometriosis	3%	Unknown factor	3%	

2015 ART SUCCESS RATES ^c		Total number of cycles ^d : 97 (includes 1 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		17	9	14	0	0	1
Percentage of cancellations before retrieval (%)		1 / 17	1 / 9	4 / 14			1 / 1
Average number of embryos transferred		1.3	1.5	2.3			
Percentage of embryos transferred resulting in implantation (%)		4 / 8	3 / 6	1 / 16			
Percentage of elective single embryo transfers (eSET) (%)		6 / 8	0 / 2	0 / 6			
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		2 / 17	0 / 9	0 / 14			0 / 1
Percentage of cycles resulting in singleton live births (%)		2 / 17	1 / 9	0 / 14			0 / 1
Percentage of cycles resulting in twin live births (%)		0 / 17	0 / 9	0 / 14			0 / 1
Percentage of cycles resulting in live births (%)		2 / 17	1 / 9	0 / 14			0 / 1
Percentage of cycles resulting in pregnancies (%)		6 / 17	2 / 9	1 / 14			0 / 1
Outcomes per Transfer							
Number of transfers		8	4	7	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		2 / 8	0 / 4	0 / 7			
Percentage of transfers resulting in singleton live births (%)		2 / 8	1 / 4	0 / 7			
Percentage of transfers resulting in twin live births (%)		0 / 8	0 / 4	0 / 7			
Percentage of transfers resulting in live births (%)		2 / 8	1 / 4	0 / 7			
Percentage of transfers resulting in pregnancies (%)		6 / 8	2 / 4	1 / 7			
Frozen Embryos from Nondonor Eggs							
Number of cycles		19	5	7	1	0	0
Number of transfers		19	5	7	1	0	0
Estimated average number of transfers per retrieval		1.3	1.0	0.7			
Average number of embryos transferred		1.5	1.4	1.7	3.0		
Percentage of embryos transferred resulting in implantation (%)		54.2	4 / 6	1 / 11	0 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		3 / 19	1 / 5	0 / 7	0 / 1		
Percentage of transfers resulting in singleton live births (%)		4 / 19	1 / 5	0 / 7	0 / 1		
Percentage of transfers resulting in twin live births (%)		3 / 19	1 / 5	0 / 7	0 / 1		
Percentage of transfers resulting in live births (%)		7 / 19	2 / 5	0 / 7	0 / 1		
Percentage of transfers resulting in pregnancies (%)		12 / 19	3 / 5	2 / 7	0 / 1		
Number of Egg/Embryo Banking Cycles							
		8	4	8	0	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		0			3		
Number of transfers		0			3		
Average number of embryos transferred					1.3		
Percentage of embryos transferred resulting in implantation (%)					2 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)					0 / 3		
Percentage of transfers resulting in singleton live births (%)					0 / 3		
Percentage of transfers resulting in twin live births (%)					1 / 3		
Percentage of transfers resulting in live births (%)					1 / 3		
Percentage of transfers resulting in pregnancies (%)					1 / 3		

CURRENT SERVICES & PROFILE		Current Name: Boston IVF, The Arizona Center					
Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF PHOENIX SCOTTSDALE, ARIZONA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by John L. Couvaras, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	76%	Tubal factor	10%	Uterine factor	5%	<i>Multiple Factors:</i> Female factors only 2% Female & male factors 13%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	3%	Male factor	36%	
Used gestational carrier	2%			Diminished ovarian reserve	44%	Other factor	13%	
				Endometriosis	2%	Unknown factor	4%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 138 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	19	9	11	8	5	1
Percentage of cancellations before retrieval (%)	3 / 19	0 / 9	3 / 11	1 / 8	1 / 5	1 / 1
Average number of embryos transferred	1.8	1.9	2.0	1.8	2.3	
Percentage of embryos transferred resulting in implantation (%)	9.1	3 / 15	0 / 8	0 / 11	0 / 7	
Percentage of elective single embryo transfers (eSET) (%)	1 / 11	0 / 7	0 / 4	0 / 4	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	1 / 19	0 / 9	0 / 11	0 / 8	0 / 5	0 / 1
Percentage of cycles resulting in singleton live births (%)	2 / 19	0 / 9	0 / 11	0 / 8	0 / 5	0 / 1
Percentage of cycles resulting in twin live births (%)	0 / 19	1 / 9	0 / 11	0 / 8	0 / 5	0 / 1
Percentage of cycles resulting in live births (%)	2 / 19	1 / 9	0 / 11	0 / 8	0 / 5	0 / 1
Percentage of cycles resulting in pregnancies (%)	2 / 19	2 / 9	1 / 11	0 / 8	0 / 5	0 / 1
Outcomes per Transfer						
Number of transfers	12	8	5	6	3	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 12	0 / 8	0 / 5	0 / 6	0 / 3	
Percentage of transfers resulting in singleton live births (%)	2 / 12	0 / 8	0 / 5	0 / 6	0 / 3	
Percentage of transfers resulting in twin live births (%)	0 / 12	1 / 8	0 / 5	0 / 6	0 / 3	
Percentage of transfers resulting in live births (%)	2 / 12	1 / 8	0 / 5	0 / 6	0 / 3	
Percentage of transfers resulting in pregnancies (%)	2 / 12	2 / 8	1 / 5	0 / 6	0 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	19	9	3	1	3	0
Number of transfers	17	7	3	1	1	0
Estimated average number of transfers per retrieval	1.0	0.5	0.5	0.1	1.0	0.0
Average number of embryos transferred	1.6	1.7	1.0	3.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	17.9	4 / 12	1 / 3	0 / 3	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 17	2 / 7	1 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	3 / 17	3 / 7	1 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 17	0 / 7	0 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	4 / 17	3 / 7	1 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	4 / 17	4 / 7	1 / 3	0 / 1	0 / 1	
Number of Egg/Embryo Banking Cycles						
	13	14	4	11	0	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			7		
Number of transfers	0			7		
Average number of embryos transferred				1.9		
Percentage of embryos transferred resulting in implantation (%)				1 / 13		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				0 / 7		
Percentage of transfers resulting in singleton live births (%)				1 / 7		
Percentage of transfers resulting in twin live births (%)				0 / 7		
Percentage of transfers resulting in live births (%)				1 / 7		
Percentage of transfers resulting in pregnancies (%)				1 / 7		

CURRENT SERVICES & PROFILE

Current Name: IVF Phoenix

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY TREATMENT CENTER, PC TEMPE, ARIZONA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by H. Randall Craig, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	55%	Tubal factor	<1%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 9% Female & male factors <1%
Unstimulated	3%	PGD/PGS	0%	Ovulatory dysfunction	64%	Male factor	1%	
Used gestational carrier	0%			Diminished ovarian reserve	35%	Other factor	0%	
				Endometriosis	4%	Unknown factor	<1%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 502 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	9	12	13	17	13	2
Percentage of cancellations before retrieval (%)	2 / 9	5 / 12	5 / 13	5 / 17	4 / 13	0 / 2
Average number of embryos transferred	2.0	2.0	2.3		1.0	
Percentage of embryos transferred resulting in implantation (%)	2 / 4	1 / 4	2 / 7		0 / 1	
Percentage of elective single embryo transfers (eSET) (%)	0 / 2	0 / 2	0 / 2		1 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	2 / 9	1 / 12	0 / 13	0 / 17	0 / 13	0 / 2
Percentage of cycles resulting in singleton live births (%)	2 / 9	1 / 12	0 / 13	0 / 17	0 / 13	0 / 2
Percentage of cycles resulting in twin live births (%)	0 / 9	0 / 12	0 / 13	0 / 17	0 / 13	0 / 2
Percentage of cycles resulting in live births (%)	2 / 9	1 / 12	0 / 13	0 / 17	0 / 13	0 / 2
Percentage of cycles resulting in pregnancies (%)	2 / 9	1 / 12	2 / 13	0 / 17	0 / 13	0 / 2
Outcomes per Transfer						
Number of transfers	2	2	3	0	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 2	1 / 2	0 / 3		0 / 1	
Percentage of transfers resulting in singleton live births (%)	2 / 2	1 / 2	0 / 3		0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 2	0 / 3		0 / 1	
Percentage of transfers resulting in live births (%)	2 / 2	1 / 2	0 / 3		0 / 1	
Percentage of transfers resulting in pregnancies (%)	2 / 2	1 / 2	2 / 3		0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	93	46	34	12	11	2
Number of transfers	91	46	31	11	11	1
Estimated average number of transfers per retrieval	1.2	1.2	0.6	0.6	0.9	0.3
Average number of embryos transferred	2.1	1.9	2.1	2.3	2.1	3.0
Percentage of embryos transferred resulting in implantation (%)	50.0	38.3	28.1	27.3	8.7	0 / 3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	35.2	30.4	12.9	3 / 11	1 / 11	0 / 1
Percentage of transfers resulting in singleton live births (%)	39.6	37.0	16.1	3 / 11	1 / 11	0 / 1
Percentage of transfers resulting in twin live births (%)	16.5	10.9	6.5	1 / 11	0 / 11	0 / 1
Percentage of transfers resulting in live births (%)	57.1	47.8	25.8	4 / 11	1 / 11	0 / 1
Percentage of transfers resulting in pregnancies (%)	68.1	58.7	38.7	6 / 11	1 / 11	0 / 1
Number of Egg/Embryo Banking Cycles						
	71	34	46	16	11	4
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	1			55		
Number of transfers	0			55		
Average number of embryos transferred				2.3		
Percentage of embryos transferred resulting in implantation (%)				25.2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				21.8		
Percentage of transfers resulting in singleton live births (%)				25.5		
Percentage of transfers resulting in twin live births (%)				10.9		
Percentage of transfers resulting in live births (%)				36.4		
Percentage of transfers resulting in pregnancies (%)				49.1		

CURRENT SERVICES & PROFILE

Current Name: Fertility Treatment Center, PC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ARIZONA CENTER FOR REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY TUCSON, ARIZONA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Timothy J. Gelety, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	54%	Tubal factor	21%	Uterine factor	7%	<i>Multiple Factors:</i> Female factors only 13% Female & male factors 8%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	13%	Male factor	31%	
Used gestational carrier	0%			Diminished ovarian reserve	21%	Other factor	3%	
				Endometriosis	21%	Unknown factor	6%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 293 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	88	32	33	13	10	1
Percentage of cancellations before retrieval (%)	0.0	0.0	0.0	2 / 13	1 / 10	1 / 1
Average number of embryos transferred	2.0	2.5	2.6	2.5	2.5	
Percentage of embryos transferred resulting in implantation (%)	34.2	23.2	19.2	8.0	0.0	
Percentage of elective single embryo transfers (eSET) (%)	0.0	0.0	0.0	0 / 8	0 / 7	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	23.9	21.9	12.1	0 / 13	0 / 10	0 / 1
Percentage of cycles resulting in singleton live births (%)	31.8	21.9	15.2	0 / 13	0 / 10	0 / 1
Percentage of cycles resulting in twin live births (%)	9.1	6.3	6.1	0 / 13	0 / 10	0 / 1
Percentage of cycles resulting in live births (%)	40.9	28.1	21.2	0 / 13	0 / 10	0 / 1
Percentage of cycles resulting in pregnancies (%)	52.3	43.8	33.3	2 / 13	0 / 10	0 / 1
Outcomes per Transfer						
Number of transfers	79	28	29	10	8	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	26.6	25.0	13.8	0 / 10	0 / 8	
Percentage of transfers resulting in singleton live births (%)	35.4	25.0	17.2	0 / 10	0 / 8	
Percentage of transfers resulting in twin live births (%)	10.1	7.1	6.9	0 / 10	0 / 8	
Percentage of transfers resulting in live births (%)	45.6	32.1	24.1	0 / 10	0 / 8	
Percentage of transfers resulting in pregnancies (%)	58.2	50.0	37.9	2 / 10	0 / 8	
Frozen Embryos from Nondonor Eggs						
Number of cycles	52	16	13	5	2	1
Number of transfers	52	16	13	5	2	1
Estimated average number of transfers per retrieval	1.9	1.3	2.2	1.7	2.0	1.0
Average number of embryos transferred	2.2	2.3	2.8	3.0	3.0	3.0
Percentage of embryos transferred resulting in implantation (%)	17.4	13.9	21.6	3 / 15	1 / 6	2 / 3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	23.1	2 / 16	2 / 13	2 / 5	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	23.1	4 / 16	3 / 13	2 / 5	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	5.8	0 / 16	0 / 13	0 / 5	0 / 2	1 / 1
Percentage of transfers resulting in live births (%)	28.8	4 / 16	3 / 13	2 / 5	0 / 2	1 / 1
Percentage of transfers resulting in pregnancies (%)	32.7	5 / 16	8 / 13	3 / 5	1 / 2	1 / 1
Number of Egg/Embryo Banking Cycles						
	1	3	1	1	0	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	7			12		
Number of transfers	6			12		
Average number of embryos transferred	2.2			2.8		
Percentage of embryos transferred resulting in implantation (%)	4 / 13			15.2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 6			1 / 12		
Percentage of transfers resulting in singleton live births (%)	1 / 6			2 / 12		
Percentage of transfers resulting in twin live births (%)	1 / 6			0 / 12		
Percentage of transfers resulting in live births (%)	2 / 6			2 / 12		
Percentage of transfers resulting in pregnancies (%)	3 / 6			5 / 12		

CURRENT SERVICES & PROFILE

Current Name: Arizona Center for Reproductive Endocrinology and Infertility

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**REPRODUCTIVE HEALTH CENTER
TUCSON, ARIZONA**

This clinic provided ART services during 2015 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2015 ART cycle data or the clinic's Medical Director did not approve the clinic's 2015 ART cycle data for inclusion in this report.

VIVERE ARIZONA REPRODUCTIVE INSTITUTE TUCSON, ARIZONA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Christine W. Mansfield, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	88%	Tubal factor	5%	Uterine factor	<1%	<i>Multiple Factors:</i> Female factors only 11% Female & male factors 12%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	18%	Male factor	27%	
Used gestational carrier	0%			Diminished ovarian reserve	39%	Other factor	13%	
				Endometriosis	13%	Unknown factor	10%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 194 (includes 4 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	55	22	24	8	1	0
Percentage of cancellations before retrieval (%)	3.6	13.6	12.5	4 / 8	0 / 1	
Average number of embryos transferred	1.9	2.1	2.8	2.7	3.0	
Percentage of embryos transferred resulting in implantation (%)	35.6	31.4	17.3	2 / 4	0 / 3	
Percentage of elective single embryo transfers (eSET) (%)	4.9	1 / 17	0 / 19	0 / 3	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	10.9	9.1	16.7	0 / 8	0 / 1	
Percentage of cycles resulting in singleton live births (%)	18.2	13.6	16.7	0 / 8	0 / 1	
Percentage of cycles resulting in twin live births (%)	10.9	13.6	4.2	1 / 8	0 / 1	
Percentage of cycles resulting in live births (%)	29.1	27.3	25.0	1 / 8	0 / 1	
Percentage of cycles resulting in pregnancies (%)	38.2	40.9	33.3	2 / 8	0 / 1	
Outcomes per Transfer						
Number of transfers	42	18	20	3	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	14.3	2 / 18	20.0	0 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	23.8	3 / 18	20.0	0 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	14.3	3 / 18	5.0	1 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	38.1	6 / 18	30.0	1 / 3	0 / 1	
Percentage of transfers resulting in pregnancies (%)	50.0	9 / 18	40.0	2 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	28	9	6	2	0	0
Number of transfers	28	9	5	2	0	0
Estimated average number of transfers per retrieval	1.0	0.6	0.6	0.3		
Average number of embryos transferred	2.0	2.1	1.8	1.0		
Percentage of embryos transferred resulting in implantation (%)	50.0	3 / 19	3 / 7	0 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	42.9	3 / 9	3 / 5	0 / 2		
Percentage of transfers resulting in singleton live births (%)	50.0	3 / 9	3 / 5	0 / 2		
Percentage of transfers resulting in twin live births (%)	21.4	0 / 9	0 / 5	0 / 2		
Percentage of transfers resulting in live births (%)	71.4	3 / 9	3 / 5	0 / 2		
Percentage of transfers resulting in pregnancies (%)	78.6	3 / 9	4 / 5	1 / 2		
Number of Egg/Embryo Banking Cycles						
	8	13	5	4	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	4			1		
Number of transfers	3			1		
Average number of embryos transferred	1.3			2.0		
Percentage of embryos transferred resulting in implantation (%)	2 / 4			0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 3			0 / 1		
Percentage of transfers resulting in singleton live births (%)	2 / 3			0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 3			0 / 1		
Percentage of transfers resulting in live births (%)	2 / 3			0 / 1		
Percentage of transfers resulting in pregnancies (%)	2 / 3			0 / 1		

CURRENT SERVICES & PROFILE

Current Name: Vivere Arizona Reproductive Institute

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ARKANSAS FERTILITY CENTER LITTLE ROCK FERTILITY CENTER LITTLE ROCK, ARKANSAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Dean M. Moutos, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	58%	Tubal factor	16%	Uterine factor	5%	Multiple Factors: Female factors only 7% Female & male factors 15%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	16%	Male factor	29%	
Used gestational carrier	<1%			Diminished ovarian reserve	28%	Other factor	1%	
				Endometriosis	11%	Unknown factor	18%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 292 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	118	38	16	3	3	0
Percentage of cancellations before retrieval (%)	6.8	15.8	3 / 16	0 / 3	0 / 3	
Average number of embryos transferred	1.8	1.9	1.8	2.5	1.0	
Percentage of embryos transferred resulting in implantation (%)	39.3	10.7	1 / 16	0 / 5	1 / 2	
Percentage of elective single embryo transfers (eSET) (%)	14.6	8.0	0 / 8	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	27.1	15.8	0 / 16	0 / 3	0 / 3	
Percentage of cycles resulting in singleton live births (%)	29.7	15.8	0 / 16	0 / 3	1 / 3	
Percentage of cycles resulting in twin live births (%)	10.2	0.0	0 / 16	0 / 3	0 / 3	
Percentage of cycles resulting in live births (%)	40.7	15.8	0 / 16	0 / 3	1 / 3	
Percentage of cycles resulting in pregnancies (%)	46.6	18.4	2 / 16	0 / 3	1 / 3	
Outcomes per Transfer						
Number of transfers	98	30	10	2	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	32.7	20.0	0 / 10	0 / 2	0 / 2	
Percentage of transfers resulting in singleton live births (%)	35.7	20.0	0 / 10	0 / 2	1 / 2	
Percentage of transfers resulting in twin live births (%)	12.2	0.0	0 / 10	0 / 2	0 / 2	
Percentage of transfers resulting in live births (%)	49.0	20.0	0 / 10	0 / 2	1 / 2	
Percentage of transfers resulting in pregnancies (%)	56.1	23.3	2 / 10	0 / 2	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	55	22	6	2	1	0
Number of transfers	49	20	6	2	1	0
Estimated average number of transfers per retrieval	3.5	1.8	2.0	1.0		
Average number of embryos transferred	1.5	1.6	1.5	1.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	23.2	21.9	1 / 9	1 / 2	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	20.4	15.0	1 / 6	1 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)	22.4	15.0	1 / 6	1 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)	4.1	10.0	0 / 6	0 / 2	0 / 1	
Percentage of transfers resulting in live births (%)	26.5	25.0	1 / 6	1 / 2	0 / 1	
Percentage of transfers resulting in pregnancies (%)	32.7	25.0	1 / 6	1 / 2	0 / 1	
Number of Egg/Embryo Banking Cycles						
	5	1	1	2	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	12			7		
Number of transfers	9			6		
Average number of embryos transferred	1.3			1.5		
Percentage of embryos transferred resulting in implantation (%)	7 / 12			2 / 9		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 9			1 / 6		
Percentage of transfers resulting in singleton live births (%)	7 / 9			2 / 6		
Percentage of transfers resulting in twin live births (%)	0 / 9			0 / 6		
Percentage of transfers resulting in live births (%)	7 / 9			2 / 6		
Percentage of transfers resulting in pregnancies (%)	7 / 9			2 / 6		

CURRENT SERVICES & PROFILE

Current Name: Arkansas Fertility Center, Little Rock Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

LIFESTART FERTILITY CENTER AGOURA HILLS, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Anita P. Singh, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	67%	Tubal factor	14%	Uterine factor	0%	
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	0%	Male factor	57%	
Used gestational carrier	0%			Diminished ovarian reserve	0%	Other factor	71%	
				Endometriosis	0%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				0%
				Female & male factors				43%

2015 ART SUCCESS RATES ^c		Total number of cycles ^d : 10 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		0	3	0	0	0	0
Percentage of cancellations before retrieval (%)			0 / 3				
Average number of embryos transferred			1.0				
Percentage of embryos transferred resulting in implantation (%)			0 / 2				
Percentage of elective single embryo transfers (eSET) (%)			1 / 1				
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)			0 / 3				
Percentage of cycles resulting in singleton live births (%)			0 / 3				
Percentage of cycles resulting in twin live births (%)			0 / 3				
Percentage of cycles resulting in live births (%)			0 / 3				
Percentage of cycles resulting in pregnancies (%)			0 / 3				
Outcomes per Transfer							
Number of transfers		0	2	0	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)			0 / 2				
Percentage of transfers resulting in singleton live births (%)			0 / 2				
Percentage of transfers resulting in twin live births (%)			0 / 2				
Percentage of transfers resulting in live births (%)			0 / 2				
Percentage of transfers resulting in pregnancies (%)			0 / 2				
Frozen Embryos from Nondonor Eggs							
Number of cycles		0	2	0	0	0	0
Number of transfers		0	2	0	0	0	0
Estimated average number of transfers per retrieval			0.5				
Average number of embryos transferred			1.0				
Percentage of embryos transferred resulting in implantation (%)			2 / 2				
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)			1 / 2				
Percentage of transfers resulting in singleton live births (%)			1 / 2				
Percentage of transfers resulting in twin live births (%)			0 / 2				
Percentage of transfers resulting in live births (%)			1 / 2				
Percentage of transfers resulting in pregnancies (%)			2 / 2				
Number of Egg/Embryo Banking Cycles		0	3	0	0	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		1			1		
Number of transfers		1			1		
Average number of embryos transferred		2.0			2.0		
Percentage of embryos transferred resulting in implantation (%)		0 / 2			2 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 1			0 / 1		
Percentage of transfers resulting in singleton live births (%)		0 / 1			1 / 1		
Percentage of transfers resulting in twin live births (%)		0 / 1			0 / 1		
Percentage of transfers resulting in live births (%)		0 / 1			1 / 1		
Percentage of transfers resulting in pregnancies (%)		0 / 1			1 / 1		

CURRENT SERVICES & PROFILE		Current Name: LifeStart Fertility Center					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ALTA BATES IN VITRO FERTILIZATION PROGRAM BERKELEY, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Ryszard J. Chetkowski, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	67%	Tubal factor	5%	Uterine factor	20%	<i>Multiple Factors:</i> Female factors only 8% Female & male factors 30%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	6%	Male factor	43%	
Used gestational carrier	4%			Diminished ovarian reserve	47%	Other factor	16%	
				Endometriosis	9%	Unknown factor	5%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 138 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	4	9	10	0	3	1
Percentage of cancellations before retrieval (%)	0 / 4	3 / 9	1 / 10		1 / 3	1 / 1
Average number of embryos transferred	1.7	2.0	1.5		5.5	
Percentage of embryos transferred resulting in implantation (%)	1 / 5	1 / 8	1 / 6		0 / 11	
Percentage of elective single embryo transfers (eSET) (%)	1 / 3	1 / 4	1 / 3		0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	1 / 4	1 / 9	1 / 10		0 / 3	0 / 1
Percentage of cycles resulting in singleton live births (%)	1 / 4	1 / 9	1 / 10		0 / 3	0 / 1
Percentage of cycles resulting in twin live births (%)	0 / 4	0 / 9	0 / 10		0 / 3	0 / 1
Percentage of cycles resulting in live births (%)	1 / 4	1 / 9	1 / 10		0 / 3	0 / 1
Percentage of cycles resulting in pregnancies (%)	1 / 4	1 / 9	1 / 10		0 / 3	0 / 1
Outcomes per Transfer						
Number of transfers	3	4	5	0	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 3	1 / 4	1 / 5		0 / 2	
Percentage of transfers resulting in singleton live births (%)	1 / 3	1 / 4	1 / 5		0 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 4	0 / 5		0 / 2	
Percentage of transfers resulting in live births (%)	1 / 3	1 / 4	1 / 5		0 / 2	
Percentage of transfers resulting in pregnancies (%)	1 / 3	1 / 4	1 / 5		0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	18	16	4	11	0	0
Number of transfers	15	13	3	8	0	0
Estimated average number of transfers per retrieval	1.3	1.4	0.3	1.1	0.0	0.0
Average number of embryos transferred	1.4	1.4	1.3	1.1		
Percentage of embryos transferred resulting in implantation (%)	28.6	7 / 18	2 / 2	1 / 9		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	6 / 15	3 / 13	2 / 3	1 / 8		
Percentage of transfers resulting in singleton live births (%)	6 / 15	4 / 13	2 / 3	1 / 8		
Percentage of transfers resulting in twin live births (%)	0 / 15	1 / 13	0 / 3	0 / 8		
Percentage of transfers resulting in live births (%)	6 / 15	5 / 13	2 / 3	1 / 8		
Percentage of transfers resulting in pregnancies (%)	6 / 15	6 / 13	3 / 3	1 / 8		
Number of Egg/Embryo Banking Cycles						
	10	6	9	7	2	2
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	3			22		
Number of transfers	2			19		
Average number of embryos transferred	1.5			1.2		
Percentage of embryos transferred resulting in implantation (%)	0 / 3			40.9		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 2			5 / 19		
Percentage of transfers resulting in singleton live births (%)	0 / 2			6 / 19		
Percentage of transfers resulting in twin live births (%)	0 / 2			1 / 19		
Percentage of transfers resulting in live births (%)	0 / 2			7 / 19		
Percentage of transfers resulting in pregnancies (%)	0 / 2			8 / 19		

CURRENT SERVICES & PROFILE

Current Name: Alta Bates In Vitro Fertilization Program

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**CENTER FOR REPRODUCTIVE HEALTH & GYNECOLOGY
(CRH&G)
BEVERLY HILLS, CALIFORNIA**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Sam Najmabadi, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	66%	Tubal factor	13%	Uterine factor	3%	Multiple Factors: Female factors only 14% Female & male factors 48%
Unstimulated	0%	PGD/PGS	23%	Ovulatory dysfunction	2%	Male factor	63%	
Used gestational carrier	0%			Diminished ovarian reserve	47%	Other factor	50%	
				Endometriosis	3%	Unknown factor	2%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 101 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	8	11	10	10	8	0
Percentage of cancellations before retrieval (%)	0 / 8	0 / 11	1 / 10	1 / 10	1 / 8	
Average number of embryos transferred	2.0	1.9	1.9	2.1	2.5	
Percentage of embryos transferred resulting in implantation (%)	5 / 16	28.6	6 / 15	5 / 19	3 / 15	
Percentage of elective single embryo transfers (eSET) (%)	1 / 7	1 / 11	0 / 7	0 / 8	0 / 6	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	3 / 8	4 / 11	4 / 10	2 / 10	0 / 8	
Percentage of cycles resulting in singleton live births (%)	3 / 8	4 / 11	4 / 10	2 / 10	0 / 8	
Percentage of cycles resulting in twin live births (%)	1 / 8	1 / 11	1 / 10	1 / 10	1 / 8	
Percentage of cycles resulting in live births (%)	4 / 8	5 / 11	5 / 10	3 / 10	1 / 8	
Percentage of cycles resulting in pregnancies (%)	4 / 8	5 / 11	5 / 10	4 / 10	2 / 8	
Outcomes per Transfer						
Number of transfers	8	11	8	9	6	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 8	4 / 11	4 / 8	2 / 9	0 / 6	
Percentage of transfers resulting in singleton live births (%)	3 / 8	4 / 11	4 / 8	2 / 9	0 / 6	
Percentage of transfers resulting in twin live births (%)	1 / 8	1 / 11	1 / 8	1 / 9	1 / 6	
Percentage of transfers resulting in live births (%)	4 / 8	5 / 11	5 / 8	3 / 9	1 / 6	
Percentage of transfers resulting in pregnancies (%)	4 / 8	5 / 11	5 / 8	4 / 9	2 / 6	
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	3	0	1	0	0
Number of transfers	2	3	0	1	0	0
Estimated average number of transfers per retrieval	0.7	0.3	0.0	0.5	0.0	0.0
Average number of embryos transferred	2.0	2.3		3.0		
Percentage of embryos transferred resulting in implantation (%)	3 / 4	2 / 7		1 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 2	2 / 3		1 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 2	2 / 3		1 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 2	0 / 3		0 / 1		
Percentage of transfers resulting in live births (%)	2 / 2	2 / 3		1 / 1		
Percentage of transfers resulting in pregnancies (%)	2 / 2	2 / 3		1 / 1		
Number of Egg/Embryo Banking Cycles	3	8	18	2	3	3
Donor Eggs		Fresh Embryos^f		Frozen Embryos^f		
Number of cycles		6		5		
Number of transfers		6		5		
Average number of embryos transferred		1.3		2.0		
Percentage of embryos transferred resulting in implantation (%)		8 / 8		5 / 10		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		4 / 6		2 / 5		
Percentage of transfers resulting in singleton live births (%)		4 / 6		2 / 5		
Percentage of transfers resulting in twin live births (%)		2 / 6		1 / 5		
Percentage of transfers resulting in live births (%)		6 / 6		3 / 5		
Percentage of transfers resulting in pregnancies (%)		6 / 6		4 / 5		

CURRENT SERVICES & PROFILE

Current Name: Center for Reproductive Health & Gynecology, (CRH&G)

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTHERN CALIFORNIA REPRODUCTIVE CENTER BEVERLY HILLS, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Mark W. Surrey, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	75%	Tubal factor	5%	Uterine factor	3%	Multiple Factors: Female factors only 3% Female & male factors 9%
Unstimulated	0%	PGD/PGS	36%	Ovulatory dysfunction	9%	Male factor	20%	
Used gestational carrier	2%			Diminished ovarian reserve	37%	Other factor	14%	
				Endometriosis	2%	Unknown factor	22%	

2015 ART SUCCESS RATES ^c		Total number of cycles ^d : 754 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		23	16	18	16	6	4
Percentage of cancellations before retrieval (%)		8.7	0 / 16	1 / 18	1 / 16	2 / 6	1 / 4
Average number of embryos transferred		1.5	1.5	1.4	1.6	3.0	2.0
Percentage of embryos transferred resulting in implantation (%)		36.4	6 / 12	6 / 13	3 / 13	0 / 6	0 / 2
Percentage of elective single embryo transfers (eSET) (%)		8 / 14	4 / 8	4 / 8	1 / 5	0 / 2	0 / 1
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		17.4	2 / 16	5 / 18	3 / 16	0 / 6	0 / 4
Percentage of cycles resulting in singleton live births (%)		17.4	3 / 16	5 / 18	3 / 16	0 / 6	0 / 4
Percentage of cycles resulting in twin live births (%)		8.7	0 / 16	0 / 18	0 / 16	0 / 6	0 / 4
Percentage of cycles resulting in live births (%)		26.1	3 / 16	5 / 18	3 / 16	0 / 6	0 / 4
Percentage of cycles resulting in pregnancies (%)		26.1	4 / 16	6 / 18	3 / 16	0 / 6	0 / 4
Outcomes per Transfer							
Number of transfers		15	8	9	8	2	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		4 / 15	2 / 8	5 / 9	3 / 8	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)		4 / 15	3 / 8	5 / 9	3 / 8	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)		2 / 15	0 / 8	0 / 9	0 / 8	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)		6 / 15	3 / 8	5 / 9	3 / 8	0 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)		6 / 15	4 / 8	6 / 9	3 / 8	0 / 2	0 / 1
Frozen Embryos from Nondonor Eggs							
Number of cycles		76	47	43	21	3	2
Number of transfers		75	47	36	21	3	2
Estimated average number of transfers per retrieval		0.5	0.4	0.3	0.3	0.2	0.4
Average number of embryos transferred		1.3	1.4	1.2	1.5	1.0	1.0
Percentage of embryos transferred resulting in implantation (%)		53.5	50.8	57.1	53.3	2 / 3	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		42.7	44.7	50.0	57.1	2 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)		53.3	44.7	52.8	57.1	2 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)		6.7	8.5	5.6	4.8	0 / 3	0 / 2
Percentage of transfers resulting in live births (%)		60.0	53.2	58.3	61.9	2 / 3	0 / 2
Percentage of transfers resulting in pregnancies (%)		64.0	61.7	61.1	76.2	2 / 3	1 / 2
Number of Egg/Embryo Banking Cycles							
		131	104	118	58	19	5
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		18			26		
Number of transfers		16			23		
Average number of embryos transferred		1.2			1.3		
Percentage of embryos transferred resulting in implantation (%)		12 / 19			40.0		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		6 / 16			34.8		
Percentage of transfers resulting in singleton live births (%)		7 / 16			34.8		
Percentage of transfers resulting in twin live births (%)		2 / 16			4.3		
Percentage of transfers resulting in live births (%)		9 / 16			39.1		
Percentage of transfers resulting in pregnancies (%)		10 / 16			43.5		

CURRENT SERVICES & PROFILE		Current Name: Southern California Reproductive Center					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CARE OF ORANGE COUNTY BREA, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Changnin T. Lee, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	100%	Tubal factor	12%	Uterine factor	4%	<i>Multiple Factors:</i> Female factors only 8% Female & male factors 8%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	11%	Male factor	19%	
Used gestational carrier	0%			Diminished ovarian reserve	39%	Other factor	19%	
				Endometriosis	0%	Unknown factor	14%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 203 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	0	2	2	0	0	1
Percentage of cancellations before retrieval (%)		0 / 2	0 / 2			0 / 1
Average number of embryos transferred		1.0	2.5			2.0
Percentage of embryos transferred resulting in implantation (%)		0 / 2	0 / 2			0 / 2
Percentage of elective single embryo transfers (eSET) (%)			0 / 2			0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		0 / 2	0 / 2			0 / 1
Percentage of cycles resulting in singleton live births (%)		0 / 2	0 / 2			0 / 1
Percentage of cycles resulting in twin live births (%)		0 / 2	0 / 2			0 / 1
Percentage of cycles resulting in live births (%)		0 / 2	0 / 2			0 / 1
Percentage of cycles resulting in pregnancies (%)		0 / 2	1 / 2			0 / 1
Outcomes per Transfer						
Number of transfers	0	2	2	0	0	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 2	0 / 2			0 / 1
Percentage of transfers resulting in singleton live births (%)		0 / 2	0 / 2			0 / 1
Percentage of transfers resulting in twin live births (%)		0 / 2	0 / 2			0 / 1
Percentage of transfers resulting in live births (%)		0 / 2	0 / 2			0 / 1
Percentage of transfers resulting in pregnancies (%)		0 / 2	1 / 2			0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	19	23	26	6	5	0
Number of transfers	18	23	23	5	4	0
Estimated average number of transfers per retrieval	0.8	1.4	0.7	0.6	0.3	0.0
Average number of embryos transferred	1.3	1.4	1.3	1.8	1.3	
Percentage of embryos transferred resulting in implantation (%)	73.9	60.7	46.7	2 / 9	2 / 5	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	10 / 18	39.1	26.1	1 / 5	0 / 4	
Percentage of transfers resulting in singleton live births (%)	11 / 18	47.8	30.4	1 / 5	2 / 4	
Percentage of transfers resulting in twin live births (%)	3 / 18	8.7	13.0	0 / 5	0 / 4	
Percentage of transfers resulting in live births (%)	14 / 18	56.5	43.5	1 / 5	2 / 4	
Percentage of transfers resulting in pregnancies (%)	14 / 18	78.3	52.2	2 / 5	2 / 4	
Number of Egg/Embryo Banking Cycles						
	23	16	31	9	13	14
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			13		
Number of transfers	0			13		
Average number of embryos transferred				1.2		
Percentage of embryos transferred resulting in implantation (%)				9 / 15		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				4 / 13		
Percentage of transfers resulting in singleton live births (%)				7 / 13		
Percentage of transfers resulting in twin live births (%)				1 / 13		
Percentage of transfers resulting in live births (%)				8 / 13		
Percentage of transfers resulting in pregnancies (%)				8 / 13		

CURRENT SERVICES & PROFILE

Current Name: Fertility Care of Orange County

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTRAL CALIFORNIA IVF PROGRAM WOMEN'S SPECIALTY AND FERTILITY CENTER CLOVIS, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by H. Michael Synn, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	73%	Tubal factor	9%	Uterine factor	0%	Multiple Factors: Female factors only 4% Female & male factors 17%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	22%	Male factor	40%	
Used gestational carrier	<1%			Diminished ovarian reserve	38%	Other factor	<1%	
				Endometriosis	7%	Unknown factor	6%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 311 (includes 9 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	90	32	25	10	2	1
Percentage of cancellations before retrieval (%)	17.8	12.5	28.0	3 / 10	2 / 2	1 / 1
Average number of embryos transferred	1.8	2.0	2.2	2.8		
Percentage of embryos transferred resulting in implantation (%)	36.9	27.7	30.0	2 / 17		
Percentage of elective single embryo transfers (eSET) (%)	9.2	0.0	0 / 17	0 / 6		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	24.4	12.5	20.0	2 / 10	0 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	30.0	15.6	24.0	2 / 10	0 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	8.9	12.5	8.0	0 / 10	0 / 2	0 / 1
Percentage of cycles resulting in live births (%)	38.9	28.1	32.0	2 / 10	0 / 2	0 / 1
Percentage of cycles resulting in pregnancies (%)	44.4	31.3	32.0	2 / 10	0 / 2	0 / 1
Outcomes per Transfer						
Number of transfers	70	25	18	6	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	31.4	16.0	5 / 18	2 / 6		
Percentage of transfers resulting in singleton live births (%)	38.6	20.0	6 / 18	2 / 6		
Percentage of transfers resulting in twin live births (%)	11.4	16.0	2 / 18	0 / 6		
Percentage of transfers resulting in live births (%)	50.0	36.0	8 / 18	2 / 6		
Percentage of transfers resulting in pregnancies (%)	57.1	40.0	8 / 18	2 / 6		
Frozen Embryos from Nondonor Eggs						
Number of cycles	61	21	15	3	1	0
Number of transfers	51	20	13	3	1	0
Estimated average number of transfers per retrieval	2.6	2.0	1.3	1.0		
Average number of embryos transferred	1.7	1.7	1.6	2.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	15.0	9.1	28.6	0 / 6	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	21.6	10.0	2 / 13	0 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	21.6	10.0	4 / 13	0 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	0.0	0.0	1 / 13	0 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	21.6	10.0	5 / 13	0 / 3	0 / 1	
Percentage of transfers resulting in pregnancies (%)	31.4	10.0	5 / 13	0 / 3	0 / 1	
Number of Egg/Embryo Banking Cycles						
	3	3	6	1	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	15			13		
Number of transfers	11			11		
Average number of embryos transferred	1.9			1.7		
Percentage of embryos transferred resulting in implantation (%)	9 / 16			6 / 19		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 11			3 / 11		
Percentage of transfers resulting in singleton live births (%)	2 / 11			4 / 11		
Percentage of transfers resulting in twin live births (%)	3 / 11			0 / 11		
Percentage of transfers resulting in live births (%)	5 / 11			4 / 11		
Percentage of transfers resulting in pregnancies (%)	8 / 11			5 / 11		

CURRENT SERVICES & PROFILE

Current Name: Central California IVF Program, Women's Specialty and Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CALIFORNIA IVF FERTILITY CENTER DAVIS, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Ernest J. Zeringue, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	64%	Tubal factor	8%	Uterine factor	5%	<i>Multiple Factors:</i> Female factors only 19% Female & male factors 15%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	12%	Male factor	28%	
Used gestational carrier	4%			Diminished ovarian reserve	21%	Other factor	53%	
				Endometriosis	8%	Unknown factor	4%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 619 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	82	33	23	17	9	1
Percentage of cancellations before retrieval (%)	0.0	0.0	0.0	1 / 17	0 / 9	0 / 1
Average number of embryos transferred	1.7	1.7	1.9	2.9	2.2	2.0
Percentage of embryos transferred resulting in implantation (%)	29.1	15.6	31.0	7.5	1 / 13	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	29.9	26.9	0 / 13	0 / 13	0 / 4	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	15.9	12.1	13.0	3 / 17	1 / 9	0 / 1
Percentage of cycles resulting in singleton live births (%)	22.0	18.2	17.4	3 / 17	1 / 9	0 / 1
Percentage of cycles resulting in twin live births (%)	4.9	0.0	8.7	0 / 17	0 / 9	0 / 1
Percentage of cycles resulting in live births (%)	26.8	18.2	26.1	3 / 17	1 / 9	0 / 1
Percentage of cycles resulting in pregnancies (%)	34.1	27.3	34.8	3 / 17	1 / 9	0 / 1
Outcomes per Transfer						
Number of transfers	69	28	16	14	6	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	18.8	14.3	3 / 16	3 / 14	1 / 6	0 / 1
Percentage of transfers resulting in singleton live births (%)	26.1	21.4	4 / 16	3 / 14	1 / 6	0 / 1
Percentage of transfers resulting in twin live births (%)	5.8	0.0	2 / 16	0 / 14	0 / 6	0 / 1
Percentage of transfers resulting in live births (%)	31.9	21.4	6 / 16	3 / 14	1 / 6	0 / 1
Percentage of transfers resulting in pregnancies (%)	40.6	32.1	8 / 16	3 / 14	1 / 6	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	87	37	17	5	3	0
Number of transfers	85	37	17	5	3	0
Estimated average number of transfers per retrieval	1.5	1.4	0.7	0.8	0.2	0.0
Average number of embryos transferred	1.6	1.6	1.8	1.8	1.0	
Percentage of embryos transferred resulting in implantation (%)	56.3	36.4	18.5	1 / 9	2 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	35.3	24.3	2 / 17	0 / 5	2 / 3	
Percentage of transfers resulting in singleton live births (%)	42.4	35.1	2 / 17	1 / 5	2 / 3	
Percentage of transfers resulting in twin live births (%)	12.9	5.4	1 / 17	0 / 5	0 / 3	
Percentage of transfers resulting in live births (%)	57.6	40.5	3 / 17	1 / 5	2 / 3	
Percentage of transfers resulting in pregnancies (%)	69.4	59.5	5 / 17	1 / 5	2 / 3	
Number of Egg/Embryo Banking Cycles						
	27	13	20	4	11	3
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		64			163	
Number of transfers		63			162	
Average number of embryos transferred		1.6			1.6	
Percentage of embryos transferred resulting in implantation (%)		57.3			43.2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		33.3			29.6	
Percentage of transfers resulting in singleton live births (%)		44.4			34.6	
Percentage of transfers resulting in twin live births (%)		22.2			11.7	
Percentage of transfers resulting in live births (%)		66.7			46.3	
Percentage of transfers resulting in pregnancies (%)		69.8			58.0	

CURRENT SERVICES & PROFILE

Current Name: California IVF Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CALIFORNIA CENTER FOR REPRODUCTIVE MEDICINE ENCINITAS, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Lori L. Arnold, MD					
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b					
IVF	100%	With ICSI	85%	Tubal factor	8%	Uterine factor	15%	<i>Multiple Factors:</i>	
Unstimulated	0%	PGD/PGS	23%	Ovulatory dysfunction	4%	Male factor	19%	Female factors only	16%
Used gestational carrier	0%			Diminished ovarian reserve	39%	Other factor	31%	Female & male factors	11%
				Endometriosis	4%	Unknown factor	8%		

2015 ART SUCCESS RATES ^c		Total number of cycles ^d : 124 (includes 1 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		7	3	1	1	1	0
Percentage of cancellations before retrieval (%)		0 / 7	1 / 3	0 / 1	1 / 1	0 / 1	
Average number of embryos transferred		1.3	3.0	1.0			
Percentage of embryos transferred resulting in implantation (%)		1 / 5	1 / 3	1 / 1			
Percentage of elective single embryo transfers (eSET) (%)		2 / 3	0 / 1				
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		0 / 7	0 / 3	0 / 1	0 / 1	0 / 1	
Percentage of cycles resulting in singleton live births (%)		1 / 7	1 / 3	0 / 1	0 / 1	0 / 1	
Percentage of cycles resulting in twin live births (%)		0 / 7	0 / 3	0 / 1	0 / 1	0 / 1	
Percentage of cycles resulting in live births (%)		1 / 7	1 / 3	0 / 1	0 / 1	0 / 1	
Percentage of cycles resulting in pregnancies (%)		1 / 7	1 / 3	1 / 1	0 / 1	0 / 1	
Outcomes per Transfer							
Number of transfers		4	1	1	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 4	0 / 1	0 / 1			
Percentage of transfers resulting in singleton live births (%)		1 / 4	1 / 1	0 / 1			
Percentage of transfers resulting in twin live births (%)		0 / 4	0 / 1	0 / 1			
Percentage of transfers resulting in live births (%)		1 / 4	1 / 1	0 / 1			
Percentage of transfers resulting in pregnancies (%)		1 / 4	1 / 1	1 / 1			
Frozen Embryos from Nondonor Eggs							
Number of cycles		18	6	6	1	0	0
Number of transfers		17	6	6	1	0	0
Estimated average number of transfers per retrieval		0.9	0.5	0.5	0.3	0.0	0.0
Average number of embryos transferred		1.4	1.3	1.5	1.0		
Percentage of embryos transferred resulting in implantation (%)		66.7	4 / 8	3 / 9	1 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		8 / 17	2 / 6	2 / 6	1 / 1		
Percentage of transfers resulting in singleton live births (%)		12 / 17	2 / 6	3 / 6	1 / 1		
Percentage of transfers resulting in twin live births (%)		2 / 17	1 / 6	0 / 6	0 / 1		
Percentage of transfers resulting in live births (%)		14 / 17	3 / 6	3 / 6	1 / 1		
Percentage of transfers resulting in pregnancies (%)		14 / 17	3 / 6	3 / 6	1 / 1		
Number of Egg/Embryo Banking Cycles							
		16	10	11	3	4	5
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		5			25		
Number of transfers		5			25		
Average number of embryos transferred		1.6			1.4		
Percentage of embryos transferred resulting in implantation (%)		5 / 8			60.0		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		2 / 5			44.0		
Percentage of transfers resulting in singleton live births (%)		3 / 5			48.0		
Percentage of transfers resulting in twin live births (%)		1 / 5			12.0		
Percentage of transfers resulting in live births (%)		4 / 5			60.0		
Percentage of transfers resulting in pregnancies (%)		4 / 5			64.0		

CURRENT SERVICES & PROFILE		Current Name: California Center for Reproductive Medicine					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE FERTILITY INSTITUTES-LOS ANGELES, NEW YORK, GUADALAJARA ENCINO, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Jeffrey Steinberg, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	97%	Tubal factor	<1%	Uterine factor	<1%	<i>Multiple Factors:</i> Female factors only 4% Female & male factors 2%
Unstimulated	0%	PGD/PGS	89%	Ovulatory dysfunction	<1%	Male factor	3%	
Used gestational carrier	0%			Diminished ovarian reserve	6%	Other factor	94%	
				Endometriosis	0%	Unknown factor	<1%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 181 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	35	18	10	7	1	2
Percentage of cancellations before retrieval (%)	0.0	0 / 18	0 / 10	0 / 7	0 / 1	0 / 2
Average number of embryos transferred	1.4	1.4	1.1	1.2	1.0	2.0
Percentage of embryos transferred resulting in implantation (%)	30.6	23.1	3 / 9	0 / 6	1 / 1	1 / 2
Percentage of elective single embryo transfers (eSET) (%)	46.2	5 / 11	1 / 2	0 / 1		0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	25.7	1 / 18	3 / 10	0 / 7	1 / 1	0 / 2
Percentage of cycles resulting in singleton live births (%)	28.6	2 / 18	3 / 10	0 / 7	1 / 1	1 / 2
Percentage of cycles resulting in twin live births (%)	5.7	1 / 18	0 / 10	0 / 7	0 / 1	0 / 2
Percentage of cycles resulting in live births (%)	34.3	3 / 18	3 / 10	0 / 7	1 / 1	1 / 2
Percentage of cycles resulting in pregnancies (%)	37.1	5 / 18	3 / 10	0 / 7	1 / 1	1 / 2
Outcomes per Transfer						
Number of transfers	34	18	8	5	1	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	26.5	1 / 18	3 / 8	0 / 5	1 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	29.4	2 / 18	3 / 8	0 / 5	1 / 1	1 / 1
Percentage of transfers resulting in twin live births (%)	5.9	1 / 18	0 / 8	0 / 5	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	35.3	3 / 18	3 / 8	0 / 5	1 / 1	1 / 1
Percentage of transfers resulting in pregnancies (%)	38.2	5 / 18	3 / 8	0 / 5	1 / 1	1 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	12	6	7	1	0	5
Number of transfers	12	6	7	1	0	5
Estimated average number of transfers per retrieval	0.4	0.5	0.6	0.2	0.0	0.8
Average number of embryos transferred	1.3	1.8	1.3	1.0		1.8
Percentage of embryos transferred resulting in implantation (%)	5 / 15	1 / 11	3 / 9	0 / 1		1 / 9
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 12	1 / 6	3 / 7	0 / 1		0 / 5
Percentage of transfers resulting in singleton live births (%)	4 / 12	1 / 6	3 / 7	0 / 1		0 / 5
Percentage of transfers resulting in twin live births (%)	0 / 12	0 / 6	0 / 7	0 / 1		0 / 5
Percentage of transfers resulting in live births (%)	4 / 12	1 / 6	3 / 7	0 / 1		0 / 5
Percentage of transfers resulting in pregnancies (%)	5 / 12	1 / 6	3 / 7	0 / 1		1 / 5
Number of Egg/Embryo Banking Cycles						
	22	12	11	5	2	6
Donor Eggs						
		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		7			9	
Number of transfers		5			9	
Average number of embryos transferred		1.8			2.1	
Percentage of embryos transferred resulting in implantation (%)		4 / 9			6 / 19	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		4 / 5			3 / 9	
Percentage of transfers resulting in singleton live births (%)		4 / 5			4 / 9	
Percentage of transfers resulting in twin live births (%)		0 / 5			1 / 9	
Percentage of transfers resulting in live births (%)		4 / 5			5 / 9	
Percentage of transfers resulting in pregnancies (%)		4 / 5			5 / 9	

CURRENT SERVICES & PROFILE

Current Name: The Fertility Institutes-Los Angeles, New York, Guadalajara

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HRC FERTILITY-ENCINO ENCINO, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Michael A. Feinman, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	85%	Tubal factor	1%	Uterine factor	4%	<i>Multiple Factors:</i> Female factors only 7% Female & male factors 5%
Unstimulated	<1%	PGD/PGS	47%	Ovulatory dysfunction	3%	Male factor	13%	
Used gestational carrier	2%			Diminished ovarian reserve	32%	Other factor	32%	
				Endometriosis	6%	Unknown factor	24%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 1,078 (includes 16 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	114	95	98	69	39	12
Percentage of cancellations before retrieval (%)	1.8	7.4	5.1	17.4	10.3	1 / 12
Average number of embryos transferred	1.9	2.0	2.2	2.4	2.6	1.8
Percentage of embryos transferred resulting in implantation (%)	49.6	31.9	23.9	7.7	11.8	3 / 11
Percentage of elective single embryo transfers (eSET) (%)	23.9	13.6	6.7	4.3	0 / 9	0 / 5
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	25.4	17.9	14.3	5.8	5.1	1 / 12
Percentage of cycles resulting in singleton live births (%)	27.2	20.0	16.3	7.2	5.1	1 / 12
Percentage of cycles resulting in twin live births (%)	14.0	5.3	5.1	0.0	2.6	1 / 12
Percentage of cycles resulting in live births (%)	41.2	25.3	21.4	7.2	7.7	2 / 12
Percentage of cycles resulting in pregnancies (%)	43.0	30.5	26.5	10.1	7.7	3 / 12
Outcomes per Transfer						
Number of transfers	71	51	57	29	13	8
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	40.8	33.3	24.6	13.8	2 / 13	1 / 8
Percentage of transfers resulting in singleton live births (%)	43.7	37.3	28.1	17.2	2 / 13	1 / 8
Percentage of transfers resulting in twin live births (%)	22.5	9.8	8.8	0.0	1 / 13	1 / 8
Percentage of transfers resulting in live births (%)	66.2	47.1	36.8	17.2	3 / 13	2 / 8
Percentage of transfers resulting in pregnancies (%)	69.0	56.9	45.6	24.1	3 / 13	3 / 8
Frozen Embryos from Nondonor Eggs						
Number of cycles	90	53	67	39	17	31
Number of transfers	86	48	62	33	13	27
Estimated average number of transfers per retrieval	1.2	0.9	1.0	1.1	0.5	2.5
Average number of embryos transferred	1.7	1.8	1.7	2.0	1.8	1.9
Percentage of embryos transferred resulting in implantation (%)	54.7	58.4	46.3	29.6	20.0	26.0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	55.8	43.8	35.5	33.3	2 / 13	33.3
Percentage of transfers resulting in singleton live births (%)	64.0	52.1	38.7	39.4	3 / 13	33.3
Percentage of transfers resulting in twin live births (%)	11.6	16.7	11.3	3.0	0 / 13	7.4
Percentage of transfers resulting in live births (%)	75.6	70.8	50.0	42.4	3 / 13	40.7
Percentage of transfers resulting in pregnancies (%)	81.4	81.3	67.7	60.6	7 / 13	44.4
Number of Egg/Embryo Banking Cycles						
	21	30	38	22	16	10
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		100			101	
Number of transfers		59			99	
Average number of embryos transferred		1.7			1.6	
Percentage of embryos transferred resulting in implantation (%)		67.0			50.7	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		35.6			34.3	
Percentage of transfers resulting in singleton live births (%)		45.8			44.4	
Percentage of transfers resulting in twin live births (%)		27.1			13.1	
Percentage of transfers resulting in live births (%)		72.9			57.6	
Percentage of transfers resulting in pregnancies (%)		84.7			66.7	

CURRENT SERVICES & PROFILE

Current Name: HRC Fertility-Encino

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ZOUVES FERTILITY CENTER FOSTER CITY, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Christo Zouves, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	78%	Tubal factor	5%	Uterine factor	4%	
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	18%	Male factor	33%	
Used gestational carrier	0%			Diminished ovarian reserve	40%	Other factor	8%	
				Endometriosis	9%	Unknown factor	3%	
				Multiple Factors:				
				Female factors only				4%
				Female & male factors				15%

2015 ART SUCCESS RATES ^c		Total number of cycles ^d : 665 (includes 22 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		6	11	21	21	27	12
Percentage of cancellations before retrieval (%)		0 / 6	1 / 11	19.0	9.5	7.4	1 / 12
Average number of embryos transferred			2.0				
Percentage of embryos transferred resulting in implantation (%)			0 / 2	0 / 2			
Percentage of elective single embryo transfers (eSET) (%)			0 / 1	0 / 1			
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		0 / 6	0 / 11	0.0	0.0	0.0	0 / 12
Percentage of cycles resulting in singleton live births (%)		0 / 6	0 / 11	0.0	0.0	0.0	0 / 12
Percentage of cycles resulting in twin live births (%)		0 / 6	0 / 11	0.0	0.0	0.0	0 / 12
Percentage of cycles resulting in live births (%)		0 / 6	0 / 11	0.0	0.0	0.0	0 / 12
Percentage of cycles resulting in pregnancies (%)		0 / 6	0 / 11	0.0	0.0	0.0	0 / 12
Outcomes per Transfer							
Number of transfers		0	1	1	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)			0 / 1	0 / 1			
Percentage of transfers resulting in singleton live births (%)			0 / 1	0 / 1			
Percentage of transfers resulting in twin live births (%)			0 / 1	0 / 1			
Percentage of transfers resulting in live births (%)			0 / 1	0 / 1			
Percentage of transfers resulting in pregnancies (%)			0 / 1	0 / 1			
Frozen Embryos from Nondonor Eggs							
Number of cycles		69	48	48	21	8	2
Number of transfers		69	46	46	21	8	2
Estimated average number of transfers per retrieval		1.1	0.7	0.6	0.5	0.3	0.1
Average number of embryos transferred		1.2	1.2	1.1	1.4	1.6	1.0
Percentage of embryos transferred resulting in implantation (%)		44.6	40.4	38.3	41.4	2 / 10	1 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		29.0	37.0	28.3	28.6	1 / 8	0 / 2
Percentage of transfers resulting in singleton live births (%)		31.9	47.8	28.3	38.1	2 / 8	0 / 2
Percentage of transfers resulting in twin live births (%)		1.4	0.0	4.3	4.8	0 / 8	0 / 2
Percentage of transfers resulting in live births (%)		33.3	47.8	32.6	42.9	2 / 8	0 / 2
Percentage of transfers resulting in pregnancies (%)		49.3	50.0	43.5	57.1	3 / 8	1 / 2
Number of Egg/Embryo Banking Cycles							
		60	58	69	39	29	18
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles			1			75	
Number of transfers			1			72	
Average number of embryos transferred			2.0			1.4	
Percentage of embryos transferred resulting in implantation (%)			0 / 2			46.3	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)			0 / 1			33.3	
Percentage of transfers resulting in singleton live births (%)			0 / 1			40.3	
Percentage of transfers resulting in twin live births (%)			0 / 1			8.3	
Percentage of transfers resulting in live births (%)			0 / 1			48.6	
Percentage of transfers resulting in pregnancies (%)			0 / 1			52.8	

CURRENT SERVICES & PROFILE		Current Name: Zouves Fertility Center					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WEST COAST FERTILITY CENTERS FOUNTAIN VALLEY, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by David G. Diaz, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	86%	Tubal factor	39%	Uterine factor	9%	Multiple Factors: Female factors only 24% Female & male factors 16%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	23%	Male factor	30%	
Used gestational carrier	6%			Diminished ovarian reserve	23%	Other factor	9%	
				Endometriosis	6%	Unknown factor	2%	

2015 ART SUCCESS RATES ^c		Total number of cycles ^d : 172 (includes 11 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		25	9	13	3	1	0
Percentage of cancellations before retrieval (%)		4.0	2 / 9	0 / 13	1 / 3	0 / 1	
Average number of embryos transferred		1.8	1.7	2.2	3.5		
Percentage of embryos transferred resulting in implantation (%)		41.7	2 / 12	5.0	3 / 7		
Percentage of elective single embryo transfers (eSET) (%)		2 / 12	2 / 7	1 / 9	0 / 2		
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		20.0	2 / 9	1 / 13	0 / 3	0 / 1	
Percentage of cycles resulting in singleton live births (%)		24.0	2 / 9	1 / 13	0 / 3	0 / 1	
Percentage of cycles resulting in twin live births (%)		4.0	0 / 9	0 / 13	1 / 3	0 / 1	
Percentage of cycles resulting in live births (%)		28.0	2 / 9	1 / 13	1 / 3	0 / 1	
Percentage of cycles resulting in pregnancies (%)		32.0	2 / 9	3 / 13	1 / 3	0 / 1	
Outcomes per Transfer							
Number of transfers		13	7	11	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		5 / 13	2 / 7	1 / 11	0 / 2		
Percentage of transfers resulting in singleton live births (%)		6 / 13	2 / 7	1 / 11	0 / 2		
Percentage of transfers resulting in twin live births (%)		1 / 13	0 / 7	0 / 11	1 / 2		
Percentage of transfers resulting in live births (%)		7 / 13	2 / 7	1 / 11	1 / 2		
Percentage of transfers resulting in pregnancies (%)		8 / 13	2 / 7	3 / 11	1 / 2		
Frozen Embryos from Nondonor Eggs							
Number of cycles		35	17	9	2	2	0
Number of transfers		33	17	9	2	2	0
Estimated average number of transfers per retrieval		2.1	2.4	0.5	0.5	0.3	0.0
Average number of embryos transferred		1.8	1.6	1.8	2.0	3.0	
Percentage of embryos transferred resulting in implantation (%)		23.7	33.3	4 / 16	1 / 4	2 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		27.3	1 / 17	1 / 9	0 / 2	0 / 2	
Percentage of transfers resulting in singleton live births (%)		33.3	3 / 17	2 / 9	0 / 2	0 / 2	
Percentage of transfers resulting in twin live births (%)		3.0	1 / 17	1 / 9	0 / 2	1 / 2	
Percentage of transfers resulting in live births (%)		36.4	4 / 17	3 / 9	0 / 2	1 / 2	
Percentage of transfers resulting in pregnancies (%)		39.4	8 / 17	3 / 9	1 / 2	2 / 2	
Number of Egg/Embryo Banking Cycles							
		5	3	14	4	5	2
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		3			9		
Number of transfers		3			9		
Average number of embryos transferred		1.3			1.8		
Percentage of embryos transferred resulting in implantation (%)		3 / 4			8 / 16		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		2 / 3			3 / 9		
Percentage of transfers resulting in singleton live births (%)		3 / 3			3 / 9		
Percentage of transfers resulting in twin live births (%)		0 / 3			1 / 9		
Percentage of transfers resulting in live births (%)		3 / 3			4 / 9		
Percentage of transfers resulting in pregnancies (%)		3 / 3			6 / 9		

CURRENT SERVICES & PROFILE		Current Name: West Coast Fertility Centers					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**XPRT FERTILITY CARE OF CALIFORNIA
MINH N. HO, MD, FACOG
FOUNTAIN VALLEY, CALIFORNIA**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Minh N. Ho, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	54%	Tubal factor	6%	Uterine factor	12%	<i>Multiple Factors:</i> Female factors only 12% Female & male factors 18%
Unstimulated	0%	PGD/PGS	15%	Ovulatory dysfunction	6%	Male factor	41%	
Used gestational carrier	0%			Diminished ovarian reserve	59%	Other factor	0%	
				Endometriosis	6%	Unknown factor	0%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 20 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	4	3	3	2	0	1
Percentage of cancellations before retrieval (%)	0 / 4	0 / 3	0 / 3	0 / 2		0 / 1
Average number of embryos transferred	2.8	1.7	3.0	4.0		
Percentage of embryos transferred resulting in implantation (%)	4 / 11	4 / 5	1 / 9	0 / 8		
Percentage of elective single embryo transfers (eSET) (%)	0 / 4	1 / 3	0 / 3	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	3 / 4	1 / 3	1 / 3	0 / 2		0 / 1
Percentage of cycles resulting in singleton live births (%)	3 / 4	1 / 3	1 / 3	0 / 2		0 / 1
Percentage of cycles resulting in twin live births (%)	0 / 4	1 / 3	0 / 3	0 / 2		0 / 1
Percentage of cycles resulting in live births (%)	3 / 4	2 / 3	1 / 3	0 / 2		0 / 1
Percentage of cycles resulting in pregnancies (%)	4 / 4	3 / 3	1 / 3	0 / 2		0 / 1
Outcomes per Transfer						
Number of transfers	4	3	3	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 4	1 / 3	1 / 3	0 / 2		
Percentage of transfers resulting in singleton live births (%)	3 / 4	1 / 3	1 / 3	0 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 4	1 / 3	0 / 3	0 / 2		
Percentage of transfers resulting in live births (%)	3 / 4	2 / 3	1 / 3	0 / 2		
Percentage of transfers resulting in pregnancies (%)	4 / 4	3 / 3	1 / 3	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	1	0	0	0	0
Number of transfers	1	1	0	0	0	0
Estimated average number of transfers per retrieval	1.0		0.0		0.0	
Average number of embryos transferred	3.0	1.0				
Percentage of embryos transferred resulting in implantation (%)	0 / 3	1 / 1				
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 1	1 / 1				
Percentage of transfers resulting in singleton live births (%)	0 / 1	1 / 1				
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1				
Percentage of transfers resulting in live births (%)	0 / 1	1 / 1				
Percentage of transfers resulting in pregnancies (%)	0 / 1	1 / 1				
Number of Egg/Embryo Banking Cycles						
	0	0	1	0	2	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	1			1		
Number of transfers	1			1		
Average number of embryos transferred	2.0			2.0		
Percentage of embryos transferred resulting in implantation (%)	2 / 2			1 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 1			1 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 1			1 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 1			0 / 1		
Percentage of transfers resulting in live births (%)	1 / 1			1 / 1		
Percentage of transfers resulting in pregnancies (%)	1 / 1			1 / 1		

CURRENT SERVICES & PROFILE

Current Name: Xprt Fertility Care of California, Minh N. Ho, MD, FACOG

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

KAISER PERMANENTE CENTER FOR REPRODUCTIVE HEALTH FREMONT, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Lisa Farah-Eways, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	84%	Tubal factor	10%	Uterine factor	5%	<i>Multiple Factors:</i> Female factors only 7% Female & male factors 22%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	15%	Male factor	39%	
Used gestational carrier	0%			Diminished ovarian reserve	47%	Other factor	7%	
				Endometriosis	1%	Unknown factor	8%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 1,018 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	207	136	121	57	24	6
Percentage of cancellations before retrieval (%)	3.9	8.1	14.9	14.0	8.3	2 / 6
Average number of embryos transferred	1.3	1.7	2.3	3.0	3.6	2.3
Percentage of embryos transferred resulting in implantation (%)	55.4	42.1	30.2	11.9	7.0	0 / 9
Percentage of elective single embryo transfers (eSET) (%)	65.8	39.0	2.3	0.0	0 / 17	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	39.6	30.1	18.2	5.3	4.2	0 / 6
Percentage of cycles resulting in singleton live births (%)	41.5	33.8	19.8	7.0	4.2	0 / 6
Percentage of cycles resulting in twin live births (%)	6.3	5.1	13.2	1.8	0.0	0 / 6
Percentage of cycles resulting in live births (%)	47.8	39.0	33.1	8.8	4.2	0 / 6
Percentage of cycles resulting in pregnancies (%)	53.1	47.1	39.7	24.6	8.3	0 / 6
Outcomes per Transfer						
Number of transfers	176	107	94	45	20	4
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	46.6	38.3	23.4	6.7	5.0	0 / 4
Percentage of transfers resulting in singleton live births (%)	48.9	43.0	25.5	8.9	5.0	0 / 4
Percentage of transfers resulting in twin live births (%)	7.4	6.5	17.0	2.2	0.0	0 / 4
Percentage of transfers resulting in live births (%)	56.3	49.5	42.6	11.1	5.0	0 / 4
Percentage of transfers resulting in pregnancies (%)	62.5	59.8	51.1	31.1	10.0	0 / 4
Frozen Embryos from Nondonor Eggs						
Number of cycles	112	106	55	26	11	3
Number of transfers	107	103	55	26	11	3
Estimated average number of transfers per retrieval	1.5	2.2	1.6	1.2	1.1	
Average number of embryos transferred	1.4	1.4	1.4	1.4	1.6	1.7
Percentage of embryos transferred resulting in implantation (%)	58.5	55.7	49.3	48.5	8 / 18	0 / 5
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	42.1	36.9	30.9	26.9	4 / 11	0 / 3
Percentage of transfers resulting in singleton live births (%)	49.5	43.7	34.5	30.8	4 / 11	0 / 3
Percentage of transfers resulting in twin live births (%)	9.3	8.7	7.3	15.4	1 / 11	0 / 3
Percentage of transfers resulting in live births (%)	58.9	52.4	41.8	46.2	5 / 11	0 / 3
Percentage of transfers resulting in pregnancies (%)	68.2	65.0	63.6	57.7	7 / 11	0 / 3
Number of Egg/Embryo Banking Cycles						
	26	17	22	16	9	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		37			26	
Number of transfers		34			25	
Average number of embryos transferred		1.3			1.4	
Percentage of embryos transferred resulting in implantation (%)		57.8			72.7	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		41.2			40.0	
Percentage of transfers resulting in singleton live births (%)		50.0			64.0	
Percentage of transfers resulting in twin live births (%)		8.8			12.0	
Percentage of transfers resulting in live births (%)		58.8			76.0	
Percentage of transfers resulting in pregnancies (%)		64.7			84.0	

CURRENT SERVICES & PROFILE

Current Name: Kaiser Permanente Center for Reproductive Health

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CARE FERTILITY GLENDALE, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Rudy Quintero, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	89%	Tubal factor	19%	Uterine factor	1%	<i>Multiple Factors:</i> Female factors only 7% Female & male factors 2%
Unstimulated	1%	PGD/PGS	4%	Ovulatory dysfunction	6%	Male factor	22%	
Used gestational carrier	<1%			Diminished ovarian reserve	20%	Other factor	33%	
				Endometriosis	2%	Unknown factor	7%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 434 (includes 5 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	66	30	40	12	6	4
Percentage of cancellations before retrieval (%)	0.0	13.3	10.0	3 / 12	0 / 6	1 / 4
Average number of embryos transferred	1.5	1.7	2.1	2.2	3.0	
Percentage of embryos transferred resulting in implantation (%)	60.0	7 / 17	34.6	2 / 13	0 / 6	
Percentage of elective single embryo transfers (eSET) (%)	3 / 15	2 / 10	0 / 11	0 / 5	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	12.1	6.7	2.5	0 / 12	0 / 6	0 / 4
Percentage of cycles resulting in singleton live births (%)	13.6	10.0	2.5	1 / 12	0 / 6	0 / 4
Percentage of cycles resulting in twin live births (%)	7.6	3.3	7.5	0 / 12	0 / 6	0 / 4
Percentage of cycles resulting in live births (%)	21.2	13.3	10.0	1 / 12	0 / 6	0 / 4
Percentage of cycles resulting in pregnancies (%)	22.7	23.3	17.5	1 / 12	0 / 6	0 / 4
Outcomes per Transfer						
Number of transfers	25	11	13	6	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	32.0	2 / 11	1 / 13	0 / 6	0 / 2	
Percentage of transfers resulting in singleton live births (%)	36.0	3 / 11	1 / 13	1 / 6	0 / 2	
Percentage of transfers resulting in twin live births (%)	20.0	1 / 11	3 / 13	0 / 6	0 / 2	
Percentage of transfers resulting in live births (%)	56.0	4 / 11	4 / 13	1 / 6	0 / 2	
Percentage of transfers resulting in pregnancies (%)	60.0	7 / 11	7 / 13	1 / 6	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	86	32	39	11	3	1
Number of transfers	77	27	29	10	2	1
Estimated average number of transfers per retrieval	1.3	1.0	1.0	0.8	1.0	1.0
Average number of embryos transferred	1.7	1.7	1.7	2.6	2.0	3.0
Percentage of embryos transferred resulting in implantation (%)	36.1	46.5	28.6	7.7	1 / 4	0 / 3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	23.4	33.3	24.1	1 / 10	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	27.3	40.7	24.1	2 / 10	1 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	7.8	11.1	6.9	0 / 10	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	35.1	51.9	31.0	2 / 10	1 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	50.6	66.7	41.4	2 / 10	1 / 2	0 / 1
Number of Egg/Embryo Banking Cycles						
	21	18	14	6	2	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		15		23		
Number of transfers		4		21		
Average number of embryos transferred		1.3		1.6		
Percentage of embryos transferred resulting in implantation (%)		5 / 5		50.0		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 4		33.3		
Percentage of transfers resulting in singleton live births (%)		3 / 4		42.9		
Percentage of transfers resulting in twin live births (%)		1 / 4		14.3		
Percentage of transfers resulting in live births (%)		4 / 4		57.1		
Percentage of transfers resulting in pregnancies (%)		4 / 4		66.7		

CURRENT SERVICES & PROFILE

Current Name: CARE Fertility

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2015 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2015 ART cycle data or the clinic's Medical Director did not approve the clinic's 2015 ART cycle data for inclusion in this report.

MARIN FERTILITY CENTER GREENBRAE, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Peter S. Uzelac, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	88%	Tubal factor	13%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 4% Female & male factors 13%
Unstimulated	3%	PGD/PGS	6%	Ovulatory dysfunction	10%	Male factor	39%	
Used gestational carrier	0%			Diminished ovarian reserve	28%	Other factor	5%	
				Endometriosis	10%	Unknown factor	12%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 193 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	7	7	5	7	2	4
Percentage of cancellations before retrieval (%)	0/7	0/7	0/5	0/7	0/2	0/4
Average number of embryos transferred	2.0	1.7	2.2	3.0	2.0	1.5
Percentage of embryos transferred resulting in implantation (%)	3/12	4/10	3/11	2/7	0/4	0/6
Percentage of elective single embryo transfers (eSET) (%)	1/6	1/4	0/5	0/3	0/1	0/2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	2/7	3/7	1/5	1/7	0/2	0/4
Percentage of cycles resulting in singleton live births (%)	3/7	4/7	1/5	2/7	0/2	0/4
Percentage of cycles resulting in twin live births (%)	0/7	0/7	1/5	0/7	0/2	0/4
Percentage of cycles resulting in live births (%)	3/7	4/7	2/5	2/7	0/2	0/4
Percentage of cycles resulting in pregnancies (%)	3/7	4/7	2/5	3/7	0/2	0/4
Outcomes per Transfer						
Number of transfers	6	6	5	4	2	4
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2/6	3/6	1/5	1/4	0/2	0/4
Percentage of transfers resulting in singleton live births (%)	3/6	4/6	1/5	2/4	0/2	0/4
Percentage of transfers resulting in twin live births (%)	0/6	0/6	1/5	0/4	0/2	0/4
Percentage of transfers resulting in live births (%)	3/6	4/6	2/5	2/4	0/2	0/4
Percentage of transfers resulting in pregnancies (%)	3/6	4/6	2/5	3/4	0/2	0/4
Frozen Embryos from Nondonor Eggs						
Number of cycles	27	16	13	10	2	1
Number of transfers	27	16	13	10	2	1
Estimated average number of transfers per retrieval	1.1	0.6	0.6	0.7	1.0	1.0
Average number of embryos transferred	1.4	1.2	1.7	1.6	2.5	4.0
Percentage of embryos transferred resulting in implantation (%)	36.4	9/18	40.0	1/11	0/5	0/4
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	33.3	6/16	4/13	1/10	0/2	0/1
Percentage of transfers resulting in singleton live births (%)	37.0	7/16	5/13	1/10	0/2	0/1
Percentage of transfers resulting in twin live births (%)	3.7	1/16	1/13	0/10	0/2	0/1
Percentage of transfers resulting in live births (%)	40.7	8/16	6/13	1/10	0/2	0/1
Percentage of transfers resulting in pregnancies (%)	51.9	9/16	8/13	3/10	0/2	0/1
Number of Egg/Embryo Banking Cycles						
	23	25	18	13	1	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	2			9		
Number of transfers	2			9		
Average number of embryos transferred	1.5			1.7		
Percentage of embryos transferred resulting in implantation (%)	1/3			6/15		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1/2			2/9		
Percentage of transfers resulting in singleton live births (%)	1/2			4/9		
Percentage of transfers resulting in twin live births (%)	0/2			1/9		
Percentage of transfers resulting in live births (%)	1/2			5/9		
Percentage of transfers resulting in pregnancies (%)	1/2			5/9		

CURRENT SERVICES & PROFILE

Current Name: Marin Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Pending
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COASTAL FERTILITY MEDICAL CENTER, INC. IRVINE, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Lawrence B. Werlin, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	91%	Tubal factor	9%	Uterine factor	1%	Multiple Factors: Female factors only 9% Female & male factors 9%
Unstimulated	0%	PGD/PGS	11%	Ovulatory dysfunction	7%	Male factor	22%	
Used gestational carrier	1%			Diminished ovarian reserve	41%	Other factor	24%	
				Endometriosis	3%	Unknown factor	13%	

2015 ART SUCCESS RATES ^c		Total number of cycles ^d : 324 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		38	25	15	4	2	0
Percentage of cancellations before retrieval (%)		5.3	4.0	3 / 15	1 / 4	0 / 2	
Average number of embryos transferred		2.1	2.0	2.3	2.0	4.0	
Percentage of embryos transferred resulting in implantation (%)		1 / 15	1 / 8	0 / 7	0 / 2	0 / 4	
Percentage of elective single embryo transfers (eSET) (%)		0 / 7	0 / 3	0 / 2	0 / 1	0 / 1	
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		2.6	0.0	0 / 15	0 / 4	0 / 2	
Percentage of cycles resulting in singleton live births (%)		2.6	4.0	0 / 15	0 / 4	0 / 2	
Percentage of cycles resulting in twin live births (%)		0.0	0.0	0 / 15	0 / 4	0 / 2	
Percentage of cycles resulting in live births (%)		2.6	4.0	0 / 15	0 / 4	0 / 2	
Percentage of cycles resulting in pregnancies (%)		2.6	4.0	0 / 15	0 / 4	0 / 2	
Outcomes per Transfer							
Number of transfers		7	4	3	1	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 7	0 / 4	0 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)		1 / 7	1 / 4	0 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)		0 / 7	0 / 4	0 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)		1 / 7	1 / 4	0 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)		1 / 7	1 / 4	0 / 3	0 / 1	0 / 1	
Frozen Embryos from Nondonor Eggs							
Number of cycles		50	28	18	6	1	0
Number of transfers		50	28	17	6	1	0
Estimated average number of transfers per retrieval		0.9	0.8	0.6	0.7	0.1	
Average number of embryos transferred		2.0	2.0	1.7	1.5	1.0	
Percentage of embryos transferred resulting in implantation (%)		28.0	17.9	24.1	3 / 9	1 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		16.0	25.0	5 / 17	1 / 6	0 / 1	
Percentage of transfers resulting in singleton live births (%)		28.0	25.0	5 / 17	1 / 6	1 / 1	
Percentage of transfers resulting in twin live births (%)		8.0	3.6	1 / 17	1 / 6	0 / 1	
Percentage of transfers resulting in live births (%)		36.0	28.6	6 / 17	2 / 6	1 / 1	
Percentage of transfers resulting in pregnancies (%)		44.0	32.1	6 / 17	2 / 6	1 / 1	
Number of Egg/Embryo Banking Cycles							
		32	23	27	9	6	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		17			23		
Number of transfers		15			21		
Average number of embryos transferred		2.1			2.1		
Percentage of embryos transferred resulting in implantation (%)		32.3			15.6		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		2 / 15			9.5		
Percentage of transfers resulting in singleton live births (%)		4 / 15			9.5		
Percentage of transfers resulting in twin live births (%)		1 / 15			0.0		
Percentage of transfers resulting in live births (%)		5 / 15			9.5		
Percentage of transfers resulting in pregnancies (%)		8 / 15			28.6		

CURRENT SERVICES & PROFILE		Current Name: Coastal Fertility Medical Center, Inc.					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF SOUTHERN CALIFORNIA IRVINE, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Ilene E. Hatch, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	96%	Tubal factor	12%	Uterine factor	12%	<i>Multiple Factors:</i> Female factors only 25% Female & male factors 19%
Unstimulated	0%	PGD/PGS	7%	Ovulatory dysfunction	13%	Male factor	26%	
Used gestational carrier	0%			Diminished ovarian reserve	58%	Other factor	17%	
				Endometriosis	12%	Unknown factor	5%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 217 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	11	2	8	3	3	0
Percentage of cancellations before retrieval (%)	0 / 11	0 / 2	1 / 8	0 / 3	0 / 3	
Average number of embryos transferred	2.0		2.0			
Percentage of embryos transferred resulting in implantation (%)	2 / 2		2 / 2			
Percentage of elective single embryo transfers (eSET) (%)	0 / 1		0 / 1			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	0 / 11	0 / 2	1 / 8	0 / 3	0 / 3	
Percentage of cycles resulting in singleton live births (%)	0 / 11	0 / 2	1 / 8	0 / 3	0 / 3	
Percentage of cycles resulting in twin live births (%)	1 / 11	0 / 2	0 / 8	0 / 3	0 / 3	
Percentage of cycles resulting in live births (%)	1 / 11	0 / 2	1 / 8	0 / 3	0 / 3	
Percentage of cycles resulting in pregnancies (%)	1 / 11	0 / 2	1 / 8	0 / 3	0 / 3	
Outcomes per Transfer						
Number of transfers	1	0	1	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 1		1 / 1			
Percentage of transfers resulting in singleton live births (%)	0 / 1		1 / 1			
Percentage of transfers resulting in twin live births (%)	1 / 1		0 / 1			
Percentage of transfers resulting in live births (%)	1 / 1		1 / 1			
Percentage of transfers resulting in pregnancies (%)	1 / 1		1 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	27	18	32	6	7	3
Number of transfers	26	18	30	6	6	2
Estimated average number of transfers per retrieval	1.0	1.1	1.0	1.2	0.6	0.7
Average number of embryos transferred	1.3	1.3	1.5	1.7	2.3	2.5
Percentage of embryos transferred resulting in implantation (%)	79.4	66.7	44.4	6 / 10	1 / 14	0 / 5
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	38.5	10 / 18	56.7	5 / 6	1 / 6	0 / 2
Percentage of transfers resulting in singleton live births (%)	50.0	11 / 18	63.3	6 / 6	1 / 6	0 / 2
Percentage of transfers resulting in twin live births (%)	19.2	1 / 18	0.0	0 / 6	0 / 6	0 / 2
Percentage of transfers resulting in live births (%)	69.2	12 / 18	63.3	6 / 6	1 / 6	0 / 2
Percentage of transfers resulting in pregnancies (%)	76.9	14 / 18	66.7	6 / 6	1 / 6	0 / 2
Number of Egg/Embryo Banking Cycles						
	19	14	23	4	7	3
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	7			19		
Number of transfers	1			16		
Average number of embryos transferred	1.0			1.3		
Percentage of embryos transferred resulting in implantation (%)	0 / 1			45.0		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 1			5 / 16		
Percentage of transfers resulting in singleton live births (%)	0 / 1			5 / 16		
Percentage of transfers resulting in twin live births (%)	0 / 1			1 / 16		
Percentage of transfers resulting in live births (%)	0 / 1			6 / 16		
Percentage of transfers resulting in pregnancies (%)	0 / 1			9 / 16		

CURRENT SERVICES & PROFILE

Current Name: Fertility Center of Southern California

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2015 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2015 ART cycle data or the clinic's Medical Director did not approve the clinic's 2015 ART cycle data for inclusion in this report.

LIFE IVF CENTER IRVINE, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Frank D. Yelian, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	94%	Tubal factor	19%	Uterine factor	13%	<i>Multiple Factors:</i> Female factors only 17% Female & male factors 20%
Unstimulated	92%	PGD/PGS	11%	Ovulatory dysfunction	7%	Male factor	29%	
Used gestational carrier	0%			Diminished ovarian reserve	38%	Other factor	15%	
				Endometriosis	15%	Unknown factor	15%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 2,750 (includes 14 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	16	9	12	6	11	11
Percentage of cancellations before retrieval (%)	0 / 16	0 / 9	2 / 12	2 / 6	0 / 11	0 / 11
Average number of embryos transferred	1.1	1.1	1.2	2.0	1.4	1.5
Percentage of embryos transferred resulting in implantation (%)	8 / 17	6 / 9	3 / 12	0 / 8	2 / 15	0 / 16
Percentage of elective single embryo transfers (eSET) (%)	0 / 1	0 / 1	0 / 2	0 / 3	0 / 4	1 / 6
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	6 / 16	2 / 9	1 / 12	0 / 6	0 / 11	0 / 11
Percentage of cycles resulting in singleton live births (%)	8 / 16	2 / 9	2 / 12	0 / 6	0 / 11	0 / 11
Percentage of cycles resulting in twin live births (%)	0 / 16	2 / 9	0 / 12	0 / 6	1 / 11	0 / 11
Percentage of cycles resulting in live births (%)	8 / 16	4 / 9	2 / 12	0 / 6	1 / 11	0 / 11
Percentage of cycles resulting in pregnancies (%)	8 / 16	5 / 9	3 / 12	0 / 6	1 / 11	0 / 11
Outcomes per Transfer						
Number of transfers	16	9	10	4	11	11
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	6 / 16	2 / 9	1 / 10	0 / 4	0 / 11	0 / 11
Percentage of transfers resulting in singleton live births (%)	8 / 16	2 / 9	2 / 10	0 / 4	0 / 11	0 / 11
Percentage of transfers resulting in twin live births (%)	0 / 16	2 / 9	0 / 10	0 / 4	1 / 11	0 / 11
Percentage of transfers resulting in live births (%)	8 / 16	4 / 9	2 / 10	0 / 4	1 / 11	0 / 11
Percentage of transfers resulting in pregnancies (%)	8 / 16	5 / 9	3 / 10	0 / 4	1 / 11	0 / 11
Frozen Embryos from Nondonor Eggs						
Number of cycles	106	103	112	94	72	69
Number of transfers	104	101	112	94	71	68
Estimated average number of transfers per retrieval	0.5	0.4	0.3	0.2	0.2	0.2
Average number of embryos transferred	1.2	1.2	1.2	1.2	1.2	1.3
Percentage of embryos transferred resulting in implantation (%)	64.1	53.0	43.1	41.3	22.2	8.4
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	45.2	41.6	35.7	31.9	11.3	1.5
Percentage of transfers resulting in singleton live births (%)	52.9	50.5	41.1	38.3	14.1	2.9
Percentage of transfers resulting in twin live births (%)	7.7	1.0	1.8	2.1	0.0	0.0
Percentage of transfers resulting in live births (%)	60.6	52.5	42.9	40.4	14.1	2.9
Percentage of transfers resulting in pregnancies (%)	68.3	62.4	50.9	52.1	32.4	16.2
Number of Egg/Embryo Banking Cycles						
	223	240	444	393	355	410
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	1			49		
Number of transfers	1			49		
Average number of embryos transferred	2.0			1.3		
Percentage of embryos transferred resulting in implantation (%)	0 / 2			74.2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 1			42.9		
Percentage of transfers resulting in singleton live births (%)	0 / 1			51.0		
Percentage of transfers resulting in twin live births (%)	0 / 1			14.3		
Percentage of transfers resulting in live births (%)	0 / 1			65.3		
Percentage of transfers resulting in pregnancies (%)	0 / 1			75.5		

CURRENT SERVICES & PROFILE

Current Name: Life IVF Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE FERTILITY CENTER-OC IRVINE, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by James P. Lin, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	98%	Tubal factor	8%	Uterine factor	8%	Multiple Factors: Female factors only 11% Female & male factors 7%
Unstimulated	2%	PGD/PGS	27%	Ovulatory dysfunction	6%	Male factor	23%	
Used gestational carrier	0%			Diminished ovarian reserve	38%	Other factor	18%	
				Endometriosis	<1%	Unknown factor	17%	

2015 ART SUCCESS RATES ^c		Total number of cycles ^d : 761 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		55	34	20	11	6	2
Percentage of cancellations before retrieval (%)		0.0	0.0	0.0	0 / 11	0 / 6	0 / 2
Average number of embryos transferred		2.0	1.9	2.2	2.0	2.0	3.0
Percentage of embryos transferred resulting in implantation (%)		35.4	17.6	1 / 18	2 / 8	0 / 2	0 / 3
Percentage of elective single embryo transfers (eSET) (%)		12.2	2 / 16	1 / 9	0 / 3	0 / 1	0 / 1
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		12.7	2.9	5.0	0 / 11	0 / 6	0 / 2
Percentage of cycles resulting in singleton live births (%)		14.5	5.9	5.0	0 / 11	0 / 6	0 / 2
Percentage of cycles resulting in twin live births (%)		18.2	2.9	0.0	0 / 11	0 / 6	0 / 2
Percentage of cycles resulting in live births (%)		32.7	8.8	5.0	0 / 11	0 / 6	0 / 2
Percentage of cycles resulting in pregnancies (%)		36.4	20.6	10.0	1 / 11	0 / 6	0 / 2
Outcomes per Transfer							
Number of transfers		43	20	9	4	1	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		16.3	5.0	1 / 9	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)		18.6	10.0	1 / 9	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)		23.3	5.0	0 / 9	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)		41.9	15.0	1 / 9	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)		46.5	35.0	2 / 9	1 / 4	0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs							
Number of cycles		77	61	42	10	7	2
Number of transfers		76	61	42	10	7	2
Estimated average number of transfers per retrieval		0.8	0.6	0.4	0.2	0.2	0.1
Average number of embryos transferred		1.8	1.7	1.9	1.5	2.3	1.0
Percentage of embryos transferred resulting in implantation (%)		41.5	50.5	38.7	4 / 12	1 / 12	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		26.3	29.5	31.0	1 / 10	1 / 7	0 / 2
Percentage of transfers resulting in singleton live births (%)		31.6	32.8	33.3	4 / 10	1 / 7	0 / 2
Percentage of transfers resulting in twin live births (%)		11.8	16.4	11.9	0 / 10	0 / 7	0 / 2
Percentage of transfers resulting in live births (%)		43.4	49.2	45.2	4 / 10	1 / 7	0 / 2
Percentage of transfers resulting in pregnancies (%)		59.2	62.3	57.1	5 / 10	1 / 7	0 / 2
Number of Egg/Embryo Banking Cycles							
		83	83	84	45	31	29
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		20			59		
Number of transfers		15			57		
Average number of embryos transferred		1.9			1.5		
Percentage of embryos transferred resulting in implantation (%)		55.6			46.3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		4 / 15			24.6		
Percentage of transfers resulting in singleton live births (%)		4 / 15			35.1		
Percentage of transfers resulting in twin live births (%)		4 / 15			12.3		
Percentage of transfers resulting in live births (%)		8 / 15			47.4		
Percentage of transfers resulting in pregnancies (%)		10 / 15			57.9		

CURRENT SERVICES & PROFILE		Current Name: Reproductive Fertility Center-OC					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**LA JOLLA IVF
LA JOLLA, CALIFORNIA**

This clinic provided ART services during 2015 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2015 ART cycle data or the clinic's Medical Director did not approve the clinic's 2015 ART cycle data for inclusion in this report.

REPRODUCTIVE PARTNERS FERTILITY CENTER-SAN DIEGO LA JOLLA, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by V. Gabriel Garzo, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	81%	Tubal factor	7%	Uterine factor	2%	Multiple Factors: Female factors only 3% Female & male factors 5%
Unstimulated	0%	PGD/PGS	50%	Ovulatory dysfunction	9%	Male factor	23%	
Used gestational carrier	3%			Diminished ovarian reserve	32%	Other factor	16%	
				Endometriosis	5%	Unknown factor	15%	

2015 ART SUCCESS RATES ^c		Total number of cycles ^d : 1,003 (includes 2 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		82	90	56	42	20	5
Percentage of cancellations before retrieval (%)		11.0	17.8	28.6	19.0	25.0	2 / 5
Average number of embryos transferred		1.0	2.0				
Percentage of embryos transferred resulting in implantation (%)		3 / 4	0 / 2				
Percentage of elective single embryo transfers (eSET) (%)		3 / 3	0 / 1				
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		2.4	0.0	0.0	0.0	0.0	0 / 5
Percentage of cycles resulting in singleton live births (%)		3.7	0.0	0.0	0.0	0.0	0 / 5
Percentage of cycles resulting in twin live births (%)		0.0	0.0	0.0	0.0	0.0	0 / 5
Percentage of cycles resulting in live births (%)		3.7	0.0	0.0	0.0	0.0	0 / 5
Percentage of cycles resulting in pregnancies (%)		3.7	0.0	0.0	0.0	0.0	0 / 5
Outcomes per Transfer							
Number of transfers		4	1	0	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		2 / 4	0 / 1				
Percentage of transfers resulting in singleton live births (%)		3 / 4	0 / 1				
Percentage of transfers resulting in twin live births (%)		0 / 4	0 / 1				
Percentage of transfers resulting in live births (%)		3 / 4	0 / 1				
Percentage of transfers resulting in pregnancies (%)		3 / 4	0 / 1				
Frozen Embryos from Nondonor Eggs							
Number of cycles		147	142	84	46	17	2
Number of transfers		125	119	71	32	12	1
Estimated average number of transfers per retrieval		1.3	1.2	0.9	0.7	0.5	0.1
Average number of embryos transferred		1.1	1.1	1.1	1.1	1.2	1.0
Percentage of embryos transferred resulting in implantation (%)		69.3	50.8	58.9	48.5	8 / 13	1 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		50.4	37.8	46.5	37.5	6 / 12	1 / 1
Percentage of transfers resulting in singleton live births (%)		56.8	39.5	52.1	40.6	7 / 12	1 / 1
Percentage of transfers resulting in twin live births (%)		3.2	1.7	1.4	0.0	0 / 12	0 / 1
Percentage of transfers resulting in live births (%)		60.0	41.2	53.5	40.6	7 / 12	1 / 1
Percentage of transfers resulting in pregnancies (%)		72.8	52.9	66.2	50.0	9 / 12	1 / 1
Number of Egg/Embryo Banking Cycles							
		44	45	43	28	20	14
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles			17			57	
Number of transfers			6			44	
Average number of embryos transferred			1.0			1.0	
Percentage of embryos transferred resulting in implantation (%)			2 / 5			52.4	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)			1 / 6			43.2	
Percentage of transfers resulting in singleton live births (%)			2 / 6			43.2	
Percentage of transfers resulting in twin live births (%)			0 / 6			0.0	
Percentage of transfers resulting in live births (%)			2 / 6			43.2	
Percentage of transfers resulting in pregnancies (%)			3 / 6			54.5	

CURRENT SERVICES & PROFILE		Current Name: Reproductive Partners Fertility Center-San Diego					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**ACACIO FERTILITY CENTER
LAGUNA NIGUEL, CALIFORNIA**

This clinic provided ART services during 2015 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2015 ART cycle data or the clinic's Medical Director did not approve the clinic's 2015 ART cycle data for inclusion in this report.

LOMA LINDA UNIVERSITY CENTER FOR FERTILITY AND IVF LOMA LINDA, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by John D. Jacobson, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	79%	Tubal factor	24%	Uterine factor	10%	Multiple Factors: Female factors only 17% Female & male factors 28%
Unstimulated	2%	PGD/PGS	2%	Ovulatory dysfunction	16%	Male factor	38%	
Used gestational carrier	0%			Diminished ovarian reserve	45%	Other factor	10%	
				Endometriosis	7%	Unknown factor	6%	

2015 ART SUCCESS RATES ^c		Total number of cycles ^d : 221 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		59	32	21	10	5	2
Percentage of cancellations before retrieval (%)		11.9	12.5	23.8	2 / 10	3 / 5	1 / 2
Average number of embryos transferred		1.8	2.2	2.5	3.8	2.0	
Percentage of embryos transferred resulting in implantation (%)		43.2	28.8	31.6	0 / 15	0 / 4	
Percentage of elective single embryo transfers (eSET) (%)		20.9	0.0	0 / 15	0 / 4	0 / 1	
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		16.9	21.9	14.3	0 / 10	0 / 5	0 / 2
Percentage of cycles resulting in singleton live births (%)		20.3	21.9	14.3	0 / 10	0 / 5	0 / 2
Percentage of cycles resulting in twin live births (%)		13.6	12.5	4.8	0 / 10	0 / 5	0 / 2
Percentage of cycles resulting in live births (%)		33.9	34.4	28.6	0 / 10	0 / 5	0 / 2
Percentage of cycles resulting in pregnancies (%)		42.4	34.4	33.3	0 / 10	0 / 5	0 / 2
Outcomes per Transfer							
Number of transfers		46	24	15	4	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		21.7	29.2	3 / 15	0 / 4	0 / 2	
Percentage of transfers resulting in singleton live births (%)		26.1	29.2	3 / 15	0 / 4	0 / 2	
Percentage of transfers resulting in twin live births (%)		17.4	16.7	1 / 15	0 / 4	0 / 2	
Percentage of transfers resulting in live births (%)		43.5	45.8	6 / 15	0 / 4	0 / 2	
Percentage of transfers resulting in pregnancies (%)		54.3	45.8	7 / 15	0 / 4	0 / 2	
Frozen Embryos from Nondonor Eggs							
Number of cycles		25	18	4	2	0	0
Number of transfers		25	18	4	2	0	0
Estimated average number of transfers per retrieval		1.5	1.5	0.6	0.5		0.0
Average number of embryos transferred		1.8	1.7	1.3	2.0		
Percentage of embryos transferred resulting in implantation (%)		34.9	26.7	2 / 5	0 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		28.0	5 / 18	1 / 4	0 / 2		
Percentage of transfers resulting in singleton live births (%)		40.0	6 / 18	2 / 4	0 / 2		
Percentage of transfers resulting in twin live births (%)		8.0	0 / 18	0 / 4	0 / 2		
Percentage of transfers resulting in live births (%)		48.0	6 / 18	2 / 4	0 / 2		
Percentage of transfers resulting in pregnancies (%)		52.0	8 / 18	2 / 4	0 / 2		
Number of Egg/Embryo Banking Cycles							
		10	5	6	3	0	1
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		4			14		
Number of transfers		3			11		
Average number of embryos transferred		2.0			2.0		
Percentage of embryos transferred resulting in implantation (%)		3 / 6			18.2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 3			3 / 11		
Percentage of transfers resulting in singleton live births (%)		1 / 3			3 / 11		
Percentage of transfers resulting in twin live births (%)		1 / 3			0 / 11		
Percentage of transfers resulting in live births (%)		2 / 3			3 / 11		
Percentage of transfers resulting in pregnancies (%)		2 / 3			4 / 11		

CURRENT SERVICES & PROFILE		Current Name: Loma Linda University Center for Fertility and IVF					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CALIFORNIA FERTILITY PARTNERS LOS ANGELES, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Richard P. Marrs, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	65%	Tubal factor	12%	Uterine factor	35%	<i>Multiple Factors:</i> Female factors only 35% Female & male factors 30%
Unstimulated	<1%	PGD/PGS	8%	Ovulatory dysfunction	5%	Male factor	34%	
Used gestational carrier	4%			Diminished ovarian reserve	60%	Other factor	44%	
				Endometriosis	8%	Unknown factor	2%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 1,393 (includes 10 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	45	56	100	62	72	29
Percentage of cancellations before retrieval (%)	8.9	25.0	38.0	35.5	36.1	58.6
Average number of embryos transferred	1.8	2.0	2.2	1.8	2.6	2.0
Percentage of embryos transferred resulting in implantation (%)	31.3	36.6	17.3	12.0	5.3	0 / 10
Percentage of elective single embryo transfers (eSET) (%)	2 / 15	3 / 19	4.5	2 / 12	0 / 12	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	8.9	16.1	2.0	3.2	2.8	0.0
Percentage of cycles resulting in singleton live births (%)	8.9	17.9	4.0	4.8	2.8	0.0
Percentage of cycles resulting in twin live births (%)	4.4	0.0	1.0	0.0	0.0	0.0
Percentage of cycles resulting in live births (%)	13.3	17.9	5.0	4.8	2.8	0.0
Percentage of cycles resulting in pregnancies (%)	15.6	23.2	9.0	8.1	4.2	0.0
Outcomes per Transfer						
Number of transfers	18	21	25	16	16	5
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 18	42.9	8.0	2 / 16	2 / 16	0 / 5
Percentage of transfers resulting in singleton live births (%)	4 / 18	47.6	16.0	3 / 16	2 / 16	0 / 5
Percentage of transfers resulting in twin live births (%)	2 / 18	0.0	4.0	0 / 16	0 / 16	0 / 5
Percentage of transfers resulting in live births (%)	6 / 18	47.6	20.0	3 / 16	2 / 16	0 / 5
Percentage of transfers resulting in pregnancies (%)	7 / 18	61.9	36.0	5 / 16	3 / 16	0 / 5
Frozen Embryos from Nondonor Eggs						
Number of cycles	88	49	48	35	21	10
Number of transfers	69	47	42	29	16	7
Estimated average number of transfers per retrieval	0.9	0.5	0.3	0.3	0.3	0.2
Average number of embryos transferred	1.5	1.4	1.7	1.4	2.1	2.0
Percentage of embryos transferred resulting in implantation (%)	48.5	45.5	32.8	57.6	17.9	2 / 14
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	39.1	27.7	28.6	27.6	2 / 16	2 / 7
Percentage of transfers resulting in singleton live births (%)	44.9	40.4	28.6	34.5	2 / 16	2 / 7
Percentage of transfers resulting in twin live births (%)	8.7	6.4	4.8	6.9	1 / 16	0 / 7
Percentage of transfers resulting in live births (%)	53.6	46.8	33.3	41.4	3 / 16	2 / 7
Percentage of transfers resulting in pregnancies (%)	60.9	57.4	42.9	65.5	6 / 16	2 / 7
Number of Egg/Embryo Banking Cycles						
	61	76	134	103	52	37
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		78			227	
Number of transfers		52			192	
Average number of embryos transferred		1.6			1.5	
Percentage of embryos transferred resulting in implantation (%)		57.1			44.6	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		34.6			25.0	
Percentage of transfers resulting in singleton live births (%)		40.4			32.8	
Percentage of transfers resulting in twin live births (%)		17.3			10.4	
Percentage of transfers resulting in live births (%)		57.7			43.2	
Percentage of transfers resulting in pregnancies (%)		71.2			53.1	

CURRENT SERVICES & PROFILE

Current Name: California Fertility Partners

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CEDARS SINAI MEDICAL CENTER CENTER FOR FERTILITY AND REPRODUCTIVE MEDICINE LOS ANGELES, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Margareta D. Pisarska, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	70%	Tubal factor	17%	Uterine factor	5%	<i>Multiple Factors:</i> Female factors only 12% Female & male factors 26%
Unstimulated	0%	PGD/PGS	15%	Ovulatory dysfunction	22%	Male factor	42%	
Used gestational carrier	0%			Diminished ovarian reserve	42%	Other factor	6%	
				Endometriosis	3%	Unknown factor	15%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 111 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	11	9	4	7	2	0
Percentage of cancellations before retrieval (%)	0 / 11	0 / 9	1 / 4	3 / 7	2 / 2	
Average number of embryos transferred	1.4	1.4	1.5	1.0		
Percentage of embryos transferred resulting in implantation (%)	6 / 11	4 / 10	0 / 3	1 / 2		
Percentage of elective single embryo transfers (eSET) (%)	5 / 8	2 / 5	0 / 1			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	4 / 11	3 / 9	0 / 4	1 / 7	0 / 2	
Percentage of cycles resulting in singleton live births (%)	6 / 11	3 / 9	0 / 4	1 / 7	0 / 2	
Percentage of cycles resulting in twin live births (%)	0 / 11	0 / 9	0 / 4	0 / 7	0 / 2	
Percentage of cycles resulting in live births (%)	6 / 11	3 / 9	0 / 4	1 / 7	0 / 2	
Percentage of cycles resulting in pregnancies (%)	6 / 11	4 / 9	0 / 4	1 / 7	0 / 2	
Outcomes per Transfer						
Number of transfers	8	7	2	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 8	3 / 7	0 / 2	1 / 2		
Percentage of transfers resulting in singleton live births (%)	6 / 8	3 / 7	0 / 2	1 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 8	0 / 7	0 / 2	0 / 2		
Percentage of transfers resulting in live births (%)	6 / 8	3 / 7	0 / 2	1 / 2		
Percentage of transfers resulting in pregnancies (%)	6 / 8	4 / 7	0 / 2	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	13	6	5	3	1	0
Number of transfers	13	6	5	3	1	0
Estimated average number of transfers per retrieval	0.9	0.4	0.5	0.2	0.5	
Average number of embryos transferred	1.5	1.7	1.6	1.3	1.0	
Percentage of embryos transferred resulting in implantation (%)	6 / 17	4 / 10	0 / 8	0 / 4	1 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 13	1 / 6	0 / 5	0 / 3	1 / 1	
Percentage of transfers resulting in singleton live births (%)	5 / 13	2 / 6	0 / 5	0 / 3	1 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 13	1 / 6	0 / 5	0 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	5 / 13	3 / 6	0 / 5	0 / 3	1 / 1	
Percentage of transfers resulting in pregnancies (%)	7 / 13	3 / 6	0 / 5	0 / 3	1 / 1	
Number of Egg/Embryo Banking Cycles	12	10	9	12	2	0
Donor Eggs		Fresh Embryos^f		Frozen Embryos^f		
Number of cycles		3		1		
Number of transfers		3		1		
Average number of embryos transferred		1.0		1.0		
Percentage of embryos transferred resulting in implantation (%)		0 / 3		1 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 3		1 / 1		
Percentage of transfers resulting in singleton live births (%)		0 / 3		1 / 1		
Percentage of transfers resulting in twin live births (%)		0 / 3		0 / 1		
Percentage of transfers resulting in live births (%)		0 / 3		1 / 1		
Percentage of transfers resulting in pregnancies (%)		0 / 3		1 / 1		

CURRENT SERVICES & PROFILE

Current Name: Cedars Sinai Medical Center, Center for Fertility and Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CHA FERTILITY CENTER LOS ANGELES, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Vicken P. Sepilian, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	84%	Tubal factor	5%	Uterine factor	5%	
Unstimulated	5%	PGD/PGS	0%	Ovulatory dysfunction	3%	Male factor	23%	
Used gestational carrier	0%			Diminished ovarian reserve	43%	Other factor	8%	
				Endometriosis	3%	Unknown factor	15%	
				Multiple Factors:				
				Female factors only				2%
				Female & male factors				2%

2015 ART SUCCESS RATES ^c		Total number of cycles ^d : 378 (includes 2 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		7	10	10	8	0	3
Percentage of cancellations before retrieval (%)		0 / 7	0 / 10	3 / 10	1 / 8		0 / 3
Average number of embryos transferred		2.2	1.9	1.4	2.2		1.3
Percentage of embryos transferred resulting in implantation (%)		6 / 13	3 / 17	2 / 9	1 / 11		0 / 4
Percentage of elective single embryo transfers (eSET) (%)		0 / 6	0 / 8	0 / 3	0 / 5		0 / 1
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		1 / 7	1 / 10	0 / 10	0 / 8		0 / 3
Percentage of cycles resulting in singleton live births (%)		1 / 7	1 / 10	0 / 10	0 / 8		0 / 3
Percentage of cycles resulting in twin live births (%)		0 / 7	0 / 10	0 / 10	0 / 8		0 / 3
Percentage of cycles resulting in live births (%)		2 / 7	1 / 10	0 / 10	0 / 8		0 / 3
Percentage of cycles resulting in pregnancies (%)		3 / 7	3 / 10	3 / 10	1 / 8		0 / 3
Outcomes per Transfer							
Number of transfers		6	9	7	5	0	3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 6	1 / 9	0 / 7	0 / 5		0 / 3
Percentage of transfers resulting in singleton live births (%)		1 / 6	1 / 9	0 / 7	0 / 5		0 / 3
Percentage of transfers resulting in twin live births (%)		0 / 6	0 / 9	0 / 7	0 / 5		0 / 3
Percentage of transfers resulting in live births (%)		2 / 6	1 / 9	0 / 7	0 / 5		0 / 3
Percentage of transfers resulting in pregnancies (%)		3 / 6	3 / 9	3 / 7	1 / 5		0 / 3
Frozen Embryos from Nondonor Eggs							
Number of cycles		65	23	19	7	3	1
Number of transfers		65	21	19	7	3	1
Estimated average number of transfers per retrieval		1.1	1.1	0.8	0.8	0.6	0.0
Average number of embryos transferred		1.7	1.7	1.5	1.4	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)		50.9	44.4	41.4	5 / 10	3 / 6	1 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		36.9	28.6	3 / 19	2 / 7	1 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)		43.1	42.9	6 / 19	3 / 7	1 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)		15.4	14.3	2 / 19	1 / 7	1 / 3	0 / 1
Percentage of transfers resulting in live births (%)		58.5	57.1	8 / 19	4 / 7	2 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)		66.2	61.9	10 / 19	4 / 7	2 / 3	1 / 1
Number of Egg/Embryo Banking Cycles							
		59	20	22	9	5	22
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		21			62		
Number of transfers		21			60		
Average number of embryos transferred		1.9			1.9		
Percentage of embryos transferred resulting in implantation (%)		57.5			46.0		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		33.3			40.0		
Percentage of transfers resulting in singleton live births (%)		38.1			48.3		
Percentage of transfers resulting in twin live births (%)		28.6			8.3		
Percentage of transfers resulting in live births (%)		66.7			56.7		
Percentage of transfers resulting in pregnancies (%)		81.0			75.0		

CURRENT SERVICES & PROFILE This clinic has reorganized since 2015. Contact the NASS Help Desk for further information.

Current Name: CHA Fertility Center							
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2015 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2015 ART cycle data or the clinic's Medical Director did not approve the clinic's 2015 ART cycle data for inclusion in this report.

PACIFIC FERTILITY CENTER-LOS ANGELES LOS ANGELES, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Vicken Sahakian, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	93%	Tubal factor	5%	Uterine factor	4%	<i>Multiple Factors:</i> Female factors only 11% Female & male factors 7%
Unstimulated	<1%	PGD/PGS	44%	Ovulatory dysfunction	6%	Male factor	13%	
Used gestational carrier	8%			Diminished ovarian reserve	32%	Other factor	39%	
				Endometriosis	3%	Unknown factor	19%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 547 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	27	17	36	18	14	6
Percentage of cancellations before retrieval (%)	0.0	0 / 17	5.6	1 / 18	0 / 14	0 / 6
Average number of embryos transferred	1.9	1.4	1.5	2.1	2.1	2.0
Percentage of embryos transferred resulting in implantation (%)	34.0	20.0	20.6	23.8	0 / 17	0 / 6
Percentage of elective single embryo transfers (eSET) (%)	13.6	2 / 8	1 / 10	0 / 8	0 / 5	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	3.7	0 / 17	2.8	1 / 18	0 / 14	0 / 6
Percentage of cycles resulting in singleton live births (%)	14.8	1 / 17	11.1	2 / 18	0 / 14	0 / 6
Percentage of cycles resulting in twin live births (%)	11.1	1 / 17	0.0	1 / 18	0 / 14	0 / 6
Percentage of cycles resulting in live births (%)	25.9	2 / 17	11.1	3 / 18	0 / 14	0 / 6
Percentage of cycles resulting in pregnancies (%)	37.0	2 / 17	16.7	4 / 18	0 / 14	0 / 6
Outcomes per Transfer						
Number of transfers	25	14	24	10	8	3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4.0	0 / 14	4.2	1 / 10	0 / 8	0 / 3
Percentage of transfers resulting in singleton live births (%)	16.0	1 / 14	16.7	2 / 10	0 / 8	0 / 3
Percentage of transfers resulting in twin live births (%)	12.0	1 / 14	0.0	1 / 10	0 / 8	0 / 3
Percentage of transfers resulting in live births (%)	28.0	2 / 14	16.7	3 / 10	0 / 8	0 / 3
Percentage of transfers resulting in pregnancies (%)	40.0	2 / 14	25.0	4 / 10	0 / 8	0 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	56	28	30	19	7	2
Number of transfers	53	27	29	18	5	2
Estimated average number of transfers per retrieval	1.1	0.5	0.6	0.7	0.2	0.2
Average number of embryos transferred	1.6	1.5	1.5	1.8	1.6	2.0
Percentage of embryos transferred resulting in implantation (%)	45.0	31.7	51.2	12.5	2 / 8	1 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	9.4	11.1	10.3	1 / 18	1 / 5	1 / 2
Percentage of transfers resulting in singleton live births (%)	22.6	22.2	20.7	2 / 18	2 / 5	1 / 2
Percentage of transfers resulting in twin live births (%)	1.9	0.0	10.3	0 / 18	0 / 5	0 / 2
Percentage of transfers resulting in live births (%)	24.5	22.2	31.0	2 / 18	2 / 5	1 / 2
Percentage of transfers resulting in pregnancies (%)	52.8	44.4	58.6	4 / 18	2 / 5	2 / 2
Number of Egg/Embryo Banking Cycles	39	54	45	24	28	11
Donor Eggs						
		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		34			52	
Number of transfers		31			50	
Average number of embryos transferred		1.7			1.6	
Percentage of embryos transferred resulting in implantation (%)		69.8			38.2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		12.9			4.0	
Percentage of transfers resulting in singleton live births (%)		41.9			34.0	
Percentage of transfers resulting in twin live births (%)		22.6			4.0	
Percentage of transfers resulting in live births (%)		64.5			38.0	
Percentage of transfers resulting in pregnancies (%)		83.9			52.0	

CURRENT SERVICES & PROFILE

Current Name: Pacific Fertility Center-Los Angeles

Donor eggs?	No	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UCLA FERTILITY CENTER LOS ANGELES, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Kathleen M. Brennan, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	84%	Tubal factor	2%	Uterine factor	2%	
Unstimulated	4%	PGD/PGS	0%	Ovulatory dysfunction	12%	Male factor	22%	
Used gestational carrier	0%			Diminished ovarian reserve	5%	Other factor	48%	
				Endometriosis	8%	Unknown factor	17%	
				Multiple Factors:				
				Female factors only				7%
				Female & male factors				7%

2015 ART SUCCESS RATES ^c		Total number of cycles ^d : 204 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		3	6	5	5	4	2
Percentage of cancellations before retrieval (%)		0 / 3	0 / 6	0 / 5	0 / 5	1 / 4	0 / 2
Average number of embryos transferred		1.3	1.3	1.4	2.0	2.0	4.0
Percentage of embryos transferred resulting in implantation (%)		3 / 4	5 / 8	2 / 7	2 / 8	0 / 2	0 / 4
Percentage of elective single embryo transfers (eSET) (%)		2 / 3	3 / 5	2 / 4	0 / 4	0 / 1	0 / 1
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		3 / 3	4 / 6	0 / 5	1 / 5	0 / 4	0 / 2
Percentage of cycles resulting in singleton live births (%)		3 / 3	4 / 6	1 / 5	1 / 5	0 / 4	0 / 2
Percentage of cycles resulting in twin live births (%)		0 / 3	0 / 6	0 / 5	0 / 5	0 / 4	0 / 2
Percentage of cycles resulting in live births (%)		3 / 3	4 / 6	1 / 5	1 / 5	0 / 4	0 / 2
Percentage of cycles resulting in pregnancies (%)		3 / 3	4 / 6	2 / 5	2 / 5	0 / 4	0 / 2
Outcomes per Transfer							
Number of transfers		3	6	5	4	1	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		3 / 3	4 / 6	0 / 5	1 / 4	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)		3 / 3	4 / 6	1 / 5	1 / 4	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)		0 / 3	0 / 6	0 / 5	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)		3 / 3	4 / 6	1 / 5	1 / 4	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)		3 / 3	4 / 6	2 / 5	2 / 4	0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs							
Number of cycles		36	21	17	7	0	1
Number of transfers		36	21	17	7	0	1
Estimated average number of transfers per retrieval		1.0	1.4	0.9	0.5	0.0	0.3
Average number of embryos transferred		1.2	1.3	1.2	1.6		1.0
Percentage of embryos transferred resulting in implantation (%)		41.9	46.4	40.0	5 / 11		0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		19.4	38.1	7 / 17	2 / 7		0 / 1
Percentage of transfers resulting in singleton live births (%)		22.2	47.6	8 / 17	2 / 7		0 / 1
Percentage of transfers resulting in twin live births (%)		8.3	4.8	0 / 17	1 / 7		0 / 1
Percentage of transfers resulting in live births (%)		30.6	52.4	8 / 17	3 / 7		0 / 1
Percentage of transfers resulting in pregnancies (%)		38.9	57.1	8 / 17	4 / 7		0 / 1
Number of Egg/Embryo Banking Cycles							
		35	15	18	12	2	1
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		0			14		
Number of transfers		0			14		
Average number of embryos transferred					1.1		
Percentage of embryos transferred resulting in implantation (%)					7 / 15		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)					1 / 14		
Percentage of transfers resulting in singleton live births (%)					1 / 14		
Percentage of transfers resulting in twin live births (%)					2 / 14		
Percentage of transfers resulting in live births (%)					3 / 14		
Percentage of transfers resulting in pregnancies (%)					6 / 14		

CURRENT SERVICES & PROFILE This clinic has reorganized since 2015. Contact the NASS Help Desk for further information.

Current Name: UCLA Fertility Center							
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

USC REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY LOS ANGELES, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Richard J. Paulson, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	85%	Tubal factor	5%	Uterine factor	5%	<i>Multiple Factors:</i> Female factors only 9% Female & male factors 42%
Unstimulated	2%	PGD/PGS	<1%	Ovulatory dysfunction	12%	Male factor	56%	
Used gestational carrier	2%			Diminished ovarian reserve	60%	Other factor	15%	
				Endometriosis	5%	Unknown factor	3%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 705 (includes 18 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	62	41	70	43	23	8
Percentage of cancellations before retrieval (%)	3.2	2.4	8.6	25.6	8.7	1 / 8
Average number of embryos transferred	1.8	2.4	2.9	3.5	4.0	4.1
Percentage of embryos transferred resulting in implantation (%)	33.0	16.7	17.2	5.6	1.3	0.0
Percentage of elective single embryo transfers (eSET) (%)	16.7	5.4	1.9	0.0	0 / 16	0 / 6
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	24.2	19.5	4.3	7.0	4.3	0 / 8
Percentage of cycles resulting in singleton live births (%)	25.8	22.0	5.7	7.0	4.3	0 / 8
Percentage of cycles resulting in twin live births (%)	12.9	4.9	8.6	2.3	0.0	0 / 8
Percentage of cycles resulting in live births (%)	38.7	26.8	17.1	9.3	4.3	0 / 8
Percentage of cycles resulting in pregnancies (%)	45.2	31.7	25.7	16.3	4.3	0 / 8
Outcomes per Transfer						
Number of transfers	57	39	57	32	20	7
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	26.3	20.5	5.3	9.4	5.0	0 / 7
Percentage of transfers resulting in singleton live births (%)	28.1	23.1	7.0	9.4	5.0	0 / 7
Percentage of transfers resulting in twin live births (%)	14.0	5.1	10.5	3.1	0.0	0 / 7
Percentage of transfers resulting in live births (%)	42.1	28.2	21.1	12.5	5.0	0 / 7
Percentage of transfers resulting in pregnancies (%)	49.1	33.3	31.6	21.9	5.0	0 / 7
Frozen Embryos from Nondonor Eggs						
Number of cycles	50	47	43	16	10	2
Number of transfers	50	47	43	16	10	2
Estimated average number of transfers per retrieval	0.6	0.6	0.6	0.4	0.5	0.3
Average number of embryos transferred	1.7	1.6	2.0	2.8	3.8	3.0
Percentage of embryos transferred resulting in implantation (%)	30.5	27.0	20.0	13.6	2.6	1 / 6
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	18.0	27.7	18.6	3 / 16	0 / 10	0 / 2
Percentage of transfers resulting in singleton live births (%)	22.0	27.7	18.6	3 / 16	0 / 10	0 / 2
Percentage of transfers resulting in twin live births (%)	10.0	6.4	7.0	1 / 16	0 / 10	0 / 2
Percentage of transfers resulting in live births (%)	34.0	34.0	25.6	4 / 16	0 / 10	0 / 2
Percentage of transfers resulting in pregnancies (%)	40.0	38.3	37.2	5 / 16	1 / 10	1 / 2
Number of Egg/Embryo Banking Cycles						
	58	63	61	35	19	6
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		8			22	
Number of transfers		8			22	
Average number of embryos transferred		1.5			1.6	
Percentage of embryos transferred resulting in implantation (%)		7 / 10			32.4	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		3 / 8			22.7	
Percentage of transfers resulting in singleton live births (%)		3 / 8			27.3	
Percentage of transfers resulting in twin live births (%)		1 / 8			4.5	
Percentage of transfers resulting in live births (%)		4 / 8			31.8	
Percentage of transfers resulting in pregnancies (%)		6 / 8			45.5	

CURRENT SERVICES & PROFILE

Current Name: USC Reproductive Endocrinology and Infertility

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2015 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2015 ART cycle data or the clinic's Medical Director did not approve the clinic's 2015 ART cycle data for inclusion in this report.

INNOVATIVE FERTILITY CENTER MANHATTAN BEACH, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Mark J. Rispler, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	100%	Tubal factor	8%	Uterine factor	0%	Multiple Factors: Female factors only 3% Female & male factors 8%
Unstimulated	0%	PGD/PGS	22%	Ovulatory dysfunction	3%	Male factor	23%	
Used gestational carrier	0%			Diminished ovarian reserve	23%	Other factor	18%	
				Endometriosis	2%	Unknown factor	36%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 129 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	0	2	0	2	4	1
Percentage of cancellations before retrieval (%)		0 / 2		0 / 2	0 / 4	0 / 1
Average number of embryos transferred		1.5		1.0	1.5	2.0
Percentage of embryos transferred resulting in implantation (%)		0 / 1		0 / 1	0 / 3	0 / 2
Percentage of elective single embryo transfers (eSET) (%)		0 / 1			0 / 1	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		0 / 2		0 / 2	0 / 4	0 / 1
Percentage of cycles resulting in singleton live births (%)		0 / 2		0 / 2	0 / 4	0 / 1
Percentage of cycles resulting in twin live births (%)		0 / 2		0 / 2	0 / 4	0 / 1
Percentage of cycles resulting in live births (%)		0 / 2		0 / 2	0 / 4	0 / 1
Percentage of cycles resulting in pregnancies (%)		1 / 2		0 / 2	0 / 4	0 / 1
Outcomes per Transfer						
Number of transfers	0	2	0	1	2	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 2		0 / 1	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)		0 / 2		0 / 1	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)		0 / 2		0 / 1	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)		0 / 2		0 / 1	0 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)		1 / 2		0 / 1	0 / 2	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	14	3	8	7	5	1
Number of transfers	14	3	8	6	5	1
Estimated average number of transfers per retrieval	0.7	0.4	0.4	0.7	0.5	0.3
Average number of embryos transferred	1.6	2.0	2.6	2.2	2.4	2.0
Percentage of embryos transferred resulting in implantation (%)	47.8	1 / 6	19.0	0 / 13	2 / 12	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	8 / 14	1 / 3	2 / 8	0 / 6	0 / 5	0 / 1
Percentage of transfers resulting in singleton live births (%)	9 / 14	1 / 3	2 / 8	0 / 6	0 / 5	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 14	0 / 3	1 / 8	0 / 6	1 / 5	0 / 1
Percentage of transfers resulting in live births (%)	10 / 14	1 / 3	3 / 8	0 / 6	1 / 5	0 / 1
Percentage of transfers resulting in pregnancies (%)	10 / 14	1 / 3	3 / 8	0 / 6	1 / 5	0 / 1
Number of Egg/Embryo Banking Cycles						
	19	7	19	9	11	3
Donor Eggs						
		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		5			9	
Number of transfers		5			9	
Average number of embryos transferred		1.6			1.4	
Percentage of embryos transferred resulting in implantation (%)		1 / 8			3 / 13	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 5			1 / 9	
Percentage of transfers resulting in singleton live births (%)		1 / 5			1 / 9	
Percentage of transfers resulting in twin live births (%)		0 / 5			1 / 9	
Percentage of transfers resulting in live births (%)		1 / 5			2 / 9	
Percentage of transfers resulting in pregnancies (%)		1 / 5			2 / 9	

CURRENT SERVICES & PROFILE

Current Name: Innovative Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**THE FERTILITY AND GYNECOLOGY CENTER
MONTEREY BAY IVF PROGRAM
MONTEREY, CALIFORNIA**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Edward J. Ramirez, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	79%	Tubal factor	29%	Uterine factor	0%	Multiple Factors: Female factors only 10% Female & male factors 22%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	29%	Male factor	37%	
Used gestational carrier	0%			Diminished ovarian reserve	4%	Other factor	17%	
				Endometriosis	10%	Unknown factor	5%	

2015 ART SUCCESS RATES ^c		Total number of cycles ^d : 99 (includes 2 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		26	16	19	6	0	0
Percentage of cancellations before retrieval (%)		3.8	0 / 16	5 / 19	3 / 6		
Average number of embryos transferred		2.2	2.5	3.0	3.0		
Percentage of embryos transferred resulting in implantation (%)		23.9	18.9	22.7	1 / 9		
Percentage of elective single embryo transfers (eSET) (%)		10.0	0 / 15	0 / 8	0 / 3		
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		23.1	3 / 16	2 / 19	1 / 6		
Percentage of cycles resulting in singleton live births (%)		26.9	5 / 16	3 / 19	1 / 6		
Percentage of cycles resulting in twin live births (%)		7.7	0 / 16	0 / 19	0 / 6		
Percentage of cycles resulting in live births (%)		34.6	5 / 16	3 / 19	1 / 6		
Percentage of cycles resulting in pregnancies (%)		34.6	7 / 16	5 / 19	1 / 6		
Outcomes per Transfer							
Number of transfers		21	16	10	3	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		28.6	3 / 16	2 / 10	1 / 3		
Percentage of transfers resulting in singleton live births (%)		33.3	5 / 16	3 / 10	1 / 3		
Percentage of transfers resulting in twin live births (%)		9.5	0 / 16	0 / 10	0 / 3		
Percentage of transfers resulting in live births (%)		42.9	5 / 16	3 / 10	1 / 3		
Percentage of transfers resulting in pregnancies (%)		42.9	7 / 16	5 / 10	1 / 3		
Frozen Embryos from Nondonor Eggs							
Number of cycles		14	6	4	1	0	0
Number of transfers		13	5	4	1	0	0
Estimated average number of transfers per retrieval		2.2	1.0	1.0			
Average number of embryos transferred		1.8	2.0	1.8	2.0		
Percentage of embryos transferred resulting in implantation (%)		56.5	1 / 10	1 / 7	0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		6 / 13	1 / 5	0 / 4	0 / 1		
Percentage of transfers resulting in singleton live births (%)		6 / 13	1 / 5	1 / 4	0 / 1		
Percentage of transfers resulting in twin live births (%)		1 / 13	0 / 5	0 / 4	0 / 1		
Percentage of transfers resulting in live births (%)		8 / 13	1 / 5	1 / 4	0 / 1		
Percentage of transfers resulting in pregnancies (%)		9 / 13	1 / 5	1 / 4	0 / 1		
Number of Egg/Embryo Banking Cycles							
		1	2	2	0	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		0			0		
Number of transfers		0			0		
Average number of embryos transferred							
Percentage of embryos transferred resulting in implantation (%)							
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)							
Percentage of transfers resulting in singleton live births (%)							
Percentage of transfers resulting in twin live births (%)							
Percentage of transfers resulting in live births (%)							
Percentage of transfers resulting in pregnancies (%)							

CURRENT SERVICES & PROFILE		Current Name: The Fertility and Gynecology Center, Monterey Bay IVF Program					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NOVA IN VITRO FERTILIZATION MOUNTAIN VIEW, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE Data verified by Richard J. Schmidt, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	28%	Tubal factor	16%	Uterine factor	5%	<i>Multiple Factors:</i> Female factors only 19% Female & male factors 11%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	16%	Male factor	17%	
Used gestational carrier	2%			Diminished ovarian reserve	60%	Other factor	2%	
				Endometriosis	13%	Unknown factor	5%	

2015 ART SUCCESS RATES^c Total number of cycles^d: 545 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	57	52	43	23	15	3
Percentage of cancellations before retrieval (%)	1.8	9.6	4.7	8.7	2 / 15	1 / 3
Average number of embryos transferred	1.8	1.9	2.2	4.4	4.4	
Percentage of embryos transferred resulting in implantation (%)	30.0	23.3	13.8	8.6	0.0	
Percentage of elective single embryo transfers (eSET) (%)	3 / 16	3 / 16	0 / 11	0 / 8	0 / 5	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	8.8	5.8	2.3	8.7	0 / 15	0 / 3
Percentage of cycles resulting in singleton live births (%)	10.5	7.7	2.3	8.7	0 / 15	0 / 3
Percentage of cycles resulting in twin live births (%)	1.8	1.9	0.0	0.0	0 / 15	0 / 3
Percentage of cycles resulting in live births (%)	12.3	9.6	2.3	8.7	0 / 15	0 / 3
Percentage of cycles resulting in pregnancies (%)	12.3	13.5	7.0	13.0	0 / 15	0 / 3
Outcomes per Transfer						
Number of transfers	17	17	13	8	5	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	5 / 17	3 / 17	1 / 13	2 / 8	0 / 5	
Percentage of transfers resulting in singleton live births (%)	6 / 17	4 / 17	1 / 13	2 / 8	0 / 5	
Percentage of transfers resulting in twin live births (%)	1 / 17	1 / 17	0 / 13	0 / 8	0 / 5	
Percentage of transfers resulting in live births (%)	7 / 17	5 / 17	1 / 13	2 / 8	0 / 5	
Percentage of transfers resulting in pregnancies (%)	7 / 17	7 / 17	3 / 13	3 / 8	0 / 5	
Frozen Embryos from Nondonor Eggs						
Number of cycles	57	57	62	20	16	1
Number of transfers	57	57	62	20	16	1
Estimated average number of transfers per retrieval	1.2	0.8	1.0	0.5	0.6	0.5
Average number of embryos transferred	1.8	2.0	2.0	2.7	3.9	5.0
Percentage of embryos transferred resulting in implantation (%)	45.3	37.4	31.1	18.8	14.8	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	38.6	29.8	35.5	15.0	5 / 16	0 / 1
Percentage of transfers resulting in singleton live births (%)	43.9	38.6	37.1	15.0	6 / 16	0 / 1
Percentage of transfers resulting in twin live births (%)	8.8	8.8	4.8	5.0	0 / 16	0 / 1
Percentage of transfers resulting in live births (%)	52.6	49.1	41.9	20.0	6 / 16	0 / 1
Percentage of transfers resulting in pregnancies (%)	64.9	59.6	59.7	45.0	7 / 16	1 / 1
Number of Egg/Embryo Banking Cycles						
	9	34	27	27	14	2
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		11			15	
Number of transfers		5			15	
Average number of embryos transferred		2.0			1.8	
Percentage of embryos transferred resulting in implantation (%)		5 / 10			63.0	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 5			7 / 15	
Percentage of transfers resulting in singleton live births (%)		0 / 5			10 / 15	
Percentage of transfers resulting in twin live births (%)		2 / 5			2 / 15	
Percentage of transfers resulting in live births (%)		2 / 5			12 / 15	
Percentage of transfers resulting in pregnancies (%)		3 / 5			13 / 15	

CURRENT SERVICES & PROFILE Current Name: Nova In Vitro Fertilization

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HRC FERTILITY-ORANGE COUNTY NEWPORT BEACH, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Daniel A. Potter, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	93%	Tubal factor	5%	Uterine factor	8%	Multiple Factors: Female factors only 15% Female & male factors 19%
Unstimulated	0%	PGD/PGS	85%	Ovulatory dysfunction	13%	Male factor	36%	
Used gestational carrier	1%			Diminished ovarian reserve	29%	Other factor	43%	
				Endometriosis	4%	Unknown factor	5%	

2015 ART SUCCESS RATES ^c		Total number of cycles ^d : 926 (includes 8 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		227	90	93	61	25	7
Percentage of cancellations before retrieval (%)		1.8	5.6	7.5	14.8	4.0	1 / 7
Average number of embryos transferred		1.4	1.3	1.5	1.8	1.8	
Percentage of embryos transferred resulting in implantation (%)		65.5	58.7	42.4	4 / 15	1 / 11	
Percentage of elective single embryo transfers (eSET) (%)		54.9	50.0	38.5	0 / 3	0 / 2	
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		28.2	26.7	22.6	4.9	4.0	0 / 7
Percentage of cycles resulting in singleton live births (%)		37.9	34.4	22.6	6.6	4.0	0 / 7
Percentage of cycles resulting in twin live births (%)		10.6	6.7	2.2	0.0	0.0	0 / 7
Percentage of cycles resulting in live births (%)		48.5	41.1	24.7	6.6	4.0	0 / 7
Percentage of cycles resulting in pregnancies (%)		52.4	44.4	26.9	8.2	4.0	0 / 7
Outcomes per Transfer							
Number of transfers		158	58	40	9	6	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		40.5	41.4	52.5	3 / 9	1 / 6	
Percentage of transfers resulting in singleton live births (%)		54.4	53.4	52.5	4 / 9	1 / 6	
Percentage of transfers resulting in twin live births (%)		15.2	10.3	5.0	0 / 9	0 / 6	
Percentage of transfers resulting in live births (%)		69.6	63.8	57.5	4 / 9	1 / 6	
Percentage of transfers resulting in pregnancies (%)		75.3	69.0	62.5	5 / 9	1 / 6	
Frozen Embryos from Nondonor Eggs							
Number of cycles		88	40	33	13	6	10
Number of transfers		86	38	28	12	6	6
Estimated average number of transfers per retrieval		1.3	1.4	0.7	0.8	0.4	0.5
Average number of embryos transferred		1.4	1.4	1.5	1.5	1.3	1.5
Percentage of embryos transferred resulting in implantation (%)		67.2	66.7	52.6	10 / 16	3 / 6	4 / 9
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		43.0	60.5	39.3	3 / 12	2 / 6	1 / 6
Percentage of transfers resulting in singleton live births (%)		57.0	68.4	46.4	4 / 12	3 / 6	2 / 6
Percentage of transfers resulting in twin live births (%)		17.4	10.5	3.6	3 / 12	0 / 6	1 / 6
Percentage of transfers resulting in live births (%)		74.4	78.9	53.6	7 / 12	3 / 6	3 / 6
Percentage of transfers resulting in pregnancies (%)		79.1	84.2	71.4	8 / 12	4 / 6	3 / 6
Number of Egg/Embryo Banking Cycles							
		29	20	31	13	14	12
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		65			41		
Number of transfers		52			41		
Average number of embryos transferred		1.3			1.3		
Percentage of embryos transferred resulting in implantation (%)		67.2			59.2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		46.2			34.1		
Percentage of transfers resulting in singleton live births (%)		50.0			51.2		
Percentage of transfers resulting in twin live births (%)		13.5			9.8		
Percentage of transfers resulting in live births (%)		63.5			61.0		
Percentage of transfers resulting in pregnancies (%)		75.0			73.2		

CURRENT SERVICES & PROFILE		Current Name: HRC Fertility-Orange County					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEWPORT FERTILITY CENTER NEWPORT BEACH, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Mark T. Kan, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	100%	Tubal factor	17%	Uterine factor	48%	<i>Multiple Factors:</i> Female factors only 44% Female & male factors 6%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	13%	Male factor	6%	
Used gestational carrier	0%			Diminished ovarian reserve	56%	Other factor	13%	
				Endometriosis	15%	Unknown factor	2%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 122 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	0	1	2	1	0	0
Percentage of cancellations before retrieval (%)		0 / 1	0 / 2	0 / 1		
Average number of embryos transferred		1.0	1.5	2.0		
Percentage of embryos transferred resulting in implantation (%)			0 / 3	2 / 2		
Percentage of elective single embryo transfers (eSET) (%)		1 / 1	0 / 1	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		0 / 1	0 / 2	0 / 1		
Percentage of cycles resulting in singleton live births (%)		0 / 1	0 / 2	0 / 1		
Percentage of cycles resulting in twin live births (%)		0 / 1	0 / 2	1 / 1		
Percentage of cycles resulting in live births (%)		0 / 1	0 / 2	1 / 1		
Percentage of cycles resulting in pregnancies (%)		1 / 1	0 / 2	1 / 1		
Outcomes per Transfer						
Number of transfers	0	1	2	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 1	0 / 2	0 / 1		
Percentage of transfers resulting in singleton live births (%)		0 / 1	0 / 2	0 / 1		
Percentage of transfers resulting in twin live births (%)		0 / 1	0 / 2	1 / 1		
Percentage of transfers resulting in live births (%)		0 / 1	0 / 2	1 / 1		
Percentage of transfers resulting in pregnancies (%)		1 / 1	0 / 2	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	15	6	12	5	0	0
Number of transfers	15	6	12	5	0	0
Estimated average number of transfers per retrieval	1.4	0.5	0.4	0.5	0.0	0.0
Average number of embryos transferred	1.5	1.3	1.7	1.4		
Percentage of embryos transferred resulting in implantation (%)	38.1	7 / 8	7 / 18	2 / 7		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 15	2 / 6	3 / 12	2 / 5		
Percentage of transfers resulting in singleton live births (%)	4 / 15	4 / 6	4 / 12	2 / 5		
Percentage of transfers resulting in twin live births (%)	1 / 15	1 / 6	1 / 12	0 / 5		
Percentage of transfers resulting in live births (%)	5 / 15	5 / 6	5 / 12	2 / 5		
Percentage of transfers resulting in pregnancies (%)	7 / 15	6 / 6	7 / 12	2 / 5		
Number of Egg/Embryo Banking Cycles						
	11	11	30	10	5	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	4			8		
Number of transfers	4			8		
Average number of embryos transferred	1.3			1.0		
Percentage of embryos transferred resulting in implantation (%)	5 / 4			7 / 8		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 4			3 / 8		
Percentage of transfers resulting in singleton live births (%)	1 / 4			6 / 8		
Percentage of transfers resulting in twin live births (%)	2 / 4			0 / 8		
Percentage of transfers resulting in live births (%)	3 / 4			6 / 8		
Percentage of transfers resulting in pregnancies (%)	4 / 4			7 / 8		

CURRENT SERVICES & PROFILE

Current Name: Newport Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

OC FERTILITY NEWPORT BEACH, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Sharon E. Moayeri, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	100%	Tubal factor	15%	Uterine factor	8%	
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	29%	Male factor	61%	
Used gestational carrier	0%			Diminished ovarian reserve	25%	Other factor	24%	
				Endometriosis	12%	Unknown factor	5%	
				Multiple Factors:				
				Female factors only				18%
				Female & male factors				52%

2015 ART SUCCESS RATES ^c		Total number of cycles ^d : 213 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		2	1	0	0	0	0
Percentage of cancellations before retrieval (%)		0 / 2	0 / 1				
Average number of embryos transferred		1.0	1.0				
Percentage of embryos transferred resulting in implantation (%)		0 / 2	1 / 1				
Percentage of elective single embryo transfers (eSET) (%)		1 / 1	1 / 1				
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		0 / 2	0 / 1				
Percentage of cycles resulting in singleton live births (%)		0 / 2	1 / 1				
Percentage of cycles resulting in twin live births (%)		0 / 2	0 / 1				
Percentage of cycles resulting in live births (%)		0 / 2	1 / 1				
Percentage of cycles resulting in pregnancies (%)		0 / 2	1 / 1				
Outcomes per Transfer							
Number of transfers		2	1	0	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 2	0 / 1				
Percentage of transfers resulting in singleton live births (%)		0 / 2	1 / 1				
Percentage of transfers resulting in twin live births (%)		0 / 2	0 / 1				
Percentage of transfers resulting in live births (%)		0 / 2	1 / 1				
Percentage of transfers resulting in pregnancies (%)		0 / 2	1 / 1				
Frozen Embryos from Nondonor Eggs							
Number of cycles		34	18	15	9	0	0
Number of transfers		33	18	14	9	0	0
Estimated average number of transfers per retrieval		0.7	0.8	0.4	0.7	0.0	0.0
Average number of embryos transferred		1.1	1.0	1.1	1.0		
Percentage of embryos transferred resulting in implantation (%)		75.8	11 / 16	7 / 15	7 / 8		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		33.3	5 / 18	3 / 14	2 / 9		
Percentage of transfers resulting in singleton live births (%)		66.7	10 / 18	6 / 14	5 / 9		
Percentage of transfers resulting in twin live births (%)		3.0	0 / 18	0 / 14	0 / 9		
Percentage of transfers resulting in live births (%)		69.7	10 / 18	6 / 14	5 / 9		
Percentage of transfers resulting in pregnancies (%)		78.8	13 / 18	7 / 14	8 / 9		
Number of Egg/Embryo Banking Cycles							
		45	22	35	13	8	5
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		0			6		
Number of transfers		0			6		
Average number of embryos transferred					1.0		
Percentage of embryos transferred resulting in implantation (%)					4 / 5		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)					1 / 6		
Percentage of transfers resulting in singleton live births (%)					4 / 6		
Percentage of transfers resulting in twin live births (%)					0 / 6		
Percentage of transfers resulting in live births (%)					4 / 6		
Percentage of transfers resulting in pregnancies (%)					5 / 6		

CURRENT SERVICES & PROFILE		Current Name: OC Fertility					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE SPECIALTY MEDICAL CENTER NEWPORT BEACH, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Beth A. Ary, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	83%	Tubal factor	0%	Uterine factor	8%	<i>Multiple Factors:</i> Female factors only 8% Female & male factors 54%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	23%	Male factor	62%	
Used gestational carrier	17%			Diminished ovarian reserve	46%	Other factor	46%	
				Endometriosis	8%	Unknown factor	8%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 13 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	1	0	2	0	1	2
Percentage of cancellations before retrieval (%)	0 / 1		0 / 2		0 / 1	0 / 2
Average number of embryos transferred	2.0		4.0		3.0	1.0
Percentage of embryos transferred resulting in implantation (%)	0 / 2		0 / 4		0 / 3	0 / 1
Percentage of elective single embryo transfers (eSET) (%)	0 / 1		0 / 1		0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	0 / 1		0 / 2		0 / 1	0 / 2
Percentage of cycles resulting in singleton live births (%)	0 / 1		0 / 2		0 / 1	0 / 2
Percentage of cycles resulting in twin live births (%)	0 / 1		0 / 2		0 / 1	0 / 2
Percentage of cycles resulting in live births (%)	0 / 1		0 / 2		0 / 1	0 / 2
Percentage of cycles resulting in pregnancies (%)	0 / 1		0 / 2		0 / 1	0 / 2
Outcomes per Transfer						
Number of transfers	1	0	1	0	1	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 1		0 / 1		0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	0 / 1		0 / 1		0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 1		0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	0 / 1		0 / 1		0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	0 / 1		0 / 1		0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	1	0	0	0	0
Number of transfers	2	1	0	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred	1.5	2.0				
Percentage of embryos transferred resulting in implantation (%)	1 / 3	1 / 2				
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 2	1 / 1				
Percentage of transfers resulting in singleton live births (%)	1 / 2	1 / 1				
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 1				
Percentage of transfers resulting in live births (%)	1 / 2	1 / 1				
Percentage of transfers resulting in pregnancies (%)	1 / 2	1 / 1				
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	1			3		
Number of transfers	1			3		
Average number of embryos transferred	2.0			3.0		
Percentage of embryos transferred resulting in implantation (%)	1 / 2			1 / 9		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 1			0 / 3		
Percentage of transfers resulting in singleton live births (%)	1 / 1			1 / 3		
Percentage of transfers resulting in twin live births (%)	0 / 1			0 / 3		
Percentage of transfers resulting in live births (%)	1 / 1			1 / 3		
Percentage of transfers resulting in pregnancies (%)	1 / 1			1 / 3		

CURRENT SERVICES & PROFILE

This clinic has closed since 2015. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for further information.

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTHERN CALIFORNIA CENTER FOR REPRODUCTIVE MEDICINE NEWPORT BEACH, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Robert E. Anderson, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	63%	Tubal factor	13%	Uterine factor	8%	<i>Multiple Factors:</i> Female factors only 41% Female & male factors 25%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	7%	Male factor	33%	
Used gestational carrier	0%			Diminished ovarian reserve	39%	Other factor	75%	
				Endometriosis	4%	Unknown factor	7%	

2015 ART SUCCESS RATES ^c		Total number of cycles ^d : 700 (includes 1 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		4	3	10	6	14	4
Percentage of cancellations before retrieval (%)		1 / 4	2 / 3	5 / 10	2 / 6	3 / 14	2 / 4
Average number of embryos transferred							
Percentage of embryos transferred resulting in implantation (%)							
Percentage of elective single embryo transfers (eSET) (%)							
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		0 / 4	0 / 3	0 / 10	0 / 6	0 / 14	0 / 4
Percentage of cycles resulting in singleton live births (%)		0 / 4	0 / 3	0 / 10	0 / 6	0 / 14	0 / 4
Percentage of cycles resulting in twin live births (%)		0 / 4	0 / 3	0 / 10	0 / 6	0 / 14	0 / 4
Percentage of cycles resulting in live births (%)		0 / 4	0 / 3	0 / 10	0 / 6	0 / 14	0 / 4
Percentage of cycles resulting in pregnancies (%)		0 / 4	0 / 3	0 / 10	0 / 6	0 / 14	0 / 4
Outcomes per Transfer							
Number of transfers		0	0	0	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)							
Percentage of transfers resulting in singleton live births (%)							
Percentage of transfers resulting in twin live births (%)							
Percentage of transfers resulting in live births (%)							
Percentage of transfers resulting in pregnancies (%)							
Frozen Embryos from Nondonor Eggs							
Number of cycles		97	74	73	34	12	0
Number of transfers		93	70	68	29	11	0
Estimated average number of transfers per retrieval		1.0	1.1	0.8	0.8	0.3	0.0
Average number of embryos transferred		1.0	1.1	1.1	1.0	1.0	
Percentage of embryos transferred resulting in implantation (%)		71.3	69.4	71.4	64.3	6 / 11	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		61.3	55.7	54.4	48.3	6 / 11	
Percentage of transfers resulting in singleton live births (%)		66.7	61.4	67.6	58.6	6 / 11	
Percentage of transfers resulting in twin live births (%)		2.2	4.3	1.5	0.0	0 / 11	
Percentage of transfers resulting in live births (%)		68.8	65.7	69.1	58.6	6 / 11	
Percentage of transfers resulting in pregnancies (%)		72.0	70.0	75.0	69.0	6 / 11	
Number of Egg/Embryo Banking Cycles							
		91	63	80	37	31	9
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles			1			56	
Number of transfers			0			49	
Average number of embryos transferred						1.1	
Percentage of embryos transferred resulting in implantation (%)						63.5	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						51.0	
Percentage of transfers resulting in singleton live births (%)						57.1	
Percentage of transfers resulting in twin live births (%)						4.1	
Percentage of transfers resulting in live births (%)						61.2	
Percentage of transfers resulting in pregnancies (%)						67.3	

CURRENT SERVICES & PROFILE		Current Name: Southern California Center for Reproductive Medicine					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**WOMEN'S HEALTHCARE INSTITUTE
NORTHRIDGE, CALIFORNIA**

This clinic provided ART services during 2015 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2015 ART cycle data or the clinic's Medical Director did not approve the clinic's 2015 ART cycle data for inclusion in this report.

LANE FERTILITY INSTITUTE NOVATO, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Danielle E. Lane, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	57%	Tubal factor	5%	Uterine factor	2%	Multiple Factors: Female factors only 8% Female & male factors 3%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	9%	Male factor	9%	
Used gestational carrier	0%			Diminished ovarian reserve	37%	Other factor	24%	
				Endometriosis	5%	Unknown factor	22%	

2015 ART SUCCESS RATES ^c		Total number of cycles ^d : 166 (includes 2 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		2	2	1	1	1	0
Percentage of cancellations before retrieval (%)		1 / 2	0 / 2	1 / 1	0 / 1	0 / 1	
Average number of embryos transferred		2.0	2.0			3.0	
Percentage of embryos transferred resulting in implantation (%)		1 / 2	1 / 2			0 / 3	
Percentage of elective single embryo transfers (eSET) (%)		0 / 1	0 / 1			0 / 1	
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		1 / 2	1 / 2	0 / 1	0 / 1	0 / 1	
Percentage of cycles resulting in singleton live births (%)		1 / 2	1 / 2	0 / 1	0 / 1	0 / 1	
Percentage of cycles resulting in twin live births (%)		0 / 2	0 / 2	0 / 1	0 / 1	0 / 1	
Percentage of cycles resulting in live births (%)		1 / 2	1 / 2	0 / 1	0 / 1	0 / 1	
Percentage of cycles resulting in pregnancies (%)		1 / 2	1 / 2	0 / 1	0 / 1	0 / 1	
Outcomes per Transfer							
Number of transfers		1	1	0	0	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 1	1 / 1			0 / 1	
Percentage of transfers resulting in singleton live births (%)		1 / 1	1 / 1			0 / 1	
Percentage of transfers resulting in twin live births (%)		0 / 1	0 / 1			0 / 1	
Percentage of transfers resulting in live births (%)		1 / 1	1 / 1			0 / 1	
Percentage of transfers resulting in pregnancies (%)		1 / 1	1 / 1			0 / 1	
Frozen Embryos from Nondonor Eggs							
Number of cycles		17	16	15	4	1	0
Number of transfers		15	16	11	3	1	0
Estimated average number of transfers per retrieval		0.5	0.7	0.4	0.3	0.5	
Average number of embryos transferred		1.3	1.4	1.4	2.3	1.0	
Percentage of embryos transferred resulting in implantation (%)		4 / 19	63.6	6 / 15	2 / 7	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		2 / 15	8 / 16	4 / 11	2 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)		3 / 15	9 / 16	5 / 11	2 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)		0 / 15	1 / 16	0 / 11	0 / 3	0 / 1	
Percentage of transfers resulting in live births (%)		3 / 15	10 / 16	5 / 11	2 / 3	0 / 1	
Percentage of transfers resulting in pregnancies (%)		5 / 15	13 / 16	6 / 11	2 / 3	0 / 1	
Number of Egg/Embryo Banking Cycles							
		32	22	31	10	2	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		0			7		
Number of transfers		0			6		
Average number of embryos transferred					1.0		
Percentage of embryos transferred resulting in implantation (%)					3 / 6		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)					2 / 6		
Percentage of transfers resulting in singleton live births (%)					3 / 6		
Percentage of transfers resulting in twin live births (%)					0 / 6		
Percentage of transfers resulting in live births (%)					3 / 6		
Percentage of transfers resulting in pregnancies (%)					3 / 6		

CURRENT SERVICES & PROFILE		Current Name: Lane Fertility Institute					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Pending
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**IVF-ORANGE SURGERY CENTER
ORANGE, CALIFORNIA**

This clinic provided ART services during 2015 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2015 ART cycle data or the clinic's Medical Director did not approve the clinic's 2015 ART cycle data for inclusion in this report.

AMERICAN REPRODUCTIVE CENTERS PALM SPRINGS, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Maher A. Abdallah, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	93%	Tubal factor	7%	Uterine factor	17%	Multiple Factors: Female factors only 17% Female & male factors 20%
Unstimulated	<1%	PGD/PGS	29%	Ovulatory dysfunction	10%	Male factor	34%	
Used gestational carrier	<1%			Diminished ovarian reserve	21%	Other factor	51%	
				Endometriosis	5%	Unknown factor	2%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 248 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	74	39	32	19	5	1
Percentage of cancellations before retrieval (%)	1.4	0.0	0.0	0 / 19	0 / 5	0 / 1
Average number of embryos transferred	2.3	2.1	2.2	2.2	2.3	1.0
Percentage of embryos transferred resulting in implantation (%)	35.7	41.3	15.9	18.2	0 / 7	1 / 1
Percentage of elective single embryo transfers (eSET) (%)	1.9	0.0	1 / 15	0 / 6	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	21.6	33.3	9.4	4 / 19	0 / 5	0 / 1
Percentage of cycles resulting in singleton live births (%)	28.4	35.9	9.4	4 / 19	0 / 5	1 / 1
Percentage of cycles resulting in twin live births (%)	12.2	12.8	6.3	0 / 19	0 / 5	0 / 1
Percentage of cycles resulting in live births (%)	41.9	48.7	15.6	4 / 19	0 / 5	1 / 1
Percentage of cycles resulting in pregnancies (%)	45.9	53.8	15.6	4 / 19	0 / 5	1 / 1
Outcomes per Transfer						
Number of transfers	59	31	20	10	3	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	27.1	41.9	15.0	4 / 10	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	35.6	45.2	15.0	4 / 10	0 / 3	1 / 1
Percentage of transfers resulting in twin live births (%)	15.3	16.1	10.0	0 / 10	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	52.5	61.3	25.0	4 / 10	0 / 3	1 / 1
Percentage of transfers resulting in pregnancies (%)	57.6	67.7	25.0	4 / 10	0 / 3	1 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	9	1	0	0	4
Number of transfers	6	9	1	0	0	4
Estimated average number of transfers per retrieval	0.3	0.7	0.1	0.0		2.0
Average number of embryos transferred	1.7	2.1	2.0			1.8
Percentage of embryos transferred resulting in implantation (%)	4 / 10	8 / 17	0 / 2			4 / 7
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 6	1 / 9	0 / 1			1 / 4
Percentage of transfers resulting in singleton live births (%)	2 / 6	1 / 9	0 / 1			2 / 4
Percentage of transfers resulting in twin live births (%)	0 / 6	3 / 9	0 / 1			0 / 4
Percentage of transfers resulting in live births (%)	2 / 6	4 / 9	0 / 1			2 / 4
Percentage of transfers resulting in pregnancies (%)	4 / 6	5 / 9	0 / 1			3 / 4
Number of Egg/Embryo Banking Cycles						
	20	9	11	3	0	2
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		8			5	
Number of transfers		8			5	
Average number of embryos transferred		1.8			1.8	
Percentage of embryos transferred resulting in implantation (%)		9 / 14			6 / 9	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		2 / 8			4 / 5	
Percentage of transfers resulting in singleton live births (%)		4 / 8			4 / 5	
Percentage of transfers resulting in twin live births (%)		2 / 8			1 / 5	
Percentage of transfers resulting in live births (%)		6 / 8			5 / 5	
Percentage of transfers resulting in pregnancies (%)		6 / 8			5 / 5	

CURRENT SERVICES & PROFILE

Current Name: American Reproductive Centers

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BAY IN VITRO FERTILIZATION CENTER FOR REPRODUCTIVE MEDICINE PALO ALTO, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Francis Polansky, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	52%	Tubal factor	30%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 14% Female & male factors 29%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	27%	Male factor	34%	
Used gestational carrier	0%			Diminished ovarian reserve	45%	Other factor	7%	
				Endometriosis	0%	Unknown factor	4%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 222 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	31	21	30	6	6	2
Percentage of cancellations before retrieval (%)	9.7	14.3	10.0	0 / 6	1 / 6	0 / 2
Average number of embryos transferred	2.2	2.0	2.3	2.8	3.0	2.0
Percentage of embryos transferred resulting in implantation (%)	35.1	9.1	15.6	1 / 17	0 / 9	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	2 / 16	1 / 9	15.0	0 / 6	0 / 3	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	16.1	9.5	20.0	0 / 6	0 / 6	0 / 2
Percentage of cycles resulting in singleton live births (%)	22.6	9.5	20.0	1 / 6	0 / 6	0 / 2
Percentage of cycles resulting in twin live births (%)	6.5	0.0	0.0	0 / 6	0 / 6	0 / 2
Percentage of cycles resulting in live births (%)	29.0	9.5	20.0	1 / 6	0 / 6	0 / 2
Percentage of cycles resulting in pregnancies (%)	29.0	9.5	23.3	1 / 6	0 / 6	0 / 2
Outcomes per Transfer						
Number of transfers	17	11	20	6	3	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	5 / 17	2 / 11	30.0	0 / 6	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	7 / 17	2 / 11	30.0	1 / 6	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	2 / 17	0 / 11	0.0	0 / 6	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	9 / 17	2 / 11	30.0	1 / 6	0 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)	9 / 17	2 / 11	35.0	1 / 6	0 / 3	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	32	20	22	5	5	0
Number of transfers	32	20	22	5	5	0
Estimated average number of transfers per retrieval	1.3	1.7	1.1	2.5	5.0	0.0
Average number of embryos transferred	1.7	1.7	2.1	2.2	2.0	
Percentage of embryos transferred resulting in implantation (%)	40.7	21.2	8.5	0 / 11	1 / 10	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	21.9	30.0	13.6	0 / 5	1 / 5	
Percentage of transfers resulting in singleton live births (%)	25.0	30.0	13.6	0 / 5	1 / 5	
Percentage of transfers resulting in twin live births (%)	12.5	0.0	0.0	0 / 5	0 / 5	
Percentage of transfers resulting in live births (%)	40.6	30.0	13.6	0 / 5	1 / 5	
Percentage of transfers resulting in pregnancies (%)	46.9	35.0	18.2	0 / 5	1 / 5	
Number of Egg/Embryo Banking Cycles						
	9	6	4	2	0	1
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		10			8	
Number of transfers		6			8	
Average number of embryos transferred		1.7			1.8	
Percentage of embryos transferred resulting in implantation (%)		2 / 10			9 / 14	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 6			5 / 8	
Percentage of transfers resulting in singleton live births (%)		2 / 6			6 / 8	
Percentage of transfers resulting in twin live births (%)		0 / 6			1 / 8	
Percentage of transfers resulting in live births (%)		2 / 6			7 / 8	
Percentage of transfers resulting in pregnancies (%)		2 / 6			8 / 8	

CURRENT SERVICES & PROFILE

Current Name: Bay In Vitro Fertilization Center for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

STANFORD MEDICINE FERTILITY & REPRODUCTIVE HEALTH PALO ALTO, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Valerie Baker, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	55%	Tubal factor	8%	Uterine factor	5%	Multiple Factors: Female factors only 4% Female & male factors 41%
Unstimulated	<1%	PGD/PGS	31%	Ovulatory dysfunction	11%	Male factor	68%	
Used gestational carrier	3%			Diminished ovarian reserve	36%	Other factor	12%	
				Endometriosis	8%	Unknown factor	3%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 1,057 (includes 10 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	89	82	97	71	39	24
Percentage of cancellations before retrieval (%)	6.7	6.1	12.4	21.1	15.4	20.8
Average number of embryos transferred	1.4	1.5	1.9	1.8	3.0	1.6
Percentage of embryos transferred resulting in implantation (%)	42.2	23.4	14.9	11.9	0.0	0 / 13
Percentage of elective single embryo transfers (eSET) (%)	59.5	51.4	17.6	1 / 14	0 / 14	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	18.0	6.1	10.3	5.6	0.0	0.0
Percentage of cycles resulting in singleton live births (%)	22.5	7.3	12.4	5.6	0.0	0.0
Percentage of cycles resulting in twin live births (%)	2.2	3.7	0.0	0.0	0.0	0.0
Percentage of cycles resulting in live births (%)	24.7	11.0	12.4	5.6	0.0	0.0
Percentage of cycles resulting in pregnancies (%)	28.1	13.4	15.5	8.5	0.0	0.0
Outcomes per Transfer						
Number of transfers	47	43	51	25	17	8
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	34.0	11.6	19.6	16.0	0 / 17	0 / 8
Percentage of transfers resulting in singleton live births (%)	42.6	14.0	23.5	16.0	0 / 17	0 / 8
Percentage of transfers resulting in twin live births (%)	4.3	7.0	0.0	0.0	0 / 17	0 / 8
Percentage of transfers resulting in live births (%)	46.8	20.9	23.5	16.0	0 / 17	0 / 8
Percentage of transfers resulting in pregnancies (%)	53.2	25.6	29.4	24.0	0 / 17	0 / 8
Frozen Embryos from Nondonor Eggs						
Number of cycles	102	87	81	26	15	9
Number of transfers	91	75	63	20	14	5
Estimated average number of transfers per retrieval	0.7	0.6	0.9	0.7	0.6	0.4
Average number of embryos transferred	1.1	1.1	1.2	1.3	1.4	1.2
Percentage of embryos transferred resulting in implantation (%)	63.6	43.2	47.8	37.5	4 / 16	0 / 6
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	40.7	34.7	30.2	25.0	4 / 14	0 / 5
Percentage of transfers resulting in singleton live births (%)	46.2	40.0	34.9	30.0	4 / 14	0 / 5
Percentage of transfers resulting in twin live births (%)	8.8	2.7	6.3	5.0	0 / 14	0 / 5
Percentage of transfers resulting in live births (%)	54.9	42.7	41.3	35.0	4 / 14	0 / 5
Percentage of transfers resulting in pregnancies (%)	63.7	48.0	50.8	40.0	6 / 14	0 / 5
Number of Egg/Embryo Banking Cycles						
	91	75	51	22	18	13
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		18		37		
Number of transfers		12		35		
Average number of embryos transferred		1.0		1.1		
Percentage of embryos transferred resulting in implantation (%)		7 / 11		19.4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		7 / 12		14.3		
Percentage of transfers resulting in singleton live births (%)		7 / 12		17.1		
Percentage of transfers resulting in twin live births (%)		0 / 12		0.0		
Percentage of transfers resulting in live births (%)		7 / 12		17.1		
Percentage of transfers resulting in pregnancies (%)		8 / 12		25.7		

CURRENT SERVICES & PROFILE

Current Name: Stanford Medicine Fertility & Reproductive Health

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HRC FERTILITY-PASADENA PASADENA, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by John G. Wilcox, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	>99%	With ICSI	82%	Tubal factor	3%	Uterine factor	6%	<i>Multiple Factors:</i> Female factors only 8% Female & male factors 5%
Unstimulated	0%	PGD/PGS	40%	Ovulatory dysfunction	3%	Male factor	13%	
Used gestational carrier	2%			Diminished ovarian reserve	38%	Other factor	34%	
				Endometriosis	1%	Unknown factor	16%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 2,269 (includes 8 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	212	144	103	64	55	37
Percentage of cancellations before retrieval (%)	4.2	6.3	12.6	20.3	16.4	37.8
Average number of embryos transferred	1.9	1.9	2.1	2.1	2.1	3.5
Percentage of embryos transferred resulting in implantation (%)	41.5	30.2	12.2	20.0	6.3	1 / 14
Percentage of elective single embryo transfers (eSET) (%)	14.7	13.5	12.2	0 / 17	0 / 11	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	14.6	16.7	9.7	9.4	0.0	2.7
Percentage of cycles resulting in singleton live births (%)	18.9	22.9	11.7	10.9	0.0	2.7
Percentage of cycles resulting in twin live births (%)	11.8	4.9	1.0	1.6	1.8	0.0
Percentage of cycles resulting in live births (%)	31.6	27.8	12.6	12.5	1.8	2.7
Percentage of cycles resulting in pregnancies (%)	36.3	33.3	16.5	14.1	1.8	2.7
Outcomes per Transfer						
Number of transfers	136	92	58	24	15	4
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	22.8	26.1	17.2	25.0	0 / 15	1 / 4
Percentage of transfers resulting in singleton live births (%)	29.4	35.9	20.7	29.2	0 / 15	1 / 4
Percentage of transfers resulting in twin live births (%)	18.4	7.6	1.7	4.2	1 / 15	0 / 4
Percentage of transfers resulting in live births (%)	49.3	43.5	22.4	33.3	1 / 15	1 / 4
Percentage of transfers resulting in pregnancies (%)	56.6	52.2	29.3	37.5	1 / 15	1 / 4
Frozen Embryos from Nondonor Eggs						
Number of cycles	233	109	82	36	24	36
Number of transfers	196	96	69	22	16	20
Estimated average number of transfers per retrieval	0.8	0.6	0.5	0.2	0.2	0.3
Average number of embryos transferred	1.5	1.6	1.5	1.3	1.6	1.8
Percentage of embryos transferred resulting in implantation (%)	49.8	37.6	46.5	50.0	36.0	36.1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	38.8	34.4	36.2	31.8	3 / 16	40.0
Percentage of transfers resulting in singleton live births (%)	51.5	40.6	44.9	40.9	6 / 16	50.0
Percentage of transfers resulting in twin live births (%)	7.7	7.3	8.7	0.0	1 / 16	5.0
Percentage of transfers resulting in live births (%)	59.7	47.9	53.6	40.9	7 / 16	55.0
Percentage of transfers resulting in pregnancies (%)	66.3	55.2	59.4	68.2	8 / 16	60.0
Number of Egg/Embryo Banking Cycles						
	213	123	137	95	75	72
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		185			226	
Number of transfers		91			222	
Average number of embryos transferred		1.7			1.6	
Percentage of embryos transferred resulting in implantation (%)		57.7			45.7	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		33.0			31.5	
Percentage of transfers resulting in singleton live births (%)		45.1			40.1	
Percentage of transfers resulting in twin live births (%)		20.9			12.2	
Percentage of transfers resulting in live births (%)		65.9			52.3	
Percentage of transfers resulting in pregnancies (%)		79.1			59.9	

CURRENT SERVICES & PROFILE

Current Name: HRC Fertility-Pasadena

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE PARTNERS-BEVERLY HILLS, REDONDO BEACH & WESTMINSTER REDONDO BEACH, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Bill Yee, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	62%	Tubal factor	6%	Uterine factor	2%	Multiple Factors: Female factors only 5% Female & male factors 4%
Unstimulated	<1%	PGD/PGS	<1%	Ovulatory dysfunction	8%	Male factor	15%	
Used gestational carrier	1%			Diminished ovarian reserve	29%	Other factor	31%	
				Endometriosis	3%	Unknown factor	17%	

2015 ART SUCCESS RATES ^c		Total number of cycles ^d : 1,711 (includes 51 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
	Number of cycles	131	87	109	91	52	17
	Percentage of cancellations before retrieval (%)	9.2	18.4	16.5	25.3	32.7	3 / 17
	Average number of embryos transferred	1.5	2.1	2.3	3.2	3.3	4.3
	Percentage of embryos transferred resulting in implantation (%)	44.3	25.6	21.1	6.0	2.5	9.1
	Percentage of elective single embryo transfers (eSET) (%)	42.9	5.7	2.7	0.0	0 / 10	0 / 6
Outcomes per Cycle							
	Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	11.5	13.8	2.8	1.1	0.0	0 / 17
	Percentage of cycles resulting in singleton live births (%)	12.2	14.9	3.7	1.1	0.0	1 / 17
	Percentage of cycles resulting in twin live births (%)	3.1	3.4	2.8	1.1	0.0	0 / 17
	Percentage of cycles resulting in live births (%)	15.3	18.4	6.4	2.2	0.0	1 / 17
	Percentage of cycles resulting in pregnancies (%)	19.1	20.7	13.8	5.5	1.9	2 / 17
Outcomes per Transfer							
	Number of transfers	46	38	40	27	12	6
	Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	32.6	31.6	7.5	3.7	0 / 12	0 / 6
	Percentage of transfers resulting in singleton live births (%)	34.8	34.2	10.0	3.7	0 / 12	1 / 6
	Percentage of transfers resulting in twin live births (%)	8.7	7.9	7.5	3.7	0 / 12	0 / 6
	Percentage of transfers resulting in live births (%)	43.5	42.1	17.5	7.4	0 / 12	1 / 6
	Percentage of transfers resulting in pregnancies (%)	54.3	47.4	37.5	18.5	1 / 12	2 / 6
Frozen Embryos from Nondonor Eggs							
	Number of cycles	211	141	156	56	29	12
	Number of transfers	192	122	138	49	25	8
	Estimated average number of transfers per retrieval	1.2	0.8	0.7	0.6	0.6	0.4
	Average number of embryos transferred	1.3	1.3	1.6	1.6	2.5	2.6
	Percentage of embryos transferred resulting in implantation (%)	50.2	51.9	35.2	25.7	13.1	0.0
	Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	44.3	37.7	31.2	34.7	32.0	0 / 8
	Percentage of transfers resulting in singleton live births (%)	50.5	44.3	35.5	34.7	32.0	0 / 8
	Percentage of transfers resulting in twin live births (%)	2.6	5.7	3.6	0.0	0.0	0 / 8
	Percentage of transfers resulting in live births (%)	53.1	50.0	39.1	34.7	32.0	0 / 8
	Percentage of transfers resulting in pregnancies (%)	61.5	59.8	48.6	40.8	36.0	0 / 8
Number of Egg/Embryo Banking Cycles		95	120	148	65	30	14
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
	Number of cycles	11			85		
	Number of transfers	6			75		
	Average number of embryos transferred	1.7			1.3		
	Percentage of embryos transferred resulting in implantation (%)	3 / 10			43.8		
	Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 6			38.7		
	Percentage of transfers resulting in singleton live births (%)	3 / 6			45.3		
	Percentage of transfers resulting in twin live births (%)	0 / 6			4.0		
	Percentage of transfers resulting in live births (%)	3 / 6			49.3		
	Percentage of transfers resulting in pregnancies (%)	3 / 6			54.7		

CURRENT SERVICES & PROFILE		Current Name: Reproductive Partners-Beverly Hills, Redondo Beach & Westminster					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTHERN CALIFORNIA FERTILITY MEDICAL CENTER ROSEVILLE, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Carlos E. Soto-Albors, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	68%	Tubal factor	15%	Uterine factor	7%	<i>Multiple Factors:</i> Female factors only 21% Female & male factors 36%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	20%	Male factor	50%	
Used gestational carrier	2%			Diminished ovarian reserve	37%	Other factor	30%	
				Endometriosis	9%	Unknown factor	3%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 643 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	112	65	45	20	12	2
Percentage of cancellations before retrieval (%)	11.6	10.8	17.8	15.0	0 / 12	0 / 2
Average number of embryos transferred	1.8	2.1	2.1	2.2	2.0	5.0
Percentage of embryos transferred resulting in implantation (%)	39.3	32.3	23.3	10.5	1 / 16	0 / 5
Percentage of elective single embryo transfers (eSET) (%)	23.3	4.7	4.2	1 / 15	0 / 6	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	14.3	12.3	11.1	10.0	0 / 12	0 / 2
Percentage of cycles resulting in singleton live births (%)	17.9	21.5	15.6	10.0	0 / 12	0 / 2
Percentage of cycles resulting in twin live births (%)	8.0	9.2	4.4	0.0	0 / 12	0 / 2
Percentage of cycles resulting in live births (%)	25.9	30.8	20.0	10.0	0 / 12	0 / 2
Percentage of cycles resulting in pregnancies (%)	30.4	38.5	24.4	15.0	1 / 12	0 / 2
Outcomes per Transfer						
Number of transfers	64	47	28	17	8	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	25.0	17.0	17.9	2 / 17	0 / 8	0 / 1
Percentage of transfers resulting in singleton live births (%)	31.3	29.8	25.0	2 / 17	0 / 8	0 / 1
Percentage of transfers resulting in twin live births (%)	14.1	12.8	7.1	0 / 17	0 / 8	0 / 1
Percentage of transfers resulting in live births (%)	45.3	42.6	32.1	2 / 17	0 / 8	0 / 1
Percentage of transfers resulting in pregnancies (%)	53.1	53.2	39.3	3 / 17	1 / 8	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	92	52	35	11	6	0
Number of transfers	90	51	35	11	6	0
Estimated average number of transfers per retrieval	2.2	1.5	0.8	0.6	0.7	0.0
Average number of embryos transferred	1.6	1.4	1.4	1.2	1.3	
Percentage of embryos transferred resulting in implantation (%)	48.6	37.9	33.3	6 / 13	2 / 8	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	24.4	27.5	20.0	5 / 11	2 / 6	
Percentage of transfers resulting in singleton live births (%)	28.9	35.3	25.7	5 / 11	2 / 6	
Percentage of transfers resulting in twin live births (%)	15.6	3.9	8.6	0 / 11	0 / 6	
Percentage of transfers resulting in live births (%)	44.4	39.2	34.3	5 / 11	2 / 6	
Percentage of transfers resulting in pregnancies (%)	60.0	49.0	42.9	6 / 11	2 / 6	
Number of Egg/Embryo Banking Cycles						
	12	26	36	19	8	2
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		25			61	
Number of transfers		25			59	
Average number of embryos transferred		1.8			1.7	
Percentage of embryos transferred resulting in implantation (%)		45.7			26.9	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		40.0			16.9	
Percentage of transfers resulting in singleton live births (%)		44.0			22.0	
Percentage of transfers resulting in twin live births (%)		16.0			8.5	
Percentage of transfers resulting in live births (%)		60.0			30.5	
Percentage of transfers resulting in pregnancies (%)		64.0			37.3	

CURRENT SERVICES & PROFILE

Current Name: Northern California Fertility Medical Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

KAISER PERMANENTE CENTER FOR REPRODUCTIVE HEALTH-SACRAMENTO SACRAMENTO, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Sae Sohn, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	71%	Tubal factor	9%	Uterine factor	4%	Multiple Factors: Female factors only 6% Female & male factors 17%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	16%	Male factor	46%	
Used gestational carrier	<1%			Diminished ovarian reserve	25%	Other factor	8%	
				Endometriosis	5%	Unknown factor	11%	

2015 ART SUCCESS RATES ^c		Total number of cycles ^d : 485 (includes 1 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		119	57	44	13	4	0
Percentage of cancellations before retrieval (%)		3.4	1.8	13.6	1 / 13	0 / 4	
Average number of embryos transferred		1.4	1.7	2.1	2.7	2.3	
Percentage of embryos transferred resulting in implantation (%)		43.6	34.1	33.3	6.9	0 / 9	
Percentage of elective single embryo transfers (eSET) (%)		61.6	33.3	8.6	0 / 11	0 / 3	
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		31.1	19.3	27.3	1 / 13	0 / 4	
Percentage of cycles resulting in singleton live births (%)		35.3	24.6	29.5	1 / 13	0 / 4	
Percentage of cycles resulting in twin live births (%)		5.9	8.8	4.5	0 / 13	0 / 4	
Percentage of cycles resulting in live births (%)		41.2	35.1	34.1	1 / 13	0 / 4	
Percentage of cycles resulting in pregnancies (%)		47.1	40.4	47.7	3 / 13	0 / 4	
Outcomes per Transfer							
Number of transfers		101	50	37	12	4	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		36.6	22.0	32.4	1 / 12	0 / 4	
Percentage of transfers resulting in singleton live births (%)		41.6	28.0	35.1	1 / 12	0 / 4	
Percentage of transfers resulting in twin live births (%)		6.9	10.0	5.4	0 / 12	0 / 4	
Percentage of transfers resulting in live births (%)		48.5	40.0	40.5	1 / 12	0 / 4	
Percentage of transfers resulting in pregnancies (%)		55.4	46.0	56.8	3 / 12	0 / 4	
Frozen Embryos from Nondonor Eggs							
Number of cycles		98	39	34	6	8	1
Number of transfers		95	39	32	4	8	1
Estimated average number of transfers per retrieval		2.3	3.5	2.7	1.3	8.0	1.0
Average number of embryos transferred		1.4	1.6	1.5	1.8	1.8	1.0
Percentage of embryos transferred resulting in implantation (%)		60.5	36.4	40.9	3 / 7	8 / 14	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		36.8	30.8	28.1	1 / 4	2 / 8	0 / 1
Percentage of transfers resulting in singleton live births (%)		45.3	33.3	28.1	2 / 4	2 / 8	0 / 1
Percentage of transfers resulting in twin live births (%)		13.7	5.1	0.0	0 / 4	2 / 8	0 / 1
Percentage of transfers resulting in live births (%)		58.9	38.5	28.1	2 / 4	4 / 8	0 / 1
Percentage of transfers resulting in pregnancies (%)		68.4	56.4	56.3	2 / 4	6 / 8	0 / 1
Number of Egg/Embryo Banking Cycles							
		8	3	8	0	1	1
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		17			23		
Number of transfers		14			23		
Average number of embryos transferred		1.0			1.4		
Percentage of embryos transferred resulting in implantation (%)		11 / 14			56.3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		8 / 14			39.1		
Percentage of transfers resulting in singleton live births (%)		8 / 14			52.2		
Percentage of transfers resulting in twin live births (%)		1 / 14			8.7		
Percentage of transfers resulting in live births (%)		9 / 14			60.9		
Percentage of transfers resulting in pregnancies (%)		10 / 14			65.2		

CURRENT SERVICES & PROFILE		Current Name: Kaiser Permanente Center for Reproductive Health-Sacramento					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY SPECIALISTS MEDICAL GROUP SAN DIEGO, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Arlene J. Morales, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	70%	Tubal factor	11%	Uterine factor	10%	<i>Multiple Factors:</i> Female factors only 8% Female & male factors 29%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	12%	Male factor	53%	
Used gestational carrier	<1%			Diminished ovarian reserve	42%	Other factor	5%	
				Endometriosis	4%	Unknown factor	5%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 515 (includes 10 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	47	27	20	2	6	0
Percentage of cancellations before retrieval (%)	17.0	37.0	45.0	0 / 2	2 / 6	
Average number of embryos transferred	1.4	1.0	2.3	1.5	2.0	
Percentage of embryos transferred resulting in implantation (%)	26.1	1 / 6	3 / 9	0 / 3	0 / 4	
Percentage of elective single embryo transfers (eSET) (%)	7 / 14	4 / 4	0 / 3	0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	6.4	3.7	10.0	0 / 2	0 / 6	
Percentage of cycles resulting in singleton live births (%)	6.4	3.7	15.0	0 / 2	0 / 6	
Percentage of cycles resulting in twin live births (%)	2.1	0.0	0.0	0 / 2	0 / 6	
Percentage of cycles resulting in live births (%)	8.5	3.7	15.0	0 / 2	0 / 6	
Percentage of cycles resulting in pregnancies (%)	12.8	3.7	15.0	0 / 2	0 / 6	
Outcomes per Transfer						
Number of transfers	17	6	4	2	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 17	1 / 6	2 / 4	0 / 2	0 / 2	
Percentage of transfers resulting in singleton live births (%)	3 / 17	1 / 6	3 / 4	0 / 2	0 / 2	
Percentage of transfers resulting in twin live births (%)	1 / 17	0 / 6	0 / 4	0 / 2	0 / 2	
Percentage of transfers resulting in live births (%)	4 / 17	1 / 6	3 / 4	0 / 2	0 / 2	
Percentage of transfers resulting in pregnancies (%)	6 / 17	1 / 6	3 / 4	0 / 2	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	68	50	36	10	4	0
Number of transfers	68	48	34	9	4	0
Estimated average number of transfers per retrieval	0.8	0.8	0.7	1.3	0.7	0.0
Average number of embryos transferred	1.3	1.4	1.4	1.7	1.5	
Percentage of embryos transferred resulting in implantation (%)	52.9	35.8	48.8	6 / 14	2 / 5	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	44.1	20.8	32.4	4 / 9	1 / 4	
Percentage of transfers resulting in singleton live births (%)	47.1	27.1	38.2	4 / 9	1 / 4	
Percentage of transfers resulting in twin live births (%)	5.9	8.3	8.8	1 / 9	0 / 4	
Percentage of transfers resulting in live births (%)	54.4	35.4	47.1	5 / 9	1 / 4	
Percentage of transfers resulting in pregnancies (%)	57.4	39.6	61.8	6 / 9	3 / 4	
Number of Egg/Embryo Banking Cycles						
	61	47	41	7	5	6
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	9			59		
Number of transfers	6			58		
Average number of embryos transferred	1.7			1.3		
Percentage of embryos transferred resulting in implantation (%)	1 / 10			39.7		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 6			29.3		
Percentage of transfers resulting in singleton live births (%)	1 / 6			37.9		
Percentage of transfers resulting in twin live births (%)	0 / 6			3.4		
Percentage of transfers resulting in live births (%)	1 / 6			41.4		
Percentage of transfers resulting in pregnancies (%)	1 / 6			48.3		

CURRENT SERVICES & PROFILE

Current Name: Fertility Specialists Medical Group

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2015 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2015 ART cycle data or the clinic's Medical Director did not approve the clinic's 2015 ART cycle data for inclusion in this report.

NAVAL MEDICAL CENTER SAN DIEGO INFERTILITY SAN DIEGO, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Larry R. Laufer, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	94%	Tubal factor	15%	Uterine factor	<1%	<i>Multiple Factors:</i> Female factors only 4% Female & male factors 5%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	10%	Male factor	36%	
Used gestational carrier	0%			Diminished ovarian reserve	7%	Other factor	10%	
				Endometriosis	6%	Unknown factor	24%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 250 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	80	35	23	1	1	0
Percentage of cancellations before retrieval (%)	5.0	5.7	13.0	0 / 1	0 / 1	
Average number of embryos transferred	1.7	1.8	1.9	3.0		
Percentage of embryos transferred resulting in implantation (%)	56.5	35.3	14.8	0 / 3		
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 15	0 / 15	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	15.0	17.1	0.0	0 / 1	0 / 1	
Percentage of cycles resulting in singleton live births (%)	18.8	20.0	0.0	0 / 1	0 / 1	
Percentage of cycles resulting in twin live births (%)	7.5	2.9	4.3	0 / 1	0 / 1	
Percentage of cycles resulting in live births (%)	26.3	22.9	4.3	0 / 1	0 / 1	
Percentage of cycles resulting in pregnancies (%)	36.3	25.7	8.7	0 / 1	0 / 1	
Outcomes per Transfer						
Number of transfers	42	20	16	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	28.6	30.0	0 / 16	0 / 1		
Percentage of transfers resulting in singleton live births (%)	35.7	35.0	0 / 16	0 / 1		
Percentage of transfers resulting in twin live births (%)	14.3	5.0	1 / 16	0 / 1		
Percentage of transfers resulting in live births (%)	50.0	40.0	1 / 16	0 / 1		
Percentage of transfers resulting in pregnancies (%)	69.0	45.0	2 / 16	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	53	26	12	1	1	0
Number of transfers	53	25	12	1	1	0
Estimated average number of transfers per retrieval	1.8	2.1	3.0		1.0	
Average number of embryos transferred	1.6	1.6	1.7	1.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	45.8	45.9	5 / 18	1 / 1	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	32.1	24.0	1 / 12	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	34.0	28.0	2 / 12	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	3.8	4.0	1 / 12	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	37.7	32.0	3 / 12	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	60.4	52.0	4 / 12	1 / 1	0 / 1	
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		5			12	
Number of transfers		4			12	
Average number of embryos transferred		1.8			1.7	
Percentage of embryos transferred resulting in implantation (%)		4 / 7			25.0	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 4			1 / 12	
Percentage of transfers resulting in singleton live births (%)		0 / 4			1 / 12	
Percentage of transfers resulting in twin live births (%)		1 / 4			0 / 12	
Percentage of transfers resulting in live births (%)		1 / 4			1 / 12	
Percentage of transfers resulting in pregnancies (%)		2 / 4			4 / 12	

CURRENT SERVICES & PROFILE

Current Name: Naval Medical Center San Diego Infertility

Donor eggs?	No	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE SCIENCES MEDICAL CENTER SAN DIEGO, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Samuel H. Wood, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	100%	Tubal factor	9%	Uterine factor	4%	Multiple Factors: Female factors only 9% Female & male factors 15%
Unstimulated	0%	PGD/PGS	63%	Ovulatory dysfunction	10%	Male factor	33%	
Used gestational carrier	26%			Diminished ovarian reserve	36%	Other factor	22%	
				Endometriosis	4%	Unknown factor	11%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 159 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	8	5	3	1	2	0
Percentage of cancellations before retrieval (%)	0 / 8	0 / 5	0 / 3	0 / 1	0 / 2	
Average number of embryos transferred	1.5	1.6	1.3	2.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	5 / 12	4 / 8	2 / 4	1 / 2	0 / 2	
Percentage of elective single embryo transfers (eSET) (%)	2 / 6	1 / 4	0 / 1	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	5 / 8	3 / 5	2 / 3	0 / 1	0 / 2	
Percentage of cycles resulting in singleton live births (%)	5 / 8	4 / 5	2 / 3	1 / 1	0 / 2	
Percentage of cycles resulting in twin live births (%)	0 / 8	0 / 5	0 / 3	0 / 1	0 / 2	
Percentage of cycles resulting in live births (%)	5 / 8	4 / 5	2 / 3	1 / 1	0 / 2	
Percentage of cycles resulting in pregnancies (%)	5 / 8	4 / 5	2 / 3	1 / 1	0 / 2	
Outcomes per Transfer						
Number of transfers	8	5	3	1	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	5 / 8	3 / 5	2 / 3	0 / 1	0 / 2	
Percentage of transfers resulting in singleton live births (%)	5 / 8	4 / 5	2 / 3	1 / 1	0 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 8	0 / 5	0 / 3	0 / 1	0 / 2	
Percentage of transfers resulting in live births (%)	5 / 8	4 / 5	2 / 3	1 / 1	0 / 2	
Percentage of transfers resulting in pregnancies (%)	5 / 8	4 / 5	2 / 3	1 / 1	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	10	16	10	1	1	1
Number of transfers	10	15	10	1	1	1
Estimated average number of transfers per retrieval	0.6	0.7	0.5	0.1	0.3	0.2
Average number of embryos transferred	1.9	1.7	2.0	3.0	3.0	4.0
Percentage of embryos transferred resulting in implantation (%)	9 / 19	60.0	35.0	2 / 3	1 / 3	0 / 4
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	5 / 10	9 / 15	6 / 10	0 / 1	1 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	6 / 10	9 / 15	6 / 10	0 / 1	1 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 10	2 / 15	0 / 10	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	7 / 10	11 / 15	6 / 10	0 / 1	1 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	7 / 10	12 / 15	6 / 10	1 / 1	1 / 1	0 / 1
Number of Egg/Embryo Banking Cycles						
	17	20	19	12	4	6
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	6			17		
Number of transfers	6			17		
Average number of embryos transferred	1.7			1.9		
Percentage of embryos transferred resulting in implantation (%)	6 / 10			50.0		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 6			6 / 17		
Percentage of transfers resulting in singleton live births (%)	3 / 6			6 / 17		
Percentage of transfers resulting in twin live births (%)	1 / 6			4 / 17		
Percentage of transfers resulting in live births (%)	4 / 6			10 / 17		
Percentage of transfers resulting in pregnancies (%)	5 / 6			10 / 17		

CURRENT SERVICES & PROFILE

Current Name: Reproductive Sciences Medical Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SAN DIEGO FERTILITY CENTER SAN DIEGO, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by L. Michael Kettel, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	81%	Tubal factor	10%	Uterine factor	11%	<i>Multiple Factors:</i> Female factors only 20% Female & male factors 14%
Unstimulated	<1%	PGD/PGS	17%	Ovulatory dysfunction	7%	Male factor	26%	
Used gestational carrier	5%			Diminished ovarian reserve	58%	Other factor	16%	
				Endometriosis	8%	Unknown factor	4%	

2015 ART SUCCESS RATES ^c		Total number of cycles ^d : 1,399 (includes 7 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		108	64	59	42	20	7
Percentage of cancellations before retrieval (%)		8.3	9.4	22.0	28.6	35.0	4 / 7
Average number of embryos transferred		1.8	1.8	2.0	1.7	1.7	2.0
Percentage of embryos transferred resulting in implantation (%)		25.6	22.0	18.9	0.0	1 / 10	0 / 2
Percentage of elective single embryo transfers (eSET) (%)		18.2	3 / 19	4.2	0 / 5	0 / 3	0 / 1
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		11.1	4.7	11.9	0.0	5.0	0 / 7
Percentage of cycles resulting in singleton live births (%)		11.1	4.7	13.6	0.0	5.0	0 / 7
Percentage of cycles resulting in twin live births (%)		3.7	3.1	0.0	0.0	0.0	0 / 7
Percentage of cycles resulting in live births (%)		14.8	7.8	13.6	0.0	5.0	0 / 7
Percentage of cycles resulting in pregnancies (%)		16.7	9.4	16.9	0.0	5.0	0 / 7
Outcomes per Transfer							
Number of transfers		46	23	27	12	6	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		26.1	13.0	25.9	0 / 12	1 / 6	0 / 1
Percentage of transfers resulting in singleton live births (%)		26.1	13.0	29.6	0 / 12	1 / 6	0 / 1
Percentage of transfers resulting in twin live births (%)		8.7	8.7	0.0	0 / 12	0 / 6	0 / 1
Percentage of transfers resulting in live births (%)		34.8	21.7	29.6	0 / 12	1 / 6	0 / 1
Percentage of transfers resulting in pregnancies (%)		39.1	26.1	37.0	0 / 12	1 / 6	0 / 1
Frozen Embryos from Nondonor Eggs							
Number of cycles		135	86	48	29	10	3
Number of transfers		126	78	44	26	10	3
Estimated average number of transfers per retrieval		1.1	1.0	0.6	0.5	0.2	0.1
Average number of embryos transferred		1.8	1.8	2.0	1.5	1.9	3.0
Percentage of embryos transferred resulting in implantation (%)		28.7	29.8	29.4	13.2	4 / 19	1 / 9
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		27.8	16.7	22.7	15.4	1 / 10	0 / 3
Percentage of transfers resulting in singleton live births (%)		34.1	21.8	27.3	19.2	1 / 10	1 / 3
Percentage of transfers resulting in twin live births (%)		1.6	10.3	6.8	0.0	1 / 10	0 / 3
Percentage of transfers resulting in live births (%)		35.7	32.1	34.1	19.2	2 / 10	1 / 3
Percentage of transfers resulting in pregnancies (%)		47.6	41.0	45.5	26.9	3 / 10	1 / 3
Number of Egg/Embryo Banking Cycles							
		58	47	53	48	40	30
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		158			347		
Number of transfers		129			313		
Average number of embryos transferred		1.7			1.8		
Percentage of embryos transferred resulting in implantation (%)		57.9			28.1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		34.9			24.3		
Percentage of transfers resulting in singleton live births (%)		35.7			29.7		
Percentage of transfers resulting in twin live births (%)		22.5			7.0		
Percentage of transfers resulting in live births (%)		58.1			36.7		
Percentage of transfers resulting in pregnancies (%)		69.8			43.8		

CURRENT SERVICES & PROFILE This clinic has reorganized since 2015. Contact the NASS Help Desk for further information.

Current Name: San Diego Fertility Center							
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2015 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2015 ART cycle data or the clinic's Medical Director did not approve the clinic's 2015 ART cycle data for inclusion in this report.

LAUREL FERTILITY CARE SAN FRANCISCO, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Collin B. Smikle, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	80%	Tubal factor	10%	Uterine factor	11%	<i>Multiple Factors:</i> Female factors only 8% Female & male factors 12%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	18%	Male factor	23%	
Used gestational carrier	0%			Diminished ovarian reserve	20%	Other factor	8%	
				Endometriosis	5%	Unknown factor	29%	

2015 ART SUCCESS RATES ^c		Total number of cycles ^d : 273 (includes 1 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		28	14	13	7	5	6
Percentage of cancellations before retrieval (%)		0.0	1 / 14	1 / 13	2 / 7	0 / 5	2 / 6
Average number of embryos transferred		1.8	2.0	2.1	1.7	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)		56.7	25.0	4 / 12	0 / 5	0 / 4	0 / 2
Percentage of elective single embryo transfers (eSET) (%)		4 / 16	1 / 12	0 / 6	0 / 2	0 / 1	0 / 1
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		17.9	1 / 14	1 / 13	0 / 7	0 / 5	0 / 6
Percentage of cycles resulting in singleton live births (%)		17.9	2 / 14	2 / 13	0 / 7	0 / 5	0 / 6
Percentage of cycles resulting in twin live births (%)		17.9	0 / 14	1 / 13	0 / 7	0 / 5	0 / 6
Percentage of cycles resulting in live births (%)		35.7	2 / 14	3 / 13	0 / 7	0 / 5	0 / 6
Percentage of cycles resulting in pregnancies (%)		42.9	4 / 14	4 / 13	0 / 7	0 / 5	0 / 6
Outcomes per Transfer							
Number of transfers		17	12	7	3	2	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		5 / 17	1 / 12	1 / 7	0 / 3	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)		5 / 17	2 / 12	2 / 7	0 / 3	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)		5 / 17	0 / 12	1 / 7	0 / 3	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)		10 / 17	2 / 12	3 / 7	0 / 3	0 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)		12 / 17	4 / 12	4 / 7	0 / 3	0 / 2	0 / 1
Frozen Embryos from Nondonor Eggs							
Number of cycles		46	24	19	8	5	0
Number of transfers		44	24	16	7	5	0
Estimated average number of transfers per retrieval		1.5	1.3	0.7	0.5	0.6	0.0
Average number of embryos transferred		1.6	1.3	1.4	1.3	1.8	
Percentage of embryos transferred resulting in implantation (%)		31.3	43.8	45.0	5 / 9	2 / 9	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		15.9	37.5	6 / 16	2 / 7	0 / 5	
Percentage of transfers resulting in singleton live births (%)		20.5	37.5	6 / 16	2 / 7	0 / 5	
Percentage of transfers resulting in twin live births (%)		9.1	4.2	1 / 16	1 / 7	0 / 5	
Percentage of transfers resulting in live births (%)		29.5	41.7	7 / 16	3 / 7	0 / 5	
Percentage of transfers resulting in pregnancies (%)		38.6	50.0	9 / 16	4 / 7	2 / 5	
Number of Egg/Embryo Banking Cycles							
		17	16	19	14	6	1
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		7			17		
Number of transfers		6			15		
Average number of embryos transferred		2.0			1.7		
Percentage of embryos transferred resulting in implantation (%)		8 / 12			42.3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		3 / 6			4 / 15		
Percentage of transfers resulting in singleton live births (%)		4 / 6			6 / 15		
Percentage of transfers resulting in twin live births (%)		1 / 6			1 / 15		
Percentage of transfers resulting in live births (%)		5 / 6			7 / 15		
Percentage of transfers resulting in pregnancies (%)		6 / 6			8 / 15		

CURRENT SERVICES & PROFILE		Current Name: Laurel Fertility Care					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PACIFIC FERTILITY CENTER SAN FRANCISCO, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Philip E. Chenette, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	32%	Tubal factor	7%	Uterine factor	10%	Multiple Factors: Female factors only 19% Female & male factors 22%
Unstimulated	0%	PGD/PGS	9%	Ovulatory dysfunction	13%	Male factor	30%	
Used gestational carrier	<1%			Diminished ovarian reserve	48%	Other factor	19%	
				Endometriosis	6%	Unknown factor	17%	

2015 ART SUCCESS RATES ^c		Total number of cycles ^d : 1,969 (includes 57 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
	Number of cycles	50	30	63	39	28	9
	Percentage of cancellations before retrieval (%)	14.0	23.3	39.7	38.5	25.0	4 / 9
	Average number of embryos transferred	1.3	1.1	1.9	2.7	3.0	4.0
	Percentage of embryos transferred resulting in implantation (%)	37.0	6 / 17	9.1	3.7	1 / 10	0 / 4
	Percentage of elective single embryo transfers (eSET) (%)	66.7	10 / 12	3 / 14	0 / 8	0 / 4	0 / 1
Outcomes per Cycle							
	Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	26.0	16.7	3.2	0.0	0.0	0 / 9
	Percentage of cycles resulting in singleton live births (%)	28.0	20.0	4.8	0.0	0.0	0 / 9
	Percentage of cycles resulting in twin live births (%)	2.0	0.0	0.0	0.0	0.0	0 / 9
	Percentage of cycles resulting in live births (%)	30.0	20.0	4.8	0.0	0.0	0 / 9
	Percentage of cycles resulting in pregnancies (%)	32.0	20.0	6.3	2.6	7.1	0 / 9
Outcomes per Transfer							
	Number of transfers	35	15	19	10	4	1
	Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	37.1	5 / 15	2 / 19	0 / 10	0 / 4	0 / 1
	Percentage of transfers resulting in singleton live births (%)	40.0	6 / 15	3 / 19	0 / 10	0 / 4	0 / 1
	Percentage of transfers resulting in twin live births (%)	2.9	0 / 15	0 / 19	0 / 10	0 / 4	0 / 1
	Percentage of transfers resulting in live births (%)	42.9	6 / 15	3 / 19	0 / 10	0 / 4	0 / 1
	Percentage of transfers resulting in pregnancies (%)	45.7	6 / 15	4 / 19	1 / 10	2 / 4	0 / 1
Frozen Embryos from Nondonor Eggs							
	Number of cycles	130	191	157	64	20	6
	Number of transfers	126	182	150	61	19	5
	Estimated average number of transfers per retrieval	0.7	0.8	0.6	0.5	0.3	0.1
	Average number of embryos transferred	1.1	1.1	1.0	1.0	1.2	1.4
	Percentage of embryos transferred resulting in implantation (%)	60.7	53.7	47.0	50.8	54.5	2 / 7
	Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	46.0	44.0	37.3	41.0	9 / 19	2 / 5
	Percentage of transfers resulting in singleton live births (%)	48.4	48.4	40.7	45.9	11 / 19	2 / 5
	Percentage of transfers resulting in twin live births (%)	4.0	2.7	2.0	0.0	0 / 19	0 / 5
	Percentage of transfers resulting in live births (%)	52.4	51.1	42.7	45.9	11 / 19	2 / 5
	Percentage of transfers resulting in pregnancies (%)	61.1	55.5	47.3	54.1	13 / 19	2 / 5
Number of Egg/Embryo Banking Cycles		151	231	253	121	55	40
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
	Number of cycles	26			248		
	Number of transfers	22			221		
	Average number of embryos transferred	1.0			1.1		
	Percentage of embryos transferred resulting in implantation (%)	45.5			53.1		
	Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	22.7			33.9		
	Percentage of transfers resulting in singleton live births (%)	31.8			42.5		
	Percentage of transfers resulting in twin live births (%)	4.5			3.6		
	Percentage of transfers resulting in live births (%)	36.4			46.2		
	Percentage of transfers resulting in pregnancies (%)	45.5			56.1		

CURRENT SERVICES & PROFILE		Current Name: Pacific Fertility Center					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UCSF CENTER FOR REPRODUCTIVE HEALTH SAN FRANCISCO, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Marcelle I. Cedars, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	58%	Tubal factor	7%	Uterine factor	3%	Multiple Factors: Female factors only 6% Female & male factors 8%
Unstimulated	1%	PGD/PGS	5%	Ovulatory dysfunction	5%	Male factor	20%	
Used gestational carrier	<1%			Diminished ovarian reserve	44%	Other factor	10%	
				Endometriosis	4%	Unknown factor	22%	

2015 ART SUCCESS RATES ^c		Total number of cycles ^d : 2,272 (includes 25 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		158	181	214	160	92	16
Percentage of cancellations before retrieval (%)		10.1	20.4	28.5	36.3	31.5	7 / 16
Average number of embryos transferred		1.5	1.8	2.7	4.0	4.2	6.3
Percentage of embryos transferred resulting in implantation (%)		48.3	33.8	22.5	6.9	3.5	0.0
Percentage of elective single embryo transfers (eSET) (%)		50.4	22.7	3.3	0.0	0.0	0 / 6
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		25.3	22.1	12.1	6.3	1.1	0 / 16
Percentage of cycles resulting in singleton live births (%)		31.6	24.3	16.4	6.3	2.2	0 / 16
Percentage of cycles resulting in twin live births (%)		8.9	4.4	4.7	1.3	0.0	0 / 16
Percentage of cycles resulting in live births (%)		40.5	28.7	21.5	7.5	2.2	0 / 16
Percentage of cycles resulting in pregnancies (%)		46.2	35.9	29.9	17.5	8.7	0 / 16
Outcomes per Transfer							
Number of transfers		123	121	129	84	49	6
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		32.5	33.1	20.2	11.9	2.0	0 / 6
Percentage of transfers resulting in singleton live births (%)		40.7	36.4	27.1	11.9	4.1	0 / 6
Percentage of transfers resulting in twin live births (%)		11.4	6.6	7.8	2.4	0.0	0 / 6
Percentage of transfers resulting in live births (%)		52.0	43.0	35.7	14.3	4.1	0 / 6
Percentage of transfers resulting in pregnancies (%)		59.3	53.7	49.6	33.3	16.3	0 / 6
Frozen Embryos from Nondonor Eggs							
Number of cycles		150	162	154	90	38	21
Number of transfers		139	153	143	86	35	18
Estimated average number of transfers per retrieval		0.8	0.6	0.6	0.8	0.5	1.1
Average number of embryos transferred		1.4	1.5	1.7	2.4	4.2	2.7
Percentage of embryos transferred resulting in implantation (%)		41.0	48.2	25.4	21.4	5.8	15.0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		35.3	41.2	20.3	18.6	8.6	3 / 18
Percentage of transfers resulting in singleton live births (%)		40.3	44.4	23.8	25.6	20.0	5 / 18
Percentage of transfers resulting in twin live births (%)		4.3	7.2	4.2	8.1	0.0	0 / 18
Percentage of transfers resulting in live births (%)		44.6	51.6	28.0	33.7	20.0	5 / 18
Percentage of transfers resulting in pregnancies (%)		51.8	61.4	41.3	43.0	25.7	8 / 18
Number of Egg/Embryo Banking Cycles							
		127	196	177	86	51	17
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		70			87		
Number of transfers		60			87		
Average number of embryos transferred		1.2			1.5		
Percentage of embryos transferred resulting in implantation (%)		65.3			44.6		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		38.3			36.8		
Percentage of transfers resulting in singleton live births (%)		51.7			41.4		
Percentage of transfers resulting in twin live births (%)		10.0			8.0		
Percentage of transfers resulting in live births (%)		61.7			49.4		
Percentage of transfers resulting in pregnancies (%)		70.0			56.3		

CURRENT SERVICES & PROFILE		Current Name: UCSF Center for Reproductive Health					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**PALO ALTO MEDICAL FOUNDATION FERTILITY PHYSICIANS
OF NORTHERN CALIFORNIA
SAN JOSE, CALIFORNIA**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by G. David Adamson, MD				
Type of ART and Procedural Factors^a				Patient Diagnosis^b				
IVF	100%	With ICSI	71%	Tubal factor	8%	Uterine factor	4%	<i>Multiple Factors:</i> Female factors only 11% Female & male factors 18%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	12%	Male factor	34%	
Used gestational carrier	0%			Diminished ovarian reserve	35%	Other factor	16%	
				Endometriosis	8%	Unknown factor	17%	

2015 ART SUCCESS RATES^c		Total number of cycles ^d : 1,013 (includes 3 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
	Number of cycles	151	100	115	83	41	26
	Percentage of cancellations before retrieval (%)	3.3	18.0	14.8	15.7	34.1	46.2
	Average number of embryos transferred	1.4	1.8	2.2	2.9	3.3	3.4
	Percentage of embryos transferred resulting in implantation (%)	39.4	19.8	18.5	11.9	3.4	3.7
	Percentage of elective single embryo transfers (eSET) (%)	62.0	25.4	13.7	0.0	0 / 19	1 / 9
Outcomes per Cycle							
	Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	30.5	13.0	14.8	9.6	2.4	0.0
	Percentage of cycles resulting in singleton live births (%)	35.8	15.0	14.8	13.3	2.4	0.0
	Percentage of cycles resulting in twin live births (%)	5.3	1.0	2.6	2.4	0.0	0.0
	Percentage of cycles resulting in live births (%)	41.1	16.0	17.4	15.7	2.4	0.0
	Percentage of cycles resulting in pregnancies (%)	43.7	23.0	27.8	22.9	9.8	7.7
Outcomes per Transfer							
	Number of transfers	139	71	81	59	20	9
	Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	33.1	18.3	21.0	13.6	5.0	0 / 9
	Percentage of transfers resulting in singleton live births (%)	38.8	21.1	21.0	18.6	5.0	0 / 9
	Percentage of transfers resulting in twin live births (%)	5.8	1.4	3.7	3.4	0.0	0 / 9
	Percentage of transfers resulting in live births (%)	44.6	22.5	24.7	22.0	5.0	0 / 9
	Percentage of transfers resulting in pregnancies (%)	47.5	32.4	39.5	32.2	20.0	2 / 9
Frozen Embryos from Nondonor Eggs							
	Number of cycles	105	82	76	38	10	7
	Number of transfers	102	81	75	37	10	6
	Estimated average number of transfers per retrieval	1.6	1.6	1.3	1.6	1.3	0.8
	Average number of embryos transferred	1.3	1.4	1.5	2.0	2.0	2.3
	Percentage of embryos transferred resulting in implantation (%)	33.6	24.5	17.9	13.6	4 / 14	0 / 14
	Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	16.7	22.2	17.3	5.4	3 / 10	0 / 6
	Percentage of transfers resulting in singleton live births (%)	26.5	23.5	22.7	5.4	3 / 10	0 / 6
	Percentage of transfers resulting in twin live births (%)	4.9	2.5	0.0	2.7	0 / 10	0 / 6
	Percentage of transfers resulting in live births (%)	31.4	25.9	22.7	10.8	3 / 10	0 / 6
	Percentage of transfers resulting in pregnancies (%)	41.2	32.1	26.7	18.9	5 / 10	0 / 6
Number of Egg/Embryo Banking Cycles		27	29	33	11	5	3
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
	Number of cycles	25			43		
	Number of transfers	22			43		
	Average number of embryos transferred	1.1			1.3		
	Percentage of embryos transferred resulting in implantation (%)	58.3			26.4		
	Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	45.5			11.6		
	Percentage of transfers resulting in singleton live births (%)	50.0			18.6		
	Percentage of transfers resulting in twin live births (%)	4.5			4.7		
	Percentage of transfers resulting in live births (%)	54.5			23.3		
	Percentage of transfers resulting in pregnancies (%)	63.6			34.9		

CURRENT SERVICES & PROFILE		Current Name: Palo Alto Medical Foundation Fertility Physicians of Northern California					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ALEX STEINLEITNER, MD SAN LUIS OBISPO, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Alex J. Steinleitner, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	50%	Tubal factor	10%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 3% Female & male factors 16%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	19%	Male factor	42%	
Used gestational carrier	3%			Diminished ovarian reserve	10%	Other factor	13%	
				Endometriosis	4%	Unknown factor	20%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 193 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	54	27	9	8	7	0
Percentage of cancellations before retrieval (%)	31.5	18.5	1 / 9	2 / 8	2 / 7	
Average number of embryos transferred	1.9	1.7	2.1	3.5	3.4	
Percentage of embryos transferred resulting in implantation (%)	44.9	48.4	3 / 12	1 / 14	0 / 17	
Percentage of elective single embryo transfers (eSET) (%)	8.0	3 / 16	0 / 6	0 / 4	0 / 5	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	9.3	25.9	0 / 9	0 / 8	0 / 7	
Percentage of cycles resulting in singleton live births (%)	13.0	33.3	1 / 9	1 / 8	0 / 7	
Percentage of cycles resulting in twin live births (%)	11.1	11.1	1 / 9	0 / 8	0 / 7	
Percentage of cycles resulting in live births (%)	25.9	44.4	2 / 9	1 / 8	0 / 7	
Percentage of cycles resulting in pregnancies (%)	27.8	48.1	3 / 9	1 / 8	0 / 7	
Outcomes per Transfer						
Number of transfers	27	20	7	4	5	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	18.5	35.0	0 / 7	0 / 4	0 / 5	
Percentage of transfers resulting in singleton live births (%)	25.9	45.0	1 / 7	1 / 4	0 / 5	
Percentage of transfers resulting in twin live births (%)	22.2	15.0	1 / 7	0 / 4	0 / 5	
Percentage of transfers resulting in live births (%)	51.9	60.0	2 / 7	1 / 4	0 / 5	
Percentage of transfers resulting in pregnancies (%)	55.6	65.0	3 / 7	1 / 4	0 / 5	
Frozen Embryos from Nondonor Eggs						
Number of cycles	25	11	7	2	1	0
Number of transfers	22	10	5	2	1	0
Estimated average number of transfers per retrieval	0.9	1.0	2.5	0.5	0.3	
Average number of embryos transferred	1.8	1.6	1.6	1.5	3.0	
Percentage of embryos transferred resulting in implantation (%)	30.8	3 / 16	2 / 8	0 / 3	0 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	9.1	2 / 10	0 / 5	0 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)	9.1	2 / 10	0 / 5	0 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)	13.6	0 / 10	1 / 5	0 / 2	0 / 1	
Percentage of transfers resulting in live births (%)	22.7	2 / 10	1 / 5	0 / 2	0 / 1	
Percentage of transfers resulting in pregnancies (%)	40.9	3 / 10	1 / 5	0 / 2	0 / 1	
Number of Egg/Embryo Banking Cycles						
	13	4	2	3	1	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	10			9		
Number of transfers	6			8		
Average number of embryos transferred	2.0			1.9		
Percentage of embryos transferred resulting in implantation (%)	2 / 12			1 / 15		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 6			0 / 8		
Percentage of transfers resulting in singleton live births (%)	2 / 6			1 / 8		
Percentage of transfers resulting in twin live births (%)	0 / 6			0 / 8		
Percentage of transfers resulting in live births (%)	2 / 6			1 / 8		
Percentage of transfers resulting in pregnancies (%)	2 / 6			1 / 8		

CURRENT SERVICES & PROFILE

Current Name: Alex Steinleitner, MD

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2015 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2015 ART cycle data or the clinic's Medical Director did not approve the clinic's 2015 ART cycle data for inclusion in this report.

REPRODUCTIVE SCIENCE CENTER OF THE SAN FRANCISCO BAY AREA SAN RAMON, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Louis N. Weckstein, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	68%	Tubal factor	13%	Uterine factor	6%	<i>Multiple Factors:</i> Female factors only 27% Female & male factors 19%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	16%	Male factor	29%	
Used gestational carrier	3%			Diminished ovarian reserve	33%	Other factor	38%	
				Endometriosis	9%	Unknown factor	11%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 1,873 (includes 19 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	250	125	116	36	16	3
Percentage of cancellations before retrieval (%)	6.4	8.0	29.3	33.3	5 / 16	2 / 3
Average number of embryos transferred	1.2	1.5	1.9	2.1	3.4	2.0
Percentage of embryos transferred resulting in implantation (%)	46.0	41.9	30.0	20.7	14.3	1 / 2
Percentage of elective single embryo transfers (eSET) (%)	74.4	47.9	21.3	0 / 13	0 / 7	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	20.8	16.0	9.5	8.3	0 / 16	1 / 3
Percentage of cycles resulting in singleton live births (%)	26.0	17.6	11.2	11.1	1 / 16	1 / 3
Percentage of cycles resulting in twin live births (%)	3.6	6.4	4.3	2.8	1 / 16	0 / 3
Percentage of cycles resulting in live births (%)	29.6	24.0	15.5	13.9	2 / 16	1 / 3
Percentage of cycles resulting in pregnancies (%)	39.2	32.8	21.6	16.7	3 / 16	1 / 3
Outcomes per Transfer						
Number of transfers	181	76	51	15	7	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	28.7	26.3	21.6	3 / 15	0 / 7	1 / 1
Percentage of transfers resulting in singleton live births (%)	35.9	28.9	25.5	4 / 15	1 / 7	1 / 1
Percentage of transfers resulting in twin live births (%)	5.0	10.5	9.8	1 / 15	1 / 7	0 / 1
Percentage of transfers resulting in live births (%)	40.9	39.5	35.3	5 / 15	2 / 7	1 / 1
Percentage of transfers resulting in pregnancies (%)	54.1	53.9	49.0	6 / 15	3 / 7	1 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	268	230	166	56	25	4
Number of transfers	250	190	145	51	19	1
Estimated average number of transfers per retrieval	1.4	1.3	1.0	0.8	0.6	0.3
Average number of embryos transferred	1.3	1.2	1.2	1.4	1.4	1.0
Percentage of embryos transferred resulting in implantation (%)	55.4	58.3	58.8	44.3	48.0	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	38.0	43.2	45.5	41.2	9 / 19	0 / 1
Percentage of transfers resulting in singleton live births (%)	45.2	48.9	49.0	45.1	10 / 19	0 / 1
Percentage of transfers resulting in twin live births (%)	6.4	4.7	3.4	2.0	1 / 19	0 / 1
Percentage of transfers resulting in live births (%)	51.6	54.2	52.4	47.1	11 / 19	0 / 1
Percentage of transfers resulting in pregnancies (%)	62.0	63.7	66.9	54.9	12 / 19	0 / 1
Number of Egg/Embryo Banking Cycles						
	83	104	116	56	30	4
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		69			97	
Number of transfers		61			79	
Average number of embryos transferred		1.2			1.3	
Percentage of embryos transferred resulting in implantation (%)		82.7			50.0	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		45.9			21.5	
Percentage of transfers resulting in singleton live births (%)		65.6			32.9	
Percentage of transfers resulting in twin live births (%)		11.5			8.9	
Percentage of transfers resulting in live births (%)		77.0			41.8	
Percentage of transfers resulting in pregnancies (%)		83.6			57.0	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Science Center of the San Francisco Bay Area

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SANTA BARBARA FERTILITY CENTER SANTA BARBARA, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by René B. Allen, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	87%	Tubal factor	7%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 6% Female & male factors 10%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	3%	Male factor	21%	
Used gestational carrier	0%			Diminished ovarian reserve	32%	Other factor	31%	
				Endometriosis	0%	Unknown factor	19%	

2015 ART SUCCESS RATES ^c		Total number of cycles ^d : 162 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		17	18	15	2	6	5
Percentage of cancellations before retrieval (%)		0 / 17	1 / 18	2 / 15	0 / 2	1 / 6	2 / 5
Average number of embryos transferred		1.7	2.3	2.2	4.0	2.3	2.3
Percentage of embryos transferred resulting in implantation (%)		22.2	18.8	6 / 12	1 / 8	1 / 9	1 / 7
Percentage of elective single embryo transfers (eSET) (%)		8 / 16	1 / 15	0 / 8	0 / 2	0 / 3	0 / 2
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		5 / 17	4 / 18	1 / 15	0 / 2	0 / 6	1 / 5
Percentage of cycles resulting in singleton live births (%)		5 / 17	4 / 18	2 / 15	0 / 2	0 / 6	1 / 5
Percentage of cycles resulting in twin live births (%)		0 / 17	1 / 18	2 / 15	0 / 2	0 / 6	0 / 5
Percentage of cycles resulting in live births (%)		5 / 17	5 / 18	4 / 15	0 / 2	0 / 6	1 / 5
Percentage of cycles resulting in pregnancies (%)		6 / 17	6 / 18	7 / 15	1 / 2	1 / 6	1 / 5
Outcomes per Transfer							
Number of transfers		16	15	9	2	4	3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		5 / 16	4 / 15	1 / 9	0 / 2	0 / 4	1 / 3
Percentage of transfers resulting in singleton live births (%)		5 / 16	4 / 15	2 / 9	0 / 2	0 / 4	1 / 3
Percentage of transfers resulting in twin live births (%)		0 / 16	1 / 15	2 / 9	0 / 2	0 / 4	0 / 3
Percentage of transfers resulting in live births (%)		5 / 16	5 / 15	4 / 9	0 / 2	0 / 4	1 / 3
Percentage of transfers resulting in pregnancies (%)		6 / 16	6 / 15	7 / 9	1 / 2	1 / 4	1 / 3
Frozen Embryos from Nondonor Eggs							
Number of cycles		23	18	8	4	1	1
Number of transfers		18	16	8	4	1	0
Estimated average number of transfers per retrieval		1.5	2.0	1.0	0.4	0.5	
Average number of embryos transferred		1.7	1.7	1.5	2.0	1.0	
Percentage of embryos transferred resulting in implantation (%)		27.6	19.2	6 / 12	1 / 8	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		5 / 18	3 / 16	2 / 8	1 / 4	0 / 1	
Percentage of transfers resulting in singleton live births (%)		5 / 18	4 / 16	3 / 8	1 / 4	0 / 1	
Percentage of transfers resulting in twin live births (%)		0 / 18	0 / 16	1 / 8	0 / 4	0 / 1	
Percentage of transfers resulting in live births (%)		5 / 18	4 / 16	4 / 8	1 / 4	0 / 1	
Percentage of transfers resulting in pregnancies (%)		8 / 18	6 / 16	5 / 8	1 / 4	0 / 1	
Number of Egg/Embryo Banking Cycles							
		6	5	6	7	1	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		8			11		
Number of transfers		7			10		
Average number of embryos transferred		1.6			1.7		
Percentage of embryos transferred resulting in implantation (%)		7 / 11			10 / 17		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		3 / 7			6 / 10		
Percentage of transfers resulting in singleton live births (%)		3 / 7			6 / 10		
Percentage of transfers resulting in twin live births (%)		1 / 7			1 / 10		
Percentage of transfers resulting in live births (%)		4 / 7			7 / 10		
Percentage of transfers resulting in pregnancies (%)		5 / 7			8 / 10		

CURRENT SERVICES & PROFILE		Current Name: Santa Barbara Fertility Center					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SANTA MONICA FERTILITY SANTA MONICA, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by John K. Jain, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	100%	Tubal factor	2%	Uterine factor	<1%	<i>Multiple Factors:</i> Female factors only 20% Female & male factors 6%
Unstimulated	0%	PGD/PGS	31%	Ovulatory dysfunction	2%	Male factor	8%	
Used gestational carrier	0%			Diminished ovarian reserve	15%	Other factor	97%	
				Endometriosis	0%	Unknown factor	<1%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 215 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	2	2	3	4	2	0
Percentage of cancellations before retrieval (%)	0/2	0/2	0/3	0/4	0/2	
Average number of embryos transferred	1.0	1.5	2.0	2.5	3.5	
Percentage of embryos transferred resulting in implantation (%)	0/1	0/3	2/6	3/10	1/7	
Percentage of elective single embryo transfers (eSET) (%)	1/1	1/2	1/3	0/3	0/2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	0/2	0/2	2/3	2/4	0/2	
Percentage of cycles resulting in singleton live births (%)	0/2	0/2	2/3	3/4	0/2	
Percentage of cycles resulting in twin live births (%)	0/2	0/2	0/3	0/4	0/2	
Percentage of cycles resulting in live births (%)	0/2	0/2	2/3	3/4	0/2	
Percentage of cycles resulting in pregnancies (%)	0/2	0/2	2/3	3/4	1/2	
Outcomes per Transfer						
Number of transfers	1	2	3	4	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0/1	0/2	2/3	2/4	0/2	
Percentage of transfers resulting in singleton live births (%)	0/1	0/2	2/3	3/4	0/2	
Percentage of transfers resulting in twin live births (%)	0/1	0/2	0/3	0/4	0/2	
Percentage of transfers resulting in live births (%)	0/1	0/2	2/3	3/4	0/2	
Percentage of transfers resulting in pregnancies (%)	0/1	0/2	2/3	3/4	1/2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	3	3	4	3	3	1
Number of transfers	3	3	4	3	3	1
Estimated average number of transfers per retrieval	0.2	0.1	0.2	0.2	0.2	0.1
Average number of embryos transferred	1.3	1.3	1.0	1.7	3.0	1.0
Percentage of embryos transferred resulting in implantation (%)	2/4	4/4	2/4	2/5	1/7	1/1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2/3	1/3	0/4	2/3	0/3	1/1
Percentage of transfers resulting in singleton live births (%)	2/3	1/3	0/4	2/3	0/3	1/1
Percentage of transfers resulting in twin live births (%)	0/3	1/3	0/4	0/3	0/3	0/1
Percentage of transfers resulting in live births (%)	2/3	2/3	0/4	2/3	0/3	1/1
Percentage of transfers resulting in pregnancies (%)	2/3	3/3	2/4	2/3	2/3	1/1
Number of Egg/Embryo Banking Cycles						
	15	20	17	14	16	10
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	30			63		
Number of transfers	30			63		
Average number of embryos transferred	1.2			1.2		
Percentage of embryos transferred resulting in implantation (%)	68.6			68.0		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	43.3			50.8		
Percentage of transfers resulting in singleton live births (%)	56.7			63.5		
Percentage of transfers resulting in twin live births (%)	3.3			3.2		
Percentage of transfers resulting in live births (%)	60.0			66.7		
Percentage of transfers resulting in pregnancies (%)	73.3			77.8		

CURRENT SERVICES & PROFILE

Current Name: Santa Monica Fertility

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SANTA MONICA UCLA GYN SUBSPECIALTIES GROUP SANTA MONICA, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Ingrid A. Rodi, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	64%	Tubal factor	2%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 12% Female & male factors 16%
Unstimulated	0%	PGD/PGS	7%	Ovulatory dysfunction	42%	Male factor	21%	
Used gestational carrier	2%			Diminished ovarian reserve	45%	Other factor	5%	
				Endometriosis	5%	Unknown factor	8%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 182 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	14	14	8	4	3	1
Percentage of cancellations before retrieval (%)	3 / 14	3 / 14	1 / 8	1 / 4	2 / 3	1 / 1
Average number of embryos transferred	1.0	1.3	1.7			
Percentage of embryos transferred resulting in implantation (%)	2 / 2	3 / 5	1 / 5			
Percentage of elective single embryo transfers (eSET) (%)	2 / 2	1 / 2	0 / 2			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	1 / 14	1 / 14	1 / 8	0 / 4	0 / 3	0 / 1
Percentage of cycles resulting in singleton live births (%)	1 / 14	1 / 14	1 / 8	0 / 4	0 / 3	0 / 1
Percentage of cycles resulting in twin live births (%)	0 / 14	0 / 14	0 / 8	0 / 4	0 / 3	0 / 1
Percentage of cycles resulting in live births (%)	1 / 14	1 / 14	1 / 8	0 / 4	0 / 3	0 / 1
Percentage of cycles resulting in pregnancies (%)	2 / 14	3 / 14	1 / 8	0 / 4	0 / 3	0 / 1
Outcomes per Transfer						
Number of transfers	2	4	3	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 2	1 / 4	1 / 3			
Percentage of transfers resulting in singleton live births (%)	1 / 2	1 / 4	1 / 3			
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 4	0 / 3			
Percentage of transfers resulting in live births (%)	1 / 2	1 / 4	1 / 3			
Percentage of transfers resulting in pregnancies (%)	2 / 2	3 / 4	1 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	22	32	7	4	3	0
Number of transfers	18	29	7	4	3	0
Estimated average number of transfers per retrieval	0.6	0.8	0.5		0.3	0.0
Average number of embryos transferred	1.2	1.2	1.1	1.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	7 / 18	30.6	1 / 8	0 / 4	1 / 6	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	5 / 18	13.8	0 / 7	0 / 4	1 / 3	
Percentage of transfers resulting in singleton live births (%)	6 / 18	17.2	0 / 7	0 / 4	1 / 3	
Percentage of transfers resulting in twin live births (%)	0 / 18	6.9	0 / 7	0 / 4	0 / 3	
Percentage of transfers resulting in live births (%)	6 / 18	24.1	0 / 7	0 / 4	1 / 3	
Percentage of transfers resulting in pregnancies (%)	10 / 18	31.0	1 / 7	0 / 4	1 / 3	
Number of Egg/Embryo Banking Cycles						
	20	30	11	0	8	1
Donor Eggs						
	Fresh Embryos^f		Frozen Embryos^f			
Number of cycles	0		0			
Number of transfers	0		0			
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

CURRENT SERVICES & PROFILE

Current Name: Santa Monica UCLA GYN Subspecialties Group

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY ASSOCIATES MEDICAL GROUP, INC. SANTA ROSA, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Jennifer V. Ratcliffe, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	85%	Tubal factor	21%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 13% Female & male factors 24%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	2%	Male factor	32%	
Used gestational carrier	0%			Diminished ovarian reserve	55%	Other factor	11%	
				Endometriosis	5%	Unknown factor	12%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 182 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	26	27	15	16	4	0
Percentage of cancellations before retrieval (%)	3.8	7.4	1 / 15	4 / 16	1 / 4	
Average number of embryos transferred	1.9	3.1	3.2	5.2	3.7	
Percentage of embryos transferred resulting in implantation (%)	41.0	20.5	22.0	4.2	0 / 11	
Percentage of elective single embryo transfers (eSET) (%)	13.6	0.0	0 / 12	0 / 9	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	15.4	33.3	0 / 15	2 / 16	0 / 4	
Percentage of cycles resulting in singleton live births (%)	15.4	37.0	0 / 15	2 / 16	0 / 4	
Percentage of cycles resulting in twin live births (%)	23.1	7.4	3 / 15	0 / 16	0 / 4	
Percentage of cycles resulting in live births (%)	38.5	44.4	3 / 15	2 / 16	0 / 4	
Percentage of cycles resulting in pregnancies (%)	46.2	51.9	5 / 15	3 / 16	0 / 4	
Outcomes per Transfer						
Number of transfers	23	25	13	10	3	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	17.4	36.0	0 / 13	2 / 10	0 / 3	
Percentage of transfers resulting in singleton live births (%)	17.4	40.0	0 / 13	2 / 10	0 / 3	
Percentage of transfers resulting in twin live births (%)	26.1	8.0	3 / 13	0 / 10	0 / 3	
Percentage of transfers resulting in live births (%)	43.5	48.0	3 / 13	2 / 10	0 / 3	
Percentage of transfers resulting in pregnancies (%)	52.2	56.0	5 / 13	3 / 10	0 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	14	5	3	1	2	2
Number of transfers	14	5	3	1	2	2
Estimated average number of transfers per retrieval	1.8	0.6	0.8	1.0	1.0	1.0
Average number of embryos transferred	1.9	2.4	2.7	2.0	1.5	1.5
Percentage of embryos transferred resulting in implantation (%)	30.8	3 / 12	2 / 8	1 / 2	1 / 3	1 / 3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	5 / 14	1 / 5	1 / 3	1 / 1	1 / 2	1 / 2
Percentage of transfers resulting in singleton live births (%)	5 / 14	2 / 5	2 / 3	1 / 1	1 / 2	1 / 2
Percentage of transfers resulting in twin live births (%)	1 / 14	0 / 5	0 / 3	0 / 1	0 / 2	0 / 2
Percentage of transfers resulting in live births (%)	6 / 14	2 / 5	2 / 3	1 / 1	1 / 2	1 / 2
Percentage of transfers resulting in pregnancies (%)	7 / 14	2 / 5	2 / 3	1 / 1	1 / 2	1 / 2
Number of Egg/Embryo Banking Cycles						
	4	3	3	1	2	2
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	12			38		
Number of transfers	9			38		
Average number of embryos transferred	2.0			2.1		
Percentage of embryos transferred resulting in implantation (%)	9 / 18			36.1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 9			21.1		
Percentage of transfers resulting in singleton live births (%)	5 / 9			26.3		
Percentage of transfers resulting in twin live births (%)	2 / 9			18.4		
Percentage of transfers resulting in live births (%)	7 / 9			44.7		
Percentage of transfers resulting in pregnancies (%)	7 / 9			55.3		

CURRENT SERVICES & PROFILE

Current Name: Advanced Fertility Associates Medical Group, Inc.

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

VALLEY CENTER FOR REPRODUCTIVE HEALTH
TINA KOOPERSMITH, MD
SHERMAN OAKS, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Tina B. Koopersmith, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	71%	Tubal factor	10%	Uterine factor	9%	Multiple Factors: Female factors only 6% Female & male factors 7%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	6%	Male factor	22%	
Used gestational carrier	3%			Diminished ovarian reserve	15%	Other factor	13%	
				Endometriosis	6%	Unknown factor	35%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 101 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	7	6	10	6	2	0
Percentage of cancellations before retrieval (%)	0 / 7	0 / 6	1 / 10	1 / 6	0 / 2	
Average number of embryos transferred	1.3	1.7	2.3	3.0	3.5	
Percentage of embryos transferred resulting in implantation (%)	1 / 5	2 / 5	0 / 9	1 / 12	0 / 7	
Percentage of elective single embryo transfers (eSET) (%)	3 / 4	1 / 3	0 / 4	0 / 4	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	1 / 7	1 / 6	0 / 10	1 / 6	0 / 2	
Percentage of cycles resulting in singleton live births (%)	1 / 7	2 / 6	0 / 10	1 / 6	0 / 2	
Percentage of cycles resulting in twin live births (%)	0 / 7	0 / 6	0 / 10	0 / 6	0 / 2	
Percentage of cycles resulting in live births (%)	1 / 7	2 / 6	0 / 10	1 / 6	0 / 2	
Percentage of cycles resulting in pregnancies (%)	1 / 7	2 / 6	0 / 10	1 / 6	0 / 2	
Outcomes per Transfer						
Number of transfers	4	3	4	4	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 4	1 / 3	0 / 4	1 / 4	0 / 2	
Percentage of transfers resulting in singleton live births (%)	1 / 4	2 / 3	0 / 4	1 / 4	0 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 4	0 / 3	0 / 4	0 / 4	0 / 2	
Percentage of transfers resulting in live births (%)	1 / 4	2 / 3	0 / 4	1 / 4	0 / 2	
Percentage of transfers resulting in pregnancies (%)	1 / 4	2 / 3	0 / 4	1 / 4	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	12	9	13	1	1	0
Number of transfers	12	9	13	1	1	0
Estimated average number of transfers per retrieval	1.0	0.7	1.0	0.2	0.5	
Average number of embryos transferred	1.5	1.7	1.4	1.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	9 / 18	10 / 15	6 / 16	0 / 1	1 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	5 / 12	3 / 9	3 / 13	0 / 1	1 / 1	
Percentage of transfers resulting in singleton live births (%)	6 / 12	3 / 9	3 / 13	0 / 1	1 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 12	3 / 9	1 / 13	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	7 / 12	6 / 9	4 / 13	0 / 1	1 / 1	
Percentage of transfers resulting in pregnancies (%)	7 / 12	6 / 9	6 / 13	0 / 1	1 / 1	
Number of Egg/Embryo Banking Cycles						
	6	10	9	6	2	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	1			0		
Number of transfers	1			0		
Average number of embryos transferred	1.0					
Percentage of embryos transferred resulting in implantation (%)	1 / 1					
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 1					
Percentage of transfers resulting in singleton live births (%)	1 / 1					
Percentage of transfers resulting in twin live births (%)	0 / 1					
Percentage of transfers resulting in live births (%)	1 / 1					
Percentage of transfers resulting in pregnancies (%)	1 / 1					

CURRENT SERVICES & PROFILE

Current Name: Valley Center for Reproductive Health, Tina Koopersmith, MD

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**GARFIELD FERTILITY CENTER
SOUTH PASADENA, CALIFORNIA**

This clinic provided ART services during 2015 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2015 ART cycle data or the clinic's Medical Director did not approve the clinic's 2015 ART cycle data for inclusion in this report.

**THE CENTER FOR FERTILITY AND GYNECOLOGY
VERMESH CENTER FOR FERTILITY
TARZANA, CALIFORNIA**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Michael Vermesh, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	95%	Tubal factor	12%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 13% Female & male factors 12%
Unstimulated	11%	PGD/PGS	2%	Ovulatory dysfunction	5%	Male factor	25%	
Used gestational carrier	1%			Diminished ovarian reserve	41%	Other factor	24%	
				Endometriosis	3%	Unknown factor	16%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 253 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	22	16	13	13	15	7
Percentage of cancellations before retrieval (%)	0.0	0 / 16	0 / 13	0 / 13	0 / 15	0 / 7
Average number of embryos transferred	1.3	1.7	2.2	2.2	2.3	1.2
Percentage of embryos transferred resulting in implantation (%)	8 / 19	5 / 17	29.2	33.3	0.0	0 / 6
Percentage of elective single embryo transfers (eSET) (%)	6 / 10	2 / 8	0 / 9	0 / 7	0 / 8	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	13.6	3 / 16	2 / 13	4 / 13	0 / 15	0 / 7
Percentage of cycles resulting in singleton live births (%)	31.8	4 / 16	4 / 13	4 / 13	0 / 15	0 / 7
Percentage of cycles resulting in twin live births (%)	0.0	0 / 16	1 / 13	0 / 13	0 / 15	0 / 7
Percentage of cycles resulting in live births (%)	31.8	4 / 16	5 / 13	4 / 13	0 / 15	0 / 7
Percentage of cycles resulting in pregnancies (%)	31.8	5 / 16	5 / 13	4 / 13	0 / 15	0 / 7
Outcomes per Transfer						
Number of transfers	15	10	11	11	12	5
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 15	3 / 10	2 / 11	4 / 11	0 / 12	0 / 5
Percentage of transfers resulting in singleton live births (%)	7 / 15	4 / 10	4 / 11	4 / 11	0 / 12	0 / 5
Percentage of transfers resulting in twin live births (%)	0 / 15	0 / 10	1 / 11	0 / 11	0 / 12	0 / 5
Percentage of transfers resulting in live births (%)	7 / 15	4 / 10	5 / 11	4 / 11	0 / 12	0 / 5
Percentage of transfers resulting in pregnancies (%)	7 / 15	5 / 10	5 / 11	4 / 11	0 / 12	0 / 5
Frozen Embryos from Nondonor Eggs						
Number of cycles	16	18	8	13	4	1
Number of transfers	16	18	8	13	4	1
Estimated average number of transfers per retrieval	0.7	0.9	0.6	0.7	0.3	0.1
Average number of embryos transferred	1.3	1.6	1.8	1.7	1.3	2.0
Percentage of embryos transferred resulting in implantation (%)	10 / 15	58.6	5 / 12	23.8	0 / 5	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 16	10 / 18	2 / 8	3 / 13	0 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	8 / 16	10 / 18	2 / 8	3 / 13	0 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 16	3 / 18	1 / 8	1 / 13	0 / 4	0 / 1
Percentage of transfers resulting in live births (%)	9 / 16	13 / 18	3 / 8	4 / 13	0 / 4	0 / 1
Percentage of transfers resulting in pregnancies (%)	12 / 16	14 / 18	5 / 8	5 / 13	0 / 4	0 / 1
Number of Egg/Embryo Banking Cycles	13	14	14	17	9	7
Donor Eggs		Fresh Embryos^f		Frozen Embryos^f		
Number of cycles		9		23		
Number of transfers		5		23		
Average number of embryos transferred		1.8		1.6		
Percentage of embryos transferred resulting in implantation (%)		4 / 9		56.8		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 5		56.5		
Percentage of transfers resulting in singleton live births (%)		1 / 5		65.2		
Percentage of transfers resulting in twin live births (%)		1 / 5		13.0		
Percentage of transfers resulting in live births (%)		2 / 5		78.3		
Percentage of transfers resulting in pregnancies (%)		3 / 5		78.3		

CURRENT SERVICES & PROFILE

Current Name: The Center for Fertility and Gynecology, Vermesh Center for Fertility

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**TREE OF LIFE CENTER FOR FERTILITY
SNUNIT BEN-OZER, MD
TARZANA, CALIFORNIA**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Snunit Ben-Ozer, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	75%	Tubal factor	9%	Uterine factor	18%	<i>Multiple Factors:</i> Female factors only 18% Female & male factors 24%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	3%	Male factor	44%	
Used gestational carrier	0%			Diminished ovarian reserve	47%	Other factor	18%	
				Endometriosis	9%	Unknown factor	6%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 55 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	3	4	2	2	1	0
Percentage of cancellations before retrieval (%)	0 / 3	0 / 4	0 / 2	0 / 2	0 / 1	
Average number of embryos transferred	2.0	1.5		1.5		
Percentage of embryos transferred resulting in implantation (%)	3 / 6	1 / 3		0 / 3		
Percentage of elective single embryo transfers (eSET) (%)	1 / 3	1 / 2		0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	0 / 3	0 / 4	0 / 2	0 / 2	0 / 1	
Percentage of cycles resulting in singleton live births (%)	0 / 3	0 / 4	0 / 2	0 / 2	0 / 1	
Percentage of cycles resulting in twin live births (%)	0 / 3	0 / 4	0 / 2	0 / 2	0 / 1	
Percentage of cycles resulting in live births (%)	1 / 3	0 / 4	0 / 2	0 / 2	0 / 1	
Percentage of cycles resulting in pregnancies (%)	1 / 3	1 / 4	0 / 2	0 / 2	0 / 1	
Outcomes per Transfer						
Number of transfers	3	2	0	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 3	0 / 2		0 / 2		
Percentage of transfers resulting in singleton live births (%)	0 / 3	0 / 2		0 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 2		0 / 2		
Percentage of transfers resulting in live births (%)	1 / 3	0 / 2		0 / 2		
Percentage of transfers resulting in pregnancies (%)	1 / 3	1 / 2		0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	8	2	5	4	1	0
Number of transfers	8	2	5	4	1	0
Estimated average number of transfers per retrieval	1.0	0.3	0.7	4.0		
Average number of embryos transferred	1.6	1.0	1.2	1.5	1.0	
Percentage of embryos transferred resulting in implantation (%)	9 / 13	2 / 2	3 / 6	4 / 6	1 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 8	2 / 2	2 / 5	2 / 4	1 / 1	
Percentage of transfers resulting in singleton live births (%)	5 / 8	2 / 2	2 / 5	4 / 4	1 / 1	
Percentage of transfers resulting in twin live births (%)	2 / 8	0 / 2	0 / 5	0 / 4	0 / 1	
Percentage of transfers resulting in live births (%)	7 / 8	2 / 2	2 / 5	4 / 4	1 / 1	
Percentage of transfers resulting in pregnancies (%)	7 / 8	2 / 2	3 / 5	4 / 4	1 / 1	
Number of Egg/Embryo Banking Cycles						
	7	7	6	1	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	1			1		
Number of transfers	1			1		
Average number of embryos transferred	2.0			1.0		
Percentage of embryos transferred resulting in implantation (%)	2 / 2			1 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 1			1 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 1			1 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 1			0 / 1		
Percentage of transfers resulting in live births (%)	1 / 1			1 / 1		
Percentage of transfers resulting in pregnancies (%)	1 / 1			1 / 1		

CURRENT SERVICES & PROFILE

Current Name: Tree of Life Center for Fertility, Snunit Ben-Ozer, MD

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY AND SURGICAL ASSOCIATES OF CALIFORNIA THOUSAND OAKS, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Gary Hubert, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	56%	Tubal factor	6%	Uterine factor	4%	Multiple Factors: Female factors only 6% Female & male factors 12%
Unstimulated	2%	PGD/PGS	5%	Ovulatory dysfunction	6%	Male factor	24%	
Used gestational carrier	0%			Diminished ovarian reserve	57%	Other factor	14%	
				Endometriosis	4%	Unknown factor	4%	

2015 ART SUCCESS RATES ^c		Total number of cycles ^d : 1,497 (includes 4 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		19	18	22	19	12	13
Percentage of cancellations before retrieval (%)		0 / 19	0 / 18	0.0	2 / 19	1 / 12	1 / 13
Average number of embryos transferred		1.4	1.5	2.0	1.0		3.0
Percentage of embryos transferred resulting in implantation (%)		4 / 10	1 / 3	1 / 2	2 / 1		0 / 3
Percentage of elective single embryo transfers (eSET) (%)		5 / 8	0 / 1	0 / 1	1 / 1		0 / 1
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		2 / 19	1 / 18	0.0	0 / 19	0 / 12	0 / 13
Percentage of cycles resulting in singleton live births (%)		2 / 19	1 / 18	4.5	0 / 19	0 / 12	0 / 13
Percentage of cycles resulting in twin live births (%)		1 / 19	0 / 18	0.0	1 / 19	0 / 12	0 / 13
Percentage of cycles resulting in live births (%)		3 / 19	1 / 18	4.5	1 / 19	0 / 12	0 / 13
Percentage of cycles resulting in pregnancies (%)		4 / 19	1 / 18	4.5	1 / 19	0 / 12	0 / 13
Outcomes per Transfer							
Number of transfers		8	2	1	1	0	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		2 / 8	1 / 2	0 / 1	0 / 1		0 / 1
Percentage of transfers resulting in singleton live births (%)		2 / 8	1 / 2	1 / 1	0 / 1		0 / 1
Percentage of transfers resulting in twin live births (%)		1 / 8	0 / 2	0 / 1	1 / 1		0 / 1
Percentage of transfers resulting in live births (%)		3 / 8	1 / 2	1 / 1	1 / 1		0 / 1
Percentage of transfers resulting in pregnancies (%)		4 / 8	1 / 2	1 / 1	1 / 1		0 / 1
Frozen Embryos from Nondonor Eggs							
Number of cycles		175	98	112	42	9	4
Number of transfers		175	97	111	41	9	3
Estimated average number of transfers per retrieval		0.9	0.7	0.6	0.4	0.1	0.0
Average number of embryos transferred		1.3	1.3	1.3	1.2	1.3	1.0
Percentage of embryos transferred resulting in implantation (%)		63.4	59.5	51.9	60.9	5 / 12	1 / 3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		37.1	28.9	37.8	43.9	5 / 9	1 / 3
Percentage of transfers resulting in singleton live births (%)		50.3	39.2	50.5	48.8	5 / 9	1 / 3
Percentage of transfers resulting in twin live births (%)		10.3	11.3	3.6	4.9	0 / 9	0 / 3
Percentage of transfers resulting in live births (%)		60.6	51.5	54.1	53.7	5 / 9	1 / 3
Percentage of transfers resulting in pregnancies (%)		72.0	63.9	63.1	68.3	5 / 9	1 / 3
Number of Egg/Embryo Banking Cycles							
		181	133	170	101	61	74
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		9			221		
Number of transfers		7			217		
Average number of embryos transferred		1.3			1.5		
Percentage of embryos transferred resulting in implantation (%)		2 / 8			53.0		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		2 / 7			21.2		
Percentage of transfers resulting in singleton live births (%)		2 / 7			41.9		
Percentage of transfers resulting in twin live births (%)		0 / 7			11.1		
Percentage of transfers resulting in live births (%)		2 / 7			53.5		
Percentage of transfers resulting in pregnancies (%)		3 / 7			66.8		

CURRENT SERVICES & PROFILE		Current Name: Fertility and Surgical Associates of California					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PACIFIC REPRODUCTIVE CENTER TORRANCE, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Rifaat Salem, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	99%	Tubal factor	12%	Uterine factor	4%	<i>Multiple Factors:</i> Female factors only 9% Female & male factors 22%
Unstimulated	<1%	PGD/PGS	32%	Ovulatory dysfunction	21%	Male factor	51%	
Used gestational carrier	<1%			Diminished ovarian reserve	19%	Other factor	15%	
				Endometriosis	8%	Unknown factor	2%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 304 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	112	37	31	13	5	2
Percentage of cancellations before retrieval (%)	0.0	0.0	0.0	0 / 13	0 / 5	0 / 2
Average number of embryos transferred	1.9	2.1	2.2	2.4	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	52.6	38.4	30.2	13.8	0 / 9	0 / 4
Percentage of elective single embryo transfers (eSET) (%)	5.7	3.2	8.3	0 / 11	0 / 3	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	36.6	40.5	29.0	3 / 13	0 / 5	0 / 2
Percentage of cycles resulting in singleton live births (%)	45.5	45.9	35.5	3 / 13	0 / 5	0 / 2
Percentage of cycles resulting in twin live births (%)	18.8	8.1	3.2	0 / 13	0 / 5	0 / 2
Percentage of cycles resulting in live births (%)	66.1	56.8	41.9	3 / 13	0 / 5	0 / 2
Percentage of cycles resulting in pregnancies (%)	74.1	67.6	54.8	5 / 13	1 / 5	0 / 2
Outcomes per Transfer						
Number of transfers	112	37	31	13	5	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	36.6	40.5	29.0	3 / 13	0 / 5	0 / 2
Percentage of transfers resulting in singleton live births (%)	45.5	45.9	35.5	3 / 13	0 / 5	0 / 2
Percentage of transfers resulting in twin live births (%)	18.8	8.1	3.2	0 / 13	0 / 5	0 / 2
Percentage of transfers resulting in live births (%)	66.1	56.8	41.9	3 / 13	0 / 5	0 / 2
Percentage of transfers resulting in pregnancies (%)	74.1	67.6	54.8	5 / 13	1 / 5	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	24	5	9	2	1	1
Number of transfers	24	5	9	2	1	1
Estimated average number of transfers per retrieval	1.5	1.0	0.5	0.3	0.2	0.2
Average number of embryos transferred	1.9	2.0	1.7	2.5	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	58.1	4 / 10	4 / 12	1 / 5	0 / 2	1 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	33.3	4 / 5	3 / 9	0 / 2	0 / 1	1 / 1
Percentage of transfers resulting in singleton live births (%)	54.2	4 / 5	3 / 9	1 / 2	0 / 1	1 / 1
Percentage of transfers resulting in twin live births (%)	16.7	0 / 5	0 / 9	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	75.0	4 / 5	3 / 9	1 / 2	0 / 1	1 / 1
Percentage of transfers resulting in pregnancies (%)	79.2	4 / 5	6 / 9	1 / 2	0 / 1	1 / 1
Number of Egg/Embryo Banking Cycles						
	9	5	16	7	6	5
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		9			5	
Number of transfers		9			5	
Average number of embryos transferred		2.1			1.8	
Percentage of embryos transferred resulting in implantation (%)		12 / 19			4 / 9	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		4 / 9			2 / 5	
Percentage of transfers resulting in singleton live births (%)		5 / 9			3 / 5	
Percentage of transfers resulting in twin live births (%)		3 / 9			0 / 5	
Percentage of transfers resulting in live births (%)		8 / 9			3 / 5	
Percentage of transfers resulting in pregnancies (%)		8 / 9			4 / 5	

CURRENT SERVICES & PROFILE

Current Name: Pacific Reproductive Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY FERTILITY CENTER TORRANCE, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Omid A. Khorram, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	75%	Tubal factor	19%	Uterine factor	2%	Multiple Factors: Female factors only 3% Female & male factors 3%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	9%	Male factor	23%	
Used gestational carrier	0%			Diminished ovarian reserve	5%	Other factor	24%	
				Endometriosis	<1%	Unknown factor	23%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 276 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	50	40	46	35	15	6
Percentage of cancellations before retrieval (%)	2.0	2.5	17.4	8.6	0 / 15	0 / 6
Average number of embryos transferred	2.2	2.3	2.4	3.3	2.9	2.7
Percentage of embryos transferred resulting in implantation (%)	45.5	38.2	17.3	15.9	7.9	2 / 16
Percentage of elective single embryo transfers (eSET) (%)	0.0	0.0	0.0	0.0	0 / 11	1 / 5
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	16.0	12.5	6.5	2.9	0 / 15	0 / 6
Percentage of cycles resulting in singleton live births (%)	22.0	20.0	6.5	5.7	0 / 15	0 / 6
Percentage of cycles resulting in twin live births (%)	20.0	10.0	4.3	5.7	1 / 15	0 / 6
Percentage of cycles resulting in live births (%)	42.0	30.0	10.9	11.4	1 / 15	0 / 6
Percentage of cycles resulting in pregnancies (%)	54.0	50.0	26.1	31.4	2 / 15	2 / 6
Outcomes per Transfer						
Number of transfers	41	33	35	27	13	6
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	19.5	15.2	8.6	3.7	0 / 13	0 / 6
Percentage of transfers resulting in singleton live births (%)	26.8	24.2	8.6	7.4	0 / 13	0 / 6
Percentage of transfers resulting in twin live births (%)	24.4	12.1	5.7	7.4	1 / 13	0 / 6
Percentage of transfers resulting in live births (%)	51.2	36.4	14.3	14.8	1 / 13	0 / 6
Percentage of transfers resulting in pregnancies (%)	65.9	60.6	34.3	40.7	2 / 13	2 / 6
Frozen Embryos from Nondonor Eggs						
Number of cycles	16	11	21	12	8	1
Number of transfers	16	11	21	12	8	1
Estimated average number of transfers per retrieval	1.8	1.2	2.6	1.0	4.0	
Average number of embryos transferred	2.6	2.6	2.5	2.6	3.4	3.0
Percentage of embryos transferred resulting in implantation (%)	36.6	24.1	35.8	25.8	21.7	0 / 3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 16	0 / 11	19.0	1 / 12	0 / 8	0 / 1
Percentage of transfers resulting in singleton live births (%)	5 / 16	0 / 11	33.3	3 / 12	0 / 8	0 / 1
Percentage of transfers resulting in twin live births (%)	2 / 16	3 / 11	14.3	1 / 12	1 / 8	0 / 1
Percentage of transfers resulting in live births (%)	7 / 16	3 / 11	47.6	4 / 12	1 / 8	0 / 1
Percentage of transfers resulting in pregnancies (%)	10 / 16	4 / 11	57.1	6 / 12	4 / 8	0 / 1
Number of Egg/Embryo Banking Cycles						
	0	3	1	1	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		8			2	
Number of transfers		6			2	
Average number of embryos transferred		2.0			2.0	
Percentage of embryos transferred resulting in implantation (%)		7 / 12			4 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		2 / 6			1 / 2	
Percentage of transfers resulting in singleton live births (%)		3 / 6			1 / 2	
Percentage of transfers resulting in twin live births (%)		0 / 6			1 / 2	
Percentage of transfers resulting in live births (%)		3 / 6			2 / 2	
Percentage of transfers resulting in pregnancies (%)		4 / 6			2 / 2	

CURRENT SERVICES & PROFILE

Current Name: University Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE FERTILITY CENTER CALIFORNIA CENTER FOR REPRODUCTIVE HEALTH WEST HOLLYWOOD, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Eliran Mor, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	96%	Tubal factor	8%	Uterine factor	4%	<i>Multiple Factors:</i> Female factors only 12% Female & male factors 17%
Unstimulated	3%	PGD/PGS	7%	Ovulatory dysfunction	8%	Male factor	30%	
Used gestational carrier	1%			Diminished ovarian reserve	43%	Other factor	31%	
				Endometriosis	6%	Unknown factor	4%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 541 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	53	30	43	21	26	5
Percentage of cancellations before retrieval (%)	0.0	0.0	2.3	0.0	0.0	0 / 5
Average number of embryos transferred	2.2	2.4	2.6	2.4	2.5	4.0
Percentage of embryos transferred resulting in implantation (%)	37.3	38.2	20.8	9.8	3.6	5.0
Percentage of elective single embryo transfers (eSET) (%)	4.5	0.0	2.9	0 / 11	0 / 19	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	20.8	23.3	16.3	4.8	3.8	0 / 5
Percentage of cycles resulting in singleton live births (%)	28.3	30.0	23.3	4.8	3.8	0 / 5
Percentage of cycles resulting in twin live births (%)	11.3	13.3	2.3	4.8	0.0	0 / 5
Percentage of cycles resulting in live births (%)	39.6	43.3	25.6	9.5	3.8	0 / 5
Percentage of cycles resulting in pregnancies (%)	54.7	60.0	41.9	14.3	11.5	1 / 5
Outcomes per Transfer						
Number of transfers	49	28	39	17	24	5
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	22.4	25.0	17.9	1 / 17	4.2	0 / 5
Percentage of transfers resulting in singleton live births (%)	30.6	32.1	25.6	1 / 17	4.2	0 / 5
Percentage of transfers resulting in twin live births (%)	12.2	14.3	2.6	1 / 17	0.0	0 / 5
Percentage of transfers resulting in live births (%)	42.9	46.4	28.2	2 / 17	4.2	0 / 5
Percentage of transfers resulting in pregnancies (%)	59.2	64.3	46.2	3 / 17	12.5	1 / 5
Frozen Embryos from Nondonor Eggs						
Number of cycles	49	20	34	11	13	2
Number of transfers	49	20	34	11	13	2
Estimated average number of transfers per retrieval	0.8	0.6	0.5	0.3	0.7	0.2
Average number of embryos transferred	1.9	2.2	2.4	2.8	3.2	3.0
Percentage of embryos transferred resulting in implantation (%)	43.3	35.0	22.8	19.4	7.9	0 / 6
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	24.5	25.0	8.8	2 / 11	2 / 13	0 / 2
Percentage of transfers resulting in singleton live births (%)	36.7	30.0	20.6	3 / 11	2 / 13	0 / 2
Percentage of transfers resulting in twin live births (%)	16.3	15.0	5.9	0 / 11	0 / 13	0 / 2
Percentage of transfers resulting in live births (%)	53.1	45.0	26.5	3 / 11	2 / 13	0 / 2
Percentage of transfers resulting in pregnancies (%)	59.2	65.0	44.1	6 / 11	5 / 13	0 / 2
Number of Egg/Embryo Banking Cycles						
	55	35	53	30	15	12
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		17			14	
Number of transfers		17			14	
Average number of embryos transferred		2.1			2.1	
Percentage of embryos transferred resulting in implantation (%)		50.0			28.6	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		6 / 17			3 / 14	
Percentage of transfers resulting in singleton live births (%)		6 / 17			5 / 14	
Percentage of transfers resulting in twin live births (%)		5 / 17			1 / 14	
Percentage of transfers resulting in live births (%)		11 / 17			6 / 14	
Percentage of transfers resulting in pregnancies (%)		11 / 17			8 / 14	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Fertility Center, California Center for Reproductive Health

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE & FERTILITY CENTER COLORADO SPRINGS, COLORADO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Paul C. Magarelli, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	96%	Tubal factor	3%	Uterine factor	<1%	<i>Multiple Factors:</i> Female factors only 4% Female & male factors 67%
Unstimulated	0%	PGD/PGS	41%	Ovulatory dysfunction	47%	Male factor	80%	
Used gestational carrier	2%			Diminished ovarian reserve	30%	Other factor	8%	
				Endometriosis	<1%	Unknown factor	3%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 465 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	57	19	14	2	2	1
Percentage of cancellations before retrieval (%)	3.5	0 / 19	1 / 14	0 / 2	0 / 2	0 / 1
Average number of embryos transferred	1.0	2.0				1.0
Percentage of embryos transferred resulting in implantation (%)	0 / 1	1 / 2				
Percentage of elective single embryo transfers (eSET) (%)		0 / 1				
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	0.0	1 / 19	0 / 14	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	0.0	1 / 19	0 / 14	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	0.0	0 / 19	0 / 14	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in live births (%)	0.0	1 / 19	0 / 14	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in pregnancies (%)	0.0	1 / 19	0 / 14	0 / 2	0 / 2	1 / 1
Outcomes per Transfer						
Number of transfers	1	1	0	0	0	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 1	1 / 1				0 / 1
Percentage of transfers resulting in singleton live births (%)	0 / 1	1 / 1				0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1				0 / 1
Percentage of transfers resulting in live births (%)	0 / 1	1 / 1				0 / 1
Percentage of transfers resulting in pregnancies (%)	0 / 1	1 / 1				1 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	125	35	19	9	1	2
Number of transfers	125	34	19	9	1	2
Estimated average number of transfers per retrieval	0.9	0.8	0.5	0.6	0.3	0.5
Average number of embryos transferred	1.6	1.5	1.5	1.6	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	43.8	57.1	28.0	4 / 10	0 / 2	1 / 4
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	24.0	35.3	4 / 19	3 / 9	0 / 1	1 / 2
Percentage of transfers resulting in singleton live births (%)	32.8	41.2	4 / 19	3 / 9	0 / 1	1 / 2
Percentage of transfers resulting in twin live births (%)	10.4	5.9	0 / 19	0 / 9	0 / 1	0 / 2
Percentage of transfers resulting in live births (%)	43.2	47.1	4 / 19	3 / 9	0 / 1	1 / 2
Percentage of transfers resulting in pregnancies (%)	60.0	76.5	8 / 19	6 / 9	0 / 1	1 / 2
Number of Egg/Embryo Banking Cycles						
	87	29	27	14	3	4
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		3			12	
Number of transfers		1			10	
Average number of embryos transferred		2.0			1.6	
Percentage of embryos transferred resulting in implantation (%)		2 / 2			6 / 14	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 1			2 / 10	
Percentage of transfers resulting in singleton live births (%)		0 / 1			2 / 10	
Percentage of transfers resulting in twin live births (%)		0 / 1			1 / 10	
Percentage of transfers resulting in live births (%)		0 / 1			3 / 10	
Percentage of transfers resulting in pregnancies (%)		1 / 1			5 / 10	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine & Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 1 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**ADVANCED REPRODUCTIVE MEDICINE
UNIVERSITY OF COLORADO
DENVER, COLORADO**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Alex Polotsky, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	59%	Tubal factor	15%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 17% Female & male factors 25%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	19%	Male factor	34%	
Used gestational carrier	1%			Diminished ovarian reserve	40%	Other factor	30%	
				Endometriosis	2%	Unknown factor	9%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 217 (includes 6 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	47	18	9	4	2	0
Percentage of cancellations before retrieval (%)	8.5	1 / 18	3 / 9	1 / 4	1 / 2	
Average number of embryos transferred	1.9	2.3	2.7	3.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	39.3	14.8	0 / 13	0 / 6	0 / 1	
Percentage of elective single embryo transfers (eSET) (%)	13.8	0 / 11	0 / 6	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	23.4	2 / 18	0 / 9	0 / 4	0 / 2	
Percentage of cycles resulting in singleton live births (%)	25.5	2 / 18	0 / 9	0 / 4	0 / 2	
Percentage of cycles resulting in twin live births (%)	10.6	0 / 18	0 / 9	0 / 4	0 / 2	
Percentage of cycles resulting in live births (%)	36.2	2 / 18	0 / 9	0 / 4	0 / 2	
Percentage of cycles resulting in pregnancies (%)	38.3	3 / 18	1 / 9	0 / 4	0 / 2	
Outcomes per Transfer						
Number of transfers	30	12	6	2	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	36.7	2 / 12	0 / 6	0 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)	40.0	2 / 12	0 / 6	0 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)	16.7	0 / 12	0 / 6	0 / 2	0 / 1	
Percentage of transfers resulting in live births (%)	56.7	2 / 12	0 / 6	0 / 2	0 / 1	
Percentage of transfers resulting in pregnancies (%)	60.0	3 / 12	1 / 6	0 / 2	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	38	22	7	3	0	0
Number of transfers	38	22	7	3	0	0
Estimated average number of transfers per retrieval	1.5	1.0	0.7	0.8	0.0	0.0
Average number of embryos transferred	1.4	1.5	1.4	1.0		
Percentage of embryos transferred resulting in implantation (%)	42.9	25.8	2 / 10	1 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	28.9	13.6	2 / 7	1 / 3		
Percentage of transfers resulting in singleton live births (%)	31.6	18.2	2 / 7	1 / 3		
Percentage of transfers resulting in twin live births (%)	7.9	9.1	0 / 7	0 / 3		
Percentage of transfers resulting in live births (%)	39.5	27.3	2 / 7	1 / 3		
Percentage of transfers resulting in pregnancies (%)	52.6	31.8	2 / 7	1 / 3		
Number of Egg/Embryo Banking Cycles	9	15	9	4	1	1
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		8			14	
Number of transfers		8			14	
Average number of embryos transferred		1.9			1.4	
Percentage of embryos transferred resulting in implantation (%)		9 / 15			8 / 19	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		4 / 8			2 / 14	
Percentage of transfers resulting in singleton live births (%)		4 / 8			4 / 14	
Percentage of transfers resulting in twin live births (%)		2 / 8			2 / 14	
Percentage of transfers resulting in live births (%)		6 / 8			6 / 14	
Percentage of transfers resulting in pregnancies (%)		6 / 8			7 / 14	

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2015. Contact the NASS Help Desk for further information.

Current Name: Advanced Reproductive Medicine, University of Colorado

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COLORADO REPRODUCTIVE ENDOCRINOLOGY DENVER, COLORADO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Susan W. Trout, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	9%	Tubal factor	13%	Uterine factor	6%	Multiple Factors: Female factors only 16% Female & male factors 6%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	28%	Male factor	14%	
Used gestational carrier	4%			Diminished ovarian reserve	41%	Other factor	12%	
				Endometriosis	6%	Unknown factor	6%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 96 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	22	9	13	2	1	0
Percentage of cancellations before retrieval (%)	13.6	1 / 9	2 / 13	0 / 2	0 / 1	
Average number of embryos transferred	1.7	1.7	2.1	1.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	14.8	6 / 10	1 / 13	0 / 2	0 / 2	
Percentage of elective single embryo transfers (eSET) (%)	2 / 14	1 / 5	1 / 8		0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	9.1	1 / 9	1 / 13	0 / 2	0 / 1	
Percentage of cycles resulting in singleton live births (%)	9.1	1 / 9	1 / 13	0 / 2	0 / 1	
Percentage of cycles resulting in twin live births (%)	4.5	2 / 9	0 / 13	0 / 2	0 / 1	
Percentage of cycles resulting in live births (%)	13.6	3 / 9	1 / 13	0 / 2	0 / 1	
Percentage of cycles resulting in pregnancies (%)	18.2	4 / 9	3 / 13	0 / 2	0 / 1	
Outcomes per Transfer						
Number of transfers	17	6	9	2	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 17	1 / 6	1 / 9	0 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)	2 / 17	1 / 6	1 / 9	0 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 17	2 / 6	0 / 9	0 / 2	0 / 1	
Percentage of transfers resulting in live births (%)	3 / 17	3 / 6	1 / 9	0 / 2	0 / 1	
Percentage of transfers resulting in pregnancies (%)	4 / 17	4 / 6	3 / 9	0 / 2	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	16	4	2	0	1	0
Number of transfers	14	3	2	0	0	0
Estimated average number of transfers per retrieval	1.2	0.8	0.7			
Average number of embryos transferred	1.9	1.7	2.0			
Percentage of embryos transferred resulting in implantation (%)	21.7	1 / 4	1 / 4			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 14	1 / 3	0 / 2			
Percentage of transfers resulting in singleton live births (%)	2 / 14	1 / 3	1 / 2			
Percentage of transfers resulting in twin live births (%)	1 / 14	0 / 3	0 / 2			
Percentage of transfers resulting in live births (%)	3 / 14	1 / 3	1 / 2			
Percentage of transfers resulting in pregnancies (%)	6 / 14	2 / 3	1 / 2			
Number of Egg/Embryo Banking Cycles						
	4	4	1	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	8			9		
Number of transfers	7			9		
Average number of embryos transferred	1.1			1.4		
Percentage of embryos transferred resulting in implantation (%)	4 / 7			3 / 11		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 7			3 / 9		
Percentage of transfers resulting in singleton live births (%)	3 / 7			3 / 9		
Percentage of transfers resulting in twin live births (%)	0 / 7			0 / 9		
Percentage of transfers resulting in live births (%)	3 / 7			3 / 9		
Percentage of transfers resulting in pregnancies (%)	5 / 7			4 / 9		

CURRENT SERVICES & PROFILE

Current Name: Colorado Reproductive Endocrinology

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILE HOPE IVF ALBRECHT WOMEN'S CARE DENVER IVF ENGLEWOOD, COLORADO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Bruce H. Albrecht, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	70%	Tubal factor	14%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 8% Female & male factors 15%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	18%	Male factor	26%	
Used gestational carrier	1%			Diminished ovarian reserve	37%	Other factor	12%	
				Endometriosis	7%	Unknown factor	10%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 120 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	33	15	20	1	4	0
Percentage of cancellations before retrieval (%)	6.1	0 / 15	20.0	1 / 1	0 / 4	
Average number of embryos transferred	1.5	1.6	2.1		1.7	
Percentage of embryos transferred resulting in implantation (%)	36.4	4 / 18	30.4		0 / 5	
Percentage of elective single embryo transfers (eSET) (%)	42.3	3 / 9	0 / 11		0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	30.3	2 / 15	10.0	0 / 1	0 / 4	
Percentage of cycles resulting in singleton live births (%)	30.3	3 / 15	10.0	0 / 1	0 / 4	
Percentage of cycles resulting in twin live births (%)	9.1	0 / 15	10.0	0 / 1	0 / 4	
Percentage of cycles resulting in live births (%)	39.4	3 / 15	20.0	0 / 1	0 / 4	
Percentage of cycles resulting in pregnancies (%)	39.4	4 / 15	30.0	0 / 1	0 / 4	
Outcomes per Transfer						
Number of transfers	29	11	12	0	3	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	34.5	2 / 11	2 / 12		0 / 3	
Percentage of transfers resulting in singleton live births (%)	34.5	3 / 11	2 / 12		0 / 3	
Percentage of transfers resulting in twin live births (%)	10.3	0 / 11	2 / 12		0 / 3	
Percentage of transfers resulting in live births (%)	44.8	3 / 11	4 / 12		0 / 3	
Percentage of transfers resulting in pregnancies (%)	44.8	4 / 11	6 / 12		0 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	11	5	7	0	0	0
Number of transfers	11	5	6	0	0	0
Estimated average number of transfers per retrieval	2.8	1.0	0.9		0.0	
Average number of embryos transferred	1.3	1.6	1.5			
Percentage of embryos transferred resulting in implantation (%)	4 / 13	4 / 5	1 / 9			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 11	3 / 5	1 / 6			
Percentage of transfers resulting in singleton live births (%)	3 / 11	3 / 5	1 / 6			
Percentage of transfers resulting in twin live births (%)	0 / 11	0 / 5	0 / 6			
Percentage of transfers resulting in live births (%)	3 / 11	3 / 5	1 / 6			
Percentage of transfers resulting in pregnancies (%)	5 / 11	5 / 5	1 / 6			
Number of Egg/Embryo Banking Cycles						
	1	1	4	0	1	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	8			9		
Number of transfers	7			9		
Average number of embryos transferred	1.1			1.6		
Percentage of embryos transferred resulting in implantation (%)	5 / 8			3 / 14		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 7			1 / 9		
Percentage of transfers resulting in singleton live births (%)	3 / 7			2 / 9		
Percentage of transfers resulting in twin live births (%)	1 / 7			0 / 9		
Percentage of transfers resulting in live births (%)	4 / 7			2 / 9		
Percentage of transfers resulting in pregnancies (%)	4 / 7			2 / 9		

CURRENT SERVICES & PROFILE

Current Name: Fertile Hope IVF, Albrecht Women's Care Denver IVF

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ROCKY MOUNTAIN CENTER FOR REPRODUCTIVE MEDICINE FORT COLLINS, COLORADO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Kevin E. Bachus, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	100%	Tubal factor	16%	Uterine factor	2%	
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	13%	Male factor	24%	
Used gestational carrier	0%			Diminished ovarian reserve	44%	Other factor	4%	
				Endometriosis	6%	Unknown factor	20%	
				Multiple Factors:				
				Female factors only				11%
				Female & male factors				18%

2015 ART SUCCESS RATES ^c		Total number of cycles ^d : 82 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		21	8	7	2	2	1
Percentage of cancellations before retrieval (%)		0.0	0 / 8	0 / 7	0 / 2	0 / 2	0 / 1
Average number of embryos transferred		2.0	2.0	2.6	4.5	4.5	2.0
Percentage of embryos transferred resulting in implantation (%)		34.9	7 / 16	1 / 18	1 / 9	0 / 9	0 / 2
Percentage of elective single embryo transfers (eSET) (%)		0.0	1 / 8	0 / 7	0 / 2	0 / 2	0 / 1
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		33.3	2 / 8	1 / 7	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)		33.3	2 / 8	1 / 7	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)		19.0	1 / 8	0 / 7	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in live births (%)		52.4	3 / 8	1 / 7	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in pregnancies (%)		52.4	5 / 8	1 / 7	1 / 2	0 / 2	0 / 1
Outcomes per Transfer							
Number of transfers		21	8	7	2	2	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		33.3	2 / 8	1 / 7	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)		33.3	2 / 8	1 / 7	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)		19.0	1 / 8	0 / 7	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)		52.4	3 / 8	1 / 7	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)		52.4	5 / 8	1 / 7	1 / 2	0 / 2	0 / 1
Frozen Embryos from Nondonor Eggs							
Number of cycles		14	6	5	1	0	0
Number of transfers		13	6	5	1	0	0
Estimated average number of transfers per retrieval		13.0	3.0				
Average number of embryos transferred		2.0	1.8	1.6	1.0		
Percentage of embryos transferred resulting in implantation (%)		16.0	6 / 11	1 / 5	0 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		2 / 13	2 / 6	1 / 5	0 / 1		
Percentage of transfers resulting in singleton live births (%)		2 / 13	2 / 6	1 / 5	0 / 1		
Percentage of transfers resulting in twin live births (%)		0 / 13	2 / 6	0 / 5	0 / 1		
Percentage of transfers resulting in live births (%)		2 / 13	4 / 6	1 / 5	0 / 1		
Percentage of transfers resulting in pregnancies (%)		5 / 13	4 / 6	2 / 5	0 / 1		
Number of Egg/Embryo Banking Cycles							
		0	0	0	0	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		5			10		
Number of transfers		4			10		
Average number of embryos transferred		2.0			1.8		
Percentage of embryos transferred resulting in implantation (%)		7 / 8			2 / 16		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 4			2 / 10		
Percentage of transfers resulting in singleton live births (%)		1 / 4			2 / 10		
Percentage of transfers resulting in twin live births (%)		3 / 4			0 / 10		
Percentage of transfers resulting in live births (%)		4 / 4			2 / 10		
Percentage of transfers resulting in pregnancies (%)		4 / 4			3 / 10		

CURRENT SERVICES & PROFILE		Current Name: Rocky Mountain Center for Reproductive Medicine					
Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CONCEPTIONS REPRODUCTIVE ASSOCIATES OF COLORADO LITTLETON, COLORADO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Mark R. Bush, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	93%	Tubal factor	10%	Uterine factor	2%	Multiple Factors: Female factors only 8% Female & male factors 28%
Unstimulated	0%	PGD/PGS	32%	Ovulatory dysfunction	16%	Male factor	47%	
Used gestational carrier	0%			Diminished ovarian reserve	44%	Other factor	9%	
				Endometriosis	3%	Unknown factor	7%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 938 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	27	20	8	3	1	0
Percentage of cancellations before retrieval (%)	3.7	5.0	0 / 8	2 / 3	0 / 1	
Average number of embryos transferred	1.4	1.7	1.3	2.0		
Percentage of embryos transferred resulting in implantation (%)	9 / 17	40.9	2 / 4	0 / 2		
Percentage of elective single embryo transfers (eSET) (%)	5 / 10	1 / 10	1 / 2	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	22.2	25.0	1 / 8	0 / 3	0 / 1	
Percentage of cycles resulting in singleton live births (%)	25.9	35.0	2 / 8	0 / 3	0 / 1	
Percentage of cycles resulting in twin live births (%)	3.7	0.0	0 / 8	0 / 3	0 / 1	
Percentage of cycles resulting in live births (%)	29.6	35.0	2 / 8	0 / 3	0 / 1	
Percentage of cycles resulting in pregnancies (%)	29.6	40.0	2 / 8	0 / 3	0 / 1	
Outcomes per Transfer						
Number of transfers	12	13	3	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	6 / 12	5 / 13	1 / 3	0 / 1		
Percentage of transfers resulting in singleton live births (%)	7 / 12	7 / 13	2 / 3	0 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 12	0 / 13	0 / 3	0 / 1		
Percentage of transfers resulting in live births (%)	8 / 12	7 / 13	2 / 3	0 / 1		
Percentage of transfers resulting in pregnancies (%)	8 / 12	8 / 13	2 / 3	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	189	103	57	12	14	1
Number of transfers	167	89	54	12	9	1
Estimated average number of transfers per retrieval	0.8	1.0	0.7	0.4	0.5	0.2
Average number of embryos transferred	1.2	1.1	1.1	1.0	1.0	1.0
Percentage of embryos transferred resulting in implantation (%)	76.4	85.6	75.9	7 / 12	8 / 8	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	47.3	46.1	42.6	5 / 12	5 / 9	0 / 1
Percentage of transfers resulting in singleton live births (%)	64.7	60.7	59.3	7 / 12	6 / 9	0 / 1
Percentage of transfers resulting in twin live births (%)	7.8	11.2	9.3	0 / 12	1 / 9	0 / 1
Percentage of transfers resulting in live births (%)	72.5	71.9	68.5	7 / 12	7 / 9	0 / 1
Percentage of transfers resulting in pregnancies (%)	79.6	82.0	75.9	7 / 12	8 / 9	0 / 1
Number of Egg/Embryo Banking Cycles						
	206	81	74	33	19	5
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	1			84		
Number of transfers	1			76		
Average number of embryos transferred	1.0			1.1		
Percentage of embryos transferred resulting in implantation (%)				67.5		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 1			46.1		
Percentage of transfers resulting in singleton live births (%)	0 / 1			64.5		
Percentage of transfers resulting in twin live births (%)	0 / 1			2.6		
Percentage of transfers resulting in live births (%)	0 / 1			67.1		
Percentage of transfers resulting in pregnancies (%)	1 / 1			73.7		

CURRENT SERVICES & PROFILE

Current Name: Conceptions Reproductive Associates of Colorado

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COLORADO CENTER FOR REPRODUCTIVE MEDICINE LONE TREE, COLORADO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by William B. Schoolcraft, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	80%	Tubal factor	5%	Uterine factor	15%	<i>Multiple Factors:</i> Female factors only 25% Female & male factors 20%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	10%	Male factor	28%	
Used gestational carrier	<1%			Diminished ovarian reserve	55%	Other factor	25%	
				Endometriosis	11%	Unknown factor	12%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 3,608 (includes 73 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	149	66	80	39	63	22
Percentage of cancellations before retrieval (%)	5.4	22.7	23.8	38.5	22.2	9.1
Average number of embryos transferred	1.6	1.8	2.0	2.3	2.0	
Percentage of embryos transferred resulting in implantation (%)	59.5	41.7	2 / 16	1 / 9	1 / 2	
Percentage of elective single embryo transfers (eSET) (%)	40.8	2 / 13	0 / 7	0 / 3	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	14.8	7.6	1.3	2.6	1.6	0.0
Percentage of cycles resulting in singleton live births (%)	15.4	7.6	2.5	2.6	1.6	0.0
Percentage of cycles resulting in twin live births (%)	6.0	3.0	0.0	0.0	0.0	0.0
Percentage of cycles resulting in live births (%)	21.5	10.6	2.5	2.6	1.6	0.0
Percentage of cycles resulting in pregnancies (%)	24.8	10.6	2.5	2.6	1.6	0.0
Outcomes per Transfer						
Number of transfers	51	13	8	4	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	43.1	5 / 13	1 / 8	1 / 4	1 / 1	
Percentage of transfers resulting in singleton live births (%)	45.1	5 / 13	2 / 8	1 / 4	1 / 1	
Percentage of transfers resulting in twin live births (%)	17.6	2 / 13	0 / 8	0 / 4	0 / 1	
Percentage of transfers resulting in live births (%)	62.7	7 / 13	2 / 8	1 / 4	1 / 1	
Percentage of transfers resulting in pregnancies (%)	72.5	7 / 13	2 / 8	1 / 4	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	376	289	295	144	67	17
Number of transfers	376	289	295	144	66	17
Estimated average number of transfers per retrieval	0.8	0.8	0.7	0.5	0.4	0.3
Average number of embryos transferred	1.5	1.4	1.4	1.4	1.3	1.1
Percentage of embryos transferred resulting in implantation (%)	69.8	67.2	67.7	57.1	51.4	9 / 19
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	41.8	40.8	41.7	34.7	50.0	4 / 17
Percentage of transfers resulting in singleton live births (%)	48.7	50.9	49.8	40.3	51.5	4 / 17
Percentage of transfers resulting in twin live births (%)	19.4	15.6	16.9	14.6	0.0	1 / 17
Percentage of transfers resulting in live births (%)	68.9	66.4	67.1	55.6	51.5	5 / 17
Percentage of transfers resulting in pregnancies (%)	78.7	77.9	76.6	63.9	63.6	8 / 17
Number of Egg/Embryo Banking Cycles						
	386	358	417	277	144	47
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	87			212		
Number of transfers	53			212		
Average number of embryos transferred	1.6			1.5		
Percentage of embryos transferred resulting in implantation (%)	59.0			63.1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	37.7			27.8		
Percentage of transfers resulting in singleton live births (%)	45.3			42.9		
Percentage of transfers resulting in twin live births (%)	15.1			18.9		
Percentage of transfers resulting in live births (%)	62.3			62.7		
Percentage of transfers resulting in pregnancies (%)	69.8			70.8		

CURRENT SERVICES & PROFILE

Current Name: Colorado Center for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ROCKY MOUNTAIN FERTILITY CENTER PARKER, COLORADO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Deborah L. Smith, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	98%	Tubal factor	11%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 0% Female & male factors 5%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	15%	Male factor	18%	
Used gestational carrier	0%			Diminished ovarian reserve	48%	Other factor	<1%	
				Endometriosis	<1%	Unknown factor	11%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 119 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	35	16	5	1	1	0
Percentage of cancellations before retrieval (%)	0.0	0 / 16	0 / 5	0 / 1	0 / 1	
Average number of embryos transferred	1.8	1.8	1.8	1.0	3.0	
Percentage of embryos transferred resulting in implantation (%)	45.6	51.7	4 / 9	0 / 1	1 / 3	
Percentage of elective single embryo transfers (eSET) (%)	3.4	1 / 14	1 / 5		0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	34.3	3 / 16	1 / 5	0 / 1	0 / 1	
Percentage of cycles resulting in singleton live births (%)	34.3	3 / 16	1 / 5	0 / 1	1 / 1	
Percentage of cycles resulting in twin live births (%)	11.4	5 / 16	1 / 5	0 / 1	0 / 1	
Percentage of cycles resulting in live births (%)	48.6	8 / 16	2 / 5	0 / 1	1 / 1	
Percentage of cycles resulting in pregnancies (%)	60.0	10 / 16	3 / 5	0 / 1	1 / 1	
Outcomes per Transfer						
Number of transfers	34	16	5	1	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	35.3	3 / 16	1 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	35.3	3 / 16	1 / 5	0 / 1	1 / 1	
Percentage of transfers resulting in twin live births (%)	11.8	5 / 16	1 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	50.0	8 / 16	2 / 5	0 / 1	1 / 1	
Percentage of transfers resulting in pregnancies (%)	61.8	10 / 16	3 / 5	0 / 1	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	16	11	2	0	0	0
Number of transfers	16	11	2	0	0	0
Estimated average number of transfers per retrieval	2.3	1.2	0.7			
Average number of embryos transferred	2.0	1.7	2.0			
Percentage of embryos transferred resulting in implantation (%)	37.5	6 / 17	1 / 4			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	8 / 16	2 / 11	0 / 2			
Percentage of transfers resulting in singleton live births (%)	9 / 16	2 / 11	0 / 2			
Percentage of transfers resulting in twin live births (%)	1 / 16	0 / 11	0 / 2			
Percentage of transfers resulting in live births (%)	10 / 16	2 / 11	0 / 2			
Percentage of transfers resulting in pregnancies (%)	11 / 16	7 / 11	1 / 2			
Number of Egg/Embryo Banking Cycles						
	5	6	3	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	9			9		
Number of transfers	9			9		
Average number of embryos transferred	1.9			1.7		
Percentage of embryos transferred resulting in implantation (%)	10 / 17			7 / 15		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 9			1 / 9		
Percentage of transfers resulting in singleton live births (%)	5 / 9			3 / 9		
Percentage of transfers resulting in twin live births (%)	2 / 9			1 / 9		
Percentage of transfers resulting in live births (%)	7 / 9			4 / 9		
Percentage of transfers resulting in pregnancies (%)	7 / 9			6 / 9		

CURRENT SERVICES & PROFILE

Current Name: Rocky Mountain Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CT FERTILITY BRIDGEPORT, CONNECTICUT

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Melvin Thornton, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	25%	Tubal factor	2%	Uterine factor	5%	<i>Multiple Factors:</i> Female factors only 3% Female & male factors 1%
Unstimulated	0%	PGD/PGS	8%	Ovulatory dysfunction	2%	Male factor	5%	
Used gestational carrier	19%			Diminished ovarian reserve	12%	Other factor	66%	
				Endometriosis	2%	Unknown factor	11%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 483 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	31	8	14	4	5	5
Percentage of cancellations before retrieval (%)	3.2	0 / 8	0 / 14	0 / 4	4 / 5	0 / 5
Average number of embryos transferred	2.0	2.4	2.2	3.0	2.0	2.8
Percentage of embryos transferred resulting in implantation (%)	37.5	3 / 19	6.9	0 / 9	0 / 2	0 / 11
Percentage of elective single embryo transfers (eSET) (%)	3.6	0 / 8	1 / 13	0 / 4	0 / 1	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	12.9	1 / 8	0 / 14	0 / 4	0 / 5	0 / 5
Percentage of cycles resulting in singleton live births (%)	12.9	1 / 8	0 / 14	0 / 4	0 / 5	0 / 5
Percentage of cycles resulting in twin live births (%)	12.9	1 / 8	1 / 14	0 / 4	0 / 5	0 / 5
Percentage of cycles resulting in live births (%)	25.8	2 / 8	1 / 14	0 / 4	0 / 5	0 / 5
Percentage of cycles resulting in pregnancies (%)	45.2	2 / 8	1 / 14	1 / 4	0 / 5	0 / 5
Outcomes per Transfer						
Number of transfers	28	8	14	4	1	4
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	14.3	1 / 8	0 / 14	0 / 4	0 / 1	0 / 4
Percentage of transfers resulting in singleton live births (%)	14.3	1 / 8	0 / 14	0 / 4	0 / 1	0 / 4
Percentage of transfers resulting in twin live births (%)	14.3	1 / 8	1 / 14	0 / 4	0 / 1	0 / 4
Percentage of transfers resulting in live births (%)	28.6	2 / 8	1 / 14	0 / 4	0 / 1	0 / 4
Percentage of transfers resulting in pregnancies (%)	50.0	2 / 8	1 / 14	1 / 4	0 / 1	0 / 4
Frozen Embryos from Nondonor Eggs						
Number of cycles	11	14	5	2	3	3
Number of transfers	11	12	4	2	3	2
Estimated average number of transfers per retrieval	0.6	1.5	0.5	0.5	1.0	0.2
Average number of embryos transferred	1.9	1.7	1.5	2.0	1.3	3.0
Percentage of embryos transferred resulting in implantation (%)	42.9	15.0	2 / 6	0 / 4	0 / 2	0 / 3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 11	1 / 12	0 / 4	0 / 2	0 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	2 / 11	1 / 12	0 / 4	0 / 2	0 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	2 / 11	0 / 12	0 / 4	0 / 2	0 / 3	0 / 2
Percentage of transfers resulting in live births (%)	4 / 11	1 / 12	0 / 4	0 / 2	0 / 3	0 / 2
Percentage of transfers resulting in pregnancies (%)	6 / 11	3 / 12	2 / 4	0 / 2	0 / 3	1 / 2
Number of Egg/Embryo Banking Cycles						
	12	6	5	3	3	7
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		163			179	
Number of transfers		155			165	
Average number of embryos transferred		1.7			1.7	
Percentage of embryos transferred resulting in implantation (%)		52.5			21.4	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		18.7			14.5	
Percentage of transfers resulting in singleton live births (%)		21.3			18.2	
Percentage of transfers resulting in twin live births (%)		18.1			2.4	
Percentage of transfers resulting in live births (%)		39.4			20.6	
Percentage of transfers resulting in pregnancies (%)		63.9			31.5	

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2015. Contact the NASS Help Desk for further information.

Current Name: CT Fertility

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE CENTER FOR ADVANCED REPRODUCTIVE SERVICES FARMINGTON, CONNECTICUT

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by John C. Nulsen, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	75%	Tubal factor	10%	Uterine factor	6%	<i>Multiple Factors:</i> Female factors only 12% Female & male factors 18%
Unstimulated	<1%	PGD/PGS	1%	Ovulatory dysfunction	15%	Male factor	31%	
Used gestational carrier	<1%			Diminished ovarian reserve	11%	Other factor	31%	
				Endometriosis	10%	Unknown factor	17%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 1,179 (includes 34 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	342	154	128	43	26	4
Percentage of cancellations before retrieval (%)	9.9	14.3	21.9	37.2	23.1	2 / 4
Average number of embryos transferred	1.3	1.7	2.1	2.6	2.8	2.0
Percentage of embryos transferred resulting in implantation (%)	53.5	43.1	27.9	25.0	2.8	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	64.8	22.8	7.8	0 / 15	0 / 12	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	28.9	18.8	12.5	14.0	0.0	0 / 4
Percentage of cycles resulting in singleton live births (%)	32.2	23.4	15.6	14.0	3.8	0 / 4
Percentage of cycles resulting in twin live births (%)	6.4	8.4	3.1	4.7	0.0	0 / 4
Percentage of cycles resulting in live births (%)	38.6	31.8	18.8	18.6	3.8	0 / 4
Percentage of cycles resulting in pregnancies (%)	46.8	39.0	26.6	20.9	7.7	0 / 4
Outcomes per Transfer						
Number of transfers	262	103	73	17	14	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	37.8	28.2	21.9	6 / 17	0 / 14	0 / 1
Percentage of transfers resulting in singleton live births (%)	42.0	35.0	27.4	6 / 17	1 / 14	0 / 1
Percentage of transfers resulting in twin live births (%)	8.4	12.6	5.5	2 / 17	0 / 14	0 / 1
Percentage of transfers resulting in live births (%)	50.4	47.6	32.9	8 / 17	1 / 14	0 / 1
Percentage of transfers resulting in pregnancies (%)	61.1	58.3	46.6	9 / 17	2 / 14	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	166	69	57	9	4	1
Number of transfers	157	60	51	6	4	1
Estimated average number of transfers per retrieval	1.4	1.2	1.1	0.5	0.4	
Average number of embryos transferred	1.4	1.3	1.8	1.3	1.3	3.0
Percentage of embryos transferred resulting in implantation (%)	63.4	56.0	55.3	5 / 8	2 / 5	1 / 3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	42.7	45.0	37.3	2 / 6	1 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	50.3	50.0	43.1	2 / 6	1 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	11.5	6.7	13.7	1 / 6	0 / 4	0 / 1
Percentage of transfers resulting in live births (%)	61.8	56.7	56.9	3 / 6	1 / 4	0 / 1
Percentage of transfers resulting in pregnancies (%)	73.9	66.7	74.5	4 / 6	2 / 4	1 / 1
Number of Egg/Embryo Banking Cycles						
	38	30	29	10	8	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		6			21	
Number of transfers		6			19	
Average number of embryos transferred		1.3			1.5	
Percentage of embryos transferred resulting in implantation (%)		6 / 8			53.6	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		3 / 6			7 / 19	
Percentage of transfers resulting in singleton live births (%)		3 / 6			10 / 19	
Percentage of transfers resulting in twin live births (%)		1 / 6			1 / 19	
Percentage of transfers resulting in live births (%)		4 / 6			11 / 19	
Percentage of transfers resulting in pregnancies (%)		5 / 6			14 / 19	

CURRENT SERVICES & PROFILE

Current Name: The Center for Advanced Reproductive Services

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GREENWICH FERTILITY AND IVF CENTER, PC GREENWICH, CONNECTICUT

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Barry R. Witt, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	34%	Tubal factor	4%	Uterine factor	1%	<i>Multiple Factors:</i> Female factors only 6% Female & male factors 6%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	6%	Male factor	24%	
Used gestational carrier	0%			Diminished ovarian reserve	32%	Other factor	9%	
				Endometriosis	4%	Unknown factor	32%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 366 (includes 13 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	53	20	31	13	13	3
Percentage of cancellations before retrieval (%)	9.4	10.0	25.8	5 / 13	6 / 13	1 / 3
Average number of embryos transferred	1.4	1.8	1.8	2.0	2.8	
Percentage of embryos transferred resulting in implantation (%)	44.6	32.0	13.3	2 / 8	1 / 9	
Percentage of elective single embryo transfers (eSET) (%)	59.0	3 / 16	0 / 13	0 / 3	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	28.3	25.0	9.7	1 / 13	0 / 13	0 / 3
Percentage of cycles resulting in singleton live births (%)	30.2	25.0	12.9	1 / 13	0 / 13	0 / 3
Percentage of cycles resulting in twin live births (%)	5.7	5.0	0.0	0 / 13	0 / 13	0 / 3
Percentage of cycles resulting in live births (%)	35.8	30.0	12.9	1 / 13	0 / 13	0 / 3
Percentage of cycles resulting in pregnancies (%)	45.3	50.0	16.1	1 / 13	2 / 13	0 / 3
Outcomes per Transfer						
Number of transfers	44	17	18	4	4	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	34.1	5 / 17	3 / 18	1 / 4	0 / 4	
Percentage of transfers resulting in singleton live births (%)	36.4	5 / 17	4 / 18	1 / 4	0 / 4	
Percentage of transfers resulting in twin live births (%)	6.8	1 / 17	0 / 18	0 / 4	0 / 4	
Percentage of transfers resulting in live births (%)	43.2	6 / 17	4 / 18	1 / 4	0 / 4	
Percentage of transfers resulting in pregnancies (%)	54.5	10 / 17	5 / 18	1 / 4	2 / 4	
Frozen Embryos from Nondonor Eggs						
Number of cycles	48	26	30	6	5	0
Number of transfers	47	25	30	5	5	0
Estimated average number of transfers per retrieval	1.0	1.0	1.1	0.5	0.7	0.0
Average number of embryos transferred	1.2	1.1	1.1	1.2	1.6	
Percentage of embryos transferred resulting in implantation (%)	63.0	64.3	71.9	3 / 4	1 / 6	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	46.8	44.0	56.7	2 / 5	1 / 5	
Percentage of transfers resulting in singleton live births (%)	57.4	48.0	60.0	2 / 5	1 / 5	
Percentage of transfers resulting in twin live births (%)	4.3	4.0	0.0	0 / 5	0 / 5	
Percentage of transfers resulting in live births (%)	61.7	52.0	60.0	2 / 5	1 / 5	
Percentage of transfers resulting in pregnancies (%)	68.1	60.0	80.0	4 / 5	2 / 5	
Number of Egg/Embryo Banking Cycles						
	35	24	26	10	5	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			4		
Number of transfers	0			4		
Average number of embryos transferred				1.0		
Percentage of embryos transferred resulting in implantation (%)				4 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				3 / 4		
Percentage of transfers resulting in singleton live births (%)				3 / 4		
Percentage of transfers resulting in twin live births (%)				0 / 4		
Percentage of transfers resulting in live births (%)				3 / 4		
Percentage of transfers resulting in pregnancies (%)				4 / 4		

CURRENT SERVICES & PROFILE

Current Name: Greenwich Fertility and IVF Center, PC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

YALE FERTILITY CENTER NEW HAVEN, CONNECTICUT

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Pasquale Patrizio, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	75%	Tubal factor	10%	Uterine factor	3%	Multiple Factors: Female factors only 5% Female & male factors 8%
Unstimulated	<1%	PGD/PGS	3%	Ovulatory dysfunction	7%	Male factor	27%	
Used gestational carrier	<1%			Diminished ovarian reserve	27%	Other factor	11%	
				Endometriosis	3%	Unknown factor	27%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 643 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	150	84	93	43	15	11
Percentage of cancellations before retrieval (%)	8.7	14.3	14.0	34.9	4 / 15	5 / 11
Average number of embryos transferred	1.6	1.9	2.1	2.4	2.4	2.0
Percentage of embryos transferred resulting in implantation (%)	40.4	41.7	21.2	13.0	1 / 17	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	36.4	7.4	7.3	0 / 16	0 / 5	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	25.3	23.8	5.4	2.3	1 / 15	0 / 11
Percentage of cycles resulting in singleton live births (%)	31.3	27.4	9.7	4.7	1 / 15	0 / 11
Percentage of cycles resulting in twin live births (%)	8.0	6.0	4.3	0.0	0 / 15	0 / 11
Percentage of cycles resulting in live births (%)	39.3	33.3	14.0	7.0	1 / 15	0 / 11
Percentage of cycles resulting in pregnancies (%)	42.0	42.9	23.7	9.3	1 / 15	0 / 11
Outcomes per Transfer						
Number of transfers	120	57	64	19	7	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	31.7	35.1	7.8	1 / 19	1 / 7	0 / 1
Percentage of transfers resulting in singleton live births (%)	39.2	40.4	14.1	2 / 19	1 / 7	0 / 1
Percentage of transfers resulting in twin live births (%)	10.0	8.8	6.3	0 / 19	0 / 7	0 / 1
Percentage of transfers resulting in live births (%)	49.2	49.1	20.3	3 / 19	1 / 7	0 / 1
Percentage of transfers resulting in pregnancies (%)	52.5	63.2	34.4	4 / 19	1 / 7	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	60	19	20	6	3	1
Number of transfers	58	19	20	6	3	1
Estimated average number of transfers per retrieval	0.8	0.5	0.5	0.5	1.0	
Average number of embryos transferred	1.4	1.4	1.8	1.0	1.7	2.0
Percentage of embryos transferred resulting in implantation (%)	57.7	44.0	48.6	1 / 6	0 / 5	1 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	34.5	7 / 19	40.0	1 / 6	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	36.2	7 / 19	40.0	1 / 6	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	13.8	1 / 19	15.0	0 / 6	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	50.0	8 / 19	60.0	1 / 6	0 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)	67.2	10 / 19	60.0	1 / 6	0 / 3	1 / 1
Number of Egg/Embryo Banking Cycles						
	42	26	29	10	1	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		23			7	
Number of transfers		23			7	
Average number of embryos transferred		1.9			2.1	
Percentage of embryos transferred resulting in implantation (%)		75.0			8 / 15	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		21.7			4 / 7	
Percentage of transfers resulting in singleton live births (%)		21.7			5 / 7	
Percentage of transfers resulting in twin live births (%)		56.5			0 / 7	
Percentage of transfers resulting in live births (%)		78.3			5 / 7	
Percentage of transfers resulting in pregnancies (%)		82.6			5 / 7	

CURRENT SERVICES & PROFILE

Current Name: Yale Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF CONNECTICUT NORWALK, CONNECTICUT

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Mark P. Leondires, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	54%	Tubal factor	11%	Uterine factor	11%	<i>Multiple Factors:</i> Female factors only 26% Female & male factors 12%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	15%	Male factor	20%	
Used gestational carrier	<1%			Diminished ovarian reserve	32%	Other factor	37%	
				Endometriosis	5%	Unknown factor	14%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 1,391 (includes 13 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	196	126	102	54	33	8
Percentage of cancellations before retrieval (%)	8.7	15.1	21.6	22.2	36.4	1 / 8
Average number of embryos transferred	1.7	1.7	1.8	1.8	2.0	
Percentage of embryos transferred resulting in implantation (%)	48.4	41.8	35.5	24.2	1 / 8	
Percentage of elective single embryo transfers (eSET) (%)	27.3	19.1	6.5	0 / 16	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	18.9	10.3	4.9	7.4	3.0	0 / 8
Percentage of cycles resulting in singleton live births (%)	21.9	11.1	7.8	7.4	3.0	0 / 8
Percentage of cycles resulting in twin live births (%)	13.8	7.9	3.9	1.9	0.0	0 / 8
Percentage of cycles resulting in live births (%)	35.7	19.0	11.8	9.3	3.0	0 / 8
Percentage of cycles resulting in pregnancies (%)	40.3	23.0	16.7	14.8	3.0	0 / 8
Outcomes per Transfer						
Number of transfers	136	57	37	19	4	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	27.2	22.8	13.5	4 / 19	1 / 4	
Percentage of transfers resulting in singleton live births (%)	31.6	24.6	21.6	4 / 19	1 / 4	
Percentage of transfers resulting in twin live births (%)	19.9	17.5	10.8	1 / 19	0 / 4	
Percentage of transfers resulting in live births (%)	51.5	42.1	32.4	5 / 19	1 / 4	
Percentage of transfers resulting in pregnancies (%)	58.1	50.9	45.9	8 / 19	1 / 4	
Frozen Embryos from Nondonor Eggs						
Number of cycles	177	130	102	33	10	1
Number of transfers	149	112	82	30	10	1
Estimated average number of transfers per retrieval	1.2	1.1	0.8	0.7	0.5	0.1
Average number of embryos transferred	1.5	1.4	1.2	1.4	1.2	1.0
Percentage of embryos transferred resulting in implantation (%)	58.9	61.5	47.9	47.4	2 / 12	1 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	38.9	37.5	35.4	33.3	2 / 10	1 / 1
Percentage of transfers resulting in singleton live births (%)	47.0	44.6	41.5	40.0	2 / 10	1 / 1
Percentage of transfers resulting in twin live births (%)	12.8	13.4	2.4	3.3	0 / 10	0 / 1
Percentage of transfers resulting in live births (%)	61.1	58.9	45.1	43.3	2 / 10	1 / 1
Percentage of transfers resulting in pregnancies (%)	71.8	70.5	57.3	56.7	2 / 10	1 / 1
Number of Egg/Embryo Banking Cycles						
	61	66	89	32	15	11
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		40			92	
Number of transfers		28			82	
Average number of embryos transferred		1.7			1.4	
Percentage of embryos transferred resulting in implantation (%)		61.7			64.0	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		42.9			39.0	
Percentage of transfers resulting in singleton live births (%)		53.6			47.6	
Percentage of transfers resulting in twin live births (%)		17.9			14.6	
Percentage of transfers resulting in live births (%)		71.4			63.4	
Percentage of transfers resulting in pregnancies (%)		75.0			68.3	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine Associates of Connecticut

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW ENGLAND FERTILITY INSTITUTE STAMFORD, CONNECTICUT

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Gad Lavy, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	80%	Tubal factor	1%	Uterine factor	<1%	<i>Multiple Factors:</i> Female factors only 2% Female & male factors 2%
Unstimulated	0%	PGD/PGS	16%	Ovulatory dysfunction	5%	Male factor	5%	
Used gestational carrier	0%			Diminished ovarian reserve	7%	Other factor	2%	
				Endometriosis	2%	Unknown factor	82%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 363 (includes 16 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	29	19	19	18	9	8
Percentage of cancellations before retrieval (%)	3.4	2 / 19	1 / 19	5 / 18	6 / 9	1 / 8
Average number of embryos transferred	2.1	2.5	2.1	3.1	4.0	1.3
Percentage of embryos transferred resulting in implantation (%)	35.1	28.0	23.1	11.5	0 / 4	0 / 4
Percentage of elective single embryo transfers (eSET) (%)	1 / 17	1 / 11	1 / 11	0 / 9	0 / 1	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	17.2	1 / 19	2 / 19	2 / 18	0 / 9	0 / 8
Percentage of cycles resulting in singleton live births (%)	17.2	3 / 19	2 / 19	2 / 18	0 / 9	0 / 8
Percentage of cycles resulting in twin live births (%)	13.8	2 / 19	1 / 19	0 / 18	0 / 9	0 / 8
Percentage of cycles resulting in live births (%)	31.0	5 / 19	3 / 19	2 / 18	0 / 9	0 / 8
Percentage of cycles resulting in pregnancies (%)	31.0	6 / 19	6 / 19	4 / 18	0 / 9	0 / 8
Outcomes per Transfer						
Number of transfers	18	11	13	9	1	3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	5 / 18	1 / 11	2 / 13	2 / 9	0 / 1	0 / 3
Percentage of transfers resulting in singleton live births (%)	5 / 18	3 / 11	2 / 13	2 / 9	0 / 1	0 / 3
Percentage of transfers resulting in twin live births (%)	4 / 18	2 / 11	1 / 13	0 / 9	0 / 1	0 / 3
Percentage of transfers resulting in live births (%)	9 / 18	5 / 11	3 / 13	2 / 9	0 / 1	0 / 3
Percentage of transfers resulting in pregnancies (%)	9 / 18	6 / 11	6 / 13	4 / 9	0 / 1	0 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	15	17	15	5	2	4
Number of transfers	15	15	15	5	2	4
Estimated average number of transfers per retrieval	1.0	0.8	0.8	0.4	0.1	0.3
Average number of embryos transferred	1.6	1.7	1.6	2.4	2.5	2.0
Percentage of embryos transferred resulting in implantation (%)	29.2	26.9	41.7	3 / 9	0 / 5	1 / 8
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 15	3 / 15	5 / 15	2 / 5	0 / 2	1 / 4
Percentage of transfers resulting in singleton live births (%)	5 / 15	3 / 15	7 / 15	2 / 5	0 / 2	1 / 4
Percentage of transfers resulting in twin live births (%)	1 / 15	2 / 15	1 / 15	0 / 5	0 / 2	0 / 4
Percentage of transfers resulting in live births (%)	6 / 15	5 / 15	8 / 15	2 / 5	0 / 2	1 / 4
Percentage of transfers resulting in pregnancies (%)	6 / 15	5 / 15	9 / 15	3 / 5	0 / 2	1 / 4
Number of Egg/Embryo Banking Cycles						
	11	18	14	14	13	16
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	33			68		
Number of transfers	18			67		
Average number of embryos transferred	2.1			1.7		
Percentage of embryos transferred resulting in implantation (%)	34.3			56.3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	6 / 18			31.3		
Percentage of transfers resulting in singleton live births (%)	7 / 18			37.3		
Percentage of transfers resulting in twin live births (%)	2 / 18			23.9		
Percentage of transfers resulting in live births (%)	9 / 18			61.2		
Percentage of transfers resulting in pregnancies (%)	10 / 18			67.2		

CURRENT SERVICES & PROFILE

Current Name: New England Fertility Institute

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE STAMFORD HOSPITAL STAMFORD, CONNECTICUT

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Frances W. Ginsburg, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	50%	Tubal factor	17%	Uterine factor	0%	Multiple Factors: Female factors only 0% Female & male factors 0%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	67%	Male factor	17%	
Used gestational carrier	0%			Diminished ovarian reserve	0%	Other factor	0%	
				Endometriosis	0%	Unknown factor	0%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 9 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	1	1	1	1	0	0
Percentage of cancellations before retrieval (%)	1 / 1	0 / 1	0 / 1	0 / 1		
Average number of embryos transferred		3.0	2.0	2.0		
Percentage of embryos transferred resulting in implantation (%)		0 / 3	1 / 2	1 / 2		
Percentage of elective single embryo transfers (eSET) (%)		0 / 1	0 / 1	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	0 / 1	0 / 1	1 / 1	1 / 1		
Percentage of cycles resulting in singleton live births (%)	0 / 1	0 / 1	1 / 1	1 / 1		
Percentage of cycles resulting in twin live births (%)	0 / 1	0 / 1	0 / 1	0 / 1		
Percentage of cycles resulting in live births (%)	0 / 1	0 / 1	1 / 1	1 / 1		
Percentage of cycles resulting in pregnancies (%)	0 / 1	0 / 1	1 / 1	1 / 1		
Outcomes per Transfer						
Number of transfers	0	1	1	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 1	1 / 1	1 / 1		
Percentage of transfers resulting in singleton live births (%)		0 / 1	1 / 1	1 / 1		
Percentage of transfers resulting in twin live births (%)		0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in live births (%)		0 / 1	1 / 1	1 / 1		
Percentage of transfers resulting in pregnancies (%)		0 / 1	1 / 1	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	0	0	0	0	0
Number of transfers	2	0	0	0	0	0
Estimated average number of transfers per retrieval	2.0		0.0	0.0		
Average number of embryos transferred	2.0					
Percentage of embryos transferred resulting in implantation (%)	1 / 4					
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 2					
Percentage of transfers resulting in singleton live births (%)	1 / 2					
Percentage of transfers resulting in twin live births (%)	0 / 2					
Percentage of transfers resulting in live births (%)	1 / 2					
Percentage of transfers resulting in pregnancies (%)	1 / 2					
Number of Egg/Embryo Banking Cycles						
	0	0	2	1	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

CURRENT SERVICES & PROFILE

Current Name: The Stamford Hospital

Donor eggs?	No	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PARK AVENUE FERTILITY AND REPRODUCTIVE MEDICINE TRUMBULL, CONNECTICUT

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Andrew Levi, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	89%	Tubal factor	8%	Uterine factor	<1%	<i>Multiple Factors:</i> Female factors only <1% Female & male factors 8%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	2%	Male factor	28%	
Used gestational carrier	0%			Diminished ovarian reserve	24%	Other factor	3%	
				Endometriosis	7%	Unknown factor	37%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 219 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	50	21	23	12	13	3
Percentage of cancellations before retrieval (%)	6.0	9.5	21.7	2 / 12	1 / 13	0 / 3
Average number of embryos transferred	1.4	1.4	2.0	2.1	2.4	2.0
Percentage of embryos transferred resulting in implantation (%)	52.4	8 / 19	3 / 18	3 / 15	13.6	0 / 6
Percentage of elective single embryo transfers (eSET) (%)	7 / 18	3 / 8	1 / 9	0 / 5	0 / 7	1 / 3
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	26.0	28.6	4.3	2 / 12	0 / 13	0 / 3
Percentage of cycles resulting in singleton live births (%)	34.0	33.3	4.3	2 / 12	1 / 13	0 / 3
Percentage of cycles resulting in twin live births (%)	0.0	0.0	0.0	0 / 12	0 / 13	0 / 3
Percentage of cycles resulting in live births (%)	34.0	33.3	4.3	2 / 12	1 / 13	0 / 3
Percentage of cycles resulting in pregnancies (%)	38.0	38.1	13.0	2 / 12	3 / 13	0 / 3
Outcomes per Transfer						
Number of transfers	31	14	10	7	9	3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	41.9	6 / 14	1 / 10	2 / 7	0 / 9	0 / 3
Percentage of transfers resulting in singleton live births (%)	54.8	7 / 14	1 / 10	2 / 7	1 / 9	0 / 3
Percentage of transfers resulting in twin live births (%)	0.0	0 / 14	0 / 10	0 / 7	0 / 9	0 / 3
Percentage of transfers resulting in live births (%)	54.8	7 / 14	1 / 10	2 / 7	1 / 9	0 / 3
Percentage of transfers resulting in pregnancies (%)	61.3	8 / 14	3 / 10	2 / 7	3 / 9	0 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	21	12	8	1	4	1
Number of transfers	20	11	8	1	4	1
Estimated average number of transfers per retrieval	1.4	1.1	0.6	0.3	0.4	
Average number of embryos transferred	1.5	1.7	1.4	1.0	1.8	1.0
Percentage of embryos transferred resulting in implantation (%)	60.0	11 / 19	4 / 11	0 / 1	1 / 4	1 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	45.0	6 / 11	1 / 8	0 / 1	0 / 4	1 / 1
Percentage of transfers resulting in singleton live births (%)	50.0	6 / 11	2 / 8	0 / 1	0 / 4	1 / 1
Percentage of transfers resulting in twin live births (%)	10.0	2 / 11	1 / 8	0 / 1	0 / 4	0 / 1
Percentage of transfers resulting in live births (%)	60.0	8 / 11	3 / 8	0 / 1	0 / 4	1 / 1
Percentage of transfers resulting in pregnancies (%)	80.0	8 / 11	3 / 8	0 / 1	2 / 4	1 / 1
Number of Egg/Embryo Banking Cycles						
	1	4	6	4	3	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	19			13		
Number of transfers	10			12		
Average number of embryos transferred	1.2			1.4		
Percentage of embryos transferred resulting in implantation (%)	7 / 12			1 / 15		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 10			1 / 12		
Percentage of transfers resulting in singleton live births (%)	3 / 10			1 / 12		
Percentage of transfers resulting in twin live births (%)	2 / 10			0 / 12		
Percentage of transfers resulting in live births (%)	5 / 10			1 / 12		
Percentage of transfers resulting in pregnancies (%)	5 / 10			3 / 12		

CURRENT SERVICES & PROFILE

Current Name: Park Avenue Fertility and Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DELAWARE INSTITUTE FOR REPRODUCTIVE MEDICINE, PA NEWARK, DELAWARE

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Jeffrey B. Russell, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	99%	With ICSI	85%	Tubal factor	43%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 31% Female & male factors 2%
Unstimulated	0%	PGD/PGS	42%	Ovulatory dysfunction	12%	Male factor	11%	
Used gestational carrier	0%			Diminished ovarian reserve	9%	Other factor	21%	
				Endometriosis	26%	Unknown factor	13%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 317 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	40	15	17	9	8	4
Percentage of cancellations before retrieval (%)	5.0	2 / 15	3 / 17	0 / 9	4 / 8	2 / 4
Average number of embryos transferred	1.3	1.0	1.5			
Percentage of embryos transferred resulting in implantation (%)	2 / 4	1 / 2	1 / 3			
Percentage of elective single embryo transfers (eSET) (%)	2 / 3	1 / 1	1 / 2			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	0.0	0 / 15	1 / 17	0 / 9	0 / 8	0 / 4
Percentage of cycles resulting in singleton live births (%)	0.0	0 / 15	1 / 17	0 / 9	0 / 8	0 / 4
Percentage of cycles resulting in twin live births (%)	2.5	0 / 15	0 / 17	0 / 9	0 / 8	0 / 4
Percentage of cycles resulting in live births (%)	2.5	0 / 15	1 / 17	0 / 9	0 / 8	0 / 4
Percentage of cycles resulting in pregnancies (%)	2.5	1 / 15	1 / 17	0 / 9	0 / 8	0 / 4
Outcomes per Transfer						
Number of transfers	3	2	2	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 3	0 / 2	1 / 2			
Percentage of transfers resulting in singleton live births (%)	0 / 3	0 / 2	1 / 2			
Percentage of transfers resulting in twin live births (%)	1 / 3	0 / 2	0 / 2			
Percentage of transfers resulting in live births (%)	1 / 3	0 / 2	1 / 2			
Percentage of transfers resulting in pregnancies (%)	1 / 3	1 / 2	1 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	77	32	17	0	0	0
Number of transfers	70	30	14	0	0	0
Estimated average number of transfers per retrieval	1.3	0.9	0.7	0.0	0.0	
Average number of embryos transferred	1.3	1.5	1.3			
Percentage of embryos transferred resulting in implantation (%)	56.2	55.8	8 / 15			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	44.3	36.7	3 / 14			
Percentage of transfers resulting in singleton live births (%)	50.0	36.7	4 / 14			
Percentage of transfers resulting in twin live births (%)	8.6	13.3	1 / 14			
Percentage of transfers resulting in live births (%)	58.6	50.0	5 / 14			
Percentage of transfers resulting in pregnancies (%)	65.7	66.7	9 / 14			
Number of Egg/Embryo Banking Cycles						
	25	22	9	6	5	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			31		
Number of transfers	0			27		
Average number of embryos transferred				1.1		
Percentage of embryos transferred resulting in implantation (%)				51.7		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				33.3		
Percentage of transfers resulting in singleton live births (%)				40.7		
Percentage of transfers resulting in twin live births (%)				7.4		
Percentage of transfers resulting in live births (%)				48.1		
Percentage of transfers resulting in pregnancies (%)				55.6		

CURRENT SERVICES & PROFILE

Current Name: Delaware Institute for Reproductive Medicine, PA

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE ASSOCIATES OF DELAWARE NEWARK, DELAWARE

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Ronald F. Feinberg, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	75%	Tubal factor	44%	Uterine factor	68%	<i>Multiple Factors:</i> Female factors only 51% Female & male factors 26%
Unstimulated	0%	PGD/PGS	16%	Ovulatory dysfunction	25%	Male factor	33%	
Used gestational carrier	0%			Diminished ovarian reserve	29%	Other factor	8%	
				Endometriosis	45%	Unknown factor	<1%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 645 (includes 19 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	83	30	30	11	7	0
Percentage of cancellations before retrieval (%)	4.8	20.0	60.0	6 / 11	5 / 7	
Average number of embryos transferred	1.0	1.2	1.0	1.5	1.0	
Percentage of embryos transferred resulting in implantation (%)	72.2	14 / 18	1 / 3	0 / 3		
Percentage of elective single embryo transfers (eSET) (%)	100.0	11 / 14	2 / 2	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	38.6	23.3	3.3	0 / 11	0 / 7	
Percentage of cycles resulting in singleton live births (%)	44.6	30.0	3.3	0 / 11	0 / 7	
Percentage of cycles resulting in twin live births (%)	0.0	6.7	0.0	0 / 11	0 / 7	
Percentage of cycles resulting in live births (%)	44.6	36.7	3.3	0 / 11	0 / 7	
Percentage of cycles resulting in pregnancies (%)	48.2	40.0	6.7	0 / 11	1 / 7	
Outcomes per Transfer						
Number of transfers	55	15	4	2	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	58.2	7 / 15	1 / 4	0 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)	67.3	9 / 15	1 / 4	0 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)	0.0	2 / 15	0 / 4	0 / 2	0 / 1	
Percentage of transfers resulting in live births (%)	67.3	11 / 15	1 / 4	0 / 2	0 / 1	
Percentage of transfers resulting in pregnancies (%)	72.7	12 / 15	2 / 4	0 / 2	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	149	76	53	15	2	4
Number of transfers	143	70	45	11	2	4
Estimated average number of transfers per retrieval	2.1	1.8	1.6	1.6	0.2	
Average number of embryos transferred	1.0	1.0	1.1	1.1	1.0	1.0
Percentage of embryos transferred resulting in implantation (%)	67.4	64.1	52.1	4 / 12	1 / 2	1 / 4
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	48.3	40.0	37.8	3 / 11	1 / 2	0 / 4
Percentage of transfers resulting in singleton live births (%)	57.3	44.3	46.7	3 / 11	1 / 2	0 / 4
Percentage of transfers resulting in twin live births (%)	3.5	2.9	2.2	0 / 11	0 / 2	0 / 4
Percentage of transfers resulting in live births (%)	60.8	47.1	48.9	3 / 11	1 / 2	0 / 4
Percentage of transfers resulting in pregnancies (%)	68.5	64.3	55.6	4 / 11	1 / 2	1 / 4
Number of Egg/Embryo Banking Cycles						
	34	29	18	5	11	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	16			53		
Number of transfers	4			51		
Average number of embryos transferred	1.0			1.0		
Percentage of embryos transferred resulting in implantation (%)	2 / 4			46.7		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 4			25.5		
Percentage of transfers resulting in singleton live births (%)	2 / 4			33.3		
Percentage of transfers resulting in twin live births (%)	0 / 4			0.0		
Percentage of transfers resulting in live births (%)	2 / 4			33.3		
Percentage of transfers resulting in pregnancies (%)	2 / 4			52.9		

CURRENT SERVICES & PROFILE

Current Name: Reproductive Associates of Delaware

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COLUMBIA FERTILITY ASSOCIATES WASHINGTON, DISTRICT OF COLUMBIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Safa Rifka, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b						
IVF	100%	With ICSI	59%	Tubal factor	5%	Uterine factor	7%	<i>Multiple Factors:</i>		
Unstimulated	4%	PGD/PGS	<1%	Ovulatory dysfunction	9%	Male factor	29%		Female factors only	13%
Used gestational carrier	<1%			Diminished ovarian reserve	27%	Other factor	41%		Female & male factors	12%
				Endometriosis	9%	Unknown factor	3%			

2015 ART SUCCESS RATES^c

Total number of cycles^d: 816 (includes 9 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	77	63	80	72	36	32
Percentage of cancellations before retrieval (%)	11.7	9.5	16.3	16.7	22.2	12.5
Average number of embryos transferred	1.8	1.8	2.2	2.2	2.0	1.6
Percentage of embryos transferred resulting in implantation (%)	28.6	19.1	12.9	7.9	13.0	0.0
Percentage of elective single embryo transfers (eSET) (%)	25.0	16.3	4.0	5.1	0 / 15	0 / 7
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	13.0	17.5	12.5	8.3	11.1	0.0
Percentage of cycles resulting in singleton live births (%)	15.6	17.5	15.0	8.3	13.9	0.0
Percentage of cycles resulting in twin live births (%)	6.5	4.8	1.3	1.4	0.0	0.0
Percentage of cycles resulting in live births (%)	22.1	22.2	16.3	9.7	13.9	0.0
Percentage of cycles resulting in pregnancies (%)	24.7	23.8	18.8	11.1	16.7	0.0
Outcomes per Transfer						
Number of transfers	50	51	57	47	23	19
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	20.0	21.6	17.5	12.8	17.4	0 / 19
Percentage of transfers resulting in singleton live births (%)	24.0	21.6	21.1	12.8	21.7	0 / 19
Percentage of transfers resulting in twin live births (%)	10.0	5.9	1.8	2.1	0.0	0 / 19
Percentage of transfers resulting in live births (%)	34.0	27.5	22.8	14.9	21.7	0 / 19
Percentage of transfers resulting in pregnancies (%)	38.0	29.4	26.3	17.0	26.1	0 / 19
Frozen Embryos from Nondonor Eggs						
Number of cycles	54	57	53	14	15	9
Number of transfers	48	45	45	11	11	7
Estimated average number of transfers per retrieval	0.8	0.7	0.7	0.8	0.5	0.4
Average number of embryos transferred	1.6	1.4	1.3	1.5	1.5	1.6
Percentage of embryos transferred resulting in implantation (%)	34.7	39.1	39.7	4 / 16	1 / 16	2 / 11
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	29.2	28.9	31.1	3 / 11	1 / 11	1 / 7
Percentage of transfers resulting in singleton live births (%)	33.3	33.3	35.6	4 / 11	1 / 11	2 / 7
Percentage of transfers resulting in twin live births (%)	8.3	2.2	2.2	0 / 11	0 / 11	0 / 7
Percentage of transfers resulting in live births (%)	41.7	35.6	40.0	4 / 11	1 / 11	2 / 7
Percentage of transfers resulting in pregnancies (%)	47.9	46.7	42.2	4 / 11	1 / 11	2 / 7
Number of Egg/Embryo Banking Cycles						
	41	48	51	10	19	15
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		6		55		
Number of transfers		4		52		
Average number of embryos transferred		2.0		1.6		
Percentage of embryos transferred resulting in implantation (%)		1 / 8		36.4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 4		30.8		
Percentage of transfers resulting in singleton live births (%)		1 / 4		40.4		
Percentage of transfers resulting in twin live births (%)		0 / 4		3.8		
Percentage of transfers resulting in live births (%)		1 / 4		44.2		
Percentage of transfers resulting in pregnancies (%)		1 / 4		55.8		

CURRENT SERVICES & PROFILE

Current Name: Columbia Fertility Associates

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GEORGE WASHINGTON UNIVERSITY MEDICAL FACULTY ASSOCIATES WASHINGTON, DISTRICT OF COLUMBIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by David Frankfurter, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	75%	Tubal factor	3%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only <1% Female & male factors 0%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	4%	Male factor	16%	
Used gestational carrier	0%			Diminished ovarian reserve	12%	Other factor	8%	
				Endometriosis	<1%	Unknown factor	57%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 435 (includes 14 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	37	36	56	24	8	3
Percentage of cancellations before retrieval (%)	18.9	19.4	19.6	37.5	1 / 8	1 / 3
Average number of embryos transferred	1.4	1.8	2.0	3.1	2.7	4.5
Percentage of embryos transferred resulting in implantation (%)	18.2	14.3	15.6	18.2	0 / 8	1 / 9
Percentage of elective single embryo transfers (eSET) (%)	7 / 13	2 / 11	1 / 19	0 / 7	0 / 3	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	10.8	8.3	1.8	0.0	0 / 8	1 / 3
Percentage of cycles resulting in singleton live births (%)	10.8	8.3	3.6	4.2	0 / 8	1 / 3
Percentage of cycles resulting in twin live births (%)	0.0	0.0	1.8	4.2	0 / 8	0 / 3
Percentage of cycles resulting in live births (%)	10.8	8.3	5.4	8.3	0 / 8	1 / 3
Percentage of cycles resulting in pregnancies (%)	10.8	8.3	8.9	8.3	0 / 8	1 / 3
Outcomes per Transfer						
Number of transfers	16	12	22	7	3	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 16	3 / 12	4.5	0 / 7	0 / 3	1 / 2
Percentage of transfers resulting in singleton live births (%)	4 / 16	3 / 12	9.1	1 / 7	0 / 3	1 / 2
Percentage of transfers resulting in twin live births (%)	0 / 16	0 / 12	4.5	1 / 7	0 / 3	0 / 2
Percentage of transfers resulting in live births (%)	4 / 16	3 / 12	13.6	2 / 7	0 / 3	1 / 2
Percentage of transfers resulting in pregnancies (%)	4 / 16	3 / 12	22.7	2 / 7	0 / 3	1 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	37	33	47	12	10	2
Number of transfers	35	31	43	10	8	2
Estimated average number of transfers per retrieval	0.8	1.0	0.8	0.8	4.0	
Average number of embryos transferred	1.1	1.2	1.5	2.0	1.8	2.5
Percentage of embryos transferred resulting in implantation (%)	48.6	47.4	33.9	1 / 19	0 / 14	0 / 3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	34.3	41.9	27.9	0 / 10	0 / 8	0 / 2
Percentage of transfers resulting in singleton live births (%)	42.9	45.2	32.6	0 / 10	0 / 8	0 / 2
Percentage of transfers resulting in twin live births (%)	0.0	3.2	4.7	0 / 10	0 / 8	0 / 2
Percentage of transfers resulting in live births (%)	42.9	48.4	37.2	0 / 10	0 / 8	0 / 2
Percentage of transfers resulting in pregnancies (%)	51.4	54.8	46.5	2 / 10	0 / 8	1 / 2
Number of Egg/Embryo Banking Cycles						
	28	21	37	4	1	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		6			19	
Number of transfers		3			16	
Average number of embryos transferred		1.3			1.2	
Percentage of embryos transferred resulting in implantation (%)		1 / 4			6 / 18	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 3			3 / 16	
Percentage of transfers resulting in singleton live births (%)		1 / 3			5 / 16	
Percentage of transfers resulting in twin live births (%)		0 / 3			0 / 16	
Percentage of transfers resulting in live births (%)		1 / 3			5 / 16	
Percentage of transfers resulting in pregnancies (%)		1 / 3			6 / 16	

CURRENT SERVICES & PROFILE

Current Name: George Washington University Medical Faculty Associates

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

JAMES A. SIMON, MD, PC WASHINGTON, DISTRICT OF COLUMBIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by James A. Simon, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	0%	Tubal factor	33%	Uterine factor	0%	Multiple Factors: Female factors only 0% Female & male factors 33%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	0%	Male factor	67%	
Used gestational carrier	0%			Diminished ovarian reserve	67%	Other factor	0%	
				Endometriosis	0%	Unknown factor	0%	

2015 ART SUCCESS RATES ^c		Total number of cycles ^d : 3 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		1	0	1	0	0	0
Percentage of cancellations before retrieval (%)		0 / 1		0 / 1			
Average number of embryos transferred		1.0		1.0			
Percentage of embryos transferred resulting in implantation (%)		0 / 1		0 / 1			
Percentage of elective single embryo transfers (eSET) (%)							
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		0 / 1		0 / 1			
Percentage of cycles resulting in singleton live births (%)		0 / 1		0 / 1			
Percentage of cycles resulting in twin live births (%)		0 / 1		0 / 1			
Percentage of cycles resulting in live births (%)		0 / 1		0 / 1			
Percentage of cycles resulting in pregnancies (%)		0 / 1		0 / 1			
Outcomes per Transfer							
Number of transfers		1	0	1	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 1		0 / 1			
Percentage of transfers resulting in singleton live births (%)		0 / 1		0 / 1			
Percentage of transfers resulting in twin live births (%)		0 / 1		0 / 1			
Percentage of transfers resulting in live births (%)		0 / 1		0 / 1			
Percentage of transfers resulting in pregnancies (%)		0 / 1		0 / 1			
Frozen Embryos from Nondonor Eggs							
Number of cycles		0	1	0	0	0	0
Number of transfers		0	1	0	0	0	0
Estimated average number of transfers per retrieval							
Average number of embryos transferred			2.0				
Percentage of embryos transferred resulting in implantation (%)			0 / 2				
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)			0 / 1				
Percentage of transfers resulting in singleton live births (%)			0 / 1				
Percentage of transfers resulting in twin live births (%)			0 / 1				
Percentage of transfers resulting in live births (%)			0 / 1				
Percentage of transfers resulting in pregnancies (%)			0 / 1				
Number of Egg/Embryo Banking Cycles							
		0	0	0	0	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles			0			0	
Number of transfers			0			0	
Average number of embryos transferred							
Percentage of embryos transferred resulting in implantation (%)							
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)							
Percentage of transfers resulting in singleton live births (%)							
Percentage of transfers resulting in twin live births (%)							
Percentage of transfers resulting in live births (%)							
Percentage of transfers resulting in pregnancies (%)							

CURRENT SERVICES & PROFILE		Current Name: James A. Simon, MD, PC					
Donor eggs?	No	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BOCAFERTILITY BOCA RATON, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Maurice (Moshe) R. Peress, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	44%	Tubal factor	11%	Uterine factor	6%	<i>Multiple Factors:</i> Female factors only 14% Female & male factors 13%
Unstimulated	3%	PGD/PGS	0%	Ovulatory dysfunction	15%	Male factor	34%	
Used gestational carrier	3%			Diminished ovarian reserve	54%	Other factor	2%	
				Endometriosis	3%	Unknown factor	3%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 153 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	30	19	18	6	4	0
Percentage of cancellations before retrieval (%)	0.0	1 / 19	0 / 18	0 / 6	0 / 4	
Average number of embryos transferred	1.8	1.7	1.5	1.8	2.3	
Percentage of embryos transferred resulting in implantation (%)	18.2	15.4	5.0	3 / 7	0 / 7	
Percentage of elective single embryo transfers (eSET) (%)	17.4	1 / 12	0 / 6	0 / 3	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	13.3	3 / 19	1 / 18	1 / 6	0 / 4	
Percentage of cycles resulting in singleton live births (%)	13.3	4 / 19	1 / 18	2 / 6	0 / 4	
Percentage of cycles resulting in twin live births (%)	6.7	0 / 19	0 / 18	0 / 6	0 / 4	
Percentage of cycles resulting in live births (%)	20.0	4 / 19	1 / 18	2 / 6	0 / 4	
Percentage of cycles resulting in pregnancies (%)	20.0	4 / 19	1 / 18	3 / 6	1 / 4	
Outcomes per Transfer						
Number of transfers	25	15	13	4	4	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	16.0	3 / 15	1 / 13	1 / 4	0 / 4	
Percentage of transfers resulting in singleton live births (%)	16.0	4 / 15	1 / 13	2 / 4	0 / 4	
Percentage of transfers resulting in twin live births (%)	8.0	0 / 15	0 / 13	0 / 4	0 / 4	
Percentage of transfers resulting in live births (%)	24.0	4 / 15	1 / 13	2 / 4	0 / 4	
Percentage of transfers resulting in pregnancies (%)	24.0	4 / 15	1 / 13	3 / 4	1 / 4	
Frozen Embryos from Nondonor Eggs						
Number of cycles	11	8	7	3	0	0
Number of transfers	9	7	6	2	0	0
Estimated average number of transfers per retrieval	0.6	1.0	1.0	0.3	0.0	0.0
Average number of embryos transferred	1.7	1.7	1.7	1.0		
Percentage of embryos transferred resulting in implantation (%)	9 / 15	4 / 12	1 / 10	0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	5 / 9	3 / 7	1 / 6	0 / 2		
Percentage of transfers resulting in singleton live births (%)	5 / 9	4 / 7	1 / 6	0 / 2		
Percentage of transfers resulting in twin live births (%)	2 / 9	0 / 7	0 / 6	0 / 2		
Percentage of transfers resulting in live births (%)	7 / 9	4 / 7	1 / 6	0 / 2		
Percentage of transfers resulting in pregnancies (%)	7 / 9	4 / 7	1 / 6	0 / 2		
Number of Egg/Embryo Banking Cycles						
	9	3	4	6	1	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	15			8		
Number of transfers	14			7		
Average number of embryos transferred	1.9			1.9		
Percentage of embryos transferred resulting in implantation (%)	55.6			8 / 13		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	9 / 14			4 / 7		
Percentage of transfers resulting in singleton live births (%)	9 / 14			5 / 7		
Percentage of transfers resulting in twin live births (%)	2 / 14			1 / 7		
Percentage of transfers resulting in live births (%)	11 / 14			6 / 7		
Percentage of transfers resulting in pregnancies (%)	12 / 14			7 / 7		

CURRENT SERVICES & PROFILE

Current Name: BocaFertility

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PALM BEACH FERTILITY CENTER BOCA RATON, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Mark S. Denker, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	86%	Tubal factor	14%	Uterine factor	9%	<i>Multiple Factors:</i> Female factors only 12% Female & male factors 52%
Unstimulated	0%	PGD/PGS	8%	Ovulatory dysfunction	18%	Male factor	58%	
Used gestational carrier	0%			Diminished ovarian reserve	53%	Other factor	15%	
				Endometriosis	5%	Unknown factor	2%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 142 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	20	8	11	5	2	3
Percentage of cancellations before retrieval (%)	20.0	2 / 8	0 / 11	0 / 5	1 / 2	0 / 3
Average number of embryos transferred	1.7	1.8	1.5	2.3	2.0	1.3
Percentage of embryos transferred resulting in implantation (%)	26.9	5 / 9	6 / 15	0 / 7	0 / 2	0 / 4
Percentage of elective single embryo transfers (eSET) (%)	2 / 13	1 / 5	0 / 5	0 / 3	0 / 1	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	5.0	1 / 8	2 / 11	0 / 5	0 / 2	0 / 3
Percentage of cycles resulting in singleton live births (%)	5.0	1 / 8	2 / 11	0 / 5	0 / 2	0 / 3
Percentage of cycles resulting in twin live births (%)	15.0	2 / 8	2 / 11	0 / 5	0 / 2	0 / 3
Percentage of cycles resulting in live births (%)	20.0	3 / 8	4 / 11	0 / 5	0 / 2	0 / 3
Percentage of cycles resulting in pregnancies (%)	20.0	3 / 8	4 / 11	0 / 5	0 / 2	0 / 3
Outcomes per Transfer						
Number of transfers	15	5	10	3	1	3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 15	1 / 5	2 / 10	0 / 3	0 / 1	0 / 3
Percentage of transfers resulting in singleton live births (%)	1 / 15	1 / 5	2 / 10	0 / 3	0 / 1	0 / 3
Percentage of transfers resulting in twin live births (%)	3 / 15	2 / 5	2 / 10	0 / 3	0 / 1	0 / 3
Percentage of transfers resulting in live births (%)	4 / 15	3 / 5	4 / 10	0 / 3	0 / 1	0 / 3
Percentage of transfers resulting in pregnancies (%)	4 / 15	3 / 5	4 / 10	0 / 3	0 / 1	0 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	14	2	1	4	1	0
Number of transfers	12	2	1	4	1	0
Estimated average number of transfers per retrieval	0.9	0.2	0.1	1.3	0.1	0.0
Average number of embryos transferred	1.6	1.5	2.0	1.5	2.0	
Percentage of embryos transferred resulting in implantation (%)	10 / 19	1 / 3	1 / 2	3 / 6	0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 12	1 / 2	1 / 1	1 / 4	0 / 1	
Percentage of transfers resulting in singleton live births (%)	2 / 12	1 / 2	1 / 1	1 / 4	0 / 1	
Percentage of transfers resulting in twin live births (%)	3 / 12	0 / 2	0 / 1	1 / 4	0 / 1	
Percentage of transfers resulting in live births (%)	5 / 12	1 / 2	1 / 1	2 / 4	0 / 1	
Percentage of transfers resulting in pregnancies (%)	6 / 12	1 / 2	1 / 1	2 / 4	0 / 1	
Number of Egg/Embryo Banking Cycles						
	6	9	7	3	7	4
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	13			20		
Number of transfers	9			17		
Average number of embryos transferred	1.9			1.8		
Percentage of embryos transferred resulting in implantation (%)	7 / 17			23.3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 9			2 / 17		
Percentage of transfers resulting in singleton live births (%)	3 / 9			3 / 17		
Percentage of transfers resulting in twin live births (%)	1 / 9			2 / 17		
Percentage of transfers resulting in live births (%)	4 / 9			5 / 17		
Percentage of transfers resulting in pregnancies (%)	4 / 9			5 / 17		

CURRENT SERVICES & PROFILE

Current Name: Palm Beach Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

POLCZ FERTILITY CENTER BOYNTON BEACH, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Tibor E. Polcz, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	43%	Tubal factor	43%	Uterine factor	14%	<i>Multiple Factors:</i> Female factors only 29% Female & male factors 10%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	10%	Male factor	14%	
Used gestational carrier	7%			Diminished ovarian reserve	33%	Other factor	14%	
				Endometriosis	10%	Unknown factor	5%	

2015 ART SUCCESS RATES ^c		Total number of cycles ^d : 21 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		4	6	2	2	0	0
Percentage of cancellations before retrieval (%)		0 / 4	0 / 6	0 / 2	0 / 2		
Average number of embryos transferred		2.0	2.7	2.5	2.5		
Percentage of embryos transferred resulting in implantation (%)		0 / 8	6 / 16	2 / 5	0 / 5		
Percentage of elective single embryo transfers (eSET) (%)		0 / 4	0 / 6	0 / 2	0 / 1		
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		0 / 4	2 / 6	0 / 2	0 / 2		
Percentage of cycles resulting in singleton live births (%)		0 / 4	2 / 6	0 / 2	0 / 2		
Percentage of cycles resulting in twin live births (%)		0 / 4	2 / 6	1 / 2	0 / 2		
Percentage of cycles resulting in live births (%)		0 / 4	4 / 6	1 / 2	0 / 2		
Percentage of cycles resulting in pregnancies (%)		0 / 4	4 / 6	1 / 2	0 / 2		
Outcomes per Transfer							
Number of transfers		4	6	2	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 4	2 / 6	0 / 2	0 / 2		
Percentage of transfers resulting in singleton live births (%)		0 / 4	2 / 6	0 / 2	0 / 2		
Percentage of transfers resulting in twin live births (%)		0 / 4	2 / 6	1 / 2	0 / 2		
Percentage of transfers resulting in live births (%)		0 / 4	4 / 6	1 / 2	0 / 2		
Percentage of transfers resulting in pregnancies (%)		0 / 4	4 / 6	1 / 2	0 / 2		
Frozen Embryos from Nondonor Eggs							
Number of cycles		0	0	1	0	0	0
Number of transfers		0	0	1	0	0	0
Estimated average number of transfers per retrieval							
Average number of embryos transferred				2.0			
Percentage of embryos transferred resulting in implantation (%)				1 / 2			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				1 / 1			
Percentage of transfers resulting in singleton live births (%)				1 / 1			
Percentage of transfers resulting in twin live births (%)				0 / 1			
Percentage of transfers resulting in live births (%)				1 / 1			
Percentage of transfers resulting in pregnancies (%)				1 / 1			
Number of Egg/Embryo Banking Cycles							
		0	0	0	0	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		5			1		
Number of transfers		5			1		
Average number of embryos transferred		2.2			2.0		
Percentage of embryos transferred resulting in implantation (%)		5 / 11			0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 5			0 / 1		
Percentage of transfers resulting in singleton live births (%)		2 / 5			0 / 1		
Percentage of transfers resulting in twin live births (%)		1 / 5			0 / 1		
Percentage of transfers resulting in live births (%)		3 / 5			0 / 1		
Percentage of transfers resulting in pregnancies (%)		4 / 5			0 / 1		

CURRENT SERVICES & PROFILE		Current Name: Polcz Fertility Center					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FLORIDA FERTILITY INSTITUTE CLEARWATER, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Mark D. Sanchez, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	78%	Tubal factor	20%	Uterine factor	4%	Multiple Factors: Female factors only 16% Female & male factors 23%
Unstimulated	5%	PGD/PGS	10%	Ovulatory dysfunction	14%	Male factor	53%	
Used gestational carrier	0%			Diminished ovarian reserve	29%	Other factor	14%	
				Endometriosis	11%	Unknown factor	5%	

2015 ART SUCCESS RATES ^c		Total number of cycles ^d : 292 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		67	54	40	28	7	0
Percentage of cancellations before retrieval (%)		14.9	5.6	17.5	14.3	1 / 7	
Average number of embryos transferred		2.0	2.0	2.0	2.2	2.0	
Percentage of embryos transferred resulting in implantation (%)		25.0	15.9	18.2	8.1	1 / 9	
Percentage of elective single embryo transfers (eSET) (%)		8.7	2.4	4.2	0 / 18	0 / 3	
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		19.4	11.1	10.0	10.7	0 / 7	
Percentage of cycles resulting in singleton live births (%)		22.4	13.0	20.0	10.7	0 / 7	
Percentage of cycles resulting in twin live births (%)		3.0	5.6	0.0	0.0	0 / 7	
Percentage of cycles resulting in live births (%)		25.4	18.5	20.0	10.7	0 / 7	
Percentage of cycles resulting in pregnancies (%)		31.3	24.1	22.5	25.0	2 / 7	
Outcomes per Transfer							
Number of transfers		47	46	28	21	5	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		27.7	13.0	14.3	14.3	0 / 5	
Percentage of transfers resulting in singleton live births (%)		31.9	15.2	28.6	14.3	0 / 5	
Percentage of transfers resulting in twin live births (%)		4.3	6.5	0.0	0.0	0 / 5	
Percentage of transfers resulting in live births (%)		36.2	21.7	28.6	14.3	0 / 5	
Percentage of transfers resulting in pregnancies (%)		44.7	28.3	32.1	33.3	2 / 5	
Frozen Embryos from Nondonor Eggs							
Number of cycles		32	8	13	1	1	2
Number of transfers		28	7	13	1	1	2
Estimated average number of transfers per retrieval		2.0	1.4	2.2	0.3		2.0
Average number of embryos transferred		1.6	2.0	2.3	2.0	1.0	1.0
Percentage of embryos transferred resulting in implantation (%)		45.7	4 / 14	25.0	1 / 2	0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		10.7	1 / 7	2 / 13	0 / 1	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)		17.9	2 / 7	3 / 13	0 / 1	0 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)		21.4	1 / 7	1 / 13	0 / 1	0 / 1	0 / 2
Percentage of transfers resulting in live births (%)		39.3	3 / 7	4 / 13	0 / 1	0 / 1	0 / 2
Percentage of transfers resulting in pregnancies (%)		42.9	3 / 7	6 / 13	1 / 1	0 / 1	0 / 2
Number of Egg/Embryo Banking Cycles							
		4	2	2	3	0	1
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		10			17		
Number of transfers		9			17		
Average number of embryos transferred		1.8			1.7		
Percentage of embryos transferred resulting in implantation (%)		9 / 14			40.7		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		4 / 9			2 / 17		
Percentage of transfers resulting in singleton live births (%)		5 / 9			4 / 17		
Percentage of transfers resulting in twin live births (%)		2 / 9			3 / 17		
Percentage of transfers resulting in live births (%)		7 / 9			7 / 17		
Percentage of transfers resulting in pregnancies (%)		8 / 9			9 / 17		

CURRENT SERVICES & PROFILE		Current Name: Florida Fertility Institute					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTHWEST FLORIDA FERTILITY CENTER, PA FORT MYERS, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Jacob L. Glock, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	64%	Tubal factor	22%	Uterine factor	2%	Multiple Factors: Female factors only 6% Female & male factors 0%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	7%	Male factor	24%	
Used gestational carrier	2%			Diminished ovarian reserve	27%	Other factor	0%	
				Endometriosis	9%	Unknown factor	15%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 55 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	21	8	7	6	1	4
Percentage of cancellations before retrieval (%)	0.0	0 / 8	0 / 7	0 / 6	0 / 1	0 / 4
Average number of embryos transferred	2.0	2.4	2.3	3.0	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	41.5	7 / 19	4 / 13	2 / 18	0 / 2	0 / 6
Percentage of elective single embryo transfers (eSET) (%)	0 / 18	0 / 8	0 / 6	0 / 6	0 / 1	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	14.3	1 / 8	0 / 7	0 / 6	0 / 1	0 / 4
Percentage of cycles resulting in singleton live births (%)	28.6	3 / 8	1 / 7	0 / 6	0 / 1	0 / 4
Percentage of cycles resulting in twin live births (%)	19.0	2 / 8	0 / 7	1 / 6	0 / 1	0 / 4
Percentage of cycles resulting in live births (%)	52.4	5 / 8	2 / 7	1 / 6	0 / 1	0 / 4
Percentage of cycles resulting in pregnancies (%)	52.4	5 / 8	3 / 7	1 / 6	0 / 1	0 / 4
Outcomes per Transfer						
Number of transfers	21	8	7	6	1	3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	14.3	1 / 8	0 / 7	0 / 6	0 / 1	0 / 3
Percentage of transfers resulting in singleton live births (%)	28.6	3 / 8	1 / 7	0 / 6	0 / 1	0 / 3
Percentage of transfers resulting in twin live births (%)	19.0	2 / 8	0 / 7	1 / 6	0 / 1	0 / 3
Percentage of transfers resulting in live births (%)	52.4	5 / 8	2 / 7	1 / 6	0 / 1	0 / 3
Percentage of transfers resulting in pregnancies (%)	52.4	5 / 8	3 / 7	1 / 6	0 / 1	0 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	0	0	0	1	1
Number of transfers	2	0	0	0	1	1
Estimated average number of transfers per retrieval	0.7					
Average number of embryos transferred	2.0				2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	1 / 4				0 / 2	1 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 2				0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	1 / 2				0 / 1	1 / 1
Percentage of transfers resulting in twin live births (%)	0 / 2				0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	1 / 2				0 / 1	1 / 1
Percentage of transfers resulting in pregnancies (%)	1 / 2				0 / 1	1 / 1
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	4			0		
Number of transfers	4			0		
Average number of embryos transferred	2.0					
Percentage of embryos transferred resulting in implantation (%)	7 / 8					
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 4					
Percentage of transfers resulting in singleton live births (%)	1 / 4					
Percentage of transfers resulting in twin live births (%)	0 / 4					
Percentage of transfers resulting in live births (%)	3 / 4					
Percentage of transfers resulting in pregnancies (%)	3 / 4					

CURRENT SERVICES & PROFILE

Current Name: Southwest Florida Fertility Center, PA

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SPECIALISTS IN REPRODUCTIVE MEDICINE AND SURGERY, PA EMBRYO DONATION INTERNATIONAL, PL FORT MYERS, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Craig R. Sweet, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	58%	Tubal factor	17%	Uterine factor	<1%	
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	9%	Male factor	31%	
Used gestational carrier	3%			Diminished ovarian reserve	43%	Other factor	6%	
				Endometriosis	18%	Unknown factor	3%	
				Multiple Factors:				
				Female factors only				14%
				Female & male factors				11%

2015 ART SUCCESS RATES ^c		Total number of cycles ^d : 128 (includes 1 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		40	13	15	5	0	0
Percentage of cancellations before retrieval (%)		12.5	0 / 13	1 / 15	1 / 5		
Average number of embryos transferred		2.2	2.3	2.9	2.3		
Percentage of embryos transferred resulting in implantation (%)		23.2	38.5	8.6	2 / 9		
Percentage of elective single embryo transfers (eSET) (%)		4.2	0 / 11	0 / 12	0 / 2		
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		15.0	4 / 13	0 / 15	0 / 5		
Percentage of cycles resulting in singleton live births (%)		15.0	4 / 13	0 / 15	1 / 5		
Percentage of cycles resulting in twin live births (%)		5.0	3 / 13	0 / 15	0 / 5		
Percentage of cycles resulting in live births (%)		20.0	7 / 13	0 / 15	1 / 5		
Percentage of cycles resulting in pregnancies (%)		27.5	8 / 13	4 / 15	2 / 5		
Outcomes per Transfer							
Number of transfers		26	12	13	4	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		23.1	4 / 12	0 / 13	0 / 4		
Percentage of transfers resulting in singleton live births (%)		23.1	4 / 12	0 / 13	1 / 4		
Percentage of transfers resulting in twin live births (%)		7.7	3 / 12	0 / 13	0 / 4		
Percentage of transfers resulting in live births (%)		30.8	7 / 12	0 / 13	1 / 4		
Percentage of transfers resulting in pregnancies (%)		42.3	8 / 12	4 / 13	2 / 4		
Frozen Embryos from Nondonor Eggs							
Number of cycles		8	1	1	1	0	0
Number of transfers		8	1	1	1	0	0
Estimated average number of transfers per retrieval		1.1	0.3	1.0			
Average number of embryos transferred		2.6	4.0	2.0	4.0		
Percentage of embryos transferred resulting in implantation (%)		23.8	1 / 4	0 / 2	0 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		3 / 8	1 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in singleton live births (%)		3 / 8	1 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in twin live births (%)		1 / 8	0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in live births (%)		4 / 8	1 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in pregnancies (%)		4 / 8	1 / 1	0 / 1	0 / 1		
Number of Egg/Embryo Banking Cycles							
		2	3	1	0	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		10			27		
Number of transfers		9			26		
Average number of embryos transferred		2.0			2.5		
Percentage of embryos transferred resulting in implantation (%)		9 / 14			25.8		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		2 / 9			19.2		
Percentage of transfers resulting in singleton live births (%)		3 / 9			19.2		
Percentage of transfers resulting in twin live births (%)		2 / 9			11.5		
Percentage of transfers resulting in live births (%)		5 / 9			34.6		
Percentage of transfers resulting in pregnancies (%)		7 / 9			42.3		

CURRENT SERVICES & PROFILE		Current Name: Specialists in Reproductive Medicine and Surgery, PA, Embryo Donation International, PL					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UF HEALTH REPRODUCTIVE MEDICINE AT SPRINGHILL GAINESVILLE, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Alice Rhoton-Vlasak, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	63%	Tubal factor	3%	Uterine factor	5%	<i>Multiple Factors:</i> Female factors only 12% Female & male factors 29%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	15%	Male factor	51%	
Used gestational carrier	0%			Diminished ovarian reserve	13%	Other factor	35%	
				Endometriosis	24%	Unknown factor	4%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 110 (includes 7 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	40	13	8	2	2	0
Percentage of cancellations before retrieval (%)	22.5	1 / 13	0 / 8	0 / 2	0 / 2	
Average number of embryos transferred	1.6	2.1	2.5	2.0	3.0	
Percentage of embryos transferred resulting in implantation (%)	23.7	14.3	15.0	0 / 4	0 / 6	
Percentage of elective single embryo transfers (eSET) (%)	36.4	1 / 10	0 / 8	0 / 1	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	5.0	1 / 13	1 / 8	0 / 2	0 / 2	
Percentage of cycles resulting in singleton live births (%)	7.5	1 / 13	1 / 8	0 / 2	0 / 2	
Percentage of cycles resulting in twin live births (%)	7.5	1 / 13	1 / 8	0 / 2	0 / 2	
Percentage of cycles resulting in live births (%)	15.0	2 / 13	2 / 8	0 / 2	0 / 2	
Percentage of cycles resulting in pregnancies (%)	15.0	2 / 13	2 / 8	0 / 2	0 / 2	
Outcomes per Transfer						
Number of transfers	24	10	8	2	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	8.3	1 / 10	1 / 8	0 / 2	0 / 2	
Percentage of transfers resulting in singleton live births (%)	12.5	1 / 10	1 / 8	0 / 2	0 / 2	
Percentage of transfers resulting in twin live births (%)	12.5	1 / 10	1 / 8	0 / 2	0 / 2	
Percentage of transfers resulting in live births (%)	25.0	2 / 10	2 / 8	0 / 2	0 / 2	
Percentage of transfers resulting in pregnancies (%)	25.0	2 / 10	2 / 8	0 / 2	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	18	6	1	1	0	0
Number of transfers	17	6	1	1	0	0
Estimated average number of transfers per retrieval	2.1	6.0	0.5			
Average number of embryos transferred	1.6	1.7	3.0	1.0		
Percentage of embryos transferred resulting in implantation (%)	46.2	5 / 10		0 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	7 / 17	2 / 6	0 / 1	0 / 1		
Percentage of transfers resulting in singleton live births (%)	8 / 17	3 / 6	0 / 1	0 / 1		
Percentage of transfers resulting in twin live births (%)	2 / 17	1 / 6	0 / 1	0 / 1		
Percentage of transfers resulting in live births (%)	10 / 17	4 / 6	0 / 1	0 / 1		
Percentage of transfers resulting in pregnancies (%)	11 / 17	4 / 6	1 / 1	0 / 1		
Number of Egg/Embryo Banking Cycles						
	2	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	5			5		
Number of transfers	5			5		
Average number of embryos transferred	1.6			1.4		
Percentage of embryos transferred resulting in implantation (%)	7 / 8			2 / 7		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 5			2 / 5		
Percentage of transfers resulting in singleton live births (%)	3 / 5			2 / 5		
Percentage of transfers resulting in twin live births (%)	2 / 5			0 / 5		
Percentage of transfers resulting in live births (%)	5 / 5			2 / 5		
Percentage of transfers resulting in pregnancies (%)	5 / 5			2 / 5		

CURRENT SERVICES & PROFILE

Current Name: UF Health Reproductive Medicine at Springhill

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ASSISTED FERTILITY PROGRAM JACKSONVILLE, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Marwan M. Shaykh, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	81%	Tubal factor	8%	Uterine factor	0%	Multiple Factors: Female factors only 5% Female & male factors 16%
Unstimulated	0%	PGD/PGS	14%	Ovulatory dysfunction	19%	Male factor	30%	
Used gestational carrier	2%			Diminished ovarian reserve	21%	Other factor	20%	
				Endometriosis	1%	Unknown factor	23%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 80 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	25	4	7	3	1	2
Percentage of cancellations before retrieval (%)	0.0	0/4	0/7	0/3	0/1	0/2
Average number of embryos transferred	2.5	2.8	2.0	3.3	3.0	3.0
Percentage of embryos transferred resulting in implantation (%)	1/13	1/11	1/9	0/10	2/3	0/3
Percentage of elective single embryo transfers (eSET) (%)	0/6	0/4	0/4	0/3	0/1	0/1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	0.0	0/4	0/7	0/3	0/1	0/2
Percentage of cycles resulting in singleton live births (%)	0.0	1/4	0/7	0/3	1/1	0/2
Percentage of cycles resulting in twin live births (%)	0.0	0/4	0/7	0/3	0/1	0/2
Percentage of cycles resulting in live births (%)	0.0	1/4	0/7	0/3	1/1	0/2
Percentage of cycles resulting in pregnancies (%)	8.0	1/4	2/7	0/3	1/1	0/2
Outcomes per Transfer						
Number of transfers	6	4	5	3	1	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0/6	0/4	0/5	0/3	0/1	0/1
Percentage of transfers resulting in singleton live births (%)	0/6	1/4	0/5	0/3	1/1	0/1
Percentage of transfers resulting in twin live births (%)	0/6	0/4	0/5	0/3	0/1	0/1
Percentage of transfers resulting in live births (%)	0/6	1/4	0/5	0/3	1/1	0/1
Percentage of transfers resulting in pregnancies (%)	2/6	1/4	2/5	0/3	1/1	0/1
Frozen Embryos from Nondonor Eggs						
Number of cycles	29	1	3	0	0	0
Number of transfers	29	1	3	0	0	0
Estimated average number of transfers per retrieval	1.6		1.0			
Average number of embryos transferred	2.0	4.0	1.7			
Percentage of embryos transferred resulting in implantation (%)	11.5	0/4	1/5			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	10.3	0/1	1/3			
Percentage of transfers resulting in singleton live births (%)	13.8	0/1	1/3			
Percentage of transfers resulting in twin live births (%)	0.0	0/1	0/3			
Percentage of transfers resulting in live births (%)	13.8	0/1	1/3			
Percentage of transfers resulting in pregnancies (%)	24.1	0/1	1/3			
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		3			2	
Number of transfers		3			2	
Average number of embryos transferred		1.7			2.0	
Percentage of embryos transferred resulting in implantation (%)		5/5			3/4	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1/3			0/2	
Percentage of transfers resulting in singleton live births (%)		1/3			1/2	
Percentage of transfers resulting in twin live births (%)		2/3			1/2	
Percentage of transfers resulting in live births (%)		3/3			2/2	
Percentage of transfers resulting in pregnancies (%)		3/3			2/2	

CURRENT SERVICES & PROFILE

Current Name: Assisted Fertility Program

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BROWN FERTILITY JACKSONVILLE, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Samuel E. Brown, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	>99%	Tubal factor	14%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 14% Female & male factors 9%
Unstimulated	0%	PGD/PGS	7%	Ovulatory dysfunction	22%	Male factor	21%	
Used gestational carrier	2%			Diminished ovarian reserve	37%	Other factor	5%	
				Endometriosis	20%	Unknown factor	6%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 516 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	138	53	46	14	3	1
Percentage of cancellations before retrieval (%)	1.4	0.0	0.0	0 / 14	0 / 3	0 / 1
Average number of embryos transferred	1.3	2.0	2.0	2.2	3.0	4.0
Percentage of embryos transferred resulting in implantation (%)	47.3	42.5	24.7	1 / 19	0 / 6	0 / 4
Percentage of elective single embryo transfers (eSET) (%)	43.8	7.1	2.6	0 / 7	0 / 2	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	25.4	22.6	13.0	1 / 14	0 / 3	0 / 1
Percentage of cycles resulting in singleton live births (%)	34.8	26.4	21.7	1 / 14	0 / 3	0 / 1
Percentage of cycles resulting in twin live births (%)	4.3	15.1	4.3	0 / 14	0 / 3	0 / 1
Percentage of cycles resulting in live births (%)	39.1	41.5	26.1	1 / 14	0 / 3	0 / 1
Percentage of cycles resulting in pregnancies (%)	49.3	54.7	39.1	3 / 14	0 / 3	0 / 1
Outcomes per Transfer						
Number of transfers	116	48	41	10	2	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	30.2	25.0	14.6	1 / 10	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	41.4	29.2	24.4	1 / 10	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	5.2	16.7	4.9	0 / 10	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	46.6	45.8	29.3	1 / 10	0 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	58.6	60.4	43.9	3 / 10	0 / 2	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	95	44	34	7	5	1
Number of transfers	95	44	34	7	5	1
Estimated average number of transfers per retrieval	1.9	3.7	3.8	2.3	5.0	
Average number of embryos transferred	2.0	2.1	2.1	2.4	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	28.9	13.8	10.8	2 / 17	0 / 7	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	15.8	9.1	2.9	1 / 7	0 / 5	0 / 1
Percentage of transfers resulting in singleton live births (%)	21.1	18.2	2.9	2 / 7	0 / 5	0 / 1
Percentage of transfers resulting in twin live births (%)	9.5	2.3	2.9	0 / 7	0 / 5	0 / 1
Percentage of transfers resulting in live births (%)	30.5	20.5	5.9	2 / 7	0 / 5	0 / 1
Percentage of transfers resulting in pregnancies (%)	47.4	29.5	20.6	2 / 7	1 / 5	0 / 1
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		33			42	
Number of transfers		30			42	
Average number of embryos transferred		1.4			1.8	
Percentage of embryos transferred resulting in implantation (%)		63.4			20.3	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		40.0			14.3	
Percentage of transfers resulting in singleton live births (%)		46.7			19.0	
Percentage of transfers resulting in twin live births (%)		10.0			2.4	
Percentage of transfers resulting in live births (%)		56.7			21.4	
Percentage of transfers resulting in pregnancies (%)		73.3			35.7	

CURRENT SERVICES & PROFILE

Current Name: Brown Fertility

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FLORIDA INSTITUTE FOR REPRODUCTIVE MEDICINE JACKSONVILLE, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Kevin L. Winslow, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	87%	Tubal factor	14%	Uterine factor	4%	<i>Multiple Factors:</i> Female factors only 14% Female & male factors 30%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	22%	Male factor	53%	
Used gestational carrier	0%			Diminished ovarian reserve	24%	Other factor	9%	
				Endometriosis	19%	Unknown factor	4%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 945 (includes 38 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	158	66	44	16	5	1
Percentage of cancellations before retrieval (%)	3.2	0.0	2.3	2 / 16	0 / 5	0 / 1
Average number of embryos transferred	1.7	1.9	1.9	2.3	2.7	4.0
Percentage of embryos transferred resulting in implantation (%)	36.4	20.5	27.3	17.4	2 / 8	0 / 4
Percentage of elective single embryo transfers (eSET) (%)	22.8	16.2	4.8	0 / 9	0 / 3	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	8.9	15.2	13.6	1 / 16	1 / 5	0 / 1
Percentage of cycles resulting in singleton live births (%)	10.1	18.2	13.6	1 / 16	1 / 5	0 / 1
Percentage of cycles resulting in twin live births (%)	5.7	0.0	2.3	1 / 16	0 / 5	0 / 1
Percentage of cycles resulting in live births (%)	15.8	18.2	15.9	2 / 16	1 / 5	0 / 1
Percentage of cycles resulting in pregnancies (%)	18.4	19.7	25.0	3 / 16	2 / 5	0 / 1
Outcomes per Transfer						
Number of transfers	63	39	25	10	3	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	22.2	25.6	24.0	1 / 10	1 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	25.4	30.8	24.0	1 / 10	1 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	14.3	0.0	4.0	1 / 10	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	39.7	30.8	28.0	2 / 10	1 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)	46.0	33.3	44.0	3 / 10	2 / 3	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	228	105	63	21	5	2
Number of transfers	225	101	62	21	5	2
Estimated average number of transfers per retrieval	1.8	1.6	1.6	2.3	0.5	2.0
Average number of embryos transferred	1.6	1.6	1.6	1.7	1.6	2.0
Percentage of embryos transferred resulting in implantation (%)	48.6	38.1	34.0	32.4	1 / 6	1 / 4
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	25.3	25.7	27.4	19.0	1 / 5	1 / 2
Percentage of transfers resulting in singleton live births (%)	31.1	30.7	33.9	19.0	1 / 5	1 / 2
Percentage of transfers resulting in twin live births (%)	12.9	8.9	8.1	4.8	0 / 5	0 / 2
Percentage of transfers resulting in live births (%)	45.3	39.6	41.9	23.8	1 / 5	1 / 2
Percentage of transfers resulting in pregnancies (%)	60.4	51.5	48.4	38.1	2 / 5	1 / 2
Number of Egg/Embryo Banking Cycles						
	41	32	19	6	8	1
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		12		74		
Number of transfers		10		72		
Average number of embryos transferred		1.6		1.6		
Percentage of embryos transferred resulting in implantation (%)		9 / 16		36.5		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		5 / 10		18.1		
Percentage of transfers resulting in singleton live births (%)		6 / 10		26.4		
Percentage of transfers resulting in twin live births (%)		1 / 10		4.2		
Percentage of transfers resulting in live births (%)		7 / 10		30.6		
Percentage of transfers resulting in pregnancies (%)		8 / 10		51.4		

CURRENT SERVICES & PROFILE

Current Name: Florida Institute for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

JACKSONVILLE CENTER FOR REPRODUCTIVE MEDICINE JACKSONVILLE, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Michael D. Fox, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	38%	Tubal factor	7%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 0% Female & male factors 0%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	14%	Male factor	12%	
Used gestational carrier	<1%			Diminished ovarian reserve	29%	Other factor	5%	
				Endometriosis	30%	Unknown factor	0%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 309 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	62	36	31	9	3	5
Percentage of cancellations before retrieval (%)	6.5	5.6	22.6	4 / 9	1 / 3	0 / 5
Average number of embryos transferred	1.8	1.7	1.4	3.0		1.3
Percentage of embryos transferred resulting in implantation (%)	32.8	43.2	35.0	0 / 9		0 / 4
Percentage of elective single embryo transfers (eSET) (%)	7.4	18.2	2 / 8	0 / 3		0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	14.5	25.0	12.9	0 / 9	0 / 3	0 / 5
Percentage of cycles resulting in singleton live births (%)	17.7	27.8	12.9	0 / 9	0 / 3	0 / 5
Percentage of cycles resulting in twin live births (%)	4.8	11.1	3.2	0 / 9	0 / 3	0 / 5
Percentage of cycles resulting in live births (%)	22.6	38.9	16.1	0 / 9	0 / 3	0 / 5
Percentage of cycles resulting in pregnancies (%)	25.8	38.9	19.4	0 / 9	0 / 3	0 / 5
Outcomes per Transfer						
Number of transfers	33	26	14	3	0	3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	27.3	34.6	4 / 14	0 / 3		0 / 3
Percentage of transfers resulting in singleton live births (%)	33.3	38.5	4 / 14	0 / 3		0 / 3
Percentage of transfers resulting in twin live births (%)	9.1	15.4	1 / 14	0 / 3		0 / 3
Percentage of transfers resulting in live births (%)	42.4	53.8	5 / 14	0 / 3		0 / 3
Percentage of transfers resulting in pregnancies (%)	48.5	53.8	6 / 14	0 / 3		0 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	53	25	15	7	2	4
Number of transfers	47	23	14	7	2	3
Estimated average number of transfers per retrieval	1.5	1.4	1.4	0.8	1.0	
Average number of embryos transferred	1.6	1.6	1.5	1.3	1.5	1.7
Percentage of embryos transferred resulting in implantation (%)	31.9	17.1	3 / 19	1 / 9	0 / 3	2 / 5
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	14.9	8.7	2 / 14	1 / 7	0 / 2	1 / 3
Percentage of transfers resulting in singleton live births (%)	23.4	8.7	2 / 14	1 / 7	0 / 2	2 / 3
Percentage of transfers resulting in twin live births (%)	8.5	4.3	0 / 14	0 / 7	0 / 2	0 / 3
Percentage of transfers resulting in live births (%)	31.9	13.0	2 / 14	1 / 7	0 / 2	2 / 3
Percentage of transfers resulting in pregnancies (%)	40.4	26.1	4 / 14	1 / 7	0 / 2	2 / 3
Number of Egg/Embryo Banking Cycles						
	13	5	5	4	1	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		13			16	
Number of transfers		10			15	
Average number of embryos transferred		1.9			1.5	
Percentage of embryos transferred resulting in implantation (%)		10 / 19			27.3	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		2 / 10			2 / 15	
Percentage of transfers resulting in singleton live births (%)		2 / 10			3 / 15	
Percentage of transfers resulting in twin live births (%)		4 / 10			0 / 15	
Percentage of transfers resulting in live births (%)		6 / 10			3 / 15	
Percentage of transfers resulting in pregnancies (%)		6 / 10			5 / 15	

CURRENT SERVICES & PROFILE

Current Name: Jacksonville Center for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE LUTZ, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Stephen W. Welden, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	0%	Tubal factor	15%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 8% Female & male factors 23%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	15%	Male factor	31%	
Used gestational carrier	0%			Diminished ovarian reserve	8%	Other factor	39%	
				Endometriosis	15%	Unknown factor	15%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 13 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	3	5	1	0	1	0
Percentage of cancellations before retrieval (%)	0 / 3	1 / 5	0 / 1		0 / 1	
Average number of embryos transferred	2.0	2.3	2.0		3.0	
Percentage of embryos transferred resulting in implantation (%)	3 / 6	2 / 6	0 / 2		0 / 3	
Percentage of elective single embryo transfers (eSET) (%)	0 / 3	0 / 4	0 / 1		0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	0 / 3	0 / 5	0 / 1		0 / 1	
Percentage of cycles resulting in singleton live births (%)	1 / 3	0 / 5	0 / 1		0 / 1	
Percentage of cycles resulting in twin live births (%)	0 / 3	1 / 5	0 / 1		0 / 1	
Percentage of cycles resulting in live births (%)	1 / 3	1 / 5	0 / 1		0 / 1	
Percentage of cycles resulting in pregnancies (%)	2 / 3	2 / 5	0 / 1		0 / 1	
Outcomes per Transfer						
Number of transfers	3	4	1	0	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 3	0 / 4	0 / 1		0 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 3	0 / 4	0 / 1		0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 3	1 / 4	0 / 1		0 / 1	
Percentage of transfers resulting in live births (%)	1 / 3	1 / 4	0 / 1		0 / 1	
Percentage of transfers resulting in pregnancies (%)	2 / 3	2 / 4	0 / 1		0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	2	0	0	0	0
Number of transfers	0	2	0	0	0	0
Estimated average number of transfers per retrieval		0.7				
Average number of embryos transferred		3.0				
Percentage of embryos transferred resulting in implantation (%)		0 / 6				
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 2				
Percentage of transfers resulting in singleton live births (%)		0 / 2				
Percentage of transfers resulting in twin live births (%)		0 / 2				
Percentage of transfers resulting in live births (%)		0 / 2				
Percentage of transfers resulting in pregnancies (%)		0 / 2				
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			1		
Number of transfers	0			1		
Average number of embryos transferred				2.0		
Percentage of embryos transferred resulting in implantation (%)				0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				0 / 1		
Percentage of transfers resulting in singleton live births (%)				0 / 1		
Percentage of transfers resulting in twin live births (%)				0 / 1		
Percentage of transfers resulting in live births (%)				0 / 1		
Percentage of transfers resulting in pregnancies (%)				0 / 1		

CURRENT SERVICES & PROFILE

Current Name: Center for Reproductive Medicine

Donor eggs?	No	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	No	Embryo cryopreservation?	No	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF ORLANDO MAITLAND, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Milton McNichol, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	62%	Tubal factor	24%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 39% Female & male factors 18%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	43%	Male factor	22%	
Used gestational carrier	0%			Diminished ovarian reserve	31%	Other factor	2%	
				Endometriosis	35%	Unknown factor	8%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 58 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	14	7	4	2	1	1
Percentage of cancellations before retrieval (%)	1 / 14	0 / 7	1 / 4	0 / 2	0 / 1	1 / 1
Average number of embryos transferred	2.2	2.7	2.7	5.0		
Percentage of embryos transferred resulting in implantation (%)	30.8	4 / 16	1 / 8	1 / 10		
Percentage of elective single embryo transfers (eSET) (%)	1 / 12	0 / 6	0 / 2	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	3 / 14	2 / 7	1 / 4	1 / 2	0 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)	3 / 14	2 / 7	1 / 4	1 / 2	0 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)	2 / 14	1 / 7	0 / 4	0 / 2	0 / 1	0 / 1
Percentage of cycles resulting in live births (%)	5 / 14	3 / 7	1 / 4	1 / 2	0 / 1	0 / 1
Percentage of cycles resulting in pregnancies (%)	6 / 14	3 / 7	1 / 4	1 / 2	0 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	12	6	3	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 12	2 / 6	1 / 3	1 / 2		
Percentage of transfers resulting in singleton live births (%)	3 / 12	2 / 6	1 / 3	1 / 2		
Percentage of transfers resulting in twin live births (%)	2 / 12	1 / 6	0 / 3	0 / 2		
Percentage of transfers resulting in live births (%)	5 / 12	3 / 6	1 / 3	1 / 2		
Percentage of transfers resulting in pregnancies (%)	6 / 12	3 / 6	1 / 3	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	10	4	0	0	1	0
Number of transfers	10	3	0	0	1	0
Estimated average number of transfers per retrieval	1.7	1.0	0.0		1.0	
Average number of embryos transferred	2.1	2.0			5.0	
Percentage of embryos transferred resulting in implantation (%)	33.3	1 / 6			0 / 5	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 10	1 / 3			0 / 1	
Percentage of transfers resulting in singleton live births (%)	5 / 10	1 / 3			0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 10	0 / 3			0 / 1	
Percentage of transfers resulting in live births (%)	5 / 10	1 / 3			0 / 1	
Percentage of transfers resulting in pregnancies (%)	7 / 10	1 / 3			0 / 1	
Number of Egg/Embryo Banking Cycles						
	2	3	2	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	5			2		
Number of transfers	5			2		
Average number of embryos transferred	2.0			1.5		
Percentage of embryos transferred resulting in implantation (%)	5 / 10			0 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 5			0 / 2		
Percentage of transfers resulting in singleton live births (%)	1 / 5			0 / 2		
Percentage of transfers resulting in twin live births (%)	1 / 5			0 / 2		
Percentage of transfers resulting in live births (%)	2 / 5			0 / 2		
Percentage of transfers resulting in pregnancies (%)	4 / 5			0 / 2		

CURRENT SERVICES & PROFILE

Current Name: Fertility Center of Orlando

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF FLORIDA REPRODUCTIVE ASSOCIATES MARGATE, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by David I. Hoffman, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	55%	Tubal factor	17%	Uterine factor	4%	<i>Multiple Factors:</i> Female factors only 11% Female & male factors 11%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	15%	Male factor	34%	
Used gestational carrier	2%			Diminished ovarian reserve	25%	Other factor	16%	
				Endometriosis	7%	Unknown factor	7%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 1,290 (includes 90 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	221	132	131	91	29	14
Percentage of cancellations before retrieval (%)	5.9	12.1	14.5	25.3	37.9	2 / 14
Average number of embryos transferred	1.6	1.9	2.2	2.7	3.3	2.9
Percentage of embryos transferred resulting in implantation (%)	36.3	23.5	19.2	4.5	2.2	0.0
Percentage of elective single embryo transfers (eSET) (%)	36.0	13.8	3.6	0.0	0 / 12	0 / 7
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	22.2	17.4	12.2	3.3	0.0	0 / 14
Percentage of cycles resulting in singleton live births (%)	27.6	22.7	13.7	4.4	0.0	0 / 14
Percentage of cycles resulting in twin live births (%)	6.3	3.0	6.1	0.0	0.0	0 / 14
Percentage of cycles resulting in live births (%)	33.9	25.8	19.8	4.4	0.0	0 / 14
Percentage of cycles resulting in pregnancies (%)	37.6	29.5	23.7	9.9	3.4	0 / 14
Outcomes per Transfer						
Number of transfers	167	100	96	52	14	9
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	29.3	23.0	16.7	5.8	0 / 14	0 / 9
Percentage of transfers resulting in singleton live births (%)	36.5	30.0	18.8	7.7	0 / 14	0 / 9
Percentage of transfers resulting in twin live births (%)	8.4	4.0	8.3	0.0	0 / 14	0 / 9
Percentage of transfers resulting in live births (%)	44.9	34.0	27.1	7.7	0 / 14	0 / 9
Percentage of transfers resulting in pregnancies (%)	49.7	39.0	32.3	17.3	1 / 14	0 / 9
Frozen Embryos from Nondonor Eggs						
Number of cycles	170	74	46	28	16	2
Number of transfers	161	70	44	27	10	1
Estimated average number of transfers per retrieval	1.3	1.3	0.7	0.7	0.5	0.2
Average number of embryos transferred	1.5	1.5	1.5	1.8	1.7	1.0
Percentage of embryos transferred resulting in implantation (%)	45.8	36.7	26.7	25.0	4 / 15	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	28.0	34.3	20.5	29.6	3 / 10	0 / 1
Percentage of transfers resulting in singleton live births (%)	34.2	37.1	20.5	37.0	3 / 10	0 / 1
Percentage of transfers resulting in twin live births (%)	10.6	5.7	2.3	0.0	0 / 10	0 / 1
Percentage of transfers resulting in live births (%)	44.7	42.9	22.7	37.0	3 / 10	0 / 1
Percentage of transfers resulting in pregnancies (%)	55.9	48.6	40.9	51.9	5 / 10	0 / 1
Number of Egg/Embryo Banking Cycles						
	48	28	46	30	19	6
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		28			41	
Number of transfers		21			38	
Average number of embryos transferred		1.7			1.4	
Percentage of embryos transferred resulting in implantation (%)		29.0			31.1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		14.3			26.3	
Percentage of transfers resulting in singleton live births (%)		23.8			31.6	
Percentage of transfers resulting in twin live births (%)		4.8			0.0	
Percentage of transfers resulting in live births (%)		28.6			31.6	
Percentage of transfers resulting in pregnancies (%)		42.9			50.0	

CURRENT SERVICES & PROFILE

Current Name: IVF Florida Reproductive Associates

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

VIERA FERTILITY CENTER FERTILITY AND REPRODUCTIVE MEDICINE CENTER FOR WOMEN MELBOURNE, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Diran Chamoun, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	38%	Tubal factor	31%	Uterine factor	9%	<i>Multiple Factors:</i> Female factors only 22% Female & male factors 31%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	24%	Male factor	52%	
Used gestational carrier	2%			Diminished ovarian reserve	29%	Other factor	7%	
				Endometriosis	16%	Unknown factor	2%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 73 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	28	8	11	4	4	3
Percentage of cancellations before retrieval (%)	3.6	0 / 8	0 / 11	0 / 4	0 / 4	0 / 3
Average number of embryos transferred	1.8	2.0	1.8	2.0	3.0	1.0
Percentage of embryos transferred resulting in implantation (%)	39.5	2 / 10	3 / 16	0 / 8	0 / 12	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	18.2	0 / 5	0 / 5	0 / 2	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	21.4	1 / 8	1 / 11	0 / 4	0 / 4	0 / 3
Percentage of cycles resulting in singleton live births (%)	25.0	2 / 8	1 / 11	0 / 4	0 / 4	0 / 3
Percentage of cycles resulting in twin live births (%)	10.7	0 / 8	1 / 11	0 / 4	0 / 4	0 / 3
Percentage of cycles resulting in live births (%)	35.7	2 / 8	2 / 11	0 / 4	0 / 4	0 / 3
Percentage of cycles resulting in pregnancies (%)	50.0	3 / 8	2 / 11	0 / 4	0 / 4	0 / 3
Outcomes per Transfer						
Number of transfers	23	6	9	4	4	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	26.1	1 / 6	1 / 9	0 / 4	0 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	30.4	2 / 6	1 / 9	0 / 4	0 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	13.0	0 / 6	1 / 9	0 / 4	0 / 4	0 / 2
Percentage of transfers resulting in live births (%)	43.5	2 / 6	2 / 9	0 / 4	0 / 4	0 / 2
Percentage of transfers resulting in pregnancies (%)	60.9	3 / 6	2 / 9	0 / 4	0 / 4	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	2	0	0	0	0
Number of transfers	5	2	0	0	0	0
Estimated average number of transfers per retrieval	0.8	0.7		0.0		
Average number of embryos transferred	1.4	2.5				
Percentage of embryos transferred resulting in implantation (%)	0 / 7	0 / 5				
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 5	0 / 2				
Percentage of transfers resulting in singleton live births (%)	0 / 5	0 / 2				
Percentage of transfers resulting in twin live births (%)	0 / 5	0 / 2				
Percentage of transfers resulting in live births (%)	0 / 5	0 / 2				
Percentage of transfers resulting in pregnancies (%)	0 / 5	0 / 2				
Number of Egg/Embryo Banking Cycles						
	1	0	0	1	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	2			0		
Number of transfers	1			0		
Average number of embryos transferred	1.0					
Percentage of embryos transferred resulting in implantation (%)	0 / 1					
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 1					
Percentage of transfers resulting in singleton live births (%)	0 / 1					
Percentage of transfers resulting in twin live births (%)	0 / 1					
Percentage of transfers resulting in live births (%)	0 / 1					
Percentage of transfers resulting in pregnancies (%)	0 / 1					

CURRENT SERVICES & PROFILE

Current Name: Viera Fertility Center, Fertility and Reproductive Medicine Center for Women

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CONCEPTIONS FLORIDA: CENTER FOR FERTILITY AND GENETICS MIAMI, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Armando E. Hernandez-Rey, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	26%	Tubal factor	13%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 2% Female & male factors 9%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	6%	Male factor	25%	
Used gestational carrier	0%			Diminished ovarian reserve	43%	Other factor	13%	
				Endometriosis	5%	Unknown factor	4%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 154 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	40	23	13	8	4	0
Percentage of cancellations before retrieval (%)	10.0	8.7	6 / 13	1 / 8	1 / 4	
Average number of embryos transferred	1.9	1.9	2.0	2.3	2.0	
Percentage of embryos transferred resulting in implantation (%)	28.9	3 / 15	2 / 8	2 / 9	0 / 4	
Percentage of elective single embryo transfers (eSET) (%)	5.0	0 / 7	0 / 5	0 / 4	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	17.5	4.3	0 / 13	1 / 8	0 / 4	
Percentage of cycles resulting in singleton live births (%)	20.0	4.3	0 / 13	2 / 8	0 / 4	
Percentage of cycles resulting in twin live births (%)	2.5	0.0	1 / 13	0 / 8	0 / 4	
Percentage of cycles resulting in live births (%)	22.5	4.3	1 / 13	2 / 8	0 / 4	
Percentage of cycles resulting in pregnancies (%)	30.0	8.7	2 / 13	2 / 8	0 / 4	
Outcomes per Transfer						
Number of transfers	22	8	5	4	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	31.8	1 / 8	0 / 5	1 / 4	0 / 2	
Percentage of transfers resulting in singleton live births (%)	36.4	1 / 8	0 / 5	2 / 4	0 / 2	
Percentage of transfers resulting in twin live births (%)	4.5	0 / 8	1 / 5	0 / 4	0 / 2	
Percentage of transfers resulting in live births (%)	40.9	1 / 8	1 / 5	2 / 4	0 / 2	
Percentage of transfers resulting in pregnancies (%)	54.5	2 / 8	2 / 5	2 / 4	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	15	6	6	4	2	0
Number of transfers	14	6	6	4	0	0
Estimated average number of transfers per retrieval	0.9	0.8	0.8	1.3		
Average number of embryos transferred	1.8	1.5	1.7	1.5		
Percentage of embryos transferred resulting in implantation (%)	40.0	1 / 7	6 / 10	1 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	6 / 14	1 / 6	3 / 6	1 / 4		
Percentage of transfers resulting in singleton live births (%)	6 / 14	1 / 6	4 / 6	1 / 4		
Percentage of transfers resulting in twin live births (%)	2 / 14	0 / 6	1 / 6	0 / 4		
Percentage of transfers resulting in live births (%)	8 / 14	1 / 6	5 / 6	1 / 4		
Percentage of transfers resulting in pregnancies (%)	8 / 14	2 / 6	5 / 6	2 / 4		
Number of Egg/Embryo Banking Cycles	5	1	5	1	0	0
Donor Eggs		Fresh Embryos^f		Frozen Embryos^f		
Number of cycles		17		4		
Number of transfers		16		4		
Average number of embryos transferred		1.9		2.0		
Percentage of embryos transferred resulting in implantation (%)		34.8		4 / 8		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		2 / 16		0 / 4		
Percentage of transfers resulting in singleton live births (%)		3 / 16		1 / 4		
Percentage of transfers resulting in twin live births (%)		2 / 16		1 / 4		
Percentage of transfers resulting in live births (%)		5 / 16		2 / 4		
Percentage of transfers resulting in pregnancies (%)		10 / 16		3 / 4		

CURRENT SERVICES & PROFILE

Current Name: Conceptions Florida: Center for Fertility and Genetics

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Pending
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY & IVF CENTER OF MIAMI, INC. MIAMI, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Michael H. Jacobs, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	78%	Tubal factor	11%	Uterine factor	9%	<i>Multiple Factors:</i> Female factors only 23% Female & male factors 27%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	12%	Male factor	37%	
Used gestational carrier	<1%			Diminished ovarian reserve	35%	Other factor	57%	
				Endometriosis	7%	Unknown factor	0%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 674 (includes 12 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	52	27	40	28	20	9
Percentage of cancellations before retrieval (%)	11.5	7.4	22.5	21.4	25.0	4 / 9
Average number of embryos transferred	1.7	1.9	2.1	2.4	2.5	1.5
Percentage of embryos transferred resulting in implantation (%)	33.3	13.3	22.0	15.4	2 / 10	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	24.1	1 / 16	0 / 16	2 / 11	0 / 3	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	11.5	11.1	5.0	3.6	0.0	0 / 9
Percentage of cycles resulting in singleton live births (%)	15.4	11.1	7.5	3.6	0.0	0 / 9
Percentage of cycles resulting in twin live births (%)	1.9	0.0	2.5	0.0	0.0	0 / 9
Percentage of cycles resulting in live births (%)	17.3	11.1	10.0	7.1	0.0	0 / 9
Percentage of cycles resulting in pregnancies (%)	26.9	14.8	15.0	7.1	10.0	0 / 9
Outcomes per Transfer						
Number of transfers	31	17	20	11	4	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	19.4	3 / 17	10.0	1 / 11	0 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	25.8	3 / 17	15.0	1 / 11	0 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	3.2	0 / 17	5.0	0 / 11	0 / 4	0 / 2
Percentage of transfers resulting in live births (%)	29.0	3 / 17	20.0	2 / 11	0 / 4	0 / 2
Percentage of transfers resulting in pregnancies (%)	45.2	4 / 17	30.0	2 / 11	2 / 4	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	93	76	45	18	13	12
Number of transfers	90	72	45	18	12	12
Estimated average number of transfers per retrieval	1.3	1.1	0.8	0.6	0.8	1.2
Average number of embryos transferred	1.5	1.7	1.5	1.3	1.8	1.8
Percentage of embryos transferred resulting in implantation (%)	42.4	49.2	34.8	50.0	50.0	27.3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	24.4	31.9	26.7	7 / 18	4 / 12	2 / 12
Percentage of transfers resulting in singleton live births (%)	26.7	37.5	37.8	9 / 18	5 / 12	2 / 12
Percentage of transfers resulting in twin live births (%)	13.3	13.9	0.0	1 / 18	2 / 12	1 / 12
Percentage of transfers resulting in live births (%)	40.0	51.4	37.8	10 / 18	7 / 12	3 / 12
Percentage of transfers resulting in pregnancies (%)	47.8	59.7	46.7	11 / 18	8 / 12	4 / 12
Number of Egg/Embryo Banking Cycles						
	54	52	48	25	12	8
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		15			15	
Number of transfers		12			14	
Average number of embryos transferred		2.0			1.8	
Percentage of embryos transferred resulting in implantation (%)		41.7			56.0	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 12			5 / 14	
Percentage of transfers resulting in singleton live births (%)		2 / 12			5 / 14	
Percentage of transfers resulting in twin live births (%)		2 / 12			4 / 14	
Percentage of transfers resulting in live births (%)		4 / 12			9 / 14	
Percentage of transfers resulting in pregnancies (%)		7 / 12			10 / 14	

CURRENT SERVICES & PROFILE

Current Name: Fertility & IVF Center of Miami, Inc.

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF MIAMI INFERTILITY CENTER MIAMI, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by George R. Attia, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	90%	Tubal factor	24%	Uterine factor	2%	Multiple Factors: Female factors only 9% Female & male factors 12%
Unstimulated	0%	PGD/PGS	11%	Ovulatory dysfunction	3%	Male factor	33%	
Used gestational carrier	0%			Diminished ovarian reserve	41%	Other factor	6%	
				Endometriosis	2%	Unknown factor	11%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 203 (includes 8 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	49	31	36	19	5	1
Percentage of cancellations before retrieval (%)	2.0	6.5	22.2	1 / 19	1 / 5	0 / 1
Average number of embryos transferred	2.0	1.9	2.2	2.4	3.0	3.0
Percentage of embryos transferred resulting in implantation (%)	31.7	35.6	16.3	12.9	0 / 9	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	5.1	13.6	4.8	0 / 11	0 / 4	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	16.3	19.4	11.1	1 / 19	0 / 5	0 / 1
Percentage of cycles resulting in singleton live births (%)	24.5	22.6	16.7	2 / 19	0 / 5	0 / 1
Percentage of cycles resulting in twin live births (%)	12.2	12.9	0.0	1 / 19	0 / 5	0 / 1
Percentage of cycles resulting in live births (%)	36.7	35.5	16.7	3 / 19	0 / 5	0 / 1
Percentage of cycles resulting in pregnancies (%)	40.8	41.9	22.2	3 / 19	1 / 5	0 / 1
Outcomes per Transfer						
Number of transfers	44	25	22	13	4	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	18.2	24.0	18.2	1 / 13	0 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	27.3	28.0	27.3	2 / 13	0 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	13.6	16.0	0.0	1 / 13	0 / 4	0 / 1
Percentage of transfers resulting in live births (%)	40.9	44.0	27.3	3 / 13	0 / 4	0 / 1
Percentage of transfers resulting in pregnancies (%)	45.5	52.0	36.4	3 / 13	1 / 4	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	14	4	4	2	0	0
Number of transfers	13	4	3	2	0	0
Estimated average number of transfers per retrieval	1.2	0.5	0.8	0.3	0.0	
Average number of embryos transferred	1.9	1.8	1.3	1.0		
Percentage of embryos transferred resulting in implantation (%)	43.5	3 / 7	2 / 4	0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 13	1 / 4	0 / 3	0 / 2		
Percentage of transfers resulting in singleton live births (%)	5 / 13	2 / 4	0 / 3	0 / 2		
Percentage of transfers resulting in twin live births (%)	2 / 13	0 / 4	1 / 3	0 / 2		
Percentage of transfers resulting in live births (%)	7 / 13	2 / 4	1 / 3	0 / 2		
Percentage of transfers resulting in pregnancies (%)	9 / 13	2 / 4	1 / 3	0 / 2		
Number of Egg/Embryo Banking Cycles						
	4	6	3	6	1	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	4			6		
Number of transfers	3			5		
Average number of embryos transferred	1.7			1.8		
Percentage of embryos transferred resulting in implantation (%)	3 / 5			2 / 7		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 3			1 / 5		
Percentage of transfers resulting in singleton live births (%)	1 / 3			1 / 5		
Percentage of transfers resulting in twin live births (%)	1 / 3			0 / 5		
Percentage of transfers resulting in live births (%)	2 / 3			1 / 5		
Percentage of transfers resulting in pregnancies (%)	2 / 3			3 / 5		

CURRENT SERVICES & PROFILE

Current Name: University of Miami Infertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE, PA ORLANDO, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Randall A. Loy, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	62%	Tubal factor	13%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 8% Female & male factors 6%
Unstimulated	<1%	PGD/PGS	<1%	Ovulatory dysfunction	33%	Male factor	20%	
Used gestational carrier	2%			Diminished ovarian reserve	20%	Other factor	11%	
				Endometriosis	12%	Unknown factor	4%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 1,183 (includes 84 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	187	100	73	31	15	4
Percentage of cancellations before retrieval (%)	6.4	17.0	21.9	25.8	7 / 15	0 / 4
Average number of embryos transferred	1.5	1.6	1.7	2.6	2.5	
Percentage of embryos transferred resulting in implantation (%)	53.6	33.3	15.2	9.5	0 / 5	
Percentage of elective single embryo transfers (eSET) (%)	40.5	3 / 15	1 / 14	0 / 7	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	9.6	6.0	2.7	0.0	0 / 15	0 / 4
Percentage of cycles resulting in singleton live births (%)	11.2	6.0	4.1	0.0	0 / 15	0 / 4
Percentage of cycles resulting in twin live births (%)	3.2	2.0	0.0	3.2	0 / 15	0 / 4
Percentage of cycles resulting in live births (%)	14.4	8.0	4.1	3.2	0 / 15	0 / 4
Percentage of cycles resulting in pregnancies (%)	16.0	9.0	6.8	3.2	0 / 15	0 / 4
Outcomes per Transfer						
Number of transfers	48	21	21	8	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	37.5	28.6	9.5	0 / 8	0 / 2	
Percentage of transfers resulting in singleton live births (%)	43.8	28.6	14.3	0 / 8	0 / 2	
Percentage of transfers resulting in twin live births (%)	12.5	9.5	0.0	1 / 8	0 / 2	
Percentage of transfers resulting in live births (%)	56.3	38.1	14.3	1 / 8	0 / 2	
Percentage of transfers resulting in pregnancies (%)	62.5	42.9	23.8	1 / 8	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	198	129	73	38	10	3
Number of transfers	174	110	56	32	8	2
Estimated average number of transfers per retrieval	1.3	1.3	0.9	0.9	1.0	1.0
Average number of embryos transferred	1.5	1.4	1.6	1.5	1.6	4.0
Percentage of embryos transferred resulting in implantation (%)	52.6	43.3	33.3	38.5	3 / 13	0 / 8
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	35.1	34.5	23.2	28.1	3 / 8	0 / 2
Percentage of transfers resulting in singleton live births (%)	39.1	36.4	30.4	34.4	3 / 8	0 / 2
Percentage of transfers resulting in twin live births (%)	12.6	6.4	5.4	6.3	0 / 8	0 / 2
Percentage of transfers resulting in live births (%)	52.3	42.7	35.7	40.6	3 / 8	0 / 2
Percentage of transfers resulting in pregnancies (%)	62.6	55.5	46.4	53.1	3 / 8	0 / 2
Number of Egg/Embryo Banking Cycles						
	42	41	42	29	6	2
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		8			68	
Number of transfers		1			56	
Average number of embryos transferred		1.0			1.5	
Percentage of embryos transferred resulting in implantation (%)		1 / 1			38.0	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 1			26.8	
Percentage of transfers resulting in singleton live births (%)		1 / 1			35.7	
Percentage of transfers resulting in twin live births (%)		0 / 1			5.4	
Percentage of transfers resulting in live births (%)		1 / 1			41.1	
Percentage of transfers resulting in pregnancies (%)		1 / 1			50.0	

CURRENT SERVICES & PROFILE

Current Name: Center for Reproductive Medicine, PA

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE INSTITUTE ORLANDO, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Fernando L. Gomez, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	77%	Tubal factor	39%	Uterine factor	0%	Multiple Factors: Female factors only 44% Female & male factors 28%
Unstimulated	3%	PGD/PGS	6%	Ovulatory dysfunction	74%	Male factor	37%	
Used gestational carrier	0%			Diminished ovarian reserve	4%	Other factor	54%	
				Endometriosis	4%	Unknown factor	2%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 47 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	14	4	10	3	4	0
Percentage of cancellations before retrieval (%)	2 / 14	0 / 4	1 / 10	0 / 3	2 / 4	
Average number of embryos transferred	2.0	2.0	2.2	2.7	4.0	
Percentage of embryos transferred resulting in implantation (%)	45.0	1 / 4	1 / 13	0 / 8	0 / 8	
Percentage of elective single embryo transfers (eSET) (%)	2 / 10	0 / 2	0 / 5	0 / 2	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	0 / 14	0 / 4	0 / 10	0 / 3	0 / 4	
Percentage of cycles resulting in singleton live births (%)	4 / 14	1 / 4	1 / 10	0 / 3	0 / 4	
Percentage of cycles resulting in twin live births (%)	2 / 14	0 / 4	0 / 10	0 / 3	0 / 4	
Percentage of cycles resulting in live births (%)	6 / 14	1 / 4	1 / 10	0 / 3	0 / 4	
Percentage of cycles resulting in pregnancies (%)	7 / 14	1 / 4	1 / 10	0 / 3	0 / 4	
Outcomes per Transfer						
Number of transfers	10	2	6	3	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 10	0 / 2	0 / 6	0 / 3	0 / 2	
Percentage of transfers resulting in singleton live births (%)	4 / 10	1 / 2	1 / 6	0 / 3	0 / 2	
Percentage of transfers resulting in twin live births (%)	2 / 10	0 / 2	0 / 6	0 / 3	0 / 2	
Percentage of transfers resulting in live births (%)	6 / 10	1 / 2	1 / 6	0 / 3	0 / 2	
Percentage of transfers resulting in pregnancies (%)	7 / 10	1 / 2	1 / 6	0 / 3	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	0	1	1	0	0
Number of transfers	2	0	1	1	0	0
Estimated average number of transfers per retrieval	2.0	0.0		1.0		
Average number of embryos transferred	2.0		2.0	3.0		
Percentage of embryos transferred resulting in implantation (%)	0 / 4		1 / 2	0 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 2		0 / 1	0 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 2		1 / 1	0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 2		0 / 1	0 / 1		
Percentage of transfers resulting in live births (%)	0 / 2		1 / 1	0 / 1		
Percentage of transfers resulting in pregnancies (%)	0 / 2		1 / 1	0 / 1		
Number of Egg/Embryo Banking Cycles						
	0	1	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	5			2		
Number of transfers	5			2		
Average number of embryos transferred	2.0			2.5		
Percentage of embryos transferred resulting in implantation (%)	5 / 10			1 / 5		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 5			0 / 2		
Percentage of transfers resulting in singleton live births (%)	4 / 5			0 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 5			0 / 2		
Percentage of transfers resulting in live births (%)	4 / 5			0 / 2		
Percentage of transfers resulting in pregnancies (%)	5 / 5			1 / 2		

CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine Institute

Donor eggs?	No	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW LEADERS IN FERTILITY & ENDOCRINOLOGY, LLC PENSACOLA, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Barry A. Ripps, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	91%	Tubal factor	23%	Uterine factor	<1%	<i>Multiple Factors:</i> Female factors only 11% Female & male factors 16%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	8%	Male factor	41%	
Used gestational carrier	0%			Diminished ovarian reserve	30%	Other factor	4%	
				Endometriosis	15%	Unknown factor	8%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 256 (includes 14 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	124	41	36	5	4	2
Percentage of cancellations before retrieval (%)	8.1	2.4	11.1	0 / 5	1 / 4	0 / 2
Average number of embryos transferred	1.6	1.8	2.0	2.0	1.5	1.0
Percentage of embryos transferred resulting in implantation (%)	44.8	41.3	42.9	0 / 4	0 / 2	0 / 1
Percentage of elective single embryo transfers (eSET) (%)	28.6	10.0	0 / 18	0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	24.2	26.8	8.3	0 / 5	0 / 4	0 / 2
Percentage of cycles resulting in singleton live births (%)	26.6	29.3	13.9	0 / 5	0 / 4	0 / 2
Percentage of cycles resulting in twin live births (%)	11.3	7.3	13.9	0 / 5	0 / 4	0 / 2
Percentage of cycles resulting in live births (%)	37.9	36.6	27.8	0 / 5	0 / 4	0 / 2
Percentage of cycles resulting in pregnancies (%)	45.2	39.0	44.4	0 / 5	1 / 4	0 / 2
Outcomes per Transfer						
Number of transfers	98	26	25	2	2	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	30.6	42.3	12.0	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	33.7	46.2	20.0	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	14.3	11.5	20.0	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	48.0	57.7	40.0	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	57.1	61.5	64.0	0 / 2	1 / 2	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	19	7	1	0	0	0
Number of transfers	18	6	1	0	0	0
Estimated average number of transfers per retrieval	1.3	3.0	0.3			
Average number of embryos transferred	1.8	1.2	2.0			
Percentage of embryos transferred resulting in implantation (%)	50.0	3 / 7	0 / 2			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	7 / 18	2 / 6	0 / 1			
Percentage of transfers resulting in singleton live births (%)	7 / 18	3 / 6	0 / 1			
Percentage of transfers resulting in twin live births (%)	4 / 18	0 / 6	0 / 1			
Percentage of transfers resulting in live births (%)	11 / 18	3 / 6	0 / 1			
Percentage of transfers resulting in pregnancies (%)	13 / 18	3 / 6	0 / 1			
Number of Egg/Embryo Banking Cycles						
	2	0	1	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

CURRENT SERVICES & PROFILE

Current Name: New Leaders in Fertility & Endocrinology, LLC

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY & GENETICS PLANTATION, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Mick Abaé, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	66%	Tubal factor	27%	Uterine factor	36%	<i>Multiple Factors:</i> Female factors only 29% Female & male factors 57%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	22%	Male factor	63%	
Used gestational carrier	0%			Diminished ovarian reserve	55%	Other factor	23%	
				Endometriosis	11%	Unknown factor	0%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 217 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	26	22	29	21	3	3
Percentage of cancellations before retrieval (%)	0.0	13.6	24.1	23.8	1 / 3	2 / 3
Average number of embryos transferred	1.7	1.5	1.9	1.7	2.0	
Percentage of embryos transferred resulting in implantation (%)	37.5	3 / 16	24.1	3 / 15	0 / 2	
Percentage of elective single embryo transfers (eSET) (%)	2 / 12	0 / 5	0 / 15	1 / 7	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	15.4	9.1	3.4	4.8	0 / 3	0 / 3
Percentage of cycles resulting in singleton live births (%)	15.4	9.1	3.4	9.5	0 / 3	0 / 3
Percentage of cycles resulting in twin live births (%)	7.7	0.0	3.4	0.0	0 / 3	0 / 3
Percentage of cycles resulting in live births (%)	23.1	9.1	6.9	9.5	0 / 3	0 / 3
Percentage of cycles resulting in pregnancies (%)	26.9	13.6	20.7	14.3	0 / 3	0 / 3
Outcomes per Transfer						
Number of transfers	14	11	16	9	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 14	2 / 11	1 / 16	1 / 9	0 / 1	
Percentage of transfers resulting in singleton live births (%)	4 / 14	2 / 11	1 / 16	2 / 9	0 / 1	
Percentage of transfers resulting in twin live births (%)	2 / 14	0 / 11	1 / 16	0 / 9	0 / 1	
Percentage of transfers resulting in live births (%)	6 / 14	2 / 11	2 / 16	2 / 9	0 / 1	
Percentage of transfers resulting in pregnancies (%)	7 / 14	3 / 11	6 / 16	3 / 9	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	30	17	5	1	0	1
Number of transfers	30	16	5	1	0	1
Estimated average number of transfers per retrieval	1.7	1.8	0.7	1.0		1.0
Average number of embryos transferred	1.6	1.8	2.0	2.0		1.0
Percentage of embryos transferred resulting in implantation (%)	39.1	34.6	2 / 10	1 / 2		1 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	36.7	6 / 16	0 / 5	0 / 1		1 / 1
Percentage of transfers resulting in singleton live births (%)	43.3	6 / 16	1 / 5	0 / 1		1 / 1
Percentage of transfers resulting in twin live births (%)	6.7	0 / 16	0 / 5	0 / 1		0 / 1
Percentage of transfers resulting in live births (%)	50.0	6 / 16	1 / 5	0 / 1		1 / 1
Percentage of transfers resulting in pregnancies (%)	60.0	9 / 16	2 / 5	1 / 1		1 / 1
Number of Egg/Embryo Banking Cycles						
	2	4	5	0	0	1
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		39			7	
Number of transfers		26			7	
Average number of embryos transferred		1.9			1.6	
Percentage of embryos transferred resulting in implantation (%)		48.9			2 / 11	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		11.5			1 / 7	
Percentage of transfers resulting in singleton live births (%)		26.9			1 / 7	
Percentage of transfers resulting in twin live births (%)		15.4			0 / 7	
Percentage of transfers resulting in live births (%)		42.3			1 / 7	
Percentage of transfers resulting in pregnancies (%)		65.4			2 / 7	

CURRENT SERVICES & PROFILE

Current Name: Fertility & Genetics

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER & APPLIED GENETICS OF FLORIDA SARASOTA, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Julio E. Pabon, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	67%	Tubal factor	19%	Uterine factor	5%	<i>Multiple Factors:</i> Female factors only 19% Female & male factors 23%
Unstimulated	0%	PGD/PGS	17%	Ovulatory dysfunction	4%	Male factor	33%	
Used gestational carrier	0%			Diminished ovarian reserve	61%	Other factor	19%	
				Endometriosis	7%	Unknown factor	3%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 168 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	2	2	2	0	0	0
Percentage of cancellations before retrieval (%)	0 / 2	0 / 2	1 / 2			
Average number of embryos transferred	1.5	2.0	1.0			
Percentage of embryos transferred resulting in implantation (%)	0 / 3	0 / 2	0 / 1			
Percentage of elective single embryo transfers (eSET) (%)	0 / 1	0 / 1	1 / 1			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	0 / 2	0 / 2	0 / 2			
Percentage of cycles resulting in singleton live births (%)	0 / 2	0 / 2	0 / 2			
Percentage of cycles resulting in twin live births (%)	0 / 2	0 / 2	0 / 2			
Percentage of cycles resulting in live births (%)	0 / 2	0 / 2	0 / 2			
Percentage of cycles resulting in pregnancies (%)	0 / 2	0 / 2	0 / 2			
Outcomes per Transfer						
Number of transfers	2	1	1	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 2	0 / 1	0 / 1			
Percentage of transfers resulting in singleton live births (%)	0 / 2	0 / 1	0 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 1	0 / 1			
Percentage of transfers resulting in live births (%)	0 / 2	0 / 1	0 / 1			
Percentage of transfers resulting in pregnancies (%)	0 / 2	0 / 1	0 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	26	22	6	4	0	1
Number of transfers	25	20	6	2	0	1
Estimated average number of transfers per retrieval	0.8	0.8	0.4	0.2	0.0	0.3
Average number of embryos transferred	1.0	1.2	1.3	1.0		1.0
Percentage of embryos transferred resulting in implantation (%)	65.4	70.0	6 / 8	1 / 2		1 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	52.0	50.0	3 / 6	0 / 2		1 / 1
Percentage of transfers resulting in singleton live births (%)	64.0	60.0	4 / 6	1 / 2		1 / 1
Percentage of transfers resulting in twin live births (%)	0.0	0.0	1 / 6	0 / 2		0 / 1
Percentage of transfers resulting in live births (%)	64.0	60.0	5 / 6	1 / 2		1 / 1
Percentage of transfers resulting in pregnancies (%)	68.0	75.0	5 / 6	1 / 2		1 / 1
Number of Egg/Embryo Banking Cycles						
	32	25	16	12	4	4
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			10		
Number of transfers	0			9		
Average number of embryos transferred				1.1		
Percentage of embryos transferred resulting in implantation (%)				4 / 10		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				3 / 9		
Percentage of transfers resulting in singleton live births (%)				3 / 9		
Percentage of transfers resulting in twin live births (%)				0 / 9		
Percentage of transfers resulting in live births (%)				3 / 9		
Percentage of transfers resulting in pregnancies (%)				4 / 9		

CURRENT SERVICES & PROFILE

Current Name: Fertility Center & Applied Genetics of Florida

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTH FLORIDA INSTITUTE FOR REPRODUCTIVE MEDICINE SOUTH MIAMI, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Juergen Eisermann, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	68%	Tubal factor	17%	Uterine factor	5%	<i>Multiple Factors:</i> Female factors only 16% Female & male factors 31%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	16%	Male factor	44%	
Used gestational carrier	0%			Diminished ovarian reserve	32%	Other factor	27%	
				Endometriosis	13%	Unknown factor	5%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 1,285 (includes 79 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	255	141	143	72	19	5
Percentage of cancellations before retrieval (%)	8.6	9.2	14.0	26.4	3 / 19	0 / 5
Average number of embryos transferred	1.6	1.8	1.8	1.8	2.0	1.8
Percentage of embryos transferred resulting in implantation (%)	53.7	41.5	35.4	24.6	1 / 16	0 / 7
Percentage of elective single embryo transfers (eSET) (%)	30.0	12.6	6.5	3.1	0 / 7	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	23.5	22.7	13.3	11.1	0 / 19	0 / 5
Percentage of cycles resulting in singleton live births (%)	27.5	29.1	15.4	13.9	0 / 19	0 / 5
Percentage of cycles resulting in twin live births (%)	13.7	9.2	8.4	0.0	0 / 19	0 / 5
Percentage of cycles resulting in live births (%)	41.2	38.3	23.8	13.9	0 / 19	0 / 5
Percentage of cycles resulting in pregnancies (%)	45.9	45.4	31.5	25.0	1 / 19	0 / 5
Outcomes per Transfer						
Number of transfers	178	107	89	42	8	4
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	33.7	29.9	21.3	19.0	0 / 8	0 / 4
Percentage of transfers resulting in singleton live births (%)	39.3	38.3	24.7	23.8	0 / 8	0 / 4
Percentage of transfers resulting in twin live births (%)	19.7	12.1	13.5	0.0	0 / 8	0 / 4
Percentage of transfers resulting in live births (%)	59.0	50.5	38.2	23.8	0 / 8	0 / 4
Percentage of transfers resulting in pregnancies (%)	65.7	59.8	50.6	42.9	1 / 8	0 / 4
Frozen Embryos from Nondonor Eggs						
Number of cycles	141	75	74	24	17	2
Number of transfers	140	72	69	24	16	2
Estimated average number of transfers per retrieval	1.2	1.0	0.9	1.7	1.6	0.4
Average number of embryos transferred	1.6	1.5	1.6	1.7	1.5	1.5
Percentage of embryos transferred resulting in implantation (%)	60.7	53.1	40.6	47.4	30.4	1 / 3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	32.9	41.7	30.4	20.8	1 / 16	0 / 2
Percentage of transfers resulting in singleton live births (%)	40.7	45.8	36.2	41.7	2 / 16	0 / 2
Percentage of transfers resulting in twin live births (%)	20.0	8.3	7.2	8.3	0 / 16	0 / 2
Percentage of transfers resulting in live births (%)	60.7	54.2	43.5	50.0	2 / 16	0 / 2
Percentage of transfers resulting in pregnancies (%)	70.7	70.8	59.4	66.7	7 / 16	1 / 2
Number of Egg/Embryo Banking Cycles						
	52	51	51	10	5	5
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	30			34		
Number of transfers	24			32		
Average number of embryos transferred	1.7			1.4		
Percentage of embryos transferred resulting in implantation (%)	63.2			43.9		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	45.8			28.1		
Percentage of transfers resulting in singleton live births (%)	50.0			40.6		
Percentage of transfers resulting in twin live births (%)	20.8			0.0		
Percentage of transfers resulting in live births (%)	70.8			40.6		
Percentage of transfers resulting in pregnancies (%)	83.3			59.4		

CURRENT SERVICES & PROFILE

Current Name: South Florida Institute for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**REPRODUCTIVE HEALTH ASSOCIATES, PA
CATHERINE L. COWART, MD, FACOG
TAMPA, FLORIDA**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Catherine L. Cowart, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	61%	Tubal factor	23%	Uterine factor	0%	Multiple Factors: Female factors only 3% Female & male factors 13%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	8%	Male factor	60%	
Used gestational carrier	0%			Diminished ovarian reserve	3%	Other factor	23%	
				Endometriosis	0%	Unknown factor	0%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 40 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	12	6	5	6	2	0
Percentage of cancellations before retrieval (%)	4 / 12	2 / 6	3 / 5	0 / 6	2 / 2	
Average number of embryos transferred	2.0	2.8	3.0	3.7		
Percentage of embryos transferred resulting in implantation (%)	2 / 16	4 / 8	0 / 6	4.5		
Percentage of elective single embryo transfers (eSET) (%)	1 / 8	0 / 4	0 / 2	0 / 6		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	2 / 12	1 / 6	0 / 5	1 / 6	0 / 2	
Percentage of cycles resulting in singleton live births (%)	2 / 12	1 / 6	0 / 5	1 / 6	0 / 2	
Percentage of cycles resulting in twin live births (%)	0 / 12	0 / 6	0 / 5	0 / 6	0 / 2	
Percentage of cycles resulting in live births (%)	2 / 12	2 / 6	0 / 5	1 / 6	0 / 2	
Percentage of cycles resulting in pregnancies (%)	2 / 12	2 / 6	0 / 5	1 / 6	0 / 2	
Outcomes per Transfer						
Number of transfers	8	4	2	6	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 8	1 / 4	0 / 2	1 / 6		
Percentage of transfers resulting in singleton live births (%)	2 / 8	1 / 4	0 / 2	1 / 6		
Percentage of transfers resulting in twin live births (%)	0 / 8	0 / 4	0 / 2	0 / 6		
Percentage of transfers resulting in live births (%)	2 / 8	2 / 4	0 / 2	1 / 6		
Percentage of transfers resulting in pregnancies (%)	2 / 8	2 / 4	0 / 2	1 / 6		
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	0	3	0	0	0
Number of transfers	5	0	2	0	0	0
Estimated average number of transfers per retrieval	1.7					
Average number of embryos transferred	1.8		2.0			
Percentage of embryos transferred resulting in implantation (%)	2 / 9		0 / 4			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 5		0 / 2			
Percentage of transfers resulting in singleton live births (%)	2 / 5		0 / 2			
Percentage of transfers resulting in twin live births (%)	0 / 5		0 / 2			
Percentage of transfers resulting in live births (%)	2 / 5		0 / 2			
Percentage of transfers resulting in pregnancies (%)	2 / 5		0 / 2			
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		0			1	
Number of transfers		0			1	
Average number of embryos transferred					2.0	
Percentage of embryos transferred resulting in implantation (%)					2 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)					0 / 1	
Percentage of transfers resulting in singleton live births (%)					0 / 1	
Percentage of transfers resulting in twin live births (%)					1 / 1	
Percentage of transfers resulting in live births (%)					1 / 1	
Percentage of transfers resulting in pregnancies (%)					1 / 1	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Health Associates, PA, Catherine L. Cowart, MD, FACOG

Donor eggs?	No	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE REPRODUCTIVE MEDICINE GROUP TAMPA, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Timothy Yeko, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	47%	Tubal factor	19%	Uterine factor	1%	<i>Multiple Factors:</i> Female factors only 8% Female & male factors 12%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	11%	Male factor	37%	
Used gestational carrier	<1%			Diminished ovarian reserve	16%	Other factor	12%	
				Endometriosis	10%	Unknown factor	16%	

2015 ART SUCCESS RATES ^c		Total number of cycles ^d : 814 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		97	33	28	9	5	0
Percentage of cancellations before retrieval (%)		4.1	21.2	25.0	6 / 9	3 / 5	
Average number of embryos transferred		1.6	1.8	1.7	2.0	4.0	
Percentage of embryos transferred resulting in implantation (%)		56.6	30.8	4 / 16	0 / 2	0 / 4	
Percentage of elective single embryo transfers (eSET) (%)		37.7	2 / 15	1 / 8	0 / 1	0 / 1	
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		23.7	15.2	3.6	0 / 9	0 / 5	
Percentage of cycles resulting in singleton live births (%)		24.7	15.2	7.1	0 / 9	0 / 5	
Percentage of cycles resulting in twin live births (%)		11.3	3.0	3.6	0 / 9	0 / 5	
Percentage of cycles resulting in live births (%)		38.1	18.2	10.7	0 / 9	0 / 5	
Percentage of cycles resulting in pregnancies (%)		41.2	27.3	21.4	0 / 9	0 / 5	
Outcomes per Transfer							
Number of transfers		63	17	12	1	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		36.5	5 / 17	1 / 12	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)		38.1	5 / 17	2 / 12	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)		17.5	1 / 17	1 / 12	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)		58.7	6 / 17	3 / 12	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)		63.5	9 / 17	6 / 12	0 / 1	0 / 1	
Frozen Embryos from Nondonor Eggs							
Number of cycles		118	96	39	12	6	1
Number of transfers		113	91	39	12	6	0
Estimated average number of transfers per retrieval		1.1	1.0	0.5	0.3	0.3	0.0
Average number of embryos transferred		1.2	1.2	1.2	1.1	1.2	
Percentage of embryos transferred resulting in implantation (%)		69.6	54.0	44.7	8 / 11	1 / 7	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		41.6	37.4	35.9	5 / 12	1 / 6	
Percentage of transfers resulting in singleton live births (%)		51.3	41.8	38.5	7 / 12	1 / 6	
Percentage of transfers resulting in twin live births (%)		11.5	4.4	0.0	0 / 12	0 / 6	
Percentage of transfers resulting in live births (%)		62.8	46.2	38.5	7 / 12	1 / 6	
Percentage of transfers resulting in pregnancies (%)		72.6	56.0	53.8	10 / 12	1 / 6	
Number of Egg/Embryo Banking Cycles							
		77	71	70	38	18	5
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		44			47		
Number of transfers		33			45		
Average number of embryos transferred		1.5			1.2		
Percentage of embryos transferred resulting in implantation (%)		46.9			52.7		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		36.4			35.6		
Percentage of transfers resulting in singleton live births (%)		45.5			44.4		
Percentage of transfers resulting in twin live births (%)		9.1			6.7		
Percentage of transfers resulting in live births (%)		54.5			51.1		
Percentage of transfers resulting in pregnancies (%)		60.6			57.8		

CURRENT SERVICES & PROFILE		Current Name: The Reproductive Medicine Group					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF SOUTH FLORIDA IVF TAMPA, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Shayne Plosker, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	63%	Tubal factor	19%	Uterine factor	4%	<i>Multiple Factors:</i> Female factors only 8% Female & male factors 23%
Unstimulated	1%	PGD/PGS	2%	Ovulatory dysfunction	13%	Male factor	42%	
Used gestational carrier	<1%			Diminished ovarian reserve	33%	Other factor	10%	
				Endometriosis	7%	Unknown factor	10%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 306 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	77	23	45	19	6	2
Percentage of cancellations before retrieval (%)	1.3	4.3	11.1	5 / 19	2 / 6	1 / 2
Average number of embryos transferred	1.7	2.1	2.8	2.2	3.5	2.0
Percentage of embryos transferred resulting in implantation (%)	32.2	20.5	16.2	6.5	0 / 14	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	25.8	2 / 19	0.0	0 / 10	0 / 4	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	24.7	21.7	8.9	1 / 19	0 / 6	0 / 2
Percentage of cycles resulting in singleton live births (%)	28.6	21.7	11.1	1 / 19	0 / 6	0 / 2
Percentage of cycles resulting in twin live births (%)	6.5	8.7	4.4	0 / 19	0 / 6	0 / 2
Percentage of cycles resulting in live births (%)	35.1	30.4	15.6	1 / 19	0 / 6	0 / 2
Percentage of cycles resulting in pregnancies (%)	39.0	30.4	24.4	2 / 19	0 / 6	0 / 2
Outcomes per Transfer						
Number of transfers	69	21	36	14	4	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	27.5	23.8	11.1	1 / 14	0 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	31.9	23.8	13.9	1 / 14	0 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	7.2	9.5	5.6	0 / 14	0 / 4	0 / 1
Percentage of transfers resulting in live births (%)	39.1	33.3	19.4	1 / 14	0 / 4	0 / 1
Percentage of transfers resulting in pregnancies (%)	43.5	33.3	30.6	2 / 14	0 / 4	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	41	11	13	3	0	3
Number of transfers	35	9	10	3	0	1
Estimated average number of transfers per retrieval	1.1	1.5	1.4	1.0		
Average number of embryos transferred	1.6	2.0	1.2	2.0		2.0
Percentage of embryos transferred resulting in implantation (%)	42.9	12 / 18	3 / 12	2 / 6		0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	34.3	5 / 9	1 / 10	2 / 3		0 / 1
Percentage of transfers resulting in singleton live births (%)	45.7	5 / 9	1 / 10	2 / 3		0 / 1
Percentage of transfers resulting in twin live births (%)	11.4	3 / 9	1 / 10	0 / 3		0 / 1
Percentage of transfers resulting in live births (%)	57.1	8 / 9	2 / 10	2 / 3		0 / 1
Percentage of transfers resulting in pregnancies (%)	57.1	8 / 9	2 / 10	2 / 3		0 / 1
Number of Egg/Embryo Banking Cycles						
	19	5	4	3	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		14			15	
Number of transfers		14			13	
Average number of embryos transferred		1.5			1.8	
Percentage of embryos transferred resulting in implantation (%)		28.6			33.3	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		3 / 14			1 / 13	
Percentage of transfers resulting in singleton live births (%)		6 / 14			2 / 13	
Percentage of transfers resulting in twin live births (%)		0 / 14			3 / 13	
Percentage of transfers resulting in live births (%)		6 / 14			5 / 13	
Percentage of transfers resulting in pregnancies (%)		6 / 14			5 / 13	

CURRENT SERVICES & PROFILE

Current Name: University of South Florida IVF

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

F.I.R.S.T.
FLORIDA INSTITUTE FOR REPRODUCTIVE SCIENCES AND TECHNOLOGIES
WESTON, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Minna R. Selub, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	92%	Tubal factor	28%	Uterine factor	17%	Multiple Factors: Female factors only 33% Female & male factors 8%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	14%	Male factor	8%	
Used gestational carrier	0%			Diminished ovarian reserve	72%	Other factor	6%	
				Endometriosis	8%	Unknown factor	0%	

2015 ART SUCCESS RATES ^c		Total number of cycles ^d : 37 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		4	4	4	0	0	0
Percentage of cancellations before retrieval (%)		0 / 4	0 / 4	0 / 4			
Average number of embryos transferred		1.0	1.3	2.0			
Percentage of embryos transferred resulting in implantation (%)		0 / 4	0 / 4	0 / 2			
Percentage of elective single embryo transfers (eSET) (%)			0 / 1	0 / 2			
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		0 / 4	0 / 4	0 / 4			
Percentage of cycles resulting in singleton live births (%)		0 / 4	0 / 4	0 / 4			
Percentage of cycles resulting in twin live births (%)		0 / 4	0 / 4	0 / 4			
Percentage of cycles resulting in live births (%)		0 / 4	0 / 4	0 / 4			
Percentage of cycles resulting in pregnancies (%)		0 / 4	0 / 4	1 / 4			
Outcomes per Transfer							
Number of transfers		4	3	2	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 4	0 / 3	0 / 2			
Percentage of transfers resulting in singleton live births (%)		0 / 4	0 / 3	0 / 2			
Percentage of transfers resulting in twin live births (%)		0 / 4	0 / 3	0 / 2			
Percentage of transfers resulting in live births (%)		0 / 4	0 / 3	0 / 2			
Percentage of transfers resulting in pregnancies (%)		0 / 4	0 / 3	1 / 2			
Frozen Embryos from Nondonor Eggs							
Number of cycles		0	2	0	0	0	0
Number of transfers		0	2	0	0	0	0
Estimated average number of transfers per retrieval							0.0
Average number of embryos transferred			2.5				
Percentage of embryos transferred resulting in implantation (%)			0 / 5				
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)			0 / 2				
Percentage of transfers resulting in singleton live births (%)			0 / 2				
Percentage of transfers resulting in twin live births (%)			0 / 2				
Percentage of transfers resulting in live births (%)			0 / 2				
Percentage of transfers resulting in pregnancies (%)			0 / 2				
Number of Egg/Embryo Banking Cycles							
		0	0	0	0	0	1
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		21			1		
Number of transfers		18			1		
Average number of embryos transferred		2.1			3.0		
Percentage of embryos transferred resulting in implantation (%)		18.4			0 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 18			0 / 1		
Percentage of transfers resulting in singleton live births (%)		2 / 18			0 / 1		
Percentage of transfers resulting in twin live births (%)		2 / 18			0 / 1		
Percentage of transfers resulting in live births (%)		4 / 18			0 / 1		
Percentage of transfers resulting in pregnancies (%)		4 / 18			0 / 1		

CURRENT SERVICES & PROFILE		Current Name: F.I.R.S.T., Florida Institute for Reproductive Sciences and Technologies					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTIVE SPECIALISTS, LLC WINTER PARK, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Michael D. Fox, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	25%	Tubal factor	27%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 23% Female & male factors 10%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	3%	Male factor	23%	
Used gestational carrier	0%			Diminished ovarian reserve	53%	Other factor	3%	
				Endometriosis	27%	Unknown factor	0%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 31 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	9	4	4	3	0	0
Percentage of cancellations before retrieval (%)	1 / 9	1 / 4	1 / 4	1 / 3		
Average number of embryos transferred	1.8	2.0	2.0	2.0		
Percentage of embryos transferred resulting in implantation (%)	3 / 9	1 / 2	2 / 2	0 / 2		
Percentage of elective single embryo transfers (eSET) (%)	0 / 4	0 / 1	0 / 1	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	0 / 9	1 / 4	0 / 4	0 / 3		
Percentage of cycles resulting in singleton live births (%)	1 / 9	1 / 4	0 / 4	0 / 3		
Percentage of cycles resulting in twin live births (%)	1 / 9	0 / 4	1 / 4	0 / 3		
Percentage of cycles resulting in live births (%)	2 / 9	1 / 4	1 / 4	0 / 3		
Percentage of cycles resulting in pregnancies (%)	2 / 9	1 / 4	1 / 4	0 / 3		
Outcomes per Transfer						
Number of transfers	5	1	1	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 5	1 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 5	1 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 5	0 / 1	1 / 1	0 / 1		
Percentage of transfers resulting in live births (%)	2 / 5	1 / 1	1 / 1	0 / 1		
Percentage of transfers resulting in pregnancies (%)	2 / 5	1 / 1	1 / 1	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	2	0	0	0	0
Number of transfers	4	2	0	0	0	0
Estimated average number of transfers per retrieval	1.0	2.0				
Average number of embryos transferred	1.5	1.5				
Percentage of embryos transferred resulting in implantation (%)	1 / 6	2 / 3				
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 4	0 / 2				
Percentage of transfers resulting in singleton live births (%)	1 / 4	0 / 2				
Percentage of transfers resulting in twin live births (%)	0 / 4	1 / 2				
Percentage of transfers resulting in live births (%)	1 / 4	1 / 2				
Percentage of transfers resulting in pregnancies (%)	1 / 4	1 / 2				
Number of Egg/Embryo Banking Cycles						
	1	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	3			1		
Number of transfers	2			1		
Average number of embryos transferred	1.5			1.0		
Percentage of embryos transferred resulting in implantation (%)	1 / 3			0 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 2			0 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 2			0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 2			0 / 1		
Percentage of transfers resulting in live births (%)	1 / 2			0 / 1		
Percentage of transfers resulting in pregnancies (%)	1 / 2			0 / 1		

CURRENT SERVICES & PROFILE

Current Name: Advanced Reproductive Specialists, LLC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CARE (CENTER OF ASSISTED REPRODUCTION & ENDOCRINOLOGY) WINTER PARK, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Mark P. Trolice, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	88%	Tubal factor	22%	Uterine factor	9%	<i>Multiple Factors:</i> Female factors only 21% Female & male factors 26%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	28%	Male factor	34%	
Used gestational carrier	0%			Diminished ovarian reserve	23%	Other factor	21%	
				Endometriosis	17%	Unknown factor	7%	

2015 ART SUCCESS RATES ^c		Total number of cycles ^d : 248 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		50	20	12	6	1	4
Percentage of cancellations before retrieval (%)		2.0	0.0	0 / 12	2 / 6	0 / 1	1 / 4
Average number of embryos transferred		1.4	1.8	2.7	2.3	2.0	1.7
Percentage of embryos transferred resulting in implantation (%)		34.8	1 / 12	5 / 16	1 / 7	0 / 2	0 / 5
Percentage of elective single embryo transfers (eSET) (%)		4 / 10	1 / 6	0 / 6	0 / 2	0 / 1	0 / 1
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		16.0	5.0	1 / 12	1 / 6	0 / 1	0 / 4
Percentage of cycles resulting in singleton live births (%)		16.0	5.0	1 / 12	1 / 6	0 / 1	0 / 4
Percentage of cycles resulting in twin live births (%)		0.0	0.0	1 / 12	0 / 6	0 / 1	0 / 4
Percentage of cycles resulting in live births (%)		16.0	5.0	2 / 12	1 / 6	0 / 1	0 / 4
Percentage of cycles resulting in pregnancies (%)		16.0	10.0	3 / 12	1 / 6	0 / 1	0 / 4
Outcomes per Transfer							
Number of transfers		17	8	6	3	1	3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		8 / 17	1 / 8	1 / 6	1 / 3	0 / 1	0 / 3
Percentage of transfers resulting in singleton live births (%)		8 / 17	1 / 8	1 / 6	1 / 3	0 / 1	0 / 3
Percentage of transfers resulting in twin live births (%)		0 / 17	0 / 8	1 / 6	0 / 3	0 / 1	0 / 3
Percentage of transfers resulting in live births (%)		8 / 17	1 / 8	2 / 6	1 / 3	0 / 1	0 / 3
Percentage of transfers resulting in pregnancies (%)		8 / 17	2 / 8	3 / 6	1 / 3	0 / 1	0 / 3
Frozen Embryos from Nondonor Eggs							
Number of cycles		49	34	19	3	0	0
Number of transfers		47	28	18	3	0	0
Estimated average number of transfers per retrieval		1.2	1.4	1.5	0.6	0.0	0.0
Average number of embryos transferred		1.4	1.6	1.8	2.7		
Percentage of embryos transferred resulting in implantation (%)		43.1	48.9	37.9	2 / 8		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		46.8	32.1	2 / 18	1 / 3		
Percentage of transfers resulting in singleton live births (%)		46.8	39.3	2 / 18	1 / 3		
Percentage of transfers resulting in twin live births (%)		4.3	10.7	2 / 18	0 / 3		
Percentage of transfers resulting in live births (%)		51.1	50.0	4 / 18	1 / 3		
Percentage of transfers resulting in pregnancies (%)		59.6	71.4	11 / 18	1 / 3		
Number of Egg/Embryo Banking Cycles							
		9	9	8	4	1	2
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		11			6		
Number of transfers		6			6		
Average number of embryos transferred		1.0			1.0		
Percentage of embryos transferred resulting in implantation (%)		4 / 6			4 / 5		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		2 / 6			3 / 6		
Percentage of transfers resulting in singleton live births (%)		2 / 6			3 / 6		
Percentage of transfers resulting in twin live births (%)		0 / 6			0 / 6		
Percentage of transfers resulting in live births (%)		2 / 6			3 / 6		
Percentage of transfers resulting in pregnancies (%)		4 / 6			5 / 6		

CURRENT SERVICES & PROFILE		Current Name: Fertility CARE (Center of Assisted Reproduction & Endocrinology)					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ATLANTA CENTER FOR REPRODUCTIVE MEDICINE ATLANTA, GEORGIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by James P. Toner, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	75%	Tubal factor	13%	Uterine factor	4%	<i>Multiple Factors:</i> Female factors only 18% Female & male factors 11%
Unstimulated	<1%	PGD/PGS	1%	Ovulatory dysfunction	20%	Male factor	20%	
Used gestational carrier	<1%			Diminished ovarian reserve	25%	Other factor	27%	
				Endometriosis	9%	Unknown factor	15%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 1,107 (includes 101 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	228	93	60	35	12	4
Percentage of cancellations before retrieval (%)	6.6	9.7	18.3	20.0	3 / 12	2 / 4
Average number of embryos transferred	1.3	1.4	1.7	2.1	2.5	3.0
Percentage of embryos transferred resulting in implantation (%)	52.6	26.1	34.9	2 / 19	0 / 10	1 / 6
Percentage of elective single embryo transfers (eSET) (%)	70.0	39.5	9.5	0 / 7	0 / 3	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	32.9	18.3	11.7	2.9	0 / 12	0 / 4
Percentage of cycles resulting in singleton live births (%)	36.0	20.4	13.3	2.9	0 / 12	0 / 4
Percentage of cycles resulting in twin live births (%)	4.8	0.0	3.3	0.0	0 / 12	0 / 4
Percentage of cycles resulting in live births (%)	40.8	20.4	16.7	2.9	0 / 12	0 / 4
Percentage of cycles resulting in pregnancies (%)	46.5	23.7	23.3	5.7	0 / 12	1 / 4
Outcomes per Transfer						
Number of transfers	174	66	27	9	4	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	43.1	25.8	25.9	1 / 9	0 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	47.1	28.8	29.6	1 / 9	0 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	6.3	0.0	7.4	0 / 9	0 / 4	0 / 2
Percentage of transfers resulting in live births (%)	53.4	28.8	37.0	1 / 9	0 / 4	0 / 2
Percentage of transfers resulting in pregnancies (%)	60.9	33.3	51.9	2 / 9	0 / 4	1 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	175	93	56	13	1	1
Number of transfers	165	91	52	13	1	1
Estimated average number of transfers per retrieval	1.7	1.2	0.8	0.9	0.2	
Average number of embryos transferred	1.2	1.2	1.1	1.1	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	44.8	39.8	48.3	9 / 14	0 / 2	1 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	29.7	31.9	38.5	6 / 13	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	37.6	37.4	48.1	7 / 13	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	4.2	1.1	0.0	0 / 13	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	41.8	38.5	48.1	7 / 13	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	49.1	45.1	55.8	9 / 13	0 / 1	1 / 1
Number of Egg/Embryo Banking Cycles						
	56	52	55	12	4	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	8			48		
Number of transfers	7			45		
Average number of embryos transferred	1.1			1.2		
Percentage of embryos transferred resulting in implantation (%)	3 / 8			44.4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 7			31.1		
Percentage of transfers resulting in singleton live births (%)	3 / 7			33.3		
Percentage of transfers resulting in twin live births (%)	0 / 7			2.2		
Percentage of transfers resulting in live births (%)	3 / 7			35.6		
Percentage of transfers resulting in pregnancies (%)	3 / 7			48.9		

CURRENT SERVICES & PROFILE

Current Name: Atlanta Center for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

EMORY REPRODUCTIVE CENTER ATLANTA, GEORGIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Jessica B. Spencer, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	79%	Tubal factor	28%	Uterine factor	19%	<i>Multiple Factors:</i> Female factors only 23% Female & male factors 31%
Unstimulated	0%	PGD/PGS	8%	Ovulatory dysfunction	22%	Male factor	39%	
Used gestational carrier	1%			Diminished ovarian reserve	39%	Other factor	4%	
				Endometriosis	14%	Unknown factor	9%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 424 (includes 7 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	97	60	49	18	8	0
Percentage of cancellations before retrieval (%)	7.2	10.0	8.2	5 / 18	1 / 8	
Average number of embryos transferred	1.8	1.9	2.7	3.2	3.5	
Percentage of embryos transferred resulting in implantation (%)	50.3	31.5	24.1	21.9	0.0	
Percentage of elective single embryo transfers (eSET) (%)	18.4	14.9	2.6	0 / 7	0 / 5	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	28.9	21.7	22.4	1 / 18	0 / 8	
Percentage of cycles resulting in singleton live births (%)	37.1	23.3	30.6	2 / 18	0 / 8	
Percentage of cycles resulting in twin live births (%)	11.3	6.7	4.1	0 / 18	0 / 8	
Percentage of cycles resulting in live births (%)	49.5	30.0	34.7	2 / 18	0 / 8	
Percentage of cycles resulting in pregnancies (%)	57.7	36.7	44.9	5 / 18	0 / 8	
Outcomes per Transfer						
Number of transfers	83	48	41	10	6	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	33.7	27.1	26.8	1 / 10	0 / 6	
Percentage of transfers resulting in singleton live births (%)	43.4	29.2	36.6	2 / 10	0 / 6	
Percentage of transfers resulting in twin live births (%)	13.3	8.3	4.9	0 / 10	0 / 6	
Percentage of transfers resulting in live births (%)	57.8	37.5	41.5	2 / 10	0 / 6	
Percentage of transfers resulting in pregnancies (%)	67.5	45.8	53.7	5 / 10	0 / 6	
Frozen Embryos from Nondonor Eggs						
Number of cycles	45	29	20	6	3	0
Number of transfers	38	22	17	6	3	0
Estimated average number of transfers per retrieval	1.3	0.9	0.9	0.9	0.3	0.0
Average number of embryos transferred	1.6	1.9	1.9	2.7	2.0	
Percentage of embryos transferred resulting in implantation (%)	66.1	48.7	40.0	3 / 16	1 / 6	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	52.6	45.5	5 / 17	2 / 6	1 / 3	
Percentage of transfers resulting in singleton live births (%)	63.2	54.5	5 / 17	2 / 6	1 / 3	
Percentage of transfers resulting in twin live births (%)	7.9	4.5	1 / 17	0 / 6	0 / 3	
Percentage of transfers resulting in live births (%)	76.3	59.1	6 / 17	2 / 6	1 / 3	
Percentage of transfers resulting in pregnancies (%)	78.9	68.2	9 / 17	3 / 6	1 / 3	
Number of Egg/Embryo Banking Cycles						
	16	15	12	5	11	2
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	11			10		
Number of transfers	11			8		
Average number of embryos transferred	1.4			1.6		
Percentage of embryos transferred resulting in implantation (%)	8 / 15			9 / 13		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 11			3 / 8		
Percentage of transfers resulting in singleton live births (%)	3 / 11			5 / 8		
Percentage of transfers resulting in twin live births (%)	0 / 11			1 / 8		
Percentage of transfers resulting in live births (%)	3 / 11			6 / 8		
Percentage of transfers resulting in pregnancies (%)	5 / 11			6 / 8		

CURRENT SERVICES & PROFILE

Current Name: Emory Reproductive Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GEORGIA REPRODUCTIVE SPECIALISTS, LLC

ATLANTA, GEORGIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Mark Perloe, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	63%	Tubal factor	32%	Uterine factor	6%	<i>Multiple Factors:</i> Female factors only 28% Female & male factors 19%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	31%	Male factor	26%	
Used gestational carrier	0%			Diminished ovarian reserve	34%	Other factor	16%	
				Endometriosis	9%	Unknown factor	7%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 498 (includes 16 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	54	38	28	21	6	0
Percentage of cancellations before retrieval (%)	5.6	13.2	10.7	9.5	0 / 6	
Average number of embryos transferred	1.8	1.8	2.5	2.3	2.5	
Percentage of embryos transferred resulting in implantation (%)	36.2	28.0	9.1	3.1	2 / 15	
Percentage of elective single embryo transfers (eSET) (%)	20.0	11.5	4.3	0 / 13	0 / 6	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	24.1	18.4	17.9	4.8	1 / 6	
Percentage of cycles resulting in singleton live births (%)	31.5	18.4	17.9	4.8	1 / 6	
Percentage of cycles resulting in twin live births (%)	5.6	7.9	0.0	0.0	0 / 6	
Percentage of cycles resulting in live births (%)	37.0	26.3	17.9	4.8	1 / 6	
Percentage of cycles resulting in pregnancies (%)	38.9	34.2	21.4	4.8	1 / 6	
Outcomes per Transfer						
Number of transfers	38	29	23	14	6	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	34.2	24.1	21.7	1 / 14	1 / 6	
Percentage of transfers resulting in singleton live births (%)	44.7	24.1	21.7	1 / 14	1 / 6	
Percentage of transfers resulting in twin live births (%)	7.9	10.3	0.0	0 / 14	0 / 6	
Percentage of transfers resulting in live births (%)	52.6	34.5	21.7	1 / 14	1 / 6	
Percentage of transfers resulting in pregnancies (%)	55.3	44.8	26.1	1 / 14	1 / 6	
Frozen Embryos from Nondonor Eggs						
Number of cycles	86	59	46	19	5	5
Number of transfers	84	56	42	15	5	4
Estimated average number of transfers per retrieval	1.9	1.8	1.4	1.2	1.7	
Average number of embryos transferred	1.3	1.3	1.7	1.3	1.0	1.8
Percentage of embryos transferred resulting in implantation (%)	47.2	45.7	31.8	8 / 18	1 / 5	2 / 5
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	40.5	33.9	26.2	5 / 15	1 / 5	0 / 4
Percentage of transfers resulting in singleton live births (%)	41.7	39.3	33.3	5 / 15	1 / 5	0 / 4
Percentage of transfers resulting in twin live births (%)	4.8	3.6	4.8	1 / 15	0 / 5	0 / 4
Percentage of transfers resulting in live births (%)	46.4	42.9	38.1	6 / 15	1 / 5	0 / 4
Percentage of transfers resulting in pregnancies (%)	59.5	57.1	47.6	8 / 15	1 / 5	2 / 4
Number of Egg/Embryo Banking Cycles						
	30	21	17	7	2	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		14			24	
Number of transfers		10			22	
Average number of embryos transferred		1.5			1.7	
Percentage of embryos transferred resulting in implantation (%)		8 / 15			28.6	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		5 / 10			18.2	
Percentage of transfers resulting in singleton live births (%)		5 / 10			22.7	
Percentage of transfers resulting in twin live births (%)		1 / 10			9.1	
Percentage of transfers resulting in live births (%)		6 / 10			31.8	
Percentage of transfers resulting in pregnancies (%)		7 / 10			40.9	

CURRENT SERVICES & PROFILE

Current Name: Georgia Reproductive Specialists, LLC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE AND INFERTILITY ASSOCIATES AUGUSTA, GEORGIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Larisa Gavrilova-Jordan, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	80%	Tubal factor	33%	Uterine factor	14%	<i>Multiple Factors:</i> Female factors only 24% Female & male factors 28%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	18%	Male factor	37%	
Used gestational carrier	0%			Diminished ovarian reserve	22%	Other factor	8%	
				Endometriosis	28%	Unknown factor	10%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 57 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	25	4	6	4	0	1
Percentage of cancellations before retrieval (%)	0.0	0 / 4	2 / 6	0 / 4		0 / 1
Average number of embryos transferred	1.6	2.3	1.8	3.3		1.0
Percentage of embryos transferred resulting in implantation (%)	55.6	3 / 9	2 / 7	2 / 13		0 / 1
Percentage of elective single embryo transfers (eSET) (%)	40.9	0 / 4	1 / 4	0 / 4		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	40.0	0 / 4	0 / 6	1 / 4		0 / 1
Percentage of cycles resulting in singleton live births (%)	52.0	1 / 4	1 / 6	1 / 4		0 / 1
Percentage of cycles resulting in twin live births (%)	8.0	1 / 4	0 / 6	0 / 4		0 / 1
Percentage of cycles resulting in live births (%)	60.0	2 / 4	1 / 6	1 / 4		0 / 1
Percentage of cycles resulting in pregnancies (%)	68.0	2 / 4	2 / 6	2 / 4		0 / 1
Outcomes per Transfer						
Number of transfers	23	4	4	4	0	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	43.5	0 / 4	0 / 4	1 / 4		0 / 1
Percentage of transfers resulting in singleton live births (%)	56.5	1 / 4	1 / 4	1 / 4		0 / 1
Percentage of transfers resulting in twin live births (%)	8.7	1 / 4	0 / 4	0 / 4		0 / 1
Percentage of transfers resulting in live births (%)	65.2	2 / 4	1 / 4	1 / 4		0 / 1
Percentage of transfers resulting in pregnancies (%)	73.9	2 / 4	2 / 4	2 / 4		0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	3	3	2	1	0	0
Number of transfers	2	3	2	1	0	0
Estimated average number of transfers per retrieval	0.4	3.0	1.0			
Average number of embryos transferred	1.0	2.0	2.0	1.0		
Percentage of embryos transferred resulting in implantation (%)	1 / 2	5 / 6	0 / 4	0 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 2	1 / 3	0 / 2	0 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 2	1 / 3	0 / 2	0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 2	2 / 3	0 / 2	0 / 1		
Percentage of transfers resulting in live births (%)	1 / 2	3 / 3	0 / 2	0 / 1		
Percentage of transfers resulting in pregnancies (%)	1 / 2	3 / 3	0 / 2	0 / 1		
Number of Egg/Embryo Banking Cycles						
	5	1	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	2			0		
Number of transfers	2			0		
Average number of embryos transferred	2.0					
Percentage of embryos transferred resulting in implantation (%)	1 / 4					
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 2					
Percentage of transfers resulting in singleton live births (%)	1 / 2					
Percentage of transfers resulting in twin live births (%)	0 / 2					
Percentage of transfers resulting in live births (%)	1 / 2					
Percentage of transfers resulting in pregnancies (%)	1 / 2					

CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine and Infertility Associates

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SERVY MASSEY FERTILITY INSTITUTE
SERVY INSTITUTE FOR REPRODUCTIVE ENDOCRINOLOGY
AUGUSTA, GEORGIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Edouard Servy, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	58%	Tubal factor	19%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 8% Female & male factors 10%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	7%	Male factor	34%	
Used gestational carrier	0%			Diminished ovarian reserve	36%	Other factor	7%	
				Endometriosis	6%	Unknown factor	5%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 367 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	88	55	43	14	9	7
Percentage of cancellations before retrieval (%)	8.0	18.2	18.6	4 / 14	0 / 9	3 / 7
Average number of embryos transferred	1.9	1.9	2.0	1.8	2.8	2.7
Percentage of embryos transferred resulting in implantation (%)	26.8	29.2	17.3	3 / 18	0.0	0 / 8
Percentage of elective single embryo transfers (eSET) (%)	9.0	10.8	8.0	0 / 7	0 / 8	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	15.9	12.7	11.6	2 / 14	0 / 9	0 / 7
Percentage of cycles resulting in singleton live births (%)	20.5	14.5	11.6	2 / 14	0 / 9	0 / 7
Percentage of cycles resulting in twin live births (%)	5.7	9.1	2.3	0 / 14	0 / 9	0 / 7
Percentage of cycles resulting in live births (%)	26.1	23.6	14.0	2 / 14	0 / 9	0 / 7
Percentage of cycles resulting in pregnancies (%)	31.8	30.9	23.3	3 / 14	0 / 9	0 / 7
Outcomes per Transfer						
Number of transfers	71	41	28	10	9	3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	19.7	17.1	17.9	2 / 10	0 / 9	0 / 3
Percentage of transfers resulting in singleton live births (%)	25.4	19.5	17.9	2 / 10	0 / 9	0 / 3
Percentage of transfers resulting in twin live births (%)	7.0	12.2	3.6	0 / 10	0 / 9	0 / 3
Percentage of transfers resulting in live births (%)	32.4	31.7	21.4	2 / 10	0 / 9	0 / 3
Percentage of transfers resulting in pregnancies (%)	39.4	41.5	35.7	3 / 10	0 / 9	0 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	42	18	15	7	6	1
Number of transfers	40	18	15	6	6	0
Estimated average number of transfers per retrieval	1.4	2.6	1.3	1.5	2.0	0.0
Average number of embryos transferred	1.7	1.8	1.9	2.2	2.3	
Percentage of embryos transferred resulting in implantation (%)	37.3	42.9	23.1	6 / 13	0 / 14	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	17.5	2 / 18	2 / 15	1 / 6	0 / 6	
Percentage of transfers resulting in singleton live births (%)	17.5	4 / 18	2 / 15	2 / 6	0 / 6	
Percentage of transfers resulting in twin live births (%)	15.0	3 / 18	0 / 15	1 / 6	0 / 6	
Percentage of transfers resulting in live births (%)	32.5	7 / 18	2 / 15	3 / 6	0 / 6	
Percentage of transfers resulting in pregnancies (%)	47.5	10 / 18	6 / 15	4 / 6	0 / 6	
Number of Egg/Embryo Banking Cycles						
	6	0	3	2	2	1
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		19			26	
Number of transfers		17			26	
Average number of embryos transferred		1.9			1.8	
Percentage of embryos transferred resulting in implantation (%)		9.1			14.6	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 17			11.5	
Percentage of transfers resulting in singleton live births (%)		1 / 17			15.4	
Percentage of transfers resulting in twin live births (%)		1 / 17			3.8	
Percentage of transfers resulting in live births (%)		2 / 17			19.2	
Percentage of transfers resulting in pregnancies (%)		2 / 17			23.1	

CURRENT SERVICES & PROFILE

Current Name: Servy Massey Fertility Institute, Servy Institute for Reproductive Endocrinology

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COLUMBUS CENTER FOR REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY, LLC COLUMBUS, GEORGIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Prakash J. Thiruppathi, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	93%	Tubal factor	37%	Uterine factor	17%	Multiple Factors: Female factors only 37% Female & male factors 39%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	73%	Male factor	43%	
Used gestational carrier	2%			Diminished ovarian reserve	14%	Other factor	<1%	
				Endometriosis	18%	Unknown factor	0%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 109 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	49	11	6	1	1	0
Percentage of cancellations before retrieval (%)	8.2	1 / 11	0 / 6	0 / 1	0 / 1	
Average number of embryos transferred	2.0	2.3	2.2	3.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	38.4	2 / 18	3 / 11	1 / 3	0 / 1	
Percentage of elective single embryo transfers (eSET) (%)	5.6	0 / 7	0 / 5	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	20.4	0 / 11	1 / 6	1 / 1	0 / 1	
Percentage of cycles resulting in singleton live births (%)	32.7	1 / 11	2 / 6	1 / 1	0 / 1	
Percentage of cycles resulting in twin live births (%)	8.2	0 / 11	0 / 6	0 / 1	0 / 1	
Percentage of cycles resulting in live births (%)	40.8	1 / 11	2 / 6	1 / 1	0 / 1	
Percentage of cycles resulting in pregnancies (%)	51.0	2 / 11	2 / 6	1 / 1	0 / 1	
Outcomes per Transfer						
Number of transfers	39	8	5	1	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	25.6	0 / 8	1 / 5	1 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	41.0	1 / 8	2 / 5	1 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	10.3	0 / 8	0 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	51.3	1 / 8	2 / 5	1 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	64.1	2 / 8	2 / 5	1 / 1	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	16	6	0	3	0	0
Number of transfers	16	5	0	3	0	0
Estimated average number of transfers per retrieval	2.3	1.3	0.0			
Average number of embryos transferred	1.9	2.0		2.3		
Percentage of embryos transferred resulting in implantation (%)	43.3	2 / 5		1 / 7		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	7 / 16	1 / 5		0 / 3		
Percentage of transfers resulting in singleton live births (%)	8 / 16	2 / 5		1 / 3		
Percentage of transfers resulting in twin live births (%)	2 / 16	0 / 5		0 / 3		
Percentage of transfers resulting in live births (%)	10 / 16	2 / 5		1 / 3		
Percentage of transfers resulting in pregnancies (%)	12 / 16	4 / 5		1 / 3		
Number of Egg/Embryo Banking Cycles						
	1	0	1	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	7			5		
Number of transfers	5			5		
Average number of embryos transferred	2.0			2.6		
Percentage of embryos transferred resulting in implantation (%)	5 / 8			5 / 11		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 5			1 / 5		
Percentage of transfers resulting in singleton live births (%)	2 / 5			1 / 5		
Percentage of transfers resulting in twin live births (%)	1 / 5			1 / 5		
Percentage of transfers resulting in live births (%)	3 / 5			2 / 5		
Percentage of transfers resulting in pregnancies (%)	4 / 5			5 / 5		

CURRENT SERVICES & PROFILE

Current Name: Columbus Center for Reproductive Endocrinology and Infertility, LLC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE BIOLOGY ASSOCIATES SANDY SPRINGS, GEORGIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Daniel Shapiro, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	91%	Tubal factor	13%	Uterine factor	3%	Multiple Factors: Female factors only 22% Female & male factors 23%
Unstimulated	0%	PGD/PGS	8%	Ovulatory dysfunction	16%	Male factor	35%	
Used gestational carrier	<1%			Diminished ovarian reserve	47%	Other factor	24%	
				Endometriosis	8%	Unknown factor	5%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 1,834 (includes 191 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	224	97	92	33	25	5
Percentage of cancellations before retrieval (%)	4.0	9.3	12.0	12.1	12.0	1 / 5
Average number of embryos transferred	1.2	1.5	2.2	3.3	2.6	4.7
Percentage of embryos transferred resulting in implantation (%)	44.6	32.1	11.3	10.0	5.7	0 / 14
Percentage of elective single embryo transfers (eSET) (%)	76.9	52.6	12.5	0 / 7	0 / 11	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	15.2	8.2	6.5	3.0	8.0	0 / 5
Percentage of cycles resulting in singleton live births (%)	16.5	10.3	7.6	6.1	8.0	0 / 5
Percentage of cycles resulting in twin live births (%)	2.2	1.0	0.0	0.0	0.0	0 / 5
Percentage of cycles resulting in live births (%)	18.8	12.4	7.6	6.1	8.0	0 / 5
Percentage of cycles resulting in pregnancies (%)	22.3	19.6	9.8	9.1	12.0	0 / 5
Outcomes per Transfer						
Number of transfers	101	40	33	8	15	3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	33.7	20.0	18.2	1 / 8	2 / 15	0 / 3
Percentage of transfers resulting in singleton live births (%)	36.6	25.0	21.2	2 / 8	2 / 15	0 / 3
Percentage of transfers resulting in twin live births (%)	5.0	2.5	0.0	0 / 8	0 / 15	0 / 3
Percentage of transfers resulting in live births (%)	41.6	30.0	21.2	2 / 8	2 / 15	0 / 3
Percentage of transfers resulting in pregnancies (%)	49.5	47.5	27.3	3 / 8	3 / 15	0 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	270	195	144	52	17	9
Number of transfers	268	192	143	50	17	9
Estimated average number of transfers per retrieval	1.4	1.6	1.3	0.9	1.1	1.1
Average number of embryos transferred	1.3	1.4	1.5	1.6	1.7	1.8
Percentage of embryos transferred resulting in implantation (%)	54.5	52.9	34.5	28.8	32.1	4 / 16
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	39.6	35.9	25.9	32.0	6 / 17	3 / 9
Percentage of transfers resulting in singleton live births (%)	48.9	40.6	35.0	34.0	7 / 17	3 / 9
Percentage of transfers resulting in twin live births (%)	4.9	7.3	4.2	0.0	0 / 17	0 / 9
Percentage of transfers resulting in live births (%)	54.1	48.4	39.2	34.0	7 / 17	3 / 9
Percentage of transfers resulting in pregnancies (%)	65.7	64.1	49.7	50.0	10 / 17	4 / 9
Number of Egg/Embryo Banking Cycles						
	78	64	73	37	12	5
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	3			208		
Number of transfers	0			205		
Average number of embryos transferred				1.2		
Percentage of embryos transferred resulting in implantation (%)				47.5		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				33.2		
Percentage of transfers resulting in singleton live births (%)				41.5		
Percentage of transfers resulting in twin live births (%)				2.4		
Percentage of transfers resulting in live births (%)				43.9		
Percentage of transfers resulting in pregnancies (%)				55.6		

CURRENT SERVICES & PROFILE

Current Name: Reproductive Biology Associates

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE GEORGIA CENTER FOR REPRODUCTIVE MEDICINE SAVANNAH, GEORGIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Patrick L. Blohm, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	83%	Tubal factor	11%	Uterine factor	4%	<i>Multiple Factors:</i> Female factors only 4% Female & male factors 20%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	11%	Male factor	59%	
Used gestational carrier	0%			Diminished ovarian reserve	26%	Other factor	3%	
				Endometriosis	9%	Unknown factor	5%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 163 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	69	25	7	4	0	0
Percentage of cancellations before retrieval (%)	0.0	8.0	0 / 7	0 / 4		
Average number of embryos transferred	1.9	2.0	2.0	1.5		
Percentage of embryos transferred resulting in implantation (%)	60.0	32.6	9 / 14	3 / 4		
Percentage of elective single embryo transfers (eSET) (%)	6.6	4.3	0 / 7	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	29.0	36.0	3 / 7	1 / 4		
Percentage of cycles resulting in singleton live births (%)	36.2	48.0	3 / 7	1 / 4		
Percentage of cycles resulting in twin live births (%)	27.5	4.0	2 / 7	0 / 4		
Percentage of cycles resulting in live births (%)	63.8	52.0	5 / 7	1 / 4		
Percentage of cycles resulting in pregnancies (%)	71.0	56.0	5 / 7	3 / 4		
Outcomes per Transfer						
Number of transfers	66	23	7	4	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	30.3	39.1	3 / 7	1 / 4		
Percentage of transfers resulting in singleton live births (%)	37.9	52.2	3 / 7	1 / 4		
Percentage of transfers resulting in twin live births (%)	28.8	4.3	2 / 7	0 / 4		
Percentage of transfers resulting in live births (%)	66.7	56.5	5 / 7	1 / 4		
Percentage of transfers resulting in pregnancies (%)	74.2	60.9	5 / 7	3 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	24	6	7	1	0	3
Number of transfers	24	6	7	1	0	3
Estimated average number of transfers per retrieval	3.0	1.5	3.5	1.0		
Average number of embryos transferred	1.6	1.5	1.4	1.0		2.0
Percentage of embryos transferred resulting in implantation (%)	41.7	0 / 9	4 / 10	0 / 1		0 / 6
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	29.2	0 / 6	3 / 7	0 / 1		0 / 3
Percentage of transfers resulting in singleton live births (%)	33.3	0 / 6	3 / 7	0 / 1		0 / 3
Percentage of transfers resulting in twin live births (%)	12.5	0 / 6	0 / 7	0 / 1		0 / 3
Percentage of transfers resulting in live births (%)	45.8	0 / 6	3 / 7	0 / 1		0 / 3
Percentage of transfers resulting in pregnancies (%)	54.2	0 / 6	4 / 7	0 / 1		0 / 3
Number of Egg/Embryo Banking Cycles						
	0	0	0	1	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	13			2		
Number of transfers	13			2		
Average number of embryos transferred	1.9			2.0		
Percentage of embryos transferred resulting in implantation (%)	76.0			1 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	5 / 13			1 / 2		
Percentage of transfers resulting in singleton live births (%)	6 / 13			1 / 2		
Percentage of transfers resulting in twin live births (%)	6 / 13			0 / 2		
Percentage of transfers resulting in live births (%)	12 / 13			1 / 2		
Percentage of transfers resulting in pregnancies (%)	12 / 13			1 / 2		

CURRENT SERVICES & PROFILE

Current Name: The Georgia Center for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTIVE CENTER OF HAWAII HONOLULU, HAWAII

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Christopher T. Huang, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	93%	Tubal factor	16%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 1% Female & male factors 42%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	0%	Male factor	86%	
Used gestational carrier	0%			Diminished ovarian reserve	31%	Other factor	6%	
				Endometriosis	8%	Unknown factor	0%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 207 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	21	14	22	13	10	5
Percentage of cancellations before retrieval (%)	4.8	0 / 14	0.0	1 / 13	0 / 10	0 / 5
Average number of embryos transferred			1.0			
Percentage of embryos transferred resulting in implantation (%)			0 / 1			
Percentage of elective single embryo transfers (eSET) (%)			1 / 1			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	0.0	0 / 14	0.0	0 / 13	0 / 10	0 / 5
Percentage of cycles resulting in singleton live births (%)	0.0	0 / 14	0.0	0 / 13	0 / 10	0 / 5
Percentage of cycles resulting in twin live births (%)	0.0	0 / 14	0.0	0 / 13	0 / 10	0 / 5
Percentage of cycles resulting in live births (%)	0.0	0 / 14	0.0	0 / 13	0 / 10	0 / 5
Percentage of cycles resulting in pregnancies (%)	0.0	0 / 14	0.0	0 / 13	0 / 10	0 / 5
Outcomes per Transfer						
Number of transfers	0	0	1	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)			0 / 1			
Percentage of transfers resulting in singleton live births (%)			0 / 1			
Percentage of transfers resulting in twin live births (%)			0 / 1			
Percentage of transfers resulting in live births (%)			0 / 1			
Percentage of transfers resulting in pregnancies (%)			0 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	31	15	24	13	9	2
Number of transfers	23	12	22	11	6	2
Estimated average number of transfers per retrieval	1.3	1.5	1.2	1.1	0.9	2.0
Average number of embryos transferred	1.6	2.2	2.2	2.2	3.0	4.0
Percentage of embryos transferred resulting in implantation (%)	45.7	41.7	28.3	20.8	2 / 18	0 / 8
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	47.8	3 / 12	13.6	1 / 11	1 / 6	0 / 2
Percentage of transfers resulting in singleton live births (%)	52.2	3 / 12	18.2	1 / 11	1 / 6	0 / 2
Percentage of transfers resulting in twin live births (%)	4.3	1 / 12	18.2	2 / 11	0 / 6	0 / 2
Percentage of transfers resulting in live births (%)	56.5	5 / 12	36.4	3 / 11	1 / 6	0 / 2
Percentage of transfers resulting in pregnancies (%)	65.2	6 / 12	40.9	3 / 11	2 / 6	0 / 2
Number of Egg/Embryo Banking Cycles						
	3	0	4	4	3	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	3			9		
Number of transfers	1			7		
Average number of embryos transferred	2.0			1.3		
Percentage of embryos transferred resulting in implantation (%)	1 / 2			4 / 9		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 1			3 / 7		
Percentage of transfers resulting in singleton live births (%)	1 / 1			3 / 7		
Percentage of transfers resulting in twin live births (%)	0 / 1			0 / 7		
Percentage of transfers resulting in live births (%)	1 / 1			3 / 7		
Percentage of transfers resulting in pregnancies (%)	1 / 1			4 / 7		

CURRENT SERVICES & PROFILE

Current Name: Advanced Reproductive Center of Hawaii

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTIVE MEDICINE & GYNECOLOGY OF HAWAII, INC. HONOLULU, HAWAII

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by John L. Frattarelli, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	90%	Tubal factor	26%	Uterine factor	2%	Multiple Factors: Female factors only 1% Female & male factors 54%
Unstimulated	0%	PGD/PGS	12%	Ovulatory dysfunction	25%	Male factor	79%	
Used gestational carrier	0%			Diminished ovarian reserve	16%	Other factor	<1%	
				Endometriosis	9%	Unknown factor	5%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 417 (includes 22 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	19	10	24	10	4	1
Percentage of cancellations before retrieval (%)	1 / 19	3 / 10	8.3	0 / 10	0 / 4	0 / 1
Average number of embryos transferred	1.7	1.6	2.0	2.3	2.5	1.0
Percentage of embryos transferred resulting in implantation (%)	53.6	5 / 11	22.0	8.7	0 / 10	0 / 1
Percentage of elective single embryo transfers (eSET) (%)	1 / 12	2 / 5	0 / 18	0 / 10	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	5 / 19	2 / 10	8.3	1 / 10	0 / 4	0 / 1
Percentage of cycles resulting in singleton live births (%)	7 / 19	3 / 10	8.3	2 / 10	0 / 4	0 / 1
Percentage of cycles resulting in twin live births (%)	2 / 19	1 / 10	8.3	0 / 10	0 / 4	0 / 1
Percentage of cycles resulting in live births (%)	9 / 19	4 / 10	16.7	2 / 10	0 / 4	0 / 1
Percentage of cycles resulting in pregnancies (%)	12 / 19	4 / 10	33.3	2 / 10	0 / 4	0 / 1
Outcomes per Transfer						
Number of transfers	17	7	22	10	4	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	5 / 17	2 / 7	9.1	1 / 10	0 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	7 / 17	3 / 7	9.1	2 / 10	0 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	2 / 17	1 / 7	9.1	0 / 10	0 / 4	0 / 1
Percentage of transfers resulting in live births (%)	9 / 17	4 / 7	18.2	2 / 10	0 / 4	0 / 1
Percentage of transfers resulting in pregnancies (%)	12 / 17	4 / 7	36.4	2 / 10	0 / 4	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	67	33	33	11	11	2
Number of transfers	66	33	32	11	11	2
Estimated average number of transfers per retrieval	1.1	1.0	1.0	0.6	1.8	0.3
Average number of embryos transferred	1.6	1.4	1.3	1.5	1.5	2.0
Percentage of embryos transferred resulting in implantation (%)	53.0	60.0	44.7	3 / 15	5 / 15	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	36.4	33.3	31.3	2 / 11	1 / 11	0 / 2
Percentage of transfers resulting in singleton live births (%)	42.4	33.3	40.6	2 / 11	4 / 11	0 / 2
Percentage of transfers resulting in twin live births (%)	15.2	21.2	6.3	0 / 11	0 / 11	0 / 2
Percentage of transfers resulting in live births (%)	59.1	54.5	46.9	2 / 11	4 / 11	0 / 2
Percentage of transfers resulting in pregnancies (%)	65.2	63.6	59.4	4 / 11	6 / 11	1 / 2
Number of Egg/Embryo Banking Cycles						
	61	30	31	17	6	6
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		1			18	
Number of transfers		0			16	
Average number of embryos transferred					1.6	
Percentage of embryos transferred resulting in implantation (%)					57.7	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)					7 / 16	
Percentage of transfers resulting in singleton live births (%)					11 / 16	
Percentage of transfers resulting in twin live births (%)					1 / 16	
Percentage of transfers resulting in live births (%)					12 / 16	
Percentage of transfers resulting in pregnancies (%)					13 / 16	

CURRENT SERVICES & PROFILE

Current Name: Advanced Reproductive Medicine & Gynecology of Hawaii, Inc.

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF HAWAII HONOLULU, HAWAII

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Benton HH Chun, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	88%	Tubal factor	30%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 19% Female & male factors 59%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	20%	Male factor	71%	
Used gestational carrier	0%			Diminished ovarian reserve	43%	Other factor	14%	
				Endometriosis	45%	Unknown factor	0%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 196 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	40	16	32	20	8	2
Percentage of cancellations before retrieval (%)	10.0	1 / 16	18.8	5.0	0 / 8	0 / 2
Average number of embryos transferred	1.5	1.9	2.5	3.0	2.8	1.0
Percentage of embryos transferred resulting in implantation (%)	61.9	12 / 19	30.0	14.9	1 / 17	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	51.6	2 / 12	5.0	1 / 12	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	37.5	3 / 16	21.9	10.0	1 / 8	0 / 2
Percentage of cycles resulting in singleton live births (%)	37.5	6 / 16	21.9	15.0	1 / 8	0 / 2
Percentage of cycles resulting in twin live births (%)	10.0	2 / 16	12.5	5.0	0 / 8	0 / 2
Percentage of cycles resulting in live births (%)	47.5	8 / 16	34.4	20.0	1 / 8	0 / 2
Percentage of cycles resulting in pregnancies (%)	62.5	11 / 16	37.5	35.0	1 / 8	0 / 2
Outcomes per Transfer						
Number of transfers	31	12	21	16	6	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	48.4	3 / 12	33.3	2 / 16	1 / 6	0 / 2
Percentage of transfers resulting in singleton live births (%)	48.4	6 / 12	33.3	3 / 16	1 / 6	0 / 2
Percentage of transfers resulting in twin live births (%)	12.9	2 / 12	19.0	1 / 16	0 / 6	0 / 2
Percentage of transfers resulting in live births (%)	61.3	8 / 12	52.4	4 / 16	1 / 6	0 / 2
Percentage of transfers resulting in pregnancies (%)	80.6	11 / 12	57.1	7 / 16	1 / 6	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	17	9	8	4	4	0
Number of transfers	17	8	6	4	3	0
Estimated average number of transfers per retrieval	1.3	2.7	0.5	1.3		0.0
Average number of embryos transferred	1.5	1.6	2.3	2.8	2.3	
Percentage of embryos transferred resulting in implantation (%)	50.0	6 / 12	6 / 11	0 / 11	2 / 7	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	5 / 17	2 / 8	3 / 6	0 / 4	0 / 3	
Percentage of transfers resulting in singleton live births (%)	6 / 17	3 / 8	3 / 6	0 / 4	0 / 3	
Percentage of transfers resulting in twin live births (%)	1 / 17	1 / 8	1 / 6	0 / 4	0 / 3	
Percentage of transfers resulting in live births (%)	7 / 17	4 / 8	4 / 6	0 / 4	0 / 3	
Percentage of transfers resulting in pregnancies (%)	11 / 17	5 / 8	5 / 6	0 / 4	2 / 3	
Number of Egg/Embryo Banking Cycles						
	7	0	10	2	0	4
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		0			13	
Number of transfers		0			11	
Average number of embryos transferred					1.5	
Percentage of embryos transferred resulting in implantation (%)					3 / 13	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)					1 / 11	
Percentage of transfers resulting in singleton live births (%)					1 / 11	
Percentage of transfers resulting in twin live births (%)					0 / 11	
Percentage of transfers resulting in live births (%)					1 / 11	
Percentage of transfers resulting in pregnancies (%)					5 / 11	

CURRENT SERVICES & PROFILE

Current Name: IVF Hawaii

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PACIFIC IN VITRO FERTILIZATION INSTITUTE HONOLULU, HAWAII

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Thomas S. Kosasa, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	84%	Tubal factor	14%	Uterine factor	<1%	<i>Multiple Factors:</i> Female factors only 10% Female & male factors 22%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	6%	Male factor	36%	
Used gestational carrier	0%			Diminished ovarian reserve	40%	Other factor	4%	
				Endometriosis	35%	Unknown factor	<1%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 485 (includes 7 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	43	36	45	31	11	10
Percentage of cancellations before retrieval (%)	11.6	8.3	11.1	9.7	0 / 11	1 / 10
Average number of embryos transferred	2.0	2.1	2.7	2.8	3.2	2.3
Percentage of embryos transferred resulting in implantation (%)	30.6	15.2	17.9	5.6	0.0	0 / 11
Percentage of elective single embryo transfers (eSET) (%)	10.0	0.0	0.0	1 / 17	0 / 10	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	7.0	16.7	8.9	0.0	0 / 11	0 / 10
Percentage of cycles resulting in singleton live births (%)	7.0	19.4	11.1	0.0	0 / 11	0 / 10
Percentage of cycles resulting in twin live births (%)	9.3	0.0	8.9	0.0	0 / 11	0 / 10
Percentage of cycles resulting in live births (%)	16.3	19.4	20.0	0.0	0 / 11	0 / 10
Percentage of cycles resulting in pregnancies (%)	20.9	25.0	22.2	12.9	0 / 11	1 / 10
Outcomes per Transfer						
Number of transfers	21	24	29	20	10	6
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	14.3	25.0	13.8	0.0	0 / 10	0 / 6
Percentage of transfers resulting in singleton live births (%)	14.3	29.2	17.2	0.0	0 / 10	0 / 6
Percentage of transfers resulting in twin live births (%)	19.0	0.0	13.8	0.0	0 / 10	0 / 6
Percentage of transfers resulting in live births (%)	33.3	29.2	31.0	0.0	0 / 10	0 / 6
Percentage of transfers resulting in pregnancies (%)	42.9	37.5	34.5	20.0	0 / 10	1 / 6
Frozen Embryos from Nondonor Eggs						
Number of cycles	32	26	29	10	4	3
Number of transfers	29	20	27	9	4	3
Estimated average number of transfers per retrieval	4.1	2.0	1.9	2.3	4.0	1.5
Average number of embryos transferred	1.9	2.0	2.1	2.9	2.8	2.3
Percentage of embryos transferred resulting in implantation (%)	43.6	32.5	38.2	7.7	5 / 8	1 / 7
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	20.7	30.0	22.2	1 / 9	2 / 4	1 / 3
Percentage of transfers resulting in singleton live births (%)	27.6	30.0	29.6	1 / 9	2 / 4	1 / 3
Percentage of transfers resulting in twin live births (%)	24.1	15.0	18.5	0 / 9	1 / 4	0 / 3
Percentage of transfers resulting in live births (%)	51.7	45.0	48.1	1 / 9	3 / 4	1 / 3
Percentage of transfers resulting in pregnancies (%)	55.2	50.0	59.3	1 / 9	4 / 4	1 / 3
Number of Egg/Embryo Banking Cycles						
	2	1	5	1	1	1
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		74			113	
Number of transfers		68			106	
Average number of embryos transferred		1.8			1.9	
Percentage of embryos transferred resulting in implantation (%)		44.8			33.3	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		25.0			22.6	
Percentage of transfers resulting in singleton live births (%)		30.9			31.1	
Percentage of transfers resulting in twin live births (%)		22.1			12.3	
Percentage of transfers resulting in live births (%)		52.9			43.4	
Percentage of transfers resulting in pregnancies (%)		57.4			45.3	

CURRENT SERVICES & PROFILE

Current Name: Pacific In Vitro Fertilization Institute

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

TRIPLER ARMY MEDICAL CENTER IVF INSTITUTE TRIPLER AMC, HAWAII

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Nia Middleton, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	78%	Tubal factor	29%	Uterine factor	10%	Multiple Factors: Female factors only 7% Female & male factors 33%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	16%	Male factor	50%	
Used gestational carrier	0%			Diminished ovarian reserve	19%	Other factor	5%	
				Endometriosis	7%	Unknown factor	11%	

2015 ART SUCCESS RATES ^c		Total number of cycles ^d : 112 (includes 2 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		29	18	12	5	0	0
Percentage of cancellations before retrieval (%)		3.4	3 / 18	2 / 12	3 / 5		
Average number of embryos transferred		1.9	2.1	2.3			
Percentage of embryos transferred resulting in implantation (%)		37.0	48.0	3 / 14			
Percentage of elective single embryo transfers (eSET) (%)		4.2	0 / 13	0 / 6			
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		6.9	2 / 18	1 / 12	0 / 5		
Percentage of cycles resulting in singleton live births (%)		10.3	6 / 18	1 / 12	0 / 5		
Percentage of cycles resulting in twin live births (%)		24.1	3 / 18	1 / 12	0 / 5		
Percentage of cycles resulting in live births (%)		34.5	9 / 18	2 / 12	0 / 5		
Percentage of cycles resulting in pregnancies (%)		37.9	10 / 18	2 / 12	0 / 5		
Outcomes per Transfer							
Number of transfers		25	13	6	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		8.0	2 / 13	1 / 6			
Percentage of transfers resulting in singleton live births (%)		12.0	6 / 13	1 / 6			
Percentage of transfers resulting in twin live births (%)		28.0	3 / 13	1 / 6			
Percentage of transfers resulting in live births (%)		40.0	9 / 13	2 / 6			
Percentage of transfers resulting in pregnancies (%)		44.0	10 / 13	2 / 6			
Frozen Embryos from Nondonor Eggs							
Number of cycles		12	5	12	2	3	0
Number of transfers		12	3	8	1	1	0
Estimated average number of transfers per retrieval		0.9	1.0	2.0	0.5		
Average number of embryos transferred		1.8	1.3	1.5	1.0	2.0	
Percentage of embryos transferred resulting in implantation (%)		5 / 18	1 / 4	0 / 9		1 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 12	1 / 3	0 / 8	0 / 1	1 / 1	
Percentage of transfers resulting in singleton live births (%)		3 / 12	1 / 3	0 / 8	0 / 1	1 / 1	
Percentage of transfers resulting in twin live births (%)		1 / 12	0 / 3	0 / 8	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)		4 / 12	1 / 3	0 / 8	0 / 1	1 / 1	
Percentage of transfers resulting in pregnancies (%)		6 / 12	1 / 3	2 / 8	1 / 1	1 / 1	
Number of Egg/Embryo Banking Cycles							
		6	1	1	1	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		0			3		
Number of transfers		0			3		
Average number of embryos transferred					2.7		
Percentage of embryos transferred resulting in implantation (%)					1 / 8		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)					0 / 3		
Percentage of transfers resulting in singleton live births (%)					1 / 3		
Percentage of transfers resulting in twin live births (%)					0 / 3		
Percentage of transfers resulting in live births (%)					1 / 3		
Percentage of transfers resulting in pregnancies (%)					1 / 3		

CURRENT SERVICES & PROFILE		Current Name: Tripler Army Medical Center IVF Institute					
Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.